

Monthly Summary Report

Institution: CIM _____

Memorandum

Date: November 5, 2024
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CIM

The following is a summary of the heat related activity for the month of October
at CIM _____ (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes _____

Number of days Stage I Alert initiated: 10

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes _____

Number of days Stage II Alert initiated: 3

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____

Number of days Stage III Alert initiated: None

4. Weekly list of heat risk patients archived? Yes _____

5. Number of patients with heat related illness. 0 _____ List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Travis Pennington

Warden Name

Warden Signature

Bryttiney Lincoln

Chief Executive Officer Name

Chief Executive Officer Signature

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A1 Temp. Reading Location: EASTSIDE/WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/1	0300	71	
	0600	71	Varela
	0900	74	Varela
	1200	80	Varela
	1500	89	Torres
	1800	90	Torres
10/2	2100	88	Torres
	2400	85	D. Harris

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	82	D. Harris
	0600	84	Varela
	0900	76	Varela
	1200	80	Varela
	1500	89	Torres
	1800	87	Torres
10/5	2100	84	Torres
	2400	81	D. Harris

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	70	J. Diaz
	0600	75	J. Jacob
	0900	80	Yarolla
	1200	81	Yarolla
	1500	82	Torres
	1800	81	Torres
10/7	2100	81	Torres
	2400	79	J. Diaz

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	70	J. Diaz
	0600	70	Lourdes
	0900	70	Lourdes
	1200	75	Lourdes
	1500	78	Lourdes
	1800	77	Torres
10/2	2100	75	Torres
	2400	73	J. Diaz

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	82	D. Harris
	0600	81	Varela
	0900	85	Varela
	1200	88	Varela
	1500	90	Torres
	1800	88	Torres
10/4	2100	86	Torres
	2400	84	D. Harris

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	78	J. Diaz
	0600	75	Torres
	0900	77	Torres
	1200	78	Torres
	1500	78	Torres
	1800	80	Torres
10/6	2100	79	Torres
	2400	78	J. Diaz

Notes

10/1 STAGE 1 HEAT DIAL 1200-0900
10/2 90° @ 1900
10/3 90° @ 1230

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A3 Temp. Reading Location: EAST / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-2-2024	0300	76	R. MAY
10-2-2024	0600	76	C. SANCHEZ
10-2-2024	0900	78	C. SANCHEZ
10-2-2024	1200	75	C. SANCHEZ
10-2-2024	1500	74	O. MOLINA
10-2-2024	1800	75	G. MAMALA
10-2-2024	2100	75	G. MAMALA
10-2-2024	2400	75	Ortega

Friday 10/4/2024

Date	Time	Temp.	Name (Print)
10-4-2024	0300	73	Hayhurst
10-4-2024	0600	70	Hayhurst
10-4-2024	0900	71	Hayhurst
10-4-2024	1200	72	Hayhurst
10-4-2024	1500	77	A. APA
10-4-2024	1800	75	A. APA
10-4-2024	2100	71	A. APA
10-4-2024	2400	73	Chowdhury

Sunday 10/6/2024

Date	Time	Temp.	Name (Print)
10-6-2024	0300	72	Chowdhury
10-6-2024	0600	70	Williams
10-6-2024	0900	72	Williams
10-6-2024	1200	75	Williams
10-6-2024	1500	77	Motors
10-6-2024	1800	77	Motors
10-6-2024	2100	78	Motors
10-6-2024	2400	76	R. AGUDEZ

Tuesday

Date	Time	Temp.	Name (Print)
10-1-2024	0300	67	Pinata
10-1-2024	0600	67	C. SANCHEZ
10-1-2024	0900	70	C. SANCHEZ
10-1-2024	1200	73	C. SANCHEZ
10-1-2024	1500	74	M. BURNS
10-1-2024	1800	74	M. BURNS
10-1-2024	2100	74	M. BURNS
10-1-2024	2400	75	R. MAY

Thursday

Date	Time	Temp.	Name (Print)
10-3-2024	0300	73	J. ORTEGA
10-3-2024	0600	73	R. NICHOLS
10-3-2024	0900	74	Z. NICHOLS
10-3-2024	1200	76	Z. NICHOLS
10-3-2024	1500	79	J. CHAVEZ
10-3-2024	1800	79	J. CHAVEZ
10-3-2024	2100	75	J. CHAVEZ
10-3-2024	2400	75	J. ORTEGA

Saturday

Date	Time	Temp.	Name (Print)
10-5-2024	0300	72	Chowdhury
10-5-2024	0600	69	OPCZ
10-5-2024	0900	72	OPCZ
10-5-2024	1200	74	OPCZ
10-5-2024	1500	78	KEYES
10-5-2024	1800	71	KEYES
10-5-2024	2100	75	KEYES
10-5-2024	2400	72	Chowdhury

Notes

10-3 Hot Weather Plan De-activated (81°F)

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-4 Temp. Reading Location: Eastside-westside
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
10/1	0300	70	S. BETHLEY
	0600	69	P. LUNA
	0900	71	P. LUNA
	1200	74	P. LUNA
	1500	79	M. LATINO
	1800	78	M. LATINO
	2100	77	M. LATINO
	2400	74	S. BETHLEY

Date	Time	Temp.	Name (Print)
10/1	0300	72	S. BETHLEY
	0600	70	MORRIS
	0900	73	MORRIS
	1200	78	MORRIS
	1500	79	S. ANDERSON
	1800	78	S. ANDERSON
	2100	78	S. ANDERSON
	2400	74	S. BETHLEY

Date	Time	Temp.	Name (Print)
10/1	0300	72	J. AGUIRRE
	0600	67	MORRIS
	0900	71	MORRIS
	1200	74	MORRIS
	1500	79	S. ANDERSON
	1800	78	S. ANDERSON
	2100	77	S. ANDERSON
	2400	75	J. AGUIRRE

Date	Time	Temp.	Name (Print)
10/1	0300	72	O. GALVAN
	0600	73	MORRIS
	0900	74	MORRIS
	1200	77	MORRIS
	1500	77	MORRIS
	1800	75	A. PENA
	2100	75	R. OLIVEZ
	2400	74	S. BETHLEY

Date	Time	Temp.	Name (Print)
10/1	0300	72	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
10/1	0300	73	S. BETHLEY
	0600	74	MORRIS
	0900	74	MORRIS
	1200	76	MORRIS
	1500	77	S. ANDERSON
	1800	77	S. ANDERSON
	2100	76	S. ANDERSON
	2400	75	J. AGUIRRE

Date	Time	Temp.	Name (Print)
10/1	0300	73	J. AGUIRRE
	0600	75	MORRIS
	0900	76	MORRIS
	1200	76	MORRIS
	1500	77	S. ANDERSON
	1800	77	S. ANDERSON
	2100	76	S. ANDERSON
	2400	75	O. GALVAN

Notes

10/1/24 Heat monitor plan activated @ 90° 100°
10/1/24 1st heat alert activated @ 100°
10/4/24 1st Stage heat alert activated @ 1140 90°
10/5/24 1st Stage heat alert activated @ 100 90°

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: 45

Temp. Reading Location: EAST/WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7182 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	73	M A Hernandez
	0600	71	M A Hernandez
	0900	71	J. Gutierrez
	1200	73	J. Gutierrez
	1500	76	J. Vasquez
	1800	75	J. Vasquez
	2100	73	J. Vasquez
	2400	73	M A Hernandez

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	71	J. Aguirre
	0600	70	J. Gutierrez
	0900	71	J. Gutierrez
	1200	73	J. Gutierrez
	1500	74	J. Gutierrez
	1800	73	C. Martinez
	2100	74	C. Martinez
	2400	73	J. Aguirre

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	72	M A Hernandez
	0600	71	E Gomez
	0900	73	E Gomez
	1200	76	E Gomez
	1500	76	A. Aguirre
	1800	73	A. Aguirre
	2100	76	A. Aguirre
	2400	72	M A Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	73	M A Hernandez
	0600	70	J. Gutierrez
	0900	70	J. Gutierrez
	1200	73	J. Gutierrez
	1500	75	Sandoval, J
	1800	75	L. Sandoval
	2100	77	L. Sandoval
	2400	73	M A Hernandez

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	73	M A Hernandez
	0600	70	J. Gutierrez
	0900	71	J. Gutierrez
	1200	73	J. Gutierrez
	1500	74	J. Gutierrez
	1800	73	C. Martinez
	2100	73	J. Gutierrez
	2400	72	J. Aguirre

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	71	J. Aguirre
	0600	70	Hayhurst
	0900	71	Hayhurst
	1200	72	Hayhurst
	1500	73	Hayhurst
	1800	72	Hayhurst
	2100	69	Hayhurst
	2400	72	M A Hernandez

Notes

10/1/24 Hot weather plan activated at 1200 hrs w/90
10/3/24 Hot weather plan activated at 1300 hrs w/90
10/6/24 Hot weather Plan Deactivated at 1800hrs
10/4/24 Hot weather plan activated at 1100 hrs w/90.
10/6/24 Hot Weather Plan deactivated
at 1830 hrs 83°

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A10

Temp. Reading Location: EAST / WESTSIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7122 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

72 K-thus

Wednesday

Date	Time	Temp.	Name (Print)
	0300	<u>73</u>	<u>K-thus</u>
10.2	0600	<u>73</u>	<u>S. HERNANDEZ</u>
	0900	<u>74</u>	<u>S. HERNANDEZ</u>
	1200	<u>75</u>	<u>S. HERNANDEZ</u>
	1500	<u>75</u>	<u>MARATHON</u>
	1800	<u>72</u>	<u>MARATHON</u>
	2100	<u>72</u>	<u>MARATHON</u>
	2400	<u>73</u>	<u>K-thus</u>

Friday

Date	Time	Temp.	Name (Print)
	0300	<u>73</u>	<u>K-thus</u>
10.4	0600	<u>72</u>	<u>S. Hernandez</u>
	0900	<u>74</u>	<u>S. Hernandez</u>
	1200	<u>75</u>	<u>S. Hernandez</u>
	1500	<u>73</u>	<u>MARATHON</u>
	1800	<u>73</u>	<u>MARATHON</u>
	2100	<u>71</u>	<u>MARATHON</u>
	2400	<u>72</u>	<u>K-thus</u>

Sunday

Date	Time	Temp.	Name (Print)
	0300	<u>70</u>	<u>Soph</u>
10.6	0600	<u>70</u>	<u>D. Hernandez</u>
	0900	<u>71</u>	<u>A. Hernandez</u>
	1200	<u>72</u>	<u>A. Hernandez</u>
	1500	<u>73</u>	<u>C. Angon</u>
	1800	<u>71</u>	<u>C. Angon</u>
	2100	<u>71</u>	<u>C. Angon</u>
	2400	<u>70</u>	<u>Soph. 92</u>

Tuesday

Date	Time	Temp.	Name (Print)
	0300	<u>71</u>	<u>K-thus</u>
10.1	0600	<u>72</u>	<u>S. HERNANDEZ</u>
	0900	<u>73</u>	<u>S. HERNANDEZ</u>
	1200	<u>75</u>	<u>S. HERNANDEZ</u>
	1500	<u>75</u>	<u>MARATHON</u>
	1800	<u>72</u>	<u>MARATHON</u>
	2100	<u>72</u>	<u>MARATHON</u>
	2400	<u>73</u>	<u>K-thus</u>

Thursday

Date	Time	Temp.	Name (Print)
	0300	<u>73</u>	<u>K-thus</u>
10.3	0600	<u>73</u>	<u>S. HERNANDEZ</u>
	0900	<u>74</u>	<u>S. HERNANDEZ</u>
	1200	<u>74</u>	<u>S. HERNANDEZ</u>
	1500	<u>73</u>	<u>MARATHON</u>
	1800	<u>73</u>	<u>MARATHON</u>
	2100	<u>71</u>	<u>MARATHON</u>
	2400	<u>73</u>	<u>K-thus</u>

Saturday

Date	Time	Temp.	Name (Print)
	0300	<u>72</u>	<u>K-thus</u>
10.5	0600	<u>71</u>	<u>A. Hernandez</u>
	0900	<u>72</u>	<u>A. Hernandez</u>
	1200	<u>73</u>	<u>A. Hernandez</u>
	1500	<u>73</u>	<u>MARATHON</u>
	1800	<u>72</u>	<u>MARATHON</u>
	2100	<u>70</u>	<u>Soph</u>
	2400	<u>70</u>	<u>Soph</u>

Notes 10-01-24 - STAGE 1, @ 1200 - 90°

10-02-24 - 1000 10-1-89 89° DE-AIRNPN HEAT PBN

10-2-24 1000 - 86° DE-AIRNPN

10-03-24 - STAGE 1 HEAT ALERT ACTIVATED @ 1300 - 90°

10-3-24 1000 - 89° DE-AIRNPN

10/5/24 Stage 1 @ 1000

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A7

Temp. Reading Location: EAST/WEST SIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/18	0300	72	J. Yer
	0600	73	J. Yer
	0900	73	J. Yer
	1200	70	J. Yer
	1500	72.5°F	N. Diaz
	1800	79.5°F	D. Diaz
	2100	76.6°F	D. Diaz
	2400	72	J. Yer

Wednesday

Date	Time	Temp.	Name (Print)
10/2/18	0300	72	J. Yer
	0600	73	J. Yer
	0900	73	J. Yer
	1200	70	J. Yer
	1500	78	J. Yer
	1800	74	J. Yer
	2100	74	J. Yer
	2400	72	J. Yer

Thursday

Date	Time	Temp.	Name (Print)
10/3/18	0300	71	J. Yer
	0600	73	J. Yer
	0900	73	J. Yer
	1200	70	J. Yer
	1500	73	J. Yer
	1800	72	J. Yer
	2100	70	J. Yer
	2400	70	J. Yer

Friday

Date	Time	Temp.	Name (Print)
10/4/18	0300	71	J. Yer
	0600	73	J. Yer
	0900	75	J. Yer
	1200	77	J. Yer
	1500	73	J. Yer
	1800	77	J. Yer
	2100	77	J. Yer
	2400	73	J. Yer

Saturday

Date	Time	Temp.	Name (Print)
10/5/18	0300	72	J. Yer
	0600	75	J. Yer
	0900	74	J. Yer
	1200	76	J. Yer
	1500	74	J. Yer
	1800	77	J. Yer
	2100	77	J. Yer
	2400	75	J. Yer

Sunday

Date	Time	Temp.	Name (Print)
10/6/18	0300	72	J. Yer
	0600	72	J. Yer
	0900	73	J. Yer
	1200	75	J. Yer
	1500	73	J. Yer
	1800	74	J. Yer
	2100	73	J. Yer
	2400	72	J. Yer

Notes

10/1/18 90° 11 AM
10/2/18 90° 1 PM
10/3/18 90° 1 PM

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIA Housing Unit: AB Temp, Reading Location: EAST/WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	71	<u>Bogino</u>
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300	72	<u>S. MORENO</u>
10/2	0600	71	<u>A. MENCHACA</u>
	0900	74	<u>A. MENCHACA</u>
	1200	74	<u>A. MENCHACA</u>
	1500	70	<u>Y. SANCHEZ</u>
	1800	70	<u>Y. SANCHEZ</u>
	2100	70	<u>Y. SANCHEZ</u>
	2400	73	<u>Y. SANCHEZ</u>

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	74	<u>D. Hill</u>
	0600	74	<u>R. Nichols</u>
	0900	74	<u>R. Nichols</u>
	1200	74	<u>R. Nichols</u>
	1500	73	<u>R. GODIN</u>
	1800	73	<u>R. GODIN</u>
	2100	73	<u>R. GODIN</u>
	2400	73	<u>R. GODIN</u>

Sunday

Date	Time	Temp.	Name (Print)
10/9	0300	70	<u>S. MORENO</u>
	0600	70	<u>M. Prince</u>
	0900	71	<u>M. Prince</u>
	1200	73	<u>M. Prince</u>
	1500	73	<u>Ch. Gandy</u>
	1800	73	<u>Ch. Gandy</u>
	2100	72	<u>Ch. Gandy</u>
	2400	71	<u>S. MORENO</u>

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	71	<u>Bogino</u>
	0600	73	<u>A. MENCHACA</u>
	0900	74	<u>A. MENCHACA</u>
	1200	76	<u>A. MENCHACA</u>
	1500	76	<u>K. Morris</u>
	1800	76	<u>K. Morris</u>
	2100	74	<u>S. MORENO</u>
	2400	73	<u>S. MORENO</u>

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	73	<u>Ch. Gandy</u>
	0600	72	<u>A. MENCHACA</u>
	0900	76	<u>A. MENCHACA</u>
	1200	76	<u>A. MENCHACA</u>
	1500	76	<u>Y. SANCHEZ</u>
	1800	78	<u>Y. SANCHEZ</u>
	2100	76	<u>Y. SANCHEZ</u>
	2400	77	<u>Y. SANCHEZ</u>

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	70	<u>D. Hill</u>
	0600	73	<u>A. MENCHACA</u>
	0900	74	<u>A. MENCHACA</u>
	1200	76	<u>A. MENCHACA</u>
	1500	73	<u>M. Weaver</u>
	1800	73	<u>M. Weaver</u>
	2100	72	<u>M. Weaver</u>
	2400	71	<u>S. MORENO</u>

Notes

10/1 HOT WEATHER PLAN ACTIVATED - 90° @ 1200

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM

Housing Unit: A7

Temp. Reading Location: EAST SIDE / WEST SIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07	0300	78	DIAZ
	0600	71	Torres
	0900	71	Lewis
	1200	78	Lewis
	1500	87	Torres
	1800	84	Torres
	2100	82	Torres
	2400	79	DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
10/07	0300	75	DIAZ
	0600	79	Lewis
	0900	80	Lewis
	1200	84	Lewis
	1500	86	Torres
	1800	85	Torres
	2100	82	Torres
	2400	80	DIAZ

Friday

Date	Time	Temp.	Name (Print)
10/07	0300	76	DIAZ
	0600	78	Lewis
	0900	80	Lewis
	1200	88	Lewis
	1500	81	Lewis
	1800	79	Silva
	2100	78	Silva
	2400	76	DIAZ

Sunday

Date	Time	Temp.	Name (Print)
10/07	0300	76	DIAZ
	0600	75	DIAZ
	0900	75	Lewis
	1200	78	Lewis
	1500	80	Lewis
	1800	78	Lewis
	2100	79	Lewis
	2400	79	Lewis

Tuesday

Date	Time	Temp.	Name (Print)
10/08	0300	77	DIAZ
	0600	76	Lewis
	0900	74	Lewis
	1200	75	Lewis
	1500	82	Torres
	1800	81	Torres
	2100	79	Torres
	2400	77	DIAZ

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	78	DIAZ
	0600	77	Lewis
	0900	81	Lewis
	1200	82	Lewis
	1600	81	Lewis
	1800	78	Lewis
	2100	78	Lewis
	2400	76	DIAZ

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	78	DIAZ
	0600	76	Lewis
	0900	77	Lewis
	1200	79	Lewis
	1500	79	Lewis
	1800	80	Lewis
	2100	740	Lewis
	2400	77	DIAZ

Notes

10/7 STAFF 1 HEAT PLAN 1700 hrs 8:000
10/8 STAFF 1 HEAT PLAN 1700 hrs 8:000
10/11 90° @ 1300 hrs

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM

Housing Unit: A3

Temp. Reading Location: EAST SIDE / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

10/7/2024

Date	Time	Temp.	Name (Print)
10/07/24	0300	74	J. AGUIRRE
	0600	76	Taylor
	0900	70	Taylor
	1200	73	Taylor
	1500	77	Pickens
	1800	78	Pickens
	2100	78	Pickens
	2400	78	Dunn

Wednesday

10/09/2024

Date	Time	Temp.	Name (Print)
10/09/24	0300	74	A. ORTEGA
	0600	73	Taylor
	0900	73	Taylor
	1200	76	Taylor
	1500	82	Pickens
	1800	82	Pickens
	2100	79	Pickens
	2400	77	A. ORTEGA

Friday

10/11/2024

Date	Time	Temp.	Name (Print)
10/11/24	0300	73	A. ORTEGA
	0600	71	Demarion
	0900	72	Demarion
	1200	71	Demarion
	1500	78	ALP
	1800	75	ALP
	2100	71	ALP
	2400	73	Chandler

Sunday

10/13/2024

Date	Time	Temp.	Name (Print)
10/13/24	0300	73	Chandler
	0600	75	Taylor
	0900	72	Taylor
	1200	74	Taylor
	1500	75	Pickens
	1800	76	Pickens
	2100	75	Pickens
	2400	74	R. MAY

DISTRIBUTION: Original; Institution Heat Plan Coordinator

Tuesday

10/1/2024

Date	Time	Temp.	Name (Print)
10/08/24	0300	73	Price
	0600	75	Taylor
	0900	74	Taylor
	1200	74	Taylor
	1500	82	Pickens
	1800	80	Pickens
	2100	77	Pickens
	2400	77	Pickens

Thursday

10/10/2024

Date	Time	Temp.	Name (Print)
10/10/24	0300	73	Price
	0600	75	R. Nichols
	0900	73	R. Nichols
	1200	76	R. Nichols
	1500	80	ALP
	1800	79	ALP
	2100	71	ALP
	2400	71	Taylor

Saturday

10/12/2024

Date	Time	Temp.	Name (Print)
10/12/24	0300	75	Christopher
	0600	76	Price
	0900	73	Taylor
	1200	76	Taylor
	1500	77	Pickens
	1800	77	Pickens
	2100	77	Pickens
	2400	73	Christopher

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-4 Temp. Reading Location: Eastside-westside

Immediately notify the Watch Commander at extension 7132 (e.g., 1st tier, 2nd tier, 3rd tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300	74	SIRCHY
	0600	71	P.Luna
	0900	73	P.Luna
	1200	74	P.Luna
	1500	70	
	1800	75	XVAL
	2100	75	XVAL
	2400	72	Bethley

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	75	Bethley
	0600	74	Morris
	0900	74	Morris
	1200	74	Morris
	1500	77	S.Aguilar
	1800	76	S.Aguilar
	2100	76	S.Aguilar
	2400	74	O.GALVAN

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	72	JAGUILA
	0600	74	MORRIS MORRIS
	0900	71	Morris
	1200	71	Morris
	1500	73	PENANGLA
	1800	74	PENANGLA
	2100	74	PENANGLA
	2400	70	PARZ

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	74	Laura
	0600	72	Laura
	0900	70	Laura
	1200	72	Laura
	1500	70	Laura
	1800	75	XVAL
	2100	77	XVAL
	2400	72	Bethley

Tuesday

Date	Time	Temp.	Name (Print)
10/8	0300	72	Riley
	0600	70	P.Luna
	0900	73	P.Luna
	1200	74	P.Luna
	1500	78	N.DATINO
	1800	76	N.DATINO
	2100	76	N.DATINO
	2400	74	XVAL

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	73	O.GALVAN
	0600	74	MURRIS
	0900	75	Morris
	1200	75	Morris
	1500	77	J.Aguilar
	1800	77	S.Aguilar
	2100	76	S.Aguilar
	2400	75	J.Aguilar

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	70	Perez
	0600	71	Morris
	0900	73	Morris
	1200	74	Morris
	1500	78	Aldia
	1800	79	Aldia
	2100	73	Aldia
	2400	73	Aldia

Notes

10/7 Heat weather plan activated @ 90° @ 1200
10/8 Heat Weather plan activated @ 90° @ 1130
10/9 1st stage heat alert activated @ 1230 90°
10/10/21 1st stage heat alert activated @ 1300 90°

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM

Housing Unit: A6

Temp. Reading Location: EASTSIDE/WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
16-7-24	0300	72	M. Hernandez
	0600	71	J. Gutierrez
	0900	72	J. Gutierrez
	1200	73	J. Gutierrez
	1500	75	J. Gutierrez
	1800	73	J. Gutierrez
	2100	74	J. Gutierrez
	2400	73	M. Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	72	M. Hernandez
	0600	69	J. Gutierrez
	0900	68	J. Gutierrez
	1200	71	J. Gutierrez
	1500	73	Morales
	1800	73	Morales
	2100	73	Morales
	2400	73	M. Hernandez

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	72	J. Luna
	0600	69	J. Gutierrez
	0900	68	J. Gutierrez
	1200	73	J. Gutierrez
	1500	73	Morales
	1800	75	Morales
	2100	73	Morales
	2400	72	J. Luna

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	72	M. Hernandez
	0600	71	P. Luna
	0900	71	P. Luna
	1200	73	P. Luna
	1500	76	E. Santos
	1800	74	E. Santos
	2100	73	E. Santos
	2400	73	M. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	72	M. Hernandez
	0600	70	J. Gutierrez
	0900	72	J. Gutierrez
	1200	72	J. Gutierrez
	1500	74	Morales
	1800	74	Morales
	2100	73	Morales
	2400	73	M. Hernandez

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	72	M. Hernandez
	0600	71	J. Gutierrez
	0900	70	J. Gutierrez
	1200	73	J. Gutierrez
	1500	74	Morales
	1800	74	Morales
	2100	73	Morales
	2400	73	J. Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	71	J. Gutierrez
	0600	69	P. Luna
	0900	72	P. Luna
	1200	74	P. Luna
	1500	76	E. Santos
	1800	76	E. Santos
	2100	74	E. Santos
	2400	73	M. Hernandez

Notes

10/7/24 Hot weather has returned at 11:30 am / 90°
10/7 - HHR De Activo - 1400 85°

10/4/24 Hot weather has returned at 11:30 am / 90°

10/4/24 Hot weather has returned at 11:30 am / 90°

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-16 Temp. Reading Location: Eastside-westside
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-29	0300	68	SOPP
	0600	71	M. Valderrama
	0900	70	M. Valderrama
	1200	70	M. Valderrama
	1500	73	R. Argon
	1800	73	R. Argon
	2100	71	R. Argon
	2400	72	K. Hoss

Wednesday

Date	Time	Temp.	Name (Print)
10-9	0300	71	K. Hoss
	0600	70	M. Valderrama
	0900	70	M. Valderrama
	1200	71	M. Valderrama
	1500	71	M. Valderrama
	1800	71	M. Valderrama
	2100	71	M. Valderrama
	2400	70	K. Hoss

Friday

Date	Time	Temp.	Name (Print)
10-11	0300	70	J. JAMES
	0600	70	M. Valderrama
	0900	71	M. Valderrama
	1200	71	M. Valderrama
	1500	70	M. Valderrama
	1800	70	M. Valderrama
	2100	69	M. Valderrama
	2400	70	K. Hoss

Sunday

Date	Time	Temp.	Name (Print)
10-13	0300	69	TUCCITONE
	0600	70	A. Hernandez
	0900	70	A. Hernandez
	1200	71	A. Hernandez
	1500	71	M. Rosales
	1800	71	M. Rosales
	2100	70	L. Lopez
	2400	69	A. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
10-8	0300	72	K. Hoss
	0600	71	M. Valderrama
	0900	71	M. Valderrama
	1200	71	M. Valderrama
	1500	71	M. Valderrama
	1800	73	M. Valderrama
	2100	71	M. Valderrama
	2400	71	K. Hoss

Thursday

Date	Time	Temp.	Name (Print)
10-10	0300	70	K. Hoss
	0600	70	M. Valderrama
	0900	70	M. Valderrama
	1200	71	M. Valderrama
	1500	71	M. Valderrama
	1800	71	M. Valderrama
	2100	71	M. Valderrama
	2400	68	J. JAMES

Saturday

Date	Time	Temp.	Name (Print)
10-12	0300	70	K. Hoss
	0600	70	A. Hernandez
	0900	71	A. Hernandez
	1200	72	A. Hernandez
	1500	70	M. Valderrama
	1800	70	M. Valderrama
	2100	70	M. Valderrama
	2400	70	TUCCITONE

Notes

10-9-29 DE-Action Heat Plan 72° - 85°
10-11-29 DE-Action Heat Plan 72° - 86°

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A7

Temp. Reading Location: EASTSIDE / WESTSIDE
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-7-24

Date	Time	Temp.	Name (Print)
<u>10/7</u>	0300	70	J. Johnson
	0600	71	Micheal
	0900	72	Micheal
	1200	74	Micheal
	1500	73.5°F	D. Diep
	1800	73.2°F	D. Diep
	2100	72.3°F	D. Diep
	2400	71	J. Johnson

Wednesday

Date	Time	Temp.	Name (Print)
<u>10/9</u>	0300	78	P. Yellow
	0600	73	M. Green
	0900	75	M. Green
	1200	76	M. Green
	1500	77	M. Green
	1800	77	M. Green
	2100	77	M. Green
	2400	71	M. Green

Friday

Date	Time	Temp.	Name (Print)
<u>10/11</u>	0300	70	P. Yellow
	0600	70	M. Green
	0900	74	M. Green
	1200	76	M. Green
	1500	73	M. Green
	1800	72	M. Green
	2100	77	M. Green
	2400	74	M. Green

Sunday

Date	Time	Temp.	Name (Print)
<u>10/13</u>	0300	74	P. Yellow
	0600	73	Micheal
	0900	74	Micheal
	1200	73	Micheal
	1500	72	G. Green
	1800	72	G. Green
	2100	71	G. Green
	2400	72	M. Green

Tuesday

Date	Time	Temp.	Name (Print)
<u>10/8</u>	0300	70	J. Johnson
	0600	72	M. Green
	0900	72	M. Green
	1200	72	M. Green
	1500	72.5°F	D. Diep
	1800	71.9°F	D. Diep
	2100	72.8°F	D. Diep
	2400	74	R. Johnson

Thursday

Date	Time	Temp.	Name (Print)
<u>10/10</u>	0300	70	R. Johnson
	0600	72	M. Green
	0900	74	M. Green
	1200	76	M. Green
	1500	75	M. Green
	1800	75	M. Green
	2100	70	M. Green
	2400	70	M. Green

Saturday

Date	Time	Temp.	Name (Print)
<u>10/12</u>	0300	70	M. Green
	0600	71	M. Green
	0900	74	M. Green
	1200	76	M. Green
	1500	75	M. Green
	1800	73	M. Green
	2100	71	M. Green
	2400	74	R. Johnson

Notes

2lw 10/7 go outside

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM

Housing Unit: A8

Temp. Reading Location: EASTSIDE/WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	71	S. MORENO
	0600	70	M. YUNGER
	0900	72	J. DIAZ
	1200	73	J. DIAZ
	1500	77	J. CAMACHO
	1800	76	J. CAMACHO
	2100	74	J. CAMACHO
	2400	73	S. MORENO

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	72	S. MORENO
	0600	74	J. ALVARADO
	0900	75	J. ALVARADO
	1200	76	J. ALVARADO
	1500	77	J. CAMACHO
	1800	76	J. CAMACHO
	2100	73	J. CAMACHO
	2400	74	S. MORENO

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	72	D. MIRELES
	0600	71	R. DEANES
	0900	73	R. DEANES
	1200	79	R. DEANES
	1500	77	J. CAMACHO
	1800	76	J. CAMACHO
	2100	78	J. CAMACHO
	2400	79	R. DEANES

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	71	S. MORENO
	0600	68	O. HERNANDEZ
	0900	70	O. HERNANDEZ
	1200	72	O. HERNANDEZ
	1500	73	M. YUNGER
	1800	75	M. YUNGER
	2100	71	M. YUNGER
	2400	70	S. MORENO

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	72	S. MORENO
	0600	74	J. CAMACHO
	0900	75	J. CAMACHO
	1200	77	J. CAMACHO
	1500	78	J. CAMACHO
	1800	77	J. CAMACHO
	2100	75	J. CAMACHO
	2400	73	S. MORENO

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	72	S. MORENO
	0600	73	J. CAMACHO
	0900	77	J. CAMACHO
	1200	76	J. CAMACHO
	1500	77	J. CAMACHO
	1800	76	J. CAMACHO
	2100	75	J. CAMACHO
	2400	73	P. RODRIGUEZ

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	72	D. MIRELES
	0600	70	R. DEANES
	0900	74	J. ALVARADO
	1200	74	J. ALVARADO
	1500	71	R. DEANES
	1800	70	R. DEANES
	2100	71	R. DEANES
	2400	72	S. MORENO

Notes

10/8 1130 AM 95° HEAT PLAN ACTIVATED 98°

10/9 0230 STAGE 1 ACTIVATED IN 90°

10/9 1700 STAGE 1 DEACTIVATED 85°

10/10 1700 STAGE 1 DEACTIVATED 86°

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A1

Temp. Reading Location: EASTSIDE/WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension T132 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/14

Date	Time	Temp.	Name (Print)
	0300	73	Parker
	0600	75	Wade
	0900	74	Wade
	1200	74	Wade
	1500	77	THOMAS
	1800	78	THOMAS
	2100	75	THOMAS
	2400	73	THOMAS

Wednesday 10/16

Date	Time	Temp.	Name (Print)
	0300	70	D. THOMAS
	0600	69	Wade
	0900	72	Wade
	1200	74	Wade
	1500	76	THOMAS
	1800	75	THOMAS
	2100	74	THOMAS
	2400	72	THOMAS

Friday 10/18

Date	Time	Temp.	Name (Print)
	0300	68	D. THOMAS
	0600	72	S. GREENE W
	0900	73	S. GREENE W
	1200	74	S. GREENE W
	1500	76	THOMAS
	1800	75	THOMAS
	2100	73	THOMAS
	2400	71	THOMAS

Sunday 10/20

Date	Time	Temp.	Name (Print)
	0300	75	D. MORENO
	0600	74	Wade
	0900	74	Wade
	1200	74	Wade
	1500	78	J. MEDRANO
	1800	76	J. MEDRANO
	2100		
	2400	75	Wade

Tuesday 10/15

Date	Time	Temp.	Name (Print)
	0300	71	D. THOMAS
	0600	75	Wade
	0900	74	Wade
	1200	74	Wade
	1500	78	THOMAS
	1800	77	THOMAS
	2100	74	THOMAS
	2400	71	D. THOMAS

Thursday 10/17

Date	Time	Temp.	Name (Print)
	0300	70	D. THOMAS
	0600	70	Wade
	0900	77	Wade
	1200	73	Wade
	1500	75	THOMAS
	1800	74	THOMAS
	2100	72	THOMAS
	2400	70	Wade

Saturday 10/19

Date	Time	Temp.	Name (Print)
	0300	68	D. THOMAS
	0600	71	Wade
	0900	72	Wade
	1200	74	Wade
	1500	77	K. TUNIGG
	1800	78	K. TUNIGG
	2100	77	K. TUNIGG
	2400	76	D. MORENO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAC Housing Unit: A-3 Temp. Reading Location: Eastside-westside

Immediately notify the Watch Commander at extension 7132 (e.g., 1st tier, 2nd tier, 3rd tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	75	R. MAY
	0600	76	Taylor
	0900	74	Taylor
	1200	74	Taylor
	1500	76	PICKENS
	1800	76	PICKENS
	2100	75	PICKENS
	2400	73	PICKENS

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	72	Perry
	0600	72	Taylor
	0900	73	Taylor
	1200	73	Taylor
	1500	72	PICKENS
	1800	75	PICKENS
	2100	75	PICKENS
	2400	75	PICKENS

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	72	A. WILKINS
	0600	73	J. ORTEGA
	0900	73	J. ORTEGA
	1200	73	J. ORTEGA
	1500	72	PICKENS
	1800	77	VICOMS
	2100	75	PICKENS
	2400	74	A. WILKINS

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	72	A. WILKINS
	0600	73	Z. NECHOLS
	0900	73	Z. NECHOLS
	1200	73	Z. NECHOLS
	1500	75	A. WILKINS
	1800	72	A. WILKINS
	2100	73	A. WILKINS
	2400	73	A. WILKINS

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	J. ORTEGA
	0600	71	A. WILKINS
	0900	71	A. WILKINS
	1200	72	A. WILKINS
	1500	71	MURKIN
	1800	70	MURKIN
	2100	68	MURKIN
	2400	71	Christony

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	71	Chaudhury
	0600	73	Taylor
	0900	73	Taylor
	1200	73	Taylor
	1500	70	PICKENS
	1800	79	PICKENS
	2100	73	PICKENS
	2400	77	Christony

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	72	Chaudhury
	0600	68	E. GOMEZ
	0900	71	E. GOMEZ
	1200	73	E. GOMEZ
	1500	73	PICKENS
	1800	77	PICKENS
	2100	76	PICKENS
	2400	74	GARZA

Notes:

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM-FAA Housing Unit: A-4

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	73	Bethley
	0600	73	Bethley
	0900	70	P. Luna
	1200	71	P. Luna
	1500	75	J. Diaz
	1800	73	J. Diaz
	2100	73	J. Diaz
	2400	67	Bethley

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	72	51 Bethley
	0600	62	M. L. Martin
	0900	62	M. L. Martin
	1200	74	M. L. Martin
	1500	77	K. Morris
	1800	77	K. Morris
	2100	72	K. Morris
	2400	72	O. GALVAN

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	72	S. Johnson
	0600	69	Morris
	0900	70	Morris
	1200	71	Morris
	1500	73	S. Johnson
	1800	73	S. Johnson
	2100	72	S. Johnson
	2400	72	I. M. HANLEY

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	72	S. Bethley
	0600	69	Morris
	0900	70	Morris
	1200	71	Morris
	1500	73	S. Smith
	1800	72	S. Smith
	2100	71	S. Smith
	2400	71	S. Bethley

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	67	Bethley
	0600	71	P. Luna
	0900	70	P. Luna
	1200	71	P. Luna
	1500	73	M. PATINO
	1800	73	M. PATINO
	2100	71	M. PATINO
	2400	72	S. Bethley

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	68	O. GALVAN
	0600	71	Morris
	0900	71	Morris
	1200	71	Morris
	1500	73	S. Johnson
	1800	73	S. Johnson
	2100	72	S. Johnson
	2400	72	I. M. HANLEY

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	70	I. M. HANLEY
	0600	70	Morris
	0900	70	Morris
	1200	71	Morris
	1500	73	S. Johnson
	1800	73	S. Johnson
	2100	72	S. Johnson
	2400	72	S. Bethley

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A5

Temp. Reading Location: EASTSIDE / WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7182 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	70	M. Hernandez
	0600	70	J. Luna
	0900	69	J. Luna
	1200	70	J. Luna
	1500	70	J. Luna
	1800	70	M. Morales
	2100	71	M. Morales
	2400	70	D. Cohn

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	70	M. Hernandez
	0600	74	J. Luna
	0900	74	J. Luna
	1200	74	J. Luna
	1500	71	J. Luna
	1800	70	M. Morales
	2100	70	M. Morales
	2400	70	M. Hernandez

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	70	J. Luna
	0600	73	J. Luna
	0900	74	J. Luna
	1200	75	J. Luna
	1500	71	M. Morales
	1800	70	M. Morales
	2100	69	M. Morales
	2400	69	J. Luna

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	67	D. Cohn
	0600	73	P. Luna
	0900	74	P. Luna
	1200	74	P. Luna
	1500	75	E. Santos
	1800	73	E. Santos
	2100	72	E. Santos
	2400	71	M. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	70	M. Hernandez
	0600	70	J. Luna
	0900	70	J. Luna
	1200	72	J. Luna
	1500	73	M. Morales
	1800	73	M. Morales
	2100	72	M. Morales
	2400	71	M. Hernandez

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	70	M. Hernandez
	0600	73	J. Luna
	0900	74	J. Luna
	1200	70	J. Luna
	1500	70	M. Morales
	1800	70	M. Morales
	2100	70	M. Morales
	2400	70	J. Luna

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	69	J. Luna
	0600	69	P. Luna
	0900	73	P. Luna
	1200	75	P. Luna
	1500	70	M. Morales
	1800	70	M. Morales
	2100	68	M. Morales
	2400	67	D. Cohn

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM

Housing Unit: A10

Temp. Reading Location: EAST SIDE / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the Inside air temperature reaches 90 degrees and again at 95 degrees,

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	68	T. GALVAN
	0600	69	S. HERNANDEZ
	0900	70	S. HERNANDEZ
	1200	71	S. HERNANDEZ
	1500	72	C. Angon
	1800	69	C. Angon
	2100	68	C. Angon
	2400	69	K. Hayes

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	69	C. Angon
	0600	69	S. HERNANDEZ
	0900	70	S. HERNANDEZ
	1200	71	S. HERNANDEZ
	1500	71	M. PATRICK
	1800	71	M. PATRICK
	2100	71	M. PATRICK
	2400	71	K. Hayes

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	69	K. Hayes
	0600	69	S. HERNANDEZ
	0900	69	S. HERNANDEZ
	1200	71	S. HERNANDEZ
	1500	71	M. PATRICK
	1800	71	M. PATRICK
	2100	71	M. PATRICK
	2400	72	K. Hayes

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	71	C. Angon
	0600	71	A. Hernandez
	0900	72	Hernandez
	1200	72	Hernandez
	1500	74	C. Angon
	1800	72	C. Angon
	2100	70	C. Angon
	2400	70	K. Hayes

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	69	K. Hayes
	0600	69	S. HERNANDEZ
	0900	70	S. HERNANDEZ
	1200	71	S. HERNANDEZ
	1500	71	M. PATRICK
	1800	69	M. PATRICK
	2100	69	M. PATRICK
	2400	69	K. Hayes

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	K. Hayes
	0600	70	S. HERNANDEZ
	0900	70	S. HERNANDEZ
	1200	72	S. HERNANDEZ
	1500	70	M. PATRICK
	1800	69	M. PATRICK
	2100	69	M. PATRICK
	2400	69	K. Hayes

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	K. Hayes
	0600	70	S. HERNANDEZ
	0900	70	S. HERNANDEZ
	1200	71	A. Hernandez
	1500	70	F. ROMANEZ
	1800		
	2100		
	2400	72	Z. SANCHEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM

Housing Unit: A7

Temp. Reading Location: EAST SIDE / WEST SIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7182 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/14

Date	Time	Temp.	Name (Print)
	0300	70	J. mason
10/14	0600	70	R. Lopez
	0900	71	R. Lopez
	1200	74	R. Lopez
	1500	77.5°F	D. Diep
	1800	76.0°F	D. Diep
	2100	77.5°F	D. Diep
	2400	79	J. mason

Wednesday 10/16

Date	Time	Temp.	Name (Print)
10/16	0300	73	J. Leggett
	0600	73	J. Leggett
	0900	73	J. Leggett
	1200	76	J. Leggett
	1500	73	J. Leggett
	1800	73	J. Leggett
	2100	73	J. Leggett
	2400	73	J. Leggett

Friday 10/18

Date	Time	Temp.	Name (Print)
10/18	0300	73	J. Leggett
	0600	73	J. Leggett
	0900	71	J. Leggett
	1200	76	J. Leggett
	1500	73	J. Leggett
	1800	73	J. Leggett
	2100	74	J. Leggett
	2400	73	J. Leggett

Sunday 10/20

Date	Time	Temp.	Name (Print)
10/20	0300	72	N. Navar
	0600	73	N. Navar
	0900	71	N. Navar
	1200	75	N. Navar
	1500	73	N. Navar
	1800	73	N. Navar
	2100	73	N. Navar
	2400	73	N. Navar

Tuesday 10/15

Date	Time	Temp.	Name (Print)
10/15	0300	73	J. mason
	0600	73	J. mason
	0900	73	J. mason
	1200	76	J. mason
	1500	71.0°F	D. Diep
	1800	78.0°F	D. Diep
	2100	76.6°F	D. Diep
	2400	73	J. mason

Thursday 10/17

Date	Time	Temp.	Name (Print)
10/17	0300	73	J. Leggett
	0600	73	J. Leggett
	0900	73	J. Leggett
	1200	76	J. Leggett
	1500	76	J. Leggett
	1800	76	J. Leggett
	2100	73	J. Leggett
	2400	73	J. Leggett

Saturday 10/19

Date	Time	Temp.	Name (Print)
10/19	0300	71	J. Leggett
	0600	72	J. Leggett
	0900	74	J. Leggett
	1200	76	J. Leggett
	1500	74	J. Leggett
	1800	72	J. Leggett
	2100	72	J. Leggett
	2400	72	J. Leggett

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A8

Temp. Reading Location: EASTSIDE/WESTSIDE
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	71	S. MORENO
	0600	76	AUWAN
	0900	76	AUWAN
	1200	76	AUWAN
	1500	72	KOKI
	1800	70	KOKI
	2100	68	KOKI
	2400	69	S. MORENO

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	70	S. MORENO
	0600	71	A. MENCHACA
	0900	71	A. MENCHACA
	1200	73	A. MENCHACA
	1500	73	A. MENCHACA
	1800	73	A. MENCHACA
	2100	73	A. MENCHACA
	2400	71	S. MORENO

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	73	Yann
	0600	70	A. MENCHACA
	0900	70	A. MENCHACA
	1200	70	A. MENCHACA
	1500	73	ESQUINAHNAKHAM
	1800	73	ESQUINAHNAKHAM
	2100	73	ESQUINAHNAKHAM
	2400	73	S. JAMES

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	70	S. MORENO
	0600	70	M. Rangel
	0900	73	TOMMY
	1200	76	TOMMY
	1500	70	Silva
	1800	70	Silva
	2100	70	Silva
	2400	70	S. MORENO

DISTRIBUTION: Original; Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	70	S. MORENO
	0600	70	A. MENCHACA
	0900	73	A. MENCHACA
	1200	72	A. MENCHACA
	1500	73	A. MENCHACA
	1800	72	A. MENCHACA
	2100	70	A. MENCHACA
	2400	71	S. MORENO

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	70	S. MORENO
	0600	71	A. MENCHACA
	0900	73	A. MENCHACA
	1200	74	A. MENCHACA
	1500	74	S. MORENO
	1800	73	S. MORENO
	2100	71	S. MORENO
	2400	73	S. MORENO

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	72	S. JAMES
	0600	70	D. GREENE
	0900	72	D. GREENE W
	1200	74	D. GREENE W
	1500	74	Hallie
	1800	73	Hallie
	2100	72	Hallie
	2400	71	S. MORENO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM

Housing Unit: A1

Temp. Reading Location: EASTSIDE / WESTSIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	70	PINEDA
	0600	71	WILSON
	0900	70	WILSON
	1200	72	WILSON
	1500	73	RENTERIA
	1800	72	RENTERIA
	2100	72	RENTERIA
	2400	70	HARRIS

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	72	D. WILSON
	0600	71	WILSON
	0900	73	WILSON
	1200	70	WILSON
	1500	71	WILSON
	1800	73	WILSON
	2100	76	WILSON
	2400	78	S. WILSON

Friday

Date	Time	Temp.	Name (Print)
10/26	0300	75	WILSON
	0600	72	WILSON
	0900	77	WILSON
	1200	80	WILSON
	1500	83	WILSON
	1800	71	WILSON
	2100	72	WILSON
	2400	78	A. DIKE

Sunday

Date	Time	Temp.	Name (Print)
10/28	0300	73	O. MORENO
	0600	75	TORIBIO
	0900	76	TORIBIO
	1200	77	TORIBIO
	1500	77	TORIBIO
	1800	75	TORIBIO
	2100	73	TORIBIO
	2400	79	RODRIGUEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	68	D. HARRIS
	0600	70	J. WILSON
	0900	72	J. WILSON
	1200	80	J. WILSON
	1500	82	J. WILSON
	1800	80	J. WILSON
	2100	76	J. WILSON
	2400	74	J. WILSON

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	76	D. HARRIS
	0600	75	J. WILSON
	0900	78	J. WILSON
	1200	80	J. WILSON
	1500	82	J. WILSON
	1800	80	J. WILSON
	2100	77	J. WILSON
	2400	73	L. MORENO

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	76	R. DIKE
	0600	75	M. WILSON
	0900	76	M. WILSON
	1200	77	M. WILSON
	1500	76	TORIBIO
	1800	76	TORIBIO
	2100	75	TORIBIO
	2400	74	O. MORENO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM

Housing Unit: A3

Temp. Reading Location: EASTSIDE/WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7182 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/18	0300	72	LDRANKE
	0600	72	Taylor
	0900	72	Taylor
	1200	75	Taylor
	1500	78	PICKENS
	1800	76	PICKENS
	2100	76	PICKENS
	2400	74	DELLA

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	72	D. OREGG
	0600	73	Taylor
	0900	73	Taylor
	1200	75	Taylor
	1500	72	PICKENS
	1800	78	PICKENS
	2100	78	PICKENS
	2400	76	D. OREGG

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	72	A. OREGG
	0600	71	A. HAMPTON
	0900	72	A. HAMPTON
	1200	73	A. HAMPTON
	1500	73	M. MARKER
	1800	72	M. MARKER
	2100	72	M. MARKER
	2400	72	A. OREGG

Sunday

Date	Time	Temp.	Name (Print)
10/21	0300	73	Chandhury
	0600	73	Taylor
	0900	75	Taylor
	1200	77	Taylor
	1500	75	PICKENS
	1800	74	RODRIGUEZ
	2100	72	RODRIGUEZ
	2400	71	J. AGUIRRE

Tuesday

Date	Time	Temp.	Name (Print)
10/23	0300	73	CHANDHURY
	0600	71	Taylor
	0900	71	Taylor
	1200	74	Taylor
	1500	76	PICKENS
	1800	76	PICKENS
	2100	76	PICKENS
	2400	74	PICKENS

Thursday

Date	Time	Temp.	Name (Print)
10/25	0300	74	A. OREGG
	0600	75	Z. M. HOLS
	0900	75	Z. M. HOLS
	1200	75	Z. M. HOLS
	1500	76	M. MARKER
	1800	74	M. MARKER
	2100	73	M. MARKER
	2400	73	Z. M. HOLS

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	73	Chandhury
	0600	73	Taylor
	0900	73	Taylor
	1200	76	Taylor
	1500	78	PICKENS
	1800	78	PICKENS
	2100	76	PICKENS
	2400	72	Chandhury

Notes

DISTRIBUTION: Original; Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CIM-F44** Housing Unit: **A-4** Temp. Reading Location: **Eastside-westside**
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension **7132** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	71	S. B. Smith
	0600	68	P. Luna
	0900	68	P. Luna
	1200	71	P. Luna
	1500	71	M. Morris
	1800	71	M. Morris
	2100	73	M. Morris
	2400	71	S. B. Smith

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	71	S. B. Smith
	0600	70	M. Morris
	0900	71	M. Morris
	1200	71	M. Morris
	1500	75	S. Anderson
	1800	75	S. Anderson
	2100	74	S. Anderson
	2400	71	O. GALVAN

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	73	O. GALVAN
	0600	71	M. Morris
	0900	72	M. Morris
	1200	74	M. Morris
	1500	75	S. Anderson
	1800	75	S. Anderson
	2100	75	S. Anderson
	2400	74	S. Anderson

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	71	K. M.
	0600	69	M. Morris
	0900	71	M. Morris
	1200	73	M. Morris
	1500	74	S. Anderson
	1800	71	S. Anderson
	2100	74	S. Anderson
	2400	71	S. Anderson

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	71	K. M.
	0600	69	P. Luna
	0900	69	P. Luna
	1200	71	P. Luna
	1500	74	M. Morris
	1800	71	M. Morris
	2100	73	M. Morris
	2400	73	S. B. Smith

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70	O. GALVAN
	0600	70	M. Morris
	0900	72	M. Morris
	1200	73	M. Morris
	1500	75	S. Anderson
	1800	73	S. Anderson
	2100	74	S. Anderson
	2400	73	O. GALVAN

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	73	K. M.
	0600	73	M. Morris
	0900	75	M. Morris
	1200	74	M. Morris
	1500	75	S. Anderson
	1800	74	S. Anderson
	2100	74	S. Anderson
	2400	75	K. M.

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM

Housing Unit: A6

Temp. Reading Location: EAST SIDE / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	70	M A Hernandez
	0600	73	J. Gutierrez
	0900	73	J. Gutierrez
	1200	76	J. Gutierrez
	1500	71	Morales
	1800	72	Morales
	2100	71	Morales
	2400	71	M A Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	69	M A Hernandez
	0600	69	J. Gutierrez
	0900	69	J. Gutierrez
	1200	70	J. Gutierrez
	1500	73	MORALEZ
	1800	72	MORALEZ
	2100	71	Moran
	2400	70	M A Hernandez

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70	J. Gutierrez
	0600	73	S. Garcia
	0900	74	S. Garcia
	1200	75	S. Garcia
	1500	73	Morales
	1800	72	Morales
	2100	71	Morales
	2400	71	J. Gutierrez

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	74	Lopez
	0600	75	P. Luna
	0900	75	P. Luna
	1200	77	P. Luna
	1500	75	E. SANTOS
	1800	74	E. SANTOS
	2100	73	E. SANTOS
	2400	72	S. Diaz

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	70	M A Hernandez
	0600	73	J. Gutierrez
	0900	74	J. Gutierrez
	1200	71	J. Gutierrez
	1500	73	Morales
	1800	72	Morales
	2100	70	Morales
	2400	70	M A Hernandez

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70	M A Hernandez
	0600	72	J. Gutierrez
	0900	72	J. Gutierrez
	1200	72	J. Gutierrez
	1500	73	Morales
	1800	72	Morales
	2100	70	Morales
	2400	70	J. Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	70	J. Gutierrez
	0600	72	P. Luna
	0900	74	P. Luna
	1200	75	P. Luna
	1500	74	E. SANTOS
	1800	74	E. SANTOS
	2100	73	E. SANTOS
	2400	73	E. SANTOS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM

Housing Unit: A10

Temp. Reading Location: EASTSIDE/WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7182 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/31/24	0300	69	K. Smith
	0600	69	S. Hernandez
	0900	70	S. Hernandez
	1200	71	S. Hernandez
	1500	73	C. Angon
	1800	71	C. Angon
	2100	69	C. Angon
	2400	70°	A. Aguirre

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	70°	A. Aguirre
	0600	70	S. Hernandez
	0900	71	S. Hernandez
	1200	72	S. Hernandez
	1500	71	M. Lopez
	1800	70	M. Lopez
	2100	70	M. Lopez
	2400	70°	A. Aguirre

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	71°	A. Aguirre
	0600	71	S. Hernandez
	0900	72	S. Hernandez
	1200	73	S. Hernandez
	1500	71	M. Lopez
	1800	72	M. Lopez
	2100	70	M. Lopez
	2400	68°	A. Aguirre

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	69	A. Hernandez
	0600	71	A. Hernandez
	0900	72	A. Hernandez
	1200	73	M. Rosario
	1500	72	M. Rosario
	1800	71	M. Rosario
	2100	71	M. Rosario
	2400	70	M. Rosario

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	75°	A. Aguirre
	0600	74	S. Hernandez
	0900	74	S. Hernandez
	1200	75	S. Hernandez
	1500	71	M. Lopez
	1800	70	M. Lopez
	2100	70	M. Lopez
	2400	70°	A. Aguirre

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	68°	A. Aguirre
	0600	69	S. Hernandez
	0900	70	S. Hernandez
	1200	70	S. Hernandez
	1500	71	M. Lopez
	1800	71	M. Lopez
	2100	72	M. Lopez
	2400	71°	A. Aguirre

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	67°	A. Aguirre
	0600	69	A. Hernandez
	0900	72	A. Hernandez
	1200	72	A. Hernandez
	1500	71	M. Lopez
	1800	71	M. Lopez
	2100	71	M. Lopez
	2400	71°	A. Aguirre

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A7

Temp. Reading Location: EAST SIDE / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	71	J. Turner
	0600	72	
	0900	72	D. Price
	1200	72	D. Price
	1500	73.5°F	D. Price
	1800	69.4°F	D. Price
	2100	71.0°F	D. Price
	2400	70	D. Price

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	72	J. Turner
	0600	72	J. Turner
	0900	74	J. Turner
	1200	76	J. Turner
	1500	73	J. Turner
	1800	72	J. Turner
	2100	73	J. Turner
	2400	73	J. Turner

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	73	J. Turner
	0600	74	J. Turner
	0900	75	J. Turner
	1200	76	J. Turner
	1500	71	J. Turner
	1800	73	J. Turner
	2100	73	J. Turner
	2400	73	J. Turner

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	67	R. Banks
	0600	70	R. Banks
	0900	74	R. Banks
	1200	74	R. Banks
	1500	79	R. Banks
	1800	73	R. Banks
	2100	73	R. Banks
	2400	76	R. Banks

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	70	J. Turner
	0600	72	J. Turner
	0900	77	J. Turner
	1200	75	J. Turner
	1500	72.1°F	J. Turner
	1800	71.4°F	J. Turner
	2100	70.8°F	J. Turner
	2400	72	J. Turner

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	73	J. Turner
	0600	77	J. Turner
	0900	77	J. Turner
	1200	76	J. Turner
	1500	75	J. Turner
	1800	73	J. Turner
	2100	75	J. Turner
	2400	75	J. Turner

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	75	R. Banks
	0600	73	R. Banks
	0900	74	R. Banks
	1200	75	R. Banks
	1500	74	R. Banks
	1800	73	R. Banks
	2100	73	R. Banks
	2400	69	R. Banks

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: All-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A8

Temp. Reading Location: EAST SIDE / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7139 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	70	S. MORENO
	0600	69	A. MENCHACA
	0900	71	A. MENCHACA
	1200	72	A. MENCHACA
	1500	72	M. RONI
	1800	71	M. PACHECO
	2100	71	M. MORENO
	2400	71	S. MORENO

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	67	S. MORENO
	0600	69	A. MENCHACA
	0900	71	A. MENCHACA
	1200	72	A. MENCHACA
	1500	74	J. GARCIA
	1800	74	J. GARCIA
	2100	75	J. GARCIA
	2400	71	S. MORENO

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70	J. HEDDA
	0600	69	A. MENCHACA
	0900	70	A. MENCHACA
	1200	72	A. MENCHACA
	1500	75	J. GARCIA
	1800	74	J. GARCIA
	2100	73	J. GARCIA
	2400	72	S. MORENO

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	70	S. MORENO
	0600	70	O. HERNANDEZ
	0900	71	O. HERNANDEZ
	1200	72	O. HERNANDEZ
	1500	72	M. RONI
	1800	71	M. PACHECO
	2100	70	M. LUCAS
	2400	70	J. MORENO

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	69	S. MORENO
	0600	69	A. MENCHACA
	0900	70	A. MENCHACA
	1200	72	A. MENCHACA
	1500	73	L. ESCOBAR
	1800	72	L. ESCOBAR
	2100	71	L. ESCOBAR
	2400	71	S. MORENO

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	69	S. MORENO
	0600	69	A. MENCHACA
	0900	72	A. MENCHACA
	1200	73	A. MENCHACA
	1500	73	J. GARCIA
	1800	73	J. GARCIA
	2100	75	J. GARCIA
	2400	71	R. PEREZ

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	70	S. OSCAR
	0600	72	R. MARAZO
	0900	72	A. MENCHACA
	1200	72	A. MENCHACA
	1500	73	C. GARCIA
	1800	70	C. GARCIA
	2100	70	D. MONTANEZ
	2400	70	R. PEREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM

Housing Unit: A1

Temp. Reading Location: EAST SIDE / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132

when the inside air temperature reaches

Monday 10/28

Date	Time	Temp.	Name (Print)
	0300	70	Pinner
	0600	68	Connie
	0900	72	Connie
	1200	71	Connie
	1500	78	Connie
	1800	76	Connie
	2100	74	Connie
	2400	72	A. DIKE

Wednesday 10/30

Date	Time	Temp.	Name (Print)
	0300	70	D. DAVIS
	0600	68	D. DAVIS
	0900	72	D. DAVIS
	1200	74	D. DAVIS
	1500	70	D. DAVIS
	1800	75	D. DAVIS
	2100	73	D. DAVIS
	2400	71	D. DAVIS

Friday

Date	Time	Temp.	Name (Print)
	0300	68	D. DAVIS
	0600	66	D. DAVIS
	0900	71	D. DAVIS
	1200	74	D. DAVIS
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 10/29

Date	Time	Temp.	Name (Print)
	0300	74	A. DIKE
	0600	74	A. DIKE
	0900	71	A. DIKE
	1200	76	A. DIKE
	1500	78	A. DIKE
	1800	75	A. DIKE
	2100	74	A. DIKE
	2400	72	A. DIKE

Thursday 10/31

Date	Time	Temp.	Name (Print)
	0300	68	D. DAVIS
	0600	69	D. DAVIS
	0900	71	D. DAVIS
	1200	73	D. DAVIS
	1500	70	D. DAVIS
	1800	74	D. DAVIS
	2100	72	D. DAVIS
	2400	70	D. DAVIS

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM

Housing Unit: A3

Temp. Reading Location: EASTSIDE/WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	72	J. AGUERRE
	0600	72	Taylor
	0900	74	Taylor
	1200	74	Taylor
	1500	73°	TURVER, R.
	1800	73°	TURVER, R.
	2100	73°	TURVER, R.
	2400	72	Taylor

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	72	J. AGUERRE
	0600	73	Taylor
	0900	73	Taylor
	1200	73	Taylor
	1500	73°	TURVER, R.
	1800	73°	TURVER, R.
	2100	73°	TURVER, R.
	2400	72	J. AGUERRE

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	71	
	0600	72	
	0900	72	
	1200	72	
	1500	71	
	1800	71	
	2100	71	
	2400	72	Chandler

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300	72	
	0600	73	
	0900	71	
	1200	71	
	1500	70	
	1800	73°	TURVER, R.
	2100	73°	TURVER, R.
	2400	72	J. AGUERRE

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	72	
	0600	72	
	0900	73	
	1200	73	
	1500	73°	TURVER, R.
	1800	73°	TURVER, R.
	2100	73°	TURVER, R.
	2400	72	J. AGUERRE

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	72	
	0600	72	
	0900	73	R. MICHAEL
	1200	74	R. MICHAEL
	1500	73	R. MICHAEL
	1800	73	R. MICHAEL
	2100	73	R. MICHAEL
	2400	72	J. AGUERRE

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300	72	
	0600	73	
	0900	73	
	1200	73	
	1500	73°	TURVER, R.
	1800	73°	TURVER, R.
	2100	73°	TURVER, R.
	2400	72	Chandler

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A4

Temp. Reading Location: EAST / WEST SIDE

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	72	Bethley
	0600	68	P. Luna
	0900	70	P. Luna
	1200	72	P. Luna
	1500	73	A. Patino
	1800	71	A. Patino
	2100	71	M. Patino
	2400	71	S. Bethley

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	69	S. Bethley
	0600	71	S. Anderson
	0900	72	S. Anderson
	1200	72	S. Anderson
	1500	72	S. Anderson
	1800	72	S. Anderson
	2100	71	S. Anderson
	2400	71	S. Bethley

Friday

Date	Time	Temp.	Name (Print)
11/1	0300	69	J. Morris
	0600	65	Morris
	0900	67	Morris
	1200	71	Morris
	1500	72	S. Anderson
	1800	72	S. Anderson
	2100	71	S. Anderson
	2400	70	S. Anderson

Sunday

Date	Time	Temp.	Name (Print)
11/3	0300	71	W. Morris
	0600	69	Morris
	0900	71	Morris
	1200	70	Morris
	1500	71	Morris
	1800	71	A. M.
	2100	71	A. M.
	2400	71	G. M.

Tuesday

Date	Time	Temp.	Name (Print)
10/30	0300	71	S. Bethley
	0600	68	P. Luna
	0900	69	P. Luna
	1200	70	P. Luna
	1500	72	M. Patino
	1800	71	M. Patino
	2100	71	S. Bethley
	2400	71	S. Bethley

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	69	S. Bethley
	0600	69	Morris
	0900	65	Morris
	1200	70	Morris
	1500	72	S. Anderson
	1800	72	S. Anderson
	2100	71	S. Anderson
	2400	70	J. Aguilar

Saturday

Date	Time	Temp.	Name (Print)
11/2	0300	69	J. Aguilar
	0600	69	Morris
	0900	71	Morris
	1200	71	Morris
	1500	71	Morris
	1800	71	Morris
	2100	71	Morris
	2400	70	L. Luna

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A6

Temp. Reading Location: EAST SIDE / WEST SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28	0300	71	J. DIAZ
	0600	70	J. LUTHER
	0900	74	J. LUTHER
	1200	75	J. LUTHER
	1500	71	MORALEZ
	1800	71	MORALEZ
	2100	70	MORALEZ
	2400	69	ECOMONY

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	69	M A Hernandez
	0600	74	J. LUTHER
	0900	70	J. LUTHER
	1200	71	J. LUTHER
	1500	70	MORALEZ
	1800	70	MORALEZ
	2100	70	MORALEZ
	2400	69	M A Hernandez

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-31-24	0300	68	J. LUTHER
	0600	68	J. LUTHER
	0900	70	J. LUTHER
	1200	73	J. LUTHER
	1500	73	MORALEZ
	1800	70	MORALEZ
	2100	70	MORALEZ
	2400	70	M A Hernandez

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	69	M A Hernandez
	0600	65	M A Hernandez
	0900	70	J. LUTHER
	1200	73	J. LUTHER
	1500	71	MORALEZ
	1800	71	MORALEZ
	2100	71	GALVAN
	2400	70	SOLARES

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM

Housing Unit: A10

Temp. Reading Location: EASTSIDE / WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/20	0300	70	R. Hernandez
	0600	70	S. Hernandez
	0900	71	S. Hernandez
	1200	72	S. Hernandez
	1500	71	R. Hernandez
	1800	70	R. Hernandez
	2100	72	R. Hernandez
	2400	72°	A. Aguirre

Wednesday

Date	Time	Temp.	Name (Print)
10/30-8/1	0300	73°	A. Aguirre
	0600	71	S. Hernandez
	0900	72	S. Hernandez
	1200	72	S. Hernandez
	1500	70	L. Martinez
	1800	70	M. Martinez
	2100	70	L. Martinez
	2400	72°	A. Aguirre

Friday

Date	Time	Temp.	Name (Print)
10/31-8/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/01-8/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/31-8/1	0300	71°	A. Aguirre
	0600	71	S. Hernandez
	0900	71	S. Hernandez
	1200	72	S. Hernandez
	1500	71	M. Martinez
	1800	72	M. Martinez
	2100	73	M. Martinez
	2400	73°	A. Aguirre

Thursday

Date	Time	Temp.	Name (Print)
10/31-8/1	0300	71°	A. Aguirre
	0600	71	S. Hernandez
	0900	72	S. Hernandez
	1200	72	S. Hernandez
	1500	72	M. Martinez
	1800	71	M. Martinez
	2100	70	M. Martinez
	2400	72°	A. Aguirre

Saturday

Date	Time	Temp.	Name (Print)
10/31-8/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A7

Temp. Reading Location: EASTSIDE / WESTSIDE
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/25/24	0300	74	Solane S
	0600	74	Perez
	0900	74	Deuel
	1200	74	Deuel
	1500	70.7°F	D. Diep
	1800	70.8°F	D. Diep
	2100	70.3°F	D. Diep
	2400	70.3°F	Solanes

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	72	Solane S
	0600	72	Hanson
	0900	72	Hanson
	1200	72	Hanson
	1500	74.4°F	D. Diep
	1800	74.6°F	D. Diep
	2100	74.3°F	D. Diep
	2400	70	Loyalty

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	72	Loyalty
	0600	73	Loyalty
	0900	72	Loyalty
	1200	71	Loyalty
	1500	73	Loyalty
	1800	73	Loyalty
	2100	73	Loyalty
	2400	73	Loyalty

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	73	Menzel
	0600	73	Menzel
	0900	73	Menzel
	1200	70	Menzel
	1500	73	Menzel
	1800	73	Menzel
	2100	73	Menzel
	2400	73	Menzel

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	71	Hanson
	0600	73	Hanson
	0900	75	Hanson
	1200	75	Hanson
	1500	73	Hanson
	1800	73	Hanson
	2100	73	Hanson
	2400	71	Hanson

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300	71	Hanson
	0600	73	Hanson
	0900	73	Hanson
	1200	73	Hanson
	1500	73	Hanson
	1800	73	Hanson
	2100	73	Hanson
	2400	73	Hanson

Notes

Date	Time	Temp.	Name (Print)
11/3/24	0300	72	Hanson
	0600	73	Hanson
	0900	73	Hanson
	1200	73	Hanson
	1500	73	Hanson
	1800	73	Hanson
	2100	73	Hanson
	2400	71	Hanson

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: A8

Temp. Reading Location: EASTSIDE/WESTSIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28	0300	70	S. MORENO
	0600	70	J. MENCHACA
	0900	71	A. MENCHACA
	1200	73	A. MENCHACA
	1500	75	J. CHAVEZ
	1800	75	J. CHAVEZ
	2100	74	J. CHAVEZ
	2400	71	S. MORENO

Wednesday

Date	Time	Temp.	Name (Print)
10-30	0300	69	S. MORENO
	0600	72	A. MENCHACA
	0900	70	A. MENCHACA
	1200	71	A. MENCHACA
	1500	72	J. CAMACHO
	1800	72	J. CAMACHO
	2100	70	J. CAMACHO
	2400	69	S. MORENO

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-30	0300	69	S. MORENO
	0600	71	A. MENCHACA
	0900	70	A. MENCHACA
	1200	70	A. MENCHACA
	1500	73	J. CAMACHO
	1800	72	J. CAMACHO
	2100	70	J. CAMACHO
	2400	70	S. MORENO

Thursday

Date	Time	Temp.	Name (Print)
10-30	0300	68	S. MORENO
	0600	73	A. MENCHACA
	0900	73	A. MENCHACA
	1200	73	A. MENCHACA
	1500	74	J. CAMACHO
	1800	74	J. CAMACHO
	2100	73	J. CAMACHO
	2400	70	P. Medina

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top-tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B1 Temp. Reading Location: 3RD TIER

Immediately notify the Watch Commander at extension 7132 (e.g., 1st tier, 2nd tier, 3rd tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	68	J. NUNEZ
	0600	68	R. Hanesch
	0900	71	R. Hanesch
	1200	72	R. Hanesch
	1500	74	Brown
	1800	74	Brown
	2100	73	MOLINA
	2400	72	HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	70	HERNANDEZ
	0600	68	R. Hanesch
	0900	72	R. Hanesch
	1200	76	R. Hanesch
	1500	76	Gomez
	1800	78	Gomez
	2100	74	Gomez
	2400	72	HERNANDEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	71	HERNANDEZ
	0600	71	MOLINA
	0900	73	MOLINA
	1200	75	MOLINA
	1500	77	Gomez
	1800	73	Gomez
	2100	71	Gomez
	2400	75	HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	74	HERNANDEZ
	0600	72	MOLINA
	0900	73	MOLINA
	1200	75	MOLINA
	1500	79	Gomez
	1800	79	Gomez
	2100	75	MOLINA
	2400	74	HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	74	HERNANDEZ
	0600	70	MOLINA
	0900	74	MOLINA
	1200	78	MOLINA
	1500	80	Gomez
	1800	79	Brown
	2100	78	Brown
	2400	74	V. RIOSAS

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	73	V. RIOSAS
	0600	75	C. MOLINA
	0900	75	C. MOLINA
	1200	78	C. MOLINA
	1500	80	Gomez
	1800	80	Gomez
	2100	77	Gomez
	2400	77	J. NUNEZ

Notes

Heat 14n 1-4 10-2 1200

Date	Time	Temp.	Name (Print)
10/6	0300	70	J. NUNEZ
	0600	70	MOLINA
	0900	73	MOLINA
	1200	77	MOLINA
	1500	77	C. BROWN
	1800	78	C. BROWN
	2100	75	C. BROWN
	2400	74	J. NUNEZ

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

2024
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: 7152 B2 Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300	73	C.Brown
10/11	0600	71	C. Prince
	0900	77	M. Bonita
	1200	77	M. Bonita
	1500	86	C.Brown
	1800	84	C.Brown
	2100	81	E.Gomez
	2400	78	C.J. Brown

Wednesday

Date	Time	Temp.	Name (Print)
10/12	0300	76	C.Brown
	0600	74	C.Prince
	0900	74	C.Prince
	1200	82	C.Prince
	1500	83	S.Jones
	1800	81	S.Jones
	2100	81	S.Jones
	2400	80	CBrown

Thursday

Date	Time	Temp.	Name (Print)
10/13	0300	77	C.Brown
	0600	77	Calillo
	0900	78	K.Lee
	1200	82	Calillo
	1500	82	S.Jones
	1800	82	S.Jones
	2100	80	S.Jones
	2400	77	TRUANZ

Friday

Date	Time	Temp.	Name (Print)
10/14	0300	72	J.Vazquez
	0600	71	K.Lee
	0900	74	K.Lee
	1200	81	K.Lee
	1500	840	A.Ayala
	1800	840	A.Ayala
	2100	800	A.Ayala
	2400	77	J.Vazquez

Saturday

Date	Time	Temp.	Name (Print)
10/15	0300	78	J.Vazquez
	0600	77	K.Lee
	0900	79	K.Lee
	1200	80	K.Lee
	1500	850	A.Ayala
	1800	820	Aayala A.
	2100	77	CBrown

Notes

Date	Time	Temp.	Name (Print)
10/16	0300	75	CBrown
	0600	77	C.Prince
	0900	76	C.Prince
	1200	82	C.Prince
	1500	810	E.Gomez
	1800	83	E.Gomez
	2100	80	E.Gomez
	2400	80	CBrown

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C 1 W Housing Unit: B-3

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-1-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300		
	0600	66	JARAMILLO
	0900	71	JARAMILLO
	1200	74	JARAMILLO
	1500	76	L ALLEN
	1800	77	L ALLEN
	2100	77	L ALLEN
	2400	73	VANDAN

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	71	VANDAN
	0600	69	JARAMILLO
	0900	71	JARAMILLO
	1200	72	JARAMILLO
	1500	80	L ALLEN
	1800	80	L ALLEN
	2100	78	L ALLEN
	2400	75	VANDAN

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	73	VANDAN
	0600	71	JARAMILLO
	0900	73	JARAMILLO
	1200	78	JARAMILLO
	1500	77	L ALLEN
	1800	78	L ALLEN
	2100	77	L ALLEN
	2400	74	SOPA

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	71	VANDAN
	0600	71	JARAMILLO
	0900	72	JARAMILLO
	1200	78	JARAMILLO
	1500	80	PAZ
	1800	78	PAZ
	2100	77	PAZ
	2400	75	A-DIKE

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	72	A-DIKE
	0600	73	Z. NICHOLS
	0900	74	Z. NICHOLS
	1200	76	Z. NICHOLS
	1500	77	J. BROWN
	1800	79	J. BROWN
	2100	77	J. MASLEY
	2400	75	J. SIMONE

Notes:

10-1-24 2/w HEAT PLAN ACT AT 12:00 90%
 10-1-24 HEAT DEACTIVATED 0 1900 81%
 10-2-24 HEAT DEACTIVATED 0 1900 86%
 10-3-24 HEAT PLAN ACT AT 13:00 90%
 10-3-24 HEAT DEACTIVATED 0 1800 86%
 10-4-24 HEAT PLAN ACT AT 11:40 9%

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B4 (MADRONE) Temp. Reading Location: 3RD TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	76	Lewis
	0600	79	G. CARRERA
	0900	78	Kendall
	1200	77	CARRERA
	1500	79	V. ASGAR
	1800	78	V. ASGAR
	2100	77	LAWRENCE
	2400	79	Wade

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	78	CARRERA
	0600	77	CARRERA
	0900	78	Richards
	1200	80	CARRERA
	1500	81	V. ASGAR
	1800	82	V. ASGAR
	2100	82	V. ASGAR
	2400	80	GAMPS

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	81	GAMPS
	0600	79	CARRERA
	0900	80	CARRERA
	1200	81	CARRERA
	1500	82	CARRERA
	1800	82	OBRIEN
	2100	82	OBRIEN
	2400	81	OBRIEN

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	81	GAMPS
	0600	78	KENDALL
	0900	78	KENDALL
	1200	80	V. ASGAR
	1500	81	Wade
	1800	82	Wade
	2100	82	Wade
	2400	81	GAMPS

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	80	GAMPS
	0600	79	G. ASGAR
	0900	79	G. ASGAR
	1200	80	G. ASGAR
	1500	81	V. ASGAR
	1800	82	V. ASGAR
	2100	82	V. ASGAR
	2400	80	J. L. WADDE

Notes

Date	Time	Temp.	Name (Print)
10/6/24	0300	80	J. L. WADDE
	0600	78	CARRERA
	0900	79	KENDALL
	1200	80	CARRERA
	1500	81	V. ASGAR
	1800	82	V. ASGAR
	2100	82	V. ASGAR
	2400	81	BACON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

1800 Heat plan deactivated

AT

85°

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B5 Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/30</u>	0300	<u>75</u>	<u>MURRAY</u>
	0600	<u>72</u>	<u>Diaz</u>
	0900	<u>74</u>	<u>Diaz</u>
	1200	<u>77</u>	<u>Diaz</u>
	1500	<u>81</u>	<u>Londo</u>
	1800	<u>80</u>	<u>Londo</u>
	2100	<u>79</u>	<u>Londo</u>
	2400	<u>78</u>	<u>MURRAY</u>

Tuesday

Date	Time	Temp.	Name (Print)
<u>10/1</u>	0300	<u>77</u>	<u>MURRAY</u>
	0600	<u>76</u>	<u>V. Diaz</u>
	0900	<u>78</u>	<u>V. Diaz</u>
	1200	<u>79</u>	<u>V. Diaz</u>
	1500	<u>83</u>	<u>Frazier</u>
	1800	<u>87</u>	<u>Gandy</u>
	2100	<u>87</u>	<u>Gandy</u>
	2400	<u>80</u>	<u>MURRAY</u>

Wednesday

Date	Time	Temp.	Name (Print)
<u>10/2</u>	0300	<u>79</u>	<u>MURRAY</u>
	0600	<u>78</u>	<u>R. Lewis</u>
	0900	<u>78</u>	<u>R. Lewis</u>
	1200	<u>80</u>	<u>R. Lewis</u>
	1500	<u>84</u>	<u>Londo</u>
	1800	<u>84</u>	<u>J. Lewis</u>
	2100	<u>83</u>	<u>J. Lewis</u>
	2400	<u>83</u>	<u>MURRAY</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>10/3</u>	0300	<u>78</u>	<u>MURRAY</u>
	0600	<u>76</u>	<u>B. Hayes</u>
	0900	<u>78</u>	<u>B. Hayes</u>
	1200	<u>81</u>	<u>B. Hayes</u>
	1500	<u>84</u>	<u>J. Lewis</u>
	1800		<u>J. Lewis</u>
	2100		<u>J. Lewis</u>
	2400	<u>78</u>	<u>MURRAY</u>

Friday

Date	Time	Temp.	Name (Print)
<u>10/4</u>	0300	<u>79</u>	<u>MURRAY</u>
	0600	<u>77</u>	<u>V. Diaz</u>
	0900	<u>79</u>	<u>V. Diaz</u>
	1200	<u>81</u>	<u>V. Diaz</u>
	1500	<u>83</u>	<u>Borden</u>
	1800	<u>82</u>	<u>Borden</u>
	2100	<u>81</u>	<u>Borden</u>
	2400	<u>81</u>	<u>D. Gavrilos</u>

Saturday

Date	Time	Temp.	Name (Print)
<u>10/5</u>	0300	<u>80</u>	<u>D. Gavrilos</u>
	0600	<u>78</u>	<u>D. Gavrilos</u>
	0900	<u>78</u>	<u>D. Gavrilos</u>
	1200	<u>81</u>	<u>D. Gavrilos</u>
	1500	<u>82</u>	<u>J. Lewis</u>
	1800	<u>84</u>	<u>J. Lewis</u>
	2100	<u>87</u>	<u>J. Lewis</u>
	2400	<u>82</u>	<u>D. Gavrilos</u>

Notes

Date	Time	Temp.	Name (Print)
<u>10/6</u>	0300	<u>83</u>	<u>D. Gavrilos</u>
	0600	<u>80</u>	<u>R. Lewis</u>
	0900	<u>77</u>	<u>R. Lewis</u>
	1200	<u>81</u>	<u>R. Lewis</u>
	1500	<u>85</u>	<u>Murphy</u>
	1800	<u>85</u>	<u>Murphy</u>
	2100	<u>82</u>	<u>Murphy</u>
	2400	<u>81</u>	<u>Lopez</u>

DISTRIBUTION: Original: Institution Heat Risk Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B1 Temp. Reading Location: 3RD TIER

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/11	0300	71	J. NUNEZ
	0600	70	R. HANSEN
	0900	72	R. HANSEN
	1200	78	R. HANSEN
	1500	76	MARSHALL
	1800	77	MARSHALL
	2100	75	MARSHALL
	2400	73	HERMOSILLO

Wednesday

Date	Time	Temp.	Name (Print)
10/10	0300	72	HERMOSILLO
	0600	62	J. VACA
	0900	70	J. PELET
	1200	73	M. BONILLA
	1500	75	S. VACA
	1800	75	S. VACA
	2100	72	S. VACA
	2400	71	HERMOSILLO

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	70	S. VACA
	0600	71	J. PELET
	0900	71	J. PELET
	1200	74	J. PELET
	1500	74	Brown
	1800	73	Brown
	2100	75	Brown
	2400	70	J. AVILA

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	69	J. NUNEZ
	0600	67	L. AYALA
	0900	70	L. AYALA
	1200	70	L. AYALA
	1500	70	Brown
	1800	73	S. VACA
	2100	71	S. VACA
	2400	70	J. NUNEZ

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10/18	0300	71	HERMOSILLO
	0600	69	J. PELET
	0900	70	R. HANSEN
	1200	79	R. HANSEN
	1500	75	S. VACA
	1800	76	S. VACA
	2100	74	S. VACA
	2400	73	HERMOSILLO

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	70	HERMOSILLO
	0600	67	J. PELET
	0900	69	J. PELET
	1200	74	J. PELET
	1500	74	S. VACA
	1800	71	S. VACA
	2100	71	S. VACA
	2400	70	J. AVILA

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	68	JAVILA
	0600	67	J. PELET
	0900	69	J. PELET
	1200	72	J. PELET
	1500	74	GOMEZ
	1800	74	BROWN
	2100	71	BROWN
	2400	70	JAVILA

Notes

Attachment E

2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: All-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B2

Temp. Reading Location: 3rd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7182, when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1	0300	77	<u>C. Prince</u>
	0600	73	<u>C. Prince</u>
	0900	76	<u>C. Prince</u>
	1200	82	<u>C. Prince</u>
	1500	86	<u>C. Prince</u>
	1800	85	<u>C. Prince</u>
	2100	81	<u>C. Prince</u>
	2400	79	<u>C. Prince</u>

Wednesday

Date	Time	Temp.	Name (Print)
10/4	0300	77	<u>C. Prince</u>
	0600	72	<u>C. Prince</u>
	0900	77	<u>C. Prince</u>
	1200	80	<u>C. Prince</u>
	1500	83	<u>C. Prince</u>
	1800	81	<u>C. Prince</u>
	2100	76	<u>C. Prince</u>
	2400	76	<u>C. Prince</u>

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	70	<u>J. NUNEZ</u>
	0600	79	<u>J. NUNEZ</u>
	0900	79	<u>J. NUNEZ</u>
	1200	80	<u>J. NUNEZ</u>
	1500	84	<u>J. NUNEZ</u>
	1800	81	<u>J. NUNEZ</u>
	2100	78	<u>J. NUNEZ</u>
	2400	74	<u>J. NUNEZ</u>

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	70	<u>C. Prince</u>
	0600	70	<u>C. Prince</u>
	0900	70	<u>C. Prince</u>
	1200	75	<u>C. Prince</u>
	1500	79	<u>C. Prince</u>
	1800	78	<u>C. Prince</u>
	2100	73	<u>C. Prince</u>
	2400	72	<u>C. Prince</u>

DISTRIBUTION: Original Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10/8	0300	77	<u>C. Prince</u>
	0600	75	<u>C. Prince</u>
	0900	75	<u>C. Prince</u>
	1200	82	<u>C. Prince</u>
	1500	85	<u>Brown</u>
	1800	83	<u>Brown</u>
	2100	80	<u>Brown</u>
	2400	78	<u>C. Prince</u>

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	73	<u>C. Prince</u>
	0600	71	<u>Caballo</u>
	0900	71	<u>R. Lee</u>
	1200	78	<u>Caballo</u>
	1500	77	<u>R. Lee</u>
	1800	77	<u>R. Lee</u>
	2100	79	<u>C. Prince</u>
	2400	74	<u>C. Prince</u>

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	71	<u>J. NUNEZ</u>
	0600	69	<u>R. Lee</u>
	0900	71	<u>R. Lee</u>
	1200	78	<u>R. Lee</u>
	1500	75	<u>C. Prince</u>
	1800	78	<u>C. Prince</u>
	2100	77	<u>C. Prince</u>
	2400	73	<u>J. NUNEZ</u>

Notes:

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CFM Housing Unit: B-3

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	73	D. GARNER
	0600	73	JARAMILLO
	0900	74	JARAMILLO
	1200	79	JARAMILLO
	1500	80	MELERA
	1800	79	MELERA
	2100		
	2400	78	D. WILSON

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	76	D. WILSON
	0600	75.0	JARAMILLO
	0900	76.0	JARAMILLO
	1200	77.0	JARAMILLO
	1500	79.0	A. ALON
	1800	77	A. ALON
	2100	76	A. ALON
	2400	74	CAMPUS

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	72	CAMPOS
	0600	70	CAMPOS
	0900	73	JARAMILLO
	1200	75	JARAMILLO
	1500	77	A. ALON
	1800	78	A. ALON
	2100	75	A. ALON
	2400	74	

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	71	
	0600	68.0	JARAMILLO
	0900	69.0	JARAMILLO
	1200	72	MURRAY
	1500	75.0	A. ALON
	1800	76	A. ALON
	2100	74	A. ALON
	2400	71	C. OUSAS

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	70	V. RASMUS
	0600	68	JARAMILLO
	0900	73	JARAMILLO
	1200	75	JARAMILLO
	1500	75	AVILA, A
	1800	75	AVILA, A
	2100	75	AVILA, A
	2400	72	CAMPOS

Saturday

Date	Time	Temp.	Name (Print)
	0300	70	CAMPOS
	0600	68	CAMPOS
	0900	69	C. OUSAS
	1200	72	C. OUSAS
	1500	74	NAVARRO
	1800	72	NAVARRO
	2100	71	NAVARRO
	2400	70	CAMPOS

Sunday

Date	Time	Temp.	Name (Print)
10-12-24	0300	69	CAMPOS
	0600	67	CAMPOS
	0900	67	B. RIVERA
	1200	71	B. RIVERA
	1500	71	MELERA
	1800	72	MELERA
	2100	71	MELERA
	2400	69	D. GARNER

Notes

- 2/w 10-7-24 HEAT PLAN ACT AT 1200 / 90%
- 2/w 10-8-24 HEAT PLAN ACT AT 1100 / 90%
- 3/w 10-9-24 HEAT PLAN ACT / 700
- 2/w 10-10-24 HEAT PLAN ACT AT 1300 / 90%
- 3/w 10-11-24 HEAT PLAN ACT / 700 / 87%

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM · Housing Unit: B4(MADISON) · Temp. Reading Location: 3RD TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	77	LUNA
	0600	73	CARINA
	0900	79	CARINA
	1200	81	CASIOVA
	1500	82	Vasquez
	1800	82	Abeyta
	2100	81	Washou
	2400	81	J. L. Chavis

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	80	J. Luna
	0600	77	CARINA
	0900	78	Kirkland
	1200	80	CARINA
	1500	80	Vasquez
	1800	81	Washou
	2100	81	Vasquez
	2400	80	COMPES

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	78	Garcia
	0600	75	Carina
	0900	76	Kirkland
	1200	76	Kirkland
	1500	79	Foster
	1800	80	Frank
	2100	79	Frank
	2400	79	J. Luna

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	78	E. Casiano
	0600	73	G. Casiano
	0900	72	CARINA
	1200	74	CARINA
	1500	77	Borden
	1800	76	Borden
	2100	76	Borden
	2400	76	Borden

Tuesday

Date	Time	Temp.	Name (Print)
10/10/24	0300	80	J. Luna
	0600	78	CARINA
	0900	79	Kirkland
	1200	81	CARINA
	1500	83	V. Nasoum
	1800	85	V. Nasoum
	2100	87	V. Nasoum
	2400	87	J. Luna

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	79	COMPES
	0600	76	COMPES
	0900	75	CARINA
	1200	74	CARINA
	1500	79	FRANK
	1800	80	FRANK
	2100	80	FRANK
	2400	79	COMPES

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	79	JUNIOR
	0600	75	COMPES
	0900	71	COMPES
	1200	71	COMPES
	1500	71	COMPES
	1800	76	COMPES
	2100	74	COMPES
	2400	74	E. Casiano

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C I M Housing Unit: B - 5

Temp. Reading Location:

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches (e.g., 1st tier, 2nd tier, 3rd tier, etc.) 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300	82	Lopez
	0600	79	Diaz
	0900	78	Diaz
	1200	81	Diaz
	1500	83	Diaz
	1800	85	Diaz
	2100	83	Diaz
	2400	81	Mendoza

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	78	Mendoza
	0600	77	STOWELL
	0900	79	STOWELL
	1200	80	STOWELL
	1500	83	STOWELL
	1800	83	STOWELL
	2100	82	STOWELL
	2400	78	Mendoza

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	79	Mendoza
	0600	77	V. Diaz
	0900	77	V. Diaz
	1200	79	V. Diaz
	1500	80	Gates A.
	1800	81	Gates A.
	2100	80	Gates A.
	2400	79	J. Gonzales

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	76	J. Diaz
	0600	73	J. Diaz
	0900	73	J. Diaz
	1200	76	J. Diaz
	1500	77	Gonzales
	1800	78	Gonzales
	2100	77	Gonzales
	2400	77	Mendoza

Tuesday

Date	Time	Temp.	Name (Print)
10/8	0300	79	Mendoza
	0600	78	Diaz
	0900	79	Diaz
	1200	81	Diaz
	1500	84	Diaz
	1800	82	Diaz
	2100	81	Diaz
	2400	80	Mendoza

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	78	Mendoza
	0600	78	A. Diaz
	0900	75	A. Diaz
	1200	78	A. Diaz
	1500	80	A. Diaz
	1800	82	Barden
	2100	78	Barden
	2400	79	Mendoza

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	75	J. Gonzales
	0600	75	STOWELL
	0900	75	A. Diaz
	1200	77	STOWELL
	1500	79	Gates A.
	1800	80	Gates A.
	2100	78	Gates A.
	2400	76	J. Gonzales

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B1 Temp. Reading Location: 3RD TIER

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees, (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	68	J. NUNEZ
	0600	68	J. HANSEN
	0900	69	J. HENSLEY
	1200	71	J. HENSLEY
	1500	72	Brown
	1800	71	Brown
	2100	71	Brown
	2400	69°	A. Aguirre

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	68°	A. Aguirre
	0600	68	J. PEREZ
	0900	68	J. PEREZ
	1200	69	M. BONADIE
	1500	70	G. AMAR
	1800	70	S. VACA
	2100	69	S. VACA
	2400	68°	A. Aguirre

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	68°	A. Aguirre
	0600	67	J. PEREZ
	0900	68	J. PEREZ
	1200	68	J. PEREZ
	1500	70	Brown
	1800	69	G. AMAR
	2100	67	Brown
	2400	65	S. VACA

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	65	J. NUNEZ
	0600	65	J. PEREZ
	0900	66	J. PEREZ
	1200	67	J. PEREZ
	1500	68	Brown
	1800	67	Brown
	2100	67	Brown
	2400	66	J. NUNEZ

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	69°	A. Aguirre
	0600	69	J. HANSEN
	0900	69	J. HANSEN
	1200	71	J. HANSEN
	1500	71	S. VACA
	1800	71	S. VACA
	2100	70	G. AMAR
	2400	69°	A. Aguirre

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	68°	A. Aguirre
	0600	68°	J. PEREZ
	0900	68	J. PEREZ
	1200	68	J. PEREZ
	1500	69	S. VACA
	1800	69	S. VACA
	2100	69	S. VACA
	2400	68°	A. Aguirre

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	64	S. VACA
	0600	62	J. PEREZ
	0900	67	J. PEREZ
	1200	67	J. PEREZ
	1500	70	S. VACA
	1800	70	S. VACA
	2100	69	S. VACA
	2400	67	J. VACA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B2

Temp. Reading Location: 3rd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	73	<i>CB Brown</i>
	0600	69	<i>BALLET</i>
	0900	71	<i>C. PRINCE</i>
	1200	74	<i>C. PRINCE</i>
	1500	77	<i>Perez P</i>
	1800	75	<i>Perez P</i>
	2100	72	<i>Marie</i>
	2400	72	<i>CB Brown</i>

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	71	<i>CB Brown</i>
	0600	72	<i>C. Prince</i>
	0900	70	<i>C. Prince</i>
	1200	70	<i>C. Prince</i>
	1500	72	<i>Brown</i>
	1800	72	<i>Brown</i>
	2100	71	<i>Brown</i>
	2400	71	<i>CB Brown</i>

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	70	<i>CB Brown</i>
	0600	70	<i>C. PRINCE</i>
	0900	71	<i>C. PRINCE</i>
	1200	71	<i>K. Lee</i>
	1500	72	<i>CASIANA</i>
	1800	71	<i>C. ASIANA</i>
	2100	71	<i>CB Brown</i>
	2400	71	<i>CB Brown</i>

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	70	<i>CB Brown</i>
	0600	69	<i>Califillo</i>
	0900	73	<i>K. Lee</i>
	1200	69	<i>Califillo</i>
	1500	70	<i>CASIANA</i>
	1800	70	<i>C. ASIANA</i>
	2100	71	<i>C. ASIANA</i>
	2400	71	<i>J. NUNEZ</i>

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	72	<i>J. NUNEZ</i>
	0600	71	<i>CB Brown</i>
	0900	69	<i>K. Lee</i>
	1200	71	<i>K. Lee</i>
	1500	74	<i>WALTER</i>
	1800	73	<i>WALTER</i>
	2100	73	<i>WALTER</i>
	2400	71	<i>J. NUNEZ</i>

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	69	<i>J. NUNEZ</i>
	0600	69	<i>C. PRINCE</i>
	0900	69	<i>C. PRINCE</i>
	1200	73	<i>C. PRINCE</i>
	1500	76	<i>D. WILSON</i>
	1800	73	<i>D. WILSON</i>
	2100	73	<i>D. WILSON</i>
	2400	72	<i>D. WILSON</i>

Notes

Date	Time	Temp.	Name (Print)
10/20	0300	69	<i>CB Brown</i>
	0600	68	<i>C. PRINCE</i>
	0900	69	<i>K. Lee</i>
	1200	73	<i>C. PRINCE</i>
	1500	74	<i>Lewis</i>
	1800	73	<i>Lewis</i>
	2100	73	<i>Lewis</i>
	2400	72	<i>CB Brown</i>

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: B-3

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-17-14	0300	68	D. Guevara
	0600	67	J. Hernandez
	0900	67	J. Hernandez
	1200	69	J. Hernandez
	1500	71.2	M. Bonites
	1800	71.0	M. Bonites
	2100	70.0	M. Bonites
	2400	69	WAUDOR

Tuesday

Date	Time	Temp.	Name (Print)
10-18-14	0300	68	WAUDOR
	0600	66	JARAMILLO
	0900	66	JARAMILLO
	1200	69	JARAMILLO
	1500	70	C. ALLEN
	1800	70	C. ALLEN
	2100	69	C. ALLEN
	2400	68	WAUDOR

Wednesday

Date	Time	Temp.	Name (Print)
10-19-14	0300	67	WAUDOR
	0600	66	JARAMILLO
	0900	66	JARAMILLO
	1200	67	JARAMILLO
	1500	67	C. ALLEN
	1800	67	C. ALLEN
	2100	66	C. ALLEN
	2400	66	WAUDOR

Thursday

Date	Time	Temp.	Name (Print)
10-20-14	0300	66	WAUDOR
	0600	66	JARAMILLO
	0900	67	JARAMILLO
	1200	68	JARAMILLO
	1500	68	C. ALLEN
	1800	67	C. ALLEN
	2100	67	C. ALLEN
	2400	67	WAUDOR

Friday

Date	Time	Temp.	Name (Print)
10-21-14	0300	66	WAUDOR
	0600	63	JARAMILLO
	0900	65	JARAMILLO
	1200	63	JARAMILLO
	1500	69	JARAMILLO
	1800	68	C. ALLEN
	2100	67	C. ALLEN
	2400	65	WAUDOR

Saturday

Date	Time	Temp.	Name (Print)
10-22-14	0300	64	WAUDOR
	0600	63	BENZENO
	0900	64	BRISENDA
	1200	67	BRISENDA
	1500	60	SANTANA
	1800	69	SANTANA
	2100	66	SANTANA
	2400	67	CAMPUS

Notes

Date	Time	Temp.	Name (Print)
10-23-14	0300	63	CAMPUS
	0600	63	CAMPUS
	0900	64	BENZENO
	1200	67	BENZENO
	1500	70	MELENA
	1800	69	MELENA
	2100	69	MELENA
	2400	67	D. Guevara

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJM Housing Unit: 54 Temp. Reading Location: 3rd floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/14	0300	77	LUNA
	0600	72	CALVERT
	0900	73	CALVERT
	1200	75	CALVERT
	1500	76	WASQUEZ
	1800	74	WASQUEZ
	2100	74	WASQUEZ
	2400	73	LUNA

Tuesday

Date	Time	Temp.	Name (Print)
10/15/14	0300	73	LUNA
	0600	71	CALVERT
	0900	73	CALVERT
	1200	73	CALVERT
	1500	74	CERVANTES
	1800	73	CERVANTES
	2100	71	CERVANTES
	2400	71	LUNA

Wednesday

Date	Time	Temp.	Name (Print)
10/16/14	0300	72	CALVERT
	0600	73	CALVERT
	0900	73	CALVERT
	1200	73	RICHARD
	1500	73	CERVANTES
	1800	73	CERVANTES
	2100	73	CERVANTES
	2400	73	CAMPUS

Thursday

Date	Time	Temp.	Name (Print)
10/17/14	0300	73	MARSH
	0600	74	MARSH
	0900	71	ROBERT
	1200	71	ROBERT
	1500	74	VASQUEZ
	1800	75	VASQUEZ
	2100	75	VASQUEZ
	2400	74	WILSON

Friday

Date	Time	Temp.	Name (Print)
10/18/14	0300	73	LUNA
	0600	72	VALVERDE
	0900	71	VALVERDE
	1200	74	VALVERDE
	1500	74	VALVERDE
	1800	74	VALVERDE
	2100	72	VALVERDE
	2400	71	LUNA

Saturday

Date	Time	Temp.	Name (Print)
10/19/14	0300	69	LUNA
	0600	69	GILBERT
	0900	69	GILBERT
	1200	71	GILBERT
	1500	73	PURDY
	1800	70	PURDY
	2100	73	PURDY
	2400	67	PURDY

Notes

Date	Time	Temp.	Name (Print)
10/20/14	0300	69	LUNA
	0600	69	CALVERT
	0900	71	CALVERT
	1200	72	CALVERT
	1500	73	CALVERT
	1800	74	CALVERT
	2100	74	CALVERT
	2400	73	CALVERT

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (09/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: All-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM · Housing Unit: B5 · Temp. Reading Location: B5

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	75	M. Mungo
	0600	75	D. Diaz
	0900	74	D. Diaz
	1200	74	F. Diaz
	1500	74	L. Diaz
	1800	75	C. Conde
	2100	75	C. Conde
	2400	75	M. Mungo

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	75	M. Mungo
	0600	75	D. Diaz
	0900	74	D. Diaz
	1200	74	D. Diaz
	1500	75	C. Conde
	1800	75	R. Rodriguez
	2100	73	C. Conde
	2400	73	M. Mungo

Wednesday

Date	Time	Temp.	Name (Print)
10-16	0300	74	M. Mungo
	0600	73	S. Stowell
	0900	73	S. Stowell
	1200	73	S. Stowell
	1500	73	R. Rodriguez
	1800	72	R. Rodriguez
	2100		
	2400	72	M. Mungo

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	72	M. Mungo
	0600	71	S. Stowell
	0900	71	B. Hayes
	1200	71	B. Hayes
	1500	71	R. Rodriguez
	1800	71	R. Rodriguez
	2100	70	R. Rodriguez
	2400	70	S. Ward

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	70	M. Mungo
	0600	71	S. Stowell
	0900	69	S. Stowell
	1200	71	S. Stowell
	1500	72	A. Giles
	1800	72	A. Giles
	2100	72	A. Giles
	2400	71	S. Ward

Saturday

Date	Time	Temp.	Name (Print)
	0300	69	J. Avila
	0600	68	S. Stowell
	0900	69	S. Stowell
	1200	70	D. Day
	1500	72	C. Calvert
	1800	74	C. Calvert
	2100	72	C. Calvert
	2400	71	J. Avila

Notes:

Date	Time	Temp.	Name (Print)
	0300	69	J. Avila
	0600	68	V. Diaz
	0900	68	J. Diaz
	1200	70	J. Diaz
	1500	74	R. Rodriguez
	1800	74	C. Conde
	2100	73	C. Conde
	2400	72	D. Wilson

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B1

Temp. Reading Location: 3RD TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	65	J. NUÑEZ
	0600	66	R. Hansen
	0900	66	R. Hansen
	1200	68	R. Hansen
	1500	70	Brown
	1800	70	Brown
	2100	69	Brown
	2400	68	HERMOSILLO

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	67	HERMOSILLO
	0600	65	J. PEREZ
	0900	66	J. PEREZ
	1200	68	J. PEREZ
	1500	73	S. VACA
	1800	72	S. VACA
	2100	69	Gamer
	2400	65	HERMOSILLO

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	68	HERMOSILLO
	0600	65	J. PEREZ
	0900	65	J. PEREZ
	1200	67	J. PEREZ
	1500	71	Brown
	1800	69	Brown
	2100	69	Brown
	2400	66	ORTEGA

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	66	J. NUÑEZ
	0600	60	J. PEREZ
	0900	67	BATTEL
	1200	68	J. PEREZ
	1500	71	Brown
	1800	69	Brown
	2100	70	Brown
	2400	69	J. NUÑEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	67	HERMOSILLO
	0600	63	R. Hansen
	0900	65	R. Hansen
	1200	68	D. MURRAY
	1500	70	S. VACA
	1800	70	S. VACA
	2100	69	S. VACA
	2400	68	HERMOSILLO

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	67	HERMOSILLO
	0600	65	J. PEREZ
	0900	66	J. PEREZ
	1200	68	J. PEREZ
	1500	71	S. VACA
	1800	71	S. VACA
	2100	70	S. VACA
	2400	69	HERMOSILLO

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	66	ORTEGA
	0600	65	J. PEREZ
	0900	65	J. PEREZ
	1200	67	J. PEREZ
	1500	71	C. BROWN
	1800	71	C. BROWN
	2100	70	C. BROWN
	2400	68	J. NUÑEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DCCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B2 Temp. Reading Location: 3rd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	71	LIMON
	0600	69	C. PRINCE
	0900	71	C. Prince
	1200	73	C. Prince
	1500	74	BACCI
	1800	76	BACCI
	2100	74	BACCI
	2400	72	BACCI

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	71	C. PRINCE
	0600	72	C. PRINCE
	0900	74	C. PRINCE
	1200	78	C. PRINCE
	1500	81	C. PRINCE
	1800	80	Calderon
	2100	79	Calderon
	2400	76	Calderon

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	76	J. MUNIZ
	0600	70	GARIBOLDI
	0900	71	GARIBOLDI
	1200	74	GARIBOLDI
	1500	75	GARIBOLDI
	1800	73	Calderon
	2100	74	Calderon
	2400	72	J. MUNIZ

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	78	A. GARCIA
	0600	76	VASQUEZ
	0900	72	C. PRINCE
	1200	73	C. PRINCE
	1500	73	SANCHEZ
	1800	71	SANCHEZ
	2100	71	SANCHEZ
	2400	72	SANCHEZ

DISTRIBUTION: Original Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10/24	0300	71	C. PRINCE
	0600	69	C. PRINCE
	0900	69	C. PRINCE
	1200	77	C. PRINCE
	1500	79	Brown
	1800	78	Brown
	2100	76	Brown
	2400	75	Brown

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	70	C. PRINCE
	0600	70	C. PRINCE
	0900	74	C. PRINCE
	1200	76	C. PRINCE
	1500	77	C. PRINCE
	1800	78	C. PRINCE
	2100	77	C. PRINCE
	2400	76	J. MUNIZ

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	71	J. MUNIZ
	0600	70	J. MUNIZ
	0900	70	C. PRINCE
	1200	73	C. PRINCE
	1500	73	C. PRINCE
	1800	75	Calderon
	2100	73	Calderon
	2400	72	Z. MUNIZ

Notes

INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C I M Housing Unit: B-3

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees, when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	65	D. GONZALES
	0600	65	J. RAMILLO
	0900	66	J. RAMILLO
	1200	67	J. RAMILLO
	1500	70	L. ALLEN
	1800	71	L. ALLEN
	2100	70	L. ALLEN
	2400	68	M. HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	66	M. HERNANDEZ
	0600	66	J. RAMILLO
	0900	67	J. RAMILLO
	1200	69	J. RAMILLO
	1500	71	L. ALLEN
	1800	72	L. ALLEN
	2100	71	L. ALLEN
	2400	69	M. HERNANDEZ

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	67	M. HERNANDEZ
	0600	67	M. HERNANDEZ
	0900	67	J. RAMILLO
	1200	71	J. RAMILLO
	1500	72	L. ALLEN
	1800	72	L. ALLEN
	2100	71	L. ALLEN
	2400	68	M. HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	66	M. HERNANDEZ
	0600	65	J. RAMILLO
	0900	70	J. RAMILLO
	1200	71	J. RAMILLO
	1500	72	L. ALLEN
	1800	72	L. ALLEN
	2100	70	L. ALLEN
	2400	68	C. GLASGOW

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	65	M. HERNANDEZ
	0600	63	J. RAMILLO
	0900	66	J. RAMILLO
	1200	70	J. RAMILLO
	1500	70	L. ALLEN
	1800	70	L. ALLEN
	2100	69	L. ALLEN
	2400	66	M. HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	65	C. GLASGOW
	0600	63	D. DAVIS
	0900	65	D. DAVIS
	1200	68	D. DAVIS
	1500	70	L. ALLEN
	1800	71	L. ALLEN
	2100	70	L. ALLEN
	2400	69	M. HERNANDEZ

Notes

Date	Time	Temp.	Name (Print)
10/27/24	0300	67	M. Hernandez
	0600	65	L. Allen
	0900	66	L. Allen
	1200	69	L. Allen
	1500	71	M. Hernandez
	1800	70	M. Hernandez
	2100	70	M. Hernandez
	2400	68	D. Gonzales

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM · Housing Unit: B4 (main zone) Temp. Reading Location: 3RD FLOOR

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	73	Arellano, R
	0600	70	CARZONA
	0900	71	CARZONA
	1200	73	CARZONA
	1500	76	I. CHAVEZ
	1800	71	I. CHAVEZ
	2100	75	Nasquay
	2400	75	P. Arellano

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	74	BOGIUB
	0600	72	CAROLINA
	0900	71	CARMELA
	1200	70	CARMEN
	1500	71	CORTANITA
	1800	77	SANTA CRUZ
	2100	76.2	SANTA CRUZ
	2400	76	MILLENDA

Friday

Date	Time	Temp.	Name (Print)
10/15/24	0300	71	Gwendolyn
	0600	74	Chay
	0900	73	Karen
	1200	75	Karen
	1500	76	Kenzie
	1800	76	S. Zandina
	2100	76	S. Zandina
	2400	75	S. Zandina

Sunday

Data	Time	Temp.	Name (Print)
11/27/11	0300	75	LUCAS
	0600	75	GONZALEZ
	0900	75	CARMELA
	1200	76	CARMELA
	1500	78	CARMELA
	1800	78	CARMELA
	2100	78	CARMELA
	2400	78	CARMELA

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10/22/01	0300	74	R. ARELANO
	0600	71	CAROLINA
	0900	71	WENDY
	1200	74	CAROLINA
	1500	75	CAROLINA
	1800	74	VASQUEZ
	2100	72	MICHELLE
	2400	74	RODNEY

Thursday

Date	Time	Temp.	Name (Print)
10/24/01	0200	76	M. Hernandez
	0600	73	CASASOLA
	0900	74	CASASOLA
	1200	73	CASASOLA
	1500	77	J. Zunigas
	1800	78	J. Zunigas
	2100	80	S. Zunigas
	2400	78	G. Zunigas

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	75	R. Devere
	0600	74	Devere
	0900	72	Devere
	1200	70	Devere
	1500	68	Devere
	1800	66	Devere
	2100	68	Devere
	2400	70	Devere

Notes

Year	Number of families	Number of children	Number of fathers	Number of mothers	Number of sons	Number of daughters
1950	1,000	2,000	1,000	1,000	1,000	1,000
1960	1,000	2,000	1,000	1,000	1,000	1,000
1970	1,000	2,000	1,000	1,000	1,000	1,000
1980	1,000	2,000	1,000	1,000	1,000	1,000
1990	1,000	2,000	1,000	1,000	1,000	1,000
2000	1,000	2,000	1,000	1,000	1,000	1,000
2010	1,000	2,000	1,000	1,000	1,000	1,000
2020	1,000	2,000	1,000	1,000	1,000	1,000
2030	1,000	2,000	1,000	1,000	1,000	1,000
2040	1,000	2,000	1,000	1,000	1,000	1,000
2050	1,000	2,000	1,000	1,000	1,000	1,000
2060	1,000	2,000	1,000	1,000	1,000	1,000
2070	1,000	2,000	1,000	1,000	1,000	1,000
2080	1,000	2,000	1,000	1,000	1,000	1,000
2090	1,000	2,000	1,000	1,000	1,000	1,000
2100	1,000	2,000	1,000	1,000	1,000	1,000

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: All-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM - B · Housing Unit: BS

Temp. Reading Location:

(e.g., 1st Ber, 2nd Ber, 3rd Ber, etc.)

Immediately notify the Watch Commander at extension _____ when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	71	D. Wilson
	0600	70	V. Diaz
	0900	70	V. Diaz
	1200	72	V. Diaz
	1500	74	(unintelligible)
	1800	76	Conce
	2100	75	Conce
	2400	74	Mumuk

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	71	Mumuk
	0600	71	B. Hayes
	0900	72	B. Hayes
	1200	74	A. Stowell
	1500	76	R. Bentzsch
	1800	78	B. Hayes
	2100	76	B. Hayes
	2400	75	Mumuk

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	73	Mumuk
	0600	73	Gates
	0900	72	Gates
	1200	74	A. Gates
	1500	78	A. Gates
	1800	76	A. Gates
	2100	75	A. Gates
	2400	74	J. Diaz

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	75	J. Diaz
	0600	73	V. Diaz
	0900	73	D. Greene W
	1200	74	V. Diaz
	1500	76	R. Bentzsch
	1800	77	B. Hayes
	2100	75	B. Hayes
	2400	75	Mumuk

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	71	Mumuk
	0600	69	B. Hayes
	0900	71	R. Bentzsch
	1200	73	R. Bentzsch
	1500	77	Conce
	1800	78	Conce
	2100	77	Conce
	2400	74	Mumuk

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	75	Mumuk
	0600	72	B. Hayes
	0900	70	Stowell
	1200	73	Stowell
	1500	77	R. Bentzsch
	1800	77	B. Hayes
	2100	73	R. Bentzsch
	2400	73	Mumuk

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	74	D. Greene W
	0600	71	V. Diaz
	0900	72	Stowell
	1200	75	V. Diaz
	1500	76	A. Gates
	1800	78	A. Gates
	2100	77	R. Bentzsch
	2400	76	J. Diaz

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B1 Temp. Reading Location: 3RD TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	69	J. NUNEZ
	0600	63	R. HANSEN
	0900	68	J. GREEN
	1200	70	J. D. SMITH
	1500	69	L. DAVIS
	1800	67	C. FRANC
	2100	66	BROWN
	2400	66	HERBOSILLE

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	65	H. HERBOSILLE
	0600	66	R. HANSEN
	0900	67	R. HANSEN
	1200	68	R. HANSEN
	1500	68	G. MURK
	1800	67	G. MURK
	2100	67	G. MURK
	2400	66	HERBOSILLE

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	65	H. HERBOSILLE
	0600	62	J. SINGER
	0900	61	J. SINGER
	1200	64	J. SINGER
	1500	66	K. COONES
	1800	66	V. LEANDO
	2100	65	K. COONES
	2400	64	HERBOSILLE

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	63	H. HERBOSILLE
	0600	61	J. PELER
	0900	60	J. PELER
	1200	62	J. PELER
	1500	66	A. OLEARY
	1800	63	A. OLEARY
	2100	63	A. OLEARY
	2400	62	HERBOSILLE

Friday

Date	Time	Temp.	Name (Print)
11/1	0300	61	HERBOSILLE
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Date	Time	Temp.	Name (Print)
11/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original; Institution ADA Coordinator

Attachment E

Oct 2024

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDOR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: All-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer at the highest location in the housing unit (e.g., top tier), where air intake on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: B2 Temp. Reading: 37.4

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Mondau

Date	Time	Temp.	Name (Print)
10/28	0300	73	C. Price
	0600	71	C. Price
	0900	71	C. Price
	1200	73	C. Price
	1500	71	C. Price
	1800	71	Davis
	2100	70	Davis
	2400	70	Davis

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	69	C. PRINCE
	0600	67	C. PRINCE
	0900	67	C. PRINCE
	1200	68	C. PRINCE
	1500	67	C. PRINCE
	1800	67	C. PRINCE
	2100	66	C. PRINCE
	2400	64	C. PRINCE

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10/20	0300	69	Brown
	0500	67	C. Prince
	0900	63	C. Prince
	1200	65	C. Prince
	1500	68	Brown
	1800	69	Brown
	2100	68	Brown
	2400	69	Brown

Thursday

Date	Time	Temp.	Name (Print)
10/31	0200	60	RODRIGUEZ
	0600	65	CHILLO
	0800	55	CHILLO
	1200	66	CHILLO
	1500	67	CHILLO
	1800	66	CASIANO
	2100	66	CASIANO
	2400	65	CASIANO

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0300		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C 1 W Housing Unit: B - 3 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-29-18	0300	61	VANDORM
	0600	62	TARAMILLO
	0900	62	TARAMILLO
	1200	64	TARAMILLO
	1500	63	MENA
	1800	61	MENA
	2100	60	MENA
	2400	60	PENNINGTON

Tuesday

Date	Time	Temp.	Name (Print)
10-30-18	0300	59	JOHNSON
	0600	60	JOHNSON
	0900	62	JOHNSON
	1200	64	JOHNSON
	1500	64	JOHNSON
	1800	60	JOHNSON
	2100	60	JOHNSON
	2400	59	JOHNSON

Wednesday

Date	Time	Temp.	Name (Print)
10-30-18	0300	58	PENNINGTON
	0600	59	JARAMILLO
	0900	60	JARAMILLO
	1200	63	JARAMILLO
	1500	64	ALLEN
	1800	64	ALLEN
	2100	57	ALLEN
	2400	58	PENNINGTON

Thursday

Date	Time	Temp.	Name (Print)
10-31-18	0300	57	VANDORM
	0600	59	JARAMILLO
	0900	61	JARAMILLO
	1200	63	JARAMILLO
	1500	64	ALLEN
	1800	67	ALLEN
	2100	60	ALLEN
	2400	59	VANDORM

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Attachment E

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 [04/18]**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: All-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C/M Housing Unit: B4 (MADRONA) Temp. Reading Location:

3 P.D. TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 (e.g., 1st tier, 2nd tier, 3rd tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/18/24	0300	74	LAWRENCE
	0600	73	CAROLINA
	0900	73	CAROLINA
	1200	75	CAROLINA
	1500	74	R. MAGANIA
	1800	73	R. MAGANIA
	2100	72	R. MAGANIA
	2400	72	LAWRENCE

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300		
	0600	68	CASPERVA
	0900	65	CASPERVA
	1200	69	CASPERVA
	1500	71	ELWOOD M
	1800	71	ELWOOD M
	2100	70	ELWOOD M
	2400	70	ELWOOD M

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0600		
	0600		
	0800		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	71	VERAN
	0600	70	CABRERA
	0900	70	CABRERA
	1200	72	CABRERA
	1500	73	CABRERA
	1800	73	CABRERA
	2100	70	CABRERA
	2400	70	Conde

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0800	70	CAMOCS
	0900	70	CAMOCS
	0900	68	CAROLINA
	1200	69	CAROLINA
	1600	70	Turkies
	1800	69	Zenith
	2100	69	Zenith
	2400	69	ZENITH

Saturday

Date	Time	Temp.	Name (Print)
	8:300		
	9:000		
	9:300		
	12:00		
	15:00		
	18:00		
	21:00		
	24:00		

Notes

--

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIMA - Housing Unit: B5 SYCAMORE Temp. Reading Location: 1ST 2ND 3RD

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	74	MCMillan
	0600	73	Diaz
	0900	73	Diaz
	1200	73	Diaz
	1500	73	Gerrity
	1800	71	Conde
	2100	70	Gardner
	2400	70	Hannan

Wednesday

Date	Time	Temp.	Name (Print)
10/90	0300	68	MURKIN
	0600	66	STOWELL
	0900	64	STOWELL
	1200	67	Pet Hayes
	1500	65	R. Franken
	1800	63	S. Hayes PT
	2100	63	R. Hayes PT
	2400	68	MURKIN

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	68	Hillman, John
	0600	68	Diaz
	0900	69	Diaz
	1200	70	Gill
	1500	72	Morales, Jr.
	1800	71	Schoch
	2100	69	Smith, W.
	2400	64	Simonek

Thursday

Date	Time	Temp.	Name (Print)
10/31	0500	68	MURK
	0600	64	ATL
	0900	65	ATL
	1200	67	ATL
	1500	68	ATL
	1800	68	ATL
	2100	67	ATL
	2400	67	MURK

Saturday.

Date	Time	Temp:	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original institution, Boat Plan Coordinator

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

COCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CA1 Temp. Reading Location: 1st
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees. 7132 when the inside air temperature reaches.

Monday

Date	Time	Temp.	Name (Print)
9/30/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/2024	0300	82	VICARVEL
	0600	81	Ramirez
	0900	79	Ramirez
	1200	82	Ramirez
	1500	84	S. GARCIA
	1800	83	S. GARCIA
	2100	81	S. GARCIA
	2400	84	VICARVEL

Friday

Date	Time	Temp.	Name (Print)
10/4/2024	0300	84	Taylor
	0600	84	Taylor
	0900	82	RAMIREZ
	1200	87	
	1500	85	
	1800	85	
	2100	85	
	2400	86	Perez

Sunday

Date	Time	Temp.	Name (Print)
10/6/2024	0300	85	JAMES
	0600	82	Figueroa
	0900	83	Figueroa
	1200	84	Figueroa
	1500	87	S. GARCIA
	1800	85	S. GARCIA
	2100	85	S. GARCIA
	2400	87	Hoyt

Tuesday

Date	Time	Temp.	Name (Print)
10/1/2024	0300	81	VICARVEL
	0600	80	Ramirez
	0900	78	Ramirez
	1200	82	Ramirez
	1500	84	S. GARCIA
	1800	80	S. GARCIA
	2100	79	S. GARCIA
	2400	84	VICARVEL

Thursday

Date	Time	Temp.	Name (Print)
10/3/2024	0300	84	VICARVEL
	0600	80	Ramirez
	0900	81	Ramirez
	1200	81	Ramirez
	1500	83	Figueroa
	1800	84	Figueroa
	2100	84	Figueroa
	2400	84	Taylor

Saturday

Date	Time	Temp.	Name (Print)
10/5/2024	0300	86	Pietro
	0600	80	CALVERT
	0900	79	CALVERT
	1200	82	CALVERT
	1500	85	ALVAREZ
	1800	84	ALVAREZ
	2100	84	ALVAREZ
	2400	84	JAMES

Notes

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

DCOR 2021 (04/83)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CAZ Temp. Reading Location: 2nd
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees:

Monday

Date	Time	Temp.	Name (Print)
9/30/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/2024	0300	76	Heath
	0600	76	Gaston
	0900	74	Gaston
	1200	81	Gaston
	1500	81	DUNCAN
	1800	81	DUNCAN
	2100	81	DUNCAN
	2400	83	Heath

Friday

Date	Time	Temp.	Name (Print)
10/4/2024	0300	79	HEATH
	0600	78	ZELAYA
	0900	79	ZELAYA
	1200	80	ZELAYA
	1500	81	DUNCAN
	1800	81	DUNCAN
	2100	81	DUNCAN
	2400	80	Heath

Sunday

Date	Time	Temp.	Name (Print)
10/6/2024	0300	77	Taylor
	0600	79	Taylor
	0900	80	ZELAYA
	1200	83	ZELAYA
	1500	82	ZORAYDIA
	1800	81	ZORAYDIA
	2100	80	ZORAYDIA
	2400	81	ZORAYDIA

Tuesday

Date	Time	Temp.	Name (Print)
10/1/2024	0300	74	Heath
	0600	76	ZELAYA
	0900	76	ZELAYA
	1200	78	ZELAYA
	1500	80	DUNCAN
	1800	80	DUNCAN
	2100	79	DUNCAN
	2400	77	Heath

Thursday

Date	Time	Temp.	Name (Print)
10/3/2024	0300	84	Heath
	0600	84	Gaston
	0900	84	ZELAYA
	1200	86	Gaston
	1500	81	DUNCAN
	1800	81	DUNCAN
	2100	81	DUNCAN
	2400	80	Heath

Saturday

Date	Time	Temp.	Name (Print)
10/5/2024	0300	80	Heath
	0600	80	ZELAYA
	0900	81	ZELAYA
	1200	81	ZELAYA
	1500	82	DUNCAN
	1800	81	DUNCAN
	2100	81	DUNCAN
	2400	80	Taylor

Notes

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CB1	Temp. Reading Location:	1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
--------------	-----	---------------	-----	-------------------------	---

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
9/30/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/2024	0300	81	Suddarth
	0600	79	
	0900	82	Toral
	1200	84	Toral
	1500	84	Toral
	1800	84	Munoz
	2100	84	Munoz
	2400	83	Suddarth

Friday

Date	Time	Temp.	Name (Print)
10/4/2024	0300	81	Suddarth
	0600	79	Bailey
	0900	80	Bailey
	1200	81	Bailey
	1500	82	
	1800	81	
	2100	81	
	2400	82	Suddarth

Sunday

Date	Time	Temp.	Name (Print)
10/6/2024	0300	80	Suddarth
	0600	81	Orcina
	0900	83	Orcina
	1200	83	Orcina
	1500	84	Cruz
	1800	84	Cruz
	2100	83	Orcina
	2400	82	Orcina

Tuesday

Date	Time	Temp.	Name (Print)
10/1/2024	0300	80	Torilla
	0600	81	Torilla
	0900	77	Torilla
	1200	78	Torilla
	1500	83	Vasquez
	1800	83	Vasquez
	2100	83	Vasquez
	2400	82	Suddarth

Thursday

Date	Time	Temp.	Name (Print)
10/3/2024	0300	80	Suddarth
	0600	82	Perez
	0900	83	Perez
	1200	84	
	1500	84	Vasquez
	1800	83	Vasquez
	2100	82	Suddarth
	2400	82	Suddarth

Saturday

Date	Time	Temp.	Name (Print)
10/5/2024	0300	81	Suddarth
	0600	82	Orcina
	0900	80	Orcina
	1200	87	Orcina
	1500	87	Cruz
	1800	87	Cruz
	2100	86	Cruz
	2400	82	Suddarth

Notes

10/3/24 - Stage 1 Heat Alert 0300 90°
 10/5/24 - Heat Alert 1200 90°

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CB2 Temp. Reading Location: 2nd
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/2024	0300	77	DIAZ
	0600	75	BARRANTES
	0900	77	BARRANTES
	1200	80	BARRANTES
	1500	85	BARRANTES
	1800	83	BARRANTES
	2100	83	BARRANTES
	2400	79	ESTRADA

Friday

Date	Time	Temp.	Name (Print)
10/4/2024	0300	79	ESTRADA
	0600	77	BARRANTES
	0900	78	BARRANTES
	1200	81	BARRANTES
	1500	83	BARRANTES
	1800	82	BARRANTES
	2100	82	BARRANTES
	2400	80	DIAZ

Sunday

Date	Time	Temp.	Name (Print)
10/6/2024	0300	79	DIAZ
	0600	80	BARRANTES
	0900	79	BARRANTES
	1200	83	BARRANTES
	1500	84	BARRANTES
	1800	83	BARRANTES
	2100	82	BARRANTES
	2400	81	BARRANTES

Tuesday

Date	Time	Temp.	Name (Print)
10/1/2024	0300	71	DIAZ
	0600	73	BARRANTES
	0900	78	BARRANTES
	1200	80	BARRANTES
	1500	81	BARRANTES
	1800	80	BARRANTES
	2100	79	BARRANTES
	2400	72	DIAZ

Thursday

Date	Time	Temp.	Name (Print)
10/3/2024	0300	78	ESTRADA
	0600	77	BARRANTES
	0900	78	BARRANTES
	1200	80	BARRANTES
	1500	85	BARRANTES
	1800	83	BARRANTES
	2100	83	BARRANTES
	2400	80	ESTRADA

Saturday

Date	Time	Temp.	Name (Print)
10/5/2024	0300	74	DIAZ
	0600	79	BARRANTES
	0900	75	BARRANTES
	1200	81	BARRANTES
	1500	85	BARRANTES
	1800	82	BARRANTES
	2100	82	BARRANTES
	2400	81	DIAZ

Notes

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

COCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CC1 Temp. Reading Location: 1st
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees, when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
9/30/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/2024	0300	75	m-Hernandez
	0600	75	M-Velazquez
	0900	77	M-Velazquez
	1200	78	M-Velazquez
	1500	77	DARIO
	1800	70	DARIO
	2100	75	DARIO
	2400	74	m-Hernandez

Friday

Date	Time	Temp.	Name (Print)
10/4/2024	0300	74	M-GUERRERO
	0600	74	GUERRERO
	0900	76	GUERRERO
	1200	78	GUERRERO
	1500	76	DARIO
	1800	77	DARIO
	2100	75	DARIO
	2400	75	M-Hernandez

Sunday

Date	Time	Temp.	Name (Print)
10/6/2024	0300	74	M-Hernandez
	0600	74	GUERRERO
	0900	77	GUERRERO
	1200	81	GUERRERO
	1500	74	NUR
	1800	77	DARIO
	2100	76	DARIO
	2400	77	J. GUERRERO

Tuesday

Date	Time	Temp.	Name (Print)
10/1/2024	0300	71	m-Hernandez
	0600	71	F-SANCHEZ
	0900	71	F-SANCHEZ
	1200	74	F-SANCHEZ
	1500	81	Guerrero
	1800	81	Guerrero
	2100	79	Guerrero
	2400	76	m-Hernandez

Thursday

Date	Time	Temp.	Name (Print)
10/3/2024	0300	74	m-Hernandez
	0600	77	Guerrero
	0900	79	Guerrero
	1200	81	Guerrero
	1500	82	P-Nunez
	1800	82	P-Nunez
	2100	78	P-Nunez
	2400	78	M-BONILLA

Saturday

Date	Time	Temp.	Name (Print)
10/5/2024	0300	72	M-BONILLA
	0600	75	Guerrero
	0900	78	Guerrero
	1200	80	Guerrero
	1500	80	DARIO
	1800	78	DARIO
	2100	76	DARIO
	2400	75	m-Hernandez

Notes

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CORR 2023 (04/21)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CC2	Temp. Reading Location:	2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
				7132	when the inside air temperature reaches
Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.					
Monday					
9/30/2024	0300				
	0600				
	0900				
	1200				
	1500				
	1800				
	2100				
	2400				
Wednesday					
10/2/2024	0300	75	TREND		
	0600	75	CAMPUS, J.		
	0900	77	CAMPUS, J.		
	1200	81	CAMPUS, J.		
	1500	82	SAAVEDRA, C.		
	1800	82	SAAVEDRA, C.		
	2100	81	SAAVEDRA, C.		
	2400	80	SAAVEDRA, C.		
Friday					
10/4/2024	0300	74	SAAVEDRA, C.		
	0600	73	CAMPUS, J.		
	0900	74	CAMPUS, J.		
	1200	76	CAMPUS, J.		
	1500	77	CAMPUS, J.		
	1800	77	CAMPUS, J.		
	2100	77	CAMPUS, J.		
	2400	75	SAAVEDRA, C.		
Sunday					
10/6/2024	0300	72	M. BONIFACIO		
	0600	74	CAMPUS, J.		
	0900	75	CAMPUS, J.		
	1200	78	CAMPUS, J.		
	1500	82	ESTRADA, A.		
	1800	82	ESTRADA, A.		
	2100	81	ESTRADA, A.		
	2400	81	M. BONIFACIO		

DISTRIBUTION: Original Institution Heat Plan Coordinator

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

cotr2021 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CD1	Temp. Reading Location:	1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
--------------	-----	---------------	-----	-------------------------	---

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
9/30/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/2024	0300	78	mikel
	0600	78	K. Zuniga
	0900	79	K. Zuniga
	1200	81	K. Zuniga
	1500	83	Lopez
	1800	80	Lopez
	2100	78	Lopez
	2400	78	mikel

Friday

Date	Time	Temp.	Name (Print)
10/4/2024	0300	76	mikel
	0600	78	J. Henf
	0900	80	J. Henf
	1200	83	J. Henf
	1500	85	J. Henf
	1800	85	J. Henf
	2100	82	J. Henf
	2400	80	mikel

Sunday

Date	Time	Temp.	Name (Print)
10/6/2024	0300	77	J. Martin
	0600	78	Haleyest
	0900	79	Haleyest
	1200	79	Haleyest
	1500	81	Figueroa
	1800	84	Figueroa
	2100	80	Figueroa
	2400	81	Haleyest

Tuesday

Date	Time	Temp.	Name (Print)
10/1/2024	0300	75	mikel
	0600	72	Smith CCR
	0900	74	Smith CCR
	1200	78	Smith CCR
	1500	84	Range
	1800	82	Range
	2100	80	Range
	2400	79	mikel

Thursday

Date	Time	Temp.	Name (Print)
10/3/2024	0300	78	mikel
	0600	78	Zuniga
	0900	79	Zuniga
	1200	81	Zuniga
	1500	81	Range
	1800	81	Range
	2100	80	Range
	2400	78	mikel

Saturday

Date	Time	Temp.	Name (Print)
10/5/2024	0300	78	mikel
	0600	78	Range
	0900	78	Range
	1200	81	Range
	1500	84	Figueria
	1800	84	Figueria
	2100	82	Figueria
	2400	80	Figueria

Notes

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CD2	Temp. Reading Location:	2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.			7132	when the Inside air temperature reaches	
Monday					
Date	Time	Temp.	Name (Print)		
9/30/2024	0300				
	0600				
	0900				
	1200				
	1500				
	1800				
	2100				
	2400				
Wednesday					
Date	Time	Temp.	Name (Print)		
10/2/2024	0300	77	J. Medrano		
	0600	77	J. Medrano		
	0900	79	J. Medrano		
	1200	81	J. Medrano		
	1500	83	SANCHEZ		
	1800	84	SANCHEZ		
	2100	82	SANCHEZ		
	2400	77	J. Medrano		
Friday					
Date	Time	Temp.	Name (Print)		
10/4/2024	0300	75	J. Medrano		
	0600	78	S. Lopez		
	0900	78	S. Lopez		
	1200	81	S. Lopez		
	1500	82	SANCHEZ		
	1800	82	SANCHEZ		
	2100	81	SANCHEZ		
	2400	79	J. Medrano		
Sunday					
Date	Time	Temp.	Name (Print)		
10/6/2024	0300	79	J. Medrano		
	0600	79	S. Lopez		
	0900	78	S. Lopez		
	1200	81	S. Lopez		
	1500	81	SANCHEZ		
	1800	79	J. Medrano		
	2100	77	J. Medrano		
	2400	80	V. Orosco		

Saturday

Date	Time	Temp.	Name (Print)
10/5/2024	0300	76	J. Medrano
	0600	78	S. Lopez
	0900	80	S. Lopez
	1200	82	S. Lopez
	1500	85	SANCHEZ
	1800	85	SANCHEZ
	2100	81	SANCHEZ
	2400	77	J. Medrano

Notes

10/1/24 Stage 1 Heat Alert activated at Womels C.R.
 10/2/24 Stage 1 Heat Alert 40° at 1200
 10/3/24 Stage 1 Heat Alert 40° at 1300
 10/4/24 Stage 1 Heat Alert activated at 1140hrs C 90°
 10/5/24 Stage 1 Heat Alert activated at 1200hrs C 90°

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 DCR 2021 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CA1	Temp. Reading Location:	1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
--------------	-----	---------------	-----	-------------------------	---

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	80	Hayhurst
	0600	79	Baumgard
	0900	81	Rodgers
	1200	83	Borozzo
	1500	86	S. Geronimo
	1800	83	S. Geronimo
	2100	84	S. Geronimo
	2400	84	Velazquez

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	83	Velazquez
	0600	82	Baumgard
	0900	82	Baumgard
	1200	80	Gonzales
	1500	82	Gardner
	1800	82	Gardner
	2100	82	Gardner
	2400	82	Velazquez

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	80	S. Geronimo
	0600	80	Baumgard
	0900	80	Baumgard
	1200	82	Baumgard
	1500	80	Quarles
	1800	82	Quarles
	2100	82	Quarles
	2400	82	Taylor

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	80	Velazquez
	0600	79	Baumgard
	0900	77	Baumgard
	1200	79	Baumgard
	1500	80	S. Geronimo
	1800	78	S. Geronimo
	2100	77	S. Geronimo
	2400	77	Velazquez

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	81	Velazquez
	0600	82	Baumgard
	0900	83	Baumgard
	1200	84	Baumgard
	1500	85	S. Lopez
	1800	85	S. Lopez
	2100	85	S. Lopez
	2400	83	Velazquez

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	81	Velazquez
	0600	81	Baumgard
	0900	79	Baumgard
	1200	81	Gonzales
	1500	81	Demar
	1800	81	Demar
	2100	81	Velazquez
	2400	80	S. Lopez

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	82	Taylor
	0600	82	Taylor
	0900	83	Taylor
	1200	83	Taylor
	1500	82	Velazquez
	1800	82	Velazquez
	2100	81	Velazquez
	2400	80	Velazquez

Notes

October 2024

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2032 (04/81)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CA2 Temp. Reading Location: 2nd

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.				7132	when the inside air temperature reaches
Monday				Tuesday	
Date	Time	Temp.	Name (Print)	Date	Time
10/7/2024	0300	30	Bear		0300
	0600	76	St. Lucy		76
	0900	78	St. Lucy		76
	1200	70	St. Lucy		78
	1500	65	Constance		80
	1800	70	Constance		80
	2100	74	Constance		60
	2400	76	Leah		74
Wednesday				Thursday	
Date	Time	Temp.	Name (Print)	Date	Time
10/9/2024	0300	76	Luck		0300
	0600	78	Garden		76
	0900	79	Garden		77
	1200	80	Garden		79
	1500	79	Duncan		79
	1800	79	Duncan		77
	2100	79	Duncan		77
	2400	76	Leah		77
Friday				Saturday	
Date	Time	Temp.	Name (Print)	Date	Time
10/11/2024	0300	76	Heath		0300
	0600	78	Garden		76
	0900	79	Garden		77
	1200	80	Garden		79
	1500	77	Duncan		80
	1800	77	Duncan		80
	2100	77	Duncan		80
	2400	76	Leah		80
Sunday				Notes	
Date	Time	Temp.	Name (Print)		
10/13/2024	0300	73	Tingill		
	0600	73	Tingill		
	0900	73	Tingill		
	1200	77	Tingill		
	1500	77	Burnside		
	1800	77	Burnside		
	2100	79	Burnside		
	2400	77	Tingill		

DISTRIBUTION: Original Institution Heat Plan Coordinator

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

COCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CB1 Temp. Reading Location: 1st
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	81	ORTEGA
	0600	81	Hastings
	0900	81	Hawkins
	1200	82	Hastings
	1500	87	G. N.R.
	1800	87	G. N.R.
	2100	82	CMR
	2400	82	Tsing, Ho

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	81	Siddarth
	0600	82	T. R.
	0900	76	T. R.
	1200	80	T. R.
	1500	81	Figueroa
	1800	82	Figueroa
	2100	81	Figueroa
	2400	80	Siddarth

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	80	Siddarth
	0600	75.2	SANTACRUZ
	0900	76	SANTACRUZ
	1200	80	SANTACRUZ
	1500	81	SHIN
	1800	82	SHIN
	2100	80	SHIN
	2400	79	Siddarth

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	79	Siddarth
	0600	78	T. R.
	0900	78	T. R.
	1200	79	T. R.
	1500	80	CMR
	1800	80	CMR
	2100	79	CMR
	2400	79	ESTRADA

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	82	Tsing, Ho
	0600	82	Tsing, Ho
	0900	82	Tsing, Ho
	1200	83	T. R.
	1500	84	MARSHAL
	1800	85	MARSHAL
	2100	84	MARSHAL
	2400	83	Siddarth

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	80	Siddarth
	0600	80	MICHAEL
	0900	81	MICHAEL
	1200	82	MICHAEL
	1500	83	SHIN
	1800	81	SHIN
	2100	80	SIDDARTH
	2400	80	Siddarth

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	79	Siddarth
	0600	79	Heath
	0900	78	Heath
	1200	78	Heath
	1500	81	V. RUSIAS
	1800	80	V. RUSIAS
	2100	80	V. RUSIAS
	2400	79	Siddarth

Notes

10/11/24 - Hot Weather being Deactivated @ 86°, 17 inches

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CCR 2031 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CB2 Temp. Reading Location: 2nd
 (e.g. 2nd tier, 2nd tier, 3rd tier,
 etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	71	
	0600	79	BANISTER
	0900	80	BANISTER
	1200	82	BANISTER
	1500	83	BANISTER
	1800	81	BANISTER
	2100	79	BANISTER
	2400	71	DRAKE

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	69	ESTRADA
	0600	76	
	0900	76	
	1200	74	
	1500	78	BARRON
	1800	78	BARRON
	2100	78	BARRON
	2400	77	ESTRADA

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	74	ESTRADA
	0600	76	Ramirez
	0900	77	Ramirez
	1200	76	Ramirez
	1500	75	BARRON
	1800	75	BARRON
	2100	75	BARRON
	2400	71	DRAKE

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	68	W. WADE
	0600	71	BARRON
	0900	72	BARRON
	1200	72	BARRON
	1500	72	BARRON
	1800	74	BARRON
	2100	74	BARRON
	2400	74	DRAKE

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	70	DRAKE
	0600	72	BARRON
	0900	77	BARRON
	1200	78	BARRON
	1500	74	BARRON
	1800	78	BARRON
	2100	72	BARRON
	2400	71	DRAKE

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	76	ESTRADA
	0600	78	Panizer
	0900	76	Ramirez
	1200	77	Ramirez
	1500	75	BARRON
	1800	75	BARRON
	2100	75	BARRON
	2400	75	ESTRADA

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	70	W. WADE
	0600	74	W. WADE
	0900	76	W. WADE
	1200	74	W. WADE
	1500	75	W. WADE
	1800	73	G. ESTRADA
	2100	73	BARRON
	2400	70	DRAKE

Notes

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CCR 1031 (01/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CC1	Temp. Reading Location:	1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
--------------	-----	---------------	-----	-------------------------	---

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	73	GUERRERO
	0600	77	Guzman
	0900	78	Guzman
	1200	80	Guzman
	1500	82	A. Martinez
	1800	82	A. Martinez
	2100	81	A. Martinez
	2400	79	Perez

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	76	Perez
	0600	78	Rosales
	0900	80	Rosales
	1200	80	Rosales
	1500	79	Quino
	1800	79	Quino
	2100	79	Quino
	2400	77	Perez

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	77	M. BONILLA
	0600	74	Guzman
	0900	76	Guzman
	1200	79	Guzman
	1500	77	Quino
	1800	76	Quino
	2100	75	Quino
	2400	75	M. BONILLA

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	71	Perez
	0600	69	Guzman
	0900	73	Guzman
	1200	76	Guzman
	1500	75	Quino
	1800	75	Quino
	2100	75	Quino
	2400	72	Perez

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	78	Perez
	0600	75	SANCHEZ
	0900	78	SANCHEZ
	1200	79	SANCHEZ
	1500	82	P. Martinez
	1800	83	M. Martinez
	2100	82	M. Martinez
	2400	79	Perez

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	77	M. BONILLA
	0600	73	Guzman
	0900	74	Guzman
	1200	76	Guzman
	1500	79	M. BONILLA
	1800	80	M. BONILLA
	2100	79	M. BONILLA
	2400	79	M. BONILLA

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	78	M. BONILLA
	0600	71	Guzman
	0900	73	Guzman
	1200	75	Guzman
	1500	75	Quino
	1800	75	Quino
	2100	73	Quino
	2400	71	Perez

Notes

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

COCR2023 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CC2	Temp. Reading Location:	2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
--------------	-----	---------------	-----	-------------------------	---

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	74	M. BONILLA
	0600	75	D. MORENO
	0900	75	D. MORENO
	1200	76	D. MORENO
	1500	75	D. MORENO
	1800	76	D. MORENO
	2100	75	D. MORENO
	2400	75	TREVINO

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	73	TREVINO
	0600	73	M. BONILLA
	0900	73	M. BONILLA
	1200	75	M. B. Hernandez
	1500	72	S. TATE
	1800	72	S. TATE
	2100	70	S. TATE
	2400	75	TREVINO

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	70	TREVINO
	0600	71	C. VARGAS
	0900	71	C. VARGAS
	1200	76	C. VARGAS
	1500	70	C. VARGAS
	1800	74	C. VARGAS
	2100	75	C. VARGAS
	2400	72	TREVINO

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	70	M. BONILLA
	0600	70	M. BONILLA
	0900	72	M. BONILLA
	1200	73	M. B. Hernandez
	1500	74	R. MAGANA
	1800	73	R. MAGANA
	2100	70	R. MAGANA
	2400	70	M. BONILLA

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	73	TREVINO
	0600	73	Sauceda
	0900	75	Sauceda
	1200	77	Sauceda
	1500	82	Sauceda
	1800	71	Sauceda
	2100	77	Sauceda
	2400	73	TREVINO

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	69	TREVINO
	0600	69	PEREZ
	0900	71	PEREZ
	1200	76	PEREZ
	1500	79	Sauceda
	1800	79	Sauceda
	2100	78	Sauceda
	2400	71	TREVINO

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	71	TREVINO
	0600	70	Garcia
	0900	74	GARCIA
	1200	75	G. NEGRON
	1500	76	A. Estrada
	1800	78	A. Estrada
	2100	75	A. Estrada
	2400	75	M. BONILLA

Notes

10-9-24 - Heat alert entered 90°

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR HB1 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CD1 Temp. Reading Location: 1st
 (e.g. 1st tier, 2nd tier, 3rd tier,
 etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	79	Halsley
	0600	80	J. McLean
	0900	80	J. McLean
	1200	81	J. McLean
	1500	81	Kooklin
	1800	81	Kooklin
	2100	81	Kooklin
	2400	81	mikel

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	78	mikel
	0600	77	Ortega
	0900	78	Ortega
	1200	80	Ortega
	1500	81	Ortega
	1800	81	Ortega
	2100	80	Kooklin
	2400	78	mikel

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	76	mikel
	0600	77	mikel
	0900	77	mikel
	1200	79	mikel
	1500	81	R. Marshall
	1800	82	R. Marshall
	2100	80	R. Marshall
	2400	78	mikel

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	76	T. Jones
	0600	76	mikel
	0900	76	mikel
	1200	78	mikel
	1500	79	Y. Wilson
	1800	79	Y. Wilson
	2100	74	Y. Wilson
	2400	73	Halsley

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	75	mikel
	0600	75	Santa Cruz
	0900	78	Santa Cruz
	1200	80+2	Santa Cruz
	1500	82	Kooklin
	1800	82	Kooklin
	2100	81	Kooklin
	2400	80	mikel

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	75	mikel
	0600	74	Murphy
	0900	74	Murphy
	1200	74	Murphy
	1500	80	Murphy
	1800	80	Murphy
	2100	80	Murphy
	2400	78	mikel

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	76	mikel
	0600	76	mikel
	0900	78	mikel
	1200	79	mikel
	1500	80	R. Marshall
	1800	81	R. Marshall
	2100	80	R. Marshall
	2400	78	mikel

Notes

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2091 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CD2 Temp. Reading Location: 2nd
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/2024	0300	74	V. ROSAS
	0600	80	S. LOPEZ
	0900	80	S. LOPEZ
	1200	82	S. Lopez
	1500	84	S. Lopez
	1800	84	S. Lopez
	2100	81	S. Lopez
	2400	81	M. BROWN

Wednesday

Date	Time	Temp.	Name (Print)
10/9/2024	0300	76	WILLIAMS
	0600	75	L. AQUILAN
	0900	76	L. Aquilan
	1200	77	L. Aquilan
	1500	70	SALVAN
	1800	82	SANDNER
	2100	84	SANDNER
	2400	77	J. Medina

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	71	J. Medina
	0600	76	A. ESTRADA
	0900	77	A. Estrada
	1200	78	A. Estrada
	1500	79	E. DAVIS
	1800	81	E. Davis
	2100	80	E. Davis
	2400	78	V. ROSAS

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	78	V. ROSAS
	0600	77	S. LOPEZ
	0900	75	S. Lopez
	1200	77	S. Lopez
	1500	79	SANTA CECIL
	1800	81	SANTA CECIL
	2100	82	SANTA CECIL
	2400	76	LOCK D.

Tuesday

Date	Time	Temp.	Name (Print)
10/8/2024	0300	76	M. TIGHE
	0600	77	S. LOPEZ
	0900	80	S. Lopez
	1200	80	S. Lopez
	1500	82	SANDNER
	1800	82	Sandner
	2100	81	Sandner
	2400	80	WILLIAMS

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	79	J. MEDINA
	0600	75	L. AQUILAN
	0900	77	L. Aquilan
	1200	78	L. Aquilan
	1500	73	S. LOPEZ
	1800	79	S. Lopez
	2100	76	SANDNER
	2400	73	OPEDRAZO

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	79	V. ROSAS
	0600	80	V. ROSAS
	0900	81	OPEDRAZO
	1200	84	OPEDRAZO
	1500	78	CAYALA
	1800	78	CAYALA
	2100	76	CAYALA
	2400	75	V. ROSAS

Notes

10/7/24 Stage 1 Heat Alert activated at 1200s c 90°
 10/8/24 Stage 1 Heat Alert activated at 1300s c 90°
 10/9/24 Stage 1 Heat Alert kept 90° outside

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/83)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CA1	Temp. Reading Location:	1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
				7132	when the inside air temperature reaches
Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.					
Monday					
	Date	Time	Temp.	Name (Print)	
	10/14/2024	0300	80	VELAZQUEZ	
		0600	79	M. BARRERA	
		0900	79	M. BARRERA	
		1200	79	M. SAVILLE	
		1500	80	S. GONZALEZ	
		1800	79	S. GONZALEZ	
		2100	78	S. GONZALEZ	
		2400	78	VELAZQUEZ	
Wednesday					
	Date	Time	Temp.	Name (Print)	
	10/16/2024	0300	78	VELAZQUEZ	
		0600	77	Baunista	
		0900	77	R. CALLISTER	
		1200	77	Baunista	
		1500	71	S. GONZALEZ	
		1800	79	S. GONZALEZ	
		2100	76	S. GONZALEZ	
		2400	77	VELAZQUEZ	
Friday					
	Date	Time	Temp.	Name (Print)	
	10/18/2024	0300	76	C. BLAYBUT	
		0600	71	BAUNISTA	
		0900	74	BAUNISTA	
		1200	70	P. MINTO	
		1500	76	GONZALEZ	
		1800	76	GONZALEZ	
		2100	74	GONZALEZ	
		2400	71	C. BLAYBUT	
Sunday					
	Date	Time	Temp.	Name (Print)	
	10/20/2024	0300	74	VELAZQUEZ	
		0600	72	BARRERA	
		0900	74	BARRERA	
		1200	77	BARRERA	
		1500	73	S. GONZALEZ	
		1800	76	S. GONZALEZ	
		2100	74	S. GONZALEZ	
		2400	73	VELAZQUEZ	
Tuesday					
	Date	Time	Temp.	Name (Print)	
	10/15/2024	0300	79	VELAZQUEZ	
		0600	79	Baunista	
		0900	78	Baunista	
		1200	78	Baunista	
		1500	79	S. GONZALEZ	
		1800	78	S. GONZALEZ	
		2100	77	S. GONZALEZ	
		2400	78	VELAZQUEZ	
Thursday					
	Date	Time	Temp.	Name (Print)	
	10/17/2024	0300	77	VELAZQUEZ	
		0600	76	Baunista	
		0900	76	BAUNISTA	
		1200	70	BAUNISTA	
		1500	77	S. GONZALEZ	
		1800	76	S. GONZALEZ	
		2100	75	S. GONZALEZ	
		2400	75	C. BLAYBUT	
Saturday					
	Date	Time	Temp.	Name (Print)	
	10/19/2024	0300	69	C. BLAYBUT	
		0600	70	BAUNISTA	
		0900	73	BAUNISTA	
		1200	70	BAUNISTA	
		1500	76	M. DENNIS	
		1800	70	(LOMMA)	
		2100	70	LOMMA	
		2400	74	VELAZQUEZ	
Notes					

DISTRIBUTION: Original Institution Heat Plan Coordinator

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

COCR 2031 (04/83)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CA2 Temp. Reading Location: 2nd
 (e.g. 1st tier, 2nd tier, 3rd tier,
 etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	80	Taylor
	0600	79	Taylor
	0900	76	Schaefer
	1200	73	STEWART
	1500	72	BONAPARTE
	1800	73	BONAPARTE
	2100	73	BONAPARTE
	2400	77	Heath

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	77	Heath
	0600	77	Gaston
	0900	77	GASTON
	1200	75	AUSTIN
	1500	75	SIMSON
	1800	75	DUNCAN
	2100	76	DUNCAN
	2400	77	Heath

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	72	Heath
	0600	72	Heath 2nd tier
	0900	73	Heath 2nd tier
	1200	71	Zelaya
	1500	70	DUNCAN
	1800	70	DUNCAN
	2100	70	DUNCAN
	2400	61	Lopez

Sunday

Date	Time	Temp.	Name (Print)
10/20/2024	0300	69	JAMES
	0600	43	HOLLEMAN
	0900	73	HOLLEMAN
	1200	75	HOLLEMAN
	1500	76	BONAPARTE
	1800	75	BONAPARTE
	2100	79	BONAPARTE
	2400	71	BONAPARTE

Tuesday

Date	Time	Temp.	Name (Print)
10/15/2024	0300	77	Heath
	0600	76	Zelaya
	0900	76	Zelaya
	1200	76	Zelaya
	1500	75	DUNCAN
	1800	77	DUNCAN
	2100	77	DUNCAN
	2400	77	Heath

Thursday

Date	Time	Temp.	Name (Print)
10/17/2024	0300	77	Heath
	0600	71	Gaston
	0900	72	Gaston
	1200	71	Gaston
	1500	73	DUNCAN
	1800	73	DUNCAN
	2100	74	DUNCAN
	2400	73	Heath

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300	69	JAMES
	0600	65	P. MURRAY
	0900	67	P. MURRAY
	1200	70	P. MURRAY
	1500	71	DUNCAN
	1800	71	DUNCAN
	2100	71	DUNCAN
	2400	71	JAMES

Notes

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CB1	Temp. Reading Location:	1st
					[e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.]

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	78	ESTADIA
	0600	78	TOMAK
	0900	77	TOMAK
	1200	77	TOMAK
	1500	78	Jackson
	1800	78	Jackson
	2100	76	Jackson
	2400	76	Tonya

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	77	Siddarth
	0600	76	TOMAK
	0900	75	TOMAK
	1200	75	TOMAK
	1500	75	MARSHAL
	1800	74	MARSHAL
	2100	74	MARSHAL
	2400	76	Siddarth

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	73	Siddarth
	0600	74	J-Tonya
	0900	74	Sid
	1200	74	Estadia
	1500	77	Sofia L
	1800	76	Sofia L
	2100	76	Sofia L
	2400	75	Siddarth

Sunday

Date	Time	Temp.	Name (Print)
10/20/2024	0300	71	Siddarth
	0600	70	TOMAK
	0900	73	TOMAK
	1200	73	TOMAK
	1500	79	Stewart
	1800	79	Stewart
	2100	73	Stewart
	2400	72	ESTADIA

Tuesday

Date	Time	Temp.	Name (Print)
10/15/2024	0300	76	Tonya
	0600	78	Tonya
	0900	76	Tonya
	1200	74	Tonya
	1500	78	Kookin
	1800	77	Kookin
	2100	77	Kookin
	2400	77	Siddarth

Thursday

Date	Time	Temp.	Name (Print)
10/17/2024	0300	75	Siddarth
	0600	75	Tonya
	0900	74	Tonya
	1200	76	Sid
	1500	76	Sofia L
	1800	76	Sofia L
	2100	75	Sofia L
	2400	75	Siddarth

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300	74	Siddarth
	0600	69	Reagan
	0900	70	Reagan
	1200	70	Sofia L
	1500	72	Tonya
	1800	74	Tonya
	2100	72	Tonya
	2400	72	Siddarth

Notes

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2081 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CB2	Temp. Reading Location:	2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
--------------	-----	---------------	-----	-------------------------	---

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	71	Bryant
	0600	72	Bryant
	0900	72	Bryant
	1200	74	Bryant
	1500	74	Bryant
	1800	72	Bryant
	2100	70	Bryant
	2400	70	Dreaming

Tuesday

Date	Time	Temp.	Name (Print)
10/15/2024	0300	68	Dreaming
	0600	70	Dreaming
	0900	72	Dreaming
	1200	72	Dreaming
	1500	72	Dreaming
	1800	72	Dreaming
	2100	70	Dreaming
	2400	69	Dreaming

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	65	Dreaming
	0600	71	Ramirez
	0900	73	Ramirez
	1200	75	Ramirez
	1500	76	Ramirez
	1800	74	Ramirez
	2100	72	Ramirez
	2400	70	Soto

Thursday

Date	Time	Temp.	Name (Print)
10/17/2024	0300	68	Soto
	0600	72	Soto
	0900	72	Soto
	1200	73	Soto
	1500	75	Soto
	1800	70	Soto
	2100	71	Soto
	2400	70	Soto

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	72	
	0600	74	Figueroa
	0900	75	Figueroa
	1200	75	Figueroa
	1500	72	Baron
	1800	76	Baron
	2100	76	Baron
	2400	74	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300	72	Hernandez
	0600	70	Hernandez
	0900	70	Lopez
	1200	77	Lopez
	1500	76	Baron
	1800	76	Baron
	2100	76	Baron
	2400	73	Hernandez

Notes

Date	Time	Temp.	Name (Print)
10/20/2024	0300	71	Hernandez
	0600	70	Hernandez
	0900	75	
	1200	76	
	1500	78	Baron
	1800	78	Baron
	2100	78	Baron
	2400	77	Lopez

DISTRIBUTION: Original Institution Heat Plan Coordinator

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CC1	Temp. Reading Location:	1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
--------------	-----	---------------	-----	-------------------------	---

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	71	PENEZ
	0600	69	SANCHEZ
	0900	71	Guzman
	1200	73	SANCHEZ
	1500	79	M. BONIFACIO
	1800	78	M. BONIFACIO
	2100	76	A. MURKIN
	2400	71	PENEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	71	PENEZ
	0600	71	Rosales
	0900	71	Rosales
	1200	76	Rosales
	1500	70	Penez
	1800	71	Penez
	2100	69	Penez
	2400	69	PENEZ

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	64	M. BONIFACIO
	0600	68	Guzman
	0900	70	Guzman
	1200	72	Guzman
	1500	73	PENEZ
	1800	74	PENEZ
	2100	73	PENEZ
	2400	73	M. BONIFACIO

Sunday

Date	Time	Temp.	Name (Print)
10/20/2024	0300	70	RODRIGUEZ
	0600	69	M. Valderrama
	0900	70	M. Valderrama
	1200	72	M. Valderrama
	1500	78	Zuno
	1800	70	Zuno
	2100	71	Zuno
	2400	71	PENEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/15/2024	0300	69	PENEZ
	0600	69	SANCHEZ
	0900	70	SANCHEZ
	1200	72	SANCHEZ
	1500	75	M. BONIFACIO
	1800	74	M. BONIFACIO
	2100	79	M. BONIFACIO
	2400	71	PENEZ

Thursday

Date	Time	Temp.	Name (Print)
10/17/2024	0300	68	PENEZ
	0600	69	Guzman
	0900	71	Guzman
	1200	73	Guzman
	1500	71	M. BONIFACIO
	1800	69	M. BONIFACIO
	2100	71	M. BONIFACIO
	2400	71	M. BONIFACIO

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300	66	M. BONIFACIO
	0600	69	ZUNO, S.
	0900	71	ZUNO, S.
	1200	72	ZUNO, S.
	1500	71	ZUNO, S.
	1800	71	ZUNO, S.
	2100	76	ZUNO, S.
	2400	70	PENEZ

Notes

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2631 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CC2 Temp. Reading Location: 2nd
 (e.g. 1st Tier, 2nd Tier, 3rd Tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	64	M. BONIFACIO
	0600	66	L. ALVAREZ
	0900	68	L. AGUILAR
	1200	69	L. AGUILAR
	1500	72	M. BARRERA
	1800	71	J. L. BURGOS
	2100	70	J. NAVAS
	2400	69	TREVINO

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	69	Hagan
	0600	69	W. SHAW
	0900	69	W. SHAW
	1200	70	W. SHAW
	1500	69	L. CUMBERG
	1800	68	L. CUMBERG
	2100	68	L. CUMBERG
	2400	67	TREVINO

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	64	TREVINO
	0600	66	COVARRUBIAS
	0900	68	COVARRUBIAS
	1200	70	COVARRUBIAS
	1500	72	J. SINGA
	1800	71	J. SINGA
	2100	71	J. SINGA
	2400	67	S. TREVINO

Sunday

Date	Time	Temp.	Name (Print)
10/20/2024	0300	64	M. BONIFACIO
	0600	66	COVARRUBIAS
	0900	68	COVARRUBIAS
	1200	68	COVARRUBIAS
	1500	75	M. BONIFACIO
	1800	73	M. BONIFACIO
	2100	73	M. BONIFACIO
	2400	73	P. RAMOS

Tuesday

Date	Time	Temp.	Name (Print)
10/15/2024	0300	67	TREVINO
	0600	69	MORENO
	0900	70	MORENO
	1200	71	MORENO
	1500	73	M. WEAVER
	1800	73	M. WEAVER
	2100	71	WEAVER
	2400	70	HAGANE

Thursday

Date	Time	Temp.	Name (Print)
10/17/2024	0300	65	TREVINO
	0600	67	COVARRUBIAS
	0900	69	COVARRUBIAS
	1200	69	COVARRUBIAS
	1500	69	SCARVELA
	1800	70	SCARVELA
	2100	68	SCARVELA
	2400	65	TREVINO

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300	63	TREVINO
	0600	64	COVARRUBIAS
	0900	64	COVARRUBIAS
	1200	72	COVARRUBIAS
	1500	73	R. RODA
	1800	72	R. RODA
	2100	70	R. RODA
	2400	70	M. BONIFACIO

Notes

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

COOR 2021 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CD1 Temp. Reading Location: 1st
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	73	Holsey
	0600	72	Santa Con
	0900	77.4	Santa Con
	1200	73	Santa Con
	1500	76	Fewkes
	1800	74	Fewkes
	2100	74	Fewkes
	2400	73	Frank

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	72	Winkel
	0600	71	Winkel
	0900	71	Winkel
	1200	71	Winkel
	1500	74	Fewkes
	1800	73	Fewkes
	2100	72	Fewkes
	2400	71	Winkel

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	71	Winkel
	0600	71	Winkel
	0900	71	Winkel
	1200	71	Winkel
	1500	76	A. Morris
	1800	76	A. Morris
	2100	75	A. Morris
	2400	73	Winkel

Sunday

Date	Time	Temp.	Name (Print)
10/20/2024	0300	71	J. Morris
	0600	72	J. Morris
	0900	73	J. Morris
	1200	74	J. Morris
	1500	77	Fewkes
	1800	75	Fewkes
	2100	74	Fewkes
	2400	74	Holsey

Tuesday

Date	Time	Temp.	Name (Print)
10/15/2024	0300	71	FRANK
	0600	69	FRANK
	0900	70	FRANK
	1200	70.5	FRANK
	1500	75	Fewkes
	1800	74	Fewkes
	2100	73	Fewkes
	2400	73	FRANK

Thursday

Date	Time	Temp.	Name (Print)
10/17/2024	0300	70	Winkel
	0600	71	Winkel
	0900	71	Winkel
	1200	73	Winkel
	1500	75	Fewkes
	1800	73	Fewkes
	2100	73	Fewkes
	2400	72	Winkel

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300	71	FRANK
	0600	71	FRANK
	0900	72	FRANK
	1200	73	FRANK
	1500	75	A. Morris
	1800	77	A. Morris
	2100	77	A. Morris
	2400	73	FRANK

Notes

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CD2	Temp. Reading Location:	2nd
					(e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	75	LOCK O.
	0600	74	LOCK D.
	0900	74	S. JONES
	1200	74	S. JONES
	1500	73	S. JONES
	1800	76	S. JONES
	2100	75	S. JONES
	2400	75	M. CARVALHO

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	70	J. Medrano
	0600	72	L. Aguilar
	0900	72	L. Aguilar
	1200	74	L. Aguilar
	1500	74	SAMUEL
	1800	74	SAMUEL
	2100	72	SAMUEL
	2400	70	J. Medrano

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	66	T. MEDRANO
	0600	72	A. ESTADAS
	0900	72	A. ESTADAS
	1200	74	P. ESTADAS
	1500	74	P. ESTADAS
	1800	74	P. ESTADAS
	2100	72	P. ESTADAS
	2400	70	J. Medrano

Sunday

Date	Time	Temp.	Name (Print)
10/20/2024	0300	69	J. Medrano
	0600	69	V. SAVOLI
	0900	72	V. SAVOLI
	1200	74	V. SAVOLI
	1500	76	SANTO DOMINGO
	1800	77	SANTO DOMINGO
	2100	75	SANTA COLE
	2400	73	LOCK D.

Tuesday

Date	Time	Temp.	Name (Print)
10/15/2024	0300	72	M. RONALD
	0600	74	S. JONES
	0900	75	S. JONES
	1200	72	S. JONES
	1500	75	S. SAMUEL
	1800	75	S. SAMUEL
	2100	74	S. SAMUEL
	2400	71	J. Medrano

Thursday

Date	Time	Temp.	Name (Print)
10/17/2024	0300	68	J. Medrano
	0600	72	L. AGUILAR
	0900	73	L. AGUILAR
	1200	74	L. AGUILAR
	1500	74	L. CHANNEL
	1800	73	L. CHANNEL
	2100	71	L. CHANNEL
	2400	69	J. Medrano

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300	67	J. Medrano
	0600	69	S. JONES
	0900	67	S. JONES
	1200	71	D. LAFERNE
	1500	76	S. SAMUEL
	1800	77	S. SAMUEL
	2100	75	S. SAMUEL
	2400	72	J. Med

Notes

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CA1	Temp. Reading Location:	1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
				7132	when the inside air temperature reaches

Monday			
Date	Time	Temp.	Name (Print)
10/21/2024	0300	75	VELAZQUEZ
	0600	74	M. BARROZO
	0900	74	M. BARROZO
	1200	75	M. BARROZO
	1500	79	S. GONZALEZ
	1800	77	S. GONZALEZ
	2100	76	S. GONZALEZ
	2400	76	VELAZQUEZ

Tuesday			
Date	Time	Temp.	Name (Print)
10/22/2024	0300	76	VELAZQUEZ
	0600	74	BALINTOSH
	0900	75	BALINTOSH
	1200	77	BALINTOSH
	1500	80	S. GONZALEZ
	1800	79	S. GONZALEZ
	2100	78	S. GONZALEZ
	2400	78	VELAZQUEZ

Wednesday			
Date	Time	Temp.	Name (Print)
10/23/2024	0300	77	VELAZQUEZ
	0600	77	BALINTOSH
	0900	78	BALINTOSH
	1200	78	BALINTOSH
	1500	80	S. GONZALEZ
	1800	79	S. GONZALEZ
	2100	77	S. GONZALEZ
	2400	78	VELAZQUEZ

Thursday			
Date	Time	Temp.	Name (Print)
10/24/2024	0300	78	VELAZQUEZ
	0600	75	RCUH8701
	0900	76	RCUH8701
	1200	77	RCUH8701
	1500	80	Figueroa
	1800	81	Figueroa
	2100	77	Figueroa
	2400	75	WILSON

Friday			
Date	Time	Temp.	Name (Print)
10/25/2024	0300	75	WILSON
	0600	74	BALINTOSH
	0900	75	BALINTOSH
	1200	77	BALINTOSH
	1500	77	Gonzales
	1800	77	Gonzales
	2100	77	GONZALEZ
	2400	77	Taylor

Saturday			
Date	Time	Temp.	Name (Print)
10/26/2024	0300	74	Taylor
	0600	75	Taylor
	0900	76	MOSQUITO
	1200	78	MOSQUITO
	1500	80	Perez
	1800	78	Perez
	2100	78	Perez
	2400	77	VELAZQUEZ

Sunday			
Date	Time	Temp.	Name (Print)
10/27/2024	0300	77	VELAZQUEZ
	0600	72	BARROZO
	0900	76	BARROZO
	1200	78	BARROZO
	1500	79	S. GONZALEZ
	1800	80	S. GONZALEZ
	2100	79	S. GONZALEZ
	2400	79	J. VARGAS

Notes

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CA2	Temp. Reading	Location:	2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
--------------	-----	---------------	-----	---------------	-----------	---

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	74	Bonita
	0600	74	Kimberly
	0900	79	Rebecca
	1200	75	Bailey
	1500	75	Bonita
	1800	75	Bonita
	2100	75	Karen
	2400	75	Taylor

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	73	Heath
	0600	73	FRANK
	0900	70	FRANK
	1200	73	FRANK
	1500	70	TOMA
	1800	77	DUNCAN
	2100	77	DUNCAN
	2400	75	Heath

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	75	Heath
	0600		
	0900		
	1200		
	1500	77	DUNCAN
	1800	77	DUNCAN
	2100	77	DUNCAN
	2400	76	Heath

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	78	Taylor
	0600	78	Taylor
	0900	79	T. Adams
	1200	81	T. Adams
	1500	79	QUEENIE
	1800	79	QUEENIE
	2100	76	QUEENIE
	2400	76	Taylor

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	77	Taylor
	0600	77	Taylor
	0900	75	J. DIAZ
	1200	77	J. DIAZ
	1500	77	DUNCAN
	1800	77	DUNCAN
	2100	77	DUNCAN
	2400	75	Heath

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	75	Heath
	0600	74	FRANK
	0900	75	FRANK
	1200	77	FRANK
	1500	80	DUNCAN
	1800	77	DUNCAN
	2100	77	DUNCAN
	2400	75	Heath

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	73	P. HARVEY
	0600	77	P. HARVEY
	0900	78	P. HARVEY
	1200	78	DENNIS
	1500	77	DENNIS
	1800	77	DENNIS
	2100	77	DENNIS
	2400	78	Taylor

Notes

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CB1	Temp. Reading Location:	1st (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
--------------	-----	---------------	-----	-------------------------	---

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	73	ESTRADA
	0600	73	D. Williams
	0900	74	Falushuk
	1200	74	R. Edwards
	1500	74	Chm
	1800	74	Chm
	2100	74	Chm
	2400	74	Chm

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	73	Siddarth
	0600	72	D. GREENE
	0900	74	D. GREENE
	1200	75	D. GREENE
	1500	74	Chm
	1800	74	Chm
	2100	75	Chm
	2400	74	Siddarth

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	73	Siddarth
	0600	71	SANTA COLE
	0900	72	SANTA COLE
	1200	74	SANTA COLE
	1500	73	Sofia R
	1800	77	Sofia R
	2100	76	Sofia R
	2400	74	Siddarth

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	75	ASICOND
	0600	71	JEONG
	0900	73	JEONG
	1200		
	1500	71	Chm
	1800	71	Chm
	2100	75	Chm
	2400	74	JAMES

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	76	Chm
	0600	72	ESILLAS
	0900	73	ESILLAS
	1200	75	CASILLAS
	1500	76	Chm
	1800	74	Chm
	2100	77	Chm
	2400	74	Siddarth

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	73	Siddarth
	0600	73	YR+
	0900	74	Deek
	1200	75	Deek
	1500	72	Sofia L
	1800	77	Sofia R
	2100	75	Sofia R
	2400	74	Siddarth

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	73	Siddarth
	0600	73	Sofia S
	0900	74	Sofia S
	1200	75	Sofia S
	1500	77	Chm
	1800	77	Chm
	2100	76	Chm
	2400	75	Chm

Notes

October 2024

STATE OF CALIFORNIA.

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CB2	Temp. Reading Location:	2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
--------------	-----	---------------	-----	-------------------------	---

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	73	LUCIO
	0600	73	BARTINA
	0900	74	BALTAZAR
	1200	75	BALTAZAR
	1500	77	BALTAZAR
	1800	76	BARTINA
	2100	74	BARTINA
	2400	73	JAMES

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	78	DIAZ
	0600	76	DIAZ
	0900	79	DIAZ
	1200	71	KELLY
	1500	73	BARRON
	1800	73	BARRON
	2100	72	BARRON
	2400	71	BARRON

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	71	ESTRADA
	0600	77	LOPEZ
	0900	76	LOPEZ
	1200	70	LOPEZ
	1500	72	BARRON
	1800	71	BARRON
	2100	76	BARRON
	2400	75	BARRON

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	72	CORTES
	0600	71	LOPEZ
	0900	71	LOPEZ
	1200	73	LOPEZ
	1500	75	BARRON
	1800	74	BARRON
	2100	72	BARRON
	2400	73	A. DICE

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	73	JAMES
	0600	73	BARTINA
	0900	73	BARTINA
	1200	73	BARTINA
	1500	73	KOKE
	1800	70	KOKE
	2100	69	KOKE
	2400	69	OMAR

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	70	ESPIGA
	0600	73	DRON
	0900	75	DRON
	1200	75	DRON
	1500	78	BARRON
	1800	78	BARRON
	2100	75	ESPIGA
	2400	72	ESTRADA

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	74	BARRON
	0600	74	AVAREZ
	0900	76	LOPEZ
	1200	76	LOPEZ
	1500	71	BARRON
	1800	74	BARRON
	2100	74	AVAREZ
	2400	72	AVAREZ

Notes

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2931 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier), where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CC1 Temp. Reading Location: 1st
 (e.g. 1st tier, 2nd tier, 3rd tier,
 etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	71	(BENZ)
	0600	70	E. Gomez
	0900	73	E. Gomez
	1200	71	E. Gomez
	1500	78	A. Martinez
	1800	75	A. Martinez
	2100	77	A. Martinez
	2400	72	(BENZ)

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	71	(BENZ)
	0600	71	Roxie
	0900	73	Roxie
	1200	74	Roxie
	1500	77	Yano
	1800	77	Yano
	2100	71	Yano
	2400	71	(BENZ)

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	70	S. Ojeda
	0600	69	Guzman
	0900	71	Guzman
	1200	73	Guzman
	1500	76	Guzman
	1800	77	Guzman
	2100	71	Guzman
	2400	71	(BENZ)

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	71	Chavez
	0600	73	Guzman
	0900	75	Guzman
	1200	71	Guzman
	1500	76	(BENZ)
	1800	75	Guzman
	2100	71	Guzman
	2400	70	(BENZ)

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	71	(BENZ)
	0600	69	SANTO
	0900	73	SANTO
	1200	75	SANTO
	1500	79	A. Martinez
	1800	75	A. Martinez
	2100	77	A. Martinez
	2400	73	(BENZ)

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	70	(BENZ)
	0600	69	Guzman
	0900	71	Guzman
	1200	74	Guzman
	1500	73	Guzman
	1800	76	Guzman
	2100	76	Guzman
	2400	73	S. OJEDA

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	71	(BENZ)
	0600	70	Guzman
	0900	72	Guzman
	1200	75	Guzman
	1500	76	Guzman
	1800	74	Guzman
	2100	72	Guzman
	2400	71	(BENZ)

Notes

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CC2	Temp. Reading Location:	2nd (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)
--------------	-----	---------------	-----	-------------------------	--

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	68	Trevino
	0600	66	D. Moxead
	0900	71	D. Moxead
	1200	75	D. Moxead
	1500	77	C. Saavedra
	1800	75	C. Saavedra
	2100	77	C. Saavedra
	2400	70	Trevino

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	70	Trevino
	0600	69	COVARRUBIAS
	0900	70	COVARRUBIAS
	1200	75	COVARRUBIAS
	1500	79	C. Saavedra
	1800	77	C. Saavedra
	2100	75	C. Saavedra
	2400	73	Trevino

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	70	Trevino
	0600	69	COVARRUBIAS
	0900	71	COVARRUBIAS
	1200	75	COVARRUBIAS
	1500	77	K. Lopez
	1800	75	K. Lopez
	2100	75	K. Lopez
	2400	72	Trevino

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	66	M. Bonilla
	0600	71	COVARRUBIAS
	0900	73	COVARRUBIAS
	1200	75	COVARRUBIAS
	1500	76	A. Estrada
	1800	76	A. Estrada
	2100	73	A. Estrada
	2400	73	M. Bonilla

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	68	Trevino
	0600	70	M. Bonilla
	0900	71	M. Bonilla
	1200	74	M. Bonilla
	1500	70	C. Saavedra
	1800	77	C. Saavedra
	2100	77	C. Saavedra
	2400	74	Trevino

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	69	Trevino
	0600	69	COVARRUBIAS
	0900	71	COVARRUBIAS
	1200	74	COVARRUBIAS
	1500	76	C. Saavedra
	1800	77	C. Saavedra
	2100	75	C. Saavedra
	2400	73	Trevino

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	68	Trevino
	0600	69	COVARRUBIAS
	0900	70	COVARRUBIAS
	1200	73	COVARRUBIAS
	1500	75	A. Estrada
	1800	76	A. Estrada
	2100	76	A. Estrada
	2400	76	M. Bonilla

Notes

October 2024

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2032 (04/01)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an Inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM **Housing Unit:** CDI **Temp. Reading:** 1st

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.																																
7132			when the inside air temperature reaches (e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.)																													
Monday																																
<table border="1"> <thead> <tr> <th>Date</th><th>Time</th><th>Temp.</th><th>Name (Print)</th></tr> </thead> <tbody> <tr><td rowspan="8">10/21/2024</td><td>0300</td><td>72</td><td>Holsey</td></tr> <tr><td>0600</td><td>71</td><td>Santa Cruz</td></tr> <tr><td>0900</td><td>72</td><td>Santa Cruz</td></tr> <tr><td>1200</td><td>74</td><td>Santa Cruz</td></tr> <tr><td>1500</td><td>76</td><td>Molina</td></tr> <tr><td>1800</td><td>74</td><td>Molina</td></tr> <tr><td>2100</td><td>75</td><td>Molina</td></tr> <tr><td>2400</td><td>73</td><td>Mike</td></tr> </tbody> </table>				Date	Time	Temp.	Name (Print)	10/21/2024	0300	72	Holsey	0600	71	Santa Cruz	0900	72	Santa Cruz	1200	74	Santa Cruz	1500	76	Molina	1800	74	Molina	2100	75	Molina	2400	73	Mike
Date	Time	Temp.	Name (Print)																													
10/21/2024	0300	72	Holsey																													
	0600	71	Santa Cruz																													
	0900	72	Santa Cruz																													
	1200	74	Santa Cruz																													
	1500	76	Molina																													
	1800	74	Molina																													
	2100	75	Molina																													
	2400	73	Mike																													
Wednesday																																
<table border="1"> <thead> <tr> <th>Date</th><th>Time</th><th>Temp.</th><th>Name (Print)</th></tr> </thead> <tbody> <tr><td rowspan="8">10/23/2024</td><td>0300</td><td>74</td><td>Mike</td></tr> <tr><td>0600</td><td>74</td><td>Ron</td></tr> <tr><td>0900</td><td>74</td><td>Ron</td></tr> <tr><td>1200</td><td>76</td><td>Ron</td></tr> <tr><td>1500</td><td>80</td><td>Molina</td></tr> <tr><td>1800</td><td>79</td><td>Molina</td></tr> <tr><td>2100</td><td>79</td><td>Molina</td></tr> <tr><td>2400</td><td>77</td><td>Mike</td></tr> </tbody> </table>				Date	Time	Temp.	Name (Print)	10/23/2024	0300	74	Mike	0600	74	Ron	0900	74	Ron	1200	76	Ron	1500	80	Molina	1800	79	Molina	2100	79	Molina	2400	77	Mike
Date	Time	Temp.	Name (Print)																													
10/23/2024	0300	74	Mike																													
	0600	74	Ron																													
	0900	74	Ron																													
	1200	76	Ron																													
	1500	80	Molina																													
	1800	79	Molina																													
	2100	79	Molina																													
	2400	77	Mike																													
Friday																																
<table border="1"> <thead> <tr> <th>Date</th><th>Time</th><th>Temp.</th><th>Name (Print)</th></tr> </thead> <tbody> <tr><td rowspan="8">10/25/2024</td><td>0300</td><td>75</td><td>Mike</td></tr> <tr><td>0600</td><td>74</td><td>Ron</td></tr> <tr><td>0900</td><td>74</td><td>Ron</td></tr> <tr><td>1200</td><td>76</td><td>Ron</td></tr> <tr><td>1500</td><td>78</td><td>A. Holsey</td></tr> <tr><td>1800</td><td>78</td><td>A. Holsey</td></tr> <tr><td>2100</td><td>77</td><td>A. Holsey</td></tr> <tr><td>2400</td><td>75</td><td>Mike</td></tr> </tbody> </table>				Date	Time	Temp.	Name (Print)	10/25/2024	0300	75	Mike	0600	74	Ron	0900	74	Ron	1200	76	Ron	1500	78	A. Holsey	1800	78	A. Holsey	2100	77	A. Holsey	2400	75	Mike
Date	Time	Temp.	Name (Print)																													
10/25/2024	0300	75	Mike																													
	0600	74	Ron																													
	0900	74	Ron																													
	1200	76	Ron																													
	1500	78	A. Holsey																													
	1800	78	A. Holsey																													
	2100	77	A. Holsey																													
	2400	75	Mike																													
Sunday																																
<table border="1"> <thead> <tr> <th>Date</th><th>Time</th><th>Temp.</th><th>Name (Print)</th></tr> </thead> <tbody> <tr><td rowspan="8">10/27/2024</td><td>0300</td><td>72</td><td></td></tr> <tr><td>0600</td><td>72</td><td>Ron</td></tr> <tr><td>0900</td><td>74</td><td>Ron</td></tr> <tr><td>1200</td><td>76</td><td>Ron</td></tr> <tr><td>1500</td><td>78</td><td>Molina</td></tr> <tr><td>1800</td><td>78</td><td>Molina</td></tr> <tr><td>2100</td><td></td><td></td></tr> <tr><td>2400</td><td>73</td><td>Holsey</td></tr> </tbody> </table>				Date	Time	Temp.	Name (Print)	10/27/2024	0300	72		0600	72	Ron	0900	74	Ron	1200	76	Ron	1500	78	Molina	1800	78	Molina	2100			2400	73	Holsey
Date	Time	Temp.	Name (Print)																													
10/27/2024	0300	72																														
	0600	72	Ron																													
	0900	74	Ron																													
	1200	76	Ron																													
	1500	78	Molina																													
	1800	78	Molina																													
	2100																															
	2400	73	Holsey																													
Tuesday																																
<table border="1"> <thead> <tr> <th>Date</th><th>Time</th><th>Temp.</th><th>Name (Print)</th></tr> </thead> <tbody> <tr><td rowspan="8">10/22/2024</td><td>0300</td><td>72</td><td>Mike</td></tr> <tr><td>0600</td><td>70</td><td>Santa Cruz</td></tr> <tr><td>0900</td><td>73</td><td>Santa Cruz</td></tr> <tr><td>1200</td><td>75</td><td>Santa Cruz</td></tr> <tr><td>1500</td><td>80</td><td>Molina</td></tr> <tr><td>1800</td><td>80</td><td>Molina</td></tr> <tr><td>2100</td><td>79</td><td>Molina</td></tr> <tr><td>2400</td><td>76</td><td>Mike</td></tr> </tbody> </table>				Date	Time	Temp.	Name (Print)	10/22/2024	0300	72	Mike	0600	70	Santa Cruz	0900	73	Santa Cruz	1200	75	Santa Cruz	1500	80	Molina	1800	80	Molina	2100	79	Molina	2400	76	Mike
Date	Time	Temp.	Name (Print)																													
10/22/2024	0300	72	Mike																													
	0600	70	Santa Cruz																													
	0900	73	Santa Cruz																													
	1200	75	Santa Cruz																													
	1500	80	Molina																													
	1800	80	Molina																													
	2100	79	Molina																													
	2400	76	Mike																													
Thursday																																
<table border="1"> <thead> <tr> <th>Date</th><th>Time</th><th>Temp.</th><th>Name (Print)</th></tr> </thead> <tbody> <tr><td rowspan="8">10/24/2024</td><td>0300</td><td>75</td><td>Mike</td></tr> <tr><td>0600</td><td>74</td><td>Ron</td></tr> <tr><td>0900</td><td>75</td><td>Ron</td></tr> <tr><td>1200</td><td>77</td><td>Ron</td></tr> <tr><td>1500</td><td>78</td><td>Ron</td></tr> <tr><td>1800</td><td>78</td><td>Ron</td></tr> <tr><td>2100</td><td>76</td><td>Ron</td></tr> <tr><td>2400</td><td>76</td><td>Mike</td></tr> </tbody> </table>				Date	Time	Temp.	Name (Print)	10/24/2024	0300	75	Mike	0600	74	Ron	0900	75	Ron	1200	77	Ron	1500	78	Ron	1800	78	Ron	2100	76	Ron	2400	76	Mike
Date	Time	Temp.	Name (Print)																													
10/24/2024	0300	75	Mike																													
	0600	74	Ron																													
	0900	75	Ron																													
	1200	77	Ron																													
	1500	78	Ron																													
	1800	78	Ron																													
	2100	76	Ron																													
	2400	76	Mike																													
Saturday																																
<table border="1"> <thead> <tr> <th>Date</th><th>Time</th><th>Temp.</th><th>Name (Print)</th></tr> </thead> <tbody> <tr><td rowspan="8">10/26/2024</td><td>0300</td><td>73</td><td>Mike</td></tr> <tr><td>0600</td><td>74</td><td>Ron</td></tr> <tr><td>0900</td><td>75</td><td>Ron</td></tr> <tr><td>1200</td><td>76</td><td>Ron</td></tr> <tr><td>1500</td><td>80</td><td>C. Amaya</td></tr> <tr><td>1800</td><td>80</td><td>C. Amaya</td></tr> <tr><td>2100</td><td>79</td><td>C. Amaya</td></tr> <tr><td>2400</td><td></td><td></td></tr> </tbody> </table>				Date	Time	Temp.	Name (Print)	10/26/2024	0300	73	Mike	0600	74	Ron	0900	75	Ron	1200	76	Ron	1500	80	C. Amaya	1800	80	C. Amaya	2100	79	C. Amaya	2400		
Date	Time	Temp.	Name (Print)																													
10/26/2024	0300	73	Mike																													
	0600	74	Ron																													
	0900	75	Ron																													
	1200	76	Ron																													
	1500	80	C. Amaya																													
	1800	80	C. Amaya																													
	2100	79	C. Amaya																													
	2400																															
Notes																																
<hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/>																																

DISTRIBUTION: Original Institution Head Plus Committee

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/03)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CD2 Temp. Reading Location: 2nd
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	73	LOCK D
	0600	72	LOCK D.
	0900	73	S. LOPEZ
	1200	75	S. LOPEZ
	1500	79	S. LOPEZ
	1800	78	S. LOPEZ
	2100	77	S. LOPEZ
	2400	77	Perito

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	73	S. MAGE
	0600	74	CALVERT
	0900	74	CALVERT
	1200	75	CALVERT
	1500	81	SANCHEZ
	1800	81	SANCHEZ
	2100	77	JANICE
	2400	76	mm

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	71	J. Med
	0600	73	A. ESTRADA
	0900	74	A. ESTRADA
	1200	75	A. ESTRADA
	1500	77	N. ORNELAS
	1800	73	N. ORNELAS
	2100	75	N. ORNELAS
	2400	68	J. Medon

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	70	TERRY MUNOZ
	0600	71	S. LOPEZ
	0900	70	S. LOPEZ
	1200	77	S. LOPEZ
	1500	80.8	GLENNE ORTIZ
	1800	78	SANTA CRUZ
	2100	75.7	SANTA CRUZ
	2400	74	LOCK D

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	73	Portillo
	0600	73	S. LOPEZ
	0900	74	S. LOPEZ
	1200	77	S. LOPEZ
	1500	79	SANTANA
	1800	79	SANTANA
	2100	78	SANTANA
	2400	74	S. IVA

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	79	J. Med
	0600	72	CALVERT
	0900	73	CALVERT
	1200	74	CALVERT
	1500	77	SANCHEZ
	1800	78	SANCHEZ
	2100	78	SANCHEZ
	2400	75	J. Medo

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	65	J. Medo
	0600	67	S. LOPEZ
	0900	70	S. LOPEZ
	1200	73	S. LOPEZ
	1500	77	SANCHEZ
	1800	78	SANCHEZ
	2100	77	SANCHEZ
	2400	76	Ferrin

Notes:

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

COCR2021-04/615

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CA1	Temp. Reading Location:	1st [e.g. 1 st tier, 2 nd tier, 3 rd tier, etc.]
--------------	-----	---------------	-----	-------------------------	--

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches:

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	80	J. Varguer
	0600	75	M. Barlow
	0900	76	M. Barlow
	1200	78	M. Barlow
	1500	78	M. Barlow
	1800	77	M. Barlow
	2100	77	M. Barlow
	2400	75	J. Varguer

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	74	J. Varguer
	0600	73	J. Varguer
	0900	70	Boullesta
	1200	73	Boullesta
	1500	75	S. Gourdeau
	1800	73	S. Gourdeau
	2100	72	S. Gourdeau
	2400	74	Varguer

Friday

Date	Time	Temp.	Name (Print)
11/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	74	J. Varguer
	0600	73	Boullesta
	0900	73	Boullesta
	1200	74	Boullesta
	1500	77	S. Gourdeau
	1800	76	S. Gourdeau
	2100	74	S. Gourdeau
	2400	72	J. Varguer

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	72	Varguer
	0600	71	Varguer
	0900	72	Varguer
	1200	73	S. Gourdeau
	1500	74	S. Gourdeau
	1800	77	S. Gourdeau
	2100	76	E. Luttrell
	2400	75	M. Difce

Saturday

Date	Time	Temp.	Name (Print)
11/2/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

OCA 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CASL	Temp. Reading Location:	2nd
--------------	-----	---------------	------	-------------------------	-----

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	79	L. Trujillo
	0600	79	L. Trujillo
	0900	76	Stringer
	1200	76	Stringer
	1500	75	Stringer
	1800	75	Stringer
	2100	74	Stringer
	2400	74	CML

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	75	Health
	0600	74	Vazquez
	0900	74	R. SANCHEZ
	1200	74	Vazquez
	1500	74	DUNCAN
	1800	74	DUNCAN
	2100	74	DUNCAN
	2400	75	Health

Friday

Date	Time	Temp.	Name (Print)
11/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	75	CML
	0600	74	ZELADA
	0900	75	ZELADA
	1200	75	ZELADA
	1500	75	ZELADA
	1800	75	DUNCAN
	2100	74	DUNCAN
	2400	74	Health

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	75	Health
	0600	73	Health
	0900	70	Health
	1200	70	CML
	1500	71	DUNCAN
	1800	71	DUNCAN
	2100	70	DUNCAN
	2400	69	GLEN GALT

Saturday

Date	Time	Temp.	Name (Print)
11/2/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CIM	Housing Unit:	CB1	Temp. Reading Location:	1st (e.g. 1 st Tier; 2 nd tier, 3 rd tier, etc.)																																																																																																																			
Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees:		7132		when the inside air temperature reaches																																																																																																																				
Monday	Tuesday	Wednesday	Thursday	Saturday																																																																																																																				
<table border="1"> <thead> <tr> <th>Date</th><th>Time</th><th>Temp.</th><th>Name (Print)</th></tr> </thead> <tbody> <tr><td rowspan="8">10/28/2024</td><td>0300</td><td>72</td><td>JAMES</td></tr> <tr><td>0600</td><td>71</td><td>TORAL</td></tr> <tr><td>0900</td><td>71</td><td>TORAL</td></tr> <tr><td>1200</td><td>71</td><td>TORAL</td></tr> <tr><td>1500</td><td>71</td><td>CHRIS</td></tr> <tr><td>1800</td><td>70</td><td>BRIAN</td></tr> <tr><td>2100</td><td>71</td><td>CHRIS</td></tr> <tr><td>2400</td><td>70</td><td>Torillo</td></tr> </tbody> </table>	Date	Time	Temp.	Name (Print)	10/28/2024	0300	72	JAMES	0600	71	TORAL	0900	71	TORAL	1200	71	TORAL	1500	71	CHRIS	1800	70	BRIAN	2100	71	CHRIS	2400	70	Torillo	<table border="1"> <thead> <tr> <th>Date</th><th>Time</th><th>Temp.</th><th>Name (Print)</th></tr> </thead> <tbody> <tr><td rowspan="8">10/29/2024</td><td>0300</td><td>70</td><td>Torillo</td></tr> <tr><td>0600</td><td>70</td><td>Torillo</td></tr> <tr><td>0900</td><td>70</td><td>TORAL</td></tr> <tr><td>1200</td><td>70</td><td>TORAL</td></tr> <tr><td>1500</td><td>72</td><td>TORAL</td></tr> <tr><td>1800</td><td>72</td><td>D. GREENE</td></tr> <tr><td>2100</td><td>71</td><td>D. GREENE</td></tr> <tr><td>2400</td><td>70</td><td>Doddath</td></tr> </tbody> </table>	Date	Time	Temp.	Name (Print)	10/29/2024	0300	70	Torillo	0600	70	Torillo	0900	70	TORAL	1200	70	TORAL	1500	72	TORAL	1800	72	D. GREENE	2100	71	D. GREENE	2400	70	Doddath	<table border="1"> <thead> <tr> <th>Date</th><th>Time</th><th>Temp.</th><th>Name (Print)</th></tr> </thead> <tbody> <tr><td rowspan="8">10/30/2024</td><td>0300</td><td>70</td><td>Suddarth</td></tr> <tr><td>0600</td><td>72</td><td>TORAL</td></tr> <tr><td>0900</td><td>70</td><td>TORAL</td></tr> <tr><td>1200</td><td>71</td><td>TORAL</td></tr> <tr><td>1500</td><td>72</td><td>Andy</td></tr> <tr><td>1800</td><td>71</td><td>Ronda</td></tr> <tr><td>2100</td><td>70</td><td>Ronda</td></tr> <tr><td>2400</td><td>70</td><td>Suddarth</td></tr> </tbody> </table>	Date	Time	Temp.	Name (Print)	10/30/2024	0300	70	Suddarth	0600	72	TORAL	0900	70	TORAL	1200	71	TORAL	1500	72	Andy	1800	71	Ronda	2100	70	Ronda	2400	70	Suddarth	<table border="1"> <thead> <tr> <th>Date</th><th>Time</th><th>Temp.</th><th>Name (Print)</th></tr> </thead> <tbody> <tr><td rowspan="8">10/31/2024</td><td>0300</td><td>69</td><td>Suddarth</td></tr> <tr><td>0600</td><td>70</td><td>Suddarth</td></tr> <tr><td>0900</td><td>71</td><td>Suddarth</td></tr> <tr><td>1200</td><td>73</td><td>Suddarth</td></tr> <tr><td>1500</td><td>73</td><td>Suddarth</td></tr> <tr><td>1800</td><td>72</td><td>Suddarth</td></tr> <tr><td>2100</td><td>71</td><td>Suddarth</td></tr> <tr><td>2400</td><td>70</td><td>Suddarth</td></tr> </tbody> </table>	Date	Time	Temp.	Name (Print)	10/31/2024	0300	69	Suddarth	0600	70	Suddarth	0900	71	Suddarth	1200	73	Suddarth	1500	73	Suddarth	1800	72	Suddarth	2100	71	Suddarth	2400	70	Suddarth	
Date	Time	Temp.	Name (Print)																																																																																																																					
10/28/2024	0300	72	JAMES																																																																																																																					
	0600	71	TORAL																																																																																																																					
	0900	71	TORAL																																																																																																																					
	1200	71	TORAL																																																																																																																					
	1500	71	CHRIS																																																																																																																					
	1800	70	BRIAN																																																																																																																					
	2100	71	CHRIS																																																																																																																					
	2400	70	Torillo																																																																																																																					
Date	Time	Temp.	Name (Print)																																																																																																																					
10/29/2024	0300	70	Torillo																																																																																																																					
	0600	70	Torillo																																																																																																																					
	0900	70	TORAL																																																																																																																					
	1200	70	TORAL																																																																																																																					
	1500	72	TORAL																																																																																																																					
	1800	72	D. GREENE																																																																																																																					
	2100	71	D. GREENE																																																																																																																					
	2400	70	Doddath																																																																																																																					
Date	Time	Temp.	Name (Print)																																																																																																																					
10/30/2024	0300	70	Suddarth																																																																																																																					
	0600	72	TORAL																																																																																																																					
	0900	70	TORAL																																																																																																																					
	1200	71	TORAL																																																																																																																					
	1500	72	Andy																																																																																																																					
	1800	71	Ronda																																																																																																																					
	2100	70	Ronda																																																																																																																					
	2400	70	Suddarth																																																																																																																					
Date	Time	Temp.	Name (Print)																																																																																																																					
10/31/2024	0300	69	Suddarth																																																																																																																					
	0600	70	Suddarth																																																																																																																					
	0900	71	Suddarth																																																																																																																					
	1200	73	Suddarth																																																																																																																					
	1500	73	Suddarth																																																																																																																					
	1800	72	Suddarth																																																																																																																					
	2100	71	Suddarth																																																																																																																					
	2400	70	Suddarth																																																																																																																					
Friday	Sunday																																																																																																																							
<table border="1"> <thead> <tr> <th>Date</th><th>Time</th><th>Temp.</th><th>Name (Print)</th></tr> </thead> <tbody> <tr><td rowspan="8">11/1/2024</td><td>0300</td><td></td><td></td></tr> <tr><td>0600</td><td></td><td></td></tr> <tr><td>0900</td><td></td><td></td></tr> <tr><td>1200</td><td></td><td></td></tr> <tr><td>1500</td><td></td><td></td></tr> <tr><td>1800</td><td></td><td></td></tr> <tr><td>2100</td><td></td><td></td></tr> <tr><td>2400</td><td></td><td></td></tr> </tbody> </table>	Date	Time	Temp.	Name (Print)	11/1/2024	0300			0600			0900			1200			1500			1800			2100			2400			<table border="1"> <thead> <tr> <th>Date</th><th>Time</th><th>Temp.</th><th>Name (Print)</th></tr> </thead> <tbody> <tr><td rowspan="8">11/2/2024</td><td>0300</td><td></td><td></td></tr> <tr><td>0600</td><td></td><td></td></tr> <tr><td>0900</td><td></td><td></td></tr> <tr><td>1200</td><td></td><td></td></tr> <tr><td>1500</td><td></td><td></td></tr> <tr><td>1800</td><td></td><td></td></tr> <tr><td>2100</td><td></td><td></td></tr> <tr><td>2400</td><td></td><td></td></tr> </tbody> </table>	Date	Time	Temp.	Name (Print)	11/2/2024	0300			0600			0900			1200			1500			1800			2100			2400			Notes																																																												
Date	Time	Temp.	Name (Print)																																																																																																																					
11/1/2024	0300																																																																																																																							
	0600																																																																																																																							
	0900																																																																																																																							
	1200																																																																																																																							
	1500																																																																																																																							
	1800																																																																																																																							
	2100																																																																																																																							
	2400																																																																																																																							
Date	Time	Temp.	Name (Print)																																																																																																																					
11/2/2024	0300																																																																																																																							
	0600																																																																																																																							
	0900																																																																																																																							
	1200																																																																																																																							
	1500																																																																																																																							
	1800																																																																																																																							
	2100																																																																																																																							
	2400																																																																																																																							

DISTRIBUTION: Original Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CB2 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/19/18	0300	75	A - OKE
	0600	74	BARBERSA
	0900	72	BARTONIA
	1200	71	BARTONIA
	1500	72	BARTONIA
	1800	71	BARTONIA
	2100	71	BARTONIA
	2400	70	D. Arellano

Tuesday

Date	Time	Temp.	Name (Print)
10/19/18	0300	70	E. Arellano
	0600	71	BARTONIA
	0900	72	BARTONIA
	1200	70	BARTONIA
	1500	73	BARTONIA
	1800	72	BARTONIA
	2100	70	BARTONIA
	2400	70	E. Arellano

Wednesday

Date	Time	Temp.	Name (Print)
10/19/18	0300	69	H. Martinez
	0600	70	HELDONA
	0900	71	HELDONA
	1200	71	HELDONA
	1500	71	BARRON
	1800	70	BARRON
	2100	69	BARRON
	2400	69	ESTRADA

Thursday

Date	Time	Temp.	Name (Print)
10/19/18	0300	68	ESTRADA
	0600	67	Romeo
	0900	68	Romeo
	1200	65	Romeo
	1500	67	Romeo
	1800	67	Romeo
	2100	67	Romeo
	2400	66	Romeo

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CCR 2031 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CC1 Temp. Reading Location: 1st
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	70	PENALZ
	0600	72	LAWRENCE
	0900	73	GUZMAN
	1200	75	GUZMAN
	1500	73	BARRERA
	1800	72	BARRERA
	2100	69	BARRERA
	2400	69	PENALZ

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	67	PENALZ
	0600	69	PENALZ
	0900	68	ROSARIO
	1200	68	ROSARIO
	1500	68	ROSARIO
	1800	68	ROSARIO
	2100	65	PENALZ
	2400	65	PENALZ

Friday

Date	Time	Temp.	Name (Print)
11/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

7132 when the inside air temperature reaches

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	69	PENALZ
	0600	68	LAWRENCE
	0900	71	SAN JAC
	1200	72	SAN JAC
	1500	73	M. BONIFACIO
	1800	72	M. BONIFACIO
	2100	72	M. BONIFACIO
	2400	68	PENALZ

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	69	M. BONIFACIO
	0600	68	GUZMAN
	0900	67	GUZMAN
	1200	69	GUZMAN
	1500	70	M. BONIFACIO
	1800	69	M. BONIFACIO
	2100	69	M. BONIFACIO
	2400	69	M. BONIFACIO

Saturday

Date	Time	Temp.	Name (Print)
11/2/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2032 (04/81)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CC2 Temp. Reading Location: 2nd
(e.g. 1st Tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees,

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	68	M. PATILIPAD
	0600	70	J. Vandy
	0900	71	J. Vandy
	1200	73	J. Vandy
	1500	68	C. Sarevda
	1800	67	C. Sarevda
	2100	67	C. Sarevda
	2400	69	TREND

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	69	TREND
	0600	66	COVARROBIA
	0900	66	COVARROBIA
	1200	68	COVARROBIA
	1500	71	C. Sarevda
	1800	68	C. Sarevda
	2100	68	TREND
	2400	68	TREND

Friday

Date	Time	Temp.	Name (Print)
11/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	69	Forbes
	0600	70	Forbes
	0900	70	Forbes
	1200	71	Forbes
	1500	70	C. Sarevda
	1800	71	C. Sarevda
	2100	67	C. Sarevda
	2400	69	TREND

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	69	TREND
	0600	66	COVARROBIA
	0900	65	COVARROBIA
	1200	68	COVARROBIA
	1500	71	C. Sarevda
	1800	70	C. Sarevda
	2100	67	C. Sarevda
	2400	67	J. TROTINO

Saturday

Date	Time	Temp.	Name (Print)
11/2/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

October 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CD1 Temp. Reading Location: 1st
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7132 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	73	Halsey
	0600	71	FRANK
	0900	73	FAGG
	1200	75	FAGG
	1500	76	Lopez D
	1800	73	Lopez D
	2100	72	Lopez D
	2400	71	mikel

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	68	markel
	0600	67	lens
	0900	66	lens
	1200	73	lens
	1500	74	Lopez D
	1800	72	Lopez D
	2100	70	Lopez D
	2400	70	markel

Friday

Date	Time	Temp.	Name (Print)
11/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	70	markel
	0600	72	CASILLAS
	0900	72.5	CASILLAS
	1200	74.1	CASILLAS
	1500	76	Lopez D
	1800	74	Lopez D
	2100	72	Lopez D
	2400	70	markel

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	68	markel
	0600	68	lens
	0900	70	lens
	1200	71	lens
	1500	76	Lopez D
	1800	73	Lopez D
	2100	72	Lopez D
	2400	69	Lopez D

Saturday

Date	Time	Temp.	Name (Print)
11/2/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

October 2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/01)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is located. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: CD2 Temp. Reading Location: 2nd
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

7132

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	73	LOCK D.
	0600	71	LOCK D.
	0900	74	S. Lopez
	1200	74	S. Lopez
	1500	76	S. Lopez
	1800	75	S. Lopez
	2100	74	S. Lopez
	2400	74	M. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	67	J. Madrone
	0600	69	J. Madrone
	0900	71	J. Madrone
	1200	73	J. Madrone
	1500	74	S. Lopez
	1800	75	S. Lopez
	2100	74	S. Lopez
	2400	71	J. Madrone

Friday

Date	Time	Temp.	Name (Print)
11/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	68	M. Rodriguez
	0600	70	S. Lopez
	0900	70	S. Lopez
	1200	72	S. Lopez
	1500	74	S. Lopez
	1800	76	S. Lopez
	2100	72	S. Lopez
	2400	70	J. Madrone

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	67	J. Madrone
	0600	67	J. Madrone
	0900	68	J. Madrone
	1200	71	A. Araya
	1500	73	S. Lopez
	1800	75	S. Lopez
	2100	73	S. Lopez
	2400	72	C. Johnson

Saturday

Date	Time	Temp.	Name (Print)
11/2/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2630 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	66	Ramirez
	0200	63	Ramirez
	0300	61	Ramirez
	0400	61	Ramirez
	0500	60	Ramirez
	0600	60	Ramirez
	0700	63	Taylor
	0800	73	Taylor
	0900	78	Taylor
	1000	86	Taylor
	1100	89	Taylor
	1200	90	Taylor
	1300	92	Taylor
	1400	95	Taylor
SEP 30, 2024	*1500	97	JARNAGIN
	1600	96	JARNAGIN
	1700	93	JARNAGIN
	1800	88	JARNAGIN
	1900	81	JARNAGIN
	2000	75	JARNAGIN
	2100	74	JARNAGIN
	2200	73	F. grad f.d.
	2300	69°	K. grad f.d.
	2400	68°	F. grad f.d.

Date	Time	Temp.	Printed Name
OCT 01 2024	0100	67	F. grad f.d.
	0200	66	F. grad f.d.
	0300	65	F. grad f.d.
	0400	64	F. grad f.d.
	0500	64	F. grad f.d.
	0600	63°	F. grad f.d.
	0700	67	Taylor
	0800	74	Taylor
	0900	81	Taylor
	1000	84	Taylor
	1100	88	Taylor
	1200	90	Taylor
	1300	98	Taylor
	1400	106	Taylor
	1500	99	E. Gomez
	1600	97	E. GOMEZ
	1700	95	E. GOMEZ
	1800	90	E. GOMEZ
	1900	87	E. GOMEZ
	2000	84	E. GOMEZ
	2100	80	E. GOMEZ
	2200	79	E. GOMEZ
	2300	76	K. SHIN
	2400	74	K. SHIN

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 02 2024	0100	72	K.SMIN
	0200	71	K.SMIN
	0300	69	K.SMIN
	0400	68	K.SMIN
	0500	67	K.SMIN
	0600	70	TUNW
	0700	77	TUNW
	0800	79	TUNW
	0900	85	TUNW
	1000	87	TUNW
	1100	89	TUNW
	1200	90	TUNW
	1300	96	TUNW
	1400	100	TUNW
	1500	101	Figueroa
	1600	100	Figueroa
	1700	93	Figueroa
	1800	90	Figueroa
	1900	86	Figueroa
	2000	84	Figueroa
	2100	80	Figueroa
	2200	74°	Fgrad fd
	2300	74°	Fgrad fd
	2400	74°	Fgrad fd

Date	Time	Temp.	Printed Name
OCT 03 2024	0100	72°	Fgrad fd
	0200	71°	Fgrad fd
	0300	70°	Fgrad fd
	0400	69°	Fgrad fd
	0500	68°	Fgrad fd
	0600	68°	Fgrad fd
	0700	74	TUNW
	0800	77	TUNW
	0900	83	TUNW
	1000	85	TUNW
	1100	87	TUNW
	1200	89	TUNW
	1300	90	TUNW
	1400	93	TUNW
	1500	93	TUNW
	1600	91	TUNW
	1700	90	TUNW
	1800	89	TUNW
	1900	83	TUNW
	2000	76	TUNW
	2100	74	TUNW
	2200	74	TUNW
	2300	73°	Fgrad fd
	2400	73°	Fgrad fd

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 04 2024	0100	67°	F.Bradford
	0200	66°	F.Bradford
	0300	65°	F.Bradford
	0400	64°	F.Bradford
	0500	64°	F.Bradford
	0600	63°	F.Bradford
	0700	65	Turner
	0800	69	Turner
	0900	74	Turner
	1000	78	Turner
	1100	89	Turner
	1200	92	Turner
	1300	93	Turner
	1400	95	Turner
	1500	95	RENTERIA
	1600	93	RENTERIA
	1700	93	RENTERIA
	1800	84	RENTERIA
	1900	81	RENTERIA
	2000	74	Renteria
	2100	74	Renteria
	2200		
	2300		
	2400	67.	F.Bradford

ATC - 2 hrs Medicine.
12:00 - 0600 am:

Date	Time	Temp.	Printed Name
OCT 05 2024	0100	67°	F.Bradford
	0200	66°	F.Bradford
	0300	65°	F.Bradford
	0400	64°	F.Bradford
	0500	63°	F.Bradford
	0600	63°	F.Bradford
	0700	64	SUBRENT
	0800	64	SUBRENT
	0900	70	SUBRENT
	1000	76	SUBRENT
	1100	85	SUBRENT
	1200	90	SUBRENT
	1300	95	SUBRENT
	1400	95	SUBRENT
	1500	94	SANTANA
	1600	93	SANTANA
	1700	91	SANTANA
	1800	89	SANTANA
	1900	86	SANTANA
	2000	83	SANTANA
	2100	78	SANTANA
	2200	75	D.WILSON
	2300	73	D.WILSON
	2400	72	D.WILSON

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 06 2024	0100	70	D.WILSON
	0200	69	D.WILSON
	0300	69	D.WILSON
	0400	67	D.WILSON
	0500	65	D.WILSON
	0600	64	D.WILSON
	0700	64	YSanchez
	0800	70	YSanchez
	0900	70	YSanchez
	1000	76	YSanchez
	1100	84	YSanchez
	1200	91	YSanchez
	1300	91	YSanchez
	1400	97	JARAMILLO
	1500	98	JARAMILLO
	1600	98	JARAMILLO
	1700	90	JARAMILLO
	1800	86	JARAMILLO
	1900	82	JARAMILLO
	2000	80	JARAMILLO
	2100	80	JARAMILLO
	2200	72	Arguello
	2300	71	Arguello
	2400	70	Arguello

Date	Time	Temp.	Printed Name
OCT 07 2024	0100	69	Arguello
	0200	68	Arguello
	0300	66	Arguello
	0400	66	Arguello
	0500	65	Arguello
	0600	70	Turner
	0700	78	Turner
	0800	84	Turner
	0900	85	Turner
	1000	87	Turner
	1100	89	Turner
	1200	90°	Turner
	1300	93	Turner
	1400	95	Turner
	1500	93	JARNAGIN
	1600	92	JARNAGIN
	1700	90	JARNAGIN
	1800	86	JARNAGIN
	1900	82	JARNAGIN
	2000	79	JARNAGIN
	2100	76	JARNAGIN
	2200	72	F grad frc
	2300	70°	F grad frc
	2400	70°	F grad frc

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 08 2024	0100	69°	F. Bradfield
	0200	68°	F. Bradfield
	0300	67°	F. Bradfield
	0400	66°	F. Bradfield
	0500	65°	F. Bradfield
	0600	64°	F. Bradfield
	0700	70	Turner
	0800	74	Turner
	0900	85	Turner
	1000	87	Turner
	1100	89	Turner
	1200	91	Turner
	1300	92	Turner
	1400	94	Turner
	1500	93	JARNAGIN
	1600	91	JARNAGIN
	1700	89	JARNAGIN
	1800	84	JARNAGIN
	1900	82	JARNAGIN
	2000	79	JARNAGIN
	2100	76	JARNAGIN
	2200	71	ROBIN
	2300	70	ROBIN
	2400	70	ROBIN

Date	Time	Temp.	Printed Name
OCT 09 2024	0100	69	ROBIN
	0200	67	ROBIN
	0300	64	ROBIN
	0400	63	ROBIN
	0500	63	ROBIN
	0600	63	ROBIN
	0700	70	Turner
	0800	74	Turner
	0900	81	Turner
	1000	85	Turner
	1100	88	Turner
	1200	89	Turner
	1300	90	Tur
	1400	91	Tur
	1500	89	JARNAGIN
	1600	89	JARNAGIN
	1700	85	JARNAGIN
	1800	79	JARNAGIN
	1900	75	JARNAGIN
	2000	75	JARNAGIN
	2100	69	JARNAGIN
	2200	67	V. ROSAS
	2300	66	V. ROSAS
	2400	66	V. ROSAS

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 10 2024	0100	43	V. ROSAS
	0200	62	V. ROSAS
	0300	62	V. ROSAS
	0400	63	V. ROSAS
	0500	62	V. ROSAS
	0600	65	Turn
	0700	64	Turn
	0800	72	Turn
	0900	75	Turn
	1000	80	Turn
	1100	83	Turn
	1200	84	Turn
	1300	86	Turn
	1400	88	Turn
	1500	87	Turn
	1600	86	Turn
	1700	84	Turn
	1800	80	Turn
	1900	77	Turn
	2000	76	Turn
	2100	73	Turn
	2200	72	Turn
	2300	71	Bocino
	2400	70	Bocino

Date	Time	Temp.	Printed Name
OCT 11 2024	0100	69	Bocino
	0200	68	Bocino
	0300	66	Bocino
	0400	64	Bocino
	0500	63	Bocino
	0600	62	Bocino
	0700	65	Turn
	0800	73	Turn
	0900	79	Turn
	1000	84	Turn
	1100	86	Turn
	1200	89	Turn
	1300	90	Turn
	1400	93	Turn
	1500	91	J. VASQUEZ
	1600	88	J. VASQUEZ
	1700	86	J. VASQUEZ
	1800	81	J. VASQUEZ
	1900	75	J. VASQUEZ
	2000	72	J. VASQUEZ
	2100	70	J. VASQUEZ
	2200	69	E. VELAZQUEZ
	2300	68	E. VELAZQUEZ
	2400	65	E. VELAZQUEZ

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	64	E. VELAZQUEZ
	0200	63	E. VELAZQUEZ
	0300	61	E. VELAZQUEZ
	0400	60	E. VELAZQUEZ
	0500	59	E. VELAZQUEZ
	0600	59	ZUBRENT
	0700	58	ZUBRENT
	0800	59	ZUBRENT
	0900	65	ZUBRENT
	1000	74	ZUBRENT
	1100	79	ZUBRENT
	1200	85	ZUBRENT
	1300	88	ZUBRENT
	1400	87	V. VASQUEZ
	1500	85	V. VASQUEZ
	1600	83	V. VASQUEZ
	1700	81	V. VASQUEZ
	1800	77	V. VASQUEZ
	1900	72	V. VASQUEZ
	2000	70	V. VASQUEZ
	2100	67	V. VASQUEZ
	2200	65	ARBUENO
	2300	63	ARBUENO
	2400	62	ARGUELLO

Date	Time	Temp.	Printed Name
OCT 13 2020	0100	61	Arguello
OCT 13 2020	0200	60	Arguello
OCT 13 2020	0300	58	Arguello
OCT 13 2020	0400	57	Arguello
OCT 13 2020	0500	55	Arguello
OCT 13 2020	0600	56	ZUBRENT
OCT 13 2020	0700	56	ZUBRENT
OCT 13 2020	0800	57	ZUBRENT
OCT 13 2020	0900	62	ZUBRENT
OCT 13 2020	1000	66	ZUBRENT
OCT 13 2020	1100	70	ZUBRENT
OCT 13 2020	1200	74	ZUBRENT
OCT 13 2020	1300	78	ZUBRENT
OCT 13 2020	1400	78	TARRAGIN
OCT 13 2020	1500	81	TARRAGIN
OCT 13 2020	1600	77	TARRAGIN
OCT 13 2020	1700	76	TARRAGIN
OCT 13 2020	1800	70	TARRAGIN
OCT 13 2020	1900	65	TARRAGIN
OCT 13 2020	2000	63	TARRAGIN
OCT 13 2020	2100	61	TARRAGIN
OCT 13 2020	2200	63	Arguello
OCT 13 2020	2300	62	Arguello
OCT 13 2020	2400	61	Arguello

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/16)

DEPARTMENT OF CORRECTIONAL INSTITUTIONS

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log outside ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	65	
	0200	65	AIR BUSH
	0300	63	AIR BUSH
	0400	64	AIR BUSH
	0500	67	AIR BUSH
	0600	68	AIR BUSH
	0700	73	JUN
	0800	76	JUN
	0900	78	JUN
	1000	83	JUN
	1100	84	JUN
	1200	85	JUN
	1300	85	JUN
	1400	85	JUN
	1500	87	JUN
	1600	87	JUN
	1700	84	JUN
	1800	86	JUN
	1900	78	JUN
	2000	77	JUN
	2100	74	JUN
	2200	73	JUN
	2300	71	JUN
	2400	70	JUN

Date	Time	Temp.	Printed Name
	0100	63	AIR BUSH
	0200	65	AIR BUSH
	0300	68	AIR BUSH
	0400	70	AIR BUSH
	0500	70	AIR BUSH
	0600	72	JUN
	0700	74	JUN
	0800	78	JUN
	0900	79	JUN
	1000	80	JUN
	1100	80	JUN
	1200	82	JUN
	1300	83	JUN
	1400	84	JUN
	1500	85	JUN
	1600	85	JUN
	1700	84	JUN
	1800	80	JUN
	1900	80	JUN
	2000	78	JUN
	2100	75	JUN
	2200	72	JUN
	2300	68	JUN
	2400	65	JUN

DISTRIBUTION: Original Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10CT 16 2024	0100	67	Aquinne
	0200	67	Aquinne
	0300	68	Aquinne
	0400	69	Aquinne
	0500	69	Aquinne
	0600	70	Tur
	0700	70	Tur
	0800	70	Tur
	0900	72	Tur
	1000	72	Tur
	1100	72	Tur
	1200	73	Tur
	1300	74	Tur
	1400	74	Tur
	1500	72	JANAGIN
	1600	67	JANAGIN
	1700	67	JANAGIN
	1800	63	JANAGIN
	1900	61	JANAGIN
	2000	60	JANAGIN
	2100	59	JANAGIN
	2200	60	Aquinne
	2300	61	Aquinne
	2400	61	Aquinne

Date	Time	Temp.	Printed Name
10CT 17 2024	0100	(67)	Aquinne
	0200	(67)	Aquinne
	0300	59	Aquinne
	0400	(60)	Aquinne
	0500	(61)	Aquinne
	0600	67	MUNOZ
	0700	68	MUNOZ
	0800	69	MUNOZ
	0900	70	MUNOZ
	1000	71	MUNOZ
	1100	72	MUNOZ
	1200	74	MUNOZ
	1300	75	MUNOZ
	1400	74	J.MUNOZ
	1500	74	J.MUNOZ
	1600	73	J.MUNOZ
	1700	70	J.MUNOZ
	1800	68	J.MUNOZ
	1900	67	J.MUNOZ
	2000	67	J.MUNOZ
	2100	67	J.MUNOZ
	2200	64	J.MUNOZ
	2300	63	J.MUNOZ
	2400	63	J.MUNOZ

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 18 2024	0100	60	Aquinne
	0200	60	Aquinne
	0300	61	Aquinne
	0400	61	Aquinne
	0500	62	Aquinne
	0600	70	Hesant
	0700	76	Hesant
	0800	75	Pringle
	0900		
	1000		
	1100		
	1200		
	1300		
	1400	77	V.VASQUEZ
	1500	78	V.VASQUEZ
	1600	77	V.VASQUEZ
	1700	74	V.VASQUEZ
	1800	71	V.VASQUEZ
	1900	66	V.VASQUEZ
	2000	63	V.VASQUEZ
	2100	61	V.VASQUEZ
	2200	60	Aquinne
	2300	59	Aquinne
	2400	57	Aquinne

Date	Time	Temp.	Printed Name
OCT 19 2024	0100	57	Aquinne
	0200	57	Aquinne
	0300	56	Aquinne
	0400	56	Aquinne
	0500	55	Aquinne
	0600	60	ZIBRENT
	0700	63	ZIBRENT
	0800	66	ZIBRENT
	0900	72	ZIBRENT
	1000	76	ZIBRENT
	1100	80	ZIBRENT
	1200	82	ZIBRENT
	1300	83	ZIBRENT
	1400	84	ZIBRENT
	1500	81	ZIBRENT
	1600	81	V.VASQUEZ
	1700	78	V.VASQUEZ
	1800	74	V.VASQUEZ
	1900	71	V.VASQUEZ
	2000	67	V.VASQUEZ
	2100	64	V.VASQUEZ
	2200	63	Arguello
	2300	61	Arguello
	2400	60	Arguello

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 20 2024	0100	58	Arguello
	0200	57	Arguello
	0300	56	Arguello
	0400	55	Arguello
	0500	55	Arguello
	0600	53	Sabrena
	0700	53	Ecalzada
	0800	58	Ecalzada
	0900	62	Ecalzada
	1000	69	Ecalzada
	1100	75	Ecalzada
	1200	80	Ecalzada
	1300	84	Ecalzada
	1400	86	Renteria
	1500	88	Renteria
	1600	88	Renteria
	1700	86	Renteria
	1800	84	Renteria
	1900	82	Renteria
	2000	80	Renteria
	2100	75	Renteria
	2200	65	Renteria
	2300	63	Alguero
	2400	62	Arguello

Date	Time	Temp.	Printed Name
OCT 21 2024	0100	61	Arguello
	0200	60	Arguello
	0300	59	Arguello
	0400	58	Arguello
	0500	57	Arguello
	0600	60	Turner
	0700	63	Turner
	0800	67	Turner
	0900	72	Turner
	1000	75	Turner
	1100	76	Turner
	1200	80	Turner
	1300	83	Turner
	1400	84	Turner
	1500	85	E.Gomez
	1600	86	E.Gomez
	1700	84	E.Gomez
	1800	82	E.GOMEZ
	1900	79	E.GOMEZ
	2000	76	E.GOMEZ
	2100	70	E.GOMEZ
	2200	68	E.GOMEZ
	2300	65	F.Madford
	2400	64	F.Madford

84 @ 1400

88 @ 1600

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 9 2024	0100	63°	F.Bradford
	0200	62°	F.Bradford
	0300	60°	F.Bradford
	0400	60°	F.Bradford
	0500	59°	F.Bradford
	0600	58°	F.Bradford
	0700	60	Turner
	0800	62	Turner
	0900	72	Turner
	1000	74	Turner
	1100	83	Turner
	1200	84	Turner
	1300	85	Turner
	1400	87	Turner
	1500	88	Turner
	1600	88	Turner
	1700	84	Turner
	1800	81	Turner
	1900	75	Turner
	2000	69	Turner
	2100	69	Turner
	2200	67°	F.Bradford
	2300	66°	F.Bradford
	2400	65°	F.Bradford

Date	Time	Temp.	Printed Name
OCT 9 2024	0100	64°	F.Bradford
	0200	63°	F.Bradford
	0300	62°	F.Bradford
	0400	61°	F.Bradford
	0500	60°	F.Bradford
	0600	59°	F.Bradford
	0700	63	Turner
	0800	72	Turner
	0900	75	Turner
	1000	78	Turner
	1100	81	Turner
	1200	84	Turner
	1300	86	Turner
	1400	88	Turner
	1500	89	Turner
	1600	86	Turner
	1700	86	Turner
	1800	81	Turner
	1900	72	Turner
	2000	69	Turner
	2100	68	Turner
	2200	67°	F.Bradford
	2300	65°	F.Bradford
	2400	64°	F.Bradford

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/24/2024	0100	63°	F. Bradfay
	0200	62°	F. Bradfay
	0300	60°	F. Bradfay
	0400	58°	F. Bradfay
	0500	57°	F. Bradfay
	0600	56°	F. Bradfay
	0700	60	Turner
	0800	64	Turner
	0900	71	Turner
	1000	73	Turner
	1100	78	Turner
	1200	80	Turner
	1300	84	Turner
	1400	86	Turner
	1500	85	Mayer
	1600	85	Mayer
	1700	76	J. Vassauer
	1800	74	J. Vassauer
	1900	69	J. Vassauer
	2000	66	J. Vassauer
	2100	64	J. Vassauer
	2200	63°	F. Bradfay
	2300	63°	F. Bradfay
	2400	62°	F. Bradfay

Date	Time	Temp.	Printed Name
10/25/2024	0100	61°	F. Bradfay
	0200	60°	F. Bradfay
	0300	59°	F. Bradfay
	0400	59°	F. Bradfay
	0500	58°	F. Bradfay
	0600	57°	F. Bradfay
	0700	60	Turner
	0800	65	Turner
	0900	73	Turner
	1000	78	Turner
	1100	80	Turner
	1200	82	Turner
	1300	82	Turner
	1400	84	Turner
	1500	84	V. Vassauer
	1600	83	V. Vassauer
	1700	81	V. Vassauer
	1800	75	V. Vassauer
	1900	70	V. Vassauer
	2000	67	V. Vassauer
	2100	65	V. Vassauer
	2200	63°	F. Bradfay
	2300	62°	F. Bradfay
	2400	62°	F. Bradfay

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 26 2024	0100	60	Flores JF
	0200	59	Flores JF
	0300	58	Flores JF
	0400	57	Flores JF
	0500	56	Flores JF
	0600	56	Flores JF
	0700	55	ELABEDN
	0800	57	ELABEDN
	0900	65	ELABEDN
	1000	69	ELABEDN
	1100	77	ELABEDN
	1200	82	ELABEDN
	1300	87	ZURENA
	1400	88	ZURENA
	1500	88	GARCIA
	1600	85	GARCIA
	1700	83	GARCIA
	1800	80	GARCIA
	1900	78	GARCIA
	2000	74	GARCIA
	2100	73	GARCIA
	2200	72	GARCIA
	2300	64	AGUILARO
	2400	63	AGUILARO

Date	Time	Temp.	Printed Name
OCT 27 2024	0100	62	Arguello
	0200	61	Arguello
	0300	60	Arguello
	0400	60	Arguello
	0500	59	Arguello
	0600	61	GUTIERS
	0700	64	GUTIERS
	0800	65	GUTIERS
	0900	69	GUTIERS
	1000	73	GUTIERS
	1100	78	GUTIERS
	1200	82	GUTIERS
	1300	83	GUTIERS
	1400	82	TARAGIN
	1500	73	TARAGIN
	1600	80	TARAGIN
	1700	77	TARAGIN
	1800	69	TARAGIN
	1900	66	TARAGIN
	2000	64	TARAGIN
	2100	63	TARAGIN
	2200	64	AGUILARO
	2300	63	Aguello
	2400	63	Arguello

SSC 1400

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 28 2024	0100	61	Arcosello
	0200	61	Arcosello
	0300	60	Arcosello
	0400	59	Arcosello
	0500	58	Arcosello
	0600	58	Turner
	0700	62	Turner
	0800	64	Turner
	0900	65	Turner
	1000	66	Turner
	1100	70	Turner
	1200	72	Turner
	1300	74	Turner *
	1400	74	Turner *
	1500	71	Tanagin
	1600	68	Tanagin
	1700	61	Tanagin
	1800	60	Tanagin
	1900	58	Tanagin
	2000	58	Tanagin
	2100	58	Tanagin
	2200	59	Fradefel
	2300	56	Fradefel
	2400	55	Fradefel

83°C 1500

Date	Time	Temp.	Printed Name
OCT 28 2024	0100	64	Fradefel
	0200	63	Fradefel
	0300	62	Fradefel
	0400	59	Fradefel
	0500	58	Fradefel
	0600	59	Fradefel
	0700	52	Turner
	0800	58	Turner
	0900	60	Turner
	1000	61	Turner
	1100	62	Turner
	1200	65	Turner
	1300	67	Turner
	1400	69	Turner *
	1500	66	Tanagin
	1600	66	Tanagin
	1700	64	Tanagin
	1800	63	Tanagin
	1900	60	Tanagin
	2000	58	Tanagin
	2100	55	Tanagin
	2200	55	Fradefel
	2300	55	Fradefel
	2400	55	Fradefel

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIM

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: D-OBSERVATION

Immediately notify the Watch Commander at extension 7132 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 2024	0100	53°	Brad f/f
	0200	52°	Brad f/f
	0300	51°	Brad f/f
	0400	51°	Brad f/f
	0500	50°	Brad f/f
	0600	50°	Brad f/f
	0700	52	TWNL
	0800	51	TWNL
	0900	60	TWNL
	1000	63	TWNL
	1100	65	TWNL
	1200	68	TWNL
	1300	70	TWNL
	1400	71	TWNL
	1500	70	TANAGIN
	1600	71	TANAGIN
	1700	70	TANAGIN
	1800	67	TANAGIN
	1900	61	TANAGIN
	2000	60	TANAGIN
	2100	55	TANAGIN
	2200	56°	Brad f/f
	2300	56°	Brad f/f
	2400	56°	Brad f/f

Date	Time	Temp.	Printed Name
OCT 2024	0100	56°	Brad f/f
	0200	53°	Brad f/f
	0300	52°	Brad f/f
	0400	51°	Brad f/f
	0500	50°	Brad f/f
	0600	49°	Brad f/f
	0700	50	TWNL
	0800	53	TWNL
	0900	56	TWNL
	1000	60	TWNL
	1100	64	TWNL
	1200	69	TWNL
	1300	70	TWNL
	1400	72	TWNL
	1500	70	TANAGIN
	1600	69	TANAGIN
	1700	63	TANAGIN
	1800	61	TANAGIN
	1900	59	TANAGIN
	2000	58	TANAGIN
	2100	57	TANAGIN
	2200	54°	Brad f/f
	2300	54°	Brad f/f
	2400	53°	Brad f/f

DISTRIBUTION: Original: Institution Heat Plan Coordinator