

Monthly Summary Report

Institution: ISP

Memorandum

Date: August 1, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - July 2024

The following is a summary of the heat related activity for the month of July \_\_\_\_\_,  
at ISP \_\_\_\_\_ (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes \_\_\_\_\_

Number of days Stage I Alert initiated: 31

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No \_\_\_\_\_

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No \_\_\_\_\_

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived? Yes \_\_\_\_\_

5. Number of patients with heat related illness. 0 \_\_\_\_\_ List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

DAVID HOLBROOK (A)


Warden Name



Warden Signature

ERIC ANDERSSON

Chief Executive Officer Name



Chief Executive Officer Signature

STATE OF CALIFORNIA  
 OUTSIDE TEMPERATURE RECORD  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: ISP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 7

Immediately notify the Watch Commander at extension 4321 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
July 1, 2024	0100	93	Cadenas
	0200	93	Cadenas
	0300	90	Cadenas
	0400	90	Cadenas
	0500	88	Cadenas
	0600	90	Spicer
	0700	92	Spicer
	0800	95	Spicer
	0900	100	Spicer
	1000	102	Spicer
	1100	106	Spicer
	1200	107	Spicer
	1300	109	Spicer
	1400	108	A. Cadenas
	1500	109	A. Cadenas
	1600	109	A. Cadenas
	1700	108	A. Cadenas
	1800	106	A. Cadenas
	1900	104	A. Cadenas
	2000	106	A. Cadenas
	2100	99	A. Cadenas
	2200	99	A. Cadenas
	2300	95	A. Cadenas
	2400	91	A. Cadenas

Date	Time	Temp.	Printed Name
July 2, 2024	0100	96	A. Cadenas
	0200	90	A. Cadenas
	0300	91	A. Cadenas
	0400	89	A. Cadenas
	0500	83	A. Cadenas
	0600	85	Spicer
	0700	89	Spicer
	0800	92	Spicer
	0900	96	Spicer
	1000	104	Spicer
	1100	107	Spicer
	1200	110	Spicer
	1300	112	Spicer
	1400	113	Ganskill
	1500	113	Ganskill
	1600	112	Ganskill
	1700	111	Ganskill
	1800	110	Ganskill
	1900	107	Ganskill
	2000	104	Ganskill
	2100	100	Ganskill
	2200	98	Ganskill
	2300	96	Ganskill
	2400	95	Ganskill

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: \_\_\_\_\_

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: \_\_\_\_\_

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
July 3, 2024	0100	92	Cawhill
	0200	91	Cawhill
	0300	90	Cawhill
	0400	89	Cawhill
	0500	89-90	Cawhill
	0600	90	Sleeter
	0700	92	Sleeter
	0800	94	Sleeter
	0900	98	Sleeter
	1000	103	Sleeter
	1100	108	Sleeter
	1200	111	Sleeter
	1300	112	Sleeter
	1400	110	Cawhill
	1500	111	Cawhill
	1600	110	Cawhill
	1700	108	Cawhill
	1800	107	Cawhill
	1900	105	Cawhill
	2000	102	Cawhill
	2100	100	Cawhill
	2200	98	J.Bruce
	2300	97	J.Bruce
	2400	95	J.Bruce

Date	Time	Temp.	Printed Name
July 4, 2024	0100	94	J.Bruce
	0200	93	J.Bruce
	0300	92	J.Bruce
	0400	89	J.Bruce
	0500	88	J.Bruce
	0600	89	Sleeter
	0700	89	Sleeter
	0800	95	Sleeter
	0900	99	Sleeter
	1000	103	Sleeter
	1100	105	Sleeter
	1200	110	Sleeter
	1300	114	Sleeter
	1400	115	Sleeter
	1500	110	Sleeter
	1600	112	Sleeter
	1700	112	Sleeter
	1800	111	Sleeter
	1900	109	Sleeter
	2000	105	Sleeter
	2100	103	Sleeter
	2200	101	J.Bruce
	2300	99	J.Bruce
	2400	96	J.Bruce

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension

**5516 / 4321**

When the air temperature reaches

90 degrees.

Date	Time	Temp.	Printed name
July 5, 2024	0100	96	J. Breeze
	0200	95	J. Breeze
	0300	94	J. Breeze
	0400	93	J. Breeze
	0500	88	J. Breeze
	0600	89	S. Breeze
	0700	89	S. Breeze
	0800	100	S. Breeze
	0900	104	S. Breeze
	1000	107	S. Breeze
	1100	112	S. Breeze
	1200	116	S. Breeze
	1300	116	S. Breeze
	1400	119	R. Breeze
	1500	119	R. Breeze
	1600	117	D. Caviness
	1700	118	D. Caviness
	1800	117	D. Caviness
	1900	113	D. Caviness
	2000	105	D. Caviness
	2100	101	D. Caviness
	2200	97	J. Breeze
	2300	98	J. Breeze
	2400	94	J. Breeze

Date	Time	Temp.	Printed name
July 6, 2024	0100	91	J. Breeze
	0200	95	J. Breeze
	0300	93	J. Breeze
	0400	90	J. Breeze
	0500	90	J. Breeze
	0600	97	T. Brown
	0700	92	T. Brown
	0800	98	T. Brown
	0900	104	T. Brown
	1000	108	T. Brown
	1100	110	T. Brown
	1200	109	T. Brown
	1300	110	T. Brown
	1400	112	J. Breeze
	1500	113	J. Breeze
	1600	113	J. Breeze
	1700	113	J. Breeze
	1800	112	J. Breeze
	1900	107	J. Breeze
	2000	104	J. Breeze
	2100	102	J. Breeze
	2200	98	J. Breeze
	2300	96	J. Breeze
	2400	96	J. Breeze

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension  
90 degrees.

5516 / 4321

When the air temperature reaches

Date	Time	Temp.	Printed name
JUN 24 090 0919	0100	95	J. Breeze
	0200	99	J. Breeze
	0300	93	J. Breeze
	0400	88	J. Breeze
	0500	88	J. Breeze
	0600	90	T. Brown
	0700	92	T. Brown
	0800	94	T. Brown
	0900	97	T. Brown
	1000	103	T. Brown
	1100	105	T. Brown
	1200	110	T. Brown
	1300	118	T. Brown
	1400	112	CADENAS
	1500	115	CADENAS
	1600	120	CADENAS
	1700	118	CADENAS
	1800	118	CADENAS
	1900	115	CADENAS
	2000	110	CADENAS
	2100	107	CADENAS
	2200	107	CADENAS
	2300	105	CADENAS
	2400	102	CADENAS

Date	Time	Temp.	Printed name
JUN 24 - 25 090 0919	0100	102	CADENAS
	0200	99	CADENAS
	0300	98	CADENAS
	0400	95	CADENAS
	0500	90	CADENAS
	0600	91	Kissell
	0700	92	Kissell
	0800	101	Kissell
	0900	103	Kissell
	1000	110	Kissell
	1100	113	Kissell
	1200	115	Kissell
	1300	118	Kissell
	1400	120	Cadenas
	1500	120	Cadenas
	1600	119	Cadenas
	1700	118	Cadenas
	1800	121	CADENAS
	1900	115	CADENAS
	2000	110	CADENAS
	2100	110	CADENAS
	2200	110	CADENAS
	2300	108	CADENAS
	2400	103	CADENAS

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
July 9, 2024	0100	105	Cadenas
	0200	100	Cadenas
	0300	96	Cadenas
	0400	94	Cadenas
	0500	90	Cadenas
	0600	92.9	Mendoza
	0700	94.5	Mendoza
	0800	97	Mendoza
	0900	101	Mendoza
	1000	105	Mendoza
	1100	114	Mendoza
	1200	114.5	Mendoza
	1300	115	Mendoza
	1400	114	Coaskill
	1500	116	Coaskill
	1600	117	Coaskill
	1700	116	Coaskill
	1800	114	Coaskill
	1900	112	Coaskill
	2000	108	Coaskill
	2100	105	Coaskill
	2200	103	Coaskill
	2300	102	Coaskill
	2400	99	Coaskill

Date	Time	Temp.	Printed name
July 10, 2024	0100	91	Coaskill
	0200	96	Coaskill
	0300	94	Coaskill
	0400	92	Coaskill
	0500	90	Coaskill
	0600	91	Soler
	0700	94	Soler
	0800	97	Soler
	0900	102	Soler
	1000	105	Soler
	1100	110	Soler
	1200	113	Soler
	1300	116	Soler
	1400	114	Coaskill
	1500	115	Coaskill
	1600	116	Coaskill
	1700	114	Coaskill
	1800	111	Coaskill
	1900	107	Coaskill
	2000	103	Coaskill
	2100	102	Coaskill
	2200	101	Coaskill
	2300	99	Coaskill
	2400	98	Coaskill

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
July 11, 2024	0100	97	Carskill
	0200	95	Carskill
	0300	94	Carskill
	0400	93	Carskill
	0500	90	Carskill
	0600	91	S.Perez
	0700	92	S.Perez
	0800	95	S.Perez
	0900	100	S.Perez
	1000	106	S.Perez
	1100	110	S.Perez
	1200	114	S.Perez
	1300	116	S.Perez
	1400	114	Carskill
	1500	116	Carskill
	1600	117	Carskill
	1700	115	Carskill
	1800	110	Carskill
	1900	107	Carskill
	2000	105	Carskill
	2100	103	Carskill
	2200	101	A. Robles
	2300	101	A. Robles
	2400	102	A. Robles

Date	Time	Temp.	Printed name
July 12, 2024	0100	98	A. Robles
	0200	91	A. Robles
	0300	94	A. Robles
	0400	93	A. Robles
	0500	92	A. Robles
	0600	92	A. Robles/S.Perez
	0700	95	S.Perez
	0800	98	S.Perez
	0900	101	S.Perez
	1000	104	S.Perez
	1100	107	S.Perez
	1200	110	S.Perez
	1300	113	S.Perez
	1400	113	Carskill
	1500	111	Carskill
	1600	111	Carskill
	1700	110	Carskill
	1800	108	Carskill
	1900	105	Carskill
	2000	102	Carskill
	2100	101	Carskill
	2200	98	Carskill
	2300	96	Carskill
	2400	94	Carskill

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension

5516 / 4321

When the air temperature reaches

90 degrees.

Date	Time	Temp.	Printed name
July 13, 2024	0100	93	Cookville
	0200	93	Cookville
	0300	92	Cookville
	0400	91	Cookville
	0500	90	Cookville
	0600	92	Benefield
	0700	93	Benefield
	0800	99	Benefield
	0900	103	Benefield
	1000	109	Benefield
	1100	106	Benefield
	1200	105	Benefield
	1300	108	Benefield
	1400	108	J.Breeze
	1500	109	J.Breeze
	1600	107	J.Breeze
	1700	107	J.Breeze
	1800	106	J.Breeze
	1900	103	J.Breeze
	2000	100	J.Breeze
	2100	98	J.Breeze
	2200	97	J.Breeze
	2300	95	J.Breeze
	2400	95	J.Breeze

Date	Time	Temp.	Printed name
July 14, 2024	0100	94	J. Breeze
	0200	93	J. Breeze
	0300	92	J. Breeze
	0400	89	J. Breeze
	0500	86	J. Breeze
	0600	84	R-NIEVES
	0700	90	NIEVES
	0800	89	NIEVES
	0900	91	NIEVES
	1000	97	NIEVES
	1100	97	NIEVES
	1200	95	NIEVES
	1300	95	NIEVES
	1400	95	Cadenas
	1500	100	Cadenas
	1600	104	Cadenas
	1700	103	Cadenas
	1800	99	Cadenas
	1900	94	Cadenas
	2000	95	Cadenas
	2100	95	CADENA
	2200	94	CAMINAS
	2300	92	Cadenas
	2400	92	Cadenas

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
July 15, 2024	0100	90	Cadenas
	0200	89	Cadenas
	0300	88	Cadenas
	0400	86	Cadenas
	0500	86	Cadenas
	0600	86	Sleier
	0700	89	Sleier
	0800	92	Sleier
	0900	96	Sleier
	1000	98	Sleier
	1100	102	Sleier
	1200	108	Sleier
	1300	109	Sleier
	1400	107	Cadenas
	1500	108	Cadenas
	1600	108	Cadenas
	1700	109	Cadenas
	1800	108	Cadenas
	1900	108	Cadenas
	2000	105	Cadenas
	2100	105	CADENAS
	2200	100	Cadenas
	2300	100	Cadenas
	2400	99	Cadenas

Date	Time	Temp.	Printed name
July 16, 2024	0100	95	Cadenas
	0200	93	Cadenas
	0300	91	Cadenas
	0400	90	Cadenas
	0500	90	Cadenas
	0600	90	Sleier
	0700	91	Sleier
	0800	95	Sleier
	0900	99	Sleier
	1000	104	Sleier
	1100	106	Sleier
	1200	108	Sleier
	1300	109	Sleier
	1400	109	Couskill
	1500	109	Couskill
	1600	108	Couskill
	1700	108	Couskill
	1800	107	Couskill
	1900	105	Couskill
	2000	105	Couskill
	2100	99	Couskill
	2200	97	Couskill
	2300	95	Couskill
	2400	94	Couskill

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension

5516 / 4321

When the air temperature reaches

90 degrees.

Date	Time	Temp.	Printed name
July 17, 2024	0100	92	Ganskill
	0200	92	Ganskill
	0300	91	Ganskill
	0400	91	Ganskill
	0500	90	Ganskill
	0600	91	Kissell
	0700	93	Kissell
	0800	95	Kissell
	0900	100	Kissell
	1000	106	Kissell
	1100	118	Kissell
	1200	108	Kissell
	1300	119	Kissell
	1400	110	Ganskill
	1500	110	Ganskill
	1600	108	Ganskill
	1700	106	Ganskill
	1800	104	Ganskill
	1900	100	Ganskill
	2000	100	Ganskill
	2100	99	Ganskill
	2200	98	J. Breeze
	2300	96	J. Breeze
	2400	94	J. Breeze

Date	Time	Temp.	Printed name
July 18, 2024	0100	93	J. Breeze
	0200	92	J. Breeze
	0300	93	J. Breeze
	0400	90	J. Breeze
	0500	88	J. Breeze
	0600	90	A. Cadenas
	0700	99	A. Cadenas
	0800	101	A. Cadenas
	0900	103	A. Cadenas
	1000	103	A. Cadenas
	1100	104	A. Cadenas
	1200	103	A. Cadenas
	1300	110	A. Cadenas
	1400	111	Ganskill
	1500	112	Ganskill
	1600	110	Ganskill
	1700	107	Ganskill
	1800	107	Ganskill
	1900	106	Ganskill
	2000	103	Ganskill
	2100	101	Ganskill
	2200	99	J. Breeze
	2300	98	J. Breeze
	2400	96	J. Breeze

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
July 19, 2024	0100	94	J.Breeze
	0200	93	J.Breeze
	0300	89	J.Breeze
	0400	88	J.Breeze
	0500	97	J.Breeze
	0600	89	P.Johnson
	0700	93	P.Johnson
	0800	98	P.Johnson
	0900	101	P.Johnson
	1000	104	P.Johnson
	1100	106	P.Johnson
	1200	108	P.Johnson
	1300	108	P.Johnson
	1400	109	Gaskill
	1500	111	Gaskill
	1600	112	Gaskill
	1700	112	Gaskill
	1800	110	Gaskill
	1900	107	Gaskill
	2000	106	Gaskill
	2100	104	Gaskill
	2200	101	J.Breeze
	2300	98	J.Breeze
	2400	97	J.Breeze

Date	Time	Temp.	Printed name
July 20, 2024	0100	97	J.Breeze
	0200	95	J.Breeze
	0300	95	J.Breeze
	0400	94	J.Breeze
	0500	90	J.Breeze
	0600	90	V.Price
	0700	94	V.Price
	0800	98	V.Price
	0900	103	V.Price
	1000	109	V.Price
	1100	113	V.Price
	1200	111	V.Price
	1300	111	V.Price
	1400	113	J.Breeze
	1500	113	J.Breeze
	1600	114	J.Breeze
	1700	111	J.Breeze
	1800	110	J.Breeze
	1900	108	J.Breeze
	2000	105	J.Breeze
	2100	103	J.Breeze
	2200	100	J.Breeze
	2300	98	J.Breeze
	2400	98	J.Breeze

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
July 21, 2024			
	0100	99	J. Breeze
	0200	96	J. Breeze
	0300	94	J. Breeze
	0400	94	J. Breeze
	0500	93	J. Breeze
	0600	94	WEST, E
	0700	95	WEST, E
	0800	99	WEST, E
	0900	102	WEST, E
	1000	106	WEST, E
	1100	108	WEST, E
	1200	108	WEST, E
	1300	109	WEST, E
	1400	111	WEST, E
	1500	113	WEST, E
	1600	111	WEST, E
	1700	111	WEST, E
	1800	110	WEST, E
	1900	107	WEST, E
	2000	107	CADENAS
	2100	104	CADENAS
	2200	102	CADENAS
	2300	100	CADENAS
	2400	105	CADENAS

Date	Time	Temp.	Printed name
July 22, 2024			
	0100	98	Cadenas
	0200	95	Cadenas
	0300	93	Cadenas
	0400	93	Cadenas
	0500	92	Cadenas
	0600	92	S. Perez
	0700	94	S. Perez
	0800	98	S. Perez
	0900	100	S. Perez
	1000	103	S. Perez
	1100	106	S. Perez
	1200	106	S. Perez
	1300	108	S. Perez
	1400	112	S. Perez
	1500	112	<del>S. Perez</del>
	1600	118	<del>S. Perez</del>
	1700	118	CADENAS
	1800	114	CADENAS
	1900	110	CADENAS
	2000	105	CADENAS
	2100	105	CADENAS
	2200	103	CADENAS
	2300	102	CADENAS
	2400	105	CADENAS

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
June 23, 2024	0100	98	CABRAS
	0200	95	CABRAS
	0300	95	CABRAS
	0400	93	GARNAS
	0500	93	GARNAS
	0600	94	Sleier
	0700	98	Sleier
	0800	103	Sleier
	0900	105	Sleier
	1000	109	Sleier
	1100	111	Sleier
	1200	114	Sleier
	1300	114	Sleier
	1400	112	Conskill
	1500	112	Conskill
	1600	112	Conskill
	1700	112	Conskill
	1800	110	Conskill
	1900	108	Conskill
	2000	106	Conskill
	2100	104	Conskill
	2200	103	Conskill
	2300	101	Conskill
	2400	99	Conskill

Date	Time	Temp.	Printed name
June 24, 2024	0100	97	Conskill
	0200	96	Conskill
	0300	94	Conskill
	0400	94	Conskill
	0500	94	Conskill
	0600	92	Sleier
	0700	96	Sleier
	0800	100	Sleier
	0900	104	Sleier
	1000	109	Sleier
	1100	112	Sleier
	1200	112	Sleier
	1300	117	Sleier
	1400	114	Conskill
	1500	114	Conskill
	1600	111	Conskill
	1700	109	Conskill
	1800	108	Conskill
	1900	106	Conskill
	2000	104	Conskill
	2100	102	Conskill
	2200	99	J. Breeze
	2300	98	J. Breeze
	2400	98	J. Breeze

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**Immediately notify the watch commander at extension  
90 degrees.

5516 / 4321

When the air temperature reaches

Date	Time	Temp.	Printed name
July 25, 2024	0100	97	J. Breeze
	0200	95	J. Breeze
	0300	94	J. Breeze
	0400	94	J. Breeze
	0500	93	J. Breeze
	0600	94	Sherie
	0700	96	Sherie
	0800	99	Sherie
	0900	103	Sherie
	1000	107	Sherie
	1100	110	Sherie
	1200	113	Sherie
	1300	115	Sherie
	1400	117	Gaskill
	1500	115	Gaskill
	1600	110	Gaskill
	1700	110	Gaskill
	1800	109	Gaskill
	1900	107	Gaskill
	2000	105	Gaskill
	2100	104	Gaskill
	2200	102	J. Breeze
	2300	100	J. Breeze
	2400	99	J. Breeze

Date	Time	Temp.	Printed name
July 26, 2024	0100	98	J. Breeze
	0200	96	J. Breeze
	0300	96	J. Breeze
	0400	94	J. Breeze
	0500	93	J. Breeze
	0600	93	J. Breeze
	0700	94	Kisse
	0800	98	Kissell
	0900	102	A. Cadenas
	1000	100	A. Cadenas
	1100	120	A. Cadenas
	1200	115	A. Cadenas
	1300	115	A. CADENAS
	1400	112	A. CADENAS
	1500	113	Gaskill
	1600	111	Gaskill
	1700	110	Gaskill
	1800	109	Gaskill
	1900	108	Gaskill
	2000	105	Gaskill
	2100	100	Gaskill
	2200	98	J. Breeze
	2300	96	J. Breeze
	2400	96	J. Breeze

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension

5516 / 4321

When the air temperature reaches

90 degrees.

Date	Time	Temp.	Printed name
July 27, 2024	0100	94	J.Breeze
	0200	91	J.Breeze
	0300	90	J.Breeze
	0400	88	J.Breeze
	0500	87	J.Breeze
	0600	88	J.Finson
	0700	92	J.Finson
	0800	96	J.Finson
	0900	100	J.Finson
	1000	105	J.Finson
	1100	109	J.Finson
	1200	109	J.Finson
	1300	110	J.Finson
	1400	110	J.Breeze
	1500	110	J.Breeze
	1600	109	J.Breeze
	1700	110	J.Breeze
	1800	107	J.Breeze
	1900	104	J.Breeze
	2000	99	J.Breeze
	2100	96	J.Breeze
	2200	95	J.Breeze
	2300	91	J.Breeze
	2400	91	J.Breeze

Date	Time	Temp.	Printed name
July 28, 2024	0100	88	J.Breeze
	0200	85	J.Breeze
	0300	84	J.Breeze
	0400	83	J.Breeze
	0500	81	J.Breeze
	0600	82	V.Price
	0700	84	V.Price
	0800	88	V.Price
	0900	95	V.Price
	1000	99	V.Price
	1100	105	V.Price
	1200	105	V.Price
	1300	107	V.Price
	1400	104	V.Price
	1500	106	CARDENAS
	1600	106	CARDENAS
	1700	105	CARDENAS
	1800	102	CARDENAS
	1900	102	CARDENAS
	2000	100	CARDENAS
	2100	98	CARDENAS
	2200	93	JUANIZ
	2300	91	JUANIZ
	2400	88	JUANIZ

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension

**5516 / 4321**

When the air temperature reaches

90 degrees.

Date	Time	Temp.	Printed name
July 29 <sup>TH</sup> 2024	0100	87	JUANZ
	0200	84	JUANZ
	0300	84	JUANZ
	0400	83	JUANZ
	0500	80	JUANZ
	0600	80	Spicer
	0700	84	Spicer
	0800	86	Spicer
	0900	90	Spicer
	1000	97	Spicer
	1100	104	Spicer
	1200	106	Spicer
	1300	106	Spicer
	1400	106	Spicer
	1500	110	Spicer
	1600	108	Spicer
	1700	107	Spicer
	1800	106	Spicer
	1900	104	Spicer
	2000	98	Spicer
	2100	97	Spicer
	2200	97	J.M. RODRIGUEZ
	2300	94	J.M. RODRIGUEZ
	2400	92	J.M. RODRIGUEZ

Date	Time	Temp.	Printed name
July 30 <sup>TH</sup> 2024	0100	90	J.M. RODRIGUEZ
	0200	90	J.M. RODRIGUEZ
	0300	89	J.M. RODRIGUEZ
	0400	89	J.M. RODRIGUEZ
	0500	90	J.M. RODRIGUEZ
	0600	89	Spicer
	0700	91	Spicer
	0800	95	Spicer
	0900	95	Spicer
	1000	100	Spicer
	1100	104	Spicer
	1200	105	Spicer
	1300	105	Spicer
	1400	106	Canskill
	1500	106	Canskill
	1600	106	Canskill
	1700	105	Canskill
	1800	104	Canskill
	1900	101	Canskill
	2000	97	Canskill
	2100	95	Canskill
	2200	94	Canskill
	2300	91	Canskill
	2400	90	Canskill

DISTRIBUTION: Original; Institution Heat Plan Coordinator

INSTITUTION:

**IRONWOOD STATE PRISON**

The warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

**TOWER SEVEN (7)**

Immediately notify the watch commander at extension 5516 / 4321 When the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed name
July 31, 2024	0100	89	Carskill
	0200	88	Carskill
	0300	87	Carskill
	0400	87	Carskill
	0500	86	Carskill
	0600	85	Speler
	0700	86	Speler
	0800	89	Speler
	0900	95	Speler
	1000	101	Speler
	1100	104	Speler
	1200	106	Speler
	1300	109	Speler
	1400	106	Carskill
	1500	106	Carskill
	1600	106	Carskill
	1700	106	Carskill
	1800	106	Carskill
	1900	105	Carskill
	2000	103	Carskill
	2100	101	Gaskill
	2200	99	J. Breeze
	2300	95	J. Breeze
	2400	94	J. Breeze

Date	Time	Temp.	Printed name
0100			
0200			
0300			
0400			
0500			
0600			
0700			
0800			
0900			
1000			
1100			
1200			
1300			
1400			
1500			
1600			
1700			
1800			
1900			
2000			
2100			
2200			
2300			
2400			

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/24	0300	76	N. Smith
	0600	76	N. Smith
	0900	77	J. Benchfield
	1200	77	J. Benchfield
	1500	78	R. RODRIGUEZ
	1800	79	R. RODRIGUEZ
	2100	76	R. RODRIGUEZ
	2400	76	B. Bond

**Tuesday**

Date	Time	Temp.	Name (Print)
7/25	0300	74	B. Bond
	0600	76	H. Relays
	0900	78	H. Relays
	1200	78	H. Relays
	1500	78	J. MAYFIELD
	1800	78	J. MAYFIELD
	2100	76	J. Mayfield
	2400	74	B. Bond

**Wednesday**

Date	Time	Temp.	Name (Print)
7/26	0300	74	B. Bond
	0600	78	H. Relays
	0900	78	H. Relays
	1200	77	H. Relays
	1500	78	I. Gomez
	1800	80	I. Gomez
	2100	78	I. Gomez
	2400	75	F. LANDEROS

**Thursday**

Date	Time	Temp.	Name (Print)
7/27	0300	76	F. LANDEROS
	0600	77	H. Relays
	0900	77	H. Relays
	1200	78	H. Relays
	1500	78	T. Peckins
	1800	78	T. Peckins
	2100	78	T. Peckins
	2400	76	F. LANDEROS

**Friday**

Date	Time	Temp.	Name (Print)
7/28	0300	77	F. LANDEROS
	0600	77	H. Relays
	0900	79	H. Relays
	1200	79	H. Relays
	1500	79	T. Peckins
	1800	78	T. Peckins
	2100	78	T. Peckins
	2400	77	N. Smith

**Saturday**

Date	Time	Temp.	Name (Print)
7/29	0300	76	N. Smith
	0600	76	N. Smith
	0900	77	R. Henderson
	1200	79	R. Henderson
	1500	80	Spears
	1800	79	Spears
	2100	79	Spears
	2400	78	N. Smith

**Sunday**

Date	Time	Temp.	Name (Print)
7/30	0300	76	N. Smith
	0600	76	N. Smith
	0900	78	T. CONKLIN
	1200	78	T. CONKLIN
	1500	79	Spears
	1800	79	Spears
	2100	78	Spears
	2400	78	N. Smith

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday							
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
7/8/24	0300	76	N. Smith	7/9/24	0300	77	B. Bond																								
	0600	76	N. Smith		0600	78	H. Relays																								
	0900	77	R. Miller		0900	78	H. Relays																								
	1200	79	R. Miller		1200	79	H. Relays																								
	1500	79	Nunez		1500	79	J. Mayfield																								
	1800	79	Nunez		1800	79	J. Mayfield																								
	2100	79	Munoz		2100	79	J. Mayfield																								
	2400	77	B. Bond		2400	77	B. Bond																								
Wednesday				Thursday				Friday				Saturday				Sunday				Notes											
7/10/24	0300	76	B. Bond	7/11/24	0300	76	R. Cherland																								
	0600	76	H. Relays		0600	76	H. Relays																								
	0900	76	H. Relays		0900	77	H. Relays																								
	1200	77	H. Relays		1200	77	H. Relays																								
	1500	78	Nicolau		1500	77	T. Perkins																								
	1800	80	Nicolau		1800	77	T. Perkins																								
	2100	77	Nicolau		2100	77	T. Perkins																								
	2400	77	R. Cherland		2400	77	R. Cherland																								
Friday				Saturday				Sunday				Notes																			
7/12/24	0300	76	R. Cherland	7/13/24	0300	76	N. Smith																								
	0600	77	H. Relays		0600	76	N. Smith																								
	0900	78	H. Relays		0900	77	R. Henderson																								
	1200	78	H. Relays		1200	79	R. Henderson																								
	1500	78	T. Perkins		1500	79	D. Spears																								
	1800	73	T. Perkins		1800	79	D. Spears																								
	2100	78	T. Perkins		2100	78	D. Spears																								
	2400	78	N. Smith		2400	78	N. Smith																								
Sunday																															
7/14/24	0300	76	N. Smith																												
	0600	76	N. Smith																												
	0900	77	T. Conklin																												
	1200	77	T. Conklin																												
	1500	77	Spears																												
	1800	77	Spears																												
	2100	76	Spears																												
	2400	76	Spears																												

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/15/24	0300	74	Vulcan
	0600	76	Vulcan
	0900	76	R. Miller
	1200	78	R. Miller
	1500	79	F. Nunez
	1800	79	E. Nieto
7/16/24	2100	79	F. Nunez
	2400	78	C. Tellez

**Wednesday**

Date	Time	Temp.	Name (Print)
7/17/24	0300	77	L. Hamiller
	0600	78	H. Relays
	0900	79	H. Relays
	1200	79	H. Relays
	1500	80	A. mayavrich
	1800	79	A. mayavrich
	2100	78	A. mayavrich
	2400	79	L. Hamiller

**Friday**

Date	Time	Temp.	Name (Print)
7/19/24	0300	76	F. Landers
	0600	78	H. Relays
	0900	78	H. Relays
	1200	79	H. Relays
	1500	78	T. Penca
	1800	78	T. Penca
	2100	78	T. Penca
	2400	77	Vulcan

**Sunday**

Date	Time	Temp.	Name (Print)
7/21/24	0300	76	M. Valadez
	0600	76	T. Conklin
	0900	78	T. Conklin
	1200	78	T. Conklin
	1500	79	Spears
	1800	79	Spears
	2100	78	Spears
	2400	77	Vulcan

**Tuesday**

Date	Time	Temp.	Name (Print)
7/16/24	0300	77	C. Tellez
	0600	76	H. Relays
	0900	77	H. Relays
	1200	78	H. Relays
	1500	78	J. Mayfield
	1800	79	J. Mayfield
	2100	77	J. Mayfield
	2400	76	C. Tellez

**Thursday**

Date	Time	Temp.	Name (Print)
7/18/24	0300	76	C. Castro
	0600	76	H. Relays
	0900	78	H. Relays
	1200	79	H. Relays
	1500	79	T. Penca
	1800	80	T. Penca
	2100	78	T. Penca
	2400	76	F. Landers

**Saturday**

Date	Time	Temp.	Name (Print)
7/20/24	0300	76	M. Valadez
	0600	76	Henderson
	0900	78	Henderson
	1200	79	Henderson
	1500	78	Spears
	1800	78	Spears
	2100	78	Spears
	2400	76	M. Valadez

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A3 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/22/24	0300	76	VACADEC
	0600	76	R. Miller
	0900	77	R. Miller
	1200	77	R. Miller
	1500	79	W. Keller
	1800	80	W. Keller
	2100	79	W. Keller
	2400	78	VACADEC

**Tuesday**

Date	Time	Temp.	Name (Print)
7/23/24	0300	76	VACADEC
	0600	78	H. Relays
	0900	78	H. Relays
	1200	81	H. Relays
	1500	80	J. MAYFIELD
	1800	80	J. Mayfield
	2100	79	J. Mayfield
	2400	80	FELIX, R.

**Wednesday**

Date	Time	Temp.	Name (Print)
7/24/24	0300	80	FELIX, R.
	0600	81	DUNCAN
	0900	81	DUNCAN
	1200	81	DUNCAN
	1500	82	DUNCAN
	1800	81	DUNCAN
	2100	81	DUNCAN
	2400	80	GREGORY

**Thursday**

Date	Time	Temp.	Name (Print)
7/25/24	0300	80	GREGORY
	0600	78	GREGORY
	0900	77	FIGUEROA
	1200	80	FIGUEROA
	1500	78	T. PEAKES
	1800	78	T. PEAKES
	2100	78	T. PEAKES
	2400	78	RONETRY

**Friday**

Date	Time	Temp.	Name (Print)
7/26/24	0300	76	GREGORY
	0600	76	GREGORY
	0900	77	FIGUEROA
	1200	78	FIGUEROA
	1500	79	T. PEAKES
	1800	79	T. PEAKES
	2100	77	T. PEAKES
	2400	77	LASHAY

**Saturday**

Date	Time	Temp.	Name (Print)
7/27/24	0300	76	GREGORY
	0600	78	HENDERSON
	0900	76	HENDERSON
	1200	76	HENDERSON
	1500	76	SPEARS
	1800	76	SPEARS
	2100	76	SPEARS
	2400	75	STAVISKY

**Notes**

Date	Time	Temp.	Name (Print)
7/28/24	0300	75	STAVISKY
	0600	75	PISCOLOTTI
	0900	76	PISCOLOTTI
	1200	76	CONKLIN
	1500	76	SPEARS
	1800	76	SPEARS
	2100	76	SPEARS
	2400	76	GREGORY

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP      Housing Unit: A3      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## **Monday**

Date	Time	Temp.	Name (Print)
7/29/24	0300	75	GREGORY
	0600	75	R. Miller
	0900	75	R. M. Miller
	1200	76	R. M. Miller
	1500	76	A. MARROQUIN
	1800	76	A. MARROQUIN
	2100	76	A. MARROQUIN
	2400	74	B. Dene

Wednesday

Date	Time	Temp.	Name (Print)
1/25	0300	75	B. Banes
	0600	75	A. Relas
	0900	75	J. Polano
	1200	74	A. Relas
1/26	1500	77	C. Meloany
	1800	77	C. Charet
	2100	76	(no temp)
	2400	75	R. Charet

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	75	B. BARDU
	0600	75	H. RELAYO
	0900	75	H. RELAYO
	1200	76	H. RELAYO
	1500	76	J. MAYFIELD
	1800	76	J. MAYFIELD
	2100	75	J. MAYFIELD
	2400	75	B. BURKE

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

**CALIFORNIA CORRECTIONAL HEALTH CARE SERVICES  
IRONWOOD STATE PRISON**

**ATTACHMENT E -**

***CDCR 2031, Inside Temperature Record***

Click Here for Direct Link: [CDCR 2031, Inside Temperature Record](#)

<b>STATE OF CALIFORNIA INSIDE TEMPERATURE RECORD CDCR 2031 (04/18)</b>				<b>DEPARTMENT OF CORRECTIONS AND REHABILITATION</b>				
<p>From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).</p> <p>Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.</p> <p>Institution <u>ISP</u> Housing Unit: <u>A.5</u> Temp Reading Location <u>2nd TIER</u> (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)</p> <p>Immediately notify the Watch Commander at extension <u>5516/4321</u> when the inside air temperature reaches 90 degrees and again at 95 degrees.</p>								
<b>Monday</b>				<b>Tuesday</b>				
7/1	Date	Time	Temp.	Date	Time	Temp.	Name (Print)	
	0300	71		0300	71			
	0600	72		0600	72			
	0900	72		0900	72			
	1200	72		1200	72			
	1500	72		1500	73			
	1800	73		1800	74			
7/2	2100	72		2100	73			
	2400	72		2400	72			
	<b>Wednesday</b>				<b>Thursday</b>			
	7/3	Date	Time	Temp.	Date	Time	Temp.	Name (Print)
		0300	71		0300	72		
		0600	71		0600	73		
		0900	72		0900	73		
1200		73		1200	73			
1500		73		1500	74			
1800		74		1800	74			
7/4	2100	73		2100	73			
	2400	71		2400	72			
	<b>Friday</b>				<b>Saturday</b>			
	7/5	Date	Time	Temp.	Date	Time	Temp.	Name (Print)
		0300	72		0300	72		
		0600	73		0600	73		
		0900	74		0900	73		
1200		74		1200	74			
1500		74		1500	74			
1800		73		1800	74			
7/6	2100	72		2100	73			
	2400	72		2400	72			
	<b>Sunday</b>				<b>Notes</b>			
	7/7	Date	Time	Temp.	Date	Time	Temp.	Name (Print)
		0300	73		0300	72		
		0600	73		0600	73		
		0900	74		0900	73		
1200		74		1200	74			
1500		74		1500	74			
1800		73		1800	74			
2100	72		2100	73				
2400	72		2400	72				

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**CALIFORNIA CORRECTIONAL HEALTH CARE SERVICES  
IRONWOOD STATE PRISON**

**ATTACHMENT E -**

***CDCR 2031, Inside Temperature Record***

Click Here for Direct Link: [CDCR 2031, Inside Temperature Record](#)

<b>STATE OF CALIFORNIA INSIDE TEMPERATURE RECORD CDCR 2031 (04/14)</b>				<b>DEPARTMENT OF CORRECTIONS AND REHABILITATION</b>			
<p>From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).</p>							
<p>Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.</p>							
Institution: <u>ISP</u>		Housing Unit: <u>A.S.</u>		Temp Reading Location: <u>2nd TIER</u> <small>(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)</small>			
<p>Immediately notify the Watch Commander at extension <u>5516432</u> when the inside air temperature reaches 90 degrees and again at 95 degrees.</p>							
<b>Monday</b>							
<u>7/8</u>	Date	Time	Temp.	Name (Print)			
	0300		<u>71</u>	<u> </u>			
	0600		<u>72</u>	<u> </u>			
	0900		<u>72</u>	<u> </u>			
	1200		<u>72</u>	<u> </u>			
	1500		<u>72</u>	<u> </u>			
	1800		<u>73</u>	<u> </u>			
	2100		<u>74</u>	<u> </u>			
<u>7/9</u>	Date	Time	Temp.	Name (Print)			
	0300		<u>72</u>	<u> </u>			
	0600		<u>72</u>	<u> </u>			
	0900		<u>72</u>	<u> </u>			
	1200		<u>73</u>	<u> </u>			
	1500		<u>74</u>	<u> </u>			
	1800		<u>74</u>	<u> </u>			
	2100		<u>73</u>	<u> </u>			
<u>7/10</u>	Date	Time	Temp.	Name (Print)			
	0300		<u>72</u>	<u> </u>			
	0600		<u>72</u>	<u> </u>			
	0900		<u>73</u>	<u> </u>			
	1200		<u>74</u>	<u> </u>			
	1500		<u>74</u>	<u> </u>			
	1800		<u>74</u>	<u> </u>			
	2100		<u>73</u>	<u> </u>			
<u>7/11</u>	Date	Time	Temp.	Name (Print)			
	0300		<u>71</u>	<u> </u>			
	0600		<u>72</u>	<u> </u>			
	0900		<u>73</u>	<u> </u>			
	1200		<u>74</u>	<u> </u>			
	1500		<u>74</u>	<u> </u>			
	1800		<u>74</u>	<u> </u>			
	2100		<u>74</u>	<u> </u>			
<u>7/12</u>	Date	Time	Temp.	Name (Print)			
	0300		<u>73</u>	<u> </u>			
	0600		<u>73</u>	<u> </u>			
	0900		<u>73</u>	<u> </u>			
	1200		<u>73</u>	<u> </u>			
	1500		<u>73</u>	<u> </u>			
	1800		<u>72</u>	<u> </u>			
	2100		<u>72</u>	<u> </u>			
<u>7/13</u>	Date	Time	Temp.	Name (Print)			
	0300		<u>71</u>	<u> </u>			
	0600		<u>72</u>	<u> </u>			
	0900		<u>72</u>	<u> </u>			
	1200		<u>73</u>	<u> </u>			
	1500		<u>74</u>	<u> </u>			
	1800		<u>74</u>	<u> </u>			
	2100		<u>73</u>	<u> </u>			
<u>7/14</u>	Date	Time	Temp.	Name (Print)			
	0300		<u>72</u>	<u> </u>			
	0600		<u>72</u>	<u> </u>			
	0900		<u>72</u>	<u> </u>			
	1200		<u>73</u>	<u> </u>			
	1500		<u>73</u>	<u> </u>			
	1800		<u>73</u>	<u> </u>			
	2100		<u>74</u>	<u> </u>			
<b>Sunday</b>							
<u>7/14</u>	Date	Time	Temp.	Name (Print)			
	0300		<u>72</u>	<u> </u>			
	0600		<u>72</u>	<u> </u>			
	0900		<u>72</u>	<u> </u>			
	1200		<u>73</u>	<u> </u>			
	1500		<u>73</u>	<u> </u>			
	1800		<u>73</u>	<u> </u>			
	2100		<u>74</u>	<u> </u>			
<b>Notes</b>							
<hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/>							
<b>DISTRIBUTION:</b> Original: Institution Heat Plan Coordinator							

**CALIFORNIA CORRECTIONAL HEALTH CARE SERVICES  
IRONWOOD STATE PRISON**

**ATTACHMENT E -**

***CDCR 2031, Inside Temperature Record***

Click Here for Direct Link: [CDCR 2031, Inside Temperature Record](#)

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A.5 Temp Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> ber., 2<sup>nd</sup> ber., 3<sup>rd</sup> ber., etc.)

Immediately notify the Watch Commander at extension 5516/4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300	75	
	0600	72	
	0900	72	
	1200	72	
	1500	73	
	1800	73	
	2100	73	
	2400	72	

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300	72	
	0600	72	
	0900	72	
	1200	71	
	1500	73	
	1800	74	
	2100	73	
	2400	72	

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300	72	
	0600	72	
	0900	72	
	1200	73	
	1500	73	
	1800	73	
	2100	73	
	2400	72	

**Thursday**

Date	Time	Temp.	Name (Print)
	0300	72	
	0600	72	
	0900	72	
	1200	73	
	1500	74	
	1800	74	
	2100	74	
	2400	73	

**Friday**

Date	Time	Temp.	Name (Print)
	0300	72	
	0600	74	
	0900	74	
	1200	74	
	1500	74	
	1800	74	
	2100	73	
	2400	72	

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	72	
	0600	73	
	0900	73	
	1200	73	
	1500	74	
	1800	74	
	2100	73	
	2400	72	

**Sunday**

Date	Time	Temp.	Name (Print)
	0300	73	
	0600	74	
	0900	74	
	1200	74	
	1500	74	
	1800	73	
	2100	73	
	2400	72	

**Notes**

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution ISP Housing Unit A5 Temp. Reading Location Top tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5516/4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	73	K. Sciphi
7/22	0600	73	P. mcm
7/22	0900	74	P. mcm
7/22	1200	75	P. mcm
7/23	1500	73	A. Niccolao
7/23	1600	74	A. Niccolao
7/23	2100	73	A. Niccolao
7/23	2400	73	J. Rhon

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	73	J. Rhon
7/23	0600	74	P. mcm
7/23	0900	74	P. mcm
7/23	1200	74	P. mcm
7/24	1500	72	C. Youngster
7/24	1600	72	C. Youngster
7/24	2100	72	C. Youngster
7/24	2400	71	STAVISKI

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	73	STAVISKI
7/24	0600	72	P. mcm
7/24	0900	74	P. mcm
7/24	1200	74	P. mcm
7/24	1500	74	Nicolo
7/24	1600	74	Nicolo
7/24	2100	73	Nicolo
7/24	2400	73	STAVISKI

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	73	STAVISKI
7/25	0600	74	T. Peake
7/25	0900	73	T. Peake
7/25	1200	73	T. Peake
7/25	1500	73	N. Hernandez
7/25	1600	73	N. Hernandez
7/25	2100	72	N. Hernandez
7/25	2400	74	J. Garcia

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	73	J. Garcia
7/26	0600	74	T. Peake
7/26	0900	73	T. Peake
7/26	1200	73	T. Peake
7/26	1500	74	Maciel
7/26	1600	73	Maciel
7/26	2100	73	Maciel
7/26	2400	71	MIRANDA

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	74	MIRANDA
7/27	0600	74	Vasquez
7/27	0900	71	Vasquez
7/27	1200	72	Vasquez
7/27	1500	72	Onganian
7/27	1600	72	Onganian
7/27	2100	71	Onganian
7/27	2400	72	Luna

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	74	Luna
7/28	0600	75	Luna
7/28	0900	72	Cecil
7/28	1200	71	Cecil
7/28	1500	71	Onganian
7/28	1600	71	Onganian
7/28	2100	72	Onganian
7/28	2400	73	Nicole

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (64-1B)

DEPARTMENT OF CORRECTIONAL INSTITUTIONS

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. Note: Air-conditioned housing units will also be monitored when the air conditioner is operating.

Using an accurate thermometer on the highest level in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: A5 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5516/4321 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/	0300	74	Nicola
29/	0600	74	Nicola
29/	0900	71	NICOLA
29/	1200	71	Nicola
29/	1500	71	Taylor
29/	1800	71	Taylor
29/	2100	73	Taylor
29/	2400	73	Taylor

Tuesday

Date	Time	Temp.	Name (Print)
7/30/	0300	73	Taylor
30/	0600	71	P. mohm
30/	0900	74	P. mohm
30/	1200	74	P. mohm
30/	1500	74	Taylor
30/	1800	75	Taylor
30/	2100	74	Taylor
30/	2400	72	Taylor

Wednesday

Date	Time	Temp.	Name (Print)
7/31/	0300	73	Taylor
31/	0600	73	P. mohm
31/	0900	73	P. mohm
31/	1200	74	P. mohm
31/	1500	71	Taylor
31/	1800	71	Taylor
31/	2100	73	Taylor
31/	2400	75	Garcia

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	73	Green
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes


STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 15P Housing Unit: B-3 Temp. Reading Location: Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1 1/24	0300	74	Chang
	0600	72	L.Taylor
	0900	74	L.Taylor
	1200	74	L.Taylor
	1500	73	L.Taylor
	1800	74	L.Taylor
	2100	72	L.Taylor
	2400	73	D.Hopke

Tuesday

Date	Time	Temp.	Name (Print)
7/2 1/24	0300	72	D.Hopke
	0600	72	D.Hopke
	0900	74	Rios
	1200	74	Rios
	1500	73	Martinez
	1800	74	Martinez
	2100	74	Martinez
	2400	74	Perry

Wednesday

Date	Time	Temp.	Name (Print)
7/3 1/4	0300	74	Ferry
	0600	73	Morales
	0900	73	Morales
	1200	74	Morales
	1500	73	J.Acosta
	1800	73	J.Acosta
	2100	74	J.Acosta
	2400	73	N.Miller

Thursday

Date	Time	Temp.	Name (Print)
7/4 1/4	0300	74	N.Miller
	0600	74	A.Garcia
	0900	73	A.Garcia
	1200	73	A.Garcia
	1500	73	F.Landeros
	1800	73	F.Landeros
	2100	73	F.Landeros
	2400	75	N.Miller

Friday

Date	Time	Temp.	Name (Print)
7/5 1/4	0300	74	N.Miller
	0600	74	C.Vasquez
	0900	74	C.Vasquez
	1200	74	C.Vasquez
	1500	74	Brey
	1800	74	Brey
	2100	74	Brey
	2400	73	N.Miller

Saturday

Date	Time	Temp.	Name (Print)
7/6 1/4	0300	73	N.Miller
	0600	73	Brey
	0900	73	Brey
	1200	74	Brey
	1500	74	Brey
	1800	70	Brey
	2100	74	Brey
	2400	74	Chang

Sunday

Date	Time	Temp.	Name (Print)
7/7 1/4	0300	74	Chang
	0600	74	Brey
	0900	74	Brey
	1200	74	Brey
	1500	74	J.Ramirez
	1800	74	J.Ramirez
	2100	74	S.Perez
	2400	74	Chang

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B-3 Temp. Reading Location: Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/18/24	0300	74	Cheng
	0600	74	J. Trujillo
	0900	74	J. Trujillo
	1200	76	J. Trujillo
	1500	76	J. Trujillo
	1800	76	J. Trujillo
	2100	73	J. Trujillo
	2400	72	D. Hora

#### Tuesday

Date	Time	Temp.	Name (Print)
7/19/24	0300	72	D. Hora
	0600	72	D. Hora
	0900	74	Rios
	1200	74	Rios
	1500	74	P. Amador
	1800	78	P. Amador
	2100	73	P. Amador
	2400	72	D. Hora

#### Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	72	D. Hora
	0600	72	D. Hora
	0900	74	M. Miller
	1200	74	M. Miller
	1500	73	J. Acosta
	1800	76	J. Acosta
	2100	72	J. Acosta
	2400	73	N. Miller

#### Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	72	N. Miller
	0600	72	J. Trujillo
	0900	74	J. Trujillo
	1200	74	J. Trujillo
	1500	74	J. Trujillo
	1800	73	J. Trujillo
	2100	72	J. Trujillo
	2400	73	N. Miller

#### Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	73	N. Miller
	0600	72	J. Trujillo
	0900	74	J. Trujillo
	1200	74	J. Trujillo
	1500	74	J. Trujillo
	1800	75	J. Trujillo
	2100	73	J. Trujillo
	2400	73	N. Miller

#### Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	73	N. Miller
	0600	73	Grey
	0900	74	Grey
	1200	74	Grey
	1500	76	Grey
	1800	78	Grey
	2100	73	Grey
	2400	72	Cheng

#### Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	72	Cheng
	0600	73	Grey
	0900	74	Grey
	1200	74	Grey
	1500	74	Grey
	1800	74	Grey
	2100	73	Grey
	2400	73	Cheng

#### Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 158 Housing Unit: B3 Temp. Reading Location: Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	72	I. TAYLOR
18	0600	73	I. TAYLOR
15	0900	73	I. TAYLOR
21	1200	73	I. TAYLOR
15	1500	73	I. TAYLOR
21	1800	75	I. TAYLOR
21	2100	72	I. TAYLOR
24	2400	73	D.HOPKIN

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	73	D.HOPKIN
16	0600	73	D.HOPKIN
16	0900	73	RIOS
16	1200	73	RIOS
16	1500	74	PARAMORE
16	1800	74	PARAMORE
16	2100	73	PARAMORE
16	2400	73	D.HOPKIN

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	73	D.HOPKIN
17	0600	73	D.HOPKIN
17	0900	79	A. MARROQUIN
17	1200	73	A. MARROQUIN
24	1500	74	JACSON
24	1800	74	JACSON
24	2100	72	JACSON
24	2400	74	N. MILLER

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	74	N. MILLER
18	0600	73	I. TAYLOR
18	0900	73	I. TAYLOR
18	1200	75	I. TAYLOR
18	1500	73	I. TAYLOR
18	1800	73	I. TAYLOR
18	2100	72	I. TAYLOR
18	2400	74	N. MILLER

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	74	M. MILLER
19	0600	74	M. MILLER
19	0900	74	F. LANDERO
19	1200	74	F. LANDERO
24	1500	75	F. LANDERO
24	1800	74	F. LANDERO
24	2100	74	F. LANDERO
24	2400	74	M. MILLER

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	74	F. ZARROLA
20	0600	73	K. ZARROLA
20	0900	72	K. ZARROLA
20	1200	74	GREY
20	1500	74	GREY
20	1800	74	GREY
20	2100	74	GREY
20	2400	74	M. MILLER

Notes

Date	Time	Temp.	Name (Print)
7/21	0300	73	Cheng
21	0600	73	Cheng
21	0900	74	Grey
21	1200	74	Grey
21	1500	74	Grey
21	1800	75	Grey
21	2100	74	Grey
21	2400	74	Cheng

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B3

Temp. Reading Location: Control Bench  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	74	Cheng
7/22	0600	73	L.Taylor
	0900	73	L.Taylor
	1200	73	L.Taylor
	1500	74	L.Taylor
	1800	74	L.Taylor
7/24	2100	72	L.Taylor
	2400	74	M.Miller

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	74	M.Miller
	0600	74	M.Miller
	0900	74	2005
	1200	73	2005
	1500	74	B.Arneson
	1800	74	B.Arneson
7/24	2100	72	B.Arneson
	2400	73	M.Miller

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	74	N.Miller
	0600	72	M.Arcoria
	0900	74	M.Arcoria
	1200	78	M.Arcoria
	1500	78	J.Acosta
7/25	1800	76	J.Acosta
	2100	75	J.Acosta
	2400	73	N.Miller

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	73	N.Miller
	0600	73	L.Taylor
	0900	73	L.Taylor
	1200	74	L.Taylor
	1500	74	L.Taylor
7/26	1800	78	L.Taylor
	2100	74	L.Taylor
	2400	73	N.Miller

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	72	N.Miller
	0600	72	L.Taylor
	0900	74	L.Taylor
	1200	75	L.Taylor
	1500	77	L.Taylor
7/27	1800	75	L.Taylor
	2100	73	N.Miller
	2400	73	N.Miller

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	73	N.Miller
	0600	74	Grey
	0900	74	Grey
	1200	74	Grey
	1500	75	Grey
7/28	1800	74	Grey
	2100	73	Grey
	2400	72	Cheng

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	73	Cheng
	0600	73	Grey
	0900	73	Grey
	1200	74	Grey
	1500	74	Grey
	1800	74	Grey
	2100	74	Grey
	2400	72	Cheng

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: B3 Temp. Reading Location: Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
1/29	0300	73	Chase
	0600	73	L. Trujillo
	0900	73	L. Trujillo
	1200	74	L. Trujillo
	1500	75	L. Trujillo
	1800	80	L. Trujillo
2/1	2100	74	L. Trujillo
	2400	73	L. Trujillo

Tuesday

Date	Time	Temp.	Name (Print)
7/30 6m	0300	74	MELISSA
	0600	74	I. MUJALLO
	0900	74	I. MUJALLO
	1200	75	I. MUJALLO
	1500	75	I. MUJALLO
	1800	75	I. MUJALLO
	2100	74	I. MUJALLO
	2400	73	MELISSA

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	72	M. MEEKA
	0600	72	A. MARROQUIN
	0900	73	A. MARROQUIN
	1200	77	A. MARROQUIN
	1500	78	JACOSTA
	1800	74	JACOSTA
	2100	75	JACOSTA
	2400	73	M. M. ILLER

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Saturday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: D3 Temp. Reading Location: 2nd floor/Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-1-24

Date	Time	Temp.	Name (Print)
7/1 11 /24	0300	74	WEST, E
	0600	74	REYNOLDS
	0900	74	REYNOLDS
	1200	74	REYNOLDS
	1500	75	E. JENKINS JR.
	1800	74	E. JENKINS JR.
	2100	75	E. JENKINS JR.
	2400	74	A. TEMPLER

Wednesday 7-3-24

Date	Time	Temp.	Name (Print)
7/3 /24	0300	73	A. TEMPLER
	0600	73	D. DRAKE
	0900	73	D. DRAKE
	1200	74	D. DRAKE
	1500	76	D. DRAKE
	1800	76	C. GUNA
	2100	77	C. GUNA
	2400	77	A. GOMEZ

Friday 7-5-24

Date	Time	Temp.	Name (Print)
7/5 — 24	0300	77	A. GOMEZ
	0600	76	E. HERNANDEZ
	0900	76	E. HERNANDEZ
	1200	76	E. HERNANDEZ
	1500	77	E. JENKINS JR.
	1800	77	E. JENKINS JR.
	2100	78	A. ANAMA
	2400	77	J. BARRAGAN

Sunday 7-7-24

Date	Time	Temp.	Name (Print)
7/7 /24	0300	75	J. BARRAGAN
	0600	74	J. BARRAGAN
	0900	75	K. ANAMA
	1200	75	A. ANAMA
	1500	76	E. JENKINS JR.
	1800	77	E. JENKINS JR.
	2100	77	E. JENKINS JR.
	2400	77	H. JONES

Tuesday 7-2-24

Date	Time	Temp.	Name (Print)
7/24	0300	73	A. TEMPLER
	0600	73	D. DRAKE
	0900	74	D. DRAKE
	1200	75	D. DRAKE
	1500	74	E. JENKINS JR.
	1800	75	E. JENKINS JR.
	2100	74	E. JENKINS JR.
	2400	74	A. TEMPLER

Thursday 7-4-24

Date	Time	Temp.	Name (Print)
7/4 24	0300	77	A. GOMEZ
	0600	76	D. DRAKE
	0900	75	D. DRAKE
	1200	75	D. DRAKE
	1500	75	A. DE LA O
	1800	76	A. DE LA O
	2100	78	A. DE LA O
	2400	77	A. GOMEZ

Saturday 7-6-24

Date	Time	Temp.	Name (Print)
7/6 24	0300	76	J. BARRAGAN
	0600	74	J. BARRAGAN
	0900	74	E. HERNANDEZ
	1200	75	E. HERNANDEZ
	1500	76	E. JENKINS JR.
	1800	76	E. JENKINS JR.
	2100	77	E. JENKINS JR.
	2400	77	J. BARRAGAN

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: TSP Housing Unit: D Temp. Reading Location: 2nd tier / Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7	0300	75	H. Jones
	0600	75	D. Durame
	0900	74	D. Durame
	1200	74	D. Durame
8	1500	74	J. Christian
	1800	74	J. Christian
	2100	74	J. Christian
	2400	73	H. Jones

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	73	A. Temple
	0600	72	D. Durame
	0900	72	D. Durame
	1200	72	D. Durame
	1500	73	J. Infante
	1800	73	J. Infante
21	2100	73	J. Infante
	2400	72	A. Temple

Friday

Date	Time	Temp.	Name (Print)
7/11/24	0300	73	A. Temple
	0600	73	E. Hernandez
	0900	73	E. Hernandez
	1200	75	E. Hernandez
	1500	75	E. Jenkins Jr.
	1800	75	E. Jenkins Jr.
	2100	75	E. Jenkins Jr.
	2400	75	J. Barragan

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	74	J. Barragan
	0600	74	J. Barragan
	0900	74	A. Anaya
	1200	75	A. Anaya
	1500	75	E. Jenkins Jr.
	1800	75	E. Jenkins Jr.
	2100	75	E. Jenkins Jr.
	2400	74	A. Temple

Tuesday

Date	Time	Temp.	Name (Print)
7/11/24	0300	73	H. Jones
	0600	73	D. Durame
	0900	72	D. Durame
	1200	74	D. Durame
	1500	74	C. Caliparis
	1800	74	C. Caliparis
	2100	74	C. Caliparis
	2400	73	A. Temple

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	71	A. Temple
	0600	72	D. Durame
	0900	73	D. Durame
	1200	73	D. Durame
	1500	73	E. Jenkins Jr.
	1800	73	E. Jenkins Jr.
	2100	73	E. Jenkins Jr.
	2400	73	A. Temple

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	74	J. Barragan
	0600	74	J. Barragan
	0900	75	E. Hernandez
	1200	74	E. Hernandez
	1500	75	E. Jenkins Jr.
	1800	75	E. Jenkins Jr.
	2100	75	E. Jenkins Jr.
	2400	75	J. Barragan

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: D3 Temp. Reading Location: 2nd tier / Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	74	A. Tengler
0600	74	D. Decarie	
0900	75	D. Decarie	
1200	76	D. Decarie	
1500	76	G. Jenkins Jr.	
1800	77	G. Jenkins Jr.	
2100	77	A. Cole	
2400	76	A. Tengler	

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	77	A. Tengler
0600	77	D. Decarie	
0900	77	D. Decarie	
1200	77	D. Decarie	
1500	75	J. Infantile	
1800	76	J. Infantile	
2100	77	J. Infantile	
2400	75	A. Tengler	

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	78 73	A. Tengler
0600	72	E. Hernandez	
0900	73	E. Hernandez	
1200	73	E. Hernandez	
1500	74	G. Jenkins Jr.	
1800	73	G. Jenkins Jr.	
2100	73	G. Jenkins Jr.	
2400	73	J. Barragan	

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	72	J. Barragan
0600	72	J. Barragan	
0900	72	A. Anaya	
1200	74	A. Anaya	
1500	74	G. Jenkins Jr.	
1800	74	G. Jenkins Jr.	
2100	74	G. Jenkins Jr.	
2400	73	H. Jones	

Tuesday

Date	Time	Temp.	Name (Print)
7/20	0300	76	A. Tengler
0600	75	D. Decarie	
0900	76	D. Decarie	
1200	77	D. Decarie	
1500	78	G. Jenkins Jr.	
1800	78	G. Jenkins Jr.	
2100	78	G. Jenkins Jr.	
2400	77	Tengler	

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	75	A. Tengler
0600	75	D. Decarie	
0900	74	D. Decarie	
1200	74	D. Decarie	
1500	74	L. Nava	
1800	73	L. Nava	
2100	73	L. Nava	
2400	74	A. Tengler	

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	72	J. Barragan
0600	71	J. Barragan	
0900	72	E. Hernandez	
1200	73	E. Hernandez	
1500	73	G. Jenkins Jr.	
1800	73	G. Jenkins Jr.	
2100	73	E. Jenkins Jr.	
2400	73	J. Barragan	

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: D3 Temp. Reading Location: 2nd tier / Control Booth

Immediately notify the Watch Commander at extension 6930/4321/5516 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/1	0300	70	H. Jones
7/1	0600	73	D. Durame
7/1	0900	74	D. Durame
7/2	1200	74	D. Durame
7/2	1500	74	E. Jenkins Jr.
7/2	1800	74	E. Jenkins Jr.
7/2	2100	74	E. Jenkins Jr.
7/2	2400	73	H. Jones

**Wednesday**

Date	Time	Temp.	Name (Print)
7/1	0300	74	A. Tempka
7/24	0600	74	D. Durame
7/24	0900	75	D. Durame
7/24	1200	75	D. Durame
7/24	1500	76	J. Infante
7/24	1800	76	J. Infante
7/24	2100	76	J. Infante
7/24	2400	75	A. Tempka

**Friday**

Date	Time	Temp.	Name (Print)
7/26	0300	75	A. Tempka
7/26	0600	75	G. Lynch
7/26	0900	75	G. Lynch
7/26	1200	76	G. Lynch
7/26	1500	77	E. Jenkins Jr.
7/26	1800	80	E. Jenkins Jr.
7/26	2100	80	E. Jenkins Jr.
7/26	2400	75	J. Barragan

**Sunday**

Date	Time	Temp.	Name (Print)
7/28	0300	73	J. Barragan
7/28	0600	71	J. Barragan
7/28	0900	72	A. Anaya
7/28	1200	72	A. Anaya
7/28	1500	72	E. Jenkins Jr.
7/28	1800	73	E. Jenkins Jr.
7/28	2100	73	E. Jenkins Jr.
7/28	2400	73	Cony

**Tuesday**

Date	Time	Temp.	Name (Print)
7/1	0300	73	H. Jones
7/1	0600	73	D. Durame
7/1	0900	73	D. Durame
7/2	1200	74	D. Durame
7/2	1500	74	E. Jenkins Jr.
7/2	1800	75	E. Jenkins Jr.
7/2	2100	74	E. Jenkins Jr.
7/2	2400	74	A. Tempka

**Thursday**

Date	Time	Temp.	Name (Print)
7/1	0300	74	A. Tempka
7/1	0600	74	D. Durame
7/1	0900	75	D. Durame
7/25	1200	76	D. Durame
7/25	1500	74	C. Teller
7/25	1800	76	C. Teller
7/25	2100	76	C. Teller
7/25	2400	75	A. Tempka

**Saturday**

Date	Time	Temp.	Name (Print)
7/1	0300	74	J. Barragan
7/1	0600	73	J. Barragan
7/1	0900	74	A. Anaya
7/1	1200	74	A. Anaya
7/1	1500	74	E. Jenkins Jr.
7/1	1800	78	E. Jenkins Jr.
7/1	2100	74	E. Jenkins Jr.
7/1	2400	74	E. Jenkins Jr.

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 12P Housing Unit: 73 Temp. Reading Location: 2nd tier / Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321 / 5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
01/29/24	0300	73	an y
0600	73	an y	
0900	73	D-Darlene	
1200	71	D-Darlene	
1500	71	E-Jenkins Jr	
1800	71	E-Jenkins Jr	
2100	72	E-Jenkins Jr	
2400	72	K-SECPH	

Tuesday

Date	Time	Temp.	Name (Print)
01/30/24	0300	69	K-SECPH
0600	70	D-Darlene	
0900	70	D-Darlene	
1200	71	D-Darlene	
1500	71	E-Jenkins Jr	
1800	73	E-Jenkins Jr	
2100	71	E-Jenkins Jr	
2400	72	WARRIOR	

Wednesday

Date	Time	Temp.	Name (Print)
01/31/24	0300	71	WARRIOR
0600	71	Craigons	
0900	72	Craigons	
1200	71	Craigons	
1500	72	Gonzer	
1800	72	Gonzer	
2100	71	WARRIOR	
2400	71	WARRIOR	

Friday

Date	Time	Temp.	Name (Print)
02/01/24	0300		
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Sunday

Date	Time	Temp.	Name (Print)
02/04/24	0300		
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Thursday

Date	Time	Temp.	Name (Print)
02/01/24	0300		
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Saturday

Date	Time	Temp.	Name (Print)
02/03/24	0300		
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1<sup>st</sup> Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>07</u> <u>01</u> <u>2024</u>	0300	70	V. QUINONES
	0600	69	Cordova
	0900	68	Cordova
	1200	67	Cordova
	1500	71	Cordova
	1800	67	Cordova
<u>2024</u>	2100	68	Cordova
	2400	67	L. Gaspard

Tuesday

Date	Time	Temp.	Name (Print)
<u>07</u> <u>02</u> <u>2024</u>	0300	67	L. Gaspard
	0600	67	L. Gaspard
	0900	70	J. Hord
	1200	78	O. Sepeda
	1500	68	L. Gaspard
	1800	67	L. Gaspard
<u>2024</u>	2100	67	L. Gaspard
	2400	67	L. Gaspard

Wednesday

Date	Time	Temp.	Name (Print)
<u>07</u> <u>03</u> <u>2024</u>	0300	67	B. Flores
	0600	67	B. Flores
	0900	68	J. Hord
	1200	68	J. Hordin
	1500	68	C. Wilson
	1800	67	C. Wilson
<u>2024</u>	2100	70	C. Wilson
	2400	70	B. Flores

Thursday

Date	Time	Temp.	Name (Print)
<u>07</u> <u>04</u> <u>2024</u>	0300	68	B. Flores
	0600	68	J. Hord
	0900	69	J. Hord
	1200	68	J. Hordin
	1500	69	C. Wilson
	1800	68	L. Gaspard
<u>2024</u>	2100	68	L. Gaspard
	2400	70	B. Flores

Friday

Date	Time	Temp.	Name (Print)
<u>07</u> <u>05</u> <u>2024</u>	0300	70	B. Flores
	0600	69	O. Sepeda
	0900	69	O. Sepeda
	1200	68	O. Sepeda
	1500	69	C. Wilson
	1800	68	C. Wilson
<u>2024</u>	2100	68	C. Wilson
	2400	68	J. Porras

Saturday

Date	Time	Temp.	Name (Print)
<u>07</u> <u>06</u> <u>2024</u>	0300	68	S. Poffas
	0600	68	Cordova
	0900	68	Cordova
	1200	68	L. Ward
	1500	68	L. Ward
	1800	68	L. Ward
<u>2024</u>	2100	69	L. Ward
	2400	68	G. R. Clitmon

Notes

Date	Time	Temp.	Name (Print)
<u>07</u> <u>07</u> <u>2024</u>	0300	67	C. R. Clitmon
	0600	67	J. Hordin
	0900	67	Cordova
	1200	68	Cordova
	1500	69	L. Gaspard
	1800	68	L. Gaspard
<u>2024</u>	2100	68	L. Gaspard
	2400	69	Quinonez

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1<sup>ST</sup> Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07	0300	68	Quinonez
	0600	69	Cordova
08	0900	69	Cordova
	1200	68	Cordova
2024	1500	69	L. Gaspard
	1800	68	L. Gaspard
2024	2100	67	L. Gaspard
	2400	67	M. Vacaquez

Tuesday

Date	Time	Temp.	Name (Print)
07	0300	67	M. Vacaquez
	0600	68	J. Hardin
09	0900	70	Acosta
	1200	68	J. Avera
2024	1500	68	L. Gaspard
	1800	68	L. Gaspard
2024	2100	67	L. Gaspard
	2400	67	M. Vacaquez

Wednesday

Date	Time	Temp.	Name (Print)
07	0300	67	M. Vacaquez
	0600	67	J. Hardin
10	0900	68	O. Sepeda
	1200	68	O. Sepeda
2024	1500	68	J. Hardin
	1800	67	J. Hardin
2024	2100	67	J. Hardin
	2400	67	B. Flores

Thursday

Date	Time	Temp.	Name (Print)
07	0300	67	B. Flores
	0600	68	J. Hardin
11	0900	70	O. Sepeda
	1200	68	O. Sepeda
2024	1500	68	Hernandez
	1800	67	Hernandez
2024	2100	67	Hernandez
	2400	67	B. Flores

Friday

Date	Time	Temp.	Name (Print)
07	0300	67	B. Flores
	0600	68	Cordova
12	0900	68	Cordova
	1200	71	Cordova
2024	1500	71	Cordova
	1800	70	Cordova
2024	2100	68	Cordova
	2400	68	Puertas

Saturday

Date	Time	Temp.	Name (Print)
07	0300	67	PORRAS
	0600	67	BENFIELD
13	0900	68	O. Sepeda
	1200	68	O. Sepeda
2024	1500	68	L. Ward
	1800	68	L. Ward
2024	2100	68	L. Ward
	2400	68	G. Richmond

Notes

Date	Time	Temp.	Name (Print)
07	0300	67	G. Richmond
	0600	67	Cordova
14	0900	69	Cordova
	1200	68	Cordova
2024	1500	69	L. Gaspard
	1800	69	L. Gaspard
2024	2100	67	L. Gaspard
	2400	66	G. Morningside

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1<sup>ST</sup> Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07	0300	67	G. Horningsby
15	0600	67	Cordova
15	0900	68	Cordova
2024	1200	69	Cordova
2024	1500	69	L. Gaspard
2024	1800	69	L. Gaspard
2024	2100	69	L. Gaspard
2024	2400	69	L. Gaspard

Wednesday

Date	Time	Temp.	Name (Print)
07	0300	68	L. Gaspard
17	0600	69	L. Gaspard
17	0900	68	O. Sepeda
2024	1200	67	O. Sepeda
2024	1500	68	O. Sepeda
2024	1800	67	M. Zaire
2024	2100	67	M. Zaire
2024	2400	68	M. Zaire

Friday

Date	Time	Temp.	Name (Print)
07	0300	67	G. Horningsby
19	0600	67	G. Horningsby
19	0900	67	C. Wilson
2024	1200	69	C. Wilson
2024	1500	69	C. Wilson
2024	1800	67	C. Tamayo
2024	2100	67	C. Wilson
2024	2400	66	G. Horningsby

Sunday

Date	Time	Temp.	Name (Print)
07	0300	67	C. Rutherford
21	0600	67	Cordova
21	0900	67	Cordova
2024	1200	66	Cordova
2024	1500	66	L. Gaspard
2024	1800	66	L. Gaspard
2024	2100	66	L. Gaspard
2024	2400	66	G. Horningsby

Tuesday

Date	Time	Temp.	Name (Print)
07	0300	67	L. Gaspard
16	0600	68	L. Gaspard
16	0900	68	O. Sepeda
2024	1200	68	O. Sepeda
2024	1500	69	C. Wilson
2024	1800	69	C. Wilson
2024	2100	69	C. Wilson
2024	2400	68	L. Gaspard

Thursday

Date	Time	Temp.	Name (Print)
07	0300	68	Gonzalez
18	0600	68	Gonzalez
18	0900	68	O. Sepeda
2024	1200	68	O. Sepeda
2024	1500	68	Gonzalez
2024	1800	67	Gonzalez
2024	2100	67	C. Wilson
2024	2400	67	Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
07	0300	64	Gonzalez
20	0600	67	Gonzalez
20	0900	67	Cordova
2024	1200	66	Cordova
2024	1500	67	L. Ward
2024	1800	67	L. Ward
2024	2100	67	L. Ward
2024	2400	68	C. Rutherford

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1<sup>st</sup> Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/22/2024	0300	66	Caskill
	0600	68	Cordova
	0900	68	Cordova
	1200	68	Cordova
	1500	68	L. Gaspard
	1800	67	L. Gaspard
	2100	67	L. Gaspard
	2400	66	L. Gaspard

Wednesday

Date	Time	Temp.	Name (Print)
07/24/2024	0300	66	L. Gaspard
	0600	67	L. Gaspard
	0900	67	Osepeda
	1200	69	Osepeda
	1500	69	C. Wilson
	1800	70	C. Wilson
	2100	68	C. Wilson
	2400	67	C. Wilson

Friday

Date	Time	Temp.	Name (Print)
07/26/2024	0300	67	GUNNARZ
	0600	67	GUNNARZ
	0900	69	C. Wilson
	1200	69	O. Sepeda
	1500	69	C. Wilson
	1800	67	C. Wilson
	2100	68	C. Wilson
	2400	68	C. Wilson

Sunday

Date	Time	Temp.	Name (Print)
07/28/2024	0300	67	C. Richmond
	0600	67	J. Cordova
	0900	67	J. Cordova
	1200	66	J. Cordova
	1500	70	J. Hardin
	1800	70	V. Hardin
	2100	66	V. Hardin
	2400	66	V. Hardin

Tuesday

Date	Time	Temp.	Name (Print)
07/23/2024	0300	66	L. Gaspard
	0600	68	Osepeda
	0900	68	Osepeda
	1200	68	Osepeda
	1500	68	C. Wilson
	1800	68	C. Wilson
	2100	67	C. Wilson
	2400	67	L. Gaspard

Thursday

Date	Time	Temp.	Name (Print)
07/25/2024	0300	67	GUNNARZ
	0600	67	GUNNARZ
	0900	71	V. Hardin
	1200	69	Osepeda
	1500	67	C. Wilson
	1800	68	GUNNARZ
	2100	68	GUNNARZ
	2400	67	GUNNARZ

Saturday

Date	Time	Temp.	Name (Print)
07/27/2024	0300	68	Cordova
	0600	70	Cordova
	0900	70	Cordova
	1200	68	Osepeda
	1500	66	L. Ward
	1800	68	L. Ward
	2100	67	L. Ward
	2400	67	C. Richmond

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP Housing Unit: OHU-Infirmary Temp. Reading Location: 1<sup>st</sup> Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4321/5516 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	0300	70	WILLIAMS
7/29/2024	0600	70	WILLIAMS
7/29/2024	0900	67	CORDOVA
7/29/2024	1200	64	Cordova
7/29/2024	1500	64	Cordova
7/29/2024	1800	64	Cordova
7/29/2024	2100	67	Cordova
7/29/2024	2400	66	Gaspard

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	0300	66	Gaspard
7/30/2024	0600	68	O.Sepeda
7/30/2024	0900	68	J.Hernan.
7/30/2024	1200	66	J.Hernan.
7/30/2024	1500	67	L.Gaspard
7/30/2024	1800	67	L.Gaspard
7/30/2024	2100	67	L.Gaspard
7/30/2024	2400	67	L.Gaspard

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	0300	67	L.Gaspard
7/31/2024	0600	68	O.Sepeda
7/31/2024	0900	69	O.Sepeda
7/31/2024	1200	67	J.Hernan
7/31/2024	1500	67	C.Wilson
7/31/2024	1800	67	WILLIAMS
7/31/2024	2100	68	C.Wilson
7/31/2024	2400	67	WILLIAMS

Thursday

Date	Time	Temp.	Name (Print)
8/01/2024	0300	67	WILLIAMS
8/01/2024	0600	67	WILLIAMS
8/01/2024	0900	69	O.Sepeda
8/01/2024	1200		
8/01/2024	1500		
8/01/2024	1800		
8/01/2024	2100		
8/01/2024	2400		

Friday

Date	Time	Temp.	Name (Print)
8/02/2024	0300		
8/02/2024	0600		
8/02/2024	0900		
8/02/2024	1200		
8/02/2024	1500		
8/02/2024	1800		
8/02/2024	2100		
8/02/2024	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/03/2024	0300		
8/03/2024	0600		
8/03/2024	0900		
8/03/2024	1200		
8/03/2024	1500		
8/03/2024	1800		
8/03/2024	2100		
8/03/2024	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/04/2024	0300		
8/04/2024	0600		
8/04/2024	0900		
8/04/2024	1200		
8/04/2024	1500		
8/04/2024	1800		
8/04/2024	2100		
8/04/2024	2400		

Notes

---



---



---



---



---



---



---



---