Monthly Summary Report

Institution: CMF

Memorandum

Date: June 4, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - May 2024

The following is a summary of the heat related activity for the month of May 2024,

at CMF (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

   Number of days Stage I Alert initiated: 3

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

   Number of days Stage II Alert initiated: NA

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: NA

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

DANIEL E. CUEVA
Warden Name

Warden Signature

TRACI PATTERSON
Chief Executive Officer Name

Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 05/01/2024	0100	59	WILKINS
	0200	59	WILKINS
	0300	59	WILKINS
	0400	59	WILKINS
	0500	59	WILKINS
	0600	60	Hemingsen
	0700	61	Hemingsen
	0800	64	Hemingsen
	0900	68	Hemingsen
	1000	72	Hemingsen
	1100	74	Hemingsen
	1200	76	Hemingsen
	1300	76	Hemingsen
	1400	77	Hemingsen
	1500	78	Hemingsen
	1600	78	Hemingsen
	1700	76	Hemingsen
	1800	72	Hemingsen
	1900	71	Hemingsen
	2000	68	Hemingsen
	2100	66	Hemingsen
	2200	65	WILKINS
	2300	64	WILKINS
	2400	62	WILKINS

DATE	TIME	TEMP.	PRINTED NAME
Thu 05/02/2024	0100	61	WILKINS
	0200	60	WILKINS
	0300	58	WILKINS
	0400	57	WILKINS
	0500	57	SATERFIELD
	0600	58	SATERFIELD
	0700	59	SATERFIELD
	0800	59	SATERFIELD
	0900	64	SATERFIELD
	1000	70	SATERFIELD
	1100	72	SATERFIELD
	1200	74	SATERFIELD
	1300	75	SATERFIELD
	1400	76	Hemingsen
	1500	78	Hemingsen
	1600	79	Hemingsen
	1700	77	Hemingsen
	1800	74	Hemingsen
	1900	71	Hemingsen
	2000	70	Hemingsen
	2100	68	Hemingsen
	2200	66	Goler
	2300	66	Goler
	2400	66	Goler

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Fri 05/03/2024	0100	61	Gonzalez
	0200	61	Gonzalez
	0300	60	Gonzalez
	0400	58	Gonzalez
	0500	58	Gonzalez
	0600	59	Gonzalez
	0700	56	QUIJAS
	0800	60	QUIJAS
	0900	65	QUIJAS
	1000	67	QUIJAS
	1100	70	QUIJAS
	1200	71	QUIJAS
	1300	76	QUIJAS
	1400	77	QUIJAS
	1500	78	QUIJAS
	1600	78	QUIJAS
	1700	74	QUIJAS
	1800	69	QUIJAS
	1900	65	QUIJAS
	2000	64	QUIJAS
	2100	63	QUIJAS
	2200	63	Gonzalez
	2300	62	Gonzalez
	2400	60	Gonzalez

DATE	TIME	TEMP.	PRINTED NAME
Sat 05/04/2024	0100	53	Gonzalez
	0200	53	Gonzalez
	0300	52	Gonzalez
	0400	50	Gonzalez
	0500	50	Gonzalez
	0600	52	QUIJAS
	0700	52	QUIJAS
	0800	52	QUIJAS
	0900	52	QUIJAS
	1000	52	QUIJAS
	1100	52	QUIJAS
	1200	52	QUIJAS
	1300	50	[illegible]
	1400	50	[illegible]
	1500	50	[illegible]
	1600	50	[illegible]
	1700	50	[illegible]
	1800	49	[illegible]
	1900	49	[illegible]
	2000	49	[illegible]
	2100	48	[illegible]
	2200	48	Gonzalez
	2300	48	Gonzalez
	2400	46	Gonzalez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Sun 05/05/2024	0100	45	Gonzalez
	0200	45	Gonzalez
	0300	44	Gonzalez
	0400	43	Gonzalez
	0500	42	Gonzalez
	0600	44	VANG
	0700	45	VANG
	0800	48	VANG
	0900	50	VANG
	1000	53	VANG
	1100	55	VANG
	1200	58	VANG
	1300	60	VANG
	1400	63	Yosida
	1500	65	Yosida
	1600	65	Yosida
	1700	65	Yosida
	1800	63	Yosida
	1900	60	Yosida
	2000	58	Yosida
	2100	54	Yosida
	2200	54	Mendoza
	2300	53	Mendoza
	2400	51	Mendoza

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	77	WILKINS
	0600	71	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	74	Hemingsen
	1800	73	Hemingsen
	2100	74	Hemingsen
	2400	74	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	75	WILKINS
	0600	75	SATERFIELD
	0900	76	SATERFIELD
	1200	76	SATERFIELD
	1500	78	Hemingsen
	1800	77	Hemingsen
	2100	74	Hemingsen
	2400	74	Gobr

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	72	Gobr
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	73	Gobr

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	71	Gobr
	0600	71	QUIJAS
	0900	71	QUIJAS
	1200	71	QUIJAS
	1500	71	Young
	1800	72	Young
	2100	71	Young
	2400	70	Gobr

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	68	Gobr
	0600	75	VANG
	0900	75	VANG
	1200	95	VANG
	1500	76	Young
	1800	75	Young
	2100	74	Young
	2400	74	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-1** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	73	WILKINS
	0600	72	Hemingsen
	0900	73	Hemingsen
	1200	74	Hemingsen
	1500	75	Hemingsen
	1800	74	Hemingsen
	2100	74	Hemingsen
	2400	73	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	73	WILKINS
	0600	75	SATERFIELD
	0900	73	SATERFIELD
	1200	75	SATERFIELD
	1500	78	Hemingsen
	1800	76	Hemingsen
	2100	73	Hemingsen
	2400	73	Gaber

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	71	Gaber
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	75.6	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	73	Gaber

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	72	Gaber
	0600	71	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	71	Young
	1800	71	Young
	2100	71	Young
	2400	70	Gaber

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	67	Gaber
	0600	68	VANG
	0900	72	VANG
	1200	68	VANG
	1500	69	Young
	1800	68	Young
	2100	68	Young
	2400	68	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	74	WILKINS
	0600	73	Hemingson
	0900	73	Hemingson
	1200	74	Hemingson
	1500	75	Hemingson
	1800	74	Hemingson
	2100	71	Hemingson
	2400	72	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	71	WILKINS
	0600	74	SATERFIELD
	0900	76	SATERFIELD
	1200	76	SATERFIELD
	1500	79	Hemingson
	1800	77	Hemingson
	2100	73	Hemingson
	2400	72	Gaber

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	71	Gaber
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	73.8	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	73	Gaber

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	71	Gaber
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	72	Young
	1800	72	Young
	2100	71	Young
	2400	70	Gaber

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	68	Gaber
	0600	69	VANG
	0900	72	VANG
	1200	74	VANG
	1500	74	Young
	1800	74	Young
	2100	72	Young
	2400	77	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-1** Temp. Reading Location: **137**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	69	WILKINS
	0600	72	Hemingsen
	0900	73	Hemingsen
	1200	75	Hemingsen
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	72	Hemingsen
	2400	72	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	71	WILKINS
	0600	69	SATERFIELD
	0900	72	SATERFIELD
	1200	73	SATERFIELD
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	74	Hemingsen
	2400	73	Gomez

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	72	Gomez
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	75	QUIJAS
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	72	Gomez

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	70	Gomez
	0600	67	QUIJAS
	0900	68	QUIJAS
	1200	68	QUIJAS
	1500	64	Young
	1800	64	Young
	2100	64	Young
	2400	69	Gomez

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	68	Gomez
	0600	61	VANG
	0900	63	VANG
	1200	74	VANG
	1500	74	Young
	1800	74	Young
	2100	73	Young
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	72	WILKINS
	0600	72	Hemingsen
	0900	74	Hemingsen
	1200	75	Hemingsen
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	71	Hemingsen
	2400	71	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	72	WILKINS
	0600	68	SATERFIELD
	0900	72	SATERFIELD
	1200	72	SATERFIELD
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	72	Goer

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	70	Goer
	0600	73	QUIJAS
	0900	75	QUIJAS
	1200	76	QUIJAS
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	72	Goer

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	70	Goer
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	72	Young
	1800	72	Young
	2100	71	Young
	2400	69	Goer

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	68	Goer
	0600	66	VANG
	0900	68	VANG
	1200	68	VANG
	1500	70	VANG
	1800	68	Young
	2100	68	Young
	2400	66	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	75	WILKINS
	0600	75	Boccessi/Hemingsen
	0900	76	Hemingsen
	1200	77	Hemingsen
	1500	77	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	74	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	73	WILKINS
	0600	74	SATERFIELD
	0900	74	SATERFIELD
	1200	74	SATERFIELD
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	72	Hemingsen
	2400	70	Gaber

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	70	Gaber
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	75	QUIJAS
	1500	76.4	QUIJAS
	1800	76	QUIJAS
	2100	74	QUIJAS
	2400	73	Gaber

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	71	Gaber
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	71	Young
	1800	70	Young
	2100	70	Young
	2400	68	Gaber

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	67	Gaber
	0600	66	VANG
	0900	68	VANG
	1200	69	VANG
	1500	69	Young
	1800	68	Young
	2100	67	Young
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	75	WILKINS
	0600	75	Hemingsen
	0900	77	Hemingsen
	1200	77	Hemingsen
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	71	Hemingsen
	2400	73	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	73	WILKINS
	0600	71	SATERFIELD
	0900	71	SATERFIELD
	1200	72	SATERFIELD
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	70	Hemingsen
	2400	70	Gaber

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	69	Gaber
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	72	Gaber

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	70	Gaber
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	71	QUIJAS
	1500	71	Young
	1800	70	Young
	2100	70	Young
	2400	68	Gaber

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	66	Gaber
	0600	68	VANG
	0900	68	VANG
	1200	70	VANG
	1500	71	Young
	1800	70	Young
	2100	68	Young
	2400	68	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	74	WILKINS
	0600	74	Hemingsen
	0900	75	Hemingsen
	1200	76	Hemingsen
	1500	78	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	72	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	73	WILKINS
	0600	72	SATERFIELD
	0900	74	SATERFIELD
	1200	72	SATERFIELD
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	Coler

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	69	Coler
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	76	QUIJAS
	1800	76	QUIJAS
	2100	75	QUIJAS
	2400	74	Coler

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	72	Coler
	0600	75	QUIJAS
	0900	75	QUIJAS
	1200	77	QUIJAS
	1500	76	Youngs
	1800	76	Youngs
	2100	76	Youngs
	2400	72	Coler

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	70	Coler
	0600	68	VANG
	0900	68	VANG
	1200	70	VANG
	1500	71	Youngs
	1800	70	Youngs
	2100	70	Youngs
	2400	68	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	71	WILKINS
	0600	71	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	71	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	70	WILKINS
	0600	70	SATERFIELD
	0900	71	SATERFIELD
	1200	73	SATERFIELD
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	73	Hemingsen
	2400	70	Gaber

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	69	Gaber
	0600	66	QUIJAS
	0900	68	QUIJAS
	1200	70	QUIJAS
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	72	QUIJAS
	2400	70	Gaber

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	69	Gaber
	0600	66	QUIJAS
	0900	68	QUIJAS
	1200	69	QUIJAS
	1500	69	Young
	1800	69	Young
	2100	69	Young
	2400	66	Gaber

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	65	Gaber
	0600	69	VANG
	0900	69	VANG
	1200	70	VANG
	1500	70	Young
	1800	70	Young
	2100	70	Young
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	70	WILKINS
	0600	70	Hemingsen
	0900	72	Hemingsen
	1200	73	Hemingsen
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	72	Hemingsen
	2400	71	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	70	WILKINS
	0600	69	SATERFIELD
	0900	71	SATERFIELD
	1200	73	SATERFIELD
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	72	Coler

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	71	Coler
	0600	70.8	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	73	QUIJAS
	2400	72	Coler

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	70	Coler
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	68	QUIJAS
	1500	69	Young
	1800	69	Young
	2100	68	Young
	2400	68	Coler

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	66	Coler
	0600	69	VANG
	0900	70	VANG
	1200	71	VANG
	1500	71	Young
	1800	70	Young
	2100	70	Young
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	72	WILKINS
	0600	71	Hemingsen
	0900	70	Hemingsen
	1200	71	Hemingsen
	1500	73	Hemingsen
	1800	71	Hemingsen
	2100	70	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	71	WILKINS
	0600	70	SATERFIELD
	0900	72	SATERFIELD
	1200	74	SATERFIELD
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	72	Hemingsen
	2400	71	Gaber

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	70	Gaber
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	72	QUIJAS
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	71	QUIJAS
	2400	70	Gaber

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	69	Gaber
	0600	69	QUIJAS
	0900	69	QUIJAS
	1200	69	QUIJAS
	1500	69	YOUNG
	1800	69	YOUNG
	2100	69	YOUNG
	2400	68	Gaber

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	66	Gaber
	0600	65	VANG
	0900	67	VANG
	1200	69	VANG
	1500	69	YOUNG
	1800	68	YOUNG
	2100	67	YOUNG
	2400	69	MENDOZA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-3** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	74	WILKINS
	0600	70	Hemingsen
	0900	71	Hemingsen
	1200	72	Hemingsen
	1500	74	Hemingsen
	1800	71	Hemingsen
	2100	71	Hemingsen
	2400	72	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	72	WILKINS
	0600	72	SATERFIELD
	0900	72	SATERFIELD
	1200	73	SATERFIELD
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	Gaber

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	66	Gaber
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	73	QUIJAS
	1800	71	QUIJAS
	2100	70	QUIJAS
	2400	70	Gaber

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	69	Gaber
	0600	68	QUIJAS
	0900	68	QUIJAS
	1200	68	QUIJAS
	1500	69	Young
	1800	69	Young
	2100	68	Young
	2400	68	Gaber

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	67	Gaber
	0600	67	VANG
	0900	68	VANG
	1200	69	VANG
	1500	69	Young
	1800	68	Young
	2100	67	Young
	2400	66	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	73	WILKINS
	0600	70	Hemingsen
	0900	70	Hemingsen
	1200	71	Hemingsen
	1500	73	Hemingsen
	1800	71	Hemingsen
	2100	70	Hemingsen
	2400	71	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	72	WILKINS
	0600	76	SATERFIELD
	0900	75	SATERFIELD
	1200	76	SATERFIELD
	1500	79	Hemingsen
	1800	77	Hemingsen
	2100	74	Hemingsen
	2400	73	Goer

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	71	Goer
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	72	QUIJAS
	1500	71	QUIJAS
	1800	71	QUIJAS
	2100	70	QUIJAS
	2400	70	Goer

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	69	Goer
	0600	68	QUIJAS
	0900	67	QUIJAS
	1200	66	QUIJAS
	1500	67	Young
	1800	67	Young
	2100	66	Young
	2400	66	Goer

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	65	Goer
	0600	65	VANG
	0900	67	VANG
	1200	68	VANG
	1500	69	Young
	1800	69	Young
	2100	68	Young
	2400	68	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	70	WILKINS
	0600	70	Hemingsen
	0900	70	Hemingsen
	1200	71	Hemingsen
	1500	73	Hemingsen
	1800	71	Hemingsen
	2100	71	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	70	WILKINS
	0600	70	SATERFIELD
	0900	72	SATERFIELD
	1200	74	SATERFIELD
	1500	78	Hemingsen
	1800	76	Hemingsen
	2100	72	Hemingsen
	2400	71	Gor

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	69	Gor
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	72	QUIJAS
	1800	73	QUIJAS
	2100	72	QUIJAS
	2400	71	Gor

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	70	Gor
	0600	70	QUIJAS
	0900	69	QUIJAS
	1200	68	QUIJAS
	1500	68	Young
	1800	68	Young
	2100	67	Young
	2400	67	Gor

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	66	Gor
	0600	68	VANG
	0900	68	VANG
	1200	69	VANG
	1500	70	Young
	1800	70	Young
	2100	69	Young
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	64	WILKINS
	0600	67	Hemingsen
	0900	66	Hemingsen
	1200	67	Hemingsen
	1500	71	Hemingsen
	1800	70	Hemingsen
	2100	68	Hemingsen
	2400	66	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	65	WILKINS
	0600	65	SATERFIELD
	0900	65	SATERFIELD
	1200	65	SATERFIELD
	1500	71	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	69	Grier

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	67	Grier
	0600	67.6	QUIJAS
	0900	67	QUIJAS
	1200	68	QUIJAS
	1500	77	QUIJAS
	1800	75	QUIJAS
	2100	74	QUIJAS
	2400	73	Grier

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	72	Grier
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	65	QUIJAS
	1500	67	Young
	1800	67	Young
	2100	66	Young
	2400	66	Grier

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	65	Grier
	0600	60	VANG
	0900	65	VANG
	1200	66	VANG
	1500	67	Young
	1800	66	Young
	2100	66	Young
	2400	65	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	64	WILKINS
	0600	64	Hemingsen
	0900	66	Hemingsen
	1200	68	Hemingsen
	1500	72	Hemingsen
	1800	70	Hemingsen
	2100	68	Hemingsen
	2400	65	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	64	WILKINS
	0600	65	SATERFIELD
	0900	65	SATERFIELD
	1200	65	SATERFIELD
	1500	70	Hemingsen
	1800	70	Hemingsen
	2100	68	Hemingsen
	2400	68	Gonzalez

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	66	Gonzalez
	0600	67	QUIJAS
	0900	67	QUIJAS
	1200	68	QUIJAS
	1500	77	QUIJAS
	1800	77	QUIJAS
	2100	75	QUIJAS
	2400	73	Gonzalez

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	70	Gonzalez
	0600	67	QUIJAS
	0900	68	QUIJAS
	1200	68	QUIJAS
	1500	68	Young
	1800	66	Young
	2100	67	Young
	2400	67	Gonzalez

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	66	Gonzalez
	0600	59	VANG
	0900	61	VANG
	1200	65	VANG
	1500	65	Young
	1800	67	Young
	2100	65	Young
	2400	67	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	68	WILKINS
	0600	68	Hemingsen
	0900	69	Hemingsen
	1200	71	Hemingsen
	1500	72	Hemingsen
	1800	70	Hemingsen
	2100	69	Hemingsen
	2400	69	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	69	WILKINS
	0600	74	SATERFIELD
	0900	74	SATERFIELD
	1200	75	SATERFIELD
	1500	77	Hemingsen
	1800	76	Hemingsen
	2100	74	Hemingsen
	2400	73	Gomez

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	72	Gomez
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	77	QUIJAS
	1800	77	QUIJAS
	2100	76	QUIJAS
	2400	74	Gomez

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	72	Gomez
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	72	Younan
	1800	72	Younan
	2100	71	Younan
	2400	70	Gomez

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	69	Gomez
	0600	66	VANG
	0900	66	VANG
	1200	66	VANG
	1500	66	Younan
	1800	66	Younan
	2100	67	Younan
	2400	66	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	69	WILKINS
	0600	69	Hemingsen
	0900	71	Hemingsen
	1200	72	Hemingsen
	1500	74	Hemingsen
	1800	71	Hemingsen
	2100	70	Hemingsen
	2400	69	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	70	WILKINS
	0600	70	SATERFIELD
	0900	71	SATERFIELD
	1200	74	SATERFIELD
	1500	75	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	70	Gaber

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	70	Gaber
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	73	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	73	Gaber

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	70	Gaber
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	70	Young
	1800	71	Young
	2100	70	Young
	2400	70	Gaber

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	69	Gaber
	0600	66	VANG
	0900	67	VANG
	1200	67	VANG
	1500	67	Young
	1800	66	Young
	2100	66	Young
	2400	66	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	68	WILKINS
	0600	68	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	70	Hemingsen
	2400	69	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	69	WILKINS
	0600	71	SATERFIELD
	0900	71	SATERFIELD
	1200	74	SATERFIELD
	1500	73	Hemingsen
	1800	72	Hemingsen
	2100	71	Hemingsen
	2400	71	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	70	[illegible]
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	75	QUIJAS
	1500	73	QUIJAS
	1800	75	QUIJAS
	2100	72	QUIJAS
	2400	70	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	69	[illegible]
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	71	QUIJAS
	1500	70	Young
	1800	70	Young
	2100	70	Young
	2400	70	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	66	[illegible]
	0600	67	VANG
	0900	67	VANG
	1200	68	VANG
	1500	68	Young
	1800	67	Young
	2100	67	Young
	2400	67	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	69	WILKINS
	0600	69	Hemingsen
	0900	70	Hemingsen
	1200	72	Hemingsen
	1500	74	Hemingsen
	1800	72	Hemingsen
	2100	70	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	69	WILKINS
	0600	70	SATERFIELD
	0900	71	SATERFIELD
	1200	74	SATERFIELD
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	71	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	70	[illegible]
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	75	QUIJAS
	1500	74	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	73	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	72	[illegible]
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	71	QUIJAS
	1500	70	Young
	1800	70	Young
	2100	70	Young
	2400	70	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	69	[illegible]
	0600	67	VANG
	0900	68	VANG
	1200	67	VANG
	1500	67	Young
	1800	67	Young
	2100	67	Young
	2400	66	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/1/2024	0300	67	WILKINS
	0600	67	Hemingsen
	0900	69	Hemingsen
	1200	72	Hemingsen
	1500	74	Hemingsen
	1800	74	Hemingsen
	2100	71	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/2/2024	0300	68	WILKINS
	0600	69	SATERFIELD
	0900	71	SATERFIELD
	1200	73	SATERFIELD
	1500	79	Hemingsen
	1800	77	Hemingsen
	2100	73	Hemingsen
	2400	72	Gomez

FRIDAY

Date	Time	Temp.	Name (Print)
5/3/2024	0300	71	Gomez
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	79	QUIJAS
	1800	75	QUIJAS
	2100	76	QUIJAS
	2400	74	Gomez

SATURDAY

Date	Time	Temp.	Name (Print)
5/4/2024	0300	72	Gomez
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	70	Young
	1800	71	Young
	2100	71	Young
	2400	70	Gomez

SUNDAY

Date	Time	Temp.	Name (Print)
5/5/2024	0300	69	Gomez
	0600	66	VANG
	0900	67	VANG
	1200	68	VANG
	1500	68	Young
	1800	67	Young
	2100	67	Young
	2400	66	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Mon 05/06/2024	0100	47	Mendoza
	0200	44	Mendoza
	0300	46	Mendoza
	0400	43	Mendoza
	0500	42	Mendoza
	0600	45	D. ARREZOLA
	0700	47	D. ARREZOLA
	0800	50	D. ARREZOLA
	0900	52	D. ARREZOLA
	1000	54	D. ARREZOLA
	1100	58	D. ARREZOLA
	1200	60	D. ARREZOLA
	1300	62	D. ARREZOLA
	1400	65	Hemingsen
	1500	66	Hemingsen
	1600	67	Hemingsen
	1700	65	Hemingsen
	1800	62	Hemingsen
	1900	60	Hemingsen
	2000	58	Hemingsen
	2100	57	Hemingsen
	2200	58	Mendoza
	2300	55	Mendoza
	2400	53	Mendoza

DATE	TIME	TEMP.	PRINTED NAME
Tue 05/07/2024	0100	53	Mendoza
	0200	49	Mendoza
	0300	47	Mendoza
	0400	49	Mendoza
	0500	46	Mendoza
	0600	46	D. ARREZOLA
	0700	48	D. ARREZOLA
	0800	50	D. ARREZOLA
	0900	54	D. ARREZOLA
	1000	59	D. ARREZOLA
	1100	61	D. ARREZOLA
	1200	64	D. ARREZOLA
	1300	66	D. ARREZOLA
	1400	67	Hemingsen
	1500	69	Hemingsen
	1600	67	Hemingsen
	1700	66	Hemingsen
	1800	66	Hemingsen
	1900	65	Hemingsen
	2000	64	Hemingsen
	2100	64	Hemingsen
	2200	63	WILKINS
	2300	63	WILKINS
	2400	62	WILKINS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 05/08/2024	0100	61	WILKINS
	0200	61	WILKINS
	0300	60	WILKINS
	0400	60	WILKINS
	0500	61	WILKINS
	0600	61	Hemingsen
	0700	63	Hemingsen
	0800	64	Hemingsen
	0900	66	Hemingsen
	1000	67	Hemingsen
	1100	69	Hemingsen
	1200	69	Hemingsen
	1300	71	Hemingsen
	1400	72	Hemingsen
	1500	74	Hemingsen
	1600	73	Hemingsen
	1700	72	Hemingsen
	1800	72	Hemingsen
	1900	71	Hemingsen
	2000	71	Hemingsen
	2100	70	Hemingsen
	2200	69	WILKINS
	2300	69	WILKINS
	2400	68	WILKINS

DATE	TIME	TEMP.	PRINTED NAME
Thu 05/09/2024	0100	67	WILKINS
	0200	66	WILKINS
	0300	66	WILKINS
	0400	66	WILKINS
	0500	65	WILKINS
	0600	63	QUIJAS
	0700	63	QUIJAS
	0800	66	QUIJAS
	0900	68	QUIJAS
	1000	68	QUIJAS
	1100	72	QUIJAS
	1200	74	QUIJAS
	1300	77	Hemingsen
	1400	81	Hemingsen
	1500	83	Hemingsen
	1600	84	Hemingsen
	1700	82	Hemingsen
	1800	78	Hemingsen
	1900	75	Hemingsen
	2000	73	Hemingsen
	2100	72	Hemingsen
	2200	72	Gruber
	2300	71	Gruber
	2400	70	Gruber

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Fri 05/10/2024	0100	66	Graber
	0200	66	Graber
	0300	63	Graber
	0400	61	Graber
	0500	60	Graber
	0600	55	QUIJAS
	0700	60	QUIJAS
	0800	65	QUIJAS
	0900	71	QUIJAS
	1000	75	QUIJAS
	1100	79	QUIJAS
	1200	80	QUIJAS
	1300	82	QUIJAS
	1400	83	QUIJAS
	1500	86	QUIJAS
	1600	88	QUIJAS
	1700	87	QUIJAS
	1800	85	QUIJAS
	1900	83	QUIJAS
	2000	79	QUIJAS
	2100	78	QUIJAS
	2200	78	Graber
	2300	76	Graber
	2400	74	Graber

DATE	TIME	TEMP.	PRINTED NAME
Sat 05/11/2024	0100	71	Graber
	0200	70	Graber
	0300	68	Graber
	0400	65	Graber
	0500	63	Graber
	0600	58	QUIJAS
	0700	60	QUIJAS
	0800	63	QUIJAS
	0900	66	QUIJAS
	1000	71	QUIJAS
	1100	78	QUIJAS
	1200	81	QUIJAS
	1300	82	QUIJAS
	1400	88	Vang
	1500	92	Vang
	1600	92	Vang
	1700	89	Vang
	1800	88	Vang
	1900	87	Vang
	2000	85	Vang
	2100	83	Vang
	2200	77	Graber
	2300	77	Graber
	2400	77	Graber

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Sun 05/12/2024	0100	70	Gamboa
	0200	68	Gamboa
	0300	68	Gamboa
	0400	65	Gamboa
	0500	65	Gamboa
	0600	56	QUIJAS
	0700	58	QUIJAS
	0800	62	QUIJAS
	0900	68	QUIJAS
	1000	70	QUIJAS
	1100	72	QUIJAS
	1200	74	QUIJAS
	1300	76	QUIJAS
	1400	83	J. Hernandez
	1500	86	J. Hernandez
	1600	86	J. Hernandez
	1700	85	J. Hernandez
	1800	81	J. Hernandez
	1900	77	J. Hernandez
	2000	74	J. Hernandez
	2100	73	J. Hernandez
	2200	68	Mendoza
	2300	64	Mendoza
	2400	62	Mendoza

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	75	Mendoza
	0600	74	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	68	D. ARREZOLA
	1500	69	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	74	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	73	Mendoza
	0600	72	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	75	D. ARREZOLA
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	74	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	73	WILKINS
	0600	73	Hemingsen
	0900	74	Hemingsen
	1200	75	Hemingsen
	1500	75	Hemingsen
	1800	76	Hemingsen
	2100	73	Hemingsen
	2400	73	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	74	WILKINS
	0600	76	QUIJAS
	0900	77	QUIJAS
	1200	77	QUIJAS
	1500	78	Hemingsen
	1800	77	Hemingsen
	2100	74	Hemingsen
	2400	74	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	71	[illegible]
	0600	75	QUIJAS
	0900	78	QUIJAS
	1200	79	QUIJAS
	1500	80	QUIJAS
	1800		
	2100	CLOSED	
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300		
	0600		
	0900	Unused	
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300		
	0600		
	0900	CLOSED	
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-1** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	70	Mendoza
	0600	68	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	67	D. ARREZOLA
	1500	68	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	74	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	73	Mendoza
	0600	67	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	72	Hemingsen
	1800	70	Hemingsen
	2100	68	Hemingsen
	2400	69	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69	WILKINS
	0600	69	Hemingsen
	0900	71	Hemingsen
	1200	72	Hemingsen
	1500	72	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	71	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	71	WILKINS
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	75	QUIJAS
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	70	Foster

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	69	Foster
	0600	74	QUIJAS
	0900	78	QUIJAS
	1200	78	QUIJAS
	1500	76	QUIJAS
	1800	76.3	QUIJAS
	2100	75	QUIJAS
	2400	75	Foster

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	73	Foster
	0600	75	QUIJAS
	0900	76	QUIJAS
	1200	75	QUIJAS
	1500	77	VANG
	1800	77	VANG
	2100	76	VANG
	2400	76	Foster

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	73	Foster
	0600	58	QUIJAS
	0900	74	QUIJAS
	1200	75	QUIJAS
	1500	76	J. Hernandez
	1800	77	J. Hernandez
	2100	75	J. Hernandez
	2400	78	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	69	Mendoza
	0600	66	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	72	Hemingsen
	1800	70	Hemingsen
	2100	68	Hemingsen
	2400	68	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	69	Mendoza
	0600	70	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	73	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	69	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69	WILKINS
	0600	70	Hemingsen
	0900	72	Hemingsen
	1200	73	Hemingsen
	1500	73	Hemingsen
	1800	75	Hemingsen
	2100	72	Hemingsen
	2400	72	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	71	WILKINS
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	75	QUIJAS
	1500	77	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	73	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	[illegible]
	0600	74	QUIJAS
	0900	76	QUIJAS
	1200	77	QUIJAS
	1500	78	QUIJAS
	1800	78	QUIJAS
	2100	78	QUIJAS
	2400	76	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	74	[illegible]
	0600	77	QUIJAS
	0900	78	QUIJAS
	1200	78	QUIJAS
	1500	79	VANG
	1800	81	VANG
	2100	80	VANG
	2400	79	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	76	[illegible]
	0600	58	QUIJAS
	0900	79	QUIJAS
	1200	80	QUIJAS
	1500	80	J. Hernandez
	1800	81	J. Hernandez
	2100	79	J. Hernandez
	2400	75	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-1** Temp. Reading Location: **137**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	71	Mendoza
	0600	69	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	69	D. ARREZOLA
	1500	70	Hemingsen
	1800	69	Hemingsen
	2100	67	Hemingsen
	2400	70	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	70	Mendoza
	0600	69	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	73	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	71	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	70	WILKINS
	0600	70	Hemingsen
	0900	71	Hemingsen
	1200	71	Hemingsen
	1500	71	Hemingsen
	1800	72	Hemingsen
	2100	70	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	70	WILKINS
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	74	QUIJAS
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	69	Gonter

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	69	Gonter
	0600	100	QUIJAS
	0900	68	QUIJAS
	1200	73	QUIJAS
	1500	70	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	70	Gonter

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	68	Gonter
	0600	70	QUIJAS
	0900	73	QUIJAS
	1200	72	QUIJAS
	1500	74	VANG
	1800	75	VANG
	2100	75	VANG
	2400	74	Gonter

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	70	Gonter
	0600	102	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	76	J. Hernandez
	1800	77	J. Hernandez
	2100	75	J. Hernandez
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	67	Mendoza
	0600	66	D. ARREZOLA
	0900	66	D. ARREZOLA
	1200	66	D. ARREZOLA
	1500	68	Hemingsen
	1800	69	Hemingsen
	2100	67	Hemingsen
	2400	68	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	69	Mendoza
	0600	69	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	69	D. ARREZOLA
	1500	70	Hemingsen
	1800	69	Hemingsen
	2100	67	Hemingsen
	2400	67	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	68	WILKINS
	0600	69	Hemingsen
	0900	70	Hemingsen
	1200	71	Hemingsen
	1500	71	Hemingsen
	1800	70	Hemingsen
	2100	69	Hemingsen
	2400	69	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	70	WILKINS
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	74	QUIJAS
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	70	Brown

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	Brown
	0600	66	QUIJAS
	0900	~~73~~	QUIJAS
	1200	75	QUIJAS
	1500	75	QUIJAS
	1800	76	QUIJAS
	2100	75	QUIJAS
	2400	75	Brown

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	73	Brown
	0600	70	QUIJAS
	0900	73	QUIJAS
	1200	75	QUIJAS
	1500	77	VANG
	1800	78	VANG
	2100	78	VANG
	2400	73	Brown

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	70	Brown
	0600	63	QUIJAS
	0900	75	QUIJAS
	1200	77	QUIJAS
	1500	77	J. Hernandez
	1800	79	J. Hernandez
	2100	76	J. Hernandez
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	69	Mendoza
	0600	67	D. ARREZOLA
	0900	67	D. ARREZOLA
	1200	69	D. ARREZOLA
	1500	70	Hemingsen
	1800	69	Hemingsen
	2100	67	Hemingsen
	2400	68	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	69	Mendoza
	0600	69	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	72	Hemingsen
	1800	70	Hemingsen
	2100	68	Hemingsen
	2400	69	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	68	WILKINS
	0600	68	Hemingsen
	0900	70	Hemingsen
	1200	71	Hemingsen
	1500	71	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	69	WILKINS
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	72	Hemingsen
	2400	71	Gabb

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	Gabb
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	76	QUIJAS
	1500	77	QUIJAS
	1800	77	QUIJAS
	2100	78	QUIJAS
	2400	76	Gabb

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	76	Gabb
	0600	75	QUIJAS
	0900	77	QUIJAS
	1200	75	QUIJAS
	1500	76	QUIJAS
	1800	76	VANG
	2100	76	VANG
	2400	76	Gabb

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	73	Gabb
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	76	QUIJAS
	1500	77	J. Hernandez
	1800	78	J. Hernandez
	2100	77	J. Hernandez
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	70	Mendoza
	0600	68	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	71	Hemingsen
	1800	69	Hemingsen
	2100	68	Hemingsen
	2400	70	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	68	Mendoza
	0600	66	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	71	Hemingsen
	1800	69	Hemingsen
	2100	67	Hemingsen
	2400	70	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69	WILKINS
	0600	69	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	73	Hemingsen
	1800	75	Hemingsen
	2100	72	Hemingsen
	2400	71	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	69	WILKINS
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	72	QUIJAS
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	71	Gaw

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	Gaw
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	76	QUIJAS
	1800	76	QUIJAS
	2100	75	QUIJAS
	2400	75	Gaw

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	72	Gaw
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	76	VANG
	1800	78	VANG
	2100	77	VANG
	2400	76	Gaw

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	73	Gaw
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	75	J. Hernandez
	1800	78	J. Hernandez
	2100	77	J. Hernandez
	2400	75	MENDOZA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	68	Mendoza
	0600	67	D. ARREZOLA
	0900	66	D. ARREZOLA
	1200	69	D. ARREZOLA
	1500	71	Hemingsen
	1800	70	Hemingsen
	2100	68	Hemingsen
	2400	69	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	70	Mendoza
	0600	68	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	72	Hemingsen
	1800	70	Hemingsen
	2100	69	Hemingsen
	2400	69	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69	WILKINS
	0600	70	Hemingsen
	0900	71	Hemingsen
	1200	72	Hemingsen
	1500	72	Hemingsen
	1800	74	Hemingsen
	2100	71	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	70	WILKINS
	0600	71	QUIJAS
	0900	73	QUIJAS
	1200	75	QUIJAS
	1500	77	Hemingsen
	1800	75	Hemingsen
	2100	72	Hemingsen
	2400	70	Gaber

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	76	Gaber
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	81	QUIJAS
	1800	80	QUIJAS
	2100	75	QUIJAS
	2400	75	Gaber

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	73	Gaber
	0600	75	QUIJAS
	0900	76	QUIJAS
	1200	75.8	QUIJAS
	1500	76	VANG
	1800	77	VANG
	2100	77	VANG
	2400	75	Gaber

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	79	Gaber
	0600	75	QUIJAS
	0900	77	QUIJAS
	1200	77	QUIJAS
	1500	73	J. Hernandez
	1800	73	J. Hernandez
	2100	73	J. Hernandez
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	67	Mendoza
	0600	67	D. ARREZOLA
	0900	67	D. ARREZOLA
	1200	69	D. ARREZOLA
	1500	71	Hemingsen
	1800	69	Hemingsen
	2100	68	Hemingsen
	2400	72	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	71	Mendoza
	0600	70	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	72	Hemingsen
	1800	69	Hemingsen
	2100	67	Hemingsen
	2400	68	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69	WILKINS
	0600	70	Hemingsen
	0900	71	Hemingsen
	1200	71	Hemingsen
	1500	71	Hemingsen
	1800	72	Hemingsen
	2100	70	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	69	WILKINS
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	72	QUIJAS
	1500	74	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	Gomez

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	69	Gomez
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	73	QUIJAS
	1500	70	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	71	Gomez

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	70	Gomez
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	70	QUIJAS
	1800	74	VANG
	2100	73	VANG
	2400	73	Gomez

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	70	Gomez
	0600	70	QUIJAS
	0900	68	QUIJAS
	1200	72	QUIJAS
	1500	79	J. Hernandez
	1800	79	J. Hernandez
	2100	78	J. Hernandez
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	70	Mendoza
	0600	69	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	72	Hemingsen
	1800	70	Hemingsen
	2100	68	Hemingsen
	2400	71	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	70	Mendoza
	0600	68	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	73	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	70	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69	WILKINS
	0600	70	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	73	Hemingsen
	1800	74	Hemingsen
	2100	71	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	70	WILKINS
	0600	71	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	71	Goer

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	Goer
	0600	71	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	79	QUIJAS
	1800	79	QUIJAS
	2100	79	QUIJAS
	2400	77	Goer

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	73	Goer
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	78	QUIJAS
	1500	79	VANG
	1800	79	VANG
	2100	78	VANG
	2400	78	Goer

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	74	Goer
	0600	73	QUIJAS
	0900	74.5	QUIJAS
	1200	77	QUIJAS
	1500	79	J. Hernandez
	1800	79	J. Hernandez
	2100	78	J. Hernandez
	2400	73	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

NOTES

UNIT CLOSED

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	69	Mendoza
	0600	65	D. ARREZOLA
	0900	67	D. ARREZOLA
	1200	69	D. ARREZOLA
	1500	70	Hemingsen
	1800	70	Hemingsen
	2100	69	Hemingsen
	2400	68	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	69	Mendoza
	0600	67	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	71	Hemingsen
	1800	70	Hemingsen
	2100	69	Hemingsen
	2400	69	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	68	WILKINS
	0600	69	Hemingsen
	0900	71	Hemingsen
	1200	72	Hemingsen
	1500	72	Hemingsen
	1800	74	Hemingsen
	2100	71	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	69	WILKINS
	0600	71	QUIJAS
	0900	71	QUIJAS
	1200	74	QUIJAS
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	73	Hemingsen
	2400	69.7	Fowler

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	67	Fowler
	0600	71	QUIJAS
	0900	71	QUIJAS
	1200	74	QUIJAS
	1500	70	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	70.5	Fowler

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	69	Fowler
	0600	71	QUIJAS
	0900	72	QUIJAS
	1200	71	QUIJAS
	1500	72.5	VANG
	1800	73	VANG
	2100	72	VANG
	2400	71	Fowler

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	70	Fowler
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	72	QUIJAS
	1500	74	J. Hernandez
	1800	74	J. Hernandez
	2100	74	J. Hernandez
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-3** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	68	Mendoza
	0600	66	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	69	D. ARREZOLA
	1500	71	Hemingsen
	1800	70	Hemingsen
	2100	69	Hemingsen
	2400	68	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	66	Mendoza
	0600	69	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	72	Hemingsen
	1800	70	Hemingsen
	2100	68	Hemingsen
	2400	70	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69	WILKINS
	0600	69	Hemingsen
	0900	71	Hemingsen
	1200	72	Hemingsen
	1500	72	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	68	WILKINS
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	75	QUIJAS
	1500	77	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	72	Goor

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	Goor
	0600	71	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	74	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	73	Goor

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	71	Goor
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	70	VANG
	1800	72	VANG
	2100	71	VANG
	2400	70	Goor

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	69	Goor
	0600	71	QUIJAS
	0900	71	QUIJAS
	1200	73	QUIJAS
	1500	75	J. Hernandez
	1800	75	J. Hernandez
	2100	72	J. Hernandez
	2400	75	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	67	Mendoza
	0600	64	D. ARREZOLA
	0900	66	D. ARREZOLA
	1200	69	D. ARREZOLA
	1500	70	Hemingsen
	1800	71	Hemingsen
	2100	70	Hemingsen
	2400	71	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	71	Mendoza
	0600	69	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	69	D. ARREZOLA
	1500	71	Hemingsen
	1800	69	Hemingsen
	2100	68	Hemingsen
	2400	68	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69	WILKINS
	0600	70	Hemingsen
	0900	70	Hemingsen
	1200	71	Hemingsen
	1500	71	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	70	WILKINS
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	74	QUIJAS
	1500	77	Hemingsen
	1800	77	Hemingsen
	2100	71	Hemingsen
	2400	69	Boer

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	68	Boer
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	73	QUIJAS
	1500	71	QUIJAS
	1800	70	QUIJAS
	2100	71	QUIJAS
	2400	70	Boer

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	69.9	Boer
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	72	QUIJAS
	1500	71	VANG
	1800	72	VANG
	2100	72	VANG
	2400	69	Boer

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	66	Boer
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	71	QUIJAS
	1500	73	J. Hernandez
	1800	73	J. Hernandez
	2100	70	J. Hernandez
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	66	Mendoza
	0600	65	D. ARREZOLA
	0900	67	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	70	Hemingsen
	1800	70	Hemingsen
	2100	69	Hemingsen
	2400	69	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	69	Mendoza
	0600	70	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	71	Hemingsen
	1800	69	Hemingsen
	2100	67	Hemingsen
	2400	67	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69	WILKINS
	0600	69	Hemingsen
	0900	70	Hemingsen
	1200	72	Hemingsen
	1500	72	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	71	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	69	WILKINS
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	71	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	[illegible]
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	73	QUIJAS
	1800	72	QUIJAS
	2100	72	QUIJAS
	2400	70	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	70	[illegible]
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	71	QUIJAS
	1500	72	VANG
	1800	78	VANG
	2100	77	VANG
	2400	70	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	69	[illegible]
	0600	72	QUIJAS
	0900	76	QUIJAS
	1200	73	QUIJAS
	1500	75	J. Hernandez
	1800	75	J. Hernandez
	2100	74	J. Hernandez
	2400	71	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	64	Mendoza
	0600	60	D. ARREZOLA
	0900	64	D. ARREZOLA
	1200	64	D. ARREZOLA
	1500	66	Hemingsen
	1800	65	Hemingsen
	2100	65	Hemingsen
	2400	69	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	68	Mendoza
	0600	66	D. ARREZOLA
	0900	65	D. ARREZOLA
	1200	69	D. ARREZOLA
	1500	70	Hemingsen
	1800	68	Hemingsen
	2100	67	Hemingsen
	2400	67	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	66	WILKINS
	0600	66	Hemingsen
	0900	68	Hemingsen
	1200	69	Hemingsen
	1500	69	Hemingsen
	1800	72	Hemingsen
	2100	69	Hemingsen
	2400	69	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	68	WILKINS
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	77	QUIJAS
	1500	79	Hemingsen
	1800	77	Hemingsen
	2100	74	Hemingsen
	2400	73	Brady

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	72	Brady
	0600	71	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	76.3	QUIJAS
	1800	76	QUIJAS
	2100	76	QUIJAS
	2400	74	Brady

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	72	Brady
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	75	QUIJAS
	1500	78	VANG
	1800	80	VANG
	2100	78	VANG
	2400	74	Brady

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	72	Brady
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	74	QUIJAS
	1500	77	J. Hernandez
	1800	76	J. Hernandez
	2100	78	J. Hernandez
	2400	74	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	65	Mendoza
	0600	66	D. ARREZOLA
	0900	64	D. ARREZOLA
	1200	64	D. ARREZOLA
	1500	65	Hemingsen
	1800	65	Hemingsen
	2100	64	Hemingsen
	2400	69	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	70	Mendoza
	0600	66	D. ARREZOLA
	0900	64	D. ARREZOLA
	1200	68	D. ARREZOLA
	1500	70	Hemingsen
	1800	67	Hemingsen
	2100	66	Hemingsen
	2400	66	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	67	WILKINS
	0600	67	Hemingsen
	0900	68	Hemingsen
	1200	70	Hemingsen
	1500	70	Hemingsen
	1800	73	Hemingsen
	2100	70	Hemingsen
	2400	69	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	67	WILKINS
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	78	QUIJAS
	1500	79	Hemingsen
	1800	77	Hemingsen
	2100	73	Hemingsen
	2400	74	Baker

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	71	Baker
	0600	71	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	76	QUIJAS
	1800	76	QUIJAS
	2100	75	QUIJAS
	2400	75	Baker

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	73	Baker
	0600	69	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	76	VANG
	1800	79	VANG
	2100	78	VANG
	2400	74	Baker

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	74	Baker
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	73	QUIJAS
	1500	76	J. Hernandez
	1800	77	J. Hernandez
	2100	77	J. Hernandez
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	67	Mendoza
	0600	71	D. ARREZOLA
	0900	65	D. ARREZOLA
	1200	66	D. ARREZOLA
	1500	67	Hemingsen
	1800	65	Hemingsen
	2100	64	Hemingsen
	2400	70	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	70	Mendoza
	0600	65	D. ARREZOLA
	0900	66	D. ARREZOLA
	1200	69	D. ARREZOLA
	1500	70	Hemingsen
	1800	68	Hemingsen
	2100	67	Hemingsen
	2400	68	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	68	WILKINS
	0600	69	Hemingsen
	0900	69	Hemingsen
	1200	71	Hemingsen
	1500	71	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	69	WILKINS
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	74	QUIJAS
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	74	Gomez

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	Gomez
	0600	75	QUIJAS
	0900	75	QUIJAS
	1200	77	QUIJAS
	1500	79	QUIJAS
	1800	79	QUIJAS
	2100	80	QUIJAS
	2400	78	Gomez

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	74	Gomez
	0600	75	QUIJAS
	0900	76	QUIJAS
	1200	77	QUIJAS
	1500	77	VANG
	1800	77	VANG
	2100	76	VANG
	2400	80	Gomez

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	75	Gomez
	0600	75	QUIJAS
	0900	77	QUIJAS
	1200	78	QUIJAS
	1500	80	J. Hernandez
	1800	82	J. Hernandez
	2100	81	J. Hernandez
	2400	79	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	68	Mendoza
	0600	65	D. ARREOLA
	0900	68	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	73	Hemingsen
	1800	72	Hemingsen
	2100	71	Hemingsen
	2400	68	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	69	Mendoza
	0600	66	D. ARREZOLA
	0900	68	D. ARREOLA
	1200	73	D. ARREZOLA
	1500	74	Hemingsen
	1800	72	Hemingsen
	2100	70	Hemingsen
	2400	69	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	68	WILKINS
	0600	68	Hemingsen
	0900	70	Hemingsen
	1200	71	Hemingsen
	1500	71	Hemingsen
	1800	72	Hemingsen
	2100	69	Hemingsen
	2400	68	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	69	WILKINS
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	76	QUIJAS
	1500	78	Hemingsen
	1800	76	Hemingsen
	2100	73	Hemingsen
	2400	73	brw

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	71	brw
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	76	QUIJAS
	2400	76	brw

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	73	brw
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	77	QUIJAS
	1500	79	VANG
	1800	80	VANG
	2100	78	VANG
	2400	77	brw

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	70	brw
	0600	71	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	77	J. Hernandez
	1800	76	J. Hernandez
	2100	75	J. Hernandez
	2400	76	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	68	Mendoza
	0600	66	D. ARREZOLA
	0900	65	D. ARREZOLA
	1200	76	D. ARREZOLA
	1500	72	Hemingsen
	1800	70	Hemingsen
	2100	70	Hemingsen
	2400	69	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	68	Mendoza
	0600	67	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	74	D. ARREZOLA
	1500	75	Hemingsen
	1800	72	Hemingsen
	2100	70	Hemingsen
	2400	70	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69	WILKINS
	0600	69	Hemingsen
	0900	70	Hemingsen
	1200	71	Hemingsen
	1500	71	Hemingsen
	1800	73	Hemingsen
	2100	70	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	69	WILKINS
	0600	71	QUIJAS
	0900	73	QUIJAS
	1200	75	QUIJAS
	1500	77	Hemingsen
	1800	75	Hemingsen
	2100	72	Hemingsen
	2400	77	Gower

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	Gower
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	75	QUIJAS
	1800	75	QUIJAS
	2100	76	QUIJAS
	2400	74	Gower

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	77	Gower
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	75	QUIJAS
	1500	78	VANG
	1800	85	VANG
	2100	79	VANG
	2400	80	Gower

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	76	Gower
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	77	J. Hernandez
	1800	76	J. Hernandez
	2100	75	J. Hernandez
	2400	75	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	69	Mendoza
	0600	69	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	73	Hemingsen
	1800	70	Hemingsen
	2100	69	Hemingsen
	2400	69	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	69	Mendoza
	0600	67	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	70	Hemingsen
	2400	70	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69	WILKINS
	0600	70	Hemingsen
	0900	71	Hemingsen
	1200	72	Hemingsen
	1500	72	Hemingsen
	1800	74	Hemingsen
	2100	71	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	69	WILKINS
	0600	70	QUIJAS
	0900	73	QUIJAS
	1200	75	QUIJAS
	1500	77	Hemingsen
	1800	75	Hemingsen
	2100	72	Hemingsen
	2400	72	Gaber

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	Gaber
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	76	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	73	Gaber

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	71	Gaber
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	82	QUIJAS
	1500	82	VANG
	1800	81	VANG
	2100	80	VANG
	2400	75	Gaber

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	73	Gaber
	0600	71	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	77	J. Hernandez
	1800	76	J. Hernandez
	2100	75.	J. Hernandez
	2400	75	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/6/2024	0300	68	Mendoza
	0600	67	D. ARREZOLA
	0900	67	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	71	Hemingsen
	1800	69	Hemingsen
	2100	68	Hemingsen
	2400	70	Mendoza

TUESDAY

Date	Time	Temp.	Name (Print)
5/7/2024	0300	69	Mendoza
	0600	68	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	75	D. ARREZOLA
	1500	76	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/8/2024	0300	70	WILKINS
	0600	71	Hemingsen
	0900	71	Hemingsen
	1200	72	Hemingsen
	1500	72	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/9/2024	0300	69	WILKINS
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	76	QUIJAS
	1500	78	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	74	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/10/2024	0300	71	[illegible]
	0600	71	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	76	QUIJAS
	1800	76	QUIJAS
	2100	76	QUIJAS
	2400	74	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
5/11/2024	0300	72	[illegible]
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	76	QUIJAS
	1500	82	VANG
	1800	83	VANG
	2100	81	VANG
	2400	81	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
5/12/2024	0300	75	[illegible]
	0600	71	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	77	J. Hernandez
	1800	76	J. Hernandez
	2100	75	J. Hernandez
	2400	80	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STAGE I, II, or III HOURLY INSIDE TEMP LOG **ATTACHMENT C**

Date: 5/11/24 STAGE: (circle one) I II III Stage Activation Time: 1506 Stage Deactivation Time: 1800

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	RANCH	T-WING	U-WING	V-WING	Y-DORM
0001																							
0100																							
0200																							
0300																							
0400																							
0500																							
0600																							
0700																							
0800																							
0900																							
1000																							
1100																							
1200																							
1300																							
1400																							
1500	C	77	79	74	77	76	76	76	73	79	C	72.5	70	71	72	78	76	77	C	79	78	81	82
1600	L	78	80	74	78	76	77	77	73	80	L	73	70	71	72	79	77	77	L	81	81	82	83
1700	O	78	81	75	78	77	78	77	74	80	O	73	71	72	72	79	78	78	O	81	82	82	83
1800	S	77	81	75	78	76	78	77	74	79	S	72.5	72	72	73	80	79	77	S	80	85	81	83
1900	E										E								E				
2000	D										D								D				
2100																							
2200																							
2300																							

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Mon 05/13/2024	0100	61	Mendoza
	0200	60	Mendoza
	0300	57	Mendoza
	0400	56	Mendoza
	0500	54	Mendoza
	0600	55	D.ARREZOLA
	0700	57	D.ARREZOLA
	0800	59	D.ARREZOLA
	0900	62	D.ARREZOLA
	1000	64	D.ARREZOLA
	1100	68	D.ARREZOLA
	1200	70	D.ARREZOLA
	1300	73	D.ARREZOLA
	1400	78	Hemingsen
	1500	80	Hemingsen
	1600	79	Hemingsen
	1700	76	Hemingsen
	1800	73	Hemingsen
	1900	71	Hemingsen
	2000	70	Hemingsen
	2100	68	Hemingsen
	2200	67	SYPRASEUTH
	2300	64	SYPRASEUTH
	2400	63	SYPRASEUTH

DATE	TIME	TEMP.	PRINTED NAME
Tue 05/14/2024	0100	58	SYPRASEUTH
	0200	57	SYPRASEUTH
	0300	55	SYPRASEUTH
	0400	55	SYPRASEUTH
	0500	54	SYPRASEUTH
	0600	55	D.ARREZOLA
	0700	56	D.ARREZOLA
	0800	58	D.ARREZOLA
	0900	62	D.ARREZOLA
	1000	64	D.ARREZOLA
	1100	68	D.ARREZOLA
	1200	72	D.ARREZOLA
	1300	75	D.ARREZOLA
	1400	82	J.Lee
	1500	84	J.Lee
	1600	84	J.Lee
	1700	85	J.Lee
	1800	81	J.Lee
	1900	79	J.Lee
	2000	76	J.Lee
	2100	67	J.Lee
	2200	66	WILKINS
	2300	64	WILKINS
	2400	62	WILKINS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 05/15/2024	0100	59	WILKINS
	0200	57	WILKINS
	0300	56	WILKINS
	0400	56	WILKINS
	0500	56	WILKINS
	0600	57	Hemingsen
	0700	58	Hemingsen
	0800	60	Hemingsen
	0900	63	Hemingsen
	1000	67	Hemingsen
	1100	71	Hemingsen
	1200	74	Hemingsen
	1300	78	Hemingsen
	1400	83	Hemingsen
	1500	85	Hemingsen
	1600	86	Hemingsen
	1700	87	Hemingsen
	1800	85	Hemingsen
	1900	80	Hemingsen
	2000	77	Hemingsen
	2100	76	Hemingsen
	2200	73	WILKINS
	2300	70	WILKINS
	2400	67	WILKINS

DATE	TIME	TEMP.	PRINTED NAME
Thu 05/16/2024	0100	63	WILKINS
	0200	60	WILKINS
	0300	58	WILKINS
	0400	58	WILKINS
	0500	58	WILKINS
	0600	56	QUIJAS
	0700	58	QUIJAS
	0800	59	QUIJAS
	0900	61	QUIJAS
	1000	62	QUIJAS
	1100	64	QUIJAS
	1200	69	QUIJAS
	1300	70	QUIJAS
	1400	73	J. Lee
	1500	73	J. Lee
	1600	75	J. Lee
	1700	74	J. Lee
	1800	70	J. Lee
	1900	70	J. Lee
	2000	68	J. Lee
	2100	66	J. Lee
	2200	66	[illegible]
	2300	66	[illegible]
	2400	65	[illegible]

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Fri 05/17/2024	0100	55	Gomez
	0200	55	Gomez
	0300	53	Gomez
	0400	53	Gomez
	0500	52	Gomez
	0600	51	QUIJAS
	0700	53	QUIJAS
	0800	55	QUIJAS
	0900	56	QUIJAS
	1000	60	QUIJAS
	1100	64	QUIJAS
	1200	68	QUIJAS
	1300	68	QUIJAS
	1400	75	QUIJAS
	1500	79	QUIJAS
	1600	78	QUIJAS
	1700	75	QUIJAS
	1800	73	QUIJAS
	1900	70	QUIJAS
	2000	69	QUIJAS
	2100	67	QUIJAS
	2200	67	Gomez
	2300	65	Gomez
	2400	65	Gomez

DATE	TIME	TEMP.	PRINTED NAME
Sat 05/18/2024	0100	62	Gomez
	0200	56	Gomez
	0300	58	Gomez
	0400	55	Gomez
	0500	53	Gomez
	0600	54	QUIJAS
	0700	55	QUIJAS
	0800	57	QUIJAS
	0900	58	QUIJAS
	1000	60	QUIJAS
	1100	63	QUIJAS
	1200	65	QUIJAS
	1300	66	QUIJAS
	1400	66	QUIJAS
	1500	74	SAELEE
	1600	74	SAELEE
	1700	72	SAELEE
	1800	68	SAELEE
	1900	66	SAELEE
	2000	66	SAELEE
	2100	64	Saelee
	2200	65	Gomez
	2300	63	Gomez
	2400	63	Gomez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Sun 05/19/2024	0100	53	Gamber
	0200	53	Gamber
	0300	50	Gamber
	0400	50	Gamber
	0500	51	Gamber
	0600	55	QUIJAS
	0700	58	QUIJAS
	0800	64	QUIJAS
	0900	55	QUIJAS
	1000	59	QUIJAS
	1100	62	QUIJAS
	1200	64	QUIJAS
	1300	69	QUIJAS
	1400	73	Saelee
	1500	75	Saelee
	1600	78	Saelee
	1700	77	Saelee
	1800	75	Saelee
	1900	72	Saelee
	2000	68	Saelee
	2100	65	Saelee
	2200	64	Mendoza
	2300	62	Mendoza
	2400	57	Mendoza

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300		
	0600		
	0900		Closed
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300		
	0600		
	0900		Closed
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300		
	0600		
	0900		CLOSED
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300		
	0600		
	0900		CLOSED
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300		
	0600		
	0900		CLOSED
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300		
	0600		
	0900		CLOSED
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300		
	0600		
	0900		CLOSED
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-1** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	76	Mendoza
	0600	70	D. ARREZOLA
	0900	75	D. ARREZOLA
	1200	76	D. ARREZOLA
	1500	77	Hemingsen
	1800	77	Hemingsen
	2100	75	Hemingsen
	2400	76	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	72	SYPRASEUTH
	0600	70	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	75	J. Lee
	1800	76	J. Lee
	2100	73	J. Lee
	2400	72	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	72	WILKINS
	0600	70	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	76	Hemingsen
	1800	78	Hemingsen
	2100	75	Hemingsen
	2400	73	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	72	WILKINS
	0600	71	QUIJAS
	0900	71	QUIJAS
	1200	72	QUIJAS
	1500	73	J. Lee
	1800	71	J. Lee
	2100	71	J. Lee
	2400	70	Grover

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	64	Grover
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	71	QUIJAS
	1500	74	QUIJAS
	1800	74	QUIJAS
	2100	74	QUIJAS
	2400	73	Grover

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	71	Grover
	0600	73	QUIJAS
	0900	70	QUIJAS
	1200	71	QUIJAS
	1500	73	Saelee
	1800	73	Saelee
	2100	72	Saelee
	2400	71	Grover

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	69	Grover
	0600	70	QUIJAS
	0900	73	QUIJAS
	1200	70	QUIJAS
	1500	73	Saelee
	1800	73	Saelee
	2100	72	Saelee
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	74	Mendoza
	0600	72	D. ARREOLA
	0900	73	D. ARREOLA
	1200	76	D. ARREOLA
	1500	79	Hemingsen
	1800	80	Hemingsen
	2100	78	Hemingsen
	2400	79	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	76	SYPRASEUTH
	0600	72	D. ARREOLA
	0900	74	D. ARREOLA
	1200	78	D. ARREOLA
	1500	78	J. Lee
	1800	80	J. Lee
	2100	76	J. Lee
	2400	74	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	73	WILKINS
	0600	72	Hemingsen
	0900	73	Hemingsen
	1200	75	Hemingsen
	1500	78	Hemingsen
	1800	80	Hemingsen
	2100	77	Hemingsen
	2400	75	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	74	WILKINS
	0600	79	QUIJAS
	0900	79	QUIJAS
	1200	79	QUIJAS
	1500	80	J. Lee
	1800	74	J. Lee
	2100	72	J. Lee
	2400	71	Gold

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	68	Gold
	0600	69	QUIJAS
	0900	77	QUIJAS
	1200	76	QUIJAS
	1500	77	QUIJAS
	1800	77	QUIJAS
	2100	77	QUIJAS
	2400	76	Gold

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	74	Gold
	0600	74	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	74	Saelee
	1800	74	Saelee
	2100	73	Saelee
	2400	72	Gold

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	70	Gold
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	72	QUIJAS
	1500	74	Saelee
	1800	74	Saelee
	2100	73	Saelee
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-1** Temp. Reading Location: **137**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	70	Mendoza
	0600	71	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	74	D. ARREZOLA
	1500	75	Hemingsen
	1800	75	Hemingsen
	2100	74	Hemingsen
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	67	SYPRASEUTH
	0600	73	D. ARREZOLA
	0900	73	D. ARREZOLA
	1200	74	D. ARREZOLA
	1500	76	S. Lee
	1800	72	S. Lee
	2100	70	S. Lee
	2400	70	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	69	WILKINS
	0600	73	Hemingsen
	0900	75	Hemingsen
	1200	76	Hemingsen
	1500	79	Hemingsen
	1800	80	Hemingsen
	2100	77	Hemingsen
	2400	75	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	73	WILKINS
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	70	QUIJAS
	1500	72	S. Lee
	1800	72	S. Lee
	2100	71	S. Lee
	2400	70	Goler

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	69	Goler
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	70	QUIJAS
	1800	71	QUIJAS
	2100	73	QUIJAS
	2400	72	Goler

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	70	Goler
	0600	74	QUIJAS
	0900	78	QUIJAS
	1200	73	QUIJAS
	1500	75	Saelee
	1800	74	Saelee
	2100	73	Saelee
	2400	72	Goler

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	70	Goler
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	71	QUIJAS
	1500	72	Saelee
	1800	73	Saelee
	2100	72	Saelee
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	72	Mendoza
	0600	73	D. ARREZOLA
	0900	73	D. ARREZOLA
	1200	75	D. ARREZOLA
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	73	Hemingsen
	2400	71	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	68	SYPRASEUTH
	0600	72	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	75	J. Lee
	1800	76	J. Lee
	2100	73	J. Lee
	2400	72	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	71	WILKINS
	0600	72	Hemingsen
	0900	73	Hemingsen
	1200	75	Hemingsen
	1500	78	Hemingsen
	1800	81	Hemingsen
	2100	77	Hemingsen
	2400	75	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	72	WILKINS
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	74	J. Lee
	1800	72	J. Lee
	2100	72	J. Lee
	2400	70	Gonzalez

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	67	Gonzalez
	0600	68	QUIJAS
	0900	68	QUIJAS
	1200	70	QUIJAS
	1500	72	QUIJAS
	1800	73	QUIJAS
	2100	74	QUIJAS
	2400	72	Gonzalez

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	70	Gonzalez
	0600	74	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	76	Saetee
	1800	75	Saetee
	2100	73	Saetee
	2400	71	Gonzalez

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	69	Gonzalez
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	70	QUIJAS
	1500	73	Saetee
	1800	74	Saetee
	2100	73	Saetee
	2400	71	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	72	Mendoza
	0600	70	D. ARREOLA
	0900	71	D. ARREOLA
	1200	71	D. ARREOLA
	1500	73	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	75	SYPRASEUTH
	0600	71	D. ARREOLA
	0900	73	D. ARREOLA
	1200	73	D. ARREOLA
	1500	75	J. Lee
	1800	75	J. Lee
	2100	76	J. Lee
	2400	73	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	72	WILKINS
	0600	70	Hemingsen
	0900	72	Hemingsen
	1200	75	Hemingsen
	1500	76	Hemingsen
	1800	79	Hemingsen
	2100	78	Hemingsen
	2400	76	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	73	WILKINS
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	74	J. Lee
	1800	72	J. Lee
	2100	72	J. Lee
	2400	71	Gover

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	68	Gover
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	72	Gover

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	70	Gover
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	73	Saelee
	1800	73	Saelee
	2100	72	Saelee
	2400	70	Gover

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	68	Gover
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	74	QUIJAS
	1500	75	Saelee
	1800	75	Saelee
	2100	73	Saelee
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	75	Mendoza
	0600	72	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	73	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	73	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	70	SYPRASEUTH
	0600	68	D. ARREZOLA
	0900	73	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	73	J. Lee
	1800	73	J. Lee
	2100	74	J. Lee
	2400	73	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	71	WILKINS
	0600	69	Hemingsen
	0900	71	Hemingsen
	1200	74	Hemingsen
	1500	77	Hemingsen
	1800	79	Hemingsen
	2100	76	Hemingsen
	2400	73	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	72	WILKINS
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	74	J. Lee
	1800	72	J. Lee
	2100	71	J. Lee
	2400	70	Gobr

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	69	Gobr
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	71	QUIJAS
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	72	QUIJAS
	2400	71	Gobr

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	70	Gobr
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	71	QUIJAS
	1500	72	Saelee
	1800	72	Saelee
	2100	72	Saelee
	2400	70	Gobr

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	69	Gobr
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	69	QUIJAS
	1500	71	Saelee
	1800	72	Saelee
	2100	71	Saelee
	2400	68	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	70	Mendoza
	0600	70	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	74	Hemingsen
	1800	73	Hemingsen
	2100	72	Hemingsen
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	74	SYPRASEUTH
	0600	70	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	77	J. Lee
	1800	81	J. Lee
	2100	78	J. Lee
	2400	75	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	73	WILKINS
	0600	70	Hemingsen
	0900	71	Hemingsen
	1200	72	Hemingsen
	1500	76	Hemingsen
	1800	79	Hemingsen
	2100	77	Hemingsen
	2400	75	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	73	WILKINS
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	76	J. Lee
	1800	73	J. Lee
	2100	71	J. Lee
	2400	70	Goer

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	68	Goer
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	73	QUIJAS
	1500	73	QUIJAS
	1800	74	QUIJAS
	2100	74	QUIJAS
	2400	72	Goer

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	70	Goer
	0600	71	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	73	Saelee
	1800	73	Saelee
	2100	72	Saelee
	2400	70	Goer

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	69	Goer
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	75	Saelee
	1800	75	Saelee
	2100	74	Saelee
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	72	Mendoza
	0600	71	D. ARREZOLA
	0900	71	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	75	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	70	SYPRASEUTH
	0600	70	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	72	J. Lee
	1800	72	J. Lee
	2100	71	J. Lee
	2400	71	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	70	WILKINS
	0600	71	Hemingsen
	0900	72	Hemingsen
	1200	75	Hemingsen
	1500	78	Hemingsen
	1800	80	Hemingsen
	2100	76	Hemingsen
	2400	74	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	72	WILKINS
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	70	QUIJAS
	1500	72	J. Lee
	1800	71	J. Lee
	2100	71	J. Lee
	2400	70	Grber

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	68	Grber
	0600	67	QUIJAS
	0900	68	QUIJAS
	1200	69	QUIJAS
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	72	QUIJAS
	2400	71	Grber

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	69	Grber
	0600	65	QUIJAS
	0900	66	QUIJAS
	1200	68	QUIJAS
	1500	72	Saelee
	1800	73	Saelee
	2100	73	Saelee
	2400	71	Grber

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	68	Grber
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	68	QUIJAS
	1500	72	Saelee
	1800	73	Saelee
	2100	71	Saelee
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	73	Mendoza
	0600	71	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	74	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	71	SYPRASEUTH
	0600	69	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	77	J. Lee
	1800	76	J. Lee
	2100	72	J. Lee
	2400	72	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	71	WILKINS
	0600	70	Hemingsen
	0900	71	Hemingsen
	1200	74	Hemingsen
	1500	76	Hemingsen
	1800	78	Hemingsen
	2100	75	Hemingsen
	2400	73	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	71	WILKINS
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	75	QUIJAS
	1500	76	J. Lee
	1800	72	J. Lee
	2100	70	J. Lee
	2400	69	Gabor

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	68	Gabor
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	72	QUIJAS
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	71	Gabor

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	69	Gabor
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	71	QUIJAS
	1500	72	Saelee
	1800	73	Saelee
	2100	73	Saelee
	2400	71	Gabor

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	69	Gabor
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	70	QUIJAS
	1500	72	Saelee
	1800	73	Saelee
	2100	72	Saelee
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300		
	0600		
	0900		Closed
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300		
	0600		
	0900		Closed
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300		
	0600		
	0900		
	1200		CLOSED
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300		
	0600		
	0900		
	1200		CLOSED
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300		
	0600		
	0900		
	1200		
	1500		CLOSED
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300		
	0600		
	0900		
	1200		
	1500		CLOSED
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300		
	0600		
	0900		
	1200		
	1500		CLOSED
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	69	Mendoza
	0600	70	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	72	Hemingsen
	1800	72	Hemingsen
	2100	71	Hemingsen
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	68	SYPRASEUTH
	0600	69	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	73	J. Lee
	1800	73	J. Lee
	2100	71	J. Lee
	2400	70	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	69	WILKINS
	0600	71	Hemingsen
	0900	73	Hemingsen
	1200	75	Hemingsen
	1500	79	Hemingsen
	1800	82	Hemingsen
	2100	79	Hemingsen
	2400	76	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	72	WILKINS
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	75	QUIJAS
	1500	77	J. Lee
	1800	74	J. Lee
	2100	73	J. Lee
	2400	71	Fowler

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	69	Fowler
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	71	QUIJAS
	1500	70	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	70	Fowler

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	66	Fowler
	0600	69	QUIJAS
	0900	69	QUIJAS
	1200	69	QUIJAS
	1500	71	Saelee
	1800	71	Saelee
	2100	71	Saelee
	2400	70	Fowler

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	68	Fowler
	0600	68	QUIJAS
	0900	68	QUIJAS
	1200	69	QUIJAS
	1500	72	Saelee
	1800	74	Saelee
	2100	74	Saelee
	2400	73	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-3** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	75	Mendoza
	0600	71	D. ARREZOLA
	0900	73	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	74	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	71	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	71	SYPRASEUTH
	0600	69	D. ARREZOLA
	0900	71	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	75	J. Lee
	1800	75	J. Lee
	2100	73	J. Lee
	2400	73	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	72	WILKINS
	0600	72	Hemingsen
	0900	74	Hemingsen
	1200	76	Hemingsen
	1500	80	Hemingsen
	1800	82	Hemingsen
	2100	78	Hemingsen
	2400	75	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	73	WILKINS
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	75	QUIJAS
	1500	77	J. Lee
	1800	74	J. Lee
	2100	73	J. Lee
	2400	71	Gonzalez

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	69	Gonzalez
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	72	QUIJAS
	2400	71	Gonzalez

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	70	Gonzalez
	0600	71	QUIJAS
	0900	71	QUIJAS
	1200	71	QUIJAS
	1500	72	Saelee
	1800	71	Saelee
	2100	71	Saelee
	2400	70	Gonzalez

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	69	Gonzalez
	0600	69	QUIJAS
	0900	69	QUIJAS
	1200	70	QUIJAS
	1500	73	Saelee
	1800	74	Saelee
	2100	74	Saelee
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	72	Mendoza
	0600	71	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	72	Hemingsen
	1800	72	Hemingsen
	2100	71	Hemingsen
	2400	71	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	70	SYPRASEUTH
	0600	70	D. ARREZOLA
	0900	71	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	74	J. Lee
	1800	74	J. Lee
	2100	71	J. Lee
	2400	72	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	70	WILKINS
	0600	72	Hemingsen
	0900	73	Hemingsen
	1200	75	Hemingsen
	1500	78	Hemingsen
	1800	80	Hemingsen
	2100	77	Hemingsen
	2400	75	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	72	WILKINS
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	73	QUIJAS
	1500	75	J. Lee
	1800	74	J. Lee
	2100	72	J. Lee
	2400	71	Gow

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	68	Gow
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	71	QUIJAS
	1500	71	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	69	Gow

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	68	Gow
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	71	Saelee
	1800	71	Saelee
	2100	71	Saelee
	2400	70	Gow

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	68	Gow
	0600	67	QUIJAS
	0900	68	QUIJAS
	1200	70	QUIJAS
	1500	72	Saelee
	1800	73	Saelee
	2100	72	Saelee
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	70	Mendoza
	0600	70	D. ARREZOLA
	0900	71	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	73	Hemingsen
	1800	72	Hemingsen
	2100	71	Hemingsen
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	67	SYPRASEUTH
	0600	71	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	73	J. Lee
	1800	73	J. Lee
	2100	71	J. Lee
	2400	70	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	69	WILKINS
	0600	73	Hemingsen
	0900	74	Hemingsen
	1200	76	Hemingsen
	1500	79	Hemingsen
	1800	83	Hemingsen
	2100	79	Hemingsen
	2400	76	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	72	WILKINS
	0600	71	QUIJAS
	0900	71	QUIJAS
	1200	76	QUIJAS
	1500	78	J. Lee
	1800	75	J. Lee
	2100	73	J. Lee
	2400	71	Gonzalez

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	69	Gonzalez
	0600	71	QUIJAS
	0900	71	QUIJAS
	1200	71	QUIJAS
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	72	QUIJAS
	2400	70	Gonzalez

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	69	Gonzalez
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	72	Saelee
	1800	72	Saelee
	2100	71	Saelee
	2400	70	Gonzalez

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	70	Gonzalez
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	72	QUIJAS
	1500	73	Saelee
	1800	74	Saelee
	2100	75	Saelee
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	73	Mendoza
	0600	68	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	74	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	71	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	70	SYPRASEUTH
	0600	68	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	77	J. Lee
	1800	78	J. Lee
	2100	74	J. Lee
	2400	72	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	72	WILKINS
	0600	68	Hemingsen
	0900	69	Hemingsen
	1200	72	Hemingsen
	1500	75	Hemingsen
	1800	78	Hemingsen
	2100	75	Hemingsen
	2400	72	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	70	WILKINS
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	72	QUIJAS
	1500	73	J. Lee
	1800	72	J. Lee
	2100	71	J. Lee
	2400	70	Gabr

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	68	Gabr
	0600	65	QUIJAS
	0900	66	QUIJAS
	1200	69	QUIJAS
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	74	QUIJAS
	2400	73	Gabr

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	70	Gabr
	0600	68	QUIJAS
	0900	68	QUIJAS
	1200	69	QUIJAS
	1500	73	Saelee
	1800	72	Saelee
	2100	71	Saelee
	2400	70	Gabr

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	69	Gabr
	0600	65	QUIJAS
	0900	67	QUIJAS
	1200	68	QUIJAS
	1500	71	Saelee
	1800	72	Saelee
	2100	72	Saelee
	2400	68	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	72	Mendoza
	0600	68	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	72	Hemingsen
	1800	71	Hemingsen
	2100	70	Hemingsen
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	69	SYPRASEUTH
	0600	68	D. ARREZOLA
	0900	68	D ARREZOLA
	1200	72	D. ARREZOLA
	1500	75	J. Lee
	1800	76	J. Lee
	2100	72	J. Lee
	2400	71	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	71	WILKINS
	0600	68	Hemingsen
	0900	68	Hemingsen
	1200	71	Hemingsen
	1500	74	Hemingsen
	1800	77	Hemingsen
	2100	75	Hemingsen
	2400	73	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	71	WILKINS
	0600	69	QUIJAS
	0900	69	QUIJAS
	1200	69	QUIJAS
	1500	73	J. Lee
	1800	72	J. Lee
	2100	71	J. Lee
	2400	70	Goer

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	68	Goer
	0600	65	QUIJAS
	0900	66	QUIJAS
	1200	69	QUIJAS
	1500	72	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	72	Goer

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	70	Goer
	0600	67	QUIJAS
	0900	68	QUIJAS
	1200	69	QUIJAS
	1500	72	Saelee
	1800	72	Saelee
	2100	71	Saelee
	2400	72	Goer

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	70	Goer
	0600	64	QUIJAS
	0900	66	QUIJAS
	1200	68	QUIJAS
	1500	71	Saelee
	1800	72	Saelee
	2100	71	Saelee
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	78	Mendoza
	0600	75	D. ARREDOLA
	0900	74	D. ARREDOLA
	1200	76	D. ARREDOLA
	1500	78	Hemingsen
	1800	78	Hemingsen
	2100	76	Hemingsen
	2400	79	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	74	SYPRASEUTH
	0600	73	D. ARREDOLA
	0900	75	D. ARREDOLA
	1200	76	D. ARREDOLA
	1500	78	J. Lee
	1800	79	J. Lee
	2100	74	J. Lee
	2400	73	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	72	WILKINS
	0600	72	Hemingsen
	0900	74	Hemingsen
	1200	76	Hemingsen
	1500	79	Hemingsen
	1800	81	Hemingsen
	2100	78	Hemingsen
	2400	75	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	72	WILKINS
	0600	75	QUIJAS
	0900	74	QUIJAS
	1200	75	QUIJAS
	1500	76	J. Lee
	1800	74	J. Lee
	2100	72	J. Lee
	2400	70	Gow

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	68	Gow
	0600	71	QUIJAS
	0900	71	QUIJAS
	1200	72	QUIJAS
	1500	74	QUIJAS
	1800	74	QUIJAS
	2100	74	QUIJAS
	2400	73	Gow

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	71	Gow
	0600	72	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	72	Saelee
	1800	73	Saelee
	2100	72	Saelee
	2400	71	Gow

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	69	Gow
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	69	QUIJAS
	1500	71	Saelee
	1800	73	Saelee
	2100	73	Saelee
	2400	74	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	75	Mendoza
	0600	73	D. ARREOLA
	0900	71	D. ARREOLA
	1200	74	D. ARREOLA
	1500	75	Hemingsen
	1800	74	Hemingsen
	2100	73	Hemingsen
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	72	SYPRASEUTH
	0600	70	D. ARREOLA
	0900	72	D. ARREOLA
	1200	74	D. ARREOLA
	1500	78	J. Lee
	1800	77	J. Lee
	2100	75	J. Lee
	2400	74	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	73	WILKINS
	0600	70	Hemingsen
	0900	72	Hemingsen
	1200	74	Hemingsen
	1500	77	Hemingsen
	1800	80	Hemingsen
	2100	77	Hemingsen
	2400	74	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	77	WILKINS
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	77	J. Lee
	1800	77	J. Lee
	2100	73	J. Lee
	2400	71	Foor

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	69	Foor
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	72	QUIJAS
	1800	73	QUIJAS
	2100	73	QUIJAS
	2400	72	Foor

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	71	Foor
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	77	Saelee
	1800	75	Saelee
	2100	74	Saelee
	2400	73	Foor

SUNDAY

Date	Time	Temp.	Name (Print)
/19/2024	0300	71	Foor
	0600	67	QUIJAS
	0900	69	QUIJAS
	1200	70	QUIJAS
	1500	72	Saelee
	1800	73	Saelee
	2100	73	Saelee
	2400	71	Mendoza

NOTES

_____

_____

_____

_____

_____

_____

_____

_____

_____

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	75	Mendoza
	0600	71	D. ARREOLA
	0900	71	D. ARREOLA
	1200	73	D. ARREOLA
	1500	74	Hemingsen
	1800	74	Hemingsen
	2100	73	Hemingsen
	2400	81	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	75	SYPRASEUTH
	0600	72	D. ARREOLA
	0900	73	D. ARREOLA
	1200	74	D. ARREOLA
	1500	77	J. Lee
	1800	76	J. Lee
	2100	75	J. Lee
	2400	74	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	73	WILKINS
	0600	72	Hemingsen
	0900	73	Hemingsen
	1200	75	Hemingsen
	1500	78	Hemingsen
	1800	81	Hemingsen
	2100	77	Hemingsen
	2400	73	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	73	WILKINS
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	76	J. Lee
	1800	77	J. Lee
	2100	74	J. Lee
	2400	73	Gabr

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	90	Gabr
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	74	QUIJAS
	2400	73	Gabr

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	73	Gabr
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	76	Saelee
	1800	75	Saelee
	2100	74	Saelee
	2400	73	Gabr

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	71	Gabr
	0600	66	QUIJAS
	0900	69	QUIJAS
	1200	70	QUIJAS
	1500	72	Saelee
	1800	73	Saelee
	2100	74	Saelee
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	74	Mendoza
	0600	72	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	74	D. ARREZOLA
	1500	75	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	79	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	76	SYPRASEUTH
	0600	71	D. ARREZOLA
	0900	73	D. ARREZOLA
	1200	75	D. ARREZOLA
	1500	78	J. Lee
	1800	77	J. Lee
	2100	76	J. Lee
	2400	74	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	73	WILKINS
	0600	71	Hemingsen
	0900	73	Hemingsen
	1200	75	Hemingsen
	1500	78	Hemingsen
	1800	82	Hemingsen
	2100	79	Hemingsen
	2400	76	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	75	WILKINS
	0600	70	QUIJAS
	0900	73	QUIJAS
	1200	74	J. Lee
	1500	74	J. Lee
	1800	74	J. Lee
	2100	72	J. Lee
	2400	70	both

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	70	both
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	74	QUIJAS
	1800	74	QUIJAS
	2100	74	QUIJAS
	2400	73	both

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	71	both
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	76	Saelee
	1800	74	Saelee
	2100	73	Saelee
	2400	72	both

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	71	both
	0600	67	QUIJAS
	0900	69	QUIJAS
	1200	71	QUIJAS
	1500	73	Saelee
	1800	74	Saelee
	2100	74	Saelee
	2400	71	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/13/2024	0300	78	Mendoza
	0600	74	D-ARREZOLA
	0900	73	D-ARREZOLA
	1200	75	D-ARREZOLA
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	74	Hemingsen
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/14/2024	0300	74	SYPRASEUTH
	0600	69	D ARREZOLA
	0900	72	D-ARREZOLA
	1200	74	D. ARREZOLA
	1500	76	J. Lee
	1800	75	J. Lee
	2100	74	J. LEE
	2400	74	WILKINS

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/15/2024	0300	73	WILKINS
	0600	66	Hemingsen
	0900	71	Hemingsen
	1200	74	Hemingsen
	1500	77	Hemingsen
	1800	80	Hemingsen
	2100	78	Hemingsen
	2400	76	WILKINS

THURSDAY

Date	Time	Temp.	Name (Print)
5/16/2024	0300	74	WILKINS
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	72	QUIJAS
	1500	81	J. Lee
	1800	82	J. Lee
	2100	75	J. Lee
	2400	74	Goor

FRIDAY

Date	Time	Temp.	Name (Print)
5/17/2024	0300	73	Goor
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	79	QUIJAS
	1800	79	QUIJAS
	2100	78	QUIJAS
	2400	77	Goor

SATURDAY

Date	Time	Temp.	Name (Print)
5/18/2024	0300	74	Goor
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	73	QUIJAS
	1500	75	Saelee
	1800	75	Saelee
	2100	73	Saelee
	2400	72	Goor

SUNDAY

Date	Time	Temp.	Name (Print)
5/19/2024	0300	69	Goor
	0600	66	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	72	Saelee
	1800	73	Saelee
	2100	72	Saelee
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Mon 05/27/2024	0100	62	Mendoza
	0200	60	Mendoza
	0300	57	Mendoza
	0400	56	Mendoza
	0500	56	Mendoza
	0600	57	D. ARREZOLA
	0700	60	D. ARREZOLA
	0800	62	D. ARREZOLA
	0900	65	D. ARREZOLA
	1000	67	D. ARREZOLA
	1100	70	D. ARREZOLA
	1200	72	D. ARREZOLA
	1300	74	D. ARREZOLA
	1400	79	Hemingsen
	1500	80	Hemingsen
	1600	82	Hemingsen
	1700	80	Hemingsen
	1800	77	Hemingsen
	1900	73	Hemingsen
	2000	67	Hemingsen
	2100	64	Hemingsen
	2200	62	SYPRASEUTH
	2300	61	SYPRASEUTH
	2400	60	SYPRASEUTH

DATE	TIME	TEMP.	PRINTED NAME
Tue 05/28/2024	0100	58	SYPRASEUTH
	0200	57	SYPRASEUTH
	0300	55	SYPRASEUTH
	0400	54	SYPRASEUTH
	0500	56	SYPRASEUTH
	0600	60	D. ARREZOLA
	0700	60	D. ARREZOLA
	0800	62	D. ARREZOLA
	0900	65	D. ARREZOLA
	1000	68	D. ARREZOLA
	1100	76	D. ARREZOLA
	1200	72	D. ARREZOLA
	1300	75	D. ARREZOLA
	1400	81	Hemingsen
	1500	81	Hemingsen
	1600	83	Hemingsen
	1700	81	Hemingsen
	1800	78	Hemingsen
	1900	77	Hemingsen
	2000	71	Hemingsen
	2100	68	Hemingsen
	2200	68	DENHALTER
	2300	67	DENHALTER
	2400	65	DENHALTER

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 05/29/2024	0100	63	DENHALTER
	0200	63	DENHALTER
	0300	62	DENHALTER
	0400	62	DENHALTER
	0500	60	DENHALTER
	0600	55	Hemingsen
	0700	58	Hemingsen
	0800	70	Hemingsen
	0900	75	Hemingsen
	1000	77	Hemingsen
	1100	80	Hemingsen
	1200	82	Hemingsen
	1300	84	Hemingsen
	1400	86	Hemingsen
	1500	87	Hemingsen
	1600	87	Hemingsen
	1700	89	Hemingsen
	1800	86	Hemingsen
	1900	83	Hemingsen
	2000	76	Hemingsen
	2100	74	Hemingsen
	2200	74	Grober
	2300	74	Grober
	2400	72	Grober

DATE	TIME	TEMP.	PRINTED NAME
Thu 05/30/2024	0100	70	Grober
	0200	70	Grober
	0300	68	Grober
	0400	66	Grober
	0500	64	Grober
	0600	59	QUIJAS
	0700	61	QUIJAS
	0800	63	QUIJAS
	0900	66	QUIJAS
	1000	74	QUIJAS
	1100	79	QUIJAS
	1200	82	QUIJAS
	1300	84	QUIJAS
	1400	89	Hemingsen
	1500	93	Hemingsen
	1600	95	Hemingsen
	1700	95	Hemingsen
	1800	91	Hemingsen
	1900	86	Hemingsen
	2000	79	Hemingsen
	2100	74	Hemingsen
	2200	76	Grober
	2300	75	Grober
	2400	73	Grober

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Fri 05/31/2024	0100	73	Gonzalez
	0200	72	Gonzalez
	0300	72	Gonzalez
	0400	70	Gonzalez
	0500	68	Gonzalez
	0600	63	QUIJAS
	0700	65	QUIJAS
	0800	74	QUIJAS
	0900	79	QUIJAS
	1000	81	QUIJAS
	1100	85	QUIJAS
	1200	86	QUIJAS
	1300	87	QUIJAS
	1400	90	QUIJAS
	1500	92	QUIJAS
	1600	93	QUIJAS
	1700	91	QUIJAS
	1800	88	QUIJAS
	1900	85	QUIJAS
	2000	79	QUIJAS
	2100	75	QUIJAS
	2200	68	VERGARA
	2300	67	VERGARA
	2400	65	VERGARA

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300		
	0600		
	0900		Closed
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300		
	0600		
	0900		
	1200		CLOSED
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300		
	0600		
	0900		
	1200		CLOSED
	1500		
	1800		
	2100		
	2400	70	Benter

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	70	Benter
	0600		CLOSED @ 0530
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300		
	0600		
	0900		
	1200		CLOSED
	1500		
	1800		
	2100		
	2400		

NOTES

5/30/24 → H1 reopened

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-1** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	69	Mendoza
	0600	67	D. ARREOLA
	0900	71	D. ARREOLA
	1200	75	D. ARREOLA
	1500	76	Hemingsen
	1800	76	Hemingsen
	2100	72	Hemingsen
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	65	SYPRASEUTH
	0600	66	D. ARREOLA
	0900	69	D. ARREOLA
	1200	72	D. ARREOLA
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	68	DENHALTER
	0600	68	Hemingsen
	0900	70	Hemingsen
	1200	72	Hemingsen
	1500	74	Hemingsen
	1800	72	Hemingsen
	2100	72	Hemingsen
	2400	75	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	71	[illegible]
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	79	Hemingsen
	1800	78	Hemingsen
	2100	75	Hemingsen
	2400	76	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	73	[illegible]
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	80	QUIJAS
	1500	84	QUIJAS
	1800	85	QUIJAS
	2100	81	QUIJAS
	2400	81	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	70	Mendoza
	0600	69	D. ARREZOLA
	0900	75	D. ARREZOLA
	1200	75	D. ARREZOLA
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	72	Hemingsen
	2400	71	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	68	SYPRASEUTH
	0600	70	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	75	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	70	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	68	DENHALTER
	0600	67	Hemingsen
	0900	69	Hemingsen
	1200	72	Hemingsen
	1500	77	Hemingsen
	1800	74	Hemingsen
	2100	73	Hemingsen
	2400	75	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	71	[illegible]
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	77	QUIJAS
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	71	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	72	[illegible]
	0600	75	QUIJAS
	0900	75	QUIJAS
	1200	78	QUIJAS
	1500	81	QUIJAS
	1800	81	QUIJAS
	2100	80	QUIJAS
	2400	79	VERHAKA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-1** Temp. Reading Location: **137**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	68	Mendoza
	0600	71	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	74	D. ARREZOLA
	1500	75	Hemingsen
	1800	74	Hemingsen
	2100	71	Hemingsen
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	65	SYPRASEUTH
	0600	71	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	74	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	69	DENHALTER
	0600	68	Hemingsen
	0900	70	Hemingsen
	1200	73	Hemingsen
	1500	73	Hemingsen
	1800	71	Hemingsen
	2100	71	Hemingsen
	2400	69	Gomez

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	66	Gomez
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	73	QUIJAS
	1500	78	Hemingsen
	1800	77	Hemingsen
	2100	74	Hemingsen
	2400	76	Gomez

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	73	Gomez
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	74	QUIJAS
	1500	79	QUIJAS
	1800	79	QUIJAS
	2100	79	QUIJAS
	2400	79	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	69	Mendoza
	0600	70	D. ARREOLA
	0900	70	D. ARREOLA
	1200	72	D. ARREOLA
	1500	73	Hemingsen
	1800	73	Hemingsen
	2100	70	Hemingsen
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	67	SYPRASEUTH
	0600	70	D. ARREOLA
	0900	72	D. ARREOLA
	1200	72	D. ARREOLA
	1500	74	Hemingsen
	1800	72	Hemingsen
	2100	71	Hemingsen
	2400	70	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	70	DENHALTER
	0600	70	Hemingsen
	0900	71	Hemingsen
	1200	72	Hemingsen
	1500	74	Hemingsen
	1800	72	Hemingsen
	2100	70	Hemingsen
	2400	74	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	71	[illegible]
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	75	QUIJAS
	1500	75	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	79	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	74	[illegible]
	0600	75	QUIJAS
	0900	76	QUIJAS
	1200	77	QUIJAS
	1500	78	QUIJAS
	1800	79	QUIJAS
	2100	79	QUIJAS
	2400	77	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	71	Mcodoza
	0600	60	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	73	Hemingsen
	1800	72	Hemingsen
	2100	70	Hemingsen
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	66	SYPRASEUTH
	0600	67	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	68	DENHALTER
	0600	68	Hemingsen
	0900	70	Hemingsen
	1200	73	Hemingsen
	1500	75	Hemingsen
	1800	74	Hemingsen
	2100	73	Hemingsen
	2400	76	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	73	[illegible]
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	75	QUIJAS
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	73	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	71	[illegible]
	0600	73	QUIJAS
	0900	75	QUIJAS
	1200	76	QUIJAS
	1500	78	QUIJAS
	1800	81	QUIJAS
	2100	80	QUIJAS
	2400	79	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	69	Mendoza
	0600	68	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	72	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	67	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	65	SYPRASEUTH
	0600	66	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	73	Hemingsen
	1800	72	Hemingsen
	2100	70	Hemingsen
	2400	70	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	70	DENHALTER
	0600	69	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	75	Hemingsen
	1800	74	Hemingsen
	2100	73	Hemingsen
	2400	73	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	71	[illegible]
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	73	QUIJAS
	1500	75	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	72	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	72	[illegible]
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	75	QUIJAS
	1500	78	QUIJAS
	1800	77	QUIJAS
	2100	77	QUIJAS
	2400	77	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	69	Mendoza
	0600	69	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	72	Hemingsen
	1800	70	Hemingsen
	2100	68	Hemingsen
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	67	SYPRASEUTH
	0600	69	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	74	Hemingsen
	1800	72	Hemingsen
	2100	70	Hemingsen
	2400	70	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	68	DENHALTER
	0600	68	Hemingsen
	0900	70	Hemingsen
	1200	72	Hemingsen
	1500	74	Hemingsen
	1800	73	Hemingsen
	2100	72	Hemingsen
	2400	72	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	70	[illegible]
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	74	QUIJAS
	1500	75	Hemingsen
	1800	76	Hemingsen
	2100	74	Hemingsen
	2400	76	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	73	[illegible]
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	76	QUIJAS
	1500	78	QUIJAS
	1800	76	QUIJAS
	2100	76	QUIJAS
	2400	74	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	68	Mendoza
	0600	67	D. ARREDOLA
	0900	68	D. ARREDOLA
	1200	70	D. ARREDOLA
	1500	72	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	68	SYPRASEUTH
	0600	68	D. ARREDOLA
	0900	70	D. ARREDOLA
	1200	71	D. ARREDOLA
	1500	73	Hemingsen
	1800	72	Hemingsen
	2100	70	Hemingsen
	2400	70	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	68	DENHALTER
	0600	67	Hemingsen
	0900	70	Hemingsen
	1200	72	Hemingsen
	1500	75	Hemingsen
	1800	74	Hemingsen
	2100	74	Hemingsen
	2400	70	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	69	[illegible]
	0600	66	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	72	Hemingsen
	1800	73	Hemingsen
	2100	72	Hemingsen
	2400	71	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	70	[illegible]
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	71	QUIJAS
	1500	74	QUIJAS
	1800	76	QUIJAS
	2100	76	QUIJAS
	2400	70	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	70	Mendoza
	0600	68	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	71	Hemingsen
	1800	70	Hemingsen
	2100	68	Hemingsen
	2400	66	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	65	SYPRASEUTH
	0600	67	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	72	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	68	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	67	DENHALTER
	0600	67	Hemingsen
	0900	69	Hemingsen
	1200	71	Hemingsen
	1500	73	Hemingsen
	1800	73	Hemingsen
	2100	73	Hemingsen
	2400	74	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	71	[illegible]
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	76	QUIJAS
	1500	77	Hemingsen
	1800	77	Hemingsen
	2100	75	Hemingsen
	2400	75	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	73	[illegible]
	0600	75	QUIJAS
	0900	78	QUIJAS
	1200	79	QUIJAS
	1500	80	QUIJAS
	1800	82	QUIJAS
	2100	82	QUIJAS
	2400	81	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300		
	0600		
	0900		Closed
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300		
	0600		
	0900		CLOSED
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300		
	0600		
	0900		
	1200		
	1500		CLOSED
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300		
	0600		
	0900		
	1200		CLOSED
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300		
	0600		
	0900		
	1200		CLOSED
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	69	Mendoza
	0600	69	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	71	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	67	SYPRASEUTH
	0600	69	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	73	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	69	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	69	DENHALTER
	0600	68	Hemingsen
	0900	70	Hemingsen
	1200	73	Hemingsen
	1500	75	Hemingsen
	1800	74	Hemingsen
	2100	74	Hemingsen
	2400	73	Brown

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	71	Brown
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	75	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	69.1	Brown

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	68	Brown
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	72	QUIJAS
	1500	74	QUIJAS
	1800	74	QUIJAS
	2100	74	QUIJAS
	2400	73	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-3** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	68	Mendoza
	0600	70	D. ARREOLA
	0900	72	D. ARREOLA
	1200	72	D. ARREOLA
	1500	73	Hemingsen
	1800	73	Hemingsen
	2100	70	Hemingsen
	2400	67	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	67	SYPRASEUTH
	0600	71	D. ARREOLA
	0900	73	D. ARREOLA
	1200	74	D. ARREOLA
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	71	Hemingsen
	2400	70	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	69	DENHALTER
	0600	68	Hemingsen
	0900	70	Hemingsen
	1200	71	Hemingsen
	1500	73	Hemingsen
	1800	72	Hemingsen
	2100	72	Hemingsen
	2400	73	Gomez

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	71	Gomez
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	75	QUIJAS
	1500	75	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	73	Gomez

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	71	Gomez
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	76	QUIJAS
	1800	78	QUIJAS
	2100	78	QUIJAS
	2400	77	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	70	Mendoza
	0600	~~MA~~ 67	D. ARREOLA
	0900	67	D. ARREOLA
	1200	69	D. ARREOLA
	1500	72	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	66	SYPRASEUTH
	0600	70	D. ARREOLA
	0900	70	D. ARREOLA
	1200	70	D. ARREOLA
	1500	73	Hemingsen
	1800	72	Hemingsen
	2100	70	Hemingsen
	2400	70	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	69	DENHALTER
	0600	68	Hemingsen
	0900	70	Hemingsen
	1200	72	Hemingsen
	1500	74	Hemingsen
	1800	73	Hemingsen
	2100	72	Hemingsen
	2400	71	Gonter

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	70	Gonter
	0600	71	QUIJAS
	0900	72	QUIJAS
	1200	74	QUIJAS
	1500	75	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	71	Gonter

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	70	Gonter
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	72	QUIJAS
	1800	78	QUIJAS
	2100	72	QUIJAS
	2400	72	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	69	Mendoza
	0600	71	D. ARRETOLA
	0900	73	D. ARRETOLA
	1200	73	D. ARRETOLA
	1500	74	Hemingsen
	1800	73	Hemingsen
	2100	70	Hemingsen
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	67	SYPRASEUTH
	0600	75	D. ARRETOLA
	0900	75	D. ARRETOLA
	1200	75	D. ARRETOLA
	1500	77	Hemingsen
	1800	75	Hemingsen
	2100	72	Hemingsen
	2400	71	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	70	DENHALTER
	0600	70	Hemingsen
	0900	72	Hemingsen
	1200	73	Hemingsen
	1500	75	Hemingsen
	1800	74	Hemingsen
	2100	73	Hemingsen
	2400	73	Baker

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	71	Baker
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	76	QUIJAS
	1500	77	Hemingsen
	1800	77	Hemingsen
	2100	75	Hemingsen
	2400	76	Baker

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	74	Baker
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	75	QUIJAS
	1500	79	QUIJAS
	1800	78	QUIJAS
	2100	78	QUIJAS
	2400	76	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	68	Mendoza
	0600	68	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	73	Hemingsen
	1800	72	Hemingsen
	2100	69	Hemingsen
	2400	66	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	65	SYPRASEUTH
	0600	68	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	71	DENHALTER
	0600	70	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	75	Hemingsen
	1800	75	Hemingsen
	2100	74	Hemingsen
	2400	74	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	72	[illegible]
	0600	69	QUIJAS
	0900	69	QUIJAS
	1200	70	QUIJAS
	1500	74	Hemingsen
	1800	73	Hemingsen
	2100	72	Hemingsen
	2400	74	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	72	[illegible]
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	75	QUIJAS
	1500	79	QUIJAS
	1800	80	QUIJAS
	2100	80	QUIJAS
	2400	79	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	68	Mendoza
	0600	68	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	74	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	67	SYPRASEUTH
	0600	68	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	70	Hemingsen
	2400	70	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	71	DENHALTER
	0600	71	Hemingsen
	0900	73	Hemingsen
	1200	74	Hemingsen
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	74	Hemingsen
	2400	74	Smith

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	71	Smith
	0600	68	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	73	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	72	Smith

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	71	Smith
	0600	71	QUIJAS
	0900	71	QUIJAS
	1200	74	QUIJAS
	1500	78	QUIJAS
	1800	77	QUIJAS
	2100	75	QUIJAS
	2400	75	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	69	Mendoza
	0600	70	D. ARREZOLA
	0900	71	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	72	Hemingsen
	1800	71	Hemingsen
	2100	70	Hemingsen
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	68	SYPRASEUTH
	0600	71	D. ARREZOLA
	0900	71	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	73	Hemingsen
	1800	72	Hemingsen
	2100	71	Hemingsen
	2400	70	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	69	DENHALTER
	0600	69	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	76	Hemingsen
	1800	76	Hemingsen
	2100	75	Hemingsen
	2400	75	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	74	[illegible]
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	79	Hemingsen
	1800	78	Hemingsen
	2100	75	Hemingsen
	2400	75	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	74	[illegible]
	0600	75	QUIJAS
	0900	75	QUIJAS
	1200	77	QUIJAS
	1500	80	QUIJAS
	1800	83	QUIJAS
	2100	83	QUIJAS
	2400	82	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	70	Mendoza
	0600	69	D. ARREZOLA
	0900	71	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	74	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	68	SYPRASEUTH
	0600	68	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	74	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	70	DENHALTER
	0600	70	Hemingsen
	0900	72	Hemingsen
	1200	74	Hemingsen
	1500	74	Hemingsen
	1800	77	Hemingsen
	2100	77	Hemingsen
	2400	77	Bmber

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	73	bmber
	0600	73	QUIJAS
	0900	75	QUIJAS
	1200	75	QUIJAS
	1500	77	Hemingsen
	1800	76	Hemingsen
	2100	75	Hemingsen
	2400	75	Bmber

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	73	Bmber
	0600	72	QUIJAS
	0900	73	QUIJAS
	1200	75	QUIJAS
	1500	78	QUIJAS
	1800	79	QUIJAS
	2100	77	QUIJAS
	2400	77	VERCANZA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	72	Mendoza
	0600	70	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	74	D. ARREZOLA
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	71	Hemingsen
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	68	SYPRASEUTH
	0600	69	D. ARREZOLA
	0900	71	D. ARREZOLA
	1200	74	D. ARREZOLA
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	71	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	70	DENHALTER
	0600	70	Hemingsen
	0900	73	Hemingsen
	1200	74	Hemingsen
	1500	72	Hemingsen
	1800	73	Hemingsen
	2100	73	Hemingsen
	2400	74	Gonter

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	72	Gonter
	0600	72	QUIJAS
	0900	74	QUIJAS
	1200	75	QUIJAS
	1500	77	Hemingsen
	1800	77	Hemingsen
	2100	75	Hemingsen
	2400	75	Gonter

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	73	Gonter
	0600	72	QUIJAS
	0900	74	QUIJAS
	1200	76	QUIJAS
	1500	79	QUIJAS
	1800	79	QUIJAS
	2100	77	QUIJAS
	2400	77	VERGARA

NOTES

5/29/24 → 2400 74

DISTRIBUTION: Original; Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	71	Mendoza
	0600	68	D. ARREOLA
	0900	70	D. ARREOLA
	1200	73	D. ARREOLA
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	67	SYPRASEUTH
	0600	69	D. ARREOLA
	0900	72	D. ARREOLA
	1200	74	D. ARREOLA
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	72	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	71	DENHALTER
	0600	71	Hemingsen
	0900	73	Hemingsen
	1200	74	Hemingsen
	1500	77	Hemingsen
	1800	76	Hemingsen
	2100	78	Hemingsen
	2400	77	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	74	[illegible]
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	75	QUIJAS
	1500	77	Hemingsen
	1800	77	Hemingsen
	2100	75	Hemingsen
	2400	78	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	74	[illegible]
	0600	72	QUIJAS
	0900	74	QUIJAS
	1200	76	QUIJAS
	1500	82	QUIJAS
	1800	83	QUIJAS
	2100	81	QUIJAS
	2400	81	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/27/2024	0300	68	Mendoza
	0600	68	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	74	D. ARREZOLA
	1500	78	Hemingsen
	1800	77	Hemingsen
	2100	75	Hemingsen
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/28/2024	0300	68	SYPRASEUTH
	0600	76	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	74	D. ARREZOLA
	1500	77	Hemingsen
	1800	76	Hemingsen
	2100	75	Hemingsen
	2400	74	DENHALTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/29/2024	0300	73	DENHALTER
	0600	72	Hemingsen
	0900	74	Hemingsen
	1200	76	Hemingsen
	1500	78	Hemingsen
	1800	77	Hemingsen
	2100	77	Hemingsen
	2400	77.7	Smalter

THURSDAY

Date	Time	Temp.	Name (Print)
5/30/2024	0300	75	Smalter
	0600	72	QUIJAS
	0900	74	QUIJAS
	1200	75	QUIJAS
	1500	78	Hemingsen
	1800	78	Hemingsen
	2100	76	Hemingsen
	2400	77	Smalter

FRIDAY

Date	Time	Temp.	Name (Print)
5/31/2024	0300	74	Smalter
	0600	72	QUIJAS
	0900	74	QUIJAS
	1200	76	QUIJAS
	1500	80	QUIJAS
	1800	80	QUIJAS
	2100	79	QUIJAS
	2400	79	VERGARA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STAGE I, II, or III HOURLY INSIDE TEMP LOG **ATTACHMENT C**

Date: 5/30/24 STAGE: (circle one) (I) II III Stage Activation Time: 1500 Stage Deactivation Time: 1930

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	RANCH	T-WING	U-WING	V-WING	Y-DORM
0001																							
0100																							
0200																							
0300																							
0400																							
0500	CLOSED										CLOSED								CLOSED				
0600																							
0700																							
0800																							
0900																							
1000																							
1100																							
1200																							
1300																							
1400																							
1500		79	76	78	75	76	75	75	72	77		75	75	75	77	74	73	79		77	77	77	78
1600		80	77	78	76	77	76	77	74	78		76	75	75	78	75	75	80		77	78	78	79
1700		80	77	78	76	76	76	76	74	77		76	75	75	78	75	75	79		77	78	78	78
1800		78	75	77	75	75	75	76	73	77		75	74	74	77	73	74	78		76	77	77	78
1900		76	73	76	74	75	75	75	72	76		74	74	73	76	73	74	77		75	76	76	77
2000																							
2100																							
2200																							
2300																							

STAGE I, II, or III HOURLY INSIDE TEMP LOG

ATTACHMENT C

Date: 5/31/24 **STAGE:** (circle one) (I) II III **Stage Activation Time:** 1400 **Stage Deactivation Time:** 1900

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	RANCH	T-WING	U-WING	V-WING	Y-DORM
0001	CLOSED										CLOSED								CLOSED				
0100																							
0200																							
0300																							
0400																							
0500																							
0600																							
0700																							
0800																							
0900																							
1000																							
1100																							
1200																							
1300																							
1400		84	78	76	77	77	76	77	72	80		73	77	72	72	78	76	79		77	79	82	80
1500		84	79	77	78	77	77	77	73	80		74	78	75	77	79	77	80		78	79	82	80
1600		84	80	78	78	77	77	78	74	80		73	78	72	77	79	78	80		77	79	83	79
1700		85	81	79	78	78	78	78	74	80		74	78	72	78	79	78	80		78	79	83	80
1800		85	81	79	79	81	77	76	76	82		74	78	72	78	80	77	83		79	79	83	80
1900																							
2000																							
2100																							
2200																							
2300																							

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Mon 05/20/2024	0100	55	Mendoza
	0200	54	Mendoza
	0300	54	Mendoza
	0400	53	Mendoza
	0500	54	Mendoza
	0600	55	D. ARREZOLA
	0700	56	D. ARREZOLA
	0800	58	D. ARREZOLA
	0900	62	D. ARREZOLA
	1000	69	D. ARREZOLA
	1100	71	D. ARREZOLA
	1200	72	D. ARREZOLA
	1300	74	D. ARREZOLA
	1400	80	A. TENTYUK
	1500	83	A. TENTYUK
	1600	83	A. TENTYUK
	1700	81	A. TENTYUK
	1800	78	A. TENTYUK
	1900	75	A. TENTYUK
	2000	72	A. TENTYUK
	2100	70	A. TENTYUK
	2200	68	SYPRASEUTH
	2300	65	SYPRASEUTH
	2400	61	SYPRASEUTH

DATE	TIME	TEMP.	PRINTED NAME
Tue 05/21/2024	0100	59	SYPRASEUTH
	0200	56	SYPRASEUTH
	0300	54	SYPRASEUTH
	0400	54	SYPRASEUTH
	0500	54	D. ARREZOLA
	0600	56	D. ARREZOLA
	0700	58	D. ARREZOLA
	0800	60	D. ARREZOLA
	0900	68	D. ARREZOLA
	1000	75	D. ARREZOLA
	1100	77	D. ARREZOLA
	1200	78	D. ARREZOLA
	1300	80	D. ARREZOLA
	1400	84	Hemingsen
	1500	85	Hemingsen
	1600	85	Hemingsen
	1700	85	Hemingsen
	1800	80	Hemingsen
	1900	77	Hemingsen
	2000	74	Hemingsen
	2100	72	Hemingsen
	2200	74	GARDNER
	2300	71	GARDNER
	2400	70	GARDNER

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 05/22/2024	0100	64	GARDNER
	0200	64	GARDNER
	0300	62	GARDNER
	0400	60	GARDNER
	0500	60	GARDNER
	0600	60	Hemingsen
	0700	61	Hemingsen
	0800	63	Hemingsen
	0900	65	Hemingsen
	1000	70	Hemingsen
	1100	77	Hemingsen
	1200	79	Hemingsen
	1300	81	Hemingsen
	1400	84	Hemingsen
	1500	85	Hemingsen
	1600	87	Hemingsen
	1700	86	Hemingsen
	1800	78	Hemingsen
	1900	72	Hemingsen
	2000	68	Hemingsen
	2100	66	Hemingsen
	2200	65	GORSI
	2300	64	GORSI
	2400	61	GORSI

DATE	TIME	TEMP.	PRINTED NAME
Thu 05/23/2024	0100	60	GORSI
	0200	59	GORSI
	0300	58	GORSI
	0400	57	Gorsi
	0500	57	Gorsi
	0600	58	VANG
	0700	58	VANG
	0800	59	VANG
	0900	60	VANG
	1000	62	VANG
	1100	66	VANG
	1200	70	VANG
	1300	74	VANG
	1400	80	Hemingsen
	1500	82	Hemingsen
	1600	83	Hemingsen
	1700	80	Hemingsen
	1800	77	Hemingsen
	1900	75	Hemingsen
	2000	69	Hemingsen
	2100	66	Hemingsen
	2200	60	GORSI
	2300	60	GORSI
	2400	59	GORSI

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Fri 05/24/2024	0100	57	GORSI
	0200	54	GORSI
	0300	54	GORSI
	0400	54	GORSI
	0500	54	GORSI
	0600	50	QUIJAS
	0700	51	QUIJAS
	0800	54	QUIJAS
	0900	56	QUIJAS
	1000	57	QUIJAS
	1100	59	QUIJAS
	1200	59	QUIJAS
	1300	65	QUIJAS
	1400	70	QUIJAS
	1500	73	QUIJAS
	1600	73	QUIJAS
	1700	70	QUIJAS
	1800	63	QUIJAS
	1900	60	QUIJAS
	2000	58	QUIJAS
	2100	55	QUIJAS
	2200	55	Gonzalez
	2300	55	Gonzalez
	2400	53	Gonzalez

DATE	TIME	TEMP.	PRINTED NAME
Sat 05/25/2024	0100	57	Gonzalez
	0200	57	Gonzalez
	0300	58	Gonzalez
	0400	58	Gonzalez
	0500	50	Gonzalez
	0600	50	QUIJAS
	0700	50	QUIJAS
	0800	51	QUIJAS
	0900	53	QUIJAS
	1000	55	QUIJAS
	1100	58	QUIJAS
	1200	60	QUIJAS
	1300	64	QUIJAS
	1400	68	Saelee
	1500	72	Saelee
	1600	73	Saelee
	1700	73	Saelee
	1800	72	Saelee
	1900	69	Saelee
	2000	65	Saelee
	2100	60	Saelee
	2200	60	Gonzalez
	2300	60	Gonzalez
	2400	60	Gonzalez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Sun 05/26/2024	0100	50	Gomez
	0200	50	Gomez
	0300	50	Gomez
	0400	50	Gomez
	0500	50	Gomez
	0600	49	QUIJAS
	0700	50	QUIJAS
	0800	52	QUIJAS
	0900	55	QUIJAS
	1000	61	QUIJAS
	1100	66	QUIJAS
	1200	70	QUIJAS
	1300	72	QUIJAS
	1400	75	YOUNG
	1500	76	YOUNG
	1600	77	YOUNG
	1700	76	YOUNG
	1800	76	YOUNG
	1900	74	YOUNG
	2000	70	YOUNG
	2100	68	YOUNG
	2200	69	Mendoza
	2300	67	Mendoza
	2400	64	Mendoza

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300		
	0600		
	0900		Closed
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300		
	0600		
	0900		CLOSED
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300		
	0600		
	0900		
	1200		
	1500	CLOSED	
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300		
	0600		
	0900		CLOSED
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300		
	0600		
	0900		
	1200	CLOSED	
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300		
	0600		
	0900		
	1200	CLOSED	
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300		
	0600		
	0900		
	1200	CLOSED	
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-1** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	72	Mendoza
	0600	72	D. ARREOLA
	0900	69	D. ARREOLA
	1200	71	D. ARREOLA
	1500	74	A. TENTYUK
	1800	70	A. TENTYUK
	2100	70	A. TENTYUK
	2400	73	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	70	SYPRASEUTH
	0600	72	D. ARREOLA
	0900	72	D. ARREOLA
	1200	74	D. ARREOLA
	1500	74	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	73	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	73	GARDNER
	0600	74	Hemingsen
	0900	75	Hemingsen
	1200	76	Hemingsen
	1500	78	Hemingsen
	1800	76	Hemingsen
	2100	72	Hemingsen
	2400	71	GORCI

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	70	GORCI
	0600	69	VANG
	0900	70	VANG
	1200	74	VANG
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	73	Hemingsen
	2400	72	GORCI

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	70	GORCI
	0600	69	QUIJAS
	0900	69	QUIJAS
	1200	70	QUIJAS
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	72	QUIJAS
	2400	71	Gor

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	69	Gor
	0600	69	QUIJAS
	0900	69	QUIJAS
	1200	69	QUIJAS
	1500	72	Saelee
	1800	72	Saelee
	2100	71	Saelee
	2400	71	Gor

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	69	Gor
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	70	QUIJAS
	1500	70	YOUNG
	1800	70	YOUNG
	2100	68	YOUNG
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	70	MENDOZA
	0600	75	D. ARREOLA
	0900	75	D. ARREOLA
	1200	73	D. ARREOLA
	1500	72	A. TENTYUK
	1800	71	A. TENTYUK
	2100	70	A. TENTYUK
	2400	76	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	70	SYPRASEUTH
	0600	70	D. ARREOLA
	0900	71	D. ARREOLA
	1200	75	D. ARREOLA
	1500	77	Hemingsen
	1800	77	Hemingsen
	2100	75	Hemingsen
	2400	74	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	72	GARDNER
	0600	74	Hemingsen
	0900	75	Hemingsen
	1200	76	Hemingsen
	1500	78	Hemingsen
	1800	76	Hemingsen
	2100	74	Hemingsen
	2400	75	GORST

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	71	GORST
	0600	76	VANG
	0900	76	VANG
	1200	76	VANG
	1500	77	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	71	GORST

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	70	GORST
	0600	76	QUIJAS
	0900	76	QUIJAS
	1200	76	QUIJAS
	1500	76	QUIJAS
	1800	76	QUIJAS
	2100	75	QUIJAS
	2400	73	Gorst

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	71	Gorst
	0600	72	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	74	Saetee
	1800	73	Saetee
	2100	73	Saetee
	2400	71	Gorst

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	69	Gorst
	0600	73	QUIJAS
	0900	75	QUIJAS
	1200	75	QUIJAS
	1500	75	Young
	1800	76	YOUNG
	2100	73	YOUNG
	2400	77	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-1** Temp. Reading Location: **137**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	71	Mendoza
	0600	69	D. ARREZOLA
	0900	76	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	73	A. TENTYUK
	1800	71	A. TENTYUK
	2100	70	A. TENTYUK
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	72	SYPRASEUTH
	0600	70	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	70	Hemingsen
	1800	71	Hemingsen
	2100	70	Hemingsen
	2400	70	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	70	GARDNER
	0600	72	Hemingsen
	0900	74	Hemingsen
	1200	76	Hemingsen
	1500	78	Hemingsen
	1800	74	Hemingsen
	2100	71	Hemingsen
	2400	71	GORSI

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	69	GORSI
	0600	68	VANG
	0900	68	VANG
	1200	71	VANG
	1500	72	Hemingsen
	1800	71	Hemingsen
	2100	70	Hemingsen
	2400	70	GORSI

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	69	GORSI
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	70	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	69	Gor

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	68	Gor
	0600	64	QUIJAS
	0900	66	QUIJAS
	1200	69	QUIJAS
	1500	70	Saeber
	1800	72	Saeber
	2100	71	Saeber
	2400	70	Gor

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	65	Gor
	0600	66	QUIJAS
	0900	67	QUIJAS
	1200	69	QUIJAS
	1500	70	Yang
	1800	70	Yang
	2100	69	Yang
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	69	Mendoza
	0600	68	D. ARREOLA
	0900	68	D. ARREOLA
	1200	73	D. ARREOLA
	1500	71	A. TENYUK
	1800	70	A. TENYUK
	2100	68	A. TENYUK
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	70	SYPRASEUTH
	0600	68	D. ARREOLA
	0900	70	D. ARREOLA
	1200	73	D. ARREOLA
	1500	72	Hemingsen
	1800	72	Hemingsen
	2100	71	Hemingsen
	2400	69	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	71	GARDNER
	0600	74	Hemingsen
	0900	75	Hemingsen
	1200	77	Hemingsen
	1500	79	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	71	GORSI

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	70	GORSI
	0600	70	VANG
	0900	72	VANG
	1200	73	VANG
	1500	74	Hemingsen
	1800	72	Hemingsen
	2100	70	Hemingsen
	2400	71	GORSI

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	69	GORSI
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	70	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	69	Gorsi

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	68	Gorsi
	0600	66	QUIJAS
	0900	68	QUIJAS
	1200	69	QUIJAS
	1500	70	Snelce
	1800	70	Snelce
	2100	71	Snelce
	2400	70	Gorsi

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	68	Gorsi
	0600	67	QUIJAS
	0900	68	QUIJAS
	1200	70	QUIJAS
	1500	70	Young
	1800	70	Young
	2100	68	Young
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	70	Mendoza
	0600	68	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	74	A. TENTYUK
	1800	73	A. TENTYUK
	2100	70	A. TENTYUK
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	68	SYPRASEUTH
	0600	68	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	73	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	70	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	72	GARDNER
	0600	73	Hemingsen
	0900	75	Hemingsen
	1200	76	Hemingsen
	1500	77	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	GOREL

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	70	GOREL
	0600	73	VANG
	0900	70	VANG
	1200	73	VANG
	1500	74	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	67	GOREL

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	67	GOREL
	0600	67	QUIJAS
	0900	68	QUIJAS
	1200	70	QUIJAS
	1500	71	QUIJAS
	1800	71	QUIJAS
	2100	71	QUIJAS
	2400	70	Gover

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	69	Gover
	0600	64	QUIJAS
	0900	66	QUIJAS
	1200	69	QUIJAS
	1500	72	Sachel
	1800	72	Sachel
	2100	71	Sachel
	2400	70	Gover

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	69	Gover
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	70	QUIJAS
	1500	70	Young
	1800	70	Young
	2100	69	Young
	2400	71	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	74	Mendoza
	0600	76	D. ARREZOLA
	0900	76	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	71	A. TENTYUK
	1800	71	A. TENTYUK
	2100	69	A. TENTYUK
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	71	SYPRASEUTH
	0600	70	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	72	Hemingsen
	1800	72	Hemingsen
	2100	71	Hemingsen
	2400	71	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	70	GARDNER
	0600	72	Hemingsen
	0900	74	Hemingsen
	1200	76	Hemingsen
	1500	78	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	70	GORSI

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	71	GORSI
	0600	72	VANG
	0900	72	VANG
	1200	73	VANG
	1500	74	Hemingsen
	1800	72	Hemingsen
	2100	70	Hemingsen
	2400	70	GORSI

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	68	GORSI
	0600	68	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	70	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	69	Gorsi

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	69	Gor
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	69	QUIJAS
	1500	70	Saeler
	1800	71	Saeler
	2100	71	Saeler
	2400	70	Gor

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	68	Gor
	0600	67	QUIJAS
	0900	68	QUIJAS
	1200	70	QUIJAS
	1500	70	Young
	1800	69	Yang
	2100	68	Young
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	69	Mendoza
	0600	68	D. ARREOLA
	0900	68	D. ARREOLA
	1200	76	D. ARREOLA
	1500	77	A. TENTYUK
	1800	71	A. TENTYUK
	2100	70	A. TENTYUK
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	70	SYPRASEUTH
	0600	70	D. ARREOLA
	0900	70	D. ARREOLA
	1200	71	D. ARREOLA
	1500	73	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	69	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	68	GARDNER
	0600	71	Hemingsen
	0900	73	Hemingsen
	1200	75	Hemingsen
	1500	77	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	71	GORGI

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	70	GORGI
	0600	70	VANG
	0900	71	VANG
	1200	72	VANG
	1500	73	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	69	GORGI

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	69	GORGI
	0600	70	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	73	QUIJAS
	1800	73	QUIJAS
	2100	72	QUIJAS
	2400	71	Gor

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	69	Gor
	0600	69	QUIJAS
	0900	69	QUIJAS
	1200	70	QUIJAS
	1500	72	Saelee
	1800	72	Saelee
	2100	71	Saelee
	2400	70	Gor

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	68	Gor
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	70	YOUNG
	1800	69	YOUNG
	2100	69	YOUNG
	2400	68	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	68	Mendoza
	0600	68	D. ARREDOLA
	0900	66	D. ARREDOLA
	1200	69	D. ARREDOLA
	1500	71	A. TENTYUK
	1800	70	A. TENTYUK
	2100	68	A. TENTYUK
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	68	SYPRASEUTH
	0600	68	D. ARREDOLA
	0900	69	D. ARREDOLA
	1200	70	D. ARREDOLA
	1500	72	Hemingsen
	1800	73	Hemingsen
	2100	72	Hemingsen
	2400	68	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	68	GARDNER
	0600	71	Hemingsen
	0900	73	Hemingsen
	1200	75	Hemingsen
	1500	78	Hemingsen
	1800	75	Hemingsen
	2100	72	Hemingsen
	2400	70	GOEL

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	71	GOEL
	0600	68	VANG
	0900	70	VANG
	1200	72	VANG
	1500	74	Hemingsen
	1800	73	Hemingsen
	2100	72	Hemingsen
	2400	71	GOEL

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	68	GOEL
	0600	66	QUIJAS
	0900	68	QUIJAS
	1200	69	QUIJAS
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	71	QUIJAS
	2400	70	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	68	[illegible]
	0600	63	QUIJAS
	0900	65	QUIJAS
	1200	68	QUIJAS
	1500	71	Sachez
	1800	72	Sachez
	2100	72	Sachez
	2400	71	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	68	[illegible]
	0600	69	QUIJAS
	0900	69	QUIJAS
	1200	69	QUIJAS
	1500	69	YOUNG
	1800	69	YOUNG
	2100	68	YOUNG
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	69	Mendoza
	0600	70	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	72	A. TENTYUK
	1800	71	A. TENTYUK
	2100	71	A. TENTYUK
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	69	SYPRASEUTH
	0600	69	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	72	Hemingsen
	1800	72	Hemingsen
	2100	71	Hemingsen
	2400	70	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	70	GARDNER
	0600	72	Hemingsen
	0900	74	Hemingsen
	1200	76	Hemingsen
	1500	78	Hemingsen
	1800	75	Hemingsen
	2100	72	Hemingsen
	2400	75	GORSI

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	70	GORSI
	0600	71	VANG
	0900	72	VANG
	1200	73	VANG
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	GORSI

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	69	GORSI
	0600	65	QUIJAS
	0900	69	QUIJAS
	1200	69	QUIJAS
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	71	QUIJAS
	2400	70	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	68	[illegible]
	0600	66	QUIJAS
	0900	68	QUIJAS
	1200	69	QUIJAS
	1500	72	Saelee
	1800	72	Saelee
	2100	72	Saelee
	2400	71	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	69	[illegible]
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	70	Young
	1800	69	Young
	2100	69	Young
	2400	68	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300		
	0600		
	0900		Closed
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300		
	0600		
	0900		CLOSED
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300		
	0600		
	0900		
	1200		
	1500	CLOSED	
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300		
	0600		
	0900		CLOSED
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300		
	0600		
	0900		
	1200		
	1500	CLOSED	
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300		
	0600		
	0900		
	1200		CLOSED
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300		
	0600		
	0900		
	1200		
	1500	CLOSED	
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-3** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	68	MENDOZA
	0600	69	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	71	TENTYUK
	1800	71	TENTYUK
	2100	69	TENTYUK
	2400	67	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	67	SYPRASEUTH
	0600	69	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	72	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	67	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	69	GARDNER
	0600	72	Hemingsen
	0900	74	Hemingsen
	1200	75	Hemingsen
	1500	77	Hemingsen
	1800	75	Hemingsen
	2100	72	Hemingsen
	2400	72	GORSI

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	69	GORSI
	0600	72	VANG
	0900	72	VANG
	1200	73	VANG
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	71	GORSI

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	68	GORSI
	0600	68	QUIJAS
	0900	68	QUIJAS
	1200	69	QUIJAS
	1500	68	QUIJAS
	1800	68	QUIJAS
	2100	68	QUIJAS
	2400	67	Goeker

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	66	Gor
	0600	69	QUIJAS
	0900	69	QUIJAS
	1200	69	QUIJAS
	1500	70	Saeke
	1800	71	Saeke
	2100	71	Saeke
	2400	70	Gor

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	69	Gor
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	70	YOUNG
	1800	69	YOUNG
	2100	69	YOUNG
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-3** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	70	Mendoza
	0600	71	D. ARREZOLA
	0900	71	D. ARREZOLA
	1200	77	D. ARREZOLA
	1500	73	A. TENTYUK
	1800	70	TENTYUK
	2100	70	TENTYUK
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	71	SYPRASEUTH
	0600	69	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	74	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	72	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	72	GARDNER
	0600	73	Hemingsen
	0900	74	Hemingsen
	1200	76	Hemingsen
	1500	78	Hemingsen
	1800	76	Hemingsen
	2100	73	Hemingsen
	2400	70	GORSI

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	71	GORSI
	0600	71	VANG
	0900	72	VANG
	1200	73	VANG
	1500	74	Hemingsen
	1800	73	Hemingsen
	2100	72	Hemingsen
	2400	70	GORSI

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	70	GORSI
	0600	65	QUIJAS
	0900	67	QUIJAS
	1200	68	QUIJAS
	1500	70	QUIJAS
	1800	70	QUIJAS
	2100	69	QUIJAS
	2400	68	Gor

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	66	Gor
	0600	71	QUIJAS
	0900	70	QUIJAS
	1200	71	QUIJAS
	1500	72	Saeber
	1800	73	Saeber
	2100	72	Saeber
	2400	71	Gor

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	69	Gor
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	69	Young
	1800	69	Young
	2100	69	Young
	2400	67	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMF Housing Unit: M-3 Temp. Reading Location: 302 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	71	Mendoza
	0600	70	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	71	TENTYUK
	1800	70	TENTYUK
	2100	70	TENTYUK
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	70	SYPRASEUTH
	0600	70	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	72	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	70	GARDNER
	0600	73	Hemingsen
	0900	74	Hemingsen
	1200	76	Hemingsen
	1500	78	Hemingsen
	1800	76	Hemingsen
	2100	74	Hemingsen
	2400	72	GORSI

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	70	GORSI
	0600	73	VANG
	0900	73	VANG
	1200	73	VANG
	1500	74	Hemingsen
	1800	72	Hemingsen
	2100	70	Hemingsen
	2400	69	GORSI

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	70	GORSI
	0600	67	QUIJAS
	0900	67	QUIJAS
	1200	68	QUIJAS
	1500	71	QUIJAS
	1800	70	QUIJAS
	2100	69	QUIJAS
	2400	68	Gor

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	66	Gor
	0600	68	QUIJAS
	0900	68	QUIJAS
	1200	69	QUIJAS
	1500	71	Saeler
	1800	72	Saeler
	2100	71	Saeler
	2400	70	Gor

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	69	Gor
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	69	Young
	1800	69	Young
	2100	69	Young
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	67	Mendoza
	0600	73	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	73	TENTYUK
	1800	71	TENTYUK
	2100	70	TENTYUK
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	70	SYPRASEUTH
	0600	71	D. ARREZOLA
	0900	73	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	75	Hemingsen
	1800	76	Hemingsen
	2100	74	Hemingsen
	2400	69	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	68	GARDNER
	0600	72	Hemingsen
	0900	74	Hemingsen
	1200	75	Hemingsen
	1500	77	Hemingsen
	1800	76	Hemingsen
	2100	73	Hemingsen
	2400	72	Gotsi

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	70	Gotsi
	0600	73	VANG
	0900	73	VANG
	1200	74	VANG
	1500	77	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	72	Gotsi

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	70	Gotsi
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	70	QUIJAS
	1800	70	QUIJAS
	2100	70	QUIJAS
	2400	69	Gotsi

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	66	Gotsi
	0600	71	QUIJAS
	0900	71	QUIJAS
	1200	72	QUIJAS
	1500	73	Sadler
	1800	73	Sadler
	2100	72	Sadler
	2400	71	Gotsi

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	70	Gotsi
	0600	75	QUIJAS
	0900	76	QUIJAS
	1200	76	QUIJAS
	1500	75	Young
	1800	74	Young
	2100	71	Young
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	68	Mendoza
	0600	66	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	68	D. ARREZOLA
	1500	72	TENTYUK
	1800	73	A. TENTYUK
	2100	71	A. TENTYUK
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	69	SYPRASEUTH
	0600	66	D. ARREZOLA
	0900	67	D. ARREZOLA
	1200	70	D. ARREZOLA
	1500	73	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	67	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	69	GARDNER
	0600	70	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	75	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	71	GORSI

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	71	GORSI
	0600	66	VANG
	0900	67	VANG
	1200	66	VANG
	1500	72	Hemingsen
	1800	70	Hemingsen
	2100	69	Hemingsen
	2400	69	GORSI

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	67	GORSI
	0600	65	QUIJAS
	0900	66	QUIJAS
	1200	68	QUIJAS
	1500	70	QUIJAS
	1800	70	QUIJAS
	2100	69	QUIJAS
	2400	67	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	66	[illegible]
	0600	64	QUIJAS
	0900	65	QUIJAS
	1200	68	QUIJAS
	1500	70	Sadel
	1800	71	Sadel
	2100	71	Sadel
	2400	70	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	66	[illegible]
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	69	QUIJAS
	1500	70	Yang
	1800	69	Yang
	2100	69	Yang
	2400	71	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	68	Mendoza
	0600	66	D. ARREZOLA
	0900	68	D. ARREZOLA
	1200	68	D. ARREZOLA
	1500	71	TENTYUK
	1800	71	A. TENTYUK
	2100	70	A. TENTYUK
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	68	SYPRASEUTH
	0600	66	D. ARREZOLA
	0900	67	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	73	Hemingsen
	1800	72	Hemingsen
	2100	71	Hemingsen
	2400	69	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	69	GARDNER
	0600	69	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	76	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	GORSI

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	64	GORSI
	0600	66	VANG
	0900	67	VANG
	1200	66	VANG
	1500	70	Hemingsen
	1800	71	Hemingsen
	2100	69	Hemingsen
	2400	69	GORSI

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	67	GORSI
	0600	64	QUIJAS
	0900	66	QUIJAS
	1200	68	QUIJAS
	1500	68	QUIJAS
	1800	69	QUIJAS
	2100	69	QUIJAS
	2400	68	GORSI

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	66	GORSI
	0600	63	QUIJAS
	0900	64	QUIJAS
	1200	68	QUIJAS
	1500	70	Sacker
	1800	72	Sacker
	2100	71	Sacker
	2400	70	GORSI

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	69	GORSI
	0600	68	QUIJAS
	0900	68	QUIJAS
	1200	69	QUIJAS
	1500	69	YOUNG
	1800	68	YOUNG
	2100	68	YOUNG
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	70	Mendoza
	0600	70	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	72	TENTYUK
	1800	72	A. TENTYUK
	2100	70	A. TENTYUK
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	69	SYPRASEUTH
	0600	69	D. ARREZOLA
	0900	71	D. ARREZOLA
	1200	75	D. ARREZOLA
	1500	74	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	68	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	70	GARDNER
	0600	72	Hemingsen
	0900	74	Hemingsen
	1200	76	Hemingsen
	1500	79	Hemingsen
	1800	77	Hemingsen
	2100	75	Hemingsen
	2400	71	GORSI

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	71	GORSI
	0600	72	VANG
	0900	73	VANG
	1200	74	VANG
	1500	76	Hemingsen
	1800	73	Hemingsen
	2100	71	Hemingsen
	2400	70	GORSI

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	68	GORSI
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	71	QUIJAS
	2400	70	Gur

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	69	Gur
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	73	Saelee
	1800	73	Saelee
	2100	72	Saelee
	2400	71	Gur

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	70	Gur
	0600	68	QUIJAS
	0900	68	QUIJAS
	1200	70	QUIJAS
	1500	70	Young
	1800	69	Young
	2100	68	Young
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	72	Mendoza
	0600	69	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	72	A. TENTYUK
	1800	73	A. TENTYUK
	2100	71	A. TENTYUK
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	70	SYPRASEUTH
	0600	69	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	73	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	70	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	70	GARDNER
	0600	74	Hemingsen
	0900	76	Hemingsen
	1200	77	Hemingsen
	1500	79	Hemingsen
	1800	78	Hemingsen
	2100	75	Hemingsen
	2400	72	GORSKI

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	70	GORSKI
	0600	68	VANG
	0900	73	VANG
	1200	74	VANG
	1500	73	Hemingsen
	1800	72	Hemingsen
	2100	71	Hemingsen
	2400	71	GORSKI

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	70	GORSKI
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	71	QUIJAS
	1800	72	QUIJAS
	2100	71	QUIJAS
	2400	70	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	68	[illegible]
	0600	68	QUIJAS
	0900	68	QUIJAS
	1200	69	QUIJAS
	1500	71	Saeler
	1800	72	Saeler
	2100	70	Saeler
	2400	69	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	69	[illegible]
	0600	72	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	74	YOUNG
	1800	74	YOUNG
	2100	71	YOUNG
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	73	Mendoza
	0600	76	D. ARREZOLA
	0900	71	D. ARREZOLA
	1200	72	D ARREZOLA
	1500	72	A-TENTYUIC
	1800	73	A-TENTYUIC
	2100	71	A-TENTYUIC
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	70	SYPRASEUTH
	0600	70	D. ARREZOLA
	0900	71	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	69	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	71	GARDNER
	0600	75	Hemingsen
	0900	77	Hemingsen
	1200	79	Hemingsen
	1500	81	Hemingsen
	1800	78	Hemingsen
	2100	76	Hemingsen
	2400	72	Gorski

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	70	Gorski
	0600	68	VANG
	0900	74	VANG
	1200	75	VANG
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	73	Hemingsen
	2400	70	Gorski

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	68	Gorski
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	71	QUIJAS
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	72	QUIJAS
	2400	71	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	69	[illegible]
	0600	68	QUIJAS
	0900	68	QUIJAS
	1200	69	QUIJAS
	1500	72	Saelee
	1800	72	Saelee
	2100	71	Saelee
	2400	70	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	69	[illegible]
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	74	Young
	1800	73	Young
	2100	71	Young
	2400	69	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	74	Mendoza
	0600	71	D. ARREZOLA
	0900	71	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	73	A. TENTYUK
	1800	72	A. TENTYUK
	2100	70	A. TENTYUK
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	71	SYPRASEUTH
	0600	70	D. ARREZOLA
	0900	71	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	70	GARDNER

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	69	GARDNER
	0600	75	Hemingsen
	0900	77	Hemingsen
	1200	79	Hemingsen
	1500	80	Hemingsen
	1800	77	Hemingsen
	2100	74	Hemingsen
	2400	70	GORR

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	70	GORR
	0600	68	VANG
	0900	74	VANG
	1200	75	VANG
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	72	GORR

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	71	GORR
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	71	QUIJAS
	1500	71	QUIJAS
	1800	72	QUIJAS
	2100	71	QUIJAS
	2400	70	Gor

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	68	Gor
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	70	QUIJAS
	1500	72	Sadee
	1800	72	Sadee
	2100	72	Sadee
	2400	71	Gor

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	70	Gor
	0600	72	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	74	Young
	1800	74	Young
	2100	71	Young
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
5/20/2024	0300	70	MENDOZA
	0600	67	D. ARREZOLA
	0900	69	D. ARREZOLA
	1200	71	D. ARREZOLA
	1500	71	A. TENTYUK
	1800	70	A. TENTYUK
	2100	69	A. TENTYUK
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
5/21/2024	0300	69	SYPRASEUTH
	0600	69	D. ARREZOLA
	0900	70	D. ARREZOLA
	1200	72	D. ARREZOLA
	1500	79	Hemingsen
	1800	79	Hemingsen
	2100	77	Hemingsen
	2400	68	GARDUNGIA

WEDNESDAY

Date	Time	Temp.	Name (Print)
5/22/2024	0300	70	GARDUNGA
	0600	75	Hemingsen
	0900	78	Hemingsen
	1200	80	Hemingsen
	1500	82	Hemingsen
	1800	78	Hemingsen
	2100	76	Hemingsen
	2400	73	GORSI

THURSDAY

Date	Time	Temp.	Name (Print)
5/23/2024	0300	72	GORSI
	0600	68	VANG
	0900	74	VANG
	1200	75	VANG
	1500	79	Hemingsen
	1800	77	Hemingsen
	2100	75	Hemingsen
	2400	73	GORSI

FRIDAY

Date	Time	Temp.	Name (Print)
5/24/2024	0300	69	GORSI
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	72	QUIJAS
	1800	72	QUIJAS
	2100	72	QUIJAS
	2400	71	Gor

SATURDAY

Date	Time	Temp.	Name (Print)
5/25/2024	0300	70	Gor
	0600	69	QUIJAS
	0900	69	QUIJAS
	1200	71	QUIJAS
	1500	72	Saelee
	1800	72	Saelee
	2100	70	Saelee
	2400	69	Gor

SUNDAY

Date	Time	Temp.	Name (Print)
5/26/2024	0300	69	Gor
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	74	Yourh
	1800	73	Yourh
	2100	72	Yourh
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator