Monthly Summary Report

Institution: KVSP

Memorandum

Date: November 14, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - October

The following is a summary of the heat related activity for the month of October 2024

at KVSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: No

   Number of days Stage I Alert initiated: 10

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

   Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

P. Horn, Warden (A)	F. Beyerlein
Warden Name	Chief Executive Officer Name
DocuSigned by: P. Horn F558AA9681434AE...	DocuSigned by: Fred Beyerlein D8C48EF3A40A4F7...
Warden Signature	Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-1 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-24	0300	78	[illegible]
	0600	76	Borbon
	0900	77	Borbon
	1200	78	Borbon
	1500	78	Martinez
	1800	78	Raza
	2100	77	Raza
	2400	77	Meza

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	74	Meza
	0600	75	Borbon
	0900	77	Borbon
	1200	78	Borbon
	1500	78	Raza
	1800	78	R. Raza
	2100	77	R. Raza
	2400	78	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	78	[illegible]
	0600	76	Borbon
	0900	77	Borbon
	1200	78	Borbon
	1500	78	[illegible]
	1800	78	[illegible]
	2100	75	[illegible]
	2400	75	Harrison

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	75	Harrison
	0600	74	Borbon
	0900	76	Borbon
	1200	78	Borbon
	1500	78	Ayala
	1800	78	Ayala
	2100	78	Ayala
	2400	78	Harrison

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	77	Harrison
	0600	77	Borbon
	0900	78	Borbon
	1200	78	Borbon
	1500	78	Raza
	1800	78	Raza
	2100	77	Raza
	2400	78	Harrison

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	77	Harrison
	0600	77	Rauser
	0900	78	Rauser
	1200	78	Rauser
	1500	78	H. Moreno
	1800	78	H. Moreno
	2100	78	H. Moreno
	2400	78	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	78	[illegible]
	0600	78	R
	0900	79	R
	1200	80	R
	1500	80	H. Moreno
	1800	80	H. Moreno
	2100	78	H. Moreno
	2400	78	Harrison

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2-CONT. Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/20/21	0300	76	JOHNSON, J.
	0600	76	N Reyes
	0900	78	N Reyes
	1200	78	N Reyes
	1500	78	M. MIRANDA
	1800	79	M. MIRANDA
	2100	79	M. MIRANDA
	2400	76	JOHNSON, J.

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2-Cont. Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/2/24	0300	~~86~~	~~Johnson, J.~~
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	76	Johnson, J.
	0600	76	Sigala
	0900	76	Sigala
	1200	78	Sigala
	1500	78	M. MIRANDA
	1800	78	M. MIRANDA
	2100	78	M. MIRANDA
	2400	76	Johnson, J.

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	76	Johnson, J
	0600	76	Sigala
	0900	76	Sigala
	1200	78	Sigala
	1500	78	L. Cervantes
	1800	78	L. Cervantes
	2100	78	L. Cervantes
	2400	76	Johnson, J.

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	74	Johnson, J
	0600	73	D. Godinez
	0900	75	D. Godinez
	1200	76	D. Godinez
	1500	76	C. Owens
	1800	76	C. Owens
	2100	76	C. Owens
	2400	78	Cmy

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	78	Cmy
	0600	77	D. Godinez
	0900	77	D. Godinez
	1200	78	D. Godinez
	1500	78	C. Owens
	1800	78	C. Owens
	2100	77	D. Godinez
	2400	78	Cmy

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	77	Cmy
	0600	76	Sigala
	0900	78	Sigala
	1200	78	Sigala
	1500	78	L. Barajas
	1800	78	L. Barajas
	2100	78	L. Barajas
	2400	77	Reynaga

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	77	Reynaga
	0600	77	Duarte
	0900	76	Duarte
	1200	78	Duarte
	1500	78	C. Owens
	1800	78	C. Owens
	2100	78	C. Owens
	2400	76	Johnson, J.

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	76	Mender
	0600	77	MEDRANO
	0900	78	MEDRANO
	1200	78	MEDRANO
	1500	77	J. Moreno Macias
	1800	75	J. Moreno Macias
	2100	75	J. Moreno Macias
	2400	76	Mender

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	75	Mender
	0600	76	MEDRANO
	0900	77	MEDRANO
	1200	77	MEDRANO
	1500	78°	JMENDOZA
	1800	78°	JMENDOZA
	2100	78°	JMENDOZA
	2400	76	Meza

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	74	Meza
	0600	76	MEDRANO
	0900	77	MEDRANO
	1200	77	MEDRANO
	1500	80°	JMENDOZA
	1800	80°	JMENDOZA
	2100	79	JMENDOZA
	2400	76	Meza

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	75	Meza
	0600	75	DUARTE
	0900	76	DUARTE
	1200	76	DUARTE
	1500	78°	JMENDOZA
	1800	78	JMENDOZA
	2100	78	JMENDOZA
	2400	77	Meza

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	75	Meza
	0600	75	R
	0900	75	R
	1200	77	R
	1500	77	Fernandez
	1800	77	Fernandez
	2100	76	Meza
	2400	75	Lona

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	75	Lona
	0600	75	LUKEHART
	0900	76	LUKEHART
	1200	78	LUKEHART
	1500	78	Fernandez
	1800	78	Fernandez
	2100	78	Fernandez
	2400	80	Harrison

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	79	Harrison
	0600	80	SAMARRIPAS
	0900	80	SAMARRIPAS
	1200	80	SAMARRIPAS
	1500		
	1800		
	2100		
	2400	80	Mender

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A4 Temp. Reading Location: T2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/30	0300	76	J URBANO
	0600	76	Rauser
	0900	77	Rauser
	1200	78	Rauser
	1500	78	D.Ventura
	1800	78	D.Ventura
	2100	78	D.Ventura
	2400	76	URBANO

Tuesday

Date	Time	Temp.	Name (Print)
10/01	0300	76	URBANO
	0600	76	RAYA
	0900	76	RAYA
	1200	77	RAYA
	1500	80	Angulo
	1800	80	Angulo
	2100	80	Angulo
	2400	76	URBANO

Wednesday

Date	Time	Temp.	Name (Print)
10/02	0300	74	URBANO
	0600	78	Cruz
	0900	78	Cruz
	1200	79	Cruz
	1500	80	Angulo
	1800	80	URBANO
	2100	80	URBANO
	2400	80	URBANO

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	80	URBANO
	0600	79	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	80	R.Angulo
	1800	80	R.Angulo
	2100	80	R.Angulo
	2400	78	URBANO

Friday

Date	Time	Temp.	Name (Print)
10/04	0300	78	URBANO
	0600		
	0900		
	1200		
	1500	80	R.Angulo
	1800	80	R.Angulo
	2100	80	R.Angulo
	2400	76	Angulo

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	74	[illegible]
	0600	78	[illegible]
	0900	79	[illegible]
	1200	79	[illegible]
	1500	80	[illegible]
	1800	80	R.Angulo
	2100	80	R.Angulo
	2400	76	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	74	[illegible]
	0600	78	Cruz
	0900	79	Cruz
	1200	79	Cruz
	1500	79	Fernandez
	1800	79	Fernandez
	2100	78	Fernandez
	2400	76	URBANO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A5 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4280 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	78	Grays
	0600	78	Grays
	0900	78	Grays
	1200	79	Grays
	1500	79	Gossen
	1800	79	Klopfenstein
	2100	79	Klopfenstein
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ICVSP Housing Unit: A8 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	77	Gonzalez
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	79	Gonzalez
	1500	80	Cruz
	1800	78	Cruz
	2100	78	Wang
	2400	78	Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	78	Gonzalez
	0600	78	Walsh
	0900	78	Cruz
	1200	80	Wang
	1500	80	Wang
	1800	80	Cruz
	2100	78	Wang
	2400	78	Cruz

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	78	Cruz
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	80	Gonzalez
	1500	80	Cruz
	1800	80	Cruz
	2100	78	Walsh
	2400	80	Reynolds

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	79	Reynolds
	0600	79	Espinoza
	0900	78	Espinoza
	1200	80	Espinoza
	1500	80	Cruz
	1800	80	Cruz
	2100	78	Walsh
	2400	78	Grays

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	Grays
	0600	78	Godoez
	0900	78	Godoez
	1200	80	Godoez
	1500	80	Walsh
	1800	80	Cruz
	2100	80	Cruz
	2400	80	Grays

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	80	Grays
	0600		Grays
	0900		Grays
	1200		Grays
	1500		
	1800		
	2100		
	2400	78	Sotelo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-6 Temp. Reading Location: upper tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-24	0300	75	J. Sotelo
	0600	77	M. MIRANDA
	0900	77	M. MIRANDA
	1200	78	M. MIRANDA
	1500	77	R. Garrison
	1800	77	R. Garrison
	2100	77	R. Garrison
	2400	76	J. Sotelo

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	76	J. Sotelo
	0600	77	M. MIRANDA
	0900	77	M. MIRANDA
	1200	77	M. MIRANDA
	1500	78	Munoz
	1800	78	Munoz
	2100	78	Munoz
	2400	78	Sotelo, J

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	77	J. Sotelo
	0600	78	M. MIRANDA
	0900	79	M. MIRANDA
	1200	79	M. MIRANDA
	1500	79	X GONZALES
	1800	79	X GONZALES
	2100	79	X GONZALES
	2400	78	J. Sotelo

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	78	J. Sotelo
	0600	78	ESPINOZA
	0900	79	ESPINOZA
	1200	79	ESPINOZA
	1500	79	Sanchez
	1800	79	Sanchez
	2100	79	Sanchez
	2400	80	Beltran

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	80	Beltran
	0600	80	Beltran
	0900	78	[illegible]
	1200	85	[illegible]
	1500	79	J. Vasquez
	1800	80	N. Gonzalez
	2100	80	N. Gonzalez
	2400	80	N. Estrada

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	80	N Estrada
	0600	80	N Estrada
	0900	80	Moreno
	1200	80	Moreno
	1500	80	Moreno
	1800	80	Saavedra
	2100	79	Saavedra
	2400	78	J. Sotelo

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	78	J. Sotelo
	0600	78	Moreno
	0900	80	Moreno
	1200	80	Moreno
	1500	80	A. Olmos
	1800	80	A. Olmos
	2100	80	A. Olmos
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A7 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300		
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500		
	1800		
	2100		
	2400	78	Macias

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	78	Macias
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	80	L. Cervantes
	1800	80	L. Cervantes
	2100	79	L. Cervantes
	2400	79	Macias

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	79	Macias
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	78	Rodriguez
	1800	78	Rodriguez
	2100	76	Rodriguez
	2400	78	Macias

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	78	Macias
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	78	L. Cervantes
	1800	78	L. Cervantes
	2100	78	L. Cervantes
	2400	78	Macias

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	78	Macias
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	78	Granillo
	1800	78	Granillo
	2100	78	Granillo
	2400	78	Macias

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	Macias
	0600	79	Aguilar
	0900	79	Aguilar
	1200	79	Aguilar
	1500	80	Klopfenstein
	1800	80	Klopfenstein
	2100	80	Klopfenstein
	2400	80	Beltran

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	80	Beltran
	0600	79	Beltran
	0900	80	VELASQUEZ
	1200	80	VELASQUEZ
	1500	80	GURROLA
	1800	80	Raridon
	2100	78	Raridon
	2400	78	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: RHU 1 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	77	Chavez
	0600	77	P. Rangel
	0900	77	P. Rangel
	1200	77	P. Rangel
	1500	77	Terrell
	1800	78	Terrell
	2100	77	Terrell
	2400	77	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	76	[illegible]
	0600	77	P. Rangel
	0900	77	P. Rangel
	1200	78	P. Rangel
	1500	78	Terrell
	1800	78	Terrell
	2100	77	Terrell
	2400	76	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	76	[illegible]
	0600	76	J. Rios
	0900	76	J. Rios
	1200	77	J. Rios
	1500	77	Terrell
	1800	78	Terrell
	2100	77	Terrell
	2400	77	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	77	[illegible]
	0600	76	Gonzalez, M
	0900	78	Gonzalez, M
	1200	78	Gonzalez, M
	1500	78	Terrell
	1800	78	Terrell
	2100	77	Terrell
	2400	77	Salazar

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	77	Salazar
	0600	76	M. Gonzalez
	0900	77	M. Gonzalez
	1200	78	M. Gonzalez
	1500	78	Terrell
	1800	77	Terrell
	2100	77	Terrell
	2400	77	Terrell

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	76	Terrell
	0600	74	P. Rangel
	0900	77	P. Rangel
	1200	78	P. Rangel
	1500	78	Segurado
	1800	78	Segurado
	2100	77	Segurado
	2400	77	Johnson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300	72	Sabzar
	0600	76	V. Flores
10/1	0900	77	V. Flores
	1200	78	V. Flores
	1500	78	RAYA
/	1800	76	RAYA
	2100	74	RAYA
24	2400	73	Reynaga

Wednesday

Date	Time	Temp.	Name (Print)
	0300	72	Reynaga
	0600	75	V. Flores
10/2	0900	78	V. Flores
	1200	79	V. Flores
	1500	79	Guzman
/	1800	79	Guzman
	2100	78	Guzman
24	2400	78	Garcia

Thursday

Date	Time	Temp.	Name (Print)
	0300	78	Garcia
	0600	77	Garcia
10/3	0900	77	V. Flores
	1200	78	V. Flores
	1500	79	Guzman
/	1800	79	Guzman
	2100	79	Guzman
24	2400	74	J. CASTRO

Friday

Date	Time	Temp.	Name (Print)
	0300	73	J. CASTRO
	0600	74	V. Flores
10/4	0900	76	V. Flores
	1200	78	V. Flores
	1500	78	Guzman
/	1800	78	Guzman
	2100	78	Guzman
24	2400	78	M. Oneal S

Saturday

Date	Time	Temp.	Name (Print)
	0300	78	M. Oneal S
	0600	78	M. Duate
10/5	0900	78	R. Peralta
	1200	78	R. Peralta
	1500	78	D. Herrera
/	1800	78	D. Herrera
	2100	78	D. Herrera
24	2400	78	Jaramillo

Sunday

Date	Time	Temp.	Name (Print)
	0300	78	Jaramillo
	0600	78	Aguilar
10/6	0900	78	Aguilar
	1200	78	Aguilar
	1500	78	Herrera
/	1800	78	Herrera
	2100	78	Herrera
24	2400	78	J. CASTRO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 2 Temp. Reading Location: 2nd Tier A B C Sec (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 10-1-24

Dat	Time	Temp.	Name (Print)
	0300	79	HERNANDEZ
10/	0600	79	SanAntonio
	0900	79	SanAntonio
	1200	79	SanAntonio
1	1500	79	HERNANDEZ
/	1800	79	HERNANDEZ
24	2100	79	HERNANDEZ
	2400	79	VEGASPI

Wednesday 10-2-24

Date	Time	Temp.	Name (Print)
	0300	79	VEGASPI
10/	0600	79	SanAntonio
	0900	79	SanAntonio
	1200	80	SanAntonio
2/	1500	80	Merchant
	1800	79	Merchant
24	2100	79	Merchant
	2400	80	Y. Beltran

Thursday 10-3-24

Date	Time	Temp.	Name (Print)
	0300	81	Y. Beltran
10	0600	80	Y. Beltran
/	0900	80	SanAntonio
	1200	80	SanAntonio
3/	1500	80	Ojeda
	1800	80	Ojeda
24	2100	80	Ojeda
	2400	80	[illegible]

Friday 10-4-24

Date	Time	Temp.	Name (Print)
	0300	79	Reynaga
10/	0600	79	SanAntonio
	0900	79	SanAntonio
4/	1200	79	SanAntonio
	1500	79	Ojeda
	1800	80	Ojeda
24	2100	80	Ojeda
	2400	80	Mender

Saturday 10-5-24

Date	Time	Temp.	Name (Print)
	0300	80	Mender
10/	0600	79	Ojeda
	0900	79	Ojeda
5/	1200	80	Ojeda
	1500	80	Ojeda
	1800	80	Ojeda
24	2100	79	Ojeda
	2400	80	Mender

Sunday 10-6-24

Date	Time	Temp.	Name (Print)
	0300	80	Mender
10/	0600	80	SOLAS
	0900	80	SOLAS
6/	1200	80	SOLAS
	1500	80	Hernandez
	1800	80	Hernandez
24	2100	79	Hernandez
	2400	79	VEGASPI

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	78	D. LUNA
	0600	78	C Fountain
	0900	78	C Fountain
	1200	79	C Fountain
	1500	79	VZAMORA
	1800	78	VZAMORA
	2100	78	VZAMORA
	2400	78	Hulsey

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	78	Hulsey
	0600	78	C Fountain
	0900	78	C Fountain
	1200	79	C Fountain
	1500	79	VZAMORA
	1800	78	VZAMORA
	2100	79	VZAMORA
	2400	78	Hulsey

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	78	Hulsey
	0600	78	Sewell
	0900	78	Sewell
	1200	78	Sewell
	1500	79	ACOCELLO
	1800	79	ACOCELLO
	2100	79	ACOCELLO
	2400	79	Hulsey

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	78	Hulsey
	0600	79	Wilhunt
	0900	79	Garcia
	1200	80	Garcia
	1500	80	RIVERA
	1800	80	RIVERA
	2100	78	RIVERA
	2400	79	Reynoso

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	79	Reynoso
	0600	79	Fountain
	0900	79	Fountain
	1200	79	Fountain
	1500	79	Johnson
	1800	79	Johnson
	2100	78	Johnson
	2400	78	M. Eshm

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	78	M. Eshm
	0600	78	M. Eshm
	0900	78	C Fountain
	1200	79	C Fountain
	1500	79	VZAMORA
	1800	79	VZAMORA
	2100	78	VZAMORA
	2400	78	Hulsey

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B4 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	78	VALDEZ
	0600	78	PASCUA
	0900	79	PASCUA
	1200	79	PASCUA
	1500	80	RIOS
	1800	80	RIOS
	2100	80	RIOS
	2400	78	BROCKINGTON

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	78	Brockington
	0600	78	RBell
	0900	79	RBedilla
	1200	79	RBedilla
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	Brockington

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	78	Brockington
	0600	78	RBell
	0900	78	RBell
	1200	78	RBell
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	Brockington

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	78	Brockington
	0600	78	RBell
	0900	79	RBedilla
	1200	79	RBedilla
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	Brockington

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	Brockington
	0600	78	RBell
	0900	79	RBell
	1200	79	RBell
	1500	82	VGONZALEZ
	1800	83	VGONZALEZ
	2100	83	VGONZALEZ
	2400	80	Rios

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	79	Rios
	0600	79	RBell
	0900	79	RBell
	1200	79	RBell
	1500	80	ACUELLO
	1800	80	ACUELLO
	2100	80	ACUELLO
	2400	80	VALDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FBB5 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	79	CFountain
	0600	79	Rivera
	0900	79	Rivera
	1200	79	Rivera
	1500	80	Davidson
	1800	80	Davidson
	2100	78	Davidson
	2400	79	CFountain

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	79	CFountain
	0600	79	Rivera
	0900	79	Rivera
	1200	79	Rivera
	1500	80	Davidson
	1800	80	Davidson
	2100	78	Davidson
	2400	79	CFountain

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	79	CFountain
	0600	79	Guzman
	0900	79	Guzman
	1200	79	Guzman
	1500	80	Davidson
	1800	80	Davidson
	2100	78	Davidson
	2400	77	T

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	77	T
	0600	79	Rojo
	0900	79	Rojo
	1200	79	Rojo
	1500	80	Davidson
	1800	80	Davidson
	2100	80	Davidson
	2400	79	T

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	T
	0600	79	Rojo
	0900	79	Rojo
	1200	79	Rojo
	1500	79	Wehunt
	1800	79	Wehunt
	2100	78	Wehunt
	2400	79	CFountain

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	79	CFountain
	0600	79	Torres
	0900	79	Torres
	1200	80	Torres
	1500	80	Wehunt
	1800	80	Wehunt
	2100	80	Wehunt
	2400	80	CFountain

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 6 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/01/24	0300	78	HERNANDEZ
	0600	78	K. Camin
	0900	78	K. Camin
	1200	79	K. Camin
	1500	79	A. Leal
	1800	79	A Leal
	2100	79	A Leal
	2400	78	HERNANDEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/02/24	0300	78	HERNANDEZ
	0600	78	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	A Leal
	1800	79	A. Leal
	2100	79	A. Leal
	2400	78	HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
10/03/24	0300	78	HERNANDEZ
	0600	78	K. Camin
	0900	78	K. Camin
	1200	78	K. Camin
	1500	TK	[illegible]
	1800	TK	[illegible]
	2100	TK	[illegible]
	2400	79	HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
10/04/24	0300	78	HERNANDEZ
	0600	78	Hernandez
	0900	79	Hernandez
	1200	79	Hernandez
	1500	79	THONGSINGH
	1800	79	THONGSINGH
	2100	A	[illegible]
	2400	79	HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
10/05/24	0300	78	HERNANDEZ
	0600	78	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	A Leal
	1800	79	A Leal
	2100	79	A. Leal
	2400	78	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10/06/24	0300	78	[illegible]
	0600	78	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	A. Leal
	1800	79	A Leal
	2100	79	A. Leal
	2400	79	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: KVSP B7 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6390 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	78	A Silva
	0600	78	Ventura
	0900	78	Ventura
	1200	78	Ventura
	1500	79	Urbina
	1800	79	Urbina
	2100	79	Urbina
	2400	79	A. Silva

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	78	A Silva
	0600	78	Mendoza
	0900	78	Mendoza
	1200	79	Mendoza
	1500	80	R. URBINA
	1800	80	R. URBINA
	2100	80	R. URBINA
	2400	80	T. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	78	T. Gonzalez
	0600	79	Mendoza
	0900	79	Mendoza
	1200	79	Mendoza
	1500	80	Garcia
	1800	80	Garcia
	2100	80	Garcia
	2400	79	J. [illegible]

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	78	J. [illegible]
	0600	79	Mendoza
	0900	79	Mendoza
	1200	79	Mendoza
	1500	80	Garcia
	1800	80	Garcia
	2100	80	GUINTO
	2400	80	GUINTO

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	78	GUINTO
	0600	78	Mendoza
	0900	78	Mendoza
	1200	78	Mendoza
	1500	78	Suell
	1800	78	Suell
	2100	78	Suell
	2400	78	A. Silva

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	A. Silva
	0600	78	R. Vidana
	0900	79	R. Vidana
	1200	80	R. Vidana
	1500	79	ALEMAN
	1800	78	ALEMAN
	2100	78	ALEMAN
	2400	78	A. Silva

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	77	A. Silva
	0600	78	J. Navarrete
	0900	78	J. Navarrete
	1200	79	J. Navarrete
	1500	80	R. URBINA
	1800	80	R. URBINA
	2100	80	R. URBINA
	2400	80	A Robles

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B-8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600	78	Hernandez
	0900	77	Hernandez
	1200	77	Hernandez
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	74	P Espinoza
	0600	75	Hernandez
	0900	75	Hernandez
1	1200	77	Hernandez
	1500	78	Hernandez
24	1800	78	Hernandez
	2100	78	Hernandez
	2400	75	P Espinoza

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	75	P Espinoza
	0600	76	Nieto
	0900	76	Nieto
2	1200	77	Nieto
	1500	78	R. Vidunya
24	1800	78	R. Vidunya
	2100	78	R. Vidunya
	2400	78	P Espinoza

Thursday

Date	Time	Temp.	Name (Print)
10	0300	75	P Espinoza
	0600	75	Nieto
	0900	76	Nieto
3	1200	77	Nieto
	1500	78	R. Vidunya
24	1800	78	R. Vidunya
	2100	78	R. Vidunya
	2400	78	P Espinoza

Friday

Date	Time	Temp.	Name (Print)
10	0300	78	P Espinoza
	0600	77	Nieto
	0900	77	Nieto
4	1200	78	Nieto
	1500	78	R. Vidunya
24	1800	78	R. Vidunya
	2100	78	R. Vidunya
	2400	78	R Sanchez

Saturday

Date	Time	Temp.	Name (Print)
	0300	78	L Sanchez
10	0600	77	Nieto
	0900	78	Nieto
5	1200	78	Nieto
	1500	78	R. Vidunya
24	1800	78	R. Vidunya
	2100	78	R. Vidunya
	2400	78	

Sunday

Date	Time	Temp.	Name (Print)
	0300	76	Hunter
10/	0600	76	Arreola
	0900	77	Arreola
6/	1200	77	Arreola
	1500	77	J. Aguilar
24	1800	77	J. Aguilar
	2100	77	J. Aguilar
	2400	77	P Espinoza

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-1 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	77	HARRISON
	0600	72	CRUZ
	0900	72	CRUZ
	1200	72	CRUZ
	1500	78	RAZO
	1800	77	R. RAZO
	2100	76	RAZO
	2400	78	HARRISON

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	78	HARRISON
	0600	78	A. DELGADO
	0900	77	A. DELGADO
	1200	78	RAZO
	1500	78	RAZO
	1800	78	RAZO
	2100	77	
	2400	78	HARRISON

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	78	HARRISON
	0600	78	Cid
	0900	78	Cid
	1200	78	RAZO
	1500	77	RAZO
	1800	77	RAZO
	2100	77	RAZO
	2400	72	HARRISON

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	HARRISON
	0600	72	J. Moreno Macias
	0900	73	J. Moreno Macias
	1200	75	J. Moreno Macias
	1500	78	R. RAZO
	1800	77	R. RAZO
	2100	76	R. RAZO
	2400	76	HARRISON

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	74	HARRISON
	0600	73	[illegible]
	0900	73	[illegible]
	1200	75	Gonzalez
	1500	77	R. RAZO
	1800	76	R. RAZO
	2100	75	R. RAZO
	2400	72	HARRISON

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	72	HARRISON
	0600	72	Fernandez
	0900	72	Fernandez
	1200	72	Fernandez
	1500	76	ROJO
	1800	76	ROJO
	2100	76	ROJO
	2400	72	HARRISON

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	72	HARRISON
	0600	72	Rauser
	0900	73	Rauser
	1200	74	Rauser
	1500	76	Rauser
	1800	76	Rauser
	2100	74	Rauser
	2400	72	Jacobo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

[illegible]

[illegible]

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2 CONT. Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	76	JOHNSON, J.
	0600	76	DUARTE
	0900	77	DUARTE
	1200	77	DUARTE
	1500	76	DURAN
	1800	77	COLON
	2100	78	COLON
	2400	76	JOHNSON

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	76	JOHNSON, J.
	0600	76	SIGALA
	0900	76	OCHOA
	1200	78	SIGALA
	1500	78	GONZALEZ
	1800	80	GONZALEZ
	2100	76	GONZALEZ
	2400	76	JOHNSON, J

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	76	JOHNSON, J.
	0600	76	SIGALA
	0900	76	SIGALA
	1200	76	SIGALA
	1500	76	C. OWENS
	1800	76	C. OWENS
	2100	76	C. OWENS
	2400	76	JOHNSON, J.

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	76	JOHNSON, J.
	0600	75	D. GODINEZ
	0900	76	D. GODINEZ
	1200	78	D. GODINEZ
	1500	78	GONZALEZ
	1800	78	GONZALEZ
	2100	78	THOMPSON
	2400	78	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	76	[illegible]
	0600	74	D. GODINEZ
	0900	75	D. GODINEZ
	1200	76	D. GODINEZ
	1500	76	C. OWENS
	1800	76	C. OWENS
	2100	76	C. OWENS
	2400	76	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	78	[illegible]
	0600	76	SIGALA
	0900	76	SIGALA
	1200	76	SIGALA
	1500	76	C. OWENS
	1800	76	C. OWENS
	2100	76	C. OWENS
	2400	76	THOMPSON

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	76	THOMPSON
	0600	76	THOMPSON
	0900	77	DUARTE
	1200	77	DUARTE
	1500	77	C. OWENS
	1800	77	C. OWENS
	2100	77	C. OWENS
	2400	76	JOHNSON, J.

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	80	Mender
	0600	78	Beltran
	0900	78	Beltran
	1200	80	Beltran
	1500	80	Imenbura
	1800	80	Imenbura
	2100	79	Imenbura
	2400	80	Mender

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	80	Mender
	0600	77	Duarte
	0900	77	Duarte
	1200	78	Duarte
	1500	80	Imenbura
	1800	80	Imenbura
	2100	79	Imenbura
	2400	80	Imenbura

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	80	Mender
	0600	78	Beltran
	0900	78	Beltran
	1200	79	Beltran
	1500	80	Imenbura
	1800	80	Imenbura
	2100	79	Imenbura
	2400	79	Meza

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	77	Meza
	0600	77	Duarte
	0900	77	Duarte
	1200	78	Duarte
	1500	80	Imenbura
	1800	78	Imenbura
	2100	78	Imenbura
	2400	76	Meza

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	76	Meza
	0600	75	Cardenas
	0900	76	Cardenas
	1200	76	Cardenas
	1500	76	Fernandez
	1800	76	Fernandez
	2100	76	Fernandez
	2400	76	Grays

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	76	Grays
	0600	77	Beltran
	0900	77	Beltran
	1200	76	Beltran
	1500	76	Fernandez
	1800	76	Fernandez
	2100	76	Fernandez
	2400	74	Meza

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	72	Meza
	0600	73	Sudson
	0900	76	Sudson
	1200	76	Sudson
	1500	76	Welch
	1800	76	Welch
	2100	76	Welch
	2400	76	Mender

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A4 Temp. Reading Location: 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07	0300	76	Urbano
	0600	76	Villarum
	0900	78	Villarum
	1200	78	Villarum
	1500	78	M. Phillips
	1800	78	Fernandez
	2100	78	Fernandez
	2400	76	Urbano

Tuesday

Date	Time	Temp.	Name (Print)
10/08	0300	76	Urbano
	0600	77	Cruz
	0900	77	Cruz
	1200	78	Cruz
	1500	78	Fernandez
	1800	78	Fernandez
	2100	77	Fernandez
	2400	76	Urbano

Wednesday

Date	Time	Temp.	Name (Print)
10/09	0300	76	Urbano
	0600	76	Cruz
	0900	77	Cruz
	1200	79	Cruz
	1500	79	Cruz
	1800	78	Cruz
	2100	79	Cruz
	2400	76	Urbano

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	76	Urbano
	0600	77	Cruz
	0900	77	Cruz
	1200	78	Cruz
	1500	77	Rojas
	1800	77	Rojas
	2100	76	Rojas
	2400	76	Urbano

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	74	Urbano
	0600	76	[illegible]
	0900	76	[illegible]
	1200	77	[illegible]
	1500	79	Rojas
	1800	79	Rojas
	2100	78	Rojas
	2400	76	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	78	[illegible]
	0600	76	Cruz
	0900	77	Cruz
	1200	78	Cruz
	1500	75	Rojas
	1800	77	Rojas
	2100	77	Rojas
	2400	76	Urbano

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	70	Urbano
	0600	72	Cruz
	0900	72	Cruz
	1200	73	Cruz
	1500	75	Fernandez
	1800	75	Fernandez
	2100	75	Fernandez
	2400	74	Urbano

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A5 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300	77	J. Sotelo
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	78	Vaquera
	1800	78	Vaquera
	2100	76	Vaquera
	2400	76	J. Sotelo

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300	76	J. Sotelo
	0600	77	Cuevas
	0900	78	Cuevas
	1200	78	Cuevas
	1500	78	Flores
	1800	78	Flores
	2100	77	Flores
	2400	76	J. Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	76	J. Sotelo
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	78	E. Valero
	1800	78	E. Valero
	2100	78	E. Valero
	2400	76	Cunnagay

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	76	Cannagay
	0600	76	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	78	A. Cruz
	1800	78	A. Cruz
	2100	78	A. Cruz
	2400	78	Raquinda

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	77	Raquinda
	0600	78	Espinoza
	0900	78	Espinoza
	1200	78	Espinoza
	1500	78	Martinez
	1800	78	Hurtado
	2100	78	Hurtado
	2400	77	Fontein

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	77	Fontein
	0600	76	Espinoza
	0900	76	Espinoza
	1200	78	Espinoza
	1500	78	Cesña
	1800	78	Cesña
	2100	78	Cesña
	2400	75	Jaramillo

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	76	Jaramillo
	0600	76	A. Gonzalez
	0900	78	A. Gonzalez
	1200	78	A. Gonzalez
	1500	78	Klapfenstein
	1800	78	Klapfenstein
	2100	78	Klapfenstein
	2400	77	J. Sotelo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	78	Grays
	0600	78	M. MIRANDA
	0900	78	M. MIRANDA
	1200	79	M. MIRANDA
	1500	79	Munoz
	1800	79	Munoz
	2100	79	Munoz
	2400	79	Grays

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	78	Grays
	0600	78	Campos
	0900	79°	Campos
	1200	79°	Campos
	1500	79	Rivera
	1800	78	Rivera
	2100	78	Rivera
	2400	78	Grays

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	78	Grays
	0600	78	M. MIRANDA
	0900	79	M. MIRANDA
	1200	79	M. MIRANDA
	1500	79	J. Garcia
	1800	79	J. Garcia
	2100	79	J. Garcia
	2400	79	Castro

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	78	Castro
	0600	78	ESPINOZA
	0900	79	ESPINOZA
	1200	79	ESPINOZA
	1500	79	X GONZALES
	1800	79	X GONZALES
	2100	79	X GONZALES
	2400	78	Reynaga

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	78	Reynaga
	0600	78	Lopez
	0900	78	Lopez
	1200	78	Lira
	1500	80	X GONZALES
	1800	80	X GONZALES
	2100	80	X GONZALES
	2400	79	D. Chandler

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	79	D. Chandler
	0600	78	Aguilar
	0900	79	Aguilar
	1200	79	Aguilar
	1500	80	X GONZALES
	1800	80	X GONZALES
	2100	80	X GONZALES
	2400	78	X GONZALES

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	78	X GONZALES
	0600	78	X GONZALES
	0900	78	M. MIRANDA
	1200	79	M. MIRANDA
	1500	80	X GONZALES
	1800	80	X GONZALES
	2100	80	X GONZALES
	2400	78	Grays

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Kusp Housing Unit: A-7 Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	78	Macias
	0600	79	SALAS
	0900	79	SALAS
	1200	79	SALAS
	1500	79	Lopez
	1800	79	Barajas
	2100	79	Barajas
	2400	78	Macias

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	78	Macias
	0600	78	SALAS
	0900	78	SALAS
	1200	78	SALAS
	1500	78	SALAS
	1800	78	SALAS
	2100	78	SALAS
	2400	78	Macias

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	78	Macias
	0600	79	Salas
	0900	79	Salas
	1200	79	Salas
	1500	82	Sahagun
	1800	80	Sahagun
	2100	78	Sahagun
	2400	78	Macias

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	78	Macias
	0600	78	SALAS
	0900	78	SALAS
	1200	78	SALAS
	1500	78	L. Cenante
	1800	78	L. Cenante
	2100	78	L. Cenante
	2400	78	Macias

Friday

Date	Time	Temp.	Name (Print)
10.11.24	0300	78	Macias
	0600	78	Salas
	0900	78	Salas
	1200	80	Salas
	1500	80	Kloptenstein
	1800	80	Kloptenstein
	2100	78	Kloptenstein
	2400	78	Macias

Saturday

Date	Time	Temp.	Name (Print)
10.12.24	0300	78	Macias
	0600	77	N. DeWitt
	0900	78	N. DeWitt
	1200	78	N. DeWitt
	1500	78	Kloptenstein
	1800	78	Kloptenstein
	2100	78	Kloptenstein
	2400	78	DM

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	78	DM
	0600	78	C. Barajas
	0900	78	C. Barajas
	1200	78	C. Barajas
	1500	78	Grays
	1800	78	Grays
	2100	78	Grays
	2400	78	Chavez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: RHU 1 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300	77	Johnson
	0600	76	P. Rangel
	0900	77	P. Rangel
	1200	78	P. Rangel
	1500	78	MATA
	1800	79	MATA
	2100	78	MATA
	2400	77	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
10/8	0300	77	[illegible]
	0600	77	P. Rangel
	0900	78	P. Rangel
	1200	78	P. Rangel
	1500	78	N. Vasquez
	1800	77	N Vasquez
	2100	77	N. Vasquez
	2400	78	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	77	[illegible]
	0600	76	P. Rangel
	0900	77	P. Rangel
	1200	78	P. Rangel
	1500	78	FERRELL
	1800	78	FERRELL
	2100	77	FERRELL
	2400	77	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	77	[illegible]
	0600	77	P. Rangel
	0900	77	P. Rangel
	1200	78	P. Rangel
	1500	78	FERRELL
	1800	78	FERRELL
	2100	77	FERRELL
	2400	77	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	77	[illegible]
	0600	76	Gonzalez
	0900	77	Gonzalez
	1200	78	Gonzalez
	1500	78	FERRELL
	1800	77	FERRELL
	2100	78	FERRELL
	2400	77	FERRELL

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	77	FERRELL
	0600	76	M. Gonzalez
	0900	77	M. Gonzalez
	1200	78	M. Gonzalez
	1500	78	FERRELL
	1800	77	FERRELL
	2100	77	FERRELL
	2400	77	FERRELL

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	76	FERRELL
	0600	76	Rodriguez
	0900	76	Rodriguez
	1200	77	Rodriguez
	1500	77	Segundo
	1800	77	Segundo
	2100	76	Segundo
	2400	74	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	78	J. CASTRO
	0600	78	J. Aguilar
	0900	78	J. Aguilar
	1200	77	J. Aguilar
	1500	78	Beffs
	1800	79	Beffs
	2100	80	Beffs
	2400	78	D. LUNA

Tuesday

Date	Time	Temp.	Name (Print)
10/08/24	0300	78	D. LUNA
	0600	76	V. Flores
	0900	75	V. Flores
	1200	76	V. Flores
	1500	77	Guzman
	1800	77	Guzman
	2100	77	Guzman
	2400	75	Rivera

Wednesday

Date	Time	Temp.	Name (Print)
10/09/24	0300	75	Rivera
	0600	76	V. Flores
	0900	77	V. Flores
	1200	78	V. Flores
	1500	78	Guzman
	1800	78	Guzman
	2100	78	Guzman
	2400	76	Aaron

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	76	Aaron
	0600	77	V. Flores
	0900	78	V. Flores
	1200	79	V. Flores
	1500	79	Salas
	1800	79	Salas
	2100	79	Salas
	2400	78	A. Rendon

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	78	A. Rendon
	0600	77	V. Flores
	0900	77	V. Flores
	1200	77	V. Flores
	1500	77	Guzman
	1800	77	Guzman
	2100	77	Guzman
	2400	77	Johnson

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	77	Johnson
	0600	77	Pizarro
	0900	78	Pizarro
	1200	78	Pizarro
	1500	78	Herrera
	1800	78	Herrera
	2100	78	Herrera
	2400	77	S. Cornell

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	77	S. Cornell
	0600	77	S. Cornell
	0900	75	J. Aguilar
	1200	78	J. Aguilar
	1500	78	Herrera
	1800	78	Herrera
	2100	78	Herrera
	2400	78	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B2 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	79	VEGASPI
	0600	79	SanAtano
	0900	79	SanAtano
	1200	80	SanAtano
	1500	80	SanAtano
	1800	80	SanAtano
	2100	80	SanAtano
	2400	79	VEGASPI

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	79	VEGASPI
	0600	79	SanAtano
	0900	79	SanAtano
	1200	80	SanAtano
	1500	80	SanAtano
	1800	80	SanAtano
	2100	80	SanAtano
	2400	79	VEGASPI

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	79	VEGASPI
	0600	79	SanAtano
	0900	79	SanAtano
	1200	80	SanAtano
	1500	80	Nieto
	1800	79	Nieto
	2100	78	Nieto
	2400	79	Garcia

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	78	Garcia
	0600	78	Garcia
	0900	79	SanAtano
	1200	80	SanAtano
	1500	80	Ojeda
	1800	80	Ojeda
	2100	80	Ojeda
	2400	80	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	80	[illegible]
	0600	80	[illegible]
	0900	80	SanAtano
	1200	80	SanAtano
	1500	80	Ojeda
	1800	80	Ojeda
	2100	80	Ojeda
	2400	78	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	75	[illegible]
	0600	75	Ojeda
	0900	75	Ojeda
	1200	76	Ojeda
	1500	76	Ojeda
	1800	76	Ojeda
	2100	76	Ojeda
	2400	78	Mender

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	78	Mender
	0600	78	PASCUA
	0900	78	PASCUA
	1200	79	PASCUA
	1500	80	PASCUA
	1800	79	PASCUA
	2100	79	PASCUA
	2400	78	A. Rendon

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	78	Hulsey
	0600	78	Fountain
	0900	79	Fountain
	1200	79	Fountain
	1500	79	Camora
	1800	79	Camora
	2100	79	Camora
	2400	78	Hulsey

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	78	Hulsey
	0600	78	Fountain
	0900	78	Fountain
	1200	78	Fountain
	1500	78	Camora
	1800	78	Camora
	2100	78	Camora
	2400	78	Hulsey

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	78	Hulsey
	0600	78	Fountain
	0900	78	Fountain
	1200	78	Fountain
	1500	78	Camora
	1800	78	Camora
	2100	78	Camora
	2400	78	Hulsey

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	78	Hulsey
	0600	78	Savoie
	0900	78	Savoie
	1200	78	Savoie
	1500	79	Acosello
	1800	80	Acosello
	2100	80	Acosello
	2400	78	Hulsey

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	78	Hulsey
	0600	78	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	79	Rivera
	1800	78	Rivera
	2100	78	Rivera
	2400	78	Rhyu

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	78	Rhyu
	0600	78	Rhyu
	0900	78	Fountain
	1200	78	Fountain
	1500	78	Camora
	1800	78	Camora
	2100	78	Camora
	2400	78	Rhyu

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	78	Rhyu
	0600	78	Rhyu
	0900	78	Fountain
	1200	78	Fountain
	1500	78	Camora
	1800	78	Hernandez
	2100	78	Hernandez
	2400	78	Hulsey

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 4 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300	78	VALDEZ
	0600	79	PASCUA
	0900	80	PASCUA
	1200	80	PASCUA
	1500	80	ACOCELLO
	1800	80	ACOCELLO
	2100	80	ACOCELLO
	2400	78	VALDEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300	78	VALDEZ
	0600	79	PASCUA
	0900	80	PASCUA
	1200	80	PASCUA
	1500	80	RIOS
	1800	80	RIOS
	2100	80	RIOS
	2400	78	BROCKMAN

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	75	BROCKMAN
	0600	76	RBeck
	0900	76	RBeck
	1200	76	RBeck
	1500	78	O. LOPEZ G.I
	1800	80	FERRO
	2100	80	FERRO
	2400	75	BROCKMAN

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	75	BROCKMAN
	0600	76	RBeck
	0900	76	RBeck
	1200	76	RBeck
	1500	79	RIOS
	1800	79	RIOS
	2100	79	RIOS
	2400	78	BROCKMAN

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	78	BROCKMAN
	0600	76	RBeck
	0900	78	RBeck
	1200	78	RBeck
	1500	79	RIOS
	1800	79	RIOS
	2100	79	RIOS
	2400	77	BROCKMAN

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	77	BROCKMAN
	0600	77	RBeck
	0900	77	RBeck
	1200	78	RBeck
	1500	79	RIOS
	1800	79	RIOS
	2100	79	RIOS
	2400	78	RIOS

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	77	RIOS
	0600	77	RBeck
	0900	77	RBeck
	1200	78	RBeck
	1500	78	ACOCELLO
	1800	77	ACOCELLO
	2100	77	ACOCELLO
	2400	76	VALDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FBB5 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	79	CFountain
	0600	79	RIVERA
	0900	79	RIVERA
	1200	79	RIVERA
	1500	80	Davidson
	1800	80	Davidson
	2100	79	Davidson
	2400	79	CFountain

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	79	CFountain
	0600	79	RIVERA
	0900	79	RIVERA
	1200	79	RIVERA
	1500	79	Davidson
	1800	79	Davidson
	2100	79	Davidson
	2400	79	Fountain

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	79	Fountain
	0600	79	RIVERA
	0900	79	RIVERA
	1200	79	RIVERA
	1500	79	Davidson
	1800	79	Davidson
	2100	79	Davidson
	2400	79	Fountain

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	79	Fountain
	0600	79	RIVERA
	0900	79	RIVERA
	1200	79	RIVERA
	1500	79	Davidson
	1800	79	Davidson
	2100	79	Davidson
	2400	79	J. Vain

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	78	J. Vain
	0600	77	Reyes
	0900	78	Reyes
	1200	78	Reyes
	1500	78	Davidson
	1800	78	Davidson
	2100	78	Davidson
	2400	77	J. Vain

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	77	J. Vain
	0600	77	Reyes
	0900	78	Reyes
	1200	78	Reyes
	1500	78	Wehunt
	1800	78	Wehunt
	2100	77	Wehunt
	2400	77	CFountain

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	77	CFountain
	0600	77	RIVERA
	0900	77	RIVERA
	1200	77	RIVERA
	1500	77	Wehunt
	1800	78	Wehunt
	2100	77	Wehunt
	2400	77	CFountain

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 6 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	79	AYON
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	A. Leal
	1800	79	A. Leal
	2100	79	A. Leal
	2400	79	HERNANDEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	78	HERNANDEZ
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	A. Leal
	1800	79	A. Leal
	2100	79	A. Leal
	2400	79	HERNANDEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	78	HERNANDEZ
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	THONGSINGH
	1800	79	THONGSINGH
	2100	79	THONGSINGH
	2400	79	HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	78	HERNANDEZ
	0600	78	Rojas
	0900	78	Rojas
	1200	78	Rojas
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	78	HERNANDEZ
	0600	78	Hernandez
	0900	78	Hernandez
	1200	79	Hernandez
	1500	[illegible]	[illegible]
	1800	[illegible]	[illegible]
	2100	[illegible]	[illegible]
	2400	79	HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	78	HERNANDEZ
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	78	J. Belmonte
	1800	78	C. Mojarro
	2100	78	C. Mojarro
	2400	78	D. Chamber

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	78	D. Chamber
	0600	79	R. Su
	0900	79	R. Su
	1200	79	R. Su
	1500	79	A. Olmos
	1800	79	A. Olmos
	2100	79	A. Olmos
	2400	78	M. Salas

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B-7 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	78	A. Robles
	0600	78	S. Avila
	0900	78	S. Avila
	1200	78	S. Avila
	1500	79	R. URBINA
	1800	79	R. URBINA
	2100	79	R. URBINA
	2400	78	A. Silva

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	77	A. Silva
	0600	77	S. Avila
	0900	77	S. Avila
	1200	78	S. Avila
	1500	79	R. URBINA
	1800	79	R. URBINA
	2100	79	R. URBINA
	2400	78	A. Silva

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	78	A. Silva
	0600	78	S. Avila
	0900	78	S. Avila
	1200	78	S. Avila
	1500	79	F. Garcia
	1800	79	F. Garcia
	2100	79	F. Garcia
	2400	78	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	78	[illegible]
	0600	78	S. Avila
	0900	78	S. Avila
	1200	78	S. Avila
	1500	78	F. Garcia
	1800	78	F. Garcia
	2100	78	[illegible]
	2400	78	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	78	[illegible]
	0600	78	Cabrera
	0900	75	Cabrera
	1200	75	Cabrera
	1500	78	Sewell
	1800	78	Sewell
	2100	78	Sewell
	2400	78	A. Silva

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	77	A. Silva
	0600	78	Crown
	0900	78	Crown
	1200	78	Crown
	1500	78	Crown
	1800	78	Crown
	2100	78	Crown
	2400	78	Williams

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	78	[illegible]
	0600	78	Fernandez
	0900	78	Fernandez
	1200	78	Fernandez
	1500	78	R. URBINA
	1800	78	R. URBINA
	2100	78	R. URBINA
	2400	78	A. Silva

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	77	P.Espinoza
	0600	77	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	78	J. Aguilar
	1800	78	J. Aguilar
	2100	78	J. Aguilar
	2400	77	P.Espinoza

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	77	P.Espinoza
	0600	77	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	78	R.Vidya
	1800	78	R.Vidya
	2100	78	R.Vidya
	2400	78	A. PEREZ

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	77	A.PEREZ
	0600	77	Nieto
	0900	77	Nieto
	1200	77	Nieto
	1500	78	R.Vidya
	1800	78	R.Vidya
	2100	78	R.Vidya
	2400	78	MARRERO

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	78	MARRERO
	0600	77	Nieto
	0900	77	Nieto
	1200	78	Nieto
	1500	78	Nieto
	1800	78	Nieto
	2100	77	Nieto
	2400	75	P.Espinoza

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	75	P.Espinoza
	0600	75	Nieto
	0900	76	Nieto
	1200	76	Nieto
	1500	76	Barajas
	1800	76	Barajas
	2100	76	Barajas
	2400	77	Guinto

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	77	Guinto
	0600	77	Guinto
	0900	78	Luque
	1200	78	Luque
	1500	78	R.Vidya
	1800	78	R.Vidya
	2100	78	R.Vidya
	2400	77	Espinoza

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	75	Valdez
	0600	75	Arrato
	0900	74	Arrato
	1200	74	Arrato
	1500	77	Rivera
	1800	77	Rivera
	2100	74	Rivera
	2400	76	Espinoza

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	71	J. CASTRO
	0600	70	Born
	0900	72	Born
	1200	74	Born
	1500	74	J. Pelayo
	1800	75	J. Pelayo
	2100	75	J. Pelayo
	2400	74	MEZA

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	72	MEZA
	0600	70	Born
	0900	73	Born
	1200	74	Borbon
	1500	77	RAZO
	1800	77	RAZO
	2100	76	RAZO
	2400	72	GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	72	GARCIA
	0600	73	Born
	0900	75	Born
	1200	76	Born
	1500	77	RAZO
	1800	76	RAZO
	2100	75	RAZO
	2400	73	Harrison

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	72	Harrison
	0600	71	Born
	0900	73	Born
	1200	74	Born
	1500	74°	Ayala
	1800	74°	Ayala
	2100	73°	Ayala
	2400	73	Harrison

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	72	Harrison
	0600	71	Born
	0900	73	Borbon
	1200	74	Born
	1500	73	Higuera
	1800	72	Higuera
	2100	72	Higuera
	2400	70	Harrison

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	Harrison
	0600	71	J. Garcia
	0900	73	J. Garcia
	1200	74	J. Garcia
	1500	75	Ramirez
	1800	75	Ramirez
	2100	73	Ramirez
	2400	76	Chang

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	76	Chang
	0600	74	Garcia
	0900	73	Garcia
	1200	74	Garcia
	1500	74	Ramirez
	1800	74	Ramirez
	2100	74	Ramirez
	2400	74	Chang

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2-Cent. Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	76	Johnson, J.
	0600	78	L. Ramirez
	0900	83	L. Ramirez
	1200	86	L. Ramirez
	1500	80	L. Ramirez
	1800	81	L. Ramirez
	2100	80	L. Ramirez
	2400	74	Johnson, J.

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	74	Johnson, J.
	0600	76	Sigala
	0900	76	Sigala
	1200	76	Sigala
	1500	80	Ramirez
	1800	80	Ramirez
	2100	81	Ramirez
	2400	74	Johnson, J.

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	74	Johnson, J.
	0600	76	Sigala
	0900	76	Sigala
	1200	76	Sigala
	1500	76	C. Owens
	1800	76	C. Owens
	2100	76	C. Owens
	2400	74	Johnson, J.

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	74	Johnson, J.
	0600	72	D. Godinez
	0900	73	D. Godinez
	1200	75	D. Godinez
	1500	75	C. Owens
	1800	75	C. Owens
	2100	75	C. Owens
	2400	78	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	76	[illegible]
	0600	73	D. Godinez
	0900	73	D. Godinez
	1200	73	D. Ventura
	1500	73	C. Owens
	1800	73	C. Owens
	2100	73	C. Owens
	2400	74	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	75	[illegible]
	0600	75	Sigala
	0900	75	Sigala
	1200	75	Sigala
	1500	75	C. Owens
	1800	75	C. Owens
	2100	75	C. Owens
	2400	75	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	74	[illegible]
	0600	73	Hernandez
	0900	73	Hernandez
	1200	73	Hernandez
	1500	73	C. Owens
	1800	73	C. Owens
	2100	73	C. Owens
	2400	74	Johnson, J.

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	76	Mendez
	0600	76	Moreno
	0900	77	Moreno
	1200	77	Moreno
	1500	78°	Jmendoza
	1800	78	Jmendoza
	2100	78	Jmendoza
	2400	78	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	77	[illegible]
	0600	77	[illegible]
	0900	77	[illegible]
	1200	77	[illegible]
	1500	80°	Jmendoza
	1800	80	Jmendoza
	2100	80	Jmendoza
	2400	74	Meza

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	72	Meza
	0600	73	C. Garza
	0900	73	C Garza
	1200	74	C Garza
	1500	75	V-Ocelot
	1800	75	V-Ocelot
	2100	75	V-Ocelot
	2400	74	Meza

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	72	Meza
	0600	74	Duarte
	0900	74	Duarte
	1200	76	Duarte
	1500	76°	Jmendoza
	1800	76	Jmendoza
	2100	76	Jmendoza
	2400	75	Meza

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	74	Meza
	0600	74	J. Garcia
	0900	74	J. Garcia
	1200	74	J. Garcia
	1500	74	[illegible]
	1800	74	[illegible]
	2100	74	[illegible]
	2400	72	Meza

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	Meza
	0600	74	C. Garza
	0900	74	C Garza
	1200	74	C Garza
	1500	74	Fernandez
	1800	74	Fernandez
	2100	74	Fernandez
	2400	72	Meza

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	Meza
	0600	70	Meza
	0900	70	Meza
	1200	74	Meza
	1500	75	Welch
	1800	75	Welch
	2100	75	Welch
	2400	74	Mendez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A&4 Temp. Reading Location: T2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	74	URBANO
	0600	74	J. Garcia
	0900	74	J. Garcia
	1200	74	J. Garcia
	1500	74	Fernandez
	1800	74	Fernandez
	2100	74	Fernandez
	2400	74	URBANO

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	74	URBANO
	0600	74	J. Garcia
	0900	74	J. Garcia
	1200	74	J. Garcia
	1500	74	Fernandez
	1800	74	Fernandez
	2100	74	Fernandez
	2400	74	URBANO

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	74	URBANO
	0600	74	Cruz
	0900	76	Cruz
	1200	76	Cruz
	1500	75	AMIETA
	1800	74	AMIETA
	2100	74	Amieta
	2400	74	URBANO

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	74	URBANO
	0600	74	[illegible]
	0900	77	[illegible]
	1200	77	[illegible]
	1500	77	Sanchez
	1800	77	Sanchez
	2100	75	Sanchez
	2400	74	URBANO

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	74	URBANO
	0600	74	[illegible]
	0900	77	[illegible]
	1200	78	[illegible]
	1500	78	VELASQUEZ
	1800	76	VELASQUEZ
	2100	75	VELASQUEZ
	2400	77	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	77	[illegible]
	0600	75	Fernandez
	0900	75	Fernandez
	1200	75	Fernandez
	1500	75	Duarte
	1800	75	Barajas
	2100	75	Barajas
	2400	75	Campos

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	72	Campos
	0600	72	Cruz
	0900	72	Cruz
	1200	73	Cruz
	1500	73	Fernandez
	1800	74	[illegible]
	2100	74	[illegible]
	2400	73	URBANO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-5 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10.14.24	0300	77	J. Sotelo
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	80	Klopfenstein
	1800	80	Klopfenstein
	2100	80	Klopfenstein
	2400	78	J. Sotelo

Tuesday

Date	Time	Temp.	Name (Print)
10.15.24	0300	78	J. Sotelo
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	78	Vargas
	1800	78	Vargas
	2100	77	Vargas
	2400	77	J. Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
10.16.24	0300	77	J. Sotelo
	0600	76	Gonzalez
	0900	76	Gonzalez
	1200	78	Gonzalez
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
	0300	78	[illegible]
	0600	77	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	78	[illegible]
	1800	<80	[illegible]
	2100	78	[illegible]
	2400	76	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10.18.24	0300	78	[illegible]
	0600	78	ESPINOZA
	0900	78	[illegible]
	1200	78	[illegible]
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	77	J. Sotelo

Saturday

Date	Time	Temp.	Name (Print)
10.19.24	0300	77	J. Sotelo
	0600	77	ESPINOZA
	0900	78	ESPINOZA
	1200	78	ESPINOZA
	1500	78	Spicer
	1800	78	Spicer
	2100	78	Spicer
	2400	76	Chenber

Sunday

Date	Time	Temp.	Name (Print)
10.20.24	0300	78	Chenber
	0600	78	Ruiz
	0900	78	Ruiz
	1200	78	Ruiz
	1500	78	Grays
	1800	78	Grays
	2100	78	Grays
	2400	77	J. Sotelo

Notes

_____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A6 Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	79	[illegible]
	0600	79	M. MIRANDA
	0900	79	M. MIRANDA
	1200	80	M. MIRANDA
	1500	79	[illegible]
	1800	79	[illegible]
	2100	79	[illegible]
	2400	79	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	79	[illegible]
	0600	79	M. MIRANDA
	0900	79	M. MIRANDA
	1200	80	M. MIRANDA
	1500	79	[illegible]
	1800	79	[illegible]
	2100	79	[illegible]
	2400	78	GRAYS

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	78	GRAYS
	0600	78	M. MIRANDA
	0900	78	MIRANDA
	1200	78	MIRANDA
	1500	80	X GONZALES
	1800	80	X GONZALES
	2100	80	X GONZALES
	2400	79	GRAYS

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	79	GRAYS
	0600	79	ESPINOLA
	0900	79	ESPINOLA
	1200	79	DIAZ
	1500	80	X GONZALES
	1800	80	X GONZALES
	2100	80	X GONZALES
	2400	79	CHANER

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	79	CHANER
	0600	78	M FLORES
	0900	78	M FLORES
	1200	80	X. GONZALES
	1500	80	X GONZALES
	1800	80	X GONZALES
	2100	80	X GONZALES
	2400	79	CHANER

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	79	CHANER
	0600	79	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	80	RODRIGUEZ
	1800	80	RODRIGUEZ
	2100	79	RODRIGUEZ
	2400	79	Grayes

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	78	Grays
	0600	78	H. Moreno
	0900	78	H. Moreno
	1200	78	H. Moreno
	1500	78	H. Moreno
	1800	78	H. Moreno
	2100	78	H. Moreno
	2400	78	Grays

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-7 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	78	CHAVEZ
	0600	78	L. SALAS
	0900	78	L. SALAS
	1200	78	L. SALAS
	1500	78	G. ALVAREZ
	1800	78	G. ALVAREZ
	2100	78	G. ALVAREZ
	2400	78	M. Macias

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	78	M. Macias
	0600	78	L. SALAS
	0900	78	L. SALAS
	1200	78	L. SALAS
	1500	78	L. Cenante
	1800	78	L. Cenante
	2100	78	L. Cenante
	2400	78	M. Macias

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	78	M. Macias
	0600	78	L. SALAS
	0900	78	L. SALAS
	1200	78	L. SALAS
	1500	78	L. Cenante
	1800	78	L. Cenante
	2100	78	L. Cenante
	2400	78	M. Macias

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	78	M. Macias
	0600	78	L. SALAS
	0900	78	L. SALAS
	1200	78	L. SALAS
	1500	78	L. Cenante
	1800	78	L. Cenante
	2100	78	L. Cenante
	2400	77	Northutt

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	77	Northutt
	0600	77	Northutt
	0900	77	Sanders
	1200	77	Sanders
	1500	78	Klopfenstein
	1800	78	Sanders
	2100	78	Klopfenstein
	2400	78	" "

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	78	" "
	0600	78	" "
	0900	78	L. SALAS
	1200	78	L. SALAS
	1500	78	Klopfenstein
	1800	78	Klopfenstein
	2100	78	Klopfenstein
	2400	78	CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	78	CHAVEZ
	0600	77	C. Barajas
	0900	78	C. Barajas
	1200	78	C. Barajas
	1500	78	L. Torres
	1800	78	L. Torres
	2100	78	L. Torres
	2400	78	CHAVEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-1 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	74	Cammy
	0600	72	Born
	0900	73	Born
	1200	75	Born
	1500	75	Rivera
	1800	73	Rivera
	2100	73	Rivera
	2400	73	HARRISON

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	72	HARRISON
	0600	71	Born
	0900	73	Borbon
	1200	75	Born
	1500	75	RIVERA
	1800	73	RIVERA
	2100	73	RIVERA
	2400	73	Harrison

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	72	HARRISON
	0600	71	Born
	0900	73	BORBON
	1200	75	Born
	1500	75	RIVERA
	1800	75	RIVERA
	2100	73	RIVERA
	2400	72	HARRISON

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	72	HARRISON
	0600	73	Born
	0900	75	Born
	1200	76	Born
	1500	76	Sanchez
	1800	75	Sanchez
	2100	74	Sanchez
	2400	73	HARRISON

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	72	HARRISON
	0600	72	Born
	0900	73	Born
	1200	75	Born
	1500	75	[illegible]
	1800	76	[illegible]
	2100	74	[illegible]
	2400	71	Harrison

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	70	HARRISON
	0600	72	Garcia
	0900	72	Garcia
	1200	73	Garcia
	1500	75	VILLANUEVA
	1800	75	VILLANUEVA
	2100	74	VILLANUEVA
	2400	74	Cammy

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	74	Cammy
	0600	74	Garcia
	0900	74	Garcia
	1200	74	Garcia
	1500	75	C. Hernandez
	1800	74	C. Hernandez
	2100	74	C. Hernandez
	2400	76	Cammy

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2-Cent. Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	74	Johnson, J.
	0600	74	L. Ramirez
	0900	74	L. Ramirez
	1200	74	L. Ramirez
	1500	75	L. Ramirez
	1800	74	L. Ramirez
	2100	74	L. Ramirez
	2400	74	Johnson, J.

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	74	Johnson, J.
	0600	74	Sigala
	0900	74	Sigala
	1200	74	Sigala
	1500	74	L. Ramirez
	1800	73	L. Ramirez
	2100	73	L. Ramirez
	2400	74	Johnson, J.

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	74	Johnson, J.
	0600	74	Sigala
	0900	74	Sigala
	1200	74	Sigala
	1500	74	C. Owens
	1800	74	C. Owens
	2100	74	C. Owens
	2400	74	Johnson, J.

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	74	Johnson, J.
	0600	73	D. Godinez
	0900	74	D. Godinez
	1200	74	D. Godinez
	1500	74	C. Owens
	1800	74	C. Owens
	2100	74	C. Owens
	2400	76	Cam

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	76	Cam
	0600	76	D. Godinez
	0900	76	D. Godinez
	1200	76	D. Godinez
	1500	76	C. Owens
	1800	70	C. Owens
	2100	70	C. Owens
	2400	76	Cam

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	76	Cam
	0600	76	Sigala
	0900	76	Sigala
	1200	76	Sigala
	1500	76	C. Owens
	1800	74	C. Owens
	2100	74	C. Owens
	2400	74	Johnson, J.

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	74	Johnson, J.
	0600	75	Velasquez
	0900	76	Velasquez
	1200	76	Velasquez
	1500	70	C. Owens
	1800	70	C. Owens
	2100	70	C. Owens
	2400	74	Johnson, J.

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	74	Mender
	0600	74	Jimenez
	0900	75	Jimenez
	1200	75	Jimenez
	1500	75	Pena
	1800	76	Pena
	2100	76	Pena
	2400	76	Mender

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	74	Mender
	0600	74	Garza
	0900	74	Garza
	1200	74	Garza
	1500	74	Pena
	1800	74	Ayala
	2100	74	Ayala
	2400	72	Meza

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	72	Meza
	0600	72	Garza
	0900	72	Garza
	1200	74	Garza
	1500	74	V.SANCHEZ
	1800	74	V.SANCHEZ
	2100	74	V.SANCHEZ
	2400	72	Meza

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	72	Meza
	0600	74	Duran
	0900	74	Duran
	1200	74	Duran
	1500	72	Pena
	1800	72	Pena
	2100	72	Pena
	2400	72	Meza

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	72	Meza
	0600	73	Garcia
	0900	74	Garcia
	1200	74	Garcia
	1500	74	Fernandez
	1800	74	Fernandez
	2100	74	Fernandez
	2400	72	Meza

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	72	Meza
	0600	72	Garza
	0900	72	Garza
	1200	74	Garza
	1500	75	G.ALVAREZ
	1800	75	G.ALVAREZ
	2100	75	G.ALVAREZ
	2400	73	HARRISON

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	72	HARRISON
	0600	72	Garza
	0900	72	Garza
	1200	74	Garza
	1500	74	G.ALVAREZ
	1800	74	G.ALVAREZ
	2100	74	G.ALVAREZ
	2400	73	Mendez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A4 Temp. Reading Location: 7

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	72	URBANO
	0600	72	Garcia
	0900	73	Garcia
	1200	74	Garcia
	1500	74	Fernandez
	1800	74	Fernandez
	2100	74	Fernandez
	2400	72	URBANO

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	72	URBANO
	0600	72	Garcia
	0900	73	Garcia
	1200	74	Garcia
	1500	76	Angelo
	1800	74	Piano
	2100	74	Piano
	2400	72	URBANO

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	72	URBANO
	0600	70	Cruz
	0900	72	Cruz
	1200	74	Cruz
	1500	75	Angelo
	1800	72	Angelo
	2100	72	Angelo
	2400	72	R. CALDERON

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	72	R. CALDERON
	0600	71	A. Cruz
	0900	71	A. Cruz
	1200	71	A. Cruz
	1500	73	Angelo
	1800	74	Angelo
	2100	74	Zuniga
	2400	73	Zuniga

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	72	Zuniga
	0600	72	J. CASTRO
	0900	76	J. CASTRO
	1200	77	J. CASTRO
	1500	78	Angelo
	1800	79	Angelo
	2100	75	Angelo
	2400	75	Raguel

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	75	Raguel
	0600	75	MATTHEW
	0900	75	MATTHEW
	1200	75	MATTHEW
	1500	75	Beltran
	1800	75	Beltran
	2100	75	Beltran
	2400	75	Raguel

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	75	Raguel
	0600	73	Sahagun
	0900	75	Sahagun
	1200	77	Sahagun
	1500	77	Angelo
	1800	77	Angelo
	2100	76	Angelo
	2400	76	Campos

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	77	J. Sotelo
	0600	76	Gonzalez
	0900	76	Gonzalez
	1200	77	Gonzalez
	1500	78	Klopfenstein
	1800	78	Klopfenstein
	2100	78	Klopfenstein
	2400	77	J. Sotelo

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	77	J. Sotelo
	0600	76	Gonzalez
	0900	76	Gonzalez
	1200	77	Gonzalez
	1500	78	[illegible]
	1800	80	[illegible]
	2100	78	[illegible]
	2400	77	J. Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	77	J. Sotelo
	0600	77	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	80	[illegible]
	1800	80	[illegible]
	2100	78	[illegible]
	2400	78	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	78	[illegible]
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	78	Gonzalez
	1500	80	[illegible]
	1800	80	[illegible]
	2100	78	[illegible]
	2400	76	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	76	[illegible]
	0600	78	ESPINOZA
	0900	78	ESPINOZA
	1200	78	ESPINOZA
	1500	78	G. ALVAREZ
	1800	78	G. ALVAREZ
	2100	78	G. ALVAREZ
	2400	75	Jaramillo

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	75	Jaramillo
	0600	76	ESPINOZA
	0900	76	ESPINOZA
	1200	76	ESPINOZA
	1500	76	[illegible]
	1800	76	[illegible]
	2100	76	[illegible]
	2400	76	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	74	[illegible]
	0600	74	[illegible]
	0900	76	[illegible]
	1200	76	Gonzalez
	1500	78	Klopfenstein
	1800	78	[illegible]
	2100	78	[illegible]
	2400	77	Sotelo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	78	Grays
	0600	78	M. MIRANDA
	0900	78	M. MIRANDA
	1200	78	M. MIRANDA
	1500	78	Munoz
	1800	78	Munoz
	2100	78	Munoz
	2400	78	GRAYS

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	78	GRAYS
	0600	78	M. MIRANDA
	0900	78	M. MIRANDA
	1200	78	M. MIRANDA
	1500	78	Munoz
	1800	78	Munoz
	2100	78	Munoz
	2400	78	GRAYS

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	78	Grays
	0600	78	M. MIRANDA
	0900	78	M. MIRANDA
	1200	78	M. MIRANDA
	1500	80	XGONZALES
	1800	80	XGONZALES
	2100	80	XGONZALES
	2400	79	GRAYS

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	79	Grays
	0600	78	ESPINOZA
	0900	78	ESPINOZA
	1200	78	ESPINOZA
	1500	79	XGONZALES
	1800	79	XGONZALES
	2100	79	XGONZALES
	2400	78	CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	78	CHAVEZ
	0600	78	I. NUNEZ
	0900	78	I. NUNEZ
	1200	78	I. NUNEZ
	1500	79	XGONZALES
	1800	79	XGONZALES
	2100	79	XGONZALES
	2400	78	CHAVEZ

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	78	CHAVEZ
	0600	78	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	77	[illegible]
	0600	77	[illegible]
	0900	78	[illegible]
	1200	79	[illegible]
	1500	79	XGONZALES
	1800	79	XGONZALES
	2100	79	XGONZALES
	2400	78	M. MIRANDA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-7 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	78	CHANEL
	0600	78	SALAS
	0900	78	SALAS
	1200	78	SALAS
	1500	78	L. Cenarb
	1800	78	L. Cenarb
	2100	78	L. Cenarb
	2400	78	M. Macias

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	78	M. Macias
	0600	78	L. SALAS
	0900	78	L. SALAS
	1200	78	L. SALAS
	1500	78	L. Cenarb
	1800	78	L. Cenarb
	2100	78	L. Cenarb
	2400	78	M. Macias

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	78	Macias
	0600	78	SALAS
	0900	78	SALAS
	1200	78	SALAS
	1500	78	L Cenarb
	1800	78	L. Cenarb
	2100	78	L. Cenarb
	2400	78	M. Macias

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	78	M. Macias
	0600	78	L. SALAS
	0900	78	L. SALAS
	1200	78	L. SALAS
	1500	78	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72	M. Macias

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	75	Sanders
	0600	75	Sanders
	0900	75	Sanders
	1200	75	Sanders
	1500	78	Klopfenstein
	1800	78	Klopfenstein
	2100	78	Klopfenstein
	2400	78	M. Macias

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	78	M. Macias
	0600	78	L. Torres
	0900	78	L. Torres
	1200	78	L. Torres
	1500	78	Klopfenstein
	1800	78	Klopfenstein
	2100	78	Klopfenstein
	2400	76	Slater

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	76	Slater
	0600	75	SAMARRIPAS
	0900	76	SAMARRIPAS
	1200	76	SAMARRIPAS
	1500	78	HERNANDEZ
	1800	78	HERNANDEZ
	2100	78	HERNANDEZ
	2400	78	CHANEL

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DHU.1

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KCVSP Housing Unit: ASU 1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	76	Johnson
	0600	76	Brown
	0900	76	Brown
	1200	76	Brown
	1500	77	Castellanos
	1800	76	Castellanos
	2100	76	Castellanos
	2400	76	Wicks

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	77	Wicks
	0600	76	P. Rangel
	0900	76	P. Rangel
	1200	77	P. Rangel
	1500	77	Ochoa
	1800	77	Phillips
	2100	77	Phillips
	2400	76	Wicks

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	76	Wicks
	0600	76	P. Rangel
	0900	76	P. Rangel
	1200	76	P. Rangel
	1500	77°	Ochoa
	1800	76°	Ochoa
	2100	76°	Ochoa
	2400	76	Wicks

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	76	Wicks
	0600	75	P. Rangel
	0900	75	P. Rangel
	1200	74	P. Rangel
	1500	76	Terrell
	1800	76	Terrell
	2100	75	Terrell
	2400	76	Wicks

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	Start a	
	0600	New Temp. Log.	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: B Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	78	A Rendon
	0600	75	Manriquez
	0900	75	Manriquez
	1200	75	Manriquez
	1500	75	Hernandez
	1800	75	Hernandez
	2100	75	Hernandez
	2400	75	D.LUNA

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	74	D.LUNA
	0600	72	R. Vargas
	0900	70	R. Vargas
	1200	70	R. Vargas
	1500	70	Prunk
	1800	70	Prunk
	2100	70	Prunk
	2400	68	A

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	68	A
	0600	68	V. Flores
	0900	68	V. Flores
	1200	69	V. Flores
	1500	70	Guzman
	1800	70	Guzman
	2100	70	Guzman
	2400	68	A

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	68	A
	0600	68	V. Flores
	0900	68	V. Flores
	1200	68	V. Flores
	1500	70	M. Duarte
	1800	70	M. Duarte
	2100	70	M. Duarte
	2400	68	A

Friday

Date	Time	Temp.	Name (Print)
11/1	0300	68	A
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B2 Temp. Reading Location: ABC SECTIONS (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	75	VEGASPI
	0600	75	[illegible]
	0900	75	[illegible]
	1200	75	[illegible]
	1500	75	HERRERA
	1800	75	HERRERA
	2100	75	HERRERA
	2400	75	VEGASPI

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	75	VEGASPI
	0600	75	[illegible]
	0900	75	[illegible]
	1200	[illegible]	[illegible]
	1500	75	HERRERA
	1800	75	HERRERA
	2100	75	HERRERA
	2400	75	VEGASPI

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	75	VEGASPI
	0600	75	[illegible]
	0900	75	[illegible]
	1200	75	[illegible]
	1500	75	Baird
	1800	75	Baird
	2100	75	[illegible] Baird
	2400	75	CHANG

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	75	CHANG
	0600	75	[illegible]
	0900	75	[illegible]
	1200	75	[illegible]
	1500	75	[illegible]
	1800	75	[illegible]
	2100	75	[illegible]
	2400	75	[illegible]

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	74	Hulsey
	0600	74	Fountain
	0900	75	Fountain
	1200	76	Fountain
	1500	76	Ocamora
	1800	76	Ocamora
	2100	76	Ocamora
	2400	76	Hulsey

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	75	Hulsey
	0600	75	Fountain
	0900	75	Fountain
	1200	75	Fountain
	1500	75	Ocamora
	1800	75	Ocamora
	2100	75	Ocamora
	2400	75	Hulsey

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	75	Hulsey
	0600	75	Fountain
	0900	75	Fountain
	1200	75	Fountain
	1500	75	Ocamora
	1800	75	Ocamora
	2100	75	Ocamora
	2400	75	Young

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	75	Young
	0600	72	Mares
	0900	72	Mares
	1200	72	Mares
	1500	72	Kim
	1800	74	Kim
	2100	72	Kim
	2400	72	Jaramillo

Friday

Date	Time	Temp.	Name (Print)
11/01/24	0300		Jaramillo
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/02/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/03/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B4 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/22/24	0300	76	VALDEZ
	0600	76	PASCUA
	0900	76	Pascua
	1200	74	Pascua
	1500	74	Betty
	1800	74	Betty
	2100	74	Betty
	2400	76	VALDEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/23/24	0300	76	VALDEZ
	0600	76	PASCUA
	0900	78	Pascua
	1200	78	Pascua
	1500	76	[illegible]
	1800	76	[illegible]
	2100	76	[illegible]
	2400	76	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
10/24/24	0300	75	Bun
	0600	75	Bun
	0900	76	Bun
	1200	76	Bun
	1500	76	M. Lopez
	1800	76	M Lopez
	2100	76	M Lopez
	2400	75	Brockman

Thursday

Date	Time	Temp.	Name (Print)
10/25/24	0300	75	Brockman
	0600	76	Sanchez
	0900	76	Sanchez
	1200	77	Sanchez
	1500	77	Rivera
	1800	76	Rivera
	2100	75	Rivera
	2400	75	Brockman

Friday

Date	Time	Temp.	Name (Print)
10/26/24	0300	75	Brockman
	0600	75	Mendoza
	0900	75	Mendoza
	1200	75	Mendoza
	1500	75	Moreno
	1800	75	Moreno
	2100	75	Moreno
	2400		Brockman

Saturday

Date	Time	Temp.	Name (Print)
	0300		Brockman
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 20. 1 (0/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FBB5 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	75	C Fountain
	0600	75	Rivera
	0900	75	Rivera
	1200	75	Rivera
	1500	75	Davidson
	1800	75	Davidson
	2100	75	Davidson
	2400	75	C Fountain

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	75	C Fountain
	0600	75	Rivera
	0900	75	Rivera
	1200	75	Rivera
	1500	78	Davidson
	1800	78	Davidson
	2100	78	Davidson
	2400	75	Fountain

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	75	Fountain
	0600	75	Rivera
	0900	75	Rivera
	1200	75	Rivera
	1500	76	Davidson
	1800	76	Davidson
	2100	75	Davidson
	2400	75	Northcutt

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	75	Northcutt
	0600	75	Northcutt
	0900	75	Rivera
	1200	75	Rivera
	1500	75	Davidson
	1800	75	Davidson
	2100	75	Davidson
	2400	75	[illegible]

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	75	[illegible]
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B-6 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/20	0300	76	[illegible]
	0600	77	K. Camin
	0900	78	K Camin
	1200	78	K. Camin
	1500	78	A. Leal
	1800	78	A Leal
	2100	78	A. Leal
	2400	78	HERNANDEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300	77	HERNANDEZ
	0600	77	K. Camin
	0900	78	K. Camin
	1200	78	K. Camin
	1500	75	M. Duarte
	1800	75	M. Duarte
/24	2100	76	M. Duarte
	2400	76	HERNANDEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	76	HERNANDEZ
	0600	74	K. Camin
	0900	77	K. Camin
	1200	78	K. Camin
	1500	78	M. Duarte
	1800	77	M. Duarte
	2100	77	M. Duarte
/24	2400	77	HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	77	HERNANDEZ
	0600	77	WILLIAMS
	0900	77	[illegible]
	1200	77	[illegible]
	1500	77	Rojas
	1800	75	Rojas
	2100	75	Rojas
/24	2400	76	HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B7 Temp. Reading Location: ABC Sec
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/20/24	0300	75	[illegible]
	0600	75	[illegible]
	0900	75	S. Avila
	1200	75	S. Avila
	1500	75	R. URBINA
	1800	75	R. URBINA
	2100	75	R. URBINA
	2400	74	A. Silva

Tuesday

Date	Time	Temp.	Name (Print)
10/28/24	0300	73	A. Silva
	0600	73	S. Avila
	0900	74	S. Avila
	1200	74	S. Avila
	1500	76	R. URBINA
	1800	76	R. URBINA
	2100	76	R. URBINA
	2400	76	T. Solomon

Wednesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	75	T. Roman
	0600	75	S. Avila
	0900	75	S. Avila
	1200	75	S. Avila
	1500	76	R. URBINA
	1800	76	R. URBINA
	2100	76	R. URBINA
	2400	75	D. V. Lopez

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	74	D. V. LOPEZ
	0600	74	RIVERA
	0900	75	RIVERA
	1200	75	RIVERA
	1500	76	R. URBINA
	1800	76	R. URBINA
	2100	76	R. URBINA
	2400	76	VALDOR

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	76	VALDOR
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B-8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	72	P.Espinoza
	0600	72	Hernandez
	0900	73	Hernandez
	1200	73	Hernandez
	1500	73	J. Aguilar
	1800	73	J. Aguilar
	2100	73	J. Aguilar
	2400	72	P.Espinoza

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	72	P.Espinoza
	0600	72	Hernandez
	0900	73	Hernandez
	1200	73	Hernandez
	1500	73	Hernandez
	1800	73	Hernandez
	2100	73	Hernandez
	2400	72	P.Espinoza

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	72	P.Espinoza
	0600	72	Nieto
	0900	72	Nieto
	1200	73	Nieto
	1500	73	R.Vidunya
	1800	73	R.Vidunya
	2100	73	R.Vidunya
	2400	71	P.Espinoza

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	71	P.Espinoza
	0600	71	Nieto
	0900	72	Nieto
	1200	72	Nieto
	1500	72	R.Vidunya
	1800	72	R.Vidunya
	2100	72	R.Vidunya
	2400	72	P.Espinoza

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300		P.Espinoza
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-1 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	76	Cenny
	0600	74	Born
	0900	75	Born
	1200	76	Born
	1500	75	Sil
	1800	75	Sil
	2100	75	Sil
	2400	75	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	74	[illegible]
	0600	73	Born
	0900	75	Born
	1200	76	Born
	1500	76	Rizo
	1800	75	Rizo
	2100	74	Rizo
	2400	72	Harrison

OR

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	71	Harrison
	0600	70	Born
	0900	72	Born
	1200	74	Born
	1500	75	Rizo
	1800	74	Rizo
	2100	73	Rizo
	2400	71	Harrison

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	70	Harrison
	0600	70	Gamaches
	0900	70	Gamaches
	1200	70	Gamaches
	1500	70	Esparza
	1800	70	Esparza
	2100	70	Esparza
	2400	71	Harrison

ZA

Friday

Date	Time	Temp.	Name (Print)
11-1-24	0300	70	Harrison
	0600	71	Born
	0900	73	Born
	1200	75	Born
	1500	74	Rizo
	1800	73	Rizo
	2100	71	Rizo
	2400	71	Harrison

Saturday

Date	Time	Temp.	Name (Print)
11-2-24	0300	70	Harrison
	0600	71	Garcia
	0900	73	Garcia
	1200	73	Garcia
	1500	73	Garcia
	1800	73	Garcia
	2100	72	Garcia
	2400	72	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
11-3-24	0300	72	[illegible]
	0600	71	Garcia
	0900	73	Garcia
	1200	73	Garcia
	1500	73	Rauser
	1800	73	Rauser
	2100	73	Rauser
	2400	74	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2-Cont. Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	74	Johnson, J.
	0600	74	L. Ramirez
	0900	74	L. Ramirez
	1200	74	L. Ramirez
	1500	75	L. Ramirez
	1800	74	L. Ramirez
	2100	73	L. Ramirez
	2400	74	Johnson, J.

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	74	Johnson, J.
	0600	74	Sigala
	0900	74	Sigala
	1200	74	Sigala
	1500	74	L. Ramirez
	1800	74	L. Ramirez
	2100	73	L. Ramirez
	2400	74	Johnson, J.

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	74	Johnson, J.
	0600	74	Sigala
	0900	74	Sigala
	1200	74	Sigala
	1500	74	A. Delacruz
	1800	74	A. Delacruz
	2100	74	A. Delacruz
	2400	74	Johnson, J.

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	74	Johnson
	0600	75	D. Godinez
	0900	75	D. Godinez
	1200	76	D. Godinez
	1500	78	A. Gomedez Cervantes
	1800	78	A. Gomedez-Cervantes
	2100	78	A. Gomedez-Cervantes
	2400	78	Campos

Friday

Date	Time	Temp.	Name (Print)
11-1-24	0300	76	Campos
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11-2-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11-3-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

~~146 215~~ ~~4 B3 control~~

8 B2 control

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	73	Mendez
	0600	73	Garza
	0900	73	L. Cervantes
	1200	73	L Cervantes
	1500	73	C Garza
	1800	73	C Garza
	2100	72	C Garza
	2400	72	Rivera

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	72	Rivera
	0600	72	Jimenez
	0900	72	Jimenez
	1200	72	Jimenez
	1500	74°	J Mendoza
	1800	72	J Mendoza
	2100	72	J Mendoza
	2400	72	Meza

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70	Meza
	0600	71	Cardenas
	0900	71	Cardenas
	1200	72	Cardenas
	1500	74°	J Mendoza
	1800	72	J Mendoza
	2100	72	J Mendoza
	2400	72	Meza

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70	Meza
	0600	70	Esparza
	0900	70	Esparza
	1200	70	Esparza
	1500	70	H. Moreno
	1800	70	H. Moreno
	2100	70	H. Moreno
	2400	70	Meza

B.A

Friday

Date	Time	Temp.	Name (Print)
11/01/2024	0300	70	Meza
	0600	70	Garcia
	0900	70	Garcia
	1200	70	Garcia
	1500	70	Fernandez
	1800	70	Fernandez
	2100	70	Fernandez
	2400	70	Meza

Saturday

Date	Time	Temp.	Name (Print)
11/02/24	0300	70	Meza
	0600	70	GONZALEZ
	0900	70	GONZALEZ
	1200	70	GONZALEZ
	1500	70	Fernandez
	1800	70	Fernandez
	2100	70	Fernandez
	2400	70	Meza

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300	70	Meza
	0600	70	GONZALEZ
	0900	70	GONZALEZ
	1200	70	GONZALEZ
	1500	70	Welch
	1800	70	Welch
	2100	70	Welch
	2400	70	MEZA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A4 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	72	Campos
	0600	72	Garcia
	0900	73	Garcia
	1200	74	Garcia
	1500	75	Angulo
	1800	75	Angulo
	2100	75	Angulo
	2400	74	Urbano

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	72	Urbano
	0600	72	Garcia
	0900	73	Garcia
	1200	73	Garcia
	1500	73	Angulo
	1800	73	Angulo
	2100	72	Angulo
	2400	72	Urbano

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	72	Urbano
	0600	72	E. Sanchez
	0900	72	E Sanchez
	1200	72	E Sanchez
	1500	72	E Sanchez
	1800	74	Angulo
	2100	74	Angulo
	2400	72	Urbano

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	72	Urbano
	0600	70	Cruz
	0900	72	Cruz
	1200	72	Cruz
	1500	72	H. Aguilar
	1800	72	H. Aguilar
	2100	72	H. Aguilar
	2400		

BK

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-5 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	77	Sotelo, J
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	78	Gonzalez
	1500	76	Klopfenstein
	1800	76	Klopfenstein
	2100	76	Klopfenstein
	2400	76	Sotelo, J

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	77	Sotelo, J
	0600	76	Gonzalez
	0900	76	Gonzalez
	1200	76	Gonzalez
	1500	78	Cary
	1800	76	Cary
	2100	76	Cary
	2400	75	Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	75	Sotelo
	0600	76	Gonzalez
	0900	76	Gonzalez
	1200	76	Gonzalez
	1500	76	Cary
	1800	76	Cary
	2100	76	Cary
	2400	76	Cary

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	78	Cary
	0600	76	Gonzalez
	0900	76	Gonzalez
	1200	76	Gonzalez
	1500	78	Cary
	1800	78	Cary
	2100	78	Cary
	2400	78	Sotelo, J

BA

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	77	Sotelo J
	0600	78	ESPINOZA
	0900	78	ESPINOZA
	1200	78	ESPINOZA
	1500	77	RWL
	1800	77	RWL
	2100	77	RWL
	2400	76	Manuel S

Saturday

Date	Time	Temp.	Name (Print)
11-2-24	0300	75	Manuel S
	0600	75	ESPINOZA
	0900	76	ESPINOZA
	1200	76	ESPINOZA
	1500	76	Cary
	1800	76	Cary
	2100	76	Cary
	2400	75	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300	75	K Gonzales
	0600	75	A. BARBOZA
	0900	76	A. BARBOZA
	1200	76	A. BARBOZA
	1500	75	Klopfenstein
	1800	75	Klopfenstein
	2100	75	Klopfenstein
	2400	75	J. Sotelo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A6 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	78	M. MIRANDA
	0600	78	M. MIRANDA
	0900	78	M. MIRANDA
	1200	78	M. MIRANDA
	1500	78	Muñoz
	1800	78	Muñoz
	2100	78	Muñoz
	2400	78	R. CALDERON

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	78	R. CALDERON
	0600	78	M. MIRANDA
	0900	78	M. MIRANDA
	1200	79	M. MIRANDA
	1500	78	Pena
	1800	78	Barrotto
	2100	78	Brown
	2400	78	Grays

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	78	Grays
	0600	78	M. MIRANDA
	0900	78	M. MIRANDA
	1200	78	M. MIRANDA
	1500	78	J. Pena
	1800	78	J. Pena
	2100	78	J. Pena
	2400	78	T Robinson

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	77	T Robinson
	0600	77	ESPINOZA
	0900	77	ESPINOZA
	1200	77	ESPINOZA
	1500	77	ESPINOZA
	1800	78	ESPINOZA
	2100	78	ESPINOZA
	2400	78	CUANDO

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-7 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6880 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	78	CHAVEZ
	0600	78	SALAS
	0900	78	SALAS
	1200	78	SALAS
	1500	78	Lopez
	1800	76	Lopez
	2100	76	Lopez
	2400	76	M. Macias

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	78	M. Macias
	0600	78	L. SALAS
	0900	78	L. SALAS
	1200	78	L. SALAS
	1500	78	L. Cerda
	1800	78	L. Cerda
	2100	78	L. Cerda
	2400	78	M. Macias

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	78	M. Macias
	0600	78	L SALAS
	0900	78	L Salas
	1200	78	L Salas
	1500	78	L. Cerda
	1800	78	L. Cerda
	2100	78	L. Cerda
	2400	78	M. Macias

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	78	Macias
	0600	78	D Sanders
	0900	75	D Sanders
	1200	75	D Sanders
	1500	75	Sanders
	1800	75	Sanders
	2100	75	Sanders
	2400	75	Macias

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	78	Bias
09	0600	78	Cabrera
	0900	78	Cabrera
30	1200	78	Cabrera
	1500	78	TORRES
24	1800	78	TORRES
	2100	78	TORRES
	2400	78	SANDOVAL

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	78	SANDOVAL
10	0600	78	Cabrera
	0900	78	Cabrera
01	1200	78	Cabrera
	1500	78	
24	1800	78	
	2100	78	
	2400	78	SANDOVAL

Wednesday

Date	Time	Temp.	Name (Print)
	0300	78	SANDOVAL
10	0600	78	Cabrera
	0900	78	Cabrera
02	1200	78	Cabrera
	1500	78	
24	1800	78	
	2100	78	
	2400	78	SANDOVAL

Thursday

Date	Time	Temp.	Name (Print)
	0300	78	SANDOVAL
10	0600	78	Cabrera
	0900	78	Cabrera
03	1200	78	Cabrera
	1500	78	
24	1800	78	
	2100	78	
	2400	77	MARBURADO

Friday

Date	Time	Temp.	Name (Print)
	0300	77	MARBURADO
10	0600	77	Cabrera
	0900	77	Cabrera
04	1200	77	Cabrera
	1500	78	
24	1800	78	
	2100	78	
	2400	78	Fountain

Saturday

Date	Time	Temp.	Name (Print)
	0300	78	Fountain
10	0600	80	C.Look
	0900	80	C.Look
05	1200	80	C.Look
	1500	80	A.ZUNIGA
24	1800	80	A.ZUNIGA
	2100	80	A.ZUNIGA
	2400	80	Bias

Sunday

Date	Time	Temp.	Name (Print)
	0300	80	Bias
10	0600	80	C.Look
	0900	80	C.Look
06	1200	80	C.Look
	1500	80	Sanchez
24	1800	80	Sanchez
	2100	79	Sanchez
	2400	79	Bias

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C2 Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	78	[illegible]
	0600	78	Clark
	0900	78	Clark
	1200	79	Clark
	1500	79	Andrade
	1800	79	Andrade
	2100	79	Lopez
	2400	79	Lopez

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MVSP Housing Unit: HA-3 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300		
	0600	78	Nacimiento
	0900	78	Nacimiento
	1200	78	Nacimiento
	1500	80	Herrera
	1800	80	Herrera
	2100	78	Herrera
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/01/24	0300		
	0600		
	0900		
	1200		
	1500	80	Herrera
	1800	80	Herrera
	2100	78	Herrera
	2400	80	See

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	80	See
	0600	78	Nacimiento
	0900	78	Nacimiento
	1200	78	Nacimiento
	1500	80	Herrera
	1800	80	Herrera
	2100	75	Herrera
	2400	80	See

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	80	See
	0600	80	Araiza
	0900	80	Araiza
	1200	80	Araiza
	1500	82	Herrera
	1800	80	Herrera
	2100	77	Herrera
	2400	78	See

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	78	See
	0600	80	C. Lock
	0900	80	C. Lock
	1200		
	1500	80	G. Rodriguez
	1800	80	G. Rodriguez
	2100	80	G. Rodriguez
	2400	80	See

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	80	See
	0600	78	J. Guajardo
	0900	78	J. Guajardo
	1200	78	J. Guajardo
	1500	78	M. Gonzalez
	1800	78	S. Olivera
	2100	77	S. Olivera
	2400	77	S. Johnson

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	77	Johnson
	0600	78	Nacimiento
	0900	78	Nacimiento
	1200	79	Nacimiento
	1500	80	Herrera
	1800	80	Herrera
	2100	78	Herrera
	2400	80	S. Hernandez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4 Temp. Reading Location: Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	80	[illegible]
	0600	80	C. Look
	0900	80	C. Look
	1200	80	C. Look
	1500	80	Arraiza
	1800	80	Arraiza
	2100	80	[illegible]
	2400	80	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: 6 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/18	0300	78	T. ALVARADO
	0600	78	A. OLMOS
	0900	78	A OLMOS
	1200	79	A. OLMOS
	1500	80	R. Silva
	1800	80	R. Silva
	2100	75	R. Silva
	2400	75	DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	75	DIAZ
	0600	76	OLMOS
	0900	78	OLMOS
12	1200	80	OLMOS
	1500	80	F. GARCIA
	1800	78	F. GARCIA
24	2100	78	F. GARCIA
	2400	78	A. RENDON

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	78	A. RENDON
	0600	78	A Rendon
	0900	78	[illegible]
3	1200	78	[illegible]
	1500	78	GARCIA
	1800	78	GARCIA
24	2100	78	LEE
	2400	78	LEE

Thursday

Date	Time	Temp.	Name (Print)
10	0300	78	LEE
	0600	79	E. Ruiz
	0900	80	E. Ruiz
3	1200	80	E. Ruiz
	1500	79	GARCIA
	1800	79	GARCIA
24	2100	78	LEE
	2400	78	

Friday

Date	Time	Temp.	Name (Print)
10	0300	78	LEE
	0600	78	OLMOS
	0900	78	OLMOS
4	1200	79	OLMOS
	1500	79	mezhuca
	1800	79	mezhuca
24	2100	79	LEE mezhuca
	2400	79	LEE

Saturday

Date	Time	Temp.	Name (Print)
10	0300	78	T. Alvarado
	0600	78	A OLMOS
	0900	78	A. OLMOS
5	1200	78	A. OLMOS
	1500	78	J. Moreno Macias
	1800	75	J. Moreno Macias
24	2100	75	J. Moreno Macias
	2400	76	T. Alvarado

Sunday

Date	Time	Temp.	Name (Print)
10	0300	76	T. Alvarado
	0600	79	A. OLMOS
	0900	79	A. OLMOS
6	1200	78	A. OLMOS
	1500	78	A. OLMOS
	1800	78	[illegible]
24	2100	75	T. ALVARADO
	2400	76	T. Alvarado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C7 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	76	Sanchez
	0600	78	Hernandez
	0900	78	Hernandez
	1200	78	Pelayo
	1500	78	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	77	R. Whitfill
	2400	76	Sanchez

Tuesday

Dat	Time	Temp.	Name (Print)
10/1	0300	76	Sanchez
	0600	77	Hernandez
	0900	79	Hernandez
	1200	79	Hernandez
	1500	79	M. ALCANTAR
	1800	79	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	76	Sanchez

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	76	Sanchez
	0600	79	Hernandez
	0900	79	Hernandez
	1200	79	Hernandez
	1500	79	M. ALCANTAR
	1800	79	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	76	F Sanchez

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	76	F Sanchez
	0600	77	Hernandez
	0900	78	Hernandez
	1200	79	PEREZ BAUTISTA
	1500	79	M. ALCANTAR
	1800	79	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	80	Rivera

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	80	Rivera
	0600	79	Hernandez
	0900	79	Hernandez
	1200	79	[illegible]
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	T. Alvarado

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	T. Alvarado
	0600	77	Diaz
	0900	78	Diaz
	1200	79	Diaz
	1500	79	Cabrera
	1800	80	Cabrera
	2100	78	Cabrera
	2400	76	Sanchez

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	76	Sanchez
	0600	76	Pelton
	0900	76	Pelton
	1200	76	Pelton
	1500	79	BARRAJAS
	1800	78	BARRAJAS
	2100	77	BARRAJAS
	2400	76	Sanchez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C8 Temp. Reading Location: 2nd Tier: A/B/C Sections Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4390 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
30 Sept 24	0300	76	H. Cervantes
	0600	76	L. Lopez
	0900	76	Duarte
	1200	76	Duarte
	1500	79	P. Arellano
	1800	79	P. Arellano
	2100	79	P. Arellano
	2400	78	M. Sofelo

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	78	M. Sofelo
	0600	78	M. Sofelo
	0900	72	L. Duarte
	1200	72	L. Duarte
	1500	72	P. Arellano
	1800	73	P. Arellano
	2100	72	P. Arellano
	2400	76	M. Sofelo

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	76	M. Sofelo
	0600	76	M. Sofelo
	0900	78	Nunez
	1200	78	Nunez
	1500	78	P. Arellano
	1800	78	P. Arellano
	2100	77	P. Arellano
	2400	80	Rivera

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	80	Rivera
	0600	79	Nunez
	0900	80	Nunez
	1200	80	Nunez
	1500	79	P. Arellano
	1800	79	P. Arellano
	2100	78	P. Arellano
	2400	78	S. Hernandez

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	78	S. Hernandez
	0600	78	Nunez
	0900	80	Nunez
	1200	80	Nunez
	1500	79	P. Arellano
	1800	79	P. Arellano
	2100	78	P. Arellano
	2400	78	R Lopez

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	R Lopez
	0600	78	Nunez
	0900	78	Nunez
	1200	79	Nunez
	1500	79	R. Silva
	1800	79	R. Silva
	2100	79	R. Silva
	2400	78	Gray

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	78	Gray
	0600	78	Nunez
	0900	79	Nunez
	1200	79	Nunez
	1500	79	R. Silva
	1800	79	R. Silva
	2100	79	R. Silva
	2400	78	Pelayo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D2 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	78	M. Ornelas
	0600	78	Romero
	0900	77	Romero
	1200	76	Romero
	1500	79	Lopez
	1800	78	Lopez
	2100	78	Lopez
	2400	78	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
10/01/24	0300	74	[illegible]
	0600	74	Cervantes
	0900	74	[illegible]
	1200	75	[illegible]
	1500	79	Flores
	1800	79	FLORES
	2100	79	FLORES
	2400	79	M. CHAVEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/02/24	0300	79	M. CHAVEZ
	0600	78	Cervantes
	0900	78	Cervantes
	1200	79	Cervantes
	1500	79	Constanza
	1800	79	Constanza
	2100	79	Constanza
	2400	78	Chavez

Thursday

Date	Time	Temp.	Name (Print)
10/03/24	0300	77	Chavez
	0600	77	Cervantes
	0900	78	Cervantes
	1200	79	Cervantes
	1500	79	Constanza
	1800	79	Constanza
	2100	79	Constanza
	2400	79	M. CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
10/04/24	0300	79	M. CHAVEZ
	0600	79	Cervantes
	0900	79	Cervantes
	1200	79	Cervantes
	1500	79	Constanza
	1800	79	Constanza
	2100	79	Constanza
	2400	79	M. CHAVEZ

Saturday

Date	Time	Temp.	Name (Print)
10/05/24	0300	79	M. CHAVEZ
	0600	79	Cervantes
	0900	79	Cervantes
	1200	79	Cervantes
	1500	79	Constanza
	1800	79	Constanza
	2100	79	Constanza
	2400	79	M. CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
10/06/24	0300	79	M. CHAVEZ
	0600	78	Romero
	0900	79	Romero
	1200	79	Romero
	1500	79	Barry
	1800	79	Barry
	2100	79	Barry
	2400	79	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)	
9/30/24	0300	78	Gloria	MP
	0600	72	DURAN	
	0900	75	DURAN	OR
	1200	75	DURAN	
	1500	78	Duran	
	1800	78	Duran	
	2100	78	Duran	
	2400	78	Gloria	

Tuesday

Date	Time	Temp.	Name (Print)	
10/1/24	0300	78	Gloria	MP
	0600	78	Marquez	
	0900	78	Marquez	OR
	1200	78	Marquez	
	1500	78	Duran	
	1800	78	Duran	
	2100	78	Duran	
	2400	78	Gloria	

Wednesday

Date	Time	Temp.	Name (Print)	
10/2/24	0300	78	Gloria	MP
	0600	78	Marquez	
	0900	78	Marquez	OR
	1200	78	Marquez	
	1500	78	Duran	
	1800	78	Duran	
	2100	78	Duran	
	2400	78	Meza, N	

Thursday

Date	Time	Temp.	Name (Print)	
10/3/24	0300	78	Meza, N	
	0600	78	Duenas	MP
	0900	78	Duenas	
	1200	78	Duenas	
	1500	78	[illegible]	
	1800	78	Duran	
	2100	78	Duran	
	2400	78	Sprie	TR

Friday

Date	Time	Temp.	Name (Print)	
10/4/24	0300	78	Ruiz	
	0600	78	Ramos	OR
	0900	78	RAMOS	
	1200	78	RAMOS	
	1500	78	Moreno	
	1800	78	Moreno	
	2100	78	Moreno	
	2400	78	Gloria	

Saturday

Date	Time	Temp.	Name (Print)	
10/5/24	0300	78	Gloria	TR
	0600	78	Marquez	
	0900	78	Marquez	
	1200	78	Marquez	
	1500	78	Duran	
	1800	78	Duran	
	2100	78	Duran	
	2400	78	Gloria	

Sunday

Date	Time	Temp.	Name (Print)	
10/6/24	0300	78	Gloria	MP
	0600	78	Marquez	
	0900	78	Marquez	
	1200	78	Marquez	
	1500	78	Duran	
	1800	78	Duran	
	2100	78	Duran	
	2400	78	Sevilla	

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D4 Temp. Reading Location: B Section (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	78	SAMARRIPAS
	0600	74	J. RAMOS
	0900	74	J. RAMOS
	1200	76	J. RAMOS
	1500	76	F. Castro
	1800	76	F. Castro
	2100	76	F. Castro
	2400	77	SAMARRIPAS

Tuesday

Dat	Time	Temp.	Name (Print)
10/01/24	0300	77	SAMARRIPAS
	0600	77	J. RAMOS
	0900	77	J. RAMOS
	1200	77	J. RAMOS
	1500	78	Ramos, G.
	1800	78	Castro
	2100	78	Castro
	2400	78	T. Alvarado

Wednesday

Date	Time	Temp.	Name (Print)
10/02/24	0300	78	T. Alvarado
	0600	78	Sanchez
	0900	78	Sanchez
	1200	78	Sanchez
	1500	78	Ramos, G.
	1800	78	Ramos, G.
	2100	77	Ramos, G.
	2400	76	CAAN

Thursday

Date	Time	Temp.	Name (Print)
10/03/24	0300	76	CAAN
	0600	77	Castro
	0900	78	Castro
	1200	80	Castro
	1500	79	Ramos, G.
	1800	78	Ramos, G.
	2100	78	Ramos, G.
	2400	78	CAAN

Friday

Date	Time	Temp.	Name (Print)
10/04/24	0300	78	CAAN
	0600	78	Castro
	0900	78	Castro
	1200	79	Castro
	1500	79	Ramos, G.
	1800	79	Ramos, G.
	2100		
	2400	79	D Chenk

Saturday

Date	Time	Temp.	Name (Print)
10/05/24	0300	78	D Chenk
	0600	78	Castro
	0900	79	Castro
	1200	80	Castro
	1500	80	RAMOS
	1800	78	RAMOS
	2100	78	RAMOS
	2400	76	CAAN

Sunday

Date	Time	Temp.	Name (Print)
10/06/24	0300	76	CAAN
	0600	74	Castro
	0900	77	Castro
	1200	80	Castro
	1500	80	WM
	1800	78	Castro
	2100	78	Castro
	2400	78	SAMARRIPAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D5 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	76	RODRIGUEZ
	0600	77	Prunk
	0900	78	Shoemaker
	1200	78	Shoemaker
	1500	78	Thompson
	1800	78	Thompson
	2100	78	Thompson
	2400	77	RODRIGUEZ

MP

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	76	RODRIGUEZ
	0600	76	Prunk
	0900	76	Prunk
	1200	76	Prunk
	1500	76	McDonald
	1800	76	McDonald
	2100	76	McDonald
	2400	76	McDonald

MP

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	76	RODRIGUEZ
	0600	77	Prunk
	0900	77	Prunk
	1200	77	Prunk
	1500	78	Thompson
	1800	78	Thompson
	2100	78	Thompson
	2400	77	D Chambers

MP

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	77	D Chambers
	0600	77	Prunk
	0900	77	Prunk
	1200	77	Prunk
	1500	77	Thompson
	1800	77	Thompson
	2100	76	Thompson
	2400	77	Salazar

MP

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	77	Salazar
	0600	77	Pedroza
	0900	77	Pedroza
	1200	77	Pedroza
	1500	77	Reyes
	1800	78	Reyes
	2100	77	Reyes
	2400	77	RODRIGUEZ

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	77	RODRIGUEZ
	0600	76	ALVARAD
	0900	76	ALVARAD
	1200	75	ALVARAD
	1500	75	ALVAREZ
	1800	76	ALVAREZ
	2100	77	ALVAREZ
	2400	77	RODRIGUEZ

MP

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	77	RODRIGUEZ
	0600	77	Lam
	0900	77	Lam
	1200	78	Lam
	1500	78	Cox
	1800	78	Cox
	2100	78	Cox
	2400	78	RODRIGUEZ

MP

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09 / 30 / 24	0300	76	HARRISON
	0600	77	[illegible]
	0900	77	[illegible]
	1200	78	[illegible]
	1500	76	Thurston, D
	1800	76	Thurston, D
	2100	76	Thurston, D
	2400	75	Lowe

NP

Tuesday

Date	Time	Temp.	Name (Print)
10 / 01 / 24	0300	75	Lowe
	0600	75	CASTRUITA
	0900	76	CASTRUITA
	1200	77	CASTRUITA
	1500	76	Thurston, D
	1800	76	Thurston, D
	2100	76	Thurston, D
	2400	75	Lowe

NP

Wednesday

Date	Time	Temp.	Name (Print)
10 / 02 / 24	0300	75	Lowe
	0600	75	Dia[illegible]
	0900	75	Dia[illegible]
	1200	78	[illegible]
	1500	78	RIVERA
	1800	78	J. GUAJARDO
	2100	78	J. GUAJARDO
	2400	77	Lowe

NP

Thursday

Date	Time	Temp.	Name (Print)
10 / 03 / 24	0300	75	Lowe
	0600	75	Pedroza
	0900	75	Pedroza
	1200	75	Pedroza
	1500	76	Duarte
	1800	75	Duarte
	2100	75	Duarte
	2400	75	Lowe

NP

Friday

Date	Time	Temp.	Name (Print)
10 / 04 / 24	0300	75	Lowe
	0600	75	SANDOVAL
	0900	75	SANDOVAL
	1200	76	SANDOVAL
	1500	76	Smith
	1800	76	Smith
	2100	78	Smith
	2400	78	SAMARRIPAS

NP

Saturday

Date	Time	Temp.	Name (Print)
10 / 05 / 24	0300	78	SAMARRIPAS
	0600	76	[illegible]
	0900	76	[illegible]
	1200	77	[illegible]
	1500	78	J. GUAJARDO
	1800	78	J. GUAJARDO
	2100	78	J. GUAJARDO
	2400	77	SAMARRIPAS

NP

Sunday

Date	Time	Temp.	Name (Print)
10 / 06 / 24	0300	77	SAMARRIPAS
	0600	77	[illegible]
	0900	77	[illegible]
	1200	78	[illegible]
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	Lopez

NP

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09 / 30 / 24	0300	76	O. Gonzalez
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	76	MARTINEZ
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	O. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
10 / 01 / 24	0300	76	O. Gonzalez
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	76	MARTINEZ
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	O. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
10 / 02 / 24	0300	76	O. Gonzalez
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	76	MARTINEZ
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	SLATER

Thursday

Date	Time	Temp.	Name (Print)
10 / 03 / 24	0300	74	SLATER
	0600	74	MARTINEZ
	0900	75	MARTINEZ
	1200	76	MARTINEZ
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	Meza, N

Friday

Date	Time	Temp.	Name (Print)
10 / 04 / 24	0300	76	Meza, N
	0600	76	A. ANAYA
	0900	76	A. ANAYA
	1200	77	A. ANAYA
	1500	77	A. ANAYA
	1800	76	A. ANAYA
	2100	76	A. ANAYA
	2400	76	Meza, N

Saturday

Date	Time	Temp.	Name (Print)
10 / 05 / 24	0300	76	Meza, N
	0600	76	A. ANAYA
	0900	77	A. ANAYA
	1200	78	A. ANAYA
	1500	78	Romero
	1800	76	Romero
	2100	76	Romero
	2400	76	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10 / 06 / 24	0300	76	[illegible]
	0600	76	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	78	Pelayo
	1800	78	Pelayo
	2100	78	Pelayo
	2400	78	Lopez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

D-8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/30/2024	0300	75	Meza, N
	0600	75	LACSINA
	0900	75	LACSINA
	1200	76	LACSINA
	1500	76	Romero
	1800	76	Romero
	2100	75	Romero
	2400	76	GUANALSA

MP

Tuesday

Dat	Time	Temp.	Name (Print)
10/01/2024	0300	76	GUANALSA
	0600	75	Campbell
	0900	75	Campbell
	1200	76	Campbell
	1500	76	MARTINEZ
	1800	76	MARTINEZ
	2100	75	MARTINEZ
	2400	76	GUANALSA

MP

Wednesday

Date	Time	Temp.	Name (Print)
10/02/2024	0300	76	GUANALSA
	0600	76	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	78	Lopez
	1800	78	Lopez
	2100	78	Lopez
	2400	78	GUANALSA

MP

Thursday

Date	Time	Temp.	Name (Print)
10/03/2024	0300	78	GUANALSA
	0600	78	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	78	CASTRUITA
	1800	78	CASTRUITA
	2100	77	CASTRUITA
	2400	76	GUANALSA

MP

Friday

Date	Time	Temp.	Name (Print)
10/04/2024	0300	76	GUANALSA
	0600	76	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	77	CASTRUITA
	1800	77	CASTRUITA
	2100	76	CASTRUITA
	2400	76	GUANALSA

MP

Saturday

Date	Time	Temp.	Name (Print)
10/05/2024	0300	76	GUANALSA
	0600	76	SANCHEZ
	0900	76	SANCHEZ
	1200	76	SANCHEZ
	1500	77	CASTRUITA
	1800	77	CASTRUITA
	2100	76	CASTRUITA
	2400	76	Meza, N

MP

Sunday

Date	Time	Temp.	Name (Print)
10/06/2024	0300	76°	Meza, N
	0600	76	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	76	Romero
	1800	76	Romero
	2100	76	Romero
	2400	76°	Meza, N

MP

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C2 Temp. Reading Location: 2nd Tier ABC Sections.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		Lopez

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	76	Lopez
	0600	77	Delgado
	0900	79	Delgado
1	1200	79	Delgado
	1500	80	[illegible]
	1800	80	[illegible]
24	2100	80	[illegible]
	2400	76	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	76	Lopez
	0600	77	M. Delgado
	0900	78	Delgado
2	1200	79	Delgado
	1500	77	ANDRADE
	1800	77	ANDRADE
24	2100	76	ANDRADE
	2400	76	Lopez

Thursday

Date	Time	Temp.	Name (Print)
10	0300	76	Lopez
	0600	76	Delgado
	0900	76	P. Medrano
3	1200	76	P. Medrano
	1500	76	ANDRADE
	1800	72	ANDRADE
24	2100	76	ANDRADE
	2400	77	M. Oneal-S

Friday

Date	Time	Temp.	Name (Print)
10	0300	76	M. Oneal-S
	0600	77	Delgado
	0900	78	GA
4	1200	78	GA
	1500	72	ANDRADE
	1800	72	ANDRADE
24	2100	72	ANDRADE
	2400	78	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
10/05/24	0300	78	[illegible]
	0600	78	C. Barajas
	0900	78	C. Barajas
	1200	78	C. Barajas
	1500	77	ANDRADE
	1800	77	ANDRADE
	2100	78	ANDRADE
	2400	78	MALDONADO

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	78	MALDONADO
	0600	78	Clark
	0900	79	M. TAFOYA
	1200	79	M. TAFOYA
	1500	79	M. TAFOYA
	1800	79	M. TAFOYA
	2100	79	M. TAFOYA
	2400	77	H. Agbay

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: KVSP C-4 Temp. Reading Location: Dorm (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	79	Johnson
	0600	80	C. Lock
	0900	80	C. Lock
	1200	80	C. Lock
	1500	80	E. Araiza
	1800	80	E. Araiza
	2100	80	E. Araiza
	2400	80	Johnson

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	79	Johnson
	0600	75	O. Lopez Gil
	0900	76	O. Lopez Gil
	1200	76	O. Lopez Gil
	1500	80	E. Araiza
	1800	80	E. Araiza
	2100	80	E. Araiza
	2400	80	Johnson

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	79	Johnson
	0600	75	O. Lopez Gil
	0900	75	O. Lopez Gil
	1200	76	O. Lopez Gil
	1500	76	E. Araiza
	1800	78	E. Araiza
	2100	77	E. Araiza
	2400	77	Johnson

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	77	John
	0600	75	O. Lopez Gil
	0900	76	O. Lopez Gil
	1200	77	O. Lopez Gil
	1500	77	E. Araiza
	1800	77	E. Araiza
	2100	76	E. Araiza
	2400	74	S. HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
10/05/2024	0300	73	S. HERNANDEZ
	0600	74	R. Vargas Jr.
	0900	75	R. Vargas Jr.
	1200	75	R. Vargas Jr.
	1500	75	N. Clark
	1800	75	N. Clark
	2100	75	N. Clark
	2400	74	S. HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
10/06/2024	0300	73	S. HERNANDEZ
	0600	77	O. Lopez Gil
	0900	75	O. Lopez Gil
	1200	75	O. Lopez Gil
	1500		
	1800		
	2100		
	2400	76	Johnson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	79	Bias
	0600	79	R. Vargas
	0900	79	R. Vargas
07	1200	80	R Vargas
	1500	81	Rivera
24	1800	79	Rivera
	2100	79	Rivera
	2400	79	Chenbo

Tuesday

Dat	Time	Temp.	Name (Print)
10	0300	78	Chenbo
	0600	78'	L. Jimenez
	0900	78'	L. Jimenez
08	1200	79	L. Jimenez
	1500	80	Rivera
24	1800	80	Rivera
	2100	79	Rivera
	2400	78	SANDOVAL

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	78	SANDOVAL
	0600	78	Cabrera
	0900	78	Cabrera
09	1200	78	Cabrera
	1500	80	Rivera
24	1800	80	Rivera
	2100	79	Rivera
	2400	78	SANDOVAL

Thursday

Date	Time	Temp.	Name (Print)
10	0300	78	SANDOVAL
	0600	78	Cabrera
	0900	78	Cabrera
10	1200	78	Cabrera
	1500	79	IBARRA
24	1800	80	IBARRA
	2100	79	IBARRA
	2400	78	MALDONADO

Friday

Date	Time	Temp.	Name (Print)
10	0300	78	MALDONADO
	0600	78	Cabrera
	0900	78	Cabrera
11	1200	78	Cabrera
	1500	78	Sanchez
24	1800	78	Sanchez
	2100	77	Sanchez
	2400	78	MALDONADO

Saturday

Date	Time	Temp.	Name (Print)
10	0300	78	MALDONADO
	0600	78	J. Aguayo
	0900	78	J. Aguayo
12	1200	78	J. Aguayo
	1500	78	B. LOPEZ
24	1800	78	B. LOPEZ
	2100	78	B. LOPEZ
	2400	78	Bias

Sunday

Date	Time	Temp.	Name (Print)
10	0300	[illegible]	Bias
	0600	78	Torres
	0900	78	Torres
13	1200	78	Torres
	1500	78	Torres
24	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	78	Bias
	0600	78	R Franco
	0900	78	R Franco
14	1200	78	R Franco
	1500	78	K. Sanchez
24	1800	78	K. Sanchez
	2100	79	K. Sanchez
	2400	78	SANDOVAL

Tuesday

Dat	Time	Temp.	Name (Print)
10	0300	78	SANDOVAL
	0600	78	Cabrera
	0900	78	Cabrera
15	1200	78	Cabrera
	1500	78	
24	1800	78	
	2100	78	
	2400	78	SANDOVAL

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	78	SANDOVAL
	0600	78	Cabrera
	0900	78	Cabrera
16	1200	78	Cabrera
	1500	78	
24	1800	78	
	2100	78	
	2400	78	SANDOVAL

Thursday

Date	Time	Temp.	Name (Print)
10	0300	78	SANDOVAL
	0600	78	Cabrera
	0900	78	Cabrera
17	1200	78	Cabrera
	1500	78	Guzman
24	1800	77	Guzman
	2100	77	N. Vasquez
	2400	75	

Friday

Date	Time	Temp.	Name (Print)
10	0300	78	Bias
	0600	78	Cabrera
	0900	78	Cabrera
18	1200	78	Cabrera
	1500	78	
24	1800	78	
	2100	78	
	2400	77	MALDONADO

Saturday

Date	Time	Temp.	Name (Print)
10	0300	77	MALDONADO
	0600	78	C. Look
	0900	78	C. Look
19	1200	78	C. Look
	1500	76	G. Alvarez
24	1800	76	G. Alvarez
	2100	76	G. Alvarez
	2400	75	Bias

Sunday

Date	Time	Temp.	Name (Print)
10	0300	75	Bias
	0600	75	C. Look
	0900	75	C. Look
20	1200	75	C. Look
	1500	75	Zuniga
24	1800	75	Zuniga
	2100	75	Ramirez
	2400	75	Bias

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2ND TIER A B C Sections (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	78	Bias
	0600	78	Bias
	0900	78	A. ROJO
21	1200	78	A. ROJO
	1500	78	[illegible]
24	1800	78	[illegible]
	2100	76	[illegible]
	2400	76	SANDOVAL

Tuesday

Dat	Time	Temp.	Name (Print)
10	0300	76	SANDOVAL
	0600	70	A. ROJO
	0900	70	A. ROJO
22	1200	75	A. ROJO
	1500	75	[illegible]
24	1800	75	[illegible]
	2100	75	[illegible]
	2400	76	SANDOVAL

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	76	SANDOVAL
	0600	72	A. ROJO
	0900	72	A. ROJO
23	1200	75	A. ROJO
	1500	75	[illegible]
24	1800	75	[illegible]
	2100	75	[illegible]
	2400	76	SANDOVAL

Thursday

Date	Time	Temp.	Name (Print)
10	0300	76	SANDOVAL
	0600	72	A. ROJO
	0900	72	A. ROJO
24	1200	75	A. ROJO
	1500	75	M Vidaurri
24	1800	75	M Vidaurri
	2100	75	M Vidaurri
	2400 •	74°	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10	0300 •	68°	[illegible]
	0600	70	A. ROJO
	0900	72	A. ROJO
25	1200	75	A. ROJO
	1500	75	Sanchez
24	1800	75	Sanchez
	2100	74	Sanchez
	2400 •	76°	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
10	0300 •	76°	[illegible]
	0600	76	Barajas
	0900	76	Barajas
26	1200	76	Barajas
	1500	76	A. ZUNIGA
24	1800	76	A. ZUNIGA
	2100	76	A. ZUNIGA
	2400	76	Bias

Sunday

Date	Time	Temp.	Name (Print)
10	0300	76	Bias
	0600	76	C. Look
	0900	78	C. Look
27	1200	78	C. Look
	1500	77	Zuniga
24	1800	76	Zuniga
	2100	76	Zuniga
	2400	76	Bias

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2ND TIER · A·BC Sections (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10 / 28 / 24	0300	75	Bias
	0600	75	Cabrera
	0900	75	Cabrera
	1200	75	Cabrera
	1500	75	LACSINA
	1800	75	[illegible]
	2100	76	SANDOVAL
	2400	76	SANDOVAL

Tuesday

Dat	Time	Temp.	Name (Print)
10 / 29 / 24	0300	76	SANDOVAL
	0600	75	MONALES
	0900	75	Cabrera
	1200	75	Cabrera
	1500	75	[illegible]
	1800	75	[illegible]
	2100	75	[illegible]
	2400	76	SANDOVAL

Wednesday

Date	Time	Temp.	Name (Print)
10 / 30 / 24	0300	76	SANDOVAL
	0600	76	Cabrera
	0900	76	Cabrera
	1200	76	Cabrera
	1500	76	[illegible]
	1800	76	[illegible]
	2100	76	[illegible]
	2400	76	SANDOVAL

Thursday

Date	Time	Temp.	Name (Print)
10 / 31 / 24	0300	76	SANDOVAL
	0600	75	Cabrera
	0900	75	Cabrera
	1200	75	Cabrera
	1500	75	Frazier
	1800	75	Frazier
	2100	75	Frazier
	2400	74	DeWitt

Friday

Date	Time	Temp.	Name (Print)
11 / 01 / 24	0300	74	DeWitt
	0600	76	Ruiz
	0900	76	Ruiz
	1200	76	Ruiz
	1500	76	Cado
	1800	75	R. Whitfield
	2100	75	R. Whitfield
	2400	70	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
11 / 02 / 24	0300	70	[illegible]
	0600	72	Cook
	0900	75	Cook
	1200	75	Cook
	1500	75	A. ZUNIGA
	1800	75	A. ZUNIGA
	2100	75	A. ZUNIGA
	2400	70	Bias

Sunday

Date	Time	Temp.	Name (Print)
11 / 03 / 24	0300	70	Bias
	0600	72	Cook
	0900	72	Cook
	1200	75	Cook
	1500	75	A. ZUNIGA
	1800	77	A. ZUNIGA
	2100	77	A. ZUNIGA
	2400	75	Bias

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C2 Temp. Reading Location: control Booth 2nd Tier - A/B/C Sections
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	79	H. Azlaoui
	0600	79	A. Clark
	0900	79	A. Clark
	1200	80	A. Clark
	1500	80	
	1800	80	
	2100	80	
	2400	78	Lopez

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	78	Lopez
	0600	78	Delgado
	0900	78	Delgado
	1200	78	Delgado
	1500	78	A. Uniga
	1800	78	A. Uniga
	2100	78	A. Uniga
	2400	78	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	78	Lopez
	0600	78	Delgado
	0900	78	Delgado
	1200	79	Delgado
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	Lopez

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	78	Lopez
	0600	78	Delgado
	0900	78	Delgado
	1200	78	Delgado
	1500	77	[illegible]
	1800	77	[illegible]
	2100	77	[illegible]
	2400	76	Lopez

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	78	Lopez
	0600	78	Delgado
	0900	78	Delgado
	1200	78	Delgado
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	76	Lopez

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	76	Lopez
	0600	76	Delgado
	0900	77	Delgado
	1200	78	Delgado
	1500	77	[illegible]
	1800	77	[illegible]
	2100	77	[illegible]
	2400	76	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	76	[illegible]
	0600	76	[illegible]
	0900	76	[illegible]
	1200	76	[illegible]
	1500	76	[illegible]
	1800	76	[illegible]
	2100	76	[illegible]
	2400	76	MALDONADO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-2 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	76	MALDONADO
	0600	76	L-Jimenez
	0900	76	N. Clark
	1200	77	N. Clark
	1500	77	A. ZUNIGA
	1800	77	A. ZUNIGA
	2100	77	A. ZUNIGA
	2400	72	Lopez

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	72	Lopez
	0600	73	Delgado
	0900	74	Delgado
	1200	74	Delgado
	1500	75	A. ZUNIGA
	1800	75	A. ZUNIGA
	2100	75	A. ZUNIGA
	2400	72	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	72	Lopez
	0600	73	Delgado
	0900	74	Delgado
	1200	75	Delgado
	1500	75	ANDRADE
	1800	75	ANDRADE
	2100	75	ANDRADE
	2400	72	Lopez

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	72	Lopez
	0600	74	Delgado
	0900	75	Delgado
	1200	76	Delgado
	1500	76	ANDRADE
	1800	76	[illegible]
	2100	76	[illegible]
	2400	74	Lopez

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	72	Lopez
	0600	73	M Delgado
	0900	74	Delgado
	1200	76	Delgado
	1500	76	ANDRADE
	1800	76	ANDRADE
	2100	76	ANDRADE
	2400	71	Lopez

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	Lopez
	0600	70	Fernandez
	0900	72	Fernandez
	1200	72	Fernandez
	1500	72	Arregui
	1800	74	Arregui
	2100	75	Arregui
	2400	76	MALDONADO

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	76	MALDONADO
	0600	70	Clark
	0900	72	Clark
	1200	74	Clark
	1500	74	RAYA
	1800	73	RAYA
	2100	72	RAYA
	2400	74	MALDONADO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C2 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	74	MALDONADO
	0600	74	Clark
	0900	74	Clark
	1200	75	Clark
	1500	75	[illegible]
	1800	75	[illegible]
	2100	71	[illegible]
	2400	70	Lopez

Tuesday

Dat	Time	Temp.	Name (Print)
10	0300	70	Lopez
	0600	70	Delgado
	0900	72	Delgado
22	1200	70	Alvarez
	1500	71	A. ZUNIGA
	1800	71	A. ZUNIGA
24	2100	71	A. ZUNIGA
	2400	70	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	70	Lopez
	0600	70	Delgado
	0900	72	Delgado
23	1200	74	Delgado
	1500	71	ANDRADE
	1800	71	ANDRADE
24	2100	71	ANDRADE
	2400	70	Lopez

Thursday

Date	Time	Temp.	Name (Print)
10	0300	70	Lopez
	0600	70	Delgado
	0900	71	Delgado
24	1200	71	Delgado
	1500	71	ANDRADE
	1800	71	ANDRADE
24	2100	71	ANDRADE
	2400	70	Lopez

Friday

Date	Time	Temp.	Name (Print)
10	0300	70	Lopez
	0600	71	Delgado
	0900	71	Delgado
25	1200	71	Delgado
	1500	71	ANDRADE
	1800	71	ANDRADE
24	2100	71	ANDRADE
	2400	71	Lopez

Saturday

Date	Time	Temp.	Name (Print)
10	0300	71	Lopez
	0600	70	Crown
	0900	70	Crown
26	1200	70	Crown
	1500	71	BERBER
	1800	71	BERBER
24	2100	71	BERBER
	2400	71	Prieto

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	71	Prieto
	0600	70	Crown
	0900	70	Crown
	1200	70	Crown
	1500	70	ANDRADE
	1800	70	ANDRADE
	2100	70	ANDRADE
	2400	73	M Flores

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C2 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	75	M Flores
	0600	75	M Flores
	0900	75	M Lopez
	1200	75	M. Lopez
	1500	75	A. ZUNIGA
	1800	75	A. ZUNIGA
	2100	75	A. ZUNIGA
	2400	70	Lopez

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300	70	Lopez
	0600	70	Delgado
	0900	73	Delgado
	1200	75	Delgado
	1500	75	Ron
	1800	74	Ron
24	2100	74	Perez
	2400	70	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	70	Lopez
	0600	70	Delgado
	0900	70	Delgado
	1200	70	Delgado
	1500	70	Andrews
	1800	70	Ron
24	2100	70	Andrews
	2400	70	Lopez

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	70	Lopez
	0600	70	J. CARRILLO
	0900	71	J. CARRILLO
	1200	73	J. CARRILLO
	1500	72	Andrews
	1800	71	Andrews
24	2100	71	Andrews
	2400	70	Lopez

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C3 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 62380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/2024	0300	79	S. HERNANDEZ
	0600	78	G. Naciancno
	0900	79	G. Naciancno
	1200	78	G. Naciancno
	1500	79	J. Vasquez
	1800	78	J. Vasquez
	2100	78	J. Vasquez
	2400	80	S. HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/08/2024	0300	78	S. HERNANDEZ
	0600	78	G. Naciancno
	0900	78	Naciano
	1200	[illegible]	[illegible]
	1500	79	J. Vasquez
	1800	79	J. Vasquez
	2100	78	J. Vasquez
	2400	78	See

Wednesday

Date	Time	Temp.	Name (Print)
10/09/2024	0300	78	See
	0600	78	Naciancno
	0900	78	Naciano
	1200	78	Naciano
	1500	78	J. Vasquez
	1800	79	J. Vasquez
	2100	77	J. Vasquez
	2400	80	See

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	80	See
	0600	80	Araiza
	0900	80	Araiza
	1200	80	Araiza
	1500	79	J. Vasquez
	1800	79	J. Vasquez
	2100	79	J. Vasquez
	2400	78	See

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	78	See
	0600	78	J. Moreno Macias
	0900	78	J. Moreno Macias
	1200	78	J. Moreno Macias
	1500	78	G. Rodriguez
	1800	78	G. Rodriguez
	2100	78	G. Rodriguez
	2400	80	See

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	80	See
	0600	79	J. GUASTARDO
	0900	78	J. GUASTARDO
	1200	78	J. GUASTARDO
	1500	78	G. Rodriguez
	1800	78	E. CASTANEDA
	2100	78	E. CASTANEDA
	2400	78	Johnson

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	78	Johnson
	0600	78	Aguayo
	0900	78	Aguayo
	1200	78	Aguayo
	1500	78	J. Vasquez
	1800	78	J. Vasquez
	2100	77	J. Vasquez
	2400	77	J. Vasquez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	79	Moreno
	0600	79	Navarro
	0900	79	Navarro
	1200	79	Navarro
	1500	78	J. Vasquez
	1800	78	J. Vasquez
	2100	80	J. Vasquez
	2400	79	S. SEVILLA

Tuesday

Date	Time	Temp.	Name (Print)
10/15/2024	0300	78	S. SEVILLA
	0600	78	Navarro
	0900	79	Navarro
	1200	79	Navarro
	1500	80	J. Vasquez
	1800	80	J. Vasquez
	2100	80	J. Vasquez
	2400	80	Sel

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	80	Sel
	0600	80	Navarro
	0900	80	Navarro
	1200	80	Navarro
	1500	79	J. Vasquez
	1800	79	J. Vasquez
	2100	78	J. Vasquez
	2400	80	Sel

Thursday

Date	Time	Temp.	Name (Print)
10/17/2024	0300	80	Sel
	0600	75	Arriza
	0900	76	Arriza
	1200	78	Arriza
	1500	78	J. Vasquez
	1800	78	J. Vasquez
	2100	77	J. Vasquez
	2400	78	Sel

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	78	Sel
	0600	80	C. Look
	0900	80	C. Look
	1200	80	C. Look
	1500	78	G. Rodriguez
	1800	78	G. Rodriguez
	2100	78	G. Rodriguez
	2400	80	Sel

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300	80	Sel
	0600	72	J. GUAJARDO
	0900	72	J. GUAJARDO
	1200	72	J. GUAJARDO
	1500	78	G. Rodriguez
	1800	78	G. Rodriguez
	2100	76	G. Rodriguez
	2400	75	S. Johnson

Sunday

Date	Time	Temp.	Name (Print)
10/20/2024	0300	75	S. Johnson
	0600	75	LUKEHART
	0900	75	LUKEHART
	1200	75	LUKEHART
	1500	76	J. Vasquez
	1800	77	J. Vasquez
	2100	77	J. Vasquez
	2400	77	S. SEVILLA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C3 Temp. Reading Location: 2nd Tier ABC Sections
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	73	S. Sill
	0600	73	Nacianco
	0900	73	Nacianco
	1200	78	Nacianco
	1500	79	J Vasquez
	1800	77	J. Vasquez
	2100	76	J. Vasquez
	2400	72	Garg

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	72	Garg
	0600	78	Nacianco
	0900	78	Nacianco
	1200	79	Nacianco
	1500	77	J. Vasquez
	1800	77	J. Vasquez
	2100	76	J. Vasquez
	2400	75	See

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	75	See
	0600	78	Nacianco
	0900	78	Nacianco
	1200	80	Nacianco
	1500	79	J. Vasquez
	1800	78	J. Vasquez
	2100	77	J. Vasquez
	2400	73	See

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	73	See
	0600	73	Bravo
	0900	73	Bravo
	1200	73	Bravo
	1500	73	Pena
	1800	73	Pena
	2100	73	Perez
	2400	70	See

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	See
	0600	73	C. Cook
	0900	75	C. Cook
	1200	78	C. Cook
	1500	78	G. Rodriguez
	1800	78	G. Rodriguez
	2100	78	G. Rodriguez
	2400	70	See

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	See
	0600	72	J. GUAJARDO
	0900	72	J. GUAJARDO
	1200	72	J. GUAJARDO
	1500	76	G. RODRIGUEZ
	1800	76	G. RODRIGUEZ
	2100	76	G. RODRIGUEZ
	2400	74	See

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	72	See
	0600	72	Mattan
	0900	72	Mattan
	1200	74	Mattan
	1500	77	J. Vasquez
	1800	77	J. Vasquez
	2100	72	J. Vasquez
	2400	74	S. HERNANDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C3 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	72	S. HERNANDEZ
	0600	73	C. Navarro
	0900	73	C. Navarro
	1200	73	C. Navarro
	1500	73	J. Vasquez
	1800	72	J. Vasquez
	2100	73	J. Vasquez
	2400	72	S. HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	70	S. HERNANDEZ
	0600	70	Navarro
	0900	--	Navarro
	1200	71	Navarro
	1500	71	J. Vasquez
	1800	71	J. Vasquez
	2100	70	J. Vasquez
	2400	70	See

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	70	See
	0600	71	Navarro
	0900	71	Navarro
	1200	71	Navarro
	1500	71	J. Vasquez
	1800	70	J. Vasquez
	2100	70	J. Vasquez
	2400	70	See

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	70	See
	0600	70	L. Jimenez
	0900	71	Bravo
	1200	70	Bravo
	1500	71	J. Vasquez
	1800	70	J. Vasquez
	2100	70	J. Vasquez
	2400	70	See

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	70	See
	0600	73	Clark
	0900	75	C. Lock
	1200	78	C. Lock
	1500	77	Thompson
	1800	77	Thompson
	2100	76	Thompson
	2400	76	Estrada

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300	76	" Estrada
	0600	76	" Estrada
	0900	76	None
	1200	76	None
	1500	76	G. Rodriguez
	1800	76	G. Rodriguez
	2100	76	G. Rodriguez
	2400	76	M. BENAVIDES

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300	76	M. BENAVIDES
	0600	76	M. BENAVIDES
	0900	76	J. Moreno
	1200	76	J. Moreno
	1500	70	VELASQUEZ
	1800	69	VELASQUEZ
	2100	69	VELASQUEZ
	2400	70	S. HERNANDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4 Temp. Reading Location: Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.		Name (Print)
10/7/24	0300	76		JOHNSON
	0600	78		C. LOOK
	0900	80		C. LOOK
	1200	80		C. LOOK
	1500	80		G. RODRIGUEZ
	1800	80		G. RODRIGUEZ
	2100	80		G. RODRIGUEZ
	2400	80		JOHNSON

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	80	JOHNSON
	0600	80	C. LOOK
	0900	80	C. LOOK
	1200	80	C. LOOK
	1500	80	E. ARAIZA
	1800	80	E. ARAIZA
	2100	80	E. ARAIZA
	2400	79	CELMORA

Wednesday

Date	Time	Temp.		Name (Print)
10/9/24	0300	78		CELMORA
	0600	78	O. LOPEZ G.I	
	0900	76	O. LOPEZ G.I	
	1200	76	O. LOPEZ G.I	
	1500	77		E. ARAIZA
	1800	77		E. ARAIZA
	2100	77		E. ARAIZA
	2400	77		JOHNSON

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	77	JOHNSON
	0600	75	O. LOPEZ G.I
	0900	76	O. LOPEZ G.I
	1200	76	O. LOPEZ G.I
	1500	77	ARAIZA
	1800	77	ARAIZA
	2100	77	ARAIZA
	2400	77	JOHNSON

Friday

Date	Time	Temp.		Name (Print)
10/11/24	0300	77		JOHNSON
	0600	75	O. LOPEZ G.I	
	0900	76	O. LOPEZ G.I	
	1200	76	O. LOPEZ G.I	
	1500	76		ARAIZA
	1800	76		ARAIZA
	2100	77		ARAIZA
	2400	70		S. HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	70	S. HERNANDEZ
	0600	72	O. LOPEZ G.I
	0900	73	O. LOPEZ G.I
	1200	74	O. LOPEZ G.I
	1500	74	N. CLARK
	1800	74	N. CLARK
	2100	74	N. CLARK
	2400	70	S. HERNANDEZ

Sunday

Date	Time	Temp.		Name (Print)
10/13/2024	0300	70		S. HERNANDEZ
	0600	72	O. LOPEZ G.I	
	0900	73	O. LOPEZ G.I	
	1200	74	O. LOPEZ G.I	
	1500	74		BARNES
	1800	74		BARNES
	2100	74		BARNES
	2400	77		JOHNSON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4 Temp. Reading Location: Control Booth 2nd Tier Alpha Sections (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	77	Johnson
	0600	80	C. Look
	0900	80	C. Look
	1200	80	C. Look
	1500	80	C. Look
	1800	80	Castaneda
	2100	79	Castaneda
	2400	79	Johnson

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	74	Johnson
	0600	75	C. Look
	0900	80	C. Look
	1200	80	C. Look
	1500	80	E. Araiza
	1800	80	E. Araiza
	2100	80	E. Araiza
	2400	79	Johnson

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	79	Johnson
	0600	75	O. Lopez Gil
	0900	75	O. Lopez Gil
	1200	76	O. Lopez Gil
	1500	75	Araiza
	1800	75	Araiza
	2100	75	Araiza
	2400	75	Johnson

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	74	Johnson
	0600	74	O. Lopez Gil
	0900	74	O. Lopez Gil
	1200	75	O. Lopez Gil
	1500	75	E. Araiza
	1800	75	E. Araiza
	2100	75	E. Araiza
	2400	75	Johnson

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	75	Johnson
	0600	73	O. Lopez Gil
	0900	74	O. Lopez Gil
	1200	75	O. Lopez Gil
	1500	75	E. Araiza
	1800	75	E. Araiza
	2100	75	E. Araiza
	2400 •	72°	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
10.19.24	0300 •	72°	[illegible]
	0600	72	O. Lopez Gil
	0900	74	O. Lopez Gil
	1200	74	O. Lopez Gil
	1500	74	N. Clark
	1800	74	N. Clark
	2100	74	N. Clark
	2400 •	68°	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10.20.24	0300 •	70°	[illegible]
	0600	72	O. Lopez Gil
	0900	73	O. Lopez Gil
	1200	74	O. Lopez Gil
	1500	74	G. Castaneyra
	1800	74	G. Castaneyra
	2100	73	G. Castaneyra
	2400	74	Johnson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4 Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	73	JOHNSON
	0600	75	C. Looke
	0900	78	C. Looke
	1200	78	C. Looke
	1500	78	G. Rodriguez
	1800	78	G. Rodriguez
	2100	78	G. Rodriguez
	2400	76	JOHNSON

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	76	JOHNSON
	0600	75	C. Looke
	0900	78	C. Looke
	1200	78	C. Looke
	1500	78	E. Avalza
	1800	78	E. Avalza
	2100	78	E. Avalza
	2400	78	A. Rendon

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	78	A. Rendon
	0600	74	O. Lopez Gil
	0900	75	O. Lopez Gil
	1200	75	O. Lopez Gil
	1500	75	E. Avalza
	1800	75	E. Avalza
	2100	75	E. Avalza
	2400	75	JOHNSON

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	75	JOHNSON
	0600	73	O. Lopez Gil
	0900	75	O. Lopez Gil
	1200	75	O. Lopez Gil
	1500	77	E. Avalza
	1800	77	E. Avalza
	2100	77	E. Avalza
	2400	76	JOHNSON

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	76	JOHNSON
	0600	74	O. Lopez Gil
	0900	75	O. Lopez Gil
	1200	75	O. Lopez Gil
	1500	75	E. Avalza
	1800	75	E. Avalza
	2100	75	E. Avalza
	2400	70	S. HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	S. HERNANDEZ
	0600	72	B. Lopez
	0900	73	B. Lopez
	1200	74	B. Lopez
	1500	72	D. HERNANDEZ
	1800	72	D. HERNANDEZ
	2100	74	D. HERNANDEZ
	2400	70	S. HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	S. HERNANDEZ
	0600	72	O. Lopez Gil
	0900	73	O. Lopez Gil
	1200	74	O. Lopez Gil
	1500	74	Rodriguez
	1800	74	G. Castaneyra
	2100	73	G. Castaneyra
	2400	73	Johnson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: KVSP 4 Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	74	Johnson
	0600	76	C. Look
	0900	76	C. Look
	1200	78	C. Look
	1500	78	G. Rodriguez
	1800	72	Castaneda
	2100	72	Castaneda
	2400	71	Johnson

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	74	Johnson
	0600	76	C. Look
	0900	76	C. Look
	1200	78	C. Look
	1500	79	N. Rivera
	1800	76	N. Rivera
	2100	73	N. Rivera
	2400	74	Johnson

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	74	Johnson
	0600	73	O. Lopez Gil
	0900	74	O. Lopez Gil
	1200	75	O. Lopez Gil
	1500	75	G. Castaneyra
	1800	75	G. Castaneyra
	2100	74	G. Castaneyra
	2400	74	Johnson

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	74	Johnson
	0600	75	L. Sanner
	0900	76	Sanner
	1200	76	Sanner
	1500	76	N. Vasquez
	1800	74	N. Vasquez
	2100	74	B. Sandes
	2400	73	Johnson

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VUSP Housing Unit: C6 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	76	T. Alvarado
	0600	79	A. Olmos
	0900	80	A. Olmos
	1200	80	A. Olmos
	1500	79	R. Silva
	1800	79	R. Silva
	2100	75	R. Silva
	2400	80	Jaramillo

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	80	Jaramillo
	0600	80	A. Olmos
	0900	80	A. Olmos
	1200	80	A. Olmos
	1500	79	R. Silva
	1800	77	R. Silva
	2100	77	R. Silva
	2400	78	DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	78	DIAZ
	0600	76	Fernandez
	0900	78	Fernandez
	1200	80	Fernandez
	1500	80	GARCIA
	1800	80	GARCIA
	2100	79	GARCIA
	2400	78	DIAZ

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	78	DIAZ
	0600	80	E. Ruiz
	0900	80	RUIZ
	1200	80	Ruiz
	1500	80	F. GARCIA
	1800	78	F. GARCIA
	2100	75	F. GARCIA
	2400	76	DIAZ

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	75	DIAZ
	0600	76	Aguilar
	0900	76	Aguilar
	1200	77	Aguilar
	1500	78	F. GARCIA
	1800	78	F. GARCIA
	2100	78	F. GARCIA
	2400	77	DIAZ

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	75	DIAZ
	0600	78	A. Olmos
	0900	78	A. Olmos
	1200	78	A. Olmos
	1500	78	GARCIA
	1800	78	GARCIA
	2100	78	GARCIA
	2400	78	OLMORA

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	78	OLMORA
	0600	78	A. Olmos
	0900	78	A. Olmos
	1200	78	A. Olmos
	1500	78	GARCIA
	1800	78	GARCIA
	2100	78	GARCIA
	2400	78	T. Alvarado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C6 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	76	T. Alvarado
	0600	76	A. Olmos
	0900	78	A. Olmos
	1200	78	A. Olmos
	1500	78	Silva
	1800	78	Silva
	2100	78	Silva
	2400	78	DM

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	78	DM
	0600	78	A. Olmos
	0900	78	A. Olmos
	1200	78	A. Olmos
	1500	78	R. Silva
	1800	78	R. Silva
	2100	75	R. Silva
	2400	75	DM

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	75	DM
	0600	78	Olmos
	0900	78	A. Olmos
	1200	78	A. Olmos
	1500	78	Carrillo
	1800	77	Carrillo
	2100	74	Carrillo
	2400	75	DM

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	75	DM
	0600	78	Ruiz
	0900	80	Ruiz
	1200	80	Ruiz
	1500	79	Barajas
	1800	79	Barajas
	2100	79	Barajas
	2400	78	DM

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	75	DM
	0600	76	J. Moreno
	0900	76	J. Moreno
	1200	78	J. Moreno
	1500	76	G. Alvarez
	1800	76	G. Alvarez
	2100	75	G. Alvarez
	2400	75	DM

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	75	DM
	0600	75	B. Lopez
	0900	76	B. Lopez
	1200	76	B. Lopez
	1500	76	K. Sanchez
	1800	76	K. Sanchez
	2100	75	K. Sanchez
	2400	75	T. Alvarado

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	75	T. Alvarado
	0600	76	A. Olmos
	0900	76	A. Olmos
	1200	77	A. Olmos
	1500	77	Carrillo
	1800	77	Carrillo
	2100	75	Carrillo
	2400	76	T. Alvarado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C6 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	76	T. Alvarado
	0600	76	A. Olmos
	0900	76	A. Olmos
	1200	77	A. Olmos
	1500	77	Sanchez
	1800	75	Sanchez
	2100	79	Sanchez
	2400	75	DIR

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	75	DIR
	0600	76	A. Olmos
	0900	~~76~~ 76	~~A. Olmos~~ Arms
	1200	76	Arms
	1500	77	Rivera
	1800	75	Rivera
	2100	75	Rivera
	2400	75	DIR

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	75	DIR
	0600	76	Olmos
	0900	76	Olmos
	1200	76	Olmos
	1500	76	Carrillo
	1800	76	Carrillo
	2100	75	Carrillo
	2400	75	DIR

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	75	DIR
	0600	78	E. Ruiz
	0900	80	E. Ruiz
	1200	80	E. Ruiz
	1500	80	M. Madrid
	1800	80	M. Madrid
	2100	77	M. Madrid
	2400	75	DIR

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	75	DIR
	0600	76	A. Gonzales
	0900	77	A. Gonzales
	1200	81	A. Gonzales
	1500	75	R. Gomez Garcia
	1800	75	R. Gomez Garcia
	2100	74	R. Gomez Garcia
	2400	74	Diaz

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	75	Diaz
	0600	76	A. Olmos
	0900	78	A. Olmos
	1200	78	A. Olmos
	1500	78	VELASQUEZ
	1800	76	VELASQUEZ
	2100	74	VELASQUEZ
	2400	74	T. Alvarado

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	74	T. Alvarado
	0600	74	A. Olmos
	0900	76	A. Olmos
	1200	76	A. Olmos
	1500	71	BERBER
	1800	71	BERBER
	2100	71	BERBER
	2400	71	ESCAMILLA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	68	T. Alvarado
	0600	67	A. Olmos
	0900	67	A. Olmos
	1200	68	A. Olmos
	1500	68	R Silva
	1800	70	R Silva
	2100	72	R Silva
	2400	75	DIR

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	76	[illegible]
	0600	76	A. Olmos
	0900	76	A. Olmos
	1200	78	A. Olmos
	1500	78	R. Silva
	1800	78	R. Silva
	2100	78	R. Silva
	2400	76	DIR

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	75	DIR
	0600	76	A. Olmos
	0900	76	A. Olmos
	1200	78	A. Olmos
	1500	77	L. Sanchez
	1800	76	L. Sanchez
	2100	75	L. Sanchez
	2400	75	DIR

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	75	DIR
	0600	78	E. Ruiz
	0900	80	E. Ruiz
	1200	80	E. Ruiz
	1500	79	Rodriguez
	1800	79	Rodriguez
	2100	75	Rodriguez
	2400	72	R. Agnew

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	72	R. Agnew
	0600	72	Thompson
	0900	72	Thompson
	1200	72	Thompson
	1500	72	M. VELASQUEZ
	1800	72	M. VELASQUEZ
	2100	72	M. VELASQUEZ
	2400	72	Elias

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300	71	Elias
	0600	71	Olmos
	0900	72	A. Olmos
	1200	72	A. Olmos
	1500	72	A. G. BERBER
	1800	72	G. BERBER
	2100	72	G. BERBER
	2400	72	T. Alvarado

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300	72	T. Alvarado
	0600	72	A. Olmos
	0900	72	A. Olmos
	1200	72	A. Olmos
	1500	72	Torres
	1800	72	Torres
	2100	72	Torres
	2400	72	T. Alvarado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C7 Temp. Reading Location: 2nd Tier · A/B/C Sections (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300	76	Sarlla
	0600	78	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	79	M. ALCANTAR
	1800	79	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	76	Sarlla

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300	76	Sarlla
	0600	78	Hernandez
	0900	78	Hernandez
	1200	79	Hernandez
	1500	79	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	78	Sarlla

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	76	Sarlla
	0600	78	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	78	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	76	Sarlla

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	76	Sarlla
	0600	78	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	78	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	73	Rivera

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	78	Rivera
	0600	78	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	80°	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
10.12.24	0300	76°	[illegible]
	0600	78	B. LOPEZ
	0900	78	B. LOPEZ
	1200	78	B. LOPEZ
	1500	75	Barajas
	1800	75	Barajas
	2100	75	Barajas
	2400	74	Sarlla

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	76	Sarlla
	0600	78	E. Sa
	0900	78	E. SANCHEZ
	1200	78	E SANCHEZ
	1500	78	E SANCHEZ
	1800	78	M. Lopez
	2100	78	M. Lopez
	2400	76	F. Sarlla

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-1 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	76	Sevilla
	0600	78	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	78	Griggs
	1800	78	Griggs
	2100	76	Griggs
	2400	76	Sevilla

Tuesday

Dat	Time	Temp.	Name (Print)
10/15	0300	76	Sevilla
	0600	78	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	77	Gonzalez
	1800	77	Gonzalez
	2100	76	Gonzalez
	2400	76	Fevela

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	76	Sevilla
	0600	78	Hernandez
	0900	77	Hernandez
	1200	78	Hernandez
	1500	78	Pena
	1800	77	Pena
	2100	78	Pena
	2400	76	Sevilla

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	76	Sevilla
	0600	78	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	80	Sahagun
	1800	78	Sahagun
	2100	78	Sahagun
	2400	78	T. Alvarado

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	76	T. Alvarado
	0600	74	Hernandez
	0900	74	Hernandez
	1200	75	Hernandez
	1500	75	A. Parra
	1800	74	A. Parra
	2100	74	A. Parra
	2400	74	T. Alvarado

Saturday

Date	Time	Temp.	Name (Print)
7/19/24	0300	74	T. Alvarado
	0600	74	J. McCoy
	0900	75	J. McCoy
	1200	75	J. McCoy
	1500	75	A. Parra
	1800	75	A. Parra
	2100	74	A. Parra
	2400	74	Sevilla

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	74	Sevilla
	0600	74	Tapia
	0900	75	Tapia
	1200	75	Tapia
	1500	76	Barajas
	1800	75	Barajas
	2100	75	Barajas
	2400	75	Sevilla

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-7 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	72	Sanu
	0600	73	Hernand
	0900	73	Hernand
	1200	75	Hernandez
	1500	75	G. Alvarez
	1800	75	G. Alvarez
	2100	75	G. Alvarez
	2400	74	Sanu

Tuesday

Dat	Time	Temp.	Name (Print)
10/22	0300	76	Sanu
	0600	74	Garcia
	0900	74	Garcia
	1200	75	Garcia
	1500	76	Gonzalez
	1800	76	Gonzalez
	2100	73	Gonzalez
	2400	72	Sanu

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	7	Sanu
	0600	73	Hernand
	0900	74	Hernand
	1200	74	Hernand
	1500	71	BERBER
	1800	71	BERBER
	2100	71	BERBER
	2400	72	Sanu

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	72	Sanu
	0600	73	Hernandez
	0900	73	Hernand
	1200	74	Hernand
	1500	74	Barajas
	1800	74	Barajas
	2100	74	Barajas
	2400	72	Rivera

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	72	Rivera
	0600	75	Cabrera
	0900	82	Cabrera
	1200	84	Cabrera
	1500	83	A. Duran
	1800	78	A. Duran
	2100	72	A. Duran
	2400	72	T. Alvarado

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	72	T. Alvarado
	0600	75	Griggs
	0900	77	Griggs
	1200	77	Griggs
	1500	78	A. Duran
	1800	76	A. Duran
	2100	76	A. Duran
	2400	75	Dim

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	75	Dim
	0600	75	Fino
	0900	76	Fino
	1200	77	Fino
	1500	77	Rivera
	1800	76	Rivera
	2100	75	Rivera
	2400	74	Sanu

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C7 Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	72	Sevilla
	0600	72	Hernandez
	0900	72	Hernandez
	1200	73	Hernandez
	1500	73	Barajas
	1800	73	Barajas
	2100	73	Barajas
	2400	72	Sevilla

Tuesday

Dat	Time	Temp.	Name (Print)
10-29	0300	72	Sevilla
	0600	72	Hernandez
	0900	72	Hernandez
	1200	73	Pelayo
	1500	73	BERBER
	1800	73	BERBER
	2100	73	BERBER
	2400	72	Sevilla

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	72	Sevilla
	0600	72	Hernandez
	0900	72	Hernandez
	1200	74	Hernandez
	1500	75	HERNANDER
	1800	75	HERNANDER
	2100	75	HERNANDEZ
	2400	74	Sevilla

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	73	Sevilla
	0600	73	FELIX
	0900	73	FELIX
	1200	73	FELIX
	1500	73	Barajas
	1800	73	Barajas
	2100	73	Barajas
	2400	72	Rivera

Friday

Date	Time	Temp.	Name (Print)
11/1	0300	72	Rivera
	0600	72	Hernandez
	0900	72	Hernandez
	1200	73	Hernandez
	1500	71	N. Rivera
	1800	73	Rivera
	2100	73	Rivera
	2400	72	Slater

Saturday

Date	Time	Temp.	Name (Print)
11/2	0300	72	Slater
	0600	72	Thompson
	0900	72	Thompson
	1200	72	Thompson
	1500	73	A. Ruiz
	1800	72	A. Ruiz
	2100	71	A. Ruiz
	2400	70	G. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
11/3	0300	70	G. Gonzalez
	0600	70	G. Gonzalez
	0900	70	Rawson
	1200	72	Rawson
	1500	72	Rawson
	1800	72	Barajas
	2100	72	Barajas
	2400	72	Sevilla

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C8 Temp. Reading Location: 2nd Tier, A, B, C Sections

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	76	Pelayo
	0600	76	RAUSCH
	0900	76	RAUSCH
	1200	77	RAUSCH
	1500	78	P. AROLIANO
	1800	78	P. AROLIANO
	2100	77	P. AROLIANO
	2400	78	A. Rendon

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	78	A. Rendon
	0600	77	L. ROSALES DUARTE
	0900	78	L. ROSALES DUARTE
	1200	78	L. ROSALES DUARTE
	1500	78	P. AROLIANO
	1800	78	P. AROLIANO
	2100	77	P. AROLIANO
	2400	77	J. Pelayo

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	76	J. Pelayo
	0600	79	Nunez
	0900	79	Nunez
	1200	80	Nunez
	1500	77	P. AROLIANO
	1800	79	P. AROLIANO
	2100	78	P. AROLIANO
	2400	78	Rivera

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	78	Rivera
	0600	78	Nunez
	0900	79	Nunez
	1200	79	Nunez
	1500	79	P. AROLIANO
	1800	78	P. AROLIANO
	2100	78	P. AROLIANO
	2400	77	S. HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	76	S. HERNANDEZ
	0600	78	Nunez
	0900	78	Nunez
	1200	79	Nunez
	1500	79	P. AROLIANO
	1800	79	P. AROLIANO
	2100	78	P. AROLIANO
	2400	78	J. CASTRO

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	77	J. CASTRO
	0600	77	S. Nunez
	0900	78	Nunez
	1200	78	Nunez
	1500	78	R. Silva
	1800	78	R. Silva
	2100	76	R. Silva
	2400	76	R. Aam

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	76	Aam
	0600	77	Nunez
	0900	77	Nunez
	1200	79	Nunez
	1500	79	R. Silva
	1800	79	Silva
	2100	77	Silva
	2400	77	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C 9 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	77	MARTINEZ
	0600	76	M. LOPEZ
	0900	76	M. Lopez
	1200	76	M. Lopez
	1500	76	P. ARELLANO
	1800	76	P. ARELLANO
	2100	75	P. ARELLANO
	2400	75	T Rodonsen

Tuesday

Dat	Time	Temp.	Name (Print)
10/15	0300	75	T. Rodonsen
	0600	75	R. Vargas Jr.
	0900	76	R. Vargas Jr.
	1200	76	R. Vargas Jr.
	1500	76	P. ARELLANO
	1800	76	P. ARELLANO
	2100	75	P. ARELLANO
	2400	75	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	75	MARTINEZ
	0600	76	NUNEZ
	0900	78	Nunez
	1200	78	Nunez
	1500	76	P. ARELLANO
	1800	76	P. ARELLANO
	2100	75	P. ARELLANO
	2400	75	D.V. Lopez

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	75	D.V. Lopez
	0600	75	S. Nunez
	0900	75	S. Nunez
	1200	76	S. Nunez
	1500	76	P. ARELLANO
	1800	76	P. ARELLANO
	2100	75	P. ARELLANO
	2400	75	S. SEVILLA

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	75	S - SEVILLA
	0600	77	Nunez
	0900	77	Nunez
	1200	77	Nunez
	1500	76	P. ARELLANO
	1800	76	P. ARELLANO
	2100	75	P. ARELLANO
	2400	75	T Romo

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	75	T Rom
	0600	75	Velasquez
	0900	76	Velasquez
	1200	75	Velasquez
	1500	75	R Silva
	1800	75	Silva
	2100	75	Silva
	2400	78	Reynaga

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	78	Reynaga
	0600	77	Velasquez
	0900	77	Velasquez
	1200	77	Velasquez
	1500	75	R Silva
	1800	78	R Silva
	2100	75	R Silva
	2400	75	T Rodonsen

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: CE Temp. Reading Location: 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	75	Rebollar
	0600	75	Lopez
	0900	75	Lopez
	1200	75	Duran
	1500	75	Duran
	1800	75	Duran
	2100	75	Duran
	2400	72	Sotelo

Tuesday

Dat	Time	Temp.	Name (Print)
10/22	0300	72	Sotelo
	0600	72	Sotelo
	0900	75	Resendiz
	1200	76	Resendiz
	1500	76	P. Arellano
	1800	76	P. Arellano
24	2100	75	P. Arellano
	2400	74	A. Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	74	A. Sotelo
	0600	74	A. Sotelo
	0900	74	S. Nunez
	1200	74	S. Nunez
	1500	75	P. Arellano
	1800	75	P. Arellano
24	2100	74	P. Arellano
	2400	72	Rivera

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	72	Rivera
	0600	72	Nunez
	0900	72	Nunez
	1200	73	Nunez
	1500	73	P. Arellano
	1800	74	P. Arellano
24	2100	73	P. Arellano
	2400	72	S. HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	72	S. HERNANDEZ
	0600	72	Nunez
	0900	73	Nunez
	1200	73	Nunez
	1500	74	P. Arellano
	1800	74	P. Arellano
24	2100	73	P. Arellano
	2400	73	A. Sotelo

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	73	A. Sotelo
	0600	73	A. Sotelo
	0900	73	Rauser
	1200	73	Rauser
	1500	74	Ramirez
	1800	74	Ramirez
24	2100	74	Ramirez
	2400	74	A. Sotelo

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	74	A. Sotelo
	0600	74	A. Sotelo
	0900	74	Nunez
	1200	74	Nunez
	1500	74	D. HERNANDEZ
	1800	76	D. HERNANDEZ
24	2100	79	D. HERNANDEZ
	2400	74	A. Sotelo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-8 Temp. Reading Location: Control booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	74	A. Sofelo
	0600	74	A. Sofelo
	0900	74	Thompson
	1200	75	Thompson
	1500	75	P. Arellano
	1800	75	P. Arellano
	2100	74	P. Arellano
	2400	74	A. Sofelo

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	74	A. Sofelo
	0600	74	A. Sofelo
	0900	74	Thompson
	1200	74	Thompson
	1500	74	P. Arellano
	1800	74	P. Arellano
	2100	73	P. Arellano
	2400	72	A. Sofelo

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	72	A. Sofelo
	0600	72	A. Sofelo
	0900	73	Nunez
	1200	73	Nunez
	1500	74	P. Arellano
	1800	74	P. Arellano
	2100	73	P. Arellano
	2400	72	Rivera

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	72	Rivera
	0600	72	Nunez
	0900	72	Nunez
	1200	71	Nunez
	1500	72	P. Arellano
	1800	72	P. Arellano
	2100	71	P. Arellano
	2400	71	E. Constantin

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	71	E. Constantin
	0600	71	Nunez
	0900	71	Nunez
	1200	71	Nunez
	1500	71	"
	1800	70	"
	2100	70	"
	2400	70	A. Sofelo

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300	70	A. Sofelo
	0600	70	A. Sofelo
	0900	71	Nunez
	1200	71	Nunez
	1500	70	"
	1800	70	"
	2100	70	"
	2400	~~70~~ 70	A. Sofelo

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300	70	A. Sofelo
	0600	70	A. Sofelo
	0900	71	Nunez
	1200	71	Nunez
	1500	72	Silva
	1800	72	Silva
	2100	70	Silva
	2400	70	A. Sofelo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D2 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/07

Date	Time	Temp.	Name (Print)
	0300	73	Peralta
	0600	73	Peralta
	0900	73	Romero
	1200	73	Romero
	1500	74	Flores
	1800	74	Flores
	2100	73	Flores
	2400	73	[illegible]

Tuesday 10/08

Date	Time	Temp.	Name (Print)
	0300	73	[illegible]
	0600	72	Saldana
	0900	73	Saldana
	1200	73	Saldana
	1500	74	Flores
	1800	74	Flores
	2100	73	Flores
	2400	72	Arnelas

Wednesday 10/09

Date	Time	Temp.	Name (Print)
	0300	72	Arnelas
	0600	73	Saldana
	0900	73	Saldana
	1200	73	Saldana
	1500	74	Lara
	1800	74	Lara
	2100	73	Lara
	2400	73	Rendon

Thursday 10/10

Date	Time	Temp.	Name (Print)
	0300	73	Rendon
	0600	73	Saldana
	0900	72	Saldana
	1200	74	Saldana
	1500	74	Constanza
	1800	74	Constanza
	2100	73	Constanza
	2400	73	[illegible]

Friday 10/11

Date	Time	Temp.	Name (Print)
	0300	72	[illegible]
	0600	72	Saldana
	0900	72	Saldana
	1200	73	Saldana
	1500	73	Constanza
	1800	73	Constanza
	2100	73	Constanza
	2400	73	[illegible]

Saturday 10/12

Date	Time	Temp.	Name (Print)
	0300	73	[illegible]
	0600	73	Saldana
	0900	73	Saldana
	1200	73	Saldana
	1500	74	Constanza
	1800	74	Constanza
	2100	73	Constanza
	2400	73	[illegible]

Sunday 10/13

Date	Time	Temp.	Name (Print)
	0300	72	[illegible]
	0600	72	Romero
	0900	72	Romero
	1200	73	Romero
	1500	73	Constanza
	1800	74	Constanza
	2100	73	Constanza
	2400	72	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1/24	0300	79	S. SEVILLA
	0600	77	Marquez
	0900	79	Marquez
	1200	80	Marquez
	1500	77	Duran
	1800	78	Duran
	2100	78	Duran
	2400	78	Gloria

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	78	Gloria
	0600	78	Marquez
	0900	78	Marquez
	1200	80	Marquez
	1500	78	JACKI
	1800	78	Duran
	2100	78	Duran
	2400	78	Gloria

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	76	Gloria
	0600	76	Marquez
	0900	76	Marquez
	1200	78	Marquez
	1500	78	G.Cruz
	1800	78	G.Cruz
	2100	78	GCruz
	2400	78°	Meza, N

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	78°	Meza, N
	0600	78	A.ANAYA
	0900	78	A.ANAYA
	1200	79	A.ANAYA
	1500	79	A.Duran
	1800	78	A.Duran
	2100	78	A.Duran
	2400	78	Ruiz

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	78	Ruiz
	0600	76	Ramos
	0900	76	Ramos
	1200	76	Ramos
	1500	76	Flores
	1800	79	Flores
	2100	79	Flores
	2400	78	Gloria

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	77	Gloria
	0600	77	Marquez
	0900	77	Marquez
	1200	78	Marquez
	1500	78	Duran
	1800	78	Duran
	2100	78	Duran
	2400	77	Gloria

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	77	Gloria
	0600	77	whitfield
	0900	78	whitfield
	1200	78	whitfield
	1500	78	Duran
	1800	78	Duran
	2100	78	Duran
	2400	76	Pelayo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D1 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300	78	SAMARRIPAS
	0600	78	J. RAMOS
	0900	78.	J. RAMOS
	1200	78	J. RAMOS
	1500	78	K. Sanchez
	1800	78	K. Sanchez
	2100	78	K Sanchez
	2400	78	SAMARRIPAS

Tuesday

Dat	Time	Temp.	Name (Print)
10.8	0300	78	SAMARRIPAS
	0600	78	RAMOS
	0900	78	RAMOS
	1200	78	RAMOS
	1500	78	RAMOS,G.
	1800	78	RAMOS,G.
	2100	78	RAMOS,G.
	2400	78	RODRIGUEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	78	RODRIGUEZ
	0600	78	Castro
	0900	78	Castro
	1200	80	Castro
	1500	79	RAMOS,G.
	1800	79	RAMOS,G.
	2100	78	RAMOS,G.
	2400	76	CARR

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	76	CARR
	0600	76	Castro
	0900	76	Castro
	1200	77	Castro
	1500	78	RAMOS,G.
	1800	78	RAMOS,G.
	2100	78	RAMOS,G.
	2400	76	CARR

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	76	CARR
	0600	76	Castro
	0900	77	Castro
	1200	77	Castro
	1500	77	RAMOS,G.
	1800	77	RAMOS,G.
	2100	77	RAMOS,G.
	2400	76	CARR

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	76	CARR
	0600	76	Castro
	0900	77	Castro
	1200	77	Castro
	1500	75	RAMOS,G.
	1800	75	RAMOS,G.
	2100	75	RAMOS,G.
	2400	74	CARR

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	74	CARR
	0600	74	Castro
	0900	74	Castro
	1200	75	Castro
	1500	75	Sanchez
	1800	75	Sanchez
	2100		
	2400	75	ALCANTAR

BM

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-5 CONTROL Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	76	RODRIGUEZ
.	0600	76	F-CASTRO
7	0900	78	F-CASTRO
.	1200	77	F-CASTRO
24	1500	80	C.Cox
	1800	80	C.Cox
	2100	78	C.Cox
	2400	79	RODRIGUEZ

MP

Tuesday

Dat	Time	Temp.	Name (Print)
10	0300	76	RODRIGUEZ
.	0600	77	Pruneda
8	0900	77	Pruneda
.	1200	77	Pruneda
24	1500	78	Cox
	1800	78	Cox
	2100	78	Cox
	2400	76	RODRIGUEZ

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	76	RODRIGUEZ
.	0600	76	Pruneda
9	0900	76	Pruneda
.	1200	77	Pruneda
24	1500	78	Cox
	1800	78	Cox
	2100	78	Cox
	2400	78	Chambers

Thursday

Date	Time	Temp.	Name (Print)
10	0300	78	Chambers
.	0600	77	Pruneda
10	0900	77	Pruneda
.	1200	77	Pruneda
24	1500	78	Cox
	1800	78	Cox
	2100	78	Cox
	2400	78	Monreal

Friday

Date	Time	Temp.	Name (Print)
10	0300	77	Monreal
.	0600	77	ALVARAD
11	0900	77	ALVARADO
.	1200	78	ALVARADO
12	1500	78	C.Cox
	1800	78	C.Cox
	2100	78	C.Cox
	2400	78	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
10	0300	[illegible]	Rodriguez
.	0600	77	Vaca
13	0900	77	Vaca
.	1200	78	VACA
24	1500	76	Thurston, D
	1800	76	Thurston, D
	2100	76	Thurston, D
	2400	76	RODRIGUEZ

Sunday

Date	Time	Temp.	Name (Print)
10	0300	78	RODRIGUEZ
.	0600	77	Monreal RODRIGUEZ
12	0900	77	ALVARADO
.	1200	78	ALVARADO
24	1500	76	Thurston, D
	1800	76	Thurston, D
	2100	76	Thurston, D
	2400	76	RODRIGUEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: K.V.SP Housing Unit: D6 Temp. Reading Location: Top tier 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	73	Guarro
	0600	74	Amaral
	0900	75	Amaral
	1200	78	Amaral
	1500	78	Thurston, D
	1800	78	Thurston, D
	2100	78	Thurston, D
	2400	77	Lona

MP

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	75	Lona
	0600	75	C. Simenez
	0900	75	A. Castruita
	1200	78	A. Castruita
	1500	78	Thurston, D
	1800	78	Thurston, D
	2100	78	Thurston, D
	2400	77	Lona

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	75	Lona
	0600	75	Diaz
	0900	75	Diaz
	1200	90	Diaz
	1500	78	J. GUAJARDO
	1800	78	J. GUAJARDO
	2100	78	J. GUAJARDO
	2400	77	Lona

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	75	Lona
	0600	75	Pedroza
	0900	75	Pedroza
	1200	75	Pedroza
	1500	78	J. GUAJARDO
	1800	78	J. GUAJARDO
	2100	78	J. GUAJARDO
	2400	77	Lona

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	75	Lona
	0600	75	SANDUVAL
	0900	76	SANDUVAL
	1200	76	SANDUVAL
	1500	78	J. GUAJARDO
	1800	78	J. GUAJARDO
	2100	78	J. GUAJARDO
	2400	78	E. SAMARRIPAS

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	75	E. SAMARRIPAS
	0600	77	Amaral
	0900	77	Amaral
	1200	77	Amaral
	1500	78	J. GUAJARDO
	1800	78	J. GUAJARDO
	2100	78	J. GUAJARDO
	2400	78	I. Barajas

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	77	Barajas
	0600	76	Chavez
	0900	76	Chavez
	1200	77	Chavez
	1500	77	Nicaraguo
	1800		
	2100		
	2400	75	Lona

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D 7 Temp. Reading Location: 3rd 2nd 1st (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300	77	Lopez
	0600	77	Martinez
	0900	77	Martinez
	1200	77	Martinez
	1500	77	Pelayo
	1800	77	Pelayo
	2100	77	Pelayo
	2400	77	A. Gonzalez

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300	76	A. Gonzalez
	0600	76	L. Cenas
	0900	76	L. Cenas
	1200	76	L. Cenas
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	A. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	76	A. Gonzalez
	0600	76	Reynaga
	0900	76	Reynaga
	1200	76	Reynaga
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	A. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	76	A. Gonzalez
	0600	76	Reynaga
	0900	76	Reynaga
	1200		
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	Meza, N

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	76	Meza, N
	0600	76	A. ANAYA
	0900	77	A. ANAYA
	1200	77	A. ANAYA
	1500	78	A. ANAYA
	1800	77	A. ANAYA
	2100	77	A. ANAYA
	2400	76	Meza, N

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	76	Meza, N
	0600	76	A. ANAYA
	0900	77	A. ANAYA
	1200	77	A. ANAYA
	1500	77	A. ANAYA
	1800	77	D. HURTADO
	2100	77	D. HURTADO
	2400	76	G. SILVA

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	76	G. SILVA
	0600	76	ON
	0900	76	ON
	1200	77	ON
	1500	77	Pelayo
	1800	77	Pelayo
	2100	76	Pelayo
	2400	76	M. Flores

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

D-8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/2024	0300	76	Meza, N
	0600	76	SANDOVAL
	0900	76	SANDOVAL
	1200	77	SANDOVAL
	1500	76	Romero
	1800	76	Romero
	2100	76	Romero
	2400	76	Guinaldo

MP

Tuesday

Dat	Time	Temp.	Name (Print)
10/08/2024	0300	76	Guinaldo
	0600	76	SANDOVAL
	0900	76	SANDOVAL
	1200	78	SANDOVAL
	1500	78	Castruita
	1800	77	Castruita
	2100	76	Castruita
	2400	76	Guinaldo

Wednesday

Date	Time	Temp.	Name (Print)
10/09/2024	0300	76	Guinaldo
	0600	76	Sanchez
	0900	78	Sanchez
	1200	78	Sanchez
	1500	78	Castruita
	1800	78	Castruita
	2100	77	Castruita
	2400	76	Guinaldo

Thursday

Date	Time	Temp.	Name (Print)
10/10/2024	0300	76	Guinaldo
	0600	76	Sanchez
	0900	78	Sanchez
	1200	78	Sanchez
	1500	77	Castruita
	1800	77	Castruita
	2100	76	Castruita
	2400	76	Guinaldo

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	76	Guinaldo
	0600	76	Sanchez
	0900	78	Sanchez
	1200	78	Sanchez
	1500	77	Castruita
	1800	76	Castruita
	2100	76	Castruita
	2400	76	Guinaldo

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	76	Guinaldo
	0600	76	Cid
	0900	77	Cid
	1200	77	Cid
	1500	75	C. Contreras
	1800	76	Igarza
	2100	77	Garza
	2400	76	Meza, N

Sunday

Date	Time	Temp.	Name (Print)
10/13/2024	0300	76	Meza, N
	0600	78	Nava
	0900	78	Nava
	1200	78	Nava
	1500	78	Romero
	1800	76	Romero
	2100	76	Romero
	2400	76°	Meza, N

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HUSP Housing Unit: D2 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/14

Date	Time	Temp.	Name (Print)
	0300	72	[illegible]
	0600	73	Romero
	0900	73	Romero
	1200	73	Romero
	1500	74	Flores
	1800	74	Flores
	2100	73	Flores
	2400	73	[illegible]

Tuesday 10/15

Date	Time	Temp.	Name (Print)
	0300	72	[illegible]
	0600	73	Saldana
	0900	73	Saldana
	1200	73	Saldana
	1500	74	Flores
	1800	74	Flores
	2100	73	Flores
	2400	73	[illegible]

Wednesday 10/16

Date	Time	Temp.	Name (Print)
	0300	72	[illegible]
	0600	72	Saldana
	0900	72	Saldana
	1200	73	Saldana
	1500	73	[illegible]
	1800	73	[illegible]
	2100	72	[illegible]
	2400	72	[illegible]

Thursday 10/17

Date	Time	Temp.	Name (Print)
	0300	73	[illegible]
	0600	73	Saldana
	0900	73	Saldana
	1200	73	Saldana
	1500	74	Constanza
	1800	74	Constanza
	2100	74	Constanza
	2400	73	[illegible]

Friday 10/18

Date	Time	Temp.	Name (Print)
	0300	[illegible]	[illegible]
	0600	72	Saldana
	0900	72	Saldana
	1200	73	Saldana
	1500	73	Constanza
	1800	73	Constanza
	2100	73	Constanza
	2400	72	[illegible]

Saturday 10/19

Date	Time	Temp.	Name (Print)
	0300	72	[illegible]
	0600	73	Saldana
	0900	73	Saldana
	1200	74	Saldana
	1500	74	Constanza
	1800	74	Constanza
	2100	72	Constanza
	2400	72	[illegible]

Sunday 10/20

Date	Time	Temp.	Name (Print)
	0300	72	[illegible]
	0600	72	Romero
	0900	73	Romero
	1200	73	Romero
	1500	73	Constanza
	1800	73	Constanza
	2100	73	Constanza
	2400	72	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-3 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	76	Pelayo
	0600	76	Marquez
	0900	74	Marquez
	1200	76	Marquez
	1500	76	C. Duran
	1800	75	C. Duran
	2100	75	C. Duran
	2400	75	Gloria

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	75	Gloria
	0600	75	Marquez
	0900	76	Marquez
	1200	76	Marquez
	1500	75	Duran
	1800	76	Duran
	2100	76	Duran
	2400	75	Gloria

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	75	Gloria
	0600	75	Marquez
	0900	76	Marquez
	1200	78	Marquez
	1500	76	Duran
	1800	76	D. Ramos
	2100	76	Ramos
	2400	75	Meza, N

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	75	Meza, N
	0600	75	A. ANAYA
	0900	76	A. ANAYA
	1200	76	A. ANAYA
	1500	76	[illegible]
	1800	75	[illegible]
	2100	75	[illegible]
	2400	75	Fouston

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	75	Fouston
	0600	76	J. Ramor
	0900	76	J. Ramor
	1200	76	J. Ramor
	1500	76	R. Alman
	1800	75	R. Alman
	2100	75	R. Alman
	2400	75	Gloria

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	75	Gloria
	0600	75	Valdez
	0900	75	Valdez
	1200	75	Valdez
	1500	75	LEGASPI
	1800	75	LEGASPI
	2100	75	LEGASPI
	2400	75	Gloria

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	75	Gloria
	0600	75	Melendrez
	0900	75	Melendrez
	1200	75	Melendrez
	1500	75	Calderon
	1800	75	Calderon
	2100	75	Calderon
	2400	75	Gloria

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D4 Temp. Reading Location: B SECTION (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14	0300	78	SAMARRIPAS
	0600	78	J. RAMOS
	0900	78	J. RAMOS
	1200	78	J. RAMOS
	1500	78	L. TORRES
	1800	78	L. TORRES
	2100	78	L. TORRES
	2400	78	SAMARRIPAS

Tuesday

Dat	Time	Temp.	Name (Print)
10-15	0300	77	SAMARRIPAS
	0600	76	J. RAMOS
	0900	77	J. RAMOS
	1200	77	J. RAMOS
	1500	78	N. Rivera
	1800	77	N. Rivera
	2100	76	N. Rivera
	2400	76	CAM

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	76	CAM
	0600	76	Castro
	0900	77	Castro
	1200	77	Castro
	1500	80	Sahagun
	1800	76	Sahagun
	2100	76	Sahagun
	2400	76	CAM

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	76	CAM
	0600	74	Castro
	0900	77	Castro
	1200	78	Castro
	1500	78	Ramos
	1800	77	Ramos
	2100	77	Ramos
	2400	76	CAM

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	76	CAM
	0600	74	Castro
	0900	74	Castro
	1200	75	Castro
	1500	76	T. Alvarado
	1800	76	T. Alvarado
	2100	76	T. Alvarado
	2400	76	CAM

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	76	CAM
	0600	76	Castro
	0900	74	Castro
	1200	76	Castro
	1500	76	Barrera
	1800	76	Barrera
	2100	76	Barrera
	2400	76	CAM

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	76	CAM
	0600	76	Castro
	0900	76	Castro
	1200	76	Castro
	1500	76	Stewart
	1800	76	Stewart
	2100	76	Stewart
	2400	78	SAMARRIPAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D5 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	73	[illegible]
	0600	73	Prineda
	0900	73	Prineda
	1200	74	Prineda
	1500	74	Cox
	1800	73	Cox
	2100	73	Cox
	2400	73	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	74	[illegible]
	0600	74	Prineda
	0900	74	Prineda
	1200	74	Prineda
	1500	74	Cox
	1800	73	Cox
	2100	73	Cox
	2400	73	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	73	[illegible]
	0600	73	Prineda
	0900	73	Prineda
	1200	74	Prineda
	1500	74	Cox
	1800	74	Cox
	2100	73	Cox
	2400	73	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	73	[illegible]
	0600	73	Prineda
	0900	74	Prineda
	1200	74	Prineda
	1500	74	Cox
	1800	73	Cox
	2100	73	Cox
	2400	73	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	73	[illegible]
	0600	73	[illegible]
	0900	73	[illegible]
	1200	73	[illegible]
	1500	73	Cox
	1800	74	Cox
	2100	73	Cox
	2400	73	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	73	[illegible]
	0600	73	[illegible]
	0900	73	[illegible]
	1200	73	[illegible]
	1500	74	Cue
	1800	74	Cue
	2100	74	Cue
	2400	73	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	73	[illegible]
	0600	73	Prineda
	0900	73	Prineda
	1200	73	Prineda
	1500	74	Cue
	1800	74	Cue
	2100	74	Cue
	2400	74	Cue

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB6 Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10 / 14	0300	75	Lona
	0600	75	Unavail
	0900	74	Unavail
	1200	76	Unavail
	1500	76	CRUZ JR, E.
14 / 24	1800	76	CRUZ JR, E.
	2100	76	CRUZ JR, E.
	2400	75	Lona

Tuesday

Date	Time	Temp.	Name (Print)
10 / 15	0300	75	Lona
	0600	75	Castrejon
	0900	75	Castrejon
	1200	76	Castrejon
	1500	78	Sahagun
15 / 24	1800	75	Sahagun
	2100	73	Sahagun
	2400	73	Lona

Wednesday

Date	Time	Temp.	Name (Print)
10 / 16	0300	75	Lona
	0600	75	Diaz
	0900	75	Diaz
	1200	73	Diaz
	1500	72	J. GUAJARDO
16 / 24	1800	72	J. GUAJARDO
	2100	72	Melendrez
	2400	73	Garcia

Thursday

Date	Time	Temp.	Name (Print)
10 / 17	0300	73	Garcia
	0600	73	Pedrozo
	0900	73	Pedrozo
	1200	73	Pedrozo
	1500	72	J. GUAJARDO
17 / 24	1800	72	J. GUAJARDO
	2100	72	J. GUAJARDO
	2400	74	Sahagun

Friday

Date	Time	Temp.	Name (Print)
10 / 18	0300	74	Sahagun
	0600	72	Sahagun
	0900	74	SANDOVAL
	1200	74	SANDOVAL
	1500	72	J. GUAJARDO
18 / 24	1800	72	J. GUAJARDO
	2100	72	J GUAJARDO
	2400	72	R. CALDERON

Saturday

Date	Time	Temp.	Name (Print)
10 / 19	0300	72	R. CALDERON
	0600	72	Unavail
	0900	73	Unavail
	1200	73	Unavail
	1500	72	J. GUAJARDO
19 / 24	1800	72	J. GUAJARDO
	2100	72	J. GUAJARDO
	2400	72	M. Aguilar

Sunday

Date	Time	Temp.	Name (Print)
10 / 20	0300	73	M. Aguilar
	0600	73	M. Aguilar
	0900	73	Unavail
	1200	74	Unavail
	1500	74	Castro
20 / 24	1800	72	J. Fernandez
	2100	71	J. Fernandez
	2400	72	Harris

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D7 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	76	M Flores
	0600	76	M Flores
	0900	76	Martinez
	1200	76	Martinez
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	Lopez

Tuesday

Dat	Time	Temp.	Name (Print)
10/15	0300	76	Lopez
	0600	76	Martinez
	0900	76	Martinez
	1200	77	Martinez
	1500	77	Pelayo
	1800	77	Pelayo
	2100	76	Pelayo
	2400	76	Reynaga

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	76	Reynaga
	0600	76	Martinez
	0900	76	Martinez
	1200	76	Martinez
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	O. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	76	O. Gonzalez
	0600	76	Martinez
	0900	76	Martinez
	1200	76	Martinez
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	Meza, N

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	76	Meza, N
	0600	76	A. Anaya
	0900	77	A. Anaya
	1200	77	A. Anaya
	1500	77	A. Anaya
	1800	76	A. Anaya
	2100	76	A. Anaya
	2400	76°	Meza, N

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	76°	Meza, N
	0600	76	A. Anaya
	0900	77	A. Anaya
	1200	77	A. Anaya
	1500	77	Romero
	1800	75	Romero
	2100	75	Romero
	2400	75	O. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	75	O. Gonzalez
	0600	75	ON
	0900	75	ON
	1200	76	ON
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

D-8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	76°	Meza, N
	0600	76	SANDOVAL
	0900	76	SANDOVAL
	1200	76	SANDOVAL
	1500	76	Romero
	1800	75	Romero
	2100	75	Romero
	2400	76	Guanacasa

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/2024	0300	76	Guanacasa
	0600	76	SANDOVAL
	0900	76	SANDOVAL
	1200	76	SANDOVAL
	1500	76	Castreuita
	1800	76	Castreuita
	2100	76	Castreuita
	2400	76	Guanacasa

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	76	Guanacasa
	0600	76	Sanchez
	0900	78	Sanchez
	1200	78	Sanchez
	1500	77	Castreuita
	1800	76	Castreuita
	2100	76	Castreuita
	2400	76	Guanacasa

Thursday

Date	Time	Temp.	Name (Print)
10/17/2024	0300	76	Guanacasa
	0600	76	Sanchez
	0900	78	Sanchez
	1200	78	Sanchez
	1500	78	Castreuita
	1800	77	Castreuita
	2100	76	Castreuita
	2400	76	Guanacasa

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	76	Guanacasa
	0600	76	Sanchez
	0900	78	Sanchez
	1200	78	Sanchez
	1500	77	Castreuita
	1800	77	Castreuita
	2100	76	Castreuita
	2400	76	Guanacasa

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300	76	Guanacasa
	0600	76	Sanchez
	0900	76	Sanchez
	1200	78	Sanchez
	1500	77	[illegible]
	1800	76	[illegible]
	2100	75	[illegible]
	2400	75°	Meza, N

Sunday

Date	Time	Temp.	Name (Print)
10/20/2024	0300	75°	Meza, N
	0600	76	SANCHEZ
	0900	78	Sanchez
	1200	78	Sanchez
	1500	76	Romero
	1800	75	Romero
	2100	75	Romero
	2400	75	Meza, N

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D2 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	72	CASTRO
	0600	72	Romero
	0900	72	Romero
	1200	73	Romero
	1500	73	Flores
	1800	74	Flores
	2100	73	Flores
	2400	72	me

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	72	me
	0600	73	Saldana
	0900	74	Saldana
	1200	74	Saldana
	1500	74	Flores
	1800	74	Flores
	2100	73	Flores
	2400	73	me

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	72	me
	0600	73	Saldana
	0900	72	Saldana
	1200	73	Saldana
	1500	73	Castro
	1800	74	Castro
	2100	73	Castro
	2400	72	me

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	72	me
	0600	72	Saldana
	0900	73	Saldana
	1200	72	Saldana
	1500	73	Castro
	1800	74	Castro
	2100	73	Castro
	2400	73	me

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	73	me
	0600	72	Saldana
	0900	72	Saldana
	1200	73	Saldana
	1500	73	Castro
	1800	73	Castro
	2100	73	Castro
	2400	72	me

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	72	me
	0600	72	Saldana
	0900	73	Saldana
	1200	73	Saldana
	1500	73	Castro
	1800	74	Castro
	2100	73	Castro
	2400	73	me

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	72	me
	0600	72	Romero
	0900	73	Romero
	1200	73	Romero
	1500	73	Castro
	1800	73	Castro
	2100	73	Castro
	2400	73	me

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	ae
	0600	70	Marquez
	0900	71	Marquez
	1200	71	Marquez
	1500	72	Duran
	1800	71	Duran
	2100	71	Dura
	2400	70	ae

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	71	ae
	0600	71	Marquez
	0900	72	Marquez
	1200	73	Marquez
	1500	73	Duran
	1800	72	Duran
	2100	72	Duran
	2400	72	ae

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	71	ae
	0600	71	Marquez
	0900	72	Marquez
	1200	72	Marquez
	1500	72	Marquez
	1800	72	Duran
	2100	73	Duran
	2400	72	ae

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	71	ae
	0600	72	[illegible]
	0900	72	[illegible]
	1200	72	ae
	1500	73	Dn
	1800	73	Dn
	2100	71	B.
	2400	71	ae

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	71	ae
	0600	71	ae
	0900	71	ae
	1200	72	ae
	1500	72	Dn
	1800	72	Dn
	2100	72	Dn
	2400	71	ae

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	71	ae
	0600	71	Marquez
	0900	72	Marquez
	1200	73	Marquez
	1500	73	Duran
	1800	73	Duran
	2100	72	Duran
	2400	72	ae

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	72	ae
	0600	72	Marquez
	0900	72	Marquez
	1200	72	Marquez
	1500	73	Duran
	1800	73	Duran
	2100	72	Duran
	2400	72	ae

Notes

_____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D4 Temp. Reading Location: B SECTION (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/22/24	0300	76	SAMARRIPAS
	0600	76	CHAVEZ
	0900	76	CHAVEZ
	1200	76	CHAVEZ
	1500	76	CRUZ JR, E.
	1800	76	CRUZ JR, E.
	2100	76	CRUZ JR, E.
	2400	76	SAMARRIPAS

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	76	SAMARRIPAS
	0600	76	CHAVEZ
	0900	76	CHAVEZ
	1200	76	CHAVEZ
	1500	76	RAMOS, G.
	1800	76	RAMOS, G.
	2100	76	RAMOS, G.
	2400	76	CARR

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	76	CARR
	0600	74	Castro
	0900	76	Castro
	1200	76	Castro
	1500	76	CARR
	1800	76	OOWOC
	2100		
	2400	76	CARR

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	76	CARR
	0600	74	Castro
	0900	74	Castro
	1200	76	Castro
	1500	76	RAMOS, G.
	1800	76	RAMOS, G.
	2100	76	RAMOS, G.
	2400	76	CARR

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	76	CARR
	0600	76	Castro
	0900	76	Castro
	1200	76	Castro
	1500	75	RAMOS, G.
	1800	75	RAMOS, G.
	2100	74	RAMOS, G.
	2400	76	Buckner

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	76	Buckner
	0600	75	EDIDZ
	0900	75	EDIDZ
	1200	75	EDIDZ
	1500	75	RAMOS, G.
	1800	75	RAMOS, G.
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300		
	0600	71	BERBER
	0900	71	BERBER
	1200	71	BERBER
	1500	71	CARR
	1800	72	Calderon
	2100	72	Calderon
	2400	72	SAMARRIPAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	72	Rodriguez
	0600	72	Sewell
	0900	72	Sewell
	1200	74	Sewell
	1500	74	Cox
	1800	74	Cox
	2100	74	Cox
	2400	74	Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	77	Rodriguez
	0600	77	Prunek
	0900	77	Prunek
	1200	77	Prunek
	1500	76	Cox.C
	1800	76	Cox.C
	2100	76	Cox.C
	2400	75	Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	73	Rodriguez
	0600	73	Prunek
	0900	73	Prunek
	1200	75	Prunek
	1500	76	Cox
	1800	76	Cox
	2100	76	Cox
	2400	76	D Chandler

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	76	D. Chandler
	0600	76	Prunek
	0900	76	Prunek
	1200	76	Cox.C
	1500	76	Cox.C
	1800	76	Cox C
	2100	76	Cox C
	2400	70	Cabrera

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	Cabrera
	0600	70	Cabrera
	0900	70	Pedroza
	1200	70	Pedroza
	1500	78	Cox C
	1800	78	Cox.C
	2100	78	Cox C
	2400	73	Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	73	Rodriguez
	0600	73	Steele
	0900	73	Steele
	1200	75	Steele
	1500	74	Thurston, D
	1800	74	Thurston, D
	2100	74	Thurston, D
	2400	74	Johnson

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	74	Johnson S
	0600	74	Gomez
	0900	73	Gomez
	1200	73	Gomez
	1500	74	Thurston, D
	1800	74	Thurston, D
	2100	74	Thurston, D
	2400	74	Rodriguez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-6 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	HARRIS
	0600	71	[illegible]
	0900	72	[illegible]
	1200	74	[illegible]
	1500	74	Thurston, D
	1800	72	Thurston, D
	2100	72	Thurston, D
	2400	72	Lowe

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	70	Lowe
	0600	70	A. Sotelo
	0900	72	A. Sotelo
	1200	72	A. Sotelo
	1500	72	Thurston, D
	1800	72	Thurston, D
	2100	72	Thurston, D
	2400	72	Lowe

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	70	Lowe
	0600	70	DIAZ
	0900	70	DIAZ
	1200	71	DIAZ
	1500	72	J. GUAJARDO
	1800	72	J. GUAJARDO
	2100	72	J. GUAJARDO
	2400	72	Campos

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	72	Campos
	0600	72	Pedroza
	0900	72	Pedroza
	1200	72	Pedroza
	1500	72	Marcy
	1800	72	Marcy
	2100	72	Marcy
	2400	72	Hernandez

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	72	J. Hernandez
	0600	74	[illegible]
	0900	74	[illegible]
	1200	74	[illegible]
	1500	72	J. GUAJARDO
	1800	72	J. GUAJARDO
	2100	72	J. GUAJARDO
	2400	72	SAMARRIPAS

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	72	SAMARRIPAS
	0600	72	A. Sotelo
	0900	72	A. Sotelo
	1200	72	A. Sotelo
	1500	72	J. GUAJARDO
	1800	72	J. GUAJARDO
	2100	72	J. GUAJARDO
	2400	72	SAMARRIPAS

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300		
	0600	72	Castro
	0900	72	Castro
	1200	72	Castro
	1500	72	DURAN
	1800	72	DURAN
	2100	72	DURAN
	2400	7.	SEVILLA, S

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	76	G Lopez
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	76	MARTINEZ
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	O Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	76	O. Gonzalez
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	76	MARTINEZ
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	O. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	76	O. Gonzalez
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	76	MARTINEZ
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	O. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	76	O. Gonzalez
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	76	MARTINEZ
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	Meza, N

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	76	Meza, N
	0600	76	A. ANAYA
	0900	77	A. ANAYA
	1200	77	A. ANAYA
	1500	77	A. ANAYA
	1800	77	A. ANAYA
	2100	76	A. ANAYA
	2400	76	Meza, N

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	76	Meza, N
	0600	76	A. ANAYA
	0900	77	A. ANAYA
	1200	77	A. ANAYA
	1500	75	Romero
	1800	75	Romero
	2100	74	Romero
	2400	74	O. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	72	O. Gonzalez
	0600	72	A. Sotelo
	0900	72	A. Sotelo
	1200	72	A. Sotelo
	1500	72	Pelayo
	1800	72	Pelayo
	2100	72	Pelayo
	2400	72	O. Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

D-8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	75	Meza, N
	0600	75	Campos
	0900	75	Campos
	1200	76	Campos
	1500	75	Romero
	1800	75	Romero
	2100	75	Romero
	2400	75	Mendoza

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/2024	0300	75	Mendoza
	0600	75	Mendoza
	0900	77	C. Barajas
	1200		
	1500	77	Castruita
	1800	76	Castruita
	2100	75	Castruita
	2400	75	Mendoza

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	75	Mendoza
	0600	75	Mendoza
	0900	76	Sanchez
	1200	76	Sanchez
	1500	76	Sanchez
	1800	76	Sanchez
	2100	76	Sanchez
	2400	76	Mendoza

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	76	Mendoza
	0600	76	Mendoza
	0900	76	Sanchez
	1200	76	Sanchez
	1500	76	Castruita
	1800	76	Castruita
	2100	75	Castruita
	2400	75	Mendoza

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	75	Mendoza
	0600	75	Mendoza
	0900	74	C. Cic
	1200	74	C. Cic
	1500	75	Castruita
	1800	74	Castruita
	2100	74	Castruita
	2400	74	Staber

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	74	Staber
	0600	76	Sanchez
	0900	76	Sanchez
	1200	76	Sanchez
	1500	76	Sanchez
	1800	76	Sanchez
	2100	76	Sanchez
	2400	76	Meza, N

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	75	Meza, N
	0600	76	J. Sanchez
	0900	76	J Sanchez
	1200	76	J Sanchez
	1500	75	Romero
	1800	75	Romero
	2100	75	Romero
	2400	75	Meza, N

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB2 Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10 / 28 / 24	0300	73	Pdayo
	0600	73	Romero
	0900	73	Romero
	1200	73	Romero
	1500	73	FORES
	1800	73	FORES
	2100	73	FLORES
	2400	74	A. Renton

Tuesday

Date	Time	Temp.	Name (Print)
10 / 29 / 24	0300	74	A. Renton
	0600	72	SALDAÑA
	0900	74	SALDAÑA
	1200	76	SALDAÑA
	1500	74	FLORES
	1800	74	FORES
	2100	74	FORES
	2400	74	M.CHAVEZ

Wednesday

Date	Time	Temp.	Name (Print)
10 / 30 / 24	0300	74	M.CHAVEZ
	0600	72	SALDAÑA
	0900	74	SALDAÑA
	1200	76	SALDAÑA
	1500	78	Constanza
	1800	78	Constanza
	2100	78	Constanza
	2400	78	M CHAVEZ

Thursday

Date	Time	Temp.	Name (Print)
10 / 31 / 24	0300	78	M.CHAVEZ
	0600	72	CRUZ JR, E.
	0900	72	CRUZ JR, E.
	1200	72	CRUZ JR, E.
	1500	75	Constanza
	1800	75	Constanza
	2100	75	Constanza
	2400	75	M CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
11 / 01 / 24	0300	75	M.CHAVEZ
	0600	74	L. FELIX
	0900	74	L. FELIX
	1200	74	L. FELIX
	1500	75	CONSTANZA
	1800	75	CONSTANZA
	2100	75	CONSTANZA
	2400	75	M.CHAVEZ

Saturday

Date	Time	Temp.	Name (Print)
11 / 02 / 24	0300	75	M.CHAVEZ
	0600	74	SALDAÑA
	0900	76	SALDAÑA
	1200	76	SALDAÑA
	1500	76	Constanza
	1800	76	Constanza
	2100	76	Constanza
	2400	75	M.CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
11 / 03 / 24	0300	75	M CHAVEZ
	0600	75	Romero
	0900	75	Romero
	1200	75	Romero
	1500	75	Constanza
	1800	75	Constanza
	2100	75	Constanza
	2400	74	Barraza

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ICVSP Housing Unit: D3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/29/24	0300	70	Gloria
	0600	70	Marquez
	0900	70	Marquez
	1200	70	Marquez
	1500	70	Duran
	1800	70	Duran
	2100	70	Duran
	2400	70	Gloria

Tuesday

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	Gloria
	0600	70	Marquez
	0900	70	Marquez
	1200	70	Marquez
	1500	70	Duran
	1800	70	Duran
	2100	70	Duran
	2400	70	Gloria

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70	Gloria
	0600	70	Marquez
	0900	70	Marquez
	1200	72	Marquez
	1500		
	1800		
	2100		
	2400	70	~~70~~ Meza

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70	Meza, N
	0600	70	Casso
	0900	70	Casso
	1200	72	Casso
	1500	74	Duran
	1800	75	Duran
	2100	75	Pedroza
	2400	74	[illegible]

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	70	[illegible]
	0600	70	Shoemaker
	0900	70	Shoemaker
	1200	71	Shoemaker
	1500	70	Milward
	1800	70	Milward
	2100	71	Milward
	2400	71	Gloria

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300	70	Gloria
	0600	70	Marquez
	0900	70	Marquez
	1200	70	Marquez
	1500	70	O. Lopez Gil
	1800	7	
	2100		
	2400	70	Gloria

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300	70	Gloria
	0600	70	Marquez
	0900	70	Marquez
	1200	70	Marquez
	1500	70	Chavez
	1800	70	C. Barajas
	2100	70	C. Barajas
	2400	70	Gloria

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D4 Temp. Reading Location: B SECTION (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/29/24	0300	75	SAMARRIPAS
	0600	72	RAMOS
	0900	74	RAMOS
	1200	74	RAMOS
	1500	74	Pinna
	1800	74	Pinna
	2100	74	Pinna
	2400	72	SAMARRIPAS

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	72	
	0600	72	RAMOS, J
	0900	74	RAMOS, J
	1200	74	RAMOS, J
	1500	74	RAMOS, G.
	1800	74	RAMOS, G.
	2100	74	RAMOS, G.
	2400	74	CARR

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	74	CARR
	0600	74	Castro
	0900	74	Castro
	1200	75	Castro
	1500	74	RAMOS, G.
	1800	74	RAMOS, G.
	2100	75	RAMOS, G.
	2400	74	Garcia

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	74	Garcia
	0600	74	Garcia
	0900	74	Castro
	1200	74	Castro
	1500	74	Ramos, G.
	1800	74	Ramos, G.
	2100	74	Ramos, G.
	2400	74	CARR

Friday

Date	Time	Temp.	Name (Print)
11/01/24	0300	74	CARR
	0600	74	Castro
	0900	74	Castro
	1200	74	[redacted]
	1500	74	Ramos, G.
	1800	74	Ramos, G.
	2100	74	Ramos, G
	2400	74	CARR

Saturday

Date	Time	Temp.	Name (Print)
11/02/24	0300	74	CARR
	0600	74	Castro
	0900	74	Castro
	1200	74	Castro
	1500	74	Ramos, G.
	1800	74	Ramos, G.
	2100	74	Ramos, G.
	2400	74	CARR

Sunday

Date	Time	Temp.	Name (Print)
11/03/24	0300	74	CARR
	0600	74	Castro
	0900	74	Castro
	1200	74	Castro
	1500	72	BERBER
	1800		
	2100		
	2400	71	SAMARRIPAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	73	Rodriguez
	0600	71	Prunek
	0900	74	Prunek
	1200	71	Prunek
	1500	76	Cox.C
	1800	78	Cox.C
	2100	78	Cox.C
	2400	76	Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	72	Rodriguez
	0600	73	Prunek
	0900	73	Prunek
	1200	73	Prunek
	1500	76	Cox.C
	1800	75	Cox.C
	2100	74	Cox.C
	2400	73	Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	71	Rodriguez
	0600	71	Prunek
	0900	71	Prunek
	1200	71	Prunek
	1500	74	C.Cox
	1800	74	C.Cox
	2100	74	C.Cox
	2400	72	Chamber

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	74	Chamber
	0600	75	Prunek
	0900	75	Prunek
	1200	75	Prunek
	1500	75	N Alemar
	1800	75	Alemar
	2100	75	Alemar
	2400	75	R Lopez

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	75	R Lopez
	0600	74	C.Cox
	0900	74	C.Cox
	1200	74	C.Cox
	1500	76	C.Cox
	1800	76	C.Cox
	2100	74	C.Cox
	2400	73	Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300	72	Rodriguez
	0600	73	Mentner
	0900	74	Mentner
	1200	74	Mentner
	1500	72	Thurston,D
	1800	72	Thurston,D
	2100	72	Thurston,D
	2400	73	Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300	71	Rodriguez
	0600	71	Prunek
	0900	71	Prunek
	1200	71	Prunek
	1500	71	Thurston,D
	1800	70	Thurston,D
	2100	70	Thurston,D
	2400	71	Rodriguez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-6 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	72	SEVILLA
	0600	72	[illegible]
	0900	73	[illegible]
	1200	73	[illegible]
	1500	74	Sahagun
	1800	74	Sahagun
	2100	72	Sahagun
	2400	72	Jaramillo

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	72	Jaramillo
	0600	72	CASTRUITA
	0900	74	CASTRUITA
	1200	74	CASTRUITA
	1500	75	CASTRUITA
	1800	76	GONZALEZ
	2100	72	
	2400	72	Yance

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	72	Yance
	0600	71	DIAZ
	0900	71	DIAZ
	1200	72	DIAZ
	1500	72	J. GUAJARDO
	1800	72	J. GUAJARDO
	2100	72	J. GUAJARDO
	2400	72	R. CALDERON

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70	R. CALDERON
	0600	70	J. Pedroza
	0900	70	J. Pedroza
	1200	70	J. Pedroza
	1500	70	J. GUAJARDO
	1800	70	J. GUAJARDO
	2100	70	J. GUAJARDO
	2400	70	Prieto

Friday

Date	Time	Temp.	Name (Print)
11/01/24	0300	70	Prieto
	0600	70	SANDOVAL
	0900	70	SANDOVAL
	1200	72	SANDOVAL
	1500	72	J. GUAJARDO
	1800	70	J. GUAJARDO
	2100	70	J. GUAJARDO
	2400	70	E. SAMARRIPAS

Saturday

Date	Time	Temp.	Name (Print)
11/02/24	0300	70	SAMARRIPAS
	0600	70	[illegible]
	0900	70	[illegible]
	1200	71	[illegible]
	1500	70	J. GUAJARDO
	1800	70	J. GUAJARDO
	2100	70	J. GUAJARDO
	2400	70	SAMARRIPAS

Sunday

Date	Time	Temp.	Name (Print)
11/03/24	0300	70	SAMARRIPAS
	0600	70	[illegible]
	0900	71	[illegible]
	1200	71	[illegible]
	1500	70	C. Lock
	1800	70	Campbell
	2100	70	Campbell
	2400	70	HARRISON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10 / 28 / 24	0300	72	O. Gonzalez
	0600	72	M. Mzerawa
	0900	76	M. Mzerawa
	1200	76	M. Mzerawa
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	O. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
10 / 29 / 24	0300	76	O. Gonzalez
	0600	76	Chavez
	0900	76	Chavez
	1200	76	Chavez
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	O. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
10 / 30 / 24	0300	76	O. Gonzalez
	0600	74	Chen
	0900	74	Chen
	1200	75	Chen
	1500	75	Pelayo
	1800	75	Pelayo
	2100	75	Pelayo
	2400	74	Slater

Thursday

Date	Time	Temp.	Name (Print)
10 / 31 / 24	0300	74	Slater
	0600	74	DIAZ
	0900	74	DIAZ
	1200	74	DIAZ
	1500	74	Pelayo
	1800	74	Pelayo
	2100	74	Pelayo
	2400	74	Chambers

Friday

Date	Time	Temp.	Name (Print)
11 / 01 / 24	0300	74	Chambers
	0600	74	A. ANAYA
	0900	75	A. ANAYA
	1200	75	A. ANAYA
	1500	75	A. ANAYA
	1800	74	A. ANAYA
	2100	74	A. ANAYA
	2400	75	Meza, N

Saturday

Date	Time	Temp.	Name (Print)
11 / 02 / 24	0300	75	Meza, N
	0600	75	A. ANAYA
	0900	76	A. ANAYA
	1200	76	A. ANAYA
	1500	75	Romero
	1800	70	Romero
	2100	70	Romero
	2400	70	Fernandez

Sunday

Date	Time	Temp.	Name (Print)
11 / 03 / 24	0300		
	0600	70	A. Sotelo
	0900	70	A. Sotelo
	1200	70	A. Sotelo
	1500	70	Pelayo
	1800	70	Pelayo
	2100	70	Pelayo
	2400	70	O. Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

D-8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-8 Temp. Reading Location: A, B, C 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	76	Meza
	0600	76	Moreno
	0900	76	Moreno
	1200	77	Moreno
	1500	74	Romero
	1800	70	Romero
	2100	70	Romero
	2400	70	Guanajuato

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/2024	0300	70	Guanajuato
	0600	70	SANDOVAL
	0900	72	SANDOVAL
	1200	72	SANDOVAL
	1500	73	Castruita
	1800	73	Castruita
	2100	72	Castruita
	2400	70	Guanajuato

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	70	Guanajuato
	0600	70	[illegible]
	0900	70	[illegible]
	1200	72	[illegible]
	1500	74	Castruita
	1800	73	Castruita
	2100	72	Castruita
	2400	70	Guanajuato

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	70	Guanajuato
	0600	70	Gallagher
	0900	70	Gallagher
	1200	70	Gallagher
	1500	72	Castruita
	1800	70	Castruita
	2100	70	Castruita
	2400	70	Guanajuato

Friday

Date	Time	Temp.	Name (Print)
Nov. 01 2024	0300	70	Guanajuato
	0600	70	Castruita
	0900	70	Castruita
	1200	70	Castruita
	1500	72	Castruita
	1800	72	Castruita
	2100	72	Castruita
	2400	70	Guanajuato

Saturday

Date	Time	Temp.	Name (Print)
Nov. 02 2024	0300	70	Guanajuato
	0600	70	A. Sotelo
	0900	70	A. Sotelo
	1200	70	A. Sotelo
	1500	71	[illegible]
	1800	71	[illegible]
	2100	[illegible]	[illegible]
	2400	70	Meza, NY

Sunday

Date	Time	Temp.	Name (Print)
Nov. 03 2024	0300	70	Meza
	0600	76	SANCHEZ
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	Romero
	1800	70	Romero
	2100	70	Romero
	2400	70	Meza, NY

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: RHU 2GP Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	76°	R. Lawson
	0600	78°	Benavidez
	0900	78°	Benavidez
	1200	78°	Benavidez
	1500	78°	Gordon, T
	1800	79°	Gordon, T
	2100	79°	Gordon, T
	2400	78	Munoz

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	77	Munoz
	0600	77°	Benavidez
	0900	78°	Benavidez
	1200	78°	Benavidez
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	79°	Gordon, T
	2400	78	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	77	Munoz
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	79	Sanchez
	1800	78	Sanchez
	2100	78	Sanchez
	2400	77	Munoz

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	77	Munoz
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon, T
	2400	77	SIGALA, A

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	77	A. SIGALA
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	80	W. Mazzoll
	1800	78	W. Mazzoll
	2100	78	W. Mazzoll
	2400	79	A. SIGALA

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	77	A. SIGALA
	0600	77	Sequeda
	0900	77	Sequeda
	1200	78	Sequeda
	1500	78	Sequeda
	1800	78	Sequeda
	2100	78	Sequeda
	2400	78	R. Lawson

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	78	R. Lawson
	0600	78	C. Salazar
	0900	78	C. Salazar
	1200	78	C. Salazar
	1500	78	R. Garcia
	1800	78	R. Garcia
	2100	77	R. Garcia
	2400	77	R. Lawson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: RHU2 GP Temp. Reading Location: CONTROL BOOTH (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	78	R. Thurston
	0600	78	Hursey
	0900	78	Hursey
	1200	78	Hursey
	1500	78°	Ochoa
	1800	78°	Ochoa
	2100	77°	Ochoa
	2400	77	Munoz

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	77	Munoz
	0600	77	Hursey
	0900	77	Hursey
	1200	78	Hursey
	1500	78	J. Rios
	1800	77	J. Rios
	2100	78	Munoz
	2400	77	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	77	Munoz
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon T
	2400	78	Munoz

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	79	Munoz
	0600	78	MATA
	0900	79	MATA
	1200	79	MATA
	1500	78°	Gordon T
	1800	78°	Gordon T
	2100	78°	Gordon, T
	2400	78	SIGALA, A

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	78	SIGALA, A
	0600	78	MATA
	0900	79	MATA
	1200	79	MATA
	1500	78	Segundo
	1800	77	Segundo
	2100	77	Segundo
	2400	77	A. SIGALA

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	77	A. SIGALA
	0600	77	F. Segundo
	0900	77	F. Segundo
	1200	77	F. Segundo
	1500	77	F. Segundo
	1800	77	F. Segundo
	2100	76	F. Segundo
	2400	76	THURSTON, D

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	78	Thurston, D
	0600	78	C. Salazar
	0900	78	C. Salazar
	1200	78	C. Salazar
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon, T
	2400	78	R. Thurston

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: GP RHU Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	78	J. Hernandez
	0600	78	C. Castellanos
	0900	79	C. Castellanos
	1200	79	C. Cal
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon, T
	2400	77	Brandon, C

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	77	Brandon, C
	0600	77	Castellanos
	0900	78	Castellanos
	1200	78	Castellanos
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon, T
	2400	77	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	77	Munoz
	0600	77	Grays
	0900	77	Grays
	1200	77	Grays
	1500	77	Sanderl
	1800	77	R. Lam
	2100	77	R. Lam
	2400	80	Jaramillo

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	80	Jaramillo
	0600	80	Davis
	0900	78	MATA
	1200	78	MATA
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon, T
	2400	77	SIGALA, A

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	77	SIGALA, A
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	77	Segundo
	1800	77	Segundo
	2100	77	Segundo
	2400	77	SIGALA, A

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	77	SIGALA, A
	0600	76	Segundo
	0900	76	Segundo
	1200	77	Segundo
	1500	77	Segundo
	1800	77	Segundo
	2100	76	Segundo
	2400	77	R. Lawson

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	77	R. Lawson
	0600	76	C. Salazar
	0900	76	C. Salazar
	1200	77	C. Salazar
	1500	77	[illegible]
	1800	77	[illegible]
	2100	77	[illegible]
	2400	77	R. Lawson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

copy to LeBell

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: GP RHU Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	77	R. Lawson
	0600	77	G. Castellanos
	0900	77	G. Castellanos
	1200	77	G. Castellanos
	1500	77	A. Alvarez
	1800	77	J. Arredo
	2100	77	J. Arredo
	2400	77	Munoz

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	77	Munoz
	0600	77	Castellanos
	0900	77	Castellanos
	1200	77	Castellanos
	1500	77°	Gordon, T
	1800	77°	Gordon, T
	2100	77°	Gordon, T
	2400	77	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	76	Munoz
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	77°	Gordon, T
	2400	77	Munoz

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	77	Munoz
	0600	77	DINIS
	0900	77	HERNANDEZ
	1200	77	HERNANDEZ
	1500	77°	Gordon, T
	1800	77°	Gordon, T
	2100	77°	Gordon, T
	2400	77	SIGALA, A

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	77	SIGALA, A
	0600	76	Brocamontes
	0900	77	Brocamontes
	1200	77	Brocamontes
	1500	77	Segundo
	1800	77	Segundo
	2100	76	Segundo
	2400	76	SIGALA, A

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	76	SIGALA, A
	0600	76	Segundo
	0900	76	Segundo
	1200	77	Segundo
	1500	77	Segundo
	1800	76	Segundo
	2100	76	Segundo
	2400	76	R. Lawson

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	76	R. Lawson
	0600	77	CUEVAS
	0900	77	[illegible]
	1200	77	[illegible]
	1500	76	F. Estrada
	1800	76	F. Estrada
	2100	76	F. Estrada
	2400	76	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: GP RHU Temp. Reading Location: Control Booth (e.g., 1st tier, ~~2nd tier~~, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	77	R. Garrison
	0600	77	Castellanos
	0900	77	Castellanos
	1200	77	Castellanos
	1500	77	DURAN
	1800	77	DURAN
	2100	77	Munoz
	2400	77	Munoz

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	77	Munoz
	0600	77	Castellanos
	0900	77	[illegible]
	1200	77	[illegible]
	1500	77°	Gordon T
	1800	76°	Gordon T
	2100	77°	Gordon, T
	2400	77	H. Agbaj

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	76	H. Agbaj
	0600	75	MATA
	0900	76	MATA
	1200	78	MATA
	1500	76°	Gordon, T
	1800	76°	Gordon, T
	2100	76°	Gordon, T
	2400	[illegible]	Munoz

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	75	Munoz
	0600	74	MATA
	0900	75	MATA
	1200	75	MATA
	1500	75°	Gordon, T
	1800	75°	Gordon, T
	2100	75°	Gordon, T
	2400	76	A. SIGALA

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	75	A SIGALA
	0600	75	Brockington
	0900	75	Brockington
	1200	75	Brockington
	1500	76	Castellanos
	1800	75	Castellanos
	2100	75	Castellanos
	2400	75	A SIGALA

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300	75	A. SIGALA
	0600	75°	F. Segundo
	0900	75°	F. Segundo
	1200	75°	F. Segundo
	1500	76°	F. Segundo
	1800	76°	F. Segundo
	2100	75°	F. Segundo
	2400	75	R. Lawson

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300	75	R. Lawson
	0600	75	Duran
	0900	75	Duran
	1200	76	Duran
	1500	75	J CHAVEZ
	1800	75	J CHAVEZ
	2100	74	J CHAVEZ
	2400	74	R. Lawson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/30	0300	72	Soto
	0600	72	[illegible]
	0900	73	[illegible]
	1200	74	[illegible]
	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	72	A. Rodriguez
	2400	70	A. Rodriguez

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	70	A. Rodriguez
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	72	A. Rodriguez
	2400	71	Soto

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	72	Soto
	0600	72	[illegible]
	0900	72	[illegible]
	1200	72	[illegible]
	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	72	A. Rodriguez
	2400	70	Vaca

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	70	Vaca
	0600	70	[illegible]
	0900	70	[illegible]
	1200	72	[illegible]
	1500	75	Camillo
	1800	75	Camillo
	2100	75	Camillo
	2400	75	Soto

Friday

Date	Time	Temp.	Name (Print)
10/4/2024	0300	75	Soto
	0600	75	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	78	R. Silva
	1800	75	R. Silva
	2100	75	R. Silva
	2400	75	Soto

Saturday

Date	Time	Temp.	Name (Print)
10/5/2024	0300	75	Soto
	0600	75	Ramos
	0900	75	Ramos
	1200	75	Ramos
	1500	75	Soto
	1800	75	Soto
	2100	75	Soto
	2400	74	Soto

Sunday

Date	Time	Temp.	Name (Print)
10/6/2024	0300	73	Soto
	0600	72	[illegible]
	0900	70	[illegible]
	1200	70	A. Chavez
	1500	72	A. Rodriguez
	1800	74	A. Rodriguez
	2100	74	A. Rodriguez
	2400	72	G. Castanoyra

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	2200	73	F. SIERRA
	2300	70	F. SIERRA
	2400	69	F. SIERRA
	0100	69	F. SIERRA
	0200	65	F. SIERRA
	0300	64	F. SIERRA
	0400	64	F. SIERRA
	0500	64	F. SIERRA
10/1/24	0600	62	NON
	0700	63	NON
	0800	66	NON
	0900	73	NON
	1000	82	NON
	1100	86	NON.
	1200	90	NON.
	1300	91	NON.
	1400	94	[illegible]
	1500	95	[illegible]
	1600	94	[illegible]
	1700	94	[illegible]
1830 UHT DEAD *	1800	93	[illegible]
	1900	87	[illegible]
	2000	82	[illegible]
	2100	79	[illegible]

Date	Time	Temp.	Printed Name
	2200	78	F. SIERRA
	2300	75	F. SIERRA
	2400	72	F. SIERRA
	0100	68	F. SIERRA
	0200	69	F. SIERRA
	0300	69	F. SIERRA
	0400	69	F. SIERRA
	0500	68	F. SIERRA
10/2/24	0600	68	AMABISCA
	0700	66	AMABISCA
	0800	70	AMABISCA
	0900	76	AMABISCA
	1000	85	AMABISCA
	1100	91	AMABISCA 1050 UHT
	1200	95	AMABISCA
	1300	100	AMABISCA
	1400	102	AMABISCA
	1500	100	WILSON
	1600	97	WILSON
	1700	97	WILSON
	1800	93	WILSON
	1900	87	WILSON
	2000	82	WILSON
	2100	79	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/3/24	2200	76	WILSON
	2300	70	F. SIERRA
	2400	69	F. SIERRA
	0100	69	F. SIERRA
	0200	68	F. SIERRA
	0300	69	F. SIERRA
	0400	68	F. SIERRA
	0500	68	F. SIERRA
	0600	68	F. SIERRA
	0700	69	AMABISCA
	0800	70	AMABISCA
	0900	78	AMABISCA
	1000	85	AMABISCA
	1100	92	AMABISCA
	1200	95	AMABISCA
	1300	101	AMABISCA
	1400	103	AMABISCA
	1500	101	WILSON
	1600	101	WILSON
	1700	100	WILSON
	1800	95	WILSON
	1900	89	WILSON
	2000	84	WILSON
	2100	80	WILSON

UHT 1045

Date	Time	Temp.	Printed Name
10/4/24	2200	77	WILSON
	2300	77	Robertson
	2400	75	Robertson
	0100	74	Robertson
	0200	72	Robertson
	0300	70	Robertson
	0400	69	Robertson
	0500	64	Robertson
	0600	65	Bodorta
	0700	65	Bodorta
	0800	67	Bodorta
	0900	76	Bodorta
	1000	82	Bodorta
	1100	85	Bodorta
	1200	90	Bodorta
	1300	94	Bodorta
	1400	96	Bodorta
	1500	98	WILSON
	1600	98	WILSON
	1700	97	WILSON
	1800	93	WILSON
	1900	86	WILSON
	2000	82	WILSON
	2100	78	WILSON

UHT 1200

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	2200	76	WILSON
	2300	74	Sorensen
	2400	72	Sorensen
	0100	69	Sorensen
	0200	67	Sorensen
	0300	67	Sorensen
	0400	66	Sorensen
	0500	65	Sorensen
	0600	64	Sorensen
	0700	64	Bojorq
	0800	66	Bojorq
	0900	75	Bojorq
	1000	80	Bojorq
10/5/24 1130 UHT Activated	1100	85	Bojorq
	1200	92	Bojorq
	1300	94	Bojorq
	1400	96	WILSON
	1500	97	WILSON
	1600	97	WILSON
	1700	97	WILSON
	1800	93	WILSON
	1900	87	WILSON
	2000	82	WILSON
	2100	79	WILSON

Date	Time	Temp.	Printed Name
	2200	76	WILSON
	2300	77	F. SIERRA
	2400	77	F SIERRA
	0100	76	F. SIERRA
	0200	73	F. SIERRA
	0300	71	F SIERRA
	0400	69	F. SIERRA
	0500	69	F. SIERRA
10/6/24	0600	63	[illegible]
	0700	65	[illegible]
	0800	65	[illegible]
	0900	77	[illegible]
	1000	78	[illegible]
UHT 1115	1100	90	[illegible]
	1200	95	[illegible]
	1300	100	[illegible]
	1400	100	K. FLORES
	1500	99	K. FLORES
	1600	98	K. FLORES
	1700	94	K. FLORES
	1800	93	K. FLORES
	1900	89	K. FLORES
	2000	82	K. FLORES
	2100	78	K. FLORES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	2200	77	F. SIERRA
	2300	73	F. SIERRA
	2400	72	F. SIERRA
	0100	69	F. SIERRA
	0200	69	F. SIERRA
	0300	68	F. SIERRA
	0400	68	F. SIERRA
	0500	68	F. SIERRA
10/7/24	0600	68	E. Bucato
	0700	70	E. Bucato
	0800	72	E. Bucato
	0900	74	E. Bucato
	1000	82	E. Bucato
1115 UHT	1100	90	E. Bucato
	1200	96	E. Bucato
	1300	99	E. Bucato
	1400	95	K. FLORES
	1500	95	K. FLORES
	1600	95	K. FLORES
	1700	95	K. FLORES
	1800	92	K. FLORES
	1900	88	K. FLORES
	2000	82	K. FLORES
	2100	77	K. FLORES

Date	Time	Temp.	Printed Name
	2200	77	F. SIERRA
	2300	74	F. SIERRA
	2400	73	F. SIERRA
	0100	70	F. SIERRA
	0200	69	F. SIERRA
	0300	68	F. SIERRA
	0400	66	F. SIERRA
	0500	66	F. SIERRA
10-8-24	0600	66	WALINGA
	0700	67	WALINGA
	0800	71	WALINGA
	0900	78	WALINGA
	1000	86	WALINGA
1115 UHT	1100	89	WALINGA
	1200	96	WALINGA
	1300	96	WALINGA
	1400	93	WILSON
	1500	94	WILSON
	1600	94	WILSON
	1700	93	WILSON
	1800	89	WILSON
	1900	84	WILSON
	2000	80	WILSON
	2100	77	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	2200	74	WILSON
	2300		
	2400		
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		

STARTED ON 7/30

Date	Time	Temp.	Printed Name
10/9/24	2200	77	F. SIERRA
	2300	74	F. SIERRA
	2400	71	F. SIERRA
	0100	68	F. SIERRA
	0200	66	F. SIERRA
	0300	66	F. SIERRA
	0400	66	F. SIERRA
	0500	65	F. SIERRA
	0600	65	C. AMBRISCA
	0700	65	C. AMBRISCA
	0800	65	AMBRISCA
	0900	76	AMBRISCA
	1000	88	AMBRISCA
	1100	90	AMBRISCA
	1200	92	AMBRISCA
	1300	94	AMBRISCA
	1400	91	AMBRISCA
	1500	92	WILSON
	1600	93	WILSON
	1700	92	WILSON
	1800	88	WILSON
	1900	82	WILSON
	2000	77	WILSON
	2100	74	WILSON

LHT 1100

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-10-24	2200	72	WILSON
	2300	72	F. SIERRA
	2400	71	F. SIERRA
	0100	68	F. SIERRA
	0200	67	F. SIERRA
	0300	66	F. SIERRA
	0400	66	F. SIERRA
	0500	66	F. SIERRA
	0600	64	F. SIERRA
	0700	65	AMBRISCA
	0800	69	AMBRISCA
	0900	75	AMBRISCA
	1000	82	AMBRISCA
	1100	86	AMBRISCA
	1200	89	AMBRISCA
	1300	95	AMBRISCA
	1400	98	AMBRISCA
	1500	96	WILSON
	1600	93	WILSON
	1700	89	WILSON
	1800	83	WILSON
	1900	78	WILSON
	2000	75	WILSON
	2100	72	WILSON

Date	Time	Temp.	Printed Name
10-11-24	2200	69	WILSON
	2300	72	Sorensen
	2400	65	Sorensen
	0100	63	Sorensen
	0200	61	Sorensen
	0300	60	Sorensen
	0400	59	Sorensen
	0500	57	Sorensen
	0600	57	Sorensen
	0700	59	R. Holguin
	0800	60	R. Holguin
	0900	65	R. Holguin
	1000	71	R. Holguin
	1100	76	R. Holguin
	1200	80	R. Holguin
	1300	86	R. Holguin
	1400	88	WILSON
	1500	88	WILSON
	1600	88	WILSON
	1700	88	WILSON
	1800	84	WILSON
	1900	78	WILSON
	2000	74	WILSON
	2100	70	WILSON

UHT
1225

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-12-24	2200	68	WILSON
	2300	66	Robertson
	2400	65	Robertson
	0100	64	Robertson
	0200	62	Robertson
	0300	60	Robertson
	0400	59	Robertson
	0500	58	Robertson
	0600	54	Robertson
	0700	54	Robertson
	0800	63	Robertson
	0900	67	Robertson
	1000	71	Robertson
	1100	79	Robertson
	1200	82	Robertson
	1300	83	Robertson
	1400	84	Robertson
	1500	82	WILSON
	1600	82	WILSON
	1700	82	WILSON
	1800	79	WILSON
	1900	75	WILSON
	2000	71	WILSON
	2100	68	WILSON

Date	Time	Temp.	Printed Name
10-13-24	2200	66	WILSON
	2300	68	THOMS
	2400	66	THOMS
	0100	65	THOMS
	0200	63	THOMS
	0300	62	THOMS
	0400	61	THOMS
	0500	61	THOMS
	0600	60	THOMS
	0700	56	Salazar
	0800	60	Salazar
	0900	67	Salazar
	1000	68	Salazar
	1100	74	Salazar
	1200	76	Salazar
	1300	82	Salazar
	1400	82	R.FLORES
	1500	80	R.FLORES
	1600	79	R.FLORES
	1700	78	R.FLORES
	1800	76	R.FLORES
	1900	73	R.FLORES
	2000	69	R.FLORES
	2100	65	R.FLORES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-14-24	2200	66	THOMS
	2300	65	THOMS
	2400	63	THOMS
	0100	62	THOMS
	0200	60	THOMS
	0300	59	THOMS
	0400	59	THOMS
	0500	58	THOMS
	0600	58	THOMS
	0700	64	[illegible]
	0800	68	[illegible]
	0900	72	[illegible]
	1000	76	[illegible]
	1100	80	[illegible]
	1200	84	[illegible]
	1300	86	[illegible]
	1400	87	[illegible]
	1500	88	RSALAZAR
	1600	88	SALAZAR, R.
	1700	85	R SALAZAR
	1800	80	RSALAZAR
	1900	77	RSALAZAR
	2000	72	RSALAZAR
	2100	69	RSALAZAR

Date	Time	Temp.	Printed Name
10-15-24	2200	67	R SALAZAR
	2300	67	F. SLEMA
	2400	66	F SLEMA
	0100	66	F. SLEMA
	0200	64	F. SLEMA
	0300	62	F. SLEMA
	0400	61	F. SLEMA
	0500	61	F. SLEMA
	0600	59	C AMABISCA
	0700	58	AMABISCA
	0800	60	AMABISCA
	0900	69	AMABISCA
	1000	75	AMABISCA
	1100	81	AMABISCA
	1200	84	AMABISCA
	1300	86	AMABISCA
	1400	88	AMABISCA
	1500	83	WILSON
	1600	83	WILSON
	1700	83	WILSON
	1800	80	WILSON
	1900	76	WILSON
	2000	73	WILSON
	2100	70	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-16-24	2200	68	WILSON
	2300	66	F SIERRA
	2400	64	F. SIERRA
	0100	63	F. SIERRA
	0200	64	F. SIERRA
	0300	64	F. SIERRA
	0400	62	F SIERRA
	0500	60	F. SIERRA
	0600	59	C AMARISCA
	0700	58	CAMARISCA
	0800	60	CAMARISCA
	0900	66	CAMARISCA
	1000	73	CAMARISCA
	1100	82	CAMARISCA
	1200	84	CAMARISCA
	1300	86	CAMARISCA
	1400	88	CAMARISCA
	1500	82	WILSON
	1600	82	WILSON
	1700	81	WILSON
	1800	78	WILSON
	1900	74	WILSON
	2000	71	WILSON
	2100	69	WILSON

Date	Time	Temp.	Printed Name
10-17-24	2200	67	WILSON
	2300	65	SIERRA
	2400	64	SIERRA
	0100	62	SIERRA
	0200	63	SIERRA
	0300	62	SIERRA
	0400	60	SIERRA
	0500	57	SIERRA
	0600	56	SIERRA
	0700	56	AMARISCA
	0800	58	AMARISCA
	0900	68	AMARISCA
	1000	73	AMARISCA
	1100	76	AMARISCA
	1200	79	AMARISCA
	1300	81	AMARISCA
	1400	82	AMARISCA
	1500	77	WILSON
	1600	77	WILSON
	1700	76	WILSON
	1800	74	WILSON
	1900	71	WILSON
	2000	69	WILSON
	2100	67	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	2200	65	WILSON
	2300	64	Robertson
	2400	60	Robertson
	0100	58	Robertson
	0200	58	Robertson
	0300	57	Robertson
	0400	54	Robertson
	0500	56	Robertson
	0600	56	[illegible]
	0700	47	[illegible]
10/18	0800	50	[illegible]
	0900	54	[illegible]
	1000	62	[illegible]
	1100	68	[illegible]
	1200	70	[illegible]
	1300	70	[illegible]
	1400	68	SALAZAR
	1500	66	SALAZAR
	1600	65	SALAZAR
	1700	63	SALAZAR
	1800	61	SALAZAR
	1900	60	SALAZAR
	2000	58	SALAZAR
	2100	56	SALAZAR

Date	Time	Temp.	Printed Name
10/18	2200	55	SALAZAR
	2300	51	Sorensen
	2400	49	Sorensen
	0100	48	Sorensen
	0200	48	Sorensen
	0300	47	Sorensen
	0400	46	Sorensen
10/19	0500	44	Sorensen
	0600	43	Sorensen
	0700	39	[illegible]
	0800	41	[illegible]
	0900	50	[illegible]
	1000	60	[illegible]
	1100	67	[illegible]
	1200	67	[illegible]
	1300	72	[illegible]
	1400	77	WILSON
	1500	78	WILSON
	1600	79	WILSON
	1700	78	WILSON
	1800	72	WILSON
	1900	64	WILSON
	2000	61	WILSON
	2100	57	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-20-2024	2200	54	WILSON
	2300	56	THOMS
	2400	55	THOMS
	0100	54	THOMS
	0200	53	THOMS
	0300	51	THOMS
	0400	51	THOMS
	0500	51	THOMS
	0600	50	THOMS
	0700	45	Perez
	0800	47	Perez
	0900	57	Perez
	1000	65	Perez
	1100	70	Perez
	1200	74	Perez
	1300	77	Perez
	1400	80	Perez
	1500	90	Ware -5
	1600	89	BADger
	1700	87	BADger
	1800	81	BADger -1730 G
	1900	73	BADger
	2000	69	BADger
	2100	66	BADger

Date	Time	Temp.	Printed Name
10-21-2024	2200	66	F SIERRA
	2300	64	F. SIERRA
	2400	60	F SIERRA
	0100	58	F SIERRA
	0200	55	F SIERRA
	0300	52	F SIERRA
	0400	50	F SIERRA
	0500	50	F SIERRA
	0600	50	DON
	0700	54	DON
	0800	61	DON
	0900	65	DON
	1000	70	DON
	1100	72	DON
	1200	76	DON
	1300	83	DON
	1400	84	DON.
	1500	87	MADO
	1600	88	MADO
	1700	88	MADO
	1800	87	MADO
	1900	82	Malto
	2000	70	MADO
	2100	65	MADO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-22-24	2200	63	MALOC
	2300	60	CAMARGO
	2400	58	CAMARGO
	0100	58	CAMARGO
	0200	56	CAMARGO
	0300	54	CAMARGO
	0400	51	CAMARGO
	0500	49	CAMARGO
	0600	48	CAMARGO
	0700	49	AMARGO
	0800	52	AMARGO
	0900	60	AMARGO
	1000	69	AMARGO
	1100	75	AMARGO
	1200	78	AMARGO
	1300	82	AMARGO
	1400	85	AMARGO
	1500	81	WILSON
	1600	82	WILSON
	1700	81	WILSON
	1800	76	WILSON
	1900	71	WILSON
	2000	66	WILSON
	2100	63	WILSON

Date	Time	Temp.	Printed Name
10-23-24	2200	60	WILSON
	2300	54	GOMEZ
	2400	52	GOMEZ
	0100	51	GOMEZ
	0200	50	GOMEZ
	0300	50	GOMEZ
	0400	48	GOMEZ
	0500	47	GOMEZ
	0600	46	GOMEZ
	0700	51	CAMARGO
	0800	52	CAMARGO
	0900	59	CAMARGO
	1000	63	CAMARGO
	1100	74	CAMARGO
	1200	81	CAMARGO
	1300	83	CAMARGO
	1400	86	CAMARGO
	1500	79	WILSON
	1600	80	WILSON
	1700	79	WILSON
	1800	74	WILSON
	1900	69	WILSON
	2000	64	WILSON
	2100	62	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/24/24	2200	59	WILSON
	2300	58	SIERRA
	2400	56	SIERRA
	0100	55	SIERRA
	0200	55	SIERRA
	0300	55	SIERRA
	0400	54	SIERRA
	0500	54	SIERRA
	0600	52	AMABISCA
	0700	50	AMABISCA
	0800	52	AMABISCA
	0900	58	AMABISCA
	1000	63	AMABISCA
	1100	67	AMABISCA
	1200	72	AMABISCA
	1300	74	AMABISCA
	1400	76	AMABISCA
	1500	73	WILSON
	1600	74	WILSON
	1700	74	WILSON
	1800	70	WILSON
	1900	64	WILSON
	2000	60	WILSON
	2100	57	WILSON

Date	Time	Temp.	Printed Name
10/25/24	2200	55	WILSON
	2300	53	Jung
	2400	52	Jung
	0100	50	Jung
	0200	49	Jung
	0300	48	Jung
	0400	48	Jung
	0500	47	Jung
	0600	47	Jung
	0700	48	AMABISCA
	0800	49	AMABISCA
	0900	60	AMABISCA
	1000	68	AMABISCA
	1100	74	AMABISCA
	1200	82	AMABISCA
	1300	84	AMABISCA
	1400	87	AMABISCA
	1500	82	Maldonado
	1600	82	Maldonado
	1700	81	Maldonado
	1800	75	Maldonado
	1900	70	Maldonado
	2000	67	Maldonado
	2100	64	Maldonado

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-26-24	2200	57	Sorensen
	2300	56	Sorensen
	2400	54	Sorensen
	0100	53	Sorensen
	0200	51	Sorensen
	0300	50	Sorensen
	0400	49	Sorensen
	0500	47	Sorensen
	0600	47	Sorensen
	0700	77	Alcantar
	0800	78	Alcantar
	0900	78	Alcantar
	1000	79	Alcantar
	1100	78	Alcantar
	1200	75	Alcantar
	1300	75	Alcantar
	1400	76	Badger
	1500	76	Badger
	1600	75	Badger
	1700	74	Badger
	1800	73	Badger
	1900	69	Badger
	2000	64	Badger
	2100	60	Badger

Date	Time	Temp.	Printed Name
10/27/24	2200	61	I. Lopez
	2300	60	I. Lopez
	2400	58	I. Lopez
	0100	57	I. Lopez
	0200	56	I. Lopez
	0300	55	I. Lopez
	0400	55	I. Lopez
	0500	54	I. Lopez
	0600	55	I. Lopez
	0700	57	DSN
	0800	60	DSN
	0900	61	DSN
	1000	62	DSN
	1100	65	DSN
	1200	70	DSN
	1300	71	DSN
	1400	73	DSN
	1500	74	R. Flake
	1600	74	R. Flake
	1700	72	R. Flake
	1800	70	R. Flake
	1900	65	R. Flake
	2000	61	R. Flake
	2100	59	R. Flake

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/28/24	2200	62	F. SIERRA
	2300	61	F. SIERRA
	2400	61	F. SIERRA
	0100	58	F. SIERRA
	0200	57	F. SIERRA
	0300	57	F. SIERRA
	0400	57	F. SIERRA
	0500	56	F. SIERRA
	0600	56	J. DON.
	0700	59	DON
	0800	60	DON
	0900	62	DON
	1000	63	DON.
	1100	65	DON
	1200	67	DON
	1300	70	DON
	1400	67	Maldonado
	1500	67	Maldonado
	1600	68	Maldonado
	1700	68	Maldonado
	1800	64	Maldonado
	1900	60	Maldonado
	2000	59	Maldonado
	2100	57	Maldonado

Date	Time	Temp.	Printed Name
10/29/24	2200	57	SIERRA
	2300	56	SIERRA
	2400	56	SIERRA
	0100	54	SIERRA
	0200	54	SIERRA
	0300	54	SIERRA
	0400	53	SIERRA
	0500	52	SIERRA
	0600	51	DON
	0700	52	DON
	0800	52	DON
	0900	53	DON
	1000	57	DON
	1100	63	DON
	1200	60	DON
	1300	70	DON
	1400	73	DON
	1500	64	WILSON
	1600	64	WILSON
	1700	64	WILSON
	1800	60	WILSON
	1900	55	WILSON
	2000	52	WILSON
	2100	50	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/30/24	2200	50	F. SIERRA
	2300	47	F. SIERRA
	2400	46	F. SIERRA
	0100	45	F. SIERRA
	0200	45	F. SIERRA
	0300	44	F. SIERRA
	0400	44	F. SIERRA
	0500	44	F SIERRA
	0600	45	J. Alcantar
	0700	47	J Alcantar
	0800	48	J Alcantar
	0900	49	J. Alcantar
	1000	52	J. Alcantar
	1100	54	J. Alcantar
	1200	60	J. Alcantar
	1300	62	J. Alcantar
	1400	65	J. Alcantar
	1500	70	WILSON
	1600	70	WILSON
	1700	69	WILSON
	1800	65	WILSON
	1900	59	WILSON
	2000	56	WILSON
	2100	52	WILSON

Date	Time	Temp.	Printed Name
10-31-24	2200	50	WILSON
	2300	50	Robertson
	2400	49	Robertson
	0100	48	Robertson
	0200	47	Robertson
	0300	4	Robertson
	0400	47	Robertson
	0500	46	Robertson
	0600	45	Robertson
	0700	49	DON
	0800	51	DON
	0900	54	DON
	1000	57	DON
	1100	67	DON
	1200	68	DON
	1300	68	DON
	1400	68	DON
	1500	68	WILSON
	1600	68	WILSON
	1700	67	WILSON
	1800	63	WILSON
	1900	60	WILSON
	2000	57	WILSON
	2100	55	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	72	G. Castaneyra
	0600	72	J. Campos
	0900	73	J. Campos
	1200	74°	J. Campos
	1500	74	A. Rodriguez
	1800	74	A. Rodriguez
	2100	72	A. Rodriguez
	2400	72	A. Rodriguez

Tuesday

Dat	Time	Temp.	Name (Print)
10/8	0300	72	A. Rodriguez
	0600	72	J. Herrera
	0900	73	J. Herrera
	1200	74	J. Herrera
	1500	74	A. Rodriguez
	1800	74	A. Rodriguez
	2100	74	A. Rodriguez
	2400	73	Vaca

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	73	VACA
	0600	72	DIM
	0900	72	DIM
	1200	75	DIM
	1500	75	HILL
	1800	75	HILL
	2100	75	HILL
	2400	73	Vaca

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	73	Vaca
	0600	73	Vaca
	0900	73	[illegible]
	1200	73	[illegible]
	1500	72	Klopfenstein
	1800	72	Klopfenstein
	2100	72	Klopfenstein
	2400	72	[illegible]

BM

S

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	72	[illegible]
	0600	68	Guanajuato
	0900	68	Guanajuato
	1200	70	Guanajuato
	1500	73	Rodriguez
	1800	73	[illegible]
	2100	71	[illegible]
	2400	71	Soto

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	71	Soto
	0600	71	SALAS
	0900	71	SALAS
	1200	71	SALAS
	1500	71	Soto
	1800	71	Soto
	2100	71	Soto
	2400	71	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	71	[illegible]
	0600	70	ACHAVEZ
	0900	70	A. CHAVEZ
	1200	71	[illegible]
	1500	70	Soto
	1800	70	Soto
	2100	70	Soto
	2400	70	SOTO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	71	Soto
	0600	71	Nichols
	0900	71	[illegible]
	1200	71	[illegible]
	1500	70	A. Rodriguez
	1800	70	A. Rodriguez
	2100	70	A. Rodriguez
	2400	70	A. Rodriguez

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	70	A. Rodriguez
	0600	70	Nichols
	0900	70	[illegible]
	1200	70	[illegible]
	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	72	A. Rodriguez
	2400	72	A. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	A. Rodriguez
	0600	70	Perez
	0900	70	Perez
	1200	72	Perez
	1500	70	A. Rodriguez
	1800	70	A. Rodriguez
	2100	70	A. Rodriguez
	2400	70	VACA

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	VACA
	0600	70	[illegible]
	0900	72	[illegible]
	1200	72	[illegible]
	1500	72	C. Ramirez
	1800	72	C. Ramirez
	2100	70	J. [illegible]
	2400	70	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	[illegible]
	0600	71	[illegible]
	0900	71	[illegible]
	1200	71	[illegible]
	1500	72	[illegible]
	1800	71	[illegible]
	2100	70	[illegible]
	2400	70	Patton

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	Patton
	0600	70°	OCHOA
	0900	70°	OCHOA
	1200	70°	OCHOA
	1500	70	SOTO
	1800	70	SOTO
	2100	70	SOTO
	2400	70	SOTO

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	SOTO
	0600	70	A. CHAVEZ
	0900	70	A. CHAVEZ
	1200	70	SOTO
	1500	70	SOTO
	1800	70	SOTO
	2100	70	SOTO
	2400	70	SOTO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	Sotelo
	0600	70	Sotelo
	0900	70	Sotelo
	1200	70	Sotelo
	1500	70	A. Rodriguez
	1800	68	A. Rodriguez
	2100	68	A. Rodriguez
	2400	68	A. Rodriguez

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	68	A. Rodriguez
	0600	68	Dela Cruz
	0900	68	Dela Cruz
	1200	68	Dela Cruz
	1500	68	A. Rodriguez
	1800	68	A. Rodriguez
	2100	68	A. Rodriguez
	2400	70	A. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	70	A. Rodriguez
	0600	70	C. Ramirez
	0900	70	C. Ramirez
	1200	70	C. Ramirez
	1500	68	A. Rodriguez
	1800	68	A. Rodriguez
	2100	68	A. Rodriguez
	2400	68	Jasso

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	68	C Jasso
	0600	66	C Jasso
	0900	70	[illegible]
	1200	75	[illegible]
	1500	78	Klopfenstein
	1800	78	Klopfenstein
	2100	78	Klopfenstein
	2400	75	Menchaca

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	Menchaca
	0600	70	WKEHART
	0900	70	Sfo
	1200	70	Sfo
	1500	75	TAVERA
	1800	75	[illegible]
	2100	75	[illegible]
	2400	75	Sdc

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	75	Sdc
	0600	66	RAMOS
	0900	68	RAMOS
	1200	68	RAMOS
	1500	68	Sdc
	1800	68	Sdc
	2100	68	Sdc
	2400	68	Sdc

Sunday

Date	Time	Temp.	Name (Print)
	0300	68	Sdc
	0600	68	A. CHAVEZ
	0900	70	A. CHAVEZ
	1200	71	A. CHAVEZ
	1500	71	Sdc
	1800	71	Sdc
	2100	71	Sdc
	2400	71	Sdc

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: RHU2 GP Temp. Reading Location: CONTROL BOOTH (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	78	R. Thurston
	0600	78	Hursey
	0900	78	Hursey
	1200	78	Hursey
	1500	78°	Ochoa
	1800	78°	Ochoa
	2100	77°	Ochoa
	2400	77	Munoz

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	77	Munoz
	0600	77	Hursey
	0900	77	Hursey
	1200	78	Hursey
	1500	78	J. Rios
	1800	77	J. Rios
	2100	78	Munoz
	2400	77	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	77	Munoz
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon T
	2400	78	Munoz

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	79	Munoz
	0600	78	MATA
	0900	79	MATA
	1200	79	MATA
	1500	78°	Gordon T
	1800	78°	Gordon T
	2100	78°	Gordon, T
	2400	78	SIGALA, A

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	78	SIGALA, A
	0600	78	MATA
	0900	79	MATA
	1200	79	MATA
	1500	78	Segundo
	1800	77	Segundo
	2100	77	Segundo
	2400	77	A. SIGALA

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	77	A. SIGALA
	0600	77	F. Segundo
	0900	77	F. Segundo
	1200	77	F. Segundo
	1500	77	F. Segundo
	1800	77	F. Segundo
	2100	76	F. Segundo
	2400	76	THURSTON, D

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	78	Thurston, D
	0600	78	C. Salazar
	0900	78	C. Salazar
	1200	78	C. Salazar
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon, T
	2400	78	R. Thurston

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: GP RHU Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	78	J. Hernandez
	0600	78	C. Castellanos
	0900	79	C. Castellanos
	1200	79	C. Cal
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon, T
	2400	77	Brandon, C

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	77	Brandon, C
	0600	77	Castellanos
	0900	78	Castellanos
	1200	78	Castellanos
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon, T
	2400	77	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	77	Munoz
	0600	77	Grays
	0900	77	Grays
	1200	77	Grays
	1500	77	Sanderl
	1800	77	R. Lam
	2100	77	R. Lam
	2400	80	Jaramillo

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	80	Jaramillo
	0600	80	Davis
	0900	78	MATA
	1200	78	MATA
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon, T
	2400	77	SIGALA, A

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	77	SIGALA, A
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	77	Segundo
	1800	77	Segundo
	2100	77	Segundo
	2400	77	SIGALA, A

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	77	SIGALA, A
	0600	76	Segundo
	0900	76	Segundo
	1200	77	Segundo
	1500	77	Segundo
	1800	77	Segundo
	2100	76	Segundo
	2400	77	R. Lawson

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	77	R. Lawson
	0600	76	C. Salazar
	0900	76	C. Salazar
	1200	77	C. Salazar
	1500	77	[illegible]
	1800	77	[illegible]
	2100	77	[illegible]
	2400	77	R. Lawson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

copy to LeBell

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: GP RHU Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	77	R. Lawson
	0600	77	G. Castellanos
	0900	77	G. Castellanos
	1200	77	G. Castellanos
	1500	77	A. Alvarez
	1800	77	J. Arredo
	2100	77	J. Arredo
	2400	77	Munoz

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	77	Munoz
	0600	77	Castellanos
	0900	77	Castellanos
	1200	77	Castellanos
	1500	77°	Gordon, T
	1800	77°	Gordon, T
	2100	77°	Gordon, T
	2400	77	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	76	Munoz
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	77°	Gordon, T
	2400	77	Munoz

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	77	Munoz
	0600	77	DINIS
	0900	77	HERNANDEZ
	1200	77	HERNANDEZ
	1500	77°	Gordon, T
	1800	77°	Gordon, T
	2100	77°	Gordon, T
	2400	77	SIGALA, A

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	77	SIGALA, A
	0600	76	Brocamontes
	0900	77	Brocamontes
	1200	77	Brocamontes
	1500	77	Segundo
	1800	77	Segundo
	2100	76	Segundo
	2400	76	SIGALA, A

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	76	SIGALA, A
	0600	76	Segundo
	0900	76	Segundo
	1200	77	Segundo
	1500	77	Segundo
	1800	76	Segundo
	2100	76	Segundo
	2400	76	R. Lawson

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	76	R. Lawson
	0600	77	CUEVAS
	0900	77	[illegible]
	1200	77	[illegible]
	1500	76	F. Estrada
	1800	76	F. Estrada
	2100	76	F. Estrada
	2400	76	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: GP RHU Temp. Reading Location: Control Booth (e.g., 1st tier, ~~2nd tier~~, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	77	R. Garrison
	0600	77	Castellanos
	0900	77	Castellanos
	1200	77	Castellanos
	1500	77	DURAN
	1800	77	DURAN
	2100	77	Munoz
	2400	77	Munoz

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	77	Munoz
	0600	77	Castellanos
	0900	77	[illegible]
	1200	77	[illegible]
	1500	77°	Gordon T
	1800	76°	Gordon T
	2100	77°	Gordon, T
	2400	77	H. Agbaj

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	76	H. Agbaj
	0600	75	MATA
	0900	76	MATA
	1200	78	MATA
	1500	76°	Gordon, T
	1800	76°	Gordon, T
	2100	76°	Gordon, T
	2400	[illegible]	Munoz

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	75	Munoz
	0600	74	MATA
	0900	75	MATA
	1200	75	MATA
	1500	75°	Gordon, T
	1800	75°	Gordon, T
	2100	75°	Gordon, T
	2400	76	A. SIGALA

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	75	A SIGALA
	0600	75	Brockington
	0900	75	Brockington
	1200	75	Brockington
	1500	76	Castellanos
	1800	75	Castellanos
	2100	75	Castellanos
	2400	75	A SIGALA

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300	75	A. SIGALA
	0600	75°	F. Segundo
	0900	75°	F. Segundo
	1200	75°	F. Segundo
	1500	76°	F. Segundo
	1800	76°	F. Segundo
	2100	75°	F. Segundo
	2400	75	R. Lawson

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300	75	R. Lawson
	0600	75	Duran
	0900	75	Duran
	1200	76	Duran
	1500	75	J CHAVEZ
	1800	75	J CHAVEZ
	2100	74	J CHAVEZ
	2400	74	R. Lawson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70	[illegible]
	0600	70	J. Sotelo
	0900	71	J. Sotelo
	1200	71	J. Sotelo
	1500	71	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	68	A. Rodriguez

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	68	A. Rodriguez
	0600	69	J. Sotelo
	0900	70	J. Sotelo
	1200	70	J. Sotelo
	1500	68	A. Rodriguez
	1800	68	A. Rodriguez
	2100	69	A. Rodriguez
	2400	68	SdC

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	68	SdC
	0600	69	Hernandez
	0900	69	Hernandez
	1200	71	Hernandez
	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	70	A. Rodriguez
	2400	71	A. Sotelo

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	68	C Bisso
	0600	68	C Bisso
	0900	68	J. Rios
	1200	70	J. Rios
	1500	71	Klopfenstein
	1800	71	Klopfenstein
	2100	71	Klopfenstein
	2400	71	Peralta

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	71	Peralta
	0600	68	J. Rios
	0900	68	J. Rios
	1200	70	J. Rios
	1500	70	R. Silva
	1800	70	R. Silva
	2100	68	R. Silva
	2400	68	SdC

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300	68	SdC
	0600	68	RAMOS
	0900	68	RAMOS
	1200	68	RAMOS
	1500	68	SdC
	1800	68	SdC
	2100	68	SdC
	2400	68	SdC

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300	68	SdC
	0600	68	A. CHAVEZ
	0900	70	A. CHAVEZ
	1200	70	A. Chavez
	1500	70	R. Peralta
	1800	70	R. Peralta
	2100	70	[illegible]
	2400	70	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70	[illegible]
	0600	70	J. Sotelo
	0900	71	J. Sotelo
	1200	71	J. Sotelo
	1500	71	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	68	A. Rodriguez

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	68	A. Rodriguez
	0600	69	J. Sotelo
	0900	70	J. Sotelo
	1200	70	J. Sotelo
	1500	68	A. Rodriguez
	1800	68	A. Rodriguez
	2100	69	A. Rodriguez
	2400	68	SdC

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	68	SdC
	0600	69	Hernandez
	0900	69	Hernandez
	1200	71	Hernandez
	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	70	A. Rodriguez
	2400	71	A. Sotelo

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	68	C Bisso
	0600	68	C Bisso
	0900	68	J. Rios
	1200	70	J. Rios
	1500	71	Klopfenstein
	1800	71	Klopfenstein
	2100	71	Klopfenstein
	2400	71	Peralta

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	71	Peralta
	0600	68	J. Rios
	0900	68	J. Rios
	1200	70	J. Rios
	1500	70	R. Silva
	1800	70	R. Silva
	2100	68	R. Silva
	2400	68	SdC

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300	68	SdC
	0600	68	RAMOS
	0900	68	RAMOS
	1200	68	RAMOS
	1500	68	SdC
	1800	68	SdC
	2100	68	SdC
	2400	68	SdC

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300	68	SdC
	0600	68	A. CHAVEZ
	0900	70	A. CHAVEZ
	1200	70	A. Chavez
	1500	70	R. Peralta
	1800	70	R. Peralta
	2100	70	[illegible]
	2400	70	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator