

Monthly Summary Report

Institution: CIW

Memorandum

Date: August 1, 2024  
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - California Institution for Women

The following is a summary of the heat related activity for the month of July 2024  
at CIW (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes \_\_\_\_\_

Number of days Stage I Alert initiated: 28

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes \_\_\_\_\_

Number of days Stage II Alert initiated: 1

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No \_\_\_\_\_

Number of days Stage III Alert initiated: N/A

4. Weekly list of heat risk patients archived? Yes \_\_\_\_\_


5. Number of patients with heat related illness. <sup>0</sup> List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

L. Parker, Warden (A)


Warden Name



Warden Signature

J. Elliot, CEO

Chief Executive Officer Name



Chief Executive Officer Signature

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Miller "A" Temp. Reading Location: Long Hall/Short Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/01/24	0300	76	J. Gomez
	0600	79	S. Volz
	0900	81	S. Volz
	1200	82	S. Volz
	1500	82	A. Arrieta
	1800	81	A. Arrieta
	2100	81	A. Arrieta
	2400	82	J. Gomez

Tuesday

Date	Time	Temp.	Name (Print)
7/02/24	0300	86	J. Gomez
	0600	86	S. Volz
	0900	81	S. Volz
	1200	83	S. Volz
	1500	81	A. Arrieta
	1800	81	A. Arrieta
	2100	80	A. Arrieta
	2400	88	A. Flores

Wednesday

Date	Time	Temp.	Name (Print)
7/03/24	0300	76	A. Flores
	0600	80	S. Volz
	0900	80	S. Volz
	1200	81	S. Volz
	1500	81	A. Arrieta
	1800	81	A. Arrieta
	2100	81	A. Arrieta
	2400	78	A. Flores

Thursday

Date	Time	Temp.	Name (Print)
7/04/24	0300	76	A. Flores
	0600	77	C. Ramirez
	0900	78	Ramirez
	1200	79	Ramirez
	1500	81	A. Arrieta
	1800	81	A. Arrieta
	2100	81	A. Arrieta
	2400	82	C. Flores

Friday

Date	Time	Temp.	Name (Print)
7/05/24	0300	81	C. Flores
	0600	81	M. Martinez
	0900	81	M. Martinez
	1200	82	M. Martinez
	1500	80	N. Henderson
	1800	80	N. Henderson
	2100	79	N. Henderson
	2400	78	V. Elm

Saturday

Date	Time	Temp.	Name (Print)
7/06/24	0300	78	V. Elm
	0600	77	S. Volz
	0900	81	S. Volz
	1200	85	S. Volz
	1500	84	Guzman, C
	1800	86	Guzman, C
	2100	88	Donoso
	2400	89	Donoso

Notes: Date and type of cooling measures provided

Showers add cold water with ice  
In Large igloo.

Date	Time	Temp.	Name (Print)
7/07/24	0300	82	Donoso
	0600	81	S. Volz
	0900	81	S. Volz
	1200	82	S. Volz
	1500	82	A. Arrieta
	1800	83	A. Arrieta
	2100	82	A. Arrieta
	2400	80	V. Elm

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. Print.

Institution: CIW Housing Unit: MILLERA Temp. Reading Location: LONG HALL / SHORT HALL  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8-24	0300	80	C. Ramirez
	0600	81	S. Vozz
	0900	81	S. Vozz
	1200	84	S. Vozz
	1500	83	A. Flores
7-9-24	1800	82	A. Flores
	2100	81	A. Flores
	2400	82	J. Gomez

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	78	A. Flores
	0600	79	J. Moreno
	0900	79	J. Moreno
	1200	82	J. Moreno
	1500	82	A. Moreno
	1800	82	A. Moreno
	2100	83	A. Moreno
	2400	78	A. Flores

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	78	A. Flores
	0600	82	J. Moreno
	0900	83	J. Moreno
	1200	83	J. Moreno
	1500	80	Hudson
	1800	78	Hudson
	2100	77	Hudson
	2400	82	Hueso

Sunday

Date	Time	Temp.	Name (Print)
7-14-24	0300	81	D. Vozz
	0600	81	S. Vozz
	0900	81	S. Vozz
	1200	82	S. Vozz
	1500	82	A. Flores
	1800	82	A. Flores
	2100	81	J. Gomez
	2400	82	J. Gomez

Tuesday

Date	Time	Temp.	Name (Print)
7-9-24	0300	82	J. Gomez
	0600	81	S. Vozz
	0900	81	S. Vozz
	1200	82	S. Vozz
	1500	82	A. Flores
	1800	82	A. Flores
	2100	81	A. Flores
	2400	78	A. Flores

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	78	A. Flores
	0600	82	J. Moreno
	0900	82	J. Moreno
	1200	82	J. Moreno
	1500	82	J. Moreno
	1800	82	J. Moreno
	2100	82	J. Moreno
	2400	78	A. Flores

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	80	Hueso
	0600	81	S. Vozz
	0900	82	S. Vozz
	1200	81	S. Vozz
	1500	84	M. Tavira
	1800	84	M. Tavira
	2100	85	M. Tavira
	2400	84	DONALD

Notes : Date and type of cooling measures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: MILLER A Temp. Reading Location: C14/SH  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	82	J. GOMES ✓
	0600	81	S. VOLEZ
	0900	80	S. VOLEZ
	1200	83	S. VOLEZ
	1500	82	A. Ametsa
	1800	82	A. Ametsa
	2100	81	A. Ametsa
	2400	82	J. GOMES

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	82	J. GOMES ✓
	0600	81	S. VOLEZ
	0900	81	S. VOLEZ
	1200	82	S. VOLEZ
	1500	82	A. Ametsa
	1800	82	A. Ametsa
	2100	82	A. Ametsa
	2400	81	A. ECONES

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	80	A. FLORES ✓
	0600	81	S. VOLEZ
	0900	81	S. VOLEZ
	1200	82	S. VOLEZ
	1500	82	A. Ametsa
	1800	82	A. Ametsa
	2100	81	A. Ametsa
	2400	81	K. MULLER

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	81	B. LEE
	0600	81	D. MAMIS
	0900	-	NOT in unit spray
	1200	-	NOT in unit spray
	1500	82	A. AMETS
	1800	82	A. AMETS
	2100	81	A. AMETS
	2400	82	S. STERG

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	82	S. STERG
	0600	82	Ramirez
	0900	82	Ramirez
	1200	83	D. MAMIS
	1500	78	Moncion
	1800	78	Moncion
	2100	77	Moncion
	2400	78	A. FLORES

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	78	A. ECONES ✓
	0600	78	M. VILLELLAS
	0900	80	M. VILLELLAS
	1200	80	M. VILLELLAS
	1500	80	M. VILLELLAS
	1800	80	M. VILLELLAS
	2100	80	M. VILLELLAS
	2400	79	DONIBOZO

Notes: Date and type of cooling measures provided

---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
7/21/24	0300	79	D. DONIBOZO
	0600	83	S. VOLEZ
	0900	83	S. VOLEZ
	1200	84	S. VOLEZ
	1500	83	A. AMETS
	1800	82	A. AMETS
	2100	82	A. AMETS
	2400	85	J. GOMES

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2091 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C/W Housing Unit: MILLER A Temp. Reading Location: CH/SIT  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	83	J. GOMEZ
	0600	82	S. VOTZ
	0900	82	S. VOTZ
	1200	84	S. VOTZ
	1500	84	A. Flores
	1800	82	A. Flores
Off	2100	82	A. Flores
	2400	84	J. GOMEZ

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	83	J. GOMEZ
	0600	81	DE UAROSA
	0900	80	DELUPOA
	1200	80	DELUPOA
	1500	84	A. Flores
	1800	83	A. Flores
	2100	83	A. Flores
	2400	78	A. Flores

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	78	A. Flores
	0600	80	DELUPOA
	0900	80	DELUPOA
	1200	83	DELUPOA
	1500	85	A. Flores
	1800	83	A. Flores
	2100	83	A. Flores
	2400	82	A. Flores

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	82	A. Flores
	0600	82	MORA
	0900	83	MORA
	1200	85	MORA
	1500	86	MORA
	1800	86	MORA
	2100	85	MORA
	2400	81	MORA

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0900	81	Stans
	0800	83	J. Moreno
	0900	83	J. Moreno
	1200	86	J. Moreno
	1500	86	N. Perez
	1800	83	N. Perez
	2100	82	N. Perez
	2400	80	A. Flores

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	78	A. Flores
	0600	82	S. VOTZ
	0900	83	S. VOTZ
	1200	83	S. VOTZ
	1500	78	MORONSON
	1800	78	MORONSON
	2100	77	MORONSON
	2400	77	MORONSON

Notes: Date and type of cooling measures provided

Date	Time	Temp.	Name (Print)
7/28/24	0300	78	Rodriguez
	0600	78	Rodriguez
	0900	80	S. VOTZ
	1200	83	S. VOTZ
	1500	81	D. Perez
	1800	78	D. Perez
Off	2100	78	D. Perez
	2400	82	J. GOMEZ

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: MILLER A Temp. Reading Location: C14/S4  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/29/18	0300	81	J. GOMEZ
	0600	80	S. VOLTZ
	0900	81	S. VOLTZ
	1200	82	K. Jean
	1500	82	A. Arevalo
	1800	82	A. Arevalo
	2100	81	A. Arevalo
	2400	81	J. Gomez

Tuesday			
Date	Time	Temp.	Name (Print)
7/30/18	0300	80	J. GOMEZ
	0600	79	S. VOLTZ
	0900	80	S. VOLTZ
	1200	80	S. VOLTZ
	1500	82	A. Arevalo
	1800	82	A. Arevalo
	2100	81	A. Arevalo
	2400	81	ORTEGA

Wednesday			
Date	Time	Temp.	Name (Print)
7/24	0300	80	ORTEGA
	0600	80	Call
	0900	80	Call
	1200	80	Call
M	1500	82	A. Arevalo
	1800	82	A. Arevalo
	2100	81	A. Arevalo
	2400	78	A. Flores

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Miller B Temp. Reading Location: Hg 11 1 Hg 11 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/2024	0300	76	J. Escobedo ✓
	0600	77	A. Banuelos
	0900	80	A. Banuelos
	1200	81	A. Banuelos
	1500	78	D. Morganson
	1800	76	D. Morganson
	2100	76	D. Morganson ✓
	2400	74	J. Escobedo

Tuesday

Date	Time	Temp.	Name (Print)
7/2/2024	0300	72	J. Escobedo ✓
	0600	74	A. Banuelos
	0900	75	A. Banuelos
	1200	76	A. Banuelos
	1500	78	Stubblefield
	1800	78	Stubblefield
	2100	76	Stubblefield
	2400	74	J. Escobedo

Wednesday

Date	Time	Temp.	Name (Print)
7/3/2024	0300	72	J. Escobedo ✓
	0600	ISU NO INMATES	
	0900	ISU NO INMATES	
	1200	78	C. Lopez
	1500	78	Stubblefield
	1800	78	Stubblefield
	2100	77	Stubblefield
	2400	76	J. Escobedo

Thursday

Date	Time	Temp.	Name (Print)
7-4-24	0300	74	J. Escobedo ✓
	0600	76	E. Acosta
	0900	77	E. Acosta
	1200	78	E. Acosta
	1500	79	Aguirre
	1800	79	Aguirre
	2100	80	Aguirre
	2400	79°F	SUAREZ

Friday

Date	Time	Temp.	Name (Print)
7-5-24	0300	78°F	SUAREZ
	0600	79	A. Banuelos
	0900	79	Banuelos
	1200	81	Banuelos
	1500	77	Stubblefield
	1800	78	Stubblefield
	2100	77	Stubblefield
	2400	79°	A. TRIAS ✓

Saturday

Date	Time	Temp.	Name (Print)
7-6-24	0300	79°	A. TRIAS
	0600	78	D. Relayo
	0900	78	D. Relayo
	1200	78	D. Relayo
	1500	80	Aguirre
	1800	80	Aguirre
	2100	80	Aguirre
	2400	80°	A. TRIAS

Sunday

Date	Time	Temp.	Name (Print)
7-7-24	0300	79°	A. TRIAS
	0600	79	Banuelos
	0900	80	Banuelos
	1200	81	Banuelos
	1500	81	Bryant
	1800	80	Bryant
	2100	80	Bryant
	2400	78	J. Escobedo

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: Mille B. Temp. Reading Location: Hall 1 Hall 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8-24	0300	74	J. Escobedo
	0600	75	HERRENA
	0900	77	HERRENA
	1200	79	HERRENA
	1500	79	J. Rios
	1800	79	J. Rios
	2100	80	J. Rios
	2400	78	J. Escobedo

Tuesday

Date	Time	Temp.	Name (Print)
7-9-24	0300	76	J. Escobedo ✓
	0600	78	C. Herrera
	0900	79	C. Herrera
	1200	79	C. Herrera
	1500	80	HERNANDEZ
	1800	80	HERNANDEZ
	2100	79	HERNANDEZ
	2400	78	J. Escobedo

Wednesday

Date	Time	Temp.	Name (Print)
7-10-24	0300	76	J. Escobedo
	0600	79	C. CORTEZ
	0900	79	C. CORTEZ
	1200	79	C. CORTEZ
	1500	79	Stubblefield
	1800	78	Stubblefield
	2100	78	Stubblefield
	2400	76	Stevens

Thursday

Date	Time	Temp.	Name (Print)
7-11-24	0300	76	J. Escobedo
	0600	73	M. PASZERA
	0900	76	M. PASZERA
	1200	79	M. PASZERA
	1500	79	J. Stevens
	1800	78	J. Stevens
	2100	81	J. Stevens
	2400	78	J. Escobedo

Friday

Date	Time	Temp.	Name (Print)
7-12-24	0300	76	J. Escobedo
	0600	77	C. Herrera
	0900	79	C. Herrera
	1200	78	Heiman
	1500	79	Barnes
	1800	80	Barnes
	2100	79	Barnes
	2400	79°	A. TIAS

Saturday

Date	Time	Temp.	Name (Print)
7-13-24	0300	79°	A. TIAS
	0600	79	B. VARELA
	0900	78	B. VARELA
	1200	78	B. VARELA
	1500	78	M. BARNES
	1800	80	M. BARNES
	2100	80	M. BARNES
	2400	79°	A. TIAS

Sunday

Date	Time	Temp.	Name (Print)
7-14-24	0300	79°	A. TIAS
	0600	78	C. Herrera
	0900	79	C. Herrera
	1200	79	C. Herrera
	1500	79°	Jones
	1800	79°	Jones
	2100	79°	Jones
	2400	79	Wynn

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: Miller B

Temp. Reading Location: long short hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
7-15-24	0300	79	Reyes
	0600	79	HERERRA
	0900	79	Hernan
	1200	79	Hernan
	1500	79	Morales
	1800	79	Morales
	2100	78	Morales
	2400	78	J. Escobedo

## Wednesday

Date	Time	Temp.	Name (Print)
7-17-24	0300	76	J. Escobedo
	0600	76	D. RUBIO
	0900	78	D. RUBIO
	1200	78	D. RUBIO
	1500	78	Stubblefield
	1800	78	Stubblefield
	2100	78	Stubblefield
	2400	78	J. Escobedo

## Friday

Date	Time	Temp.	Name (Print)
7-19-24	0300	76	J. Escobedo
	0600	78	C. HERRERA
	0900	79	C. HERRERA
	1200	80	C. HERRERA
	1500	79	Stubblefield
	1800	78	Stubblefield
	2100	78	Stubblefield
	2400	79	C. A. JOHNSON

## Sunday

Date	Time	Temp.	Name (Print)
7-21-24	0300	80°	A. TIAS
	0600	80	Hernan
	0900	80	Hernan
	1200	81	Hernan
	1500	80	Morales
	1800	80	Morales
	2100	79	Morales
	2400	78	J. Escobedo

## Tuesday

Date	Time	Temp.	Name (Print)
7-16-24	0300	76	J. Escobedo
	0600	77	Hernan
	0900	79	Hernan
	1200	79	Hernan
	1500	80	Ali
	1800	79	Hernan
	2100	78	J. Escobedo
	2400	78	J. Escobedo

## Thursday

Date	Time	Temp.	Name (Print)
7-18-24	0300	76	J. Escobedo
	0600	79	C. ORTIZ
	0900	79	C. ORTIZ
	1200	79	C. ORTIZ
	1500	78	Stubblefield
	1800	78	Stubblefield
	2100	78	Stubblefield
	2400	78	J. Escobedo

## Saturday

Date	Time	Temp.	Name (Print)
7-20-24	0300	79	C. A. JOHNSON
	0600	79	C. A. JOHNSON
	0900	80	Rocha
	1200	81	Rocha
	1500	82	Williams
	1800	83	Williams
	2100	80	Williams
	2400	80°	A. TIAS

## Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: M112B Temp. Reading Location: Hall 1 Hall 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
7-22-24	0300	76	J. Escalado
	0600	78	KENNEDY
	0900	79	HERRERA
	1200	80	Herrera
	1500	80	B. Monroe
	1800	80	B. Monroe
	2100	81	B. Monroe
	2400	80	J. Escalado

## Wednesday

Date	Time	Temp.	Name (Print)
7-24-24	0300	78	J. Escalado
	0600	78	A. Flores
	0900	78	A. Flores
	1200	78	A. Flores
	1500	78	Stubblefield
	1800	78	Stubblefield
	2100	78	Stubblefield
	2400	78	J. Escalado

## Friday

Date	Time	Temp.	Name (Print)
7-26-24	0300	76	J. Escalado
	0600	79	Arc
	0900	80	Arc
	1200	82	Arcia
	1500	78	Stubblefield
	1800	78	Stubblefield
	2100	78	Stubblefield
	2400	80	A. TRIAS

## Sunday

Date	Time	Temp.	Name (Print)
7-28-24	0300	78°	A. TRIAS
	0600	78	C. Herrera
	0900	78	C. Herrera
	1200	79	C. Herrera
	1500	78	Monkston
	1800	76	Monkston
	2100	76	Monkston
	2400	76	J. Escalado

## Tuesday

Date	Time	Temp.	Name (Print)
7-23-24	0300	78	J. Escalado
	0600	78	C. Herrera
	0900	80°	HERRERA
	1200	81	HERRERA
	1500	80°	HERRERA
	1800	82	HERRERA
	2100	82	HERRERA
	2400	80	J. Escalado

## Thursday

Date	Time	Temp.	Name (Print)
7-25-24	0300	76	J. Escalado
	0600	78	A. Martinez
	0900	78	A. Martinez
	1200	78	Stubblefield
	1500	78	Stubblefield
	1800	78	Stubblefield
	2100	78	Stubblefield
	2400	78	J. Escalado

## Saturday

Date	Time	Temp.	Name (Print)
7-27-24	0300	79°	A. TRIAS
	0600	78	C. Herrera
	0900	79	HERRERA
	1200	79	HERRERA
	1500	79	Williams
	1800	79	Williams
	2100	78	Williams
	2400	79°	A. TRIAS

## Notes

---



---



---



---



---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: Miller B Temp. Reading Location: Hg 11 1 Hg 11 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4919 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300	76	J. Escobedo
	0600	78	C. HERRERA
	0900	79	C. HERRERA
	1200	77	C. Herrera
	1500	79	Morongson
	1800	76	Morongson
	2100	76	Morongson
	2400	76	J. Escobedo

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	74	J. Escobedo
	0600	78	C. CORTEZ
	0900	79	C. CORTEZ
	1200	79	C. CORTEZ
	1500	78	T. THOMAS
	1800	78	T. THOMAS
	2100	78	T. THOMAS
	2400	78	T. THOMAS

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7-30-24	0300	74	J. Escobedo
	0600	76	C. HERRERA
	0900	78	C. Herrera
	1200	79	C. Herrera
	1500	79	HERRANNE
	1800	76	HERRANNE
	2100	76	HERRANNE
	2400	76	J. Escobedo

Thursday

Date	Time	Temp.	Name (Print)
7-1-24	0300		
	0600	78	C. CORTEZ
	0900	79	C. CORTEZ
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LATHAM A Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	79	COBERLY
	0600	79	COBERLY
	0900	79	1200 AM
	1200	79	1200 PM
	1500	78	Haro
	1800	75	Haro
	2100	76	Haro
	2400	76	TRAN

## Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	76°	TRAN
	0600	74°	D. Perez
	0900	72°	D. Perez
	1200	75°	D. Perez
	1500	76	Haro
	1800	76	Haro
	2100	76	Haro
	2400	77	TRAN

## Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	77	TRAN
	0600	73°	Perez
	0900	72	Perez
	1200	79°	Perez
	1500	78	Haro
	1800	78	Haro
	2100	78	Haro
	2400	78	TRAN

## Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	78	T. GARCIA
	0600	74	D. PEREZ
	0900	74	D. PEREZ
	1200	76°	D. PEREZ
	1500	78	SF. RUBEN
	1800	78	SF. RUBEN
	2100	78	SF. RUBEN
	2400	78	T. GARCIA

## Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	78	T.G. Tran
	0600	76	M. BANWELL
	0900	81	J. STAR
	1200	82	J. TAP
	1500	83	DONOSO
	1800	82	DONOSO
	2100	81	DONOSO
	2400	80	Sidarous

## Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	79°	SZAROW
	0600	79	PULICARI
	0900	79	PULICARI
	1200	80	PULICARI
	1500	83	DONOSO
	1800	82	DONOSO
	2100	81	DONOSO
	2400	80	MANPIANO

## Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	78	MARION
	0600	76	D. PEREZ
	0900	74°	D. PEREZ
	1200	79°	D. PEREZ
	1500	82°	D. RIGHNER
	1800	82°	D. RIGHNER
	2100	80	D. RIGHNER
	2400	80	A. Flores

## Notes

•

•

•

•

•

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LATHAM A Temp. Reading Location: 1ST TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/16/24	0300	79	A. PONES
7/16/24	0600	74	D. Perez
7/16/24	0900	74	D. Perez
7/16/24	1200	74	D. Perez
7/16/24	1500	79	TAPIA
7/16/24	1800	76	TAPIA
7/16/24	2100	78	TAPIA
7/16/24	2400	88	DONOSO

**Wednesday**

Date	Time	Temp.	Name (Print)
7/18/24	0300	79	COBERLY
7/18/24	0600	78	COBERLY
7/18/24	0900	79	A. HERNANDEZ
7/18/24	1200	82	A. HERNANDEZ
7/18/24	1500	80	TAPIA
7/18/24	1800	78	TAPIA
7/18/24	2100	78	TAPIA
7/18/24	2400	80	CHAVES

**Friday**

Date	Time	Temp.	Name (Print)
7/19/24	0300	79	T. CONTRA
7/19/24	0600	79	D. Galeno
7/19/24	0900	79	D. Galeno
7/19/24	1200	79	D. Galeno
7/19/24	1500	82	DONOSO
7/19/24	1800	81	DONOSO
7/19/24	2100	80	DONOSO
7/19/24	2400	80	CHAVES

**Sunday**

Date	Time	Temp.	Name (Print)
7/21/24	0300	79	CHAVEZ
7/21/24	0600	79	D. Relajo
7/21/24	0900	79	D. Relajo
7/21/24	1200	79	D. Relajo
7/21/24	1500	78	J. Bryant
7/21/24	1800	76	J. Bryant
7/21/24	2100	78	J. Bryant
7/21/24	2400	80	CHAVEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
7/19/24	0300	78	DONOSO
7/19/24	0600	74	D. Perez
7/19/24	0900	74	D. Perez
7/19/24	1200	76	D. Perez
7/19/24	1500	78	TAPIA
7/19/24	1800	76	TAPIA
7/19/24	2100	78	TAPIA
7/19/24	2400	80	COBERLY

**Thursday**

Date	Time	Temp.	Name (Print)
7/11/24	0300	80	T. CONTRA
7/11/24	0600	79	D. Galeno
7/11/24	0900	77	L. LOPEZ
7/11/24	1200	80	T. CONTRA
7/11/24	1500	80	TAPIA
7/11/24	1800	78	TAPIA
7/11/24	2100	78	TAPIA
7/11/24	2400	79	T. CONTRA

**Saturday**

Date	Time	Temp.	Name (Print)
7/13/24	0300	79	C. CRANDLER
7/13/24	0600	78	C. CRANDLER
7/13/24	0900	79	C. CRANDLER
7/13/24	1200	80	C. CRANDLER
7/13/24	1500	82	DONOSO
7/13/24	1800	81	DONOSO
7/13/24	2100	79	DONOSO
7/13/24	2400	80	CHAVEZ

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: LATHAM A Temp. Reading Location: 1<sup>ST</sup> TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7-15-24	0300	79	CHAVEZ
	0600	79	PULICARI
	0900	79	PULICARI
	1200	80	PULICARI
	1500	80	TAPIA
	1800	79°	TAPIA
	2100	79°	TAPIA
	2400	79	Reyes

**Tuesday**

Date	Time	Temp.	Name (Print)
7-16-24	0300	79	Reyes
	0600	78	R. HARROD
	0900	78	R. HARROD
	1200	80	R. HARROD
	1500	80	TAPIA
	1800	79°	TAPIA
	2100	78°	TAPIA
	2400	79	CHAVEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
7-17-24	0300	78	CHAVEZ
	0600	77°	Gonzales
	0900	77	Gonzales
	1200	78	Gonzales
	1500	78°	TAPIA
	1800	78°	TAPIA
	2100	78°	TAPIA
	2400	79	Gonzales

**Thursday**

Date	Time	Temp.	Name (Print)
7-18-24	0300	79	GONZALEZ
	0600	79	REEVES
	0900	78	REEVES
	1200	81	REEVES
	1500	79°	TAPIA
	1800	78°	TAPIA
	2100	78°	TAPIA
	2400	78°	GONZALEZ

**Friday**

Date	Time	Temp.	Name (Print)
7-19-24	0300	78	T. CONTRERAS
	0600	79	J. CUELLAR
	0900	78	J. CUELLAR
	1200	80	J. CUELLAR
	1500	82	DONOSO
	1800	84	DONOSO
	2100	82	DONOSO
	2400	78	Reyes

**Saturday**

Date	Time	Temp.	Name (Print)
7-20-24	0300	78	Reyes
	0600	79	Peralta
	0900	80	Peralta
	1200	82	Peralta
	1500	85	DONOSO
	1800	85	DONOSO
	2100	82	DONOSO
	2400	72	CHAVEZ

**Notes**

Date	Time	Temp.	Name (Print)
7-21-24	0300	70	CHAVEZ
	0600	70	MORENO
	0900	79	MORENO
	1200	81	MORENO
	1500	84	D. RENTERIA
	1800	84	D. RENTERIA
	2100	82	D. RENTERIA
	2400	72	CHAVEZ

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: LATHAM A Temp. Reading Location: Latham A

Immediately notify the Watch Commander at extension 4913 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7-22-24	0300	81	CHANL
	0600	77	Perez
	0900	74	Perez
	1200	71°	TAPIA
	1500	81°	TAPIA
	1800	81°	TAPIA
	2100	78°	TAPIA
	2400	79	TRAN

**Wednesday**

Date	Time	Temp.	Name (Print)
7-24-24	0300	79	TRAN
	0600	78	Perez
	0900	79°	Perez
	1200	80	Perez
	1500	80°	TAPIA
	1800	81°	TAPIA
	2100	75°	TAPIA
	2400	81	TRAN

**Friday**

Date	Time	Temp.	Name (Print)
7-26-24	0300	81	TRAN
	0600	81	E. ALUSTA
	0900	82	E. ALUSTA
	1200	83	E. ALUSTA
	1500	83	DONISIO
	1800	83	Dawud
	2100	82	DONISIO
	2400	76	TRAN

**Sunday**

Date	Time	Temp.	Name (Print)
7-28-24	0300	80	COBERLY
	0600	78	COBERLY-Perez
	0900	76°	Perez
	1200	75	Perez
	1500	75	Ramos
	1800	75	Ramos
	2100	74	Ramos
	2400	71	Perez

**Tuesday**

Date	Time	Temp.	Name (Print)
7-23-24	0300	79	TRAN
	0600	78	Perez
	0900	76	Perez
	1200	78°	Perez
	1500	80°	TAPIA
	1800	80°	TAPIA
	2100	78°	TAPIA
	2400	79	TRAN

**Thursday**

Date	Time	Temp.	Name (Print)
7-25-24	0300	81	J. GARNERS
	0600	81	D. Perez
	0900	78°	J. Perez
	1200	80°	J. Perez
	1500	80°	TAPIA
	1800	81°	TAPIA
	2100	80°	TAPIA
	2400	81	J. GARNERS

**Saturday**

Date	Time	Temp.	Name (Print)
7-27-24	0300	74	TRAN
	0600	78	J. CUELLAR
	0800	77	J. CUELLAR
	1200	81	J. CUELLAR
	1500	81	meeks
	1800	81	meeks
	2100	80	meeks
	2400	80	COBERLY

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: LA-A Temp. Reading Location: Lang/Short Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
0300	78	EDWARDS	
0600	77	JUNKER	
0900	74	Perez	
1200	76	Perez	
1500	81°	TAPIA	
1800	81°	TAPIA	
2100	80°	TAPIA	
2400	78	TRAN	

## Tuesday

Date	Time	Temp.	Name (Print)
0300	78	TRAN	
0600	74	Perez	
0900	74	Perez	
1200	74	Perez	
1500	78°	TAPIA	
1800	78°	TAPIA	
2100	78°	TAPIA	
2400	77	CHAVEZ	

## Wednesday

Date	Time	Temp.	Name (Print)
0300	76	CHAVEZ	
0600	74	D. Perez	
0900	72	D. Perez	
1200	72	D. Perez	
1500	78°	TAPIA	
1800	78°	TAPIA	
2100	76°	TAPIA	
2400	77	TRAN	

## Thursday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

## Friday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

## Saturday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

## Sunday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

## Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LB Temp. Reading Location: Short / Long Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7-1	0300	77	O. Rodriguez
	0600	80	Z. Cather
	0900	78	B. Salter
	1200	74	B. Salter
	1500	78	A. Flores
	1800	78	A. Flores
	2100	77	A. Flores
	2400	76	O. Rodriguez

**Tuesday**

Date	Time	Temp.	Name (Print)
7-2	0300	76	O. Rodriguez
	0600	78	B. Salter
	0900	78	B. Salter
	1200	80	B. Salter
	1500	81	M. Aguilera
	1800	81	C. Sander
	2100	79	C. Sander
	2400	77	O. Rodriguez

**Wednesday**

Date	Time	Temp.	Name (Print)
7-3	0300	77	O. Rodriguez
	0600	78	O. Rodriguez
	0900	78	C. Ramirez
	1200	78	C. Ramirez
	1500	79	C. Reyes
	1800	80	C. Reyes
	2100	80	C. Reyes
	2400	77	O. Rodriguez

**Thursday**

Date	Time	Temp.	Name (Print)
7-4	0300	77	O. Rodriguez
	0600	77	W. Mancino
	0900	78	W. Mancino
	1200	79	W. Mancino
	1500	80	N. Perez
	1800	80	N. Perez
	2100	80	N. Perez
	2400	79	O. Rodriguez

**Friday**

Date	Time	Temp.	Name (Print)
7-5	0300	78	O. Rodriguez
	0600	81	C. Ramirez
	0900	80	C. Ramirez
	1200	83	C. Ramirez
	1500	80	C. Reyes
	1800	80	C. Reyes
	2100	80	C. Reyes
	2400	80	C. Reyes

**Saturday**

Date	Time	Temp.	Name (Print)
7-6	0300	80	T. Lopez
	0600	81	T. Lopez
	0900	80	T. Lopez
	1200	80	T. Lopez
	1500	80	T. Lopez
	1800	80	T. Lopez
	2100	81	T. Lopez
	2400	77	T. Lopez

**Sunday**

Date	Time	Temp.	Name (Print)
7-7	0300	80	T. Lopez
	0600	81	T. Lopez
	0900	81	T. Lopez
	1200	81	T. Lopez
	1500	84	D. Donoso
	1800	84	D. Donoso
	2100	80	D. Donoso
	2400	80	V. Vilela

**Notes**

1503 - Stage 1 heat alert

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LB Temp. Reading Location: SHORT / LONG HALLS  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/8	0300	80	VILLEJA
	0600	78	<i>[Signature]</i>
	0900	74	<i>[Signature]</i>
	1200	80	<i>[Signature]</i>
	1500	80	A. FLORES
	1800	78	A. FLORES
7/9	2100	78	A. FLORES
	2400	79	O. Rodriguez

**Tuesday**

Date	Time	Temp.	Name (Print)
7/9	0300	77	O. Rodriguez
	0600	78	<i>[Signature]</i>
	0900	78	<i>[Signature]</i>
	1200	78	<i>[Signature]</i>
	1500	85	D. RENTERIA
	1800	84	D. RENTERIA
7/10	2100	83	D. RENTERIA
	2400	79	O. Rodriguez

**Wednesday**

Date	Time	Temp.	Name (Print)
7/10	0300	78	O. Rodriguez
	0600	79	K. Navarrete
	0900	78	V. PELAYO
	1200	79	V. PELAYO
	1500	84	M. Gonzalez
	1800	84	M. Gonzalez
7/11	2100	83	M. Gonzalez
	2400	80	O. Rodriguez

**Thursday**

Date	Time	Temp.	Name (Print)
7/11	0300	79	O. Rodriguez
	0600	79	V. PELAYO
	0900	79	V. PELAYO
	1200	79	V. PELAYO
	1500	84	M. Gonzalez
	1800	84	M. Gonzalez
7/12	2100	83	M. Gonzalez
	2400	82	Schneidmiller

**Friday**

Date	Time	Temp.	Name (Print)
7/12	0300	82	Schneidmiller
	0600	80	Navarrete
	0900	79	Rodriguez
	1200	80	Rodriguez
	1500	83	M. Gonzalez
	1800	82	M. Gonzalez
7/13	2100	82	M. Gonzalez
	2400	82	Torres AD

**Saturday**

Date	Time	Temp.	Name (Print)
7/13	0300	82	Torres AD
	0600	80	<i>[Signature]</i>
	0900	78	<i>[Signature]</i>
	1200	78	<i>[Signature]</i>
	1500	83	O. Martinez
	1800	83	O. Martinez
7/14	2100	82	O. Martinez
	2400	82	Torres AD

**Notes**

Date	Time	Temp.	Name (Print)
7/14	0300	81	<i>[Signature]</i>
	0600	78	Flores
	0900	79	Flores
	1200	79	Rodriguez
	1500	83	D. Rightmer
	1800	81	D. Rightmer
7/15	2100	81	D. Rightmer
	2400	80	O. Rodriguez

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

Attachment E  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Lotham B Temp. Reading Location: SHOPT / Long Hall  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/15	0300	79	O. Rodriguez
	0600	78	O. Rodriguez
	0900	79	Rivero
	1200	79	Rivero
	1500	79	A. Flores
	1800	79	A. Flores
	2100	79	A. Flores
7/16	2400	78	O. Rodriguez

**Tuesday**

Date	Time	Temp.	Name (Print)
7/16	0300	77	O. Rodriguez
	0600	80	Castaneda
	0900	75	Sprague I (closed)
	1200	78	Rivero
	1500	80	Rivero
	1800	79	Rivero
	2100	79	Rivero
7/17	2400	79	O. Rodriguez

**Wednesday**

Date	Time	Temp.	Name (Print)
7/17	0300	78	O. Rodriguez
	0600	79	Perez
	0900	79	Perez
	1200	79	Perez
	1500	80°	Coll
	1800	82°	Coll
	2100	83°	Coll
7/18	2400	79	Arreola

**Thursday**

Date	Time	Temp.	Name (Print)
7/18	0300	80	Arreola
	0600	81	Arreola
	0900	99	Delano
	1200	80	Delano
	1500	81	Rivero
	1800	82	Rivero
	2100	82	Rivero
7/19	2400	79	CASTANEDA

**Friday**

Date	Time	Temp.	Name (Print)
7/19	0300	79	CASTANEDA
	0600	79	Rivero
	0900	80	Rivero
	1200	80	Rivero
	1500	84	M. Gonzalez
	1800	84	M. Gonzalez
	2100	84	M. Gonzalez
7/20	2400	81	Castaneda

**Saturday**

Date	Time	Temp.	Name (Print)
7/20	0300	81	Contreras
	0600	79	Rivero
	0900	80	Rivero
	1200	82	Rivero
	1500	82	M. Gonzalez
	1800	82	M. Gonzalez
	2100	82	M. Gonzalez
7/21	2400	82	Contreras

**Notes**

Date	Time	Temp.	Name (Print)
7/21	0300	82	Contreras
	0600	80	Rivero
	0900	81	Rivero
	1200	82	Rivero
	1500	85	Domingo
	1800	86	Domingo
	2100	85	Domingo
7/22	2400	85	Contreras

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

## Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTW Housing Unit: LATHAM B Temp. Reading Location: \_\_\_\_\_ (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/22

Date	Time	Temp.	Name (Print)
1/22	0300	81	SANCHEZ
	0600	80	R. Latham
	0900	78	S. Berato
	1200	82	B. Latham
	1500	82	A. Diaz
	1800	80	A. Flores
	2100	80	A. Flores
	2400	80	DONOSO

Tuesday 7/23

Date	Time	Temp.	Name (Print)
1/23	0300	82	DONOSO
	0600	82	R. Latham
	0900	79	R. Latham
	1200	80	R. Latham
	1500	82	RUIZ
	1800	81	RUIZ
	2100	81	RUIZ
	2400	79	O. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
1/24	0300	79	O. Rodriguez
	0600	79	M. Belarmino
	0900	79	M. Belarmino
	1200	80	M. Belarmino
	1500	85	M. Gonzalez
	1800	84	M. Gonzalez
1/25	2100	84	M. Gonzalez
	2400	80	O. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
1/25	0300	80	O. Rodriguez
	0600	80	M. Belarmino
	0900	80	M. Belarmino
	1200	80	M. Belarmino
	1500	80	M. Gonzalez
	1800	79	M. Gonzalez
1/26	2100	79	M. Gonzalez
	2400	79	O. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
1/26	0300	80	O. Rodriguez
	0600	79	C. Reyes
	0900	80	C. Reyes
	1200	80	C. Reyes
	1500	80	RUBIO
	1800	80	RUBIO
	2100	80	RUBIO
	2400	81	(C. Reyes)

Saturday

Date	Time	Temp.	Name (Print)
1/27	0300	81	T. Diaz
	0600	80	R. Reyes
	0900	80	R. Reyes
	1200	80	R. Reyes
	1500	83	A. Gonzalez
	1800	83	A. Gonzalez
	2100	82	A. Gonzalez
	2400	82	I. Diaz

Sunday

Date	Time	Temp.	Name (Print)
1/28	0300	81	I. Diaz
	0600	80	I. Diaz
	0900	79	Reyes
	1200	79	Reyes
	1500	82	MARIA
	1800	82	MARIA
	2100	80	MARIA
	2400	80	Reyes

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Latham B Temp. Reading Location: Short Long Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	79	O. Rodriguez
	0600	74	Quiñones
	0900	80	Quiñones
	1200	80	Quiñones
	1500	80	A. Flores
	1800	80	A. Flores
	2100	80	A. Flores
7/30	2400	79	O. Rodriguez

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	79	O. Rodriguez
	0600	79	Ruiz
	0900	76	Quiñones
	1200	78	Quiñones
	1500	81	Ruiz
	1800	80	Ruiz
	2100	79	Ruiz
7/31	2400	79	O. Rodriguez

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	79	O. Rodriguez
	0600	76	Quiñones
	0900	76	Quiñones
	1200	78	Quiñones
	1500	79	Quiñones
	1800	81	A. Flores
	2100	80	meeks
8/1	2400	79	O. Rodriguez

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

1752

**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: EA Temp. Reading Location: N/A  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees. DATE: 7/01 - 7/13/24 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday


Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

**UNIT CLOSED DUE  
TO RENOVATIONS**



LTC

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment E  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Emmons D Temp. Reading Location: 2<sup>nd</sup> tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/1/24	0300	81	Hughes
	0600	81	Aveda
	0900	84	Aveda
	1200	86	Aveda
	1500	87	G. Meeks
	1800	86	G. Meeks
	2100	84	G. Meeks
	2400	79	C. mendoza

**Tuesday**

Date	Time	Temp.	Name (Print)
7/2/24	0300	81	C. mendoza
	0600	81	Gonzales
	0900	80	Gonzales
	1200	80	Gonzales
	1500	81	Ramirez
	1800	80	Ramirez
	2100	80	Ramirez
	2400	70	Mendoza

**Wednesday**

Date	Time	Temp.	Name (Print)
7/3/24	0300	80	Johnson
	0600	80	O'Bryan
	0900	84	O'Bryan
	1200	84	O'Bryan
	1500	84	meeks
	1800	83	meeks
	2100	87	meeks
	2400	82	Johnson

**Thursday**

Date	Time	Temp.	Name (Print)
7/4/24	0300	81	Johnson
	0600	81	O'Bryan
	0900	82	O'Bryan
	1200	82	O'Bryan
	1500	82	J. CUELLAR
	1800	83	J. CUELLAR
	2100	85	J. CUELLAR
	2400	84	Johnson

**Friday**

Date	Time	Temp.	Name (Print)
7/5/24	0300	83	Johnson
	0600	79	K. Jones
	0900	81	K. Jones
	1200	83	K. Jones
	1500	83	Ramirez
	1800	84	Ramirez
	2100	83	Ramirez
	2400	84	Schmidbauer

**Saturday**

Date	Time	Temp.	Name (Print)
7/6/24	0300	83	Schmidbauer
	0600	83	O'Bryan
	0900	83	O'Bryan
	1200	84	O'Bryan
	1500	84	M. Meeks
	1800	82	M. Meeks
	2100	86	M. Meeks
	2400	85	meeks

**Sunday**

Date	Time	Temp.	Name (Print)
7/7/24	0300	84	meeks
	0600	84	Aveda
	0900	86	Aveda
	1200	86	Aveda
	1500	86	meeks
	1800	85	meeks
	2100	81	meeks
	2400	84	Johnson

**Notes**

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Emmons B Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				
Date	Time	Temp.	Name (Print)	
<i>7/1/24</i>	0300	82	Huerta	
	0600	84	OBREGON	
	0900	84	OBREGON	
	1200	84	OBREGON	M
	1500	84	meeks	
	1800	83	meeks	
	2100	83	meeks	
	2400	84	HUERTA	
Tuesday				
Date	Time	Temp.	Name (Print)	
<i>7/2/24</i>	0300	84	HUERTA	
	0600	84	OBREGON	
	0900	84	OBREGON	
	1200	85	OBREGON	M
	1500	82	SALDIVAR	
	1800	82	SALDIVAR	
	2100	81	SALDIVAR	
	2400	81	Huerta	
Wednesday				
Date	Time	Temp.	Name (Print)	
<i>7/3/24</i>	0300	81	Huerta	
	0600	83	OBREGON	
	0900	83	OBREGON	M
	1200	83	OBREGON	
	1500	83	SALDIVAR	
	1800	83	SALDIVAR	
	2100	80	SALDIVAR	
	2400	81	Huerta	
Thursday				
Date	Time	Temp.	Name (Print)	
<i>7/4/24</i>	0300	81	Huerta	
	0600	82	OBREGON	
	0900	84	OBREGON	
	1200	84	OBREGON	
	1500	84	SALDIVAR	
	1800	83	SALDIVAR	
	2100	80	SALDIVAR	
	2400	80	Huerta	
Friday				
Date	Time	Temp.	Name (Print)	
<i>7/5/24</i>	0300	80	Huerta	
	0600	80	OBREGON	
	0900	81	OBREGON	
	1200	84	OBREGON	
	1500	82	SALDIVAR	
	1800	81	SALDIVAR	
	2100	79	SALDIVAR	
	2400	79	Schindler	
Saturday				
Date	Time	Temp.	Name (Print)	
<i>7/6/24</i>	0300	79	Schindler	
	0600	80	OBREGON	
	0900	82	OBREGON	
	1200	84	OBREGON	
	1500	84	SALDIVAR	
	1800	82	SALDIVAR	
	2100	80	SALDIVAR	
	2400	80	meeks	

Notes

---



---



---



---



---



---



---



---

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

Attachment F

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIIW Housing Unit: Emmons 13 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	83	Rommy R
	0600	84	RVEDA
	0900	84	RVEDA
	1200	86	RVEDA
	1500	86	Meeks
	1800	85	Meeks
	2100	84	Meeks
	2400	80	Javier A

Wednesday

Date	Time	Temp.	Name (Print)
7/12/24	0300	80	C. MENDOZA
	0600	80	OBREGON
	0900	81	OBREGON
	1200	83	OBREGON
	1500	82	SALDIVAR
	1800	82	SALDIVAR
	2100	80	SALDIVAR
	2400	80	HOMES

Friday

Date	Time	Temp.	Name (Print)
7/19/29	0300	79	Berger
	0600	80	OBREGON
	0900	81	OREGON
	1200	80	SILVER
	1500	84	SALDIVAR
	1800	82	SALDIVAR
	2100	81	SALDIVAR
	2400	81	Schreiber, Merv

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	81	meeks
	0600	82	AVEDA
	0900	84	AVEDA
	1200	86	AVEDA
	1500	86	meeks
	1800	85	meeks
	2100	84	meeks
	2400	83	meeks

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	81	JAVIERIA
	0600	81	OBREGÓN
	0900	83	MARÍA
	1200	84	OBREGÓN
	1500	84	SALDIVAR
	1800	82	SALDIVAR
	2100	80	SALDIVAR
	2400	82	C. MENDOZA

Thursday

Date	Time	Temp.	Name (Print)
7/12/24	0300	80	Hornigton
	0600	80	OBRERON
	0900	81	OBRERON
	1200	82	OBRERON
	1500	82	Saldívar
	1800	81	Saldívar
	2100	80	SALDIVAR
	2400	79	Bellard

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	80	Schindler
	0600	80	OREGON
	0900	80	OREGON
	1200	83	OREGON
	1500	85	Josuna
	1800	82	Josuna
	2100	81	J. Osuna
	2400	81	meeks

## Notes

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment E  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJW Housing Unit: Emmons B Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/22/24	0300	82	Homby
	0600	86	Rueda
	0900	84	Banuelos
	1200	87	Rueda
	1500	87	Meeks
	1800	86	Meeks
	2100	85	Meeks
	2400	85	Mundon

**Tuesday**

Date	Time	Temp.	Name (Print)
7/23/24	0300	84	C. MUNDON
	0600	84	P. OBREGON
	0900	84	OBREGON
	1200	84	OBREGON
	1500	84	SALDIVAR
	1800	83	SALDIVAR
	2100	81	SALDIVAR
	2400	81	Homby

**Wednesday**

Date	Time	Temp.	Name (Print)
7/24/24	0300	81	Homby
	0600	82	OBREGON
	0900	82	OBREGON
	1200	84	OBREGON
	1500	84	SALDIVAR
	1800	84	SALDIVAR
	2100	82	SALDIVAR
	2400	82	Homby

**Thursday**

Date	Time	Temp.	Name (Print)
7/25/24	0300	82	OBREGON
	0600	82	OBREGON
	0900	82	OBREGON
	1200	83	OBREGON
	1500	84	N. Khalil
	1800	89	N. Khalil
	2100	90	N. Khalil
	2400	85	Homby

**Friday**

Date	Time	Temp.	Name (Print)
7/26/24	0300	84	Homby
	0600	84	OBREGON
	0900	84	OBREGON
	1200	84	OBREGON
	1500	84	SALDIVAR
	1800	84	SALDIVAR
	2100	82	SALDIVAR
	2400	82	Schellmane

**Saturday**

Date	Time	Temp.	Name (Print)
7/27/24	0300	82	Schellmane
	0600	82	OBREGON
	0900	82	OBREGON
	1200	81	OBREGON
	1500	80	INDERSON
	1800	80	Chavez
	2100	80	Chavez
	2400	80	meeks

**Notes**

Date	Time	Temp.	Name (Print)
7/28/24	0300	80	meeks
	0600	82	RUEDA
	0900	84	RUEDA
	1200	85	RUEDA
	1500	85	G. Meeks
	1800	84	G. Meeks
	2100	84	G. Meeks
	2400	83	Homby

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CILS Housing Unit: Emmons B Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	81	Hector
	0600	82	RUEDA
	0900	82	RUEDA
	1200	84	RUEDA
	1500	86	meeks
	1800	85	meeks
	2100	84	meeks
	2400	82°	compton

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30/24	0300	81°	C. MEADOR
	0600	72	MEADOR
	0900	80	MEADOR
	1200	80	MEADOR
	1500	87	O. Padilla
	1800	87	O. Padilla
	2100	84	O. Padilla
	2400	88°	T. HUERTA

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	82°	TAYLOR
	0600	82°	OREGON
	0900	83°	OREGON
	1200	84°	OREGON
	1500	84°	SALDIVAR
	1800	82°	SALDIVAR
	2100	82°	SALDIVAR
	2400	82°	HAMILTON

**Thursday**

Date	Time	Temp.	Name (Print)
8/11/24	0300	80	
	0600	80	Galeno
	0900	80	Galeno
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/13/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HA Temp. Reading Location: N/A  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

DATE: 7/01 - 7/19/24 when the inside air temperature reaches

Monday:

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday:

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday:

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday:

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday:

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday:

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday:

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes:

**UNIT CLOSED - WILL  
ACTIVATE AS A  
QUAURANTINE UNIT  
WHEN REQUIRED**

CH. KITCO  
CC/H

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTW Housing Unit: Harrison A Temp. Reading Location: LONG / SHORT HALLS  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
7/21/24	0300	80	Monica
	0600	83	Williams
	0900	84	Williams
	1200	86	Williams
	1500	86	Williams ✓
	1800	87	Williams
	2100	86	Williams
	2400	79	Luan

**Notes**

QUARANTINE UNIT ACTIVATED  
PER CCHCS POLICY.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient-air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: HA Temp. Reading Location: long/short half

Immediately notify the Watch Commander at extension 4913 (e.g., 4<sup>th</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	82	Williams
	0600	83	Williams
	0900	84	Williams
	1200	85	Williams
	1500	87	Gill
	1800	87°	Gill
	2100	86°	Gill
	2400	84	Rays

## Wednesday

Date	Time.	Temp.	Name (Print)
7/24/24	0300	84	D. RENTERIA
	0600	83	VASCONCELLOS
	0900	83	VASCONCELLOS
	1200	85	VASCONCELLOS
	1500	85	D. RENTERIA
	1800	86	D. RENTERIA
	2100	84	D. RENTERIA
	2400	84	D. RENTERIA

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	83	H. CRESO
	0600	84	D. RUBIO
	0900	84	D. RUBIO
	1200	85	D. RUBIO
	1500	86	a. martinez
	1800	87	a. martinez
	2100	84	a. martinez
	2400	82	L. VUESO

Sunday

Date	Time	Temp.	Name (Print)
7/28/21	0300	83	Bell / Williams
	0600	83	
	0900	87	Williams
	1200	83	Williams
	1500	84	S.VOLZ
	1800	85	S.VOLZ
	2100	83	Magallanes
	2400	83	W.W.L.

Tuesday

Date	Time	Temp.	Name (Print)
7/25/24	0300	84	Reyes
	0600	84	Gurman, C
	0900	85	Courter
	1200	85	Quintana
	1500	84	
	1800	85	Call
	2100	85	Call
	2400	84	Gay

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	84	Rlyn
	0600	84	RUBIO
	0900	84	RUBIO
	1200	85	RUBIO
	1500	85	N TENO
	1800	84	N TENO
	2100	84	N TENO
	2400	84	Husso

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	80	Hurgo
	0600	83	Quintana
	0900	83	Quintero
	1200	84	Quintero
	1500	85	Aguilera
	1800	86	Aguilera
	2100	85	Aguilera
	2400	83	Lopez

## Notes

DISTRIBUTION: Original: Institution Head; Plan Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Harrison A Temp. Reading Location: long/short hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7.29.24	0300	82	Rexy
	0600	82	Williams
	0900	82	Williams
	1200	82	Williams
	1500	79	Perez, D.
	1800	78	Perez, D.
	2100	80	Perez, D.
	2400	81	Rexy

**Wednesday**

Date	Time	Temp.	Name (Print)
7.31.24	0300	80	Rexy
	0600	77	GONZALEZ
	0900	80	GONZALEZ
	1200	82	GONZALEZ
	1500	82	Call
	1800	82	Call
	2100	82	Call
	2400	81	Rexy

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
7.30.24	0300	81	Rexy
	0600	76	GONZALEZ
	0900	78	GONZALEZ
	1200	80	GONZALEZ
	1500	82	Call
	1800	82	Call
	2100	82	Call
	2400	80	Rexy

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient-air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer, on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HB Temp. Reading Location: LH / SA

Immediately notify the Watch Commander at extension 4913 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-1-24

Date	Time	Temp.	Name (Print)
0300	80	HUESO	(initials)
0600	79	RUBIO	
0900	79	RUBIO	
1200	86	RUBIO	(initials)
1500	81	COSTERO	
1800	80	COSTERO	
2100	80	COSTERO	
2400	78	ST. AUBIN	

Wednesday 7-3-24

Date	Time	Temp.	Name (Print)
0300	78	ST. AUBIN	(initials)
0600	78	K. WARD	(initials)
0900	78	K. WARD	(initials)
1200	76	K. WARD	(initials)
1500	78	O. PADILLA	
1800	77	O. PADILLA	
2100	77	O. PADILLA	
2400	77	ST. AUBIN	

Friday 7-5-24

Date	Time	Temp.	Name (Print)
0300	79	ST. AUBIN	(initials)
0600	80	D. RUBIO	
0900	79	D. RUBIO	
1200	83	D. RUBIO	(initials)
1500	84	D. PELAYO	
1800	87	D. PELAYO	
2100	85	D. PELAYO	
2400	82	Reeling	

Sunday 7-7-24

Date	Time	Temp.	Name (Print)
0300	82	HUESO	(initials)
0600	80	ALVAREZ	
0900	80	ALVAREZ	
1200	81	ALVAREZ	
1500	86	A. MARTINEZ	
1800	86	A. MARTINEZ	
2100	84	A. MARTINEZ	
2400	83	HUESO	

Tuesday 7-2-24

Date	Time	Temp.	Name (Print)
0300	76	SA. RUBIN	(initials)
0600	76	CORTES	
0900	77	CORTES	
1200	79	K. WARD	
1500	82	CAN	
1800	82	CAN	
2100	83	CAN	
2400	80	ST. AUBIN	

Thursday 7-4-24

Date	Time	Temp.	Name (Print)
0300	78	SOUTHWELL	(initials)
0600	80	REYES	
0900	79	REYES	
1200	80	REYES	
1500	80	N. HUDSON	
1800	80	N. HUDSON	
2100	78	N. HUDSON	
2400	78	ST. AUBIN	

Saturday 7-6-24

Date	Time	Temp.	Name (Print)
0300	82	Reeling	(initials)
0600	79	ALVAREZ	
0900	81	ALVAREZ	
1200	82	ALVAREZ	
1500	83	A. MARTINEZ	
1800	86	A. MARTINEZ	
2100	86	A. MARTINEZ	
2400	83	HUESO	

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HB Temp. Reading Location: Long Hall + Short Hall  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
0300	88	HUESO	
0600	81	Williams	
0900	82	Williams	
1200	83	Williams	
1500	81	LOREENDO	
1800	79	LOREENDO	
2100	79	LOREENDO	
2400	80	ST. AUBIN	

Date	Time	Temp.	Name (Print)
0300	80	ST. AUBIN	DA
0600	81	RUBIO	DA
0900	81	RUBIO	
1200	85	RUBIO	
1500	86	MEEKS	DA
1800	84	MEEKS	DA
2100	84	MEEKS	
2400	82	ST. AUBIN	

Date	Time	Temp.	Name (Print)
0300	80	ST. AUBIN	DA
0600	81	E. ACOSTA	DA
0900	82	E. ACOSTA	
1200	82	E. ACOSTA	
1500	84	B. Pelayo	
1800	84	B. Pelayo	
2100	83	B. Pelayo	DA
2400	79	B. Pelayo	DA

Date	Time	Temp.	Name (Print)
0300	79	JUNKER	DA
0600	81	JUNKER	DA
0900	81	JUNKER	
1200	83	JUNKER	
1500	85	G. MARTINEZ	
1800	85	G. MARTINEZ	
2100	83	G. MARTINEZ	
2400	80	HUESO	

Date	Time	Temp.	Name (Print)
0300	80	ST. AUBIN	DA
0600	80	SZUMIAN	
0900	79	SZUMIAN	
1200	82	SZUMIAN	
1500	84	RESO	
1800	82	HARD	PA
2100	82	HARD	
2400	80	ST. AUBIN	

Date	Time	Temp.	Name (Print)
0300	80	ST. AUBIN	DA
0600	82	M. CHAVEZ	
0900	82	M. CHAVEZ	
1200	83	M. CHAVEZ	
1500	85	E. ACOSTA	
1800	84	E. ACOSTA	
2100	83	E. ACOSTA	
2400	80	ST. AUBIN	

Date	Time	Temp.	Name (Print)
0300	78	KOHLING	
0600	78	GONZALES	
0900	80	GONZALES	
1200	83	GONZALES	
1500	87	RAMOS	DA
1800	85	RAMOS	DA
2100	85	RAMOS	
2400	78	KOHLING	

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient-air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: HB

Temp. Reading Location: Short Hall Lanes Area  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday 7-15-24

Date	Time	Temp.	Name (Print)
0300	82	HUESO	①
0600	80	Williams	
0900	81	Williams	
1200	82	Williams	②
1500	83	COSTERO	③
1800	83	COSTERO	④
2100	81	COSTERO	⑤
2400	80	STUBBINS	

Wednesday

7-17-24

Date	Time	Temp.	Name (Print)
0300	78	STUBBINS	①
0600	79	D-GALENO	②
0900	79	D-GALENO	
1200	80	D-GALENO	
1500	81	PEREZ	
1800	83	PEREZ	
2100	83	PEREZ	
2400	80	STUBBINS	

Friday

7-19-24

Date	Time	Temp.	Name (Print)
0300	78	STUBBINS	①
0600	78	Stubblefield	②
0900	74	Stubblefield	
1200	82	Stubblefield	
1500	86	Ramos	
1800	86	Ramos	
2100	85	Ramos	
2400	80	STUBBINS	

Sunday

7-21-24

Date	Time	Temp.	Name (Print)
0300	82	HUESO	
0600	71	MEADOR	
0900	80	MEADOR	①
1200	94	MEADOR	
1500	88	S.VELZ	
1800	85°	VELZ	
2100	80°	VELZ	
2400	82	HUESO	

Tuesday

7-16-24

Date	Time	Temp.	Name (Print)
0300	80	STUBBINS	
0600	81	Quiñero	②
0900	81	Quiñero	
1200	81	Quiñero	
1500	83	PEREZ	
1800	84	PEREZ	③
2100	84	PEREZ	
2400	78	STUBBINS	

Thursday

7-18-24

Date	Time	Temp.	Name (Print)
0300	78	STUBBINS	①
0600	78	Peralta	
0900	79	Peralta	
1200	80	Peralta	
1500	83	Ramos	
1800	85	Ramos	
2100	84	Ramos	
2400	80	STUBBINS	②

Saturday

7-20-24

Date	Time	Temp.	Name (Print)
0300	80	STUBBINS	①
0600	81	WILLIAMS	
0900	82	WILLIAMS	
1200	85	WILLIAMS	
1500	87	FLORES	
1800	87	FLORES	
2100	86	FLORES	
2400	84	HUESO	

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer, on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: HB

Temp: Reading Location: Short Hall Long Hall  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
0300	81	Hueso	
0600	82	MORENO	
0900	83	MORENO	
1200	83	A. HERMAN	
1500	85	Herrera	
1800	85	Herrera	
2100	83	Herrera	
2400	82	ST. AUBIN	

Date	Time	Temp.	Name (Print)
0300	82	ST. AUBIN	
0600	82	L. MORENO	
0900	82	L. MORENO	
1200	85	L. MORENO	
1500	85	Perez	
1800	87	Perez	
2100	85	Perez	
2400	82	ST. AUBIN	

Date	Time	Temp.	Name (Print)
0300	80	ST. AUBIN	
0600	80	Stubblefield	
0900	80	Stubblefield	
1200	80	Stubblefield	
1500	84	Perez	
1800	86	Perez	
2100	84	Perez	
2400	82	ST. AUBIN	

Date	Time	Temp.	Name (Print)
0300	80	HUERTA	
0600	80	MEDINA	
0900	80	MEDINA	
1200	81	MEDINA	
1500	83	O. MARTINEZ	
1800	83	O. MARTINEZ	
2100	82	O. MARTINEZ	
2400	81	A. FONSECA	

Date	Time	Temp.	Name (Print)
0300	82	ST. AUBIN	
0600	82	L. MORENO	
0900	83	L. MORENO	
1200	85	L. MORENO	
1500	87	B. CERVANTES	
1800	87	B. CERVANTES	
2100	86	B. CERVANTES	
2400	82	ST. AUBIN	

Date	Time	Temp.	Name (Print)
0300	80	ST. AUBIN	
0600	82	E. ACOSTA	
0900	82	E. ACOSTA	
1200	84	E. ACOSTA	
1500	86	PEREZ	
1800	86	PEREZ	
2100	84	PEREZ	
2400	82	ST. AUBIN	

Date	Time	Temp.	Name (Print)
0300	80	ST. AUBIN	
0600	81	WILLIAMS	
0900	83	WILLIAMS	
1200	84	WILLIAMS	
1500	89	PEREZ	
1800	84	PEREZ	
2100	83	PEREZ	
2400	80	WILLIAMS	

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW      Housing Unit: HARRISON B      Temp. Reading Location: LONG HALL, SHORT HALL  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## Monday

Date	Time	Temp.	Name (Print)
07/29/24	0300	78	D Jones Allen
	0600	78	D Jones Allen
	0900	80	D Jones (C) Huerta
	1200	80°	D Jones (P) Huerta
	1500	82°	D Jones (P) Huerta
	1800	82	D Jones (P) Huerta
	2100	80	D Jones (C) Huerta
	2400	80°	T. HUERTA

Wednesday

Date	Time	Temp.	Name (Print)
07/31/24	0300	78	ST. JUAN
	0600	78	MORENO
	0900	79	MORENO
	1200	80	L. MORENO
	1500	84	PEREZ
	1800	85	PEREZ
	2100	82	PEREZ
	2400	80	ST. JUAN

Friday

Date	Time	Temp.	Name (Print)
08/02/24	0300		
	0500		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
08/04/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
07/30/24	0300	80°	T. HUERTA
	0600	77°	D. JONES (③) Alpine
	0900	77°	D. JONES (④) Alpine
	1200	77°	D. JONES (⑤) Alpine
	1500	82	D. RENTERIA
	1800	82	D. RENTERIA
	2100	81	D. RENTERIA
	2400	78	S. ARBONI

Thursday

Date	Time	Temp.	Name (Print)
08/01/24	0300	78	<i>Struvia</i>
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
08/03/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: WILSON A Temp. Reading Location: Short/Long Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JULY 1, 2024

Date	Time	Temp.	Name (Print)
7/1	0300	82	Wedu
1	0600	81	Magallanes
24	0900	81	Magallanes
	1200	81	Magallanes
	1500	81	Hernandez
	1800	82	Hernandez
	2100	83	Hernandez
	2400	83	Wedu

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	81	Wedu
2	0600	81	Magallanes
24	0900	81	Magallanes
	1200	82	Magallanes
	1500	82	Hernandez
	1800	82	Hernandez
	2100	81	Hernandez
	2400	81	Chavez

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	80	John
	0600	80	Magallanes
	0900	81	Magallanes
	1200	83	Magallanes
	1500	83	L.Hernandez
	1800	83	L.Hernandez
	2100	81	L.Hernandez
	2400	82	CHAVEZ

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	81	CHAVEZ
4	0600	81	Magallanes
24	0900	81	Magallanes
	1200	81	Magallanes
	1500	81	Hernandez
	1800	81	Hernandez
	2100	81	Hernandez
	2400	82	J.Osuna

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	81	J.Osuna
5	0600	80	J.Bryant
	0900	80	J.Bryant
	1200	80	Bryant
	1500	82	Avalos
	1800	82	Avalos
	2100	81	Avalos
	2400	82	J.Osuna

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	81	J.Osuna
6	0600	81	Valentuela, F.
	0900	80°	Valentuela, F.
	1200	80°	Valentuela, F.
	1500	81	Anarez
	1800	82	Anarez
	2100	80	Anarez
	2400	82	Matas

Sunday

Date	Time	Temp.	Name (Print)
7	0300	80°	Martinez
7	0600	80	Zavala
	0900	80	Zavala
	1200	83	Zavala
	1500	83	Hernandez
	1800	81	Hernandez
	2100	81	Hernandez
	2400	82	Martinez

Notes: Date and type of cooling measures provided

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: WILSON A Temp. Reading Location: WILSON A

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday JULY 8

Date	Time	Temp.	Name (Print)
7/8	0300	80	
	0600	80	B. mendoza
	0900	81	B. mendoza
	1200	81	B. mendoza
	1500	79	Aguilera
	1800	80	Aguilera
	2100	82	Aguilera
	2400	81	CHAVEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	81	MARTAS L
	0600	80	B. mendoza
	0900	79	B. mendoza
	1200	81	B. mendoza
	1500	82	Aguilera
	1800	84	Aguilera
	2100	83	MARIE
	2400	82	MARTAS

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	81	J. OSUNA
	0600	80	Bryant
	0900	80	Bryant
	1200	81	Bryant
	1500	81	BAUTISTA
	1800	82	BAUTISTA
	2100	81	BAUTISTA
	2400	81	J. OSUNA AO

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	80	J. OSUNA
	0600	79	VALENCIA, F.
	0900	79	VALENCIA, F.
	1200	78	AGENCIA
	1500	81	Aguilera
	1800	82	Aguilera
	2100	81	Aguilera
	2400	81	J. OSUNA

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	80	CHAVEZ
	0600	79	B. mendoza
	0900	79	B. Mendoza
	1200	80	Mendoza
	1500	83	Aguilera
	1800	83	Aguilera
	2100	82	Aguilera
	2400	81	MARTAS

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	81	MARTAS
	0600	80	B. mendoza
	0900	80	B. mendoza
	1200	80	Mendoza
	1500	82	Aguilera
	1800	83	Aguilera
	2100	82	Aguilera
	2400	82	Josuna

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	80	J. OSUNA
	0600	79	M. TAVIRA
	0900	78	M. TAVIRA
	1200	80	M. TAVIRA
	1500	80	G. BAUTISTA
	1800	80	G. BAUTISTA
	2100	80	G. BAUTISTA
	2400	80	T. LAM

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2001 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW      Housing Unit: Wilson #1      Temp. Reading Location: Long/Short Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-15-24	0300	80	T-Tur
	0600	80	B-Mendoza
	0800	79	B-Mendoza
	1200	82	B-Mendoza
	1500	81	Aguilera
	1800	81	Aguilera
	2100	81	Aguilera
	2400	80	T-Tur

Tuesday

Date	Time	Temp.	Name (Print)
7-16-24	0300	80	T-Tur
	0600	80	B-Mendoza
	0800	79	B-Mendoza
	1200	80	B-Mendoza
	1500	81	Aguilera
	1800	82	Aguilera
	2100	81	Aguilera
	2400	81	T-Tur

Wednesday

Date	Time	Temp.	Name (Print)
7-17-24	0300	80	T-Tur
	0600	79	B-Mendoza
	0800	80	B-Mendoza
	1200	79	B-Mendoza
	1500	81	Aguilera
	1800	82	Aguilera
	2100	82	Aguilera
	2400	80	T-Tur

Thursday

Date	Time	Temp.	Name (Print)
7-18-24	0300	80	T-Tur
	0600	80	B-Mendoza
	0800	79	B-Mendoza
	1200	81	B-Mendoza
	1500	82	Aguilera
	1800	82	Aguilera
	2100	82	Aguilera
	2400	81	J-Osuna

Friday

Date	Time	Temp.	Name (Print)
7-19-24	0300	80	J-Osuna
	0600	82	J-Bryant
	0800	80	J-Bryant
	1200	81	J-Bryant
	1500	82	BAUTISTA
	1800	80	BAUTISTA
	2100	80	BAUTISTA
	2400	82	J-Osuna

Sunday

Date	Time	Temp.	Name (Print)
7-21-24	0300	81	T-Tur
	0600	80	B-Mendoza
	0800	80	B-Mendoza
	1200	81	B-Mendoza
	1500	82	Aguilera
	1800	83	Aguilera
	2100	83	Aguilera
	2400	82	T-Tur

Notes: Date and type of cooling measures provided

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2021 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW      Housing Unit: Wilson #1      Temp. Reading Location: Long/Short Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-22-24	0300	82	T-Tm
	0800	80	B-Mendoza
	0900	81	B-Mendoza
	1200	82	B-Mendoza
	1500	83	B-Mendoza
	1800	84	Aguilera
	2100	84	Bryant
	2400	84	T-Tm

Tuesday

Date	Time	Temp.	Name (Print)
7-23-24	0300	83	T-Tm
	0800	80	B-Mendoza
	0900	81	B-Mendoza
	1200	82	B-Mendoza
	1500	82	Aguilera
	1800	83	Aguilera
	2100	83	Hernandez
	2400	82	T-Tm

Wednesday

Date	Time	Temp.	Name (Print)
7-24-24	0300	82	T-Tm
	0800	81	B-Mendoza
	0900	82	B-Mendoza
	1200	82	B-Mendoza
	1500	83	T-Tm
	1800	83	Bryant
	2100	83	Aguilera
	2400	82	T-Tm

Thursday

Date	Time	Temp.	Name (Print)
7-25-24	0300	82	T-Tm
	0800	81	B-Mendoza
	0900	83	B-Mendoza
	1200	83	Aguilera
	1500	83	Aguilera
	1800	83	Aguilera
	2100	84	Aguilera
	2400	83	Josuna

Friday

Date	Time	Temp.	Name (Print)
7-26-24	0300	82	Josuna
	0800	81	Bryant
	0900	81	Bryant
	1200	81	Bryant
	1500	81	Ramirez
	1800	82	Ramirez
	2100	80	Camus
	2400	82	Adame

Saturday

Date	Time	Temp.	Name (Print)
7-27-24	0300	82	Adame
	0800	80	J-Bryant
	0900	82	J-Bryant
	1200	84	J-Bryant
	1500	87	A-Carla
	1800	86	Ramirez
	2100	89	Ramirez
	2400	81	T-Tm

Note: Date and type of cooling measures provided

Date	Time	Temp.	Name (Print)
7-28-24	0300	81	T-Tm
	0800	80	B-Mendoza
	0900	81	B-Mendoza
	1200	81	F-Bryant
	1500	81	Aguilera
	1800	81	Aguilera
	2100	80	F-Bryant
	2400	80	T-Tm

DISTRIBUTION: Original: Institute Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2001 (04/98)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW      Housing Unit: Wilson #1      Temp. Reading Location: Long/Short Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7-29-24	0300	79	J. Fisher
	0600	79	B. Minnizer
	0800	79	B. Minnizer
	1200	80	B. Minnizer
	1500	80	B. Minnizer
	1800	80	B. Minnizer
	2100	80	B. Minnizer
	2400	80	T. Smith

**Tuesday**

Date	Time	Temp.	Name (Print)
7-30-24	0300	79	T. Smith
	0600	79	DELA ROSA
	0800	80	DELA ROSA
	1200	81	DeLaport
	1500	80	DeLaport
	1800	81	DeLaport
	2100	80	DeLaport
	2400	80	DeLaport

**Wednesday**

Date	Time	Temp.	Name (Print)
7-31-24	0300	79	T. Smith
	0600	79	Meredith
	0800	80	MEADOR
	1200	85	Meredith
	1500	80	Meredith
	1800	81	Meredith
	2100	81	Meredith
	2400	81	T. Smith

**Thursday**

Date	Time	Temp.	Name (Print)
7-31-24	0300		
	0600		
	0800		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0800		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0800		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes:** Date and type of cooling measures provided

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW      Housing Unit: Wilson B      Temp. Reading Location: Halls 1 and 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-1-24

Date	Time	Temp.	Name (Print)
0300	83	Bryant	
0600	82	ADAMC	
0900	80	Bryant	
1200	84	Bryant	
1500	88	RUBIO	
1800	86	RUBIO	
2100	86	RUBIO	
2400	83	ADAMC	

Wednesday 7-3-24

Date	Time	Temp.	Name (Print)
0300	83	N. Hudson	
0600	82	N. Hudson	
0900	84	Overson	
1200	84	Overson	
1500	86	Overson	
1800	86	Overson	
2100	84	Overson	
2400	82	S. Hudson	

Friday 7-5-24

Date	Time	Temp.	Name (Print)
0300	82	Hegman	
0600	81	Hegman	
0900	81	Hegman	
1200	84	Hegman	
1500	87	Hegman	
1800	86	Hegman	
2100	86	Hegman	
2400	86	C. Reyes	

Sunday 7-7-24

Date	Time	Temp.	Name (Print)
0300	74	Reyes	
0600	70	Reyes	
0900	82	J. Bryant	
1200	82	J. Bryant	
1500	70	N. Hudson	
1800	70	N. Hudson	
2100	73	N. Hudson	
2400	82	Reyes	

Tuesday 7-2-24

Date	Time	Temp.	Name (Print)
0300	83	ADAMC	
0600	82	Overson	
0900	82	Overson	
1200	84	Overson	
1500	87	Overson	
1800	86	Overson	
2100	84	Overson	
2400	83	N. Hudson	

Thursday 7-4-24

Date	Time	Temp.	Name (Print)
0300	82	S. Hudson	
0600	82	COBERLY	
0900	82	COBERLY	
1200	85	COBERLY	
1500	86	COBERLY	
1800	86	Reyes	
2100	84	Reyes	
2400	82	HEMMINGER	

Saturday 7-6-24

Date	Time	Temp.	Name (Print)
0300	82	Reyes	
0600	80	Reyes	
0900	82	Reyes	
1200	83	Reyes	
1500	78	N. Hudson	
1800	78	N. Hudson	
2100	75	N. Hudson	
2400	77	Reyes	

Notes : Date and type of cooling measures provided

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson B Temp. Reading Location: Halls 1 and 2

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday** 7-8-24

Date	Time	Temp.	Name (Print)
	0300	84	RIVERA
✓	0600	85	Bryant
	0900	80	Bryant
	1200	80	Bryant
	1500	76	D. RENTERIA
	1800	85	D. RENTERIA
	2100	84	D. RENTERIA
	2400	83	N. VELAZQUEZ

**Wednesday** 7-10-24

Date	Time	Temp.	Name (Print)
	0300	83	N. Khalil
	0600	82	N. Khalil
	0900	82	Overson
	1200	83	Overson
	1500	89	Overson
	1800	84	Overson
	2100	86	Overson
	2400	82	Silfe

**Friday** 7-12-24

Date	Time	Temp.	Name (Print)
	0300	83	Silfe
	0600	83	Rhone
	0900	84	Rhone
	1200	84	Rhone
✓	1500	86	Rhone
	1800	86	Rhone
	2100	84	Rhone
	2400	82	Riviera

**Sunday** 7-14-24

Date	Time	Temp.	Name (Print)
	0300	82	RIVERA
	0600	78	Bryant
	0900	81	Bryant
	1200	81	Bryant
	1500	85	D. RENTERIA
	1800	85	D. RENTERIA
	2100	79	D. RENTERIA
	2400	83	RIVERA

**Tuesday** 7-9-24

Date	Time	Temp.	Name (Print)
	0300	82	N. VELAZQUEZ
	0600	81	Overson
	0900	82	Overson
	1200	85	Overson
	1500	84	Overson
	1800	87	Overson
	2100	86	Overson
	2400	84	N. Khalil

**Thursday** 7-11-24

Date	Time	Temp.	Name (Print)
	0300	82	Silfe
	0600	83	Overson
	0900	82	Overson
	1200	84	Overson
	1500	80	Hudson
	1800	78	Hudson
	2100	79	Hudson
	2400	83	Silfe

**Saturday** 7-13-24

Date	Time	Temp.	Name (Print)
	0300	82	RIVERA
	0600	81	Rhyme
	0900	80	Rhyme
	1200	84	Rhyme
	1500	85	Rhyme
	1800	83	Rhyme
	2100	83	Rhyme
	2400	82	RIVERA

**Notes:** Date and type of cooling measures provided

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson B Temp. Reading Location: Halls 1 and 2  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday** 7/15/24

Date	Time	Temp.	Name (Print)
	0300	82	RIVERA
	0600	81	Ramirez
	0900	81	Ramirez
	1200	83	Ramirez
	1500	84	BAUTISTA
	1800	85	BAUTISTA
	2100	83	BAUTISTA
	2400	82	N. VELAZQUEZ

**Wednesday** 7/17/24

Date	Time	Temp.	Name (Print)
	0300	82	N. Khalil
	0600	81	N. Khalil
	0900	83	A. Overson
	1200	84	A. Overson
	1500	84	A. Overson
	1800	84	A. Overson
	2100	83	A. Overson
	2400	82	S. Ife

**Friday** 7/19/24

Date	Time	Temp.	Name (Print)
	0300	84	Schnellmiller
	0600	82	Pshupe
	0900	82	Pshupe
	1200	85	Pshupe
	1500	86	Pshupe
	1800	84	Pshupe
	2100	82	Pshupe
	2400	83	Rivera

**Sunday** 7/21/24

Date	Time	Temp.	Name (Print)
	0300	83	RIVERA
	0600	82	M. Tavira
	0900	83	M. Tavira
	1200	86	M. Tavira
	1500	87	M. Tavira
	1800	87	M. Tavira
	2100	85	M. Tavira
	2400	85	ADANE

**Tuesday** 7/16/24

Date	Time	Temp.	Name (Print)
	0300	82	N. VELAZQUEZ
	0600	82	A. Overson
	0900	81	A. Overson
	1200	84	A. Overson
	1500	85	A. Overson
	1800	85	A. Overson
	2100	84	A. Overson
	2400	82	N. Khalil

**Thursday** 7/18/24

Date	Time	Temp.	Name (Print)
	0300	82	S. Ife
	0600	82	A. Overson
	0900	82	A. Overson
	1200	86	A. Overson
	1500	86	Pshupe
	1800	86	Pshupe
	2100	85	Pshupe
	2400	84	Schnellmiller

**Saturday** 7/20/24

Date	Time	Temp.	Name (Print)
	0300	83	RIVERA
	0600	82	Pshupe
	0900	83	Pshupe
	1200	84	Pshupe
	1500	86	Pshupe
	1800	86	Pshupe
	2100	85	Pshupe
	2400	84	RIVERA

**Notes:** Date and type of cooling measures provided

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: WILSON-B Temp. Reading Location: 1ST  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	82	ADAME
	0600	80	CALIFDO
	0900	83	CALIFDO
	1200	85	CALIFDO
	1500	85	PAREZ
	1800	83	A. SANTOS
	2100	81	A. SANTOS
	2400	84	N. VELAZQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	83	N. VELAZQUEZ
	0600	83	N. VELAZQUEZ
	0900	83	OVERSON
	1200	86	OVERSON
	1500	89	OVERSON
	1800	88	OVERSON
	2100	86	OVERSON
	2400	75	SILVE

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	78	SILVE
	0600	78	PSHOP
	0900	82	PSHOP
	1200	83	PSHOP
	1500	85	PSHOP
	1800	85	PSHOP
	2100	85	PSHOP
	2400	83	RIVENA

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	82	RIVENA
	0600	82	BRYANT
	0900	82	BRYANT
	1200	84	BRYANT
	1500	85	DIAZ
	1800	85	DIAZ
	2100	85	DIAZ
	2400	83	RIVENA

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	83	N. VELAZQUEZ
	0600	83	OVERSON
	0900	84	OVERSON
	1200	85	OVERSON
	1500	87	OVERSON
	1800	86	OVERSON
	2100	85	OVERSON
	2400	84	N. VELAZQUEZ

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	75	SILVE
	0600	75	MIRANDA
	0900	83	SALDANA
	1200	85	SALDANA
	1500	86	REHYS
	1800	85	REHYS
	2100	84	REHYS
	2400	78	SILVE

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	83	RIVENA
	0600	82	PSHOP
	0900	82	PSHOP
	1200	84	PSHOP
	1500	84	PSHOP
	1800	86	PSHOP
	2100	84	PSHOP
	2400	82	RIVENA

Notes: Date and type of cooling measures provided

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson B Temp. Reading Location: Halls 1 and 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday** 7/29/24

Date	Time	Temp.	Name (Print)
0300	82	Rivens	
0600	80	Bryant	
0900	81	Bryant	
1200	83	Bryant	
1500	83	Bryant	
1800	82	Bryant	
2100	86	Bryant	
2400	82	N-VELAZQUEZ	

**Wednesday** 7/31/24

Date	Time	Temp.	Name (Print)
0300	81	N-Khalil	
0600	90	N-Khalil	
0900	81	N-Green	
1200	83	N-Green	
1500	85	OVERSON	
1800	85	OVERSON	
2100	84	OVERSON	
2400	80	Silva	

**Friday**

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

**Sunday**

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

**Tuesday** 7/30/24

Date	Time	Temp.	Name (Print)
0300	81	W-Montez	C
0600	80	Overson	
0900	81	Overson	
1200	85	Overson	
1500	86	Overson	R
1800	82	Overson	
2100	83	Overson	
2400	81	N-Khalil	B

**Thursday**

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

**Saturday**

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

**Notes:** Date and type of cooling measures provided

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: BARBERING A Temp. Reading Location: BARBERING A

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	75	B. MURRAY
	0600	78	R. HARROD
	0900	78	R. HARROD
	1200	82	R. HARROD
	1500	83	G. MURRAY
	1800	83	G. MURRAY
	2100	83	S. MURRAY
	2400	79	B. MURRAY

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	75	B. MURRAY
	0600	77	STUBBLEFIELD
	0900	77	STUBBLEFIELD
	1200	77	STUBBLEFIELD
	1500	83	OLIVER
	1800	83	OLIVER
	2100	82	OLIVER
	2400	79	B. MURRAY

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	80	SALDIVAR
	0600	79	SALDIVAR
	0900	79	SURZENSKI
	1200	82	SUDICKOFF
	1500	82	CHAN
	1800	83	MORAN
	2100	82	MORAN
	2400	82	SALDIVAR

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	78	TAD
	0600	79	HORN
	0900	81	HORN
	1200	82	HORN
	1500	84	OLIVER
	1800	84	OLIVER
	2100	83	OLIVER
	2400	83	B. MURRAY

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	76	B. MURRAY
	0600	78	D. RUBIO
	0900	77	D. RUBIO
	1200	80	D. RUBIO
	1500	81	OLIVER
	1800	82	OLIVER
	2100	81	OLIVER
	2400	77	B. MURRAY

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	75	B. MURRAY
	0600	77	STUBBLEFIELD
	0900	77	STUBBLEFIELD
	1200	78	STUBBLEFIELD
	1500	83	OLIVER
	1800	83	OLIVER
	2100	81	OLIVER
	2400	81	SALDIVAR

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	81	SALDIVAR
	0600	81	EDWARD
	0900	81	EDWARD
	1200	82	EDWARD
	1500	81	MEERS
	1800	83	MEERS
	2100	82	MEERS
	2400	80	TAD

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: BANISTER GATE Temp. Reading Location: BANISTER GATE  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	78	B. Murray
	0600	79	Banuelos
	0900	80	Banuelos
	1200	81	Banuelos
	1500	63	None
	1800	82	Rightmer
	2100	82	Rightmer
	2400	81	B. Murray

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	81	B. Murray
	0600	80	Magallanes
	0900	80	Magallanes
	1200	83	Magallanes
	1500	85	Magallanes
	1800	85	Oliver
	2100	84	Oliver
	2400	83	B. Murray

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	80	Mendoza
	0600	80	Magallanes
	0900	80	Magallanes
	1200	82	Magallanes
	1500	78	Mendoza
	1800	77	Mendoza
	2100	80	Mendoza
	2400	79	Mendoza

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	79	B. Murray
	0600	74	Escalante
	0900	73	Escalante
	1200	75	Escalante
	1500	84	Oliver
	1800	84	Oliver
	2100	82	Oliver
	2400	81	B. Murray

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	80	B. Murray
	0600	79	Mendoza
	0900	80	Mendoza
	1200	82	Mendoza
	1500	84	Oliver
	1800	84	Oliver
	2100	83	Oliver
	2400	82	B. Murray

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	82	B. Murray
	0600	81	Magallanes
	0900	81	Magallanes
	1200	83	Magallanes
	1500	84	Oliver
	1800	84	Oliver
	2100	83	Oliver
	2400	82	Mendoza

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	78	Mendoza
	0600	79	Magallanes
	0900	79	Magallanes
	1200	82	Magallanes
	1500	78	Junker
	1800	77	Junker
	2100	77	Junker
	2400	76	B. Murray

Notes

E435

59

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: BARNEBERG A Temp. Reading Location: BARNEBERG A  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	80	B. MURRAY
	0600	78	MEADOR
	0900	79	Meador
	1200	80	MEADOR
	1500	83	Olivier
	1800	83	Olivier
	2100	82	Olivier
	2400	81	B. MURRAY

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	80	B. MURRAY
	0600	79	MAGALLANES
	0900	71	MAGALLANES
	1200	81	MAGALLANES
	1500	83	Oliver
	1800	83	Oliver
	2100	82	Oliver
	2400	81	B. MURRAY

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	80	MEADOR
	0600	80	D. RUBIO
	0900	81	D. RUBIO
	1200	83	D. RUBIO
	1500	84	Loredo
	1800	84	Loredo
	2100	84	Loredo
	2400	79	CASTANON

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	83	JUNKER
	0600	82	MAGALLANES
	0900	83	MAGALLANES
	1200	83	MAGALLANES
	1500	85°	Oliver
	1800	85°	Oliver
	2100	84°	Oliver
	2400	84	M'ANZONES

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	80	B. MURRAY
	0600	79	MAGALLANES
	0900	79	MAGALLANES
	1200	81	MAGALLANES
	1500	83	Oliver
	1800	83	Oliver
	2100	82	Oliver
	2400	81	B. MURRAY

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	80	B. MURRAY
	0600	80	ACOSTA
	0900	79	ACOSTA
	1200	83	ACOSTA
	1500	85°	Oliver
	1800	84°	Oliver
	2100	83°	Oliver
	2400	83	MENDOZA

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	79	CASTANON
	0600	81	MAGALLANES
	0900	82	MAGALLANES
	1200	84	MAGALLANES
	1500	86	JUNKER
	1800	89	JUNKER
	2100	82	JUNKER
	2400	82	JUNKER

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: PARNEDERG A Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5206 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
07/23/18	0300	84	M. Manriques
	0600	82	J. Moreno
	0900	84	J. Moreno
	1200	85	J. Moreno
	1500	85	T. Oliver
	1800	86	T. Oliver
	2100	86	T. Oliver
	2400	84	A. Xavier

**Tuesday**

Date	Time	Temp.	Name (Print)
07/23/18	0300	82	A. Xavier
	0600	81	M. Mendoza
	0900	82	M. Mendoza
	1200	82	M. Mendoza
	1500	86°	Oliver
	1800	86°	Oliver
	2100	84°	Oliver
	2400	80°	Burgay

**Wednesday**

Date	Time	Temp.	Name (Print)
07/24/18	0300	84	Burgay
	0600	82	Abe
	0900	80	Abe
	1200	85	Abe
	1500	86°	Oliver
	1800	86°	Oliver
	2100	85°	Oliver
	2400	83	S. Murray

**Thursday**

Date	Time	Temp.	Name (Print)
07/25	0300	82	B. Murray
	0600	82	S. Anderson
	0900	80	S. Anderson
	1200	85	S. Anderson
	1500	82	Oliver
	1800	82	Oliver
	2100	86	Oliver
	2400	86	Mendoza

**Friday**

Date	Time	Temp.	Name (Print)
07/26	0300	84	Mendoza
	0600	82	Anderson
	0900	80	Anderson
	1200	85	Anderson
	1500	80	Junker
	1800	80	Junker
	2100	82	Junker
	2400	80	Esquivel

**Saturday**

Date	Time	Temp.	Name (Print)
07/27	0300	80	Esquivel
	0600	82	Anderson
	0900	81	Anderson
	1200	83	Anderson
	1500	84	Manriques
	1800	83	Manriques
	2100	83	Manriques
	2400	81	J. Barron

**Sunday**

Date	Time	Temp.	Name (Print)
07/28	0300	80	J. Barron
	0600	79	Anderson
	0900	79	Anderson
	1200	80	A. Banuelos
	1500	83	Oliver
	1800	83	Oliver
	2100	81	Oliver
	2400	80	S. Murray

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: BARNEBERG A Temp. Reading Location: BARNEBERG A  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
7/29	0300	79	B. MURRAY
	0600	78	J. MORENO
	0900	79	J. MORENO
	1200	81	J. MORENO
	1500	82	Ollie
	1800	82	Ollie
	2100	81	Ollie
	2400	80	B. MURRAY

## Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	79	B. MURRAY
	0600	77	HUNDEIKSON
	0900	77	ANDERSON
	1200	79	HUNDEIKSON
	1500	82	ZUMAH
	1800	82	N. KHALI
	2100	80	N. KHALI
	2400	80	B. MURRAY

## Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	79	B. MURRAY
	0600	80	MURRAY
	0900	80	MURRAY
	1200	81	N. GOMEZ
	1500	80	S. TEUO
	1800	82	A. CORIA
	2100	81	A. CORIA
	2400	80	B. MURRAY

## Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		B. MURRAY
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all, non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW      Housing Unit: Barneberg B      Temp. Reading Location: Short & Long Hall

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/01/24	0300	79	SALDIVAR
	0600	79	HARRIS
	0900	80	HARRIS
	1200	81	HARRIS
	1500	82	J. DIAZ
	1800	81	J. DIAZ
	2100	80	J. DIAZ
	2400	80	DONOSO

**Tuesday**

Date	Time	Temp.	Name (Print)
7/02/24	0300	79	DONOSO
	0600	78	N. MENA
	0900	79	N. MENA
	1200	80	N. MENA
	1500	81	J. DIAZ
	1800	79	S. VARELA
	2100	78	J. DIAZ
	2400	79	MARTINEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
7/03/24	0300	79	MARTINEZ
	0600	79	MARTINEZ
	0900	79	N. MENA
	1200	80	N. MENA
	1500	81	J. DIAZ
	1800	80	J. DIAZ
	2100	80	MEN
	2400	79	DONOSO

**Thursday**

Date	Time	Temp.	Name (Print)
7/04/24	0300	79	DONOSO
	0600	78	N. MENA
	0900	79	N. MENA
	1200	82	N. MENA
	1500	81	S. VARELA
	1800	82	S. VARELA
	2100	81	S. VARELA
	2400	80	ESCALBES

**Friday**

Date	Time	Temp.	Name (Print)
7/05/24	0300	80	ESCALBES
	0600	80	N. MENA
	0900	80	N. MENA
	1200	81	N. MENA
	1500	83	E. ACOSTA
	1800	83	E. ACOSTA
	2100	84	E. ACOSTA
	2400	81	DONOSO

**Saturday**

Date	Time	Temp.	Name (Print)
7/06/24	0300	79	DONOSO
	0600	79	REGAL
	0900	80	REGAL
	1200	80	REGAL
	1500	80	VALENZUELA, F.
	1800	80	VALENZUELA, F.
	2100	79	VALENZUELA, F.
	2400	79	SALDIVAR

**Notes**

Date	Time	Temp.	Name (Print)
7/07/24	0300	78	SALDIVAR
	0600	79	HARRIS
	0900	80	HARRIS
	1200	81	HARRIS
	1500	80	J. DIAZ
	1800	81	J. DIAZ
	2100	80	J. DIAZ
	2400	81	M. MENDOZA

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all, non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: BARN B Temp. Reading Location: LONG HALL / SHORT HALL

Immediately notify the Watch Commander at extension 4910 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7-8-24	0300	80	MENDOZA
	0600	79	HARNS
	0900	70	HARNS
	1200	76	HARNS
	1500	78	JUNKER
	1800	79	JUNKER
	2100	80	JUNKER
	2400	79	J. AVILA

**Wednesday**

Date	Time	Temp.	Name (Print)
7-10-24	0300	80	KUMU
	0600	80	N. PEREZ
	0900	80	N. PEREZ
	1200	82	N. PEREZ
	1500	84	J. PEREZ
	1800	84	J. PEREZ
	2100	83	J. PEREZ
	2400	81	T. CALAVO

**Friday**

Date	Time	Temp.	Name (Print)
7-12-24	0300	78	T. SOTO
	0600	79	DELA ROSA
	0900	80	DELA ROSA
	1200	80	DELA ROSA
	1500	81	E. ACOSTA
	1800	82	E. ACOSTA
	2100	82	E. ACOSTA
	2400	80	DONBOSO

**Sunday**

Date	Time	Temp.	Name (Print)
7-14-24	0300	78	E. JONES
	0600	79	HARNS
	0900	81	HARNS
	1200	80	HARNS
	1500	80	JUNKER
	1800	80	JUNKER
	2100	81	JUNKER
	2400	80	E. JONES

**Tuesday**

Date	Time	Temp.	Name (Print)
7-9-24	0300	78	J. AVILA
	0600	79	N. PEREZ
	0900	79	N. PEREZ
	1200	80	A. MARS
	1500	80	J. MARS
	1800	82	J. MARS
	2100	82	J. MARS
	2400	80	BLUM

**Thursday**

Date	Time	Temp.	Name (Print)
7-11-24	0300	79	T. ESCOBEDO
	0600	80	N. PEREZ
	0900	80	N. PEREZ
	1200	80	N. PEREZ
	1500	80	M. CHAVEZ
	1800	80	M. CHAVEZ
	2100	80	M. CHAVEZ
	2400	79	TOLEDO

**Saturday**

Date	Time	Temp.	Name (Print)
7-13-24	0300	79	DOMINGO
	0600	75°	VALENTE, A. F.
	0900	79°	VALENTE, A. F.
	1200	80°	VALENTE, A. F.
	1500	80°	VALENTE, A. F.
	1800	79°	VALENTE, A. F.
	2100	79°	VALENTE, A. F.
	2400	78	ESQUIVEL

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: BB Temp. Reading Location: Long & Short hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				
Date	Time	Temp.	Name (Print)	
7-15-24	0300	78	Eslabedo	✓
	0600	79	HANIE	
	0900	80	HANIE	
	1200	80	HANIE	✓
	1500	79	AL	
	1800	79	JUNKER	
	2100	80	JUNKER	✓
	2400	80	HUERTA	

Tuesday				
Date	Time	Temp.	Name (Print)	
7-16-24	0300	80	HUERTA	✓
	0600	79	N. PEREZ	
	0900	79	N. PEREZ	
	1200	80	N. PEREZ	✓
	1500	82	J. CERVATO	
	1800	80	J. CERVATO	
	2100	79	J. CERVATO	
	2400	76	TOSCANO	

Wednesday				
Date	Time	Temp.	Name (Print)	
7-17-24	0300	75	TOSCANO	✓
	0600	77	N. PEREZ	
	0900	79	N. PEREZ	
	1200	80	N. PEREZ	
	1500	80	J. CERVATO	✓
	1800	79	J. CERVATO	
	2100	78	J. CERVATO	
	2400	76	TOSCANO	

Thursday				
Date	Time	Temp.	Name (Print)	
7-18-24	0300	75	TOSCANO	✓
	0600	78	N. PEREZ	
	0900	79	N. PEREZ	
	1200	83	N. PEREZ	
	1500	83	M. CHAVEZ	
	1800	80	M. CHAVEZ	
	2100	80	M. CHAVEZ	
	2400	77	TOSCANO	

Friday				
Date	Time	Temp.	Name (Print)	
7-19-24	0300	75	TOSCANO	✓
	0600	78	N. PEREZ	
	0900	79	N. PEREZ	
	1200	81	N. PEREZ	
	1500	80	ACOSTA	
	1800	81	ACOSTA	
	2100	80	ACOSTA	
	2400	80	DONOGHO	

Saturday				
Date	Time	Temp.	Name (Print)	
7-20-24	0300	79	DONOGHO	✓
	0600	79	N. PEREZ	
	0900	71	N. PEREZ	
	1200	79	VALENTINELA, F.	
	1500	80	VALENTINELA, F.	
	1800	80	VALENTINELA, F.	
	2100	80	VALENTINELA, F.	
	2400	79	ESLABEDO	

Notes				

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

6351

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJW Housing Unit: B3 Temp. Reading Location: Long A Shurt hut  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-22-24	0300	80	E. J. JORDAN
	0600	79	HARNESS
	0900	79	HARNESS
	1200	80	J. JERATO
	1500	81	N. JONES
	1800	80	N. JONES
	2100	79	N. JONES
	2400	80	INV

Tuesday

Date	Time	Temp.	Name (Print)
7-23-24	0300	80	INV
	0600	80	N. JONES
	0900	N/A	
	1200	83	J. JERATO
	1500	82	J. JERATO
	1800	81	J. JERATO
	2100	81	J. JERATO
	2400	80	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
7-24-24	0300	80	MARTINEZ
	0600	79	MARTINEZ
	0900	79	N. JONES
	1200	81	N. JONES
	1500	83	C. J. JERATO
	1800	82	J. JERATO
	2100	81	J. JERATO
	2400	81	INV

Thursday

Date	Time	Temp.	Name (Print)
7-25-24	0300	80	INV
	0600	80	N. JONES
	0900	80	N. JONES
	1200	82	N. JONES
	1500	80	SUZMAN-C
	1800	80	SUZMAN
	2100	80	SUZMAN
	2400	80	CASTANON

Friday

Date	Time	Temp.	Name (Print)
7-26-24	0300	78	CASTANON
	0600	79	N. JONES
	0900	81	N. JONES
	1200	83	N. JONES
	1500	83	E. ACOSTA
	1800	82	E. ACOSTA
	2100	82	DONOSO
	2400	82	DONOSO

Saturday

Date	Time	Temp.	Name (Print)
7-27-24	0300	81	DO-POL
	0600	81	DELURERA
	0900	78	DE LA POSA
	1200	83	DELURERA
	1500	81	VALENZUELA, F.
	1800	80	VALENZUELA, F.
	2100	79	VALENZUELA, F.
	2400	79	ESQUEDO

Notes

07.23.24 - 40°FT SPRAYED  
NOT EN UNITS

Date	Time	Temp.	Name (Print)
7-28-24	0300	78	ESQUEDO
	0600	78	HARNESS
	0900	81	HARNESS
	1200	83	HARNESS
	1500	79	JUNKER
	1800	74	JUNKER
	2100	74	JUNKER
	2400	79	C. A. JOHNSON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: BAR B Temp. Reading Location: LUNG & STURZ HALL

**Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Monday		Date	Time	Temp.	Name (Print)
July 29, 2024	0300		75°	C. A. JOHNSON	
	0600		76	W. JUNKER	
	0900		78	W. JUNKER	
	1200		80	W. JUNKER	
	1500		79	JUNKER	
	1800		79	JUNKER	
	2100		77	JUNKER	
	2400		78	J. Diaz	

## Wednesday

Date	Time	Temp.	Name (Print)
	0300	72	Torcello
	0600	76	di Perna
	0900	78	N. Perna
	1200	80	N. Perna
	1500	79	S. Ferrato
	1800	78	S. Ferrato
	2100	78	S. Ferrato
	2400	75	Torcello

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
July 30, 2009	0300	77	J. Diaz
	0600	78	R. Perez
	0900	77	R. Perez
	1200	82	R. Perez
	1500	78	J. Serrato
	1800	73	J. Serrato
	2100	78	J. Serrato
	2400	76	Torres

Thursday

Date	Time	Temp.	Name (Print)
	0300	72	TOSCARO
	0600	75	N. PENEZ
	0900	77	N. PENEZ
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

(263)

JULY 2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
J	0300	71	ACIPIO
U	0600	70	ESPINDOLA
L	0900	71	ESPINDOLA
Y	1200	71	ESPINDOLA
	1500	73	L.Hernandez
	1800	72	L.Hernandez
1	2100	71	L.Hernandez
	2400	71	ACIPIO

**Wednesday**

Date	Time	Temp.	Name (Print)
J	0300	71	ACIPIO
U	0600	71	ESPINDOLA
L	0900	71	BACA
Y	1200	71	D.Railey
	1500	72	ORTEGA
	1800	72	ORTEGA
3	2100	71	ORTEGA
	2400	71	ACIPIO

**Friday**

Date	Time	Temp.	Name (Print)
J	0300	71	Hueso
U	0600	72	C.Ramirez
L	0900	72	C.Ramirez
Y	1200	72	C.Ramirez
	1500	72	L.Hernandez
	1800	71	L.Hernandez
5	2100	71	L.Hernandez
	2400	71	CASTANON

**Sunday**

Date	Time	Temp.	Name (Print)
J	0300	71	CASTANON
U	0600	72	ESPINDOLA
L	0900	71	ESPINDOLA
Y	1200	71	ESPINDOLA
	1500	72	ORTEGA
	1800	71	ORTEGA
7	2100	71	L.Hernandez
	2400	71	Hueso

**Tuesday**

Date	Time	Temp.	Name (Print)
J	0300	71	ACIPIO
U	0600	71	ESPINDOLA
L	0900	71	Toussaint
Y	1200	71	Cervantes, B.
	1500	72	ORTEGA
	1800	71	ORTEGA
2	2100	71	ESPINDOLA
	2400	71	ACIPIO

**Thursday**

Date	Time	Temp.	Name (Print)
J	0300	71	ACIPIO
U	0600	72	ESPINDOLA
L	0900	71	ESPINDOLA
Y	1200	71	ESPINDOLA
	1500	72	ORTEGA
	1800	72	ORTEGA
4	2100	70	Hueso
	2400	71	Hueso

**Saturday**

Date	Time	Temp.	Name (Print)
J	0300	71	CASTANON
U	0600	72	KEMPER
L	0900	73	KEMPER
Y	1200	73	K. Smith
	1500	73	L.Hernandez
	1800	72	L.Hernandez
6	2100	71	L.Hernandez
	2400	71	CASTANON

**Notes:** Date and type of cooling measures provided

---



---



---



---



---



---



---



---

JULY 2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
J	0300	77	CHAVEZ
U	0600	72	ESPINOZA
L	0900	72	ESPINOZA
Y	1200	72	ESPINOZA
	1500	72	Bryant
	1800	72	Bryant
8	2100	72	Bryant
	2400	74	HEDERMAN

**Wednesday**

Date	Time	Temp.	Name (Print)
J	0300	71	AGUIRRE, L
U	0600	73	ESPINOZA
L	0900	72	TOWNSEND
Y	1200	72	TOWNSEND
	1500	74	THOMPSON
	1800	74	THOMPSON
10	2100	74	THOMPSON
	2400	78	AGUIRRE

**Friday**

Date	Time	Temp.	Name (Print)
J	0300	71	AGUIRRE
U	0600	71	TELLO
L	0900	72	TOWNSEND
Y	1200	72	TELO
	1500	74	ESPINOZA
	1800	72	TOWNSEND
12	2100	72	TOWNSEND
	2400	74	AGUIRRE

**Sunday**

Date	Time	Temp.	Name (Print)
J	0300	72	AGUIRRE
U	0600	72	AVANCE
L	0900	72	AVANCE
Y	1200	72	AVANCE
	1500	73	ZURZAWKI
	1800	73	ZURZAWKI
14	2100	77	ZURZAWKI
	2400	71	AVANCE

**Tuesday**

Date	Time	Temp.	Name (Print)
J	0300	73	HEDERMAN
U	0600	72	ESPINOZA
L	0900	72	CERVANTES
Y	1200	72	CERVANTES
	1500	71	ORTIZ
	1800	71	ORTIZ
9	2100	71	AGUIRRE
	2400	71	AGUIRRE

**Thursday**

Date	Time	Temp.	Name (Print)
J	0300	72	ACUÑA
U	0600	72	ESPINOZA
L	0900	72	ESPINOZA
Y	1200	72	ESPINOZA
	1500	72	JONIA
	1800	72	JONIA
11	2100	71	JONIA
	2400	71	ACUÑA

**Saturday**

Date	Time	Temp.	Name (Print)
J	0300	72	AGUIRRE
U	0600	72	Yoder
L	0900	72	ESDABA
Y	1200	72	RUIZ
	1500	76	ANDERSON
	1800	71	QUINTERO
13	2100	71	QUINTERO
	2400	71	AGUIRRE

**Notes:** Date and type of cooling measures provided

---



---



---



---



---



---



---



---

JULY 2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
J	0300	79	ALIPIO
U	0600	72	Espinoza
L	0900	72	TUMSEND AD
Y	1200	72	Espinoza
	1500	73	ANDERSON
	1800	75	ANDERSON
15	2100	75	ANDERSON
	2400	71	ALIPIO

**Wednesday**

Date	Time	Temp.	Name (Print)
J	0300	71	ALIPIO
U	0600	71	ESPINDOLA
L	0900	72	CENANTES
Y	1200	72	ESPINDOLA
	1500	72	ORTEGA
	1800	72	ORTEGA
17	2100	72	AGUILARRE, L
	2400	71	ORTEGA

**Friday**

Date	Time	Temp.	Name (Print)
J	0300	71	ALIPIO
U	0600	71	Huasco
L	0900	71	BACA
Y	1200	72	BACA
	1500	71	Alvizo
	1800	71	Alvizo
19	2100	71	Alvizo
	2400	72	AGUILARRE

**Sunday**

Date	Time	Temp.	Name (Print)
J	0300	72	AGUILARRE
U	0600	73	Espinoza
L	0900	73	Espinoza
Y	1200	74	Espinoza
	1500	74	ZULCZENSKI
	1800	74	ZULCZENSKI
21	2100	73	ZULCZENSKI
	2400	72	ALIPIO

**Tuesday**

Date	Time	Temp.	Name (Print)
J	0300	71	ALIPIO
U	0600	71	ESPINDOLA
L	0900	72	ESPINDOLA
Y	1200	72	BACA
	1500	72	ORTEGA
	1800	71	AGUILARRE, L
16	2100	71	AGUILARRE, L
	2400	71	ALIPIO

**Thursday**

Date	Time	Temp.	Name (Print)
J	0300	71	ORTEGA
U	0600	71	ESPINDOLA
L	0900	71	ESPINDOLA
Y	1200	71	ESPINDOLA
	1500	72	ORTEGA
	1800	72	ORTEGA
18	2100	71	ORTEGA
	2400	71	ALIPIO

**Saturday**

Date	Time	Temp.	Name (Print)
J	0300	71	AGUILARRE
U	0600	72	Espinoza
L	0900	72	Espinoza
Y	1200	73	Espinoza
	1500	74	Espinoza
	1800	74	ZULCZENSKI
20	2100	73	ZULCZENSKI
	2400	72	AGUILARRE

**Notes:** Date and type of cooling measures provided

JULY 2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
M	0300	72	ACIPOL
J	0600	72	ESPINDOLA
U	0900	71	ESPINDOLA
L	1200	71	Ezquiel
Y	1500	73	ORTEGA
	1800	72	ORTEGA
	2100	72	SZUCZEWICZ
22	2400	72	Beth

Wednesday

Date	Time	Temp.	Name (Print)
J	0300	79	ACIPOL
U	0600	72	ESPINDOLA
L	0900	72	ESPINDOLA
Y	1200	72	ESPINDOLA
	1500	75	ORTEGA
	1800	75	ORTEGA
24	2100	75	Ezquiel
	2400	78	ACIPOL

Friday

Date	Time	Temp.	Name (Print)
J	0300	72	ACIPOL
U	0600	72	SMITH
L	0900	74	TOWNSEND
Y	1200	76	TOWNSEND
	1500	75	ACIPOL
	1800	73	GUERRERO
26	2100	73	ACIPOL
	2400	72	AGUILAR

Sunday

Date	Time	Temp.	Name (Print)
J	0300	71°	C.A. THOMSON
U	0600	71°	C.A. THOMSON
L	0900	72°	Espinoza
Y	1200	71°	Ezquiel
	1500	72	SZUCZEWICZ
	1800	72	ZAVALA
28	2100	71	ZAVALA
	2400	71	CIAVIZZI

Tuesday

Date	Time	Temp.	Name (Print)
J	0300	79	ACIPOL
U	0600	72	ESPINDOLA
L	0900	75	Cervantes
Y	1200	73	Ezquiel
	1500	75	ORTEGA
	1800	75	ORTEGA
23	2100	74	ORTEGA
	2400	78	ACIPOL

Thursday

Date	Time	Temp.	Name (Print)
J	0300	78	ACIPOL
U	0600	74	ESPINDOLA
L	0900	75	Bacon
Y	1200	75	ESPINDOLA
	1500	78	Jenner
	1800	77	Pimentel
25	2100	77	JONAS
	2400	73	HEDERMAN

Saturday

Date	Time	Temp.	Name (Print)
J	0300	72	HEDERMAN
U	0600	73	Ezquiel
L	0900	72	Ezquiel
Y	1200	72	Ezquiel
	1500	73	SZUCZEWICZ
	1800	72	SZUCZEWICZ
27	2100	77	SZUCZEWICZ
	2400	71	C.A. THOMSON

Notes : Date and type of cooling measures provided

---



---



---



---



---



---



---



---

JULY 2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
J	0300	76	CHAVIEZ
U	0600	70	ESPINDOLA
L	0900	70	ESPINDOLA
Y	1200	71	ESPINDOLA
	1500	71	ZULCZEWSKI
	1800	76	ORTIZA
	2100	70	SALCZEWSKI
29	2400	71	ACIPIO

Wednesday

Date	Time	Temp.	Name (Print)
J	0300	71	ACIPIO
U	0600	71	ESPINDOLA
L	0900	71	BACA
Y	1200	71	ESPINDOLA
	1500	71	Baines
	1800	71	Baines
	2100	71	Baines
31	2400	70	ORTIZA

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
J	0300	71	KICPIO
U	0600	70	ESPINDOLA
L	0900	71	ESPINDOLA
Y	1200	71	ESPINDOLA
	1500	71	ZULCZEWSKI
	1800	71	ORTIZA
	2100	71	ZULCZEWSKI
30	2400	71	ALIJIO

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCV

Temp. Reading Location: NORTH / WEST HALLS  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 80 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
07/01/24	0300	76	DIAZ
	0600	75	RAMIREZ
	0900	75	RAMIREZ MM
	1200	74	L.HICKS
	1500	72	V.VARELA
	1800	72	L.HICKS
	2100	72	L.HICKS
	2400	74	A.DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	74	DIAZ
	0600	74	C.ALVIN
	0900	74	J.AVILA
	1200	74	J.AVILA
	1500	76	L.HICKS
	1800	76	L.HICKS
	2100	76	L.HICKS
	2400	77	A.DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	76	M.DIAZ
	0600	78	M.AVILA
	0900	72	J.THRPSON
	1200	74	J.THRPSON
	1500	74	C.HYDE
	1800	74	C.HYDE
	2100	76	L.HICKS
	2400	76	L.Tran

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	74	DIAZ
	0600	76	J.AVILA
	0900	75	J.AVILA
	1200	76	M.AVILA
	1500	78	L.HICKS
	1800	77	L.HICKS
	2100	77	L.HICKS
	2400	76	J.AVILA

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	76	J.AVILA
	0600	76	MENDOZA
	0900	76	M.AVILA
	1200	76	C.ALVIN
	1500	76	V.VARELA
	1800	76	V.VARELA
	2100	75	V.VARELA
	2400	75	Ramirez

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	75	Ramirez
	0600	75	MENDOZA
	0900	77	M.AVILA
	1200	79	M.AVILA
	1500	76	V.VARELA
	1800	76	SHE
	2100	77	SHE
	2400	75	A.VARELA

Notes

Date	Time	Temp.	Name (Print)
7/7/24	0300	75	A.VARELA
	0600	76	MENDOZA
	0900	75	MENDOZA
	1200	76	MENDOZA
	1500	74	VARELA
	1800	74	VARELA
	2100	74	VARELA
	2400	74	DIAZ

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
DCCR 2031 (04/18)

Attachment E  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCU

Temp. Reading Location: NORTH / WEST HALL  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 80 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	74	Diaz
	0600	75	J. M. ALLEN
	0900	75	J. ALLEN
	1200	76	J. ALLEN
	1500	74	J. ALLEN
	1800	74	HICKS
	2100	71	C. DRAKE
	2400	74	Diaz

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	74	Diaz
	0600	75	C. ALLEN
	0900	75	Ramirez
	1200	75	Ramirez
	1500	76	Ramirez
	1800	75	Ramirez
	2100	73	Ramirez
	2400	74	Diaz

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	74	C. RAMIREZ
	0600	75	C. ALLEN
	0900	75	M. ALVAREZ
	1200	75	S. F. INIQUEZ
	1500	75	J. ALVAREZ
	1800	76	J. ALVAREZ
	2100	75	J. ALVAREZ
	2400	74	C. RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	76	J. AVILA
	0600	74	R. MARROD
	0900	75	R. MARROD
	1200	77	R. MARROD
	1500	78	ALVAREZ
	1800	76	ALVAREZ
	2100	76	B. RAYZ
	2400	74	DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
7/11/24	0300	74	DIAZ
	0600	75	Ramirez
	0900	75	Ramirez
	1200	75	Ramirez
	1500	76	L. HICKS
	1800	76	L. HICKS
	2100	76	L. HICKS
	2400	74	DIAZ

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	74	DIAZ
	0600	75	C. ALLEN
	0900	76	C. ALLEN
	1200	76	C. ALLEN
	1500	76	L. HICKS
	1800	76	L. HICKS
	2100	74	L. HICKS
	2400	74	C. RAMIREZ

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	74	Ramirez
	0600	74	A. MARTINEZ
	0900	80	A. MARTINEZ
	1200	81	A. MARTINEZ
	1500	79	ALVAREZ
	1800	79	ALVAREZ
	2100	79	ALVAREZ
	2400	78	J. AVILA

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCU Temp. Reading Location: North / West Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/15	0300	74	Diaz
	0600	75	Ramirez RA
	0900	75	Ramirez RA
	1200	75	Ramirez RA
	1500	76	L. Hicks
	1800	78	Alvarez
	2100	77	Alvarez
	2400	74	Diaz

Tuesday			
Date	Time	Temp.	Name (Print)
7/16	0300	74	Diaz
	0600	74	C. ALLEN
	0900	75	RAMIREZ RA
	1200	75	Ramirez RA
	1500	76	L. Hicks
	1800	76	L. Hicks
	2100	74	L. Hicks
	2400	74	Diaz

Wednesday			
Date	Time	Temp.	Name (Print)
7/17	0300	74	Diaz
	0600	74	C. ALLEN
	0900	75	M. AWY
	1200	75	C. ALLEN
	1500	76	L. HICKS
	1800	76	L. HICKS
	2100	75	Ramos
	2400	74	Diaz

Thursday			
Date	Time	Temp.	Name (Print)
7/18	0300	74	Diaz
	0600	74	C. ALLEN
	0900	75	C. ALLEN
	1200	76	C. ALLEN
	1500	76	L. HICKS
	1800	76	L. HICKS
	2100	74	L. HICKS
	2400	73	B. AWY

Friday			
Date	Time	Temp.	Name (Print)
7/19	0300	78	AWY
	0600	76	C. ALLEN
	0900	77	C. ALLEN
	1200	77	C. ALLEN
	1500	77	M. LEAMA
	1800	75	C. HYDE
	2100	72	C. HYDE
	2400	72	C. RAMIREZ

Saturday			
Date	Time	Temp.	Name (Print)
7/20	0300	72	Ramirez C
	0600	72	SERNA
	0900	72	S. INFUEZ
	1200	72	S. INFUEZ
	1500	72	D. REAYD
	1800	72	D. REAYD
	2100	72	D. REAYD
	2400	72	Ramirez C

Sunday			
Date	Time	Temp.	Name (Print)
7/21	0300	72	Ramirez R
	0600	75	Ramirez RA
	0900	75	Ramirez RA
	1200	75	Ramirez RA
	1500	75	RHC
	1800	75	RHC
	2100	75	Diaz
	2400	75	Diaz

Notes: Date and type of cooling measures provided

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCU Temp. Reading Location: North / West Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/18	0300	74	Diaz
	0600	74	E. Jangui
	0900	75	Ramirez RA
	1200	75	Ramirez RA
	1500	76	L. Hicks
	1800	76	L. Hicks
	2100	74	L. Hicks
	2400	74	Diaz

Tuesday

Date	Time	Temp.	Name (Print)
7/19	0300	74	Diaz
	0600	75	Zambrano RA
	0900	75	Ramirez RA
	1200	75	Ramirez RA
	1500	76	L. Hicks
	1800	74	L. Hicks
	2100	76	L. Hicks
	2400	74	Diaz

Wednesday

Date	Time	Temp.	Name (Print)
7/20	0300	74	Diaz
	0600	75	Ramirez RA
	0900	75	Ramirez RA
	1200	76	Ramirez RA
	1500	76	L. Hicks
	1800	76	L. Hicks
	2100	76	L. Hicks
	2400	74	Diaz

Thursday

Date	Time	Temp.	Name (Print)
7/21	0300	74	Diaz
	0600	74	C. Allen
	0900	75	C. Allen
	1200	77	A. Delgado
	1500	76	L. Hicks
	1800	76	L. Hicks
	2100	76	L. Hicks
	2400	74	Diaz

Friday

Date	Time	Temp.	Name (Print)
7/22	0300	74	Diaz
	0600	76	Diaz
	0900	77	Diaz
	1200	77	Diaz
	1500	79	Yerma AD
	1800	71	Yerma
	2100	71	C. Hyde
	2400	74	C. Ramirez

Saturday

Date	Time	Temp.	Name (Print)
7/23	0300	74	C. Ramirez
	0600	75	Delgado
	0900	79	C. Cortez
	1200	76	Cortez
	1500	76	SHZ
	1800	76	Cortez AD
	2100	76	Cortez L
	2400	72	CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
7/24	0300	72	CHAVEZ
	0600	74	RAMIREZ RA
	0900	75	RAMIREZ RA
	1200	75	RAMIREZ RA
	1500	75	SHZ
	1800	74	SHZ
	2100	73	SHZ
	2400	73	Diaz

Notes: Date and type of cooling measures provided

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SC4 Temp. Reading Location: North / West Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/20/24	0300	74	Diaz
	0600	75	T. Murphy
	0900	75	Ramirez RA
	1200	75	Ramirez RA
	1500	76	L. Hicks
	1800	75	N. Shall
	2100	73	N. Shall
	2400	75	J. Avila

Tuesday

Date	Time	Temp.	Name (Print)
07/30/24	0300	74	J. Avila
	0600	75	Ramirez RA
	0900	76	Ramirez RA
	1200	76	Ramirez RA
	1500	76	L. Hicks
	1800	76	L. Hicks
	2100	74	L. Hicks
	2400	71	C.A. Johnson

Wednesday

Date	Time	Temp.	Name (Print)
07/31/24	0300	71	C.A. Johnson
	0600	71	T. Thompson
	0900	75	Ramirez RA
	1200	77	Ramirez RA
	1500	76	L. Hicks
	1800	76	L. Hicks
	2100	74	L. Hicks
	2400	74	Diaz

Thursday

Date	Time	Temp.	Name (Print)
08/01/24	0300	74	Diaz
	0600	75	C. Allen
	0900	75	M. Adams
	1200		<i>Don Allen</i>
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

---



---



---



---



---



---



---



---

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

## **Attachment E**

## **DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Monday

Monday			
Date	Time	Temp.	Name (Print)
7/01/24	0300		
	0600		
	0900	77*	M. Ritchie
	1200	78*	M. Ritchie
	1500	79*	M. Ritchie
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/02/24	0300		
	0600		
	0900	75°	M. Ritchie
	1200	76°	M. Ritchie
	1500	78°	M. Ritchie
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/03/24:	0300		
	0600		
	0900	77*	M. Ritchie
	1200	78*	M. Ritchie
	1500	79*	M. Ritchie
	1800		
	2100		
	2400		

Thursday

Thursday			
Date	Time	Temp.	Name (Print)
HOLIDAY	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Saturday		Date	Time	Temp.	Name (Print)
	0300				
	0600				
	0900				
	1200				
	1500				
	1800				
	2100				
	2400				

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes:** Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FRI SAT SUN

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

## **Attachment E**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Monday

Monday			
Date	Time	Temp.	Name (Print)
7/08/24	0300		
	0600		
	0900	81*	M. Ritchie
	1200	81*	M. Ritchie
	1500	83*	M. Ritchie
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/09/24	0300		
	0600		
	0900	79*	M. Ritchie
	1200	80*	M. Ritchie
	1500	82*	M. Ritchie
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300		
	0600		
	0900	78°	M. Ritchie
	1200	80°	M. Ritchie
	1500	83°	M. Ritchie
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300		
	0600		
	0900	79*	M. Ritchie
	1200	80*	M. Ritchie
	1500	80*	M. Ritchie
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes:** Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FRI, SAT, SUN.

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

## **Attachment E**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 4913 when the Inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300		
	0600		
	0900	80*	M. Ritchie
	1200	81*	M. Ritchie
	1500	83*	M. Ritchie
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300		
	0600		
	0900	79°	M. Ritchie
	1200	80°	M. Ritchie
	1500	81°	M. Ritchie
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300		
	0600		
	0900	78*	M. Ritchie
	1200	78*	M. Ritchie
	1500	80*	M. Ritchie
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300		
	0600		
	0900	78*	M. Ritchie
	1200	80*	M. Ritchie
	1500	81*	M. Ritchie
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes:** Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FBI SAT SUN

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/22/24	0300		
	0600		
	0900	81*	M. Ritchie
	1200	83*	M. Ritchie
	1500	84*	M. Ritchie
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
7/23/24	0300		
	0600		
	0900	81*	M. Ritchie
	1200	83*	M. Ritchie
	1500	84*	M. Ritchie
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
7/24/24	0300		
	0600		
	0900	80*	M. Ritchie
	1200	82*	M. Ritchie
	1500	84*	M. Ritchie
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
7/25/24	0300		
	0600		
	0900	76*	M. Ritchie
	1200	78*	M. Ritchie
	1500	81*	M. Ritchie
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes:** Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FRI. SAT. SUN.

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER

Temp. Reading Location: TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300		
	0600		
	0900	74°	M. Taylor
	1200	75°	M. Taylor
	1500	79°	M. Taylor
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300		
	0600		
	0900	78*	M. Ritchie
	1200	79*	M. Ritchie
	1500	81*	M. Ritchie
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300		
	0600		
	0900	76°	M. Ritchie
	1200	78°	M. Ritchie
	1500	80°	M. Ritchie
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes:** Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FRI, SAT, SUN.

---

---

---

---

---

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
8	1200	73	M DOTSON
	1500	74	Nelson
	1800	73	Nelson
	2100		
	2400		

Tuesday 7-2

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	72	M DOTSON
	1500	73	Nelson
	1800	72	Nelson
	2100		
	2400		

Wednesday 7-3

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	873	CASTRO
	1200	75	CASTRO
	1500	77	REED
	1800		
	2100		
	2400		

Thursday 7-4

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		Holiday
	1500		
	1800		
	2100		
	2400		

Friday 7-5

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	O. Padiella
	1200	74	O. Padiella
	1500	76	M. Lopez
	1800	79	M. Lopez
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall

Immediately notify the Watch Commander at extension 4913 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-8-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	72	M DOTSON
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Wednesday 7-10-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	73	M DOTSON
	1500	74	Nelson
	1800	72	Nelson
	2100		
	2400		

Friday 7-12-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	72	M DOTSON
	1500	77	Nelson
	1800	71	Nelson
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 7-9-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	72	M DOTSON
	1500	74	Nelson
	1800	74	Nelson
	2100		
	2400		

Thursday 7-11-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	73	M DOTSON
	1500	73	Nelson
	1800	73	Nelson
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW      Housing Unit: Education      Temp. Reading Location: North Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M.DOTSON
	1200	71	M.DOTSON
	1500	73	Nelson
	1800	71	Nelson
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M.DOTSON
	1200	72	M.DOTSON
	1500	73	Nelson
	1800	72	Nelson
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M.DOTSON
	1200	71	M.DOTSON
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M.DOTSON
	1200	74	J.CUELLAR
	1500	79	J.CUELLAR
	1800	80	J.CUELLAR
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
X	0900	70	M.DOTSON
	1200	73	M.DOTSON
	1500	76	N.Hudson
	1800	77	N.Hudson
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	72	M DOTSON
	1500	73	Nelson
	1800	73	Nelson
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	74	M DOTSON
	1500	73	Nelson
	1800	73	Nelson
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	73	M DOTSON
	1500	73	Nelson
	1800	73	Nelson
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	73	M DOTSON
	1500	73	Nelson
	1800	73	Nelson
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	73	M DOTSON
	1500	74	Nelson
	1800	73	Nelson
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

---



---



---



---



---



---



---



---

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**Attachment E**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	—	—
	0600	—	—
	0900	75	MEDINA
	1200	75	MEDINA
	1500	75	MEDINA
	1800	73	Nelson
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300		
	0600		
	0900	70	M/J/J/S/N
	1200	72	M/J/J/S/N
	1500	74	Nelson
	1800	73	Nelson
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/11	0300		
	0600		
	0900	72	J. AVILA
	1200	73	J. AVILA
	1500	73	Nelson
	1800	72	Nelson
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/02	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes:** Date and type of cooling measures provided

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LW Housing Unit: RLV Forestry Temp. Reading Location: Hg 11  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
07.01.24	0300	70	Fescalante
	0600	80	Van Allen
	0900	79	Van Allen
	1200	82	Gmunden
	1500	89	N. Velazquez
	1800	84	N. Velazquez
	2100	82	S. Alvaro
	2400	81	N. Velazquez

## Wednesday

Date	Time	Temp.	Name (Print)
07.03.24	0300	78	Marquez
	0600	79	S. Infantez
	0900	79	S. Infantez
	1200	82	S. Infantez
	1500	84	S. Infantez
	1800	84	Eagle
	2100	82	Eagle
	2400	81	Marquez

## Friday

Date	Time	Temp.	Name (Print)
07.05.24	0300	80	N. Velazquez
	0600	80	Van Allen
	0900	78	Van Allen
	1200	84	Van Allen
	1500	88	Van Allen
	1800	84	Van Allen
	2100	84	Van Allen
	2400	82	Marquez

## Sunday

Date	Time	Temp.	Name (Print)
07.07.24	0300	79	Josuna
	0600	80	Van Allen
	0900	82	Van Allen
	1200	84	Van Allen
	1500	85	Van Allen
	1800	84	Escalante
	2100	85	Escalante
	2400	82	Fescalante

## Tuesday

Date	Time	Temp.	Name (Print)
07.02.24	0300	80	N. Velazquez
	0600	80	Brown
	0900	80	Conrad
	1200	84	C. Mendez
	1500	87	S. Alvaro
	1800	86	S. Alvaro
	2100	89	Esque
	2400	80	Marquez

## Thursday

Date	Time	Temp.	Name (Print)
07.04.24	0300	71	Marquez
	0600	77	Baptista
	0900	79	Baptista
	1200	80	Baptista
	1500	85	Esque
	1800	84	Esque
	2100	85	Escherb
	2400	81	N. Velazquez

## Saturday

Date	Time	Temp.	Name (Print)
07.06.24	0300	80	Marquez
	0600	81	M. Lawrence
	0900	81	Van Allen
	1200	82	Van Allen
	1500	84	Esque
	1800	82	Esque
	2100	80	Esque
	2400	80	Josuna

## Notes

---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RCU Temp. Reading Location: GP Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
07/08/24	0300	79	WANG
	0600	79	PULICARI
	0900	79	ESPINOZA
	1200	77	ESPINOZA
	1500	86	N. VELAZQUEZ
	1800	85	N. VELAZQUEZ
	2100	84	N. VELAZQUEZ
	2400	79	Wang

**Wednesday**

Date	Time	Temp.	Name (Print)
07/10/24	0300	76	Marguer
	0600	77	CASANCI
	0900	77	CASANCI
	1200	78	NEALIAN
	1500	79	SERNA
	1800	81	SERNA
	2100	82	SERNA
	2400	82	Marguer

**Friday**

Date	Time	Temp.	Name (Print)
07/12/24	0300	78	Marguer
	0600	78	CASANCI
	0900	77	CASANCI
	1200	82	VanAken
	1500	81	SERNA
	1800	81	N. VELAZQUEZ
	2100	82	N. VELAZQUEZ
	2400	81	S. T. FUERZ

**Sunday**

Date	Time	Temp.	Name (Print)
07/14/24	0300	80	K-Way
	0600	80	M. Tavares
	0900	78	M. BAILEY
	1200	82	M. BAILEY
	1500	81	O. Edwards
	1800	80	O. Edwards
	2100	80	O. Edwards
	2400	80	UNCLPING

**Tuesday**

Date	Time	Temp.	Name (Print)
07/09/24	0300	79	Wang
	0600	79	ARRAU
	0900	79	ARRAU
	1200	81	ARRAU
	1500	81	Ramirez RA
	1800	80	Ramirez RA
	2100	79	Ramirez RA
	2400	79	Marguer

**Thursday**

Date	Time	Temp.	Name (Print)
07/11/24	0300	76	Marguer
	0600	76	CASANCI
	0900	78	CASANCI
	1200	81	CASANCI
	1500	81	D. Edwards
	1800	80	D. Edwards
	2100	80	O. Edwards
	2400	79	Marguer

**Saturday**

Date	Time	Temp.	Name (Print)
07/13/24	0300	78	Marguer
	0600	79	CASANCI
	0900	79	CASANCI
	1200	81	VanAken
	1500	83	N. VELAZQUEZ
	1800	82	SERNA
	2100	81	N. VELAZQUEZ
	2400	79	K. Ware

**Notes:** Date and type of cooling measures provided

---



---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RCU Temp. Reading Location: GP Hall (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) 6410

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
07/15/24	0300	80	K. Way
	0600	79	Hueso ✓
	0900	79	Hueso
	1200	80	Hueso
	1500	87	N. VELAZQUEZ
	1800	87	N. VELAZQUEZ
	2100	85	N. VELAZQUEZ
	2400	79	Marcuez

Tuesday			
Date	Time	Temp.	Name (Print)
07/16/24	0300	78	K. Way
	0600	78	Araiza
	0900	79	ARAIZA
	1200	82	ARAIZA
	1500	79	RAMIREZ
	1800	77	RAMIREZ
	2100	78	RAMIREZ
	2400	79	MARTINEZ

Wednesday			
Date	Time	Temp.	Name (Print)
07/17/24	0300	79	MARTINEZ
	0600	79	MARTINEZ
	0900	80	C. mendoza
	1200	82	C. mendoza
	1500	83	M. mendoza
	1800	87	M. mendoza
	2100	87	M. mendoza
	2400	80	Manguez

Thursday			
Date	Time	Temp.	Name (Print)
07/18/24	0300	79	Manguez
	0600	79	C. J. TAUER
	0900	82	C. J. TAUER
	1200	85	C. J. TAUER
	1500	84	SERNA
	1800	84	SERNA
	2100	84	SERNA
	2400	82	S. J. TAUER

Friday			
Date	Time	Temp.	Name (Print)
07/19/24	0300	81	S. J. TAUER
	0600	81	ENSALV
	0900	81	ENSALV
	1200	85	M. mendoza
1500	90	N. VELAZQUEZ	
1800	85	N. VELAZQUEZ	
2100	85	N. VELAZQUEZ	
2400	88	S. J. TAUER	

Saturday			
Date	Time	Temp.	Name (Print)
07/20/24	0300	82	S. J. TAUER
	0600	82	C. J. TAUER
	0900	80	Van Allen
	1200	84	C. J. TAUER
1500	85	SERNA	
1800	83	SERNA	
2100	85	SERNA	
2400	81	K. Way	

## Notes

Filled Igloos with ice and water  
Offered Showers

STAGE II. DEACTIVATED 7/19/24 @ 1700

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RCU

Temp. Reading Location: Gp HALL  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/22/2024	0300	81	K. Wong
	0600	81	Van Allen
	0900	80	C. mendon
	1200	82	C. mendon
	1500	81	N. Vazquez
	1800	87	N. Vazquez
	2100	87	N. Vazquez
	2400	81	Marguer

#### Tuesday

Date	Time	Temp.	Name (Print)
7/23/2024	0300	80	Marguer
	0600	80	Araiza
	0900	81	C. mendon
	1200	84	Araiza
	1500	85	Ramirez
	1800	85	Ramirez
	2100	85	Ramirez
	2400	80	Marguer

#### Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300	79	Marguer
	0600	79	C. mendon
	0900	81	C. mendon
	1200	84	C. mendon
	1500	85	SEKMA
	1800	83	SEKMA
	2100	83	SEKMA
	2400	80	Marguer

#### Thursday

Date	Time	Temp.	Name (Print)
7/25/2024	0300	79	Marguer
	0600	79	CASTANON
	0900	82	CASTANON
	1200	84	CASTANON
	1500	84	CASTANON
	1800	83	TRAN
	2100	84	TRAN
	2400	80	S. JAVIER

#### Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300	79	S. JAVIER
	0600	79	CASTANON
	0900	82	Van Allen
	1200	87	Van Allen
	1500	85	SEKMA
	1800	87	SEKMA
	2100	85	SEKMA
	2400	83	S. JAVIER

#### Saturday

Date	Time	Temp.	Name (Print)
7/27/2024	0300	81	S. JAVIER
	0600	80	M. BARBER
	0900	80	Van Allen
	1200	84	CASTANON
	1500	85	SEKMA
	1800	83	SEKMA
	2100	82	SEKMA
	2400	80	CASTANON

#### Sunday

Date	Time	Temp.	Name (Print)
7/28/2024	0300	79	CASTANON
	0600	79	M. BARBER
	0900	87	Quintero
	1200	82	M. BARBER
	1500	80	Chavez
	1800	84	Chavez
	2100	84	Chavez
	2400	80	Quintero

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RCU Temp. Reading Location: GP Hall  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
07/29/24	0300	79	K.Way
	0600	79	C.mundan
	0900	78	C.mundan
	1200	80	Von Allen
	1500	83	N.VELAZQUEZ
	1800	89	N.VELAZQUEZ
	2100	82	N.VELAZQUEZ
	2400	80	Marguer

#### Tuesday

Date	Time	Temp.	Name (Print)
07/30/24	0300	79	Marguer
	0600	79	ARA 12A
	0900	79	ARA 12A
	1200	83	C.mundan
	1500	79	Ramiro 12A
	1800	76	Ramiro 12A
	2100	76	Ramire 12A
	2400	79	Marguer

#### Wednesday

Date	Time	Temp.	Name (Print)
07/31/24	0300	78	Marguer
	0600	74	CRAVEN
	0900	74	CRAVEN
	1200	84	CRAVEN
	1500	83	M.burg
	1800	80	M.burg
	2100	80	SEKWA
	2400	80	Marguer

#### Thursday

Date	Time	Temp.	Name (Print)
08/01/24	0300		Marguer
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Friday

Date	Time	Temp.	Name (Print)
08/02/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
08/04/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
08/03/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Notes

## Attachment D

STATE OF CALIFORNIA

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JULY 2024	0100	68	J. Torres
	0200	66	J. Torres
	0300	65	J. Torres
	0400	63	J. Torres
	0500	61	J. Torres
	0600	62	HOLGUIN
	0700	67	HOLGUIN
	0800	69	HOLGUIN
	0900	75	HOLGUIN
	1000	81	HOLGUIN
	1100	87	HOLGUIN
	1200	91	HOLGUIN
	1300	94	HOLGUIN
	1400	94	HOLGUIN
	1500	94	RUEDA
	1600	94	RUEDA
	1700	90	RUEDA
	1800	85	RUEDA
	1900	80	RUEDA
	2000	75	RUEDA
	2100	72	RUEDA
	2200	69	M. CAMPO
	2300	67	M. CAMPO
	2400	66	M. CAMPO

1147  
90°1733  
86°

Date	Time	Temp.	Printed Name
JULY 2024	0100	65	M. CAMPO
	0200	64	M. CAMPO
	0300	63	M. CAMPO
	0400	62	M. CAMPO
	0500	62	M. CAMPO
	0600	59	M. Caswell
	0700	62	M. Caswell
	0800	65	M. Caswell II
	0900	70	M. Caswell
	1000	76	M. Caswell
	1100	81	M. Caswell
	1200	87	ROJILLO
	1300	89	M. Caswell
	1400	90	M. Caswell
	1500	91	M. Caswell II
	1600	90	M. Caswell
	1700	88	M. Caswell
	1800	86	M. Caswell
	1900	82	M. Caswell II
	2000	77	M. Caswell
	2100	74	M. Caswell II
	2200	73	M. CAMPO
	2300	71	M. CAMPO
	2400	69	M. CAMPO

1400  
Stage I  
Heat Alert  
1615  
89°F 68°F  
Heat Alert

## Attachment D

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIN

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Tower 1

Immediately notify the Watch Commander at extension 9913 when the air temperature reaches 90 degrees.

SIAG6E

1123  
Houns.

Date	Time	Temp.	Printed Name
	0100	67	M.CADM
	0200	66	M.CADM
	0300	65	M.CADM
	0400	63	M.CADM
	0500	64	M.CADM
	0600	66	S.Tonnes
	0700	70	S.Tonnes
	0800	73	S.Tonnes
	0900	77	S.Tonnes
	1000	84	S.Tonnes
	1100	86	S.Tonnes
	1200	84	S.Tonnes
	1300	95	S.Tonnes
	1400	97	S.Tonnes
	1500	93	M.Caswell
	1600	91	M.Caswell
	1700	89	M.Caswell
	1800	86	M.Caswell
	1900	84	M.Caswell
	2000	79	M.Caswell
	2100	75	M.Caswell
	2200	72	Albert
	2300	71	Albert
	2400	70	Albert

1 3 + 2 4  
7 11700  
Off Heat  
About

Date	Time	Temp.	Printed Name
	0100	70	Albert
	0200	68	Albert
	0300	67	Albert
	0400	65	Albert
	0500	65	Albert
	0600	66	HOLGUIN
	0700	67	HOLGUIN
	0800	69	HOLGUIN
	0900	74	HOLGUIN
	1000	80	HOLGUIN
	1100	84	HOLGUIN
	1200	87	HOLGUIN
	1300	90	HOLGUIN
	1400	91	M.Caswell
	1500	92	M.Caswell
	1600	91	M.Caswell
	1700	89	M.Caswell
	1800	87	M.Caswell
	1900	83	M.Caswell
	2000	79	M.Caswell
	2100	76	M.Caswell
	2200	73	Albert
	2300	72	Albert
	2400	70	Albert

1752  
Off Heat  
Y

DISTRIBUTION: Original: Institution ADA Coordinator

X7491

INSTITUTION: CHW

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	70	Albert
	0200	66	Albert
	0300	64	Albert
	0400	63	Albert
	0500	63	Albert
	0600	64	HOLGUIN
	0700	66	HOLGUIN
	0800	70	HOLGUIN
	0900	77	HOLGUIN
	1000	83	HOLGUIN
	1100	88	HOLGUIN
	1200	93	HOLGUIN
	1300	96	HOLGUIN
	1400	100°	E. HAM
	1500	99°	E. HAM
	1600	98°	E. HAM
	1700	97°	E. HAM
	1800	93°	E. HAM
	1900	88°	E. HAM
	2000	84°	E. HAM
	2100	80°	E. HAM
	2200	79	J. Torres
	2300	78	J. Torres
	2400	76	J. Torres

FRIDAY JUNE 5, 2024

115  
90°

Date	Time	Temp.	Printed Name
	0100	74	J. Torres
	0200	72	J. Torres
	0300	70	J. Torres
	0400	69	J. Torres
	0500	68	J. Torres
	0600	68	HOLGUIN
	0700	70	HOLGUIN
	0800	73	HOLGUIN
	0900	77	HOLGUIN
	1000	80	HOLGUIN
	1100	81	HOLGUIN
	1200	83	HOLGUIN
	1300	84	HOLGUIN
	1400	89°	E. HAM
	1500	92°	E. HAM
	1600	93°	E. HAM
	1700	92°	E. HAM
	1800	89°	E. HAM
	1900	86°	E. HAM
	2000	81°	E. HAM
	2100	79°	E. HAM
	2200	77	J. Torres
	2300	75	J. Torres
	2400	73	J. Torres

OFF STAGE 1 HEAT @ 1940 (85°) ON STAGE 1 HEAT ALERT (92°)

@1500. OFF STAGE 1 HEAT  
ALERT @ 1900 (86°)

## Attachment D

STATE OF CALIFORNIA

**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C-LW.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER-1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JULY 7-2024	0100	71	J. TORRES
	0200	69	J. TORRES
	0300	68	J. TORRES
	0400	67	J. TORRES
	0500	66	J. TORRES
	0600	67	HOLGUIN
	0700	68	HOLGUIN
	0800	71	HOLGUIN
	0900	75	HOLGUIN
	1000	80	HOLGUIN
	1100	84	HOLGUIN
	1200	88	HOLGUIN
	1300	91	HOLGUIN
	1400	92	HOLGUIN
	1500	92	HARRIS
	1600	90	HARRIS
	1700	88	HARRIS
	1800	85	HARRIS
	1900	81	HARRIS
	2000	77	HARRIS
	2100	75	HARRIS
	2200	73	J. TORRES
	2300	72	J. TORRES
	2400	71	J. TORRES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

1238  
90°

## Attachment D

STATE OF CALIFORNIA

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

C.I.W.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY JULY 8, 2024	0100	69	J. Torres
	0200	68	J. Torres
	0300	67	J. Torres
	0400	65	J. Torres
	0500	63	J. Torres
	0600	63	HOLGUIN
	0700	65	HOLGUIN
	0800	70	HOLGUIN
	0900	74	HOLGUIN
	1000	77	HOLGUIN
	1100	83	HOLGUIN
	1200	86	HOLGUIN
	1300	89	HOLGUIN
	1400	91	M. Caswell
	1500	90	M. Caswell
	1600	89	M. Caswell
	1700	88	M. Caswell
	1800	86	M. Caswell
	1900	83	M. Caswell
	2000	79	M. Caswell
	2100	76	M. Caswell
	2200	73	M. Caswell
	2300	70	M. Caswell
	2400	69	M. Caswell

1320  
90°1620  
89°

JULY 8, 2024

MONDAY

Date	Time	Temp.	Printed Name
TUESDAY JULY 9, 2024	0100	68	M. Caswell
	0200	67	M. Caswell
	0300	67	M. Caswell
	0400	66	M. Caswell
	0500	65	M. Caswell
	0600	66	C. Villafan
	0700	71	C. Villafan
	0800	71	C. Villafan
	0900	75	C. Villafan
	1000	80	C. Villafan
	1100	87	C. Villafan
	1200	91	C. Villafan
	1300	94	C. Villafan
	1400	94	J. Munoz
	1500	97	R. Miranda
	1600	97	R. Miranda
	1700	94	M. Caswell
	1800	91	M. Caswell
	1900	87	M. Caswell
	2000	81	M. Caswell
	2100	78	M. Caswell
	2200	75	M. Caswell
	2300	73	M. Caswell
	2400	72	M. Caswell

840  
off 11  
191938  
24  
30 empty

## Attachment D

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CW

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: THUR 1

Immediately notify the Watch Commander at extension Y913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-10-24	0100	71	M. Caswell
	0200	70	M. Caswell
	0300	69	M. Caswell
	0400	68	M. Caswell
	0500	67	M. Caswell
	0600	67	M. Caswell
	0700	70	S. Tonnes
	0800	73	S. Tonnes
	0900	79	S. Tonnes
	1000	84	S. Tonnes
	1100	90	S. Tonnes
	1200	92	S. Tonnes
	1300	94	S. Tonnes
	1400	98	M. Caswell
	1500	98	M. Caswell
	1600	97	M. Caswell
	1700	95	M. Caswell
	1800	94	M. Caswell
	1900	89	M. Caswell
	2000	83	M. Caswell
	2100	79	M. Caswell
	2200	77	Albert
	2300	75	Albert
	2400	72	Albert

1945 84°  
 off Stage I

Date	Time	Temp.	Printed Name
7-11-24	0100	70	Albert
	0200	68	Albert
	0300	67	Albert
	0400	67	Albert
	0500	66	Albert
	0600	65	HOLGUIN
	0700	67	HOLGUIN
	0800	70	HOLGUIN
	0900	75	HOLGUIN
	1000	80	HOLGUIN
	1100	84	HOLGUIN
	1200	88	HOLGUIN
	1300	91	HOLGUIN
	1400	93	M. Caswell
	1500	94	M. Caswell
	1600	93	M. Caswell
	1700	91	M. Caswell
	1800	90	M. Caswell
	1900	88	M. Caswell
	2000	82	M. Caswell
	2100	78	M. Caswell
	2200	75	Albert
	2300	73	Albert
	2400	72	Albert

1246  
9001940 I  
off Stage I  
84°

## Attachment D

STATE OF CALIFORNIA

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: \_\_\_\_\_

TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	69	AUBURN
	0200	67	AUBURN
	0300	66	AUBURN
	0400	66	AUBURN
	0500	65	AUBURN
	0600	66	HOLGUIN
	0700	67	HOLGUIN
	0800	70	HOLGUIN
	0900	74	HOLGUIN
	1000	78	HOLGUIN
	1100	82	HOLGUIN
	1200	85	HOLGUIN
	1300	87	HOLGUIN
	1400	86°	E.HAM
	1500	88°	E.HAM
	1600	88°	E.HAM
	1700	87°	E.HAM
	1800	84°	E.HAM
	1900	82°	E.HAM
	2000	80°	E.HAM
	2100	76°	E.HAM
	2200	75	Callos
	2300	74	Callos
	2400	72	Callos

FRI 7/12/24

Date	Time	Temp.	Printed Name
	0100	71°	Callos
	0200	68°	Callos
	0300	69°	Callos
	0400	68°	Callos
	0500	67°	Callos
	0600	65	HOLGUIN
	0700	70	HOLGUIN
	0800	72	HOLGUIN
	0900	74	HOLGUIN
	1000	79	HOLGUIN
	1100	81	HOLGUIN
	1200	86	HOLGUIN
	1300	92	HOLGUIN
	1400	93°	E.HAM
	1500	96°	E.HAM
	1600	96°	E.HAM
	1700	91°	E.HAM
	1800	86°	E.HAM
	1900	82°	E.HAM
	2000	78°	E.HAM
	2100	74°	E.HAM
	2200	72	J.Torres
	2300	71	J.Torres
	2400	69	J.Torres

OFF STAGE 1 HEAT @ 1820 (85°)1230  
90°

## Attachment D

STATE OF CALIFORNIA

**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER-1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JULY 14, 2024	0100	69	J. TORRES
	0200	68	J. TORRES
	0300	67	J. TORRES
	0400	66	J. TORRES
	0500	65	J. TORRES
	0600	65	L. MARTINEZ
	0700	67	L. MARTINEZ
	0800	69	L. MARTINEZ
	0900	74	L. MARTINEZ
	1000	79	L. MARTINEZ
	1100	83	L. MARTINEZ
	1200	87	L. MARTINEZ
	1300	88	L. MARTINEZ
	1400	90	M. CASWELL
	1500	91	M. CASWELL
	1600	90	M. CASWELL
	1700	88	M. CASWELL
	1800	85	M. CASWELL
	1900	81	M. CASWELL
	2000	78	M. CASWELL
	2100	75	M. CASWELL
	2200	74	J. TORRES
	2300	72	J. TORRES
	2400	70	J. TORRES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

3rd 1<sup>st</sup> Stage Heat Alert  
87°

## Attachment D

STATE OF CALIFORNIA

**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER-1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY JULY 15, 2024	0100	69	J. Torres
	0200	67	J. Torres
	0300	66	J. Torres
	0400	65	J. Torres
	0500	64	J. Torres
	0600	65	HOLGUIN
	0700	66	HOLGUIN
	0800	69	HOLGUIN
	0900	72	HOLGUIN
	1000	76	HOLGUIN
	1100	81	HOLGUIN
	1200	85	HOLGUIN
	1300	88	HOLGUIN
	1400	89	HOLGUIN
	1500	90	M. Caswell
	1600	89	M. Caswell
	1700	87	M. Caswell
	1800	85	M. Caswell
	1900	81	M. Caswell
	2000	78	M. Caswell
	2100	75	M. Caswell
	2200	76	M. CANON
	2300	73	M. CANON
	2400	71	M. CANON

1st Start  
1420  
90°  
off 1st Start  
1655 88°

Date	Time	Temp.	Printed Name
TUESDAY JULY 16, 2024	0100	68	M. CANON
	0200	67	M. CANON
	0300	66	M. CANON
	0400	65	M. CANON
	0500	65	M. CANON
	0600	65	HARRIS
	0700	66	HARRIS
	0800	68	HARRIS
	0900	71	HARRIS
	1000	75	HARRIS
	1100	80	HARRIS
	1200	83	HALILIS
	1300	86	HARRIS
	1400	88	M. Caswell
	1500	89	M. Caswell
	1600	87	M. Caswell
	1700	86	M. Caswell
	1800	84	M. Caswell
	1900	81	M. Caswell
	2000	78	M. Caswell
	2100	75	M. Caswell
	2200	74	M. CANON
	2300	70	M. CANON
	2400	71	M. CANON

## Attachment D

STATE OF CALIFORNIA

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CWA

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Mark 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	69	M. Caswell
	0200	69	M. Caswell
	0300	67	M. Caswell
	0400	66	M. Caswell
	0500	65	M. Caswell
	0600	66	S. Tonnes
	0700	67	S. Tonnes
	0800	68	S. Tonnes
	0900	71	S. Tonnes
	1000	76	S. Tonnes
	1100	80	S. Tonnes
	1200	85	S. Tonnes
	1300	86	S. Tonnes
	1400	89	S. Tonnes
	1500	91	M. Caswell
	1600	90	M. Caswell
	1700	90	M. Caswell
	1800	91	M. Caswell
	1900	84	M. Caswell
	2000	80	M. Caswell
	2100	77	M. Caswell
	2200	74	Albert
	2300	72	Albert
	2400	71	Albert

JULY 11-12

1152 ap  
1st Stage  
Heat Alert  
1801  
Off 1st Stage  
87°

Date	Time	Temp.	Printed Name
	0100	69	Albert
	0200	69	Albert
	0300	67	Albert
	0400	66	Albert
	0500	65	Albert
	0600	65	HOLGUN
	0700	67	HOLGUN
	0800	71	HOLGUN
	0900	76	HOLGUN
	1000	81	HOLGUN
	1100	86	HOLGUN
	1200	90	HOLGUN
	1300	92	HOLGUN
	1400	93	M. Caswell
	1500	93	M. Caswell
	1600	92	M. Caswell
	1700	90	M. Caswell
	1800	89	M. Caswell
	1900	83	M. Caswell
	2000	79	M. Caswell
	2100	76	M. Caswell
	2200	74	Pedse
	2300	71	Pedse
	2400	71	Pedse

THURSDAY JULY 12, 2004

1200  
90°Off 1st  
Stage 87°  
1820

## Attachment D

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIVW

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TDVVER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	68°	Pluse
	0200	68°	Pluse
	0300	68°	Pluse
	0400	65°	Pluse
	0500	65°	Pluse
	0600	65	HOLGUIN
	0700	67	HOLGUIN
	0800	72	HOLGUIN
	0900	76	HOLGUIN
	1000	82	HOLGUIN
	1100	87	HOLGUIN
	1200	91	HOLGUIN
	1300	94	HOLGUIN
	1400	99°	E. HAM
	1500	98°	E. HAM
	1600	97°	E. HAM
	1700	95°	E. HAM
	1800	92°	E. HAM
	1900	89°	E. HAM
	2000	84°	E. HAM
	2100	79°	E. HAM
	2200	78	J. Torres
	2300	76	J. Torres
	2400	74	J. Torres

FRIDAY July 19, 2014

1134  
90°

Date	Time	Temp.	Printed Name
	0100	72	J. Torres
	0200	70	J. Torres
	0300	69	J. Torres
	0400	68	J. Torres
	0500	67	J. Torres
	0600	68	HOLGUIN
	0700	70	HOLGUIN
	0800	76	HOLGUIN
	0900	81	HOLGUIN
	1000	86	HOLGUIN
	1100	91	HOLGUIN
	1200	95	HOLGUIN
	1300	97	HOLGUIN
	1400	99	L. Bree
	1500	99	L. Bree
	1600	98	L. Bree
	1700	97	L. Bree
	1800	95	M. Bree
	1900	87	M. Bree
	2000	85	M. Bree
	2100	82	M. Bree
	2200	79	J. Torres
	2300	76	J. Torres
	2400	75	J. Torres

1045  
90°

7/19 OFF STAGE 1 HEAT @  
1950 (84°)

7/20 OFF Stage 1  
Heat @ 1902 - 2002  
85

## Attachment D

STATE OF CALIFORNIA

**OUTSIDE TEMPERATURE RECORD**

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

C.I.W.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER-1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JULY 21, 2024	0100	72	J. Torres
	0200	70	J. Torres
	0300	69	J. Torres
	0400	68	J. Torres
	0500	67	J. Torres
	0600	68	HOLGUIN
	0700	71	HOLGUIN
	0800	74	HOLGUIN
	0900	79	HOLGUIN
	1000	84	HOLGUIN
	1100	89	HOLGUIN
	1200	91	HOLGUIN
	1300	94	HOLGUIN
	1400	95	M. Caswell
	1500	95	M. Caswell
	1600	93	M. Caswell
	1700	91	M. Caswell
	1800	88	M. Caswell
	1900	83	M. Caswell
	2000	78	M. Caswell
	2100	76	M. Caswell
	2200	74	J. Torres
	2300	72	J. Torres
	2400	71	J. Torres

1124  
90°85°  
1835 off 1<sup>st</sup> Stage Alert  
Heat Alert

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## Attachment D

STATE OF CALIFORNIA

**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: \_\_\_\_\_

C.I.W.

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY JULY 22, 2024	0100	70	J. Torres
	0200	69	J. Torres
	0300	68	J. Torres
	0400	67	J. Torres
	0500	66	J. Torres
	0600	67	HOLGUIN
	0700	69	HOLGUIN
	0800	72	HOLGUIN
	0900	77	HOLGUIN
	1000	81	HOLGUIN
	1100	86	HOLGUIN
	1200	89	HOLGUIN
	1300	92	HOLGUIN
	1400	95	HOLGUIN
	1500	95	HOLGUIN
	1600	94	M. Caswell
	1700	92	M. Caswell
	1800	90	M. Caswell
	1900	85	M. Caswell
	2000	82	M. Caswell
	2100	79	M. Caswell
	2200	78	M. Caswell
	2300	76	M. Caswell
	2400	75	M. Caswell

1206  
90°Off 1<sup>st</sup>  
Stage  
1911 840

Date	Time	Temp.	Printed Name
TUESDAY JULY 23, 2024	0100	72	M. Caswell
	0200	71	M. Caswell
	0300	70	M. Caswell
	0400	70	M. Caswell
	0500	70	M. Caswell
	0600	66	M. Caswell
	0700	68	M. Caswell
	0800	73	M. Caswell
	0900	78	M. Caswell
	1000	83	M. Caswell
	1100	88	M. Caswell
	1200	89	M. Caswell
	1300	93	M. Caswell
	1400	95	M. Caswell
	1500	95	M. Caswell
	1600	94	M. Caswell
	1700	92	M. Caswell
	1800	89	M. Caswell
	1900	86	M. Caswell
	2000	81	M. Caswell
	2100	79	M. Caswell
	2200	76	M. Caswell
	2300	75	M. Caswell
	2400	74	M. Caswell

1225  
1<sup>st</sup> Stage  
Heat Alert1840 8P  
Off 1<sup>st</sup>  
Stage

## Attachment D

STATE OF CALIFORNIA

**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIN

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Wmk 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
STAGE 1 90° 1053	0100	74	M.Campit
	0200	73	M.Campit
	0300	72	M.Campit
	0400	71	M.Campit
	0500	70	M.Campit
	0600	70	S.TORNEs
	0700	71	S.TORNEs
	0800	75	S.TORNEs
	0900	81	S.TORNEs
	1000	86	S.TORNEs
	1100	90	S.TORNEs
	1200	95	S.TORNEs
	1300	97	S.TORNEs
	1400	96	J.Della
	1500	96	J.Della
	1600	95	J.Della
	1700	94	J.Della
	1800	92	J.Della
	1900	89	J.Della
	2000	84	J.Della
	2100	81	J.Della
	2200	79	Albert
	2300	77	Albert
	2400	77	Albert

Date	Time	Temp.	Printed Name
THURSDAY JULY 25, 2013	0100	76	Albert
	0200	74	Albert
	0300	73	Albert
	0400	73	Albert
	0500	71	Albert
	0600	71	HOLGUIN
	0700	72	HOLGUIN
	0800	76	HOLGUIN
	0900	81	HOLGUIN
	1000	86	HOLGUIN
	1100	91	HOLGUIN
	1200	94	HOLGUIN
	1300	97	HOLGUIN
	1400	98	HOLGUIN
	1500	100	HOLGUIN
	1600	98	D.DE LEON
	1700	96	D.DE LEON
	1800	94	D.DE LEON
	1900	90	D.DE LEON
	2000	85	D.DE LEON
	2100	82	D.DE LEON
	2200	79	Albert
	2300	78	Albert
	2400	76	Albert

## Attachment D

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIN

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4413 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	75	Hibert
	0200	73	Hibert
	0300	71	Hibert
	0400	70	Hibert
	0500	69	Hibert
	0600	70	HOLGUIN
	0700	72	HOLGUIN
	0800	74	HOLGUIN
	0900	79	HOLGUIN
	1000	84	HOLGUIN
	1100	90	HOLGUIN
	1200	92	HOLGUIN
	1300	94	HOLGUIN
	1400	95	Buckner
	1500	93	Buckner
	1600	92	Buckner
	1700	89	Buckner
	1800	86	Buckner
	1900	84	Buckner
	2000	80	Buckner
	2100	77	Buckner
	2200	75	J. Torres
	2300	73	J. Torres
	2400	70	J. Torres

FRIDAY MAY 26, 2024

1100  
90°OFF STAGE  
1740  
86°

Date	Time	Temp.	Printed Name
	0100	68	J. Torres
	0200	67	J. Torres
	0300	66	J. Torres
	0400	65	J. Torres
	0500	64	J. Torres
	0600	65	HOLGUIN
	0700	67	HOLGUIN
	0800	69	HOLGUIN
	0900	74	HOLGUIN
	1000	79	HOLGUIN
	1100	84	HOLGUIN
	1200	87	HOLGUIN
	1300	89	HOLGUIN
	1400	90	L. FREE
	1500	90	L. FREE
	1600	90	L. FREE
	1700	88	L. FREE
	1800	85	L. FREE
	1900	82	L. FREE
	2000	78	L. FREE
	2100	74	L. FREE
	2200	71	J. Torres
	2300	69	J. Torres
	2400	67	J. Torres

1313  
90°

1820

85°

OFF STAGE

## Attachment D

STATE OF CALIFORNIA

**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

C.I.W

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JULY 28, 2024  SUNDAY	0100	66	J. Torres
	0200	64	J. Torres
	0300	62	J. Torres
	0400	61	J. Torres
	0500	60	J. Torres
	0600	59	L Martinez
	0700	62	L Martinez
	0800	66	L Martinez
	0900	71	L Martinez
	1000	75	L Martinez
	1100	81	L Martinez
	1200	85	L Martinez
	1300	88	L Martinez
	1400	89	L Martinez
	1500	89	K. Hazzis
	1600	87	K. Hazzis
	1700	85	K. Hazzis
	1800	83	K. Hazzis
	1900	79	K. Hazzis
	2000	75	K. Hazzis
	2100	72	K. Hazzis
	2200	70	J. Torres
	2300	69	J. Torres
	2400	67	J. Torres

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## Attachment D

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER-1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY JULY 29, 2024	0100	65	J. Torres
	0200	69	J. Torres
	0300	61	J. Torres
	0400	60	J. Torres
	0500	58	J. Torres
	0600	58	HOLGUIN
	0700	61	HOLGUIN
	0800	65	HOLGUIN
	0900	70	HOLGUIN
	1000	76	HOLGUIN
	1100	82	HOLGUIN
	1200	86	HOLGUIN
	1300	89	HOLGUIN
	1400	89	M. Caswell
	1500	90	M. Caswell
	1600	88	M. Caswell
	1700	86	M. Caswell
	1800	83	M. Caswell
	1900	80	M. Caswell
	2000	76	M. Caswell
	2100	73	M. Caswell
	2200	74	M. Caswell
	2300	71	M. Caswell
	2400	69	M. Caswell

1430 90°  
1st Stage Heat Alert  
1610 off 88°  
1st Stage Heat Alert  
1725 off 1st Stage Heat Alert 870

Date	Time	Temp.	Printed Name
TUESDAY JULY 30, 2024	0100	65	M. Caswell
	0200	63	M. Caswell
	0300	62	M. Caswell
	0400	62	M. Caswell
	0500	60	M. Caswell
	0600	59	M. Caswell
	0700	61	M. Caswell
	0800	65	M. Caswell
	0900	71	M. Caswell
	1000	76	M. Caswell
	1100	82	M. Caswell
	1200	86	M. Caswell
	1300	89	M. Caswell
	1400	90	M. Caswell
	1500	91	M. Caswell
	1600	90	M. Caswell
	1700	88	M. Caswell
	1800	86	M. Caswell
	1900	82	M. Caswell
	2000	76	M. Caswell
	2100	73	M. Caswell
	2200	71	L. Hernandez
	2300	69	L. Hernandez
	2400	67	L. Hernandez

1330  
1st Stage  
Heat Alert

1725  
off 1st  
Stage  
Heat Alert  
870

STATE OF CALIFORNIA

**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

## Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C/W

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: THUR R 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY	0100	67	M. Caswell
JULY 31, 2024	0200	67	M. Caswell
	0300	66	M. Caswell
	0400	62	M. Caswell
	0500	60	M. Caswell
	0600	68	HYPOLITE, R
	0700	63	HYPOLITE, R
	0800	65	HYPOLITE, R
	0900	70	HYPOLITE, R
	1000	74	HYPOLITE, R
	1100	70	HYPOLITE, R
	1200	85	HYPOLITE, R
	1300	88	HYPOLITE, R
	1400	90	M. Caswell
	1500	91	M. Caswell
	1600	90	M. Caswell
	1700	90	M. Caswell
	1800	87	M. Caswell
	1900	82	M. Caswell
	2000	77	M. Caswell
	2100	74	M. Caswell
	2200	72 <sup>oF</sup>	E. SUAREZ
	2300	70 <sup>oF</sup>	E. SUAREZ
	2400	68 <sup>oF</sup>	E. SUAREZ

1400 90°  
1<sup>st</sup> Stage

1814  
OFF STAGE I  
86°

Date	Time	Temp.	Printed Name
THURSDAY AUGUST 1, 2024	0100	68 <sup>oF</sup>	E. SUAREZ
	0200	67 <sup>oF</sup>	E. SUAREZ
	0300	65 <sup>oF</sup>	E. SUAREZ
	0400	64 <sup>oF</sup>	E. SUAREZ
	0500	63 <sup>oF</sup>	E. SUAREZ
	0600	64	HOLGUIN
	0700	67	HOLGUIN
	0800	69	HOLGUIN
	0900	73	HOLGUIN
	1000	76	HOLGUIN
	1100	81	HOLGUIN
	1200	89	HOLGUIN
	1300	89	HOLGUIN
	1400	88	HOLGUIN
	1500	89	HOLGUIN
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

1510  
90°

DISTRIBUTION: Original: Institution ADA Coordinator

1973

# Memorandum

Date: August 1, 2024

To: Statewide Heat Plan Coordinator  
Mental Health Program Headquarters

Subject: **MISSING HEAT LOGS FOR THE MONTH OF JULY 2024**

The purpose of this memorandum is to inform you that the following areas were closed on specified dates due to Emmons A unit is still closed for renovations and Harrison A being designated as an Isolation Unit will only be activated when necessary. On 7/20/2024 Harrison A was activated as a Quarantine Unit until further notice. Also noting, PIA operates Monday thru Thursday only. For this reason, there are no CDCR 2031 Inside Temperature sheets for these areas during the other time frames and are noted as missing on the CIW Heat Log Due List.

- Emmons A – Closed Until Further Notice
- Harrison A – Closed from 7/1/2024 to 7/20/2024, designated as a Quarantine Unit.
- Harrison A – Activated on 7/20/2024 at 2115 hours, as a Quarantine Unit.

If you have any questions regarding this information, please contact me at (909) 597-1771, extension 5398.

DocuSigned by:

*Clarence Hogan*

5F97A0F7ABD54D9...

C. HOGAN, CCII  
Heat Plan Coordinator  
California Institution for Women

# MONTHLY HEAT ALERT SUMMARY REPORT

## **1. STAGE I HEAT ALERT LOG: OUTSIDE TEMPERATURE 90 DEGREES OR MORE @ TOWER 1**

Date	Time: Activated - Deactivated
07-01-24	1147 - 1733
07-02-24	1400 - 1615
07-03-24	1123 - 1700
07-04-24	1250 - 1752
07-05-24	1115 - 1940
07-06-24	1500 - 1900
07-07-24	1238 - 1735
07-08-24	1320 - 1620
07-09-24	1215 - 1919
07-10-24	1050 - 1945
07-11-24	1246 - 1940
07-12-24	x
07-13-24	1230 - 1820
07-14-24	1344 - 1730
07-15-24	1420 - 1622
07-16-24	x
07-17-24	1450 - 1801
07-18-24	1200 - 1820
07-19-24	1134 - 1950
07-20-24	1054 - 2002
07-21-24	1124 - 1835
07-22-24	1206 - 1911
07-23-24	1225 - 1840
07-24-24	1053 - 1850
07-25-24	1040 - 2009
07-26-24	1100 - 1740
07-27-24	1313 - 1820
07-28-24	x
07-29-24	1430 - 1610
07-30-24	1330 - 1725
07-31-24	1400 - 1814

**2. STAGE II HEAT ALERT LOG: INSIDE TEMPERATURES OF 90 DEGREES AND ABOVE HAVE BEEN  
RECORDED**

Date	Time: Activated - Deactivated	Area	Housing	Cooling Measures Provided
07-01-24				
07-02-24				
07-03-24				
07-04-24				
07-05-24				
07-06-24				
07-07-24				
07-08-24				
07-09-24				
07-10-24				
07-11-24				
07-12-24				
07-13-24				
07-14-24				
07-15-24				
07-16-24				
07-17-24				
07-18-24				
07-19-24	1507 - 1700	RCU	Forestry	COOL WATER, SHOWERS, FANS
07-20-24				
07-21-24				
07-22-24				
07-23-24				
07-24-24				
07-25-24				
07-26-24				
07-27-24				
07-28-24				
07-29-24				
07-30-24				
07-31-24				

**3. STAGE III HEAT ALERT MEDICAL ROUNDS LOG: PERFORMED IN HOUSING UNITS REACHING  
INSIDE TEMPERATURES OF 95 DEGREES AND ABOVE**

Date	Time	Housing	Clinician
07-01-24	N/A	n/a	n/a
07-02-24	N/A	n/a	n/a
07-03-24	N/A	n/a	n/a
07-04-24	N/A	n/a	n/a
07-05-24	N/A	n/a	n/a
07-06-24	N/A	n/a	n/a
07-07-24	N/A	n/a	n/a
07-08-24	N/A	n/a	n/a
07-09-24	N/A	n/a	n/a
07-10-24	N/A	n/a	n/a
07-11-24	N/A	n/a	n/a
07-12-24	N/A	n/a	n/a
07-13-24	N/A	n/a	n/a
07-14-24	N/A	n/a	n/a
07-15-24	N/A	n/a	n/a
07-16-24	N/A	n/a	n/a
07-17-24	N/A	n/a	n/a
07-18-24	N/A	n/a	n/a
07-19-24	N/A	n/a	n/a
07-20-24	N/A	n/a	n/a
07-21-24	N/A	n/a	n/a
07-22-24	N/A	n/a	n/a
07-23-24	N/A	n/a	n/a
07-24-24	N/A	n/a	n/a
07-25-24	N/A	n/a	n/a
07-26-24	N/A	n/a	n/a
07-27-24	N/A	n/a	n/a
07-28-24	N/A	n/a	n/a
07-29-24	N/A	n/a	n/a
07-30-24	N/A	n/a	n/a
07-31-24	N/A	n/a	n/a