STATE OF CALIFORNIA

HEAT PLAN - MONTHLY SUMMARY REPORT

CDCR MH-7711-1 (02/17)

Monthly Summary Report

Institution: CCWF

Memorandum

Date: 09/6/2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CCWF

The following is a summary of the heat related activity for the month of August 2024,

at CCWF (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

   Number of days Stage I Alert initiated: 26

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

   Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 1 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

A. De La Cruz	R. De La Cerda
Warden Name	Chief Executive Officer Name
DocuSigned by: 96EAB12D9152401...	DocuSigned by: Roy De La Cerda 1128F6FE2C6A456...
Warden Signature	Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 501 Temp. Reading Location: A, B, C, D Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday 8/01/24

Date	Time	Temp.	Name (Print)
	0300	75	Ramirez
mp	0600	76	J. Goethe
	0900	77	J. Goethe
	1200	78	J. Goethe
mp	1500	78	Skaggs
	1800	77	Skaggs
	2100	82	M. Pichardo
	2400	81	Ramirez

Friday 8/02/24

Date	Time	Temp.	Name (Print)
	0300	81	Ramirez
	0600	81	Ramirez
	0900	78	Ramirez
	1200	78	Cuarrubias
	1500	80	Dolores
	1800	80	Dolores
	2100	80	Dolores
	2400	79	Ramirez

e c/w

Saturday 8/03/24

Date	Time	Temp.	Name (Print)
	0300	79	Ramirez
	0600	77	Cuarrubias
	0900	77	I. Chavez
	1200	78	I. Chavez
	1500	80	A. Dolores
	1800	81	A. Dolores
	2100	80	A. Dolores
	2400	78	D. Vasquez

Sunday 8/04/24

Date	Time	Temp.	Name (Print)
	0300	76	D. Vasquez
	0600	77	J Vasquez
	0900	78	J Vasquez
	1200	79	J Vasquez
	1500	80	A. Dolores
	1800	80	A. Dolores
	2100	81	A. Dolores
	2400	82	Crispin

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 501 Temp. Reading Location: A, B, C, D Wings & Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/05/24

Date	Time	Temp.	Name (Print)
	0300	82	CRISPIN
	0600	78	CRISPIN
	0900	77.4	KWood
	1200	80.6	K wood
	1500	80.	J Alaw
	1800	82	J. Alaw
	2100	82	J. Alaw
	2400	82	CRISPIN

Tuesday 8/06/24

Date	Time	Temp.	Name (Print)
	0300	80	CRISPIN
	0600	78	CRISPIN
	0900	78	J. Goethe
	1200	80	J. Goethe
	1500	83.	J. Alaw
	1800	84	S. TORRES
	2100	83	S. TORRES
	2400	82°	Ramirez

Wednesday 8/07/24

Date	Time	Temp.	Name (Print)
	0300	81	Ramirez
	0600	80	J. Goethe
	0900	80	J. Goethe
	1200	80	J. Goethe
	1500	82	DOLORES
	1800	82	DOLORES
	2100	84	DOLORES
	2400	74	A. VELASCO

Thursday 8/08/24

Date	Time	Temp.	Name (Print)
	0300	81	Ramirez
	0600	78	J. Goethe
	0900	79	J. Goethe
	1200	80	J. GOETHE
	1500	83	M. Pichardo
	1800	81	S Torres
	2100	80	M. Pichardo
	2400	80	Ramirez

Friday 8/09/24

Date	Time	Temp.	Name (Print)
	0300	79.	Ramirez
	0600	78.0	Vasquez
	0900	78.0	Vasquez
	1200	78.1	Vasquez
	1500	79	A DOLORES
	1800	80	A DOLORES
	2100	81	A DOLORES
	2400	80.	Ramirez

Saturday 8/10/24

Date	Time	Temp.	Name (Print)
	0300	79.	Ramirez
	0600	81°	Gutierrez
	0900	82°	Gutierrez
	1200	81°	Gutierrez
	1500	82	ZARAGOZA
	1800	82	ZARAGOZA
	2100	81	ZARAGOZA
	2400	80	RAMIREZ

Sunday 8/11/24

Date	Time	Temp.	Name (Print)
	0300	79	Bronco
	0600	79	Bronco
	0900	80	Bronco
	1200	81	Bronco
	1500	81	Lutzk
	1800	84	Goethe
	2100	82	Goethe
	2400	80	CRISPIN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 501 Temp. Reading Location: A, B, C, D Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/12/24

Date	Time	Temp.	Name (Print)
few	0300	79	CRISAN
	0600	78	CRISPIN
NC	0900	78	J. Goethe
	1200	78	J. Goethe
	1500	80	J. Goethe
	1800	80	J. Alaco
	2100	80	J. Goethe
GO	2400	78	CRISPIN

Tuesday 8/13/24

Date	Time	Temp.	Name (Print)
	0300	75	CRISPIN
	0600	75	CRISPIN
NC	0900	74	J. Goethe
SG	1200	76	J. Goethe
	1500	78	J. Alaco
	1800	78	J. Alaco
	2100	77	J. Alaco
GO	2400	78	A. Ramirez

Wednesday 8/14/24

Date	Time	Temp.	Name (Print)
	0300	76	Ramirez
	0600	73	J. Goethe
SG	0900	74	J. Goethe
	1200	75	J. Goethe
A	1500	78	A. Dolores
	1800	77	A. Dolores
	2100	77	A. Dolores
GO	2400	77	Ramirez

Thursday 8/15/24

Date	Time	Temp.	Name (Print)
	0300	76	Ramirez
	0600	74	J. Goethe
SG	0900	74	P. Vang
	1200	75	J. Goethe
	1500	78	M. Pichardo
	1800	79	Cortez
	2100	79	Pichardo
GO	2400	77	Ramirez

Friday 8/16/24

Date	Time	Temp.	Name (Print)
	0300	76	Ramirez
	0600	76	Arceo
SG	0900	75	Arceo
	1200	78	Arceo
	1500	~~78~~	Dolores
	1800	77	Dolores
	2100	77	Dolores
	2400	77	Ramirez

Saturday 8/17/24

Date	Time	Temp.	Name (Print)
	0300	77	Ramirez
	0600	77	I. Chavez
A	0900	77	I. Chavez
	1200	78	I. Chavez
	1500	75	Dolores
	1800	75	Dolores
	2100	75	Dolores
	2400	75	I. Chavez

Sunday 8/18/24

Date	Time	Temp.	Name (Print)
	0300	74	I. Chavez
	0600	74	I. Chavez
	0900	70	[illegible]
	1200	75	J. Goethe
JB	1500	76.1	L. Phung
	1800	76	Placido
	2100	75	Placido
	2400	75	Crispin

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 501 Temp. Reading Location: A, B, C, D Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/19/24

Date	Time	Temp.	Name (Print)
	0300	74	CRISPIN
	0600	73	CRISPIN
	0900	73	J. Goethe
SG	1200	76	J. Goethe
	1500	76	C. Skaggs
	1800	77	C Manjarrez
	2100	75	C Manjarrez
	2400	76	CRISPIN

Tuesday 8/20/24

Date	Time	Temp.	Name (Print)
	0300	74	CRISPIN
	0600	73	CRISPIN
	0900	73	I. Chavez
SG	1200	77	J Goethe
	1500	78	S TORRES
	1800	76	S TORRES
	2100	77	S TORRES
	2400	77	A. Ramirez

Wednesday 8/21/24

Date	Time	Temp.	Name (Print)
	0300	75	Ramirez
	0600	75	Ramirez
SG	0900	73	J Goethe
	1200	77	J Goethe
	1500	78	S Torres
	1800	72	S Torres
	2100	71	S Torres
	2400	75	Ramirez

Thursday 8/22/24

Date	Time	Temp.	Name (Print)
	0300	75	Ramirez
	0600	73	J. Goethe
	0900	73	J. Goethe
	1200	75	J. Goethe
	1500	76	S TORRES
	1800	77	S TORRES
	2100	77	S TORRES
	2400	75	Ramirez

Friday 8/23/24

Date	Time	Temp.	Name (Print)
	0300	73	Ramirez
	0600	71	ARGEO
SG	0900	71	ARGEO
	1200	~~71~~ 71	~~Espinoza~~ AE
	1500	71.6	Espinoza
	1800	72.5	Espinoza
	2100	72.3	Espinoza
	2400	72	Ramirez

Saturday 8/24/24

Date	Time	Temp.	Name (Print)
	0300	72	Ramirez
	0600	70	MAYS
SG	0900	70	MAYS
	1200	66	MAYS
	1500	71	A. STANTON
	1800	73	A. STANTON
	2100	71.3	A. Espinoza
	2400	70	I. Chavez

Sunday 8/25/24

Date	Time	Temp.	Name (Print)
	0300	70	I. Chavez
	0600	70	I. Chavez
SG	0900	71	J. Goethe
	1200	71	J. Goethe
	1500	73	J. Goethe
	1800	72	A. Espinoza
	2100	73	A. Espinoza
	2400	73	CRISPIN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 501 Temp. Reading Location: A, B, C, D Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/26/24

Date	Time	Temp.	Name (Print)
M	0300	72	CRISPIN
	0600	72	CRISPIN
	0900	73	J. Goethe
	1200	75	J. Goethe
	1500	75	J. Alus
	1800	76	J. Alus
	2100	75	J. Alus
	2400	76	M. Chelsea

Tuesday 8/27/24

Date	Time	Temp.	Name (Print)
	0300	74	CRISPIN
	0600	73	CRISPIN
	0900	73	J. Goethe
	1200	74	J. Goethe
	1500	78	J. Alonso
	1800	79	J. Alonso
	2100	79	J. Alonso
	2400	78	Ramirez

Wednesday 8/28/24

Date	Time	Temp.	Name (Print)
	0300	77	Ramirez
	0600	74	J. Goethe
	0900	74	J. Goethe
	1200	77	J. Goethe
	1500	79	S. Torres
	1800	78	[illegible]
	2100	78	[illegible]
	2400	79	Ramirez

Thursday 8/29/24

Date	Time	Temp.	Name (Print)
	0300	77	Ramirez
	0600	76	Ramirez
	0900	73	J. Goethe
	1200	76	J. Goethe
	1500	75	S. Torres
	1800	76	S. Torres
	2100	76	S. Torres
	2400	77	Ramirez

Friday 8/30/24

Date	Time	Temp.	Name (Print)
	0300	75	Ramirez
	0600	75	Ramirez
SG	0900	78	C. Estrada
	1200	77	C. ESTRADA
	1500	80	DOLORES
	1800	88	DOLORES
	2100	77	DOLORES
	2400	77	Ramirez

Saturday 8/31/24

Date	Time	Temp.	Name (Print)
	0300	75	Ramirez
	0600	73	Ramirez
SG	0900	73	I. Chavez
	1200	73.2	A. Espinoza
	1500	80	Zuragoza
	1800	81	ZARAGOZA
	2100	79	ZARAGOZA
	2400	76	I. Chavez

S 3/W

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 502 Temp. Reading Location: A, B, C, D Wings & Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday 8/01/24

Date	Time	Temp.	Name (Print)
	0300	76	GARBETT
MP	0600	76	V. Gonzalez
	0900	76	V. Gonzalez
	1200	77.7	V. Gonzalez
MP	1500	78	M. Garcia
	1800	79	R. [illegible]
	2100	79	R. Rodriguez
	2400	78	Chavez

Friday 8/02/24

Date	Time	Temp.	Name (Print)
	0300	77	[illegible]
	0600	77	M. LOPEZ
	0900	78	M. LOPEZ
	1200	79	M. LOPEZ
	1500	79	E. REYES
	1800	78	E. REYES
	2100	78	E. REYES
	2400	77	V. VALDEZ

2/w

Saturday 8/03/24

Date	Time	Temp.	Name (Print)
	0300	77	V. VALDEZ
	0600	76	V. VALDEZ
	0900	77	V. VALDEZ
	1200	77	V. VALDEZ
	1500	77	J. Sanchez
	1800	80	Miller
	2100	81	Miller
	2400	80	B. GARBETT

Sunday 8/04/24

Date	Time	Temp.	Name (Print)
	0300	79	B. GARBETT
	0600	77	I. Chavez
	0900	77	I. Chavez
	1200	78	I. Chavez
	1500	80	J. Rios
	1800	79	J. Rios
	2100	77	J. Rios
	2400	77	Villalobos

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 502 Temp. Reading Location: A, B, C, D Wings & Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/05/24

Date	Time	Temp.	Name (Print)
	0300	76	Villalobos
	0600	77	V. VALDEZ
	0900	78	I. CHAVEZ
	1200	78	I. CHAVEZ
	1500	81.5	M. PEREZ
	1800	81.8	M. PEREZ
	2100	81	M. PEREZ
	2400	80	B. GARBETT

Tuesday 8/06/24

Date	Time	Temp.	Name (Print)
	0300	78	B. GARBETT
	0600	78	M. LOPEZ
	0900	78	M. LOPEZ
	1200	78.9	M. LOPEZ
	1500	81	R. Rodriguez
	1800	82	R. Rodriguez
	2100	80	R. Rodriguez
	2400	80	B. GARBETT

Wednesday 8/07/24

Date	Time	Temp.	Name (Print)
	0300	79	B. GARBETT
	0600	78.9	M. LOPEZ
	0900	78.6	M. LOPEZ
	1200	78	M. LOPEZ
	1500	79	A. VEGAS
	1800	82.	R. Rodriguez
	2100	82	R. Rodriguez
	2400	81	B. GARBETT

Thursday 8/08/24

Date	Time	Temp.	Name (Print)
	0300	79	B. GARBETT
	0600	78	M. LOPEZ
	0900	78.5	M. LOPEZ
	1200	78	M. LOPEZ
	1500	80	R. Rodriguez
	1800	81	R. Rodriguez
	2100	80	R. Rodriguez
	2400	80	[illegible]

Friday 8/09/24

Date	Time	Temp.	Name (Print)
	0300	80	[illegible]
	0600	79	M. LOPEZ
	0900	79.5	M. LOPEZ
	1200	79	M. LOPEZ
	1500	79.9	E. REYES
	1800	80	E. REYES
	2100	79	E. REYES
	2400	76	Abreen

Saturday 8/10/24

Date	Time	Temp.	Name (Print)
	0300	80	Abreen
	0600	76.8	B. GOETHE
	0900	77.6	M. LOPEZ
	1200	77.6	M. LOPEZ
	1500	80	J. Rios
	1800	80	P. Ly
	2100	79	J. Rios
	2400	79	Villalobos

Sunday 8/11/24

Date	Time	Temp.	Name (Print)
	0300	77	Villalobos
	0600	75.5	Villalobos
	0900	75	V. VALDEZ
	1200	75	V. VALDEZ
	1500	81	J. RIOS
	1800	80	J. RIOS
	2100	78	J. RIOS
	2400	76	Villalobos

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 502 Temp. Reading Location: A, B, C, D Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/12/24

Date	Time	Temp.	Name (Print)
	0300	70	B GARBETT
	0600	74	I. Chavez
SG	0900	75	I. Chavez
	1200	75	I. Chavez
	1500	79.8	M. PEREZ
	1800	78	Miller
	2100	78	Miller
	2400	78	B. GARBETT

Tuesday 8/13/24

Date	Time	Temp.	Name (Print)
	0300	76	B. GARBETT
	0600	74.1	M. LOPEZ
	0900	75.1	M. LOPEZ
SG	1200	76.2	M. LOPEZ
	1500	77.	R. Rodriguez
	1800	77.	R. Rodriguez
	2100	78	R. Rodriguez
	2400	76	B GARBETT

Wednesday 8/14/24

Date	Time	Temp.	Name (Print)
	0300	75	B. GARBETT
	0600	74.2	M. LOPEZ
	0900	74.6	M. LOPEZ
SG	1200	75.6	M. LOPEZ
	1500	76.	R. Rodriguez
J.A 8-14	1800	76.	R. Rodriguez
	2100	76.	R. Rodriguez
	2400	77°	C. Padilla

Thursday 8/15/24

Date	Time	Temp.	Name (Print)
	0300	75°	C. Padilla
	0600	75.5	M. LOPEZ
	0900	74.8	M. LOPEZ
	1200	75.2	M. LOPEZ
	1500	76.	R. Rodriguez
	1800	76.	R. Rodriguez
	2100	75.	R. Rodriguez
	2400	75	chhuy

Friday 8/16/24

Date	Time	Temp.	Name (Print)
	0300	74	chhuy
	0600	74.8	M. LOPEZ
	0900	74.4	M. LOPEZ
	1200	75	M. LOPEZ
	1500	75.	R. Rodriguez
	1800	76.	R. Rodriguez
	2100	76.	R. Rodriguez
	2400	75.	J. Brigido

Saturday 8/17/24

Date	Time	Temp.	Name (Print)
	0300	72	J. Brigido
	0600	75	M. LOPEZ
	0900	74.8	M. LOPEZ
	1200	75	M. LOPEZ
	1500	76	J. Rios
	1800	76	J. Rios
	2100	74	J. Rios
	2400	76	B. GARBETT

Sunday 8/18/24

Date	Time	Temp.	Name (Print)
	0300	75	B GARBETT
	0600	75	I. Chavez
	0900	75	I. Chavez
	1200	76	I. Chavez
	1500	76	J. Rios
	1800	75	J. Rios
	2100	75	[illegible]
	2400	75	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 502 Temp. Reading Location: A, B, C, D Wings & Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/19/24

Date	Time	Temp.	Name (Print)
	0300	74	B. GARBETT
	0600	75	I. Chavez
Su	0900	74	I. Chavez
	1200	74	I. Chavez
	1500	76	M. PEREZ
	1800	76.6	M. PEREZ
	2100	76	M. PEREZ
	2400	74	B. GARBETT

Tuesday 8/20/24

Date	Time	Temp.	Name (Print)
	0300	74	B. GARBETT
	0600	74.1	M. LOPEZ
Fri	0900	73.7	M. LOPEZ
	1200	74.6	M. LOPEZ
	1500	75.	R. Rodriguez
Su	1800	76.	R. Rodriguez
	2100	76.	R. Rodriguez
	2400	75	B. GARBETT

Wednesday 8/21/24

Date	Time	Temp.	Name (Print)
	0300	74	B. GARBETT
	0600	74.4	M. LOPEZ
Sat	0900	73.9	M. LOPEZ
	1200	74.6	M. LOPEZ
	1500	75.	R. Rodriguez
	1800	75.	R. Rodriguez
	2100	76	R. Rodriguez
	2400	75.	B. GARBETT

Thursday 8/22/24

Date	Time	Temp.	Name (Print)
	0300	74	B. GARBETT
	0600	74.1	M. LOPEZ
Sat	0900	73.5	M. LOPEZ
	1200	73.4	M. LOPEZ
	1500	75.	R. Rodriguez
	1800	76.	R. Rodriguez
	2100	74	R. Rodriguez
	2400	74	chhuy

Friday 8/23/24

Date	Time	Temp.	Name (Print)
	0300	74.	chhuy
Sat	0600	72.8	M. LOPEZ
	0900	72.8	M. LOPEZ
	1200	72.5	M. LOPEZ
	1500	74.	R. Rodriguez
	1800	72.	R. Rodriguez
	2100	71.	R. Rodriguez
	2400	71°	A Green

Saturday 8/24/24

Date	Time	Temp.	Name (Print)
	0300	71°	A Green
	0600	72.5	M. LOPEZ
Su	0900	72.5	M. LOPEZ
	1200	73	M. LOPEZ
	1500	74	D. Thao
	1800	73	J. Rios
	2100	73	D. Thao
	2400	72	B. GARBETT

Sunday 8/25/24

Date	Time	Temp.	Name (Print)
	0300	72	B. GARBETT
	0600	71	I. Chavez
Su	0900	71	V. VALDEZ
	1200	72	V. VALDEZ
	1500	74	J. Rios
	1800	73	J. Rios
	2100	71	J. Rios
	2400	72	B. GARBETT

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 502 Temp. Reading Location: A, B, C, D Wings & Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/26/24

Date	Time	Temp.	Name (Print)
	0300	72	B. GARRETT
	0600	70	V. VALDEZ
	0900	70	V. VALDEZ
	1200	71	I. Chavez
	1500	73.2	M. PEREZ
	1800	75.	M. PEREZ
	2100	74	M. PEREZ
	2400	74	B. GARRETT

Tuesday 8/27/24

Date	Time	Temp.	Name (Print)
	0300	73	B. GARRETT
	0600	73	M. LOPEZ
	0900	73.3	M. LOPEZ
	1200	73.7	M. LOPEZ
	1500	75.	R. Rodriguez
	1800	75	R. Rodriguez
	2100	75	R. Rodriguez
	2400	74	B. GARRETT

Wednesday 8/28/24

Date	Time	Temp.	Name (Print)
	0300	73	B. GARRETT
	0600	73.5	M. LOPEZ
	0900	73.5	M. LOPEZ
	1200	74.6	M. LOPEZ
	1500	75.	R. Rodriguez
	1800	76.	R. Rodriguez
	2100	75.	R. Rodriguez
	2400	75	B. GARRETT

Thursday 8/29/24

Date	Time	Temp.	Name (Print)
	0300	74	B. GARRETT
	0600	74.4	M. LOPEZ
	0900	74.6	M. LOPEZ
	1200	74.4	M. LOPEZ
	1500	75.	R. Rodriguez
	1800	76.	R. Rodriguez
	2100	75.	R. Rodriguez
	2400	75	Chavez

Friday 8/30/24

Date	Time	Temp.	Name (Print)
	0300	74	Chavez
	0600	74.1	M. LOPEZ
	0900	73.4	M. LOPEZ
	1200	74.6	M. LOPEZ
	1500	75	Miller
	1800	75	Miller
	2100	75	Miller
	2400	75	A Green

Saturday 8/31/24

Date	Time	Temp.	Name (Print)
	0300	72	A. Green
	0600	74.4	M. LOPEZ
	0900	74.4	M. LOPEZ
	1200	74.6	M. LOPEZ
	1500	74.7	P. Ly
	1800	75.8	P. Ly
	2100	76.2	P. Ly
	2400	76	BRIDIGO

Sunday

Date	Time	Temp.	Name (Print)
	0300	74	BRIDIGO
	0600	74	I. Chavez
	0900	74	I. Chavez
	1200	74	I. Chavez
	1500	75	Miller
	1800	75	Miller
	2100	75	Miller
	2400	74	B. GARRETT

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 503 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday 8/01/24

Date	Time	Temp.	Name (Print)
	0300	75	Fernandez
	0600	75	[illegible]
MP	0900	76	C. Martinez
	1200	76	C. Martinez
	1500	76	Velez
	1800	76	Velez
	2100	76	Velez
	2400	72	Pvarr

Friday 8/02/24

Date	Time	Temp.	Name (Print)
	0300	72	Pvarr
	0600	72	Pvarr
	0900	76	C. Gutierrez
	1200	77	C. Gutierrez
	1500	78	J. Zamora
	1800	79	J. Zamora
	2100	79	J. Zamora
	2400	75	Pvarr

Saturday 8/03/24

Date	Time	Temp.	Name (Print)
	0300	75	Pvarr
	0600	74	Pvarr
	0900	76	J. Zamora
	1200	77	J. Zamora
	1500	79	C. Manjarrez
	1800	76	C. Manjarrez
	2100	76	C. Manjarrez
	2400	79	Fernandez, M

Sunday 8/04/24

Date	Time	Temp.	Name (Print)
	0300	73	FERNANDEZ, M
	0600	73	J. Zam
	0900	77	J. Zam
	1200	78	J. Zam
	1500	79.3	M. PEREZ
	1800	81.6	M. PEREZ
	2100	80.6	M. PEREZ
	2400	80.4	C. Gutierrez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 503 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/05/24

Date	Time	Temp.	Name (Print)
	0300	78.4	C. Gutierrez
	0600	77.3	C. Gutierrez
	0900	78.3	J. [illegible]
	1200	80	C. Ingalella
	1500	80	[illegible]
	1800	80.4	[illegible]
	2100	80.7	[illegible]
	2400	79.8	FERNANDEZ.M

Tuesday 8/06/24

Date	Time	Temp.	Name (Print)
	0300	77.	FERNANDEZ.M
	0600	77	Garcia
	0900	78	[illegible]
	1200	78	[illegible]
	1500	80.2	Garcia
	1800	80.7	[illegible]
	2100	80	[illegible]
	2400	79	M. FERNANDEZ

Wednesday 8/07/24

Date	Time	Temp.	Name (Print)
	0300	78	M. FERNANDEZ
	0600	77	[illegible]
	0900	78.	[illegible]
	1200	79	
	1500	80.3	D. Gaines
	1800	80.5	D. Gaines
	2100	80.7	D. Gaines
	2400	78	M. Fernandez

Thursday 8/08/24

Date	Time	Temp.	Name (Print)
	0300	76	Fernandez.M
	0600	77	D. Thigo
	0900	77	D. Thigo
	1200	78	D. Thigo
	1500	78	J. Zamora
	1800	79	J. Zamora
	2100	80	J. Zamora
	2400	79	P. Vang

Friday 8/09/24

Date	Time	Temp.	Name (Print)
	0300	78	P. Vang
	0600	77	P. Vang
	0900	77	S. Padgett
	1200	78	S. Padgett
	1500	78	J. Zamora
	1800	78	J. Zamora
	2100	78	J. Zamora
	2400	78	P. Vang

Saturday 8/10/24

Date	Time	Temp.	Name (Print)
	0300	76	P. Vang
	0600	76	P. Vang
	0900	76	[illegible]
	1200	77	[illegible]
	1500	78	D. Gray
	1800	78	D. Gray
	2100	77	D. Gray
	2400	76	[illegible]

Sunday 8/11/24

Date	Time	Temp.	Name (Print)
	0300	75	J. Arias
	0600	76	D. Salgado
	0900	77	D. Salgado
	1200	78	D. Salgado
	1500	78	[illegible]
	1800	78	[illegible]
	2100	79	[illegible]
	2400	79	J. [illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 503 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/12/24

Date	Time	Temp.	Name (Print)
	0300	76	J Alve
	0600	76	J Alve
	0900	76.5	Garcia
SG	1200	76.7	Gar
	1500	78	Garcia
	1800	75	G
	2100	79	G
SG	2400	80°	M.FERNANDEZ

Tuesday 8/13/24

Date	Time	Temp.	Name (Print)
	0300	77	M.FERNANDEZ
	0600	78	Gra
	0900	77	DeLaFuente
SG	1200	77	DeLaFuente
	1500	78	Miller
	1800	78	Gravs
	2100	79	Gravs
SG	2400	79	M.FERNANDEZ

Wednesday 8/14/24

Date	Time	Temp.	Name (Print)
	0300	75	M.FERNANDEZ
	0600	76	C.Martin
	0900	77	C.Martin
	1200	78	C.Martin
	1500	78.	MILLER
	1800	78	Miller
	2100	77	Miller
SG	2400	75	M.FERNANDEZ

Thursday 8/15/24

Date	Time	Temp.	Name (Print)
	0300	74	M.FERNANDEZ
	0600	75	Garcia
	0900	75	C.Martin
SG	1200	77	C.Martin
	1500	78	C.Martin
	1800	78	velez
	2100	78	velez
SG	2400	75	pvang

Friday 8/16/24

Date	Time	Temp.	Name (Print)
	0300	75	pvang
	0600	75	pvang
	0900	77	C.Martin
	1200	78	C.Martin
	1500	78.9	D.WEBSTER
	1800	78.9	D.WEBSTER
	2100	77.5	D.WEBSTER
	2400	75.0	pvang

Saturday 8/17/24

Date	Time	Temp.	Name (Print)
	0300	74	pvang
	0600	74	pvang
	0900	77	J-Zamora
SG	1200	77	J-Zamora
	1500	78.9	D.WEBSTER
	1800	79	D.WEBSTER
	2100	79	D.WEBSTER
	2400	75	M.FERNANDEZ

Sunday 8/18/24

Date	Time	Temp.	Name (Print)
	0300	73	M.FERNANDEZ
	0600	75	J.Zamora
	0900	76	J.Zamora
	1200	77	J.Zamora
	1500	78	A. Galindo
	1800	78	A. Galindo
	2100	78	A GALINDO
	2400	78	M.FERNANDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 503 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/19/24

Date	Time	Temp.	Name (Print)
	0300	76	Fernandez, M
	0600	74	Garcia
SG	0900	74.5	Gar
	1200	77	Gar
	1500	77.4	Gar
	1800	78	Gar
	2100	77	Garcia
	2400	76	FERNANDEZ.M

Tuesday 8/20/24

Date	Time	Temp.	Name (Print)
	0300	74	FERNANDEZ.M
	0600	74	Gar
SG	0900	75	Garc
	1200	77	Gar
	1500	78	Gar
	1800	78	Gar
	2100	77	Garcia
	2400	76	V. Garcia

Wednesday 8/21/24

Date	Time	Temp.	Name (Print)
	0300	67	V. Garcia
	0600	70	C. Martinez
SG	0900	77	C. Martin
	1200	77	C. Martinez
	1500	77	VGC
	1800	77	VGC
	2100	77	VGC
	2400	73	V. Garcia

Thursday 8/22/24

Date	Time	Temp.	Name (Print)
	0300	66	V. Garcia
	0600	74	Gar
SG	0900	75	C. Martin
	1200	77	C. Martin
	1500	76	C. Martinez
	1800	77	C. Martin
	2100	76	C. Martin
	2400	75.9	PVar

Friday 8/23/24

Date	Time	Temp.	Name (Print)
	0300	72.3	PVar
	0600	73.0	PVar
SG	0900	73.	[illegible]
	1200	74	[illegible]
	1500	77.46	WEBSTER
	1800	77	WEBSTER
	2100	77	WEBSTER
	2400	75.4	PVar

Saturday 8/24/24

Date	Time	Temp.	Name (Print)
	0300	74.2	PVar
	0600	73.9	PVar
SG	0900	74	J. Zamora
	1200	75	J. Zamora
	1500	75	D. WEBSTER
	1800	75	D. WEBSTER
	2100	74	[illegible]
	2400	74	[illegible]

Sunday 8/25/24

Date	Time	Temp.	Name (Print)
	0300	74	J Alaso
	0600	74	J. Zamora
SG	0900	74	J. Zamora
	1200	75	J. Zamora
	1500	76	ZAPAGOZA
	1800	76	ZAPAGOZA
	2100	75	ZAPAGOZA
	2400	75	J Alaso

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 503 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/26/24

Date	Time	Temp.	Name (Print)
	0300	73	J Alaze
	0600	72.4	[illegible]
SG	0900	72.5	[illegible]
	1200	74	Garcia
	1500	75	D. Gaines
	1800	75	D. Gaines
	2100	76	D. Gaines
	2400	76	Villalobos

Tuesday 8/27/24

Date	Time	Temp.	Name (Print)
	0300	74	Villalobos
	0600	71.5	Villalobos
SG	0900	73	[illegible]
	1200	74	[illegible]
	1500	75	J. Zamora
	1800	75	J. Zamora
	2100	76	J. Zamora
	2400	75	FERNANDEZ. M

Wednesday 8/28/24

Date	Time	Temp.	Name (Print)
	0300	68	M. FERNANDEZ
	0600	68	C. Martinez
SG	0900	69	[illegible]
	1200	70	[illegible]
	1500	73	D. Gaines
	1800	75	D. Gaines
	2100	75	D. Gaines
	2400	76	FERNANDEZ

Thursday 8/29/24

Date	Time	Temp.	Name (Print)
	0300	69	M. FERNANDEZ
	0600	70	[illegible]
SG	0900	70	C. Martinez
	1200	71	C. Martinez
	1500	74	C. Martinez
	1800	75	C. Martinez
	2100	75	C. Martinez
	2400	74	PVM

Friday 8/30/24

Date	Time	Temp.	Name (Print)
	0300	74	PVM
	0600	74	PVM
SG	0900	74	[illegible]
	1200	74	[illegible]
	1500	75	[illegible]
	1800	76	[illegible]
	2100	76	[illegible]
	2400	75	PVM

Saturday 8/31/24

Date	Time	Temp.	Name (Print)
	0300	73	PVM
	0600	73	PVM
SG	0900	74	A. Ferreira
	1200	74	A. Ferreira
	1500	75	D. WEBSTER
	1800	75	D. WEBSTER
	2100	74	D WEBSER
	2400	73	M. FERNANDEZ

3/W

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 504 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday AUGUST 1

Date	Time	Temp.	Name (Print)
	0300	76	A'Costa
	0600	75	A'Costa
	0900	76.1	Collano
	1200	77	Collano
	1500	79	Fino
	1800	80.3	Fino
	2100	81.6	Fino
	2400	78	Acosta

Friday AUGUST 2

Date	Time	Temp.	Name (Print)
	0300	78	Acosta
	0600	77	Acosta
	0900	79.1	Collano
	1200	78.5	Fino
	1500	79	Cruz
	1800	80.1	Cruz
	2100	80.5	Cruz
	2400	78	Cruz

Saturday AUGUST 3

Date	Time	Temp.	Name (Print)
	0300	76	A'Costa
	0600	75	A'Costa
	0900	76	James
	1200	79	James
	1500	81.5	Mirsian
	1800	80.5	Mirsian
	2100	80	Mirsian
	2400	79	Villalobos

Sunday AUGUST 4

Date	Time	Temp.	Name (Print)
	0300	78.5	Villalobos
	0600	78	Cruz
	0900	79.1	Cruz
	1200	79.5	Cruz
	1500	80	M. Pichardo
	1800	82	M. Pichardo
	2100	81.5	Mirsian
	2400	80.5	Mirsian

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 504 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/05/24

Date	Time	Temp.	Name (Print)
	0300	77.8	NTSEAN
	0600	77.9	NTSEAN
	0900	78.6	E. Collins
	1200	77.4	E. Collins
	1500	82.2	ALVAREZ
	1800	83.6	ALVAREZ
	2100	82.4	ALVAREZ
	2400	82	A'lostn

Tuesday 8/06/24

Date	Time	Temp.	Name (Print)
	0300	81	A'lostn
	0600	80	A'lostn
	0900	81	E. Collins
	1200	82	E. Collins
	1500	82.6	ALVAREZ 82.6
	1800	84	ALVAREZ
	2100	81.5	ALVAREZ
	2400	80	A'lostn

Wednesday 8/07/24

Date	Time	Temp.	Name (Print)
	0300	80	A'lostn
	0600	79	A'lostn
	0900	81.2	Mendez
	1200	82	Mendez
	1500	82	VILLASENOR
	1800	82	VILLASENOR
	2100	82	VILLASENOR
	2400	83	J. A'lostn

Thursday 8/08/24

Date	Time	Temp.	Name (Print)
	0300	82	J. A'lostn
	0600	82	J. A'lostn
	0900	82.9	Mendez
	1200	83.1	Mendez
	1500	82.2	FIND
	1800	82.1	FIND
	2100	81.0	FIND
	2400	81	J. A'lostn

Friday 8/09/24

Date	Time	Temp.	Name (Print)
	0300	80	J. A'lostn
	0600	80	J. A'lostn
	0900	80.5	Mendez
	1200	81	Mendez
	1500	81.3	FIND
	1800	81.2	FIND
	2100	81.0	FIND
	2400	79	Cruz

Saturday 8/10/24

Date	Time	Temp.	Name (Print)
	0300	77	Cruz
	0600	77.9	Mendez
	0900	78.2	Mendez
	1200	78.9	Mendez
	1500	82.1	FIND
	1800	81.6	FIND
	2100	81.4	FIND
	2400	79	Villalobos

Sunday 8/11/24

Date	Time	Temp.	Name (Print)
	0300	76	Villalobos
	0600	77	Mendez
	0900	78	Mendez
	1200	79	Mendez
	1500	80	M. Pichardo
	1800	79	M. Pichardo
	2100	80	M. Pichardo
	2400	77	A. Marrett

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 504 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/12/24

Date	Time	Temp.	Name (Print)
	0300	77	Marsch
	0600	77.6	E. Collano
	0900	79.	E. Collano
	1200	79	E. Collano
	1500	80.4	E. Collano
	1800	78.8	ALVAREZ
	2100	78.	Alvarez
	2400	78	D. Vasquez

Tuesday 8/13/24

Date	Time	Temp.	Name (Print)
	0300	77	D Vasquez
	0600	77	D. Vasquez
	0900	79.9	E. Collano
	1200	78	E. Collano
	1500	77.9	ALVAREZ
	1800	78.0	ALVAREZ
	2100	78.9	Collano
	2400	78	A'Costa

Wednesday 8/14/24

Date	Time	Temp.	Name (Print)
	0300	78	A'Costa
	0600	76	A'Costa
	0900	76.1	E Collano
	1200	77.1	E. Collano
	1500	77.7	FND
	1800	77	FND
	2100	77	FND
	2400	77	A'Costa

Thursday 8/15/24

Date	Time	Temp.	Name (Print)
	0300	76	J. A'Costa
	0600	74	J A'Costa
	0900	78	J. A'Costa
	1200	80	J. A'Costa
	1500	77.9	FND
	1800	79	FND
	2100	78	FND
	2400	78	A'Costa

Friday 8/16/24

Date	Time	Temp.	Name (Print)
	0300	77	A'Costa
	0600	76	A'Costa
	0900	75.7	E. Collano
	1200	76.1	E. Collano
	1500	77	FND
	1800	78	FND
	2100	78	FND
	2400	77	A'Costa

Saturday 8/17/24

Date	Time	Temp.	Name (Print)
	0300	78	A'Costa
	0600	75	A'Costa
	0900	75	Mendez
	1200	76	Mendez
	1500	75.7	ALVAREZ
	1800	75.9	ALVAREZ
	2100	75.5	ALVAREZ
	2400	75	B VANG

Sunday 8/18/24

Date	Time	Temp.	Name (Print)
	0300	75	B VANG
	0600	75	Mendez
	0900	75	Mendez
	1200	76	Mendez
	1500	77	M. Pichardo
	1800	78	M. Pichardo
	2100	78	M. Pichardo
	2400	79	B. VANG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 504 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/19/24

Date	Time	Temp.	Name (Print)
	0300	74	B VANG
	0600	74	B VANG
	0900	74	J. Lump
	1200	74	T. Lump
	1500	75.7	ALVAREZ
	1800	75.9	ALVAREZ
	2100	75.5	ALVAREZ
90	2400	75	A'Costa

Tuesday 8/20/24

Date	Time	Temp.	Name (Print)
	0300	75	A'Costa
	0600	75	A'Costa
	0900	75	E. Collazo
	1200	75.3	E. Collazo
	1500	75.3	ALVAREZ
	1800	75.9	ALVAREZ
	2100	75.7	ALVAREZ
90	2400	75	A'Costa

Wednesday 8/21/24

Date	Time	Temp.	Name (Print)
	0300	75	A'Costa
	0600	74	A'Costa
	0900	74	P. Mendez
	1200	75	Mendez
	1500	77	Villasco
	1800	77	Mendez
	2100	77	Mendez
90	2400	76	A'Costa

Thursday 8/22/24

Date	Time	Temp.	Name (Print)
	0300	77	A'Costa
	0600	74	A'Costa
	0900	74	Mendez
	1200	74.6	E. Collazo
	1500	75	M. Pichardo
	1800	76	M. Pichardo
	2100	76	M. Pichardo
90	2400	76	A'Costa

Friday 8/23/24

Date	Time	Temp.	Name (Print)
	0300	75	A'Costa
	0600	73	A'Costa
	0900	72.4	E. Collazo
	1200	73	E. Collazo
	1500	70	Kino
	1800	70	Kino
	2100	70.8	Villam
	2400	70.6	Villanu

Saturday 8/24/24

Date	Time	Temp.	Name (Print)
	0300	70	Villanueva
	0600	71	Mendez
	0900	71	Mendez
	1200	72	Mendez
	1500	73	Kino
	1800	74	Kino
	2100	73	Kino
	2400	69	69 B VANG

Sunday 8/25/24

Date	Time	Temp.	Name (Print)
	0300	69	B. VANG
	0600	69	B. VANG
	0900	70	Mendez
	1200	72	Mendez
	1500	73	M. Pichardo
	1800	73	M. Pichardo
	2100	73	M. Pichardo
	2400	69	B VANG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 504 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/26/24

Date	Time	Temp.	Name (Print)
	0300	69	B VANG
	0600	69	B VANG
	0900	70.3	D. Chavas
	1200	71.1	D. Chavas
	1500	74.8	ALVAREZ
	1800	75.0	ALVAREZ
	2100	73.9	ALVAREZ
	2400	74	Alosta

Tuesday 8/27/24

Date	Time	Temp.	Name (Print)
	0300	73	Alosta
	0600	73	Alosta
	0900	73	E. Collazo
	1200	73.4	E. Collazo
	1500	75.0	ALVAREZ
	1800	75.3	ALVAREZ
	2100	75.7	ALVAREZ
	2400	75	Alosta

Wednesday 8/28/24

Date	Time	Temp.	Name (Print)
	0300	74	Alosta
	0600	73	Alosta
	0900	73.6	E. Collazo
	1200	75.7	E. Collazo
	1500	77	Mendez
	1800	77	Mendez
	2100	76	Mendez
	2400	75	Alosta

Thursday 8/29/24

Date	Time	Temp.	Name (Print)
	0300	74	Alosta
	0600	73	Alosta
	0900	74	E. Collazo
	1200	75	E. Collazo
	1500	77	P. Mendez
	1800	77	P. Mendez
	2100	77	P. Mendez
	2400	75.5	V. Villalobos

Friday 8/30/24

Date	Time	Temp.	Name (Print)
	0300	73	Villalobos
	0600	73.6	E. Collazo
	0900	74	E. Collazo
	1200	75	E. Collazo
	1500	76	FINO
	1800	76	FINO
	2100	76	FINO
	2400	76	Chavez

Saturday 8/31/24

Date	Time	Temp.	Name (Print)
	0300	76	Chavez
	0600	76	D. Mays
	0900	74	D. Mays
	1200	77	D. Mays
	1500	77	FINO
	1800	77	FINO
	2100	77	FINO
	2400	75	VANG

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-1-24	0100	77°	E. Diaz
	0200	74°	E. Diaz
	0300	72°	E. Diaz
	0400	71°	E. Diaz
	0500	70°	E. Diaz
	0600	74°	Bazan
	0700	74°	Bazan
	0800	74°	Bazan
	0900	79°	Bazan.
	1000	83°	Bazan
	1100	86°	Bazan
	1200	89°	Bazan
	1300	93°	Bazan
	1400	95°	R. Dump.t
	1500	96	R. Dump.t
	1600	99	R. Dump.t
	1700	99	R. Dump.t
	1800	98	R. Dump.t
	1900	97	R. Dump.t
	2000	92	R. Dump.t
	2100	88	R. Dump.t
	2200	86°	E. Diaz
	2300	83	E. Diaz
	2400	81°	E. Diaz

Stage 1 Activated: 1225 90°
Deactivated: 2150 86

Date	Time	Temp.	Printed Name
8-2-24	0100	80°	E. Diaz
	0200	79°	E. Diaz
	0300	78°	E. Diaz
	0400	78°	E. Diaz
	0500	77°	E. Diaz
	0600	77°	J. Alonso
	0700	75°	J. Alonso
	0800	76°	J. Alonso
	0900	77°	J. Alonso
	1000	79°	J. Alonso
	1100	81°	J. Alonso
	1200	84°	J. Alonso
	1300	87°	J. Alonso
	1400	90	R. Dump.t
	1500	88	R. Dump.t
	1600	86	R. Dump.t
	1700	84	R. Dump.t
	1800	84	R. Dump.t
	1900	82	R. Dump.t
	2000	79	R. Dump.t
	2100	78	R. Dump.t
	2200	77	R. Dump.t
	2300	78	M. Lozano
	2400	79	M. Lozano

Stage 1 Activated: 1400 90°
Deactivated: 1600

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-3-21	0100	78	M. Lozano
	0200	76	M. Lozano
	0300	75	M. Lozano
	0400	73	M. Lozano
	0500	73	M. Lozano
	0600	71	M. Lozano
	0700	74°	J Alonso
	0800	78°	J. Alonso
	0900	80°	J Alonso
	1000	82°	J. Alonso
	1100	86°	J Alonso
	1200	90°	J Alonso
	1300	95°	J. Alonso
	1400	97	R. Dumpit
	1500	97	R. Dumpit
	1600	99	R. Dumpit
	1700	98	R. Dumpit
	1800	97	R. Dumpit
	1900	97	R. Dumpit
	2000	91	R. Dumpit
	2100	88	R. Dumpit
Deactivate	2200	87	C. Oseguera
	2300	82	C. Oseguera
	2400	80	C Oseguera

Stage 1 Activated: 11:44
Deactivated: 2200

Date	Time	Temp.	Printed Name
8/4/21	0100	79	Coseguera
	0200	78	Coseguera
	0300	76	Coseguera
	0400	76	Coseguera
	0500	75	Coseguera
	0600	74	Cowings
	0700	76	Cowings
	0800	80	Cowings
	0900	83	Cowings
	1000	84	Cowings
	1100	89	Cowings
	1200	92	Cowings
	1300	96	Cowings
	1400	96	M. Valerio
	1500	100	M. Valerio
	1600	102	M. Valerio
	1700	100	M. Valerio
	1800	97	M. Valerio
	1900	95	M. Valerio
	2000	91	M. Valerio
	2100	89	M. Valerio
	2200	85	VAV
	2300	84	VAV
	2400	84	VAV

Stage 1 Activated: 1135
Deactivated: 2400

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/5/24	0100	78	WALL
	0200	76	WALL
	0300	75	WALL
	0400	73	WALL
	0500	73	WALL
	0600	71	M.Valerio
	0700	73	M.Valerio
	0800	78	M.Valerio
	0900	82	M.Valerio
	1000	87	M.Valerio
	1100	89	M.Valerio
	1200	90	M.Valerio
	1300	96	M.Valerio
	1400	98	M.Valerio
	1500	100	M.Valerio
	1600	100	M.Valerio
	1700	98	M.Valerio
	1800	96	M.Valerio
	1900	94	M.Valerio
	2000	90	M.Valerio
	2100	86	M.Valerio
	2200	84	STANLEY
	2300	82	STANLEY
	2400	80	STANLEY

Stage 1 Activated: 1200
Deactivated: 2100

Date	Time	Temp.	Printed Name
8/6/24	0100	80	STANLEY
	0200	76	STANLEY
	0300	74	STANLEY
	0400	73	STANLEY
	0500	72	STANLEY
	0600	72°	Bazan
	0700	75°	Bazan
	0800	79°	Bazan
	0900	81°	Bazan
	1000	85°	Bazan
	1100	89°	Bazan
	1200	91°	Bazan
	1300	95°	Bazan
	1400	99°	E. Dian
	1500	100°	E. Dian
	1600	101°	E. Dian
	1700	99°	E. Dian
	1800	99°	E. Dian
	1900	96°	E. Dian
	2000	93°	E. Dian
	2100	87°	E. Dian
	2200	84	HILDRETH
	2300	80	HILDRETH
	2400	80	HILDRETH

Stage 1 Activated: 1200
Deactivated: 2100

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08-07-24	0100	78	W.HILDRETH
	0200	77	HILDRETH
	0300	77	HILDRETH
	0400	75	HILDRETH
	0500	74	HILDRETH
	0600	73°	Bazan
	0700	73°	Bazan
	0800	79°	Bazan
	0900	84°	Bazan
	1000	88°	Bazan
	1100	91°	Bazan
	1200	96°	Bazan
	1300	100°	Bazan
	1400	103°	E.Diaz
	1500	105°	E.Diaz
	1600	105°	E.Diaz
	1700	104°	E.Diaz
	1800	99°	E.Diaz
	1900	98°	E.Diaz
	2000	96°	E.Diaz
	2100	90°	E.Diaz
	2200	84°	C.Oseguera
	2300	83	COseguera
	2400	80	COseguera

Stage 1 Activated: 1100
Deactivated: 2100

Date	Time	Temp.	Printed Name
8-8-24	0100	79	COseguera
	0200	79	COseguera
	0300	77	COseguera
	0400	74	COseguera
	0500	74	COseguera
	0600	73°	Bazan
	0700	74°	Bazan
	0800	78°	Bazan
	0900	83°	Bazan
	1000	86°	Bazan
	1100	89°	Bazan
	1200	92°	Bazan
	1300	95°	Bazan
	1400	96°	Bazan
	1500	97°	Bazan
	1600	97°	Bazan
	1700	96°	Bazan
	1800	96°	Bazan
	1900	94°	Bazan
	2000	89°	Bazan
	2100	87°	Bazan
	2200	83°	K.VANS
	2300	80°	K.VANS
	2400	80°	K.VANS

Stage 1 Activated: 1150
Deactivated: 2035

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CC WF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	78	K. VANG
	0200	76	K. VANG
	0300	75	K. VANG
	0400	74	K. VANG
	0500	73	K. VANG
	0600	72°	J Alonso
	0700	76°	J Alonso
	0800	78°	J Alonso
	0900	82°	J Alonso
	1000	87°	J Alonso
	1100	91°	J. Alonso
	1200	92°	J Alonso
	1300	97°	J Alonso
	1400	97°	J Alonso
	1500	100°	J Alonso
	1600	99°	K RUTAN
	1700	98°	K. RUTAN
	1800	96	K. RUTAN
	1900	93	K. RUTAN
	2000	89	K. RUTAN
	2100	88	K. RUTAN
	2200	84	J. LOO
	2300	82	J. LOO
	2400	80	J. LOO

Stage 1 Activated: 10:50
Deactivated: 2019

Date	Time	Temp.	Printed Name
	0100	78	J. LOO
	0200	76	J. LOO
	0300	74	J. LOO
	0400	73	J. LOO
	0500	72	J. LOO
	0600	71°	J Alonso
	0700	72°	J Alonso
	0800	74°	J Alonso
	0900	80°	J Alonso
	1000	88°	J Alonso
	1100	91°	J Alonso
	1200	92°	J Alonso
	1300	97°	J Alonso
	1400	98°	HILDRETH
	1500	97°	HILDRETH
	1600	96°	HILDRETH
	1700	96°	HILDRETH
	1800	98°	HILDRETH
	1900	94°	HILDRETH
	2000	90°	HILDRETH → DEACT
	2100	87°	HILDRETH
	2200	83	Lozano
	2300	83	Lozano
	2400	79	Lozano

Stage 1 Activated: 10:45
Deactivated: 2010

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/11/24	0100	80	Lozano
	0200	78	Lozano
	0300	74	Lozano
	0400	76	Lozano
	0500	75	Lozano
	0600	73	Cowings
	0700	74	Cowings
	0800	76	Cowings
	0900	82	Cowings
	1000	85	Cowings
	1100	88	Cowings
	1200	90	Cowings
	1300	93	Cowings
	1400	97	LOPEZ
	1500	97	LOPEZ
	1600	98	LOPEZ
	1700	99	LOPEZ
	1800	96	LOPEZ
	1900	93	LOPEZ
	2000	90	LOPEZ
	2100	85	LOPEZ
	2200	82	Lozano
	2300	80	Lozano
	2400	79	Lozano

Stage 1 Activated: 1155
Deactivated: 2040

Date	Time	Temp.	Printed Name
08/12/24	0100	78	Lozano
	0200	76	Lozano
	0300	76	Lozano
	0400	73	Lozano
	0500	75	Lozano
	0600	74	M.valerio
	0700	72	M.Valerio
	0800	77	M.valerio
	0900	79	M.valerio
	1000	84	M.valerio
	1100	81	M.Valerio
	1200	89	M.Valerio
	1300	90	M.valerio
	1400	92	M.valerio
	1500	92	M.valerio
	1600	95	M.valerio
	1700	93	M.Valerio
	1800	90	M.Valerio
	1900	89	M.Valerio
	2000	84	M.valerio
	2100	83	M.Valerio
	2200	80	Stuck
	2300	77	Stuck
	2400	75	Stuck

Stage 1 Activated: 1300
Deactivated: 1900

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	73	Stanly
	0200	71	Stanly
	0300	71	Stanly
	0400	70	Stanly
	0500	66	Stanly
	0600	68°	Bazan
	0700	70°	Bazan
	0800	72°	Bazan
	0900	75°	Bazan
	1000	80°	Bazan
	1100	84°	Bazan
	1200	87°	Bazan
	1300	89°	Bazan
	1400	89°	Bazan
	1500	92°	Bazan
	1600	92°	Bazan
	1700	92°	Bazan
	1800	90°	Bazan
	1900	88°	Bazan
	2000	86°	Bazan
	2100	84°	Bazan
	2200	80	Stanly
	2300	77	Stanly
	2400	75	Stanly

Stage 1 Activated: 1430
Deactivated: 2000

Date	Time	Temp.	Printed Name
	0100	74	Stanly
	0200	73	Stanly
	0300	71	Stanly
	0400	72	Stanly
	0500	69	Stanly
	0600	68°	Bazan
	0700	71°	Bazan
	0800	73°	Bazan
	0900	79°	Bazan
	1000	82°	Bazan
	1100	83°	Bazan
	1200	87°	Bazan
	1300	89°	Bazan
	1400	92	Stanly
	1500	94	Stanly
	1600	90	Stanly
	1700	94	Stanly
	1800	90	Stanly
	1900	88	Stanly
	2000	85	Stanly
	2100	83	Stanly
	2200	81	Stanly
	2300	79	Stanly
	2400	77	Stanly

Stage 1 Activated: 1330
Deactivated: 1855

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/15/24	0100	75	Stanley
	0200	74	Stanley
	0300	74	Stanley
	0400	72	Stanley
	0500	70	Stanley
	0600	69°	Bazan
	0700	72°	Bazan
	0800	75°	Bazan
	0900	77°	Bazan
	1000	80°	Bazan
	1100	84°	Bazan
	1200	87°	Bazan
	1300	89°	Bazan
	1400	92	R. Dumpit
	1500	95	R. Dumpit
	1600	95	R. Dumpit
	1700	91	R. Dumpit
	1800	90	R. Dumpit
	1900	88	R. Dumpit
	2000	84	R. Dumpit
	2100	82	R. Dumpit
	2200	79	R. Dumpit
	2300	77	R. Dumpit
	2400	76	R. Dumpit

Stage 1 Activated: 1330
Deactivated: 2000

Date	Time	Temp.	Printed Name
	0100	73	R. Dumpit
	0200	72	R. Dumpit
	0300	70	R. Dumpit
	0400	69	R. Dumpit
	0500	69	R. Dumpit
	0600	65°	J Alonso
	0700	68°	J Alonso
	0800	72°	J Alonso
	0900	76°	J Alonso
	1000	81°	J Alonso
	1100	84°	J Alonso
	1200	86°	J. Alonso
	1300	89°	J Alonso
	1400	92	R. Dumpit
	1500	92	R. Dumpit
	1600	93	R. Dumpit
	1700	96	R. Dumpit
	1800	91	R. Dumpit
	1900	89	R. Dumpit
	2000	85	R. Dumpit
	2100	84	R. Dumpit
	2200	80	R. Dumpit
	2300	78	R. Dumpit
	2400	75	R. Dumpit

Stage 1 Activated: 1337
Deactivated: 2000

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-17-24	0100	73	R. Dumpit
	0200	72	R Dump.t
	0300	71	R. Dump.t
	0400	70	R. Dump.t
	0500	70	R. Dump.t
	0600	67°	J. Alonso
	0700	68°	J Alonso
	0800	72°	J Alonso
	0900	74°	J Alonso
	1000	78°	J. Alonso
	1100	84°	J Alonso
	1200	88°	J Alonso
	1300	88°	J Alonso
	1400	87	R. DUMPIT
	1500	91	R. Dump.t
	1600	92	R. Dump.t
	1700	91	R. Dump.t
	1800	90	R. Dump.t
	1900	86	R. Dump.t
	2000	82	R. Dump.t
	2100	80	R. Dump.t
	2200	78	HILDRETH
	2300	75	HILDRETH
	2400	74	HILDRETH

Date	Time	Temp.	Printed Name
8-18-24	0100	72	HILDRETH
	0200	71	HILDRETH
	0300	69	HILDRETH
	0400	69	HILDRETH
	0500	68	HILDRETH
	0600	66	B. Cowings
	0700	67	B. Cowings
	0800	70	B. Cowings
	0900	72	B. Cowings
	1000	73	B. Cowings
	1100	77	B. Cowings
	1200	80°	B. Cowings
	1300	82	B. Cowings
	1400	83	M. Valerio
	1500	84	M. Valerio
	1600	86	M. Valerio
	1700	85	M. Valerio
	1800	85	M. Valerio
	1900	84	M. Valerio
	2000	81	M. Valerio
	2100	78	M. Valerio
	2200	77	Stang
	2300	76	Stang
	2400	74	Stang

Stage 1 Activated: 1500
Deactivated: 2000

Stage 1 Activated: _____
Deactivated: _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/19/24	0100	72	Stanly
	0200	70	Stanly
	0300	70	Stanly
	0400	68	Stanly
	0500	67	Stanly
	0600	67	M.Valerio
	0700	70	M.Valerio
	0800	71	M.Valerio
	0900	73	M.Valerio
	1000	75	M.Valerio
	1100	80	M.Valerio
	1200	85	M.Valerio
	1300	88	M.Valerio
	1400	89	M.Valerio
	1500	91	B.Cowings
	1600	92	B.Cowings
	1700	90	B.Cowings
	1800	90	B.Cowings
	1900	87	B.Cowings
	2000	82	B.Cowings
	2100	80	B.Cowings
	2200	78	Stanly
	2300	75	Stanly
	2400	74	Stanly

Stage 1 Activated: 1500
Deactivated: 1900

Date	Time	Temp.	Printed Name
8/20/24	0100	73	Stanly
	0200	71	Stanly
	0300	71	Stanly
	0400	69	Stanly
	0500	68	Stanly
	0600	67°	Bazan
	0700	68°	Bazan
	0800	72°	Bazan
	0900	75°	Bazan
	1000	80°	Bazan
	1100	85°	Bazan
	1200	88°	Bazan
	1300	89°	Bazan
	1400	89°	Stanly
	1500	92	Stanly
	1600	94	Stanly
	1700	91	Stanly
	1800	90	Stanly
	1900	87	Stanly
	2000	85	Stanly
	2100	81	Stanly
	2200	80	Stanly
	2300	79	Stanly
	2400	77	Stanly

Stage 1 Activated: 1330
Deactivated: 1900

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/21/24	0100	75	Stanley
	0200	74	Stanley
	0300	73	Stanley
	0400	70	Stanley
	0500	67	Stanley
	0600	68°	Bazan
	0700	67°	Bazan
	0800	70°	Bazan
	0900	75°	Bazan
	1000	80°	Bazan
	1100	84°	Bazan
	1200	87°	Bazan
	1300	89°	Bazan
	1400	89	Stanley
	1500	92	Stanley
	1600	94	Stanley
	1700	90	Stanley
	1800	90	Stanley
	1900	89	Stanley
	2000	85	Stanley
	2100	82	Stanley
	2200	79	Stanley
	2300	75	Stanley
	2400	75	STANLEY

Stage 1 Activated: ~~1425~~ 93
Deactivated: ~~1850~~ 88

Date	Time	Temp.	Printed Name
8/22/24	0100	74	Stanley
	0200	70	Stanley
	0300	70°	Vang
	0400	69°	Vang
	0500	68°	Vang
	0600	66°	Bazan
	0700	68°	Bazan
	0800	71°	Bazan
	0900	74°	Bazan
	1000	75°	Bazan
	1100	80°	Bazan
	1200	81°	Bazan
	1300	84°	Bazan
	1400	85	R. Dump. t
	1500	87	R. Dump. t
	1600	89	R. Dump. t
	1700	89	R. Dump. t
	1800	85	R. Dump. t
	1900	81	R. Dump. t
	2000	78	R. Dump. t
	2100	76	R. Dump. t
	2200	74	R. Dump. t
	2300	71	R. Dump. t
	2400	70	R. Dump. t

Stage 1 Activated: _____
Deactivated: _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/23/24	0100	68	R. Dumpt
	0200	67	R. Dumpt
	0300	66	R. Dumpt
	0400	63	R. Dumpt
	0500	63	R. Dumpt
	0600	63°	J Alonso
	0700	64°	J Alonso
	0800	67°	J Alonso
	0900	68°	J Alonso
	1000	72°	J Alonso
	1100	73°	J Alonso
	1200	76°	J Alonso
	1300	77°	J. Alonso
	1400	78	R. Dumpt
	1500	78	R. Dumpt
	1600	77	R. Dumpt
	1700	76	R. Dumpt
	1800	77	R. Dumpt
	1900	75	R. Dumpt
	2000	74	R. Dumpt
	2100	73	R. Dumpt
	2200	71	R. Dumpt
	2300	70	R. Dumpt
	2400	70	R. Dumpt

Stage 1 Activated: _____
Deactivated: _____

Date	Time	Temp.	Printed Name
8/24/24	0100	69	R. Dumpt
	0200	69	R. Dumpt
	0300	68	R. Dumpt
	0400	67	R. Dumpt
	0500	68	R. Dumpt
	0600	68°	J Alonso
	0700	68°	J Alonso
	0800	68°	J Alonso
	0900	72°	J Alonso
	1000	74°	J Alonso
	1100	76°	J Alonso
	1200	78°	J Alonso
	1300	82°	J Alonso
	1400	82	R. Dumpt
	1500	79	R. Dumpt
	1600	83	R. Dumpt
	1700	79	R. Dumpt
	1800	79	R. Dumpt
	1900	79	R. Dumpt
	2000	75	R. Dumpt
	2100	74	R. Dumpt
	2200	72°	Bazan
	2300	70°	Bazan
	2400	69°	Bazan

Stage 1 Activated: _____
Deactivated: _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/25/24	0100	68°	Bazan
	0200	67°	Bazan
	0300	66°	Bazan
	0400	65°	Bazan
	0500	64°	Bazan
	0600	63°	Cowings
	0700	62	Cowings
	0800	66	Cowings
	0900	69	Cowings
	1000	71	Cowings
	1100	75	Cowings
	1200	78	Cowings
	1300	80	Cowings
	1400	84	M. Valerio
	1500	85	M. Valerio
	1600	85	M. Valerio
	1700	86	M. Valerio
	1800	85	M. Valerio
	1900	83	M. Valerio
	2000	80	M. Valerio
	2100	76	M. Valerio
	2200	73°	Bazan
	2300	70°	Bazan
	2400	69°	Bazan

Stage 1 Activated: _____
Deactivated: _____

Date	Time	Temp.	Printed Name
8/26/24	0100	68°	Bazan
	0200	68°	Bazan
	0300	68°	Bazan
	0400	61°	Bazan
	0500	65°	Bazan
	0600	62°	Bazan
	0700	63°	Bazan
	0800	70°	Bazan
	0900	75°	Bazan
	1000	77°	Bazan
	1100	83°	Bazan
	1200	84°	Bazan
	1300	88°	Bazan
	1400	89	M. Valerio
	1500	90	M. Valerio
	1600	93	M. Valerio
	1700	93	M. Valerio
	1800	89	M. Valerio
	1900	89	M. Valerio
	2000	85	M. Valerio
	2100	80	M. Valerio
	2200	77	Stanly
	2300	75	Stanly
	2400	72	Stanly

Stage 1 Activated: 1500
Deactivated: 1900

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/27/24	0100	72	Stanly
	0200	72	Stanly
	0300	68	Stanly
	0400	65	Stanly
	0500	68	Stanly
	0600	68°	Bazan
	0700	70°	Bazan
	0800	73	Bazan
	0900	75°	Bazan
	1000	78°	Bazan
	1100	82°	Bazan
	1200	87°	Bazan
	1300	89°	Bazan
	1400	94	Stanly
	1500	93	Stanly
	1600	98	Stanly
	1700	94	Stanly
	1800	93	Stanly
	1900	91	Stanly
	2000	85	Stanley
	2100	82	Stanly
	2200	81	Stanly
	2300	79	Stanly
	2400	75	Stanly

Stage 1 Activated: 1400
Deactivated: ~~[illegible]~~ 1945

Date	Time	Temp.	Printed Name
8/28/24	0100	75	Stanly
	0200	73	Stanly
	0300	70	Stanly
	0400	68	Stanly
	0500	65	STANLEY
	0600	67°	Bazan
	0700	68°	Bazan
	0800	74°	Bazan
	0900	79°	Bazan
	1000	82°	Bazan
	1100	85°	Bazan
	1200	87°	Bazan
	1300	89°	Bazan
	1400	91	Stanly
	1500	97	Stanly
	1600	99	Stanly
	1700	98	Stanly
	1800	97	Stanly
	1900	93	Stanly
	2000	90	Stanly
	2100	84	Stanly
	2200	79	Cowings
	2300	77	Cowings
	2400	76	Cowings

Stage 1 Activated: 1349
Deactivated: 2010

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Control / Control

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/29/24	0100	76	B. Cowings
	0200	75	Cowings
	0300	72	Cowings
	0400	72	Cowings
	0500	69	Cowings
	0600	67°	Bazan
	0700	66°	Bazan
	0800	72°	Bazan
	0900	75°	Bazan.
	1000	78°	Bazan
	1100	82°	J Alonso
	1200	88°	J Alonso
	1300	90	J Alonso
	1400	91	R. Dumpit
	1500	94	R. Dumpit
	1600	94	R. Dumpit
	1700	96	R. Dumpit
	1800	91	R. Dumpit
	1900	91	R. Dumpit
	2000	86	R. Dumpit
	2100	83	R. Dumpit
	2200	81	R. Dumpit
	2300	77	R. Dumpit
	2400	76	R. Dumpit

Stage 1 Activated: 13:15
Deactivated: 2100

Date	Time	Temp.	Printed Name
8/30/24	0100	73	R. Dumpit
	0200	73	R. Dumpit
	0300	70	R. Dumpit
	0400	70	R. Dumpit
	0500	67	R. Dumpit
	0600	67°	J Alonso
	0700	70°	J Alonso
	0800	72°	J Alonso
	0900	75°	J Alonso
	1000	80°	J Alonso
	1100	83°	J Alonso
	1200	88°	J Alonso
	1300	90°	J Alonso
	1400	90	R. Dumpit
	1500	93	R. Dumpit
	1600	96	R. Dumpit
	1700	94	R. Dumpit
	1800	92	R. Dumpit
	1900	90	R. Dumpit
	2000	85	R. Dumpit
	2100	83	R. Dumpit
	2200	81	R. Dumpit
	2300	77	R. Dumpit
	2400	76	R. Dumpit

Stage 1 Activated: 1328
Deactivated: 2100

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ATTACHMENT A

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CCWF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/31/24	0100	74	R. Dumpit
	0200	73	R. Dumpit
	0300	69	R. Dumpit
	0400	69	R. Dumpit
	0500	69	R. Dumpit
	0600	71	R. DUMPIT
	0700	68°	J. Alonso
	0800	73°	J. Alonso
	0900	75°	J Alonso
	1000	80°	J Alonso
	1100	86°	J Alonso
	1200	89°	J Alonso
	1300	90°	J. Alonso
	1400	92	Cowings
	1500	92	Cowings
	1600	94	Cowings
	1700	93	Cowings
	1800	95	Cowings
	1900	93	Cowings
	2000	87	Cowings
	2100	84	Cowings
	2200	81	HILDRETH
	2300	79	HILDRETH
	2400	77	HILDRETH

Stage 1 Activated: 1244
Deactivated: 1960

Date	Time	Temp.	Printed Name
9/1/24	0100	76	HILDRETH
	0200	74	HILDRETH
	0300	72	HILDRETH
	0400	71	HILDRETH
	0500	70	HILDRETH
	0600	69°	Cowings
	0700	68°	Cowings
	0800	71°	Cowings
	0900	74°	Cowings
	1000	77°	Cowings
	1100	83	Cowings
	1200	85	Cowings
	1300	89	Cowings
	1400	90	M. Valerio
	1500	92	M. Valerio
	1600	97	M. Valerio
	1700	96	M. Valerio
	1800	93	M. Valerio
	1900	91	M. Valerio
	2000	86	M. Valerio
	2100	82	M. Valerio
	2200	79	HILDRETH
	2300	78	HILDRETH
	2400	76	HILDRETH

Stage 1 Activated: ~~1244~~ 1330
Deactivated: 2000

DISTRIBUTION: Original: Institution Heat Plan Coordinator

State of California

Department of Corrections and Rehabilitation
Central California Women's Facility

Memorandum

Date: September 1, 2024

To: D. MYERS, CCII, Heat Plan Coordinator

Subject: **FACILITY B HEAT LOGS – AUGUST 2024**

In compliance with the Coleman v. Wilson Stipulation Court Order, this memorandum is to inform you that during the month of August 2024 the ambient temperatures in Building 505, 506, 507, and 508 did not reach the temperature standards for Stage II or Stage III Heat Alert Procedure. Heat Logs Sheets were completed and are enclosed for Facility B for the month of August 2024. All units have been provided with Igloo's that have ice and water.

Should you have any questions or concern regarding this information, please contact me at extension [redacted]

C. CORDA
Facility B Captain (A)
Central California Women's Facility

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 508 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday August 1, 2024

Date	Time	Temp.	Name (Print)
	0300	74	Zavala
	0600	73.8	guzman
	0900	73.9	guzmur
	1200	74.2	guzman
	1500	76.	M. Hernandez
	1800	77	M. Hernandez
	2100	78	M. Hernandez
	2400	79	[illegible]

Friday August 2, 2024

Date	Time	Temp.	Name (Print)
	0300	75	[illegible]
	0600	74.9	guzman
	0900	74.9	guzman
	1200	75.3	guzman
	1500	77.7	[illegible]
	1800	77.9	[illegible]
	2100	74	[illegible]
	2400	79	[illegible]

Saturday August 3, 2024

Date	Time	Temp.	Name (Print)
	0300	75	[illegible]
	0600	72	Zavala
	0900	74	Zavala
	1200	74	Zavala
	1500	77.9	[illegible]
	1800	77.9	guzman
	2100	78.	guzman
	2400	79	[illegible]

Sunday August 4, 2024

Date	Time	Temp.	Name (Print)
	0300	76	[illegible]
	0600	72	Zavala
	0900	74	Zavala
	1200	74	Zavala
	1500	78	C. Gutierrez
	1800	79	C. Gutierrez
	2100	80	HERNANDEZ
	2400	80	HERNANDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 508 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 5, 2024

Date	Time	Temp.	Name (Print)
	0300	78	HERNANDEZ
	0600	78	HERNANDEZ
	0900	79	CRISEN
	1200	79	HERNANDEZ
	1500	79	M. Davila
	1800	80	M. Davila
	2100	80	M. Davila
	2400	79°	C. Padilla

Tuesday August 6, 2024

Date	Time	Temp.	Name (Print)
	0300	80°	C. Padilla
	0600	76	Patton
	0900	78	Patton
	1200	74	Patton
	1500	79.5	Garcia
	1800	80.2	Garcia
	2100	79.1	Garcia
	2400	80°	C. Padilla

Wednesday August 7, 2024

Date	Time	Temp.	Name (Print)
	0300	79°	C. Padilla
	0600	72	Zavala
	0900	72.1	Guzman
	1200	74.2	Guzman
	1500	74.8	Guzman
	1800	74.9	Guzman
	2100	74.6	Guzman
	2400	74.	[illegible]

Thursday August 8, 2024

Date	Time	Temp.	Name (Print)
	0300	72.	[illegible]
	0600	74	Guzman
	0900	74.1	Guzman
	1200	74.1	Zavala
	1500	86	HZ
	1800	86	HZ
	2100	82	HZ
	2400	80	[illegible]

Friday August 9, 2024

Date	Time	Temp.	Name (Print)
	0300	77	[illegible]
	0600	70	Guzman
	0900	72	Guzman
	1200	74	Guzman
	1500	74.5	CHAPPEL
	1800	74.	CHAPPEL
	2100	73	CHAPPEL
	2400	78	[illegible]

Saturday August 10, 2024

Date	Time	Temp.	Name (Print)
	0300	70	[illegible]
	0600	70	M. Cisneros
	0900	72	Zavala
	1200	72	Zavala
	1500	72	HZ
	1800	72	HZ
	2100	72	HZ
	2400	72	[illegible]

Sunday August 11, 2024

Date	Time	Temp.	Name (Print)
	0300	70	[illegible]
	0600	71	Zavala
	0900	72	Zavala
	1200	72	Zavala
	1500	79	Gallegos
	1800	79	Gallegos
	2100	78	Gallegos
	2400	76	HERNANDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 508 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 12, 2024

Date	Time	Temp.	Name (Print)
	0300	74	HERNANDEZ
	0600	74	HERNANDEZ
	0900	76	HERNANDEZ
	1200	77	HERNANDEZ
	1500	77	Davila
	1800	75	Davila
	2100	74	Davila
	2400	75	C. Padilla

Tuesday August 13, 2024

Date	Time	Temp.	Name (Print)
	0300	74	C. Padilla
	0600	74	L. Patton
	0900	74	Patton
	1200	73	Baeza
	1500	74	A. HAVEY
	1800	76.4	J. Rodriguez
	2100	74	J. Rodriguez
	2400	75	C. Padilla

Wednesday August 14, 2024

Date	Time	Temp.	Name (Print)
	0300	75°	C. Padilla
	0600	70	martinez
	0900	72	HR
	1200	72	HR
	1500	72	D. Coyle
	1800	75	D. Coyle
	2100	75	D. Coyle
	2400	70	Thao, Le.

Thursday August 15, 2024

Date	Time	Temp.	Name (Print)
	0300	70	Thao, Le.
	0600	71.1	Guzman
	0900	71.8	Guzman
	1200	72.1	Guzman
	1500	75.9	Gutierrez
	1800	77.3	Gutierrez
	2100	76.1	Gutierrez
	2400	75.8	C. Padilla

Friday August 16, 2024

Date	Time	Temp.	Name (Print)
	0300	73°	C. Padilla
	0600	74°	C. Padilla
	0900	73.2	guzman
	1200	73.8	Guzman
	1500	75.7	J. Brigido
	1800	74	J. Brigido
	2100	74	J. Brigido
	2400	73	[illegible]

Saturday August 17, 2024

Date	Time	Temp.	Name (Print)
	0300	72	[illegible]
	0600	72	Baez
	0900	73	BMZ
	1200	75	BMZ
	1500	77.8	A. Chandler
	1800	76.2	A. Chandler
	2100	75.9	A. Chandler
	2400	72	[illegible]

Sunday August 18, 2024

Date	Time	Temp.	Name (Print)
	0300	68	[illegible]
	0600	70	Zavala
	0900	72	Zavala
	1200	72	Zavala
	1500	75.5	Manjarrez
	1800	75.5	Manjarrez
	2100	75.5	Manjarrez
	2400	73	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 508 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 19, 2024

Date	Time	Temp.	Name (Print)
	0300	68	Esm
	0600	68	CRojas
	0900	72	CRojas
	1200	75	CR
	1500	75	Davila
	1800	78	Davila
	2100	73	J. Brigido
	2400	70°	C. Padilla

Tuesday August 20, 2024

Date	Time	Temp.	Name (Print)
	0300	69°	C. Padilla
	0600	70	Baeza
	0900	73	Baeza
	1200	74	C
	1500	74	Garcia
	1800	74	J. Zamora
	2100	74	J Zamora
	2400	71°	C. Padilla

Wednesday August 21, 2024

Date	Time	Temp.	Name (Print)
	0300	69°	C. Padilla
	0600	69.2	M. Guzman
	0900	71.1	Baeza
	1200	72	Guzman
	1500	72.9	Guzman
	1800	74	Guzman
	2100	73.8	Guzman
	2400	74	Esm

Thursday August 22, 2024

Date	Time	Temp.	Name (Print)
8/22/24	0300	70	Esm
	0600	72	Guzman
	0900	73	J. Cisneros
	1200	73.4	J. Cisneros
	1500	71	J. Gallegos
	1800	72	J. Gallegos
	2100	70	J. Gallegos
	2400	70	Esm

Friday August 23, 2024

Date	Time	Temp.	Name (Print)
	0300	69	Esm
	0600	70.1	Guzman
	0900	71	Olivares
	1200	71	Olivares
	1500	72	Garcia
	1800	72	Garcia
	2100	72	Garcia
	2400	70	Esm

Saturday August 24, 2024

Date	Time	Temp.	Name (Print)
	0300	68	Esm
	0600	70	Zavala
	0900	70	Zavala
	1200	70	Zavala
	1500	70	Hernandez
	1800	70	Hernandez
	2100	70	Hernandez
	2400	70	Esm

Sunday August 25, 2024

Date	Time	Temp.	Name (Print)
	0300	68	Esm
	0600	69	Esm
	0900	69	Zavala
	1200	69	Zavala
	1500	70	
	1800	70	
	2100	70	
	2400	70	HERNANDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 508 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 26, 2024

Date	Time	Temp.	Name (Print)
	0300	71	HERNANDEZ
	0600	71	HERNANDEZ
	0900	72	Davila
	1200	72	Davila
	1500	73	M.Davila
	1800	74	M.Davila
	2100	73	M.Davila
	2400	74°	C.Padilla

Tuesday August 27, 2024

Date	Time	Temp.	Name (Print)
	0300	72°	C.Padilla
	0600	73	Baeza
	0900	74°	Baeza
	1200	75.7	Baeza
	1500	75.7	J.VANG
	1800	75.3	J.VANG
	2100	74	J.VANG
	2400	74°	C.Padilla

Wednesday August 28, 2024

Date	Time	Temp.	Name (Print)
	0300	72°	C.Padilla
	0600	72	Baeza
	0900	72	Baeza
	1200	72	Baeza
	1500	72°	J. Gallegos
	1800	72°	J. Gallegos
	2100	72°	J. Gallegos
	2400	70	[illegible]

Thursday August 29, 2024

Date	Time	Temp.	Name (Print)
	0300	70	
	0600	70°	Campos Garcia
	0900	72	Campos Garcia
	1200	72	Campos Garcia
	1500	78.2	C. Gutierrez
	1800	77.6	C. Gutierrez
	2100	[illegible]	C. Gutierrez
	2400	[illegible]	Escobar

Friday August 30, 2024

Date	Time	Temp.	Name (Print)
	0300	68	Escobar
	0600	69	[illegible]
	0900	70	Thor
	1200	72	[illegible]
	1500	72	[illegible]
	1800	73	[illegible]
	2100	72	[illegible]
	2400	72	[illegible]

Saturday August 31, 2024

Date	Time	Temp.	Name (Print)
	0300	72	[illegible]
	0600	72°	K.TAPIA
	0900	73	Baeza
	1200	75	Baeza
	1500	77	Thor
	1800	78	Thor
	2100	77	Thor
	2400	72	Escobar

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 507 Temp. Reading Location: A, B, C, D, Wings & Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday August 1, 2024

Date	Time	Temp.	Name (Print)
	0300	75	A. Espinoza
	0600	73	T. Yang
	0900	73	T. Yang
	1200	77	T. Yang
	1500	79	F. Perez
	1800	81	T. Yang
	2100	80	T. Yang
	2400	79.	D. Thao

Friday August 2, 2024

Date	Time	Temp.	Name (Print)
	0300	78	D. Thao
	0600	78	D. Thao
	0900	78	Felix
	1200	79	Felix
	1500	78	T. Yang
	1800	78	T. Yang
	2100	78	A. Espinoza
	2400	77	A. Espinoza

Saturday August 3, 2024

Date	Time	Temp.	Name (Print)
	0300	76	A. Espinoza
	0600	76	A. Espinoza
	0900	76	M. Nuñez
	1200	79	Felix
	1500	81	F. Perez
	1800	81	F. Perez
	2100	81	F. Perez
	2400	80	E Smith

Sunday August 4, 2024

Date	Time	Temp.	Name (Print)
	0300	78	E Smith
	0600	78	J A
	0900	80	J A
	1200	80	J A
	1500	82	F. Perez
	1800	82	F. Perez
	2100	81	F. Perez
	2400	79	E Smith

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 507 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 5, 2024

Date	Time	Temp.	Name (Print)
	0300	77	E Smith
	0600	74	M. Villagphone
	0900	77	J. Alv
	1200	80	J. Alv
	1500	81	F. Perez
	1800	81	F. Perez
	2100	80	F. Perez
	2400	79	Olivares

Tuesday August 6, 2024

Date	Time	Temp.	Name (Print)
	0300	78	Olivares
	0600	71	M. Vilayphone
	0900	75	M. Vilayphone
	1200	78	M. Vilayphone
	1500	80	M. Villa
	1800	82	M. Villa
	2100	81	M. Vil
	2400	79	Olivares

Wednesday August 7, 2024

Date	Time	Temp.	Name (Print)
	0300	79	Olivares
	0600	78	Olivares
	0900	77	J. Alv
	1200	79	M. Vilayphone
	1500	81	M. Vilayphone
	1800	82	D. Vasquez
	2100	81	D. Vasquez
	2400	80	A. Murillo

Thursday August 8, 2024

Date	Time	Temp.	Name (Print)
	0300	80	A. Murillo
	0600	80	[illegible]
	0900	74	T. Yang
	1200	79	T. Yang
	1500	79	T. Yang
	1800	80	T. Yang
	2100	79	T. Yang
	2400	78	Villalobos

Friday August 9, 2024

Date	Time	Temp.	Name (Print)
	0300	76	Villalobos
	0600	74	Villalobos
	0900	75	Felix
	1200	77	Felix
	1500	79	F. Perez
	1800	80	T. Yang
	2100	79	T. Yang
	2400	77	I. Villalobos

Saturday August 10, 2024

Date	Time	Temp.	Name (Print)
	0300	75	Villalobos
	0600	73	Villalobos
	0900	73	Felix
	1200	76	T. Yang
	1500	79	T. Yang
	1800	80	T. Yang
	2100	78	T. Yang
	2400	77	E Smith

Sunday August 11, 2024

Date	Time	Temp.	Name (Print)
	0300	75	E Smith
	0600	73	M. Vilayphone
	0900	74	J. Rios
	1200	76	M. Vilayphone
	1500	80	F. Perez
	1800	80	J. Brigido
	2100	79	J. Brigido
	2400	77	E Smith

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 507 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 12, 2024

Date	Time	Temp.	Name (Print)
	0300	74	E Smith
	0600	73	M. Vilayphone
	0900	73	J. A
	1200	75	J. A
	1500	78	D Vásquez
	1800	78	D. Vásquez
	2100	78	D Vásquez
	2400	77	[illegible]

Tuesday August 13, 2024

Date	Time	Temp.	Name (Print)
	0300	61	Baca
	0600	64	M. Vilayphone
	0900	73	M. Vilayphone
	1200	76	M. Vilayphone
	1500	77	M. Vilayphone
	1800	77	M Vilayphone
	2100	76	M Vilayphone
	2400	75	Baca

Wednesday August 14, 2024

Date	Time	Temp.	Name (Print)
	0300	70	Baca
	0600	70	T. Yang
	0900	73	T. Yang
	1200	76	T. Yang
	1500	77	T. Yang
	1800	78	T. Yang
	2100	77	T. Yang
	2400	77	Olivares

Thursday August 15, 2024

Date	Time	Temp.	Name (Print)
	0300	76	Olivares
	0600	75	Olivares
	0900	76	[illegible]
	1200	75	T. Yang
	1500	77	T. Yang
	1800	78	T. Yang
	2100	77	S. Parra
	2400	77	Olivares

Friday August 16, 2024

Date	Time	Temp.	Name (Print)
	0300	75	Olivares
	0600	75	Olivares
	0900	76	Felix
	1200	76	Felix
	1500	77	T. Yang
	1800	78	T. Yang
	2100	76	T. Yang
	2400	76	Olivares

Saturday August 17, 2024

Date	Time	Temp.	Name (Print)
	0300	74	Olivares
	0600	74	Olivares
	0900	76	Felix
	1200	77	Felix
	1500	77	J. A
	1800	78	J. A
	2100	75	J. A
	2400	75	E Smith

Sunday August 18, 2024

Date	Time	Temp.	Name (Print)
	0300	74	E Smith
	0600	75	J. A
	0900	76	J. A
	1200	76	J. A
	1500	77	J. A
	1800	76	J. A
	2100	75	J. A
	2400	74	E Smith

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 507 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 19, 2024

Date	Time	Temp.	Name (Print)
	0300	73	E Smith
	0600	70	J. Sanchez
	0900	72	J. Sanchez
	1200	74	J. Sanchez
	1500	74	Vasquez
	1800	74	Vasquez
	2100	72	Vasquez
	2400	70	Bueza

Tuesday August 20, 2024

Date	Time	Temp.	Name (Print)
	0300	72	Bueza
	0600	76	M. Hernandez
	0900	77	M. Hernandez
	1200	78	M. Hernandez
	1500	78	J. Sanchez
	1800	74	J. Sanchez
	2100	69	J. Sanchez
	2400	66	Bueza

Wednesday August 21, 2024

Date	Time	Temp.	Name (Print)
	0300	66	Bueza
	0600	69	T Yang
	0900	70	T Yang
	1200	73	T. Yang
	1500	76	T. Yang
	1800	76	T. Yang
	2100	75	T. Yang
	2400	74	Olivares

Thursday August 22, 2024

Date	Time	Temp.	Name (Print)
8/24/24	0300	74	Olivares
	0600	74	Olivares
	0900	69	T. Yang
	1200	73	T. Yang
	1500	75	T. Yang
	1800	75	T. Yang
	2100	73	T. Yang
	2400	73	Olivares

Friday August 23, 2024

Date	Time	Temp.	Name (Print)
	0300	73	Olivares
	0600	72	Felix
	0900	72	HERNANDEZ
	1200	73	Felix
	1500	71	Gutierrez
	1800	76	Gutierrez
	2100	73	Olivarez
	2400	73	Olivarez

Saturday August 24, 2024

Date	Time	Temp.	Name (Print)
	0300	71	Olivarez
	0600	71	Olivares
	0900	72	Felix
	1200	73	Felix
	1500	73	JA
	1800	75	JA
	2100	73	JA
	2400	69	E Smith

Sunday August 25, 2024

Date	Time	Temp.	Name (Print)
	0300	69	E Smith
	0600	67	J. Sanchez
	0900	71	J.A
	1200	72	J. Sanchez
	1500	73	D. Vasquez
	1800	72	D. Vasquez
	2100	71	D. Vasquez
	2400	69	E Smith

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 507 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 26, 2024

Date	Time	Temp.	Name (Print)
	0300	68	E Smith
	0600	67	J. Sanchez
	0900	69	J. Sanchez
	1200	70	J. Sanchez
	1500	72	D. Vasquez
	1800	74	D. Vasquez
	2100	74	D. Vasquez
	2400	68	A. Beaza

Tuesday August 27, 2024

Date	Time	Temp.	Name (Print)
	0300	67	A. Beaza
	0600	69	J. Sanchez
	0900	69	J. Sanchez
	1200	71	J. Sanchez
	1500	73	J. Sanchez
	1800	77	J. Sanchez
	2100	76	J. Sanchez
	2400	76	Baeza

Wednesday August 28, 2024

Date	Time	Temp.	Name (Print)
	0300	74	Baeza
	0600	69	T. Yang
	0900	72	T. Yang
	1200	75	T. Yang
	1500	78	T. Yang
	1800	78	T. Yang
	2100	77	T. Yang
	2400	77	Olivares

Thursday August 29, 2024

Date	Time	Temp.	Name (Print)
	0300	75	Olivares
	0600	75	Olivares
	0900	70	T. Yang
	1200	73	T. Yang
	1500	78	T. Yang
	1800	78	T. Yang
	2100	77	T. Yang
	2400	76	Olivares

Friday August 30, 2024

Date	Time	Temp.	Name (Print)
	0300	74	Olivares
	0600	74	Olivares
	0900	74	Felix
	1200	75	Felix
	1500	76	C. Cisneros
	1800	77.6	C. Gutierrez
	2100	77.2	C. Gutierrez
	2400	77	Olivares

Saturday August 31, 2024

Date	Time	Temp.	Name (Print)
	0300	76	Olivares
	0600	76	Olivares
	0900	75	Felix
	1200	76	Felix
	1500	76	J. Cisneros
	1800	~~77.6~~	~~C. Gutierrez~~
	2100	~~77.2~~	~~C. Gutierrez~~
	2400	76	E Smith

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 506 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday August 1, 2024

Date	Time	Temp.	Name (Print)
	0300	76	Rarez K
	0600	75	Fernandez
	0900	75	Fernandez
	1200	77	Fernandez
	1500	79	J. Corona
	1800	80	G Cisneros
	2100	79	C Cisneros
	2400	73°	J. Guzman

Friday August 2, 2024

Date	Time	Temp.	Name (Print)
	0300	73°	J. Guzman
	0600	76	Fernandez
	0900	76	Fernandez
	1200	76	Fernandez
	1500	78	Felix
	1800	78	Felix
	2100	78	Felix
	2400	77	E Smith

Saturday August 3, 2024

Date	Time	Temp.	Name (Print)
	0300	76	E Smith
	0600	76	Cisneros
	0900	77	Fernandez
	1200	78	Fernandez
	1500	79	J. Corona
	1800	82	J. Corona
	2100	81	J. Corona
	2400	80	E. Fernandez

Sunday August 4, 2024

Date	Time	Temp.	Name (Print)
	0300	77	E. Fernandez
	0600	77	E. Fernandez
	0900	78	Crispin
	1200	79	Crispin
	1500	80	J. Corona
	1800	83	Moreno
	2100	83	Moreno
	2400	81	Perez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 506 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 5, 2024

Date	Time	Temp.	Name (Print)
	0300	80	Perez
	0600	75	D. Vermman
	0900	78	R. CAMARENA
	1200	80	R. CAMARENA
	1500	82	M Gomez
	1800	82	C. CORTEZ
	2100	82	M. Gomez
	2400	81	Perez

Tuesday August 6, 2024

Date	Time	Temp.	Name (Print)
	0300	79	Perez
	0600	76	Fernandez
	0900	76	Fernandez
	1200	78	Fernandez
	1500	82	C CORTEZ
	1800	82	C CORTEZ
	2100	82	C. CORTEZ
	2400	81	Perez

Wednesday August 7, 2024

Date	Time	Temp.	Name (Print)
	0300	80	Perez
	0600	78	M. Hernandez
	0900	78	M Hernandez
	1200	80	Fernandez
	1500	82	C CORTEZ
	1800	83	C CORTEZ
	2100	82	M. Gomez
	2400	80	Perez

Thursday August 8, 2024

Date	Time	Temp.	Name (Print)
	0300	79	Perez
	0600	76	Cisneros
	0900	78	Cisneros
	1200	80	Cisneros
	1500	81°	L. Funcer
	1800	81	Cisneros
	2100	81	Cisneros
	2400	79°	J. Guzman

Friday August 9, 2024

Date	Time	Temp.	Name (Print)
	0300	77°	J. Guzman
	0600	77	Fernandez
	0900	80	Fernandez
	1200	81	Fernandez
	1500	80	Felix
	1800	81	Felix
	2100	81	Felix
	2400	79	E Smith

Saturday August 10, 2024

Date	Time	Temp.	Name (Print)
	0300	77	E Smith
	0600	76	Fernandez
	0900	77	Fernandez
	1200	77	Fernandez
	1500	79	Felix
	1800	80	A. PEREZ
	2100	79	Felix
	2400	79	Perez

Sunday August 11, 2024

Date	Time	Temp.	Name (Print)
	0300	76	Perez
	0600	75	CRISPIN
	0900	76	CRISPIN
	1200	78	CRISPIN
	1500	80	A. PEREZ
	1800	82	PEREZ
	2100	80°	M. Gomez
	2400	79	Perez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 506 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 12, 2024

Date	Time	Temp.	Name (Print)
	0300	79	PEREZ
	0600	75	C CORTEZ
	0900	75	R. CAMARENA
	1200	76	C. CORTEZ
	1500	78	M. GOMEZ
	1800	80	C CORTEZ
	2100	78	C CORTEZ
	2400	78	PEREZ

Tuesday August 13, 2024

Date	Time	Temp.	Name (Print)
	0300	76	PEREZ
	0600	74	M GOMEZ
	0900	74	M. GOMEZ
	1200	75	Fernandez
	1500	77	M. GOMEZ
	1800	78	Fernandez
	2100	78	Fernandez
	2400	79	PEREZ

Wednesday August 14, 2024

Date	Time	Temp.	Name (Print)
	0300	77	PEREZ
	0600	76	Fernandez
	0900	74	Fernandez
	1200	74	Fernandez
	1500	77	C. CORTEZ
	1800	77	C CORTEZ
	2100	77	C CORTEZ
	2400	76	PEREZ

Thursday August 15, 2024

Date	Time	Temp.	Name (Print)
	0300	76	PEREZ
	0600	74	D. THAO
	0900	73	Fernandez
	1200	73	Fernandez
	1500	[illegible]	[illegible]
	1800	[illegible]	[illegible]
	2100	[illegible]	[illegible]
	2400	78	SUZAN

Friday August 16, 2024

Date	Time	Temp.	Name (Print)
	0300	75	S. GUZMAN
	0600	73	Fernandez
	0900	73	Fernandez
	1200	75	Fernandez
	1500	76	Felix
	1800	78	Felix
	2100	78	Felix
	2400	75	E Smith

Saturday August 17, 2024

Date	Time	Temp.	Name (Print)
	0300	74	E Smith
	0600	74	Fernandez
	0900	74	Fernandez
	1200	74	Fernandez
	1500	74	A. STANTON
	1800	78	A. STANTON
	2100	76	A. STANTON
	2400	75	PEREZ

Sunday August 18, 2024

Date	Time	Temp.	Name (Print)
	0300	75	PEREZ
	0600	73	CRISPIN
	0900	74	CRISPIN
	1200	74	CRISPIN
	1500	76	A PEREZ
	1800	79	A PEREZ
	2100	79	A PEREZ
	2400	74	PEREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 506 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 19, 2024

Date	Time	Temp.	Name (Print)
	0300	71	Perez
	0600	72	M. Gomez
	0900	72	M. Gomez
	1200	73	M. Gomez
	1500	76	M. Gomez
	1800	77	C. Cortez
	2100	77	M. Gomez
	2400	76	Perez

Tuesday August 20, 2024

Date	Time	Temp.	Name (Print)
	0300	76	Perez
	0600	73	Fernandez
	0900	73	Fernandez
	1200	74	M. Gomez
	1500	75	C. Cortez
	1800	77	C. Cortez
	2100	75	M. Gomez
	2400	75	Perez

Wednesday August 21, 2024

Date	Time	Temp.	Name (Print)
	0300	75	Perez
	0600	73	Fernandez
	0900	73	C. Cortez
	1200	73	C. Cortez
	1500	74	C. Cortez
	1800	77	C. Cortez
	2100	76	M. Gomez
	2400	75	Perez

Thursday August 22, 2024

Date	Time	Temp.	Name (Print)
8/22/24	0300	75	Perez
	0600	73	Fernandez
	0900	73	Fernandez
	1200	73	Fernandez
	1500	75	M. Rios
	1800	74	M. Rios
	2100	73	M. Rios
	2400	73°	J. Guzman

Friday August 23, 2024

Date	Time	Temp.	Name (Print)
	0300	73°	J. Guzman
	0600	73	Fernandez
	0900	73	Fernandez
	1200	73	Fernandez
	1500	73	Felix
	1800	72	Felix
	2100	72	Felix
	2400	71	E Smith

Saturday August 24, 2024

Date	Time	Temp.	Name (Print)
	0300	70	E Smith
	0600	70	F. Nannento
	0900	73	V Taylor
	1200	73	F. Nannento
	1500	73	Felix
	1800	73	Felix
	2100	72	Felix
	2400	72	Hernandez

Sunday August 25, 2024

Date	Time	Temp.	Name (Print)
	0300	71	Hernandez
	0600	71	Crispin
	0900	71	Crispin
	1200	72	Crispin
	1500	73	M. Gomez
	1800	73	M. Gomez
	2100	73	M. Gomez
	2400	73	Perez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 506 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 26, 2024

Date	Time	Temp.	Name (Print)
	0300	73	Perez
	0600	73	C. Cortez
	0900	73	L. Manzo
	1200	75	C. Cortez
	1500	75	C. Cortez
	1800	74	M. Gomez
	2100	74	M. Gomez
	2400	73	Perez

Tuesday August 27, 2024

Date	Time	Temp.	Name (Print)
	0300	73	Perez
	0600	73	L. Acosta
	0900	72.9	L. Acosta
	1200	73	M. Gomez
	1500	76	C. Cortez
	1800	76	M. Gomez
	2100	75	M. Gomez
	2400	74	K. Perez

Wednesday August 28, 2024

Date	Time	Temp.	Name (Print)
	0300	73	Perez
	0600	72	M. Gomez
	0900	72	M. Gomez
	1200	73	M. Gomez
	1500	72	M. Gomez
	1800	72	M. Gomez
	2100	72	M. Gomez
	2400	72	Perez

Thursday August 29, 2024

Date	Time	Temp.	Name (Print)
	0300	73	Perez
	0600	73	Velasquez
	0900	73	Velasquez
	1200	74	Velasquez
	1500	77	Coyle
	1800	74	Coyle
	2100	74.5	Coyle
	2400	73	HER

Friday August 30, 2024

Date	Time	Temp.	Name (Print)
	0300	72	HER
	0600	73	Reyes
	0900	73	Reyes
	1200	74	Reyes
	1500	76	M. Felix
	1800	76	M. Felix
	2100	77	M. Felix
	2400	76	E Smith

Saturday August 31, 2024

Date	Time	Temp.	Name (Print)
	0300	73	E Smith
	0600	73	K. Silva
	0900	73	K. Silva
	1200	74	K. Silva
	1500	75	M. Felix
	1800	76	M. Felix
	2100	76	M. Felix
	2400	75	Perez

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 505 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday August 1, 2024

Date	Time	Temp.	Name (Print)
	0300	77	SALAZAR
	0600	76	ALLEN
	0900	76	ALLEN
	1200	78	ALLEN
	1500	78	DIAZ
	1800	75	DIAZ
	2100	80	DIAZ
	2400	78	SALAZAR

Friday August 2, 2024

Date	Time	Temp.	Name (Print)
	0300	77	SALAZ
	0600	78	DIAZ
	0900	76	DIAZ
	1200	77	DIAZ
	1500	78	DIAZ
	1800	78	DIAZ
	2100	78	DIAZ
	2400	77°	J. Guzman

Saturday August 3,2024

Date	Time	Temp.	Name (Print)
	0300	77°	J. Guzman
	0600	77°	L. Patton
	0900	77	A-MURILLO
	1200	79	A-MURILLO
	1500	79°	L. Patton
	1800	79°	L. Patton
	2100	78°	L. Patton
	2400	78	E. Yang

Sunday August 4, 2024

Date	Time	Temp.	Name (Print)
	0300	78	E Yang
	0600	74	E Yang
	0900	78	Felix
	1200	78	Felix
	1500	78	Bueno
	1800	80	Bueno
	2100	80	Bueno
	2400	80	SALAZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 505 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 5, 2024

Date	Time	Temp.	Name (Print)
	0300	77	N. SALAZAR
	0600	77	C. Allen
	0900	77	C. Allen
	1200	78	C. Allen
	1500	79	V. Bueno
	1800	80	A. Ferreira
	2100	78	A. Ferreira
	2400	78	N. SALAZAR

Tuesday August 6,2024

Date	Time	Temp.	Name (Print)
	0300	79	Sgt. N. SALAZAR
	0600	77	Allen
	0900	77	Allen
	1200	78	Allen
	1500	80	Allen
	1800	82	Allen
	2100	81	Allen
	2400	79	S. Alm

Wednesday August 7, 2024

Date	Time	Temp.	Name (Print)
	0300	78	SALAZAR
	0600	78	DIAZ
	0900	78	DIAZ
	1200	79	DIAZ
	1500	81	DIAZ
	1800	82	DIAZ
	2100	82	DIAZ
	2400	81	SALAZ

Thursday August 8, 2024

Date	Time	Temp.	Name (Print)
	0300	78	SALAZAR
	0600	79	ALLEN
	0900	77	ALLEN
	1200	78	ALLEN
	1500	79	O. BAHRA
	1800	79	O. BAHRA
	2100	78	O. BAHRA
	2400	78	SALAZ

Friday August 9, 2024

Date	Time	Temp.	Name (Print)
	0300	78	N. SALAZAR
	0600	76	DIAZ
	0900	77	DIAZ
	1200	78	DIAZ
	1500	78	DIAZ
	1800	80	DIAZ
	2100	80	DIAZ
	2400	78°	J. Guzman

Saturday August 10, 2024

Date	Time	Temp.	Name (Print)
	0300	76°	J. Guzman
	0600	76	A. MURILLO
	0900	78	A. MURILLO
	1200	78	A. MURILLO
	1500	79	Bueno
	1800	79	Patton
	2100	78	Patton
	2400	77°	J. Guzman

Sunday August 11, 2024

Date	Time	Temp.	Name (Print)
	0300	76°	J. Guzman
	0600	76	Felix
	0900	76	Felix
	1200	77	Felix
	1500	76	Bueno
	1800	76	Bueno
	2100	76	Bueno
	2400	76	N. SALA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 505 Temp. Reading Location: A, B, C, D, Wings & Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 12, 2024

Date	Time	Temp.	Name (Print)
	0300	76	A. SALAZAR
	0600	76	C. ALLEN
	0900	77	C. ALLEN
	1200	78	C. ALLEN
	1500	77	V. Bueno
	1800	78	V. Bueno
	2100	77	A. Ferrera
	2400	77	A. SALAZAR

Tuesday August 13, 2024

Date	Time	Temp.	Name (Print)
	0300	77	A. SALAZAR
	0600	76	C. ALLEN
	0900	75	C. ALLEN
	1200	76	C. ALLEN
	1500	77	C. ALLEN
	1800	78	L. YANG
	2100	78	C. ALLEN
	2400	78	M MEDINA

Wednesday August 14, 2024

Date	Time	Temp.	Name (Print)
	0300	77	M MEDINA
	0600	74	DIAZ
	0900	74	DIAZ
	1200	76	DIAZ
	1500	76	DIAZ
	1800	77	DIAZ
	2100	78	DIAZ
	2400	78	A. SALAZAR

Thursday August 15, 2024

Date	Time	Temp.	Name (Print)
	0300	78	A. SALAZAR
	0600	76	C. ALLEN
	0900	76	C. ALLEN
	1200	76	C. ALLEN
	1500	77	DIAZ
	1800	77	DIAZ
	2100	78	DIAZ
	2400	77	A. SALA

Friday August 16, 2024

Date	Time	Temp.	Name (Print)
	0300	78	A. SALAZAR
	0600	74	DIAZ
	0900	74	DIAZ
	1200	[illegible]	DIAZ
	1500	76	DIAZ
	1800	[illegible]	DIAZ
	2100	75	DIAZ
	2400	74°	J. Guzman

Saturday August 17, 2024

Date	Time	Temp.	Name (Print)
	0300	74°	J. Guzman
	0600	75	A MURILLO
	0900	76	A. MURILLO
	1200	76	L Patton
	1500	78	L Patton
	1800	78	L Patton
	2100	78	L Patton
	2400	76	A. STANTON

Sunday August 18, 2024

Date	Time	Temp.	Name (Print)
	0300	74	A. STANTON
	0600	74	A. STANTON
	0900	74	M. Lamendola
	1200	74.5	M. Lamendola
	1500	76.1	V. Bueno
	1800	76	V. Bueno
	2100	76	V. Bueno
	2400	76	A. SALAZAR

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 505 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 19, 2024

Date	Time	Temp.	Name (Print)
	0300	76	A. SALAZAR
	0600	74	C. ALLEN
	0900	74	C. ALLEN
	1200	75	C. ALLEN
	1500	75	A. Ferreira
	1800	74	A. Ferreira
	2100	74	A. Ferreira
	2400	75	D. SALAZAR

Tuesday August 20, 2024

Date	Time	Temp.	Name (Print)
	0300	74	SALAZAR
	0600	74	C. ALLEN
	0900	73	R. Flon
	1200	73	J. Rohr
	1500	75.4	L. VANG.
	1800	78	C. ALLEN
	2100	74	C. ALLEN
	2400	76	D. SAL

Wednesday August 21, 2024

Date	Time	Temp.	Name (Print)
	0300	~~74~~	~~A. SALAZAR~~
	0600		
	0900	73	DIAZ
	1200	74	DIAZ
	1500	76	DIAZ
	1800	78	DIAZ
	2100	76	DIAZ
	2400	75	D. SALAZAR

Thursday August 22, 2024

Date	Time	Temp.	Name (Print)
8/22/24	0300	75	D. SALAZAR
	0600	73	C. ALLEN
	0900	74	C. ALLEN
	1200	74	C. ALLEN
	1500	74.8	V. Bueno
	1800	75.7	V. BUENO
	2100	75	V. BUENO
	2400	75	D. SALAZA

Friday August 23, 2024

Date	Time	Temp.	Name (Print)
	0300	75	A. SAL
	0600	72	DIAZ
	0900	72	DIAZ
	1200	72	DIAZ
	1500	72	DIAZ
	1800	72	DIAZ
	2100	71	DIAZ
	2400	71°	J. Guzman

Saturday August 24, 2024

Date	Time	Temp.	Name (Print)
	0300	71°	J. Guzman
	0600	71	J. Virgen
	0900	71	J. Virgen
	1200	72	J. Virgen
	1500	72	Garcia
	1800	72	Garcia
	2100	71	Garcia
	2400	71°	J. Guzman

Sunday August 25, 2024

Date	Time	Temp.	Name (Print)
	0300	71°	J. Guzman
	0600	70	M. Cervantes
	0900	71	M. Felix
	1200	72	M. Felix
	1500	72.	Bueno
	1800	73	Bueno
	2100	71	Bueno
	2400	71	SALAZAR

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 505 Temp. Reading Location: A, B, C, D, Wings & Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 26, 2024

Date	Time	Temp.	Name (Print)
	0300	71	D. SALAZAR
	0600	71	C. Allen
	0900	72	C. Allen
	1200	73	C. Allen
	1500	73	A. Ferreira
	1800	74	A. Ferreira
	2100	74	A. Ferreira
	2400	75	D. SALAZAR

Tuesday August 27, 2024

Date	Time	Temp.	Name (Print)
	0300	75	D. SALAZAR
	0600	72.5	J. ORDAZ
	0900	73	C. Allen
	1200	74	J. ORDAZ
	1500	77	C. Allen
	1800	79	C. Allen
	2100	78	C. Allen
	2400	75	D. SALAZAR

Wednesday August 28, 2024

Date	Time	Temp.	Name (Print)
	0300	75	D. SALAZAR
	0600	73	DIAZ
	0900	74	DIAZ
	1200	74	DIAZ
	1500	75	DIAZ
	1800	79	DIAZ
	2100	78	DIAZ
	2400	76	D. SALAZAR

Thursday August 29, 2024

Date	Time	Temp.	Name (Print)
	0300	76	D. SALAZAR
	0600	73	V. Bueno
	0900	73	V. Bueno
	1200	75	J. ORDAZ
	1500	77	DIAZ
	1800	78	DIAZ
	2100	77	DIAZ
	2400	78	D. SALAZAR

Friday August 30, 2024

Date	Time	Temp.	Name (Print)
	0300	77	D. SALAZAR
	0600	73	DIAZ
	0900	74	DIAZ
	1200	74	DIAZ
	1500	75	Padgett
	1800	74	Ortega
	2100	74	Padgett
	2400	75	J. Guzman

Saturday August 31, 2024

Date	Time	Temp.	Name (Print)
	0300	73°	J. Guzman
	0600	73	Patton
	0900	73	Patton
	1200	74	Patton
	1500	75	Patton
	1800	76	Bueno
	2100	79	Bueno
	2400	75°	J. Guzman

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

State of California

Department of Corrections and Rehabilitation
Central California Women's Facility

Memorandum

Date: September 3, 2024
To: D. Myers, Litigation Coordinator

Subject: **FACILITY C HEAT LOGS – AUGUST 2024**

In compliance with the Coleman v. Wilson Stipulation Court Order, this memorandum is to inform you that during the month of August 2024 the ambient temperatures in Building 509, 510, 511, and 512 did not reach the temperature standards for Stage II or Stage III Heat Alert Procedure. Heat Log Sheets were completed and are enclosed for Facility D for the month of August 2024.

Should you have any questions or concern regarding this information, please contact me at extension [redacted]

S. Rodriguez
Facility C Captain
Central California Women's Facility

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 509 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 1, 2024	0300	78	I MENDOZA
	0600	76	I MENDOZA
	0900	76	I MENDOZA
	1200	77	I MENDOZA
	1500	77	S Brager
	1800	80.1	N Foster
	2100	79	Foster
	2400	79.5	E. LOPEZ

FRIDAY

Date	Time	Temp.	Name (Print)
August 2, 2024	0300	78.9	E. LOPEZ
	0600	78.5	E. LOPEZ
	0900	78.9	E. LOPEZ
	1200	79.1	E. LOPEZ
	1500	77.5	P. RAMIREZ
	1800	77.9	P. RAMIREZ
	2100	77.5	P. RAMIREZ
	2400	78.8	E. LOPEZ

SATURDAY

Date	Time	Temp.	Name (Print)
August 3, 2024	0300	78.6	E. LOPEZ
	0600	78.6	E. LOPEZ
	0900	79	L. CORTEZ
	1200	79.5	L. CORTEZ
	1500	80.6	K Wood
	1800	80.9	Foster
	2100	79	Foster
	2400	80.3	F. LOPEZ

SUNDAY

Date	Time	Temp.	Name (Print)
August 4, 2024	0300	80.2	E. LOPEZ
	0600	78.8	M. RODRIGUEZ
	0900	78.8	M. RODRIGUEZ
	1200	79.7	M. RODRIGUEZ
	1500	81.8	Dominguez
	1800	82	R Padilla
	2100	82	R. Padilla
	2400	81.9	S. Thor

MONDAY

Date	Time	Temp.	Name (Print)
August 5, 2024	0300	81.3	S. Thor
	0600	80	M. Pichardo
	0900	79	M. Pichardo
	1200	80	M. Pichardo
	1500	81.5	C. Estrada
	1800	79	C. Estrada
	2100	79	R Padilla
	2400	81.3	S. Thor

TUESDAY

Date	Time	Temp.	Name (Print)
August 6, 2024	0300	80	S. Thor
	0600	78	M. Pichardo
	0900	78	M. Pichardo
	1200	80	M. Pichardo
	1500	80.9	R Padilla
	1800	81.1	Foster
	2100	81.1	R Padilla
	2400	80	I MENDOZA

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 7, 2024	0300	80	I MENDOZA
	0600	80	I MENDOZA
	0900	80	I MENDOZA
	1200	80	I MENDOZA
	1500	81.5	R Padilla
	1800	82.5	R. Padilla
	2100	82.9	R Padilla
	2400	81	I MENDOZA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 509 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 8, 2024	0300	80	I MENDOZA
	0600	80	I MENDOZA
	0900	79	I MENDOZA
	1200	79	I MENDOZA
	1500	81	Brager
	1800	81	R. Lester
	2100	81	R Lester
	2400	80	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
August 9, 2024	0300	79.8	[illegible]
	0600	79.5	[illegible]
	0900	79.4	E Lopez
	1200	79.1	E. Lopez
	1500	81.1	R Palmer
	1800	81.2	Lester
	2100	81.2	[illegible]
	2400	79.7	E. Lopez

SATURDAY

Date	Time	Temp.	Name (Print)
August 10, 2024	0300	79.5	E. Lopez
	0600	79.3	E. Lopez
	0900	79.5	Villalobos
	1200	80	Villalobos
	1500	81.3	R Padilla
	1800	79.2	R Padilla
	2100	79.2	R Padilla
	2400	~~78~~ 76	~~A. Lopez~~ E. Lopez

SUNDAY

Date	Time	Temp.	Name (Print)
August 11, 2024	0300	70	E. Lopez
	0600	70	E. Rodriguez
	0900	71	E. Rodriguez
	1200	78	E. Rodriguez
	1500	79	C. Estrada
	1800	80	C. Estrada
	2100	79.9	R Padilla
	2400	71	A. Lopez

MONDAY

Date	Time	Temp.	Name (Print)
August 12, 2024	0300	76	A. Lopez
	0600	74.6	C Manjarrez
	0900	78.6	C Manjarrez
	1200	78.6	C Manjarrez
	1500	79.1	J. VANG
	1800	79.5	L. VANG
	2100	80	L. VANG
	2400	78	A LOPEZ

TUESDAY

Date	Time	Temp.	Name (Print)
August 13, 2024	0300	77	A LOPEZ
	0600	77	I MENDOZA
	0900	78	I MENDOZA
	1200	78	I MENDOZA
	1500	79.8	LESTER
	1800	80.6	R Padilla
	2100	79.7	R Padilla
	2400	78	I MENDOZA

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 14, 2024	0300	78	I MENDOZA
	0600	77	I MENDOZA
	0900	77	I MENDOZA
	1200	77	L. CORTEZ
	1500	80	R Padilla
	1800	81.6	R Padilla
	2100	79.5	R Padilla
	2400	78	I MENDOZA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 509 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)	
August 15, 2024	0300	76	I MENDOZA	SM
	0600	76	I MENDOZA	
	0900	76	I MENDOZA	
	1200	77	I MENDOZA	
	1500	79	Laster	SM
	1800	78.3	Laster	
	2100	78	Laster	
	2400	77	[illegible]	SM

FRIDAY

Date	Time	Temp.	Name (Print)	
August 16, 2024	0300	76	[illegible]	SM
	0600	76	[illegible]	
	0900	77	[illegible]	
	1200	76	[illegible]	
	1500	78	Laster	SM
	1800	78.8	Laster	
	2100	78.8	Laster	
	2400	76	E. [illegible]	

SATURDAY

Date	Time	Temp.	Name (Print)	
August 17, 2024	0300	74	E. [illegible]	
	0600	73	E. [illegible]	
	0900	76	L. CORTEZ	SM
	1200	77	L. CORTEZ	
	1500	78.1	Laster	
	1800	78.6	Woods	
	2100	78.9	Laster	
	2400	76	E. [illegible]	SM

SUNDAY

Date	Time	Temp.	Name (Print)	
August 18, 2024	0300	74	E. [illegible]	
	0600	73	E. [illegible]	
	0900	75	L. CORTEZ	
	1200	77	L. CORTEZ	
	1500	77.6	R Padilla	
	1800	78.2	L VANG	
	2100	78.4	R Padilla	
	2400	77	MAA	SM

MONDAY

Date	Time	Temp.	Name (Print)	
August 19, 2024	0300	74	MAA	
	0600	73	MAA	
	0900	75	J. VANG	
	1200	75	J. Chavez	
	1500	77	R. Padilla	SM
	1800	78	R Padilla	
	2100	78	R Padilla	
	2400	76.2	C Manjarrez	SM

TUESDAY

Date	Time	Temp.	Name (Print)	
August 20, 2024	0300	75.9	C Manjarrez	
	0600	74	I MENDOZA	
	0900	74	I MENDOZA	
	1200	75	J. Chavez	
	1500	78.2	R Padilla	
	1800	78.4	R Padilla	
	2100	78.4	R Padilla	
	2400	77	I MENDOZA	SM

WEDNESDAY

Date	Time	Temp.	Name (Print)	
August 21, 2024	0300	76	I MENDOZA	
	0600	76	I MENDOZA	
	0900	75	I MENDOZA	
	1200	76	I MENDOZA	
	1500	76.4	R Padilla	
	1800	78.2	R. Padilla	SM
	2100	78.8	R. Padilla	
	2400	77	I MENDOZA	SM

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 509 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 22, 2024	0300	76	I MENDOZA
	0600	75	I MENDOZA
	0900	75	I MENDOZA
	1200	76	I MENDOZA
	1500	75.9	laster
	1800	76	Klaster
	2100	76	K.Laster
	2400	75	E.Lopez

FRIDAY

Date	Time	Temp.	Name (Print)
August 23, 2024	0300	74.3	E.LOPEZ
	0600	73.9	E.LOPEZ
	0900	73.2	E.LOPEZ
	1200	73.7	E.LOPEZ
	1500	73.9	nonuno
	1800	74.1	laster
	2100	72.9	laster
	2400	71.6	E.LOPEZ

SATURDAY

Date	Time	Temp.	Name (Print)
August 24, 2024	0300	70.1	E. LOPEZ
	0600	70.7	E. LOPEZ
	0900	71.6	E. LOPEZ
	1200	73.5	J. Chavez
	1500	74.8	K Wood
	1800	75.6	Laster
	2100	75	Laster
	2400	74.6	E LOPEZ

SUNDAY

Date	Time	Temp.	Name (Print)
August 25, 2024	0300	71.6	E.LOPEZ
	0600	70	D. SAENZ
	0900	74	D. SAENZ
	1200	75	D. SAENZ
	1500	75	L VANG
	1800	75	L VANG
	2100	75	LVANG
	2400	73.8	marrett

MONDAY

Date	Time	Temp.	Name (Print)
August 26, 2024	0300	71.7	marret
	0600	70.0	S.Parra
	0900	71	M.Richards
	1200	74	M.Richards
	1500	75.5	L.VANG
	1800	77	LVANG
	2100	76.4	R.Padilla
	2400	76.1	J. Chavez

TUESDAY

Date	Time	Temp.	Name (Print)
August 27, 2024	0300	72.1	J Chavez
	0600	75	A. STANTON
	0900	75	A. STANTON
	1200	75	A. STANTON
	1500	78.4	R Padilla
	1800	79.3	R Padilla
	2100	79	R. Padilla
	2400	78.4	R Padilla

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 28, 2024	0300	75	R Padilla
	0600	75.4	R Padilla
	0900	76	A. HUERTA
	1200	76	L. CORTEZ
	1500	76	J Brazier
	1800	78.4	R Padilla
	2100	78.6	R Padilla
	2400	75.1	E LOPEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 509 Temp. Reading Location: **Dayroom,A,B,C,D WINGS**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 29, 2024	0300	74.3	E LOPEZ
	0600	71	A. HUERTA
	0900	73	A. HUERTA
	1200	75	A. HUERTA
	1500	76.8	Laster
	1800	75	Laster
	2100	73	Laster
	2400	72	E. Lopez

FRIDAY

Date	Time	Temp.	Name (Print)
August 30, 2024	0300	70.1	Lopez
	0600	72	A Huerta
	0900	73	A Huerta
	1200	75.6	A Huerta
	1500	76	Laster
	1800	76	Laster
	2100	74	Laster
	2400	72	Lopez

SATURDAY

Date	Time	Temp.	Name (Print)
August 31, 2024	0300	71.	Lopez
	0600	70	Lopez
	0900	73	A Huerta
	1200	75	A Huerta
	1500	77.1	Good
	1800	75	K Laster
	2100	75	K. Laster
	2400	72	E. Lopez

Date	Time	Temp.	Name (Print)
January 0, 1900	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____510_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 1, 2024	0300	75	Seagraves
	0600	74	Thor
	0900	74	Thor
	1200	78	THOR
	1500	78	M. GONZALEZ
	1800	78	A. Cisneros
	2100	78	A. Cisneros
	2400	78	A. Ferreira

FRIDAY

Date	Time	Temp.	Name (Print)
August 2, 2024	0300	77	Ferreira
	0600	77	Ferreira
	0900	76	Thor
	1200	76	Thor
	1500	75	Marrett
	1800	75	Marrett
	2100	74	Marrett
	2400	74.8	Richards

SATURDAY

Date	Time	Temp.	Name (Print)
August 3, 2024	0300	74	Richards
	0600	76	Thor
	0900	77	Thor
	1200	80	A. Arroyo
	1500	79	Marrett
	1800	78	A. Marrett
	2100	? 78	? A. Marrett
	2400	78	Seagraves

SUNDAY

Date	Time	Temp.	Name (Print)
August 4, 2024	0300	77	Seagraves
	0600	75	Thor
	0900	76	Thor
	1200	78	Thor
	1500	80	L. CORTEZ
	1800	81.1	L. CORTEZ
	2100	81.1	C. CORTEZ
	2400	79	A. STANTON

MONDAY

Date	Time	Temp.	Name (Print)
August 5, 2024	0300	77	Seagraves
	0600	77	Maravilla
	0900	78	Maravilla
	1200	80	A. Arroyo
	1500	82	S. Rios
	1800	82	Ribal
	2100	80	Ribal
	2400	78	Seagraves

TUESDAY

Date	Time	Temp.	Name (Print)
August 6, 2024	0300	76	Seagraves
	0600	73	E. Rocha
	0900	73	E. Rocha
	1200	78	D. SAVEDRA
	1500	79	M. Becerra
	1800	80	M. Becerra
	2100	80	Seagraves
	2400	79	Seagraves

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 7, 2024	0300	78	Seagraves
	0600	77	L. SANCHEZ
	0900	78	L. SANCHEZ
	1200	80	L. SANCHEZ
	1500	80	Ribal
	1800	81	Ribal
	2100	79	Ribal
	2400	78°	C. Padilla

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____510_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)	
August 8, 2024	0300	77°	C. Padilla	SM
	0600	75	M. Pichardo	
	0900	76	M. Pichardo	
	1200	77	A. Cea	
	1500	78	L. Sanchez	
	1800	79	L. Sanchez	
	2100	78	L. SANCHEZ	
	2400	78	S. Thor	

FRIDAY

Date	Time	Temp.	Name (Print)	
August 9, 2024	0300	76	S. Thor	
	0600	75	L. SANCHEZ	
	0900	74	L. SANCHEZ	
	1200	78	L. SANCHEZ	
	1500	78	A. Marrett	DR
	1800	79	A. Marrett	
	2100	78	A. Marrett	
	2400	77	A. Ferreira	

SATURDAY

Date	Time	Temp.	Name (Print)	
August 10, 2024	0300	76	Ferreira	
	0600	75	Ferreira	
	0900	74	Barrios	
	1200	76	Barrios	
	1500	77	Marrett	DR
	1800	78	Marrett	
	2100	76	[illegible]	
	2400	77	Seagraves	

SUNDAY

Date	Time	Temp.	Name (Print)	
August 11, 2024	0300	77	Seagraves	SM
	0600	73°	A. Arrazin	
	0900	75°	A. Arrazin	
	1200	77°	A. Arrazin	
	1500	78°	[illegible]	DR
	1800	78	[illegible]	
	2100	75	[illegible]	
	2400	78	Miller	SM

MONDAY

Date	Time	Temp.	Name (Print)	
August 12, 2024	0300	77	Miller	
	0600	73°	A. Arrazin	DR
	0900	74	Maravilla	
	1200	79	Maravilla	
	1500	78	C. Estrada	DR
	1800	78	C. Estrada	
	2100	77	C. Estrada	
	2400	75	A. Ferreira	

TUESDAY

Date	Time	Temp.	Name (Print)	
August 13, 2024	0300	74	A. Ferreira	
	0600	72	SAUCEDA	
	0900	74	SAUCEDA	
	1200	75	SAUCEDA	
	1500	77	C. Estrada	DR
	1800	77	J. ZAMORA	
	2100	76	J. ZAMORA	
	2400	74	M. CRISPIN	

WEDNESDAY

Date	Time	Temp.	Name (Print)	
August 14, 2024	0300	73	CRISPIN	
	0600	72	CRISPIN	
	0900	73	L. SANCHEZ	
	1200	74	SAUCEDA	
	1500	76	Ribal	SM
	1800	76	Ribal	
	2100	72	Ribal	
	2400	70	SAUCEDA	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____510_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 15, 2024	0300	72	SAUCEDA
	0600	72	SAUCEDA
	0900	74	L. SANCHEZ
	1200	74	M. Pichardo
	1500	77	L. SANCHEZ
	1800	79	L. SANCHEZ
	2100	78	L. SANCHEZ
	2400	78	A. lopez

FRIDAY

Date	Time	Temp.	Name (Print)
August 16, 2024	0300	75	A. lopez
	0600	71	L. SANCHEZ
	0900	73	L. SANCHEZ
	1200	74	A. Dolores
	1500	76	A. Marrett
	1800	77	A. Moreno
	2100	76	R. Odem
	2400	75	RICHARDS

SATURDAY

Date	Time	Temp.	Name (Print)
August 17, 2024	0300	75	RICHARDS
	0600	75	Gutierrez
	0900	75°	Gutierrez
	1200	79°	Gutierrez
	1500	77	Marrett
	1800	76	Marrett
	2100	77	Marrett
	2400	78	SAUCEDA

SUNDAY

Date	Time	Temp.	Name (Print)
August 18, 2024	0300	72°	SAUCEDA
	0600	73°	A. Arteaga
	0900	77°	A. Arteaga
	1200	78°	A. Arteaga
	1500	80	Ribal
	1800	78°	R. Odem
	2100	78°	R. Odem
	2400	76	Seagraves

MONDAY

Date	Time	Temp.	Name (Print)
August 19, 2024	0300	73	Seagraves
	0600	73	Marquillo
	0900	74	Marquillo
	1200	76	Marquillo
	1500	77	Ribal
	1800	75	Ribal
	2100	74	Ribal
	2400	71	SAUCEDA

TUESDAY

Date	Time	Temp.	Name (Print)
August 20, 2024	0300	70	Seagraves
	0600	71	A. Arteaga
	0900	74	D. SAUCEDA
	1200	76	D. SAUCEDA
	1500	78	Ribal
	1800	78	Ribal
	2100	77	Ribal
	2400	75	Seagraves

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 21, 2024	0300	74	Seagraves
	0600	74	J. Cisneros
	0900	73	J. Cisneros
	1200	73	Ribal
	1500	78	C. MacDonald
	1800	77	Ribal
	2100	75	Ribal
	2400	75	Seagraves

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____510_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 22, 2024	0300	73	Seagraves
	0600	72	Campos 2/4
	0900	73	Campos
	1200	74	Campos
	1500	77	Ribal
	1800	75	Ribal
	2100	74	Ribal 3/4
	2400	72	A. lopez

FRIDAY

Date	Time	Temp.	Name (Print)
August 23, 2024	0300	72	A. [illegible]
	0600	71	[illegible]
	0900	72	[illegible]
	1200	86	[illegible]
	1500	72	Marrett
	1800	71	Marrett
	2100	72	Marrett
	2400	72	SAUCEDA

SATURDAY

Date	Time	Temp.	Name (Print)
August 24, 2024	0300	70	SAUCEDA
	0600	70	SAUCEDA
	0900	71	martinez
	1200	73	martinez
	1500	74	Marrett
	1800	73	Marrett
	2100	71	Marrett
	2400	69	BATTON

SUNDAY

Date	Time	Temp.	Name (Print)
August 25, 2024	0300	68	BATTON
	0600	70	L. SANCHEZ
	0900	70	L. SANCHEZ
	1200	72	L. SANCHEZ
	1500	73	c. macdonald
	1800	75	L. SANCHEZ
	2100	75	L. SANCHEZ
	2400	72	SEAGRAVES

MONDAY

Date	Time	Temp.	Name (Print)
August 26, 2024	0300	72	SEAGRAVES
	0600	70	Maravilla
	0900	71	Maravilla
	1200	73	Arreguin
	1500	75	Ribal
	1800	74	Ribal
	2100	73	Ribal
	2400	74	Seagraves

TUESDAY

Date	Time	Temp.	Name (Print)
August 27, 2024	0300	73	Seagraves
	0600	72	SAUCEDA
	0900	74	SAUCEDA
	1200	74	SAUCEDA
	1500	76	Arguinot
	1800	78	Ribal
	2100	76	Ribal
	2400	74	G. Gomez

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 28, 2024	0300	72	G. GOMEZ
	0600	72	L. SANCHEZ
	0900	73	L. SANCHEZ
	1200	78	L. SANCHEZ
	1500	78	Ribal
	1800	80	Ribal
	2100	78	Ribal
	2400	76	Seagraves

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____510_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 29, 2024	0300	75	Seagraves
	0600	72	L.SANCHEZ
	0900	73	L. SANCHEZ
	1200	77	L.SANCHEZ
	1500	78	L.SANCHEZ
	1800	80	L.SANCHEZ
	2100	79	L.Sanchez
	2400	77.7	C. Gutierrez

FRIDAY

Date	Time	Temp.	Name (Print)
August 30, 2024	0300	75.5	C. Gutierrez
	0600	71.	L.SANCHEZ
	0900	75	L.SANCHEZ
	1200	79	L.SANCHEZ
	1500	79	Marrett
	1800	79	Marrett
	2100	70	RICHARDS
	2400	70	RICHARDS

SATURDAY

Date	Time	Temp.	Name (Print)
August 31, 2024	0300	70	RICHARDS
	0600	71	A.Arreza
	0900	73	Villalobos
	1200	74°	A.Arreza
	1500	80°	Marrett
	1800	80	Marrett
	2100	79	Wameker
	2400	77	Seagraves

Date	Time	Temp.	Name (Print)
January 0, 1900	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CCWF** Housing Unit: 511 Temp. Reading Location: Dayroom A,B,C,D WING

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
AUGUST 1,2024	0300	77	Ferreria
	0600	76	ferreria
	0900	76	Reyes
	1200	77	Reyes
	1500	79	Campos Garcia
	1800	79	Campos Garcia
	2100	79	Campos Garcia
	2400	79	Briseno

FRIDAY

Date	Time	Temp.	Name (Print)
August 2, 2024	0300	78	Briseno
	0600	77.8	Guzman
	0900	76	R Maravilla
	1200	77	R Maravilla
	1500	76	R Maravilla
	1800	77	J. Campos Garcia
	2100	76	Maravilla
	2400	76	

SATURDAY

Date	Time	Temp.	Name (Print)
August 3, 2024	0300	75	Briseno
	0600	77	REYES
	0900	76	REYES
	1200	78	REYES
	1500	81	E Smith
	1800	82	E Smith
	2100	82.4	E Smith
	2400	79	A Briseno

SUNDAY

Date	Time	Temp.	Name (Print)
August 4, 2024	0300	78	Briseno
	0600	75	A. Marrett
	0900	76	V Taylor
	1200	79	V Taylor
	1500	82	E Smith
	1800	84	E Smith
	2100	82	E. Smith
	2400	79	BRISENO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____511_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 1, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Completed on previous sheet CHW

FRIDAY

Date	Time	Temp.	Name (Print)
August 2, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Completed on previous sheet CHW

SATURDAY

Date	Time	Temp.	Name (Print)
August 3, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Completed on previous sheet CHW

SUNDAY

Date	Time	Temp.	Name (Print)
August 4, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Completed on previous sheet CHW

MONDAY

Date	Time	Temp.	Name (Print)
August 5, 2024	0300	70	J Brigado PA
	0600	74	M. Morales
	0900	78	M. Morales
	1200	78	M. Morales M
	1500	80.4	Marrett
	1800	80.2	J Rodriguez
	2100	79.5	J Guzman PW
	2400	80	HARDWICK

TUESDAY

Date	Time	Temp.	Name (Print)
August 6, 2024	0300	79	HARDWICK
	0600	78	HARDWICK
	0900	70	J Solis
	1200	71	J Solis
	1500	73	I Vang
	1800	75	C Manjarrez
	2100	78	L. Vang
	2400	77	CARTER, L.

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 7, 2024	0300	73	CARTER, L.
	0600	77	Cayle
	0900	78.2	J. SOLIS
	1200	79.5	J. SOLIS
	1500	80	J. Guzman
	1800	79	J. GUZMAN
	2100	77	MONALES
	2400	77	CARTER

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____511_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 8, 2024	0300	76	CARTER
	0600	78	Coyle
	0900	78	M. Gonzales
	1200	78.6	Coyle
	1500	79	REYES
	1800	80	REYES
	2100	78	J. Bateman
	2400	77	CARTER

FRIDAY

Date	Time	Temp.	Name (Print)
August 9, 2024	0300	73	CARTER
	0600	71	Gonzales
	0900	72	Coyle
	1200	76	Coyle
	1500	78.8	Gutierrez
	1800	80	M Hernandez
	2100	80	Hernandez
	2400	70°	J. Gallegos

SATURDAY

Date	Time	Temp.	Name (Print)
August 10, 2024	0300	70°	Gallegos
	0600	70	MORENO
	0900	72	MORENO
	1200	73	MORENO
	1500	74	MORENO
	1800	76	J. Rodriguez
	2100	78.2	J. Rodriguez
	2400	70	RICHARDS

SUNDAY

Date	Time	Temp.	Name (Print)
August 11, 2024	0300	70	RICHARDS
	0600	70	[illegible]
	0900	71	E. Hayes
	1200	73	E. Hayes
	1500	73	A. STANTON
	1800	78	A. Marrot
	2100	76.2	V. Rodriguez
	2400	70	RICHARDS

MONDAY

Date	Time	Temp.	Name (Print)
August 12, 2024	0300	70	Richard
	0600	70	Hayes
	0900	71	Hayes
	1200	72	Morales
	1500	79	J Rodriguez
	1800	78.4	J Rodriguez
	2100	77	J Rodriguez
	2400	77	CARTER

TUESDAY

Date	Time	Temp.	Name (Print)
August 13, 2024	0300	75	CARTER
	0600	75.5	Coyle
	0900	75.8	Coyle
	1200	76	Coyle
	1500	76.8	Coyle
	1800	77	L. Vang
	2100	76	L. Vang
	2400	76	CARTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 14, 2024	0300	73	CARTER
	0600	73.5	D. Coyle
	0900	75	M. Gonzales
	1200	76	Mo Gonzales
	1500	75	L. Vang
	1800	71°	J. Gallegos
	2100	71 ? ?	J. Gallegos
	2400	70	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____511_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 15, 2024	0300	70	CARTER
	0600	75.6	Coyle
	0900	76	Gonzales
	1200	77	Gonzales
	1500	77	Cisneros
	1800	77	M. Gonzales
	2100	76	M. Gonzales
	2400	75	CARTER

FRIDAY

Date	Time	Temp.	Name (Print)
August 16, 2024	0300	72	CARTER
	0600	72	M. Gonzales
	0900	74	M. Gonzales
	1200	76	Coyle
	1500	76	Moore
	1800	76.2	C. Gutierrez
	2100	75.6	C. Gutierrez
	2400	74	CARTER

SATURDAY

Date	Time	Temp.	Name (Print)
August 17, 2024	0300	73	CARTER
	0600	73	MORENO
	0900	73	MORENO
	1200	74	MORENO
	1500	75.5	Petterson
	1800	74	Garcia
	2100	70	RICHARDS
	2400	70	RICHARDS

SUNDAY

Date	Time	Temp.	Name (Print)
August 18, 2024	0300	70	Richards
	0600	71	Hayes
	0900	72	Hayes
	1200	73	Hayes
	1500	77	[illegible]
	1800	76	ZAMORA
	2100	72	[illegible]
	2400	70	RICHARDS

MONDAY

Date	Time	Temp.	Name (Print)
August 19, 2024	0300	70	RICHARDS
	0600	70	RICHARDS
	0900	70	A. HALEY
	1200	70	A. HALEY
	1500	74	A. STANTON
	1800	75	J. Guzman
	2100	75	J. Guzman
	2400	69	CARTER

TUESDAY

Date	Time	Temp.	Name (Print)
August 20, 2024	0300	69	CARTER
	0600	65	M. MORALES
	0900	68	MORENO
	1200	70	MORENO
	1500	70	Petterson
	1800	72	J. Guzman
	2100	72	J. Guzman
	2400	71	CARTER

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 21, 2024	0300	70	CARTER
	0600	66	M. Morales
	0900	68	J Solis
	1200	72	Coyle
	1500	74	[illegible]
	1800	75	[illegible]
	2100	74	[illegible]
	2400	72	CARTER

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____511_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 22, 2024	0300	71	CARTER
	0600	72	Coyle
	0900	74.3	Coyle 2/4
	1200	74.5	Coyle
	1500	76	Gonzales
	1800	80	Reyes
	2100	79	Reyes
	2400	77	CARTER

FRIDAY

Date	Time	Temp.	Name (Print)
August 23, 2024	0300	75	CARTER
	0600	73	Coyle
	0900	73	M. Gonzales
	1200	72	M. Gonzales
	1500	72	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	CARTER

SATURDAY

Date	Time	Temp.	Name (Print)
August 24, 2024	0300	68	CARTER
	0600	71	Coyle
	0900	71.3	Coyle
	1200	71.4	Coyle
	1500	72.1	Coyle
	1800	73	Coyle
	2100	73.4	Coyle
	2400	70	Richards

SUNDAY

Date	Time	Temp.	Name (Print)
August 25, 2024	0300	67	J. SOLIS
	0600	69	Thor
	0900	70	Thor
	1200	72	Thor
	1500	73	J. Guzman
	1800	74	[illegible]
	2100	72	Guzman
	2400	70	RICHARDS

MONDAY

Date	Time	Temp.	Name (Print)
August 26, 2024	0300	62	T. SOLIS
	0600	~~69~~	~~Thor~~ A. Haley
	0900	65	M Valdez
	1200	65	M. Valdez
	1500	75	Guzman
	1800	74	Guzman
	2100	74	Guzman
	2400	72	CARTER

TUESDAY

Date	Time	Temp.	Name (Print)
August 27, 2024	0300	71	CARTER
	0600	73	MONTES
	0900	76	MONTES
	1200	78	MONTES
	1500	73	MONTES
	1800	73	GUZMAN
	2100	72	PETTERSON
	2400	72	PETTERSON

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 28, 2024	0300	71	CARTER
	0600	73	Gonzales
	0900	73	Gonzales
	1200	75	Gonzales
	1500	75	[illegible]
	1800	75	[illegible]
	2100	74	[illegible]
	2400	72	CARTER

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____511_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 29, 2024	0300	62	Carter
	0600	65	M. Gonzales
	0900	68	M. Gonzales
	1200	72	M. Gonzales
	1500	74	J. Yang
	1800	76	J. Lowe
	2100	73	J. Guzman
	2400	73	CARTER

FRIDAY

Date	Time	Temp.	Name (Print)
August 30, 2024	0300	71	CARTER
	0600	71.1	Coyle
	0900	71	Coyle
	1200	72	Coyle
	1500	75	Yang
	1800	74	J. MORENO
	2100	73	J. MORENO
	2400	72	CARTER

SATURDAY

Date	Time	Temp.	Name (Print)
August 31, 2024	0300	70	CARTER
	0600	68	M. Valdez
	0900	69	M. Valdez
	1200	74	M. GONZALES
	1500	76.5	Coyle
	1800	77	Coyle
	2100	76	Coyle
	2400	72	RICHARDS

Date	Time	Temp.	Name (Print)
January 0, 1900	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CCWF** Housing Unit: 512 Temp. Reading Location: Dayroom A,B,C,D WING

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
AUGUST 1,2024	0300	73	Z. Thao
	0600	73	D. Coyle
	0900	73.4	D. Coyle
	1200	76	M. Gonzales
	1500	78	J. Guzman
	1800	74	J. MORENO
	2100	72	J. MORENO
	2400	72	

FRIDAY

Date	Time	Temp.	Name (Print)
August 2, 2024	0300	72	Z Thao
	0600	70	Z Thao
	0900	74	D. Coyle
	1200	77	D. Coyle
	1500	77	T. Nolting
	1800	77	J. Moreno
	2100	75	L. Vang
	2400	74	Z Thao

SATURDAY

Date	Time	Temp.	Name (Print)
August 3, 2024	0300	71	Z Thao
	0600	70	Z Thao
	0900	73	MORENO
	1200	74	MORENO
	1500	79.4	J. Moreno
	1800	79.8	Rocha
	2100	79.8	Espinoza
	2400	79	Richards

SUNDAY

Date	Time	Temp.	Name (Print)
August 4, 2024	0300	62	Richards
	0600	62	Richards
	0900	77	Arreguin
	1200	78.6	M. Valdez
	1500	79	J. Guzman
	1800	74	J. Guzman
	2100	73	J. Guzman
	2400	70	J. Brigido

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____512_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 1, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Completed on previous sheet

FRIDAY

Date	Time	Temp.	Name (Print)
August 2, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Completed on previous sheet

SATURDAY

Date	Time	Temp.	Name (Print)
August 3, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Completed on previous sheet

SUNDAY

Date	Time	Temp.	Name (Print)
August 4, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Completed on previous sheet

MONDAY

Date	Time	Temp.	Name (Print)
August 5, 2024	0300	76°	BRIJENO
	0600	76	Sancnez
	0900	76	Sancnez
	1200	78	Sancnez
	1500	81.3	Mangarrez
	1800	81.5	Arriegun
	2100	74.3	A. Arriegun
	2400	75	KCL

TUESDAY

Date	Time	Temp.	Name (Print)
August 6, 2024	0300	75	KCL
	0600	75	KCL
	0900	76	C. Skaggs
	1200	80°	C. Skaggs
	1500	80°	C. Padilla
	1800	82°	D. Saucedo
	2100	76	KCL
	2400	76	KCL

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 7, 2024	0300	76	KCL
	0600	76	KCL
	0900	78	C. Skaggs
	1200	79	C. Skaggs
	1500	82	D. Saucedo
	1800	81	L. Wang
	2100	82	L. Wang
	2400	81	L. Vander

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____512_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 8, 2024	0300	78	V. VALDEZ
	0600	77	V. VALDEZ
	0900	77	E. REYES
	1200	78	E. REYES
	1500	78	D SAUCEDA
	1800	80	D. SAUCEDA
	2100	80	D. SAUCEDA
	2400	77	A Franco

FRIDAY

Date	Time	Temp.	Name (Print)
August 9, 2024	0300	76	A Franco
	0600	76	Marawilla
	0900	76	Marawilla
	1200	77	Marawilla
	1500	80	Marawilla
	1800	80	J Campos Garcia
	2100	80	J. CAMPOS
	2400	79	A Franco

SATURDAY

Date	Time	Temp.	Name (Print)
August 10, 2024	0300	77	A Franco
	0600	71.2	FND
	0900	72.0	FND
	1200	77	FND
	1500	82.2	FND MARTINEZ
	1800	82.4	E Smith
	2100	82	E Smith
	2400	78	A Franco

SUNDAY

Date	Time	Temp.	Name (Print)
August 11, 2024	0300	77	A Franco
	0600	77	Diaz
	0900	78	Diaz
	1200	78	Reyes
	1500	82.1	E Smith
	1800	83	E Smith
	2100	81.1	E Smith
	2400	78	B Alsono

MONDAY

Date	Time	Temp.	Name (Print)
August 12, 2024	0300	71	B Alsono
	0600	76	S Diaz
	0900	76	S Diaz
	1200	78	S Diaz
	1500	79°	C. Padilla
	1800	80°	C. Padilla
	2100	77.2	C. Padilla
	2400	74	K Lee

TUESDAY

Date	Time	Temp.	Name (Print)
August 13, 2024	0300	72	Lee
	0600	72	Lee
	0900	74	[illegible]
	1200	76	Skaggs
	1500	76	C. Padilla
	1800	78	Saucedo
	2100	76	Saucedo
	2400	74	Lee

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 14, 2024	0300	72	Lee
	0600	72	Lee
	0900	75	C. Reyes
	1200	76	Reyes
	1500	76	F. Perez
	1800	77	F. Perez
	2100	76	I. Sanchez
	2400	75°	J. Guzman

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____512_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 15, 2024	0300	75°	J. Gunnen
	0600	75	C. Skaggs
	0900	76°	C. Skaggs
	1200	77°	C. Skaggs
	1500	77°	F. Perez
	1800	77°	F. Perez
	2100	75°	F. Perez
	2400	78	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
August 16, 2024	0300	78	[illegible]
	0600	76	Marrett
	0900	75.5	Marrett
	1200	76	Marrett
	1500	77°	F. Perez
	1800	77°	F. Perez
	2100	77°	F. Perez
	2400	77	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
August 17, 2024	0300	76	[illegible]
	0600	72	KND
	0900	74	KND
	1200	76	KND
	1500	77	E Smith
	1800	77.3	E Smith
	2100	77.1	E Smith
	2400	78	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
August 18, 2024	0300	78	[illegible]
	0600	73	Reyes
	0900	74	Reyes
	1200	77	Reyes
	1500	76.8	E Smith
	1800	78	E Smith
	2100	78	E Fernandez
	2400	74	E Fernandez

MONDAY

Date	Time	Temp.	Name (Print)
August 19, 2024	0300	73	E Fernandez
	0600	73	C. Skaggs
	0900	73	C. Skaggs
	1200	74	C. Skaggs
	1500	76°	C. Padilla
	1800	77°	C. Padilla
	2100	76°	C. Padilla
	2400	72	Klee

TUESDAY

Date	Time	Temp.	Name (Print)
August 20, 2024	0300	71	Klee
	0600	71	Klee
	0900	74	[illegible]
	1200	74	M Sanchez
	1500	76°	C. Padilla
	1800	77	Salcedo
	2100	78°	C. Padilla
	2400	71	Klee

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 21, 2024	0300	71	Klee
	0600	71	Klee
	0900	74	Reyes
	1200	75	Reyes
	1500	77	D. Salcedo
	1800	76	D. Salcedo
	2100	74	D. Salcedo
	2400	72	Briseno

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____512_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 22, 2024	0300	71°	BRISENO
	0600	70	REYES
	0900	72	Torres 2/4 (2)
	1200	74	REYES
	1500	74	Campos Garcia
	1800	73	Campos Garcia
	2100	72	Campos Garcia
	2400	72	ABrown

FRIDAY

Date	Time	Temp.	Name (Print)
August 23, 2024	0300	71	ABrown
	0600	71	Maravilla
	0900	71	Maravilla
	1200	70	Maravilla
	1500	70	Maravilla
	1800	71	Maravilla
	2100	70	Maravilla
	2400	70	ABrown

SATURDAY

Date	Time	Temp.	Name (Print)
August 24, 2024	0300	69	ABrown
	0600	70	REYES
	0900	71	REYES
	1200	72	REYES
	1500	73.5	E Smith
	1800	74.5	E Smith
	2100	73.2	E Smith
	2400	71	ABrown

SUNDAY

Date	Time	Temp.	Name (Print)
August 25, 2024	0300	69	ABrown
	0600	68	S.RIOS
	0900	72	REYES
	1200	74	REYES
	1500	74	E Smith
	1800	74	E Smith
	2100	72	E Smith
	2400	71	ESmith

MONDAY

Date	Time	Temp.	Name (Print)
August 26, 2024	0300	70	E. SMITH
	0600	69	Sanchez
	0900	70	Sanchez
	1200	71	Sanchez
	1500	73°	C.Padilla
	1800	76°	Arreguin
	2100	75°	Arreguin
	2400	69	KLa

TUESDAY

Date	Time	Temp.	Name (Print)
August 27, 2024	0300	69	KLa
	0600	69	KLa
	0900	70°	SKAGGS
	1200	72	SKAGGS
	1500	74°	C.Padilla
	1800	72°	Saucedo
	2100	70°	SAUCEDA
	2400	70	KLa

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 28, 2024	0300	70	K.La
	0600	70	K.La
	0900	72	K.La
	1200	75	K.La
	1500	79	SAUCEDA
	1800	79	SAUCEDA
	2100	76	SAUCEDA
	2400	73	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ____CCWF___ Housing Unit: _____512_____ Temp. Reading Location: **Dayroom,A,B,C,D WINGS**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

THURSDAY

Date	Time	Temp.	Name (Print)
August 29, 2024	0300	73	[illegible]
	0600	74	REYES
	0900	75	REYES
	1200	76	E. REYES
	1500	78	SANCHEZ
	1800	78	SANCHEZ
	2100	75	SANCHEZ
	2400	70	A. LUJO

FRIDAY

Date	Time	Temp.	Name (Print)
August 30, 2024	0300	74	ALUJO
	0600	70	Maravilla
	0900	74	Maravilla
	1200	76	Maravilla
	1500	77	Maravilla
	1800	76	Maravilla
	2100	77	Maravilla
	2400	74	ABEYAVE

SATURDAY

Date	Time	Temp.	Name (Print)
August 31, 2024	0300	72	[illegible]
	0600	72	REYES
	0900	75	REYES
	1200	76	REYES
	1500	78	E Smith
	1800	78.9	E Smith
	2100	78.4	E Smith
	2400	77	[illegible]

Date	Time	Temp.	Name (Print)
January 0, 1900	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#REF!

Date	Time	Temp.	Name (Print)
#REF!	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

State of California

Department of Corrections and Rehabilitation
Central California Women's Facility

Memorandum

Date: September 3, 2024
To: D. Myers, Litigation Coordinator

Subject: **FACILITY D HEAT LOGS – AUGUST 2024**

In compliance with the Coleman v. Wilson Stipulation Court Order, this memorandum is to inform you that during the month of August 2024 the ambient temperatures in Building 513, 514, 515, and 516 did not reach the temperature standards for Stage II or Stage III Heat Alert Procedure. Heat Log Sheets were completed and are enclosed for Facility D for the month of August 2024.

Should you have any questions or concern regarding this information, please contact me at extension [redacted]

B. Castelle
Facility D Captain (A)
Central California Women's Facility

Attachment E

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 513 Temp. Reading Location: Dayroom A,B,C,D WING

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
August 1, 2024	0300	70	C. Thao
	0600	71	J. ortega
	0900	75	ortega
	1200	78	ortega
	1500	79	J. Gallegos
	1800	79	J. Gallegos
	2100	80	J. Gallegos
	2400	79	villegos

FRIDAY

Date	Time	Temp.	Name (Print)
August 2, 2024	0300	77	villegos
	0600	78	ORTEGA
	0900	80	ORTEGA
	1200	81	A. HUERTA
	1500	82	B. warren
	1800	81	B. warren
	2100	80	B. warren
	2400	78	C. Thao

SATURDAY

Date	Time	Temp.	Name (Print)
August 3, 2024	0300	74	vang
	0600	74	ortega
	0900	76	HUERTA
	1200	78	HUERTA
	1500	80	HUERTA
	1800	81	HUERTA
	2100	80	HUERTA
	2400	80	HUERTA

SUNDAY

Date	Time	Temp.	Name (Print)
August 4, 2024	0300	76	HUERTA
	0600	76	HUERTA
	0900	78	Barrios
	1200	78	Barrios
	1500	75	Brigido
	1800	80	J. Gallegos
	2100	79°	J. Gallegos
	2400	77°	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 513 Temp. Reading Location: DAYROOM, A, B, C, D WINGS
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-5-24	0300	73	C. THAO
	0600	720	J Valenzuela
	0900	76	J Valenzuela
	1200	80	J Valenzuela
	1500	79	C. THAO
	1800	78	C. THAO
	2100	75	C. THAO
	2400	76	C. THAO

Tuesday

Dat	Time	Temp.	Name (Print)
8-6-24	0300	74	C. THAO
	0600	79	C. HENKLE
	0900	74	C HENKLE
	1200	76	J. Zamora
	1500	77	J. Zamora
	1800	80	J. Zamora
	2100	77	J. Zamora
	2400	76	C THAO

Wednesday

Date	Time	Temp.	Name (Print)
8-7-24	0300	74	C. THAO
	0600	76	J ortega
	0900	79.1	J. ortega
	1200	80.	J. ortega
	1500	79	J. RODRIGUEZ
	1800	76	J. RODRIGUEZ
	2100	75	J. RODRIGUEZ
	2400	74	C. Thao

Thursday

Date	Time	Temp.	Name (Print)
8-8-24	0300	72	C Thao
	0600	74	J. ortega
	0900	76	J. ortega
	1200	77	L. Manzo
	1500	88	C. Gutierrez
	1800	70	J. Gallegos
	2100	72	C. Thao
	2400	71	C. Thao

Friday

Date	Time	Temp.	Name (Print)
8-9-24	0300	70	C Thao
	0600	71	S. Thao
	0900	76	S. Thao
	1200	77	S. Thao
	1500	79	G Allegos
	1800	77	G Allegos
	2100	75	G Allegos
	2400	72	C Thao

Saturday

Date	Time	Temp.	Name (Print)
8-10-24	0300	70	C. Thao
	0600	72	S. Thao
	0900	76	S. Thao
	1200	77	S. Thao
	1500	78	B Warren
	1800	77	B Warren
	2100	76	B Warren
	2400	71	Pvar

Sunday

Date	Time	Temp.	Name (Print)
8-11-24	0300	73	pvar
	0600	73	pvar
	0900	77	V. Gonzalez
	1200	75	V. Gonzalez
	1500	80	Garcia
	1800	79	Garcia
	2100	75	Garcia
	2400	73	PM

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 513 Temp. Reading Location: Dayroom A,B,C,D WING

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
August 12, 2024	0300	73	Pvar
	0600	73	Pvar
	0900	72	Valenzuela
	1200	73	Cisneros
	1500	73	G Martinez
	1800	75	G Martinez
	2100	73	G Martinez
	2400	72	C-Thao

TUESDAY

Date	Time	Temp.	Name (Print)
August 13, 2024	0300	70	C-Thao
	0600	70	ANDRADE
	0900	71	ANDRADE
	1200	73	ANDRADE
	1500	77	HUERTA
	1800	75	G Martinez
	2100	75	G Martinez
	2400	74	C-Thao

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 14, 2024	0300	72	C-Thao
	0600	72	Ortega
	0900	73	Ortega
	1200	74	ortega
	1500	75	G Martinez
	1800	78	G Martinez
	2100	78	Scruz
	2400	77	Scruz

THURSDAY

Date	Time	Temp.	Name (Print)
August 15, 2024	0300	72	Argüello
	0600	70	Ortega
	0900	75	L. Manzo
	1200	74	Ortega
	1500	74	G Martinez
	1800	75	G Martinez
	2100	73	Martinez
	2400	72	C-Thao

FRIDAY

Date	Time	Temp.	Name (Print)
August 16, 2024	0300	70	C-Thao
	0600	71	J. Ortega
	0900	72	Ortega
	1200	73	ortega
	1500	72	A. STANTON
	1800	77	A. STANTON
	2100	76	A. STANTON
	2400	70	Sandoval

SATURDAY

Date	Time	Temp.	Name (Print)
August 17, 2024	0300	70	Sandoval
	0600	69	Sandoval
	0900	72	ortega
	1200	74	ortega
	1500	77	GUTIERREZ
	1800	77	ZAMORA
	2100	77	ZAMORA
	2400	74	Pvar

SUNDAY

Date	Time	Temp.	Name (Print)
August 18, 2024	0300	70	V TAYLOR
	0600	70	V TAYLOR
	0900	71	V TAYLOR
	1200	73	V TAYLOR
	1500	73	G Martinez
	1800	72	G Martinez
	2100	72	G Martinez
	2400	72	G Martinez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 513 Temp. Reading Location: Dayroom A,B,C,D WING
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
August 19, 2024	0300	73	pvang
	0600	73	pvang
	0900	74	C. Estrada
	1200	77	C. Estrada
	1500	74	G Munoz
	1800	75	J. ZAMORA
	2100	74	G Munoz
	2400	74	J. ZAMORA

TUESDAY

Date	Time	Temp.	Name (Print)
August 20, 2024	0300	74	J. ZAMORA
	0600	75	J. ZAMORA
	0900	76	E. Rosas
	1200	77	C. Estrada
	1500	77	G Munoz
	1800	76	G Munoz
	2100	75	G Munoz
	2400	72	C. Thao

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 21, 2024	0300	70	C. Thao
	0600	70	J. ortega
	0900	71	J. ortega
	1200	73	J. ORTEGA
	1500	75	G Munoz
	1800	76	G Munoz
	2100	75	G Munoz
	2400	72	C. Thao

THURSDAY

Date	Time	Temp.	Name (Print)
August 22, 2024	0300	70	C. Thao
	0600	70	C. Manzo
	0900	71	C. Manzo
	1200	74	J. ortega
	1500	75	G. Munoz
	1800	76	G Munoz
	2100	75	G Munoz
	2400	72	C. Thao

FRIDAY

Date	Time	Temp.	Name (Print)
August 23, 2024	0300	70	C. Thao
	0600	70	J. ortega
	0900	72	J. ortega
	1200	74	J. ortega
	1500	74	J. Ortega
	1800	75	J ortega
	2100	72	J Ortega
	2400	70	C. Thao

SATURDAY

Date	Time	Temp.	Name (Print)
August 24, 2024	0300	70	C. Thao
	0600	70	C. Thao
	0900	70	J. ortega
	1200	70	J. Ortega
	1500	70°	J. Gallegos
	1800	70°	J. Gallegos
	2100	69°	J. Gallegos
	2400	72.5	pvang

SUNDAY

Date	Time	Temp.	Name (Print)
August 25, 2024	0300	72.6	pvang
	0600	73.0	pvang
	0900	74	V. Taylor
	1200	74	V. Taylor
	1500	73.4	C. Gutierrez
	1800	74.2	C. Gutierrez
	2100	74	C. Gutierrez
	2400	77.0	P. Vang

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

1456

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 513 Temp. Reading Location: Dayroom A,B,C,D WING
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY 08/26/24

Date	Time	Temp.	Name (Print)
August 26, 2024	0300	74.2	[illegible]
	0600	74.0	[illegible]
	0900	74	M. Villagomez
	1200	75	M. Villagomez
	1500	95	G. Martinez
	1800	73	G. Martinez
	2100	72	G. Martinez
	2400	70	G. Martinez

TUESDAY 08/27/24

Date	Time	Temp.	Name (Print)
August 27, 2024	0300	69	G. Martinez
	0600	69	C. Henkle
	0900	72	C. Henkle
	1200	72	C. Henkle
	1500	72	G. Martinez
	1800	71	G. Martinez
	2100	70	G. Martinez
	2400	70	G. Martinez

WEDNESDAY 08/28/24

Date	Time	Temp.	Name (Print)
August 28, 2024	0300	69	G. Martinez
	0600	69	J. Ortega
	0900	72	J. Ortega
	1200	74	J. Ortega
	1500	75.3	[illegible]
	1800	74	G. Martinez
	2100	71	G. Martinez
	2400	71	G. Martinez

THURSDAY 08/29/24

Date	Time	Temp.	Name (Print)
August 29, 2024	0300	70	Arellano
	0600	69	L. Manzo
	0900	70	L. Manzo
	1200	72	L. Manzo
	1500	74	G. Martinez
	1800	73	G. Martinez
	2100	72°	J. Gallegos
	2400	70	S. Andrade

FRIDAY

Date	Time	Temp.	Name (Print)
August 30, 2024	0300	70.00	S. Andrade
	0600	70.00	S. Andrade
	0900	70	J. Ortega
	1200	72	J. Ortega
	1500	75	A. Espinoza
	1800	76	A. Espinoza
	2100	75	A. Espinoza
	2400	74	C. Thao

SATURDAY

Date	Time	Temp.	Name (Print)
August 31, 2024	0300	73	Andrade
	0600	72°	V. Bueno
	0900	74°	V. Bueno
	1200	74°	V. Bueno
	1500	76	Cisneros
	1800	75	A. Espinoza
	2100	74	A. Espinoza
	2400	74	C. Thao

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 514 Temp. Reading Location: Dayroom A,B,C,D WING
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
August 1, 2024	0300	78	ACOSTA
	0600	77.0 (C)	Randhawa
	0900	77.1 (C)	Randhawa
	1200	76.2 (C)	Randhawa
	1500	77.5 (C)	R Higuera
	1800	80.6 (C)	R Higuera
	2100	80.9 (C)	R Higuera
	2400	81.1	S. Escobar

FO FH 82

FRIDAY

Date	Time	Temp.	Name (Print)
August 2, 2024	0300	77	ACOSTA
	0600	77	Randhawa
	0900	78	Randhawa
	1200	78	Randhawa
	1500	81	R Higuera
	1800	82	R. HIGUERA
	2100	80	R. HIGUERA
	2400	78	S. Escobar

SATURDAY

Date	Time	Temp.	Name (Print)
August 3, 2024	0300	78	S. Escobar
	0600	77 (C)	S. Escobar
	0900	81 (C)	S. Escobar
	1200	82 (C)	S. Escobar
	1500	81	J. Chavez
	1800	81	Uribe
	2100	82	Uribe
	2400	81	S. Escobar

SUNDAY

Date	Time	Temp.	Name (Print)
August 4, 2024	0300	80	S. Escobar
	0600	80	D. SAENZ
	0900	69	M. Mok
	1200	72	D. SAENZ
	1500	81	V. TAYLOR
	1800	82.2 (C)	S. CRUZ
	2100	81	S. CRUZ
	2400	78	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 514 Temp. Reading Location: Dayroom A,B,C,D WING
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
August 5, 2024	0300	72	ACOSTA
	0600	73	ACOSTA
	0900	76	S.CRUZ
	1200	80	S.CRUZ
	1500	79	S.CRUZ
	1800	78	S.CRUZ
	2100	75	S.CRUZ
	2400	76	ACOSTA

TUESDAY

Date	Time	Temp.	Name (Print)
August 6, 2024	0300	77	ACOSTA
	0600	78	ACOSTA
	0900	78	A. ESPINOZA
	1200	79	A. ESPINOZA
	1500	79	R. HIGUERA
	1800	79	R. HIGUERA
	2100	78	R. HIGUERA
	2400	78	ACOSTA

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 7, 2024	0300	77	RANDHAWA
	0600	78.8(C)	RANDHAWA
	0900	79.3(C)	RANDHAWA
	1200	80.4(C)	RANDHAWA
	1500	82.0	R. HIGUERA
	1800	83.1	R. HIGUERA
	2100	82.5	R. HIGUERA
	2400	80	L. ACOSTA

THURSDAY

Date	Time	Temp.	Name (Print)
August 8, 2024	0300	76	ACOSTA
	0600	78	ACOSTA
	0900	~~80~~ 76.2(C)	~~ACOSTA~~ RANDHAWA
	1200	78.9(C)	RANDHAWA
	1500	80.6	L. THAO
	1800	80.2	L. THAO
	2100	80.2	C. THAO
	2400	79.3	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
August 9, 2024	0300	76	ACOSTA
	0600	76.7(C)	RANDHAWA
	0900	77.3(C)	RANDHAWA
	1200	78.2(C)	RANDHAWA
	1500	82.0	R. HIGUERA
	1800	81.9	R. HIGUERA
	2100	80.9	R. HIGUERA
	2400	79.1	S. ESCOBAR

SATURDAY

Date	Time	Temp.	Name (Print)
August 10, 2024	0300	79.1	S. ESCOBAR
	0600	76.2(C)	A. RANDHAWA
	0900	77	V. RAMOLETE
	1200	77.6	RANDHAWA
	1500	79.1	R. HIGUERA
	1800	80.2	R. HIGUERA
	2100	80.0	R. HIGUERA
	2400	72	C. THAO

SUNDAY

Date	Time	Temp.	Name (Print)
August 11, 2024	0300	70	C. THAO
	0600	76	V. RAMOLETE
	0900	77	V. RAMOLETE
	1200	78.2	V. RAMOLETE
	1500	79.5(C)	S. CRUZ
	1800	80.3	S. CRUZ
	2100	80.4(C)	S. CRUZ
	2400	77.1	L. ACOSTA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CCWF** Housing Unit: 514 Temp. Reading Location: Dayroom A,B,C,D WING

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
AUGUST 12,2024	0300	76.2	L. AUSTIN
	0600	77.1	S. Escobar
	0900	77.3	S. Escobar
	1200	77.5	S. Escobar
	1500	79.5	S. Cruz
	1800	80	S. Cruz
	2100	80	[illegible]
	2400	77.3	AUSTIN

TUESDAY

Date	Time	Temp.	Name (Print)
August 13, 2024	0300	75.9	AUSTIN
	0600	73.4 (C)	S. Cruz
	0900	73.7 (C)	S. Cruz
	1200	75.9 (C)	S. Cruz
	1500	77.8	R. HIGUERA
	1800	77.9	R. HIGUERA
	2100	77.7	R. HIGUERA
	2400	75.1	[illegible]

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 14, 2024	0300	72.3	AUSTIN
	0600	73.4 (C)	RANDHAWA
	0900	74.4 (B)	RANDHAWA
	1200	75.5 (C)	Gonzalez
	1500	76.6	URIBE
	1800	77.0	R. HIGUERA
	2100	77.9	C. URIBE
	2400	77.1	L. AUSTIN

THURSDAY

Date	Time	Temp.	Name (Print)
AUGUST 15,2024	0300	75.3	L. AUSTIN
	0600	75.6 (C)	A. RANDHAWA
	0900	75.4 (C)	A. RANDHAWA
	1200	75.1 (C)	A. RANDHAWA
	1500	77.1	M. ZEPEDA
	1800	77.7	R. HIGUERA
	2100	77.9	R. HIGUERA
	2400	79.1	L. AUSTIN

FRIDAY

Date	Time	Temp.	Name (Print)
AUGUST 16,2024	0300	75.3	L. AUSTIN
	0600	74.7 (B)	V. Ramolete
	0900	74.6 (C)	V. Ramolete
	1200	74.5 (C)	A. RANDHAWA
	1500	77.0	R. HIGUERA
	1800	79.0	R. HIGUERA
	2100	78.2	R. HIGUERA
	2400	77	R. CARPENTER

SATURDAY

Date	Time	Temp.	Name (Print)
AUGUST 17,2024	0300	76	R. CARPENTER
	0600	74.6	V. Ramolete
	0900	76	V. Ramolete
	1200	76	URIBE
	1500	77.1	URIBE
	1800	76.1	URIBE
	2100	76	URIBE
	2400	77	S. Escobar

SUNDAY

Date	Time	Temp.	Name (Print)
AUGUST 18,2024	0300	76.1	S. Escobar
	0600	74.6	V. Ramolete
	0900	74.6	V. Ramolete
	1200	[illegible]	M. Pichardo
	1500	75	A. STANTON
	1800	75	A. STANTON
	2100	74	A. STANTON
	2400	73.6	L. AUSTIN

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CCWF** Housing Unit: 514 Temp. Reading Location: Dayroom A,B,C,D WING

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
August 19, 2024	0300	72.3	L. Acosta
	0600	73°	M. Gutierrez
	0900	70°	M. Gutierrez
	1200	73°	M. Gutierrez
	1500	75.7	S. Cruz
	1800	76.8	S. Cruz
	2100	75.4	S. Cruz
	2400	75.1	L. Acosta

TUESDAY

Date	Time	Temp.	Name (Print)
August 20, 2024	0300	73.3	L. Acosta
	0600	72.5 (C)	S. Cruz
	0900	73.1	S. Cruz
	1200	74.8.	S. Cruz
	1500	76.8	F. Perez
	1800	77.7	R. Higuera
	2100	77.7	URIBE
	2400	76.2	L. Acosta

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 21, 2024	0300	74.4	L. Acosta
	0600	74.1	M. Garcia
	0900	74.2	M. Garcia
	1200	74.4	M. Garcia
	1500	77.1	C. URIBE
	1800	78.0	R. Higuera
	2100	77.1	R. Higuera
	2400	75	L. Bonner

THURSDAY

Date	Time	Temp.	Name (Print)
August 22, 2024	0300	74.6	L. Bonner
	0600	73.7(B)	A. Randhawa
	0900	74.1(B)	A. Randhawa
	1200	75.3(B)	A. Randhawa
	1500	74.4(C)	R. Higuera
	1800	75 (C)	R. Higuera
	2100	74 (C)	R. Higuera
	2400	73°	C. Lewis

FRIDAY

Date	Time	Temp.	Name (Print)
August 23, 2024	0300	73°	C. Lewis
	0600	73.5(B)	Randhawa
	0900	73.4 (B)	Randhawa
	1200	73.0(B)	Randhawa
	1500	73.7(B)	R. Higuera
	1800	72.8(C)	R. Higuera
	2100	72.3	R. Higuera
	2400	72.1	S. Escobar

SATURDAY

Date	Time	Temp.	Name (Print)
August 24, 2024	0300	72.1	S. Escobar
	0600	71.4	V. Ramolete
	0900	72.5 (B)	A. Randhawa
	1200	72.8(B)	A. Randhawa
	1500	72.2	C. Gutierrez
	1800	73.4	C. Gutierrez
	2100	72.9	C. Gutierrez
	2400	73.4	S. Escobar

SUNDAY

Date	Time	Temp.	Name (Print)
August 25, 2024	0300	72.1	S. Escobar
	0600	71.8	V. Ramolete
	0900	71.6	V. Ramolete
	1200	74.4	M. Richardo
	1500	72.6(C)	S. Cruz
	1800	73.4(C)	S. Cruz
	2100	73.4(C)	S. Cruz
	2400	73.1	L. Bonner

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CCWF** Housing Unit: 514 Temp. Reading Location: Dayroom A,B,C,D WING

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
August 26, 2024	0300	72.1	L. Acosta
	0600	72.4	K. Ramirez
	0900	72.9	C. HENKIE
	1200	73	C. Henkie
	1500	74.9	Bishop
	1800	75.7	S. Cruz
	2100	75.9	S. Cruz
	2400	76.3	L. Acosta

TUESDAY

Date	Time	Temp.	Name (Print)
August 27, 2024	0300	72.2	L. Acosta
	0600	73.5	S. Cruz
	0900	73.9	S. Cruz
	1200	76.6(A)	S. Cruz
	1500	75.5	R. HAVERIA
	1800	76.8	R. HAVERIA
	2100	76.4	URIBE
	2400	75.9	L. Acosta

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 28, 2024	0300	77.6	L. Acosta
	0600	73	V. TAYLOR
	0900	73	V. TAYLOR
	1200	74	V. TAYLOR
	1500	75	MOUTS
	1800	75	MOUTS
	2100	75	MOUTS
	2400	74.6	L. Acosta

THURSDAY

Date	Time	Temp.	Name (Print)
August 29, 2024	0300	73.6	L. Acosta
	0600	72	Musarodu
	0900	73	Musarodu
	1200	76	Musarodu
	1500	76	C. Thao
	1800	74	C. Thao
	2100	70	C. Thao
	2400	70	L. Acosta

FRIDAY

Date	Time	Temp.	Name (Print)
August 30, 2024	0300	74	L. Acosta
	0600	73	V. TAYLOR
	0900	74	V. TAYLOR
	1200	74	V. TAYLOR
	1500	77.5	L. Thao
	1800	78.6	L. Thao
	2100	78.4	L. Thao
	2400	76.6	S. Escobar

SATURDAY

Date	Time	Temp.	Name (Print)
August 31, 2024	0300	76.1	S. Escobar
	0600	74.4	S. Escobar
	0900	74.4	S. Escobar
	1200	74.6	S. Escobar
	1500	74.6	C. URIBE
	1800	78.4	R. HAVERIA
	2100	78.2	R. HAVERIA
	2400	77.9	S. Escobar

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 515 Temp. Reading Location: Dayroom A,B,C,D WING

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
August 1, 2024	0300	71	L Thao
	0600	70	L Thao
	0900	74	A Espinoza
	1200	76.8	A Espinoza
	1500	83	Sandoval
	1800	80	Sandoval
	2100	79	Sandoval
	2400	73	L Thao

FRIDAY

Date	Time	Temp.	Name (Print)
August 2, 2024	0300	71	L Thao
	0600	70	L Thao
	0900	~~77~~ 77	~~A. Espinoza~~ Morales
	1200	~~76.8~~ 78	~~A. Espinoza~~ Morales
	1500	83	Sandoval
	1800	80	Sandoval
	2100	77	Sandoval
	2400	77	Rios

SATURDAY

Date	Time	Temp.	Name (Print)
August 3, 2024	0300	77	Rios
	0600	77	Rios
	0900	79 (A)	Randle
	1200	80	Randle
	1500	80	L. Thao
	1800	80	L. Thao
	2100	75	L. Thao
	2400	74	L Thao

SUNDAY

Date	Time	Temp.	Name (Print)
August 4, 2024	0300	73	L Thao
	0600	73	L Thao
	0900	80 (A)	Randle
	1200	81.3 (A)	Randle
	1500	83 (A)	L. Thao
	1800	82.2	L. Thao
	2100	80	Sandoval
	2400	80.7	S. Escobar

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 515 Temp. Reading Location: Dayroom A,B,C,D WING
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
August 5, 2024	0300	79.1	S. ESCOBAR
	0600	80.9	A. Espinoza
	0900	79.9	A. Espinoza
	1200	78.8	A. Espinoza
	1500	78.2	L Theo
	1800	76	I. Rodriguez
	2100	76	L Thao
	2400	79.7	S. ESCOBAR

TUESDAY

Date	Time	Temp.	Name (Print)
August 6, 2024	0300	77.9	S. ESCOBAR
	0600	75	RANDLE
	0900	78.2 (A,C)	A. Juan
	1200	80.4 (C)	A. Juan
	1500	78.4	I. Rodriguez
	1800	81	I. Rodriguez
	2100	79	I. R
	2400	78	L Thao

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 7, 2024	0300	79	L Thao
	0600	75	L Thao
	0900	77	RANDLE
	1200	81	BECERRA
	1500	85 c	Sandoval
	1800	82	Sandoval
	2100	80	Sandoval
	2400	78	L Thao

THURSDAY

Date	Time	Temp.	Name (Print)
August 8, 2024	0300	76	L Thao
	0600	74	L Thao
	0900	78	C. Morales
	1200	80	C. Morales
	1500	77	I. Rodriguez
	1800	76	I. Rodriguez
	2100	74	I. Rodriguez
	2400	72	L Thao

FRIDAY

Date	Time	Temp.	Name (Print)
August 9, 2024	0300	72	L Thao
	0600	72	L Thao
	0900	78	E. Becerra
	1200	81	E. Becerra
	1500	84	Sandoval
	1800	80	Sandoval
	2100	78	Sandoval
	2400	76	L Thao

SATURDAY

Date	Time	Temp.	Name (Print)
August 10, 2024	0300	74	L Thao
	0600	73	L Thao
	0900	77	RANDLE
	1200	75	SAENZ
	1500	77.4	Guerra
	1800	79	Guerra
	2100	77	Guerra
	2400	80.9 (C)	CWB

SUNDAY

Date	Time	Temp.	Name (Print)
August 11, 2024	0300	78.4	S. Cruz
	0600	79.9	S. Cruz
	0900	78.4	RANDLE
	1200	80	Randle
	1500	84 c	Sandoval
	1800	81	Sandoval
	2100	80	Sandoval
	2400	78.6	S. ESCOBAR

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 515 Temp. Reading Location: Dayroom A,B,C,D WING
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
August 12, 2024	0300	78	S. Escobar
	0600	75	Barrios
	0900	77	Barrios
	1200	78.8	Randle
	1500	77	I. Rodriguez
	1800	78	I. Rodriguez
	2100	76	I. Rodriguez
	2400	76.9	S. Escobar

TUESDAY

Date	Time	Temp.	Name (Print)
August 13, 2024	0300	76.8	S. Escobar
	0600	78	Bellera
	0900	78	Bellera
	1200	79	Bellera
	1500	76	I. Rodriguez
	1800	77	I. Rodriguez
	2100	76	I. Rodriguez
	2400	74	L. Thao

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 14, 2024	0300	74	L. Thao
	0600	73	L. Thao
	0900	75	Barrios
	1200	77	Randle
	1500	79	Sandoval
	1800	74	I. Rodriguez
	2100	71	I. Rodriguez
	2400	73	L. Thao

THURSDAY

Date	Time	Temp.	Name (Print)
August 15, 2024	0300	73	L. Thao
	0600	72	L. Thao
	0900	73	D. Swan
	1200	73	D. Swan
	1500	77	I. Rodriguez
	1800	75	Sandoval
	2100	70	Sandoval
	2400	70	Villalobos

FRIDAY

Date	Time	Temp.	Name (Print)
August 16, 2024	0300	70	Villalobos
	0600	68	Villalobos
	0900	74	Morales
	1200	76	Bellera
	1500	76	I. Rodriguez
	1800	73	I. Rodriguez
	2100	70	Sandoval
	2400	70	L. Thao

SATURDAY

Date	Time	Temp.	Name (Print)
August 17, 2024	0300	70	L. Thao
	0600	69	L. Thao
	0900	69	[illegible] 2/w
	1200	73	Randle
	1500	76	Sandoval
	1800	73	Sandoval 3/w
	2100	70	Sandoval
	2400	70	L. Thao

SUNDAY

Date	Time	Temp.	Name (Print)
August 18, 2024	0300	69	L. Thao
	0600	68	L. Thao
	0900	70	Randle
	1200	75	Randle
	1500	73	Gutierrez 3/w
	1800	75	Sandoval
	2100	70	Sandoval
	2400	74	S. Escobar

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 515 Temp. Reading Location: Dayroom A,B,C,D WING

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
August 19, 2024	0300	73.9	S. Escobar
	0600	74	RANDLE
	0900	74	RANDLE
	1200	76	VTIANLOR
	1500	76	L. Thao
	1800	74	L. Thao
	2100	74	L. Thao
	2400	73.6	S. Escobar

TUESDAY

Date	Time	Temp.	Name (Print)
August 20, 2024	0300	73.2	S. Escobar
	0600	73.9 (4)	A. Jiménez
	0900	74.4 (0)	A. Jiménez
	1200	75.3 (0)	A. Jiménez
	1500	74	I. Rodriguez
	1800	72	I. Rodriguez
	2100	71	I. Rodriguez
	2400	70	L. Thao

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 21, 2024	0300	69	L. Thao
	0600	68	L. Thao
	0900	70	E. Rocero
	1200	73	RANDLE
	1500	76	MANTARREZ
	1800	76	MANTARREZ
	2100	74	MANTARREZ
	2400	71	L. Thao

THURSDAY

Date	Time	Temp.	Name (Print)
August 22, 2024	0300	70	L. Thao
	0600	69	L. Thao
	0900	72	morales
	1200	74	Morales
	1500	75	J. Cisneros
	1800	74	I. Rodriguez
	2100	73	I. Rodriguez
	2400	70	L. Thao

FRIDAY

Date	Time	Temp.	Name (Print)
August 23, 2024	0300	69	L. Thao
	0600	68	L. Thao
	0900	72	C. Estrada
	1200	74	MORALES
	1500	75	Sandoval
	1800	73	Sandoval
	2100	70	Sandoval
	2400	70	G. MILLER

SATURDAY

Date	Time	Temp.	Name (Print)
August 24, 2024	0300	70	G. MILLER
	0600	70	A. STANTON
	0900	72	A. STANTON
	1200	74	A. STANTON
	1500	75	Sandoval
	1800	74	L. Thao
	2100	74	L. Thao
	2400	71.7	C. Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
August 25, 2024	0300	71.2	C. Gutierrez
	0600	67	RANDLE
	0900	70	RANDLE
	1200	74	RANDLE
	1500	77	L. Thao
	1800	78	L. Thao
	2100	74	L. Thao
	2400	71.9	S. Escobar

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 515 Temp. Reading Location: Dayroom A,B,C,D WING
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
August 26, 2024	0300	71.7	S. Escobar
	0600	71.1	A Gonzalez
	0900	73	RANDLE
	1200	73	RANDLE
	1500	73	URIBE
	1800	73	I. Rodriguez
	2100	72	I Rodriguez
	2400	72.4	L. Thao

TUESDAY

Date	Time	Temp.	Name (Print)
August 27, 2024	0300	71	L Thao
	0600	71.9 D	RANDLE
	0900	75 A	RANDLE
	1200	77 A	RANDLE
	1500	70	I. Rodriguez
	1800	70	I Rodriguez
	2100	70	I Rodriguez
	2400	70	L Thao

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 28, 2024	0300	71	L Thao
	0600	71	L Thao
	0900	74	RANDLE
	1200	76	RANDLE
	1500	74	I Rodriguez
	1800	74	I Rodriguez
	2100	72	I Rodriguez
	2400	70	L Thao

THURSDAY

Date	Time	Temp.	Name (Print)
August 29, 2024	0300	70	L Thao
	0600	71	L Thao
	0900	74	Reyes
	1200	75	Reyes
	1500	76	I Rodriguez
	1800	75	I. Rodriguez
	2100	74	I Rodriguez
	2400	70	L Thao

FRIDAY

Date	Time	Temp.	Name (Print)
August 30, 2024	0300	70	L Thao
	0600	70	L Thao
	0900	74	Reyes
	1200	75	Reyes
	1500	75	I. Rodriguez
	1800	77	Sandoval
	2100	74	Sandoval
	2400	74	L Thao

SATURDAY

Date	Time	Temp.	Name (Print)
August 31, 2024	0300	70	L Thao
	0600	69	L Thao
	0900	72	Cruz
	1200	77	Cruz
	1500	81.2	L. Thao
	1800	82.7	L Thao
	2100	81	Sandoval
	2400	73	L Thao

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCWF Housing Unit: 516 Temp. Reading Location: Dayroom A,B,C,D WING
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
August 1, 2024	0300	72	Ryan
	0600	72	Ryan
	0900	76.8	P. DeMarco
	1200	77.9	P. DeMarco
	1500	81°	D. Valencia
	1800	81°	D. Valencia
	2100	82	P. DeMarco
	2400	82	Miller

FRIDAY

Date	Time	Temp.	Name (Print)
August 2, 2024	0300	81	Miller
	0600	78.8	P. DeMarco
	0900	78.9	P. DeMarco
	1200	79.0	P. DeMarco
	1500	79.5	P. DeMarco
	1800	83.3	D. Valencia
	2100	80.0	D. Valencia
	2400	78.5	A. Arregui

SATURDAY

Date	Time	Temp.	Name (Print)
August 3, 2024	0300	76.7	A. Arregui
	0600	77.2	P. DeMarco
	0900	77.8	P. DeMarco
	1200	82	A. Zamora
	1500	84.6	A. Zamora
	1800	86.0	A. Zamora
	2100	85.2	A. Zamora
	2400	78°	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
August 4, 2024	0300	76°	[illegible]
	0600	77.5	P. DeMarco
	0900	78.1	P. DeMarco
	1200	81.6	P. DeMarco
	1500	80	Swan
	1800	79	Swan
	2100	79	Swan
	2400	77	Swan

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CCWF** Housing Unit: 516 Temp. Reading Location: Dayroom A,B,C,D WING
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
AUGUST 5,2024	0300	79	C. LEWIS
	0600	79	R. GARCIA
	0900	79	R. GARCIA
	1200	81	R. GARCIA
	1500	81	Wong
	1800	80	Wong
	2100	78	Wong
	2400	78	C. Malin

TUESDAY

Date	Time	Temp.	Name (Print)
August 6, 2024	0300	78	C. Malin
	0600	78	C. Malin
	0900	79	R. GARCIA
	1200	81	R. GARCIA
	1500	82	R. GARCIA
	1800	83	R. Manzo
	2100	82	R. Manzo
	2400	83.1	L. Plaw

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 7, 2024	0300	81.3	L. Powers
	0600	80.2	P. DeMarco
	0900	80.2	P. DeMarco
	1200	81.2	P. DeMarco
	1500	84.5	E. Smith
	1800	86.5	E. Smith
	2100	85.0	E. Smith
	2400	82.2	P. Van

THURSDAY

Date	Time	Temp.	Name (Print)
August 8, 2024	0300	78.9	P. Van
	0600	78.0	P. Van
	0900	78	CARTER
	1200	76	CARTER
	1500	82.7	P. DeMarco
	1800	84.2	P. DeMarco
	2100	85.1	P. DeMarco
	2400	82	P. Lee

FRIDAY

Date	Time	Temp.	Name (Print)
AUGUST 9,2024	0300	78	P. Lee
	0600	77	P. DeMarco
	0900	79	P. DeMarco
	1200	80.1	P. DeMarco
	1500	82.7	P. DeMarco
	1800	85	P. DeMarco
	2100	85.1	P. DeMarco
	2400	80	guzman

SATURDAY

Date	Time	Temp.	Name (Print)
AUGUST 10,2024	0300	78	P. Lee
	0600	77.9	P. DeMarco
	0900	78.3	M. Gonzalez
	1200	80.1	P. DeMarco
	1500	85.	R. Swain
	1800	86.1	D. Chinas
	2100	85	D. Chinas
	2400	86	P. Lee

SUNDAY

Date	Time	Temp.	Name (Print)
AUGUST 11,2024	0300	78	P. Lee
	0600	79.1	P. DeMarco
	0900	79.3	GARCIA
	1200	81.2	P. DeMarco
	1500	84.7	B. Warren
	1800	83.9	B. Warren
	2100	83	B. Warren
	2400	78	P. Lee

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CCWF** Housing Unit: 516 Temp. Reading Location: Dayroom A,B,C,D WING

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
AUGUST 12,2024	0300	76	P.Lee
	0600	78	R.GARCIA
	0900	79	R.GARCIA
	1200	81	R.GARCIA
	1500	80	Wong.C
	1800	78	Wong.C
	2100	78	Wong.C.
	2400	74	P.Lee

TUESDAY

Date	Time	Temp.	Name (Print)
August 13, 2024	0300	74	P.Lee
	0600	74	GARCIA
	0900	76	GARCIA
	1200	78.6	GARCIA
	1500	79.3	Bishop
	1800	81.3	Bishop
	2100	80	Bishop
	2400	78.8	S.Escobar

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 14, 2024	0300	77.3	S.Escobar
	0600	76	C.GARCIA
	0900	77	L.Placido
	1200	77.9	L.PLACIDO
	1500	76	L.Fernandez
	1800	77	L.Fernandez
	2100	72°	L.Fernandez
	2400	73	P.Vary

THURSDAY

Date	Time	Temp.	Name (Print)
AUGUST 15,2024	0300	74	PVary
	0600	74	PVary
	0900	77	P.DEMARCO
	1200	78	P.DEMARCO
	1500	79.4	P.DEMARCO
	1800	81.1	P.DEMARCO
	2100	81.1	P.DEMARCO
	2400	76	P.Lee

FRIDAY

Date	Time	Temp.	Name (Print)
AUGUST 16,2024	0300	76	P.Lee
	0600	76.8	P.DEMARCO
	0900	76.4	P.DEMARCO
	1200	78.2	P.DEMARCO
	1500	78	A.Cisneros
	1800	77.6	PADILLA RODRIGUEZ
	2100	78	PADILLA RODRIGUEZ
	2400	76	P.Lee

SATURDAY

Date	Time	Temp.	Name (Print)
AUGUST 17,2024	0300	74	P.Lee
	0600	74	P.DEMARCO
	0900	76.2	P.DEMARCO
	1200	79.4	M.Gonzalez
	1500	80	Swan
	1800	80.1	Swan
	2100	79	Swan
	2400	78	P.Lee

SUNDAY

Date	Time	Temp.	Name (Print)
AUGUST 18,2024	0300	76	P.Lee
	0600	72	L.Mata
	0900	75.2	P.DEMARCO
	1200	77.1	P.DEMARCO
	1500	77.8	B.Warren
	1800	77	B.Warren
	2100	79	B.Warren
	2400	76	P.Lee

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CCWF** Housing Unit: 516 Temp. Reading Location: Dayroom A,B,C,D WING

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
August 19, 2024	0300	74	P.Lee
	0600	74	TREBUL
	0900	74	GARCIA
	1200	76.2	GARCIA
	1500	80.2	B. Warren
	1800	81.7	B. Warren
	2100	80.2	B. Warren
	2400	76	P.Lee

TUESDAY

Date	Time	Temp.	Name (Print)
August 20, 2024	0300	74	P.Lee
	0600	74	GARCIA
	0900	75	GARCIA
	1200	76	GARCIA
	1500	78.6	S.Andrade
	1800	80.9	S.Andrade
	2100	79.3	Bishop
	2400	78.4	S.Escobar

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 21, 2024	0300	74.1	S.Escobar
	0600	74.3	P.DeMarco
	0900	74.6	P.DeMarco
	1200	74.9	P.DeMarco
	1500	78.[illegible]	S.Andrade
	1800	78.3	S.Andrade
	2100	78.4	S.Andrade
	2400	76.2	R.Vary

THURSDAY

Date	Time	Temp.	Name (Print)
August 22, 2024	0300	74.3	R.Vary
	0600	74.4	R.Vary
	0900	74.3	DeMarco
	1200	75.0	DeMarco
	1500	77.7(c)	A.Randhawa
	1800	77.7	P.DeMarco
	2100	76	A.Ramos
	2400	74	A.Ramos

FRIDAY

Date	Time	Temp.	Name (Print)
August 23, 2024	0300	74	P.DeMarco
	0600	74	P.DeMarco
	0900	73.5	P.DeMarco
	1200	74	P.DeMarco
	1500	75.2	S.Andrade
	1800	78.1	S.Andrade
	2100	77.0	S.Andrade
	2400	72	P.Lee

SATURDAY

Date	Time	Temp.	Name (Print)
August 24, 2024	0300	70	P.Lee
	0600	70.3	P.DeMarco
	0900	70.9	P.DeMarco
	1200	73.4	P.DeMarco
	1500	74.8	S.Andrade
	1800	75.0	S.Andrade
	2100	74.1	S.Andrade
	2400	70	P.Lee

SUNDAY

Date	Time	Temp.	Name (Print)
August 25, 2024	0300	68	P.Lee
	0600	69.1	P.DeMarco
	0900	70.1	P.DeMarco
	1200	74.1	P.DeMarco
	1500	74.1	D.Saenz
	1800	74.1	D.Saenz
	2100	72.0	D.Saenz
	2400	70	P.Lee

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CCWF** Housing Unit: 516 Temp. Reading Location: Dayroom A,B,C,D WING

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
August 26, 2024	0300	68	P.Lee
	0600	75	GARCIA
	0900	75	GARCIA
	1200	76	GARCIA
	1500	75	Espinoza
	1800	74	Espinoza
	2100	75	Espinoza
	2400	72	P.Lee

TUESDAY

Date	Time	Temp.	Name (Print)
August 27, 2024	0300	76	P.Lee
	0600	73	GARCIA
	0900	75	GARCIA
	1200	78	GARCIA
	1500	78	GARCIA
	1800	75	V.TAYLOR
	2100	75	V.TAYLOR
	2400	78.8	S.Escobar

WEDNESDAY

Date	Time	Temp.	Name (Print)
August 28, 2024	0300	78	S.Escobar
	0600	75	J.Alosta
	0900	75	J.Alosta
	1200	79	J.Alosta
	1500	76	V.TAYLOR
	1800	75	V.TAYLOR
	2100	74	V.Taylor
	2400	72	PVanZ

THURSDAY

Date	Time	Temp.	Name (Print)
August 29, 2024	0300	72	PVanZ
	0600	73	PVanZ
	0900	76	A.ZAMORA
	1200	79	A.ZAMORA
	1500	79.5	A.ZAMORA
	1800	77	V.TAYLOR
	2100	74	V.TAYLOR
	2400	72	P.Lee

FRIDAY

Date	Time	Temp.	Name (Print)
August 30, 2024	0300	70	P.Lee
	0600	70	P.DEMARCO
	0900	73.5	P.DEMARCO
	1200	77.3	P.DEMARCO
	1500	78	V.TAYLOR
	1800	78	V.Taylor
	2100	74	V.TAYLOR
	2400	72	P.Lee

SATURDAY

Date	Time	Temp.	Name (Print)
August 31, 2024	0300	70	P.Lee
	0600	76.6	P.DEMARCO
	0900	76	D.DEMARCO
	1200	77	P.Demarco
	1500	78	R.Suarez
	1800	76	Suarez
	2100	73	Suarez
	2400	72	P.Lee

SUNDAY

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

HEAT INCIDENT LOG

CDCR MH-7711-2 (02/17)

Heat Incident Log

Institution: CCWF Date: 8/5/24 Number of Heat Incidents: 1

1. Patient Name: [redacted] CDCR#: [redacted] Housing: [redacted]

MHSDS Designation: GP Level of Care: GP Date of Heat Incident: 8/5/24

Location of Incident: [redacted] Change in Level of Care: No Change

List of Heat Risk Medications: NONE

Chief Medical Complaint: feeling dizzy, HA

Diagnosis of Heat Related Illness (specify): Adverse effect of heat per provider

Treatment Rendered: IV Fluid (hydration)

Medication Changes Made: NO

Ultimate Disposition of Patient: Return to housing

Clinician's Name and Title: Dr. Uppal MD

2. Patient Name: CDCR#: Housing:

MHSDS Designation: Level of Care: Date of Heat Incident:

Location of Incident: Change in Level of Care:

List of Heat Risk Medications:

Chief Medical Complaint:

Diagnosis of Heat Related Illness (specify):

Treatment Rendered:

Medication Changes Made:

Ultimate Disposition of Patient:

Clinician's Name and Title:

3. Patient Name: CDCR#: Housing:

MHSDS Designation: Level of Care: Date of Heat Incident:

Location of Incident: Change in Level of Care:

List of Heat Risk Medications:

Chief Medical Complaint:

Diagnosis of Heat Related Illness (specify):

Treatment Rendered:

Medication Changes Made:

Ultimate Disposition of Patient:

Clinician's Name and Title:

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator