Monthly Summary Report

Institution: KVSP

Memorandum

Date: October 11, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - September 2024

The following is a summary of the heat related activity for the month of September

at KVSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

   Number of days Stage I Alert initiated: 20

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

   Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

P. Horn	F. Beyerlein
Warden Name	Chief Executive Officer Name
DocuSigned by: P. Horn F558AA9681434AE...	DocuSigned by: Fred Beyerlein D8C48EF3A40A4F7...
Warden Signature	Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

TATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

NSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: ASU 1 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	77	Johnson
	0600	78	P. Rangel
	0900	78	P. Rangel
	1200	78	P. Rangel
	1500	78	MATA
	1800	78	MATA
	2100	77	MATA
	2400	78	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	78	[illegible]
	0600	78	P. Rangel
	0900	78	P. Rangel
	1200	78	P. Rangel
	1500	78	FERRELL
	1800	78	FERRELL
	2100	78	FERRELL
	2400	78	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	78	[illegible]
	0600	78	P. Rangel
	0900	78	P. Rangel
	1200	78	P. Rangel
	1500	78	FERRELL
	1800	78	FERRELL
	2100	78	FERRELL
	2400	78	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	78	[illegible]
	0600	78	P. Rangel
	0900	78	P. Rangel
	1200	78	P. Rangel
	1500	78	FERRELL
	1800	78	FERRELL
	2100	78	FERRELL
	2400	78	[illegible]

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	78	[illegible]
	0600	76	M. GONZALEZ
	0900	78	M. GONZALEZ
	1200	78	M. GONZALEZ
	1500	78	FERRELL
	1800	78	FERRELL
	2100	78	FERRELL
	2400	78	Salazar

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	78	Salazar
	0600	76	[illegible]
	0900	78	GONZALEZ
	1200	78	GONZALEZ
	1500	78	GONZALEZ
	1800	78	HOWELL
	2100	78	HOWELL
	2400	77	Salazar

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	77	Salazar
	0600	76	BRODRIGUEZ
	0900	78	BRODRIGUEZ
	1200	78	BRODRIGUEZ
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	77	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2011 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	80	Salazar
	0600	80	Aguilar
	0900	80	Aguilar
	1200	80	Aguilar
	1500	80	Stewart
	1800	80	Stewart
	2100	80	Stewart
	2400	78°	R. Whitfield

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	78°	R. Whitfield
	0600	77	V. Flores
	0900	78	V. Flores
	1200	79	V. Flores
	1500	79	Guzman
	1800	79	Guzman
	2100	79	Guzman
	2400	78	A. Rendon

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	78	A. Rendon
	0600	78	Lynch
	0900	78	Lynch
	1200	78	Lynch
	1500	79	Guzman
	1800	78	Guzman
	2100	78	Guzman
	2400	78	A. Rendon

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	78	A. Rendon
	0600	77	V. Flores
	0900	78	V. Flores
	1200	79	V. Flores
	1500	79	Guzman
	1800	79	Guzman
	2100	79	Guzman
	2400	76	M. Garcia

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	76	M. Garcia
	0600	76	V. Flores
	0900	77	V. Flores
	1200	79	V. Flores
	1500	79	Guzman
	1800	79	Guzman
	2100	79	Guzman
	2400	78	A. Rendon

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	78	A. Rendon
	0600	78	V. Flores
	0900	78	V. Flores
	1200	79	Brown
	1500	79	Aguilar
	1800	79	Aguilar
	2100	78	Aguilar
	2400	79	B. Lopez

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	79	B. Lopez
	0600	79	B. Lopez
	0900	79	J. Aguilar
	1200	78	J. Aguilar
	1500	78	[illegible]
	1800	78	Cortez
	2100	78	Cortez
	2400	77	Salazar

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B2 Temp. Reading Location: A, B, C
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	80	VEGASPI
	0600	80	VEGASPI
	0900	81	VEGASPI
	1200	81	VEGASPI
	1500	81	mender
	1800	81	miranda
	2100	81	miranda
	2400	80	VEGASPI

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	80	VEGASPI
	0600	80	SanAtaio
	0900	80	SanAtaio
	1200	81	SanAtaio
	1500	80	L. Cervantes
	1800	80	L. Cervantes
	2100	80	L. Cervantes
	2400	80	VEGASPI

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	80	VEGASPI
	0600	80	SanAtaio
	0900	80	SanAtaio
	1200	81	SanAtaio
	1500	80	Lopez
	1800	80	Lopez
	2100	81	Lopez
	2400	80	Beltran

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	81	Beltran
	0600	80	Beltran
	0900	80	SanAtaio
	1200	80	SanAtaio
	1500	80	Ojeda
	1800	80	Ojeda
	2100	79	Vasquez
	2400	79	R. CALDERON

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	78	R. CALDERON
	0600	80	TORRES
	0900	80	TORRES
	1200	80	TORRES
	1500	80	Ojeda
	1800	80	Ojeda
	2100	80	Ojeda
	2400	80	VEGASPI

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	80	VEGASPI
	0600	80	Ojeda
	0900	80	Ojeda
	1200	80	Ojeda
	1500	80	Ojeda
	1800	78	Ojeda
	2100	78	Ojeda
	2400	78	mender

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	78	mender
	0600	78	PASCUA
	0900	79	PASCUA
	1200	80	PASCUA
	1500	80	PASCUA
	1800	80	PASCUA
	2100	79	PASCUA
	2400	79	VEGASPI

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	79	Hursey
	0600	79	Fountain
	0900	79	Fountain
	1200	79	Fountain
	1500	79	Ocamora
	1800	79	Ocamora
	2100	79	Ocamora
	2400	79	Hursey

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	79	Hursey
	0600	79	Cfantein
	0900	79	Cfantein
	1200	80	Cfantein
	1500	80	Ocamora
	1800	79	Hernandez
	2100	79	Hernandez
	2400	79	Hursey

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	79	Hursey
	0600	79	Fountain
	0900	79	Fountain
	1200	79	Fountain
	1500	79	Ocamora
	1800	79	Ocamora
	2100	78	Ocamora
	2400	78	Hursey

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	78	Hursey
	0600	78	Sauce
	0900	72	Sauce
	1200	72	Sauce
	1500	78	Acoxeno
	1800	78	Acoxeno
	2100	78	Acoxeno
	2400	78	Hursey

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	78	Hursey
	0600	78	Pascua
	0900	78	Pascua
	1200	79	Pascua
	1500	79	Rivera
	1800	78	Rivera
	2100	78	Rivera
	2400	70	Delaraza

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	78	Delaraza
	0600	78	Fountain
	0900	78	Fountain
	1200	78	Fountain
	1500	78	Fountain
	1800	78	Fountain
	2100	78	Fountain
	2400	77	S. Lesenfelt

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	77	S. Lesenfelt
	0600	76	S. Lesenfelt
	0900	76	Cfantein
	1200	77	Cfantein
	1500	78	Cfantein
	1800	77	R. Vargas Jr.
	2100	77	R. Vargas Jr.
	2400	77	Hursey

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B-4 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	80	VALDEZ
	0600	79	R. Vargas Jr.
	0900	80	R. Vargas Jr.
	1200	80	R. Vargas Jr.
	1500	81	ACOCELLO
	1800	81	ACOCELLO
	2100	81	ACOCELLO
	2400	80	VALDEZ

Tuesday

Dat	Time	Temp.	Name (Print)
9/10	0300	80	VALDEZ
	0600	80	PASCUA
	0900	81	PASCUA
	1200	81	PASCUA
	1500	81	Rios
	1800	81	Rios
	2100	81	Rios
	2400	79	Brockman

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	79	Brockman
	0600	79	RBeck
	0900	79	RBeck
	1200	79	RBeck
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	75	Brockman

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	78	Brockman
	0600	78	RBeck
	0900	79	RBeck
	1200	79	RBeck
	1500	79	Rios
	1800	79	Rios
	2100	79	Rios
	2400	77	Brockman

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	77	Brockman
	0600	77	RBeck
	0900	78	RBeck
	1200	78	RBeck
	1500	79	Rios
	1800	79	Rios
	2100	79	Rios
	2400	78	D Chacon

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	78	D. Chacon
	0600	78	RBeck
	0900	78	RBeck
	1200	78	RBeck
	1500	79	Rios
	1800	79	Rios
	2100	79	Rios
	2400	78	Ruiz

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	78	Ruiz
	0600	76	RBeck
	0900	76	RBeck
	1200	78	RBeck
	1500	78	Diaz
	1800	79	Diaz
	2100	79	Diaz
	2400	78	VALDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 031 (0/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	79	Fountain
	0600	78	Fountain
	0900	79	RIVERA
	1200	79	RIVERA
	1500	80	Davidson
	1800	80	Davidson
	2100	80	Davidson
	2400	80	CFountain

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	80	CFountain
	0600	80	RIVERA
	0900	80	RIVERA
	1200	80	RIVERA
	1500	80	Davidson
	1800	80	Davidson
	2100	80	Davidson
	2400	80	Fountain

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	80	Fountain
	0600	80	RIVERA
	0900	80	RIVERA
	1200	80	RIVERA
	1500	80	Davidson
	1800	80	Davidson
	2100	80	Davidson
	2400	80	CFountain

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	80	CFountain
	0600	80	RIVERA
	0900	80	RIVERA
	1200	80	RIVERA
	1500	80	Davidson
	1800	80	Davidson
	2100	78	Davidson
	2400	78	T—

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	78	T—
	0600	78	ROJAS
	0900	80	ROJAS
	1200	80	ROJAS
	1500	80	Davidson
	1800	80	Davidson
	2100	80	Davidson
	2400	79	T—

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	78	T—
	0600	78	ROJAS
	0900	80	ROJAS
	1200	80	ROJAS
	1500	80	Wright
	1800	80	Wright
	2100	79	CFountain
	2400	79	CFountain

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	79	CFountain
	0600	79	Torres
	0900	80	Torres
	1200	80	Torres
	1500	80	ESPINOZA
	1800	80	ESPINOZA
	2100	80	ESPINOZA
	2400	80	CFountain

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B6 Temp. Reading Location: TOP TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	80	M. CHAVEZ
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	A. Renn
	1800	80	Munoz
	2100	80	Munoz
	2400	78	J. HERNANDEZ

Tuesday

Dat	Time	Temp.	Name (Print)
9/10/24	0300	78	J. HERNANDEZ
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	RODRIGUEZ
	1800	79	RODRIGUEZ
	2100	79	RODRIGUEZ
	2400	78	HERNANDEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	78	HERNANDEZ
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	A. Leal
	1800	79	A. Leal
	2100	79	A. Leal
	2400	78	J. HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	78	J. HERNANDEZ
	0600	78	Rojas
	0900	78	Rojas
	1200	79	Rojas
	1500	TS	Sevo
	1800	TS	Sevo
	2100	TS	Sevo
	2400	78	HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	77	HERNANDEZ
	0600	79	Hernandez
	0900	79	Hernandez
	1200	79	Hernandez
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	J. HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	78	HERNANDEZ
	0600	78	ESPINOSA
	0900	78	ESPINOSA
	1200	78	ESPINOSA
	1500	78	ESPINOSA
	1800	79	ESPINOSA
	2100	78	ESPINOSA
	2400	78	A. Rendon

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	78	A. Rendon
	0600	78	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	78	L. Cerda
	1800	78	L. Cerda
	2100	78	L. Cerda
	2400	77	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: KVSP B7 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	78	A. Silva
	0600	78	S. Avila
	0900	79	S. Avila
	1200	80	S. Avila
	1500	81	R. URBINA
	1800	81	R. URBINA
	2100	81	R. URBINA
	2400	80	A. Silva

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	79	A. Silva
	0600	79	S. Avila
	0900	80	S. Avila
	1200	80	S. Avila
	1500	81	R. URBINA
	1800	81	R. URBINA
	2100	81	R. URBINA
	2400	80	T. Rebonsa

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	80	T. Rebonsa
	0600	79	S. Avila
	0900	79	S. Avila
	1200	80	S. Avila
	1500	80	F. Garcia
	1800	80	F. Garcia
	2100	80	F. Garcia
	2400	79	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	>C	[illegible]
	0600	78	S. Avila
	0900	78	S. Avila
	1200	78	S. Avila
	1500	78	F. Garcia
	1800	78	F. Garcia
	2100	77	F. Garcia
	2400	76	VALDEZ

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	76	VALDEZ
	0600	76	S. Avila
	0900	77	S. Avila
	1200	77	S. Avila
	1500	75	Sauce
	1800	75	Sauce
	2100	75	Sauce
	2400	75	A. Silva

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	76	A. Silva
	0600	76	Hernandez
	0900	76	Hernandez
	1200	77	Hernandez
	1500	78	J. Aguilar
	1800	77	J. Aguilar
	2100	77	J. Aguilar
	2400	77	A. Silva

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	76	A. Silva
	0600	77	Hernandez
	0900	78	Hernandez
	1200	79	Hernandez
	1500	79	VELASQUEZ
	1800	77	VELASQUEZ
	2100	77	VELASQUEZ
	2400	79	A. Silva

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B-8 Temp. Reading Location: Control (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	78	PEspinoza
	0600	79	Hernandez
	0900	80	Hernandez
9	1200	80	Hernandez
	1500	80	Aguilar
	1800	79	Aguilar
24	2100	78	Aguilar
	2400	78	PEspinoza

Tuesday

Dat	Time	Temp.	Name (Print)
9	0300	78	PEspinoza
	0600	79	HERNANDEZ
	0900	80	HERNANDEZ
10	1200	80	HERNANDEZ
	1500	80	R. Vidurya
	1800	80	M. Lopez
24	2100	80	R. Vidurya
	2400	78	PEspinoza

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	77	PEspinoza
	0600	79	Hernandez
	0900	80	Hernandez
11	1200	80	Hernandez
	1500	80	R. Vidurya
	1800	80	Santiago
24	2100		Santiago
	2400	76	PEspinoza

Thursday

Date	Time	Temp.	Name (Print)
9	0300	75	PEspinoza
	0600	77	Navarrete
	0900	79	Navarrete
12	1200	80	Navarrete
	1500	80	R. Vidurya
	1800	80	R. Vidurya
24	2100	80	R. Vidurya
	2400	75	PEspinoza

Friday

Date	Time	Temp.	Name (Print)
9	0300	75	PEspinoza
	0600	75	ARREOLA
	0900	75	ARREOLA
13	1200	76	ARREOLA
	1500	76	MEDINA
	1800	74	MEDINA
24	2100	74	MEDINA
	2400	74	VALDEZ

Saturday

Date	Time	Temp.	Name (Print)
9	0300	74	VALDEZ
	0600	74	R. Arreola
	0900	75	R. Arreola
14	1200	75	R. Arreola
	1500	76	Hernandez
	1800	76	Hernandez
24	2100	76	Hernandez
	2400	76	THONGSINOH

Sunday

Date	Time	Temp.	Name (Print)
9	0300	75	THONGSINOH
	0600	75	THONGSINOH
	0900	75	[illegible]
15	1200	75	[illegible]
	1500	75	J. Aguilar
	1800	75	J. Aguilar
24	2100	75	J. Aguilar
	2400	75	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C 1 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	80	Bras
	0600	79	Cabrera
	0900	79	Cabrera
	1200	79	Cabrera
	1500	78	
	1800	78	
	2100	78	
	2400	78	SANDOVAL

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	78	SANDOVAL
	0600	78	Cabrera
	0900	78	Cabrera
	1200	78	Cabrera
	1500	78	
	1800	78	
	2100	78	
	2400	78	SANDOVAL

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	78	SANDOVAL
	0600	78	Cabrera
	0900	78	Cabrera
	1200	78	Cabrera
	1500	78	
	1800	78	
	2100	78	
	2400	78	SANDOVAL

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	78	SANDOVAL
	0600	78	Cabrera
	09 00	78	Cabrera
	1200	78	
	1500	78	
	1800	78	
	2100	78	
	2400	75	Slater

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	74	Slater
	0600	75	Cabrera
	0900	75	Cabrera
	1200	75	Cabrera
	1500	75	
	1800	75	
	2100	75	
	2400	75	m. Omelas

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	75	m. Omelas
	0600	75	C. Look
	0900	75	C. Look
	1200	75	C. Look
	1500	75	A. ZUNIGA
	1800	80	A. ZUNIGA
	2100	80	A. ZUNIGA
	2400	78	Bras

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	78	Bras
	0600	75	C. Look
	0900	78	C. Look
	1200	78	C. Look
	1500	78	A. ZUNIGA
	1800	78	A ZUNIGA
	2100	78	A ZUNIGA
	2400	78	Bras

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C2 Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	78	MALDONADO
	0600	78	Clark
	0900	79	N. Clark
	1200	80	N. Clark
	1500	80	A. ZUNIGA
	1800	80	A. ZUNIGA
	2100	80	A ZUNIGA
	2400	78	Lopez

Tuesday

Dat	Time	Temp.	Name (Print)
9/10/24	0300	76	Lopez
	0600	78	Delgado
	0900	79	Delgado
	1200	80	Delgado
	1500	80	ZUNIGA
	1800	80	ZUNIGA
	2100	80	ZUNIGA
	2400	79	M. Duel S

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	78	M. Duel S
	0600	78	Delgado
	0900	79	Delgado
	1200	79	Delgado
	1500	79	J. Morales
	1800	79	J. Morales
	2100	79	J. Morales
	2400	79	Nuthatt

Thursday

Date	Time	Temp.	Name (Print)
	0300	78	Nuthatt
	0600	78	Nuthatt
	0900	78	Delgado
	1200	78	Delgado
	1500	78	ANDRADE
	1800	78	ANDRADE
	2100	78	ANDRADE
	2400	76	Lopez

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	76	Lopez
	0600	78	Delgado
	0900	78	Delgado
	1200	78	Delgado
	1500	78	ANDRADE
	1800	78	ANDRADE
	2100	78	ANDRADE
	2400	76	Lopez

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	76	Lopez
	0600	78	Nava
	0900	78	Nava
	1200	78	Nava
	1500	78	ANDRADE
	1800	78	ANDRADE
	2100	78	ANDRADE
	2400	78	MALDONADO

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	78	MALDONADO
	0600	78	Clark
	0900	78	Clark
	1200	78	Clark
	1500	78	ANDRADE
	1800	78	ANDRADE
	2100	78	ANDRADE
	2400	77	MALDONADO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C3 Temp. Reading Location: 2ND Tier. A/B/C sections
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6350 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/09/2024	0300	80	S. HERNANDEZ
	0600	80	Naciamento
	0900	80	Naciamento
	1200	80	Naciamento
	1500	80	Herrera
	1800	80	Herrera
	2100	79	Herrera
	2400	80	S. HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
09/10/2024	0300	80	S. HERNANDEZ
	0600	80	Naciamento
	0900	80	Naciamento
	1200	80	Naciamento
	1500	80	Herrera
	1800	78	Herrera
	2100	78	Herrera
	2400	78	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
09/11/2024	0300	80	[illegible]
	0600	80	Naciamento
	0900	80	Naciamento
	1200	80	Naciamento
	1500	80	Herrera
	1800	78	Herrera
	2100	75	Herrera
	2400	75	M. Aguilar

Thursday

Date	Time	Temp.	Name (Print)
09/12/2024	0300	75	M. Aguilar
	0600	75	E. Araiza
	0900	80	E. Araiza
	1200	80	E. Araiza
	1500	80	Herrera
	1800	79	Herrera
	2100	77	Herrera
	2400	77	Prieto

Friday

Date	Time	Temp.	Name (Print)
09/13/2024	0300	77	Prieto
	0600	80	C. Look
	0900	80	C. Look
	1200	80	C. Look
	1500	80	VELASQUEZ
	1800	80	VELASQUEZ
	2100	79	VELASQUEZ
	2400	77	Johnson

Saturday

Date	Time	Temp.	Name (Print)
09/14/2024	0300	78	Johnson
	0600	78	J. GUATARDO
	0900	78	J. GUATARDO
	1200	78	J. GUATARDO
	1500	80	A. Delgado
	1800	78	A. Delgado
	2100	76	A. Delgado
	2400	78	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
09/15/2024	0300	76	[illegible]
	0600	76	Naciamento
	0900	76	Naciamento
	1200	80	Naciamento
	1500	80	Herrera
	1800	80	Herrera
	2100	77	Herrera
	2400	80	S. HERNANDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4 Temp. Reading Location: 2nd Tier.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	75	Johnson
	0600	77	C.Look
	0900	78	C.Look
	1200	80	C.Look
	1500	80	G. Rodriguez
	1800	80	G. Rodriguez
	2100	80	G. Rodriguez
	2400	79	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	79	Johnson
	0600	80	C.Look
	0900	80	C Look
	1200	80	C Look
	1500	80	Araiza
	1800	80	Araiza
	2100	80	Araiza
	2400	80	Johnson

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	80	Johnson
	0600	80	O. Lopez G.I
	0900	81	O. Lopez G.I
	1200	81	O. Lopez G.I
	1500	81	E. Araiza
	1800	81	E. Araiza
	2100	80	E Araiza
	2400	80	Johnson

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	80	Johnson
	0600	80	O. Lopez G.I
	0900	81	O. Lopez G.I
	1200	81	O. Lopez G.I
	1500	80	E. Araiza
	1800	80	E. Araiza
	2100	80	E. Araiza
	2400	80	Johnson

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	80	Johnson
	0600	80	O. Lopez G.I
	0900	80	O. Lopez G.I
	1200	81	O. Lopez G.I
	1500	81	E. Araiza
	1800	80	E. Araiza
	2100	80	E Araiza
	2400	72	S. HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
09/14/2024	0300	72	S. HERNANDEZ
	0600	73	O. Lopez G.I
	0900	75	O. Lopez G.I
	1200	75	O. Lopez G.I
	1500	75	N. Clark
	1800	75	N Clark
	2100	75	N Clark
	2400	72	S. HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
09/15/2024	0300	72	S. HERNANDEZ
	0600	73	O. Lopez G.I
	0900	74	O. Lopez G.I
	1200	74	O. Lopez G.I
	1500	74	D. Clemente
	1800	74	D. Clemente
	2100	74	D. Clemente
	2400	75	Johnson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C.6 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	78	T. Alvarado
	0600	78	A. Olmos
	0900	78	A. Olmos
	1200	80	Crews
	1500	80	R. Silva
	1800	80	R. Silva
	2100	80	R. Silva
	2400	80	DIR

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	79	DIR
	0600	79	Olmos
	0900	79	Olmos
	1200	79	Olmos
	1500	80	R. Silva
	1800	80	R. Silva
	2100	80	R. Silva
	2400	80	F. Morales

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	[illegible]	F. Morales
	0600	[illegible]	Olmos
	0900	[illegible]	Olmos
	1200	80	L. Contreras
	1500	[illegible]	[illegible]
	1800	80	Garcia
	2100	79	Garcia
	2400	79	DIR

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	79	DIR
	0600	79	E. Ruiz
	0900	80	E. Ruiz
	1200	80	E. Ruiz
	1500	80	J. Guerrero
	1800	79	Sanchez
	2100	79	Sanchez
	2400	79	DIR

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	79	DIR
	0600	78	C. Contreras
	0900	80	C. Contreras
	1200	80	C. Contreras
	1500	80	F. Garcia
	1800	89	F. Garcia
	2100	79	F. Garcia
	2400	79	DIR

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	78	DIR
	0600	78	Olmos
	0900	78	Olmos
	1200	78	Olmos
	1500	78	F. Garcia
	1800	78	F. Garcia
	2100	78	F. Garcia
	2400	78	T. Alvarado

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	78	T. Alvarado
	0600	78	Olmos
	0900	78	Olmos
	1200	78	Olmos
	1500	79	Garcia
	1800	79	Garcia
	2100	79	Garcia
	2400	79	T. Alvarado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-7 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	78	Sanchez
	0600	79	Hernandez
	0900	79	Hernandez
	1200	79	Hernandez
	1500	79	M. ALCANTAR
	1800	79	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	78	Sanchez

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	78	Sanchez
	0600	79	Hernandez
	0900	80	Hernandez
	1200	80	Hernandez
	1500	80	M. ALCANTAR
	1800	80	M. ALCANTAR
	2100	79	M. ALCANTAR
	2400	78	Sanchez

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	78	Sanchez
	0600	79	Hernandez
	0900	80	Hernandez
	1200	80	PEREZ BAUTISTA
	1500	80	M. ALCANTAR
	1800	80	M. ALCANTAR
	2100	79	M. ALCANTAR
	2400	79	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	79	MARTINEZ
	0600	80	Hernandez
	0900	80	Hernandez
	1200	80	Hernandez
	1500	80	M. ALCANTAR
	1800	80	M. ALCANTAR
	2100	79	M. ALCANTAR
	2400	78	RIVERA

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	78	RIVERA
	0600	79	Hernandez
	0900	79	Hernandez
	1200	79	Hernandez
	1500	79	DURAN
	1800	78	DURAN
	2100	76	Slater
	2400	76	Slater

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	75	Slater
	0600	75	GUMP
	0900	78	GUMP
	1200	80	GUMP
	1500	80	DURAN
	1800	80	DURAN
	2100	79	DURAN
	2400	78	GUMP

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	78	GUMP
	0600	78	GUMP
	0900	78	GUMP
	1200	79	GUMP
	1500	79	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	76	Sanchez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-8 Temp. Reading Location: Control booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)	
9/9/24	0300	80	A. Sotelo	
	0600	80	A. Sotelo	BM
	0900	80	L. Lopez	
	1200	80	L. Lopez	
	1500	80	J. Moreno Macias	
	1800	80	J. Moreno Macias	
	2100	80	J. Moreno Macias	
	2400	80	A. Sotelo	V

Tuesday

Date	Time	Temp.	Name (Print)	
9/10/24	0300	80	A. Sotelo	V
	0600	80	A. Sotelo	
	0900	80	L. Lopez	VL
	1200	80	L. Lopez	
	1500	80	D. Clemente	AC
	1800	80	D. Clemente	
	2100	79	D. Clemente	
	2400	79	A. Sotelo	V

Wednesday

Date	Time	Temp.	Name (Print)	
9/11/24	0300	78	A. Sotelo	
	0600	78	A. Sotelo	W
	0900	79	Nunez	
	1200	79	Nunez	
	1500	79	Vasquez	
	1800	80	Vasquez	
	2100	80	Vasquez	
	2400	78	Rivera	V

Thursday

Date	Time	Temp.	Name (Print)	
9/12/24	0300	78	Rivera	V
	0600	78	Nunez	
	0900	79	Nunez	
	1200	79	Nunez	
	1500	79	Penn	
	1800	79	Penn	
	2100	79	Penn	
	2400	74	S. HERNANDEZ	W

Friday

Date	Time	Temp.	Name (Print)	
9/13/24	0300	74	S. HERNANDEZ	W
	0600	79	Nunez	
	0900	79	Nunez	BM
	1200	79	Nunez	
	1500	79	B. LOPEZ	
	1800	79	B. LOPEZ	
	2100	79	B. LOPEZ	
	2400	78	A. Sotelo	

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	78	A. Sotelo
	0600	78	A. Sotelo
	0900	78	L. Torres
	1200	78	Torres
	1500	78	Torres
	1800	78	Torres
	2100	78	Torres
	2400	76	A. Sotelo

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	76	A. Sotelo
	0600	76	A. Sotelo
	0900	78	Nunez
	1200	78	Nunez
	1500	78	R. Silva
	1800	78	R. Silva
	2100	78	R. Silva
	2400	76	A. Sotelo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09 / 09 / 24	0300	79	R. DURAN
	0600	78	Romero
	0900	79	Romero
	1200	78	Roman
	1500	78	Flores
	1800	78	Flores
	2100	78	Flores
	2400	80	M. CHAVEZ

Tuesday

Date	Time	Temp.	Name (Print)
09 / 10 / 24	0300	79	R. DURAN
	0600	78	Salaña
	0900	80	Salaña
	1200	80	Salaña
	1500	80	Flores
	1800	80	Flores
	2100	80	Flores
	2400	80	M Chavez

Wednesday

Date	Time	Temp.	Name (Print)
09 / 11 / 24	0300	80	M Chavez
	0600	78	Salaña
	0900	80	Salaña
	1200	80	Salaña
	1500	80	Constanza
	1800	80	Constanza
	2100	80	Constanza
	2400	80	M. CHAVEZ

Thursday

Date	Time	Temp.	Name (Print)
09 / 12 / 24	0300	80	M. CHAVEZ
	0600	78	Salaña
	0900	80	Salaña
	1200	80	Salaña
	1500	80	Constanza
	1800	80	Constanza
	2100	80	Constanza
	2400	80	M. CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
09 / 13 / 24	0300	80	M. CHAVEZ
	0600	76	Salaña
	0900	78	Salaña
	1200	78	Salaña
	1500	80	Constanza
	1800	80	Constanza
	2100	80	Constanza
	2400	80	M CHAVEZ

Saturday

Date	Time	Temp.	Name (Print)
09 / 14 / 24	0300	80	M. CHAVEZ
	0600	76	Salaña
	0900	78	Salaña
	1200	78	Salaña
	1500	79	Constanza
	1800	79	Constanza
	2100	79	Constanza
	2400	79	M CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
09 / 15 / 24	0300	79	M CHAVEZ
	0600	79	Romero
	0900	79	Romero
	1200	70	Romero
	1500	70	Watrous
	1800	70	Watrous
	2100	70	Watrous
	2400	78	M. Chavez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Sept. 2024

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D3 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	80	Gloria
	0600	80	Marquez
	0900	80	Marquez
	1200	80	Marquez
	1500	80	Rodriguez
	1800	80	Rodriguez
	2100	80	Rodriguez
	2400	80	Gloria

Tuesday

Dat	Time	Temp.	Name (Print)
9/10/24	0300	80	Gloria
	0600	80	Marquez
	0900	80	Marquez
	1200	80	Marquez
	1500	80	Duran
	1800	80	Duran
	2100	80	Duran
	2400	80	Gloria

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	78	Gloria
	0600	80	Marquez
	0900	80	Marquez
	1200	80	Marquez
	1500	78	Duran
	1800	78	Duran
	2100	78	Duran
	2400	78	Meza, N

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	78	Meza N
	0600	79	A.ANAYA
	0900	79	A.ANAYA
	1200	80	A.ANAYA
	1500	80	A. Duran
	1800	78	A. Duran
	2100	78	A. Duran
	2400	78	Pw

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	76	Pw
	0600	76	RAMOS J
	0900	76	RAMOS J
	1200	76	RAMOS J
	1500	76	Moreno
	1800	76	Moreno
	2100	76	Moreno
	2400	76	Gloria

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	75	Gloria
	0600	78	Marquez
	0900	78	Marquez
	1200	78	Marquez
	1500	78	Chavez
	1800	78	Duran
	2100	78	Duran
	2400	78	Gloria

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	78	Gloria
	0600	78	Talbert
	0900	78	Talbert
	1200	78	Talbert
	1500	78	Duran
	1800	78	Duran
	2100	78	Duran
	2400	75	Gloria

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D-4 Temp. Reading Location: B SECTION (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	77	E. SAMARRIPAS
	0600	78	J. RAMOS
	0900	78	J. RAMOS
	1200	78	A. Delgado
	1500	78	A. Delgado
	1800	78	A Delgado
	2100	77	A. Delgado
	2400	77	E. SAMARRIPAS

Tuesday

Dat	Time	Temp.	Name (Print)
9/10	0300	77	E. SAMARRIPAS
	0600	78	J. RAMOS
	0900	80	J. RAMOS
	1200	80	J. RAMOS
	1500	80	RAMOS, G.
	1800	80	RAMOS, G.
	2100	80	RAMOS, G.
	2400	80	CARN

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	80	CARN
	0600	80	Castro
	0900	80	Castro
	1200	80	Castro
	1500	80	RAMOS, G.
	1800	80	RAMOS, G.
	2100	80	RAMOS, G.
	2400	80	CARN

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	80	CARN
	0600	80	Castro
	0900	80	Castro
	1200	80	Castro
	1500	80	RAMOS, G.
	1800	78	RAMOS, G.
	2100	78	RAMOS, G.
	2400	78	Carn

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	78	Carn
	0600	78	Castro
	0900	78	Castro
	1200	79	Castro
	1500	78	Stewart
	1800	77	Stewart
	2100	77	Stewart
	2400	78	Carn

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	78	Carn
	0600	78	Castro
	0900	79	Castro
	1200	79	Castro
	1500	79	Barrios
	1800	79	Barrios
	2100	79	Barrios
	2400	78	Carn

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	78	D. CARN
	0600	78	Castro
	0900	79	Castro
	1200	79	Castro
	1500	79	Moreno
	1800	79	Moreno
	2100	78	Moreno
	2400	78°	E. AYALA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	78	Rodriguez
	0600	78	Martinez
	0900	78	Martinez
	1200	78	Martinez
	1500	79	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	78	Rodriguez
	0600	78	Prunch
	0900	78	Prunch
	1200	78	Prunch
	1500	78	Thompson
	1800	78	Thompson
	2100	78	Thompson
	2400	78	Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	78	Rodriguez
	0600	78	Prunch
	0900	78	Prunch
	1200	78	Prunch
	1500	78	A. Thompson
	1800	78	A. Thompson
	2100	77	A. Thompson
	2400	77	Diaz

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	77	Diaz
	0600	78	Prunch
	0900	78	Prunch
	1200	78	Prunch
	1500	78	Thompson
	1800	78	Thompson
	2100	77	Thompson
	2400	77	Salazar

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	77	Salazar
	0600	76	Alvarado
	0900	76	Alvarado
	1200	77	Alvarado
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	77	Rodriguez
	0600	76	Alvarado
	0900	76	Alvarado
	1200	77	Alvarado
	1500	77	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	77	Rodriguez
	0600	76	A. Sofeb
	0900	76	A. Sofeb
	1200	76	A. Sofeb
	1500	76	Thurston, D
	1800	76	Thurston, D
	2100	76	Thurston, D
	2400	76	Rodriguez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09 / 09 / 24	0300	78	Meza
	0600	77	Maisel
	0900	77	Maisel
	1200	76	Maisel
	1500	78	Thurston, D
	1800	78	Thurston, D
	2100	78	Thurston, D
	2400	78	Lona

Tuesday

Date	Time	Temp.	Name (Print)
09 / 10 / 24	0300	75	Lona
	0600	75	M. Gibb
	0900	78	M. Gibb
	1200	78	M. Gibb
	1500	78	Thurston, D
	1800	78	Thurston, D
	2100	78	Thurston, D
	2400	78	Lona

Wednesday

Date	Time	Temp.	Name (Print)
09 / 11 / 24	0300	75	Lona
	0600	75	Thompson
	0900	78	Thompson
	1200	78	Thompson
	1500	78	J. GUAJARDO
	1800	78	J. GUAJARDO
	2100	78	J. GUAJARDO
	2400	78	Lona

Thursday

Date	Time	Temp.	Name (Print)
09 / 12 / 24	0300	75	Lona
	0600	75	Pedrola
	0900	75	Pedrola
	1200	75	Pedrola
	1500	78	J. GUAJARDO
	1800	78	J. GUAJARDO
	2100	78	J. GUAJARDO
	2400	78	Lona

Friday

Date	Time	Temp.	Name (Print)
09 / 13 / 24	0300	75	Lona
	0600	76	M. Gibb
	0900	77	M. Gibb
	1200	78	M. Gibb
	1500	78	J. GUAJARDO
	1800	78	J. GUAJARDO
	2100	78	J. GUAJARDO
	2400	78	Lona

Saturday

Date	Time	Temp.	Name (Print)
09 / 14 / 24	0300	75	Lona
	0600	75	Maisel
	0900	75	Maisel
	1200	76	Maisel
	1500	78	J. GUAJARDO
	1800	78	J. GUAJARDO
	2100	78	J. GUAJARDO
	2400	75	R. Agnew

Sunday

Date	Time	Temp.	Name (Print)
09 / 15 / 24	0300	78	R. Agnew
	0600	76	Maisel
	0900	76	Maisel
	1200	77	Maisel
	1500	77	Nazarian
	1800	77	Nazarian
	2100	77	Nazarian
	2400	77	Pelayo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09 / 09 / 24	0300	78	O. Gonzalez
	0600	78	Martinez
	0900	78	Martinez
	1200	78	Martinez
	1500	78	Martinez
	1800	77	Martinez
	2100	77	Martinez
	2400	77	O. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
09 / 10 / 24	0300	77	O. Gonzalez
	0600	77	Martinez
	0900	77	Martinez
	1200	77	Martinez
	1500	77	Bravo
	1800	77	Bravo
	2100	75	Bravo
	2400	75	O. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
09 / 11 / 24	0300	75	O. Gonzalez
	0600	75	Martinez
	0900	75	Martinez
	1200	75	Martinez
	1500	75	E. Paloma
	1800	75	E. Paloma
	2100	75	E. Paloma
	2400	75	O. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
09 / 12 / 24	0300	75	O. Gonzalez
	0600	75	Martinez
	0900	75	Martinez
	1200	75	Martinez
	1500	76	Segundo
	1800	76	Segundo
	2100	75	Segundo
	2400	78	Meza, N

Friday

Date	Time	Temp.	Name (Print)
09 / 13 / 24	0300	77	Meza, N
	0600	77	A. Anaya
	0900	78	A. Anaya
	1200	78	A. Anaya
	1500	77	A. Anaya
	1800	77	A. Anaya
	2100	76	A. Anaya
	2400	76	Meza, N

Saturday

Date	Time	Temp.	Name (Print)
09 / 14 / 24	0300	76	Meza, N
	0600	76	A. Anaya
	0900	76	Anaya
	1200	76	Anaya
	1500	76	Romero
	1800	76	Romero
	2100	76	Romero
	2400	76	Martinez

Sunday

Date	Time	Temp.	Name (Print)
09 / 15 / 24	0300	75	Martinez
	0600	77	Martinez
	0900	77	[illegible]
	1200	78	[illegible]
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	A. Brendon

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/09/2024	0300	78	Meza, N
	0600	78	SANDOVAL
	0900	78	SANDOVAL
	1200	76	Romero
	1500	76	Romero
	1800	75	Romero
	2100	75	Romero
	2400	75	GUANALSA

Tuesday

Dat	Time	Temp.	Name (Print)
09/10/2024	0300	75	GUANALSA
	0600	76	Campbell
	0900	76	SANDOVAL
	1200	76	SANDOVAL
	1500	76	CASTEUITA
	1800	76	CASTEUITA
	2100	76	CASTEUITA
	2400	74	GUANALSA

Wednesday

Date	Time	Temp.	Name (Print)
09/11/2024	0300	74	GUANALSA
	0600	74	SAN
	0900	76	Sanchez
	1200	76	SAN
	1500	76	CASTEUITA
	1800	76	CASTEUITA
	2100	74	CASTEUITA
	2400	74	GUANALSA

Thursday

Date	Time	Temp.	Name (Print)
09/12/2024	0300	74	GUANALSA
	0600	74	SANCHEZ
	0900	76	SANCHEZ
	1200	76	SANCHEZ
	1500	76	CASTEUITA
	1800	76	CASTEUITA
	2100	74	CASTEUITA
	2400	74	GUANALSA

Friday

Date	Time	Temp.	Name (Print)
09/13/2024	0300	74	GUANALSA
	0600	74	J SAN
	0900	76	J. SANCHEZ
	1200	76	J SAN
	1500	76	CASTEUITA
	1800	75	CASTEUITA
	2100	74	CASTEUITA
	2400	74	GUANALSA

Saturday

Date	Time	Temp.	Name (Print)
09/14/2024	0300	74	GUANALSA
	0600	74	J. SAN
	0900	76	J SAN
	1200	76	J SAN
	1500	74	[illegible]
	1800	77	[illegible]
	2100	76	[illegible]
	2400	76	Meza, N

Sunday

Date	Time	Temp.	Name (Print)
09/15/2024	0300	76	Meza, N
	0600	76	J SANCHEZ
	0900	76	Sanchez
	1200	76	Schlez
	1500	76	Romero
	1800	76	Romero
	2100	75	Romero
	2400	75°	Meza, N

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09 09	0300	70	ESCAMILLA
	0600	70	Sotelo
	0900	70	Sotelo
	1200	70	Sotelo
	1500	74	A. Rodriguez
	1800	74	A. Rodriguez
	2100	74	A. Rodriguez
	2400	72	A. Rodriguez

Tuesday

Dat	Time	Temp.	Name (Print)
09 10	0300	72	A. Rodriguez
	0600	72	Guinness
	0900	72	Guinness
	1200	72	Guinness
	1500	74	A. Rodriguez
	1800	74	A. Rodriguez
	2100	72	A. Rodriguez
	2400	72	A. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
09 11	0300	70	A. Rodriguez
	0600	70	Sanchez
	0900	70	Sanchez
	1200	74	Sanchez
	1500	74	K. Sanchez
	1800	74	K. Sanchez
	2100	74	K. Sanchez
	2400	72	VACA

Thursday

Date	Time	Temp.	Name (Print)
09 12	0300	72	L. VACA
	0600	72	L. VACA
	0900	72	[illegible] BM
	1200	72	[illegible]
	1500	72	RIVERA
	1800	72	RIVERA
	2100	72	RIVERA
	2400	71	[illegible]

Friday

Date	Time	Temp.	Name (Print)
09 13	0300	71	[illegible]
	0600	72	VALDEZ
	0900	72	VALDEZ
	1200	74	VALDEZ
	1500	75	R. Silva
	1800	75	R. Silva
	2100	75	R. Silva
	2400	70	SOTO

Saturday

Date	Time	Temp.	Name (Print)
09 14	0300	70	SOTO
	0600	70	J. RAMOS
	0900	70	J. RAMOS
	1200	70	J. RAMOS
	1500	70	SOTO
	1800	70	SOTO
	2100	70	SOTO
	2400	70	SOTO

Sunday

Date	Time	Temp.	Name (Print)
09 15	0300	71	SOTO
	0600	71	A. CHAVEZ
	0900	71	A. CHAVEZ
	1200	71	SOTO
	1500	71	SOTO
	1800	71	SOTO
	2100	71	SOTO
	2400	71	SOTO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-1 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-16-24	0300	76	[illegible]
	0600	75	BORBON
	0900	76	Born
	1200	77	Born
	1500	78	Razo
	1800	77	RAZO
	2100	76	RAZO
	2400	75	HARRISON

Tuesday

Date	Time	Temp.	Name (Print)
9-17-24	0300	75	HARRISON
	0600	74	Born
	0900	76	Born
	1200	76	Born
	1500	77	RAZO
	1800	76	RAZO
	2100	75	RAZO
	2400	74	HARRISON

Wednesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	74	HARRISON
	0600	78	Reyes
	0900	77	Reyes
	1200	78	Reyes
	1500	78	RAZO
	1800	77	RAZO
	2100	77	RAZO
	2400	74	HARRISON

Thursday

Date	Time	Temp.	Name (Print)
9-19-24	0300	73	HARRISON
	0600	74	Born
	0900	75	Born
	1200	77	Born
	1500	76	J. Vasquez
	1800	75	J. Vasquez
	2100	75	J. Vasquez
	2400	70	M. Garcia

Friday

Date	Time	Temp.	Name (Print)
9-20-24	0300	70	GARCIA
	0600	71	Born
	0900	73	Borbon
	1200	74	Borbon
	1500	77	RAZO
	1800	76	RAZO
	2100	75	RAZO
	2400	75	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
9-21-24	0300	78	[illegible]
	0600	72	Rauser
	0900	73	Rauser
	1200	75	Rauser
	1500		
	1800		
	2100		
	2400	78	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9-22-24	0300	79	[illegible]
	0600	79	[illegible]
	0900	79	[illegible]
	1200	80	[illegible]
	1500	78	[illegible]
	1800	77	[illegible]
	2100	75	[illegible]
	2400	78	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2-Cont. Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	76	Johnson, J.
	0600	73	Cardenas
	0900	73	Cardenas
	1200	74	Cardenas
	1500	75	M. Miranda
	1800	74	M. Miranda
	2100	74	M. Miranda
	2400	74	Johnson, J.

Tuesday

Dat	Time	Temp.	Name (Print)
9/17/24	0300	74	Johnson, J.
	0600	76	Sigala
	0900	76	Sigala
	1200	76	Sigala
	1500	76	Moreno
	1800	76	Moreno
	2100	76	Moreno
	2400	74	Johnson, J.

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	74	Johnson, J.
	0600	76	Sigala
	0900	76	Sigala
	1200	76	Sigala
	1500	76	C. Owens
	1800	76	C. Owens
	2100	76	C. Owens
	2400	74	Johnson, J.

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	74	Johnson, J.
	0600	74	D. Godinez
	0900	74	D. Godinez
	1200	76	D. Godinez
	1500	77	D. Godinez
	1800	76	D. Godinez
	2100	76	D. Godinez
	2400	76	[illegible]

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	78	[illegible]
	0600	77	D. Godinez
	0900	77	D. Godinez
	1200	77	D. Godinez
	1500	78	R. Hernandez
	1800	77	Castaneda
	2100	76	Castaneda
	2400	76	Johnson, J.

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	74	Johnson, J.
	0600	76	Sigala
	0900	76	Sigala
	1200	76	Sigala
	1500	77	Medina
	1800	76	Medina
	2100	76	Medina
	2400	76	Johnson, J.

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	76	Johnson, J.
	0600	77	E. Duarte
	0900	77	E. Duarte
	1200	77	E. Duarte
	1500	76	D. Clemente
	1800	76	D. Clemente
	2100	76	D. Clemente
	2400	76	Johnson, J.

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	76	Mender
	0600	74	MEDRANO
	0900	78	MEDRANO
	1200	79	MEDRANO
	1500	80°	JMENDOZA
	1800	80	JMENDOZA
	2100	79	JMENDOZA
	2400	78	Mender

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	78	Mender
	0600	78	MEDRANO
	0900	80	MEDRANO
	1200	80	MEDRANO
	1500	80°	JMENDOZA
	1800	80°	JMENDOZA
	2100	80°	JMENDOZA
	2400	78	Reyneza

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	78	Reyneza
	0600	78	MEDRANO
	0900	78	MEDRANO
	1200	78	MEDRANO
	1500	79°	JMENDOZA
	1800	79°	JMENDOZA
	2100	79°	Mendoza
	2400	79	Mlza

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	78	Mlza
	0600	78°	E. MUACIA
	0900	78	DUARTE
	1200	78	DUARTE
	1500	80°	JMENDOZA
	1800	80	JMENDOZA
	2100	79	JMENDOZA
	2400	79	Mlza

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	78	Mlza
	0600	78	Rauser
	0900	79	Rauser
	1200	80	Rauser
	1500	79	Fernandez
	1800	79	Fernandez
	2100	79	Fernandez
	2400	78	Mlza

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	76	Mlza
	0600	78	MEDRANO
	0900	78	MEDRANO
	1200	80	MEDRANO
	1500	79	J. Vasquez
	1800	78	J. Vasquez
	2100	78	J. Vasquez
	2400	78	Mlza

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	75	Mlza
	0600	78	MEDRANO
	0900	78	MEDRANO
	1200	80	MEDRANO
	1500	80	Welch
	1800	80	Welch
	2100	80	Welch
	2400	80	Mender

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KJSP Housing Unit: A4 Temp. Reading Location: T2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/16	0300	76	URBANO
	0600	76	Rauser
	0900	76	Rauser
	1200	77	Rauser
	1500	78	Fernandez
	1800	78	Fernandez
	2100	78	Fernandez
	2400	76	URBANO

Tuesday

Date	Time	Temp.	Name (Print)
09/17	0300	76	URBANO
	0600	76	Nieto
	0900	76	Nieto
	1200	78	Nieto
	1500	78	Angulo
	1800	78	Angulo
	2100	78	Angulo
	2400	76	URBANO

Wednesday

Date	Time	Temp.	Name (Print)
09/18	0300	76	URBANO
	0600	75	MARQUEZ
	0900	74	Hernandez
	1200	76	Hernandez
	1500	78	Angulo
	1800	78	Angulo
	2100	78	Angulo
	2400	76	J URBANO

Thursday

Date	Time	Temp.	Name (Print)
09/19	0300	74	J URBANO
	0600	75	A MARQUEZ
	0900	77	Cruz
	1200	79	Cruz
	1500	80	Angulo
	1800	80	Angulo
	2100	80	Angulo
	2400	76	URBANO

Friday

Date	Time	Temp.	Name (Print)
09/20	0300	74	URBANO
	0600	77	Cruz
	0900	78	Cruz
	1200	79	Cruz
	1500	80	Angulo
	1800	80	Angulo
	2100	80	Angulo
	2400	76	Angulo

Saturday

Date	Time	Temp.	Name (Print)
09/21	0300	70	Angulo
	0600	76	CESEÑA
	0900	76	CESEÑA
	1200	78	CESEÑA
	1500	80	Angulo
	1800	80	Angulo
	2100	78	Angulo
	2400	76	Rauser

Sunday

Date	Time	Temp.	Name (Print)
09/22	0300	76	Rauser
	0600	78	VELASQUEZ
	0900	78	Velasquez
	1200	78	Velasquez
	1500	79	Fernandez
	1800	79	Fernandez
	2100	79	Fernandez
	2400	76	J URBANO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	78	Grays
	0600	78	Grays
	0900	78	Grays
	1200	78	Grays
	1500	78	Klopfenstein
	1800	78	Klopfenstein
	2100	77	Klopfenstein
	2400	78	Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
	0300	78	Gonzalez
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	79	Gonzalez
	1500	80	[illegible]
	1800	80	[illegible]
	2100	79	[illegible]
	2400	78	Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
	0300	78	Gonzalez
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	80	[illegible]
	1800	80	[illegible]
	2100	78	[illegible]
	2400	80	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
	0300	78	[illegible]
	0600	80	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	[illegible]

Friday

Date	Time	Temp.	Name (Print)
	0300	78	[illegible]
	0600	78	ESPINOZA
	0900	78	ESPINOZA
	1200	78	ESPINOZA
	1500	78	Ruiz
	1800	80	Ruiz
	2100	78	Ruiz
	2400	78	Nathuth

Saturday

Date	Time	Temp.	Name (Print)
	0300	77	Nathuth
	0600	77	Nathuth
	0900	78	Espinoza
	1200	78	Espinoza
	1500	78	Espinoza
	1800	78	Avila
	2100	78	Avila
	2400	78	Grays

Sunday

Date	Time	Temp.	Name (Print)
	0300	78	Grays
	0600	78	Grays
	0900	78	Grays
	1200	78	Grays
	1500	78	Klopfenstein
	1800	78	Klopfenstein
	2100	78	Klopfenstein
	2400	78	Grays

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A6 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	79	Sotelo. J
	0600	79	Sotelo. J
	0900	79	M. MIRANDA
	1200	79	M. MIRANDA
	1500	79	M. MIRANDA
	1800	79	M. MIRANDA
	2100	78	Sotelo. J
	2400	78	Sotelo. J

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	78	Sotelo. J
	0600	78	Sotelo. J
	0900	78	M. MIRANDA
	1200	78	M. MIRANDA
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	Sotelo. J

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	78	Sotelo. J
	0600	78	M. MIRANDA
	0900	77	M. MIRANDA
	1200	79	M. MIRANDA
	1500	80	X GONZALEZ
	1800	80	X GONZALEZ
	2100	80	X GONZALEZ
	2400	79	Sotelo. J

Thursday

Date	Time	Temp.	Name (Print)
9.19.24	0300	79	Sotelo. J
	0600	79	ESPINOZA
	0900	79	ESPINOZA
	1200	79	ESPINOZA
	1500	80	X GONZALEZ
	1800	80	X GONZALEZ
	2100	80	X GONZALEZ
	2400	81	Beltran

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	80	Beltran
	0600	80	Beltran
	0900	80	MEDINA
	1200	80	W. DIAZ
	1500	80	X GONZALEZ
	1800	80	X GONZALEZ
	2100	80	X GONZALEZ
	2400	80	Beltran

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	81	Beltran
	0600	80	Beltran
	0900	78	G. Moreno
	1200	78	G. Moreno
	1500	78	J. RIOS
	1800	78	J. RIOS
	2100	78	J. RIOS
	2400	78	H. Cervantes

Sunday

Date	Time	Temp.	Name (Print)
22 Sept. 24	0300	78	H. Cervantes
	0600	78	[illegible]
	0900	80	[illegible]
	1200	80	[illegible]
	1500	80	X GONZALEZ
	1800	80	X GONZALEZ
	2100	80	X GONZALEZ
	2400	79	Sotelo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A7 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300		
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	78	Rodriguez
	1800	78	Rodriguez
	2100	76	Rodriguez
	2400	78	Macias

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	78	Macias
	0600	76	Rodriguez
	0900	76	Rodriguez
	1200	76	Rodriguez
	1500	76	J. Vasquez
	1800	76	J. Vasquez
	2100	76	D. Sanders
	2400	78	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	78	[illegible]
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	78	Rodriguez
	1800	78	Rodriguez
	2100	76	Rodriguez
	2400	78	Macias

Thursday

Date	Time	Temp.	Name (Print)
9.19.24	0300	78	Macias
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	78	Sanchez
	1800	77	Sanchez
	2100	77	Sanchez
	2400	77	Macias

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	77	Macias
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	78	Granillo
	1800	78	Granillo
	2100	77	Granillo
	2400	77	Macias

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	77	Macias
	0600	78	Medina
	0900	77	Medina
	1200	77	Medina
	1500	78	Kloptenstein
	1800	78	Kloptenstein
	2100	78	Kloptenstein
	2400	80	Beltran

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	80	Beltran
	0600	79	Beltran
	0900	79	HARRIS
	1200	79	HARRIS
	1500	79	Lopez
	1800	79	Lopez
	2100	79	Lopez
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: ASU 7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	77	Cynarnes
	0600	77	Cynarnes
	0900	78	P. Rangel
	1200	78	P. Rangel
	1500	78	MATA
	1800	77	MATA
	2100	76	MATA
	2400	76	Miller

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	76	Miller
	0600	75	P. Rangel
	0900	75	P. Rangel
	1200	75	P. Rangel
	1500	75	RAMUEL
	1800	75	RAMUEL
	2100	75	RAMUEL
	2400	75	Miller

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	75	Miller
	0600	75	P. Rangel
	0900	75	P. Rangel
	1200	75	P. Rangel
	1500	75	Perez
	1800	75	Perez
	2100	75	Perez
	2400	75	Miller

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	75	Miller
	0600	74	P. Rangel
	0900	75	P. Rangel
	1200	76	P. Rangel
	1500	76	Campos
	1800	77	Campos
	2100	77	Campos
	2400	76	Miller

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	76	Miller
	0600	76	GONZALEZ
	0900	76	GONZALEZ
	1200	76	GONZALEZ
	1500	76	Stewart
	1800	76	Stewart
	2100	76	Stewart
	2400	76	SALAZAR

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	76	SALAZAR
	0600	76	GONZALEZ
	0900	76	GONZALEZ
	1200	76	GONZALEZ
	1500	75	H. Rocha
	1800	75	H. ROCHA
	2100	75	H. Rocha
	2400	75	SALAZAR

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	75	SALAZAR
	0600	75	P. Rangel
	0900	76	P. Rangel
	1200	76	P. Rangel
	1500	77	Segundo
	1800	77	Segundo
	2100	76	Segundo
	2400	76	Miller

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

TATE OF CALIFORNIA

..SIDE TEMPERATURE RECORD

CDCR 2031 (0 1/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	~~78~~	Salazar
	0600	75	J. Aguilar
	0900	75	J. Aguilar
	1200	75	J. Aguilar
	1500	75	L. Betts
	1800	75	L. Betts
	2100	74	L. Betts
	2400	75	Salazar

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	75	Salazar
	0600	76	V. Flores
	0900	76	V. Flores
	1200	78	V. Flores
	1500	78	Guzman
	1800	78	Guzman
	2100	78	Guzman
	2400	78	A. Rendon

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	78	A. Rendon
	0600	76	V. Flores
	0900	77	V. Flores
	1200	78	V. Flores
	1500	78	Guzman
	1800	78	Guzman
	2100	78	Guzman
	2400	78	Grays

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	76	Grays
	0600	76	V. Flores
	0900	77	V. Flores
	1200	78	V. Flores
	1500	78	Rivera
	1800	76	Rivera
	2100	76	Rivera
	2400	75	M. Oneal

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	78	M. Oneal
	0600	76	V. Flores
	0900	77	V. Flores
	1200	78	V. Flores
	1500	78	Guzman
	1800	78	Guzman
	2100	78	Guzman
	2400	78	Slater

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	76	Slater
	0600	76	Lukehart
	0900	76	Lukehart
	1200	78	Lukehart
	1500	78	Herrera
	1800	78	Herrera
	2100	78	Herrera
	2400	78	A. Rendon

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	78	A. Rendon
	0600	77	J. Aguilar
	0900	77	J. Aguilar
	1200	77	J. Aguilar
	1500	77	Herrera
	1800	77	Herrera
	2100	77	Herrera
	2400	77	G. Kaur

Notes

TION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B2 Temp. Reading Location: A, B, C
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	80	LEGASPI
	0600	80	SanAtrio
	0900	80	SanAtrio
	1200	80	SanAtrio
	1500	80	HERRERA
	1800	80	HERRERA
	2100	80	HERRERA
	2400	80	LEGASPI

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	80	LEGASPI
	0600	80	SanAtrio
	0900	80	SanAtrio
	1200	80	SanAtrio
	1500	80	HERRERA
	1800	80	HERRERA
	2100	80	HERRERA
	2400	80	LEGASPI

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	80	LEGASPI
	0600	80	SanAtrio
	0900	80	SanAtrio
	1200	80	SanAtrio
	1500	80	Ojeda
	1800	80	Nieto
	2100	80	Nieto
	2400	80	Beltran

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	80	Beltran
	0600	80	Beltran
	0900	80	RAYA
	1200	80	RAYA
	1500	80	Ojeda
	1800	80	Ojeda
	2100	80	Ojeda
	2400	80	Reynosa

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	80	Reynosa
	0600	80	SanAtrio
	0900	80	SanAtrio
	1200	80	SanAtrio
	1500	80	Ojeda
	1800	80	Ojeda
	2100	80	Ojeda
	2400	79	Manuels

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	79	Manuels
	0600	80	Ojeda
	0900	80	Ojeda
	1200	80	Ojeda
	1500	80	Ojeda
	1800	80	Ojeda
	2100	80	Ojeda
	2400	80	Mendez

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	79	Mendez
	0600	79	PASCUA
	0900	78	PASCUA
	1200	79	PASCUA
	1500	80	PASCUA
	1800	80	PASCUA
	2100	79	PASCUA
	2400	79	LEGASPI

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	77	Hursey
	0600	77	Fountain
	0900	78	Fountain
	1200	78	Fountain
	1500	78	Zamora
	1800	78	Hernandez
	2100	78	Hernandez
	2400	77	Hursey

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	77	Hursey
	0600	77	Fountain
	0900	77	Fountain
	1200	77	Fountain
	1500	77	Zamora
	1800	77	Zamora
	2100	77	Zamora
	2400	77	Hursey

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	77	Hursey
	0600	77	Fountain
	0900	77	Fountain
	1200	77	Fountain
	1500	77	Zamora
	1800	77	Zamora
	2100	77	Zamora
	2400	77	Hursey

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	77	Hursey
	0600	75	[illegible]
	0900	75	[illegible]
	1200	75	[illegible]
	1500	76	L Duarte
	1800	76	L Duarte
	2100	76	L Duarte
	2400	76	Hursey

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	76	Hursey
	0600	76	Wilhurt
	0900	78	Wilhurt
	1200	80	Wilhurt
	1500	78	Rivera
	1800	77	Rivera
	2100	77	Rivera
	2400	77	Eshun

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	77	M. Eshun
	0600	77	" Eshun
	0900	77	Fountain
	1200	77	Fountain
	1500	77	Torres
	1800	77	Torres
	2100	77	Torres
	2400	75	Jaramillo

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	75	Jaramillo
	0600	75	Fountain
	0900	77	Fountain
	1200	77	Fountain
	1500	77	Velasquez
	1800	76	Velasquez
	2100	74	Velasquez
	2400	74	Hursey

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 34 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	78	VALDEZ
	0600	78	PASCUA
	0900	79	PASCUA
	1200	80	PASCUA
	1500	80	Lopez
	1800	78	Lopez
	2100	78	Lopez
	2400	78	VALDEZ

Tuesday

Dat	Time	Temp.	Name (Print)
9/17/24	0300	78	VALDEZ
	0600	78	PASCUA
	0900	79	PASCUA
	1200	79	PASCUA
	1500	79	Rios
	1800	79	Rios
	2100	79	Rios
	2400	77	Brockington

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	77	Brockington
	0600	77	Rodell
	0900	77	RBeall
	1200	78	RBeall
	1500	79	Rios
	1800	79	Rios
	2100	79	Rios
	2400	77	Brockington

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	77	Brockington
	0600	78	RBeall
	0900	78	RBeall
	1200	78	RBeall
	1500	79	Rios
	1800	79	Rios
	2100	79	Rios
	2400	77	Brockington

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	77	Brockington
	0600	77	RBeall
	0900	78	RBeall
	1200	78	RBeall
	1500	79	RBeall
	1800	79	Rios
	2100	79	Lowenfelder
	2400	77	Brockington

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	77	Brockington
	0600	78	RBeall
	0900	78	ORTEGA
	1200	78	ORTEGA
	1500	78	Rios
	1800	78	Rios
	2100	78	Rios
	2400	78	RUIZ

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	77	RUIZ
	0600	77	RBeall
	0900	77	RBeall
	1200	78	RBeall
	1500	78	ACUERO
	1800	78	ACUERO
	2100	77	ACUERO
	2400	78	VALDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FBB5 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	78	Cfountain
	0600	78	Rivera
	0900	78	Rivera
	1200	78	Rivera
	1500	78	Davidson
	1800	78	Davidson
	2100	78	Davidson
	2400	78	Cfountain

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	77	Cfountain
	0600	77	Rivera
	0900	77	Rivera
	1200	77	Rivera
	1500	78	Davidson
	1800	78	Davidson
	2100	78	Davidson
	2400	78	Fountain

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	78	Fountain
	0600	78	Rivera
	0900	78	Rivera
	1200	78	Rivera
	1500	78	Davidson
	1800	78	Davidson
	2100	78	Davidson
	2400	78	Fountain

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	78	Fountain
	0600	78	Rivera
	0900	78	Rivera
	1200	78	Rivera
	1500	78	[illegible]
	1800	78	Davidson
	2100	78	Davidson
	2400	78	[illegible]

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	77	[illegible]
	0600	77	Rojas
	0900	78	Rojas
	1200	78	Rojas
	1500	78	Davidson
	1800	78	Davidson
	2100	78	Davidson
	2400	77	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	77	[illegible]
	0600	77	Rojas
	0900	78	Rojas
	1200	80	Rojas
	1500	80	Wehunt
	1800	80	Wehunt
	2100	80	Wehunt
	2400	80	Cfountain

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	80	Cfountain
	0600	79	Torres
	0900	80	Torres
	1200	80	Torres
	1500	80	Wehunt
	1800	81	Wehunt
	2100	81	Wehunt
	2400	80	Cfountain

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/18	0300	77	[illegible]
	0600	74	K. Camin
	0900	76	K. Camin
	1200	77	K. Camin
	1500	77	A. Chavez
	1800	77	A. Chavez
	2100	77	A. Leal
	2400	78	HERNANDEZ

Tuesday

Dat	Time	Temp.	Name (Print)
9/17/24	0300	77	HERNANDEZ
	0600	74	K. Camin
	0900	76	K. Camin
	1200	77	K. Camin
	1500	77	A. Leal
	1800	77	A. Leal
	2100	77	A. Leal
	2400	77	HERNANDEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	77	HERNANDEZ
	0600	74	K. Camin
	0900	76	K. Camin
	1200	77	K. Camin
	1500	77	LEAL
	1800	77	LEAL
	2100	77	LEAL
	2400	77	J. HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	77	J. HERNANDEZ
	0600	77	Royce
	0900	78	Royce
	1200	78	Royce
	1500	78	Sweed
	1800	78	Sweed
	2100	78	Sweed
	2400	77	HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	77	HERNANDEZ
	0600	77	HERNANDEZ
	0900	77	HERNANDEZ
	1200	77	HERNANDEZ
	1500	79	Wehunt
	1800	80	Wehunt
	2100	80	Wehunt
	2400	78	HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	77	HERNANDEZ
	0600	77	GARCIA
	0900	78	GARCIA
	1200	78	GARCIA
	1500	79	GRETANTAN
	1800	79	[illegible]
	2100	79	A. Leal
	2400	78	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	77	[illegible]
	0600	75	K. Camin
	0900	77	K. Camin
	1200	79	K. Camin
	1500	79	A. Leal
	1800	79	A. Leal
	2100	79	A. Leal
	2400	78	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHA

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B7 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	75	A. Silva
	0600	75	S. Avila
	0900	75	S. Avila
	1200	76	S. Avila
	1500	76	R. URBINA
	1800	76	R. URBINA
	2100	76	R. URBINA
	2400	74	A. Silva

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	74	A. Silva
	0600	74	S. Avila
	0900	75	S. Avila
	1200	76	S. Avila
	1500	76	R. URBINA
	1800	76	R. URBINA
	2100	76	R. URBINA
	2400	76	T. Ram

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	78	R. Ram
	0600	75	S. Avila
	0900	76	S. Avila
	1200	77	S. Avila
	1500	77	A. Ram
	1800	77	Slater
	2100	77	Slater
	2400	76	

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	76	
	0600	75	S. Avila
	0900	76	S. Avila
	1200	76	S. Avila
	1500	76	F. Garcia
	1800	76	F. Garcia
	2100	76	F. Garcia
	2400	76	VALDEZ

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	76	VALDEZ
	0600	76	S. Avila
	0900	76	S. Avila
	1200	77	S. Avila
	1500	77	Sewell
	1800	77	Sewell
	2100	77	Sewell
	2400	77	A. Silva

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	77	A. Silva
	0600	76	R. Viduya
	0900	77	R. Viduya
	1200	77	R. Viduya
	1500	77	J. Aguilar
	1800	77	J. Aguilar
	2100	77	J. Aguilar
	2400	76	A. Silva

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	76	A. Silva
	0600	77	J. Navarrete
	0900	77	J. Navarrete
	1200	78	J. Navarrete
	1500	78	R. URBINA
	1800	78	R. URBINA
	2100	78	R. URBINA
	2400	77	A. Silva

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B8 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	76	Dean
	0600	76	Hernandez
	0900	77	Hernandez
	1200	74	Hernandez
	1500	75	Aguilar
	1800	75	Aguilar
	2100	75	Aguilar
	2400	75	D.V. Lopez

Tuesday

Dat	Time	Temp.	Name (Print)
9/17/24	0300	76	D.V. Lopez
	0600	76	HERNANDEZ
	0900	77	HERNANDEZ
	1200	78	HERNANDEZ
	1500	78	R. Vidurya
	1800	78	R. Vidurya
	2100	78	R. Vidurya
	2400	78	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	77	[illegible]
	0600	77	[illegible]
	0900	78	Nieto
	1200	79	Nieto
	1500	79	Nieto
	1800	78	Nieto
	2100	77	Nieto
	2400	77	GARCIA

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	77	GARCIA
	0600	77	Nieto
	0900	77	Nieto
	1200	78	Barraza
	1500	78	R. Vidurya
	1800	78	R. Vidurya
	2100	78	R. Vidurya
	2400	78	J. CASTRO

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	77	J. CASTRO
	0600	77	Nieto
	0900	78	Nieto
	1200	78	Nieto
	1500	78	R. Vidurya
	1800	78	R. Vidurya
	2100	78	R. Vidurya
	2400	78	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	78	[illegible]
	0600	77	Nieto
	0900	77	Nieto
	1200	78	Nieto
	1500	78	R. Vidurya
	1800	78	R. Vidurya
	2100	78	R. Vidurya
	2400	78	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	78	[illegible]
	0600	78	L. FELIX
	0900	78	L. FELIX
	1200	78	[illegible]
	1500	75	J. Aguilar
	1800	75	J. Aguilar
	2100	75	J. Aguilar
	2400	76	Espinoza

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A1 Temp. Reading Location: TOP TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/21	0300	77	B CAMACHO
	0600	77	B. CAMACHO
	0900	78	R BORBON
	1200	78	R. BORBON
	1500	79	R. RAZO
	1800	77	R. RAZO
	2100	77	R. RAZO
	2400	77	B CAMACHO

Tuesday

Date	Time	Temp.	Name (Print)
8/30	0300	76	E Flori
	0600	76	R. BORBON
	0900	77	R. BORBON
	1200	77	R BORBON
	1500	78	R RAZO
	1800	78	R. RAZ
	2100	76	R. RAZO
	2400	76	T HARRISON

Wednesday

Date	Time	Temp.	Name (Print)
8/27/21	0300	77	B. CAMACHO
	0600	76	R. BORBON
	0900	77	R. BORBON
	1200	77	R BORBON
	1500	78	R. RAZO
	1800	78	R. RAZ
	2100	77	R. RAZO
	2400	76	B. CAMACHO

Thursday

Date	Time	Temp.	Name (Print)
8/31	0300	76	T HARRISON
	0600	76	R BORBON
	0900	77	R. BORBON
	1200	77	R BORBON
	1500	78	R. ALEXANDER
	1800	78	RALEXANDER
	2100	77	R. ALEXANDER
	2400	76	R. CAMACHO

Friday

Date	Time	Temp.	Name (Print)
8/28/21	0300	76	B CAMACHO
	0600	76	B. CAMACHO
	0900	77	R. BORBON
	1200	78	R BORBON
	1500	78	R RAZO
	1800	78	R. RAZO
	2100	77	R RAZ
	2400	76	B CAMACHO

Saturday

Date	Time	Temp.	Name (Print)
9/1	0300	76	R. CAMACHO
	0600	77	R. BORBON
	0900	77	R BORBON
	1200	77	R. BORBON
	1500	78	R. RAZO
	1800	78	R. RAZO
	2100	77	R. RAZO
	2400	76	B CAMACHO

Sunday

Date	Time	Temp.	Name (Print)
8/29/21	0300	76	B CAMACHO
	0600	76	B CAMACHO
	0900	77	R. BORBON
	1200	77	R. BORBON
	1500	78	R. RAZO
	1800	78	R. RAZO
	2100	77	R. RAZO
	2400	76	E Flori

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	80	Johnson
	0600	80	Castaneda
	0900	80	Castaneda
	1200	80	Castaneda
	1500	80	Flores
	1800	80	Flores
	2100	80	Flores
	2400	80	Johnson

Tuesday

Dat	Time	Temp.	Name (Print)
8/27/24	0300	80	Johnson
	0600	80	Sigala
	0900	80	Sigala
	1200	80	Sigala
	1500	80	Flores
	1800	80	Flores
	2100	78	Flores
	2400	78	Johnson

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	78	Johnson
	0600	80	Sigala
	0900	80	Sigala
	1200	80	Sigala
	1500	80	Rivera
	1800	80	Rivera
	2100	78	Rivera
	2400	78	Johnson

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	80	Johnson
	0600	80	Godinez
	0900	80	Godinez
	1200	80	Godinez
	1500	80	Owens
	1800	80	Owens
	2100	80	Owens
	2400	80	Cammagay

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	78	Cammagay
	0600	78	Godinez
	0900	80	Godinez
	1200	80	Godinez
	1500	80	Owens
	1800	80	Owens
	2100	80	Owens
	2400	78	Cammagay

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	76	Cammagay
	0600	78	Sigala
	0900	78	Sigala
	1200	80	Sigala
	1500	80	Owens
	1800	80	Owens
	2100	80	Owens
	2400	78	Fiori

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	76	Fiori
	0600	78	Martinez
	0900	78	Martinez
	1200	80	Martinez
	1500	80	Owens
	1800	80	Owens
	2100	80	Owens
	2400	78	Johnson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	77	
	0600	77	
	0900	78	
	1200	78	
	1500	79	MENDOZA
	1800	77	MENDOZA
	2100	77	MENDOZA
	2400	77	

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	76	
	0600	76	
	0900	76	
	1200	77	
	1500	78	MENDOZA
	1800	78	MENDOZA
	2100	76	MENDOZA
	2400	76	

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	77	
	0600	76	
	0900	77	
	1200	77	
	1500	78	MENDOZA
	1800	78	MENDOZA
	2100	77	MENDOZA
	2400	76	

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	76	
	0600	76	
	0900	77	
	1200	77	
	1500	78	MENDOZA
	1800	77	MENDOZA
	2100	77	MENDOZA
	2400	76	

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	76	
	0600	76	
	0900	77	
	1200	78	
	1500	78	FERNANDEZ
	1800	77	FERNANDEZ
	2100	77	FERNANDEZ
	2400	76	

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	76	
	0600	77	
	0900	77	
	1200	77	
	1500	78	FERNANDEZ
	1800	78	FERNANDEZ
	2100	77	FERNANDEZ
	2400	76	

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	76	
	0600	76	GARCIA
	0900	77	GARCIA
	1200	77	GARCIA
	1500	78	Granados
	1800	78	Granados
	2100	77	Granados
	2400	76	

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	78	A. Haddad
	0600	78	A. Cruz Rivera
	0900	80	A. Cruz Rivera
	1200	80	A. Cruz Rivera
	1500	80	Fernandez
	1800	80	Fernandez
	2100	80	Fernandez
	2400	78	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	79	Grays
	0600	79	Grays
	0900	79	Grays
	1200	80	Grays
	1500	80	Klopfenstein
	1800	80	Klopfenstein
	2100	80	Klopfenstein
	2400	80	Grays

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: [illegible] Housing Unit: [illegible] Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	77	[illegible]
	0600	76	[illegible]
	0900	77	[illegible]
	1200	77	[illegible]
	1500	78	[illegible]
	1800	77	[illegible]
	2100	76	[illegible]
	2400	76	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	[illegible]	[illegible]
	0600	[illegible]	[illegible]
	0900	78	[illegible]
	1200	76	[illegible]
	1500	79	GARAY
	1800	76	GARAY
	2100	77	GARAY
	2400	77	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	77	[illegible]
	0600	77	[illegible]
	0900	77	[illegible]
	1200	76	[illegible]
	1500	78	CRUZ
	1800	78	Bullard
	2100	76	Bullard
	2400	76	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	76	[illegible]
	0600	76	Espinoza
	0900	76	Espinoza
	1200	77	Espinoza
	1500	79	Clarke
	1800	77	Clarke
	2100	76	Clarke
	2400	74	[illegible]

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	76	[illegible]
	0600	76	Gonzalez
	0900	77	Gonzalez
	1200	79	Gonzalez
	1500	78	Gonzalez
	1800	77	Gonzalez
	2100	77	Gonzalez
	2400	74	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	77	[illegible]
	0600	76	[illegible]
	0900	76	[illegible]
	1200	77	[illegible]
	1500	77	Gonzalez
	1800	77	Gonzalez
	2100	76	Gonzalez
	2400	76	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	78	[illegible]
	0600	76	[illegible]
	0900	77	[illegible]
	1200	76	[illegible]
	1500	77	Gonzalez
	1800	77	Gonzalez
	2100	76	Gonzalez
	2400	76	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-7 Temp. Reading Location: TOP TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	77	Y BELTRAN
	0600	76	Y BELTRAN
	0900	76	R. AYALA
	1200	77	R. AYALA
	1500	78	C HERNANDEZ
	1800	77	C HERNANDEZ
	2100	77	C HERNANDEZ
	2400	76	M. MACIAS

Tuesday

Date	Time	Temp.	Name (Print)
8/30	0300	77	M. ORNELAS
	0600	77	M. ORNELAS
	0900	78	R. RODRIGUEZ
	1200	78	R. RODRIGUEZ
	1500	78	A KLOPFENSTIEN
	1800	77	A KLOPFENSTIEN
	2100	76	A KLOPFENSTIEN
	2400	76	M. ORNELAS

Wednesday

Date	Time	Temp.	Name (Print)
8/27	0300	77	M. MACIAS
	0600	76	M. MACIAS
	0900	76	R. RODRIGUEZ
	1200	77	R. RODRIGUEZ
	1500	77	F. BALLARDO
	1800	78	F. BALLARDO
	2100	77	F. BALLARDO
	2400	76	M. MACIAS

Thursday

Date	Time	Temp.	Name (Print)
8/31	0300	76	M MACIAS
	0600	76	M. MACIAS
	0900	77	R. RODRIGUEZ
	1200	78	R. RODRIGUEZ
	1500	78	A KLOPFENSTIEN
	1800	78	A KLOPFENSTIEN
	2100	77	A KLOPFENSTIEN
	2400	76	M. MACIAS

Friday

Date	Time	Temp.	Name (Print)
8/28	0300	76	M. MACIAS
	0600	76	M. MACIAS
	0900	77	R. RODRIGUEZ
	1200	77	R. RODRIGUEZ
	1500	78	H OCHOA
	1800	78	H OCHOA
	2100	77	H. OCHOA
	2400	77	M. MACIAS

Saturday

Date	Time	Temp.	Name (Print)
9/1	0300	77	T. BELTRAN
	0600	76	T. BELTRAN
	0900	76	R. AYALA
	1200	77	R. AYALA
	1500	78	C LOOK
	1800	78	C LOOK
	2100	77	C. LOOK
	2400	77	T. BELTRAN

Sunday

Date	Time	Temp.	Name (Print)
8/29	0300	76	M. MACIAS
	0600	76	M. MACIAS
	0900	76	R. RODRIGUEZ
	1200	77	R. RODRIGUEZ
	1500	77	H OCHOA
	1800	78	H OCHOA
	2100	78	H OCHOA
	2400	77	M. MACIAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
09/01/2024	2200	79	Bodork
	2300	76	Bodork
	2400	72	Bodork
	0100	72	Bodork
	0200	70	Bodork
	0300	68	Bodork
	0400	66	Bodork
	0500	64	Bodork
	0600	63	Bodork
	0700	66	I. Lopez
	0800	69	I. Lopez
	0900	74	I. Lopez
	1000	78	I. Lopez
	1100	83	I. Lopez
	1200	90	I. Lopez
	1300	92	I. Lopez
	1400	94	I. Lopez
	1500	96	K. Flores
	1600	98	K. Flores
	1700	99	K. Flores
	1800	99	K. Flores
	1900	94	K. Flores
	2000	90	K. Flores
	2100	86	K. Flores

Date	Time	Temp.	Printed Name
9/2/24	2200	83	J. Pimentel
	2300	80	J. Pimentel
	2400	77	J. Pimentel
	0100	75	J. Pimentel
	0200	73	J. Pimentel
	0300	71	J. Pimentel
	0400	70	J. Pimentel
	0500	69	J. Pimentel
	0600	65	Dox
	0700	66	Dox
	0800	69	Dox
	0900	73	Dox
	1000	78	Dox
	1100	83	Dox
	1200	90	Dox
	1300	92	Dox
	1400	96	Dox
	1500	97	Bodork
	1600	95	Bodork
	1700	95	Bodork
	1800	94	Bodork
	1900	91	Bodork
	2000	88	Bodork
	2100	83	Bodork

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/3/24	2200	79	Baldrop
	2300	79	Pimentel
	2400	79	Pimentel
	0100	76	Pimentel
	0200	73	Pimentel
	0300	72	Pimentel
	0400	71	Pimentel
	0500	69	Pimentel
	0600	69	Nancy
	0700	73	Nancy
	0800	79	Nancy
	0900	82	Cun
	1000	85	Nancy
	1100	87	Nancy
	1200	90	Nancy
	1300	93	Nancy
	1400	96	Nancy
	1500	96	WILSON
	1600	97	WILSON
	1700	98	WILSON
	1800	97	WILSON
	1900	93	WILSON
	2000	87	WILSON
	2100	83	WILSON

Date	Time	Temp.	Printed Name
9-4-24	2200	80	WILSON
	2300	78	Jung
	2400	76	Jung
	0100	74	Jung
	0200	72	Jung
	0300	70	Jung
	0400	68	Jung
	0500	68	Jung
	0600	67	Jung
	0700	70	CAMARISCA
	0800	75	CAMARISCA
	0900	82	CAMARISCA
	1000	81	CAMARISCA
	1100	93	CAMARISCA
	1200	99	CAMARISCA
	1300	102	CAMARISCA
	1400	104	CAMARISCA
	1500	101	WILSON
	1600	101	WILSON
	1700	100	WILSON
	1800	99	WILSON
	1900	95	WILSON
	2000	89	WILSON
	2100	85	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-5-24	2200	84	WILSON
	2300	78	WILSON
	2400	75	WILSON
	0100	73	WILSON
	0200	70	WILSON
	0300	69	WILSON
	0400	68	WILSON
	0500	67	WILSON
	0600	66	WILSON
	0700	67	AMABISCA
	0800	73	AMABISCA
	0900	81	AMABISCA
	1000	85	AMABISCA
	1100	91	AMABISCA
	1200	97	AMABISCA
	1300	102	AMABISCA
	1400	104	AMABISCA
	1500	100	WILSON
	1600	101	WILSON
	1700	101	WILSON
	1800	100	WILSON
	1900	96	WILSON
	2000	91	WILSON
	2100	86	WILSON

1050 UHT

Date	Time	Temp.	Printed Name
9-4-24	2200	84	WILSON
	2300	82	Robertson
	2400	80	Robertson
	0100	75	Robertson
	0200	76	Robertson
	0300	73	Robertson
	0400	72	Robertson
	0500	71	Robertson
	0600	71	Robertson
	0700	74	Bodorff
	0800	77	Bodorff
	0900	80	Bodorff
	1000	84	Bodorff
	1100	87	Bodorff
	1200	91	Bodorff
	1300	94	Bodorff
	1400	98	Bodorff
	1500	99	WILSON
	1600	100	WILSON
	1700	100	WILSON
	1800	99	WILSON
	1900	95	WILSON
	2000	90	WILSON
	2100	86	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-7-24	2200	82	WILSON
	2300	79	WILSON
	2400	77	WILSON
	0100	75	WILSON
	0200	74	WILSON
	0300	71	WILSON
	0400	70	WILSON
	0500	69	WILSON
	0600	68	WILSON
	0700	69	R. Flores
	0800	74	R. Flores
	0900	79	R. Flores
	1000	85	R. Flores
	1100	88	R. Flores
	1200	92	R. Flores
	1300	94	R. Flores
	1400	97	R. Flores
	1500	98	WILSON
	1600	99	WILSON
	1700	99	WILSON
	1800	98	WILSON
	1900	93	WILSON
	2000	88	WILSON
	2100	84	WILSON

Date	Time	Temp.	Printed Name
9-8-24	2200	81	WILSON
	2300	81	I. Lopez
	2400	80	I. Lopez
	0100	78	I. Lopez
	0200	77	I. Lopez
	0300	74	I. Lopez
	0400	71	I. Lopez
	0500	69	I. Lopez
	0600	67	I. Lopez
	0700	66	I. Lopez
	0800	71	I. Lopez
	0900	78	I. Lopez
	1000	84	I. Lopez
	1100	90	I. Lopez
	1200	95	I. Lopez
	1300	99	I. Lopez
	1400	101	I. Lopez
	1500	99	R. Flores
	1600	99	R. Flores
	1700	99	R. Flores
	1800	98	R. Flores
	1900	94	R. Flores
	2000	90	R. Flores
	2100	84	R. Flores

1130 WHT@

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
UHT DE-ACTIVATED 9-9-24	2200	83	Pimienta
	2300	79	Pimienta
	2400	76	Pimienta
	0100	74	Pimienta
	0200	73	Pimienta
	0300	72	Pimienta
	0400	71	Pimienta
	0500	70	Pimienta
	0600	69	Ware
	0700	69	Ware
	0800	76	Ware
	0900	79	Ware
	1000	87	Ware
	1100	95	Ware
	1200	98	Ware
	1300	101	Ware
	1400	100	Bodorff
	1500	100	Bodorff
	1600	100	Bodorff
	1700	99	Bodorff
	1800	97	Bodorff
	1900	95	Bodorff
	2000	89	Bodorff
	2100	84	Bodorff

Date	Time	Temp.	Printed Name
9-10-24	2200	83	Bodorff
	2300	83	Pimienta
	2400	81	Pimienta
	0100	79	Pimienta
	0200	75	Pimienta
	0300	73	Pimienta
	0400	70	Pimienta
	0500	68	Pimienta
	0600	67	Ware
	0700	67	Ware
	0800	68	Ware
	0900	71	Ware
	1000	85	Ware
	1100	87	Ware
	1200	97	Ware
	1300	96	Ware
	1400	95	WILSON
	1500	96	WILSON
	1600	98	WILSON
	1700	97	WILSON
	1800	94	WILSON
	1900	88	WILSON
	2000	82	WILSON
	2100	77	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/11/24	2200	75	WILSON
	2300	71	Jmez
	2400	67	Jmez
	0100	65	Jmez
	0200	63	Jmez
	0300	61	Jmez
	0400	60	Jmez
	0500	59	Jmez
	0600	58	Jmez
	0700	62	AMABISCA
	0800	65	AMABISCA
	0900	74	AMABISCA
	1000	79	AMABISCA
	1100	84	AMABISCA
	1200	88	AMABISCA
	1300	94	AMABISCA
	1400	96	AMABISCA
	1500	91	WILSON
	1600	89	WILSON
	1700	87	WILSON
	1800	87	WILSON
	1900	82	WILSON
	2000	77	WILSON
	2100	74	WILSON

1230 UHT

Date	Time	Temp.	Printed Name
9/12/2024	2200	72	WILSON
	2300	70	PIMENTEL
	2400	68	PIMENTEL
	0100	67	PIMENTEL
	0200	65	PIMENTEL
	0300	63	PIMENTEL
	0400	62	PIMENTEL
	0500	61	PIMENTEL
	0600	60	AMABISCA
	0700	61	AMABISCA
	0800	07	AMABISCA
	0900	71	AMABISCA
	1000	77	AMABISCA
	1100	81	AMABISCA
	1200	84	AMABISCA
	1300	86	AMABISCA
	1400	88	AMABISCA
	1500	87	WILSON
	1600	85	WILSON
	1700	84	WILSON
	1800	82	WILSON
	1900	78	WILSON
	2000	74	WILSON
	2100	71	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/13/24	2200	68	WILSON
	2300	67	Gunderman
	2400	66	Gunderman
	0100	64	Gunderman
	0200	62	Gunderman
	0300	61	Gunderman
	0400	60	Gunderman
	0500	58	Gunderman
	0600	57	Gunderman
	0700	58	WILSON
	0800	63	WILSON
	0900	70	WILSON
	1000	75	WILSON
	1100	79	WILSON
	1200	82	WILSON
	1300	85	WILSON
	1400	87	WILSON
	1500	87	WILSON
	1600	88	WILSON
	1700	88	WILSON
	1800	88	WILSON
	1900	84	WILSON
	2000	79	WILSON
	2100	76	WILSON

Date	Time	Temp.	Printed Name
9/14/24	2200	73	WILSON
	2300	71	Guerra
	2400	69	Guerra
	0100	68	Guerra
	0200	66	Guerra
	0300	66	Guerra
	0400	64	Guerra
	0500	63	Guerra
	0600	65	McFlake
	0700	68	McFlake
	0800	74	McFlake
	0900	75	McFlake
	1000	77	McFlake
	1100	79	McFlake
	1200	82	McFlake
	1300	85	McFlake
	1400	87	McFlake
	1500	90	WILSON
	1600	91	WILSON
	1700	91	WILSON
	1800	90	WILSON
	1900	84	WILSON
	2000	79	WILSON
	2100	76	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-15-24	2200	73	WILSON
	2300	73	C Ambrosia
	2400	68	C Ambrosia
	0100	66	Ambrosia
	0200	65	Ambrosia
	0300	63	Ambrosia
	0400	62	Ambrosia
	0500	62	Ambrosia
	0600	61	Ambrosia
	0700	62	R. Flores
	0800	65	R. Flores
	0900	68	R. Flores
	1000	70	R. Flores
	1100	74	R. Flores
	1200	77	R. Flores
	1300	79	R. Flores
	1400	82	R. Flores
	1500	82	R. Flores
	1600	80	R. Flores
	1700	80	R. Flores
	1800	79	R. Flores
	1900	75	R. Flores
	2000	72	R. Flores
	2100	68	R. Flores

Date	Time	Temp.	Printed Name
9-16-24	2200	68	Pimentel
	2300	67	Pimentel
	2400	66	Pimentel
	0100	64	Pimentel
	0200	61	Pimentel
	0300	59	Pimentel
	0400	58	Pimentel
	0500	57	Pimentel
	0600	54	J. Willis
	0700	52	J. Willis
	0800	56	J. Willis
	0900	60	J. Willis
	1000	61	J. Willis
	1100	63	J. Willis
	1200	65	J. Willis
	1300	67	J. Willis
	1400	70	J. Willis
	1500	71	J. Willis
	1600	72	J. Willis
	1700	71	J. Willis
	1800	70	J. Willis
	1900	69	J. Willis
	2000	66	J. Willis
	2100	62	J. Willis

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-17-24	2200	61	Pimentel
	2300	60	Pimentel
	2400	59	Pimentel
	0100	57	Pimentel
	0200	56	Pimentel
	0300	55	Pimentel
	0400	55	Pimentel
	0500	54	Pimentel
	0600	54	[illegible]
	0700	57	[illegible]
	0800	60	[illegible]
	0900	64	[illegible]
	1000	68	[illegible]
	1100	73	[illegible]
	1200	77	[illegible]
	1300	81	[illegible]
	1400	75	WILSON
	1500	76	WILSON
	1600	77	WILSON
	1700	77	WILSON
	1800	76	WILSON
	1900	74	WILSON
	2000	70	WILSON
	2100	67	WILSON

Date	Time	Temp.	Printed Name
9-18-24	2200	64	WILSON
	2300	62	Jimenez
	2400	61	Jimenez
	0100	59	Jimenez
	0200	58	Jimenez
	0300	57	Jimenez
	0400	57	Jimenez
	0500	56	Jimenez
	0600	55	Jimenez
	0700	55	Amarbisen
	0800	60	Amarbisen
	0900	65	Amarbisen
	1000	70	Amarbisen
	1100	73	Amarbisen
	1200	76	Amarbisen
	1300	77	Amarbisen
	1400	79	Amarbisen
	1500	81	WILSON
	1600	81	WILSON
	1700	81	WILSON
	1800	80	WILSON
	1900	76	WILSON
	2000	73	WILSON
	2100	71	WILSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-19-24	2200	69	WILSON
	2300	67	Gunderman
	2400	65	Gunderman
	0100	64	Gunderman
	0200	62	Gunderman
	0300	61	Gunderman
	0400	60	Gunderman
	0500	59	Gunderman
	0600	58	Gunderman
	0700	62	AMBRISCA
	0800	62	AMBRISCA
	0900	66	AMBRISCA
	1000	69	AMBRISCA
	1100	72	AMBRISCA
	1200	74	AMBRISCA
	1300	76	AMBRISCA
	1400	78	AMBRISCA
	1500	80	WILSON
	1600	80	WILSON
	1700	80	WILSON
	1800	77	WILSON
	1900	74	WILSON
	2000	71	WILSON
	2100	69	WILSON

Date	Time	Temp.	Printed Name
9-20-24	2200	67	WILSON
	2300	67	Robertson
	2400	65	Robertson
	0100	64	Robertson
	0200	64	Robertson
	0300	64	Robertson
	0400	65	Robertson
	0500	63	Robertson
	0600	61	Bodorff
	0700	59	Bodorff
	0800	60	Bodorff
	0900	66	Bodorff
	1000	69	Bodorff
	1100	72	Bodorff
	1200	74	Bodorff
	1300	77	Bodorff
	1400	78	Bodorff
	1500	87	Robertson
	1600	84	Robertson
	1700	88	Robertson
	1800	85	Robertson
	1900	81	Robertson
	2000	77	Robertson
	2100	75	Robertson

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-21-24	2200	74	Robertson
	2300	72	Robertson
	2400	70	Robertson
	0100	69	Robertson
	0200	68	Robertson
	0300	65	Robertson
	0400	64	Robertson
	0500	63	Robertson
	0600	62	Robertson
	0700	64	Riflada
	0800	66	Riflada
	0900	69	Riflada
	1000	74	Riflada
	1100	78	Riflada
	1200	81	Riflada
	1300	83	Riflada
	1400	85	Riflada
	1500	87	Bodorn
	1600	88	Bodorn
	1700	88	Bodorn
	1800	87	Bodorn
	1900	83	Bodorn
	2000	80	Bodorn
	2100	74	Bodorn

Date	Time	Temp.	Printed Name
9-22-24	2200	76	Bodorn
	2300	75	Amarison
	2400	73	Amarison
	0100	72	Amarison
	0200	71	Amarison
	0300	69	Amarison
	0400	68	Amarison
	0500	64	Amarison
	0600	62	Amarison
	0700	67	Dobby
	0800	73	Vell
	0900	79	Vell
	1000	84	Vell
	1100	86	Vell
1230 UHT	1200	87	Vell
	1300	88	Riflada
	1400	88	Riflada
	1500	90	Riflada
	1600	90	Riflada
	1700	89	Riflada
	1800	89	Riflada
	1900	84	Riflada
	2000	80	Riflada
	2100	76	Riflada

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	2200	76	F STERN
	2300	69	F STERN
	2400	68	F. STERN
	0100	67	F STERN
	0200	67	F STERN
	0300	67	F STERN
	0400	67	F STERN
	0500	67	F STERN
9/23	0600	67	Bonney
	0700	73	Bonney
	0800	75	Bonney
	0900	77	Bonney
	1000	81	Bonney
1130 UHT	1100	85	Bonney
	1200	93	Bonney
	1300	97	Bonney
	1400	97	Bonney
	1500	97	Bodorff
	1600	98	Bodorff
	1700	96	Bodorff
	1800	95	Bodorff
1930 UHT	1900	93	Bodorff
	2000	84	Bodorff
	2100	78	Bodorff

Date	Time	Temp.	Printed Name
	2200	75	Bodorff
	2300	72	F. STERN
	2400	69	F. STERN
	0100	65	F STERN
	0200	64	F STERN
	0300	63	F STERN
	0400	62	F STERN
	0500	62	F STERN
9/24	0600	62	Bonney
	0700	68	Bonney
	0800	73	Bonney
	0900	79	Bonney
	1000	84	Bonney
	1100	87	Bonney — 1130 UHT.
	1200	92	Bonney
	1300	95	Bonney
	1400	95	Bodorff
	1500	96	Bodorff
	1600	97	Bodorff
	1700	98	Bodorff
	1800	96	Bodorff
	1900	91	Bodorff — UHT @ 1915
	2000	86	Bodorff
	2100	82	Bodorff

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	2200	77	BeJorr
	2300	78	SIERRA
	2400	77	SIERRA
	0100	74	SIERRA
	0200	73	SIERRA
	0300	71	SIERRA
	0400	70	SIERRA
	0500	69	SIERRA
	0600	69	AMABISCA
	0700	66	AMABISCA
	0800	71	AMABISCA
9/25	0900	78	AMABISCA
	1000	85	AMABISCA
	1100	90	AMABISCA UHT
	1200	96	AMABISCA
	1300	99	AMABISCA
	1400	100	AMABISCA
	1500	101	Bart
	1600	100	Bart
	1700	100	Bart
	1800	91	Bart
	1900	84	Bart
1930	2000	80	Bart
	2100	77	Bart

Date	Time	Temp.	Printed Name
	2200	73	SIERRA
	2300	73	SIERRA
	2400	70	SIERRA
	0100	70	SIERRA
	0200	67	SIERRA
	0300	64	SIERRA
	0400	63	SIERRA
	0500	63	SIERRA
9/26	0600	63	AMABISCA
	0700	60	AMABISCA
	0800	65	AMABISCA
	0900	71	AMABISCA
	1000	78	AMABISCA
	1100	81	AMABISCA
	1200	86	AMABISCA 1255 UHT
	1300	91	AMABISCA
	1400	95	AMABISCA
	1500	86	Badger
	1600	87	Badger
	1700	88	Badger
	1800	86	Badger
	1900	83	Badger
	2000	79	Badger
	2100	75	Badger

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	2200	75	Robertson
	2300	72	Robertson
	2400	68	Robertson
	0100	65	Robertson
	0200	64	Robertson
	0300	63	Robertson
	0400	62	Robertson
	0500	61	Robertson
	0600	59	Bodart
9-27	0700	57	Bodart
	0800	61	Bodart
	0900	69	Bodart
	1000	73	Bodart
	1100	78	Bodart
	1200	82	Bodart
	1300	84	Bodart
	1400	87	Bodart
	1500	89	Jones
OHT	1600	90	Jones
	1700	90	Berg
	1800	89	Berg
	1900	84	Berg
	2000	79	Berg
	2100	76	Berg

Date	Time	Temp.	Printed Name
	2200	74	Sorensen
	2300	72	Sorensen
	2400	70	Sorensen
	0100	68	Sorensen
	0200	65	Sorensen
	0300	63	Sorensen
	0400	61	Sorensen
	0500	60	Sorensen
	0600	59	Sorensen
9-28	0700	60	R. Flores
	0800	64	R. Flores
	0900	72	R. Flores
	1000	75	R. Flores
	1100	80	R. Flores
	1200	84	R. Flores
	1300	87	R. Flores
	1400	90°	R. Flores
	1500	100	Berg
	1600	102	Berg
	1700	100	Berg
	1800	94	Berg
	1900	88	Berg
1945	2000	82	Berg
	2100	79	Berg

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18) INSTITUTION: Kern Valley State Prison

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6380 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-29	2200	76	F. SIERRA
	2300	74	F. SIERRA
	2400	69	F. SIERRA
	0100	65	F. SIERRA
	0200	64	F. SIERRA
	0300	63	F. SIERRA
	0400	63	F. SIERRA
	0500	64	F. SIERRA
	0600	60	I. Lopez
	0700	62	I. Lopez
	0800	63	I. Lopez
	0900	68	I. Lopez
	1000	73	I. Lopez
	1100	78	I. Lopez
	1200	83	I. Lopez
	1300	86	I. Lopez
	1400	88	I. Lopez
	1500	81	R. Flores
	1600	89	R. Flores
	1700	89	R. Flores
	1800	87	R. Flores
	1900	83	R. Flores
	2000	78	R. Flores
	2100	74	R. Flores

Date	Time	Temp.	Printed Name
9/30	2200	72	F. SIERRA
	2300	68	F. SIERRA
	2400	65	F. SIERRA
	0100	64	F. SIERRA
	0200	63	F. SIERRA
	0300	62	F. SIERRA
	0400	62	F. SIERRA
	0500	62	F. SIERRA
	0600	62	DENHOY
	0700	65	[illegible]
	0800	68	[illegible]
	0900	73	[illegible]
	1000	78	[illegible]
	1100	82	[illegible]
	1200	85	[illegible]
	1300	93	[illegible]
	1400	94	TIMLENTA
	1500	94	TIMLENTA
	1600	94	R. Flores
	1700	92	R. Flores
	1800	88	R. Flores
	1900	84	R. Flores
	2000	80	R. Flores
	2100	75	R. Flores

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB2 Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09 / 02 / 24	0300	80	R. DURAN
	0600	78	ROMERO
	0900	78	ROMERO
	1200	78	ROMERO
	1500	79	FLORES
	1800	79	FLORES
	2100	79	FLORES
	2400	80	R. DURAN

MD OR

CG

Tuesday

Date	Time	Temp.	Name (Print)
09 / 03 / 24	0300	80	R. DURAN
	0600	78	SMOAHA
	0900	80	SMOAHA
	1200	80	[illegible]
	1500	80	FLORES
	1800	80	FLORES
	2100	80	FLORES
	2400	80	M. CHAVEZ

OR

MD

Wednesday

Date	Time	Temp.	Name (Print)
09 / 04 / 24	0300	80	M. CHAVEZ
	0600	79	DIAZ
	0900	79	DIAZ
	1200	80	DIAZ
	1500	80	CONSTANZA
	1800	80	CONSTANZA
	2100		CONSTANZA
	2400	80	M CHAVEZ

MD

Thursday

Date	Time	Temp.	Name (Print)
09 / 05 / 24	0300	80	M. CHAVEZ
	0600	80	ESQUILLA
	0900	80	ESQUILLA
	1200	80	ESQUILLA
	1500	80	CONSTANZA
	1800	80	CONSTANZA
	2100	80	CONSTANZA
	2400	80	M. CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
09 / 06 / 24	0300	80	M. CHAVEZ
	0600	80	MORENO
	0900	80	MORENO
	1200	80	MORENO
	1500	80	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	80	M CHAVEZ

Saturday

Date	Time	Temp.	Name (Print)
09 / 07 / 24	0300	80	M. CHAVEZ
	0600	80	GRIMM
	0900	80	GRIMM
	1200	80	GRIMM
	1500	80	Constanza
	1800	80	Constanza
	2100	80	Constanza
	2400	80	M CHAVEZ

9

Sunday

Date	Time	Temp.	Name (Print)
09 / 08 / 24	0300	80	M CHAVEZ
	0600	80	Romero
	0900	78	Romero
	1200	78	Romero
	1500	79	MARCHAND
	1800	79	Ramos
	2100	79	Ramos
	2400	80	M. CHAVEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Sept, 2024

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D3 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	78	Gloria
	0600	78	Marquez
	0900	78	Marquez
	1200	80	Marquez
	1500	80	Duran
	1800	80	Duran
	2100	78	Duran
	2400	78	Gloria

Tuesday

Dat	Time	Temp.	Name (Print)
9/3/24	0300	78	Gloria
	0600	78	Marquez
	0900	78	Marquez
	1200	78	Marquez
	1500	80	Duran
	1800	80	Duran
	2100	80	Duran
	2400	80	Gloria

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	78	Gloria
	0600	78	Marquez
	0900	78	Marquez
	1200	80	Marquez
	1500	79	Vasquez
	1800	78	Vasquez
	2100	78	Vasquez
	2400	79	Mezai N

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	79	Mezai N
	0600	80	A. Alvarez
	0900	80	A. Alvarez
	1200	80	A. Alvarez
	1500	80	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	E. Samarripas

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	78	E. Samarripas
	0600	78	J. Ramos
	0900	78	J. Ramos
	1200	78	J. Ramos
	1500	78	Flores
	1800	80	Flores
	2100	80	Flores
	2400	80	Gloria

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	80	Gloria
	0600	79	Gomez
	0900	80	Gomez
	1200	81	Gomez
	1500	80	Torres
	1800	80	Torres
	2100	80	Torres
	2400	80	Gloria

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	80	Gloria
	0600	80	Marquez
	0900	80	Marquez
	1200	80	Marquez
	1500	80	Duran
	1800	80	Duran
	2100	80	Duran
	2400	80	Gloria

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: KVSP D4 Temp. Reading Location: B-SECTION (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-2-24	0300	78	ESAMARRIPAS
	0600	78	J. RAMOS
	0900	78	J. RAMOS
	1200	78	J. RAMOS
	1500	80	A Sutton
	1800	80	A Sutton
	2100	80	A Sutton
	2400	78	ESAMARRIPAS

Tuesday

Dat	Time	Temp.	Name (Print)
9/3/24	0300	78	E. SAMARRIPAS
	0600	78	J. RAMOS
	0900	78	J. RAMOS
	1200	78	J. RAMOS
	1500	79	RAMOS, G.
	1800	80	RAMOS, G.
	2100	78	RAMOS, G.
	2400	80	CAM

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	80	CAM
	0600	80	Castro
	0900	80	Castro
	1200	80	Castro
	1500	80	RAMOS, G.
	1800	80	RAMOS, G.
	2100	80	RAMOS, G.
	2400	80	CAM

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	78	CAM
	0600	78	Castro
	0900	79	Castro
	1200	80	Castro
	1500	80	J Vasquez
	1800	79	J Vasquez
	2100	79	J. Vasquez
	2400	78	CAM

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	78	CAM
	0600	78	Castro
	0900	79	Castro
	1200	80	Castro
	1500	80	RAMOS, G.
	1800	80	RAMOS, G.
	2100	79	RAMOS, G.
	2400	78	CAM

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	78	CAM
	0600	78	Castro
	0900	79	Castro
	1200	80	Castro
	1500	80	RAMOS, G.
	1800	80	RAMOS, G.
	2100	80	RAMOS, G.
	2400	80	CAM

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	80	CAM
	0600	80	Castro
	0900	80	Castro
	1200	80	Castro
	1500	80	Sutton
	1800	79	Sutton
	2100	80	Sutton
	2400	78	CAM

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D5 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	77	F. RODRIGUEZ
	0600	78	A. Briggs
	0900	79	A. Briggs
	1200	80	A. Briggs
	1500	81	D. Thurston
	1800	80	D. Thurston
	2100	79	D. Thurston
	2400	78	F. RODRIGUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
9/3/24	0300	77	F. RODRIGUEZ
	0600	77	R. PRUNEDA
	0900	78	R. PRUNEDA
	1200	79	R. PRUNEDA
	1500	80	A. Thompson
	1800	80	A. Thompson
	2100	79	A. Thompson
	2400	78	F. RODRIGUEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	77	F. RODRIGUEZ
	0600	77	R. PRUNEDA
	0900	78	R. PRUNEDA
	1200	79	R. PRUNEDA
	1500	80	A. Thompson
	1800	80	A. Thompson
	2100	79	A. Thompson
	2400	78	D. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	78	D. DIAZ
	0600	77	R. PRUNEDA
	0900	78	R. PRUNEDA
	1200	79	R. PRUNEDA
	1500	80	A. Thompson
	1800	81	A. Thompson
	2100	80	A. Thompson
	2400	79	A. Salazar

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	78	A. Salazar
	0600	77	H. Alvarado
	0900	77	H. Alvarado
	1200	78	H. Alvarado
	1500	79	A. Thompson
	1800	79	A. Thompson
	2100	80	A. Thompson
	2400	79	F. RODRIGUEZ

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	78	F. RODRIGUEZ
	0600	77	H. Alvarado
	0900	78	H. Alvarado
	1200	78	H. Alvarado
	1500	79	D. Thurston
	1800	79	D. Thurston
	2100	80	D. Thurston
	2400	79	F. RODRIGUEZ

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	78	F. RODRIGUEZ
	0600	77	A. Sotelo
	0900	77	A. Sotelo
	1200	78	A. Sotelo
	1500	79	D. Thurston
	1800	80	D. Thurston
	2100	79	D. Thurston
	2400	78	F. RODRIGUEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D10 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	79	D. LOZA
	0600	79	J Mariscal
	0900	80	J Mariscal
	1200	80	J Mariscal
	1500	81	G MACIAS
	1800	80	G MACIAS
	2100	80	G MACIAS
	2400	79	D. LOZA

Tuesday

Dat	Time	Temp.	Name (Print)
9/3/24	0300	79	D. LOZA
	0600	79	A Castruita
	0900	80	A Castruita
	1200	80	A. Castruita
	1500	81	B Thurston
	1800	80	B Thurston
	2100	80	B Thurston
	2400	79	D. LOZA

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	79	D. LOZA
	0600	79	J Mariscal
	0900	80	J Mariscal
	1200	80	J Mariscal
	1500	81	J Guajardo
	1800	80	J Guajardo
	2100	80	J Guajardo
	2400	79	D. LOZA

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	79	D. LOZA
	0600	79	J Pedroza
	0900	80	J Pedroza
	1200	80	J Pedroza
	1500	80	J Guajardo
	1800	80	J Guajardo
	2100	79	J Guajardo
	2400	79	D. LOZA

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	79	D. LOZA
	0600	79	A. Thompson
	0900	80	A Thompson
	1200	80	A. Thompson
	1500	81	J Guajardo
	1800	80	J Guajardo
	2100	80	J Guajardo
	2400	79	E. Samarripas

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	79	E. Samarripas
	0600	79	J Mariscal
	0900	79	J Mariscal
	1200	80	J Mariscal
	1500	79	J Guajardo
	1800	79	J Guajardo
	2100	79	J Guajardo
	2400	79	E. Samarripas

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	79	E. Samarripas
	0600	79	J Mariscal
	0900	80	J Mariscal
	1200	80	J Mariscal
	1500	79	G. DURAN
	1800	79	G. DURAN
	2100	78	G. DURAN
	2400	78	J Moza

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09 / 02 / 24	0300	76	O. Gonzalez
	0600	76	A. Sotelo
	0900	76	A. Sotelo
	1200	76	A. Sotelo
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	O. Gonzalez

MP

Tuesday

Date	Time	Temp.	Name (Print)
09 / 03 / 24	0300	76	O. Gonzalez
	0600	76	Reynaga
	0900	76	Reynaga
	1200	76	Reynaga
	1500	79	Pelayo
	1800	79	Pelayo
	2100	79	Pelayo
	2400	79	O. Gonzalez

MP

Wednesday

Date	Time	Temp.	Name (Print)
09 / 04 / 24	0300	78	O. Gonzalez
	0600	78	Reynaga
	0900	78	Reynaga
	1200	78	Reynaga
	1500	78	Galy
	1800	78	Galy
	2100	78	Galy
	2400	78	O. Gonzalez

MP

Thursday

Date	Time	Temp.	Name (Print)
09 / 05 / 24	0300	78	O. Gonzalez
	0600	78	MARTINEZ
	0900	78	MARTINEZ
	1200	78	MARTINEZ
	1500	78	Segundo
	1800	78	Segundo
	2100	78	Segundo
	2400	78	MEZA, N

Friday

Date	Time	Temp.	Name (Print)
09 / 06 / 24	0300	78	MEZA, N
	0600	78	A. ANAYA
	0900	79	A. ANAYA
	1200	79	A. ANAYA
	1500	80	A. ANAYA
	1800	79	A. ANAYA
	2100	79	A. ANAYA
	2400	78	MEZA, N

G

Saturday

Date	Time	Temp.	Name (Print)
09 / 07 / 24	0300	78	MEZA, N
	0600	78	A. ANAYA
	0900	79	A. ANAYA
	1200	79	A. ANAYA
	1500	78	J. RIOS
	1800	78	J. RIOS
	2100	78	J. RIOS
	2400	78	O. Gonzalez

G

Sunday

Date	Time	Temp.	Name (Print)
09 / 08 / 24	0300	78	O. Gonzalez
	0600	78	R. CH
	0900	78	R. CH
	1200	79	R. CH
	1500	78	HERNANDEZ
	1800	78	HERNANDEZ
	2100	80	HERNANDEZ
	2400	78	O. Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	76	Meza, N
	0600	76	SANDOVAL, S
	0900	78	SANDOVAL
	1200	78	SANDOVAL
	1500	76	Romero
	1800	76	Romero
	2100	75	Romero
	2400	76	Guanajuato

MP

Tuesday

Dat	Time	Temp.	Name (Print)
9/3/24	0300	76	Guanajuato
	0600	76	SANDOVAL
	0900	76	SANDOVAL
	1200	76	SANDOVAL
	1500	76	CASTEUITA
	1800	76	CASTEUITA
	2100	76	CASTEUITA
	2400	76	Guanajuato

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	76	Guanajuato
	0600	76	SANCHEZ
	0900	78	Sanchez
	1200	78	Sanchez
	1500	78	CASTEUITA
	1800	77	CASTEUITA
	2100	76	CASTEUITA
	2400	76	Guanajuato

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	76	Guanajuato
	0600	76	Sanchez
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	78	RIVERA
	1800	77	RIVERA
	2100	76	RIVERA
	2400	76	Guanajuato

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	76	Guanajuato
	0600	76	SANCHEZ
	0900	76	Sanchez
	1200	76	Sanchez
	1500	76	CASTEUITA
	1800	75	CASTEUITA
	2100	75	CASTEUITA
	2400	76	Guanajuato

S

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	76	Guanajuato
	0600	76	Luque
	0900	78	Luque
	1200	78	Luque
	1500	78	Martinez
	1800	79	Martinez
	2100	78	Martinez
	2400	78	D Chambers

G

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	78	D Chambers
	0600	78	J. Sanchez
	0900	78	J. Sanchez
	1200	78	J. Sanchez
	1500	78	Romero
	1800	78	Romero
	2100	78	Romero
	2400	78	Meza, N

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	70	[illegible]
	0600	70	J. Hernandez
09	0900	70	J. Hernandez
	1200	70	J. Hernandez
02	1500	70	Soto
	1800	70	Soto
	2100	70	Soto
	2400	70	Soto

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	70	Soto
	0600	70	J. Hernandez
09	0900	70	J. Hernandez
	1200	70	J. Hernandez
03	1500	71	Reyes
	1800	70	Reyes
	2100	70	Reyes
	2400	70	Chambers

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70	Chambers
	0600	70	Urbano
09	0900	70	Urbano
	1200	70	Urbano
04	1500	71°	Ochoa
	1800	70	Ochoa
	2100	70	Ochoa
	2400	70	VACA

Thursday

Date	Time	Temp.	Name (Print)
	0300	70	VACA
09	0600	70	Urbano
	0900	70	Urbano
05	1200	70	Urbano
	1500	70	RIVERA
	1800	70	RIVERA
	2100	70	RIVERA
	2400	70	[illegible]

?

Friday

Date	Time	Temp.	Name (Print)
	0300	70	[illegible]
	0600	70	J. Hernandez
09	0900	70	J. Hernandez
	1200	70	J. Hernandez
06	1500	75	R. Silva
	1800	75	R. Silva
	2100	75	R. Silva
	2400	~~75~~	~~[illegible]~~

Saturday

Date	Time	Temp.	Name (Print)
	0300	72	[illegible]
	0600	72	J. RAMOS
09	0900	72	J. RAMOS
	1200	72	J. RAMOS
07	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	72	A. Rodriguez
	2400	72	A. Delgado

Sunday

Date	Time	Temp.	Name (Print)
	0300	72	A. Delgado
	0600	72	A. CHAVEZ
09	0900	73	A. CHAVEZ
	1200	73	A. CHAVEZ
08	1500	74	A. Rodriguez
	1800	74	A. Rodriguez
	2100	74	A. Rodriguez
	2400	72	A. Delgado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A/CONTRL Temp. Reading Location: 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	74	[illegible]
	0600	76	[illegible]
	0900	77	[illegible]
	1200	77	[illegible]
	1500	78	[illegible]
	1800	77	[illegible]
	2100	76	[illegible]
	2400	73	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	74	[illegible]
	0600	76	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	77	[illegible]
	1800	76	[illegible]
	2100	74	[illegible]
	2400	74	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	75	[illegible]
	0600	76	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	77	[illegible]
	1800	77	[illegible]
	2100	76	[illegible]
	2400	74	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	75	[illegible]
	0600	76	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	77	[illegible]
	1800	75	[illegible]
	2100	75	[illegible]
	2400	74	[illegible]

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	74	[illegible]
	0600	76	[illegible]
	0900	77	[illegible]
	1200	78	[illegible]
	1500	77	[illegible]
	1800	76	[illegible]
	2100	75	[illegible]
	2400	74	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	73	[illegible]
	0600	76	[illegible]
	0900	77	[illegible]
	1200	77	[illegible]
	1500	78	[illegible]
	1800	76	[illegible]
	2100	74	[illegible]
	2400	73	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	74	[illegible]
	0600	76	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	77	[illegible]
	1800	76	[illegible]
	2100	74	[illegible]
	2400	73	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-1 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-2-24	0300	80	[illegible]
	0600	77	BORBON
	0900	78	BORBON
	1200	78	BORBON
	1500	78	RAZO
	1800	78	RAZO
	2100	77	RAZO
	2400	76	HARRISON

Tuesday

Date	Time	Temp.	Name (Print)
9-3-24	0300	76	HARRISON
	0600	75	BORBON
	0900	77	BORBON
	1200	78	BORBON
	1500	78	RAZO
	1800	78	RAZO
	2100	77	RAZO
	2400	76	HARRISON

Wednesday

Date	Time	Temp.	Name (Print)
9-4-24	0300	76	HARRISON
	0600	75	BORBON
	0900	77	BORBON
	1200	78	BORBON
	1500	78	V. OCHOA
	1800	78	V. OCHOA
	2100	79	V. OCHOA
	2400	76	HARRISON

Thursday

Date	Time	Temp.	Name (Print)
9-5-24	0300	76	HARRISON
	0600	76	BARRAS
	0900	78	BARRAS
	1200	79	BARRAS
	1500	79	Sanchez
	1800	78	Sanchez
	2100	78	Sanchez
	2400	78	HARRISON

Friday

Date	Time	Temp.	Name (Print)
9-6-24	0300	78	HARRISON
	0600	77	BORBON
	0900	77	BORBON
	1200	78	BORBON
	1500	78	RAZO
	1800	78	RAZO
	2100	78	RAZO
	2400	78	HARRISON

Saturday

Date	Time	Temp.	Name (Print)
9-7-24	0300	78	HARRISON
	0600	78	Rauser
	0900	78	Rauser
	1200	79	Rauser
	1500	77	H. Moreno
	1800	79	H. Moreno
	2100	78	H. Moreno
	2400	78	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9-8-24	0300	78	[illegible]
	0600	78	Rauser
	0900	79	Rauser
	1200	80	Rauser
	1500	80	H. Moreno
	1800	79	H. Moreno
	2100	79	H. Moreno
	2400	78	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2 Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	75	Johnson
	0600	76	Larkin
	0900	76	Larkin
	1200	76	Larkin
	1500	78	MORENO
	1800	78	MORENO
	2100	78	MORENO
	2400	75	Johnson

Tuesday

Dat	Time	Temp.	Name (Print)
9/3/24	0300	76	Johnson
	0600	76	Sigala
	0900	76	Sigala
	1200	76	Sigala
	1500	78	Miranda
	1800	78	Miranda
	2100	76	Miranda
	2400	76	Johnson

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	75	Johnson
	0600	76	Sigala
	0900	76	Sigala
	1200	76	Sigala
	1500	76	Rodriguez
	1800	76	Rodriguez
	2100	76	Rodriguez
	2400	75	Johnson

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	74	Johnson
	0600	76	Godinez
	0900	76	Godinez
	1200	76	Godinez
	1500	78	Owens
	1800	78	Owens
	2100	78	Owens
	2400	76	Cammagay

Friday

Date	Time	Temp.	Name (Print)
9/6/	0300	75	Cammagay
	0600	76	Godinez
	0900	76	Godinez
	1200	76	Godinez
	1500	78	Owens
	1800	78	Owens
	2100	76	Owens
	2400	75	Cammagay

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	75	Cammagay
	0600	76	Ruiz
	0900	76	Ruiz
	1200	76	Ruiz
	1500	78	Owens
	1800	78	Owens
	2100	76	Owens
	2400	75	Prieto

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	74	Prieto
	0600	76	Hartman
	0900	76	Hartman
	1200	76	Hartman
	1500	78	Owens
	1800	78	Owens
	2100	76	Owens
	2400	75	Johnson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: KVSP A3 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	76	MENDEZ
	0600	80	GONZALEZ
	0900	80	GONZALEZ
	1200	80	GONZALEZ
	1500	80	MENDOZA
	1800	80	MENDOZA
	2100	78	MENDOZA
	2400	78	MENDEZ

Tuesday

Dat	Time	Temp.	Name (Print)
9/3/24	0300	78	MENDEZ
	0600	80	MEDRANO
	0900	80	MEDRANO
	1200	80	MEDRANO
	1500	80	MEDRANO
	1800	80	MEDRANO
	2100	80	MEDRANO
	2400	79	MEZA

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	79	MEZA
	0600	80	MEDRANO
	0900	80	MEDRANO
	1200	80	MEDRANO
	1500	80	MENDOZA
	1800	80	MENDOZA
	2100	79	MENDOZA
	2400	79	MEZA

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	79	MEZA
	0600	80	BAUSER
	0900	80	BAUSER
	1200	80	BAUSER
	1500	80	MENDOZA
	1800	80	MENDOZA
	2100	80	MENDOZA
	2400	79	MEZA

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	79	MEZA
	0600	80	BAUSER
	0900	80	BAUSER
	1200	80	BAUSER
	1500	80	FERNADEZ
	1800	80	FERNADEZ
	2100	80	FERNADEZ
	2400	80	MEZA

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	79	MEZA
	0600	80	MEDRANO
	0900	80	MEDRANO
	1200	80	MEDRANO
	1500	80	FERNADEZ
	1800	80	FERNADEZ
	2100	80	FERNADEZ
	2400	79	MEZA

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	78	MEZA
	0600	79	MEDRANO
	0900	80	MEDRANO
	1200	80	SIOSON
	1500	80	VELASQUEZ
	1800	80	VELASQUEZ
	2100	80	VELASQUEZ
	2400	78	MEZA

Notes

_____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	80	Mender
	0600	78	B. Gerardos
	0900	82	B. Gerardos
	1200	82	B. Gerardos
	1500	81°	Jmendoza
	1800	80	Jmendoza
	2100	80	Jmendoza
	2400	80	Mender

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	80	Mender
	0600	80	Medrano
	0900	81	Medrano
	1200	82	Medrano
	1500	82	Medrano
	1800	81	Medrano
	2100	80	Medrano
	2400	80	Meza

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	79	Meza
	0600	80	Medrano
	0900	80	Medrano
	1200	81	Medrano
	1500	80	Jmendoza
	1800	80	Jmendoza
	2100	80	Jmendoza
	2400	80	Meza

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	80	Meza
	0600	80	Cabrera
	0900	80	Cabrera
	1200	83	Cabrera
	1500	81	Jmendoza
	1800	80	Jmendoza
	2100	80	Jmendoza
	2400	80	Meza

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	80	Meza
	0600	80	Rauser
	0900	80	Rauser
	1200	80	Rauser
	1500	80	Fernandez
	1800	80	Fernandez
	2100	80	Fernandez
	2400	80	Meza

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	80	Meza
	0600	80	Medrano
	0900	80	Medrano
	1200	81	Medrano
	1500	80	Fernandez
	1800	80	Fernandez
	2100	80	Fernandez
	2400	80	Meza

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	80	Meza
	0600	80	Medrano
	0900	80	Medrano
	1200	81	Medrano
	1500		
	1800		
	2100		
	2400	81	Mender

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. A·B C Sections

Institution: KJSP Housing Unit: A4 Temp. Reading Location: T2 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/02	0300	76	J URBANO
	0600	75°	T. Hickey
	0900	78°	T. Hickey
	1200	80°	T. Hickey
	1500	80	Fernandez
	1800	80	Fernandez
	2100	80	Fernandez
	2400	78	J URBANO

Tuesday

Date	Time	Temp.	Name (Print)
09/03	0300	78	Urbano
	0600	78	Nieto
	0900	78	Nieto
	1200	80	Nieto
	1500	80	R Angulo
	1800	80	R Angulo
	2100	80	R Angulo
	2400	78	URBANO

Wednesday

Date	Time	Temp.	Name (Print)
09/04	0300	78	URBANO
	0600	78	
	0900	78	
	1200	79	
	1500	81	R Angulo
	1800	80	R Angulo
	2100	80	R Angulo
	2400	78	URBANO

Thursday

Date	Time	Temp.	Name (Print)
09/05/24	0300	78	URBANO
	0600	78	ROJO
	0900	78	ROJO
	1200	78	ROJO
	1500	81	R Angulo
	1800	81	R Angulo
	2100	80	R Angulo
	2400	78°	[illegible]

Friday

Date	Time	Temp.	Name (Print)
09/06/24	0300	78°	[illegible]
	0600	78	ROJO
	0900	78	ROJO
	1200	80	ROJO
	1500	81	Angulo
	1800	80	Angulo
	2100	80	Angulo
	2400	80	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
09/07	0300	80	[illegible]
	0600	80	[illegible]
	0900	81	Aguilar
	1200	82	Aguilar
	1500	82	Angulo
	1800	81	Angulo
	2100	81	Angulo
	2400	81	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
09/08/24	0300	81	JOHNSON
	0600	81	[illegible]
	0900	81	[illegible]
	1200	81	[illegible]
	1500	81	J. Gurrola
	1800	80	J Gurrola
	2100	79	J Gurrola
	2400	78	URBANO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	80	Grays
	0600	80	Grays
	0900	80	Grays
	1200	81	Grays
	1500	80	Klopfenstein
	1800	80	Kropfenstein
	2100	80	Klopfenstein
	2400	80	Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	80	Gonzalez
	0600	81	Gonzalez
	0900	81	Gonzalez
	1200	82	Gonzalez
	1500	81	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	80	Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	80	Gonzalez
	0600	80	LEGASPI
	0900	80	LEGASPI
	1200	80	LEGASPI
	1500	80	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	80	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	80	[illegible]
	0600	80	Huerta
	0900	80	Huerta
	1200	82	Huerta
	1500	80	[illegible]
	1800	82	[illegible]
	2100	80	[illegible]
	2400	80	[illegible]

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	80	[illegible]
	0600	80	ESPINOZA
	0900	80	ESPINOZA
	1200	80	ESPINOZA
	1500	80	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	80	Grays

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	80	Grays
	0600	80	ESPINOZA
	0900	80	ESPINOZA
	1200	80	ESPINOZA
	1500	80	MERMANO
	1800	80	MERMANO
	2100	80	MERMANO
	2400	80	Grays

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	80	Grays
	0600	80	Grays
	0900	81	Grays
	1200	82	Grays
	1500	80	Klopfenstein
	1800	82	Klopfenstein
	2100	82	Klopfenstein
	2400	82	Grays

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A6 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	79	Sotelo
	0600	79	M. MIRANDA
	0900	80	M. MIRANDA
	1200	80	M. MIRANDA
	1500	79	Munoz
	1800	80	Munoz
	2100	80	Munoz
	2400	79	Sotelo

Tuesday

Date	Time	Temp.	Name (Print)
9.3.24	0300	79	Sotelo
	0600	79	M. MIRANDA
	0900	80	M. MIRANDA
	1200	80	M. MIRANDA
	1500	80	Munoz
	1800	80	Munoz
	2100	80	Munoz
	2400	79	Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
9.4.24	0300	79	Sotelo
	0600	79	M. MIRANDA
	0900	79	M. MIRANDA
	1200	80	M. MIRANDA
	1500	79	Coramillo
	1800	79	Coramillo
	2100	77	Coramillo
	2400	79	Sotelo

Thursday

Date	Time	Temp.	Name (Print)
9.5.24	0300	79	Sotelo
	0600	79	ESPINOZA
	0900	80	ESPINOZA
	1200	80	ESPINOZA
	1500	80	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	81	Beltran

Friday

Date	Time	Temp.	Name (Print)
9.6.24	0300	80	Beltran
	0600	80	Beltran
	0900	79	Medina
	1200	77	Medina
	1500	80	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	80	Beltran

Saturday

Date	Time	Temp.	Name (Print)
9/07/24	0300	79	Beltran
	0600	79	Beltran
	0900	81	Diaz
	1200	81	Diaz
	1500	81	Lopez
	1800	80	Lopez
	2100	80	Lopez
	2400	80	Jaramillo

Sunday

Date	Time	Temp.	Name (Print)
9/08/24	0300	80	Jaramillo
	0600	79	H. Moreno
	0900	80	H. Moreno
	1200	80	H. Moreno
	1500	80	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	79	Sotelo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VIVSP Housing Unit: A-7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9.2.24	0300		
	0600		
	0900		
	1200		
	1500	80	J. Garcia
	1800	80	J. Garcia
	2100	80	J. Garcia
	2400	80	Macias

Tuesday

Date	Time	Temp.	Name (Print)
9.3.24	0300	78	Macias
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	80	J. Vasquez
	1800	79	J. Vasquez
	2100	79	J. Vasquez
	2400	80	Macias

Wednesday

Date	Time	Temp.	Name (Print)
9.4.24	0300	80	Macias
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	79	Lopez
	1800	78	Lopez
	2100	78	Lopez
	2400	78	Macias

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	78	Macias
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	80	J. Garcia
	1800	80	J. Garcia
	2100	80	J. Garcia
	2400	80	Macias

Friday

Date	Time	Temp.	Name (Print)
9.6.24	0300	80	Macias
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	78	Vasquez
	1800	78	Vasquez
	2100	80	Vasquez
	2400	80	Macias

Saturday

Date	Time	Temp.	Name (Print)
9.7.24	0300	80	Macias
	0600	80	J. Medina
	0900	79	J. Medina
	1200	79	Medina
	1500	80	B. Lopez
	1800	79	B. Lopez
	2100	79	B. Lopez
	2400	80	Y. Beltran

Sunday

Date	Time	Temp.	Name (Print)
9.8.24	0300	79	Beltran
	0600	79	Beltran
	0900	79	S. CASTRO
	1200	80	S. CASTRO
	1500	80	Lopez
	1800	80	Lopez
	2100	80	Lopez
	2400	80	Beltran

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09	0300	77	Bias
	0600	71	R.DURAN
	0900	71	R. DURAN
16	1200	71	R. DURAN
	1500	71	J.MorenoMacias
24	1800	70	JMorenoMacias
	2100	70	J.MorenoMacias
	2400	70	SANDOVAL

Tuesday

Dat	Time	Temp.	Name (Print)
09	0300	76	SANDOVAL
	0600	75	Cabrera
	0900	75	Cabrera
17	1200	75	Cabrera
	1500	75	Aguilar
24	1800	75	Aguilar
	2100	75	Aguilar
	2400	76	SANDOVAL

Wednesday

Date	Time	Temp.	Name (Print)
09	0300	76	SANDOVAL
	0600	76	Cabrera
	0900	76	Cabrera
18	1200	76	Cabrera
	1500	76	
24	1800	76	
	2100	76	
	2400	76	SANDOVAL

Thursday

Date	Time	Temp.	Name (Print)
09	0300	76	SANDOVAL
	0600	78	Cabrera
	0900	78	Cabrera
19	1200	78	Cabrera
	1500	75	
24	1800	75	
	2100	75	
	2400	76	MALDONADO

Friday

Date	Time	Temp.	Name (Print)
09	0300	76	MALDONADO
	0600	76	Cabrera
	0900	76	Cabrera
20	1200	76	Cabrera
	1500	75	
24	1800	75	
	2100	75	
	2400	75	MALDONADO

Saturday

Date	Time	Temp.	Name (Print)
09	0300	75	MALDONADO
	0600	75	C.Look
	0900	78	C.Look
21	1200	78	C.Look
	1500	78	A.ZUNIGA
24	1800	78	A.ZUNIGA
	2100	78	A.ZUNIGA
	2400	78	Bias

Sunday

Date	Time	Temp.	Name (Print)
09	0300	78	Bias
	0600	78	Griggs
	0900	78	Griggs
22	1200	78	Griggs
	1500	78	A ZUNIGA
24	1800	78	A ZUNIGA
	2100	78	A ZUNIGA
	2400	78	Bias

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C2 Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/14 24	0300	77	MALDONADO
	0600	77	CLARK
	0900	77	clark
	1200	77	clark
	1500	77	A. ZUNIGA
	1800	77	A. ZUNIGA
	2100	77	A. ZUNIGA
	2400	76	Lopez

Tuesday

Dat	Time	Temp.	Name (Print)
9 / 17 / 24	0300	76	Lopez
	0600	76	Delgado
	0900	77	Delgado
	1200	77	Delgado
	1500	77	ZUNIGA
	1800	77	ZUNIGA
	2100	77	ZUNIGA
	2400	76	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
9 / 18 / 24	0300	76	Lopez
	0600	76	Delgado
	0900	77	Delgado
	1200	77	Delgado
	1500	77	ANDRADE
	1800	77	ANDRADE
	2100	76	ANDRADE
	2400	76	Lopez

Thursday

Date	Time	Temp.	Name (Print)
9 / 19 / 24	0300	76	Lopez
	0600	76	Delgado
	0900	77	Delgado
	1200	77	Delgado
	1500	78	ANDRADE
	1800	77	ANDRADE
	2100	76	ANDRADE
	2400	77	Lopez

Friday

Date	Time	Temp.	Name (Print)
9 / 20 / 24	0300	77	Lopez
	0600	77	Delgado
	0900	78	Delgado
	1200	78	Delgado
	1500	78	ANDRADE
	1800	78	ANDRADE
	2100	78	ANDRADE
	2400	76	Lopez

Saturday

Date	Time	Temp.	Name (Print)
9 / 21 / 24	0300	76	Lopez
	0600	79	Gritas
	0900	79	Gritas
	1200	79	ANDRADE
	1500	78	ANDRADE
	1800	78	ANDRADE
	2100	78	GAT
	2400	75	MALDONADO

Sunday

Date	Time	Temp.	Name (Print)
9 / 22 / 24	0300	75	MALDONADO
	0600	79	Clark
	0900	80	Clark
	1200	80	Clark
	1500	80	Barajas
	1800	80	Barajas
	2100	80	Barajas
	2400	78	Maldonado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C3 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 63381 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/16/2024	0300	78	S.HERNANDEZ
	0600	78	Naciancero
	0900	79	Naciancero
	1200	79	Naciancero
	1500	78	Herrera
	1800	78	Herrera
	2100	75	Herrera
	2400	78	S.HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
09/17/2024	0300	76	S.HERNANDEZ
	0600	76	Naciancero
	0900	76	Naciancero
	1200	76	Naciancero
	1500	78	Herrera
	1800	78	Herrera
	2100	75	Herrera
	2400	76	See

Wednesday

Date	Time	Temp.	Name (Print)
	0300	76	See
	0600	76	Naciancero
	0900	76	Naciancero
	1200	76	Naciancero
	1500	78	Herrera
	1800	78	Herrera
	2100	78	Herrera
	2400	78	See

Thursday

Date	Time	Temp.	Name (Print)
	0300	78	See
	0600	80	Cabrera
	0900	80	Cabrera
	1200	80	Cabrera
	1500	78	Herrera
	1800	77	Herrera
	2100	75	Herrera
	2400	76	See

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	76	See
	0600	75	C.LOOK
	0900	77	C.LOOK
	1200	78	C. LOOK
	1500	79	B. LOPEZ
	1800	78	B. LOPEZ
	2100	77	B. LOPEZ
	2400	72	See

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	72	See
	0600	72	J. GUATARDO
	0900	72	J. GUATARDO
	1200	72	J. GUATARDO
	1500	80	G. RODRIGUEZ
	1800	80	G. RODRIGUEZ
	2100	80	G. RODRIGUEZ
	2400	80	G. RODRIGUEZ

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	78	G RODRIGUEZ
	0600	78	Naciancero
	0900	78	Naciancero
	1200	80	Naciancero
	1500	80	Herrera
	1800	79	Whitfield
	2100	77	Herrera
	2400	78	S. HERNANDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C4 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	75	Johnson
	0600	75	C. Look
	0900	75	C. Look
	1200	75	C. Look
	1500	75	G. Rodriguez
	1800	74	G. Rodriguez
	2100	74	G. Rodriguez
	2400	74	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	74	Johnson
	0600	75	C. Look
	0900	76	C. Look
	1200	76	C. Look
	1500	76	K. Sanchez
	1800	76	K. Sanchez
	2100	76	K. Sanchez
	2400	76	T. Alvarado

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	75	T. Alvarado
	0600	75	O. Lopez Gil
	0900	75	O. Lopez Gil
	1200	76	O. Lopez Gil
	1500	75	J. Vasquez
	1800	75	J. Vasquez
	2100	74	J. Vasquez
	2400	75	Johnson

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	74	Johnson
	0600	74	O. Lopez Gil
	0900	74	O. Lopez Gil
	1200	75	O. Lopez Gil
	1500	75	J. Garcia
	1800	75	J. Garcia
	2100	75	J. Garcia
	2400	75	Johnson

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	75	Johnson
	0600	74	O. Lopez Gil
	0900	74	O. Lopez Gil
	1200	75	O. Lopez Gil
	1500	80	Cabrera
	1800	78	Cabrera
	2100	77	Cabrera
	2400	70	S. HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70	S. HERNANDEZ
	0600	72	O. Lopez Gil
	0900	73	O. Lopez Gil
	1200	74	O. Lopez Gil
	1500	72	J. Moreno Macias
	1800	70	J. Moreno Macias
	2100	70	J. Moreno Macias
	2400	72	S. HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	70	S. HERNANDEZ
	0600	71	O. Lopez Gil
	0900	73	O. Lopez Gil
	1200	73	O. Lopez Gil
	1500	73	E. Araiza
	1800	70	E. Araiza
	2100	70	E. Araiza
	2400	70	Johnson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C6 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	79	T. Alvarado
	0600	79	A OLMOS
	0900	79	A OLMOS
	1200	79	A OLMOS
	1500	80	R. Silva
	1800	80	R. Silva
	2100	79	R. Silva
	2400	79	DIR

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	77	DIR
	0600	78	OLMOS
	0900	79	OLMOS
	1200	79	OLMOS
	1500	79	R. Silva
	1800	79	R. Silva
	2100	79	R. Silva
	2400	79	DIR

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	79	DIR
	0600	79	OLMOS
	0900	79	OLMOS
	1200	79	OLMOS
	1500	79	GARCIA
	1800	79	GARCIA
	2100	78	GARCIA
	2400	78	DIR

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	77	DIR
	0600	79	E. Ruiz
	0900	80	E. Ruiz
	1200	80	E. Ruiz
	1500	80	GARCIA
	1800	80	GARCIA
	2100	79	GARCIA
	2400	78	DIR

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	78	DIR
	0600	78	DIR
	0900	78	DIR
	1200	78	DIR
	1500	78	TORRES
	1800	78	GARCIA
	2100	78	TORRES
	2400	77	DIR

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	77	DIR
	0600	80	E. Ruiz
	0900	80	E. Ruiz
	1200	80	E. Ruiz
	1500	79	GARCIA
	1800	79	GARCIA
	2100	79	GARCIA
	2400	78	T. Alvarado

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	78	T. Alvarado
	0600	78	O. Gonzalez
	0900	78	O. Gonzalez
	1200	78	O. Gonzalez
	1500	78	A. LOPEZ
	1800	78	A. LOPEZ
	2100	78	A. LOPEZ
	2400	78	T. Alvarado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-17 Temp. Reading Location: 2nd Tier · A/B/C Sections
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 63800 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	76	Santa
	0600	79	Hernandez
	0900	79	Hernandez
	1200	79	Hernandez
	1500	79	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	78	F Santa

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	76	Santa
	0600	78	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	78	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	78	Santa

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	78	Santa
	0600	79	Hernandez
	0900	79	Hernandez
	1200	78	Hernandez
	1500	78	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	77	M. ALCANTAR
	2400	76	Santa

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	76	Santa
	0600	78	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	78	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	77	M. ALCANTAR
	2400	76	Rivera

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	76	Rivera
	0600	77	Hernandez
	0900	78	Hernandez
	1200	78	Hernandez
	1500	76	Duran
	1800	76	Duran
	2100	76	Duran
	2400	76	T. Alvarado

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	76	T. Alvarado
	0600	77	C. Barajas
	0900	78	T. Hickey
	1200	78	T Hickey
	1500	78	A. Barajas
	1800	78	A. Barajas
	2100	78	A. Barajas
	2400	76°	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	76°	[illegible]
	0600	75	DURAN
	0900	75	DURAN
	1200	75	DURAN
	1500	76	M. ALCANTAR
	1800	76	M. ALCANTAR
	2100	76	M. ALCANTAR
	2400	77	TALVARADO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: K.V.S.P. Housing Unit: C-8 Temp. Reading Location: Control booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300		
	0600	79	Griggs
	0900	80	Griggs
	1200	81	Griggs
	1500	80	Gonzalez
	1800	80	Gonzalez
	2100	80	Gonzalez
	2400	76	A. Sotelo

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	76	A. Sotelo
	0600	76	A. Sotelo
	0900	77	L. Hopper
	1200	78	L. Hopper
	1500	78	R. Whitfield
	1800	77	R. Whitfield
	2100	77	R. Whitfield
	2400	76	A. Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	76	A. Sotelo
	0600	76	A. Sotelo
	0900	78	Nunez
	1200	78	Nunez
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	Rivera

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	78	Rivera
	0600	78	Nunez
	0900	78	Nunez
	1200	79	Nunez
	1500	79	B. LOPEZ
	1800	79	B. LOPEZ
	2100	79	B. LOPEZ
	2400	74	S. HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	74	S. HERNANDEZ
	0600	76	Nunez
	0900	78	Nunez
	1200	78	Nunez
	1500	78	Barajas
	1800	78	Barajas
	2100	78	Barajas
	2400	78	A. Sotelo

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	78	A. Sotelo
	0600	78	A. Sotelo
	0900	78	Nunez
	1200	78	Nunez
	1500	80	R. Silva
	1800	78	R. Silva
	2100	78	R. Silva
	2400	78	A. Sotelo

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	78	A. Sotelo
	0600	78	A. Sotelo
	0900	78	Nunez
	1200	79	Nunez
	1500	80	R. Silva
	1800	80	R. Silva
	2100	80	R. Silva
	2400	78	A. Sotelo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D7 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	78	M.Ortiz
	0600	78	Romero
	0900	78	Romero
	1200	78	Romero
	1500	78	Flores
	1800	78	Flores
	2100	78	Flores
	2400	78	Remuga

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	78	Remuga
	0600	78	SALDAÑA
	0900	78	SALDAÑA
	1200	78	SALDAÑA
	1500	78	Flores
	1800	78	Flores
	2100	78	Flores
	2400	80	M. CHAVEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	80	M. CHAVEZ
	0600	78	SALDAÑA
	0900	78	SALDAÑA
	1200	80	SALDAÑA
	1500	74	J. GARIBAY
	1800	74	E. Polanco
	2100	74	E. Polanco
	2400	75	M. CHAVEZ

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	75	M. CHAVEZ
	0600	76	SALDAÑA
	0900	78	SALDAÑA
	1200	78	SALDAÑA
	1500	78	Pam
	1800	78	Pam
	2100	78	Pam
	2400	78	M. CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	78	M CHAVEZ
	0600	78	LEGASPI
	0900	78	LEGASPI
	1200	78	LEGASPI
	1500	78	J. Pam
	1800	78	J. Pam
	2100	76	J. Pam
	2400	76	M CHAVEZ

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	76	M. CHAVEZ
	0600	76	M. Sotelo
	0900	76	M. Sotelo
	1200	76	M. Sotelo
	1500	76	D. Clemente
	1800	76	D. Clemente
	2100	76	D. Clemente
	2400	76	M. CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	76	M. CHAVEZ
	0600	76	Romero
	0900	76	Romero
	1200	78	Romero
	1500	78	J. Lourne
	1800	78	J Garcia
	2100	78	J. Garcia
	2400	78	G. Silva

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Sept. 2024

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D3 Temp. Reading Location: 2nd tier AIC Sections (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	75	Gloria
	0600	75	Marquez
	0900	75	Marquez
	1200	75	Marquez
	1500	78	Dura
	1800	78	Dura
	2100	78	Dura
	2400	78	Gloria

MP

Tuesday

Dat	Time	Temp.	Name (Print)
9/17/24	0300	75	Gloria
	0600	75	Marquez
	0900	77	Marquez
	1200	77	Marquez
	1500	78	Dura
	1800	78	Dura
	2100	78	Dura
	2400	75	Gloria

MP

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	75	Gloria
	0600	75	Marquez
	0900	77	Marquez
	1200	77	Marquez
	1500	78	Dura
	1800	78	Dura
	2100	78	Dura
	2400	77	Meza, N

MP

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	77	Meza, N
	0600	77	A. ANAYA
	0900	78	A. ANAYA
	1200	78	A. ANAYA
	1500	75	[illegible]
	1800	73	[illegible]
	2100	73	[illegible]
	2400	73	Slater

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	73	Slater
	0600	74	J. RAMOS
	0900	74	J. RAMOS
	1200	74	J. RAMOS
	1500	75	Flores
	1800	79	Flores
	2100	79	Flores
	2400	72°	Esarg

MP

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	72°	Esarg
	0600	72	Marquez
	0900	75	Marquez
	1200	77	Marquez
	1500	78	Dura
	1800	78	Dura
	2100	78	Dura
	2400	78	SanAntonio

MP

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	78	SanAntonio
	0600	78	Torres
	0900	78	Torres
	1200	78	Torres
	1500	78	Dura
	1800	78	Dura
	2100	78	Dura
	2400	78	Gloria

MP

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D4 Temp. Reading Location: B-POD 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300		
	0600	72	J. RAMOS
	0900	72	J. RAMOS
	1200	72	J. RAMOS
	1500	76	M. TAFOYA
	1800	77	M. TAFOYA
	2100	77	M. TAFOYA
	2400	77	E. SAMARRIPAS

NP NT

Tuesday

Dat	Time	Temp.	Name (Print)
9.17	0300	76	E. SAMARRIPAS
	0600	72	J. RAMOS
	0900	74	J. RAMOS
	1200	74	J. RAMOS
	1500	74	RAMOS, G.
	1800	73	RAMOS, G.
	2100	73	RAMOS, G.
	2400	74	CAAP

NT

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	74	CAAP
	0600	74	Castro
	0900	75	Castro
	1200	75	Castro
	1500	74	RAMOS, G.
	1800	74	RAMOS, G.
	2100	74	RAMOS, G.
	2400	74	CAAP

NP

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	74	CAAP
	0600	74	Castro
	0900	74	Castro
	1200	75	Castro
	1500	75	F. CASTRO
	1800	74	RAMOS, G.
	2100	73	RAMOS, G.
	2400	74	CAAP

EL

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	74	CAAP
	0600	74	Castro
	0900	75	Castro
	1200	78	Castro
	1500	75	RAMOS
	1800	75	RAMOS
	2100	74	RAMOS
	2400	74	Angulo

EL

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	74	Angulo
	0600	74	Castro
	0900	74	Castro
	1200	75	Castro
	1500	75	RAMOS, G.
	1800	75	RAMOS, G.
	2100	74	RAMOS, G.
	2400	74	Leisenfelder

NP

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	74	Leisenfelder
	0600	75	Castro
	0900	75	Castro
	1200	78	Castro
	1500	78	K. Sanchez
	1800	78	F. Castro
	2100	78	F. Castro
	2400	78	E. SAMARRIPAS

NP

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	76	Rodriguez
	0600	77	Prunch
	0900	77	Prunch
	1200	77	Prunch
	1500	76	[illegible]
	1800	76	[illegible]
	2100	76	[illegible]
	2400	76	Rodriguez

MP

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	76	Rodriguez
	0600	77	Prunch
	0900	77	Prunch
	1200	77	Prunch
	1500	77	Thompson
	1800	77	Thompson
	2100	76	Thompson
	2400	76	Rodriguez

MP

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	76	Rodriguez
	0600	77	Prunch
	0900	77	Prunch
	1200	77	Prunch
	1500	77	Thompson
	1800	75	Thompson
	2100	75	Thompson
	2400	74	Diaz

U

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	73	Diaz
	0600	72	Diaz
	0900	76	Prunch
	1200	76	Prunch
	1500	76	Thompson
	1800	75	Thompson
	2100	75	Thompson
	2400	76	Salazar

N

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	76	Salazar
	0600	76	Alvarado
	0900	76	Alvarado
	1200	77	Alvarado
	1500	77	Thompson
	1800	77	Thompson
	2100	76	Thompson
	2400	76	Rodriguez

U

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	76	Rodriguez
	0600	75	Alvarado
	0900	76	Alvarado
	1200	76	Alvarado
	1500	76	Thurston, D
	1800	76	Thurston, D
	2100	76	Thurston, D
	2400	76	Rodriguez

MP

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	77	Rodriguez
	0600	77	Gonzalez-Cervantes
	0900	80	Gonzalez-Cervantes
	1200	80	Gonzalez-Cervantes
	1500	76	Thurston, D
	1800	76	Thurston, D
	2100	76	Thurston, D
	2400	76	Rodriguez

MP

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB6 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	76	Pebyo
	0600	76	Pebyo
	0900	76	[illegible]
	1200	76	[illegible]
	1500	77	Thurston, D
	1800	77	Thurston, D
	2100	75	Thurston, D
	2400	75	Lona

MP

Tuesday

Dat	Time	Temp.	Name (Print)
9/17/24	0300	72	Lona
	0600	72	Castelita
	0900	74	Castelita
	1200	74	Castelita
	1500	74	Thurston, D
	1800	74	Thurston, D
	2100	74	Thurston, D
	2400	74	Lona

MP

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	74	Lona
	0600	74	Thompson
	0900	75	Thompson
	1200	74	Thompson
	1500	72	Reyes
	1800	72	Reyes
	2100	72	Reyes
	2400	72	Lona

MP

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	72	Lona
	0600	72	Pedroza
	0900	72	Pedroza
	1200	72	Pedroza
	1500	72	J. Guajardo
	1800	72	J. Guajardo
	2100	72	J. Guajardo
	2400	72	Lona

JC

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	72	Lona
	0600	72	L. Fernander
	0900	74	L. Fernander
	1200	74	L. Fernander
	1500	74	J. Medina
	1800	74	R. Franco
	2100	75	R. Franco
	2400	75	Lona

JC

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	74	Lona
	0600	74	[illegible]
	0900	74	[illegible]
	1200	75	[illegible]
	1500	72	J. Guajardo
	1800	72	J. Guajardo
	2100	72	J. Guajardo
	2400	72	Lopa

MP

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	72	Lopa
	0600	72	Aguilar
	0900	75	Aguilar
	1200	77	Aguilar
	1500	77	Wallace
	1800	77	Wallace
	2100	77	Wallace
	2400	72	Hernandez

MP

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D7 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	78	A. Rendon
	0600	78	MARTINEL
	0900	78	MARTINEL
16	1200	78	MARTINEL
	1500	78	Pelayo
	1800	78	Pelayo
24	2100	78	Pelayo
	2400	78	m. Omelas

MP

Tuesday

Dat	Time	Temp.	Name (Print)
9	0300	78	m. Omelas
	0600	78	MARTINEL
	0900	78	MARTINEZ
17	1200	78	MARTINEZ
	1500	78	Pelayo
	1800	78	Pelayo
24	2100	78	Pelayo
	2400	78	SIETE

MP

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	76	SIETE
	0600	76	MARTINEZ
	0900	76	MARTINEZ
18	1200	76	MARTINEZ
	1500	76	Pelayo
24	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	O. Gonzalez

MP

Thursday

Date	Time	Temp.	Name (Print)
9	0300	76	O. Gonzalez
	0600	76	MARTINEZ
	0900	76	MARTINEZ
19	1200	76	MARTINEZ
	1500	76	Pelayo
	1800	76	Pelayo
24	2100	76	Pelayo
	2400	76	Meza, N

Friday

Date	Time	Temp.	Name (Print)
9/	0300	76	Meza, N
	0600	77	A. ANAYA
	0900	77	A. ANAYA
20	1200	78	A. ANAYA
	1500	78	A. ANAYA
	1800	77	A. ANAYA
24	2100	77	A. ANAYA
	2400	77	Meza, N

Saturday

Date	Time	Temp.	Name (Print)
9/	0300	76	Meza, N
	0600	76	A. ANAYA
	0900	76	Fernandez
21	1200	76	Fernandez
	1500	75	Romero
	1800	75	Romero
24	2100	75	Romero
	2400	75	O. Gonzalez

MP

Sunday

Date	Time	Temp.	Name (Print)
9/	0300	75	O. Gonzalez
	0600	75	"
	0900	75	"
22	1200	78	"
	1500	76	Pelayo
	1800	76	Pelayo
24	2100	76	Pelayo
	2400	76	O. Gonzalez

MP

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

D-8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/16/2024	0300	75	Meza, N
	0600	75	SANDOVAL, S.
	0900	75	SANDOVAL S.
	1200	78	SANDOVAL S.
	1500	76	Romero
	1800	76	Romero
	2100	75	Romero
	2400	74	Guanacia

MP

Tuesday

Dat	Time	Temp.	Name (Print)
09/17/2024	0300	74	Guanacia
	0600	74	SANDOVAL
	0900	74	SANDOVAL
	1200	76	SANDOVAL
	1500	76	MARTINEZ
	1800	76	MARTINEZ
	2100	75	MARTINEZ
	2400	74	Guanacia

MP

Wednesday

Date	Time	Temp.	Name (Print)
09/18/2024	0300	74	Guanacia
	0600	74	SANCHEZ
	0900	76	[illegible]
	1200	78	[illegible]
	1500	70	P. Medrano
	1800	70	P. Medrano
	2100	70	P. Medrano
	2400	70	Guanacia

MP

Thursday

Date	Time	Temp.	Name (Print)
09/19/2024	0300	70	Guanacia
	0600	72	[illegible]
	0900	74	SANCHEZ
	1200	74	[illegible]
	1500	72	CASTRUITA
	1800	72	CASTRUITA
	2100	70	CASTRUITA
	2400	74	Guanacia

Friday

Date	Time	Temp.	Name (Print)
09/20/2024	0300	74	Guanacia
	0600	74	SANCHEZ
	0900	74	[illegible]
	1200	74	[illegible]
	1500	74	CASTRUITA
	1800	72	CASTRUITA
	2100	72	CASTRUITA
	2400	72	Guanacia

Saturday

Date	Time	Temp.	Name (Print)
09/21/2024	0300	74	Guanacia
	0600	74	[illegible]
	0900	76	[illegible]
	1200	76	[illegible]
	1500	76	Chasel
	1800	74	Chasel
	2100	75	Chasel
	2400	75	Guanacia

MP

Sunday

Date	Time	Temp.	Name (Print)
09/22/2024	0300	75	Guanacia
	0600	76	[illegible]
	0900	76	[illegible]
	1200	76	[illegible]
	1500	76	Romero
	1800	76	Romero
	2100	75	Romero
	2400	75	Meza

MP

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: ASU I Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	78	[illegible]
	0600	78	P. Rangel
	0900	78	P. Rangel
	1200	78	P. Rangel
	1500	78	MATA
	1800	77	MATA
	2100	77	MATA
	2400	78	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	78	[illegible]
	0600	78	P. Rangel
	0900	78	P. Rangel
	1200	78	P. Rangel
	1500	78	M. Robles
	1800	77	M. Robles
	2100	78	M. Robles
	2400	77	M. Robles

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	78	[illegible]
	0600	78	P. Rangel
	0900	78	P. Rangel
	1200	78	P. Rangel
	1500	78	Terrell
	1800	78	Terrell
	2100	78	Terrell
	2400	78	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	78	[illegible]
	0600	75	Brockman
	0900	78	Brockman
	1200	78	Brockman
	1500	78	Terrell
	1800	78	Terrell
	2100	78	Terrell
	2400	78	[illegible]

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	78	[illegible]
	0600	76	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	78	Terrell
	1800	78	Terrell
	2100	77	Terrell
	2400	78	Lyons

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	78	Cabrera
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	78	Gonzalez
	1500	78	Prieto
	1800	78	Prieto
	2100	78	Prieto
	2400	78	Salazar

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	78	Salazar
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	78	Segurado
	1800	78	Segurado
	2100	77	Segurado
	2400	77	Johnson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	78	Salazar
	0600	78	J. Aguilar
	0900	79	J. Aguilar
	1200	80	J. Aguilar
	1500	80	Betts
	1800	81	Betts
	2100	81	Betts
	2400	80	Salazar

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	80	Salazar
	0600	79	V. Flores
	0900	78	V. Flores
	1200	79	V. Flores
	1500	79	Guzman
	1800	79	Guzman
	2100	79	Guzman
	2400	78	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	78	[illegible]
	0600	78	V. Flores
	0900	78	V. Flores
	1200	79	V. Flores
	1500	79	Guzman
	1800	79	Guzman
	2100	79	Guzman
	2400	78	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	78	[illegible]
	0600	78	V. Flores
	0900	78	V. Flores
	1200	79	V. Flores
	1500	79	Guzman
	1800	79	Guzman
	2100	79	Guzman
	2400	78	[illegible]

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	78	[illegible]
	0600	78	V. Flores
	0900	79	V. Flores
	1200	80	V. Flores
	1500	80	Guzman
	1800	79	Guzman
	2100	79	Guzman
	2400	78	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	78	[illegible]
	0600	77	V. Flores
	0900	78	V. Flores
	1200	79	V. Flores
	1500	79	Herrera
	1800	79	Herrera
	2100	78	Herrera
	2400	78	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	78	[illegible]
	0600	78	Aguilar
	0900	78	Aguilar
	1200	78	Aguilar
	1500	78	Herrera
	1800	78	Herrera
	2100	78	Herrera
	2400	78	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B2 Temp. Reading Location: A, B, C
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	80	VEGASPI
	0600	80	Mendoza
	0900	80	Mendoza
	1200	80	Mendoza
	1500	80	HERRERA
	1800	80	HERRERA
	2100	80	HERRERA
	2400	80	VEGASPI

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	80	VEGASPI
	0600	80	Mendoza
	0900	80	Mendoza
	1200	80	Mendoza
	1500	81	HERRERA
	1800	81	HERRERA
	2100	81	HERRERA
	2400	80	VEGASPI

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	80	VEGASPI
	0600	80	RAMA
	0900	80	Mendoza
	1200	80	Mendoza
	1500	80	Ojeda
	1800	80	Ojeda
	2100	80	Ojeda
	2400	81	Beltran

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	80	Beltran
	0600	80	Beltran
	0900	80	Mendoza
	1200	80	Mendoza
	1500	80	Ojeda
	1800	80	Ojeda
	2100	80	Ojeda
	2400		

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	80	R. DURAN
	0600	80	Mendoza
	0900	80	Mendoza
	1200	80	Mendoza
	1500	80	Ojeda
	1800	80	Ojeda
	2100	80	Ojeda
	2400	80	Campos

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	80	Campos
	0600	80	Ojeda
	0900	80	Ojeda
	1200	80	Ojeda
	1500	80	Ojeda
	1800	80	Ojeda
	2100	80	Ojeda
	2400	80	A. Rendon

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	78	A. Rendon
	0600	79	PASCUA
	0900	79	PASCUA
	1200	79	PASCUA
	1500	80	PASCUA
	1800	80	PASCUA
	2100	80	PASCUA
	2400	80	VEGASPI

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	78	HULSEY
	0600	78	QUINTO
	0900	78	QUINTO
	1200	78	QUINTO
	1500	78	ZAMORA
	1800	78	Hernandez
	2100	78	HERNANDEZ
	2400	78	HULSEY

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	78	HULSEY
	0600	78	Fountain
	0900	78	Fountain
	1200	78	Fountain
	1500	78	ZAMORA
	1800	78	ZAMORA
	2100	78	ZAMORA
	2400	78	HULSEY

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	78	HULSEY
	0600	78	Fountain
	0900	78	Fountain
	1200	78	Fountain
	1500	77	ZAMORA
	1800	77	ZAMORA
	2100	77	ZAMORA
	2400	77	HULSEY

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	77	HULSEY
	0600	78	Sauce
	0900	78	Sauce
	1200	78	Sauce
	1500	80	ACOCELLO
	1800	80	ACOCELLO
	2100	80	ACOCELLO
	2400	78	HULSEY

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	78	HULSEY
	0600	77	WILHUNT
	0900	78	WILHUNT
	1200	79	WILHUNT
	1500	79	RIVERA
	1800	77	RIVERA
	2100	77	RIVERA
	2400	80	R.DURAN

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	80	R. DURAN
	0600	79	Fountain
	0900	79	Fountain
	1200	79	Fountain
	1500	78	ZAMORA
	1800	78	ZAMORA
	2100	77	ZAMORA
	2400	80	R.DURAN

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	80	R. DURAN
	0600	80	CFountain
	0900	80	CFountain
	1200	80	CFountain
	1500	79	CZAMORA
	1800	79	ZAMORA
	2100	79	DURAN
	2400	79	HULSEY

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B-4 Control Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	78	VALDEZ
	0600	78	PASCUA
	0900	80	PASCUA
	1200	80	PASCUA
	1500	80	ALCEDO
	1800	80	ALCEDO
	2100	80	ALCEDO
	2400	80	VALDEZ

Tuesday

Dat	Time	Temp.	Name (Print)
9/3	0300	80	VALDEZ
	0600	79	PASCUA
	0900		
	1200		
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	BROCKINGTON

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	78	BROCKINGTON
	0600	78	RBell
	0900	79	RBell
	1200	80	RBell
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	BROCKINGTON

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	78	BROCKINGTON
	0600	78	RBell
	0900	79	RBell
	1200	80	RBell
	1500	81	Rios
	1800	81	Rios
	2100	81	Rios
	2400	78	BROCKINGTON

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	78	BROCKINGTON
	0600	78	RBell
	0900	80	RBell
	1200	80	RBell
	1500	81	Rios
	1800	81	Rios
	2100	81	Rios
	2400	78	BROCKINGTON

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	78	BROCKINGTON
	0600	78	RBell
	0900	79	RBell
	1200	79	RBell
	1500	81	Rios
	1800	81	Rios
	2100	81	Rios
	2400	80	Ruiz

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	80	Ruiz
	0600	80	RBell
	0900	80	RBell
	1200	80	RBell
	1500	81	ALCEDO
	1800	81	ALCEDO
	2100	81	ALCEDO
	2400	[illegible]	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B5 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/02/24	0300	83	[illegible]
	0600	83	Rivera
	0900	83	Rivera
	1200	83	Rivera
	1500	82	Davidson
	1800	82	Davidson
	2100	82	Davidson
	2400	80	D. Luna

Tuesday

Dat	Time	Temp.	Name (Print)
9/03/24	0300	80	D. Luna
	0600	80	Rivera
	0900	80	Rivera
	1200	80	Rivera
	1500	80	Davidson
	1800	80	Davidson
	2100	80	Davidson
	2400	80	C Fountain

Wednesday

Date	Time	Temp.	Name (Print)
9/04/24	0300	80	C Fountain
	0600	80	Rivera
	0900	80	Rivera
	1200	80	Rivera
	1500	80	Davidson
	1800	80	Davidson
	2100	80	Davidson
	2400	80	C Fountain

Thursday

Date	Time	Temp.	Name (Print)
9/05/24	0300	80	C Fountain
	0600	80	Rivera
	0900	80	Rivera
	1200	80	Rivera
	1500	80	Davidson
	1800	80	Davidson
	2100	80	Davidson
	2400	80	J. [illegible]

Friday

Date	Time	Temp.	Name (Print)
9/06/24	0300	79	[illegible]
	0600	79	Rojas
	0900	79	Rojas
	1200	80	Rojas
	1500	80	Davidson
	1800	80	Davidson
	2100	80	Davidson
	2400	79	J. [illegible]

Saturday

Date	Time	Temp.	Name (Print)
9/07/24	0300	79	J. [illegible]
	0600	79	Rojas
	0900	79	Rojas
	1200	80	Rojas
	1500	83	Wehunt
	1800	83	Wehunt
	2100	82	Wehunt
	2400	80	C Fountain

Sunday

Date	Time	Temp.	Name (Print)
9/08/24	0300	80	C Fountain
	0600	80	Torres
	0900	80	Torres
	1200	80	Torres
	1500	80	Wehunt
	1800	82	Wehunt
	2100	79	Wehunt
	2400	79	Fountain

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5785
10081

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B C6 Temp. Reading Location: 2nd Tier A, B, C sections (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	76	Moreno, H.
	0600	79	K. Camin
	0900	80	K. Camin
	1200	80	K. Camin
	1500	80	Diaz
	1800	80	Diaz
	2100	80	Diaz
	2400	78	J. Hernandez

Tuesday

Dat	Time	Temp.	Name (Print)
9/3/24	0300	78	J. Hernandez
	0600	78	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	A. Leal
	1800	79	A. Leal
	2100	79	A. Leal
	2400	78	J. Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	78	J. Hernandez
	0600	79	K. Camin
	0900	79	K. Camin
	1200	80	K. Camin
	1500	80	A. Leal
	1800	80	A. Leal
	2100	80	A. Leal
	2400	78	J. Hernandez

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	78	J. Hernandez
	0600	78	J. Royo
	0900	79	J. Royo
	1200	80	J. Royo
	1500	78	Sawce
	1800	78	Sawce
	2100	78	Sawce
	2400	78	J. Hernandez

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	78	J. Hernandez
	0600	78	J. Hernandez
	0900	79	J. Hernandez
	1200	80	J. Hernandez
	1500	80	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	78	J. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	78	J. Hernandez
	0600	79	K. Camin
	0900	79	K. Camin
	1200	80	K. Camin
	1500	80	K. Camin
	1800	80	K. Camin
	2100	79	K. Camin
	2400	78°	Sarg

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	78°	Sarg
	0600	79	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	A. Leal
	1800	79	A. Leal
	2100	79	A. Leal
	2400	80	M. Chavez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B7 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	79	A. Silva
	0600	79	R. Urbina
	0900	80	R. Urbina
	1200	80	R. Urbina
	1500	80	R. Urbina
	1800	80	R. Urbina
	2100	80	R. Urbina
	2400	80	A. Silva

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	79	A. Silva
	0600	79	S. Avila
	0900	79	S. Avila
	1200	80	S. Avila
	1500	81	R. Urbina
	1800	81	R. Urbina
	2100	81	R. Urbina
	2400	81	T. Robinson

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	79.	T. Robinson
	0600	79	S. Avila
	0900	79	S. Avila
	1200	80	S. Avila
	1500	80	F. Garcia
	1800	80	F. Garcia
	2100	80	F. Garcia
	2400	79	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	78	[illegible]
	0600	78	S. Avila
	0900	79	S. Avila
	1200	80	S. Avila
	1500	80	F. Garcia
	1800	80	F. Garcia
	2100	80	F. Garcia
	2400	80	VAUGR

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	80	VAUGR
	0600	79	S. Avila
	0900	79	S. Avila
	1200	80	S. Avila
	1500	78	Sauce
	1800	78	Sauce
	2100	78	Sauce
	2400	78	A. Silva

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	78	A. Silva
	0600	78	Hernandez
	0900	79	Hernandez
	1200	80	Hernandez
	1500	80	Aguilar
	1800	81	Aguilar
	2100	81	Aguilar
	2400	80	A. Silva

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	79	A. Silva
	0600	79	Hernandez
	0900	80	Hernandez
	1200	80	Hernandez
	1500	81	R. Urbina
	1800	81	R. Urbina
	2100	81	R. Urbina
	2400	80	A. Silva

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B8 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	76	PEspinoza
	0600	77	Hernandez
	0900	78	Hernandez
2	1200	78	Hernandez
	1500	78	Aguilar
	1800	78	Aguilar
24	2100	78	Aguilar
	2400	77	PEspinoza

Tuesday

Dat	Time	Temp.	Name (Print)
9	0300	77	PEspinoza
	0600	77	Hernandez
	0900	79	Hernandez
3	1200	79	Hernandez
	1500	79	R.Vidurya
	1800	79	R.Vidurya
24	2100	79	R.Vidurya
	2400	77	PEspinoza

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	77	PEspinoza
	0600	77	Nieto
	0900	78	Nieto
4	1200	78	Nieto
	1500	78	R.Vidurya
	1800	78	R.Vidurya
24	2100	78	R.Vidurya
	2400	77	PEspinoza

Thursday

Date	Time	Temp.	Name (Print)
9	0300	76	PEspinoza
	0600	76	Nieto
	0900	77	Nieto
5	1200	78	Nieto
	1500	79	R.Vidurya
	1800	78	R.Vidurya
24	2100	78	R.Vidurya
	2400	78	PEspinoza

Friday

Date	Time	Temp.	Name (Print)
9	0300	78	PEspinoza
	0600	77	Nieto
	0900	78	Nieto
6	1200	78	Nieto
	1500	78	R.Vidurya
	1800	78	R.Vidurya
24	2100	78	R.Vidurya
	2400	78	Vasquez

Saturday

Date	Time	Temp.	Name (Print)
9	0300	78	Vasquez
	0600	77	Nieto
	0900	78	Nieto
7	1200	78	Nieto
	1500	78	R.Vidurya
	1800	78	R.Vidurya
24	2100	78	R.Vidurya
	2400	78	Vasquez

Sunday

Date	Time	Temp.	Name (Print)
9	0300	78	Vasquez
	0600	78	Gonzalez-Cervantes
	0900	77	Gonzalez-Cervantes
8	1200	77	Gonzalez-Cervantes
	1500	79	J. Aguilar
	1800	79	J. Aguilar
24	2100	79	J. Aguilar
	2400	78	PEspinoza

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C1 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/2024	0300	79	[illegible]
	0600	79	Saavedra
	0900	79	Saavedra
	1200	79	Saavedra
	1500	79	Torres
	1800	79	Torres
	2100	79	Torres
	2400	79	Reynaga

Tuesday

Date	Time	Temp.	Name (Print)
9-3-24	0300	79	Reynaga
	0600	79	Cabrera BC
	0900	79	Cabrera
	1200	79	Cabrera
	1500	80	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	80	SANDOVAL

Wednesday

Date	Time	Temp.	Name (Print)
9-4-24	0300	80	SANDOVAL
	0600	80	Cabrera
	0900	80	Cabrera
	1200	80	Cabrera
	1500	76	[illegible]
	1800	76	[illegible]
	2100	76	[illegible]
	2400	80	SANDOVAL

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	80	SANDOVAL
	0600	80	Cabrera
	0900	80	Cabrera
	1200	80	Cabrera
	1500	80	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	80	MAIRUMO

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	80	MAIRUMO
	0600	80	Cabrera
	0900	80	Cabrera BC
	1200	80	Cabrera
	1500	79	[illegible]
	1800	79	[illegible]
	2100	79	[illegible]
	2400	79	Romeels

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	80	Romeels
	0600	80	Meza
	0900	80	Meza
	1200	80	Meza
	1500	80	A.ZUNIGA
	1800	80	A.ZUNIGA
	2100	80	A.ZUNIGA
	2400	79	Bias

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	79	Bias
	0600	80	C.LOOK BC
	0900	80	C.LOOK
	1200	80	C.LOOK
	1500	80	A.ZUNIGA
	1800	80	A.ZUNIGA
	2100	80	A.ZUNIGA
	2400	80	Bias

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C2 Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	78	MALDONADO
	0600	78	N. Clark
	0900	78	N. Clark
	1200	78	N. Clark
	1500	78	A. ZUNIGA
	1800	78	A. ZUNIGA
	2100	78	A. ZUNIGA
	2400	78	A. Rendon

Tuesday

Dat	Time	Temp.	Name (Print)
9	0300	78	A. R
	0600	78	Delgado
	0900	78	Delgado
3	1200	78	Delgado
	1500	78	A. ZUNIGA
	1800	78	A. ZUNIGA
24	2100	78	A. ZUNIGA
	2400	78	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	78	Lopez
	0600	78	Delgado
	0900	78	Delgado
4	1200	79	Delgado
	1500	79	ANDRADE
	1800	79	ANDRADE
24	2100	78	ANDRADE
	2400	78	Lopez

Thursday

Date	Time	Temp.	Name (Print)
9	0300	78	Lopez
	0600	79	Delgado
	0900	79	Delgado
5	1200	80	Delgado
	1500	80	J MENCHACA
	1800	80	J MENCHACA
24	2100	79	J MENCHACA
	2400	78	Lopez

Friday

Date	Time	Temp.	Name (Print)
9	0300	78	Lopez
	0600	78	Delgado
	0900	79	Delgado
6	1200	80	Delgado
	1500	78	Clemente
	1800	78	Clemente
24	2100	76	Clemente
	2400	78	Reynaga

Saturday

Date	Time	Temp.	Name (Print)
9	0300	78	Reynaga
	0600	78	VELASQUEZ
	0900	78	VELASQUEZ
7	1200	79	VELASQUEZ
	1500	79	ANDRADE
	1800	79	ANDRADE
24	2100	78	ANDRADE
	2400	79	MALDONADO

Sunday

Date	Time	Temp.	Name (Print)
9	0300	79	MALDONADO
	0600	79	Stewart
	0900	79	Stewart
8	1200	79	Stewart
	1500	79	ANDRADE
	1800	78	ANDRADE
24	2100	78	ANDRADE
	2400	79	MALDONADO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C3 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/02/2024	0300	80	S.HERNANDEZ
	0600	80	G. Nacianceno
	0900	80	G.NACIANCENO
	1200	80	G. NACIANCENO
	1500	80	SANTOS
	1800	80	SANTOS
	2100	80	SANTOS
	2400	80	S.HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
09/03/2024	0300	80	S.HERNANDEZ
	0600	80	Naciancero
	0900	80	NACIANCENO
	1200	80	NACIANCENO
	1500	80	Herrera
	1800	76	Herrera
	2100	75	Herrera
	2400	76	See

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	76	See
	0600	76	NACIANCENO
	0900	76	Naciancero
	1200	80	Naciancero
	1500	80	Herrera
	1800	80	Herrera
	2100	77	Herrera
	2400	78	See

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	78	See
	0600	76	Naciancero
	0900	77	Naciancero
	1200	79	Naciancero
	1500	79	Herrera
	1800	79	Herrera
	2100	75	Herrera
	2400	76	See

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	76	See
	0600	77	Meza
	0900	77	Meza
	1200	77	Meza
	1500	78	Rodriguez
	1800	78	Rodriguez
	2100	78	Rodriguez
	2400	78	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	78	[illegible]
	0600	78	J. GUAJARDO
	0900	78	J. GUAJARDO
	1200	78	J. GUAJARDO
	1500	78	Rodriguez
	1800	78	Rodriguez
	2100	78	Rodriguez
	2400	78	S. Johnson

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	78	S. Johnson
	0600	78	Naciancero
	0900	78	Naciancero
	1200	78	Naciancero
	1500	80	L. Herrera
	1800	80	L. Herrera
	2100	80	L. Herrera
	2400	80	S.HERNANDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	77	Johnson
	0600	80	C. Look
	0900	80	C. Look
	1200	80	C. Look
	1500	80	G. Rodriguez
	1800	80	G. Rodriguez
	2100	80	G. Rodriguez
	2400	79	S. Johnson

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	79	Johnson
	0600	80	C. Look
	0900	80	C. Look
	1200	80	C. Look
	1500	80	G. Rodriguez
	1800	80	G. Rodriguez
	2100	80	G. Rodriguez
	2400	80	Johns

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	80	John
	0600	80	O. Lopez 6.1
	0900	81	O. Lopez 6.1
	1200	81	O. Lopez 6.1
	1500	81	L. Sanchez
	1800	81	L. Sanchez
	2100	80	L. Sanchez
	2400	80	Johns

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	80	Johnson
	0600	80	O. Lopez 6.1
	0900	80	O. Lopez 6.1
	1200	81	O. Lopez 6.1
	1500	79	A. Ram
	1800	79	[illegible]
	2100	79	[illegible]
	2400	79	[illegible]

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	80	John
	0600	80	O. Lopez 6.1
	0900	80	O. Lopez 6.1
	1200	81	O. Lopez 6.1
	1500	80	M. Sahagun
	1800	79	M. Sahagun
	2100	79	M. Sahagun
	2400	76	S. HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
09/07/2024	0300	74	S. HERNANDEZ
	0600	74	O. Lopez 6.1
	0900	76	O. Lopez 6.1
	1200	76	O. Lopez 6.1
	1500	78	J. Moreno Macias
	1800	76	J. Moreno Macias
	2100	76	J. Moreno Macias
	2400	76	S. HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
09/08/2024	0300	74	S. HERNANDEZ
	0600	74	O. Lopez 6.1
	0900	76	O. Lopez 6.1
	1200	76	O. Lopez 6.1
	1500	76	E. CASTRO
	1800	74	E. CASTRO
	2100	74	E. CASTRO
	2400	75	Johnson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C6 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	70	Reynaga
	0600	78	A. Olmos
	0900	78	A. Olmos
	1200	~~80~~ 80	~~R. Silva~~ A Olmos
	1500	80	R. Silva
	1800	80	R. Silva AC
	2100	80	R.S Silva
	2400	79	DR

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	79	DR
	0600	79	A. OLMOS
	0900	79	A. OLMOS
	1200	79	A. OLMOS
	1500	80	R. Silva
	1800	80	R. Silva
	2100	80	R Silva AC
	2400	80	Reynaga

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	80	Reynaga
	0600	80	A. Olmos
	0900	80	A. Olmos
	1200	80	A. Olmos
	1500	80	A. Olmos
	1800	80	F. [illegible]
	2100	79	F. [illegible]
	2400	79	DR

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	79	DR
	0600	80	E. Ruiz
	0900	80	E. Ruiz
	1200	80	E. Ruiz
	1500	82	Sanchez
	1800	80	Sanchez
	2100	78	Sanchez
	2400	79	Reynaga

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	79	Reynaga
	0600	78	Sanchez BM
	0900	78	Sanchez
	1200	80	Sanchez
	1500	80	~~[illegible]~~ AC
	1800	80	~~[illegible]~~
	2100	79	~~[illegible]~~
	2400	79	DR

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	79	DR
	0600	79	Olmos
	0900	80	Olmos
	1200	80	Olmos BM
	1500	80	~~F. [illegible]~~
	1800	80	F. Garcia
	2100	80	F. Garcia BM
	2400	78	T. Alvarado

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	78	T. Alvarado
	0600	78	C. Barajas
	0900	78	C. Barajas BM
	1200	78	C Barajas
	1500	76	~~[illegible]~~
	1800	80	~~F. [illegible]~~
	2100	76	~~F. [illegible]~~
	2400	78	T. Alvarado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-7 Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	76	M. Sahagun
	0600	76	M. Sahagun
	0900	78	Hernandez
	1200	78	Hernandez
	1500	79	M. ALCANTAR
	1800	79	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	78	Sevilla

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	76	Sevilla
	0600	78	Hernandez
	0900	78	Hernandez
	1200	79	Hernandez
	1500	79	M. ALCANTAR
	1800	79	M. ALCANTAR AC
	2100	78	M. ALCANTAR
	2400	78	Sevilla

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	76	Sevilla
	0600	78	Hernandez
	0900	78	Hernandez
	1200	79	Hernandez
	1500	79	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	78	F. Sevilla

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	76	Sevilla
	0600	76	Diaz
	0900	79	Diaz
	1200	78	C. Contreras
	1500	78	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	77	M. ALCANTAR
	2400	80	Rivera

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	80	Rivera
	0600	80	Hernandez
	0900	80	Hernandez
	1200	80	Hernandez
	1500	80	A. Duran
	1800	80	A. Duran
	2100	80	A. Duran
	2400	80	T. Alvarado

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	78	T. Alvarado
	0600	77	J. McCoy
	0900	80	T. Hicken
	1200	80	T. Hicken
	1500	80	A. Duran
	1800	80	A. Duran
	2100	80	A. Duran
	2400	80	F. Sevilla

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	78	F. Sevilla
	0600	79	Aguilar
	0900	79	Aguilar
	1200	80	Aguilar
	1500	80	M. ALCANTAR
	1800	79	M. ALCANTAR
	2100	79	M. ALCANTAR
	2400	78	F. Sevilla

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-8 Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	80	[illegible]
	0600	80	I Hernandez
	0900	80	I Hernandez
	1200	80	I Hernandez
	1500	80	P. Arellano
	1800	80	P. Arellano
	2100	79	P. Arellano
	2400	78	A. Sotelo

Tuesday

Dat	Time	Temp.	Name (Print)
9/3/24	0300	78	A. Sotelo
	0600	78	A. Sotelo
	0900	80	J. Luquet
	1200	80	J. Luquet
	1500	80	J. Moreno
	1800	80	J. Moreno
	2100	79	J. Moreno
	2400	78	A. Sotelo

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	78	A. Sotelo
	0600	78	A. Sotelo
	0900	79	Nunez
	1200	79	Nunez
	1500	80	Merchaca
	1800	80	Merchaca
	2100	80	Merchaca
	2400	80	Rivera

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	80	Rivera
	0600	80	Nunez
	0900	80	Nunez
	1200	81	Nunez
	1500	80	Rodriguez
	1800	80	Rodriguez
	2100	80	Rodriguez
	2400	79	S.HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	78	S.HERNANDEZ
	0600	80	S. Nunez
	0900	80	S. Nunez
	1200	80	S. Nunez
	1500	78	A. Delgado
	1800	78	A. Delgado
	2100	78	A. Delgado
	2400	80	A. Sotelo

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	80	A. Sotelo
	0600	80	A. Sotelo
	0900	80	S. Nunez
	1200	80	S. Nunez
	1500	80	R. Silva
	1800	80	R. Silva
	2100	80	R. Silva
	2400	80	A. Sotelo

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	80	A. Sotelo
	0600	80	A. Sotelo
	0900	80	M. Crowe
	1200	80	M. Crowe
	1500	80	R. Silva
	1800	80	R. Silva
	2100	80	R. Silva
	2400	80	A. Sotelo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	74	[illegible]
	0600	76	[illegible]
	0900	76	[illegible]
	1200	79	[illegible]
24	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	72	A. Rodriguez
	2400	70	A. Rodriguez

Tuesday

Dat	Time	Temp.	Name (Print)
9/24	0300	70	A. Rodriguez
	0600	70	[illegible]
	0900	72	[illegible]
	1200	73	[illegible]
24	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	72	A. Rodriguez
	2400	70	A. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	70	A. Rodriguez
	0600	71°	J. Campos
	0900	70°	J. Campos
	1200	70°	J. Campos
24	1500	73	C. Lopez
	1800	73	C. Lopez
	2100	72	C. Lopez
	2400	72	Vam

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	72	Trac
	0600	72	Sotelo. J
	0900	73	Sotelo. J
	1200	73	Sotelo. J
24	1500	73	Klopfenstein
	1800	72	Klopfenstein
	2100	71	Klopfenstein
	2400	72	Patino

Friday

Date	Time	Temp.	Name (Print)
09/27	0300	72	Patino
	0600	73	LUKEHART
	0900	72	LUKEHART
	1200	72	LUKEHART
24	1500	72	C. Barajas
	1800	72	R. Fano
	2100	72	R. Fano
	2400	72	SOTO

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	72	SOTO
	0600	72	LUKEHART
	0900	72	LUKEHART
	1200	72	LUKEHART
24	1500	72	SOTO
	1800	72	SOTO
	2100	72	SOTO
	2400	72	SOTO

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	72	SOTO
	0600	72	A. CONTRERAS
	0900	72	A. CONTRERAS
	1200	72	SOTO
24	1500	72	SOTO
	1800	72	SOTO
	2100	72	SOTO
	2400	72	SOTO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FAC M DORM 1 Temp. Reading Location: PODIUM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/30	0300	72	Soto
	0600	72	[illegible]
	0900	73	[illegible]
	1200	74	[illegible]
	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	72	A. Rodriguez
	2400	70	A. Rodriguez

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	70	A. Rodriguez
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	72	A. Rodriguez
	2400	71	Soto

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	72	Soto
	0600	72	[illegible]
	0900	72	[illegible]
	1200	72	[illegible]
	1500	72	A. Rodriguez
	1800	72	A. Rodriguez
	2100	72	A. Rodriguez
	2400	70	Vaca

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	70	Vaca
	0600	70	[illegible]
	0900	70	[illegible]
	1200	72	[illegible]
	1500	75	Camillo
	1800	75	Camillo
	2100	75	Camillo
	2400	75	Soto

Friday

Date	Time	Temp.	Name (Print)
10/4/2024	0300	75	Soto
	0600	75	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	78	R. Silva
	1800	75	R. Silva
	2100	75	R. Silva
	2400	75	Soto

Saturday

Date	Time	Temp.	Name (Print)
10/5/2024	0300	75	Soto
	0600	75	Ramos
	0900	75	Ramos
	1200	75	Ramos
	1500	75	Soto
	1800	75	Soto
	2100	75	Soto
	2400	74	Soto

Sunday

Date	Time	Temp.	Name (Print)
10/6/2024	0300	73	Soto
	0600	72	[illegible]
	0900	70	[illegible]
	1200	70	A. Chavez
	1500	72	A. Rodriguez
	1800	74	A. Rodriguez
	2100	74	A. Rodriguez
	2400	72	G. Castanoyra

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-1 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-24	0300	78	[illegible]
	0600	76	Borbon
	0900	77	Borbon
	1200	78	Borbon
	1500	78	Martinez
	1800	78	Raza
	2100	77	Raza
	2400	77	Meza

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	74	Meza
	0600	75	Borbon
	0900	77	Borbon
	1200	78	Borbon
	1500	78	Raza
	1800	78	R. Raza
	2100	77	R. Raza
	2400	78	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	78	[illegible]
	0600	76	Borbon
	0900	77	Borbon
	1200	78	Borbon
	1500	78	[illegible]
	1800	78	[illegible]
	2100	75	[illegible]
	2400	75	Harrison

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	75	Harrison
	0600	74	Borbon
	0900	76	Borbon
	1200	78	Borbon
	1500	78	Ayala
	1800	78	Ayala
	2100	78	Ayala
	2400	78	Harrison

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	77	Harrison
	0600	77	Borbon
	0900	78	Borbon
	1200	78	Borbon
	1500	78	Raza
	1800	78	Raza
	2100	77	Raza
	2400	78	Harrison

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	77	Harrison
	0600	77	Rauser
	0900	78	Rauser
	1200	78	Rauser
	1500	78	H. Moreno
	1800	78	H. Moreno
	2100	78	H. Moreno
	2400	78	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	78	[illegible]
	0600	78	R
	0900	79	R
	1200	80	R
	1500	80	H. Moreno
	1800	80	H. Moreno
	2100	78	H. Moreno
	2400	78	Harrison

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2-CONT. Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/20/21	0300	76	JOHNSON, J.
	0600	76	N Reyes
	0900	78	N Reyes
	1200	78	N Reyes
	1500	78	M. MIRANDA
	1800	79	M. MIRANDA
	2100	79	M. MIRANDA
	2400	76	JOHNSON, J.

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A2-Cont. Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/2/24	0300	~~86~~	~~Johnson, J.~~
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	76	Johnson, J.
	0600	76	Sigala
	0900	76	Sigala
	1200	78	Sigala
	1500	78	M. MIRANDA
	1800	78	M. MIRANDA
	2100	78	M. MIRANDA
	2400	76	Johnson, J.

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	76	Johnson, J
	0600	76	Sigala
	0900	76	Sigala
	1200	78	Sigala
	1500	78	L. Cervantes
	1800	78	L. Cervantes
	2100	78	L. Cervantes
	2400	76	Johnson, J.

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	74	Johnson, J
	0600	73	D. Godinez
	0900	75	D. Godinez
	1200	76	D. Godinez
	1500	76	C. Owens
	1800	76	C. Owens
	2100	76	C. Owens
	2400	78	Cmy

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	78	Cmy
	0600	77	D. Godinez
	0900	77	D. Godinez
	1200	78	D. Godinez
	1500	78	C. Owens
	1800	78	C. Owens
	2100	77	D. Godinez
	2400	78	Cmy

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	77	Cmy
	0600	76	Sigala
	0900	78	Sigala
	1200	78	Sigala
	1500	78	L. Barajas
	1800	78	L. Barajas
	2100	78	L. Barajas
	2400	77	Reynaga

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	77	Reynaga
	0600	77	Duarte
	0900	76	Duarte
	1200	78	Duarte
	1500	78	C. Owens
	1800	78	C. Owens
	2100	78	C. Owens
	2400	76	Johnson, J.

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	76	Mender
	0600	77	MEDRANO
	0900	78	MEDRANO
	1200	78	MEDRANO
	1500	77	J. Moreno Macias
	1800	75	J. Moreno Macias
	2100	75	J. Moreno Macias
	2400	76	Mender

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	75	Mender
	0600	76	MEDRANO
	0900	77	MEDRANO
	1200	77	MEDRANO
	1500	78°	JMENDOZA
	1800	78°	JMENDOZA
	2100	78°	JMENDOZA
	2400	76	Meza

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	74	Meza
	0600	76	MEDRANO
	0900	77	MEDRANO
	1200	77	MEDRANO
	1500	80°	JMENDOZA
	1800	80°	JMENDOZA
	2100	79	JMENDOZA
	2400	76	Meza

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	75	Meza
	0600	75	DUARTE
	0900	76	DUARTE
	1200	76	DUARTE
	1500	78°	JMENDOZA
	1800	78	JMENDOZA
	2100	78	JMENDOZA
	2400	77	Meza

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	75	Meza
	0600	75	R
	0900	75	R
	1200	77	R
	1500	77	Fernandez
	1800	77	Fernandez
	2100	76	Meza
	2400	75	Lona

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	75	Lona
	0600	75	LUKEHART
	0900	76	LUKEHART
	1200	78	LUKEHART
	1500	78	Fernandez
	1800	78	Fernandez
	2100	78	Fernandez
	2400	80	Harrison

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	79	Harrison
	0600	80	SAMARRIPAS
	0900	80	SAMARRIPAS
	1200	80	SAMARRIPAS
	1500		
	1800		
	2100		
	2400	80	Mender

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A4 Temp. Reading Location: T2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/30	0300	76	J URBANO
	0600	76	Rauser
	0900	77	Rauser
	1200	78	Rauser
	1500	78	D.Ventura
	1800	78	D.Ventura
	2100	78	D.Ventura
	2400	76	URBANO

Tuesday

Date	Time	Temp.	Name (Print)
10/01	0300	76	URBANO
	0600	76	RAYA
	0900	76	RAYA
	1200	77	RAYA
	1500	80	Angulo
	1800	80	Angulo
	2100	80	Angulo
	2400	76	URBANO

Wednesday

Date	Time	Temp.	Name (Print)
10/02	0300	74	URBANO
	0600	78	Cruz
	0900	78	Cruz
	1200	79	Cruz
	1500	80	Angulo
	1800	80	URBANO
	2100	80	URBANO
	2400	80	URBANO

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	80	URBANO
	0600	79	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	80	R.Angulo
	1800	80	R.Angulo
	2100	80	R.Angulo
	2400	78	URBANO

Friday

Date	Time	Temp.	Name (Print)
10/04	0300	78	URBANO
	0600		
	0900		
	1200		
	1500	80	R.Angulo
	1800	80	R.Angulo
	2100	80	R.Angulo
	2400	76	Angulo

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	74	[illegible]
	0600	78	[illegible]
	0900	79	[illegible]
	1200	79	[illegible]
	1500	80	[illegible]
	1800	80	R.Angulo
	2100	80	R.Angulo
	2400	76	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	74	[illegible]
	0600	78	Cruz
	0900	79	Cruz
	1200	79	Cruz
	1500	79	Fernandez
	1800	79	Fernandez
	2100	78	Fernandez
	2400	76	URBANO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A5 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4280 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	78	Grays
	0600	78	Grays
	0900	78	Grays
	1200	79	Grays
	1500	79	Gossen
	1800	79	Klopfenstein
	2100	79	Klopfenstein
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ICVSP Housing Unit: A8 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	77	Gonzalez
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	79	Gonzalez
	1500	80	Cruz
	1800	78	Cruz
	2100	78	Wang
	2400	78	Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	78	Gonzalez
	0600	78	Walsh
	0900	78	Cruz
	1200	80	Wang
	1500	80	Wang
	1800	80	Cruz
	2100	78	Wang
	2400	78	Cruz

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	78	Cruz
	0600	78	Gonzalez
	0900	78	Gonzalez
	1200	80	Gonzalez
	1500	80	Cruz
	1800	80	Cruz
	2100	78	Walsh
	2400	80	Reynolds

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	79	Reynolds
	0600	79	Espinoza
	0900	78	Espinoza
	1200	80	Espinoza
	1500	80	Cruz
	1800	80	Cruz
	2100	78	Walsh
	2400	78	Grays

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	Grays
	0600	78	Godoez
	0900	78	Godoez
	1200	80	Godoez
	1500	80	Walsh
	1800	80	Cruz
	2100	80	Cruz
	2400	80	Grays

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	80	Grays
	0600		Grays
	0900		Grays
	1200		Grays
	1500		
	1800		
	2100		
	2400	78	Sotelo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A-6 Temp. Reading Location: upper tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-24	0300	75	J. Sotelo
	0600	77	M. MIRANDA
	0900	77	M. MIRANDA
	1200	78	M. MIRANDA
	1500	77	R. Garrison
	1800	77	R. Garrison
	2100	77	R. Garrison
	2400	76	J. Sotelo

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	76	J. Sotelo
	0600	77	M. MIRANDA
	0900	77	M. MIRANDA
	1200	77	M. MIRANDA
	1500	78	Munoz
	1800	78	Munoz
	2100	78	Munoz
	2400	78	Sotelo, J

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	77	J. Sotelo
	0600	78	M. MIRANDA
	0900	79	M. MIRANDA
	1200	79	M. MIRANDA
	1500	79	X GONZALES
	1800	79	X GONZALES
	2100	79	X GONZALES
	2400	78	J. Sotelo

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	78	J. Sotelo
	0600	78	ESPINOZA
	0900	79	ESPINOZA
	1200	79	ESPINOZA
	1500	79	Sanchez
	1800	79	Sanchez
	2100	79	Sanchez
	2400	80	Beltran

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	80	Beltran
	0600	80	Beltran
	0900	78	[illegible]
	1200	85	[illegible]
	1500	79	J. Vasquez
	1800	80	N. Gonzalez
	2100	80	N. Gonzalez
	2400	80	N. Estrada

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	80	N Estrada
	0600	80	N Estrada
	0900	80	Moreno
	1200	80	Moreno
	1500	80	Moreno
	1800	80	Saavedra
	2100	79	Saavedra
	2400	78	J. Sotelo

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	78	J. Sotelo
	0600	78	Moreno
	0900	80	Moreno
	1200	80	Moreno
	1500	80	A. Olmos
	1800	80	A. Olmos
	2100	80	A. Olmos
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: A7 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300		
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500		
	1800		
	2100		
	2400	78	Macias

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	78	Macias
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	80	L. Cervantes
	1800	80	L. Cervantes
	2100	79	L. Cervantes
	2400	79	Macias

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	79	Macias
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	78	Rodriguez
	1800	78	Rodriguez
	2100	76	Rodriguez
	2400	78	Macias

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	78	Macias
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	78	L. Cervantes
	1800	78	L. Cervantes
	2100	78	L. Cervantes
	2400	78	Macias

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	78	Macias
	0600	78	Rodriguez
	0900	78	Rodriguez
	1200	78	Rodriguez
	1500	78	Granillo
	1800	78	Granillo
	2100	78	Granillo
	2400	78	Macias

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	Macias
	0600	79	Aguilar
	0900	79	Aguilar
	1200	79	Aguilar
	1500	80	Klopfenstein
	1800	80	Klopfenstein
	2100	80	Klopfenstein
	2400	80	Beltran

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	80	Beltran
	0600	79	Beltran
	0900	80	VELASQUEZ
	1200	80	VELASQUEZ
	1500	80	GURROLA
	1800	80	Raridon
	2100	78	Raridon
	2400	78	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FCB1 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	78	Bias
09	0600	78	Cabrera
	0900	78	Cabrera
30	1200	78	Cabrera
	1500	78	TORRES
24	1800	78	TORRES
	2100	78	TORRES
	2400	78	SANDOVAL

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	78	SANDOVAL
10	0600	78	Cabrera
	0900	78	Cabrera
01	1200	78	Cabrera
	1500	78	
24	1800	78	
	2100	78	
	2400	78	SANDOVAL

Wednesday

Date	Time	Temp.	Name (Print)
	0300	78	SANDOVAL
10	0600	78	Cabrera
	0900	78	Cabrera
02	1200	78	Cabrera
	1500	78	
24	1800	78	
	2100	78	
	2400	78	SANDOVAL

Thursday

Date	Time	Temp.	Name (Print)
	0300	78	SANDOVAL
10	0600	78	Cabrera
	0900	78	Cabrera
03	1200	78	Cabrera
	1500	78	
24	1800	78	
	2100	78	
	2400	77	MARBURADO

Friday

Date	Time	Temp.	Name (Print)
	0300	77	MARBURADO
10	0600	77	Cabrera
	0900	77	Cabrera
04	1200	77	Cabrera
	1500	78	
24	1800	78	
	2100	78	
	2400	78	Fountain

Saturday

Date	Time	Temp.	Name (Print)
	0300	78	Fountain
10	0600	80	C.Look
	0900	80	C.Look
05	1200	80	C.Look
	1500	80	A.ZUNIGA
24	1800	80	A.ZUNIGA
	2100	80	A.ZUNIGA
	2400	80	Bias

Sunday

Date	Time	Temp.	Name (Print)
	0300	80	Bias
10	0600	80	C.Look
	0900	80	C.Look
06	1200	80	C.Look
	1500	80	Sanchez
24	1800	80	Sanchez
	2100	79	Sanchez
	2400	79	Bias

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C2 Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	78	[illegible]
	0600	78	Clark
	0900	78	Clark
	1200	79	Clark
	1500	79	Andrade
	1800	79	Andrade
	2100	79	Lopez
	2400	79	Lopez

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MVSP Housing Unit: HA-3 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300		
	0600	78	Nacimiento
	0900	78	Nacimiento
	1200	78	Nacimiento
	1500	80	Herrera
	1800	80	Herrera
	2100	78	Herrera
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/01/24	0300		
	0600		
	0900		
	1200		
	1500	80	Herrera
	1800	80	Herrera
	2100	78	Herrera
	2400	80	See

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	80	See
	0600	78	Nacimiento
	0900	78	Nacimiento
	1200	78	Nacimiento
	1500	80	Herrera
	1800	80	Herrera
	2100	75	Herrera
	2400	80	See

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	80	See
	0600	80	Araiza
	0900	80	Araiza
	1200	80	Araiza
	1500	82	Herrera
	1800	80	Herrera
	2100	77	Herrera
	2400	78	See

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	78	See
	0600	80	C. Lock
	0900	80	C. Lock
	1200		
	1500	80	G. Rodriguez
	1800	80	G. Rodriguez
	2100	80	G. Rodriguez
	2400	80	See

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	80	See
	0600	78	J. Guajardo
	0900	78	J. Guajardo
	1200	78	J. Guajardo
	1500	78	M. Gonzalez
	1800	78	S. Olivera
	2100	77	S. Olivera
	2400	77	S. Johnson

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	77	Johnson
	0600	78	Nacimiento
	0900	78	Nacimiento
	1200	79	Nacimiento
	1500	80	Herrera
	1800	80	Herrera
	2100	78	Herrera
	2400	80	S. Hernandez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C-4 Temp. Reading Location: Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	80	[illegible]
	0600	80	C. Look
	0900	80	C. Look
	1200	80	C. Look
	1500	80	Arraiza
	1800	80	Arraiza
	2100	80	[illegible]
	2400	80	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: 6 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/18	0300	78	T. ALVARADO
	0600	78	A. OLMOS
	0900	78	A OLMOS
	1200	79	A. OLMOS
	1500	80	R. Silva
	1800	80	R. Silva
	2100	75	R. Silva
	2400	75	DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	75	DIAZ
	0600	76	OLMOS
	0900	78	OLMOS
12	1200	80	OLMOS
	1500	80	F. GARCIA
	1800	78	F. GARCIA
24	2100	78	F. GARCIA
	2400	78	A. RENDON

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	78	A. RENDON
	0600	78	A Rendon
	0900	78	[illegible]
3	1200	78	[illegible]
	1500	78	GARCIA
	1800	78	GARCIA
24	2100	78	LEE
	2400	78	LEE

Thursday

Date	Time	Temp.	Name (Print)
10	0300	78	LEE
	0600	79	E. Ruiz
	0900	80	E. Ruiz
3	1200	80	E. Ruiz
	1500	79	GARCIA
	1800	79	GARCIA
24	2100	78	LEE
	2400	78	

Friday

Date	Time	Temp.	Name (Print)
10	0300	78	LEE
	0600	78	OLMOS
	0900	78	OLMOS
4	1200	79	OLMOS
	1500	79	mezhuca
	1800	79	mezhuca
24	2100	79	LEE mezhuca
	2400	79	LEE

Saturday

Date	Time	Temp.	Name (Print)
10	0300	78	T. Alvarado
	0600	78	A OLMOS
	0900	78	A. OLMOS
5	1200	78	A. OLMOS
	1500	78	J. Moreno Macias
	1800	75	J. Moreno Macias
24	2100	75	J. Moreno Macias
	2400	76	T. Alvarado

Sunday

Date	Time	Temp.	Name (Print)
10	0300	76	T. Alvarado
	0600	79	A. OLMOS
	0900	79	A. OLMOS
6	1200	78	A. OLMOS
	1500	78	A. OLMOS
	1800	78	[illegible]
24	2100	75	T. ALVARADO
	2400	76	T. Alvarado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C7 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	76	Sanchez
	0600	78	Hernandez
	0900	78	Hernandez
	1200	78	Pelayo
	1500	78	M. ALCANTAR
	1800	78	M. ALCANTAR
	2100	77	R. Whitfill
	2400	76	Sanchez

Tuesday

Dat	Time	Temp.	Name (Print)
10/1	0300	76	Sanchez
	0600	77	Hernandez
	0900	79	Hernandez
	1200	79	Hernandez
	1500	79	M. ALCANTAR
	1800	79	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	76	Sanchez

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	76	Sanchez
	0600	79	Hernandez
	0900	79	Hernandez
	1200	79	Hernandez
	1500	79	M. ALCANTAR
	1800	79	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	76	F Sanchez

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	76	F Sanchez
	0600	77	Hernandez
	0900	78	Hernandez
	1200	79	PEREZ BAUTISTA
	1500	79	M. ALCANTAR
	1800	79	M. ALCANTAR
	2100	78	M. ALCANTAR
	2400	80	Rivera

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	80	Rivera
	0600	79	Hernandez
	0900	79	Hernandez
	1200	79	[illegible]
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	T. Alvarado

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	T. Alvarado
	0600	77	Diaz
	0900	78	Diaz
	1200	79	Diaz
	1500	79	Cabrera
	1800	80	Cabrera
	2100	78	Cabrera
	2400	76	Sanchez

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	76	Sanchez
	0600	76	Pelton
	0900	76	Pelton
	1200	76	Pelton
	1500	79	BARRAJAS
	1800	78	BARRAJAS
	2100	77	BARRAJAS
	2400	76	Sanchez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: C8 Temp. Reading Location: 2nd Tier: A/B/C Sections Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4390 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
30 Sept 24	0300	76	H. Cervantes
	0600	76	L. Lopez
	0900	76	Duarte
	1200	76	Duarte
	1500	79	P. Arellano
	1800	79	P. Arellano
	2100	79	P. Arellano
	2400	78	M. Sofelo

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	78	M. Sofelo
	0600	78	M. Sofelo
	0900	72	L. Duarte
	1200	72	L. Duarte
	1500	72	P. Arellano
	1800	73	P. Arellano
	2100	72	P. Arellano
	2400	76	M. Sofelo

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	76	M. Sofelo
	0600	76	M. Sofelo
	0900	78	Nunez
	1200	78	Nunez
	1500	78	P. Arellano
	1800	78	P. Arellano
	2100	77	P. Arellano
	2400	80	Rivera

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	80	Rivera
	0600	79	Nunez
	0900	80	Nunez
	1200	80	Nunez
	1500	79	P. Arellano
	1800	79	P. Arellano
	2100	78	P. Arellano
	2400	78	S. Hernandez

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	78	S. Hernandez
	0600	78	Nunez
	0900	80	Nunez
	1200	80	Nunez
	1500	79	P. Arellano
	1800	79	P. Arellano
	2100	78	P. Arellano
	2400	78	R Lopez

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	R Lopez
	0600	78	Nunez
	0900	78	Nunez
	1200	79	Nunez
	1500	79	R. Silva
	1800	79	R. Silva
	2100	79	R. Silva
	2400	78	Gray

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	78	Gray
	0600	78	Nunez
	0900	79	Nunez
	1200	79	Nunez
	1500	79	R. Silva
	1800	79	R. Silva
	2100	79	R. Silva
	2400	78	Pelayo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D2 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	78	M. Ornelas
	0600	78	Romero
	0900	77	Romero
	1200	76	Romero
	1500	79	Lopez
	1800	78	Lopez
	2100	78	Lopez
	2400	78	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
10/01/24	0300	74	[illegible]
	0600	74	Cervantes
	0900	74	[illegible]
	1200	75	[illegible]
	1500	79	Flores
	1800	79	FLORES
	2100	79	FLORES
	2400	79	M. CHAVEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/02/24	0300	79	M. CHAVEZ
	0600	78	Cervantes
	0900	78	Cervantes
	1200	79	Cervantes
	1500	79	Constanza
	1800	79	Constanza
	2100	79	Constanza
	2400	78	Chavez

Thursday

Date	Time	Temp.	Name (Print)
10/03/24	0300	77	Chavez
	0600	77	Cervantes
	0900	78	Cervantes
	1200	79	Cervantes
	1500	79	Constanza
	1800	79	Constanza
	2100	79	Constanza
	2400	79	M. CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
10/04/24	0300	79	M. CHAVEZ
	0600	79	Cervantes
	0900	79	Cervantes
	1200	79	Cervantes
	1500	79	Constanza
	1800	79	Constanza
	2100	79	Constanza
	2400	79	M. CHAVEZ

Saturday

Date	Time	Temp.	Name (Print)
10/05/24	0300	79	M. CHAVEZ
	0600	79	Cervantes
	0900	79	Cervantes
	1200	79	Cervantes
	1500	79	Constanza
	1800	79	Constanza
	2100	79	Constanza
	2400	79	M. CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
10/06/24	0300	79	M. CHAVEZ
	0600	78	Romero
	0900	79	Romero
	1200	79	Romero
	1500	79	Barry
	1800	79	Barry
	2100	79	Barry
	2400	79	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)	
9/30/24	0300	78	Gloria	MP
	0600	72	DURAN	
	0900	75	DURAN	OR
	1200	75	DURAN	
	1500	78	Duran	
	1800	78	Duran	
	2100	78	Duran	
	2400	78	Gloria	

Tuesday

Date	Time	Temp.	Name (Print)	
10/1/24	0300	78	Gloria	MP
	0600	78	Marquez	
	0900	78	Marquez	OR
	1200	78	Marquez	
	1500	78	Duran	
	1800	78	Duran	
	2100	78	Duran	
	2400	78	Gloria	

Wednesday

Date	Time	Temp.	Name (Print)	
10/2/24	0300	78	Gloria	MP
	0600	78	Marquez	
	0900	78	Marquez	OR
	1200	78	Marquez	
	1500	78	Duran	
	1800	78	Duran	
	2100	78	Duran	
	2400	78	Meza, N	

Thursday

Date	Time	Temp.	Name (Print)	
10/3/24	0300	78	Meza, N	
	0600	78	Duenas	MP
	0900	78	Duenas	
	1200	78	Duenas	
	1500	78	[illegible]	
	1800	78	Duran	
	2100	78	Duran	
	2400	78	Sprie	TR

Friday

Date	Time	Temp.	Name (Print)	
10/4/24	0300	78	Ruiz	
	0600	78	Ramos	OR
	0900	78	RAMOS	
	1200	78	RAMOS	
	1500	78	Moreno	
	1800	78	Moreno	
	2100	78	Moreno	
	2400	78	Gloria	

Saturday

Date	Time	Temp.	Name (Print)	
10/5/24	0300	78	Gloria	TR
	0600	78	Marquez	
	0900	78	Marquez	
	1200	78	Marquez	
	1500	78	Duran	
	1800	78	Duran	
	2100	78	Duran	
	2400	78	Gloria	

Sunday

Date	Time	Temp.	Name (Print)	
10/6/24	0300	78	Gloria	MP
	0600	78	Marquez	
	0900	78	Marquez	
	1200	78	Marquez	
	1500	78	Duran	
	1800	78	Duran	
	2100	78	Duran	
	2400	78	Sevilla	

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D4 Temp. Reading Location: B Section (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	78	SAMARRIPAS
	0600	74	J. RAMOS
	0900	74	J. RAMOS
	1200	76	J. RAMOS
	1500	76	F. Castro
	1800	76	F. Castro
	2100	76	F. Castro
	2400	77	SAMARRIPAS

Tuesday

Dat	Time	Temp.	Name (Print)
10/01/24	0300	77	SAMARRIPAS
	0600	77	J. RAMOS
	0900	77	J. RAMOS
	1200	77	J. RAMOS
	1500	78	Ramos, G.
	1800	78	Castro
	2100	78	Castro
	2400	78	T. Alvarado

Wednesday

Date	Time	Temp.	Name (Print)
10/02/24	0300	78	T. Alvarado
	0600	78	Sanchez
	0900	78	Sanchez
	1200	78	Sanchez
	1500	78	Ramos, G.
	1800	78	Ramos, G.
	2100	77	Ramos, G.
	2400	76	CAAN

Thursday

Date	Time	Temp.	Name (Print)
10/03/24	0300	76	CAAN
	0600	77	Castro
	0900	78	Castro
	1200	80	Castro
	1500	79	Ramos, G.
	1800	78	Ramos, G.
	2100	78	Ramos, G.
	2400	78	CAAN

Friday

Date	Time	Temp.	Name (Print)
10/04/24	0300	78	CAAN
	0600	78	Castro
	0900	78	Castro
	1200	79	Castro
	1500	79	Ramos, G.
	1800	79	Ramos, G.
	2100		
	2400	79	D Chenk

Saturday

Date	Time	Temp.	Name (Print)
10/05/24	0300	78	D Chenk
	0600	78	Castro
	0900	79	Castro
	1200	80	Castro
	1500	80	RAMOS
	1800	78	RAMOS
	2100	78	RAMOS
	2400	76	CAAN

Sunday

Date	Time	Temp.	Name (Print)
10/06/24	0300	76	CAAN
	0600	74	Castro
	0900	77	Castro
	1200	80	Castro
	1500	80	WM
	1800	78	Castro
	2100	78	Castro
	2400	78	SAMARRIPAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: D5 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	76	RODRIGUEZ
	0600	77	Prunk
	0900	78	Shoemaker
	1200	78	Shoemaker
	1500	78	Thompson
	1800	78	Thompson
	2100	78	Thompson
	2400	77	RODRIGUEZ

MP

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	76	RODRIGUEZ
	0600	76	Prunk
	0900	76	Prunk
	1200	76	Prunk
	1500	76	McDonald
	1800	76	McDonald
	2100	76	McDonald
	2400	76	McDonald

MP

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	76	RODRIGUEZ
	0600	77	Prunk
	0900	77	Prunk
	1200	77	Prunk
	1500	78	Thompson
	1800	78	Thompson
	2100	78	Thompson
	2400	77	D Chambers

MP

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	77	D Chambers
	0600	77	Prunk
	0900	77	Prunk
	1200	77	Prunk
	1500	77	Thompson
	1800	77	Thompson
	2100	76	Thompson
	2400	77	Salazar

MP

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	77	Salazar
	0600	77	Pedroza
	0900	77	Pedroza
	1200	77	Pedroza
	1500	77	Reyes
	1800	78	Reyes
	2100	77	Reyes
	2400	77	RODRIGUEZ

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	77	RODRIGUEZ
	0600	76	ALVARAD
	0900	76	ALVARAD
	1200	75	ALVARAD
	1500	75	ALVAREZ
	1800	76	ALVAREZ
	2100	77	ALVAREZ
	2400	77	RODRIGUEZ

MP

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	77	RODRIGUEZ
	0600	77	Lam
	0900	77	Lam
	1200	78	Lam
	1500	78	Cox
	1800	78	Cox
	2100	78	Cox
	2400	78	RODRIGUEZ

MP

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09 / 30 / 24	0300	76	HARRISON
	0600	77	[illegible]
	0900	77	[illegible]
	1200	78	[illegible]
	1500	76	Thurston, D
	1800	76	Thurston, D
	2100	76	Thurston, D
	2400	75	Lowe

NP

Tuesday

Date	Time	Temp.	Name (Print)
10 / 01 / 24	0300	75	Lowe
	0600	75	CASTRUITA
	0900	76	CASTRUITA
	1200	77	CASTRUITA
	1500	76	Thurston, D
	1800	76	Thurston, D
	2100	76	Thurston, D
	2400	75	Lowe

NP

Wednesday

Date	Time	Temp.	Name (Print)
10 / 02 / 24	0300	75	Lowe
	0600	75	Dia[illegible]
	0900	75	Dia[illegible]
	1200	78	[illegible]
	1500	78	RIVERA
	1800	78	J. GUAJARDO
	2100	78	J. GUAJARDO
	2400	77	Lowe

NP

Thursday

Date	Time	Temp.	Name (Print)
10 / 03 / 24	0300	75	Lowe
	0600	75	Pedroza
	0900	75	Pedroza
	1200	75	Pedroza
	1500	76	Duarte
	1800	75	Duarte
	2100	75	Duarte
	2400	75	Lowe

NP

Friday

Date	Time	Temp.	Name (Print)
10 / 04 / 24	0300	75	Lowe
	0600	75	SANDOVAL
	0900	75	SANDOVAL
	1200	76	SANDOVAL
	1500	76	Smith
	1800	76	Smith
	2100	78	Smith
	2400	78	SAMARRIPAS

NP

Saturday

Date	Time	Temp.	Name (Print)
10 / 05 / 24	0300	78	SAMARRIPAS
	0600	76	[illegible]
	0900	76	[illegible]
	1200	77	[illegible]
	1500	78	J. GUAJARDO
	1800	78	J. GUAJARDO
	2100	78	J. GUAJARDO
	2400	77	SAMARRIPAS

NP

Sunday

Date	Time	Temp.	Name (Print)
10 / 06 / 24	0300	77	SAMARRIPAS
	0600	77	[illegible]
	0900	77	[illegible]
	1200	78	[illegible]
	1500	78	[illegible]
	1800	78	[illegible]
	2100	78	[illegible]
	2400	78	Lopez

NP

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at 6380 when the inside air temperature 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09 / 30 / 24	0300	76	O. Gonzalez
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	76	MARTINEZ
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	O. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
10 / 01 / 24	0300	76	O. Gonzalez
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	76	MARTINEZ
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	O. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
10 / 02 / 24	0300	76	O. Gonzalez
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	76	MARTINEZ
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	SLATER

Thursday

Date	Time	Temp.	Name (Print)
10 / 03 / 24	0300	74	SLATER
	0600	74	MARTINEZ
	0900	75	MARTINEZ
	1200	76	MARTINEZ
	1500	76	Pelayo
	1800	76	Pelayo
	2100	76	Pelayo
	2400	76	Meza, N

Friday

Date	Time	Temp.	Name (Print)
10 / 04 / 24	0300	76	Meza, N
	0600	76	A. ANAYA
	0900	76	A. ANAYA
	1200	77	A. ANAYA
	1500	77	A. ANAYA
	1800	76	A. ANAYA
	2100	76	A. ANAYA
	2400	76	Meza, N

Saturday

Date	Time	Temp.	Name (Print)
10 / 05 / 24	0300	76	Meza, N
	0600	76	A. ANAYA
	0900	77	A. ANAYA
	1200	78	A. ANAYA
	1500	78	Romero
	1800	76	Romero
	2100	76	Romero
	2400	76	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10 / 06 / 24	0300	76	[illegible]
	0600	76	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	78	Pelayo
	1800	78	Pelayo
	2100	78	Pelayo
	2400	78	Lopez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

D-8

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FDB8 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/30/2024	0300	75	Meza, N
	0600	75	LACSINA
	0900	75	LACSINA
	1200	76	LACSINA
	1500	76	Romero
	1800	76	Romero
	2100	75	Romero
	2400	76	GUANALSA

MP

Tuesday

Dat	Time	Temp.	Name (Print)
10/01/2024	0300	76	GUANALSA
	0600	75	Campbell
	0900	75	Campbell
	1200	76	Campbell
	1500	76	MARTINEZ
	1800	76	MARTINEZ
	2100	75	MARTINEZ
	2400	76	GUANALSA

MP

Wednesday

Date	Time	Temp.	Name (Print)
10/02/2024	0300	76	GUANALSA
	0600	76	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	78	Lopez
	1800	78	Lopez
	2100	78	Lopez
	2400	78	GUANALSA

MP

Thursday

Date	Time	Temp.	Name (Print)
10/03/2024	0300	78	GUANALSA
	0600	78	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	78	CASTRUITA
	1800	78	CASTRUITA
	2100	77	CASTRUITA
	2400	76	GUANALSA

MP

Friday

Date	Time	Temp.	Name (Print)
10/04/2024	0300	76	GUANALSA
	0600	76	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	77	CASTRUITA
	1800	77	CASTRUITA
	2100	76	CASTRUITA
	2400	76	GUANALSA

MP

Saturday

Date	Time	Temp.	Name (Print)
10/05/2024	0300	76	GUANALSA
	0600	76	SANCHEZ
	0900	76	SANCHEZ
	1200	76	SANCHEZ
	1500	77	CASTRUITA
	1800	77	CASTRUITA
	2100	76	CASTRUITA
	2400	76	Meza, N

MP

Sunday

Date	Time	Temp.	Name (Print)
10/06/2024	0300	76°	Meza, N
	0600	76	SANCHEZ
	0900	78	SANCHEZ
	1200	78	SANCHEZ
	1500	76	Romero
	1800	76	Romero
	2100	76	Romero
	2400	76°	Meza, N

MP

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: ASU 1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	77	Johnson
	0600	76	M. Gonzalez
	0900	77	P. Rangel
	1200	77	P. Rangel
	1500	77	R NATA
	1800	78	NATA
	2100	76	NATA
	2400	77	Chenka

Tuesday

Date	Time	Temp.	Name (Print)
10/01/24	0300	77	Chenkers
	0600	77	P. Rangel
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	76	Salazar
	0600	77	Aguilar
	0900	78	Aguilar
	1200	80	Aguilar
	1500	82	Bettis
	1800	82	Bettis
	2100	81	Bettis
	2400	72	Salazar

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B2 Temp. Reading Location: A, B, C SECTIONS
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	79	LEGASPI
	0600	79	Santos
	0900	79	Santos
	1200	80	Santos
	1500	79	Clemente
	1800	79	Clemente
	2100	79	Clemente
	2400	79	M. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	79	M. Hernandez
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2 A B, C Sec
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	78	Santoio
	0600	78	Fountain
	0900	78	Fountain
	1200	78	Fountain
	1500	78	Ulmura
	1800	78	Ulmura
	2100	78	Ulmura
	2400	78	O. Luna

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment C
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B4 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	77	VALDEZ
	0600	78	DIASCUA
	0900	79	DIASCUA
	1200	80	DIASCUA
	1500	80	ACUCENA
	1800	80	ACUCENA
	2100	80	ACUCENA
	2400	78	VALDEZ

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	78	Fountain
	0600	78	GARCIA
	0900	78	RUEDA
	1200	78	RUEDA
	1500	78	Davidson
	1800	78	Davidson
	2100	78	Davidson
	2400	79	Fountain

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 6 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/20	0300	77	[illegible]
	0600	78	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	A. Ceal
	1800	79	A. Ceal
	2100	79	A. Ceal
	2400	78	J. HERNANDEZ BM

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B7 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	77	A. Silva
	0600	77	D. Ventura
	0900	77	D. Ventura
	1200	78	D. Ventura
	1500	80	R. Urbina
	1800	80	R. Urbina
	2100	80	R. Urbina
	2400	79	A. Silva

BM

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	79	A. Silva
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	74	P. Espinoza
	0600	74	Hernandez
	0900	78	Hernandez
30	1200	78	Hernandez
	1500	78	Aguilar
	1800	78	Arreola
24	2100	78	Arreola
	2400	75	P. Espinoza

BM

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	75	P. Espinoza
	0600		
	0900		
1	1200		
	1500		
24	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: RHU 1 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	77	Chavez
	0600	77	P. Rangel
	0900	77	P. Rangel
	1200	77	P. Rangel
	1500	77	Terrell
	1800	78	Terrell
	2100	77	Terrell
	2400	77	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	76	[illegible]
	0600	77	P. Rangel
	0900	77	P. Rangel
	1200	78	P. Rangel
	1500	78	Terrell
	1800	78	Terrell
	2100	77	Terrell
	2400	76	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	76	[illegible]
	0600	76	J. Rios
	0900	76	J. Rios
	1200	77	J. Rios
	1500	77	Terrell
	1800	78	Terrell
	2100	77	Terrell
	2400	77	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	77	[illegible]
	0600	76	Gonzalez, M
	0900	78	Gonzalez, M
	1200	78	Gonzalez, M
	1500	78	Terrell
	1800	78	Terrell
	2100	77	Terrell
	2400	77	Salazar

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	77	Salazar
	0600	76	M. Gonzalez
	0900	77	M. Gonzalez
	1200	78	M. Gonzalez
	1500	78	Terrell
	1800	77	Terrell
	2100	77	Terrell
	2400	77	Terrell

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	76	Terrell
	0600	74	P. Rangel
	0900	77	P. Rangel
	1200	78	P. Rangel
	1500	78	Segurado
	1800	78	Segurado
	2100	77	Segurado
	2400	77	Johnson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300	72	Sabzar
	0600	76	V. Flores
10/1	0900	77	V. Flores
	1200	78	V. Flores
	1500	78	RAYA
/	1800	76	RAYA
	2100	74	RAYA
24	2400	73	Reynaga

Wednesday

Date	Time	Temp.	Name (Print)
	0300	72	Reynaga
	0600	75	V. Flores
10/2	0900	78	V. Flores
	1200	79	V. Flores
	1500	79	Guzman
/	1800	79	Guzman
	2100	78	Guzman
24	2400	78	Garcia

Thursday

Date	Time	Temp.	Name (Print)
	0300	78	Garcia
	0600	77	Garcia
10/3	0900	77	V. Flores
	1200	78	V. Flores
	1500	79	Guzman
/	1800	79	Guzman
	2100	79	Guzman
24	2400	74	J. CASTRO

Friday

Date	Time	Temp.	Name (Print)
	0300	73	J. CASTRO
	0600	74	V. Flores
10/4	0900	76	V. Flores
	1200	78	V. Flores
	1500	78	Guzman
/	1800	78	Guzman
	2100	78	Guzman
24	2400	78	M. Oneal S

Saturday

Date	Time	Temp.	Name (Print)
	0300	78	M. Oneal S
	0600	78	M. Duate
10/5	0900	78	R. Peralta
	1200	78	R. Peralta
	1500	78	D. Herrera
/	1800	78	D. Herrera
	2100	78	D. Herrera
24	2400	78	Jaramillo

Sunday

Date	Time	Temp.	Name (Print)
	0300	78	Jaramillo
	0600	78	Aguilar
10/6	0900	78	Aguilar
	1200	78	Aguilar
	1500	78	Herrera
/	1800	78	Herrera
	2100	78	Herrera
24	2400	78	J. CASTRO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 2 Temp. Reading Location: 2nd Tier A B C Sec (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 10-1-24

Dat	Time	Temp.	Name (Print)
	0300	79	HERNANDEZ
10/	0600	79	SanAntonio
	0900	79	SanAntonio
	1200	79	SanAntonio
1	1500	79	HERNANDEZ
/	1800	79	HERNANDEZ
24	2100	79	HERNANDEZ
	2400	79	VEGASPI

Wednesday 10-2-24

Date	Time	Temp.	Name (Print)
	0300	79	VEGASPI
10/	0600	79	SanAntonio
	0900	79	SanAntonio
	1200	80	SanAntonio
2/	1500	80	Merchant
	1800	79	Merchant
24	2100	79	Merchant
	2400	80	Y. Beltran

Thursday 10-3-24

Date	Time	Temp.	Name (Print)
	0300	81	Y. Beltran
10	0600	80	Y. Beltran
/	0900	80	SanAntonio
	1200	80	SanAntonio
3/	1500	80	Ojeda
	1800	80	Ojeda
24	2100	80	Ojeda
	2400	80	[illegible]

Friday 10-4-24

Date	Time	Temp.	Name (Print)
	0300	79	Reynaga
10/	0600	79	SanAntonio
	0900	79	SanAntonio
4/	1200	79	SanAntonio
	1500	79	Ojeda
	1800	80	Ojeda
24	2100	80	Ojeda
	2400	80	Mender

Saturday 10-5-24

Date	Time	Temp.	Name (Print)
	0300	80	Mender
10/	0600	79	Ojeda
	0900	79	Ojeda
5/	1200	80	Ojeda
	1500	80	Ojeda
	1800	80	Ojeda
24	2100	79	Ojeda
	2400	80	Mender

Sunday 10-6-24

Date	Time	Temp.	Name (Print)
	0300	80	Mender
10/	0600	80	SOLAS
	0900	80	SOLAS
6/	1200	80	SOLAS
	1500	80	Hernandez
	1800	80	Hernandez
24	2100	79	Hernandez
	2400	79	VEGASPI

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B3 Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	78	D. LUNA
	0600	78	C Fountain
	0900	78	C Fountain
	1200	79	C Fountain
	1500	79	VZAMORA
	1800	78	VZAMORA
	2100	78	VZAMORA
	2400	78	Hulsey

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	78	Hulsey
	0600	78	C Fountain
	0900	78	C Fountain
	1200	79	C Fountain
	1500	79	VZAMORA
	1800	78	VZAMORA
	2100	79	VZAMORA
	2400	78	Hulsey

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	78	Hulsey
	0600	78	Sewell
	0900	78	Sewell
	1200	78	Sewell
	1500	79	ACOCELLO
	1800	79	ACOCELLO
	2100	79	ACOCELLO
	2400	79	Hulsey

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	78	Hulsey
	0600	79	Wilhunt
	0900	79	Garcia
	1200	80	Garcia
	1500	80	RIVERA
	1800	80	RIVERA
	2100	78	RIVERA
	2400	79	Reynoso

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	79	Reynoso
	0600	79	Fountain
	0900	79	Fountain
	1200	79	Fountain
	1500	79	Johnson
	1800	79	Johnson
	2100	78	Johnson
	2400	78	M. Eshm

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	78	M. Eshm
	0600	78	M. Eshm
	0900	78	C Fountain
	1200	79	C Fountain
	1500	79	VZAMORA
	1800	79	VZAMORA
	2100	78	VZAMORA
	2400	78	Hulsey

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B4 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	78	VALDEZ
	0600	78	PASCUA
	0900	79	PASCUA
	1200	79	PASCUA
	1500	80	RIOS
	1800	80	RIOS
	2100	80	RIOS
	2400	78	BROCKINGTON

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	78	Brockington
	0600	78	RBell
	0900	79	RBedilla
	1200	79	RBedilla
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	Brockington

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	78	Brockington
	0600	78	RBell
	0900	78	RBell
	1200	78	RBell
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	Brockington

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	78	Brockington
	0600	78	RBell
	0900	79	RBedilla
	1200	79	RBedilla
	1500	80	Rios
	1800	80	Rios
	2100	80	Rios
	2400	78	Brockington

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	Brockington
	0600	78	RBell
	0900	79	RBell
	1200	79	RBell
	1500	82	VGONZALEZ
	1800	83	VGONZALEZ
	2100	83	VGONZALEZ
	2400	80	Rios

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	79	Rios
	0600	79	RBell
	0900	79	RBell
	1200	79	RBell
	1500	80	ACUELLO
	1800	80	ACUELLO
	2100	80	ACUELLO
	2400	80	VALDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: FBB5 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	79	CFountain
	0600	79	Rivera
	0900	79	Rivera
	1200	79	Rivera
	1500	80	Davidson
	1800	80	Davidson
	2100	78	Davidson
	2400	79	CFountain

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	79	CFountain
	0600	79	Rivera
	0900	79	Rivera
	1200	79	Rivera
	1500	80	Davidson
	1800	80	Davidson
	2100	78	Davidson
	2400	79	CFountain

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	79	CFountain
	0600	79	Guzman
	0900	79	Guzman
	1200	79	Guzman
	1500	80	Davidson
	1800	80	Davidson
	2100	78	Davidson
	2400	77	T

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	77	T
	0600	79	Rojo
	0900	79	Rojo
	1200	79	Rojo
	1500	80	Davidson
	1800	80	Davidson
	2100	80	Davidson
	2400	79	T

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	T
	0600	79	Rojo
	0900	79	Rojo
	1200	79	Rojo
	1500	79	Wehunt
	1800	79	Wehunt
	2100	78	Wehunt
	2400	79	CFountain

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	79	CFountain
	0600	79	Torres
	0900	79	Torres
	1200	80	Torres
	1500	80	Wehunt
	1800	80	Wehunt
	2100	80	Wehunt
	2400	80	CFountain

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B 6 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/01/24	0300	78	HERNANDEZ
	0600	78	K. Camin
	0900	78	K. Camin
	1200	79	K. Camin
	1500	79	A. Leal
	1800	79	A Leal
	2100	79	A Leal
	2400	78	HERNANDEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/02/24	0300	78	HERNANDEZ
	0600	78	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	A Leal
	1800	79	A. Leal
	2100	79	A. Leal
	2400	78	HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
10/03/24	0300	78	HERNANDEZ
	0600	78	K. Camin
	0900	78	K. Camin
	1200	78	K. Camin
	1500	TK	[illegible]
	1800	TK	[illegible]
	2100	TK	[illegible]
	2400	79	HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
10/04/24	0300	78	HERNANDEZ
	0600	78	Hernandez
	0900	79	Hernandez
	1200	79	Hernandez
	1500	79	THONGSINGH
	1800	79	THONGSINGH
	2100	A	[illegible]
	2400	79	HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
10/05/24	0300	78	HERNANDEZ
	0600	78	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	A Leal
	1800	79	A Leal
	2100	79	A. Leal
	2400	78	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10/06/24	0300	78	[illegible]
	0600	78	K. Camin
	0900	79	K. Camin
	1200	79	K. Camin
	1500	79	A. Leal
	1800	79	A Leal
	2100	79	A. Leal
	2400	79	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: KVSP B7 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6390 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	78	A Silva
	0600	78	Ventura
	0900	78	Ventura
	1200	78	Ventura
	1500	79	Urbina
	1800	79	Urbina
	2100	79	Urbina
	2400	79	A. Silva

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	78	A Silva
	0600	78	Mendoza
	0900	78	Mendoza
	1200	79	Mendoza
	1500	80	R. URBINA
	1800	80	R. URBINA
	2100	80	R. URBINA
	2400	80	T. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	78	T. Gonzalez
	0600	79	Mendoza
	0900	79	Mendoza
	1200	79	Mendoza
	1500	80	Garcia
	1800	80	Garcia
	2100	80	Garcia
	2400	79	J. [illegible]

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	78	J. [illegible]
	0600	79	Mendoza
	0900	79	Mendoza
	1200	79	Mendoza
	1500	80	Garcia
	1800	80	Garcia
	2100	80	GUINTO
	2400	80	GUINTO

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	78	GUINTO
	0600	78	Mendoza
	0900	78	Mendoza
	1200	78	Mendoza
	1500	78	Suell
	1800	78	Suell
	2100	78	Suell
	2400	78	A. Silva

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	A. Silva
	0600	78	R. Vidana
	0900	79	R. Vidana
	1200	80	R. Vidana
	1500	79	ALEMAN
	1800	78	ALEMAN
	2100	78	ALEMAN
	2400	78	A. Silva

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	77	A. Silva
	0600	78	J. Navarrete
	0900	78	J. Navarrete
	1200	79	J. Navarrete
	1500	80	R. URBINA
	1800	80	R. URBINA
	2100	80	R. URBINA
	2400	80	A Robles

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: B-8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600	78	Hernandez
	0900	77	Hernandez
	1200	77	Hernandez
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	74	P Espinoza
	0600	75	Hernandez
	0900	75	Hernandez
1	1200	77	Hernandez
	1500	78	Hernandez
24	1800	78	Hernandez
	2100	78	Hernandez
	2400	75	P Espinoza

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	75	P Espinoza
	0600	76	Nieto
	0900	76	Nieto
2	1200	77	Nieto
	1500	78	R. Vidunya
24	1800	78	R. Vidunya
	2100	78	R. Vidunya
	2400	78	P Espinoza

Thursday

Date	Time	Temp.	Name (Print)
10	0300	75	P Espinoza
	0600	75	Nieto
	0900	76	Nieto
3	1200	77	Nieto
	1500	78	R. Vidunya
24	1800	78	R. Vidunya
	2100	78	R. Vidunya
	2400	78	P Espinoza

Friday

Date	Time	Temp.	Name (Print)
10	0300	78	P Espinoza
	0600	77	Nieto
	0900	77	Nieto
4	1200	78	Nieto
	1500	78	R. Vidunya
24	1800	78	R. Vidunya
	2100	78	R. Vidunya
	2400	78	R Sanchez

Saturday

Date	Time	Temp.	Name (Print)
	0300	78	L Sanchez
10	0600	77	Nieto
	0900	78	Nieto
5	1200	78	Nieto
	1500	78	R. Vidunya
24	1800	78	R. Vidunya
	2100	78	R. Vidunya
	2400	78	

Sunday

Date	Time	Temp.	Name (Print)
	0300	76	Hunter
10/	0600	76	Arreola
	0900	77	Arreola
6/	1200	77	Arreola
	1500	77	J. Aguilar
24	1800	77	J. Aguilar
	2100	77	J. Aguilar
	2400	77	P Espinoza

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: RHU 2GP Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	76°	R. Hamilton
	0600	78°	Benavidez
	0900	78°	Benavidez
	1200	78°	Benavidez
	1500	78°	Gordon, T
	1800	79°	Gordon, T
	2100	79°	Gordon, T
	2400	78	Munoz

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	77	Munoz
	0600	77°	Benavidez
	0900	78°	Benavidez
	1200	78°	Benavidez
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	79°	Gordon, T
	2400	78	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	77	Munoz
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	79	Sanchez
	1800	78	Sanchez
	2100	78	Sanchez
	2400	77	Munoz

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	77	Munoz
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	78°	Gordon, T
	1800	78°	Gordon, T
	2100	78°	Gordon, T
	2400	77	SIGALA, A

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	77	A. SIGALA
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	80	W. Magsal
	1800	78	W. Magsal
	2100	78	W. Magsal
	2400	79	A. SIGALA

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	77	A. SIGALA
	0600	77	Segundo
	0900	77	Segundo
	1200	78	Segundo
	1500	78	Segundo
	1800	78	Segundo
	2100	78	Segundo
	2400	78	R. Hamilton

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	78	R. Hamilton
	0600	78	C. Salazar
	0900	78	C. Salazar
	1200	78	C. Salazar
	1500	78	R. Garcia
	1800	78	R. Garcia
	2100	77	R. Garcia
	2400	77	R. Hamilton

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: KVSP Housing Unit: RHU 2 GP Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6380 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	76	L. Garrison
	0600	78	Benavides
	0900	78	Benavides
	1200	78	Benavides
	1500	78	Gordon T
	1800	79	Gordon T
24	2100	79	Gordon T
	2400	78	Munoz

Tuesday

Dat	Time	Temp.	Name (Print)
9/24	0300	76	Munoz
	0600	78	Benavides
	0900	78	Benavides
	1200	79	Benavides
	1500	79	Gordon T
	1800	79	Gordon T
24	2100	78	Gordon T
	2400	78	Munoz

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	77	Munoz
	0600	77	MATA
	0900	77	MATA
	1200	78	MATA
	1500	78	Sanchez
	1800	78	Sanchez
24	2100	78	Sanchez
	2400	77	Munoz

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	77	Munoz
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	78	Gordon T
	1800	78	Gordon T
24	2100	78	Gordon T
	2400	77	A. SEGALA

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	77	A. Segala
	0600	77	MATA
	0900	78	MATA
	1200	78	MATA
	1500	80	E. Esquivel
	1800	79	E. Esquivel
24	2100	78	E. Esquivel
	2400	77	A. SEGALA

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	77	A. SEGALA
	0600	77	E. Esquivel
	0900	77	E. Esquivel
	1200	78	E. Esquivel
	1500	78	E. Esquivel
	1800	77	E. Esquivel
24	2100	77	E. Esquivel
	2400	76	L. Garrison

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	78	L. Garrison
	0600	78	C. Salazar
	0900	79	C. Salazar
	1200	79	C. Salazar
	1500	79	[illegible]
24	1800	78	[illegible]
	2100	78	[illegible]
	2400	77	L. Garrison

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator