STATE OF CALIFORNIA

HEAT PLAN - MONTHLY SUMMARY REPORT

CDCR MH-7711-1 (02/17)

Monthly Summary Report

Institution: RJD

Memorandum

Date: August 12, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - July 2024

The following is a summary of the heat related activity for the month of July 2024,

at RJD (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

   Number of days Stage I Alert initiated: 1

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

   Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

JAMES S. HILL	CHRISTOPHER PODRATZ
Warden Name	Chief Executive Officer Name
DocuSigned by: BD287F67075A4A0...	DocuSigned by: C. W. Podratz CE01E15BDC1A403...
Warden Signature	Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 3 Temp. Reading Location: Top Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	78	[illegible]
	0600	74	MR Flores
	0900	74	MR Flores
	1200	77	MR Flores
	1500	78	MOORE
	1800	77	MOORE
	2100	76	MOORE
	2400	74	ZALGman

TS

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	74	WAKAMA
	0600	74	ESQUIVIES
	0900	75	ESQUIVIES
	1200	78	ESQUIVIES
	1500	79	Hernandez
	1800	78	Hernandez
	2100	76	Hernandez
	2400	77	[illegible]

TS

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	77	[illegible]
	0600	79	[illegible]
	0900	76	[illegible]
	1200	77	[illegible]
	1500	79	ESQUIVIES
	1800	78	ESQUIVIES
	2100	77	ESQUIVES
	2400	77	[illegible]

TS

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	77	[illegible]
	0600	75	MR Flores
	0900	76	MR Flores
	1200	78	MR Flores
	1500	85	A. SOTO
	1800	85	A. SOTO
	2100	85	A. SOTO
	2400	76	A. SAUCEDO

TS

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	76	A. Saucedo
	0600	75	A. Saucedo
	0900	77	MR Flores
	1200	79	MR Flores
	1500	79	T. MOORE
	1800	78	T. MOORE
	2100	78	T. MOORE
	2400	77	J. Gobb

TS

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	75	J. Gobb
	0600	74	J. Gobb
	0900	76	MR Flores
	1200	78	MR Flores
	1500	80	T. MOORE
	1800	79	T. MOORE
	2100	77	T. MOORE
	2400	76	A. RIOS

TS

Sunday

DATE	TIME	TEMP	NAME
7/7	0300	78	A. RIOS
7/7	0600	76	MR FLORES
7/7	0900	79	MR FLORES
7/7	1200	79	MR FLORES
7/7	1500	80	WOMEN
7/7	1800	79	WOMEN
7/7	2100	77	WOMEN
	2400	78	[illegible]

TS

Notes

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJDCF Housing Unit: 4 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/01	0300	73°	M. MARoKI
	0600	73	"
	0900	75	"
	1200	79	"
	1500	76	ESQUIVIES
	1800	75	ESQUIVIES
	2100	73	ESQUIVIES
	2400	72°	M. MARoKI

Tuesday

Date	Time	Temp.	Name (Print)
7/02	0300	71°	M. MARoKI
	0600	72	"
	0900	75	"
	1200	79	"
	1500	76	ESQUIVIES
	1800	75	ESQUIVIES
	2100	73	ESQUIVIES
	2400	72°	M. MARoKI

Wednesday

Date	Time	Temp.	Name (Print)
7/03	0300	71°	M. MARoKI
	0600	71°	M. MARoKI
	0900	75	C. Basnl
	1200	77	C. Basnl
	1500	75	C. Basnl
	1800	74	C. Basnl
	2100	73	C. Basnl
	2400	73°	M. MARoKI

Thursday

Date	Time	Temp.	Name (Print)
7/04	0300	72°	M. MARoKI
	0600	72	C. Basnl
	0900	74	C. Basnl
	1200	76	C. Basnl
	1500	75	C. Basnl
	1800	75	C. Basnl
	2100	74	C. Basnl
	2400	73°	M. MARoKI

Friday

Date	Time	Temp.	Name (Print)
7/05	0300	72°	M. MARoKI
	0600	73	C. Basnl
	0900	75	C. Basnl
	1200	75	C. Basnl
	1500	75	Beltran
	1800	75	Beltran
	2100	74	BELTRAN
	2400	74°	M. MARoKI

Saturday

Date	Time	Temp.	Name (Print)
7/06	0300	73°	M. MARoKI
	0600	73°	M. MARoKI
	0900	72°	J. Ruiz
	1200	70°	J. Ruiz
	1500	71°	J. Ruiz
	1800	73°	S. MEZA
	2100	74°	S. MEZA
	2400	74°	M. MARoKI

Sunday

Date	Time	Temp.	Name (Print)
7/07	0300	73°	M. MARoKI
	0600	72°	J. Ruiz
	0900	72°	J. Ruiz
	1200	72°	J. Ruiz
	1500	74°	J. Ruiz
	1800	70°	J. Ruiz
	2100	70°	J. Ruiz
	2400	70°	D. GOMEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	71	A. VARGAS
	0600	71	E JUAREZ
	0900	72	E JUAREZ
	1200	75	E JUAREZ
	1500	75	CARDENAS
	1800	75	CARDENAS
	2100	73	CARDENAS
	2400	72	CALALANG

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	70	A. VARGAS
	0600	70	E JUAREZ
	0900	72	E JUAREZ
	1200	74	E. JUAREZ
	1500	75	CARDENAS
	1800	75	CARDENAS
	2100	75	CARDENAS
	2400	73	A. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	71	A. VARGAS
	0600	71	E JUAREZ
	0900	74	E JUAREZ
	1200	73	E JUAREZ
	1500	75	CARDENAS
	1800	76	CARDENAS
	2100	74	CARDENAS
	2400	74	E. SANCHEZ

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	72	E. SANCHEZ
	0600	72	E. SANCHEZ
	0900	73	E JUAREZ
	1200	77	E JUAREZ
	1500	77	E. CARDENAS
	1800	76	CARDENAS
	2100	74	CARDENAS
	2400	74	J. GOFF

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	73	J. GOFF
	0600	73	COLLAZO, R
	0900	74	COLLAZO, R
	1200	75	COLLAZO, R
	1500	76	CARDENAS
	1800	75	CARDENAS
	2100	75	CARDENAS
	2400	75	A. VARGAS

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	73	J. GOFF
	0600	72	J. GOFF
	0900	73	M. GOMEZ
	1200	76	M. GOMEZ
	1500	77	M. GOMEZ
	1800	76	A. SUMAYA
	2100	73	A. SUMAYA
	2400	75	A. VARGAS

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	73	A. VARGAS
	0600	73	E. JUAREZ
	0900	73	E. JUAREZ
	1200	75	E JUAREZ
	1500	75	ALVAREZ
	1800	75	ALVAREZ
	2100	75	ALVAREZ
	2400	74	A. VARGAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 8 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	71	A. HERNANDEZ
	0600	71	M. ROBLES
	0900	72	M. ROBLES
	1200	76	M. ROBLES
	1500	75	FERNANDEZ
	1800	74	FERNANDEZ
	2100	73	FERNANDEZ
	2400	73	O. LOPEZ

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	71	O. LOPEZ
	0600	71	Collazo, R
	0900	73	Collazo, R
	1200	76	Collazo, R
	1500	77	Collazo, R
	1800	76	Collazo, R
	2100	75	Collazo, R
	2400	73	DOMAN

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	71	DOMAN
	0600	71	Collazo, R
	0900	73	Collazo, R
	1200	77	Collazo, R
	1500	77	Chavez, S.
	1800	77	Chavez, S.
	2100	74	Chavez, S.
	2400	73°	C. FLORES

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	73	C. FLORES
	0600	72	SILVER, M.
	0900	74	SILVER, M.
	1200	77	SILVER, M.
	1500	77	SILVER, M.
	1800	76	SILVER, M.
	2100	77	SILVER, M.
	2400	74	M. SALEWSKY

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	73	M. Salewsky
	0600	74	SILVER, M.
	0900	75	SILVER, M.
	1200	75	SILVER, M.
	1500	76	SILVER, M.
	1800	76	SILVER, M.
	2100	73	DOMAN
	2400	74	DOMAN

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	72	DOMAN
	0600	73	DOMAN
	0900	74	SILVER, M
	1200	76	SILVER, M
	1500	78	Samuelson
	1800	79	Samuelson
	2100	78	Samuelson
	2400	74	DOMAN

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	73	DOMAN
	0600	73	DOMAN
	0900	73	M. ROBLES
	1200	78	M. ROBLES
	1500	77	J. TOVEDO
	1800	76	J. TOVEDO
	2100	75	J. TOVEDO
	2400	73	J. Gutierrez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 10 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension SSS1 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	72	O Martinez
	0600	72	N Salvador
	0900	73	N Salvador
	1200	75	N Salvador
	1500	77	N Salvador
	1800	77	N Salvador
	2100	74	N Salvador
	2400	74	RYBNIKAR

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	73	RYBNIKAR
	0600	73	RYBNIKAR
	0900	74	Zamora
	1200	74	Zamora
	1500	77	N Salvador
	1800	76	N Salvador
	2100	74	N Salvador
	2400	73	RYBNIKAR

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	72	RYBNIKAR
	0600	73	RYBNIKAR
	0900	74	J Sosa
	1200	77	J Sosa
	1500	78	J Sosa
	1800	78	C. AYALA
	2100	76	C. AYALA
	2400	75	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	74	RYBNIKAR
	0600	73	RYBNIKAR
	0900	74	VERA A
	1200	78	VERA A
	1500	77	LOPEZ C
	1800	78	WRIGHT
	2100	77	WRIGHT
	2400	75	RYBNIKAR

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	74	RYBNIKAR
	0600	74	RYBNIKAR
	0900	75	VERA A
	1200	78	VERA A
	1500	78	VERA A
	1800	79	VERA A
	2100	78	VERA A
	2400	75	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	74	RYBNIKAR
	0600	74	RYBNIKAR
	0900	75	VERA A
	1200	78	VERA A
	1500	80	VERA A
	1800	79	VERA A
	2100	78	VERA A
	2400	75	M. Salewsky

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	75	M. Salewsky
	0600	74	N Salvador
	0900	75	N Salvador
	1200	79	N Salvador
	1500	79	N Salvador
	1800	79	N Salvador
	2100	77	N Salvador
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 16 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	70	K MILLER
	0600	70	A. HERNANDEZ
	0900	71	A. HERNANDEZ
	1200	71	A. HERNANDEZ
	1500	71	A. EDWARDS
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	K MILLER

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	70	K. MILLER
	0600	71	A. HERNANDEZ
	0900	71	A. HERNANDEZ
	1200	71	A. HERNANDEZ
	1500	71°	R. Owens
	1800	70°	R. Owens
	2100	70°	R. Owens
	2400	70	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	71	A. HERNANDEZ
	1200	70	A. HERNANDEZ
	1500	71	S. Orozco
	1800	71	S. Orozco
	2100	70	S. Orozco
	2400	70	J. Garcia

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	70	A. HERNANDEZ
	1200	71	A. HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	70	J. Garcia

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	71	A. HERNANDEZ
	1200	71	A. HERNANDEZ
	1500	71	A. HERNANDEZ
	1800	72°	Zajach Kasby
	2100	70°	Zajach Kasby
	2400	70	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	70	N Beduhi
	1200	71	N Beduhi
	1500	71	O. AGUILAR
	1800	72°	Zajach Kasby
	2100	71°	Zajach Kasby
	2400	70°	C. Allen

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	71°	C. ALLEN
	0600	71	N BEDUHI
	0900	70	N BEDUHI
	1200	71	N BEDUHI
	1500	71	S Lewis
	1800	70	S. Lewis
	2100	69	S. Lewis
	2400	71	K. MILLER

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D17 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	74	G. BRENTS
	0600	74	N. Bedukl
	0900	74	N Bedukl
	1200	76	N Bedukl
	1500	72	K. Angniano
	1800	71	M Davis
	2100	70	M Davis
	2400	73	G. BRENTS

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	74	G. BRENTS
	0600	74	N Bedukl
	0900	76	N Bedukl
	1200	77	N Bedukl
	1500	77	E. Lovett
	1800	77	E. Lovett
	2100	77	E. Lovett
	2400	75	G. BRENTS

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	74	G. BRENTS
	0600	74	B. EDEN
	0900	76	B. EDEN
	1200	78	B. EDEN
	1500	79	B. EDEN
	1800	78	B. EDEN
	2100	77	B. EDEN
	2400	75	A. Maldonado

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	75	A. Maldonado
	0600	75	B. EDEN
	0900	76	B. EDEN
	1200	75	B. EDEN
	1500	78	S. Lewis
	1800	77	S. Lewis
	2100	76	S. Lewis
	2400	77	B. EDEN

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	76	B. EDEN
	0600	75	B. EDEN
	0900	77	B. EDEN
	1200	79	B. EDEN
	1500	79	S. Lewis
	1800	78	S. Lewis
	2100	77	S. Lewis
	2400	76	G. BRENTS

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	75	G. BRENTS
	0600	75	B. EDEN
	0900	75	B. EDEN
	1200	79	B. EDEN
	1500	80	J. Badillo
	1800	79	H. HERNANDEZ
	2100	79	H. HERNANDEZ
	2400	77	G. BRENTS

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	75	G. BRENTS
	0600	76	B. EDEN
	0900	77	B. EDEN
	1200	78	B. EDEN
	1500	79	B. EDEN
	1800	79	B. EDEN
	2100	78	B. EDEN
	2400	77	G. BRENTS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

D-FACILITY 16 17 18 ~~19~~ 20

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D 18 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)	Sup Int
July 1 2024	0300	73	D. Black	
	0600	73	O. AGUILAR	
	0900	73	O. AGUILAR	
	1200	76	O. AGUILAR	
	1500	77	CALALANG	
	1800	77	CALALANG	
	2100	76	CALALANG	
	2400	74	D. Black	

Tuesday

Date	Time	Temp.	Name (Print)	Sup Int
July 2	0300	73	D. Black	
	0600	73	D. Black	
	0900	74	J. SOSA	
	1200	77	J. SOSA	
	1500	77	CALALANG	
	1800	77	CALALANG	
	2100	76	CALALANG	
	2400	75	D. Black	

Wednesday

Date	Time	Temp.	Name (Print)	Sup Int
July 3	0300	74	D. Black	
	0600	73	N Beduhi	
	0900	74	N Beduhi	
	1200	77	N Beduhi	
	1500	78	S. LEWIS	
	1800	77	S. LEWIS	
	2100	76	S. LEWIS	
	2400	75	D. Black	

Thursday

Date	Time	Temp.	Name (Print)	Sup Int
July 4	0300	74	D. Black	
	0600	74	Bannard	
	0900	76	Bannard	
	1200	78	Bannard	
	1500	79	J. MARTINEZ	
	1800	78	J. MARTINEZ	
	2100	76	J. MARTINEZ	
	2400	75	D. Black	

Friday

Date	Time	Temp.	Name (Print)	Sup Int
July 5	0300	75	D. Black	
	0600	74	O. AGUILAR	
	0900	75	O. AGUILAR	
	1200	77	O. AGUILAR	
	1500	79	CALALANG	
	1800	78	CALALANG	
	2100	77	CALALANG	
	2400	78	C. Beduhi	

Saturday

Date	Time	Temp.	Name (Print)	Sup Int
July 6	0300	77	C. Beduhi	
	0600	74	O. AGUILAR	
	0900	75	O. AGUILAR	
	1200	78	O. AGUILAR	
	1500	79	CALALANG	
	1800	79	CALALANG	
	2100	77	CALALANG	
	2400	76	K. MILLER	

Sunday

Date	Time	Temp.	Name (Print)	Sup Int
July 7	0300	76	K. MILLER	
	0600	74	O. AGUILAR	
	0900	75	O. AGUILAR	
	1200	79	O. AGUILAR	
	1500	79	CALALANG	
	1800	78	CALALANG	
	2100	77	CALALANG	
	2400	76	D. Black	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Facility -D Captain Date

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	72	Maldonado
	0600	72	DEMESA
	0900	71.4	DEMESA
	1200	72.3	DEMESA
	1500	72	DEMESA
	1800	71°	R. Owens
	2100	70°	R. Owens
	2400	69	Bench

Tuesday

Date	Time	Temp.	Name (Print)
	0300	68	Bench
	0600	69	DEMESA
	0900	70.2	DEMESA
	1200	71.5	DEMESA
	1500	71.9	DEMESA
	1800	70	DEMESA
	2100	70	DEMESA
	2400	72	Bench

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	69	Bench
	0600	71	DEMESA
	0900	71.2	DEMESA
	1200	71.4	DEMESA
	1500	72.8	ARCEO.
	1800	74	O. MORALES
	2100	73.4	O. MORALES
	2400	70	Bench

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	68	Bench
	0600	69	DEMESA
	0900	71.3	DEMESA
	1200	72	DEMESA
	1500	73°	MARQUEZ, M.
	1800	75°	MARQUEZ, M
	2100	73°	MARQUEZ, M
	2400	72	Bench

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	70	Bench
	0600	72.8	Bullard
	0900	74.3	Bullard
	1200	74.1	Bullard
	1500	71	Ericson
	1800	72	Ericson
	2100	70	Ericson
	2400	69	Bench

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	68	Bench
	0600	72.7	Bullard
	0900	72.8	Bullard
	1200	75.7	Bullard
	1500	72	Ericson
	1800	72	Ericson
	2100	70	Ericson
	2400	74	A. Maldonado

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	74	A. Maldonado
	0600	74	Lovett
	0900	74	Lovett
	1200	74	Lovett
	1500	73°	ACEVES
	1800	74	Montoya
	2100	70	Cruz
	2400	73	A. Maldonado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	76	AD. FLORES, SR
	0600	74	Ballard
	0900	74	Ballard
	1200	75	Ballard
	1500	76	D. Hubert
	1800	76	D. Hubert
	2100	77	D. Hubert
	2400	77	AD. FLORES, SR

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	75	AD. FLORES, SR
	0600	75	PROVINCIO
	0900	76	PROVINCIO
	1200	77	PROVINCIO
	1500	77	ARAUJO
	1800	78	ARAUJO
	2100	78	ARAUJO
	2400	76	AD. FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	75	AD. FLORES, SR
	0600	75	PROVINCIO
	0900	75	PROVINCIO
	1200	78	PROVINCIO
	1500	77°	M. MAROKI
	1800	78°	M. MAROKI
	2100	78°	M. MAROKI
	2400	77	AD. FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
7/4th	0300	76	AD. FLORES SR
	0600	75	PROVINCIO
	0900	75	PROVINCIO
	1200	77	PROVINCIO
	1500	78	ARAUJO
	1800	78	ARAUJO
	2100	78	ARAUJO
	2400	77	A. Maldonado

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	77	A. Maldonado
	0600	77	UDHE
	0900	77	UDHE
	1200	78	UDHE
	1500	78	ARAUJO
	1800	79	ARAUJO
	2100	78	ARAUJO
	2400	77	A. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	76	A. Maldonado
	0600	76	C MARTINEZ
	0900	77	C MARTINEZ
	1200	77	C MARTINEZ
	1500	75	M. MARTINEZ
	1800	74	MARTINEZ
	2100	73	MARTINEZ
	2400	77	AD. FLORES, SR

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	76	AD. FLORES, SR
	0600	70	Ballard
	0900	73	Ballard
	1200	78	Ballard
	1500	70	N Ericson
	1800	70	N Ericson
	2100	70	N Ericson
	2400	71	AD. FLORES, SR

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RTP Housing Unit: 7 Temp. Reading Location: Top Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	77	RLeamon
	0600	76	MR Flores
	0900	75	MR Flores
	1200	75	Flores
	1500	79	T. MOORE
	1800	77	T. MOORE
	2100	77	T. MOORE
	2400	77	RLeamon

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	78	RLeamon
	0600	75	ESQUIVIES
	0900	76	ESQUIVIES
	1200	79	ESQUIVIES
	1500	79	MOORE
	1800	78	MOORE
	2100	77	MOORE
	2400	77	RLeamon

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	77	RLeamon
	0600	75	S. OROZCO
	0900	76	S. ORDZCO
	1200	79	S. ORDZCO
	1500	80	ESQUIVIES
	1800	79	ESQUIVIES
	2100	78	ESQUIVIES
	2400	77	RLeamon

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	77	RLeamon
	0600	76	MR Flores
	0900	76	MR Flores
	1200	78	MR Flores
	1500	74	A. SOTO
	1800	74	A. SOTO
	2100	74	A. SOTO
	2400	75	RLeamon

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	75	RLeamon
	0600	76	MR Flores
	0900	76	MR Flores
	1200	78	MR Flores
	1500	79	MOORE
	1800	77	MOORE
	2100	77	MOORE
	2400	76	RLeamon

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	76	RLeamon
	0600	75	MR Flores
	0900	76	MR Flores
	1200	79	MR Flores
	1500	79	V. DANIEL
	1800	79	V. DANIEL
	2100	77	V. DANIEL
	2400	76	M. Salewsky

Sunday

Date	Time	TEMP	NAME
7-14-24	0300	75	M. Salewsky
	0600	75	MR FLORES
	0900	77	MR Flores
	1200	79	MR Flores
	1500	79	A SALIDO
	1800	79	A SALIDO
	2100	77	A SALIDO
	2400	77	RLeamon

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJDCF Housing Unit: 4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	70°	D. GOMEZ
	0600	72	ULLOA
	0900	75	ULLOA
	1200	77	ULLOA
	1500	77	ESQUIVIES
	1800	76	ESQUIVIES
	2100	74	ESQUIVIES
	2400	73°	M. MAROKE

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	72°	M. MAROKE
	0600	73°	M. MAROKE
	0900	76	K. IBARRA
	1200	78	K. IBARRA
	1500	77	ESQUIVIES
	1800	76	ESQUIVES
	2100	74	ESQUIVIES
	2400	74°	M. MAROKE

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	73°	M. MAROKE
	0600	72°	J. JUAREZ
	0900	72°	J. JUAREZ
	1200	70°	J. JUAREZ
	1500	70°	J. JUAREZ
	1800	70°	J. JUAREZ
	2100	70°	J. JUAREZ
	2400	73°	M. MAROKE

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	73°	M. MAROKE
	0600	71°	J. JUAREZ
	0900	72°	J. JUAREZ
	1200	70°	J. JUAREZ
	1500	70°	J. JUAREZ
	1800	70°	J. JUAREZ
	2100	71°	J. JUAREZ
	2400	73°	M. MAROKE

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	73°	M. MAROKE
	0600	74	C. BAGNI
	0900	75	C. BAGNI
	1200	77	C. BAGNI
	1500	70°C	J. JUAREZ
	1800	70°C	J. JUAREZ
	2100	70C	J. JUAREZ
	2400	73°	M. MAROKE

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	73°	M. MAROKE
	0600	74	C. BAGNI
	0900	75	C. BAGNI
	1200	75	C. BAGNI
	1500	74	C. BAGNI
	1800	74°	C. BAGNI
	2100	74°	C. BAGNI
	2400	74°	M. MAROKE

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	73°	M. MAROKE
	0600	74	C. BAGNI
	0900	75	C. BAGNI
	1200	76	C. BAGNI
	1500	75	C. BAGNI
	1800	75	C. BAGNI
	2100	74	C. BAGNI
	2400	74	J. MARTINEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	72	A. VARGAS
	0600	72	E. JUAREZ
	0900	73	E. JUAREZ
	1200	74	E. JUAREZ
	1500	76	E. CARDENAS
	1800	75	Cardenas
	2100	74	Cardenas
	2400	74	A. VARGAS

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	72	A. VARGAS
	0600	69°	L. ACEVES
	0900	69°	L. ACEVES
	1200	69°	L. ACEVES
	1500	77	CARDENAS
	1800	76	CARDENAS
	2100	75	CARDENAS
	2400	74	A. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	72	A. VARGAS
	0600	73	C. PONCE
	0900	75	C. PONCE
	1200	76	C. PONCE
	1500	77	E. CARDENAS
	1800	76	E. CARDENAS
	2100	75	E. CARDENAS
	2400	74	E. Sanchez

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	73	E. Sanchez
	0600	73	E. Sanchez
	0900	74	E. JUAREZ
	1200	75	E. JUAREZ
	1500	77	E. CARDENAS
	1800	76	E. CARDENAS
	2100	74	M. SALEWSKY
	2400	73	M. Salewsky

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	73	M. Salewsky
	0600	72	M. Salewsky
	0900	73	R. Collazo
	1200	75	R. Collazo
	1500	76	E. CARDENAS
	1800	75	E. CARDENAS
	2100	75	E. CARDENAS
	2400	74	A. VARGAS

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	72	A. VARGAS
	0600	72	M. GOMEZ
	0900	73	M. GOMEZ
	1200	75	M. GOMEZ
	1500	76	A. ESQUIVIES
	1800	76	A. ESQUIVIES
	2100	75	A. ESQUIVIES
	2400	74	A. VARGAS

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	72	A. VARGAS
	0600	72	E. JUAREZ
	0900	73	E. JUAREZ
	1200	75	E. JUAREZ
	1500		
	1800		
	2100		
	2400	74	A. VARGAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 8 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension SSS1 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	74	J. Gutierrez
	0600	72	M. ROBLES
	0900	73	M. ROBLES
	1200	76	M. ROBLES
	1500	78	M. Rangel
	1800	76	M. Rangel
	2100	75	M. Rangel
	2400	73	J. Morales

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	73	J. MORALES
	0600	73	J. MORALES
	0900	73	R. Collazo
	1200	78	R. Collazo
	1500	78	R. Collazo
	1800	77	R. Collazo
	2100	75	R. Collazo
	2400	74	DOMAN

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	73	DOMAN
	0600	73	DOMAN
	0900	74	R. Collazo
	1200	76	R. Collazo
	1500	78	R. Collazo
	1800	77	R. Collazo
	2100	75	R. Collazo
	2400	74	DOMAN

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	73	DOMAN
	0600	73	DOMAN
	0900	74	SILVER, M.
	1200	76	SILVER, M.
	1500	77	SILVER M
	1800	78	SILVER, M.
	2100	75	SILVER, M.
	2400	74	DOMAN

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	73	DOMAN
	0600	73	DOMAN
	0900	75	SILVER, M
	1200	77	SILVER, M
	1500	77	SILVER, M
	1800	76	SILVER, M
	2100	74	SILVER, M.
	2400	73	DOMAN

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	73	DOMAN
	0600	73	DOMAN
	0900	75	SILVER, M.
	1200	77	SILVER, M
	1500	77	SANDERSON
	1800	76	SANDERSON
	2100	75	SANDERSON
	2400	74	DOMAN

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	73	DOMAN
	0600	73	DOMAN
	0900	78	M. ROBLES
	1200	78	M. ROBLES
	1500	78	E. VELASCO
	1800	78	E. VELASCO
	2100	75	E. VELASCO
	2400	[illegible]	TCPIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

HU 9 admit July 8 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 9 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7-8-24	0300		
	0600		
	0900		
	1200		
	1500	75	N.SOTOL
	1800	74	L SOTOL
	2100	75	L SOTOL
	2400	78	Eguia

Tuesday

Date	Time	Temp.	Name (Print)
7-9-24	0300	72	Eguia
	0600	70	Eguia
	0900	79	J.SOSA
	1200	79	J.SOSA
	1500	78	I.Villarreal
	1800	76	I.Villarreal
	2100	74	I.Villarreal
	2400	73	FERNANDEZ F

Wednesday

Date	Time	Temp.	Name (Print)
7.10.24	0300	72	FERNANDEZ F.
	0600	72	FERNANDEZ F.
	0900	73	J. SOSA
	1200	76	J.SOSA
	1500	77	J.SOSA
	1800	77	I.Villarreal
	2100	74	I.Villarreal
	2400	78	Eguia

Thursday

Date	Time	Temp.	Name (Print)
7-11-24	0300	72	Eguia
	0600	71	J.SOSA
	0900		
	1200		
	1500	77	R.FERNANDEZ
	1800	76	R.FERNANDEZ
	2100	74	R.FERNANDEZ
	2400	72	Eguia

Friday

Date	Time	Temp.	Name (Print)
7-12-24	0300	70	Eguia
	0600	71	J.SOSA
	0900	72	J.SOSA
	1200	79	J.SOSA
	1500	72	C Pabiasra
	1800	71	C. Paniaga
	2100	78	C.Pam
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300		
	0600	72	S.CHAVEZ
	0900	73	S.CHAVEZ
	1200	75	S.CHAVEZ
	1500	76	I.Villarreal
	1800	76	I.Villarreal
	2100	74	I.Villarreal
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	74	ZAMORA
	0600	72	Zamora
	0900	73	Zamora
	1200	76	Zamora
	1500	77	I.Villarreal
	1800	76	I.Villarreal
	2100	75	I.Villarreal
	2400	73	Eguia

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 10 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	74	Murthen
	0600	74	N Salvador
	0900	76	N Salvador
	1200	77	N Salvador
	1500	78	N Salvador
	1800	78	N Salvador
	2100	77	N Salvador
	2400	77°	D. Gomez

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	75°	D. Gomez
	0600	74	Zamora
	0900	74	Zamora
	1200	78	Zamora
	1500	79°	C. Flores
	1800	79°	C. Flores
	2100	77°	C. Flores
	2400	70	C. Smith

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	73	C. Smith
	0600	74	Melgoza
	0900	75	Melgoza
	1200	78	Wright
	1500	79	C. Flores
	1800	70	C. Flores
	2100	77	C. Flores
	2400	76	D. Johnson

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	~~79~~ 75	~~C. T~~ D. Johnson
	0600	74	Vera A
	0900	75	Vera A
	1200	77	Vera A
	1500	~~79°~~ 73°	~~C. Flores~~ V. Carrillo
	1800	~~78~~ 70°	~~C. Flores~~ V. Carrillo
	2100	~~77~~ 70°	~~C. Flores~~ V. Carrillo
	2400	76°	Espina

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	75°	Espina
	0600	74	Vera
	0900	75	Vera
	1200	78	Vera
	1500	77	Vera
	1800	77	Vera
	2100	76	Vera
	2400	76°	Espina

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	75°	Espina
	0600	75°	Espina
	0900	75°	Vera A
	1200	78°	Vera A
	1500	78	Vera A
	1800	78	Vera
	2100	77	Vera
	2400	76	Zamora

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	75	Zamora
	0600	74	N Salvador
	0900	75	N Salvador
	1200	78	N Salvador
	1500	79	N Salvador
	1800	79	N Salvador
	2100	77	N Salvador
	2400	77	N. Maroki

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 11 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	72	M HURM
	0600	71	I. DURAN
	0900	73	I. DURAN
	1200	75	I. DURAN
	1500	76	A. Veytia
	1800	76	A. Veytia
	2100	73	LOMELI
	2400	73	M HURM

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	72	M Hurm
	0600	71	I. DURAN
	0900	74	I. DURAN
	1200	75	I. DURAN
	1500	77	A. Veytia
	1800	74	A. Veytia
	2100	74	A. Veytia
	2400	73	M Hurm

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	72	A. Gomez
	0600	71	M. Ballesteros
	0900	73	M Ballesteros
	1200	76	M Ballesteros
	1500	76	A. Veytia
	1800	75	A. Veytia
	2100	73	A. Veytia
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	70	J. Marquez
	0600	71	M Ballesteros
	0900	73	M Ballesteros
	1200	76	M Ballesteros
	1500	76	J. DIAZ
	1800	74	J DIA
	2100	73	J. DIAZ
	2400	70	J. Marquez

Friday 7/12/24

Date	Time	Temp.	Name (Print)
7/12/24	0300		
	0600	70	M Ballesteros
	0900	71	M Ballesteros
	1200	75	M Ballesteros
	1500	75	A. Veytia
	1800	74	A. Veytia
	2100	73	A. Veytia
	2400	72	A. Gomez

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	71	A. Gomez
	0600	71	C. PONCE
	0900	72	C. PONCE
	1200	75	C. PONCE
	1500	75	VILLEGAS H
	1800	74	VILLEGAS H
	2100	73	VILLEGAS H
	2400	72	A. Gomez

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	72	A. Gomez
	0600	72	M Ballesteros
	0900	72	M Ballesteros
	1200	76	M. Ballesteros
	1500	76	N. ESPINO
	1800	75	N. ESPINO
	2100	74	N. ESPINO
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 12 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	73	J. Marquez
	0600	71	S. CANO
	0900	71	S. CANO
	1200	73	S. CANO
	1500	76	CASTRO
	1800	79	CASTRO
	2100	79	CASTRO
	2400	73	J. Marquez

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	78	DMZ.C
	0600	76	CASTRO
	0900	77	CASTRO
	1200	82	CASTRO
	1500	81	CASTRO
	1800	81	CASTRO
	2100	79	CASTRO
	2400	78	DMZ.C

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	77	DMZ.C
	0600	75	I. DURAN
	0900	76	I. DURAN
	1200	78	I. DURAN
	1500	81	CASTRO
	1800	82	CASTRO
	2100	79	CASTRO
	2400	79	DMZ.C

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	78	DMZ.C
	0600	75	Brennan
	0900	77	Brennan
	1200	80	Brennan
	1500	80	VILLEGAS
	1800	80	VILLEGAS
	2100	80	VILLEGAS
	2400	79	DMZ.C

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	77	DMZ.C
	0600	75	Brennan
	0900		
	1200		
	1500	80	VILLEGAS H
	1800	79	VILLEGAS H
	2100	78	VILLEGAS H
	2400	78	DMZ.C

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	75	DMZ.C
	0600	75	Brennan
	0900	75	Brennan
	1200		
	1500	75	[illegible]
	1800	75	[illegible]
	2100	75	[illegible]
	2400	77	E. Ramirez

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	70	J. Marquez
	0600	72	
	0900	73	
	1200	76	
	1500	82	CASTRO
	1800	81	CASTRO
	2100	81	CASTRO
	2400	70	J. Marquez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 13 Temp. Reading Location: B CTRL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	71	SARSOZAK
	0600	73	HERNANDEZ
	0900	73	HERNANDEZ
	1200	73	HERNANDEZ
	1500	74	Franco
	1800	73	Franco
	2100	67	Franco
	2400	71	SARSOZAK

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	71	SARSOZAK
	0600	70	T. Duran
	0900		
	1200		
	1500	72	C. Smith
	1800	76	C. Smith
	2100	76	C. Smith
	2400	71	SARSOZAK

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	73	SARSOZAK
	0600	72	Madrid
	0900	72	Madrid
	1200	75	Madrid
	1500	73	VILLEGAS-H
	1800	72	VILLEGAS-H
	2100	72	VILLEGAS-H
	2400	72	SARSOZAK

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	72	SARSOZAK
	0600	72	DIAZ
	0900		
	1200	74	DIAZ
	1500	71	QUINONES
	1800	71	P. Somoza
	2100	70	R. [illegible]
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	70	J. Marquez
	0600	70	YANG
	0900	69	YANG
	1200	72	YANG
	1500	70	J. Mendoza
	1800	70	J. Mendoza
	2100		
	2400	70	J. Marquez

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	70	J. Marquez
	0600	71	L. Becerra
	0900	72	L. Becerra
	1200	74	L. Becerra
	1500	75	J. Mendoza
	1800	74°	J. Mendoza
	2100	74°	J. Mendoza
	2400	70	J. Marquez

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200		
	1500	74	V. Aguirre
	1800	74	V. Aguirre
	2100	73	V. Aguirre
	2400	72	SARSOZAK

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 16 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	70	R. MILLER
	0600	70	A. HERNANDEZ
	0900	71	A. HERNANDEZ
	1200	71	A. HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	70	C. Little

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	71	C. Little
	0600	71	C. Little
	0900	70	A. HERNANDEZ
	1200	71	A. HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71°	J. MARTINEZ
	2400	71°	J. MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	71°	J. MARTINEZ
	0600	71°	J. MARTINEZ
	0900	71	A. HERNANDEZ
	1200	71	A. HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	Z ZAVALA

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	71	Z ZAVALA
	0600	71	Z ZAVALA
	0900	70	Z ZAVALA
	1200	71	Z ZAVALA
	1500	71	A. VARGAS
	1800	71	A. VARGAS
	2100	71	A. VARGAS
	2400	71°	R. Armendariz

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	70°	R. Armendariz
	0600	70	HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	70	C. MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	71	C. MARTINEZ
	0600	70	C. MARTINEZ
	0900	70	N. Bedoli
	1200	71	N. Bedoli
	1500	70	J. NIETO
	1800	70°	S. MEZA
	2100	70°	S. MEZA
	2400	70	J. Garcia

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	70	N. Bedoli
	1200	71	N. Bedoli
	1500	72	S. Lewis
	1800	71	S. Lewis
	2100	70	S. Lewis
	2400	71	R. MILLER

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D17 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	75	G. BRENTS
	0600	75	N. BEDUHI
	0900	75	N. BEDUHI
	1200	79	N. BEDUHI
	1500	~~79~~ 79	E. Silva
	1800	78	E. Silva
	2100	77	E. Silva
	2400	76	G. BRENTS

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	75	G. BRENTS
	0600	75	N BEDUHI
	0900	76	N BEDUHI
	1200	79	N BEDUHI
	1500	79	E. Silva
	1800	78	E. Silva
	2100	78	E. Silva
	2400	76	G. BRENTS

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	75	G. BRENTS
	0600	75	B. EDEN
	0900	77	B. EDEN
	1200	79	B. EDEN
	1500	80	E. Silva
	1800	79	E. Silva
	2100	78	E. SILVA
	2400	76	A. Maldonado

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	75	A. Maldonado
	0600	76	B. EDEN
	0900	77	B. EDEN
	1200	78	B. EDEN
	1500	~~79~~	S. LEWIS
	1800	~~78~~	S. LEWIS
	2100	~~77~~	S. LEWIS
	2400	77	K MILLER

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	77	K. MILLER
	0600	75	B. EDEN
	0900	76	B. EDEN
	1200	78	B. EDEN
	1500	~~78~~	S. LEWIS
	1800	~~77~~	S. LEWIS
	2100	~~76~~	S. LEWIS
	2400	75	G. BRENTS

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	75	G. BRENTS
	0600	75	B. EDEN
	0900	76	B. EDEN
	1200	78	B. EDEN
	1500	79	E. Silva
	1800	79	E. Silva
	2100	78	E. Silva
	2400	77	G. BRENTS

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	75	G. BRENTS
	0600	75	B. EDEN
	0900	76	B. EDEN
	1200	79	B. EDEN
	1500	79	E. Silva
	1800	79	E. Silva
	2100	78	E. Silva
	2400	78	G. BRENTS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D18 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
July 8 2024	0300	75	D. Black
	0600	74	O. AGUILAR
	0900	74	O. AGUILAR
	1200	77	O. AGUILAR
	1500	78	O. AGUILAR
	1800	78	O. AGUILAR
	2100	77	O. AGUILAR
	2400	75	D. Black

Tuesday

Date	Time	Temp.	Name (Print)
July 9, 2024	0300	74	D. Black
	0600	74	O. AGUILAR
	0900	75	O. AGUILAR
	1200	78	O. AGUILAR
	1500	79	O. AGUILAR
	1800	78	O. AGUILAR
	2100	77	O. AGUILAR
	2400	76	D. Black

Wednesday

Date	Time	Temp.	Name (Print)
July 10, 2024	0300	75	D. Black
	0600	74	N BEDUHI
	0900	75	N BEDUHI
	1200	75	N BEDUHI
	1500	78	S. LEWIS
	1800	78	S. LEWIS
	2100	75	S. LEWIS
	2400	76	D. Black

Thursday

Date	Time	Temp.	Name (Print)
July 11, 2024	0300	75	D. Black
	0600	75	D. Black
	0900	75	Bullard
	1200	76	Bullard
	1500	79	J. MARTINEZ
	1800	76	J. MARTINEZ
	2100	76	J. MARTINEZ
	2400	75	D. Black

Friday

Date	Time	Temp.	Name (Print)
July 12, 2024	0300	74	D. Black
	0600	74	D. Black
	0900	74	MUEGA
	1200	76	MUEGA
	1500	77	CALALANG
	1800	77	CALALANG
	2100	76	CALALANG
	2400	75	K MILLER

Saturday

Date	Time	Temp.	Name (Print)
July 13, 2024	0300	75	K MILLER
	0600	75	CALALANG
	0900	74	CALALANG
	1200	76	CALALANG
	1500	77	CALALANG
	1800	77	CALALANG
	2100	76	CALALANG
	2400	75	K MILLER

Sunday

Date	Time	Temp.	Name (Print)
July 14, 2024	0300	75	K MILLER
	0600	74	O. AGUILAR
	0900	75	O. AGUILAR
	1200	78	O. AGUILAR
	1500	79	CALALANG
	1800	78	CALALANG
	2100	77	CALALANG
	2400	76	D. Black

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 control Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	74	A. Maldonado
	0600	72.5	DEMESA
	0900	72.7	DEMESA
	1200	73	DEMESA
	1500	70	S. Valverde
	1800	73	S. Valverde
	2100	74	S. Valverde
	2400	72	Bench

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	70	Bench
	0600	70	DEMESA
	0900	71	DEMESA
	1200	71.5	DEMESA
	1500	74	S. Valverde
	1800	75	S. Valverde
	2100	75.3	S. Valverde
	2400	71	Bench

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	70	Bench
	0600	71°	M. MARQUEZ
	0900	72°	M. MARQUEZ
	1200	72°	M. MARQUEZ
	1500	73.4	S. Valverde
	1800	74.8	S. Valverde
	2100	75.1	S. Valverde
	2400	72	Bench

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	71	Bench
	0600	71.9	DEMESA
	0900	71.8	DEMESA
	1200	72	DEMESA
	1500	74.3	DEMESA
	1800	73	DEMESA
	2100	72	DEMESA
	2400	71	Bench

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	69	Bench
	0600	72.3	Bullard
	0900	73.2	Bullard
	1200	73.9	Bullard
	1500	72	N Ericson
	1800	77	N Ericson
	2100	70	N Ericson
	2400	69	Bench

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	68	Bench
	0600	72	Bullard
	0900	72.8	Bullard
	1200	73.7	Bullard
	1500	71	N Ericson
	1800	70	N Ericson
	2100	70	N Ericson
	2400	72	E. Ramirez

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	73	E. Ramirez
	0600	73	E. Lovett
	0900	73	E. Lovett
	1200	73	E. Lovett
	1500	74.4	M. LUCHT
	1800	74.3	M. LUCHT
	2100	73.7	M. LUCHT
	2400	73	A. Maldonado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	76	AD. FLORES, SR
	0600	75	Bullard
	0900	76	Bullard
	1200	77	Bullard
	1500	78	D. Hubert
	1800	79	D. Hubert
	2100	78	D. Hubert
	2400	77	AD. FLORES, SR

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	76	AD. FLORES, SR
	0600	75	ARAUJO
	0900	77	ARAUJO
	1200	78	ARAUJO
	1500	78	ARAUJO
	1800	79	ARAUJO
	2100	79	ARAUJO
	2400	77	AD. FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	76	AD. FLORES, SR
	0600	76	N. Maroki
	0900	76	N. Maroki
	1200	76	N. Maroki
	1500	78	ARAUJO
	1800	78	ARAUJO
	2100	78	ARAUJO
	2400	77	AD. FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	76	AD. FLORES, SR
	0600	76	N. Maroki
	0900	77	N. Maroki
	1200	77	N. Maroki
	1500	78	ARAUJO
	1800	78	ARAUJO
	2100	78	ARAUJO
	2400	77	A. Maldonado

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	77	A. Maldonado
	0600	75	N. Maroki
	0900	76	N. Maroki
	1200	77	N. Maroki
	1500	79	S. Cuadra
	1800	79	S. Cuadra
	2100	78	S. Cuadra
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	75	ARMENTA. O
	0600	75	N. Maroki
	0900	76	N. Maroki
	1200	76	N. Maroki
	1500	77	ARAUJO
	1800	78	ARAUJO
	2100	78	ARAUJO
	2400	77	AD. FLORES, SR

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	76	AD. FLORES, SR
	0600	76	Bullard
	0900	75	Bullard
	1200	78	Bullard
	1500	78	MR Flores
	1800	79	MR Flores
	2100	78	MR Flores
	2400	77	AD. FLORES, SR

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 3 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-15-24	0300	77	R Leamon
	0600	76	MR Flores
	0900	77	MR Flores
	1200	79	MR Flores
	1500	79	MOORE
	1800	79	MOORE
	2100	78	MOORE
	2400	77	R Leamon

Tuesday

Date	Time	Temp.	Name (Print)
7-16-24	0300	77	R Leamon
	0600	77	alvarez
	0900	77	alvarez
	1200	78	alvarez
	1500	78	alvarez
	1800	78	MOORE
	2100	78	MOORE
	2400	77	R Leamon

Wednesday

Date	Time	Temp.	Name (Print)
7-17-24	0300	77	R Leamon
	0600	78	[illegible]
	0900	79	[illegible]
	1200	79	[illegible]
	1500	80	ESQUIVIES
	1800	79	ESQUIVIES
	2100	78	ESQUIVIES
	2400	77	R Leamon

Thursday

Date	Time	Temp.	Name (Print)
7-18-24	0300	77	R Leamon
	0600	77	MR Flores
	0900	77	MR Flores
	1200	79	MR Flores
	1500	81/76	A. SOTO
	1800	81	A. SOTO
	2100	76	A. SOTO
	2400	76	R Leamon

Friday

Date	Time	Temp.	Name (Print)
7-19-24	0300	76	R Leamon
	0600	77	MR FLORES
	0900	78	MR Flores
	1200	79	MR Flores
	1500	78	ARELLANO
	1800	79	ARELLANO
	2100	79	ARELLANO
	2400	78	L CENDEJAS

Saturday

Date	Time	Temp.	Name (Print)
7-20-24	0300	76	L. CENDEJAS
	0600	78	L. CENDEJAS
	0900	79	MR Flores
	1200	80	MR Flores
	1500	79	M. Curiel
	1800	78	M. Curiel
	2100	77	M. Curiel
	2400	75	K. Nance

Sunday

Date	Time	Temp.	Name (print)
7-21-24	0300	76	K Nance
	0600	78	M. Duran
	0900	79	M. Duran
	1200	79	M. Duran
	1500	80	M. Duran
	1800	80	M. Duran
	2100	79	M. Duran
	2400	79	[illegible]

Notes

Reviewed

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: H4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

7-15-24

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	69	[illegible]
	0600	71	H. [illegible]
	0900	75	H. [illegible]
	1200	76	H. [illegible]
	1500	76	ESQUIVIES
	1800	76	ESQUIVIES
	2100	75	ESQUIVIES
	2400	72	M [illegible]

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	69	[illegible]
	0600	71	H. [illegible]
	0900	75	H. [illegible]
	1200	76	H. [illegible]
	1500	76	ESQUIVIES
	1800	76	ESQUIVIES
	2100	75	ESQUIVIES
	2400	75	M Lopez

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	73	M Lopez
	0600	70	C Xiong
	0900	74	C Xiong
	1200	76	C Xiong
	1500	72	J. Juarez
	1800	70°	J. Juarez
	2100	71°	J. Juarez
	2400	73°	M. MARoKE

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	73°	M. MARoKE
	0600	73	C. Bosch
	0900	74	C. Bosch
	1200	76	C. Bosch
	1500	75	C. Bosch
	1800	76	Serrano
	2100	74	Serrano
	2400	73°	M. MARoKE

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	73°	M. MARoKE
	0600	73	C. Bosch
	0900	75	C. Bosch
	1200	74	C. Bosch
	1500	74	C. Bosch
	1800	70°	J. Juarez
	2100	70°	J. Juarez
	2400	75°	M. MARoKE

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	74°	M. MARoKE
	0600	74	C. Bosch
	0900	75	C. Bosch
	1200	76	C. Bosch
	1500	74	M Cuevas
	1800	78	M. Cuevas
	2100	76	M Cuevas
	2400	74°	M. MARoKE

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	74°	M. MARoKE
	0600	75	C. Bosch
	0900	76	C. Bosch
	1200	77	C. Bosch
	1500	78	Rodriguez
	1800	78	Rodriguez
	2100	77	Rodriguez
	2400	74	K Nance

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

Renewal

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/15/24	0300	72	A. VARGAS
	0600	72	E. JUAREZ
	0900	73	E. JUAREZ
	1200	73	E. JUAREZ
	1500	77	CARDENAS
	1800	76	CARDENAS
	2100	74	Cardenas
	2400	74	A. VARGAS

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	72	A. VARGAS
	0600	72	E. JUAREZ
	0900	73	E. JUAREZ
	1200	74	E. JUAREZ
	1500	76	Cardenas
	1800	75	Cardenas
	2100	75	CARDENAS
	2400	74	A. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	72	A. VARGAS
	0600	72	E. JUAREZ
	0900	73	E. JUAREZ
	1200	74	E. JUAREZ
	1500	76	E. CARDENAS
	1800	75	E. CARDENAS
	2100	75	E. CARDENAS
	2400	74	E. SANCHEZ

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	73	E. SANCHEZ
	0600	73	E. SANCHEZ
	0900	74	E. JUAREZ
	1200	75	E. JUAREZ
	1500	76	E. CARDENAS
	1800	75	E. CARDENAS
	2100	75	E. CARDENAS
	2400	74	M. Salewsky 88

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	73	M. Salewsky 88
	0600	73	M. Salewsky
	0900	74	R. Collazo
	1200	76	R. Collazo
	1500	78	E. CARDENAS
	1800	76	E. CARDENAS
	2100	76	E. CARDENAS
	2400	75	A. VARGAS

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	73	A. VARGAS
	0600	74	M. GOMEZ
	0900	75	M. GOMEZ
	1200	77	M. GOMEZ
	1500	78	ESQUIVIES
	1800	78	ESQUIVIES
	2100	77	ESQUIVIES
	2400	76	A. VARGAS

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	74	A. VARGAS
	0600	74	E. JUAREZ
	0900	75	E. JUAREZ
	1200	77	E. JUAREZ
	1500	77	ESQUIVIES
	1800	77	ESQUIVIES
	2100	75	ESQUIVIES
	2400	75	A. VARGAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Reviewed 95

Attachment F2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 8 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	73F	Tapia
	0600	73F	Tapia
	0900	74°	M. ROBLES
	1200	76°	M. ROBLES
	1500	77°	E. VELASCO
	1800	77°	E. VELASCO
	2100	75°	E. VELASCO
	2400	74	GUTIERREZ

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	73°	GUTIERREZ
	0600	74°	ALI
	0900	74°	ALI
	1200	43°	ALI
	1500	77	Collazo, R
	1800	77	Collazo, R
	2100	75	Collazo, R
	2400	74	Collazo, R

Wednesday

Date	Time	Temp.	Name (Print)
7/18	0300	74	Collazo, R
	0600	75	J. DIAZ
	0900	71	J. DIAZ
	1200	71	J. DIAZ
	1500	77	R. Collazo
	1800	77	R. Collazo
	2100	75	R. Collazo
	2400	74	R. Collazo

Thursday

Date	Time	Temp.	Name (Print)
7/19	0300	73	R. Collazo
	0600	73	E. PROVENCIO
	0900	74	E. PROVENCIO
	1200	77	E. PROVENCIO
	1500	77	DOMAN
	1800	77	DOMAN
	2100	75	DOMAN
	2400	74	DOMAN

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	73	DOMAN
	0600	73	DOMAN
	0900	75	RAMIREZ I
	1200	77	I RAMIREZ
	1500	78	DOMAN
	1800	77	DOMAN
	2100	75	DOMAN
	2400	74	DOMAN

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	73	DOMAN
	0600	73	DOMAN
	0900	75	CHAVEZ, S.
	1200	79	CHAVEZ, S.
	1500	78	TOLEDO
	1800	77	TOLEDO
	2100	77	JARAMILLO
	2400	75	DOMAN

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	74	DOMAN
	0600	73	DOMAN
	0900	74°	M. ROBLES
	1200	77°	M. ROBLES
	1500	79°	W. Farnese
	1800	78°	W. Farnese
	2100	76°	W. Farnese
	2400	74°	J. MORALES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 10 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	77	N Marovi
	0600	74	N Salvador
	0900	77	N Salvador
	1200	78	N Salvador
	1500	78	N Salvador
	1800	78	N Salvador
	2100	77	N Salvador
	2400	76°	RYBNIKAR

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	75°	RYBNIKAR
	0600	75°	RYBNIKAR
	0900	75	Zamora
	1200	76	Zamora
	1500	78	N Salvador
	1800	78	N Salvador
	2100	76	N Salvador
	2400	75	RYBNIKAR

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	73	RYBNIKAR
	0600	74	RYBNIKAR
	0900	74°	NOVASON
	1200	78°	NOVASON
	1500	78°	C. FLORES
	1800	76°	C. FLORES
	2100	75°	C. FLORES
	2400	74°	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	73°	RYBNIKAR
	0600	73°	RYBNIKAR
	0900	75	V. PLAZA
	1200	78	V. PLAZA
	1500	78	O. ARMENTA
	1800	77	O. ARMENTA
	2100		
	2400	75°	RYBNIKAR

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	74°	RYBNIKAR
	0600	74°	RYBNIKAR
	0900	77	L. NHIAN
	1200	79	L. NHIAN
	1500	79	N Salvador
	1800	79	N Salvador
	2100	77	N Salvador
	2400	75°	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	74°	RYBNIKAR
	0600	75°	RYBNIKAR
	0900	76°	LOPEZ
	1200	79°	LOPEZ
	1500	81	N Salvador
	1800	80	N Salvador
	2100	79	N Salvador
	2400		M. Salewsky

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	76	M Salewsky
	0600	74	V. DANIEL
	0900	73	V. DANIEL
	1200	75	V. DANIEL
	1500	79	N Salvador
	1800	79	N Salvador
	2100	78	N Salvador
	2400	77°	J GARCIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ~~FCHUII~~ RJD Housing Unit: 11 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	72	M Hurm
	0600	72	I. DURAN
	0900	73	I. DURAN
	1200	75	I. DURAN
	1500	74	S. QUINTANA
	1800	74	S. QUINTANA
	2100	74	S. QUINTANA
	2400	73	M Hurm

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	72	M HURM
	0600	72	I. DURAN
	0900	72	I. DURAN
	1200	75	I. DURAN
	1500	75	A. ROSS
	1800	73	A. ROSS
	2100	73	A. ROSS
	2400	73	M HURM

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	72	A Gomez
	0600	72	M Ballaelus
	0900	73	M Ballaelus
	1200	74	M Ballaelus
	1500	75	A. Ventra
	1800	75	A. Ventra
	2100	73	A. Ventra
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300		
	0600	72	M Ballaelus
	0900	73	M Ballaelus
	1200	75	M Ballaelus
	1500	73	V. CARRILLO
	1800	70	V. CARRILLO
	2100	78	V. CARRILLO
	2400	73	Z. Morales

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	72	Z. Morales
	0600	72	M Ballaelus
	0900	69	~~S. Hernandez~~ M Ballaelus
	1200	74	M Ballaelus
	1500	77	A Ventra
	1800	78	A. Ventra
	2100	74	A. Ventra
	2400	73	A Gomez

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	72	A Gomez
	0600	72	I GALVAN
	0900	74	I GALVAN
	1200	77	I GALVAN
	1500	75	VILLEGAS
	1800	75	VILLEGAS
	2100	73	VILLEGAS
	2400	73	A Gomez

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	73	A Gomez
	0600	73	M. Ballaelus
	0900	74	M. Ballaelares
	1200	76	M Ballaelus
	1500	77	M Ballaelus
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: # 12 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	75	E. RAMIREZ
	0600	75	G. LAGUNA
	0900	75	G. LAGUNA
	1200	75	G. LAGUNA
	1500	81	CASTRO
	1800	81	CASTRO
	2100	79	CASTRO
	2400	78	Almodovar

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	76	Almodovar
	0600	76	HERNANDEZ
	0900	75	HERNANDEZ
	1200	75	HERNANDEZ
	1500	79	CASTRO
	1800	81	CASTRO
	2100	79	CASTRO
	2400	78	Almodovar

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	77	Almodovar
	0600	76	I. DURAN
	0900		
	1200		
	1500	80	CASTRO
	1800	81	CASTRO
	2100	79	CASTRO
	2400	78	Almodovar

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	76	Almodovar
	0600	72	LAGUNA
	0900	75	
	1200	80	LUGO
	1500	80	VILLEGAS. H
	1800	81	VILLEGAS. H
	2100	78	VILLEGAS. H
	2400	77	Almodovar

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	76	Almodovar
	0600	76	LAGUNA
	0900	79	LAGUNA
	1200	80	LAGUNA
	1500	80	Villegas. H
	1800	80	Villegas. H
	2100	78	Villegas. H
	2400	78	Almodovar

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	77	Almodovar
	0600	~~76~~ 76	LAGUNA
	0900	79	LAGUNA
	1200	81	LAGUNA
	1500	75	F. Marero
	1800	81	CA
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	69	J. Marquez
	0600	76	LAGUNA
	0900	79	LAGUNA
	1200	82	LAGUNA
	1500	81	CASTRO
	1800	81	CASTRO
	2100	81	CASTRO
	2400	69	J Marquez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 13 Temp. Reading Location: 13 CTRL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/20	0300	72	SARSOZA.K
	0600	73	HERNANDEZ
	0900	73	HERNANDEZ
	1200	73	HERNANDEZ
	1500	72	R. ESTRADA
	1800	72	R. ESTRADA
	2100	72	R. ESTRADA
	2400	71	SARSOZA.K

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	71	SARSOZA.K
	0600	71	CHAVEZ
	0900	71	CHAVEZ
	1200	75	CHAVEZ
	1500	71	LOMELI
	1800	75	LOMELI
	2100	74	LOMELI
	2400	73	SARSOZA.K

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	71	SARSOZA.K
	0600		
	0900		
	1200		
	1500	70	VILLEGAS
	1800		
	2100		
	2400	72	SARSOZA.K

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	72	SARSOZA.K
	0600	73	A. VALLESO
	0900	74	A. VALLESO
	1200	76	A. VALLESO
	1500	72	R. ESTRADA
	1800	72	R. ESTRADA
	2100	71	R. ESTRADA
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	70	J. Marquez
	0600	70	YANG
	0900	70	YANG
	1200	68	YANG
	1500	72	R. ESTRADA
	1800	71	R. ESTRADA
	2100		
	2400	70	J. Marquez

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	70	J. Marquez
	0600	71	LOMBA
	0900	73	L. Marquez
	1200	76	CARRILLO
	1500	71	Ramos
	1800	71	Ramos
	2100	70	Ramos
	2400	70	J. Marquez

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	72	SARSOZA.K
	0600	69	VILLEGAS-H
	0900	72	VILLEGAS.H
	1200	72	VILLEGAS.H
	1500		
	1800		
	2100		
	2400	72	SARSOZA.K

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REH

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 16 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	71	K. MILLER
	0600	70	A. HERNANDEZ
	0900	70	A. HERNANDEZ
	1200	70	A. HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	70	A. EDWARDS
	2400	71	C. Little

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	71	C. Little
	0600	71	C. Little
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	Melgoza
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	70	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	70	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	70	J. Garcia

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	71	P. mehrabian
	1200	71	P. mehrabian
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	70	J. Garcia

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	71	A. HERNANDEZ
	1200	71	A. HERNANDEZ
	1500	71	M. MARTINEZ
	1800	71	M. MARTINEZ
	2100	71	M. MARTINEZ
	2400	70	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	70	N BEDUHI
	1200	71	N BEDUHI
	1500	71	S. Lewis
	1800	70	S. Lewis
	2100	70	S. Lewis
	2400	71	C. Allen

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	70	C. ALLEN
	0600	70	N Bedihi
	0900	70	N Bedihi
	1200	71	N Bedihi
	1500	71	S. Lewis
	1800	70	S. Lewis
	2100	71	S. Lewis
	2400	71	K. MILLER

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D17 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	76	G. BRENTS
	0600	75	N Bedwhi
	0900	76	N Bedwhi
	1200	79	N Bedwhi
	1500	78	E. Silva
	1800	78	E. Silva
	2100	78	E. Silva
	2400	78	J. MANTWER

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	76°	J. MANTWER
	0600	76°	J. MANTWER
	0900	76	N Bedwhi
	1200	78	N Bedwhi
	1500	78	E. Silva
	1800	78	E. Silva
	2100	78	E. Silva
	2400	77	G. BRENTS

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	76	G. BRENTS
	0600	75	B. EDEN
	0900	76	B. EDEN
	1200	78	B. EDEN
	1500	78	O ARMENTA
	1800	78	O ARMENTA
	2100	78	O ARMENTA
	2400	77	A. Maldonado

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	75	A. Maldonado
	0600	76	A. Lazaro
	0900	77	A. Lazaro
	1200	79	A. Lazaro
	1500	72.	S. MICHED
	1800	76	S. MICHED
	2100	75	S. LEWIS
	2400	77	S K. MILLER

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	75	K. MILLER
	0600	75	K. MILLER
	0900	76	K. MILLER
	1200	79	K. MILLER
	1500	79	S. Gray
	1800	78	S. LEWIS
	2100	77	S. LEWIS
	2400	76	G. BRENTS

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	76	G. BRENTS
	0600	77	K. MILLER
	0900	77	K. MILLER
	1200	79	K. MILLER
	1500	80	E. Silva
	1800	80	E. Silva
	2100	79	E. Silva
	2400	78	G. BRENTS

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	76	G. BRENTS
	0600	76	R. Garcia
	0900	77	R. Garcia
	1200	79	R. Garcia
	1500	80	E. Silva
	1800	80	E. Silva
	2100	79	E. Silva
	2400	78	G. BRENTS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 2D61147C-9AEE-439B-982B-B0DFD9D61B5D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D-18 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
July 15 2024	0300	75	D. Black
	0600	75	O. AGUILAR
	0900	75	O. AGUILAR
	1200	77	O. AGUILAR
	1500	78	CALALANG
	1800	78	CALALANG
	2100	77	CALALANG
	2400	76	D. Black

Tuesday

Date	Time	Temp.	Name (Print)
July 16	0300	75	D. Black
	0600	75	O. AGUILAR
	0900	75	O. AGUILAR
	1200	77	O. AGUILAR
	1500	78	CALALANG
	1800	78	CALALANG
	2100	77	CALALANG
	2400	76	D. Black

Wednesday

Date	Time	Temp.	Name (Print)
July 17	0300	75	D. Black
	0600	75	D. Black
	0900	76	O. Sanchez
	1200	77	O. Sanchez
	1500	77	S. Tony
	1800	76	S. Tony
	2100	76	S. Tony
	2400	76	D. Black

Thursday

Date	Time	Temp.	Name (Print)
July 18	0300	75	D. Black
	0600	76	Banard
	0900	75	Banard
	1200	77	Banard
	1500	78	J. MARTINEZ
	1800	78	J. MARTINEZ
	2100	76	J. MARTINEZ
	2400	76°	R Armendariz

Friday

Date	Time	Temp.	Name (Print)
7-19-24	0300	75°	R. Armendariz
	0600	74	O. AGUILAR
	0900	76	O. AGUILAR
	1200	78	O. AGUILAR
	1500	[illegible]	[illegible]
	1800	75	[illegible]
	2100	77	[illegible]
	2400	75	K MILLER

Saturday

Date	Time	Temp.	Name (Print)
7-20-24	0300	75	K MILLER
	0600	75	O. AGUILAR
	0900	77	O. AGUILAR
	1200	80	O. AGUILAR
	1500	80	O. AGUILAR
	1800	80	O. AGUILAR
	2100	79	O. AGUILAR
	2400	77	K MILLER

Sunday

Date	Time	Temp.	Name (Print)
7-21-24	0300	76	K MILLER
	0600	75	A. VALLAS
	0900	76	A. VALLAS
	1200	79	A. VALLAS
	1500	79	CALALANG
	1800	79	CALALANG
	2100	78	CALALANG
	2400	76	D. Black

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300		
	0600		
	0900		
	1200		
	1500	73.6	S. Valverde
	1800	74.3	S. Valverde
	2100	75.7	S. Valverde
	2400	73	Bend

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	71	Bend
	0600	73.9	S. Valverde
	0900	74.2	S. Valverde
	1200	75.3	S. Valverde
	1500	73.4	S. Valverde
	1800	74.3	S. Valverde
	2100	74.5	S. Valverde
	2400	72	Bend

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	70	Bend
	0600	72	Valdayra
	0900	73	Valdayra
	1200	76	Valdayra
	1500	73.9	S. Valverde
	1800	75.6	S. Valverde
	2100	73.7	S. Valverde
	2400	71	Bend

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	69	Bend
	0600	69	DEMESA
	0900	71	DEMESA
	1200	71.7	DEMESA
	1500	73.8	DEMESA
	1800	73.1	DEMESA
	2100	72.6	DEMESA
	2400	71	Bend

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	69	Bend
	0600	72.5	Bullard
	0900	73.4	Bullard
	1200	74.1	Bullard
	1500	72	N Ericson
	1800	72	N Ericson
	2100	70	N Ericson
	2400	69	Bend

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	68	Bend
	0600	74	Bullard
	0900	72.6	Bullard
	1200	74	Bullard
	1500	74.9	N Ericson
	1800	70	N Ericson
	2100	74	N Ericson
	2400	74	A. Maldonado

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	73	A. Maldonado
	0600	75	M. Guevara
	0900	72	M. Guevara
	1200	74	M. Guevara
	1500	75.1	S. Valverde
	1800	76.1	S. Valverde
	2100	75.5	S. Valverde
	2400	74	A. Maldonado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	76	AD. FLORES, SR
	0600	76	Bernard
	0900	76	Bernard
	1200	77	Bernard
	1500	77	Z. KHAN
	1800	78	J. Nelson
	2100	78	J. Nelson
	2400	79	AD. FLORES, SR

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	76	AD. FLORES, SR
	0600	76	Melgoza
	0900	77	Melgoza
	1200	77	Melgoza
	1500	77	ARAUJO
	1800	78	ARAUJO
	2100	78	[illegible]
	2400	77	AD. FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	76	AD. FLORES, SR
	0600	75	A. TIRAWAN
	0900	70	S. Meraz
	1200	70	S. Meraz
	1500	71	E. Galindo
	1800	79	ARAUJO
	2100	78	ARAUJO
	2400	77	AD. FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	76	AD. FLORES SR
	0600	76	alvarez
	0900	78	alvarez
	1200	78	alvarez
	1500	78	ARAUJO
	1800	78	ARAUJO
	2100	78	J. ARMENTA
	2400	77	A. Maldonado

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	77	A. Maldonado
	0600	76	J. GARCIA
	0900	77	N. Maroki
	1200	78	N. Maroki
	1500	79	ARAUJO
	1800	80	ARAUJO
	2100	79	ARAUJO
	2400	79	A. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	78	A. Maldonado
	0600	77	N. Maroki
	0900	77	N. Maroki
	1200	78	N. Maroki
	1500	80	ARAUJO
	1800	80	ARAUJO
	2100	79	ARAUJO
	2400	79	AD. FLORES SR

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	78	AD. FLORES, SR
	0600	77	J. ARMENTA
	0900	77	V. PLAZA
	1200	77	V. PLAZA
	1500	78	N. ERICSON
	1800	80	N. ERICSON
	2100	78	N. ERICSON
	2400	78	AD. FLORES, SR

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: BJD Housing Unit: 3 Temp. Reading Location: Upper Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	77	[illegible]
	0600	77	MR Flores
	0900	78	MR Flores
	1200	80	MR Flores
	1500	80	D. Gomez
	1800	81	D. Gomez
	2100	79	D. Gomez
	2400	78	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	77	[illegible]
	0600	78	ESQUIVIES
	0900	80	ESQUIVIES
	1200	80	ESQUIVIES
	1500	81	D. Gomez
	1800	80	D. Gomez
	2100	79	D. Gomez
	2400	77	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	77	[illegible]
	0600	79	[illegible]
	0900	80	[illegible]
	1200	81	[illegible]
	1500	82	ESQUIVIES
	1800	82	ESQUIVIES
	2100	81	ESQUIVIES
	2400	77	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	78	[illegible]
	0600	79	MR Flores
	0900	80	MR Flores
	1200	82	MR Flores
	1500	77	A SOTO
	1800	77	A. SOTO
	2100	76	A. SOTO
	2400	76	[illegible]

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	76	[illegible]
	0600	80	MR Flores
	0900	81	MR Flores
	1200	82	MR Flores
	1500	83	E. Simental
	1800	83	E. Simental
	2100	82	E. Simental
	2400	79	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	78	[illegible]
	0600	79	MR Flores
	0900	80	MR Flores
	1200	81	MR Flores
	1500	82	E. Simental
	1800	82	E. Simental
	2100	81	E. Simental
	2400	80	A. ESPINOSA

Sunday

DATE			
7/28	0300	79	A. ESPINOSA.
	0600	78	MR Flores
	0900	79	MR Flores
	1200	80	MR Flores
	1500	81	E. Simental
	1800	81	E. Simental
	2100	80	E. Simental
	2400	79	[illegible]

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 4 Temp. Reading Location: 2 tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5550 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	72	[illegible]
	0600	74	" [illegible]
	0900	76	" [illegible]
	1200	77	" [illegible]
	1500	77	ESQUIVIES
	1800	76	ESQUIVIES
	2100	76	ESQUIVIES
	2400	75	S. ORTEGO

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	75	S. ORTEGO
	0600	75	" [illegible]
	0900	77	" [illegible]
	1200	79	" [illegible]
	1500	78	ESQUIVIES
	1800	78	ESQUIVIES
	2100	77	ESQUIVIES
	2400	75°	M. MARoKE

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	75	M. MARoKE
	0600	75	C. Bash
	0900	77	C. Bash
	1200	76	C. Bash
	1500	76	C. Bash
	1800	77	C. Bash
	2100	77	C. Bash
	2400	77°	M. MARoKE

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	76°	M. MARoKE
	0600	77	C. Bash
	0900	76	C. Bash
	1200	79	C. Bash
	1500	79	C. Bash
	1800	78	C. Bash
	2100	78	C. Bash
	2400	77°	M. MARoKE

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	77°	M. MARoKE
	0600	79	C. Bash
	0900	79	C. Bash
	1200	79	C. Bash
	1500	80	S. MEZA
	1800	78	S. MEZA
	2100	77	S. MEZA
	2400	77°	M. MARoKE

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	77°	M. MARoKE
	0600	76	S. MEZA
	0900	78°	S. MEZA
	1200	78°	S. MEZA
	1500	78°	S. MEZA
	1800	78	S. MEZA
	2100	77	S. MEZA
	2400	76	S. LEWIS

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	75°	Melgoza
	0600	74	S. MEZA
	0900	77	S. MEZA
	1200	78	S. MEZA
	1500	78	S. MEZA
	1800	77	S. MEZA
	2100	77	S. MEZA
	2400	76	S. LEWIS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

DocuSign Envelope ID: 2D61147C-9AEE-439B-982B-B0DFD9D61B5D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	73	A. VARGAS
	0600	74	A. Vargas
	0900	74	M. Flores
	1200	77	M. Flores
	1500	78	E. CARDENAS
	1800	77	E. CARDENAS
	2100	76	E. CARDENAS
	2400	75	A. VARGAS

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	73	A. VARGAS
	0600	73	E. Juarez
	0900	74	E. JUAREZ
	1200	77	L. WONG
	1500	77	M. Ransey
	1800	77	M. Ransey
	2100	76	M. Ransey
	2400	77	A. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	75	A. VARGAS
	0600	75	E. JUAREZ
	0900	76	E. JUAREZ
	1200	77	E. Juarez
	1500	79	E. CARDENAS
	1800	78	E. CARDENAS
	2100	78	E. CARDENAS
	2400	76	E. SANCHEZ

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	76	E. SANCHEZ
	0600	76	E. SANCHEZ
	0900	76	E. Juarez
	1200	78	E. Juarez
	1500	80	E. Juarez
	1800	80	[illegible]
	2100	79	[illegible]
	2400	77	M. Salewsky

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	77	M. Salewsky
	0600	76	R. Collazo
	0900	77	R. Collazo
	1200	79	R. Collazo
	1500	79	J. Alejo
	1800	79	J. Alejo
	2100	78	J. Alejo
	2400	77	A. VARGAS

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	75	A. VARGAS
	0600	75	M. GOMEZ
	0900	75	M. GOMEZ
	1200	78	M. GOMEZ
	1500	75	S. Hernandez
	1800	78	[illegible]
	2100	77	[illegible]
	2400	77	A. VARGAS

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	75	A. VARGAS
	0600	74	E. Juarez
	0900	75	E. Juarez
	1200	76	E. Juarez
	1500	77	E. Juarez
	1800	75	E. Juarez
	2100	74	E. Juarez
	2400	73	J. CRUZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 8 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 55551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	74°	J. MONTAÑEZ
	0600	73°	M. ROBLES
	0900	76°	M. ROBLES
	1200	77°	M. ROBLES
	1500	79	J. GUTIERREZ
	1800	78	J. GUTIERREZ
	2100	78	J. GUTIERREZ
	2400	75	J. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	74	J. Hernandez
	0600	74	J. Hernandez
	0900	73°	R. ALI
	1200	72°	R. ALI
	1500	79.0	R.M. RAMOS
	1800	78°	R.M. RAMOS
	2100	77°	R.M. RAMOS
	2400	76	DOMAN

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	74	DOMAN
	0600	75	DOMAN
	0900	76	ROSS
	1200	79	ROSS
	1500	78	R.M. RAMOS
	1800	78	R.M. RAMOS
	2100	78	DOMAN
	2400	77	DOMAN

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	74°	ROSS
	0600	74°	ROSS
	0900	73°	ROSS
	1200	72°	ROSS
	1500	80°	R.M. RAMOS
	1800	79°	R.M. RAMOS
	2100	78°	R.M. RAMOS
	2400	76	DOMAN

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	76	DOMAN
	0600	75	DOMAN
	0900	73	N. espinoza
	1200	74	N. espinoza
	1500	82	Collazo, R
	1800	81	Collazo, R
	2100	79	Collazo, R
	2400	78	DOMAN

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	77	DOMAN
	0600	76	DOMAN
	0900	76	RAMIZ
	1200	78	RAMIZ
	1500	78	Arias
	1800	78	Arias
	2100	76	Arias
	2400	75	DOMAN

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	74	DOMAN
	0600	75	DOMAN
	0900	73	VELASCO
	1200	77	VELASCO
	1500	77	VELASCO
	1800	75	VELASCO
	2100	76	VELASCO
	2400	74	M. MARQUEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

#6

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 10 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	76°	Gutierrez
	0600	75	J. Zamora
	0900	77°	J. Zamora
	1200	75	J. Zamora
	1500	80	N Salvador
	1800	79	N Salvador
	2100	78	N Salvador
	2400	77°	RYBNIKAR

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	76°	RYBNIKAR
	0600	76°	RYBNIKAR
	0900	76	Zamora
	1200	79	Zamora
	1500	80	N Salvador
	1800	79	N Salvador
	2100	79	N Salvador
	2400	77°	RYBNIKAR

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	76°	RYBNIKAR
	0600	76°	RYBNIKAR
	0900	78	I. Reyes
	1200	80	I. Reyes
	1500	81°	C. Flores
	1800	81°	C. Flores
	2100	79°	C. Flores
	2400	77°	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	76°	RYBNIKAR
	0600	76°	RYBNIKAR
	0900	79°	Vera N
	1200	81°	Vera N
	1500	82°	Vera N
	1800	82	Rodriguez R
	2100	79°	Rodriguez R
	2400	77°	RYBNIKAR

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	76°	RYBNIKAR
	0600	76°	RYBNIKAR
	0900	79°	Vera
	1200	80°	Vera
	1500	81°	Vera
	1800	78	Vera
	2100	79	Vera
	2400	77°	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	77°	RYBNIKAR
	0600	76°	RYBNIKAR
	0900	78	Vera
	1200	75°	Vera
	1500	80°	Vera
	1800	80°	Vera
	2100	78	Vera
	2400	77	J. Goff

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	76	J. Goff
	0600	76	J. Goff
	0900	78	N Salvador
	1200	78	N Salvador
	1500	79	N Salvador
	1800	79	N Salvador
	2100	78	N Salvador
	2400	77	O Lopez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 11 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	73	M. HURN
	0600	72	I. DURAN
	0900	74	I. DURAN
	1200	76	I. DURAN
	1500	76	A. Veytia
	1800	77	A. Veytia
	2100	75	A. Veytia
	2400	74	M HURN

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	74	M HURN
	0600	73	I. DURAN
	0900	75	I. DURAN
	1200		
	1500	77	A. Veytia
	1800	77	A. Veytia
	2100	78	A. Veytia
	2400	74	M HURN

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	73	A Gomez
	0600	74	M. Estrada
	0900	75	M. Estrada
	1200	77	M. Estrada
	1500	77	A. Veytia
	1800	76	A. Veytia
	2100	76	A. Veytia
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	70	J. Mayer
	0600	74.	M Ballesteros
	0900	76	M. Ballesteros
	1200	78.	M Ballesteros
	1500	80	A. Veytia
	1800	80	A. Veytia
	2100	78	A. Veytia
	2400	70	J. Morgan

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	73	Z. Medina
	0600	74	M Ballesteros
	0900	76	M Ballesteros
	1200	79	M Ballesteros
	1500	79	A. Veytia
	1800	77	A. Veytia
	2100		A. Veytia
	2400	74	I. VENTURA

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300		
	0600	74	YANG
	0900	74	YANG
	1200	77	YANG
	1500	77	LOMELI
	1800	77	LOMELI
	2100	75	LOMELI
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	74	I. VENTURA
	0600	74	I. VENTURA
	0900	73	PIETSCH. N
	1200	76	PIETSCH. N
	1500	77	VILLEGAS. H
	1800	75	VILLEGAS H
	2100	75	VILLEGAS. H
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 12 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	70	J. Marquez
	0600	76	G. LAGUNA
	0900	78	
	1200	82	G. LAGUNA
	1500	81	CASTRO
	1800	82	CASTRO
	2100	81	CASTRO
	2400	70	J. Marquez

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	78	Almodovar
	0600	77	CASTRO
	0900	81	CASTRO
	1200	81	CASTRO
	1500	83	CASTRO
	1800	82	CASTRO
	2100	83	CASTRO
	2400	82	Almodovar

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	79	Almodovar
	0600	79	I. DURAN
	0900	80	I. DURAN
	1200	82	I. DURAN
	1500	83	CASTRO
	1800	83	CASTRO
	2100	82	CASTRO
	2400	81	Almodovar

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	80	Almodovar
	0600	75	J. DIAZ
	0900	80	J. DIAZ
	1200	83	J. DIAZ
	1500	85	VILLEGAS H
	1800	83	VILLEGAS H
	2100	83	VILLEGAS H
	2400	82	Almodovar

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	80	Almodovar
	0600	81	Laguna
	0900	80	Laguna
	1200	83	Laguna
	1500	83	VILLEGAS H
	1800	83	VILLEGAS H
	2100	81	VILLEGAS H
	2400	79	J. Gobt

~~Saturday~~ Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	70	J. Marquez
	0600	75	G. LAGUNA
	0900	78	G. LAGUNA
	1200	79	G. LAGUNA
	1500	79	M. Rangel
	1800	81	M. Rangel
	2100		
	2400	70	J. Marquez

~~Sunday~~ Saturday

Date	Time	Temp.	Name (Print)
7/29	0300	78	J. Gobt
	0600	78	J. Gobt
	0900	78	G. LAGUNA
	1200	82	G. LAGUNA
	1500	77	HERNANDEZ
	1800	77	HERNANDEZ
	2100	75	HERNANDEZ J
	2400		Almodovar

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 13 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/20	0300	71	SARSOZA/K
	0600	71	HERNANDEZ.J
	0900	72	HERNANDEZ.J
	1200	73	HERNANDEZ
	1500	71	R. ESTRADA
	1800	72	L. SEDANO
	2100	71	L. ESTRADA
	2400	71	SARSOZA/K

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	71	SARSOZA/K
	0600	70	S. CHAVEZ
	0900	73	S. CHAVEZ
	1200	72	S. CHAVEZ
	1500	72	L. BECERRA
	1800	76	L. BECERRA
	2100	72	L. BECERRA
	2400	72	SARSOZA/K

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	72	SARSOZA/K
	0600	72	K. MARTINEZ
	0900	72	K. MARTINEZ
	1200	72	K. MARTINEZ
	1500	72	VILLEGAS. H
	1800	72	VILLEGAS. H
	2100	72	VILLEGAS. H
	2400	72	SARSOZA/K

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	72	SARSOZA/K
	0600	70	GARCIA
	0900	74	A. GARCIA
	1200	72	A. GARCIA
	1500	73	R. ESTRADA
	1800	73	R. ESTRADA
	2100	72	R. ESTRADA
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	70	J. MARQUEZ
	0600	72	A. GARCIA
	0900	72	A. GARCIA
	1200	73	A. GARCIA
	1500	75	J. SEDANO
	1800	75	J. SEDANO
	2100	74	J. SEDANO
	2400	70	J. MARQUEZ

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	70	J. MARQUEZ
	0600	71	A. VALLESO
	0900	74	A. VALLESO
	1200	76	A. VALLESO
	1500	73	R. ESTRADA
	1800	73	R. ESTRADA
	2100	71	R. ESTRADA
	2400	70	J. MARQUEZ

Sunday

Date	Time	Temp.	Name (Print)
	0300	66	L. Reyes
	0600	65	L. Reyes
	0900	74	HERNANDEZ.J
	1200	75	HERNANDEZ.J
	1500	75	R. ESTRADA
	1800	75	R. ESTRADA
	2100	75	R. ESTRADA
	2400	72	SARSOZA/K

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 14 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/24	0300	73	Z. Morales
	0600	72	E LOPEZ
	0900	72	E LOPEZ
	1200	72	E LOPEZ
	1500	72	L. BECERRA
	1800	72	L. BECERRA
	2100	73	L. BECERRA
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	73	Z. Morales
	0600	73	R Arellano
	0900	71	E LOPEZ
	1200	71	E LOPEZ
	1500	72	PIETSCH
	1800	72	PIETSCH
	2100	73	PIETSCH
	2400	72	O. Lazero

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	73	O Lazero
	0600	73	E LOPEZ
	0900	71	E LOPEZ
	1200	72	E LOPEZ
	1500	72	M. Rangel
	1800	72	M. Rangel
	2100	73	M. Rangel
	2400	73	O Lazero

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	72	O Lazero
	0600	73	V. CARRILLO
	0900	71	V. CARRILLO
	1200	72	V. CARRILLO
	1500	73°	J. Mendoza
	1800	71°	J. Mendoza
	2100	72°	J. Mendoza
	2400	72	O Lazero

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	73	O. Lazero
	0600	73	HERNANDEZ J
	0900	74	HERNANDEZ J
	1200	74	HERNANDEZ J
	1500	72	B. Morales
	1800	71	B. Morales
	2100	73	B. Morales
	2400	72	O Lazero

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	73	O Lazero
	0600	73	HERNANDEZ J
	0900	73	HERNANDEZ J
	1200	74	HERNANDEZ J
	1500	71	O. Rodriguez
	1800	70	O. Rodriguez
	2100	73	O. Rodriguez
	2400	73	O. Lazero

Sunday

7/28	0300	73	O. Lazero
	0600	73	E LOPEZ
	0900	71	E LOPEZ
	1200	70	E LOPEZ
	1500	71	Becerra
	1800	71	BECERRA
	2100	73	Becerra
	2400	73	Z. Morales

Notes

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 15 Temp. Reading Location: 6 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	74	DWIZ.C
	0600	74	GARCIA
	0900	73	GARCIA
	1200	72	GARCIA
	1500	73	Morales
	1800	73	Morales
	2100	75	Morales
	2400	74	DWIZ.C

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	74	DWIZ.C
	0600	74	GARCIA
	0900	73	GARCIA
	1200	72	GARCIA
	1500	72	J.RINCON
	1800	73	J.RINCON
	2100	74	J.RINCON
	2400	74	DWIZ.C

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	74	DWIZ.C
	0600	74	GARCIA
	0900	73	GARCIA
	1200	72	GARCIA
	1500	73	Drummond
	1800	73	Drummond
	2100	74	Drummond
	2400	75	DWIZ.C

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	74	DWIZ.C
	0600	75	GARCIA
	0900	73	GARCIA
	1200	73	GARCIA
	1500	73	Romo
	1800	72	Romo
	2100	72	Romo
	2400	75	DWIZ

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	75	DWIZ.C
	0600	76	GARCIA
	0900	73	GARCIA
	1200	73	GARCIA
	1500	73	BECERRA
	1800	74	BECERRA
	2100	75	BECERRA
	2400	75	Z.Morales

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	75	Z.Morales
	0600	72	C.JIMENEZ
	0900	73	C.JIMENEZ
	1200	76	C.JIMENEZ
	1500	73	BECERRA
	1800	73	BECERRA
	2100	75	BECERRA
	2400	74	Z.Morales

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	74	Z.Morales
	0600	70	J.JARA
	0900	87	J.JARA
	1200	72	J.JARA
	1500	72	Drummond
	1800	74	Drummond
	2100	75	Drummond
	2400	75	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA — DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: RJD H/016 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-22-24	0300	71	K. MILLER
	0600	71	HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	K. MILLER

Tuesday

Date	Time	Temp.	Name (Print)
7-23-24	0300	71	K. MILLER
	0600	71	HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	70	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	RODRIGUEZ
	1800	71	RODRIGUEZ
	2100	70	RODRIGUEZ
	2400	70	J. Garcia

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	J. Garcia

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	71	J. Garcia
	0600	71	J. Garcia
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	V. HURTADO
	1800	71	R. Saenz
	2100	71	R. Saenz
	2400	71	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
	0300	71	J. Garcia
	0600	71	J. Garcia
	0900	71	N. Belghi
	1200	71	N. Bedar
	1500	71	HERRERA, J
	1800	71	HERRERA, J.
	2100	71	HERRERA, J.
	2400	71	COLLEN

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	C. COLLEN
	0600	70	N. Belghi
	0900	70	N. Belghi
	1200	70	N. Bedar
	1500	71	S. LEWIS
	1800	70	S. LEWIS
	2100	70	S. LEWIS
	2400	70	R. CAMACHO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

7-24-24

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D17 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	77	G. BRENTS
	0600	76	N Bedhi
	0900	77	N Bedhi
	1200	79	N Bedhi
	1500	80	MR Flores
	1800	80	J Nelson
	2100	79	J Nelson
	2400	77	H. Nance

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	78	H. Nance
	0600	77	N Bedhi
	0900	78	N Bedhi
	1200	79	N Bedhi
	1500	79	E. Silva
	1800	80	E. Silva
	2100	79	J. AGUENTA
	2400	75	S. VELO

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	70	S. OROZCO
	0600	77	B. EDEN
	0900	79	B. EDEN
	1200	80	B. EDEN
	1500	79	S. ARCEO
	1800	78	S. ARCEO
	2100	76	S ARCEO
	2400	74°	J. MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	74°	J. MARTINEZ
	0600	73°	J. MARTINEZ
	0900	78	B. EDEN
	1200	80	B. EDEN
	1500	82	B. EDEN
	1800	81	S. VENS
	2100	80	S. VENS
	2400	79	S. VENS

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	79	K. MILLER
	0600	78	B. EDEN
	0900	80	B. EDEN
	1200	82	B. EDEN
	1500	82	MR Flores
	1800	81	MR Flores
	2100	80	MR Flores
	2400	80	OSGUERA #

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	79	OSGUERA #
	0600	78	K. MILLER
	0900	79	K. MILLER
	1200	79	K MILLER
	1500	81	E. Silva
	1800	81	E. Silva
	2100	79	E. Silva
	2400	79	OSGUERA #

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	78	OSGUERA #
	0600	76	I GALVAN
	0900	78	I GALVAN
	1200	80	I GALVAN
	1500	80	E Silva
	1800	80	E. Silva
	2100	79	E. Silva
	2400	79	A. HERNANDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

CAPT B 7.29.24

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 18 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
July 22 2024	0300	75	D.Black
	0600	75	O. AGUILAR
	0900	76	O. AGUILAR
	1200	78	O. AGUILAR
	1500	75	HERNANDEZ
	1800	79	MORALES
	2100	78	MORALES
	2400	77	D.Black

Tuesday

Date	Time	Temp.	Name (Print)
July 23	0300	76	D.Black
	0600	76	D.Black
	0900	76	[illegible]
	1200	78	[illegible]
	1500	80	[illegible]
	1800	80	[illegible]
	2100	78	[illegible]
	2400	77	D.Black

Wednesday

Date	Time	Temp.	Name (Print)
July 24	0300	76	D.Black
	0600	76	N Bedhi
	0900	77	N Bedhi
	1200	80	N Bedhi
	1500	80	S.Lewis
	1800	79	S.Lewis
	2100	78	S.Lewis
	2400	78	D.Black

Thursday

Date	Time	Temp.	Name (Print)
July 25	0300	77	D.Black
	0600	77	Ballard
	0900	78	Ballard
	1200	81	Ballard
	1500	83	J.Martinez
	1800	82	J.Martinez
	2100	80	J.Martinez
	2400	79	D.Black

Friday

Date	Time	Temp.	Name (Print)
July 26	0300	78	D.Black
	0600	77	CALALANG
	0900	78	CALALANG
	1200	81	CALALANG
	1500	82	CALALANG
	1800	81	CALALANG
	2100	80	CALALANG
	2400	79	K MILLER

Saturday

Date	Time	Temp.	Name (Print)
July 27	0300	79	K. MILLER
	0600	76	CALALANG
	0900	77	CALALANG
	1200	79	CALALANG
	1500	80	CALALANG
	1800	80	CALALANG
	2100	78	CALALANG
	2400	77	C. Little

Sunday

Date	Time	Temp.	Name (Print)
July 28th	0300	76	C. Little
	0600	76	C. Little
	0900	75	O. AGUILAR
	1200	76	O. AGUILAR
	1500	79	CALALANG
	1800	79	CALALANG
	2100	78	CALALANG
	2400	76	D.Black

Notes
7/25/24 STAGE 1 Heat meet 1400

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

7-29-24 CAPT

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	71	A MALDNADO
	0600	71.3	DEMESA
	0900	73.2	DEMESA
	1200	74.5	DEMESA
	1500	75	DEMESA
	1800	75.1	DEMESA
	2100	74.5	DEMESA
	2400	72.	Bend

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	70	Bend
	0600	72	TIRMAN
	0900	73.8	TIRMAN
	1200	74.0	MATTESON
	1500	76.0	Valverde
	1800	76.0	Valverde
	2100	76.3	Valverde
	2400	73	Bend

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	72	Bend
	0600	72	DEMESA
	0900	73.3	DEMESA
	1200	74.9	DEMESA
	1500	75	DEMESA
	1800	75.4	DEMESA
	2100	75.9	DEMESA
	2400	73	Bend

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	70	Bend
	0600	75.7	DEMESA
	0900	77.8	DEMESA
	1200	77.8	DEMESA
	1500	79.4	DEMESA
	1800	80	DEMESA
	2100	[illegible]	DEMESA
	2400	[illegible]	Bend

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	72	Bend
	0600	76.2	Bernard
	0900	77.4	Bernard
	1200	78.9	Bernard
	1500	79.6	Ericson
	1800	79	Ericson
	2100	77	Ericson
	2400	74	Bend

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	72	Bend
	0600	75.3	Bernard
	0900	75.8	Bernard
	1200	77.9	Bernard
	1500	78.1	N Ericson
	1800	78.1	N Ericson
	2100	76.4	N Ericson
	2400	74	E. Ramirez

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	68	E. Ramirez
	0600	70	E. Ramirez
	0900	74.	E. Lovett
	1200	76.	E. Lovett
	1500	77.7	J. Valverde
	1800	77.1	J. Valverde
	2100	75.9	J. Valverde
	2400	75.9	DELOZER

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	77	A.D. FLORES, SR
	0600	76	M. DELUZARAN
	0900	77	M. DELUZARAN
	1200	78	M. DELUZARAN
	1500	78	D. HUBER
	1800	78	D. HUBER
	2100	78	D. HUBER
	2400	77	A.D. FLORES, SR

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	77	A.D. FLORES, SR
	0600	76	N. Maroki
	0900	76	N. Maroki
	1200	78	N. Maroki
	1500	79	ARAUJO
	1800	80	ARAUJO
	2100	80	ARAUJO
	2400	79	A.D. FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	78	A.D. FLORES, SR
	0600	78	N. Maroki
	0900	78	N. Maroki
	1200	78	N. Maroki
	1500	82	ARAUJO
	1800	80	ARAUJO
	2100	81	ARAUJO
	2400	79	A.D. FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	78	A.D. FLORES, SR
	0600	78	N. Maroki
	0900	78	N. Maroki
	1200	79	N. Maroki
	1500	81	ARAUJO
	1800	81	ARAUJO
	2100	82	ARAUJO
	2400	82	J. [illegible]

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	78°	J. [illegible]
	0600	78	J. [illegible]
	0900	79	N. Maroki
	1200	80	N. Maroki
	1500	82	ARAUJO
	1800	82	ARAUJO
	2100	82	ARAUJO
	2400	79	O. ARMENTA

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	78	O. ARMENTA
	0600	78	N. Maroki
	0900	78	N. Maroki
	1200	79	N. Maroki
	1500	79	ARAUJO
	1800	79	Ramos
	2100	79	Ramos
	2400	78	A.D. FLORES, SR

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	77	A.D. FLORES, SR
	0600	76	Banard
	0900	76	Banard
	1200	79	Banard
	1500	80°	Z. Khan
	1800	80°	Z. KHAN
	2100	79°	Z. KHAN
	2400	78	A.D. FLORES, SR

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

7-29-24. SC CAPT.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 3 Temp. Reading Location: Top Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	77	Klemon
	0600	78	MR Flores
	0900	78	MR Flores
	1200	80	MR Flores
	1500	81	D. Gomez
	1800	80	D. Gomez
	2100	79	D. Gomez
	2400	79	D. Gomez

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	77	D. Gomez
	0600	77	M. Robles
	0900	77	M. Robles
	1200	79	M. Robles
	1500	79°	D. Gomez
	1800	80°	D. Gomez
	2100	78°	D. Gomez
	2400	78	F. Flores

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	77	Flores
	0600	76	O. Lopez
	0900	77	O. Lopez
	1200	78	O. Lopez
	1500	79	Esquivies
	1800	79	Esquivies
	2100	78	Esquivies
	2400	79	Klemon

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	78	Klemon
	0600	77	MR Flores
	0900	79	MR Flores
	1200	79	MR Flores
	1500	78	A. Soto
	1800	78	A. Soto
	2100	78	A. Soto
	2400	78	Klem

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	77	Klemon
	0600	77	MR Flores
	0900	78	MR Flores
	1200	80	MR Flores
	1500	81	E. Simental
	1800	82	E. Simental
	2100	80	E. Simental
	2400	79	Calaman

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	78	Calaman
	0600	77	MR Flores
	0900	80	MR Flores
	1200	81	MR Flores
	1500	82	E. Simental
	1800	81	E. Simental
	2100	81	E. Simental
	2400	79	N. Maroki

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	79	N. Maroki
	0600	78	MR Flores
	0900	80	MR Flores
	1200	81	MR Flores
	1500	81	E. Simental
	1800	81	E. Simental
	2100	81	E. Simental
	2400	79	Klemon

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	S. Lewis	70
	0600	J. Zamora	75
	0900	J. Zamora	76
	1200	J. Zamora	76
	1500	78	ESQUIVIES
	1800	78	ESQUIVIES
	2100	77	ESQUIVIES
	2400	77	J. MARQUEZ

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	76°	J. MARQUEZ
	0600	76°	J. MARQUEZ
	0900	74°	F. MENDIVIL
	1200	76°	F. MENDIVIL
	1500	77	ESQUIVIES
	1800	77	ESQUIVIES
	2100	76	ESQUIVIES
	2400	75°	M. MAROKI

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	74°	M. MAROKI
	0600	74	C. BAGNOL
	0900	75	C. BAGNOL
	1200	76	C. BAGNOL
	1500	75	C. BAGNOL
	1800	75	C. BAGNOL
	2100	75	C. BAGNOL
	2400	75°	M. MAROKI

Thursday

Date	Time	Temp.	Name (Print)
8/01	0300	75°	M. MAROKI
	0600	75	C. BAGNOL
	0900	75	C. BAGNOL
	1200	75	C. BAGNOL
	1500	75	C. BAGNOL
	1800	74	C. BAGNOL
	2100	74	C. BAGNOL
	2400	75°	M. MAROKI

Friday

Date	Time	Temp.	Name (Print)
8/02	0300	75	M. MAROKI
	0600	75	C. BAGNOL
	0900	75	C. BAGNOL
	1200	76	C. BAGNOL
	1500	79°	M. MAROKI
	1800	79°	M. MAROKI
	2100	78°	M. MAROKI
	2400	77°	M. MAROKI

Saturday

Date	Time	Temp.	Name (Print)
8/03	0300	77°	M. MAROKI
	0600	77	C. BAGNOL
	0900	78	C. BAGNOL
	1200	79	C. BAGNOL
	1500	79	C. BAGNOL
	1800	78	C. BAGNOL
	2100	78	C. BAGNOL
	2400	77°	M. MAROKI

Sunday

Date	Time	Temp.	Name (Print)
8/04	0300	77°	M. MAROKI
	0600	77	C. BAGNOL
	0900	78	C. BAGNOL
	1200	78	C. BAGNOL
	1500	77	C. BAGNOL
	1800	77	C. BAGNOL
	2100	77	C. BAGNOL
	2400	76	P. Fernandez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	74	A. VARGAS
	0600	73	E JUAREZ
	0900	74	E JUAREZ
	1200	77	E JUAREZ
	1500	77	E. Cardenas
	1800	76	E. Cardenas
	2100	76	E. cardenas
	2400	75	A. VARGAS

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	73	A. VARGAS
	0600	74	E JUAREZ
	0900	74	E JUAREZ
	1200	75	E JUAREZ
	1500	76	E. Cardenas
	1800	76	E. Cardenas
	2100	75	E. Cardenas
	2400	74	A. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	72	A. VARGAS
	0600	72	F. MENDIVIL
	0900	72	F. MENDIVIL
	1200	75	F. MENDIVIL
	1500	76	E. CARDENAS
	1800	75	E. CARDENAS
	2100	75	E. CARDENAS
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	73	G. LEON
	0600	73	E JUAREZ
	0900	75	E JUAREZ
	1200	75	E. JUAREZ
	1500	76	E. Cardenas
	1800	76	E. CARDENAS
	2100	75	E. CARDENAS
	2400	73	N. Maroki

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	73	N. Maroki
	0600	73	R. Collazo
	0900	75	R. Collazo
	1200	78	R. Collazo
	1500	79	MR Flores
	1800	78	MR Flores
	2100	77	MR Flores
	2400	76	A. VARGAS

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	74	A. VARGAS
	0600	74	M. GOMEZ
	0900	76	M. GOMEZ
	1200	78	M. GOMEZ
	1500	79	A. ESQUIVIES
	1800	79	A. ESQUIVIES
	2100	77	A. ESQUIVIES
	2400	77	A. VARGAS

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	75	A. VARGAS
	0600	74	E JUAREZ
	0900	75	E. JUAREZ
	1200	79	E JUAREZ
	1500	77	A. ESQUIVES
	1800	78	ESQUIVIES
	2100	78	ESQUIVIES
	2400	77	O. GOMEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJDCF Housing Unit: 8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	74	M. MARQUEZ
	0600	73	M. MARQUEZ
	0900	74	E. HERNANDEZ
	1200	77	E. HERNANDEZ
	1500	77	J. Villarreal
	1800	77	J. Villarreal
	2100	75	J. Villarreal
	2400	73	Hyer

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	73	Hyer
	0600	74	Hyer
	0900	75	SANDERSON
	1200	77	SANDERSON
	1500	77	SANDERSON
	1800	76	SANDERSON
	2100	75	SANDERSON
	2400	75	DOMAN

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	74	DOMAN
	0600	74	DOMAN
	0900	72	Reyes
	1200	76	Reyes
	1500	76	Collazo, R
	1800	77	Collazo, R
	2100	75	Collazo, R
	2400	74	DOMAN

Thursday

Date	Time	Temp.	Name (Print)
8/01	0300	73	DOMAN
	0600	74	DOMAN
	0900	74	Flores
	1200	74	Flores
	1500	77	Collazo, R
	1800	76	Collazo, R
	2100	75	Collazo, R
	2400	74	DOMAN

Friday

Date	Time	Temp.	Name (Print)
8/02	0300	73	DOMAN
	0600	74	DOMAN
	0900	74	Cervantes
	1200	73	Cervantes
	1500	79	Collazo, R
	1800	79	Collazo, R
	2100	78	Collazo, R
	2400	77	DOMAN

Saturday

Date	Time	Temp.	Name (Print)
8/03	0300	76	DOMAN
	0600	75	DOMAN
	0900	73	ALDERETE
	1200	74	ALDERETE
	1500	76	SANDERSON
	1800	76	SANDERSON
	2100	76	SANDERSON
	2400	76	DOMAN

Sunday

Date	Time	Temp.	Name (Print)
8/04	0300	75	DOMAN
	0600	74	Q ALDERETE
	0900	74	ALVAREZ
	1200	75	ALVAREZ
	1500	75	Criollo
	1800	75	Criollo
	2100	75	Criollo
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 10 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	75	O. Lopez
	0600	74	N Salvador
	0900	75	N Salvador
	1200	77	N Salvador
	1500	79	N Salvador
	1800	79	N Salvador
	2100	76	N Salvador
	2400	76	C. Little

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	76	C. Little
	0600	75	C. Little
	0900	76	J. Zamora
	1200	77	J. Zamora
	1500	78°	C. Flores
	1800	78°	C. Flores
	2100	76°	C. Flores
	2400	76°	RYBNIKAR

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	74°	RYBNIKAR
	0600	74	RYBNIKAR
	0900	73	A. VARGAS
	1200	75	A. VARGAS
	1500	75	W. RODRIGUEZ
	1800	76	W. RODRIGUEZ
	2100	75	W. RODRIGUEZ
	2400	74°	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	75°	RYBNIKAR
	0600	75°	RYBNIKAR
	0900	76	VERA
	1200	77	VERA
	1500	78	VERA
	1800	77	A. NAVARRO
	2100	76	A. NAVARRO
	2400	75°	RYBNIKAR

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	74°	RYBNIKAR
	0600	74°	RYBNIKAR
	0900	78°	VERA
	1200	80°	VERA
	1500	80°	VERA
	1800	80°	VERA
	2100	79	VERA
	2400	77	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	76°	RYBNIKAR
	0600	75°	RYBNIKAR
	0900	79°	VERA
	1200	79°	VERA
	1500	80°	VERA
	1800	80°	VERA
	2100	79	VERA
	2400	78	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	78	[illegible]
	0600	79	[illegible]
	0900	76	N Salvador
	1200	80	N Salvador
	1500	81	N Salvador
	1800	80	N Salvador
	2100	79	N Salvador
	2400	78	B. Avila

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D-16 Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	71	Ramos
	0600	70	Ramos
	0900	71	Ramos
	1200	70	Ramos
	1500	71	A. Edwards
	1800	71	A. Edwards
	2100	71	A. Edwards
	2400	71	Rcamacho

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	70	Rcamacho
	0600	71	Offord
	0900	70	Offord
	1200	71	Offord
	1500	72	offord
	1800	71	J. Vega
	2100	71	J. Vega
	2400	70	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	70	ZAKHAN
	0600	70°	M. MARoki
	0900	70°	M. MARoki
	1200	71°	M. MARoki
	1500	70°	Z. KHAN
	1800	70°	Z. KHAN
	2100	70°	Z. KHAN
	2400	71	N. Marki

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	71	M. Maroki
	0600	71	HERNANDEZ
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	70	A. Edwards
	1800	71	A. Edwards
	2100	70	A. Edwards
	2400	70°	J. Martinez

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	70°	J. Martinez
	0600	70°	J. Martinez
	0900	71	HERNANDEZ
	1200	71	HERNANDEZ
	1500	71	B. EDEN
	1800	71	B. EDEN
	2100	71	B. EDEN
	2400	70	J. Garm

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	70	J. Garm
	0600	70	J. Garm
	0900	71	N Bedwhi
	1200	71	N Bedwhi
	1500	71	S. Lewis
	1800	70	S. Lewis
	2100	70	S. Lewis
	2400	71	C. Allen

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	70	C. Allen
	0600	71	N Bedwhi
	0900	70	N Bedwhi
	1200	71	N Bedwhi
	1500	71	S. Lewis
	1800	71	S. Lewis
	2100	71	S. Lewis
	2400	71	C. Allen

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

8-5-20 CAP

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 17 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	71	[illegible]
	0600	76	N Bedhi
	0900	76	N Bedhi
	1200	78	N Bedhi
	1500	79	E. Silva
	1800	79	E. Silva
	2100	78	E. Silva
	2400	78	Esguerra F

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	77	Esguerra F.
	0600	75	N Bedhi
	0900	75	N Bedhi
	1200	78	N Bedhi
	1500	79	E. Silva
	1800	78	E. Silva
	2100	78	E. Silva
	2400	77	Esguerra F

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	76	Esguerra F
	0600	74	B. EDEN
	0900	75	B. EDEN
	1200	77	B. EDEN
	1500	79	S. ARCEO
	1800	79	S. ARCEO
	2100	77	S. ARCEO
	2400	76	A. Maldonado

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	76	A. Maldonado
	0600	75	B. EDEN
	0900	76	B. EDEN
	1200	78	B. EDEN
	1500	78	S. LEWIS
	1800	77	S. LEWIS
	2100	76	S. LEWIS
	2400	76	R. CAMACHO

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	75	R. CAMACHO
	0600	75	B. EDEN
	0900	77	B. EDEN
	1200	80	B. EDEN
	1500	80	S. LEWIS
	1800	79	S. LEWIS
	2100	78	S. LEWIS
	2400	79	Esguerra F

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	78	Esguerra F
	0600	77	B. EDEN
	0900	79	B. EDEN
	1200	81	B. EDEN
	1500	82	E. Silva
	1800	81	E. Silva
	2100	80	E. Silva
	2400	80	Esguerra F.

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	79	Esguerra F.
	0600	77	B. EDEN
	0900	79	B. EDEN
	1200	81	B. EDEN
	1500	81	E. SILVA
	1800	80	E. Silva
	2100	72	E. Silva
	2400	72	A. Rosales

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

8-5-24 [illegible]

DocuSign Envelope ID: 2D61147C-9AEE-439B-982B-B0DFD9D61B5D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 18 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07-29-24	0300	75	D. Black
	0600	75	O. AGUILAR
	0900	75	O. AGUILAR
	1200	78	O. AGUILAR
	1500	79	CALALANG
	1800	79	CALALANG
	2100	77	CALALANG
	2400	76	D. Black

Tuesday

Date	Time	Temp.	Name (Print)
07-30-24	0300	75	D. Black
	0600	74	O. AGUILAR
	0900	74	O. AGUILAR
	1200	77	O. AGUILAR
	1500	78	CALALANG
	1800	78	CALALANG
	2100	76	CALALANG
	2400	75	D. Black

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	74	D. Black
	0600	72	N Bedeki
	0900	73	N Bedeki
	1200	76	N Bedeki
	1500	78	S. Lewis
	1800	77	S. Lewis
	2100	76	S. Lewis
	2400	75	D. Black

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	75	D. Black
	0600	74	D. Black
	0900	74	O. Lazero
	1200	76	O. Lazero
	1500	76	O. Lazero
	1800	77	J. Martinez
	2100	76	J. Martinez
	2400	76	D. Black

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	75	D. Black
	0600	74	A. Lazero
	0900	76	A. Lazaro
	1200	79	Mneza, G
	1500	80	CALALANG
	1800	80	CALALANG
	2100	79	CALALANG
	2400	77	CALALANG

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	77	CALALANG
	0600	75	CALALANG
	0900	77	J. MARTINEZ
	1200	80	J. MARTINEZ
	1500	81	CALALANG
	1800	80	CALALANG
	2100	79	CALALANG
	2400	79	Camach

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	79	Camach
	0600	75	Redeg'o
	0900	76	Redeg'o
	1200	80	Redeg'o
	1500	82	CALALANG
	1800	81	CALALANG
	2100	79	CALALANG
	2400	78	D. Black

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

8-5-24

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	74.0	J. ARMENTA
	0600	73.8	J. ARMENTA
	0900	74.0	J. ARMENTA
	1200	76.8	J. ARMENTA
	1500	77.1	K. MARTINEZ
	1800	76.6	S. Valverde
	2100	75.6	S. Valverde
	2400	75.6	Bench

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	72	Bench
	0600	73.3	ZZAVALA
	0900	73.4	ZZAVALA
	1200	75.6	ZZAVALA
	1500	76.2	Valverde
	1800	76.6	Valverde
	2100	74.8	Valverde
	2400	72	Bench

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	71	Bench
	0600	72	C. CHEN
	0900	74	C. CHEN
	1200	75	C. CHEN
	1500	76.1	Valverde
	1800	76.3	Valverde
	2100	75.3	Valverde
	2400	73	Bench

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	70	Bench
	0600	73°	M. MARQUEZ
	0900	73°	M. MARQUEZ
	1200	74°	M. MARQUEZ
	1500	74	J. DIAZ
	1800	75	J. DIAZ
	2100	74	J. DIAZ
	2400	72	Bench

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	70	Bench
	0600	73.7	Bullard
	0900	75.6	Bullard
	1200	76.4	Bullard
	1500	77.6	Ericson
	1800	77.8	Ericson
	2100	77	Ericson
	2400	73	Bench

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	71	Bench
	0600	74.4	Bullard
	0900	76.9	Bullard
	1200	78.2	Bullard
	1500	78.8	Ericson
	1800	77.7	Ericson
	2100	77.4	Ericson
	2400	75	A. Maldonado

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	75	A. Maldonado
	0600	73	A. SAMUEL
	0900	75	A. SAMUEL
	1200	78	A. SAMUEL
	1500	79.5	S. Valverde
	1800	78.4	S. Valverde
	2100	70°	J. BLANCO
	2400	70	A. Maldonado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	78	AD. FLORES, SR
	0600	75	Bailard
	0900	76	Bailard
	1200	77	Bailard
	1500	78	D. Hebert
	1800	78	D. Hebert
	2100	78	D. Hebert
	2400	77	AD. FLORES, SR

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	77	AD. FLORES, SR
	0600	75	N. Maroki
	0900	75	N. Maroki
	1200	77	N. Maroki
	1500	78	ARAUJO
	1800	78	ARAUJO
	2100	78	ARAUJO
	2400	77	AD. FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	77	AD. FLORES, SR
	0600	75	N. Maroki
	0900	75	N. Maroki
	1200	75	N. Maroki
	1500	77	ARAUJO
	1800	77	ARAUJO
	2100	78	ARAUJO
	2400	77	AD. FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	77	AD. FLORES, SR
	0600	75	N. Maroki
	0900	75	N. Maroki
	1200	75	N. Maroki
	1500	77	ARAUJO
	1800	78	ARAUJO
	2100	77	ARAUJO
	2400	75	A. Maldonado

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	76	A. Maldonado
	0600	75	N. Maroki
	0900	77	N. Maroki
	1200	79	N. Maroki
	1500	80	ARAUJO
	1800	80	ARAUJO
	2100	80	ARAUJO
	2400	79	A. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	79	A. Maldonado
	0600	77	N. Maroki
	0900	77	N. Maroki
	1200	79	N. Maroki
	1500	79°	M. MAROKI
	1800	80°	M. MAROKI
	2100	80°	M. MAROKI
	2400	79	AD. FLORES, SR

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	79	AD. FLORES, SR
	0600	77	Bailard
	0900	77	Bailard
	1200	80	Bailard
	1500	73	V ERICSON
	1800	70	V ERICSON
	2100	70	V ERICSON
	2400	80	AD. FLORES, SR

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

8-5-24