Docusign Envelope ID: BE4C1E7A-6EF9-4DA9-8C7C-CD49339AD748

STATE OF CALIFORNIA
HEAT PLAN - MONTHLY SUMMARY REPORT
CDCR MH-7711-1 (02/17)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Monthly Summary Report

Institution: COR

Memorandum

Date: September 5, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CSP-CORCORAN

The following is a summary of the heat related activity for the month of AUGUST 2024 at COR (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes
   Number of days Stage I Alert initiated: 31

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No
   Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No
   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

T. L. CAMPBELL
Warden Name

T Campbell
Warden Signature

E. McDANIEL
Chief Executive Officer Name

Signed by:
Eric McDaniel
C814D75E254D438...
Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE LOG
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
7-31-24	0100	79°	Guzman
	0200	78°	
	0300	75°	
	0400	73°	
	0500	71°	
	0600	70°	
	0700	70°	Flemin
	0800	75°	
	0900	81°	
	1000	87°	UHT @ 10:43 90° (Durant)
	1100	92°	
	1200	95°	OSHA 95°
	1300	100°	
	1400	102°	
	1500	103	Sanchez
	1600	100	
	1700	98	
	1800	96	
	1900	94	
	2000	93	
	2100	92	Deactivate 90° UHT @ 21:55 (Bright)
	2200	89	
	2300	83	Bernard
	2400	81	

Date	Time	Temp.	Printed Name
8-1-24	0100	79	Bernard
	0200	77	
	0300	75	
	0400	75	
	0500	73	
	0600	71	
	0700	72°	Flemin
	0800	77°	
	0900	84°	
	1000	88°	UHT @ 10:10 90°
	1100	94°	
	1200	98°	
	1300	101°	
	1400	106°	
	1500	106	Sanchez
	1600	103	
	1700	102	
	1800	100	
	1900	99	
	2000	97	
	2100	94	
	2200	90	Deactivate 90 UHT @ 22:12
	2300	87	CABLTE
	2400	86	

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
8-2-24	0100	85	CABRERA
	0200	83	
	0300	83	
	0400	82	
	0500	78	
	0600	78	
	0700	78	Marquez
	0800	79	843-80°
	0900	81	
	1000	85	
	1100	85	
	1200	90	UHT 12:55
	1300	94	
	1400	92	
	1500	90	Sanchez
	1600	91	
	1700	94	
	1800	94	
	1900	92	
	2000	90	
	2100	87	Deactivate 90° UHT
	2200	83	
	2300	82°	Guzman
	2400	80°	

Date	Time	Temp.	Printed Name
8/8/24	0100	79°	Guzman
	0200	78°	
	0300	77°	
	0400	76°	
	0500	75°	
	0600	75°	
	0700	77	Berard
	0800	82	OSHA UHT @ 8:00
	0900	87	
	1000	91	UHT @ 10:00
	1100	95	
	1200	99	
	1300	103	
	1400	107	
	1500	107	Sanchez
	1600	104	
	1700	104	
	1800	103	
	1900	100	
	2000	97	
	2100	94	
	2200	91	
	2300	89	CABRERA
	2400	85	DEACTIVATE UHT LT. Cin Sic

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
8-4-24	0100	<61	CABEJE
	0200	<73	
	0300	<73	
	0400	<71	
	0500	76	
	0600	76	
	0700	76	MALDVEZ
	0800	81	
	0900	86	
	1000	90	UHT 90°
	1100	95	
	1200	101	
	1300	105	
	1400	109	
	1500	107°	Fleming
	1600	106°	
	1700	105°	
	1800	104°	
	1900	103°	
	2000	98°	
	2100	94°	
	2200	92°	
	2300	90	
	2400	87	Deactivate 90° DHT NO Answer

Date	Time	Temp.	Printed Name
8-5-24	0100	85	
	0200	84	
	0300	82	
	0400	81	
	0500	76°	
	0600	75°	
	0700	75°	Fleming
	0800	80°	
	0900	86°	
	1000	89°	UHT 10:08
	1100	95°	
	1200	100°	
	1300	103°	
	1400	108°	
	1500	109	CABEJE
	1600	105	
	1700	105	
	1800	104	
	1900	100	
	2000	98	
	2100	94	
	2200	91	
	2300	87	
	2400	86	DEACTIVATE UHT 2354

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
~~8-5-24~~ 8/6/24	0100	84	Dorrier
	0200	82	
	0300	80	
	0400	79	
	0500	76	
	0600	74	
	0700	74°	Fleming
	0800	79°	
	0900	86°	
	1000	89°	UNT 10:02
	1100	95°	
	1200	100°	
	1300	104°	
	1400	110°	
	1500	107°	Bennett
	1600	106°	
	1700	103°	
	1800	102°	
	1900	100°	
	2000	98°	
	2100	94°	
	2200	91°	
	2300	91	
	2400	86	DEACTIVATE VHT @ 0045 RUBIO

Date	Time	Temp.	Printed Name
~~8/6/24~~ 8/7/24	0100	84	Dorrier
	0200	81	
	0300	80	
	0400	79	
	0500	79	
	0600	77	
	0700	77°	Fleming
	0800	87°	
	0900	87°	VHT @ 9:25
	1000	92°	
	1100	96°	
	1200	102°	
	1300	110°	
	1400	113°	
	1500	113°	Bennett
	1600	110°	
	1700	107°	
	1800	105°	
	1900	103°	
	2000	100°	
	2100	97°	
	2200	92°	
	2300	90	
	2400	85	

DISTRIBUTION: Original: Institution Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
8-8-24	0100	83	Dorrier
	0200	80	
	0300	78	
	0400	77	
	0500	76	
	0600	76°	
	0700	76°	Fleming
	0800	80°	
	0900	86°	
	1000	89°	UHT @ 10:14
	1100	95°	
	1200	100°	
	1300	104°	
	1400	107°	
	1500	108°	Bennett
	1600	105°	
	1700	102°	
	1800	100°	
	1900	100°	
	2000	98°	
	2100	94°	
	2200	90°	
	2300	86°	Guzman UHT @ 2300
	2400	82°	

Date	Time	Temp.	Printed Name
8-9-24	0100	86°	Guzman
	0200	79°	
	0300	78°	
	0400	76°	
	0500	75°	
	0600	74°	
	0700	77	Bernardi
	0800	79	
	0900	85	osha uht @ 8:44
	1000	90	UHT @ 10:03
	1100	96	
	1200	101	
	1300	104	
	1400	106	
	1500	107°	Bennett
	1600	105°	
	1700	102°	
	1800	102°	
	1900	100°	
	2000	98°	
	2100	93°	
	2200	90°	
	2300	89	UHT DEACTIVATED
	2400	83	0030 Rubio

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
8-10-21	0100	83	Dormer
	0200	81	
	0300	78	
	0400	76	
	0500	74	
	0600	72	
	0700	73	Sanchez
	0800	78	90° OSHA UHT@08:59
	0900	86	90° UHT@ 09:43
	1000	91	
	1100	96	
	1200	100	
	1300	105	
	1400	108	
	1500	108	R. Bennett
	1600	104	
	1700	102	
	1800	102	
	1900	98	
	2000	96	
	2100	92	
	2200	86	Deactivate UHT
	2300	84	
	2400	81	

Date	Time	Temp.	Printed Name
8-11-21	0100	80	Dorrier
	0200	79	
	0300	78	
	0400	76	
	0500	74	
	0600	74	
	0700	74°	Flemin
	0800	77°	
	0900	84°	
	1000	89°	UHT @ 10:12
	1100	97°	
	1200	101°	
	1300	106	
	1400	109°	
	1500	106	CABETTE
	1600	103	
	1700	101	
	1800	100	
	1900	99	
	2000	96	
	2100	94	
	2200	92	
	2300	88	DEACTIVATE UHT
	2400	86	@2347

MORONO

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
8-12-24	0100	83	Dorrien
	0200	80	
	0300	78	
	0400	77	
	0500	74	
	0600	74	
	0700	74°	Flemin
	0800	79°	
	0900	84°	
	1000	89°	UNT @ 10:25
	1100	94°	
	1200	98°	
	1300	101°	
	1400	106°	
	1500	105°	Bennett
	1600	102°	
	1700	100°	
	1800	99°	
	1900	95°	
	2000	93°	
	2100	90°	
	2200	86°	Deactivate Other HH & UHT
	2300	84	
	2400	82	

Date	Time	Temp.	Printed Name
8-13-24	0100	80	Dorrien
	0200	79	
	0300	76	
	0400	74	
	0500	71	
	0600	71	
	0700	71°	Flemin
	0800	77°	
	0900	83°	Gonzalez
	1000	88°	UHT @ 10:20
	1100	92°	
	1200	96°	
	1300	100°	
	1400	104°	
	1500	104°	Bennett
	1600	98°	
	1700	92°	
	1800	92°	
	1900	92°	
	2000	92°	
	2100	87°	Deactivate UHT
	2200	85°	
	2300	83	
	2400	80	

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
8-14-24	0100	78	Dornier
	0200	76	
	0300	75	
	0400	73	
	0500	68	
	0600	70	
	0700	69	Flemin
	0800	75°	
	0900	80°	
	1000	85°	
	1100	90°	UHT @ 11:00
	1200	95°	
	1300	99°	
	1400	100°	
	1500	102°	Bennett
	1600	98°	
	1700	97°	
	1800	96°	
	1900	94°	
	2000	90°	
	2100	88°	Deactivate UHT
	2200	86°	
	2300	84	
	2400	81	

Date	Time	Temp.	Printed Name
8/15/24	0100	77	Dornier
	0200	74	
	0300	74	
	0400	72	
	0500	70	
	0600	69	
	0700	68°	Flemin
	0800	74°	
	0900	80°	
	1000	86°	McIntyre UHT @ 10:50
	1100	90°	
	1200	93°	OSHA 95° 12:49
	1300	99°	
	1400	104°	
	1500	103	Bennett
	1600	99	
	1700	97	
	1800	97	
	1900	94	
	2000	92	
	2100	88	Deactivate UHT
	2200	85	
	2300	82	
	2400	78°	

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
8/16/24	0100	75°	Bennett
	0200	74°	
	0300	72°	
	0400	71°	
	0500	70°	
	0600	69°	
	0700	70	Marquez
	0800	74	
	0900	80	
	1000	85	
	1100	90	UHT 11:05
	1200	95	
	1300	99	
	1400	103	
	1500	99	Bennett
	1600	96	
	1700	95	
	1800	95	
	1900	93	
	2000	91	
	2100	89	Deactivate UHT
	2200	86°	
	2300	84	
	2400	80	

Date	Time	Temp.	Printed Name
8/17/24	0100	78	Varner
	0200	77	
	0300	76	
	0400	75	
	0500	73	
	0600	71	
	0700	70°	Bennett
	0800	75	
	0900	81	
	1000	86°	
	1100	88°	~~initiate UHT~~
	1200	94°	initiate UHT
	1300	98	
	1400	100	
	1500	102	
	1600	98	
	1700	96	
	1800	94	
	1900	93	
	2000	90	
	2100	85	Deactivate UHT
	2200	81	
	2300	80	
	2400	80	

DISTRIBUTION: Original: Institution Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
8-18-21	0100	78	Dorrier
	0200	75	
	0300	74	
	0400	73	
	0500	72	
	0600	71	
	0700	71°	Flemin
	0800	74°	
	0900	78°	
	1000	82°	
	1100	86°	McIntyre UHT @ 11:54
	1200	90°	
	1300	96°	
	1400	98°	
	1500	97°	
	1600	94	
	1700	92	
	1800	90°	
	1900	89°	19:01 deactivate UHT
	2000	87°	
	2100	84°	
	2200	82°	
	2300	81	
	2400	80	

Date	Time	Temp.	Printed Name
8-19-21	0100	77	Dorrier
	0200	75	
	0300	73	
	0400	72	
	0500	70	
	0600	70	
	0700	68°	Flem
	0800	73°	
	0900	78°	OSHA 80° 9:19
	1000	83°	
	1100	88°	UHT @ 11:09
	1200	93°	OSHA 95° 12:21
	1300	96	
	1400	101°	
	1500	100	Sanchez
	1600	96	
	1700	95	
	1800	94	
	1900	93	
	2000	89	Deactivate UHT 90° @ 20:10
	2100	88	
	2200	84	
	2300	81	
	2400	79	

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
8-20	0100	77	Dorrion
	0200	76	
	0300	74	
	0400	73	
	0500	70	
	0600	68	
	0700	70°	Fleming
	0800	74°	
	0900	79°	OSHA 80° @ 9:03
	1000	85°	UHT @ 10:47
	1100	91°	
	1200	95°	
	1300	98°	
	1400	101°	
	1500	100°	Bennett
	1600	98°	
	1700	96°	
	1800	95°	
	1900	93°	
	2000	90°	~~Deactivate UHT~~
	2100	86°	Deactivate UHT
	2200	83°	
	2300	80	
	2400	77	

Date	Time	Temp.	Printed Name
8-21	0100	76	Dorrion
	0200	74	
	0300	74	
	0400	71	
	0500	70	
	0600	69	
	0700	70°	Flemin
	0800	72°	
	0900	78°	
	1000	82°	
	1100	86°	McLaughlin UHT @ 11:48
	1200	94°	
	1300	97°	
	1400	101	
	1500	101°	Bennett
	1600	98°	
	1700	96°	
	1800	93°	
	1900	91	
	2000	90	
	2100	86	Deactivate UHT
	2200	81	
	2300	79	
	2400	77	

DISTRIBUTION: Original: Institution Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE ...CORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
8-22	0100	76	Dornier
	0200	74	
	0300	72	
	0400	71	
	0500	70	
	0600	69	
	0700	72°	Flemin
	0800	74°	
	0900	79°	
	1000	85°	
	1100	89°	McKintyre UHT @ 11:00
	1200	92°	
	1300	97°	
	1400	100°	
	1500	98°	Bennett
	1600	96°	
	1700	93°	
	1800	91°	
	1900	89°	
	2000	86°	Deactivate UHT
	2100	81°	
	2200	78°	
	2300	75°	Guzman
	2400	73°	

Date	Time	Temp.	Printed Name
8-23	0100	72°	Guzman
	0200	71°	
	0300	70°	
	0400	69°	
	0500	68°	
	0600	66°	
	0700	66	Berard
	0800	69	
	0900	75	
	1000	79	
	1100	82	Osha UHT
	1200	85	
	1300	89	
	1400	90	UHT @ 14:11
	1500	89	Bennett
	1600	86	Deactivate UHT 1600
	1700	84	
	1800	82	
	1900	80	
	2000	78	
	2100	75	
	2200	74	
	2300	72	
	2400	70	

DISTRIBUTION: Original: Institution \ Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
8-24	0100	69	Dorrier
	0200	68	
	0300	68	
	0400	68	
	0500	67	
	0600	67	
	0700	67°	Fleming
	0800	69°	
	0900	73°	
	1000	76°	
	1100	80°	
	1200	86	
	1300	88°	UHT @ 13:43
	1400	91°	
	1500	91°	Bennett
	1600	87°	
	1700	85°	
	1800	83°	Deactivate UHT
	1900	82°	
	2000	80°	
	2100	76°	
	2200	75°	
	2300	74	
	2400	72	

Date	Time	Temp.	Printed Name
8-25	0100	71	Dorrier
	0200	69	
	0300	69	
	0400	69	
	0500	67	
	0600	67	
	0700	67	Fleming
	0800	68	
	0900	74°	
	1000	77°	
	1100	80°	
	1200	84°	
	1300	88°	UHT @ 13:49 Central
	1400	91°	
	1500	94	Sanchez
	1600	89	
	1700	87	Deactivate UHT (@ 1700) (Sanchez)
	1800	86	
	1900	84	
	2000	82	
	2100	80	
	2200	77	
	2300	75	
	2400	73	

DISTRIBUTION: Original: Institution Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
4-26	0100	71	Dorrier
	0200	70	
	0300	68	
	0400	67	
	0500	66	
	0600	65	
	0700	67	Fleming
	0800	69°	
	0900	74°	
	1000	80°	
	1100	88°	UHT@11:53
	1200	91°	
	1300	96°	
	1400	98°	
	1500	99	CABRERE
	1600	95	
	1700	94	
	1800	92	
	1900	91	
	2000	88	DEACTIVATE UHT
	2100	84	
	2200	80	
	2300	78	
	2400	75	

Date	Time	Temp.	Printed Name
4-27	0100	73	Dorrier
	0200	71	
	0300	71	
	0400	71	
	0500	69	
	0600	69	
	0700	69°	Fleming
	0800	72°	
	0900	77°	
	1000	85°	
	1100	90	UHT@11:02
	1200	95°	
	1300	100°	
	1400	104°	
	1500	104	Sanchez
	1600	99	
	1700	98	
	1800	96	
	1900	94	
	2000	89	
	2100	85	Deactivate UHT@2100
	2200	82	
	2300	79	
	2400	77	

DISTRIBUTION: Original: Institution Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE LOG
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
8-28	0100	76	Dorrien
	0200	74	
	0300	71	
	0400	71	
	0500	71	
	0600	70	
	0700	71	Fleming
	0800	73°	
	0900	81°	
	1000	89°	Merritt UHT @ 10:40
	1100	92°	
	1200	95°	
	1300	101°	
	1400	107°	
	1500	106°	Bennett
	1600	100°	
	1700	97°	
	1800	97°	
	1900	95°	
	2000	92°	
	2100	87°	
	2200	83°	Deactivate UHT
	2300	80°	Guzman
	2400	77°	

Date	Time	Temp.	Printed Name
8-29	0100	76°	Guzman
	0200	75°	
	0300	73°	
	0400	71°	
	0500	70	
	0600	69°	
	0700	68	Fleming
	0800	73°	
	0900	79°	
	1000	86°	
	1100	90°	UHT @ 11:00
	1200	95°	
	1300	100°	
	1400	103°	
	1500	103	Bennett
	1600	99	
	1700	98	
	1800	97	
	1900	95	
	2000	92	
	2100	87°	
	2200	84°	Deactivate UHT
	2300	82°	
	2400	81°	

DISTRIBUTION: Original: Institution Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CALIFORNIA STATE PRISON - CORCORAN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: BOILER PLANT - BUILDING. 210A

Immediately notify the Watch Commander at extension ext. 5500 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
8-30-24	0100	77°	Fleming
	0200	75°	
	0300	73°	
	0400	70	
	0500	67	
	0600	67	
	0700	67	Sanchez
	0800	71	
	0900	76	
	1000	82	
	1100	88	activate 90° UHT @ 11:50
	1200	95	
	1300	101	
	1400	105	
	1500	104	Bennett
	1600	97	
	1700	96	
	1800	96	
	1900	94	
	2000	91	
	2100	87	Deactivate UHT @ 21:0
	2200	84	
	2300	82	
	2400	81	

Date	Time	Temp.	Printed Name
8-31-24	0100	79	Lorrier
	0200	78	
	0300	76	
	0400	73	
	0500	71	
	0600	71	
	0700	71	Lake
	0800	70	
	0900	86	
	1000	84	UHT 11:50
	1100	88	
	1200	98	
	1300	102	
	1400	105	
	1500	105	Bennett
	1600	98	
	1700	97	
	1800	96	
	1900	95	
	2000	91	
	2100	88	
	2200	86	Deactivate UHT
	2300	82	
9-1	2400	79	

DISTRIBUTION: Original: Institution \ Coordinator

ATTACHMENT J

INSIDE TEMPERATURE RECORD LOG
CSP-CORCORAN

WEEK OF 8/1/24 - 8/4/2024

MONDAY DATE	TUESDAY DATE	WEDNESDAY DATE	THURSDAY DATE 8/1	FRIDAY DATE 8/2	SATURDAY DATE 8/3	SUNDAY DATE 8/4
1A01	1A01	1A01	1A01	1A01	1A01	1A01
1B01	1B01	1B01	1B01	1B01	1B01	1B01
1C01	1C01	1C01	1C01	1C01	1C01	1C01
1D01	1D01	1D01	1D01	1D01	1D01	1D01
1E01	1E01	1E01	1E01	1E01	1E01	1E01
3A01	3A01	3A01	3A01 C	3A01 C	3A01 C	3A01 C
3A02	3A02	3A02	3A02 C	3A02 C	3A02 C	3A02 C
3A03	3A03	3A03	3A03 C	3A03 C	3A03 C	3A03 C
3A04	3A04	3A04	3A04	3A04	3A04	3A04
3A05	3A05	3A05	3A05 C	3A05 C	3A05 C	3A05 C
3B01	3B01	3B01	3B01 C	3B01 C	3B01 C	3B01 C
3B02	3B02	3B02	3B02 C	3B02 C	3B02 C	3B02 C
3B03	3B03	3B03	3B03 C	3B03 C	3B03 C	3B03 C
3B04	3B04	3B04	3B04 C	3B04 C	3B04 C	3B04 C
3B05	3B05	3B05	3B05 C	3B05 C	3B05 C	3B05 C
3C01	3C01	3C01	3C01	3C01	3C01	3C01
3C02	3C02	3C02	3C02	3C02	3C02	3C02
3C03	3C03	3C03	3C03	3C03	3C03	3C03
3C04	3C04	3C04	3C04	3C04	3C04	3C04
3C05	3C05	3C05	3C05	3C05	3C05	3C05
4A1L	4A1L	4A1L	4A1L C	4A1L C	4A1L C	4A1L C
4A1R	4A1R	4A1R	4A1R C	4A1R C	4A1R C	4A1R C
4A2L	4A2L	4A2L	4A2L	4A2L	4A2L	4A2L
4A2R	4A2R	4A2R	4A2R	4A2R	4A2R	4A2R
4A3L	4A3L	4A3L	4A3L C	4A3L C	4A3L C	4A3L C
4A3R	4A3R	4A3R	4A3R	4A3R	4A3R	4A3R
4A4L	4A4L	4A4L	4A4L C	4A4L C	4A4L C	4A4L C
4A4R	4A4R	4A4R	4A4R C	4A4R C	4A4R C	4A4R C
4B1L	4B1L	4B1L	4B1L C	4B1L C	4B1L C	4B1L C
4B1R	4B1R	4B1R	4B1R C	4B1R C	4B1R C	4B1R C
4B2L	4B2L	4B2L	4B2L C	4B2L C	4B2L C	4B2L C
4B2R	4B2R	4B2R	4B2R C	4B2R C	4B2R C	4B2R C
4B3L	4B3L	4B3L	4B3L C	4B3L C	4B3L C	4B3L C
4B3R	4B3R	4B3R	4B3R C	4B3R C	4B3R C	4B3R C
4B4L	4B4L	4B4L	4B4L C	4B4L C	4B4L C	4B4L C
4B4R	4B4R	4B4R	4B4R C	4B4R C	4B4R C	4B4R C
ASU1	ASU1	ASU1	ASU1 C	ASU1 C	ASU1 C	ASU1 C

C (BLUE)=COMPLETE I (GREEN)=INCOMPLETE NC (BLACK)=NOT RECEIVED T (RED)=90 DEGREES

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A01 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	75	D. Nora
	0600	75	Magin
	0900	76	[illegible]
	1200	76	[illegible]
	1500	78.7	Perez, R
	1800	79.3	Perez, R
	2100	79.2	Perez
	2400	77	D. Nora

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	76	D. Nora
	0600	76	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	76	[illegible]
	1800	80.6	[illegible]
	2100	79.8	[illegible]
	2400	78	D. Nora

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	76	D. Nora
	0600	75.4	B. Woodson
	0900	76.4	E. Lorenzano
	1200	78.3	E. Lorenzano
	1500	79.1	Perez
	1800	[illegible]	Perez
	2100	80.6	Perez
	2400	78	D Hicks

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	77.5	D Hicks
	0600	76.5	J. Alvarez
	0900	76.5	J. Alvarez
	1200	77	J. Alvarez
	1500	80.9	F Ayon
	1800	83.9	F Ayon
	2100	82.4	R. Rodriguez
	2400	80.2	D Hicks

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	78.8	D Hicks
	0600	78.6	M. Cruz
	0900	79.2	M. Cruz
	1200	79.7	M. Cruz
	1500	86.5	Perez
	1800	80.4	Perez
	2100	82.2	Perez
	2400	80	D. Nora

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	78	D. Nora
	0600	78	R. Lobato
	0900	80	R. Lobato
	1200	80	R. Lobato
	1500	83	S. Del Campo
	1800	83	S. Del Campo
	2100	83	S. Del Campo
	2400	82.8	J. Penton

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	82.8	J. Penton
	0600	78.8	A. Gardbay
	0900	81.4	A. Gardbay
	1200	82.1	A. Gardbay
	1500	82.8	L. Rodriguez
	1800	84.6	L. Rodriguez
	2100	83.8	L. Rodriguez
	2400	81	D. Nora

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A02 Temp. Reading Location: D
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/29/24	0300	76	D Hicks
	0600	75.4	M. Cruz
	0900	76.1	M. Cruz
	1200	77.5	M. Cruz
	1500	76	Zapien
	1800	76	Zapien
	2100	75	Zapien
	2400	77	C. Osegueda

Tuesday

Date	Time	Temp.	Name (Print)
07/30/24	0300	76	C. Osegueda
	0600	74.8	D. Silva
	0900	75°	D Silva
	1200	77	D Silva
	1500	78	Jones
	1800	79	Jones
	2100	79	Jones
	2400	77	C. Osegueda

Wednesday

Date	Time	Temp.	Name (Print)
07/31/24	0300	77	C. Osegueda
	0600	76	S. Carter
	0900	77	S. Carter
	1200	77	S. Carter
	1500	78	Jones
	1800	79	Jones
	2100	78	Jones
	2400	78	D. [illegible]

Thursday

Date	Time	Temp.	Name (Print)
08/01/24	0300	77	D. [illegible]
	0600	76	S. Carter
	0900	77	S. Carter
	1200	78	S. Carter
	1500	79	Jones
	1800	81	Jones
	2100	81	Jones
	2400	79	D. [illegible]

Friday

Date	Time	Temp.	Name (Print)
08/02/24	0300	78	D. [illegible]
	0600	77	S. Carter
	0900	78	S. Carter
	1200	79	S. Carter
	1500	79	Jones
	1800	79	Jones
	2100	79	Jones
	2400	78	D. Penn

Saturday

Date	Time	Temp.	Name (Print)
08/03/24	0300	77	D. Penn
	0600	77	S. Carter
	0900	78	S. Carter
	1200	79	S. Carter
	1500	81	S. Gaytan
	1800	81	S. Gaytan
	2100	82	S. Gaytan
	2400	80.4	M. Anaya

Sunday

Date	Time	Temp.	Name (Print)
08/04/24	0300	79.9	M. Anaya
	0600	79.9	V. Bay
	0900	82.1	V. Bay
	1200	82.5	V. Bay
	1500	82.7	S. Mann
	1800	83.8	S. Mann
	2100	82.2	S. Mann
	2400	82.1	D Hicks

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A03 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	74	S. Rojas
	0600	74	Garin
	0900	75	Garin
	1200	75	Garin
	1500	80	[illegible]
	1800	81	[illegible]
	2100	81	[illegible]
	2400	76	G. Alcocer

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	75	G. Alcocer
	0600	75	Garin
	0900	75	Garin
	1200	75	Garin
	1500	75	[illegible]
	1800	75	[illegible]
	2100	75	[illegible]
	2400	75	G. Alcocer

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	75	G. Alcocer
	0600	75	Garin
	0900	75	Garin
	1200	75	Garin
	1500	77	A. De la Torre
	1800	77	A. De la Torre
	2100	77	A. De la Torre
	2400	75	G. Alcocer

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	75	G. Alcocer
	0600	75	Garin
	0900	75	Garin
	1200	76	Garin
	1500	80	
	1800	80	A. De la Torre
	2100	80	
	2400	78	G. Alcocer

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	78	G. Alcocer
	0600	74	Garin
	0900	74	Garin
	1200	74	Garin
	1500	78	B. Alvarado
	1800	78	B. Alvarado
	2100	78	B. Alvarado
	2400	77	M. SINGH

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	74	M. SINGH
	0600	75	G. Mova
	0900	76	G. Mova
	1200	76	G. Mova
	1500	79	B. Alvarado
	1800	79	B. Alvarado
	2100	79	B. Alvarado
	2400	79	M. SINGH

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	75	M. SINGH
	0600	70	J. GAITAN
	0900	79	J. GAITAN
	1200	80	J. GAITAN
	1500	80	D. Rodriguez
	1800	80	D. Rodriguez
	2100	80	D. Rodriguez
	2400	80	M. SINGH

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3A05 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300	75	J Guzman
	0600	74	[illegible]
	0900	74	[illegible]
	1200	75.1	[illegible]
	1500	75.6	B.ALVARADO
	1800	78.6	B.ALVARADO
	2100	78.6	B.ALVARADO
	2400	77	G. RIVERA

Tuesday

Date	Time	Temp.	Name (Print)
7-30-24	0300	75°	G.RIVERA
	0600	75	R.Gamboa
	0900	76	R.Gamboa
	1200	77	R.Gamboa
	1500	78	R.Gamboa
	1800	79	R.Gamboa
	2100	79	R.Gamboa
	2400	76	M. SINGH

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	76	M. SINGH
	0600	75	M. SINGH
	0900	77	R.Gamboa
	1200	79	R Gamboa
	1500	79	D Elizarraraz
	1800	80	D. Elizarraraz
	2100	80	D. Elizarraraz
	2400	79	J Guzman

Thursday

Date	Time	Temp.	Name (Print)
8-01-24	0300	77	J Guzman
	0600	77	R.Gamboa
	0900	77	R.Gamboa
	1200	79	R.Gamboa
	1500	81	D.Elizarraraz
	1800	82	D Elizarraraz
	2100	81	D. Elizarraraz
	2400	80	J Guzman

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	79	J Guzman
	0600	78	R.Gamboa
	0900	78	R.Gamboa
	1200	79	R.Gamboa
	1500	79	D. Elizarraraz
	1800	80	D. Elizarraraz
	2100	79	D. Elizarraraz
	2400	79	J Guzman

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	78	J. Guzman
	0600	77	D Elizarraraz
	0900	77	D. Elizarraraz
	1200	79	D. Elizarraraz
	1500	81	A. Aguilar
	1800	82	A. Aguilar
	2100	80	A. Aguilar
	2400	79	J Guzman

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	79	J. Guzman
	0600	78.6	J. BARRAS
	0900	80	J. BARRAS
	1200	81	J BARRAS
	1500	82	B. Alvarado
	1800	82.6	B. Alvarado
	2100	82.8	B. Alvarado
	2400	81	J Guzman

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-CoR Housing Unit: 3B01 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300	79°	G. RIVERA
	0600	78°	D. LIMA
	0900	77°	D. LIMA
	1200	79°	D. LIMA
	1500	80°	H. AGUIRRE
	1800	79°	H. AGUIRRE
	2100	80°	H. AGUIRRE
	2400	79	R PHILLIPS

Tuesday

Dat	Time	Temp.	Name (Print)
7-30-24	0300	77	R PHILLIPS
	0600	76°	D. LIMA
	0900	77°	D. LIMA
	1200	78°	D. LIMA
	1500	79°	H. AGUIRRE
	1800	79°	H. AGUIRRE
	2100	80°	H. AGUIRRE
	2400	79	R PHILLIPS

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	77	R. PHILLIPS
	0600	77	S. NAVARRO
	0900	78	S. NAVARRO
	1200	79	S. NAVARRO
	1500	80°	H. AGUIRRE
	1800	80°	H. AGUIRRE
	2100	80°	H. AGUIRRE
	2400	79	R PHILLIPS

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	77	R. PHILLIPS
	0600	77	D. Lima
	0900	78	D. Lima
	1200	80	D. Lima
	1500	81	G MOUA
	1800	81	G. MOUA
	2100	80	G. MOUA
	2400	79°	Phillips

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	77°	Phillips
	0600	79°	D. Lima
	0900	80	D. Lima
	1200	80	D. Lima
	1500	80°	L. Bolanos
	1800	80°	L. Bolanos
	2100	80°	L. Bolanos
	2400	82°	M. LADDLE

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	80	M. LADDLE
	0600	78	E. Segura
	0900	79	E. Segura
	1200	80	E. Segura
	1500	82	H. ABUWLEUT
	1800	82	H. ABUWLEUT
	2100	82	H. ABUWLEUT
	2400	83	A. Lopez

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	82°	A. Lopez
	0600	80°	J. Padilla
	0900	79°	J. Padilla
	1200	80	J. Padilla
	1500	78°	A. Gurman
	1800	79°	A. Gurman
	2100	79°	A. Gurman
	2400	82°	G. RIVERA

Notes

Sat Tour on 3/W - 8/4/24
FROM 0600 - 1200 NEED TEMPS LOGGED IN.

DISTRIBUTION: Original; Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B02 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	76	J. Jimenez
	0600	75	Martinez
	0900	76	Martinez
	1200	78	Martinez
	1500	79	M. Spanel
	1800	79	M. Spanel
	2100	79	M. Spanel
	2400	79°	L. MAGDALENO

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	76°	L. MAGDALENO
	0600	78	A. Rodriguez
	0900	78	A. Rodriguez
	1200	77	A. Rodriguez
	1500	79°	APARICIO
	1800	79°	APARICIO
	2100	79°	APARICIO
	2400	78°	L. MAGDALENO

Wednesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	78	L. MAGDALENO
	0600	76	H. Fernandez
	0900	77	B. Lee
	1200	79	G. Segura
	1500	79	M. Spanel
	1800	80	M. Spanel
	2100	79	M. Spanel
	2400	79°	MAGDALENO

Thursday

Date	Time	Temp.	Name (Print)
8/31/24	0300	77°	L. MAGDALENO
	0600	78	Urrano
	0900	78	Urrano
	1200	79	Urrano
	1500	81	M. Spanel
	1800	82	M. Spanel
	2100	81	M. Spanel
	2400	79	Peters

Friday

Date	Time	Temp.	Name (Print)
8/1/24	0300	78	Peters
	0600	78	Miranda
	0900	79	Miranda
	1200	80	Miranda
	1500	80	MELAN
	1800	80	MELAN
	2100	80	MELAN
	2400	79	Peters

Saturday

Date	Time	Temp.	Name (Print)
8/2/24	0300	78	Peters
	0600	77	A. Gonzalez
	0900	80	H. Fernandez
	1200	81	H. Fernandez
	1500	82	J. BANDAS
	1800	83	J. BANDAS
	2100	83	J. BANDAS
	2400	83°	L. MAGDALENO

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	79°	L. MAGDALENO
	0600	79°	REEDER
	0900	80°	REEDER
	1200	80°	REEDER
	1500	80°	V. BAY
	1800	80°	V. BAY
	2100	80°	V. BAY
	2400	83°	L. MAGDALENO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B03 Temp. Reading Location: CONTROL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	77°	J. Buenn
	0600	78°	O Cuthinka
	0900	79°	O Cuthinka
	1200	80°	O Cuthinka
	1500	81°	D Silva
	1800	81°	D. Silva
	2100	81°	D. Silva
	2400	79°	J. Buenn

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	77°	J. Buenn
	0600	77°	S Pena
	0900	77°	S Pena
	1200	78°	S Pena
	1500	80°	D. Silva
	1800	81°	D. Silva
	2100	81°	D. Silva
	2400	79°	J. Buenn

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	78°	J. Buenn
	0600	79°	S Pena
	0900	80°	S Pena
	1200	80°	S Pena
	1500	80	J. Sanchez
	1800	81	J. Sandoval
	2100	80	J. Sandoval
	2400	79	J. Culin

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	77	J. Culin
	0600	77	E. Segura
	0900	78	E. Segura
	1200	79	E. Segura
	1500	80°	J. Martinez
	1800	81	J. Martinez
	2100	81°	J. Martinez
	2400	80°	J. Culin

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	78	J. Culin
	0600	78	E. Contreras
	0900	79	E. Contreras
	1200	80	E. Contreras
	1500	80°	J. Martinez
	1800	80°	J. Martinez
	2100	80°	J. Martinez
	2400	79°	J. Buenn

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	79°	J. Buenn
	0600	79	M. Gaitan
	0900	80	M. Gaitan
	1200	81	M. Gaitan
	1500	81°	J. Martinez
	1800	82	J. Martinez
	2100	83	J. Martinez
	2400	81°	J. Buenn

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	80°	J. Buenn
	0600	78°	A Chavez
	0900	78°	A Chavez
	1200	79°	A Chavez
	1500	82°	J. Martinez
	1800	82°	J. Martinez
	2100	83°	J. Martinez
	2400	81°	J. Buenn

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B04 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	78	D. [illegible]
	0600	77	J. Clark
	0900	77	J. Clark
	1200	81	J. Clark
	1500	79	D. Samudio
	1800	81	D. Samudio
	2100	81	D. Samudio
	2400	80	J. Tijerina

Tuesday

Dat	Time	Temp.	Name (Print)
7/30/24	0300	79	J. Tijerina
	0600	77	J. Clark
	0900	79	J. Clark
	1200	79	J. Clark
	1500	81	A. Rodriguez
	1800	81	A. Rodriguez
	2100	81	A. Rodriguez
	2400	80	J. Tijerina

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	79	J. Tijerina
	0600	77	J. Clark
	0900	77	J. Clark
	1200	79	J. Clark
	1500	79	A. Rodriguez
	1800	81	A. Rodriguez
	2100	82	A. Rodriguez
	2400	81	J. Tijerina

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	79	J. Tijerina
	0600	76	J. Broadhead
	0900	78	J. Broadhead
	1200	79	J. Broadhead
	1500	80	Perez
	1800	82	Perez
	2100	82	Perez
	2400	80°	J. Guzman

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	79°	J. Guzman
	0600	79	W. Urbano
	0900	79	W. Urbano
	1200	80	W. Urbano
	1500	82	Nevarez
	1800	81	Nevarez
	2100	82	Nevarez
	2400	81	P. Bryant

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	79	P. Bryant
	0600	78	Urbano
	0900	79	Urbano
	1200	81	Urbano
	1500	82	Nevarez
	1800	82	Nevarez
	2100	84	Nevarez
	2400	82	Tijerina

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	80	J. Tijerina
	0600	81	A. Moran
	0900	79	A. Moran
	1200	82	A. Moran
	1500	84°	F. Martinez
	1800	84°	F. Martinez
	2100	82°	F. Martinez
	2400	82	J. Tijerina

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B05 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6123 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1/29/24	0300	75	P. Bryant
	0600	75	[illegible]
	0900	75	[illegible]
	1200	75	[illegible]
	1500	77	[illegible]
	1800	79	[illegible]
	2100	79	[illegible]
	2400	79	D. Cisneros

Tuesday

Dat	Time	Temp.	Name (Print)
7/30/24	0300	75	S. Cisneros
	0600	75	Barrego
	0900	75	Barrego
	1200	77	Barrego
	1500	79	Brotherson
	1800	81	Brotherson
	2100	80	Brotherson
	2400	80	S. Cisneros

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	77	S. Cisneros
	0600	~~75~~	~~[illegible]~~
	0900	~~75~~	~~[illegible]~~
	1200	77	Barrego
	1500	79	Brotherson
	1800	81	Brotherson
	2100	81	Aguilera
	2400	80	S. Cisneros

77° Barrego
77° Barrego

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	79	S. Cisneros
	0600	75	S. A. Niehus
	0900	78	S. A. Niehus
	1200	79	S. A. Niehus
	1500	81	Brotherson
	1800	81	Brotherson
	2100	81	Brotherson
	2400	81	S. Cisneros

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	79	S. Cisneros
	0600	79°	Barrego
	0900	79°	Barrego
	1200	79°	Barrego
	1500	81	Brotherson
	1800	81	Brotherson
	2100	81	Brotherson
	2400	80	S. Cisneros

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	79	S. Cisneros
	0600	79°	Barrego
	0900	79°	Barrego
	1200	79°	Barrego
	1500	81	Brotherson
	1800	81	Brotherson
	2100	82	Brotherson
	2400	81	P. Bryant

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	79	P. Bryant
	0600	78	W. Jurado
	0900	79	W. Jurado
	1200	79	W. Jurado
	1500	81	[illegible]
	1800	82	[illegible]
	2100	82	[illegible]
	2400	82	P. Bryant

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 4A1L Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

D. Perez D. Perez SGI.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	81	Samadian
	0600	81	SALINAS
	0900	81	SALINAS
	1200	81	SALINAS
	1500	82	MECUM
	1800	82	MECUM
	2100	82	MECUM (5)
	2400	82	D. Samadian

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	81	D. Samadian
	0600	81	SALINAS
	0900	81	SALINAS
	1200	81	SALINAS
	1500	81	MECUM
	1800	80	J. ALVAREZ
	2100	79	J. ALVAREZ
	2400	81	D. Samadian

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	80	D. Samadian
	0600	81	SALINAS
	0900	81	SALINAS
	1200	81	SALINAS
	1500	81	MECUM
	1800	81	MECUM
	2100	81	M. TIRADO
	2400	81	B. Perez

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	80	Perez
	0600	81	SALINAS
	0900	81	SALINAS
	1200	81	SALINAS
	1500	82	MECUM
	1800	82	MECUM
	2100	82	MECUM
	2400	82	Perez

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	81	Perez
	0600	82	SALINAS
	0900	82	SALINAS
	1200	82	SALINAS
	1500	84	Gomez
	1800	83	Gomez
	2100	81	Gomez
	2400	81	J. Cuin

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	80	J. Cuin
	0600	82	N. Drilling
	0900	82	N. Drilling
	1200	82	N. Drilling
	1500	82	MOLES
	1800	82	MOLES
	2100	82	C. MONTES
	2400	81	B. CARCIA

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	82	GARCIA
	0600	83	P. ARIAS
	0900	83	L. PENA
	1200	83	L. PENA
	1500	83	J. ONTIVEROS
	1800	83	ONTIVEROS
	2100	84	ONTIVEROS
	2400	84	Samadian

Notes

7-29 UHT @ 1141 HOURS
7-30 UHT @ 1113 HOURS
7-31 UHT @ 1043 HOURS
8-1 UHT @ 1019 HOURS
8-2 UHT @ 1259 HOURS
8-3 UHT @ 1002 HOURS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A1R Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	79.6	J. Guzman
	0600	80.8	J. Alvarez
	0900	81.0	J. Alvarez
	1200	81.5	J. Alvarez
	1500	81.5	I. Macias
	1800	81.7	I. Macias
	2100	81.9	I. Macias
	2400	80	B. Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
7/30/24	0300	80	B. Garcia
	0600	80.3	Gonzalez
	0900	80.6	Gonzalez
	1200	81	Gonzalez
	1500	81	Miramonts
	1800	81.5	Miramonts
	2100	81.7	Miramonts
	2400	81.5	Miramonts

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	80.9	Miramonts
	0600	80.6	D. Lao
	0900	80.6	D. Lao
	1200	81	D. Lao
	1500	81.1	Pimentel.M
	1800	81.5	Pimentel.M
	2100	81.9	Pimentel.M
	2400	81.7	Miramonts

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	81.3	Miramonts
	0600	80.8	Ontiveros
	0900	81.0	Ontiveros
	1200	81.5	Ontiveros
	1500	81.9	Pimentel.M
	1800	82.5	Pimentel.M
	2100	82.9	Pimentel.M
	2400	82.4	Miramonts

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	82	Miramonts
	0600	81.7	R. Guzman
	0900	82.5	R. Fong
	1200	82.7	R. Fong
	1500	82.0	Pimentel.M
	1800	82.2	Pimentel.M
	2100	82.4	Pimentel.M
	2400	82.2	Pimentel.M

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	81.9	Pimentel.M
	0600	81.5	Ontiveros, S.
	0900	81.7	Ontiveros, S.
	1200	82.0	Ontiveros
	1500	82.8	J. Rita
	1800	83.1	J. Rita
	2100	83.7	J. Rita
	2400	83.2	J. Guzman

Sunday 8/4/24

Date	Time	Temp.	Name (Print)
8/4/24	0300	82.8	J. Guzman
	0600	82.6	R. Lewis
	0900	82.6	R. Lewis
	1200	82.8	R. Lewis
	1500	83.5	I. Macias
	1800	84.0	I. Macias
	2100	84.2	I. Macias
	2400	83	F. Arenzazu

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 4A3L Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	85	M. SINGH
	0600	85	M. SINGH
	0900	80	RODRIGUEZ
	1200	81	RODRIGUEZ
	1500	81.1	S. MOHA
	1800	81.3	S. MOHA
	2100	81.7	S. MOHA
	2400	80.2	M. SINGH

Tuesday

Dat	Time	Temp.	Name (Print)
7-30-24	0300	79.8	M. SINGH
	0600	80.7	M. SINGH
	0900	80	RODRIGUEZ
	1200	80	RODRIGUEZ
	1500	81.2	G. Martinez
	1800	81.4	G Martinez
	2100	81.6	G. Martinez
	2400	81	J. Gallegos

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	81	~~M. SINGH~~ J. Gallegos
	0600	80	~~M. SINGH~~ Huerta
	0900	80	Huerta
	1200	81	Huerta
	1500	81	Camilo
	1800	81	Camilo
	2100	81	Camilo
	2400	81	J. Gallegos

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	81	J. Gallegos
	0600	81	Huerta
	0900	80	Huerta
	1200	81	Huerta
	1500	81.7	J. ORTEGA
	1800	82	J. ORTEGA
	2100	82.1	J. Ortega
	2400	82	J. Gallegos

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	81	J. Gallegos
	0600	81	Huerta
	0900	81	Huerta
	1200	81	Huerta
	1500	81.4	V. MORALES
	1800	81.7	V. MORALES
	2100	81.9	V. MORALES
	2400	81	LIONG

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	81	LIONG
	0600	81.4	M JUAREZ
	0900	81.8	M JUAREZ
	1200	82.1	M JUAREZ
	1500	82.4	V. MORALES
	1800	82.7	V. MORALES
	2100	82.9	V. MORALES
	2400	82	T. Xiong

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	81	T. Xiong
	0600	82.3	M. Juarez
	0900	81.7	M. Juarez
	1200	81.9	M. Juarez
	1500	82	L. XIONG
	1800	83	L. XIONG
	2100	83	L. XIONG
	2400	85.4	A. Ellin

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4L Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-29-24

Date	Time	Temp.	Name (Print)
	0300	84	J. Navarrete
	0600	84	J. Navarrete
	0900	84	E. LEWIS
	1200	84	E. Lewis
	1500	84	A. ochoa
	1800	85	A. ochoa
	2100	84.5	A. ochoa
	2400	84.6	A. AHULAL

Tuesday 7-30-24

Date	Time	Temp.	Name (Print)
	0300	84.2	A. AHULAL
	0600	~~84~~ 84	C. oseguera
	0900	83	C. OSeguera
	1200	83	C. OSeguera
	1500	84	Kulf
	1800	84	Kulf
	2100	84	Kulf
	2400	84	J Martinez

Wednesday 7-31-24

Date	Time	Temp.	Name (Print)
	0300	84	J martinez
	0600	84	C. OSeguera
	0900	83	C. OSeguera
	1200	84	C. OSeguera
	1500	84	Kulf
	1800	84	Kulf
	2100	84	Kulf
	2400	84	J Martinez

Thursday 8-1-24

Date	Time	Temp.	Name (Print)
	0300	84	J. martinez
	0600	84.6	S Bartolo
	0900	84	S Bartolo
	1200	84.6	S Bartolo
	1500	85	Kulf
	1800	85	Kulf
	2100	85	Kulf
	2400	85	J martinez

Friday 8-2-24

Date	Time	Temp.	Name (Print)
	0300	85	J martinez
	0600	85	D. Ervin
	0900	85	D. Ervin
	1200	85	D. Ervin
	1500	85.1	R. FONG
	1800	~~84.8~~ 85.0	R. FONG
	2100	~~79.5~~ 85.0	R. FONG
	2400	85	J Martinez

Saturday 8-3-24

Date	Time	Temp.	Name (Print)
	0300	85	J martinez
	0600	84.9	D. Ervin
	0900	85.1	D. Ervin
	1200	85.3	D. Ervin
	1500	86	Kulf
	1800	86	Kulf
	2100	86	Kulf
	2400	86	IBarca

Sunday 8-4-24

Date	Time	Temp.	Name (Print)
	0300	85	IBARCA
	0600	86	A. RODRIGUEZ
	0900	85.8	A. RODRIGUEZ
	1200	85.8	A. RODRIGUEZ
	1500	86.1	A. ochoa
	1800	87	A. ochoa
	2100	87	A. ochoa
	2400	86.9	A. AHULAL

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4R Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday July 29, 2024

Date	Time	Temp.	Name (Print)
	0300	82.4	SERRANO
	0600	82.3	ROCHA
	0900	82	ROCHA
	1200	82.9	ROCHA
	1500	83.4	Campo
	1800	84.4	Campo
	2100	84.4	Campo
	2400	84	Aranzazu

Tuesday July 30, 2024

Date	Time	Temp.	Name (Print)
	0300	83	Aranzazu
	0600	81.9	ROCHA
	0900	82	ROCHA
	1200	82.3	ROCHA
	1500	82	D. Samadian
	1800	83	D. Samadian
	2100	83	D. Samadian
	2400	83	FIELD

Wednesday July 31, 2024

Date	Time	Temp.	Name (Print)
7/31/24	0300	82	FIELD
	0600	82.3	ROCHA
	0900	81.8	ROCHA
	1200	82.4	ROCHA
	1500	82	SOTO
	1800	82	SOTO
	2100	82	SOTO
	2400	83	Aranzazu

Thursday August 1, 2024

Date	Time	Temp.	Name (Print)
8/1	0300	83	Aranzazu
	0600	82.4	ROCHA
	0900	82.2	ROCHA
	1200	83.4	ROCHA
	1500	83.9	SOTO
	1800	83	SOTO
	2100	83	SOTO
	2400	84	FIELD

Friday August 2, 2024

Date	Time	Temp.	Name (Print)
8/2	0300	83.9	FIELD
	0600	84	Leal
	0900	84	Leal
	1200	84.2	Leal
	1500	84.2	SOTO
	1800	84.2	SOTO
	2100	84.2	SOTO
	2400	84	A. AHUILAR

Saturday August 3, 2024

Date	Time	Temp.	Name (Print)
	0300	84	A. AHUILAR
	0600	83.4	H. ABSINIEGA
	0900	84	H. ABSINIEGA
	1200	84.4	H. ABSINIEGA
	1500	85.4	A. AHUILAR
	1800	85.6	A. AHUILAR
	2100	85.4	A. AHUILAR
	2400	85.4	A. AHUILAR

Sunday August 4, 2024

Date	Time	Temp.	Name (Print)
	0300	84.1	A. AHUILAR
	0600	84.5	ABSINIEGA. H
	0900	84.7	H. ABSINIEGA
	1200	85.4	H. ABSINIEGA
	1500	86.1	A. AHUILAR
	1800	86.5	A. AHUILAR
	2100	86.7	A. AHUILAR
	2400	84	L. XIONG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan.

Attachment D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 4B1L Temp. Reading Location: 1st c/o office (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6126 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	80.7	A. GARCIA
	0600	79.9	S. Martinez
	0900	80.6	S. Martinez
	1200	81.5	S. Martinez
	1500	85°	DIAZ A
	1800	83.8	E. LUNA
	2100	82.9	E. LUNA
	2400	81.4	J. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	80.7	J. DIAZ
	0600	79.7	S. Martinez
	0900	80.1	S. Martinez
	1200	81.3	S. Martinez
	1500	83.0	J. Esparza
	1800	83.6	J. Esparza
	2100	82.8	J. Esparza
	2400	81.3	A. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	80.9	A. GARCIA
	0600	79.9	E. ACOSTA
	0900	80.7	E. ACOSTA
	1200	81.8	E. ACOSTA
	1500	83.3	S. Ramos
	1800	83.8	S. Ramos
	2100	83.0	DIAZ A
	2400	81.7	A. GARCIA

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	81.4	A. GARCIA
	0600	80.0	J. Hernandez
	0900	81.0	J. Hernandez
	1200	83.0	J. Hernandez
	1500	84.6	M. CARREON
	1800	84.9	S. Ramos
	2100	84.6	S. Ramos
	2400	83.2	A. GARCIA

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	82.8	A. GARCIA
	0600	81.4	J. Hernandez
	0900	81.4	J. Hernandez
	1200	82.8	J. Hernandez
	1500	83.6	S. Ramos
	1800	83.8	S. Ramos
	2100	83.4	S. Ramos
	2400	81.6	FAYER

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	81.4	FAYER
	0600	80.1	J. Hernandez
	0900	81.6	J. Hernandez
	1200	83.4	J. Hernandez
	1500	84.8	S. Ramos
	1800	85.0	S. Ramos
	2100	85.0	S. Ramos
	2400	84.6	RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	82.8	RAMIREZ
	0600	81.9	J. Esparza
	0900	83.4	J. Esparza
	1200	84.3	J. Esparza
	1500	85.7	DIAZ A
	1800	86.2	DIAZ A
	2100	85.2	DIAZ A
	2400	84.7	Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan.

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DAGT 8/5/24

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CCR Housing Unit: 4B1R Temp. Reading Location: 1st c/o office (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	78.5	A. GARCIA
	0600	77.2	J. Wilson
	0900	77.5	J. Wilson
	1200	79.1	J. Wilson
	1500	80.4	L. Gullen
	1800	81.3	L. Gullen
	2100	80.5	L. Gullen
	2400	79.2	J. DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	78.7	J. DIAZ
	0600	77.2	J. Wilson
	0900	76.9	J. Wilson
	1200	79.2	J. Wilson
	1500	81.1	D. RUIZ
	1800	81.4	D. RUIZ
	2100	80.9	D. RUIZ
	2400	79.2	A. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	79.1	A. GARCIA
	0600	77.0	K. Rodriguez
	0900	77.9	K. Rodriguez
	1200	79.8	K. Rodriguez
	1500	81.4	A. Narvaiz
	1800	81.8	A. Narvaiz
	2100	81.1	Centro
	2400	79.5	A. GARCIA

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	79.1	A. GARCIA
	0600	78.1	D. Ramirez
	0900	78.3	D. Ramirez
	1200	80.9	D. Ramirez
	1500	83.1	J. Aguirre
	1800	83.1	J. Aguirre
	2100	83.1	J. Aguirre
	2400	79.5	E. Robles

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	80.7	A. GARCIA
	0600	79.7	D. Ramirez
	0900	79.9	D. Ramirez
	1200	81.0	D. Ramirez
	1500	81.1	R. RUBIO
	1800	82.1	R. RUBIO
	2100	81.2	R. RUBIO
	2400	80.4	EATON

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	79.8	E. ATON
	0600	79.1	D. Ramirez
	0900	80.1	D. Ramirez
	1200	81.9	D. Ramirez
	1500	84.9	L. Gullen
	1800	84.9	L. Gullen
	2100	84.1	L. Gullen
	2400	83.7	RAMIRE

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	80.4	RAMIREZ
	0600	80.3	Torrecillas
	0900	81.0	Torrecillas
	1200	83.9	Torrecillas
	1500	85.4	L. Gullen
	1800	85.4	L. Gullen
	2100	85.1	L. Gullen
	2400	83.1	Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP-CDR Housing Unit: 4B2L Temp. Reading Location: c/o office (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/29/2024	0300		A. Gonzalez
	0600	82.0	C. Navarro
	0900	82.1	C. Navarro
	1200	82.3	C. Navarro
	1500	82.6	R. HERNANDEZ
	1800	83.3	R. HERNANDEZ
	2100	83.4	R. HERNANDEZ
	2400	82.9	E. RUIZ

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	82.3	E. RUIZ
	0600	81.8	C. Navarro
	0900	81.7	C. Navarro
	1200	82.0	C. Navarro
	1500	82.4	S. ABASTA
	1800	82.8	S. ABASTA
	2100	83.3	S. ABASTA
	2400	82.5	E. RUIZ

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	82.4	E. RUIZ
	0600	81.8	C. ALCANTAR
	0900	81.8	C. ALCANTAR
	1200	82.1	C. ALCANTAR
	1500	82.5	S. ABASTA
	1800	83.3	S. ABASTA
	2100	83.3	S. ABASTA
	2400	82.9	E. RUIZ

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	82.5	E. RUIZ
	0600	82.0	A. CANARCO
	0900	81.9	C. ALCANTAR
	1200	82.8	C. ALCANTAR
	1500	83.3	R. HERNANDEZ
	1800	84.3	R. HERNANDEZ
	2100	84.1	R. HERNANDEZ
	2400	83.7	E. RUIZ

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	83.5	E. RUIZ
	0600	83.5	C. Navarro
	0900	83.3	C. Navarro
	1200	83.3	C. Navarro
	1500	83.6	R. HERNANDEZ
	1800	83.8	R. HERNANDEZ
	2100	84.1	R. HERNANDEZ
	2400	83.5	E. RUIZ

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	83.4	E. RUIZ
	0600	83.0	C. Navarro
	0900	83.3	C. ALCANTAR
	1200	83.3	C. Navarro
	1500	84.3	R. HERNANDEZ
	1800	84.6	R. HERNANDEZ
	2100	85.3	R. HERNANDEZ
	2400	84.2	L. YANG

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	84.5	L. YANG
	0600	84.2	E. Lorenzana
	0900	84.2	E. Lorenzana
	1200	84.3	E. Lorenzana
	1500	84.8	R. HERNANDEZ
	1800	85.3	R. HERNANDEZ
	2100	85.5	R. HERNANDEZ
	2400	85.5	L. YANG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

August 9, 2024

P. WILLIAMS
Litigations Coordinator
California State Prison-Corcoran

Re: 4B STAFF TRAINED REGARDING HEAT LOG ENTRY DISCREPANCIES

This memorandum is being generated as Proof of Practice documenting Facility 4B has trained identified staff regarding discrepancies/missing information from the UHT log, and to ensure the accurate entry of data going forward.

4B3R: On July 29, 2024, at 0300 hours; temperature was not logged for the hourly entry as required per OP 208, Heat Plan. Staff was provided training.

A.RANDOLPH
Facility 4B Captain
California State Prison-Corcoran

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE HEAT PLAN PROCEDURES		TIME 0030	DATE 8/8/24
AUDIENCE Custody	INSTRUCTOR Sgt. Gonzalez	LENGTH (IN HOURS) 0.5	LOCATION 4B
BET ID (list all applicable) 11054300			

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	Gonzalez-Lopez, Avelina	C/O	2200-0600	0030	0100	N	N	
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR [redacted]

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4B2R Temp. Reading Location: C/O office (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/29/2024	0300	79.7	J. Gonzalez
	0600	78.8	Gonzalez
	0900	78.5	Clingerman
	1200	78.8	Clingerman
	1500	79.4	S. GONZALEZ
	1800	80.2	S. GONZALEZ
	2100	80.4	S. GONZALEZ
	2400	80.1	E. RUIZ

Tuesday

Date	Time	Temp.	Name (Print)
07/30/2024	0300	79.5	E. RUIZ
	0600	78.7	S. PONCE
	0900	78.4	Clingerman
	1200	78.6	Clingerman
	1500	79.1	O. Martinez
	1800	80.1	O. Martinez
	2100	80.4	O. Martinez
	2400	80.0	E. RUIZ

Wednesday

Date	Time	Temp.	Name (Print)
	0300	79.7	E. RUIZ
	0600	78.7	J. Gonzalez
	0900	78.7	J. Gonzalez
	1200	78.8	J. Gonzalez
	1500	79.9	O. Martinez
	1800	80.9	O. Martinez
	2100	80.9	J. POOLE
	2400	80.2	E. RUIZ

Thursday

Date	Time	Temp.	Name (Print)
	0300	80.1	E. RUIZ
	0600	79.6	Clingerman
	0900	79.9	J. Gonzalez
	1200	79.8	J. Gonzalez
	1500	81.9	L. CAPULA
	1800	80.9	L. CAPULA
	2100	81.9	L. CAPULA
	2400	81.4	E. RUIZ

Friday

Date	Time	Temp.	Name (Print)
	0300	81.4	E. RUIZ
	0600	81.1	S. PONCE
	0900	80.1	S. PONCE
	1200	80.4	S. PONCE
	1500	80.8	O. Martinez
	1800	81.1	O. Martinez
	2100	81.0	O. Martinez
	2400	80.8	E. RUIZ

Saturday

Date	Time	Temp.	Name (Print)
	0300	80.1	E. RUIZ
	0600	79.9	S. PONCE
	0900	79.9	S. PONCE
	1200	80.6	S. PONCE
	1500	81.9	O. Martinez
	1800	81.0	O. Martinez
	2100	81.5	O. Martinez
	2400	80.4	L. YANG

Sunday

Date	Time	Temp.	Name (Print)
8.4.24	0300	82.0	L. YANG
	0600	81.5	S. PONCE
	0900	81.0	S. PONCE
	1200	81.6	S. PONCE
	1500	82.3	S. GONZALEZ
	1800	82.9	S. GONZALEZ
	2100	83.3	S. GONZALEZ
	2400	82.9	S. GONZALEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan.

Attachment D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 4B-3L Temp. Reading Location: 1st (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6160 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300	83	WIRIG
	0600	81.8	[illegible]
	0900	81.8	[illegible]
	1200	82.6	[illegible]
	1500	87.9	A DUARTE
	1800	87.9	A DUARTE
	2100	83	E. GRANT
	2400	83.6	O-CONTRERAS

Tuesday

Date	Time	Temp.	Name (Print)
7-30-24	0300	82.9	O-Contreras
	0600	81.6	[illegible]
	0900	82.0	RAMIREZ, J
	1200	82.1	[illegible]
	1500	82.6	J. CISNEROS
	1800	82.8	J. CISNEROS
	2100	83.0	J. CISNEROS
	2400	82.6	O-Contreras

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	82.6	O-Contreras
	0600	82.0	[illegible]
	0900	82.0	RAMIREZ, J
	1200	82.2	[illegible]
	1500	82.2	P. SWAIN
	1800	83.5	P. SWAIN
	2100	83.0	P. SWAIN
	2400	82.6	O-CONTRERAS

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	82.1	A. GARZA
	0600	82.0	D. WANDELL
	0900	82.0	D. WANDELL
	1200	82.8	D. WANDELL
	1500	83.4	D. WANDELL
	1800	83.8	D. WANDELL
	2100	83.7	D. WANDELL
	2400	83.5	M. RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	83.3	RAMIREZ
	0600	82.2	D. WANDELL
	0900	82.5	D. WANDELL
	1200	83.1	D. WANDELL
	1500	83.3	E. DIMAANO
	1800	83.4	E. DIMAANO
	2100	83.5	E. DIMAANO
	2400	83.2	RAMIREZ

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	82.9	RAMIREZ
	0600	82.6	MARSHALL
	0900	82.9	E. DIMAANO
	1200	83.7	MARSHALL
	1500	84.1	A. GIL
	1800	84.6	E. DIMAANO
	2100	84.8	E. DIMAANO
	2400	84.4	O-Contreras

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	83.7	Contreras
	0600	83.3	L. Cullen
	0900	83.3	L. Cullen
	1200	83.4	L. Cullen
	1500	84.6	MARSHALL
	1800	85.6	MARSHALL
	2100	85.2	MARSHALL
	2400	84.8	Contreras

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 4B3R Temp. Reading Location: 1st (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07-29-24	0300	83	VIRK
	0600	82	Yang
	0900	82	Yang
	1200	82	Yang
	1500	83	Rodriguez
	1800	83	Rodriguez
	2100	83	Rodriguez
	2400	82	D. CALDERON

Tuesday

Date	Time	Temp.	Name (Print)
7.30.24	0300	82	D. CALDERON
	0600	82	J. Allison
	0900	82	J. Allison
	1200	82	J. Allison
	1500	82.7	VANL
	1800	83.5	VANL
	2100	83.4	VANL
	2400	82.1	Calderon

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	82.1	Calderon
	0600	82.4	J. Allison
	0900	82.4	J. Allison
	1200	82.7	J. Allison
	1500	83	K. Rodriguez
	1800	83	K. Rodriguez
	2100	83	K. Rodriguez
	2400	83	O. Contreras

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	82.6	C. Ruiz
	0600	82.4	J. Rosanzo
	0900	82.7	J. Rosanzo
	1200	83.0	J. Rosanzo
	1500	83.9	J. Allison
	1800	84.3	J. Allison
	2100	84	J. Allison
	2400	84.0	M. RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	83.7	RAMIREZ
	0600	83.6	D. ALLISON
	0900	83.4	D. ALLISON
	1200	83.7	D. ALLISON
	1500	83	G. CHACON
	1800	83	G. CHACON
	2100	83	G. CHACON
	2400	83.5	RAMIREZ

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	83.2	RAMIREZ
	0600	83.2	G. Huerta
	0900	83.5	D. ALLISON
	1200	84.1	D. ALLISON
	1500	84.4	D. Vega
	1800	84.7	D. Vega
	2100	85.1	D. Vega
	2400	84.4	CANTELLAS

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	84.4	Cantellas
	0600	84.1	O. Huerta
	0900	84.4	O. Huerta
	1200	84.1	O. Huerta
	1500	85.0	H. Vega
	1800	85.3	H. Vega
	2100	85.9	H. Vega
	2400	85	A. Lopez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 4B4L Temp. Reading Location: 1ST TIER 4B4L OFFICE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	79.1	RAMIREZ
	0600	79.0	J. CASTRO
	0900	79.0	J. CASTRO
	1200	79.4	J. CASTRO
	1500	79.6	J Wilson
	1800	80.1	J Wilson
	2100	80.0	J Wilson
	2400	79.5	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	76.5	RAMIREZ
	0600	79.0	J. CASTRO
	0900	79.0	J. CASTRO
	1200	79.1	J. CASTRO
	1500	79.5	R. RIVERA
	1800	79.5	R. RIVERA
	2100	79.8	R. RIVERA
	2400	79.5	A. GARZA

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	79.0	A. GARZA
	0600	78.9	E. ROJAS
	0900	78.9	J. CASTRO
	1200	79.2	E. ROJAS
	1500	79.2	R. RIVERA
	1800	80.0	R. RIVERA
	2100	79.8	R. RIVERA
	2400	78.8	A. GARZA

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	79.2	A. GARZA
	0600	78.9	THURMAN
	0900	79.0	THURMAN
	1200	80.7	THURMAN
	1500	81.7	R. MEDINA
	1800	82.4	R. MEDINA
	2100	82.0	R. MEDINA
	2400	80.4	A. LOPEZ

Friday

Date	Time	Temp.	Name (Print)
08/02/24	0300	80.5	A. LOPEZ
	0600	80.0	THURMAN
	0900	80.0	THURMAN
	1200	80.7	THURMAN
	1500	80.6	R. MEDINA
	1800	81.5	R. MEDINA
	2100	81.0	R. MEDINA
	2400	80	J. GUZMAN

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	78.0	J. GUZMAN
	0600	79.6	H. VIAN
	0900	80.1	H. VIAN
	1200	80.9	H. VIAN
	1500	83.8	E. RAMIREZ
	1800	84.0	E. RAMIREZ
	2100	83.8	E. RAMIREZ
	2400	82.1	A. GARZA

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	80.4	A. GARZA
	0600	80.6	L. BLAKE
	0900	80.7	A. GUZMAN
	1200	82.1	A. GUZMAN
	1500	83.2	P. Keener
	1800	85.0	P. Keener
	2100	84.3	E. RAMIREZ
	2400	83.8	RAMIREZ

Notes:

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan.

Attachment D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 4B4R Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	81.4	RAMIREZ
	0600	81.5	HUTCHENS
	0900	82.0	Hutchens
	1200	83.2	Hutchens
	1500	83.1	[illegible]
	1800	83.7	J. Rojas
	2100	84.2	J. Rojas
	2400	83.4	M. RAMIREZ

Tuesday 7/30/24

Date	Time	Temp.	Name (Print)
7/30/24	0300	79.0	J. Guzman
	0600	81.3	Hutchens
	0900	81.6	Hutchens
	1200	82.7	Hutchens
	1500	83.2	E. Rojas
	1800	84.2	E. Rojas
	2100	83.7	E. Rojas
	2400	82.1	A. Garza

7-31-24
0600
81.5 Carranza
0900
81.8° Carranza
1200
83.0° Carranza

Wednesday 7-31-24

Date	Time	Temp.	Name (Print)
7/31/24	0300	79°	J. Gu
	~~0600~~	~~81.3~~	~~Hutchens~~
	~~0900~~	~~81.6~~	~~HUTCHENS~~
	~~1200~~	~~82.7~~	~~HUTCHENS~~
	1500	84.2	E. Rojas
	1800	84.7	E. Rojas
	2100	84.3	E. Rojas
	2400	83.1	A. Garza

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	82.3	A. Garza
	0600	81.9	F. Rivera
	0900	82.4	F. Rivera
	1200	83.6	F. Rivera
	1500	85.3	E. Rojas
	1800	85.6	E. Rojas
	2100	85.4	E. Rojas
	2400	87.4	A. Lopez

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	85.1	A. Lopez
	0600	84.1	M. Alvarez
	0900	84.2	M. Alvarez
	1200	84.9	M. Alvarez
	1500	84.2	ESPINOZA
	1800	84.2	ESPINOZA
	2100	84.5	Espinoza
	2400	84.4	J. Guzman

Saturday 8/3/24

Date	Time	Temp.	Name (Print)
8/3/24	0300	84	J. Guzman
	0600	83.4	L. Gallen
	0900	84.2	L. Gallen
	1200	85.2	L. Gallen
	1500	85.8	J. Sequeira
	1800	85.8	J. Sequeira
	2100	86.1	J. Sequeira
	2400	85.4	A. Garza

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	84.6	
	0600	84.4	J. Gonzalez
	0900	85.0	J. Gonzalez
	1200	85.6	J. Gonzalez
	1500	87.2	M. Carreon
	1800	87.3	M. Carreon
	2100	87.1	M. Carreon
	2400	86.3	M. RAMIREZ

Notes:

7-30-24 Temperatures were entered on wrong date.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: ASU Temp. Reading Location: Section A-H (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	77.2	VAcosta
	0600	77.3	Rodriguez
	0900	78	Rodriguez
	1200	78.3	Rodriguez
	1500	78.5	Rodriguez
	1800	78.3	Rodriguez
	2100	78.0	Rodriguez
	2400	80	B. Rod

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	79	B. Rodr
	0600	78	R. AYALA
	0900	77	R. AYALA
	1200	77	R. AYALA
	1500	77.3	Rodriguez
	1800	77.6	Rodriguez
	2100	78.2	Rodriguez
	2400	79.8	B. Rodr

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	79.3	B. Rod
	0600	79	Hudson
	0900	78	Hudson
	1200	77	Hudson
	1500	77	Hudson
	1800	77	Hudson
	2100	78	Hudson
	2400	79	B. Rod

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	79	B. Rod
	0600	79	M. Collins
	0900	77.1	M. Collins
	1200	77.	M. Collins
	1500	76.6	S. Mora
	1800	78.8	S. Mora
	2100	76.6	S. Mora
	2400	78.3	Gonzalez

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	77.7	Gonzalez
	0600	77	Gonzalez
	0900	77.7	Nelson
	1200	77.7	A
	1500	78.2	S. Corbis
	1800	78.0	S. Corbis
	2100	78.1	S. Corbis
	2400	78.5	ALVARADO

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	79.7	S. ALVARADO
	0600	78	Torres
	0900	78	Torres
	1200	78	Torres
	1500	78	Torres
	1800	78	Torres
	2100	79	Torres
	2400	78°	LIFLONS

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	78	LIFLONS
	0600	78	Torres
	0900	78	Torres
	1200	78	Torres
	1500	78.5°	Martinez
	1800	79.7°	Martinez
	2100	78.7°	Martinez
	2400	79	B. Rod

Notes:

DISTRIBUTION: Original: Institution Heat Plan Coordinator

7930

ATTACHMENT J

INSIDE TEMPERATURE RECORD LOG
CSP-CORCORAN

WEEK OF 8/5/2024-8/11/2024

MONDAY DATE 8/5	TUESDAY DATE 8/6	WEDNESDAY DATE 8/7	THURSDAY DATE 8/8	FRIDAY DATE 8/9	SATURDAY DATE 8/10	SUNDAY DATE 8/11
1A01	1A01	1A01	1A01	1A01	1A01	1A01
1B01	1B01	1B01	1B01	1B01	1B01	1B01
1C01	1C01	1C01	1C01	1C01	1C01	1C01
1D01	1D01	1D01	1D01	1D01	1D01	1D01
1E01	1E01	1E01	1E01	1E01	1E01	1E01
3A01 C	3A01 C	3A01 C	3A01 C	3A01 C	3A01 C	3A01 C
3A02 C	3A02 C	3A02 C	3A02 C	3A02 C	3A02 C	3A02 C
3A03 C	3A03 C	3A03 C	3A03 C	3A03 C	3A03 C	3A03 C
3A04	3A04	3A04	3A04	3A04	3A04	3A04
3A05 C	3A05 C	3A05 C	3A05 C	3A05 C	3A05 C	3A05 C
3B01 C	3B01 C	3B01 C	3B01 C	3B01 C	3B01 C	3B01 C
3B02 C	3B02 C	3B02 C	3B02 C	3B02 C	3B02 C	3B02 C
3B03 C	3B03 C	3B03 C	3B03 C	3B03 C	3B03 C	3B03 C
3B04 C	3B04 C	3B04 C	3B04 C	3B04 C	3B04 C	3B04 C
3B05 C	3B05 C	3B05 C	3B05 C	3B05 C	3B05 C	3B05 C
3C01	3C01	3C01	3C01	3C01	3C01	3C01
3C02	3C02	3C02	3C02	3C02	3C02	3C02
3C03	3C03	3C03	3C03	3C03	3C03	3C03
3C04	3C04	3C04	3C04	3C04	3C04	3C04
3C05	3C05	3C05	3C05	3C05	3C05	3C05
4A1L C	4A1L C	4A1L C	4A1L C	4A1L C	4A1L C	4A1L C
4A1R C	4A1R C	4A1R C	4A1R C	4A1R C	4A1R C	4A1R C
4A2L	4A2L	4A2L	4A2L	4A2L	4A2L	4A2L
4A2R	4A2R	4A2R	4A2R	4A2R	4A2R	4A2R
4A3L C	4A3L C	4A3L C	4A3L C	4A3L C	4A3L C	4A3L C
4A3R	4A3R	4A3R	4A3R	4A3R	4A3R	4A3R
4A4L C	4A4L C	4A4L C	4A4L C	4A4L C	4A4L C	4A4L C
4A4R C	4A4R C	4A4R C	4A4R C	4A4R C	4A4R C	4A4R C
4B1L C	4B1L C	4B1L C	4B1L C	4B1L C	4B1L C	4B1L C
4B1R C	4B1R C	4B1R C	4B1R C	4B1R C	4B1R C	4B1R C
4B2L C	4B2L C	4B2L C	4B2L C	4B2L C	4B2L C	4B2L C
4B2R C	4B2R C	4B2R C	4B2R C	4B2R C	4B2R C	4B2R C
4B3L C	4B3L C	4B3L C	4B3L C	4B3L C	4B3L C	4B3L C
4B3R C	4B3R C	4B3R C	4B3R C	4B3R C	4B3R C	4B3R C
4B4L C	4B4L C	4B4L C	4B4L C	4B4L C	4B4L C	4B4L C
4B4R C	4B4R C	4B4R C	4B4R C	4B4R C	4B4R C	4B4R C
ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C

C (BLUE)=COMPLETE I (GREEN)=INCOMPLETE NC (BLACK)=NOT RECEIVED T (RED)=90 DEGREES

OP 208 Heat Plan
STATE OF CALIFORNIA

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the Heat Risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier where an inmate on the Heat Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A01 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6121 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	80	D. Nora
	0600	80	J. Connelly
	0900	82	J. Connelly
	1200	82	J. Connelly
	1500	83	[illegible]
	1800	84.3	[illegible]
	2100	83.5	[illegible]
	2400	81	D. Nora

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	75	D. Nora
	0600	77	A. Chavez
	0900	78	A. Chavez
	1200	79	A. Chavez
	1500	82	[illegible]
	1800	83	[illegible]
	2100	84	[illegible]
	2400	81	D. Nora

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	80	D. Nora
	0600	80	[illegible]
	0900	80	[illegible]
	1200	82	[illegible]
	1500	83.1	[illegible]
	1800	83.7	[illegible]
	2100	84.2	[illegible]
	2400	82	D Hicks

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	80	D Hicks
	0600	79	[illegible]
	0900	[illegible]	[illegible]
	1200	[illegible]	[illegible]
	1500	83	[illegible]
	1800	83.7	[illegible]
	2100	83.0	Perez
	2400	83	D Hicks

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	79.3	D Hicks
	0600	78.3	S. A. NIEHUS
	0900	79.6	S. A. NIEHUS
	1200	80.2	S. A. NIEHUS
	1500	81.7	R. Perez
	1800	81.0	R. Perez
	2100	82.0	[illegible]
	2400	81.0	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	79.6	[illegible]
	0600	77.7	M. Cruz
	0900	78.1	M. Cruz
	1200	79.9	M. Cruz
	1500	81.5	G. Rodriguez
	1800	83.5	G. Rodriguez
	2100	81.5	G. Rodriguez
	2400	80	D. Nora

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	79	D. Nora
	0600	78	Marin
	0900	79	Maklin
	1200	81	Maklin
	1500	82.0	G. Rodriguez
	1800	82.4	G. Rodriguez
	2100	81.0	G. Rodriguez
	2400	81	D. Nora

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Revised 2021

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3A02 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	79.9	D Hicks
	0600	78.0	M. Cruz
	0900	79.2	M. Cruz
	1200	79.9	M. Cr
	1500	79.8	E. ZAMIEN
	1800	80.1	E. ZAMIEN
	2100	81.3	E. ZAMIEN
	2400	80	L. Oseguera

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	79	C. Oseguera
	0600	78.2	S.A. NIEHUS
	0900	78.9	S.A. NIEHUS
	1200	80.5	S.A. NIEHUS
	1500	81	[illegible]
	1800	83	[illegible]
	2100	82	[illegible]
	2400	82	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	79.1	[illegible]
	0600	78.0	[illegible]
	0900	80.	[illegible]
	1200	80	[illegible]
	1500	81	[illegible]
	1800	82	[illegible]
	2100	81	[illegible]
	2400	81	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	80	[illegible]
	0600	78	S. Curtis
	0900	79	S. Curtis
	1200	80	S. Curtis
	1500	81.7	[illegible]
	1800	82	[illegible]
	2100	82	[illegible]
	2400	79	[illegible]

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	78	[illegible]
	0600	77	S. Curtis
	0900	78	S. Curtis
	1200	79	S. Curtis
	1500	81	[illegible]
	1800	82	[illegible]
	2100	81	[illegible]
	2400	80	FAYO

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	78	FAYO
	0600	77	S. Curtis
	0900	77	S. Curtis
	1200	78	S. Curtis
	1500	79	[illegible]
	1800	81	[illegible]
	2100	81	[illegible]
	2400	78	J. Guzman

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	77	J. Guzman
	0600	77	A. Mayuri
	0900	78	A. Mayuri
	1200	80	A. Mayuri
	1500	80.6	S. Mora
	1800	81.7	S. Mora
	2100	81.3	S. Mora
	2400	80	D Hicks

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A03 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 16120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	80°	VARGAS
	0600	80	M. GARIN
	0900	80	GARIN
	1200	80	GARIN
	1500	80°	APARICIO
	1800	80°	APARICIO
	2100	80°	APARICIO
	2400	81	G. Alcocer

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	81	G. Alcocer
	0600	81	GARIN
	0900	81	GARIN
	1200	81	GARIN
	1500	81	CISNEROS
	1800	81	CISNEROS
	2100	80	CISNEROS
	2400	81	G. Alcocer

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	81	G. Alcocer
	0600	81	GARIN
	0900	81	GARIN
	1200	81	GARIN
	1500	81	J. LEEN
	1800	81	J. LEEN
	2100	81	J. LEEN
	2400	81	G. Alcocer

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	81	G. Alcocer
	0600	81	GARIN
	0900	81	GARIN
	1200	81	GARIN
	1500	81	G. MOVA
	1800	81	G. MOVA
	2100	81	G. MOVA
	2400	79	G. Alcocer

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	79	G. Alcocer
	0600	79	M. GARIN
	0900	79	M. GARIN
	1200	80	J. Larson
	1500	79	B. Alvarado
	1800	80	B. Alvarado
	2100	80	B. Alvarado
	2400	79	A. Ellis

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	80	A. Ellis
	0600	79	M. Bullock
	0900	80	M. Bullock
	1200	80	M. Bullock
	1500	79	B. Alvarado
	1800	79	B. Alvarado
	2100	79	B. Alvarado
	2400	80	A. Ellis

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	80	A. Ellis
	0600	79	C. Mushatell
	0900	79	C. Mushatell
	1200	79	C. Mushatell
	1500	79	J. Leen
	1800	79	J. Leen
	2100	79	J. Leen
	2400	79	J. Hernandez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan
STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the Heat Risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier where an inmate on the Heat Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3A05 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-5-24	0300	80	J Guzman
	0600	77	E. [illegible]
	0900	80	E. [illegible]
	1200	82	E. [illegible]
	1500	81.9	B. ~~C~~ B. Alvarado
	1800	82.8	B. Alvarado
	2100	82.8	B. Alvarado
	2400	79	G. Rivera

Tuesday

Date	Time	Temp.	Name (Print)
8-6-24	0300	79°	G. Rivera
	0600	78	R. Gamboa
	0900	79	R. Gamboa
	1200	80	R. Gamboa
	1500	82	R. Gamboa
	1800	83	R. Gamboa
	2100	82	R. Gamboa
	2400	80	Arenzazu

Wednesday

Date	Time	Temp.	Name (Print)
8-7-24	0300	78	Arenzazu
	0600	79	R. Gamboa
	0900	80	R. Gamboa
	1200	81	R. Gamboa
	1500	81	D. Elizarraz
	1800	84	D. Elizarraz
	2100	82	D. Elizarraz
	2400	81	J. Guzman

Thursday

Date	Time	Temp.	Name (Print)
8-8-24	0300	80	J. Guzman
	0600	78	R. Gamboa
	0900	79	R. Gamboa
	1200	80	R. Gamboa
	1500	81	D. Elizarraz
	1800	82	D. Elizarraz
	2100	81	D. Elizarraz
	2400	80	J Guzman

Friday

Date	Time	Temp.	Name (Print)
8-9-24	0300	79	J. Guzman
	0600	78	R. Gamboa
	0900	79	R. Gamboa
	1200	80	R. Gamboa
	1500	81	D. Elizarraz
	1800	81	D Elizarraz
	2100	81	D. Elizarraz
	2400	79	J. Guzman

Saturday

Date	Time	Temp.	Name (Print)
8-10-24	0300	78	J Guzman
	0600	77	D Elizarraz
	0900	78	D Elizarraz
	1200	80	D Elizarraz
	1500	81	D Elizarraz
	1800	82	D Elizarraz
	2100	80	D. Elizarraz
	2400	79	J. Guzman

Sunday

Date	Time	Temp.	Name (Print)
8-11-24	0300	79	J Guzman
	0600	77.2	J. Barajas
	0900	79.1	J. Barajas
	1200	80.4	J. Barajas
	1500	81	B. Alvarado
	1800	82	B. Alvarado
	2100	80.9	B. Alvarado
	2400	79	J Guzman

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Revised 2021

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B01 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-5-24	0300	81°	G. RIVERA
	0600	79°	D. Lima
	0900	80°	D. Lima
	1200	81°	D. Lima
	1500	83	V. MEDRANO
	1800	83	V. MEDRANO
	2100	82	V. MEDRANO
	2400	81	R. PHILLIS

Tuesday

Dat	Time	Temp.	Name (Print)
8-6-24	0300	79	R. PHILLIS
	0600	78	D. Lima
	0900	80	D. Lima
	1200	82	D. Lima
	1500	83°	H. ALMARAZ
	1800	83°	H. ALMARAZ
	2100	83°	H. ALMARAZ
	2400	82	PHILLIS

Wednesday

Date	Time	Temp.	Name (Print)
8-7-24	0300	80°	PHILLIS
	0600	80°	D. Lima
	0900	81°	D. Lima
	1200	82°	D. Lima
	1500	83°	H. ALMARAZ
	1800	84°	H. ALMARAZ
	2100	83°	H. ALMARAZ
	2400	80	PHILLIS

Thursday

Date	Time	Temp.	Name (Print)
8-8-24	0300	79	PHILLIS
	0600	79	D. Lima
	0900	80	D. Lima
	1200	81	D. Lima
	1500	82°	H. ALMARAZ
	1800	82°	H. ALMARAZ
	2100	82°	H. ALMARAZ
	2400	81	R. PHILLIS

Friday

Date	Time	Temp.	Name (Print)
8-9-24	0300	79	R. PHILLIS
	0600	79	E. Acosta
	0900	79	E. Acosta
	1200	80	E. Acosta
	1500	81	M. CARREON
	1800	82	M. CARREON
	2100	82	M. CARREON
	2400	80	PHILLIS

Saturday

Date	Time	Temp.	Name (Print)
8-10-24	0300	79	PHILLIS
	0600	78	E. Segura
	0900	79	E. Segura
	1200	80	E. Segura
	1500	80	A. Cabrera
	1800	81	A. Cabrera
	2100	81	A. Cabrera
	2400	81	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
8-11-24	0300	80	[illegible]
	0600	79	[illegible]
	0900	81	L. Pino
	1200	83	L. Pino
	1500	81	A. Cabrera
	1800	81	A. Cabrera
	2100	81	A. Cabrera
	2400	80°	G. RIVERA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B02 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	81°	L.MAGDALENO
	0600	79	Martinez
	0900	80	Martinez
	1200	81	Martinez
	1500	82	CARREON
	1800	84	CARREON
	2100	83	CARREON
	2400	81	L.MAGDALENO

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	80°	L.MAGDALENO
	0600	78	MARTINEZ
	0900	80	MARTINEZ
	1200	81	MARTINEZ
	1500	84	D. Ruiz
	1800	83	D. Ruiz
	2100	83	D. Ruiz
	2400	81	L.MAGDALENO

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	80	L.MAGDALENO
	0600	79	E. Segura
	0900	80	E. Segura
	1200	82	E. Segura
	1500	83	A. Cerda
	1800	84	A. Cerda
	2100	83	A. Cerda
	2400	81°	L.MAGDALENO

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	79°	L.MAGDALENO
	0600	78	W Urrano
	0900	79	W Urrano
	1200	81	W Urrano
	1500	82	N. Yanez
	1800	83	N. Yanez
	2100	82	N. Yanez
	2400	81	Palacios

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	79	Palacios
	0600	78	H. Martinez
	0900	79	H. Martinez
	1200	80	H. Martinez
	1500	82	[illegible]
	1800	83	[illegible]
	2100	83	[illegible]
	2400	81	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	79	[illegible]
	0600	80	H. Martinez
	0900	80	H. Martinez
	1200	81	H. Martinez
	1500	82	S. Barajas
	1800	83	S. Barajas
	2100	82	S. Barajas
	2400	81	J. Isais

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	79	J. Isais
	0600	78	H. Martinez
	0900	81	H. Martinez
	1200	81	H. Martinez
	1500	82	MIGUEVARA
	1800	81	MIGUEVARA
	2100	81	MIGUEVARA
	2400	80°	L.MAGDALENO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B03 Temp. Reading Location: Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	80°	J. Buom
	0600	79°	S. Pena
	0900	80°	S. Pena
	1200	80°	S. Pena
	1500	80°	J. Lunto
	1800	80	J. Lunto
	2100	80	J. Lunto
	2400	81°	J. Buom

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	80°	J. Buom
	0600	79°	S. Pena
	0900	79°	S. Pena
	1200	81°	S. Pena
	1500	83°	A. Cabrera
	1800	79°	A. CABRERA
	2100	79°	A. CABRERA
	2400	82°	J. Buom

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	81°	J. Buom
	0600	80°	S. Pena
	0900	81°	S. Pena
	1200	82°	S. Pena
	1500	83°	J. Martinez
	1800	84°	J. Martinez
	2100	83°	J. Martinez
	2400	82	R. FIELD

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	81	R. FIELD
	0600	79	E. Segura
	0900	80	E. Segura
	1200	81	E. Segura
	1500	81°	J. Martinez
	1800	83°	J. Martinez
	2100	82°	J. Martinez
	2400	82	F. Arauzaw

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	81	F. Arauzaw
	0600	81	F. CONTRERAS
	0900	79	F. CONTRERAS
	1200	81	F. CONTRERAS
	1500	81°	J. Martinez
	1800	82°	J. Martinez
	2100	82°	J. Martinez
	2400	81°	J. Buom

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	80°	J. Buom
	0600	79°	S. Pena
	0900	79°	S. Pena
	1200	80°	S. Pena
	1500	81°	A. Ashwin
	1800	82°	A. Ashwin
	2100	81	A. Ashwin
	2400	80°	J. Buom

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	80°	J. Buom
	0600	78°	S. Pena
	0900	80	S. Pena
	1200	81°	S. Pena
	1500	82°	J. Martinez
	1800	82°	J. Martinez
	2100	82°	J. Martinez
	2400	81°	J. Buom

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3B04 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/5/24

Date	Time	Temp.	Name (Print)
	0300	81	J. Tijerina
	0600	81	J. Clark
	0900	81	J. Clark
	1200	82	J. Clark
	1500	84°	F. Martinez
	1800	85°	F. Martinez
	2100	83°	F. Martinez
	2400	82	J. Tijerina

Tuesday 8/6/24

Date	Time	Temp.	Name (Print)
	0300	81	J. Tijerina
	0600	81	J. Clark
	0900	81	J. Clark
	1200	82	J. Clark
	1500	84	M. Hare
	1800	84	M. Hare
	2100	86	M. Hare
	2400	83	Barrientos

Wednesday 8/7/24

Date	Time	Temp.	Name (Print)
	0300	82	Barrientos
	0600	80	Barrientos
	0900	81	J. Clark
	1200	84	J. Clark
	1500	84°	Aparicio
	1800	86	J. Padilla
	2100	86	J. Padilla
	2400	82	J. Poole

Thursday 8/8/24

Date	Time	Temp.	Name (Print)
	0300	81	J. Poole
	0600	~~81~~ 80	~~J. Poole~~ M. Collins
	0900	81	M. Collins
	1200	82	M. Collins
	1500	84	Nevarez
	1800	84	Nevarez
	2100	84	Nevarez
	2400	81	Aguilar

Friday 8/9/24

Date	Time	Temp.	Name (Print)
	0300	81	Aguilar
	0600	80	Urrano
	0900	80	Urrano
	1200	81	Urrano
	1500	84	Nevarez
	1800	84	Nevarez
	2100	84	Nevarez
	2400	81	R. Bryant

Saturday 8/10/24

Date	Time	Temp.	Name (Print)
	0300	81	R. Bryant
	0600	79	W. Urrano
	0900	80	W. Urrano
	1200	81	W. Urrano
	1500	84	Nevarez
	1800	84	Nevarez
	2100	82	Nevarez
	2400	81	J. Tijerina

Sunday 8/11/24

Date	Time	Temp.	Name (Print)
	0300	80	J. Tijerina
	0600	78	R. Berrones
	0900	78	R. Berrones
	1200	81	R. Berrones
	1500	84	D. Jimmeye
	1800	84	D. Jimmeye
	2100	84	D. Jimmeye
	2400	81	J. Tijerina

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B05 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	79	P. Bryant
	0600	79	OGUHEINKA
	0900	76	OGUHEINKA
	1200	76	OGUHEINKA
	1500	81	S.K.
	1800	82	S.K.
	2100	82	S.K.
	2400	82	2 Cutaneda

Tuesday

Dat	Time	Temp.	Name (Print)
8/6/24	0300	79	2 Cutaneda
	0600	79	Barrego
	0900	79	Barrego
	1200	79	Barrego
	1500	81	Salinas
	1800	82	SALINAS
	2100	82	SALINAS
	2400	82	2 Cutaneda

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	81	2 Cutaneda
	0600	79	Barrego
	0900	79	Barrego
	1200	81	Barrego
	1500	82	Brotherson
	1800	82	Brotherson
	2100	82	Brotherson
	2400	82	2 Cutaneda

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	81	2 Cutaneda
	0600	79	Barrego
	0900	79	Barrego
	1200	79	Barrego
	1500	81	Brotherson
	1800	82	Brotherson
	2100	82	Brotherson
	2400	82	2 Cutaneda

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	79	2 Cutaneda
	0600	79	Barrego
	0900	79	Barrego
	1200	79	Barrego
	1500	81	Brotherson
	1800	81	Brotherson
	2100	81	Brotherson
	2400	81	2 Cutaneda

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	77	2 Cutaneda
	0600	77	Barrego
	0900	77	Barrego
	1200	77	Barrego
	1500	79	Brotherson
	1800	81	Brotherson
	2100	81	Brotherson
	2400	79	P. Bryant

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	77	P. Bryant
	0600	77	W. Jones
	0900	77	W. Jones
	1200	77	W. Jones
	1500	77	S.K.
	1800	78	[illegible]
	2100	78	[illegible]
	2400	79	P. Bryant

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Cor Housing Unit: 4A12 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6126 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	82	D. Samadion
	0600	83	G. Moya
	0900	83	G. Moya
	1200	83	G. Moya
	1500	83	S. McCum
	1800	84	S. McCum
	2100	83	[illegible]
	2400	83	Samadion

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	82	Samadion
	0600	83	SALINAS
	0900	83	SALINAS
	1200	83	SALINAS
	1500	84	M Zepeda
	1800	84	M Zepeda
	2100	85	M. Zepeda
	2400	83	D. Samadion

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	83	D. Samadion
	0600	83	SALINAS
	0900	84	SALINAS
	1200	84	SALINAS
	1500	84	McCum
	1800	85	M. Bullock
	2100	85	M. Bullock
	2400	85	B. Perez

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	84	Perez
	0600	83	SALINAS
	0900	83	SALINAS
	1200	83	SALINAS
	1500	85	McCum
	1800	85	McCum
	2100	84	McCum
	2400	84	Perez

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	83	Perez
	0600	83	J Medina
	0900	83	J Medina
	1200	83	J Medina
	1500	83	J McCum
	1800	80	Gomez, E.
	2100	81	Gomez, E.
	2400	84	A. Gill

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	83	A. Gill
	0600	83	Rodriguez
	0900	82	Rodriguez
	1200	83	Rodriguez
	1500	83	Gonzalez
	1800	84	Gonzalez
	2100	81	Gonzalez
	2400	83	GZL

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	73	A. Gill
	0600	78	Espinoza
	0900	81	Espinoza
	1200	81	Espinoza
	1500	83	L. Lopez
	1800	83	L. Lopez
	2100	81	L. Lopez
	2400	81	P. Samadion

Notes

UHT @ 1002 HRS 8-6-2024
8-7 UHT @ 0945 HRS.
8-8 UHT @ 1015 HOURS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A1R Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	81	F. Arauzezu
	0600	82.6	R Lewis
	0900	82.8	R Lewis
	1200	82.9	R Lewis
	1500	83.7	I. Macias
	1800	84.3	I Macias
	2100	84.2	I Macias
	2400	83.8	S. Phanasing

Tuesday

Dat	Time	Temp.	Name (Print)
8/6/24	0300	83.1	S. Phanasing
	0600	82.6	C. Yang
	0900	83.1	C. Yang
	1200	83.1	C. Yang
	1500	83.7	PIMENTEL.M
	1800	84.5	PIMENTEL.M
	2100	84.6	PIMENTEL.M
	2400	84.2	PIMENTEL.M

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	83.8	PIMENTEL.M
	0600	82.9	R Lewis
	0900	83.1	R Lewis
	1200	83.5	R Lewis
	1500	84.2	PIMENTEL.M
	1800	84.7	PIMENTEL.M
	2100	84.7	PIMENTEL.M
	2400	84	Miramonts

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	83.5	Miramonts
	0600	82.8	R Lewis
	0900	82.9	R Lewis
	1200	82.9	R Lewis
	1500	83.4	PIMENTEL.M
	1800	84.1	PIMENTEL.M
	2100	83.8	PIMENTEL.M
	2400	83.5	Miramontes

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	83.1	Miramonts
	0600	82	Rodriguez
	0900	82	Rodriguez
	1200	82	Rodriguez
	1500	83.5	M. Gill
	1800	83.7	Miramontes
	2100	83.9	Miramontes
	2400	83	Esteves

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	82	Esteves
	0600	82.4	Ontiveros
	0900	82	Ontiveros
	1200	82.4	Ontiveros
	1500	82.8	PIMENTEL.M
	1800	83.1	PIMENTEL.M
	2100	82.9	PIMENTEL.M
	2400	82.5	Vega

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	82.3	V. Lyn
	0600	81.9	R Lewis
	0900	81.9	R Lewis
	1200	82.4	R Lewis
	1500	82.6	J. Phillips
	1800	83.1	I. Macias
	2100	83.1	J. Phillips
	2400	83.1	Vega

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 4A3L Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8.5.24	0300	80	A. Ayala
	0600	82	RODRIGUEZ
	0900	82	RODRIGUEZ
	1200	82	RODRIGUEZ
	1500	82	L. XIONG
	1800	83	L. XIONG
	2100	83	L. XIONG
	2400	82	F. ARCIZAZU

Tuesday

Date	Time	Temp.	Name (Print)
8-6-24	0300	81	ARCIZAZU
	0600	82	RODRIGUEZ
	0900	82	RODRIGUEZ
	1200	82	RODRIGUEZ
	1500	82	Yonez
	1800	83	Yonez
	2100	83	Yonez
	2400	83	Yonez

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	81	CASILLAS, E
	0600	82.5	Forbes
	0900	82.8	Forbes
	1200	83.2	Forbes
	1500	83	DeBenedetto
	1800	84	DeBenedetto
	2100	85	DeBenedetto
	2400	84	J Gallegos

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	80	J. Gallegos
	0600	79	M. TIRADO
	0900	78	M. TIRADO
	1200	77	M. TIRADO
	1500	83	DeBenedetto
	1800	84	DeBenedetto
	2100	84	DeBenedetto
	2400	83	J. Gallegos

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	83	J. Gallegos
	0600	82.4	E. ZUNIGA
	0900	82	E. ZUNIGA
	1200	82.7	E. ZUNIGA
	1500	82.8	V. MORALES
	1800	83.9	V. MORALES
	2100	83.8	V. MORALES
	2400	83	T. Young

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	82.8	T. Young
	0600	82	M. LOPEZ
	0900	81	M. Lopez
	1200	82	M. Lopez
	1500	82.7	V. MORALES
	1800	83.9	V. MORALES
	2100	83.3	V. MORALES
	2400	82.9	T. Y

Sunday

Date	Time	Temp.	Name (Print)
	0300	82	T. Young
	0600	81.0	P. Rivera
	0900	81.9	P. Rivera
	1200	82.1	P. Rivera
	1500	82.4	A. ZAMORA
	1800	82.8	A. ZAMORA
	2100	83.1	A. ZAMORA
	2400	81	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4L Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/5/24

Date	Time	Temp.	Name (Print)
	0300	86.4	A. AGUILAR
	0600	86.0	G. Rodriguez
	0900	86.0	G. Rodriguez
	1200	86.2	G. Rodriguez
	1500	86.9	S. Plymouth
	1800	87.1	S. Plymouth
	2100	87.3	S. Plymouth
	2400	87	ACOSTA

Tuesday 8-6-24

Date	Time	Temp.	Name (Print)
8/6/24	0300	86	ACOSTA
	0600	86.4	C. Oseguera
	0900	86.4	C. Oseguera
	1200	86.7	C. Oseguera
	1500	87	Kulp
	1800	87	Kulp
	2100	87	Kulp.
	2400	87	J Martinez

Wednesday 8-7-24

Date	Time	Temp.	Name (Print)
8/7/24	0300	87	J martinez
	0600	86.9	C. Oseguera
	0900	86.9	C. Oseguera
	1200	87.1	C. Oseguera
	1500	87	Kulp
	1800	88	Kulp
	2100	88	Kulp.
	2400	88	J Martinez

Thursday 8-8-24

Date	Time	Temp.	Name (Print)
	0300	87	J martinez
	0600	87	D. Finn
	0900	87	D. Finn
	1200	87	D. Finn
	1500	88	Kulp
	1800	88	Kulp
	2100	88	Kulp.
	2400	88	J Martinez

Friday 8-9-24

Date	Time	Temp.	Name (Print)
	0300	87	J martinez
	0600	87.4	Kulp
	0900	87.3	Kulp
	1200	87.3	Kulp
	1500	88	Kulp
	1800	88	Kulp
	2100	88	Kulp
	2400	88	J martinez

Saturday 8-10-24

Date	Time	Temp.	Name (Print)
8/10/2024	0300	87	J martinez
	0600	87	J GARCIA
	0900	86.9	J GARCIA
	1200	87.3	E. NIETO
	1500	87	Kulp
	1800	88	Kulp
	2100	88	Kulp
	2400	88	J. ZAPATA

Sunday 8-11-24

Date	Time	Temp.	Name (Print)
	0300	87	J. ZAPATA
	0600	87.1	G. RODRIGUEZ
	0900	86.9	G. RODRIGUEZ
	1200	87.1	G. RODRIGUEZ
	1500	87.3	A. ochoa
	1800	87.5	A. ochoa
	2100	87.4	A. ochoa
	2400	87.4	A. AGUILAR

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4R Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 5, 2024

Date	Time	Temp.	Name (Print)
	0300	84	L. XIONG
	0600	85	DRHERNANDEZ
	0900	85	DRHERNANDEZ
	1200	85	DRHERNANDEZ
	1500	85	M. FRANCO
	1800	87	M. FRANCO
	2100	87	M. FRANCO
	2400	86	L. XIONG

Tuesday August 6, 2024

Date	Time	Temp.	Name (Print)
	0300	85	L. XIONG
	0600	85.4	A. Rentería
	0900	85.5	A. Rentería
	1200	85.6	A. Rentería
	1500	87.1	S. Pimentel
	1800	87.4	S. Pimentel
	2100	87.6	S. Pimentel
	2400	87	FIELD

Wednesday August 7, 2024

Date	Time	Temp.	Name (Print)
	0300	86	FIELD
	0600	85.6	Rentería
	0900	85.8	Rentería
	1200	86.7	Rentería
	1500	87.7	Perez
	1800	88.6	Perez
	2100	87.6	Perez
	2400	86	ARCEREZO

Thursday August 8, 2024

Date	Time	Temp.	Name (Print)
	0300	84	ARCEREZO
	0600	85	CAMAS
	0900	85	CAMAS
	1200	86	CAMAS
	1500	87.6	Villagomez
	1800	88.4	Villagomez
	2100	88	Villagomez
	2400	87	Castillo

Friday August 9, 2024

Date	Time	Temp.	Name (Print)
	0300	85	Castillo
	0600	85.6	A. ANULAR
	0900	85.6	A. ANULAR
	1200	86.7	A. ANULAR
	1500	87.6	J. LEON
	1800	88.4	J. LEON
	2100	87.8	J. LEON
	2400	87	SOTO

Saturday August 10, 2024

Date	Time	Temp.	Name (Print)
	0300	87	SOTO
	0600	85.7	ARMIEWA
	0900	85.9	ARMIEWA
	1200	87.1	ARMIEWA
	1500	87.4	A. Rivas
	1800	88.4	A. Rivas
	2100	87.6	ARMIEWA
	2400	87	SOTO

Sunday August 11, 2024

Date	Time	Temp.	Name (Print)
	0300	87	SOTO
	0600	85.8	ARMIEWA
	0900	85.8	ARMIEWA
	1200	86.6	ARMIEWA
	1500	87.5	RAMIREZ
	1800	87.6	RAMIREZ
	2100	87.6	RAMIREZ
	2400	86	L. XIONG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-1L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-5-24

Date	Time	Temp.	Name (Print)
8/5/24	0300	83.4	I Macias
	0600	82.7	S. Martinez
	0900	85.9	S. Martinez
	1200	84.3	S. Martinez
	1500	85.8	Gonzalez
	1800	85.9	Gonzalez
	2100	85.4	Gonzalez
	2400	83.0	J. Jimenez

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	81.7	J. Jimenez
	0600	82.7	S. Martinez
	0900	82.8	S. Martinez
	1200	84.8	S. Martinez
	1500	86.0	J. Esparza
	1800	86.4	J. Esparza
	2100	86.0	J. Esparza
	2400	84.8	A. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	84°	A. GARCIA
	0600	83.0	J. Hernandez
	0900	84.1	J. Hernandez
	1200	85.0	J. Hernandez
	1500	87.0	S. Ramos
	1800	87.1	S. Ramos
	2100	86.8	S. Ramos
	2400	85.5	L. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	84.5	Gonzalez
	0600	83.0	J. Hernandez
	0900	83.7	J. Hernandez
	1200	84.6	J. Hernandez
	1500	86.5	S. Ramos
	1800	86.4	S. Ramos
	2100	85.3	S. Ramos
	2400	84.2	J Luna

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	81.6	J. LUNA
	0600	82.1	J. Hernandez
	0900	82.4	J. Hernandez
	1200	84.1	J. Hernandez
	1500	85.8	S. Ramos
	1800	85.9	S. Ramos
	2100	85.4	S. Ramos
	2400	84.1	O. Martinez

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	83.6	O. Martinez
	0600	81.8	J. Hernandez
	0900	82.6	J. Hernandez
	1200	84.1	J. Hernandez
	1500	85.1	Gonzalez
	1800	85.7	Gonzalez
	2100	85.0	Gonzalez
	2400	84.7	RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	82.4	RAMIREZ
	0600	81.5	J. Esparza
	0900	82.8	J. Esparza
	1200	83.8	J. Esparza
	1500	85.4	Gonzalez
	1800	85.5	Gonzalez
	2100	85.5	Valdenna
	2400	83.5	A. GARCIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 1R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	81.7	I Macias
	0600	80.6	J. Wilson
	0900	80.7	J. Wilson
	1200	83.1	J Wilson.
	1500	85.3	L. Guillen
	1800	85.3	L. Guillen
	2100	85.1	L. Guillen
	2400	83.0	J. Jimenez

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	81.7	J. Jimenez
	0600	80.4	J. Bennett
	0900	81	J. Bennett
	1200	83.8	J. Bennett
	1500	85.5	J Castro
	1800	85.4	J Castro
	2100	84.9	J. Castro
	2400	83.2	A. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	82.1	A. Garcia
	0600	81.2	K. Rodriguez
	0900	81.7	K. Rodriguez
	1200	84.1	K. Rodriguez
	1500	85.1	D. Ramirez
	1800	85.6	D. Ramirez
	2100	85.1	D. Ramirez
	2400	84	Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	83	Gonzalez
	0600	81.1	D. Ramirez
	0900	81.5	D. Ramirez
	1200	83.2	D Ramirez
	1500	85.1	D. Ramirez
	1800	85.4	D. Ramirez
	2100	84.9	D. Ramirez
	2400	83.2	J Luna

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	81.3	J LUNA
	0600	80.5	K. Siwem
	0900	80.7	K. Siwem
	1200	82.7	J. Bennett
	1500	84.9	V. Medina
	1800	85.1	V. Medina
	2100	84.1	V. Medina
	2400	82.1	O. Martinez

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	81.5	O. Martinez
	0600	80.5	[illegible]
	0900	81.5	[illegible]
	1200	83.5	[illegible]
	1500	84	L. Guillen
	1800	84.1	L. Guillen
	2100	84.1	L. Guillen
	2400	818	RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	81.1	RAMIREZ
	0600	79.6	D. Ramirez
	0900	80.3	D. Ramirez
	1200	83.1	D. Ramirez
	1500	83.9	J. Hernandez
	1800	84.2	L. Guillen
	2100	84	L. Guillen
	2400	81.8	A. GARCIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-2L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	85.0	C. YANG
	0600	84.5	C. Navarro
	0900	84.4	C. Navarro
	1200	84.4	C. Navarro
	1500	85.3	R HERNANDEZ
	1800	85.8	R HERNANDEZ
	2100	85.6	R HERNANDEZ
	2400	85.5	S GONZALEZ

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	85.3	S GONZALEZ
	0600	84.5	R Ramos
	0900	84.5	R Ramos
	1200	84.8	R Ramos
	1500	85.3	S. ALBASTA
	1800	85.7	S. ALBASTA
	2100	85.7	S. ALBASTA
	2400	85.5	E RUIZ

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	85.5	E RUIZ
	0600	85.1	C. ALCANTAR
	0900	85.1	C. ALCANTAR
	1200	85.3	A. GAMBOA
	1500	85.7	S. ALBASTA
	1800	85.9	S. ALBASTA
	2100	86.1	S. ALBASTA
	2400	85.8	E. RUIZ

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	85.5	E RUIZ
	0600	85.3	C. ALCANTAR
	0900	84.9	C. ALCANTAR
	1200	85.2	C. ALCANTAR
	1500	85.3	R. HERNANDEZ
	1800	85.7	R. HERNANDEZ
	2100	85.7	R HERNANDEZ
	2400	85.5	E RUIZ

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	85.5	E. RUIZ
	0600	84.6	C. Navarro
	0900	84.5	C. ALCANTAR
	1200	84.5	C. Navarro
	1500	85.3	R HERNANDEZ
	1800	85.4	R HERNANDEZ
	2100	85.5	R HERNANDEZ
	2400	85.5	E RUIZ

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	85.3	E RUIZ
	0600	84.5	C. ALCANTAR
	0900	84.3	R. HERNANDEZ
	1200	84.3	R HERNANDEZ
	1500	84.8	R HERNANDEZ
	1800	85.7	R HERNANDEZ
	2100	85.7	R HERNANDEZ
	2400	84.9	C. YANG

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	84.5	C. YANG
	0600	83.5	C. Navarro
	0900	84.3	C. Navarro
	1200	85.0	C. Navarro
	1500	85.5	C. Navarro
	1800	85.8	C. Navarro
	2100	85.5	C. Navarro
	2400	85.5	C. YANG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 2R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	82.2	L. YANG
	0600	81.9	J. Clingerman
	0900	81.3	J. Clingerman
	1200	81.9	J. Clingerman
	1500	82.4	S GONZALEZ
	1800	83.9	S GONZALEZ
	2100	83.2	S GONZALEZ
	2400	83.3	E RUIZ

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	82.3	S GONZALEZ
	0600	81.9	J. Clingerman
	0900	81.1	J. Clingerman
	1200	81.9	J. Clingerman
	1500	82.3	Gonzalez
	1800	83.1	Gonzalez
	2100	83.9	Gonzalez
	2400	83.3	E RUIZ

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	82.6	E Ruiz
	0600	82.1	Clingerman
	0900	82.0	Clingerman
	1200	82.1	Clingerman
	1500	82.7	M. Juarez
	1800	83.5	O. Martinez
	2100	83.7	O. Martinez
	2400	83.9	E Ruiz

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	82.9	E. Ruiz
	0600	82.1	Clingerman
	0900	81.9	Gonzalez
	1200	82.1	Gonzalez
	1500	83.2	O. Martinez
	1800	83.8	O. Martinez
	2100	83.5	O. Martinez
	2400	84.5	A. Lupe

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	83.1	A. Lupe
	0600	82.1	T. Gonzalez
	0900	81.9	T. Gonzalez
	1200	81.9	T. Gonzalez
	1500	82.1	O. Martinez
	1800	83.1	O. Martinez
	2100	83.7	O. Martinez
	2400	82.7	E Ruiz

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	82.3	E Ruiz
	0600	80.0	S Ponce
	0900	81.1	S Ponce
	1200	81.8	S Ponce
	1500	82.5	O. Martinez
	1800	82.9	O. Martinez
	2100	83.4	O. Martinez
	2400	82.2	L. YANG

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	81.1	L. YANG
	0600	79.4	S Ponce
	0900	80.2	S Ponce
	1200	82.3	S Ponce
	1500	84.1	S GONZALEZ
	1800	84.9	S GONZALEZ
	2100	84.2	S GONZALEZ
	2400	82.1	L. YANG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-3L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	84.4	O. Contreras
	0600	83.4	Cantino
	0900	83.6	Cantino
	1200	83.8	Cantino
	1500	84.6	D. Wandell
	1800	85.6	D. Wandell
	2100	85.9	D. Wandell
	2400	84.9	O. Contreras

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	84.4	O. Contreras
	0600	83.4	J. Cantino
	0900	83.6	J. Cantino
	1200	84.0	J. Cantino
	1500	84.6	S. Gonzalez
	1800	85.8	S. Gonzalez
	2100	85.2	S. Gonzalez
	2400	84.8	Contreras

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	84.5	O. Contreras
	0600	84.3	J. Cantino
	0900	84.4	Ramirez, J
	1200	84.5	Cantino
	1500	84.8	S. Gonzalez
	1800	86.1	S. Gonzalez
	2100	85.7	D. Wandell
	2400	85.6	O. Contreras

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	84.8	O. Contreras
	0600	84.1	D. Wandell
	0900	84.1	Ramirez, J
	1200	84.3	D. Wandell
	1500	84.8	Ramirez, J
	1800	85.4	Wandell
	2100	84.8	Wandell
	2400	85.5	Ramirez

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	84.0	Ramirez
	0600	83.6	Ramirez, J
	0900	83.5	Ramirez, J
	1200	83.6	Marshall
	1500	84.9	E. Dimaano
	1800	85.2	E. Dimaano
	2100	84.8	E. Dimaano
	2400	84.8	Ramirez

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	83.9	C. Cullen
	0600	83.3	Marshall
	0900	83.3	Marshall
	1200	83.6	Marshall
	1500	84.3	E. Dimaano
	1800	84.8	E. Dimaano
	2100	84.6	E. Dimaano
	2400	84.2	O. Contreras

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	84.0	O. Contreras
	0600	83.5	L. Cullen
	0900	83.8	L. Cullen
	1200	84.6	L. Cullen
	1500	85.6	E. Dimaano
	1800	85.8	E. Dimaano
	2100	85.6	E. Dimaano
	2400	85.2	O. Contreras

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-3R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	85°	A. Lopez
	0600	84.1	J. Renteria
	0900	84.1	G. Alvarez
	1200	84.2	G. Alvarez
	1500	84.9	H. Mark
	1800	85.6	H. Mark
	2100	85.5	H. Mark
	2400	85.3	Contreras

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	84.9	O. Contreras
	0600	84.9	R. Simplicano
	0900	84.9	R. Simplicano
	1200	84.9	R. Simplicano
	1500	85.1	K. Rodriguez
	1800	85.9	K. Rodriguez
	2100	86.1	K. Rodriguez
	2400	85.9	Contreras

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	85.1	O. Contreras
	0600	85.1	V. Mora
	0900	85.1	J. Renteria
	1200	85.3	V. Mora
	1500	85.9	K. Rodriguez
	1800	86	K. Rodriguez
	2100	86	K. Rodriguez
	2400	86.0	O. Contreras

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	85.4	Contreras
	0600	84.5	J. Rosanco
	0900	84.9	J. Rosanco
	1200	84.9	J. Renteria
	1500	85.1	[illegible]
	1800	85.9	[illegible]
	2100	85.8	[illegible]
	2400	85.6	RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	84.8	RAMIREZ
	0600	85.1	CERVANTES-OA
	0900	84.9	[illegible]
	1200	85.3	[illegible]
	1500	85.4	D. Vargas
	1800	85.9	D. Vargas
	2100	85.8	D. Vargas
	2400	85.7	A. Gill

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	85.1	C. Griffin
	0600	84.5	L. GONZALEZ
	0900	84.8	L. GONZALEZ
	1200	84.6	L. GONZALEZ
	1500	85.6	H. Mark
	1800	85.4	H. Mark
	2100	85.3	H. Mark
	2400	85.1	Contreras

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	84.9	O. Contreras
	0600	84.2	G. Alvarez
	0900	84.5	G. Alvarez
	1200	84.9	G. Alvarez
	1500	85.1	A. Flores
	1800	85.4	A. Flores
	2100	85.6	A. Flores
	2400	85.1	O. Contreras

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 4L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	80.4	RAMIREZ SG
	0600	80.9	E. [illegible]
	0900	80.9	E. [illegible]
	1200	82.1	E. [illegible]
	1500	85.1	E. LOPEZ
	1800	85.7	E. LOPEZ
	2100	84.6	E. LOPEZ
	2400	83.5	RAMIREZ SG

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	81.2	RAMIREZ
	0600	80.9	M. Cota
	0900	81.6	M. Cota
	1200	82.5	M. Cota
	1500	84.3	HANO
	1800	85.0	HANO
	2100	84.5	HANO
	2400	83.9	GARCIA SG

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	81.5	GARCIA
	0600	81.4	LHURTADO
	0900	81.5	LHURTADO
	1200	83.1	LHURTADO
	1500	84.8	HANO
	1800	85.5	HANO
	2100	85.0	HANO
	2400	84.5	L-YANG

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	82.5	L-YANG
	0600	81.5	D. Rodriguez
	0900	81.5	D. Rodriguez
	1200	82.8	D. Rodriguez
	1500	84.0	R. MEDINA
	1800	84.8	R. MEDINA
	2100	84.2	R. MEDINA
	2400	84.1	J. CISNEROS

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	81.7	J. CISNEROS
	0600	81.1	LHURTADO
	0900	81.5	LHURTADO
	1200	82.2	LHURTADO
	1500	83.8	R. MEDINA
	1800	84.7	R. MEDINA
	2100	84.0	R. MEDINA
	2400	83.1	A. GARZA

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	81.7	A. GARZA
	0600	82.6	LHURTADO
	0900	81.6	LHURTADO
	1200	82.5	LHURTADO
	1500	83.8	Collier
	1800	84.6	Collier
	2100	83.8	Collier
	2400	81.9	BANO SG

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	81.5	BANO SG
	0600	80.6	LHURTADO
	0900	81.5	LHURTADO
	1200	82.6	LHURTADO
	1500	83.5	G. Martinez
	1800	84.7	G. Martinez
	2100	83.8	G. Martinez
	2400	83.0	M. RAMIREZ SG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 4R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	85.9	RAMIREZ
	0600	85.2	C Hutchens
	0900	85.3	C. Hutchens
	1200	86.0	C Hutchens
	1500	87.3	J. Chen
	1800	87.4	J. Chen
	2100	87.3	E. Rojas
	2400	86.6	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	84.9	RAMIREZ
	0600	84.7	HUTCHENS
	0900	85.2	M. ALVAREZ
	1200	86.0	M. ALVAREZ
	1500	87.2	E. Rojas
	1800	87.5	J. Sagastume
	2100	87.7	E. Rojas
	2400	86.1	GARZA

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	85.4	GARZA
	0600	85.1	V. RAY
	0900	85.2	V. RAY
	1200	86.0	V. RAY
	1500	88.2	C. ALCANTAR
	1800	88.6	C. ALCANTAR
	2100	88.4	C. ALCANTAR
	2400	85.4	C. YANG

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	85.8	L YANG
	0600	84.5	Carranza
	0900	85.6	Carranza
	1200	86.6	M-ALVAREZ
	1500	87.1	E. ROJAS
	1800	88.1	E. ROJAS
	2100	87.4	E. ROJAS
	2400	85.7	J. CISNEROS

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	85.4	J. CISNEROS
	0600	85.3	M ALVAREZ
	0900	85.4	M-ALVAREZ
	1200	85.9	M. ALVAREZ
	1500	87.3	E. ROJAS
	1800	87.8	E. ROJAS
	2100	87.4	E. ROJAS
	2400	86.1	A. GARZA

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	85.4	A. GARZA
	0600	84.7	L. Guillen
	0900	85.1	L. Guillen
	1200	85.8	L. Guillen
	1500	87.2	J. Sagastume
	1800	87.2	J. Sagastume
	2100	87.3	J. Sagastume
	2400	85.5	BANO

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	85.4	J. Chen
	0600	84.4	Carranza
	0900	84.9	Carranza
	1200	85.9	Carranza
	1500	87.2	Chen
	1800	87.2	[illegible]
	2100	87.1	[illegible]
	2400	85.2	RAMIREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan.

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: ASU Temp. Reading Location: Section A-1t (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	79	B. Rodr
	0600	79	Rodriguez
	0900	79.3	Rodriguez
	1200	79.5	Rodriguez
	1500	80°	Rodriguez
	1800	79.7	RODRIGUEZ
	2100	79.6	RODRIGUEZ
	2400	79	B. Rodr

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	79	B. Rodr
	0600	79	Hudson
	0900	79	Hudson
	1200	79	Hudson
	1500	79°	Rodriguez
	1800	78.3	Rodriguez
	2100	80°	Rodriguez
	2400	79	B. Rodr

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	79	B. Rodr
	0600	79	Hudson
	0900	79	Hudson
	1200	79	Hudson
	1500	79	Hudson
	1800	79	Hudson
	2100	79	Hudson
	2400	79	B. Rodr

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	79	B. Rodr
	0600	79	Hudson
	0900	79	Hudson
	1200	79	Hudson
	1500	79.9	S. Mon
	1800	79.9	S. Mon
	2100	80.2	S. Mon
	2400	79.2	Gonzalez

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	78.6	Gonzalez
	0600	78	Hudson
	0900	78	Hudson
	1200	79	Hudson
	1500	79.9°	A. Cabrera
	1800	82°	A. Cabrera
	2100	82°	A. Cabrera
	2400	81.2	S. ALVARADO

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	80.1	S. ALVARADO
	0600	78	TORRES
	0900	78	TORRES
	1200	78	Torres
	1500	79	Torres
	1800	79	Torres
	2100	79	Torres
	2400	79°	LITLEND

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	79.2	LITLEND
	0600	79	Torres
	0900	79	Torres
	1200	79	Torres
	1500	78	Rodriguez
	1800	78.5	Rodriguez
	2100	79	Rodriguez
	2400	79	B. Rodr

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT J

INSIDE TEMPERATURE RECORD LOG
CSP-CORCORAN

WEEK OF 8/12/2024–8/18/2024

MONDAY DATE 8/12	TUESDAY DATE 8/13	WEDNESDAY DATE 8/14	THURSDAY DATE 8/15	FRIDAY DATE 8/16	SATURDAY DATE 8/17	SUNDAY DATE 8/18
1A01	1A01	1A01	1A01	1A01	1A01	1A01
1B01	1B01	1B01	1B01	1B01	1B01	1B01
1C01	1C01	1C01	1C01	1C01	1C01	1C01
1D01	1D01	1D01	1D01	1D01	1D01	1D01
1E01	1E01	1E01	1E01	1E01	1E01	1E01
3A01 C	3A01 C	3A01 C	3A01 C	3A01 C	3A01 C	3A01 C
3A02 C	3A02 C	3A02 C	3A02 C	3A02 C	3A02 C	3A02 C
3A03 C	3A03 C	3A03 C	3A03 C	3A03 C	3A03 C	3A03 C
3A04	3A04	3A04	3A04	3A04	3A04	3A04
3A05 C	3A05 C	3A05 C	3A05 C	3A05 C	3A05 C	3A05 C
3B01 C	3B01 C	3B01 C	3B01 C	3B01 C	3B01 C	3B01 C
3B02 C	3B02 C	3B02 C	3B02 C	3B02 C	3B02 C	3B02 C
3B03 C	3B03 C	3B03 C	3B03 C	3B03 C	3B03 C	3B03 C
3B04 C	3B04 C	3B04 C	3B04 C	3B04 C	3B04 C	3B04 C
3B05 C	3B05 C	3B05 C	3B05 C	3B05 C	3B05 C	3B05 C
3C01	3C01	3C01	3C01	3C01	3C01	3C01
3C02	3C02	3C02	3C02	3C02	3C02	3C02
3C03	3C03	3C03	3C03	3C03	3C03	3C03
3C04	3C04	3C04	3C04	3C04	3C04	3C04
3C05	3C05	3C05	3C05	3C05	3C05	3C05
4A1L C	4A1L C	4A1L C	4A1L C	4A1L C	4A1L C	4A1L C
4A1R C	4A1R C	4A1R C	4A1R C	4A1R C	4A1R C	4A1R C
4A2L	4A2L	4A2L	4A2L	4A2L	4A2L	4A2L
4A2R	4A2R	4A2R	4A2R	4A2R	4A2R	4A2R
4A3L C	4A3L C	4A3L C	4A3L C	4A3L C	4A3L C	4A3L C
4A3R	4A3R	4A3R	4A3R	4A3R	4A3R	4A3R
4A4L C	4A4L C	4A4L C	4A4L C	4A4L C	4A4L C	4A4L C
4A4R C	4A4R C	4A4R C	4A4R C	4A4R C	4A4R C	4A4R C
4B1L C	4B1L C	4B1L C	4B1L C	4B1L C	4B1L C	4B1L C
4B1R C	4B1R C	4B1R C	4B1R C	4B1R C	4B1R C	4B1R C
4B2L C	4B2L C	4B2L C	4B2L C	4B2L C	4B2L C	4B2L C
4B2R C	4B2R C	4B2R C	4B2R C	4B2R C	4B2R C	4B2R C
4B3L C	4B3L C	4B3L C	4B3L C	4B3L C	4B3L C	4B3L C
4B3R C	4B3R C	4B3R C	4B3R C	4B3R C	4B3R C	4B3R C
4B4L C	4B4L C	4B4L C	4B4L C	4B4L C	4B4L C	4B4L C
4B4R C	4B4R C	4B4R C	4B4R C	4B4R C	4B4R C	4B4R C
ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C

C (BLUE)=COMPLETE I (GREEN)=INCOMPLETE NC (BLACK)=NOT RECEIVED T (RED)=90 DEGREES

State of California

Department of Corrections and Rehabilitation

Memorandum

Date : August 22, 2024

To : Heat Plan Coordinator
California State Prison-Corcoran

Subject: **PROOF-OF-PRACTICE TRAINING – EXPECTATIONS RELATIVE TO INSTITUTIONAL OVERSIGHT OF HEAT PLAN OPERATIONS**

This memorandum will serve as *"Proof-Of-Practice"* training for Expectations Relative to Institutional Oversight of Heat Plan Operations Memo which was created on August 02, 2024. California State Prison – Corcoran conducted a Coleman inspection on August 20 – 21, 2024, during this tour it was noted thermometers in the units toured were accurate with +/- 1 to 2 degrees with the exception of 3A03, 3B05, and ASU. These three areas ambient temperatures were measuring outside the perimeters allotted. All three units will have thermometers replaced or repaired to meet expectations. Current mechanism for purchase of new thermometers or parts is being processed. All facility housing thermometers will continue to be monitored, calibrated and maintained every April and July of each year to ensure accuracy.

Upon completion of the testing, the CPM or designee shall provide a proof of practice memorandum to the institution Heat Plan Coordinator verifying all thermometers have been tested, noting the condition of each thermometer, and confirmation they are of working order." Testing will be conducted starting April 2025 per Policy, Planning and System Support Unit email dated August 07, 2024.

If you require further information, please contact me at extension [redacted]

N. ERLING
Correctional Plant Manager
California State Prison - Corcoran

OP 208 Heat Plan
STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the Heat Risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier where an inmate on the Heat Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A01 Temp. Reading Location: _____ (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/12

Date	Time	Temp.	Name (Print)
	0300	79°	D. Nora
	0600	79	[illegible]
	0900	81	[illegible]
	1200	81	[illegible]
	1500	83.4	Perez
	1800	82.8	Perez
	2100	80.9	Perez
	2400	79°	D. Nora

Tuesday 8/13

Date	Time	Temp.	Name (Print)
	0300	78°	D. Nora
	0600	76	[illegible]
	0900	79	[illegible]
	1200	79	[illegible]
	1500	80.4	Perez
	1800	81.4	Perez
	2100	80.2	Perez
	2400	79°	D. Nora

Wednesday 8/14

Date	Time	Temp.	Name (Print)
	0300	77°	D. Nora
	0600	76.1	[illegible]
	0900	78.2	[illegible]
	1200	79.1	[illegible]
	1500	80.2	Perez
	1800	82.4	Perez
	2100	79.2	[illegible]
	2400	77.2	D Hicks

Thursday 8/15

Date	Time	Temp.	Name (Print)
	0300	77	D Hicks
	0600	74	[illegible]
	0900	75	[illegible]
	1200	77.2	[illegible]
	1500	79.1	Perez
	1800	80.8	Perez
	2100	79.3	Perez
	2400	76.1	D Hicks

Friday 8/16

Date	Time	Temp.	Name (Print)
	0300	75.4	D Hicks
	0600	74.5	M. Cruz
	0900	75.4	M. Cruz
	1200	77.7	M. Cruz
	1500	79.9	M. Cruz
	1800	81	M. Cruz
	2100	79.7	M. Cruz
	2400	78°	D. Nora

Saturday 8/17

Date	Time	Temp.	Name (Print)
	0300	74°	D. Nora
	0600	74.5	M. Cruz
	0900	75.9	M. Cruz
	1200	78.3	M. Cruz
	1500	79.5	G. Rodriguez
	1800	80.6	G. Rodriguez
	2100	78.4	G. Rodriguez
	2400	79°	D. Nora

Sunday 8/18

Date	Time	Temp.	Name (Print)
	0300	76°	D. Nora
	0600	76°	Y. DELANGEL
	0900	76°	Y. DELANGEL
	1200	76	Y. DELANGEL
	1500	78.8	G. [illegible]
	1800	79.9	G. Rodriguez
	2100	78.8	S. GARTAN
	2400	78	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Revised 2021

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3402 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	78.8	D Hicks
	0600	77.4	M. Cruz
	0900	78.3	M. Cruz
	1200	79.3	M. Cruz
	1500	79.9	S. Moua
	1800	81.0	S. Moua
	2100	80.2	S. Moua
	2400	78.6	C. Osequera

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	77.4	C. Osequera
	0600	76	S. Carter
	0900	77	S. Carter
	1200	78	S. Carter
	1500	79	J. John
	1800	80	J. John
	2100	79	J. John
	2400	77.5	Nora

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	76.5	C. Osequera
	0600	75.2	J. John
	0900	77	S. Carter
	1200	78	S. Carter
	1500	78	J. John
	1800	79	J. John
	2100	79	J. John
	2400	76	D. Z

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	75	D. Z
	0600	74	S. Carter
	0900	77	S. Carter
	1200	78	S. Carter
	1500	79	S. Carter
	1800	79	J. John
	2100	78	J. John
	2400	76	D. Z

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	75	D. Z
	0600	74	S. Carter
	0900	75	S. Carter
	1200	76	S. Carter
	1500	78	J. John
	1800	78	J. John
	2100	78	J. John
	2400	77	D. Z

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	76	D. Z
	0600	74	S. Carter
	0900	76	S. Carter
	1200	77	S. Carter
	1500	70	A. Carmen
	1800	71	A. Carmen
	2100	70	A. Carmen
	2400	77	D Hicks

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	75.2	D Hicks
	0600	75.2	M. Cruz
	0900	75.9	M. Cruz
	1200	77	M. Cruz
	1500	78.3	S. Moua
	1800	78.5	S. Moua
	2100	76.6	S. Moua
	2400	77	D Hicks

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CDR Housing Unit: 3A03 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	79	J. Hernandez
	0600	78	Garcia
	0900	78	Garcia
	1200	78	Garcia
	1500	78	D. W
	1800	78	D. W
	2100	78	D. W
	2400	78	G. Alcocer

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	78	G. Alcocer
	0600	76	Garcia
	0900	76	Garcia
	1200	76	Garcia
	1500	77	D. W
	1800	77	D. W
	2100	77	D. W
	2400	76	G. Alcocer

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	76	G. Alcocer
	0600	76	Garcia
	0900	76	Garcia
	1200	76	Garcia
	1500	74	D. W
	1800	76	D. W
	2100	77	D. W
	2400	75	G. Alcocer

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	75	G. Alcocer
	0600	73	Garcia
	0900	73	Garcia
	1200	73	Garcia
	1500	75	A De la Torre
	1800	77	A De la Torre
	2100	76	A De la Torre
	2400	75	A. Gil

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	71	A. Gil
	0600	71	Garcia
	0900	72	Garcia
	1200	72	Garcia
	1500	74	B. Alvarado
	1800	74	B. Alvarado
	2100	74	B. Alvarado
	2400	74.4	A. Ellis

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	71	A. Ellis
	0600	73	J. Salazar
	0900	76	T. Hutchens
	1200	77	T. Hutchens
	1500	74	B. Alvarado
	1800	74	B. Alvarado
	2100	74	B. Alvarado
	2400	75	A. Ellis

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	71	A. Ellis
	0600	74	J. Salazar
	0900	75	J. Salazar
	1200	76	J. Salazar
	1500	77	D. W
	1800	77	D. W
	2100	75	D. W
	2400	75	A. Ell

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the Heat Risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier where an inmate on the Heat Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3A05 Temp. Reading Location: 2nd Tier

(e.g.: 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	78	J Guzman
	0600	76	E. [illegible]
	0900	78	E. [illegible]
	1200	79	E. [illegible]
	1500	80.6	B. ALVARADO
	1800	80.6	B. Alvarado
	2100	80.2	B. Alvarado
	2400	79°	G. RIVERA

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	77°	G. RIVERA
	0600	76°	A. NAVARRO
	0900	77°	J. Larson
	1200	78.6	J. Larson
	1500	79.3	M. TUNO
	1800	80.2	M. TUNO
	2100	79.1	M. TUNO
	2400	78.4	A. GILLIS

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	73	A. GILLIS
	0600	74	S Mayfield
	0900	76	S MAYFIELD
	1200	77	S. MAYFIELD
	1500	79	D. Elizarraz
	1800	80	D Elizarraz
	2100	78	D. Elizarraz
	2400	77	J Guzman

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	76	J Guzman
	0600	74	R. Rambo
	0900	75	R. Gamboa
	1200	78	R. Gamboa
	1500	79	D Elizarraz
	1800	79	D. Elizarraz
	2100	78	D. Elizarraz
	2400	78	J Guzman

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	76	J Guzman
	0600	75	R Gamboa
	0900	75	R Gamboa
	1200	77	R. Gamboa
	1500	79	D Elizarraz
	1800	79	D Elizarraz
	2100	79	D. Elizarraz
	2400	78	J Guzman

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	76	J Guzman
	0600	75	J Proctor
	0900	76	J Proctor
	1200	78	J Proctor
	1500	76	K. Moles
	1800	78	K Moles
	2100	78	K. Moles
	2400	77	J Guzman

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	77	J Guzman
	0600	76.1	J BARAJAS
	0900	76.3	J. BARAJAS
	1200	77.6	J. BARAJAS
	1500	78.8	B. Alvarado
	1800	79.3	B. Alvarado
	2100	78.8	B. Alvarado
	2400	78	J Guzman

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Revised 2021

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B01 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	78°	G. RIVERA
	0600	78°	D. LIMA
	0900	80°	D. LIMA
	1200	80°	D. LIMA
	1500	81°	H. AGUIRRE
	1800	80°	H. AGUIRRE
	2100	80°	H. AGUIRRE
	2400	80	R. PHILLIS

Tuesday

Dat	Time	Temp.	Name (Print)
8-13-24	0300	78	PHILLIS
	0600	77°	D. Lima
	0900	78°	D. Lima
	1200	79°	D. Lima
	1500	80°	H. AGUIRRE
	1800	80°	H. AGUIRRE
	2100	80°	H. AGUIRRE
	2400	79	G. Lumer

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	77°	G. Lumer
	0600	77°	D. Lima
	0900	77°	D. Lima
	1200	79°	D. Lima
	1500	79°	H. AGUIRRE
	1800	79°	H. AGUIRRE
	2100	79°	H. AGUIRRE
	2400	77	R. PHILLIS

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	76	PHILLIS
	0600	76	K. Crane
	0900	76	K. Crane
	1200	78	K. Crane
	1500	79°	H. AGUIRRE
	1800	79°	H. AGUIRRE
	2100	79°	H. AGUIRRE
	2400	78	R. PHILLIS

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	76	R. PHILLIS
	0600	75	D. Lima
	0900	76	D. Lima
	1200	77	D. Lima
	1500	79°	H. AGUIRRE
	1800	79°	H. AGUIRRE
	2100	79°	H. AGUIRRE
	2400	78	R. PHILLIS

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	77	R. PHILLIS
	0600	75	E. Segura
	0900	77	E. Segura
	1200	78	E. Segura
	1500	76	A. Cabrera
	1800	80	A. Cabrera
	2100	79	A. Cabrera
	2400	79	J. Rubio

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	78°	J. Rubio
	0600	76°	J. Rubio
	0900	76	E. Segura
	1200	78	E. Segura
	1500	79°	A. Cabrera
	1800	79°	A. Cabrera
	2100	79°	A. Cabrera
	2400	79°	G. RIVERA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B02 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	79°	L.MAGDALENO
	0600	78°	Lorenzano
	0900	78	Lorenzano
	1200	78	Lorenzano
	1500	83	M Sparks
	1800	83	M Sparks
	2100	82	M Sparks
	2400	80°	L.MAGDALENO

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	79°	L.MAGDALENO
	0600	78	H. Martinez
	0900	78	H. Martinez
	1200	80	H. Martinez
	1500	82	E. Lopez
	1800	82	E. Lopez
	2100	81	E. Lopez
	2400	81°	L.MAGDALENO

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	79°	L.MAGDALENO
	0600	78°	
	0900	78°	
	1200	79°	
	1500	76°	RAMIREZ
	1800	81°	RAMIREZ
	2100	81°	RAMIREZ
	2400	71	L.MAGDALENO

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	70°	L.MAGDALENO
	0600	76	W Urrano
	0900	77	W Urrano
	1200	79	W Urrano
	1500	76°	J. Esparza
	1800	77°	J. Esparza
	2100	77°	J. Esparza
	2400	77	[illegible]

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	77	Palacio
	0600	75	Martinez
	0900	76	Martinez
	1200	79	Martinez
	1500	80	Lopez
	1800	80	Lopez
	2100	79	Lopez
	2400	78	Palacio

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	76	Palacio
	0600	75	Martinez
	0900	76	Martinez
	1200	79	Martinez
	1500	80	J. Barajas
	1800	81	J. Barajas
	2100	81	J. Barajas
	2400	80	L.MAGDALENO

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	79°	L.MAGDALENO
	0600	76°	REEDER
	0900	79°	REEDER
	1200	79°	REEDER
	1500	80°	M Sparks
	1800	79°	J. Lee
	2100	79°	J. Lee
	2400	79°	L.MAGDALENO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B03 Temp. Reading Location: CONTROL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	80°	J. Buenn
	0600	79°	S Pena
	0900	80°	S Pena
	1200	80	S MAURAD
	1500	81°	A. Cabrera
	1800	82°	A. Cabrera
	2100	82°	A. Cabrera
	2400	80°	J. Buenn

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	79°	J Buenn
	0600	79	OGUNNEINKA
	0900	78	OGUNNEINKA
	1200	79	OGUNNEINKA
	1500	79	J. Coronado
	1800	79	J. Coronado
	2100	82	[redacted] J. Coronado
	2400	80	J. Jimenez

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	80.0	J. Jimenez
	0600	77	K. YANG
	0900	78	K. YANG
	1200	79	K. YANG
	1500	80.0	A. Narvaiz
	1800	80.0	A. Narvaiz
	2100	80.0	A. Narvaiz
	2400	80	R. FIELD

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	78	R. FIELD
	0600	72	J. Broadhurst
	0900	72	J. Broadhurst
	1200	73	J. Broadhurst
	1500	80	L. Bolanos
	1800	80	L. Bolanos
	2100	80	L. Bolanos
	2400	80	J. Renteria

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	77	J. Renteria
	0600	76	F. CONTRERAS
	0900	77	F. CONTRERAS
	1200	78	F. CONTRERAS
	1500	78°	O. Alva
	1800	76°	O. Alva
	2100	77°	O. Alva
	2400	79°	C. Guillen

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	77	C. Guillen
	0600	76°	S. Pena
	0900	78°	S Pena
	1200	79°	S Pena
	1500	79	A. Jara
	1800	80°	A. Jara
	2100	80	A. Jara
	2400	80	D.S.

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	77	A. Gonzalez
	0600	77	A. VALDIVIA
	0900	77	A. VALDIVIA
	1200	78	A. VALDIVIA
	1500	77	E. Lorenzano
	1800	77	E. Lorenzano
	2100	77	E. Lorenzano
	2400	79°	J. Buenn

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CSP-COR Housing Unit 3B04 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-12-24

Date	Time	Temp.	Name (Print)
	0300	80	J. Tijerina
	0600	79	J. Clark
	0900	80	J. Clark
	1200	81	J. Clark
	1500	81	K. Zavala
	1800	81	C. Santizo
	2100	81	C. Santizo
	2400	82	J. Tijerina

Tuesday 8/13/24

Dat	Time	Temp.	Name (Print)
	0300	80	J. Tijerina
	0600	79	J. Clark
	0900	80	J. Clark
	1200	81	J. Clark
	1500	82	R. Rueda
	1800	84	C. Robles
	2100	82	C. Robles
	2400	80	J. Tijerina

Wednesday 8/14/24

Date	Time	Temp.	Name (Print)
	0300	79	J. Tijerina
	0600	77	J. Clark
	0900	79	J. Clark
	1200	81	J. Clark
	1500	81	J. Phillips
	1800	81	J. Phillips
	2100	81	J. Phillips
	2400	80	J. Tijerina

Thursday

Date	Time	Temp.	Name (Print)
	0300	79	J. Tijerina
	0600	77	J. Clark
	0900	78	J. Clark
	1200	79	J. Clark
	1500	81	Nevarez
	1800	82	Nevarez
	2100	81	Nevarez
	2400	79	A. Ahullar

Friday 8/16/24

Date	Time	Temp.	Name (Print)
	0300	79	A. Ahullar
	0600	78	W. Urrano
	0900	78	W. Urrano
	1200	79	W. Urrano
	1500	81	Nevarez
	1800	82	Nevarez
	2100	81	Nevarez
	2400	79	P. Bryant

Saturday 8-17-24

Date	Time	Temp.	Name (Print)
	0300	79	P. Bryant
	0600	77	W. Urrano
	0900	78	W. Urrano
	1200	79	W. Urrano
	1500	81	Nevarez
	1800	81	Nevarez
	2100	81	Nevarez
	2400	79	Barrientos

Sunday 8/18/24

Date	Time	Temp.	Name (Print)
	0300	78	Barrientos
	0600	77	J. Clark
	0900	77	J. Clark
	1200	79	J. Clark
	1500	79°	F. Martinez
	1800	81°	F. Martinez
	2100	81°	F. Martinez
	2400	79	Barrientos

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B05 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	77	P. Bryant
	0600	77	W. Jurado
	0900	75	W. Jurado
	1200	77	W. Jurado
	1500	77	E. [illegible]
	1800	78	E. [illegible]
	2100	79	E. [illegible]
	2400	79	J. Cutanda

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	77	J. Cutanda
	0600	77	Borrego
	0900	77	Borrego
	1200	77	Borrego
	1500	77	Brotherson
	1800	79	Brotherson
	2100	79	Brotherson
	2400	79	J. Cutanda

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	75	J. Cutanda
	0600	79	[illegible]
	0900	75	Borrego
	1200	77	Borrego
	1500	77	Brotherson
	1800	78	Brotherson
	2100	79	Brotherson
	2400	79	J. Cutanda

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	77	J. Cutanda
	0600	75	Borrego
	0900	75	Borrego
	1200	75	Borrego
	1500	77	Brotherson
	1800	77	Brotherson
	2100	77	Brotherson
	2400	77	J. Cutanda

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	77	J. Cutanda
	0600	75	Borrego
	0900	75	Borrego
	1200	77	Borrego
	1500	77	Brotherson
	1800	79	Brotherson
	2100	79	Brotherson
	2400	77	J. Cutanda

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	75	J. Cutanda
	0600	75	Borrego
	0900	75	Borrego
	1200	75	Borrego
	1500	77	Brotherson
	1800	79	Brotherson
	2100	79	Brotherson
	2400	77	P. Bryant

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	77	P. Bryant
	0600	75	W. Jurado
	0900	75	W. Jurado
	1200	75	W. Jurado
	1500	77	E. [illegible]
	1800	77	E. [illegible]
	2100	77	E. [illegible]
	2400	77	P. Bryant

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 4B1L Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	82	D. Samadian
	0600	82	SALINAS
	0900	82	SALINAS
	1200	82	SALINAS
	1500	83	Mecum
	1800	83	Mecum
	2100	83	Mecum
	2400	82	D. Samadian

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	81	D. Samadian
	0600	82	SALINAS
	0900	82	SALINAS
	1200	82	SALINAS
	1500	82	S. Mecum
	1800	82	C. SANTICO
	2100	82	C. SANTICO
	2400	82	Samadian

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	82	Samadian
	0600	79	Aguilar
	0900	79	Aguilar
	1200	79	Aguilar
	1500	81	M. Liddle
	1800	82	M. Liddle
	2100	82	M. Liddle
	2400	82	B. Perez

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	81	Perez
	0600	81	SALINAS
	0900	81	SALINAS
	1200	81	SALINAS
	1500	81	A. Flores
	1800	81	J. CISNEROS
	2100	81	J. CISNEROS
	2400	81	B. Perez

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	81	Perez
	0600	80	SALINAS
	0900	80	SALINAS
	1200	81	SALINAS
	1500	81	L. Adame
	1800	82	L. Adame
	2100	82	L. Adame
	2400	82	J. Cuellar

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	80	J. Cuellar
	0600	80	RODRIGUEZ
	0900	80	RODRIGUEZ
	1200	81	RODRIGUEZ
	1500	82	Em
	1800	82	Em
	2100	83	Em
	2400	81	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	80	J. Cuellar
	0600	81	Emma
	0900	82	Em
	1200	83	Em
	1500	81	Ontiveros
	1800	81	Ontiveros
	2100	81	Ontiveros
	2400	80	Samadian

Notes

8-12-24 UHT @ 1025 HOURS
8-13-24 UHT @ 1020 HRS. CURRENT TEMP. 82°
8-13-24 TEMP REMAINED 82° DURING 2/W
8-14-24
8-16-24 UHT @ 1103 HOURS. 1300 = 81°

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A 1R Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8	0300	83	[illegible]
	0600	82.4	R LEWIS
	0900	82.6	R LEWIS
12	1200	82.6	R LEWIS
	1500	82.3	E. COLLIER
24	1800	82.9	I. MACIAS
	2100	83.1	I. MACIAS
	2400	82.5	S GONZALEZ

Tuesday

Date	Time	Temp.	Name (Print)
8	0300	82.0	S GONZALEZ
	0600	81.9	R LEWIS
	0900	81.7	R LEWIS
13	1200	81.7	R LEWIS
	1500	82	MIRAMONTES
24	1800	82.4	MIRAMONTES
	2100	82.6	MIRAMONTES
	2400	81.9	MIRAMONTES

Wednesday

Date	Time	Temp.	Name (Print)
8	0300	81.5	MIRAMONTES
	0600	81.0	R LEWIS
	0900	81.1	R LEWIS
14	1200	81.5	R LEWIS
	1500	81.6	PIMENTEL.M
24	1800	81.9	PIMENTEL.M
	2100	82.0	PIMENTEL.M
	2400	81.5	MIRAMONTES

Thursday

Date	Time	Temp.	Name (Print)
8	0300	81	MIRAMONTES
	0600	80.6	R LEWIS
	0900	80.6	R LEWIS
15	1200	81.0	R LEWIS
	1500	81.3	PIMENTEL.M
24	1800	81.5	PIMENTEL.M
	2100	81.7	PIMENTEL.M
	2400	81.3	MIRAMONTES

Friday

Date	Time	Temp.	Name (Print)
8	0300	80.8	MIRAMONTES
	0600	80.4	J. Ortega
	0900	81.4	R. Murphy
16	1200	80.8	J. Ortega
	1500	81.2	PIMENTEL.M
24	1800	81.5	PIMENTEL.M
	2100	81.7	PIMENTEL.M
	2400	81.5	PIMENTEL.M

Saturday

Date	Time	Temp.	Name (Print)
8	0300	81.3	PIMENTEL.M
	0600	82	[illegible]
	0900	83	[illegible]
17	1200	83	[illegible]
	1500	81.5	PIMENTEL.M
24	1800	81.6	PIMENTEL.M
	2100	81.7	PIMENTEL.M
	2400	81.5	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
8	0300	81	[illegible]
	0600	80.8	R LEWIS
	0900	80.6	R LEWIS
18	1200	80.8	R LEWIS
	1500	81.0	N. Yanez
24	1800	81.3	N. Yanez
	2100	81.7	N. Yanez
	2400	81.1	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 4A3L Temp. Reading Location: CONTROL BOOTH (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	82	A. Ellis
	0600	82	Rodriguez
	0900	82	Rodriguez
	1200	82	Rodriguez
	1500	82	M. Franco
	1800	82	M. Franco
	2100	82	M. Franco
	2400	82	A. Ellis

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	81.7	A. Ellis
	0600	81	Rodriguez
	0900	81	Rodriguez
	1200	82	Rodriguez
	1500	82	L. Xiong
	1800	82	L. Xiong
	2100	82	L. Xiong
	2400	82	J. Gallegos

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	81	J. Gallegos
	0600	81	Humaro
	0900	80	Humaro
	1200	81	Humaro
	1500	85	Francia
	1800	81.5	Francia
	2100	81.4	Francia
	2400	81	J. Gallegos

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	80	J. Gallegos
	0600	80	Humaro
	0900	80	Humaro
	1200	80	Humaro
	1500	80	DeHernandez
	1800	81	DeHernandez
	2100	81	DeHernandez
	2400	<81	

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	80	
	0600	79	Humaro
	0900	80	Humaro
	1200	80	Humaro
	1500	80	V. Morales
	1800	80	V. Morales
	2100	80	V. Morales
	2400	80	J. Gallegos

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	80	J. Gallegos
	0600	79.9	Juarez
	0900	79.9	Juarez
	1200	80	Juarez
	1500	81	R. Rodriguez
	1800	82.5	R. Rodriguez
	2100	82	A. Cerda
	2400	81	J. Gallegos

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	80	J. Gallegos
	0600	80.2	Juarez
	0900	80.1	Juarez
	1200	80.1	Juarez
	1500	80	L. Xiong
	1800	80	L. Xiong
	2100	81	L. Xiong
	2400	80	A. Ellis

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4L Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 08/12/24

Date	Time	Temp.	Name (Print)
	0300	87.1	A. AHUILAR
	0600	86.9	G. RODRIGUEZ
	0900	86.7	G. RODRIGUEZ
	1200	86.9	G. RODRIGUEZ
	1500	87.1	A. ochoa
	1800	87.5	A. ochoa
	2100	85.6	A. ochoa
	2400	87.1	A. AHUILAR

Tuesday 08/13/24

Date	Time	Temp.	Name (Print)
	0300	86.9	A. AHUILAR
	0600	86.7	C. Oseguera
	0900	86.2	C. Oseguera
	1200	86.4	C. Oseguera
	1500	86	Kulp
	1800	87	Kulp
	2100	87	Kulp
	2400	86	J Martinez

Wednesday 08/14/24

Date	Time	Temp.	Name (Print)
	0300	86	J Martinez
	0600	86.	R. Guerra
	0900	87.	R. Guerra
	1200	87.	R. Guerra
	1500	86	Kulp
	1800	86	Kulp
	2100	86	Kulp
	2400	86	J Martinez

Thursday 08/15/24

Date	Time	Temp.	Name (Print)
	0300	86	J martinez
	0600	85.8	OGUNYINKA
	0900	85.3	OGUNYINKA
	1200	85.6	OGUNYINKA
	1500	86	Kulp
	1800	86	Kulp
	2100	86	Kulp
	2400	86	J Martinez

Friday 08/16/24

Date	Time	Temp.	Name (Print)
	0300	85	J Martinez
	0600	85	D. Ennin
	0900	85	D. Ennin
	1200	85	D. Ennin
	1500	86	Kulp
	1800	86	Kulp
	2100	86	Kulp
	2400	86	J Martinez

Saturday 08/17/24

Date	Time	Temp.	Name (Print)
	0300	85	J martinez
	0600	85	D. Ennin
	0900	85	D. Ennin
	1200	85	D. Ennin
	1500	85	Kulp
	1800	85	Kulp
	2100	85	Kulp
	2400	85	J Martinez

Sunday 08/18/24

Date	Time	Temp.	Name (Print)
	0300	85	J martinez
	0600	85	G. Rodriguez
	0900	84	G. Rodriguez
	1200	84	G. Rodriguez
	1500	84.9	A. ochoa
	1800	84.9	A. ochoa
	2100	84.3	A. ochoa
	2400	85.	A. AHUILAR

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4R Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday August 12, 2024

Date	Time	Temp.	Name (Print)
	0300	86	L. XIONG
	0600	86	A. Renteria
	0900	85.7	A. Renteria
	1200	86.6	A. Renteria
	1500	87.4	N. CRUZ
	1800	87.5	N. CRUZ
	2100	86.6	N. CRUZ
	2400	86	L. XIONG

Tuesday August 13, 2024

Date	Time	Temp.	Name (Print)
	0300	86	L. XIONG
	0600	85.6	A. Renteria
	0900	85.4	A. Renteria
	1200	85.9	A. Renteria
	1500	86	RODRIGUEZ
	1800	86	RODRIGUEZ
	2100	87	RODRIGUEZ
	2400	87	[illegible]

Wednesday August 14, 2024

Date	Time	Temp.	Name (Print)
	0300	86	[illegible]
	0600	86	[illegible]
	0900	85	Villagomez-Lemus
	1200	85	Villagomez-Lemus
	1500	85	Soto
	1800	85	Soto
	2100	85	Soto
	2400	84	F. Arazzeu

Thursday August 15, 2024

Date	Time	Temp.	Name (Print)
	0300	84	F. Arazzeu
	0600	84	J. Rubio
	0900	84	J. Rubio
	1200	84	J. Rubio
	1500	85	M. HARE
	1800	85	M. HARE
	2100	85	M. HARE
	2400	85	DR Hemmer

Friday August 16, 2024

Date	Time	Temp.	Name (Print)
	0300	85	DR Hemmer
	0600	83.4	A. AGUILAR
	0900	83.4	A. AGUILAR
	1200	84.4	A. AGUILAR
	1500	85	A. Espinoza
	1800	85	A. Espinoza
	2100	85	A. Espinoza
	2400	84.8	A. AGUILAR

Saturday August 17, 2024

Date	Time	Temp.	Name (Print)
	0300	84.6	A. AGUILAR
	0600	83.5	H. ARSINIEGA
	0900	83.5	H. Arsiniega
	1200	84.5	H. Arsiniega
	1500	84.8	A. AGUILAR
	1800	85.4	A. AGUILAR
	2100	85.4	A. AGUILAR
	2400	84.6	A. AGUILAR

Sunday August 18, 2024

Date	Time	Temp.	Name (Print)
	0300	84.4	A. AGUILAR
	0600	83.6	H. ARSINIEGA
	0900	83.0	H. Arsiniega
	1200	83.9	H. Arsiniega
	1500	84.3	A. AGUILAR
	1800	84.8	A. AGUILAR
	2100	84.6	A. AGUILAR
	2400	84	L. XIONG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-IL Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	82.6	A. GARCIA
	0600	81.5	S. Martinez
	0900	81.9	S. Martinez
	1200	83.7	S. Martinez
	1500	84.3	Gonzalez
	1800	85.0	Gonzalez
	2100	84.3	Gonzalez
	2400	83.1	B. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	82.3	B. GARCIA
	0600	82.3	S. Martinez
	0900	82.9	S. Martinez
	1200	82.6	S. Martinez
	1500	83.8	J. Esparza
	1800	84.0	J. Esparza
	2100	83.2	J. Esparza
	2400	81.7	K. Thao

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	80.6	K. Thao
	0600	80.0	J. Hernandez
	0900	80.5	J. Hernandez
	1200	81.6	J. Hernandez
	1500	82.8	M. Adame
	1800	83.3	M. Adame
	2100	82.8	M. Adame
	2400	81.2	J. Guzman

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	80.4	K. Thao
	0600	79.1	J. Hernandez
	0900	79.1	J. Hernandez
	1200	81.1	J. Hernandez
	1500	82.3	S. Ramos
	1800	83.0	S. Ramos
	2100	81.8	S. Ramos
	2400	81.0	J. Guzman

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	79.8	J. Guzman
	0600	79.1	J. Hernandez
	0900	79.2	J. Hernandez
	1200	80.5	J. Hernandez
	1500	82.6	S. Ramos
	1800	83.2	S. Ramos
	2100	81.8	S. Ramos
	2400	80.6	J. Guzman

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	81.0	J. Guzman
	0600	79.1	J. Hernandez
	0900	79.6	J. Hernandez
	1200	80.6	J. Hernandez
	1500	82.1	S. Ramos
	1800	82.7	S. Ramos
	2100	81.5	S. Ramos
	2400	80.7	RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	79.8	RAMIREZ
	0600	79.0	J. Esparza
	0900	79.5	J. Esparza
	1200	80.1	J. Esparza
	1500	80.9	Diaz A
	1800	81.1	Diaz A
	2100	81.3	Diaz A
	2400	79.9	A. Garcia

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-1R Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	81.2	A. GARCIA
	0600	80.0	J. Wilson
	0900	80.1	J. Wilson
	1200	81.1	J. Wilson
	1500	84	L. Guillen
	1800	84.1	L. Guillen
	2100	82.8	L. Guillen
	2400	81.1	B. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	81.3	B. GARCIA
	0600	79.1	J. Wilson
	0900	79.1	J. Wilson
	1200	81.1	J. Wilson
	1500	82.5	J. CONTENO
	1800	82.9	J. CONTENO
	2100	81.2	J. Contreno
	2400	80.0	K. MANN

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	79.3	[illegible]
	0600	78	K. Rodriguez
	0900	78	K. Rodriguez
	1200	80	K. Rodriguez
	1500	81.4	J. CONTENO
	1800	81.2	J. CONTENO
	2100	80.8	D. RAMIREZ
	2400	79.1	K. Thao

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	79.3	K. Thao
	0600	77.0	D. RAMIREZ
	0900	77.4	D. RAMIREZ
	1200	79.8	D. RAMIREZ
	1500	81.1	D. RAMIREZ
	1800	81.6	D. RAMIREZ
	2100	80.1	D. RAMIREZ
	2400	79.5	J. Guzman

Friday 8/16/24

Date	Time	Temp.	Name (Print)
8/16/24	0300	78	J. Guzman
	0600	76.3	K. SINGH
	0900	76.9	K. SINGH
	1200	79.2	K. SINGH
	1500	80.8	J. Hernandez
	1800	81.4	K. SINGH
	2100	80.1	K. SINGH
	2400	79.15	J. Guzman

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	78.8	J. Guzman
	0600	76.8	K. SINGH
	0900	77.3	K. SINGH
	1200	79.8	K. SINGH
	1500	81.6	L. Guillen
	1800	81.1	L. Guillen
	2100	80.3	L. Guillen
	2400	79.4	RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	78.7	RAMIREZ
	0600	77.3	A. FLORES
	0900	77.8	A. Flores
	1200	78.1	A. Flores
	1500	79.8	J. Hernandez
	1800	80.7	J. Hernandez
	2100	80.0	J. Hernandez
	2400	79.1	A. Garcia

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 2L Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	85.3	C. YANG
	0600	83.2	C. Navarro
	0900	84.4	C. Navarro
	1200	85.3	C. Navarro
	1500	85.7	R HERNANDEZ
	1800	85.5	R HERNANDEZ
	2100	85.5	R HERNANDEZ
	2400	85.4	E RUIZ

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	84.6	E RUIZ
	0600	84.5	C. Navarro
	0900	83.7	C. Navarro
	1200	84.3	C. Navarro
	1500	84.3	S. ABASTA
	1800	84.3	S. ABASTA
	2100	84.3	S. ABASTA
	2400	84.2	R. FIELD

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	82.9	R. FIELD
	0600	82.5	C. ALCANTAR
	0900	82.3	C. ALCANTAR
	1200	82.4	C. ALCANTAR
	1500	82.7	S. ABASTA
	1800	83.0	S. ABASTA
	2100	83.1	S. HANG
	2400	82.4	E RUIZ

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	82.0	E RUIZ
	0600	81.6	C. ALCANTAR
	0900	81.6	C. ALCANTAR
	1200	81.5	A. GAMARGO
	1500	81.8	R. HERNANDEZ
	1800	82.0	S. ABASTA
	2100	82.0	R HERNANDEZ
	2400	81.5	E RUIZ

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	81.4	E RUIZ
	0600	81.0	C. Navarro
	0900	80.7	C. Navarro
	1200	80.9	C. Navarro
	1500	81.3	E. Collier
	1800	81.4	R HERNANDEZ
	2100	81.7	E. Collier
	2400	81.3	E RUIZ

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	81.1	E RUIZ
	0600	80.1	R HERNANDEZ
	0900	80.5	J. Fernandez
	1200	80.8	J. Fernandez
	1500	81.2	R HERNANDEZ
	1800	81.5	E. NIETO
	2100	81.4	R HERNANDEZ
	2400	81.2	C. YANG

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	81.1	C. YANG
	0600	80.6	C. Navarro
	0900	80.5	C. Navarro
	1200	80.6	C. Navarro
	1500	81.0	R. HERNANDEZ
	1800	81.2	R. HERNANDEZ
	2100	81.2	R HERNANDEZ
	2400	81.0	C. YANG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 2R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	81.2	C. YANG
	0600	79.8	Clingerman
	0900	80.7	Clingerman
	1200	81.9	Clingerman
	1500	83.7	S GONZALEZ
	1800	82.9	S GONZALEZ
	2100	82.9	S GONZALEZ
	2400	82.2	E RUIZ

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	81.9	E RUIZ
	0600	80.9	Clingerman
	0900	80.3	Clingerman
	1200	81.0	Clingerman
	1500	81.5	O. Martinez
	1800	81.2	O. Martinez
	2100	82.1	O. Martinez
	2400	81.9	FIELD

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	80.1	FIELD
	0600	79.1	Clingerman
	0900	78.7	Clingerman
	1200	79.1	Clingerman
	1500	79.9	O. Martinez
	1800	80.4	O. Martinez
	2100	80.2	O. Martinez
	2400	79.9	E RUIZ

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	78.8	E RUIZ
	0600	78.1	J. Clingerman
	0900	77.7	J. Clingerman
	1200	78.3	J. Clingerman
	1500	78.7	O. Martinez
	1800	79.1	O. Martinez
	2100	79.9	O. Martinez
	2400	78.6	E RUIZ

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	78.1	E RUIZ
	0600	77.3	SPONCE
	0900	77.2	SPONCE
	1200	77.7	J. GARCIA
	1500	78.2	O. Martinez
	1800	78.9	O. Martinez
	2100	79.7	O. Martinez
	2400	78.3	E RUIZ

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	78.0	E. RUIZ
	0600	77.3	SPONCE
	0900	77.1	SPONCE
	1200	77.5	SPONCE
	1500	78.1	M Camarena
	1800	79.2	M Camarena
	2100	78.1	C YANG
	2400	77.9	C YANG

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	77.7	C. YANG
	0600	77.1	SPONCE
	0900	77.7	SPONCE
	1200	77.1	SPONCE
	1500	77.9	M. CAMARENA
	1800	78.6	M CAMARENA
	2100	78.4	M CAMARENA
	2400	78.0	C. YANG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-3L Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	84.7	O. Contreras
	0600	83.6	MARSHALL
	0900	84.2	Contreras
	1200	84.8	Contreras
	1500	85.6	D. WANDEL
	1800	86.0	D. WANDEL
	2100	85.6	D. WANDEL
	2400	84.9	D. CALDERON

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	83.6	D. CALDERON
	0600	83.4	RAMIREZ, J
	0900	83.5	RAMIREZ, J
	1200	84.6	RAMIREZ, J
	1500	84.2	S. GONZALEZ
	1800	84.6	D. WANDEL
	2100	84.1	S. GONZALEZ
	2400	83.7	O. CONTRERAS

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	83.1	O. CONTRERAS
	0600	82.2	Contreras
	0900	82.3	Contreras
	1200	82.6	RAMIREZ, J
	1500	83.1	S. GONZALEZ
	1800	83.4	S. GONZALEZ
	2100	83.3	S. GONZALEZ
	2400	83.0	O. CONTRERAS

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	83.9	O. Contreras
	0600	81.8	D. WANDEL
	0900	81.6	D. WANDEL
	1200	81.9	D. WANDEL
	1500	82.6	D. WANDEL
	1800	82.8	D. WANDEL
	2100	82.8	D. WANDEL
	2400	82.4	J. CISNEROS

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	81.8	J. CISNEROS
	0600	80.9	MARSHALL
	0900	81.2	MARSHALL
	1200	81.7	RAMIREZ, J
	1500	82.1	E. DIMAANO
	1800	82.2	E. DIMAANO
	2100	82.6	E. DIMAANO
	2400	82.1	RAMIREZ

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	81.6	RAMIREZ
	0600	81	MARSHALL
	0900	81.2	MARSHALL
	1200	81.6	MARSHALL
	1500	81.8	E. DIMAANO
	1800	82.6	E. DIMAANO
	2100	82.5	E. DIMAANO
	2400	82.7	O. Contreras

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	81.9	O. Contreras
	0600	81.4	L. Quiller
	0900	81	L. Quiller
	1200	81.5	L. Quiller
	1500	81.8	E. DIMAANO
	1800	82.3	E. DIMAANO
	2100	82.1	E. DIMAANO
	2400	81.8	O. Contreras

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 3R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	85.0	O. Contreras
	0600	84.4	G. Alvarez
	0900	84.5	G. Alvarez
	1200	84.9	J. Renteria
	1500	85	K. Rodriguez
	1800	85.1	K. Rodriguez
	2100	85.1	K. Rodriguez
	2400	85.1	O. Contreras

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	84.9	O. Contreras
	0600	84.1	J. Renteria
	0900	84.0	J. Renteria
	1200	84.1	J. Renteria
	1500	84	K. Rodriguez
	1800	84.9	K. Rodriguez
	2100	84.8	K. Rodriguez
	2400	84.6	O. Contreras

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	83.8	O. Contreras
	0600	83.1	J. Renteria
	0900	83.3	J. Renteria
	1200	83.6	J. Renteria
	1500	83.8	K. Rodriguez
	1800	83.9	K. Rodriguez
	2100	84	K. Rodriguez
	2400	83.9	O. Contreras

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	82.9	O. Contreras
	0600	82.4	J. Rosales
	0900	82.5	J. Rosales
	1200	82.5	J. Rosales
	1500	82.9	G. Abbott
	1800	83.4	G. Abbott
	2100	83.3	G. Abbott
	2400	82.8	J. Cisneros

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	82.5	J. Cisneros
	0600	82	S. A. Niehus
	0900	82.2	S. A. Niehus
	1200	82.6	S. A. Niehus
	1500	83.1	K. Rodriguez
	1800	83.5	K. Rodriguez
	2100	83.3	K. Rodriguez
	2400	83.2	Ramirez

Saturday 8-17-24

Date	Time	Temp.	Name (Print)
8/17/24	0300	82.5	Ramirez
	0600	82.1	L. Sanchez
	0900	81.9	L. Sanchez
	1200	82.2	L. Sanchez
	1500	82.6	J. Leon
	1800	83.3	J. Leon
	2100	82.9	J. Leon
	2400	82.7	O. Contreras

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	82.5	O. Contreras
	0600	82.1	G. Alvarez
	0900	81.9	G. Alvarez
	1200	82.2	G. Alvarez
	1500	82.5	H. Vanh
	1800	82.9	H. Vanh
	2100	82.9	H. Vanh
	2400	82.7	O. Contreras

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-4L Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	81.1	M. RAMIREZ
	0600	80.6	J. CASTRO
	0900	80.8	J. CASTRO
	1200	81.5	J. CASTRO
	1500	83.0	S. MOUA
	1800	84.0	S. MOUA
	2100	83.0	S. MOUA
	2400	82.5	M. RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	81.1	RAMIREZ
	0600	80.9	J. Rojas
	0900	80.9	J. Rojas
	1200	81.0	J. Rojas
	1500	82.2	HANO
	1800	83.0	HANO
	2100	81.9	HANO
	2400	81.0	A. GARZA

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	80.3	A. GARZA
	0600	79.2	J. CASTRO
	0900	79.6	J. CASTRO
	1200	80.1	HURTADO
	1500	81.9	HANO
	1800	81.8	HANO
	2100	81.7	HANO
	2400	80.4	A. GARZA

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	79.8	A. GARZA
	0600	79.2	HURTADO
	0900	79.4	HURTADO
	1200	80.0	HURTADO
	1500	80.8	R MEDINA
	1800	81.6	HANO
	2100	80.8	HANO
	2400	79.8	GARZA

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	79.4	A. GARZA
	0600	79.2	HURTADO
	0900	78.9	HURTADO
	1200	79.4	HURTADO
	1500	80.8	R. MEDINA
	1800	81.6	R. MEDINA
	2100	80.8	R. MEDINA
	2400	80.1	A. GARZA

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	79.3	A. GARZA
	0600	79.0	HURTADO
	0900	79.3	HURTADO
	1200	79.8	HURTADO
	1500	80.1	HANO
	1800	80.9	HANO
	2100	80.3	HANO
	2400	79.1	J. BARO

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	79.1	J. BARO
	0600	79.0	HURTADO
	0900	79.8	HURTADO
	1200	79.1	HURTADO
	1500	79.6	E. RAMIREZ
	1800	80.2	E. RAMIREZ
	2100	80.0	E. RAMIREZ
	2400	79.2	RAMIREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 4R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	84.4	RAMIREZ
	0600	84.6	C. Hutchens
	0900	85.2	C Hutchens
	1200	85.5	C Hutchens
	1500	87.1	E. ROJAS
	1800	86.9	E. ROJAS
	2100	86.4	E. ROJAS
	2400	85.7	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	84.7	RAMIREZ
	0600	83.8	C Hutchens
	0900	84.2	C Hutchens
	1200	85.0	M. A Alvarez
	1500	85.3	E. ROJAS
	1800	85.8	E. ROJAS
	2100	85.7	J. MAYA
	2400	84.3	A. GARZA

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	83.4	A. GARZA
	0600	83.0	S.A. NIGHUS
	0900	83.9	S.A. NIGHUS
	1200	84.2	S.A. NIGHUS
	1500	85.2	E. ROJAS
	1800	85.5	E. ROJAS
	2100	85.4	E. ROJAS
	2400	84.5	A. GARZA

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	83.9	A. GARZA
	0600	81.9	M. ALVAREZ
	0900	82.0	M. ALVAREZ
	1200	84.2	M. ALVAREZ
	1500	84.3	E. ROJAS
	1800	85.2	E. ROJAS
	2100	84.8	E. ROJAS
	2400	83.4	A. GARZA

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	82.6	A. GARZA
	0600	81.8	M. ALVAREZ
	0900	83.0	M. ALVAREZ
	1200	84.1	Carranza
	1500	84.2	E. ROJAS
	1800	85.2	E. ROJAS
	2100	84.4	E. ROJAS
	2400	84.3	A. GARZA

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	82.3	A. GARZA
	0600	81.7	L. Guillen
	0900	82.1	Carranza
	1200	83.4	L. Guillen
	1500	84.4	J. Sagastume
	1800	85.00	J. Sagastume
	2100	84.4	J. Sagastume
	2400	83.4	J. BANDA

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	82.1	J. BANDA
	0600	82.1	Carranza
	0900	81.6	Carranza
	1200	82.7	Carranza
	1500	84.2	MAYA
	1800	84.4	MAYA
	2100	84	MAYA
	2400	83.5	RAMIREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan.

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: ASU Temp. Reading Location: Section A-1+ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	79	B. Rod
	0600	79	Rodriguez
	0900	79.5	Rodriguez
	1200	79.2	Rodriguez
	1500	79.2	Rodriguez
	1800	79.3	Rodriguez
	2100	79.5	Rodriguez
	2400	79.3	Utley

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	79°	Utley
	0600	78.	Hudson
	0900	[illegible]	Hudson
	1200	[illegible]	Hudson
	1500	78.3	Moua
	1800	78.3	Moua
	2100	78.4	Moua
	2400	77.5	Torres

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	77	Torrecillas
	0600	77	Hudson
	0900	77	Hudson
	1200	77	Hudson
	1500	77	Hudson
	1800	77	Hudson
	2100	77	Hudson
	2400	76.8	S. Dentay

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	76.6	S. Dentay
	0600	76.	Hudson
	0900	76.	Hudson
	1200	76	Hudson
	1500	76.7	S. Moua
	1800	77.0	S. Moua
	2100	77.1	S. Moua
	2400	77	Gonzalez

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	76.3	Gonzalez
	0600	76.5	Hudson
	0900	76.5	Hudson
	1200	76.5	Hudson
	1500	80.8	A. Cabrera
	1600	80.8	A. Cabrera
	2100	80.8	A. Cabrera
	2400	80.7	S. Alvarado

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	78.9	S. Alvarado
	0600	78	Torres
	0900	76	Torres
	1200	77	Torres
	1500	77.4	Cintora
	1800	77.4	Cintora
	2100	77.2	Cintora
	2400	79	B. Rod

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	79	B. Rod
	0600	77	I. Rodriguez
	0900	77.4	I. Rodriguez
	1200	77.3	I. Rodriguez
	1500	78	I. Rodriguez
	1800	78.0	I. Rodriguez
	2100	77	I. Rodriguez
	2400	77	B. Rod

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT J

INSIDE TEMPERATURE RECORD LOG
CSP-CORCORAN

WEEK OF 8/19/2024-8/25/2024

MONDAY DATE 8/19	TUESDAY DATE 8/20	WEDNESDAY DATE 8/21	THURSDAY DATE 8/22	FRIDAY DATE 8/23	SATURDAY DATE 8/24	SUNDAY DATE 8/25
1A01	1A01	1A01	1A01	1A01	1A01	1A01
1B01	1B01	1B01	1B01	1B01	1B01	1B01
1C01	1C01	1C01	1C01	1C01	1C01	1C01
1D01	1D01	1D01	1D01	1D01	1D01	1D01
1E01	1E01	1E01	1E01	1E01	1E01	1E01
3A01 C	3A01 C	3A01 C	3A01 C	3A01 C	3A01 C	3A01 C
3A02 C	3A02 C	3A02 C	3A02 C	3A02 C	3A02 C	3A02 C
3A03 C	3A03 C	3A03 C	3A03 C	3A03 C	3A03 C	3A03 C
3A04	3A04	3A04	3A04	3A04	3A04	3A04
3A05 C	3A05 C	3A05 C	3A05 C	3A05 C	3A05 C	3A05 C
3B01 C	3B01 C	3B01 C	3B01 C	3B01 C	3B01 C	3B01 C
3B02 C	3B02 C	3B02 C	3B02 C	3B02 C	3B02 C	3B02 C
3B03 C	3B03 C	3B03 C	3B03 C	3B03 C	3B03 C	3B03 C
3B04 C	3B04 C	3B04 C	3B04 C	3B04 C	3B04 I	3B04 C
3B05 C	3B05 C	3B05 C	3B05 C	3B05 C	3B05 C	3B05 C
3C01	3C01	3C01	3C01	3C01	3C01	3C01
3C02	3C02	3C02	3C02	3C02	3C02	3C02
3C03	3C03	3C03	3C03	3C03	3C03	3C03
3C04	3C04	3C04	3C04	3C04	3C04	3C04
3C05	3C05	3C05	3C05	3C05	3C05	3C05
4A1L C	4A1L C	4A1L C	4A1L C	4A1L C	4A1L C	4A1L C
4A1R C	4A1R C	4A1R C	4A1R C	4A1R C	4A1R C	4A1R I
4A2L	4A2L	4A2L	4A2L	4A2L	4A2L	4A2L
4A2R	4A2R	4A2R	4A2R	4A2R	4A2R	4A2R
4A3L C	4A3L C	4A3L C	4A3L C	4A3L C	4A3L C	4A3L C
4A3R	4A3R	4A3R	4A3R	4A3R	4A3R	4A3R
4A4L C	4A4L C	4A4L C	4A4L C	4A4L C	4A4L C	4A4L C
4A4R C	4A4R C	4A4R I	4A4R C	4A4R C	4A4R C	4A4R C
4B1L C	4B1L C	4B1L C	4B1L C	4B1L C	4B1L C	4B1L C
4B1R C	4B1R C	4B1R C	4B1R C	4B1R C	4B1R C	4B1R C
4B2L C	4B2L C	4B2L C	4B2L C	4B2L C	4B2L C	4B2L C
4B2R C	4B2R C	4B2R C	4B2R C	4B2R C	4B2R C	4B2R C
4B3L C	4B3L C	4B3L C	4B3L C	4B3L C	4B3L C	4B3L C
4B3R C	4B3R C	4B3R C	4B3R C	4B3R C	4B3R C	4B3R C
4B4L C	4B4L C	4B4L C	4B4L C	4B4L C	4B4L C	4B4L C
4B4R C	4B4R C	4B4R C	4B4R C	4B4R C	4B4R C	4B4R C
ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C

C (BLUE)=COMPLETE I (GREEN)=INCOMPLETE NC (BLACK)=NOT RECEIVED T (RED)=90 DEGREES

OP 208 Heat Plan
STATE OF CALIFORNIA

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the Heat Risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier where an inmate on the Heat Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A01 Temp. Reading Location: 2nd tier
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/19/24

Date	Time	Temp.	Name (Print)
	0300	71	K. MANCIA
	0600	73	R. RUIZ
	0900	75	R. RUIZ
	1200	77	R. RUIZ
	1500	78	R. DIAZ
	1800	79	R. DIAZ
	2100	78	R. DIAZ
	2400	76	D. Nora

Tuesday 6/20/24

Date	Time	Temp.	Name (Print)
	0300	73	D. Nora
	0600	73	K. MANC
	0900	74	K. MANC
	1200	76	K. MANC
	1500	79.2	Perez
	1800	79.5	Perez
	2100	78.4	Perez
	2400	76	Perez

Wednesday 6/21/24

Date	Time	Temp.	Name (Print)
	0300	74	D. Nora
	0600	74	S. Gutierrez
	0900	74	S. Gutierrez
	1200	76	S. Gutierrez
	1500	78.1	R. Perez
	1800	78.6	R. Perez
	2100	78.3	R. Perez
	2400	75.6	D Hicks

Thursday 6/22/24

Date	Time	Temp.	Name (Print)
	0300	74.8	D Hicks
	0600	73.4	D. LAO
	0900	74.2	D. LAO
	1200	76.1	D. LAO
	1500	77.4	R. Perez
	1800	77.5	R. Perez
	2100	76.9	R. Perez
	2400	76	D Hicks

Friday 6/23/24

Date	Time	Temp.	Name (Print)
	0300	74.4	D Hicks
	0600	72.8	R. Perez
	0900	72.9	Perez
	1200	73.5	Perez
	1500	74.1	Perez
	1800	75.4	Perez
	2100	73.4	Perez
	2400	72	D. Nora

Saturday 6/24/24

Date	Time	Temp.	Name (Print)
	0300	72	D. Nora
	0600	72.1	M. Cruz
	0900	73	M. Cruz
	1200	74.3	M. Cruz
	1500	74.2	S. Arpaia
	1800	74.3	S. Arpaia
	2100	74.1	S. Arpaia
	2400	73	D. Nora

Sunday 6/25/24

Date	Time	Temp.	Name (Print)
	0300	72	D. Nora
	0600	71	Mancia
	0900	73	[illegible]
	1200	74.7	[illegible]
	1500	75.2	R. DIAZ
	1800	75.4	R. DIAZ
	2100	73	R. DIAZ
	2400	72	D. Nora

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Revised 2021

OP 208 Heat Plan
STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the Heat Risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier where an inmate on the Heat Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A02 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Name (Print)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	75.2	D Hicks
	0600	74.3	M. Cruz
	0900	74.7	M. Cruz
	1200	76.3	M. Cruz
24	1500	77.7	S. Moua
	1800	79.3	S Moua
	2100	76.4	S. Moua
	2400	76.5	C. Oseguera

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	74.7	C. Oseguera
	0600	70.1	G Moua
	0900	69.1	G Moua
	1200	69.5	G Moua
24	1500	78	G Moua
	1800	78	J Jones
	2100	77	J Jones
	2400	76.1	C. Oseguera

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	75	C. Oseguera
	0600	74	S. Cortes
	0900	75	S. Cortes
	1200	77	S. Cortes
24	1500	77.5	Bryan
	1800	78	J Jones
	2100	77	J Jones
	2400	76	D. Erwin

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	75	D. Erwin
	0600	74	S. Cortes
	0900	74	S. Cortes
	1200	75	S. Cortes
24	1500	76	J Jones
	1800	77	J Jones
	2100	77	J Jones
	2400	75	[illegible]

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	74	[illegible]
	0600	73	S. Cortes
	0900	73	S. Cortes
	1200	74	S. Cortes
24	1500	74	J Jones
	1800	75	J Jones
	2100	74	J Jones
	2400	73	D. Erwin

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	71	D. Erwin
	0600	71	S. Cortes
	0900	72	S. Cortes
	1200	73	S. Cortes
24	1500	73	J Jones
	1800	74	J Jones
	2100	73	J Jones
	2400	72.9	D Hicks

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	72.6	D Hicks
	0600	71.4	M. Cruz
	0900	71.6	M. Cruz
	1200	73	M. Cruz
24	1500	73.9	S. Moua
	1800	74	S. Moua
	2100	74.1	S. Moua
	2400	73.8	D Hicks

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Revised 2021

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A03 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/2024	0300	71	A. GIL
	0600	72	S. NAVARRO
	0900	72	S. NAVARRO
	1200	73	S. NAVARRO
	1500	77(B) 81.3(C)	D. White
	1800	76(B) 82.0(C)	D. White
	2100	74(B), 79(C)	D. White
	2400	73(AB) 78(C)	G. Alcocer

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	72(AB) 76(C)	G. Alcocer
	0600	71(AB) 73(C)	M. Garin
	0900	72(AB) 75(C)	M. Garin
	1200	72(AB) 78(C)	M. Garin
	1500	74(AB) 80(C)	K. Zavala
	1800	72(AB) 79(C)	M. Liddle
	2100	72/78.6	M. Liddle
	2400	72/77	G. Alcocer

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	72/76	G. Alcocer
	0600	72/73	M. Garin
	0900	72/75	M. Garin
	1200	72/78	M. Garin
	1500	74/80	D. W
	1800	73/81	D. W
	2100	73/80	W
	2400	72/77	G. Alcocer

Thursday (AB) (C)

Date	Time	Temp.	Name (Print)
8/22/24	0300	72/75	G. Alcocer
	0600	72/73	M. Garin
	0900	72/75	M. Garin
	1200	72/78	M. Garin
	1500	72/80	A. DeLaTorre
	1800	72/80	A. DeLaTorre
	2100	72/77	A. DeLaTorre
	2400	72/75	G. Alcocer

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	72/73	G. Alcocer
	0600	71/72	M. Garin
	0900	71/73	M. Garin
	1200	71/75	M. Garin
	1500	71/77	B. Alvarado
	1800	71/77	B. Alvarado
	2100	71/73.6	B. Alvarado
	2400	72.5	A. Ellis

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	72.2	A. Ellis
	0600	70/71	J. Salazar
	0900	71/72	J. Salazar
	1200	72/74	J. Salazar
	1500	70/75.9	B. ALVARADO
	1800	70/76.3	B. ALVARADO
	2100	70/74.5	B. ALVARADO
	2400	72.7	A. Ellis

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	71.2	A. Ellis
	0600	69/70	J. Salazar
	0900	71/73	J. Salazar
	1200	72/74	J. Salazar
	1500	71/75	D. W
	1800	71/76	D. W
	2100	71/76	W
	2400	71	VIRK

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan
STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the Heat Risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier where an inmate on the Heat Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3A05 Temp. Reading Location: 2nd Tier
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	76	J. Guzman
	0600	74	E. Perez
	0900	75	G. Perez
	1200	76	G. Perez
	1500	78.8	B. Alvarado
	1800	79.2	B. Alvarado
	2100	78.8	B. Alvarado
	2400	74	G. Rivera

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	74°	G. Rivera
	0600	73	R. Gamboa
	0900	74	R. Gamboa
	1200	77	R. Gamboa
	1500	78.6	I. Macias
	1800	78.6	I. Macias
	2100	78.1	I. Macias
	2400	75	Arcazin

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	75	Arcazin
	0600	74	R. Gamboa
	0900	75	R. Gamboa
	1200	76	R. Gamboa
	1500	78	N. Melan
	1800	78	N. Melan
	2100	78	N. Melan
	2400	76	J. Guzman

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	75	J. Guzman
	0600	74	R. Gamboa
	0900	74	R. Gamboa
	1200	76	R. Gamboa
	1500	77	Aparicio
	1800	77	Aparicio
	2100	75	Aparicio
	2400	74	J. Guzman

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	74	J. Guzman
	0600	73	R. Gamboa
	0900	73	R. Gamboa
	1200	74	B. Hernandez
	1500	75	D. Silva
	1800	75	D. Silva
	2100	74	D. Silva
	2400	73°	H. Ruiz

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	71°	H. Ruiz
	0600	70	J. Cruz
	0900	71	J. Cruz
	1200	72	J. Cruz
	1500	74	A. [illegible]
	1800	75	A. [illegible]
	2100	74	A. [illegible]
	2400	72	J. Guzman

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	72	J. Guzman
	0600	70.5	S. Perez
	0900	71.2	S. Perez
	1200	78	S. Perez
	1500	75.9	B. Alvarado
	1800	75.9	B. Alvarado
	2100	74.9	B. Alvarado
	2400	74	J. Guzman

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Revised 2021

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B01 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.).

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	76°	G. RIVERA
	0600	70°	E. BECERRA
	0900	70°	E. BECERRA
	1200	71°	E. BECERRA
	1500	79°	H. ACUIRRE
	1800	79°	H. ACUIRRE
	2100	78°	H. ACUIRRE
	2400	77	PHILLIPS

Tuesday

Dat	Time	Temp.	Name (Print)
8-20-24	0300	73	PHILLIPS
	0600	74	D. LIMA
	0900	75	D. Lima
	1200	76	D. Lima
	1500	78°	H. ACUIRRE
	1800	78°	H. ACUIRRE
	2100	78°	H. ACUIRRE
	2400	77	R PHILLIPS

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	75	R. PHILLIPS
	0600	75	D. Lima
	0900	76	D. Lima
	1200	77	D. Lima
	1500	78°	H. ACUIRRE
	1800	78°	H. ACUIRRE
	2100	78°	H. ACUIRRE
	2400	77	R PHILLIPS

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	75	R PHILLIPS
	0600	75	D. LIMA
	0900	76	D. LIMA
	1200	77	D. LIMA
	1500	78°	H. ACUIRRE
	1800	77°	H. ACUIRRE
	2100	77°	H. ACUIRRE
	2400	77	R PHILLIPS

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	75	PHILLIPS
	0600	74	D. Lima
	0900	75	D. Lima
	1200	75	D. Lima
	1500	76°	O. Alva
	1800	76°	O. Alva
	2100	75°	O. Alva
	2400	76	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	76	[illegible]
	0600	73	E. Segura
	0900	73	E. Segura
	1200	73	E. Segura
	1500	75	S. MOLA
	1800	75	S. MOLA
	2100	75	S. MOLA
	2400	73	G. RIVERA

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	73°	G. RIVERA
	0600	73	E. Segura
	0900	73	E. Segura
	1200	74	E. Segura
	1500	75	A. CABRERA
	1800	75	A. CABRERA
	2100	74	A. CABRERA
	2400	75°	G. RIVERA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B02 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	79°	L. MAGDALENO
	0600	75°	H. Martinez
	0900	76	H. Martinez
	1200	78	H. Martinez
	1500	80	I. Gonzalez
	1800	80	I. Gonzalez
	2100	80	I. Gonzalez
	2400	79°	L. MAGDALENO

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	74	L. MAGDALENO
	0600	74	MARTINEZ
	0900	75	MARTINEZ
	1200	78	MARTINEZ
	1500	79	M. Serna
	1800	80	S. MONA
	2100	79	M. Serna
	2400	79°	L. MAGDALENO

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	75°	L. MAGDALENO
	0600	75	E. Segura
	0900	75	E. Segura
	1200	77	E. Segura
	1500	79°	J. Hernandez
	1800	80°	J. Hernandez
	2100	79°	J. Hernandez
	2400	78°	L. MAGDALENO

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	76°	L. MAGDALENO
	0600	74	W Urrano
	0900	76	W Urrano
	1200	77	W Urrano
	1500	79	J. CISNEROS
	1800	79	J. CISNEROS
	2100	79	J. CISNEROS
	2400	76	Palacs

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	74	Palacs
	0600	74	Martinez
	0900	74	Martinez
	1200	75	Martinez
	1500	76	E. [illegible]
	1800	77	E. [illegible]
	2100	76	E. [illegible]
	2400	75	Palacs

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	73	Palacs
	0600	73	H. Martinez
	0900	73	H. Martinez
	1200	74	H. Martinez
	1500	76	J. BARRAS
	1800	76	J. BARRAS
	2100	76	J. BARRAS
	2400	74	J. Isais

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	72	J. Isais
	0600	72	REEDER
	0900	73	REEDER
	1200	74	REEDER
	1500	76	M. Spann
	1800	76	M. Spann
	2100	76	M. Spann
	2400	75°	L. MAGDALENO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B03 Temp. Reading Location: CONTROL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	78°	J. Buen
	0600	76°	S Pena
	0900	76°	S Pena
	1200	77°	S Pena
	1500	76°	J. Conrad
	1800	76	J. Conrad
	2100	74	J. Conrad
	2400	78°	J. Buen

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	77°	J. Buen
	0600	76°	S Pena
	0900	76°	S Pena
	1200	77°	S Pena
	1500	79°	A. CABRERA
	1800	79°	A. CABRERA
	2100	79°	A. CABRERA
	2400	78°	J. Buen

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	77	J. Buen
	0600	76°	S Pena
	0900	76°	S Pena
	1200	78°	S Pena
	1500	79°	J. SANDOVAL
	1800	80°	J. SANDOVAL
	2100	79°	J. SANDOVAL
	2400	78°	J. Cullen

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	78°	J. Cullen
	0600	76	E. Segura
	0900	76	E. Segura
	1200	77	E. Segura
	1500	78.0	M. Collins
	1800	78.0	M. Tirado
	2100	77	M. Collins
	2400	78	J. Cullen

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	77	J. Cullen
	0600	75	M. Serna
	0900	75	M. Serna
	1200	76	M. Serna
	1500	77	F. AYON
	1800	77	F. AYON
	2100	75	F. AYON
	2400	75°	J. Buen

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	74°	J. Buen
	0600	74°	S Pena
	0900	75°	S Pena
	1200	76°	S Pena
	1500	77	A. Prewitt
	1800	76	A. Prewitt
	2100	76	A. Prewitt
	2400	75	J. Buen

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	74	J. Buen
	0600	73°	S Pena
	0900	74°	S Pena
	1200	75°	S Pena
	1500	70°	A. German
	1800	73°	A. German
	2100	70°	A. German
	2400	75°	J. Buen

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

State of California

Department of Corrections and Rehabilitation

Memorandum

Date : September 4, 2024

To : T.L. CAMPBELL
Warden
California State Prison - Corcoran

Subject: **WARDEN TIC #24-359 OP 208 UNIVERSAL HEAT TRIGGER**

This memorandum serves as Proof of Practice to inform you training has been completed on OP 208 Universal Heat Trigger (844 attached). Staff was informed logging of inside air temp shall be completed every three hours seven days a week.

If you have any questions, I may be reached at extension [redacted]

F.C. CHAPPEL
Facility 3B Captain
California State Prison - Corcoran

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE OPERATIONAL PROCEDURE 208 HEAT PLAN - 2024		**TIME** 1500	**DATE** AUGUUST 29, 2024
AUDIENCE CUSTODY STAFF	**INSTRUCTOR** MARCHESE, J. K.	**LENGTH (IN HOURS)** 0.5	**LOCATION** FACILITY 3B

BET ID (list all applicable)

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	RODRIGUEZ, A.	C/O	1400-2200 HOURS	1500	1530	N	N	
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE Sgt J Marchese

PERNR [redacted]

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CSP-COR Housing Unit 3B04 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/19/24

Date	Time	Temp.	Name (Print)
	0300	77	BARRIENTOS
	0600	77	J. Clark
	0900	77	J. Clark
	1200	81	J. Clark
	1500	82	S. McAlister
	1800	81	S. McAlister
	2100	81	S. McAlister
	2400	80	J. Tijerina

Tuesday 8-20-24

Date	Time	Temp.	Name (Print)
	0300	78	J. Tijerina
	0600	75	J. Clark
	0900	77	J. Clark
	1200	79	J. Clark
	1500	81	A. Rodriguez
	1800	82	A. Rodriguez
	2100	81	A. Rodriguez
	2400	79	J. Tijerina

Wednesday 8-21-24

Date	Time	Temp.	Name (Print)
	0300	78	J. Tijerina
	0600	77	K. Yang
	0900	76	K. Yang
	1200	79	K. Yang
	1500	82	A. Rodriguez
	1800	82	A. Rodriguez
	2100	82	A. Rodriguez
	2400	78	R. Fleco

Thursday 8-22-24

Date	Time	Temp.	Name (Print)
	0300	77	R. Fleco
	0600	77	J. Clark
	0900	77	J. Clark
	1200	79	J. Clark
	1500	79	D. Jimmerson
	1800	81	D. Jimmerson
	2100	81	D. Jimmerson
	2400	77	A. Ahuligal

Friday 8-23-24

Date	Time	Temp.	Name (Print)
	0300	77	A. Ahuligal
	0600	76	W. Urrano
	0900	77	W. Urrano
	1200	79	W. Urrano
	1500	78	Miranda
	1800	79	Miranda
	2100	77	Miranda
	2400	73	A. Rodriguez

Saturday 8-24-24

Date	Time	Temp.	Name (Print)
	0300		
	0600	73	W. Urrano
	0900	76	W. Urrano
	1200	77	W. Urrano
	1500	76	M. Bullock
	1800	76	M. Bullock
	2100	78	M. Bullock
	2400	77	Barrientos

Sunday

Date	Time	Temp.	Name (Print)
	0300	76	Barrientos
	0600	73	J. Clark
	0900	74	J. Clark
	1200	75	J. Clark
	1500	75	C. Tapia
	1800	76	C. Tapia
	2100	77	C. Tapia
	2400	78	Barrientos

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-Cor Housing Unit: 3B05 Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	75	P. Bryant
	0600	73	W Uranno
	0900	73	W Uranno
	1200	73	W Uranno
	1500	75	E. [illegible]
	1800	77	E. [illegible]
	2100	77	E. [illegible]
	2400	77	2 Cotanedo

Tuesday

Dat	Time	Temp.	Name (Print)
8/20/24	0300	73	2 Cotanedo
	0600	72	Barrego
	0900	73	Barrego
	1200	75	Barrego
	1500	75	Brotherson
	1800	77	Brotherson
	2100	77	Brotherson
	2400	77	2 Cotanedo

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	75	2 Cotanedo
	0600	75	Barrego
	0900	73	Barrego
	1200	75	Barrego
	1500	75	Brotherson
	1800	77	Brotherson
	2100	77	Brotherson
	2400	77	2 Cotanedo

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	73	2 Cotanedo
	0600	73	Barrego
	0900	73	Barrego
	1200	75	Barrego
	1500	77	Wise
	1800	77	Wise
	2100	77	Wise
	2400	77	2 Cotanedo

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	75	2 Cotanedo
	0600	73	Barrego
	0900	73	Barrego
	1200	73	Barrego
	1500	75	Brotherson
	1800	75	Brotherson
	2100	75	Brotherson
	2400	75	2 Cotanedo

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	73	2 Cotanedo
	0600	72	J. Zamora
	0900	72	J. Zamora
	1200	73	J. Zamora
	1500	75	Brotherson
	1800	75	Brotherson
	2100	73	Brotherson
	2400	75	J. Jimenez

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	75	J. Jimenez
	0600	72	W Uranno
	0900	73	W Uranno
	1200	73	W Uranno
	1500	73	E. [illegible]
	1800	73	E. [illegible]
	2100	73	E. [illegible]
	2400	73	P. Bryant

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 4HL Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 **when the Inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	80	D. Samadian
	0600	80	SALINAS
	0900	80	SALINAS
	1200	80	SALINAS
	1500	81	S Mecum
	1800	81	S Mecum
	2100	81	S Mecum
	2400	80	D. Samadian

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	80	D Samadian
	0600	80	SALINAS
	0900	80	SALINAS
	1200	80	SALINAS
	1500	81	McCLM
	1800	81	M. FRANCO
	2100	81	M. FRANCO
	2400	80	D. Samadian

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	80	Samadian
	0600	80	D GOMOLES
	0900	80	SALINAS
	1200	80	SALINAS
	1500	80	McCLM
	1800	80	McCLM
	2100	80	McCLM
	2400	80	Perez

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	80	Perez
	0600	80	SALINAS
	0900	80	SALINAS
	1200	80	SALINAS
	1500	80	McCLM
	1800	80	McCLM
	2100	80	McCLM
	2400	80	Perez

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	80	Perez
	0600	79	SALINAS
	0900	79	SALINAS
	1200	79	SALINAS
	1500	79	McCLM
	1800	79	McCLM
	2100	79	McCLM
	2400	78	J Cuiller

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	77	J. Cuiller
	0600	78	RODRIGUEZ
	0900	78	RODRIGUEZ
	1200	78	RODRIGUEZ
	1500	78	JUAREZ
	1800	78	JUAREZ
	2100	79	JUAREZ
	2400	79	J. Cuiller

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	79	J Cuiller
	0600	77	R. Berrones
	0900	77	R. Berrones
	1200	79	R. Berrones
	1500	79	Ontiveros
	1800	78	Ontiveros
	2100	78	Ontiveros
	2400	78	Samadian

Notes

8-19-24 UHT @ 1129 HOURS
80° ~~UHT~~ @ 1300 HOURS
8-20-24 UHT @ 1047 HOURS
-1300 TEMP 80°
8-21-24 UHT @ 1148 HOURS
-1300 TEMP. 80°
8-22-24 UHT @ 1110 HOURS
-1300 TEMP 80°

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A1R Temp. Reading Location: DAY ROOM (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	80.4	L CULLEN
	0600	80.2	R LEWIS
	0900	80.2	R LEWIS
	1200	80.6	R LEWIS
	1500	81.0	I. Macias
	1800	81.5	I Macias
	2100	81.5	I Macias
	2400	80.7	B. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	79.9	B. GARCIA
	0600	79.9	J. Phillips
	0900	80.0	J. Phillips
	1200	80.4	J. Phillips
	1500	80.6	A. Leos
	1800	81.0	A. Leos
	2100	80.4	D PEREZ
	2400	80.4	D PEREZ

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	80.4	D. PEREZ
	0600	79.9	OGUNYINKA
	0900	79.9	OGUNYINKA
	1200	79.9	OGUNYINKA
	1500	80.4	C Robles
	1800	80.8	C Robles
	2100	81.3	C Robles
	2400	80.6	MIRAMONTES

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	79.9	MIRAMONTES
	0600	79.7	Clemons
	0900	79.7	L. Adame
	1200	80.2	L. Adame
	1500	80.2	F. AYON
	1800	80.4	F. AYON
	2100	80.4	F. AYON
	2400	80.2	MIRAMONTES

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	79.7	MIRAMONTES
	0600	79.	RODRIGUEZ
	0900	79.	RODRIGUEZ
	1200	79.	RODRIGUEZ
	1500	79.9	Y. Pelayo
	1800	80.2	Y. Pelayo
	2100	79.8	Y. Pelayo
	2400	78.8	A. GIL

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	78.4	A. GIL
	0600	78.1	A. Salinas
	0900	79.1	A. Salinas
	1200	78.4	A. Salinas
	1500	78.4	J. Smith
	1800	78.1	A Flores
	2100	78.6	A Flores
	2400	78.5	Vigil

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	78.1	Vigil
	0600	78	Zapien
	0900	78	Zapien
	1200	78.1	Zapien
	1500	78.1	I Macias
	1800	78.3	I Macias
	2100		
	2400	78.1	Cullen

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Memorandum

Date: August 27, 2024

To: P. WILLIAMS
Litigations
California State Prison - Corcoran

Subject: **FACILITY 4A- HEAT PLAN MONITORING**

The purpose of this memorandum is to serve as Proof of Practice documenting that training was conducted for Facility 4A staff for the month of August 2024. The following courses covered were:

8/26/2024

- Operational Procedures (OP 208-Heat Plan)
  - Heat plan monitoring

If you have any questions regarding this memorandum, please contact me at extension [redacted]

D. ESPINOZA,
Facility 4A Captain
California State Prison – Corcoran

STATE OF CALIFORNIA – DEPARTMENT OF CORRECTIONS AND REHABILITATION

GAVIN NEWSOM, GOVERNOR

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P. O. Box 8800
Corcoran, California 93212

August 26, 2024

RE: HEAT PLAN MONITORING

Upon further review of the included CDCR-2031 inside Temperature Records, from buildings 4A1R and 4A4R, the following issues were observed:

- August 25, 2024, at 2100hrs, the name of the staff member and temperature observed were not logged in accordance with OP-208, Heat Plan.
- August 21, 2024, at 1200hrs, the temperature observed was not logged in accordance with OP-208, Heat Plan.

Please provide training and proof of practice memo no later than August 29, 2024. I have highlighted the specific area to expedite the process.

If you have any questions or concerns you may contact me at extension [redacted]

R. Laber
Litigations Assistant
California State Prison-Corcoran

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE OP 208 (HEAT PLAN)		TIME 1330	DATE 8/26/24
AUDIENCE CUSTODY	INSTRUCTOR CANDIA	LENGTH (IN HOURS) .50	LOCATION 4A PROGRAM

BET ID (list all applicable)

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	A. IBARRA	C/O	0600-1400	1330	1400	N	N	
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR [redacted]

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TITLE OP 208 (HEAT PLAN)		**TIME** 1400-1430	**DATE** 08.26.24
AUDIENCE Custody	**INSTRUCTOR** Sgt. P. Ramos	**LENGTH (IN HOURS)** 0.5	**LOCATION** 4A1R

BET ID (list all applicable)

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS IN	CLASS OUT	MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
1	[redacted]	Macias I	8/0	1400-2200	1400	1430	N	N	Macias
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE P. Ramos

PERNR [redacted]

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 4A3L Temp. Reading Location: Control booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	80	A. Ellis
	0600	79	Rodriguez
	0900	80	Rodriguez
	1200	79	Rodriguez
	1500	80	L. Xiong
	1800	81	L. Xiong
	2100	80	L. Xiong
	2400	80.4	A. Ellis

Tuesday

Dat	Time	Temp.	Name (Print)
8-20-24	0300	80.2	A. Ellis
	0600	79	Rodriguez
	0900	79	Rodriguez
	1200	79	Rodriguez
	1500	80.1	J. Poole
	1800	80.2	J. Poole
	2100	80.1	J. Poole
	2400	80	J. Gallegos

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	80	J. Walker
	0600	79	Hurtado
	0900	78	Hurtado
	1200	78	Hurtado
	1500	79	DeHernandez
	1800	79	DeHernandez
	2100	79	Delgado
	2400	79	J. Walker

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	79	J. Walker
	0600	78	Hurtado
	0900	78	Hurtado
	1200	78	Hurtado
	1500	78	DeHernandez
	1800	79	Delgado
	2100	79	Delgado
	2400	78	Arrazola

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	78	Arrazola
	0600	77	Hurtado
	0900	77	Hurtado
	1200	78	Hurtado
	1500	77.9	V. Morales
	1800	78.1	V. Morales
	2100	77.9	V. Morales
	2400	76.9	T. Xiang

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	76.9	T. Xiang
	0600	76.8	Juarez
	0900	76.5	Juarez
	1200	76.6	Juarez
	1500	77.1	V. Morales
	1800	77.4	V. Morales
	2100	77.4	V. Morales
	2400	76.9	T. Xiang

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	76.8	T. Xiang
	0600	76.5	Juarez
	0900	76.3	Juarez
	1200	77	Juarez
	1500	77	Delgado
	1800	76.9	Delgado
	2100	77	Ellis
	2400	76	A. Ellis

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4L Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 08/19/24

Date	Time	Temp.	Name (Print)
8/19/24	0300	84.7	A. AHUILAR
	0600	84.2	G. RODRIGUEZ
	0900	84.0	G. RODRIGUEZ
	1200	84.2	G. RODRIGUEZ
	1500	84.6	A. Ochoa
	1800	84.7	A. ochoa
	2100	84.7	A. ochoa
	2400	84.9	A. AHUILAR

Tuesday 08/20/24

Date	Time	Temp.	Name (Print)
8/20/24	0300	84.7	A. AHUILAR
	0600	84.2	C. Oseguera
	0900	84	C. Oseguera
	1200	84	C. Oseguera
	1500	84.2	E. Gonzales
	1800	84.7	E. Gonzales
	2100	84.9	E. Gonzales
	2400	84	J Martinez

Wednesday 8-21-24

Date	Time	Temp.	Name (Print)
8/21/24	0300	84	J martinez
	0600	84	C. Oseguera
	0900	83.8	C. Oseguera
	1200	84	C. Oseguera
	1500	84	Kull
	1800	84	Kull
	2100	84	Kull
	2400	84	J martinez

Thursday 8-22-24

Date	Time	Temp.	Name (Print)
8/22/24	0300	84	J martinez
	0600	84.2	C. Oseguera
	0900	84	C. Oseguera
	1200	84	C. Oseguera
	1500	84	Kull
	1800	84	Kull
	2100	84	Kull
	2400	84	J martinez

Friday 8-23-24

Date	Time	Temp.	Name (Print)
8/23/24	0300	84	J martinez
	0600	83	D. Ennin
	0900	83	D. Ennin
	1200	84	D. Ennin
	1500	83	Kull
	1800	83	Kull
	2100	83	Kull
	2400	83	J martinez

Saturday 8-24-24

Date	Time	Temp.	Name (Print)
	0300	82	J martinez
	0600	82.6	D. Ennin
	0900	82.4	D. Ennin
	1200	82.4	D. Ennin
	1500	82	Kull
	1800	82	Kull
	2100	82	Kull
	2400	82	J martinez

Sunday 8-25-24

Date	Time	Temp.	Name (Print)
	0300	82	J Martinez
	0600	81.9	G. Rodriguez
	0900	81.7	G. Rodriguez
	1200	81.9	G. Rodriguez
	1500	81.9	A. ochoa
	1800	81.9	A. ochoa
	2100	82.0	A. Ochoa
	2400	82.	A. AHUILAR

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4R Temp. Reading Location: CONTROL BOOTH (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/19/24

Date	Time	Temp.	Name (Print)
8/19/24	0300	83	L. XIONG
	0600	82	J. Gallegos
	0900	82	J. Gallegos
	1200	83	J. Gallegos
	1500	83.7	E. Chaivers
	1800	84.7	Chaivers
	2100	84.4	Chaivers
	2400	84	L. XIONG

Tuesday 8/20/24

Date	Time	Temp.	Name (Print)
8/20/24	0300	84	L. XIONG
	0600	82	A. IBARRA
	0900	82	A. IBARRA
	1200	82	A. IBARRA
	1500	84	RODRIGUEZ
	1800	84	RODRIGUEZ
	2100	84	RODRIGUEZ
	2400	83	R. FIELD

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	82	R. FIELD
	0600	82	A. IBARRA
	0900	82	A. IBARRA
	1200		A. IBARRA
	1500	82	SOTO
	1800	82	SOTO
	2100	82	SOTO
	2400	84	DRHEMLER

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	84	DRHEMLER
	0600	82	A. IBARRA
	0900	82	A. IBARRA
	1200	82	A. IBARRA
	1500	82	SOTO
	1800	82	SOTO
	2100	82	SOTO
	2400	84	A. IBARRA

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	82	A. IBARRA
	0600	81	A. IBARRA
	0900	81	A. IBARRA
	1200	81	A. IBARRA
	1500	81	R. SOTO
	1800	81	R. SOTO
	2100	81	R. SOTO
	2400	81	R. SOTO

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	81	SOTO
	0600	79.6	ARMIEVA
	0900	79.6	ARMIEVA
	1200	80	ARMIEVA
	1500	81	SOTO
	1800	81	SOTO
	2100	81	SOTO
	2400	80	SOTO

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	80	SOTO
	0600	78.9	ARMIEVA
	0900	79.2	ARMIEVA
	1200	79.4	ARMIEVA
	1500	80	SOTO
	1800	80	SOTO
	2100	80	SOTO
	2400	79	L. XIONG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-1L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	79.4	A. GARCIA
	0600	78.2	S. Martinez
	0900	78.8	S. Martinez
	1200	79.7	S. Martinez
	1500	81.6	Gonzalez
	1800	81.5	Gonzalez
	2100	81.2	Gonzalez
	2400	79.7	A. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	79.1	A. Garcia
	0600	78.3	Torrecillas
	0900	78.5	Torrecillas
	1200	79.3	Torrecillas
	1500	80.3	J. Bennett
	1800	80.8	J. Bennett
	2100	79.9	J. Bennett
	2400	79.1	A. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	78.2	A. Garcia
	0600	77.1	J. Hernandez
	0900	77.6	J. Hernandez
	1200	79.2	J. Hernandez
	1500	80.4	S. Ramos
	1800	80.7	S. Ramos
	2100	80.0	S. Ramos
	2400	79	A. GARCIA

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	78.8	A. GARCIA
	0600	77.6	J. Hernandez
	0900	77.8	J. Hernandez
	1200	79.1	J. Hernandez
	1500	80.1	S. Ramos
	1800	80.2	S. Ramos
	2100	79.1	S. Ramos
	2400	78.2	A. GARCIA

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	77.8	A. GARCIA
	0600	76.5	J. Hernandez
	0900	76.6	J. Hernandez
	1200	77.6	J. Hernandez
	1500	78.5	J. Hernandez
	1800	78.7	J. Hernandez
	2100	77.7	J. Hernandez
	2400	75.4	O. Martinez

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	75.3	O. Martinez
	0600	75.1	A. FLORES
	0900	75.6	A. FLORES
	1200	76.3	A. FLORES
	1500	76.9	Gonzalez
	1800	77.0	S. Ramos
	2100	76.5	S. Ramos
	2400	75.9	RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	75.2	RAMIREZ
	0600	74.2	Gonzalez
	0900	74.8	Gonzalez
	1200	75.9	Gonzalez
	1500	76.6	Berrones
	1800	76.7	Berrones
	2100	76.3	Berrones
	2400	72.3	A. GARCIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-1R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	78.1	A. GARCIA
	0600	76.5	J. Wilson
	0900	76.5	J. Wilson
	1200	78.1	J. Wilson
	1500	80.1	D. Rodriguez
	1800	81.0	D. Rodriguez
	2100	79.2	D. Rodriguez
	2400	78.2	A. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	72.3	A. GARCIA
	0600	75.6	J. Wilson
	0900	75.6	J. Wilson
	1200	79.8	J. Wilson
	1500	80.5	A. Rentería
	1800	81.1	A. Rentería
	2100	79.1	A. Rentería
	2400	77.9	A. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	76.8	A. GARCIA
	0600	75.4	D. Ramirez
	0900	75.5	K. Rodriguez
	1200	78.2	K. Rodriguez
	1500	80.0	J. Centeno
	1800	81.2	J. CENTENO
	2100	79.1	J. Centeno
	2400	77.5	A. GARCIA

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	76.7	A. GARCIA
	0600	75.1	D. Ramirez
	0900	75.6	D. Ramirez
	1200	77.6	D. Ramirez
	1500	79.2	D. Ramirez
	1800	79.1	D. Ramirez
	2100	78.1	D. Ramirez
	2400	75.9	A. GARCIA

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	75.9	A. GARCIA
	0600	74.1	K. SINGH
	0900	74.1	K. SINGH
	1200	74.9	J. Bennett
	1500	75.9	[illegible]
	1800	74.9	[illegible]
	2100	74.7	[illegible]
	2400	74.2	O. Martinez

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	73.7	O. Martinez
	0600	72.8	K. SINGH
	0900	73.0	K. SINGH
	1200	74.9	K. SINGH
	1500	75.9	J. Pullen
	1800	75.4	J. Hernandez
	2100	75.1	J. Hernandez
	2400	74.8	M. RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	73.5	RAMIREZ
	0600	72.6	J. Bennett
	0900	72.6	D. Ramirez
	1200	73.9	D. Ramirez
	1500	76.0	J. Hernandez
	1800	75.6	J. Hernandez
	2100	75.1	J. Hernandez
	2400	72.4	A. GARCIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 2L Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	80.5	C. YANG
	0600	80.2	C. Navarro
	0900	80.2	C. Navarro
	1200	80.3	C. Navarro
	1500	80.6	C. Navarro
	1800	80.9	C. Navarro
	2100	80.7	C. Navarro
	2400	80.4	E Ruiz

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	80.0	E. Ruiz
	0600	79.5	C. Navarro
	0900	79.5	C. Navarro
	1200	79.6	C. Navarro
	1500	80.0	S. ABASTA
	1800	80.2	S. ABASTA
	2100	80.3	S. ABASTA
	2400	79.9	E Ruiz

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	79.6	E. Ruiz
	0600	79.5	C. ALCANTAR
	0900	79.4	C. ALCANTAR
	1200	79.5	C. ALCANTAR
	1500	79.6	S. ABASTA
	1800	80.0	S. ABASTA
	2100	80.2	S. ABASTA
	2400	79.5	E. Ruiz

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	79.5	E. Ruiz
	0600	79.5	C. ALCANTAR
	0900	79.3	C. ALCANTAR
	1200	79.3	A. CAMPOS
	1500	79.4	R. HERNANDEZ
	1800	79.7	R. HERNANDEZ
	2100	79.6	R HERNANDEZ
	2400	79.5	E. Ruiz

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	79.3	E. Ruiz
	0600	78.9	C. Navarro
	0900	78.5	C. Navarro
	1200	78.7	C. Navarro
	1500	79.0	R. HERNANDEZ
	1800	79.2	R HERNANDEZ
	2100	78.7	R HERNANDEZ
	2400	78.4	E. Ruiz

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	78.0	E Ruiz
	0600	77.5	C. ALCANTAR
	0900	77.4	R. HERNANDEZ
	1200	77.6	W. HANG
	1500	77.3	R HERNANDEZ
	1800	78.3	R HERNANDEZ
	2100	78.1	R HERNANDEZ
	2400	77.5	C. YANG

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	77.3	C. YANG
	0600	77.0	C. Navarro
	0900	77.0	C. Navarro
	1200	77.1	C. Navarro
	1500	77.4	R. HERNANDEZ
	1800	77.9	R HERNANDEZ
	2100	77.4	R HERNANDEZ
	2400	77.5	C. Yang

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- ZR Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	77.1	L. YANG
	0600	76.3	J. Clingerman
	0900	76.2	J. Clingerman
	1200	76.9	J. Clingerman
	1500	77.4	S. GONZALEZ
	1800	78.3	S. GONZALEZ
	2100	78.1	S. KANG
	2400	77.5	E. RUIZ

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	77.0	E. Ruiz
	0600	76.2	J. Clingerman
	0900	76.3	J. Clingerman
	1200	76.4	J. Clingerman
	1500	77.2	O. Martinez
	1800	77.6	O. Martinez
	2100	77.9	O. Martinez
	2400	77.1	E. Ruiz

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	76.7	E. Ruiz
	0600	76.1	Clingerman
	0900	76.0	Clingerman
	1200	76.1	Clingerman
	1500	76.9	M. Camarena
	1800	77.1	O. Martinez
	2100	77.4	O. Martinez
	2400	76.9	E. Ruiz

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	76.4	E. Ruiz
	0600	76.1	J. Clingerman
	0900	75.9	J. Clingerman
	1200	76.1	J. Clingerman
	1500	76.8	O. Martinez
	1800	76.9	O. Martinez
	2100	77.1	O. Martinez
	2400	76.5	E. Ruiz

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	76.1	E. Ruiz
	0600	75.1	S. Ponce
	0900	74.7	S. Ponce
	1200	74.9	S. Ponce
	1500	76.1	O. Martinez
	1800	75.9	O. Martinez
	2100	75.0	O. Martinez
	2400	74.9	E. Ruiz

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	74.1	E. Ruiz
	0600	73.6	S. Ponce
	0900	73.2	A. Miranda
	1200	73.8	A. Miranda
	1500	74.6	M. Camarena
	1800	74.9	M. Camarena
	2100	74.9	M. Camarena
	2400	74.1	L. YANG

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	73.5	L. YANG
	0600	73.0	S. Ponce
	0900	72.8	S. Ponce
	1200	73.6	S. Ponce
	1500	74.0	S. GONZALEZ
	1800	74.9	S. GONZALEZ
	2100	75.0	S. GONZALEZ
	2400	75.0	Yang

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-3L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	81.4	O.CONTRERAS
	0600	80.8	MARSHALL
	0900	80.8	Contreras
	1200	81.2	MARSHALL
	1500	82.2	D WANDELL
	1800	82.0	D WANDELL
	2100	81.9	D. WANDELL
	2400	81	O.Contreras

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	80	O.Contreras
	0600	80.6	Contreras
	0900	80.8	Contreras
	1200	81.1	Contreras
	1500	81.4	S GONZALEZ
	1800	81.9	D.WANDELL
	2100	81.7	S GONZALEZ
	2400	81.4	O.CONTRERAS

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	81.0	O.CONTRERAS
	0600	80.8	RAMIREZ, J
	0900	80.9	RAMIREZ, J
	1200	81.3	RAMIREZ, J
	1500	82.8	WANDELL, D
	1800	83.7	S GONZALEZ
	2100	83.5	S GONZALEZ
	2400	83.1	O.CONTRERAS

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	82.6	O.CONTRERAS
	0600	81.8	D.WANDELL
	0900	82.6	D WANDELL
	1200	82.8	D. WANDELL
	1500	82.3	RAMIREZ, J
	1800	82.8	D WANDELL
	2100	82.4	D WANDELL
	2400	82.0	RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	81.6	RAMIREZ
	0600	80.8	MARSHALL
	0900	80.8	MARSHALL
	1200	80.0	MARSHALL
	1500	81.2	E.DIMAANO
	1800	81.4	E.DIMAANO
	2100	81.2	E.DIMAANO
	2400	80.5	RAMIREZ

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	79.8	RAMIREZ
	0600	79.8	E.DIMAANO
	0900	79.6	E.DIMAANO
	1200	80.2	E.DIMAANO
	1500	80.7	E.DIMAANO
	1800	80.8	J Ritz
	2100	80.8	J.Ritz
	2400	80.2	R.Aguilar

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	79.8	R.Aguilar
	0600	79.4	L Guiller
	0900	79	L Guiller
	1200	79.6	L Guiller
	1500	80.1	D.WANDELL
	1800	80.6	D.WANDELL
	2100	80.6	D WANDELL
	2400	79.8	O.Contreras

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-3R Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	82.2	O. Contreras
	0600	81.6	G. Alvarez
	0900	81.7	G. Alvarez
	1200	81.9	G. Alvarez
	1500	82.4	K. Rodriguez
	1800	82.7	K. Rodriguez
	2100	82.6	K. Rodriguez
	2400	82.5	O. Contreras

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	81.9	O. Contreras
	0600	81.3	J. Renteria
	0900	81.3	J. Renteria
	1200	81.6	J. Renteria
	1500	82.1	H. Vann
	1800	82.4	H. Vann
	2100	82.3	H. Vann
	2400	82.2	O. Contreras

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	81.8	O. Contreras
	0600	81.4	J. Renteria
	0900	81.9	J. Renteria
	1200	82.5	J. Renteria
	1500	83.6	K. Rodriguez
	1800	84.1	K. Rodriguez
	2100	84.3	K. Rodriguez
	2400	84.1	O. Contreras

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	83.5	O. Contreras
	0600	82.9	M. Collins
	0900	83.0	M. Collins
	1200	83.9	M. Collins
	1500	83.9	J. Abbott
	1800	83.4	J. Abbott
	2100	83.5	J. Abbott
	2400	83.1	Ramirez

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	82.5	Ramirez
	0600	81.9	E. Acosta
	0900	81.7	E. Acosta
	1200	82.0	E. Acosta
	1500	83.0	E. Valdovinos
	1800	82	E. Valdovinos
	2100	81	E. Valdovinos
	2400	81.3	Ramirez

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	81.1	Ramirez
	0600	80.9	Ramirez
	0900	80.8	Gonzalez
	1200	80.7	Gonzalez
	1500	80.4	Chacon
	1800	80.1	Chacon
	2100	80.	Chacon
	2400	80.2	K. Aguilar

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	80.6	K. Aguilar
	0600	80.3	G. Alvarez
	0900	80.6	G. Alvarez
	1200	80.5	G. Alvarez
	1500	80.8	J. Rita
	1800	81.0	J. Rita
	2100	80.8	J. Rita
	2400	80.6	O. Contreras

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 4L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	79.8	RAMIREZ
	0600	78.4	ESPARZA
	0900	78.5	J. ESPARZA
	1200	78.8	J. ESPARZA
	1500	80.1	E. RAMIREZ
	1800	80.7	E. RAMIREZ
	2100	79.9	E. RAMIREZ
	2400	79.5	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	79.0	RAMIREZ
	0600	78.4	J. Rojas
	0900	78.8	J. Rojas
	1200	78.8	J. Rojas
	1500	79.3	HANO
	1800	80.0	HANO
	2100	79.6	HANO
	2400	79.5	GARZA

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	79.0	A. GARZA
	0600	78.0	J. CASTRO
	0900	78.0	J. CASTRO
	1200	78.8	J. CASTRO
	1500	79.7	HANO
	1800	79.9	HANO
	2100	79.5	HANO
	2400	79.2	GARZA

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	79.0	A. GARZA
	0600	78.7	HURTADO
	0900	78.0	HURTADO
	1200	78.8	HURTADO
	1500	79.0	R. MEDINA
	1800	79.6	R. MEDINA
	2100	79.5	R. MEDINA
	2400	79.0	A. GARZA

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	78.2	A. GARZA
	0600	77.9	HURTADO
	0900	76.9	HURTADO
	1200	77.8	HURTADO
	1500	78.1	R. MEDINA
	1800	78.5	R. MEDINA
	2100	77.9	R. MEDINA
	2400	75.4	M. ANAYA

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	76.8	M. ANAYA
	0600	76.3	HURTADO
	0900	76.2	J. CASTRO
	1200	76.9	J. CASTRO
	1500	77.8	HURTADO
	1800	78.0	HURTADO
	2100	77.4	HURTADO
	2400	76.9	J. BANO

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	76.6	J. BANO
	0600	75.9	HURTADO
	0900	76.0	HURTADO
	1200	76.4	HURTADO
	1500	77.4	P. Kenney
	1800	77.8	P. Kenney
	2100	77.8	P. Kenney
	2400	77.0	RAMIREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B- 4R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	81.7	RAMIREZ
	0600	81.4	M. ALVAREZ
	0900	81.2	M. ALVAREZ
	1200	82.0	J. GARCIA
	1500	84.2	J. MIVEA
	1800	84.1	J. MIVEA
	2100	84.1	J. MIVEA
	2400	82.5	J. GUZMAN

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	81.5	J. GUZMAN
	0600	80.9	M. ALVAREZ
	0900	81.2	M. ALVAREZ
	1200	82.0	M. ALVAREZ
	1500	83.2	E. ROJAS
	1800	84.2	E. ROJAS
	2100	83.4	E. ROJAS
	2400	83.9	E. ROJAS

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	81.7	K. THEO
	0600	80.8	M. ALVAREZ
	0900	81.1	M. ALVAREZ
	1200	82.1	M. ALVAREZ
	1500	83.2	E. ROJAS
	1800	84.1	E. ROJAS
	2100	83.4	E. ROJAS
	2400	82.5	A. GARZA

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	81.0	A. GARZA
	0600	80.8	M. ALVAREZ
	0900	80.8	M. ALVAREZ
	1200	81.7	M. ALVAREZ
	1500	82.8	E. ROJAS
	1800	83.3	E. ROJAS
	2100	82.8	E. ROJAS
	2400	80.6	GARZA

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	80.9	GARZA
	0600	80.1	M. ALVAREZ
	0900	80.2	M. ALVAREZ
	1200	80.5	M. ALVAREZ
	1500	81.0	C. ALCANTAR
	1800	81.3	C. ALCANTAR
	2100	80.5	C. ALCANTAR
	2400	79.4	M. ANAYA

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	79.4	M. ANAYA
	0600	79.4	L. Guillen
	0900	79.2	L. Guillen
	1200	79.2	L. Guillen
	1500	80.5	J. Sagastume
	1800	80.5	J. Sagastume
	2100	80.4	J. Sagastume
	2400	79.4	J. BARO

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	79.2	J. BARO
	0600	79.1	J. ESPARZA
	0900	78.8	J. ESPARZA
	1200	79.3	J. ESPARZA
	1500	80.4	J. MIVEA
	1800	80.1	J. MIVEA
	2100	80.1	J. MIVEA
	2400	79.6	K. MANDA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan.

Attachment D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-Co R Housing Unit: ASU Temp. Reading Location: Section A-H (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	76	B. Rodr
	0600	76	I. Rodriguez
	0900	76.1	I. Rodriguez
	1200	76.6	I. Rodriguez
	1500	77.1	I. Rodriguez
	1800	77.5	I. Rodriguez
	2100	77.5	I. Rodriguez
	2400	77	B. Rodr

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	76	B. Rodr
	0600	76	Hudson
	0900	76.	Hudson
	1200	76.	Hudson
	1500	77.3	Rodriguez
	1800	77.3	Rodriguez
	2100	77.0	P. Cuevas
	2400	77	B. Rodr

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	77	B. Rodr
	0600	76.7	Hudson
	0900	79.5	Hudson
	1200	79.5	Hudson
	1500	80.1	Hudson
	1800	80.1	Hudson
	2100	79.7	Hudson
	2400	79	B. Rodr

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	79	B. Rodr
	0600	76.1	Hudson
	0900	76.1	Hudson
	1200	76.1	Hudson
	1500	77	Mar
	1800	77.3	Mar
	2100	77.5	Mar
	2400	76.3	Gonzalez

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	76.3	Gonzalez
	0600	76.5	Hudson
	0900	76.5	Hudson
	1200	76.1	Hudson
	1500	79.8	A. CABRERA
	1800	79.8	A. CABRERA
	2100	79.7	A. CABRERA
	2400	76.7	S. ALVARADO

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	76.5	ALVARADO
	0600	76	Torres
	0900	76	TORRES
	1200	76	TORRES
	1500	76	TORRES
	1800	76	TORRES
	2100	76	TORRES
	2400	76	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	[illegible]	[illegible]
	0600	76	TORRES
	0900	76	TORRES
	1200	76	TORRES
	1500	76.	Rodriguez
	1800	77.	Rodriguez
	2100	77	Rodriguez
	2400	76	Canto

Notes:

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT J

INSIDE TEMPERATURE RECORD LOG
CSP-CORCORAN

WEEK OF 8/26/24-8/31/24

MONDAY DATE 8/26	TUESDAY DATE 8/27	WEDNESDAY DATE 8/28	THURSDAY DATE 8/29	FRIDAY DATE 8/30	SATURDAY DATE 8/31	SUNDAY DATE
1A01	1A01	1A01	1A01	1A01	1A01	1A01
1B01	1B01	1B01	1B01	1B01	1B01	1B01
1C01	1C01	1C01	1C01	1C01	1C01	1C01
1D01	1D01	1D01	1D01	1D01	1D01	1D01
1E01	1E01	1E01	1E01	1E01	1E01	1E01
3A01 C	3A01 C	3A01 C	3A01 C	3A01 C	3A01 C	3A01
3A02 C	3A02 C	3A02 C	3A02 C	3A02 C	3A02 C	3A02
3A03 C	3A03 C	3A03 C	3A03 C	3A03 C	3A03 C	3A03
3A04	3A04	3A04	3A04	3A04	3A04	3A04
3A05 C	3A05 C	3A05 C	3A05 C	3A05 C	3A05 C	3A05
3B01 C	3B01 C	3B01 C	3B01 C	3B01 C	3B01 C	3B01
3B02 C	3B02 C	3B02 C	3B02 C	3B02 C	3B02 C	3B02
3B03 C	3B03 C	3B03 C	3B03 C	3B03 C	3B03 C	3B03
3B04 C	3B04 C	3B04 C	3B04 C	3B04 C	3B04 C	3B04
3B05 C	3B05 C	3B05 C	3B05 C	3B05 C	3B05 C	3B05
3C01	3C01	3C01	3C01	3C01	3C01	3C01
3C02	3C02	3C02	3C02	3C02	3C02	3C02
3C03	3C03	3C03	3C03	3C03	3C03	3C03
3C04	3C04	3C04	3C04	3C04	3C04	3C04
3C05	3C05	3C05	3C05	3C05	3C05	3C05
4A1L C	4A1L C	4A1L C	4A1L C	4A1L C	4A1L C	4A1L
4A1R C	4A1R C	4A1R C	4A1R C	4A1R C	4A1R C	4A1R
4A2L	4A2L	4A2L	4A2L	4A2L	4A2L	4A2L
4A2R	4A2R	4A2R	4A2R	4A2R	4A2R	4A2R
4A3L C	4A3L C	4A3L C	4A3L C	4A3L C	4A3L C	4A3L
4A3R	4A3R	4A3R	4A3R	4A3R	4A3R	4A3R
4A4L C	4A4L C	4A4L C	4A4L C	4A4L C	4A4L C	4A4L
4A4R C	4A4R C	4A4R C	4A4R C	4A4R C	4A4R C	4A4R
4B1L C	4B1L C	4B1L C	4B1L C	4B1L C	4B1L C	4B1L
4B1R C	4B1R C	4B1R C	4B1R C	4B1R C	4B1R C	4B1R
4B2L C	4B2L C	4B2L C	4B2L C	4B2L C	4B2L C	4B2L
4B2R C	4B2R C	4B2R C	4B2R C	4B2R C	4B2R C	4B2R
4B3L C	4B3L C	4B3L C	4B3L C	4B3L C	4B3L C	4B3L
4B3R C	4B3R C	4B3R C	4B3R C	4B3R C	4B3R C	4B3R
4B4L C	4B4L C	4B4L C	4B4L C	4B4L C	4B4L C	4B4L
4B4R C	4B4R C	4B4R C	4B4R C	4B4R C	4B4R C	4B4R
ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1 C	ASU1

C (BLUE)=COMPLETE I (GREEN)=INCOMPLETE NC (BLACK)=NOT RECEIVED T (RED)=90 DEGREES

OP 208 Heat Plan
STATE OF CALIFORNIA

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the Heat Risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier where an inmate on the Heat Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A01 Temp. Reading Location: _____ (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8	0300	72°	D. Nora
	0600	72	J Marin
	0900	74.1	J Marin
26	1200	76.2	J Marin
	1500	78.	[illegible]
24	1800	79.3	[illegible]
	2100	76.7	[illegible]
	2400	74°	D. Nora

Tuesday

Date	Time	Temp.	Name (Print)
8	0300	73°	D. Nora
	0600	72.7	OGUHYINKA
	0900	73.9	OGUHYINKA
27	1200	75.9	OGUHYINKA
	1500	77.2	Perez
24	1800	78.1	Perez
	2100	77.1	Perez
	2400	75°	D. Nora

Wednesday

Date	Time	Temp.	Name (Print)
8	0300	73°	D. Nora
	0600	73	Marin
	0900	75.1	Marin
28	1200	76.1	Marin
	1500	78.3	Perez
24	1800	79.2	[illegible]
	2100	78.3	[illegible]
	2400	78.0	S Mecu

Thursday

Date	Time	Temp.	Name (Print)
8	0300	78.0	S Mecu
	0600	73	Marin
	0900	75.6	Marin
29	1200	76.4	Marin
	1500	78.2	Perez
24	1800	79.2	Perez
	2100	78.8	Perez
	2400	71.0	C. Guillen

Friday 8/30/24

Date	Time	Temp.	Name (Print)
8/30/24	0300	70°	C. Guillen
	0600	73.6	M. Cruz
	0900	74.7	M. Cruz
	1200	77.5	M. Cruz
	1500	80.4	R. FONG
	1800	81.5	R. FONG
	2100	80.4	R. FONG
	2400	78.0	C. Diaz

Saturday

Date	Time	Temp.	Name (Print)
8	0300	75.9	C. Diaz
	0600	71	A. Flores
	0900	71	A. Flores
31	1200	73	A. Flores
	1500	82°	G. Rodriguez
24	1800	82.8	G. Rodriguez
	2100	82.0	G. Rodriguez
	2400	81.5	J. PENTON

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	73.2	J. PENTON
	0600	77	E. Ontiveros
	0900	78	Ontiveros
	1200	79	Ontiveros
	1500	82.6	G. Rodriguez
	1800	83.8	G. Rodriguez
	2100	82.8	G. Rodriguez
	2400	80°	D. Nora

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Revised 2021

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 3A02 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08.	0300	71.4	D Hicks
	0600	70.9	M.Cruz
26.	0900	71.2	M.Cruz
	1200	73.9	M.Cruz
2024	1500	74.5	S. Mone
	1800	75.9	S. Mone
	2100	76.3	S. Mone
	2400	73.4	C. Oseguera

Tuesday

Date	Time	Temp.	Name (Print)
08.	0300	72.7	C. Oseguera
	0600	72.1	J. Bedolla
27.	0900	72.7	J. Bedolla
	1200	74	J Jones
2024	1500	76	J Jones
	1800	77	J Jones
	2100	76	J Jones
	2400	74.7	C. Oseguera

Wednesday

Date	Time	Temp.	Name (Print)
08.	0300	73.4	C. Oseguera
	0600	73.2	J Jones
28.	0900	75.2	J Jone
	1200	76	J Jones
2024	1500	77	J Jones
	1800	78	J Jones
	2100	77	J Jones
	2400	75	R. FIELD

Thursday

Date	Time	Temp.	Name (Print)
08.	0300	74	R. FIELD
	0600	~~73.2~~	~~J. Bedolla~~ 73.2 J. Bedolla
29.	0900	~~75.2~~	~~J. Bedolla~~ 73.6 J. Bedolla
	1200	75.6	J. Bedolla
2024	1500	76	J Jone
	1800	78	J Jone
	2100	77	J Jone
	2400	74	D. Flynn

Friday

Date	Time	Temp.	Name (Print)
08.	0300	74	D. Flynn
	0600	73.1	J. Bedolla
30.	0900	73.6	J. Bedolla
	1200	75.6	J. Bedolla
2024	1500	77	J Jone
	1800	78	J Jone
	2100	77	J Jone
	2400	77	D. Flynn

Saturday

Date	Time	Temp.	Name (Print)
08.	0300	76	D. Flynn
	0600	73.4	J. Bedolla
31.	0900	74.7	J. Bedolla
	1200	77.	J. Bedolla
2024	1500	78.4	R. Medina
	1800	78.8	R. Medina
	2100	79.2	R. Medina
	2400	77.2	D Hicks

Sunday

Date	Time	Temp.	Name (Print)
09.	0300	75.4	D Hicks
	0600	74.5	M.Cruz
01.	0900	76.1	M.Cruz
	1200	77.4	M.Cruz
2024	1500	78.8	M.Cruz
	1800	79.5	M.Cruz
	2100	79.9	M.Cruz
	2400	78	D Hicks

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3A03 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	71	VIRK
	0600	69/71	M. GARCIA
	0900	69/73	M. GARCIA
	1200	70/75	M. GARCIA
	1500	78/80	D. LA TORE
	1800	70/79	D. LA TORE
	2100	70/77	D. LA TORE
	2400	70/74	G. ALCOCER

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	70/73	G. ALCOCER
	0600	69/71	M. GARCIA
	0900	70/74	M. GARCIA
	1200	71/77	M. GARCIA
	1500	72/78	[illegible]
	1800	71/81	[illegible]
	2100	70/70	[illegible]
	2400	70/75	G. ALCOCER

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	70/74	G. ALCOCER
	0600	70	J. CORONADO
	0900	75	J. CORONADO
	1200	80	J. CORONADO
	1500	71/81	[illegible]
	1800	71/82	[illegible]
	2100	71/82	[illegible]
	2400	72/76	G. ALCOCER

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	72/74	G. ALCOCER
	0600	71/73	M. GARCIA
	0900	72/75	M. GARCIA
	1200	72/75	M. GARCIA
	1500	72/81	[illegible]
	1800	72/81	[illegible]
	2100	72/70	[illegible]
	2400	72/77	G. ALCOCER

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	72/76	G. ALCOCER
	0600	71/73	M. GARCIA
	0900	71/75	M. GARCIA
	1200	72/78	M. GARCIA
	1500	74/81.9	B. ALVARADO
	1800	76/82.6	A. LIZARDY
	2100	74/80.6	B. ALVARADO
	2400	79	A. ELLIS

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	76	A. ELLIS
	0600	75/76	J. Salazar
	0900	76/78	J. Salazar
	1200	78/81	J. Salazar
	1500	76/83.5	B. Rodriguez
	1800	76/83.8	B. ALVARADO
	2100	74/82	B. ALVARADO
	2400	75/81	A. LOPEZ

Sunday

Date	Time	Temp.	Name (Print)
9-01-24	0300	75/79	A. Lopez
	0600	74/76	J. Salazar
	0900	76/78	J. Salazar
	1200	78/82	J. Salazar
	1500	76/82	[illegible]
	1800	78/84	[illegible]
	2100	77/81	[illegible]
	2400	75/81	G. Alcocer

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan
STATE OF CALIFORNIA

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the Heat Risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier where an inmate on the Heat Risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3A05 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	72	J Guzman
	0600	69	[illegible]
	0900	76	[illegible]
	1200	74	[illegible]
	1500	76.3	B. ALVARADO
	1800	77.4	B. ALVARADO
	2100	76.6	B. ALVARADO
	2400	74°	G. RIVERA

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	73	G. RIVERA
	0600	72	R. Gamboa
	0900	75	R. Gamboa
	1200	76	R. Gamboa
	1500	77	R. Gamboa
	1800	78	R. Gamboa
	2100	78	R. Gamboa
	2400	76	A. Ellis

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	70	A. Ellis
	0600	74	R. Gamboa
	0900	74	R. Gamboa
	1200	77	R. Gamboa
	1500	80	L. Bolanos
	1800	81	L. Bolanos
	2100	80	L. Bolanos
	2400	77	J Guzman

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	76	J Guzman
	0600	73	R. Gamboa
	0900	75	R. Gamboa
	1200	77	R. Gamboa
	1500	78	S. del Campo
	1800	79	S. del Campo
	2100	79	S. del Campo
	2400	77	J Guzman

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	76	J Guzman
	0600	73	D Elizondo
	0900	74	D Elizondo
	1200	75	D Elizondo
	1500	77	D Elizondo
	1800	74	D Elizondo
	2100	73	D Elizondo
	2400	78	J Guzman

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	77	J Guzman
	0600	71	V. Medina
	0900	71	V. Medina
	1200	76	[illegible]
	1500	77	[illegible]
	1800	77	[illegible]
	2100	77	[illegible]
	2400	78	J Guzman

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	77	J Guzman
	0600	75	[illegible]
	0900	75	J. Gaytan
	1200	78	J. Gaytan
	1500	80.4	B. Alvarado
	1800	80.4	B. Alvarado
	2100	80.4	B. Alvarado
	2400	79	J Guzman

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Revised 2021

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B01 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	72°	G. RIVERA
	0600	72°	J. Zamora
	0900	73°	J. Zamora
	1200	74°	J. McAlister
	1500	76°	G. Martinez
	1800	76°	G. Martinez
	2100	76°	G. Martinez
	2400	75	R. PHILLIPS

Tuesday

Dat	Time	Temp.	Name (Print)
8-27-24	0300	73	R. PHILLIPS
	0600	75	D. Lima
	0900	74	D. Lima
	1200	76	D. Lima
	1500	76	J. Villa
	1800	76	J. Villa
	2100	75	J. Villa
	2400	75	PHILLIPS

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	74	PHILLIPS
	0600	74	D. Lima
	0900	75	D. Lima
	1200	77	D. Lima
	1500	71	C. SMITH
	1800	71	C. SMITH
	2100	71	C. SMITH
	2400	73	R. PHILLIPS

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	75	R. PHILLIPS
	0600	74	D. LIMA
	0900	75	D. LIMA
	1200	76	D. LIMA
	1500	78	L. Balanos
	1800	79	L. Balanos
	2100	78	R. PHILLIPS
	2400	77	R. PHILLIPS

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	75	R. PHILLIPS
	0600	74	ALVAREZ
	0900	75	ALVAREZ
	1200	78	ALVAREZ
	1500	71°	P. Bryant
	1800	71°	P. Bryant
	2100	71°	P. Bryant
	2400	72°	R. URIAS

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	71	R. URIAS
	0600	75	E. Segura
	0900	76	E. Segura
	1200	77	E. Segura
	1500	78	N. Ramirez
	1800	79	N. Ramirez
	2100	80	N. Ramirez
	2400	78	Palus

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	76	Palus
	0600	75	E. Segura
	0900	76	E. Segura
	1200	78	E. Segura
	1500	79	S. MOUA
	1800	79	S. MOUA
	2100	80	S. MOUA
	2400	79	G. RIVERA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B02 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	70	L. MAGDALENO
	0600	71	Martinez
	0900	72	Martinez
	1200	76	Martinez
	1500	78	M. Spanel
	1800	79	M. Spanel
	2100	78	M. Spanel
	2400	78	L. MAGDALENO

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	70	L. MAGDALENO
	0600	73	Martinez
	0900	74	Martinez
	1200	77	Martinez
	1500	80	M. Spanel
	1800	80	M. Spanel
	2100	79	M. Spanel
	2400	78	L. MAGDALENO

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	75°	L. MAGDALENO
	0600	74	E. Segura
	0900	77	E. Segura
	1200	78	E. Segura
	1500	79	N. Yanez
	1800	79	N. Yanez
	2100	81	N. Yanez
	2400	78°	L. MAGDALENO

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	75°	L. MAGDALENO
	0600	75	W. Urrano
	0900	76	W. Urrano
	1200	79	W. Urrano
	1500	80	M. Spanel
	1800	82	M. Spanel
	2100	81	M. Spanel
	2400	78°	G. RIVERA

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	77°	G. RIVERA
	0600	70°	A. MORAN
	0900	70°	A. MORAN
	1200	75°	A. MORAN
	1500	80°	E. Pyle
	1800	79	J. Serrin
	2100	75	J. Serrin
	2400	76	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	77	[illegible]
	0600	76	A. Salinas
	0900	78	A. Salinas
	1200	78	A. Salinas
	1500	81	E. Pyle
	1800	83	E. Pyle
	2100	81	E. Pyle
	2400	79	J. Isais

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	77	J. Isais
	0600	77	REEDER
	0900	77	REEDER
	1200	81	REEDER
	1500	83	E. Lopez
	1800	84	E. Lopez
	2100	83	E. Lopez
	2400	79	C. Tony

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF COR

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monito ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk li (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on th risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B03 Temp. Reading Location: CONTROL (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	74°	J. Bruen
	0600	70°	S Pena
	0900	74°	S Pena
	1200	75°	S Pena
	1500	77°	A. CABRERA
	1800	78°	A. CABRERA
	2100	78°	A. CABRERA
	2400	76°	J. Bruen

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	75	J. Bruen
	0600	74°	S Pena
	0900	76°	S Pena
	1200	79°	S Pena
	1500	78°	A. CABRERA
	1800	79°	A. CABRERA
	2100	79°	A. CABRERA
	2400	77°	J. Bruen

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	76°	J. Bruen
	0600	75°	S Pena
	0900	77°	S Pena
	1200	78°	S Pena
	1500	76°	J. Leon
	1800	76°	J. Leon
	2100	76°	J. Leon
	2400	76°	J. Cuilla

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	75°	J. Cuilla
	0600	75°	J. LOPEZ
	0900	77	J. LOPEZ
	1200	79	J. LOPEZ
	1500	79	R MOSQUEDA
	1800	80	R MOSQUEDA
	2100	79	R MOSQUEDA
	2400	76	J. Cuilla

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	75	J. Cuilla
	0600	76	F. CONTRERAS
	0900	76	F. CONTRERAS
	1200	79	F. CONTRERAS
	1500	80	R MOSQUEDA
	1800	80	R MOSQUEDA
	2100	80	R MOSQUEDA
	2400	79°	J. Bruen

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	78°	J. Bruen
	0600	76°	J. MADRID
	0900	77°	J. MADRID
	1200	79°	J. MADRID
	1500	80	R MOSQUEDA
	1800	81	R MOSQUEDA
	2100	82	R MOSQUEDA
	2400	79°	J. Bruen

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	78°	J. Bruen
	0600	66°	J. Castañeda
	0900	71°	J. Castañeda
	1200	79°	J. Castañeda
	1500	81	R. MOSQUEDA
	1800	81	R MOSQUEDA
	2100	82	R MOSQUEDA
	2400	80°	J. Bruen

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CSP-COR Housing Unit: 3B04 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/26/24

Date	Time	Temp.	Name (Print)
	0300	72	BARRENTES
	0600	72	J. Clark
	0900	73	J. Clark
	1200	77	J. Clark
	1500	77	J. AYALA
	1800	81	J. AYALA
	2100	79	J. AYALA
	2400	77	J. Tijerina

Tuesday 8-27-24

Date	Time	Temp.	Name (Print)
	0300	76	J. Tijerina
	0600	75	J. Clark
	0900	77	J. Clark
	1200	79	J. Clark
	1500	81	A. MONTEJO
	1800	82	A. MONTEJO
	2100	81	A. MONTEJO
	2400	79	J. Tijerina

Wednesday 8-28-24

Date	Time	Temp.	Name (Print)
	0300	73	J. Tijerina
	0600	75	J. Clark
	0900	77	J. Clark
	1200	79	J. Clark
	1500	82	A. MONTEJO
	1800	82	A. MONTEJO
	2100	82	A. MONTEJO
	2400	79	J. Tijerina

Thursday 8-29-24

Date	Time	Temp.	Name (Print)
	0300	78	J. Tijerina
	0600	77	J. Clark
	0900	77	J. Clark
	1200	77	J. Clark
	1500	81	NEVAREZ
	1800	81	NEVAREZ
	2100	82	NEVAREZ
	2400	79	IBARRA

Friday 8-30-24

Date	Time	Temp.	Name (Print)
	0300	78	IBARRA
	0600	77	W Urbano
	0900	77	W Urbano
	1200	78	W Urbano
	1500	81	NEVAREZ
	1800	82	NEVAREZ
	2100	82	NEVAREZ
	2400	79	P. Ryan

Saturday 8-31-24

Date	Time	Temp.	Name (Print)
	0300	79	P. Ryan
	0600	75	W Urbano
	0900	77	W Urbano
	1200	79	W Urbano
	1500	82	NEVAREZ
	1800	82	NEVAREZ
	2100	82	NEVAREZ
	2400	79	BARRENTES

Sunday

Date	Time	Temp.	Name (Print)
	0300	78	BARRENTES
	0600	77	J. Clark
	0900	77	J. Clark
	1200	81	J. Clark
	1500	81°	F. MARTINEZ
	1800	84°	F. MARTINEZ
	2100	84°	F. MARTINEZ
	2400	82	SERRANO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 3B05 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	72	[illegible]
	0600	72	W Urbano
	0900	72	W Urbano
	1200	73	W. Urbano
	1500	73	E Pye
	1800	75	E Pye
	2100	75	E Pye
	2400	75	2 Cutanda

Tuesday

Dat	Time	Temp.	Name (Print)
8/27/24	0300	73	2 Cutanda
	0600	72	Barrego
	0900	73	Barrego
	1200	73	Barrego
	1500	75	Brotherson
	1800	77	Brotherson
	2100	75	Brotherson
	2400	75	2 Cutanda

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	73	2 Cutanda
	0600	73	Barrego
	0900	73	Barrego
	1200	75	Barrego
	1500	77	Brotherson
	1800	77	Brotherson
	2100	77	Brotherson
	2400	77	2 Cutanda

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	75	2 Cutanda
	0600	73	Barrego
	0900	73	Barrego
	1200	75	Barrego
	1500	77	Brotherson
	1800	77	Brotherson
	2100	77	Brotherson
	2400	77	2 Cutanda

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	75	2 Cutanda
	0600	73	Barrego
	0900	75	Barrego
	1200	75	Barrego
	1500	77	Brotherson
	1800	77	Brotherson
	2100	77	Brotherson
	2400	77	2 Cutanda

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	75	2 Cutanda
	0600	75	Barrego
	0900	75	Barrego
	1200	75	Barrego
	1500	77	R. Berrones
	1800	79	R. Berrones
	2100	79	R. Berrones
	2400	77	P. Bryant

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	77	P. Bryant
	0600	75	W Urbano
	0900	76	W Urbano
	1200	77	W Urbano
	1500	77	[illegible]
	1800	79	[illegible]
	2100	79	E. Pye
	2400	79	P. Bryant

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Cor Housing Unit: 4AIL Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	77	D. Samadian
	0600	77	SALINAS
	0900	77	SALINAS
	1200	77	SALINAS
	1500	78	Mecum
	1800	78	Mecum
	2100	78	Mecum
	2400	77	Samadian

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	77	Samadian
	0600	77	SALINAS
	0900	77	SALINAS
	1200	78	SALINAS
	1500	78	S Mecum
	1800	78	S Mecum
	2100	78	Mora
	2400	78	S. Madan

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	77	Samadian
	0600	78	SALINAS
	0900	78	SALINAS
	1200	78	SALINAS
	1500	79	E. ZUNIGA
	1800	80	E ZUNIGA
	2100	80	E ZUNIGA
	2400	80	B. Perez

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	78	Perez
	0600	78	SALINAS
	0900	78	SALINAS
	1200	79	SALINAS
	1500	79	Mecum
	1800	80	M. TIMOO
	2100	80	M. TIMOO
	2400	79	B. Perez

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	78	Perez
	0600	78	T Hutchens
	0900	80	T Hutchens
	1200	79	T Hutchens
	1500	80	Mecum
	1800	80	Mecum
	2100	80	Mecum
	2400	80	Mecum

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	79	S. Quinn
	0600	79	Rodriguez
	0900	79	Rodriguez
	1200	79	Rodriguez
	1500	80	Ag
	1800	80	Ag
	2100	80	Ag
	2400	79	S. Quinn

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	79	S. Quinn
	0600	80	AGspan
	0900	80	AGspan
	1200	81	AGspan
	1500	80	Ontiveros
	1800	81	Ontiveros
	2100	80	Ontiveros
	2400	79	TGENDA

Notes

8-26-24 UHT @ 1153 HOURS
8-27-24 UHT @ 1102 HOURS
— 1300 HOURS 78°
8-28-24 UHT @ 1040 HOURS
@ 1300 78°
8-29-24 UHT @ 1100 HOURS
— 1300 HOURS 79°

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: 4A1R Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-26-24

Date	Time	Temp.	Name (Print)
	0300	77.4	[illegible]
	0600	77.2	R. LEWIS
	0900	77.2	R. LEWIS
	1200	77.5	R. LEWIS
	1500	78.3	I MACIAS
	1800	78.4	I MACIAS
	2100	78.8	I MACIAS
	2400	77.5	B GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	77.7	B GARCIA
	0600	77.7	R. LEWIS
	0900	78.1	R LEWIS
	1200	78.6	R LEWIS
	1500	78.8	PIMENTEL M
	1800	78.9	PIMENTEL M
	2100	79.5	PIMENTEL M
	2400	79.2	MIRAMONTES

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	78.6	MIRAMONTES
	0600	78.4	R LEWIS
	0900	78.4	R. LEWIS
	1200	79.0	R. LEWIS
	1500	79.5	PIMENTEL.M
	1800	80.2	PIMENTEL.M
	2100	80.4	PIMENTEL.M
	2400	79.7	Miramonte

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	79.3	Miramontes
	0600	78.8	R. LEWIS
	0900	78.6	R LEWIS
	1200	79.2	R LEWIS
	1500	79.3	E AYON
	1800	79.9	E AYON
	2100	80.4	E AYON
	2400	79	Arazan

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	79	Arazan
	0600	79	RODRIGUEZ
	0900	78	RODRIGUEZ
	1200	79	RODRIGUEZ
	1500	79.9	Barajas
	1800	80.4	Barajas
	2100	80.4	Barajas
	2400	79.5	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	79.2	E AYON
	0600	79	AG
	0900	84	AG
	1200	81	[illegible]
	1500	80.21	[illegible]
	1800	81.0	[illegible]
	2100	81.3	[illegible]
	2400	78°	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	78°	U. Lion
	0600	79.7°	V. Rueda
	0900	79.9°	V. Rueda
	1200	80°	V. Rueda
	1500	80.8	I Macias
	1800	81.3	I Macias
	2100	81.	I Macias
	2400	80.7	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan

Attach

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHAB

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CVR Housing Unit: 4A3L Temp. Reading Location: Control booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	76	A. Ellis
	0600	75.9	J. Zapata
	0900	76	J. Zapata
	1200	76	J. Zapata
	1500	76	L. Xiong
	1800	77	L. Xiong
	2100	77	L. Xiong
	2400	77.3	A. Ellis

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	77.1	A. Ellis
	0600	76	Rodriguez
	0900	76	Rodriguez
	1200	77	Rodriguez
	1500	77	L. Xiong
	1800	77	L. Xiong
	2100	78	L. Xiong
	2400	77	J. Gallegos

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	77	J. Gallegos
	0600	77	Hurtado
	0900	77	Hurtado
	1200	77	Hurtado
	1500	78	Dr. Hammer
	1800	78	Dr. Hammer
	2100	78	Dr. Hammer
	2400	78	J. Gallegos

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	77	J. Gallegos
	0600	77	Hurtado
	0900	77	Hurtado
	1200	77	Hurtado
	1500	78	Dr. Smith
	1800	78	Dr. Smith
	2100	79	Dr. Smith
	2400	78	J. Gallegos

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	77	J. Gallegos
	0600	77	L. Hurtado
	0900	77	L. Hurtado
	1200	77	L. Hurtado
	1500	78	V. Morales
	1800	78	V. Morales
	2100	79	V. Morales
	2400	78	T. Feong

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	77.1	T. Feong
	0600	78	Juarez
	0900	77.9	Juarez
	1200	78.6	Juarez
	1500	79	V. Morales
	1800	79.1	V. Morales
	2100	79.7	V. Morales
	2400	79	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	79	[illegible]
	0600	79	Juarez
	0900	79	Juarez
	1200	79.5	Juarez
	1500	80.2	Brown
	1800	79.9	Brown
	2100	79.8	[illegible]
	2400	[illegible]	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4L Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/26/24

Date	Time	Temp.	Name (Print)
	0300	81.7	A. Anulan
	0600	81.3	G. Rodriguez
	0900	81.3	G. Rodriguez
	1200	81.5	G. Rodriguez
	1500	81.7	A. Ochoa
	1800	82.0	A. Ochoa
	2100	82.4	A. Ochoa
	2400	82.0	A. Anulan

Tuesday 8/27/24

Date	Time	Temp.	Name (Print)
	0300	81.9	A. Anulan
	0600	81.7	C. Oseguera
	0900	81.7	C. Oseguera
	1200	81.9	C. Oseguera
	1500	82.4	Ezuniga
	1800	82.6	Ezuniga
	2100	82.8	Ezuniga
	2400	82	J Martinez

Wednesday 8-28-2024

Date	Time	Temp.	Name (Print)
	0300	81.7	J Martinez
	0600	82.4	S. Zarate
	0900	82.4	C. Oseguera
	1200	82.6	C. Oseguera
	1500	82	Kulp
	1800	83	Kulp
	2100	83	Kulp
	2400	83	J Martinez

Thursday 8-29-2024

Date	Time	Temp.	Name (Print)
	0300	82	J Martinez
	0600	82.8	C. Oseguera
	0900	82.8	C. Oseguera
	1200	82.6	C. Oseguera
	1500	82	Kulp
	1800	83	Kulp
	2100	83	Kulp
	2400	83	J Martinez

Friday 8-30-24

Date	Time	Temp.	Name (Print)
	0300	82	J Martinez
	0600	83	D. Ervin
	0900	83	D. Ervin
	1200	83	D. Ervin
	1500	82	Kulp
	1800	82	Kulp
	2100	82	Kulp
	2400	82	J Martinez

Saturday 8-31-24

Date	Time	Temp.	Name (Print)
	0300	82	J Martinez
	0600	82	D. Ervin
	0900	82	D. Ervin
	1200	83	D. Ervin
	1500	82	Kulp
	1800	82	Kulp
	2100	82	Kulp
	2400	82	J Martinez

Sunday 9-1-24

Date	Time	Temp.	Name (Print)
	0300	82	J Martinez
	0600	82.8	G. Rodriguez
	0900	82.6	G. Rodriguez
	1200	82.8	G. Rodriguez
	1500	82.8	A. Ochoa
	1800	82.9	A. Ochoa
	2100	83.0	A. Ochoa
	2400	83.5	A. Anulan

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: 4A4R Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	79	L. XIONG
	0600	77	IBARRA
	0900	78	IBARRA
	1200	79	IBARRA
	1500	80.2	DUARTE
	1800	80.9	DUARTE
	2100	80.9	DUARTE
	2400	79	L. XIONG

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	79	L. XIONG
	0600	79	IBARRA
	0900	79	IBARRA
	1200	80	IBARRA
	1500	81.1	A Guzman
	1800	81.8	A Guzman
	2100	81.1	A. Guzman
	2400	80	R. FIELD

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	79	R. FIELD
	0600	79	A IBARRA
	0900	80	A IBARRA
	1200	80	A IBARRA
	1500	80	SOTO
	1800	80	SOTO
	2100	80	SOTO
	2400	81	DRHernandez

Thursday

Date	Time	Temp.	Name (Print)
08.29.24	0300	81	DRHernandez
	0600	80	IBARRA
	0900	80	IBARRA
	1200	80	IBARRA
	1500	80	SOTO
	1800	80	SOTO
	2100	80	SOTO
	2400	80	HHernandez

Friday

Date	Time	Temp.	Name (Print)
08.30.24	0300	80	Hernandez
	0600	79	IBARRA
	0900	80	IBARRA
	1200	80	IBARRA
	1500	81	SOTO
	1800	81	SOTO
	2100	81	SOTO
	2400	80.5	AHUILAR

Saturday

Date	Time	Temp.	Name (Print)
	0300	80	AHUILAR
	0600	80	ARSINIEGA
	0900	79.6	ARSINIEGA
	1200	80.1	ARSINIEGA
	1500	80.9	AHUILAR
	1800	81.4	AHUILAR
	2100	81.5	AHUILAR
	2400	80.9	AHUILAR

Sunday

Date	Time	Temp.	Name (Print)
	0300	80.4	AHUILAR
	0600	80.1	ARSINIEGA
	0900	79.8	ARSINIEGA
	1200	80.5	ARSINIEGA
	1500	81.1	AHUILAR
	1800	81.6	AHUILAR
	2100	81.7	AHUILAR
	2400	82	L. XIONG

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

A. Hernandez

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-1L Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	74.9	A. GARCIA
	0600	74.2	S. Martinez
	0900	75.7	S. Martinez
	1200	76.2	S. Martinez
	1500	78.3	Gonzalez
	1800	78.3	Gonzalez
	2100	78.0	Gonzalez
	2400	76.1	A. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	75.5	A. GARCIA
	0600	75.5	S. Martinez
	0900	75.6	S. Martinez
	1200	76.5	S. Martinez
	1500	79.5	M. Serna
	1800	79.4	M. Serna
	2100	78.9	M. Serna
	2400	78°	A. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	76.9	A. GARCIA
	0600	76.6	J. Hernandez
	0900	76.3	J. Hernandez
	1200	79.4	J. Hernandez
	1500	80.4	B. Perez
	1800	80.8	B. Perez
	2100	80.8	B. Perez
	2400	78.7	E Ruiz

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	75.5	E. ROBLES
	0600	76.5	J. Hernandez
	0900	77.6	J. Hernandez
	1200	78.4	J. Hernandez
	1500	85.	M. Collins
	1800	80.1	M. Collins
	2100	79.7	M. Collins
	2400	78.2	D. CALDERON

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	71.0	D. CALDERON
	0600	76.5	J. Hernandez
	0900	77.6	J. Hernandez
	1200	78.4	J. Hernandez
80.4	1500	~~80.8~~	~~M. Collins~~ J. Hernandez
81.0	1800	~~79.9~~	~~Diaz A~~ J. Hernandez
80.4	2100	~~79.4~~	~~Diaz A~~ J. Hernandez
	2400	78.1	~~D. CALDERON~~

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	78.4	E. ROBLES
	0600	77.2	J. Espam
	0900	77.8	J. Espam
	1200	79.5	J. Hernandez
	1500	81.2	Gonzalez
	1800	81.2	Gonzalez
	2100	81.4	Gonzalez
	2400	79.5	Liddle

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	78.1	M. Liddle
	0600	78.0	J. Espam
	0900	78.4	J. Espam
	1200	80.6	J. Espam
	1500	81.2	Diaz A
	1800	80.5	Diaz A
	2100	80.8	Diaz A
	2400	79.4	S. Cortez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-1R Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	78°	A. GARCIA
	0600	71.7	J. Wilson
	0900	71.9	J. Bennett
	1200	75.1	J. Wilson
	1500	76.6	L. Gillen
	1800	78.2	L. Gillen
	2100	76.2	L. Gillen
	2400	74.6	A. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	73.9	A. GARCIA
	0600	73.1	J. Wilson
	0900	73.3	J. Wilson
	1200	76.9	J. Wilson
	1500	78.6	Z. Cantero
	1800	79.0	Z. Cantero
	2100	77.7	Z. Cantero
	2400	75.9	A. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	75°	A. GARCIA
	0600	74.1	K. Rodriguez
	0900	74.7	K. Rodriguez
	1200	78.1	K. Rodriguez
	1500	78.8	Z. Cantero
	1800	79.7	Z. Cantero
	2100	79.1	Z. Cantero
	2400	74.2	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	79.1	[illegible]
	0600	74.6	D. Ramirez
	0900	74.9	D. Ramirez
	1200	77.1	D. Ramirez
	1500	79.5	J. Hernandez
	1800	79.3	J. Hernandez
	2100	79.1	J. Hernandez
	2400	79.1	D. CALDERON

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	74.9	E. ROBLES
	0600	74.7	K. SINGH
	0900	74.9	K. SINGH
	1200	77.9	K. SINGH
	1500	79.5	J. Hernandez
	1800	79.3	J. Hernandez
	2100	79.1	J. Hernandez
	2400	78.5	E. ROBLES

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	74°	E. ROBLES
	0600	75°	J. Brandhard
	0900	75°	J. Brandhard
	1200	76°	J. Brandhard
	1500	79.6	J. Hernandez
	1800	80.3	L. Gillen
	2100	80.1	L. Gillen
	2400	79	M. Liddle

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	77.7	M. Liddle
	0600	75.7	R. FONG
	0900	76.2	R. FONG
	1200	77.6	R. FONG
	1500	81.6	L. Gillen
	1800	81.3	L. Gillen
	2100	80.5	L. Gillen
	2400	78.1	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-2L Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	76.4	L. YANG
	0600	76.6	C. Navarro
	0900	76.3	C. Navarro
	1200	76.9	C. Navarro
	1500	77.2	C. Navarro
	1800	78.2	C. Navarro
	2100	77.6	C. Navarro
	2400	76.1	E Ruiz

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	76.8	E Ruiz
	0600	76.6	C. Navarro
	0900	76.9	S Garcia
	1200	77.6	C. Navarro
	1500	77.6	S. Abasta
	1800	78.2	S. Abasta
	2100	78.5	S. Abasta
	2400	78.1	D. Dut

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	77.4	D. Dut
	0600	77.1	A. Camargo
	0900	77.3	A. Camargo
	1200	78.2	A. Camargo
	1500	78.3	S. Abasta
	1800	79.2	S. Abasta
	2100	79.3	S. Abasta
	2400	78.2	E Ruiz

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	78.4	E Ruiz
	0600	78.2	C. Alcantar
	0900	77.8	C. Alcantar
	1200	78.3	C. Alcantar
	1500	78.5	R Hernandez
	1800	79.3	R Hernandez
	2100	79.4	R Hernandez
	2400	79.0	E Ruiz

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	78.4	E Ruiz
	0600	78.0	C. Navarro
	0900	78.1	C. Navarro
	1200	78.5	C. Navarro
	1500	79.3	D. Martinez
	1800	79.5	R Hernandez
	2100	79.5	R Hernandez
	2400	79.5	E Ruiz

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	79.1	E Ruiz
	0600	78.5	R. Hernandez
	0900	78.5	R Hernandez
	1200	79.1	R Hernandez
	1500	79.4	R Hernandez
	1800	79.7	R Hernandez
	2100	80.0	R Hernandez
	2400	79.7	R. Aguilar

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	77.4	R. Aguilar
	0600	79.5	C. Alcantar
	0900	79.5	C. Alcantar
	1200	79.8	C. Alcantar
	1500	79.8	R. Hernandez
	1800	80.0	R Hernandez
	2100	80.4	R Hernandez
	2400	80.2	J Gutierrez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-2R Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	73.3	C. Yang
	0600	72.8	J. Clingerman
	0900	72.9	J. Clingerman
	1200	73.3	J. Clingerman
	1500	74.6	S. Gonzalez
	1800	75.0	S. Kang
	2100	75.1	S. Kang
	2400	74.7	E Ruiz

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	74.0	E Ruiz
	0600	73.4	J. Clingerman
	0900	73.5	J. Clingerman
	1200	74.3	J. Clingerman
	1500	75.8	Gonzalez
	1800	75.2	Phillips
	2100	76.3	Phillips
	2400	76.1	D. Dutt

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	75.1	D. Dutt
	0600	74.9	J. Clingerman
	0900	74.3	A. Miranda
	1200	75.5	J. Clingerman
	1500	76.1	M. Camarena
	1800	76.8	M. Camarena
	2100	77.1	M. Camarena
	2400	76.4	E Ruiz

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	76.0	E Ruiz
	0600	75.5	A. Miranda
	0900	75.2	A. Miranda
	1200	75.9	A. Miranda
	1500	77.6	J. Gutierrez
	1800	77.6	J. Gutierrez
	2100	77.0	J. Gutierrez
	2400	76.5	E Ruiz

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	76.1	E. Ruiz
	0600	75.5	A. Miranda
	0900	75.1	A. Miranda
	1200	75.9	A. Miranda
	1500	76.9	J. Cruz
	1800	77	J. Cruz
	2100	77	J. Cruz
	2400	76.9	E Ruiz

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	76.6	E Ruiz
	0600	76.1	A. Miranda
	0900	75.9	A. Miranda
	1200	76.3	A. Miranda
	1500	76.9	M. Camarena
	1800	77.8	M. Camarena
	2100	77.4	M. Camarena
	2400	77.5	R. Aguirre

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	77.1	R. Aguirre
	0600	76.5	S. Ponce
	0900	76.2	S. Ponce
	1200	76.8	S. Ponce
	1500	77.5	M. Camarena
	1800	78.4	M. Camarena
	2100	78.6	M. Camarena
	2400	78.2	J. Guzman

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-3L Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	79.8	O. Contreras
	0600	78	M. Franco
	0900	78	A. Rasche
	1200	79.6	A. Rasche
	1500	80.2	D. Wandell
	1800	80.8	D. Wandell
	2100	80.4	D. Wandell
	2400	80.6	O. Contreras

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	79.6	O. Contreras
	0600	78.6	S. Gonzalez
	0900	79.3	S. Gonzalez
	1200	80.6	S. Gonzalez
	1500	80.9	S. Gonzalez
	1800	81.0	D. Wandell
	2100	81.4	D. Wandell
	2400	80.9	O. Contreras

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	80.3	O. Contreras
	0600	79.6	J. Castro
	0900	79.8	J. Castro
	1200	80.4	J. Castro
	1500	81.3	S. Gonzalez
	1800	81.8	S. Gonzalez
	2100	81.8	S. Gonzalez
	2400	81.2	O. Contreras

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	80.8	O. Contreras
	0600	79.8	S. Bartolo
	0900	80.5	Ramirez
	1200	80.8	S. Bartolo
	1500	81.5	D. Wandell
	1800	82.0	D. Wandell
	2100	81.4	D. Wandell
	2400	81.8	Ramirez

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	81.6	Ramirez
	0600	80.6	Ortega
	0900	80.6	Ortega
	1200	81.0	Ortega
	1500	81.5	J. Sagastume
	1800	81.2	J. Sagastume
	2100	81.4	J. Sagastume
	2400	81.2	J. Lum

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	80.1	J. Lum
	0600	80.0	J. Lum
	0900	81.2	E. Dimaano
	1200	81.4	E. Dimaano
	1500	82.2	E. Dimaano
	1800	83.1	E. Dimaano
	2100	82.6	E. Dimaano
	2400	82.2	O. Contreras

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	81.3	O. Contreras
	0600	81	L. Zuller
	0900	81.6	L. Zuller
	1200	81.8	L. Zuller
	1500	82.6	G. Martinez
	1800	83.1	G. Martinez
	2100	82.1	E. Dimaano
	2400	82.7	O. Contreras

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-3R Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	80.3	O. Contreras
	0600	80.1	J. Rentería
	0900	80.1	J. Rentería
	1200	80.3	G. Alvarez
	1500	80.7	K. Rodriguez
	1800	81.2	K. Rodriguez
	2100	81.0	K. Rodriguez
	2400	80.0	D. CALDERON

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	80.4	D. CALDERON
	0600	80.1	R. SIMPLICIANO
	0900	80.5	R. SIMPLICIANO
	1200	80.4	R. SIMPLICIANO
	1500	81.2	K. Rodriguez
	1800	81.6	K. Rodriguez
	2100	81.6	K. Rodriguez
	2400	81.1	O. Contreras

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	80.9	O. Contreras
	0600	80.8	M. Tirado
	0900	81.3	S. Kang
	1200	81.2	M. Tirado
	1500	81.7	K. Rodriguez
	1800	82.4	K. Rodriguez
	2100	82.2	K. Rodriguez
	2400	81.7	O. Contreras

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	81.3	O. Contreras
	0600	81.1	J. Rentería
	0900	81.1	O. Villagomez-Lemus
	1200	81.4	J. Rentería
	1500	81.7	[illegible]
	1800	82.1	[illegible]
	2100	82.1	[illegible]
	2400	81.8	RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	[illegible]	RAMIREZ
	0600	81.2	[illegible]
	0900	81.1	[illegible]
	1200	81.5	[illegible]
	1500	81.7	K. Rodriguez
	1800	82.7	K. Rodriguez
	2100	82.3	K. Rodriguez
	2400	81	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	81	[illegible]
	0600	80	[illegible]
	0900	81.9	G. Alvarez
	1200	82.3	G. Alvarez
	1500	82.4	E. Rosas
	1800	83	E. Rosas
	2100	83.6	E. Rosas
	2400	82.9	O. Contreras

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	82.1	O. Contreras
	0600	82.0	E. DIMAANO
	0900	82.1	G. Alvarez
	1200	82.4	G. Alvarez
	1500	83.4	H. Vasquez
	1800	84.1	H. Vasquez
	2100	83.5	H. Vasquez
	2400	83.1	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-4L Temp. Reading Location: 4B4L OFFICE (1ST TIER)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	76.6	RAMIREZ
	0600	75.7	J. Rojas
	0900	75.8	J. Rojas
	1200	76.8	J. Rojas
	1500	77.2	D. Vega
	1800	79.3	D. Vega
	2100	78.1	D. Vega
	2400	78.0	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	77.3	RAMIREZ
	0600	76.5	J. CASTRO
	0900	76.6	J. CASTRO
	1200	77.9	J. CASTRO
	1500	78.8	HAND
	1800	79.2	HAND
	2100	79.0	HAND
	2400	78.5	A. GARZA

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	78.0	A. GARZA
	0600	77.4	HURTADO
	0900	77.5	HURTADO
	1200	78.8	HURTADO
	1500	78.1	HAND
	1800	80.0	HAND
	2100	79.6	HAND
	2400	79.0	GARZA

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	78.8	A. GARZA
	0600	78.0	HURTADO
	0900	79.8	HURTADO
	1200	78.8	HURTADO
	1500	79.9	R. MEDINA
	1800	80.6	R. MEDINA
	2100	79.5	R. MEDINA
	2400	79.4	German

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	79.3	German
	0600	78.4	BROWN
	0900	79.7	BROWN
	1200	79.2	G. ALVAREZ
	1500	79.9	R. MEDINA
	1800	80.6	R. MEDINA
	2100	79.9	R. MEDINA
	2400	79.8	D. CALDERON

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	79.8	D CALDERON
	0600	79.0	HURTADO
	0900	78.8	HURTADO
	1200	79.5	J. CASTRO
	1500	80.1	E. Collier
	1800	80.9	E. Collier
	2100	80.6	E. Collier
	2400	80.0	S. SANDOVAL

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	79.4	S. SANDOVAL
	0600	79.0	HURTADO
	0900	79.0	HURTADO
	1200	79.4	HURTADO
	1500	80.6	Keeney
	1800	81.4	Keeney
	2100	81.2	Keeney
	2400	80.4	RAMIREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CORCORAN Housing Unit: 4B-4R Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	79.4	J Manch
	0600	78.6	M. ALVAREZ
	0900	79.1	C. YANG
	1200	79.7	C. YANG
	1500	80.1	J. RIVERA
	1800	81.8	J. RIVERA
	2100	81.1	J. RIVERA
	2400	80.0	GUZMAN

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	79.5	J. GUZMAN
	0600	79.4	M. ALVAREZ
	0900	80.1	M. ALVAREZ
	1200	80.6	M. ALVAREZ
	1500	81.1	C. Brown
	1800	82.4	J. Rojas
	2100	81.8	J. Rojas
	2400	81.3	A. GARZA

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	79.4	E. ROBLES
	0600	80.0	M. ALVAREZ
	0900	80.5	M. ALVAREZ
	1200	81.8	M. ALVAREZ
	1500	83.2	THURMAN
	1800	83.6	THURMAN
	2100	82.9	THURMAN
	2400	81.3	GARZA

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	80.5	GARZA
	0600	80.3	Carranza
	0900	80.6	Carranza
	1200	81.3	Carranza
	1500	82.2	Vank
	1800	83.5	Vank
	2100	83.4	Vank
	2400	82.0	GUZMAN

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	81.5	J. GUZMAN
	0600	80.8	Carranza
	0900	80.6	Carranza
	1200	81.4	Carranza
	1500	83.5	E. ROBLES
	1800	84.7	E. ROBLES
	2100	84.2	E. ROBLES
	2400	83.2	D. CALDERON

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	82.2	D. CALDERON
	0600	81.2	L. Gallen
	0900	81.3	L. Gallen
	1200	82.7	L. Gallen
	1500	84.2	T. Sagrstano
	1800	84.5	J. Sagrstano
	2100	84.1	J. Sagrstano
	2400	83.5	S. SANDOVAL

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	82.8	S. SANDOVAL
	0600	81.3	A. Miranda
	0900	81.8	A. Miranda
	1200	83.2	A. Miranda
	1500	85.1	J. RIVERA
	1800	85.4	J. RIVERA
	2100	84.7	J. RIVERA
	2400	84.2	V. Acosta

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OP 208 Heat Plan.

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-COR Housing Unit: ASU-1 Temp. Reading Location: Sections A-H (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6120 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/26/24

Date	Time	Temp.	Name (Print)
	0300	76.5	Cuento
	0600	76.5	Rodriguez
	0900	76.	Rodriguez
	1200	76	Rodriguez
	1500	77	Rodriguez
	1800	78.5	Rodriguez
	2100	77.5	Rodriguez
	2400	77	B. Rode

Tuesday 8/27/24

Date	Time	Temp.	Name (Print)
	0300	76	B. Rode
	0600	76	Hudson
	0900	76.	Hudson
	1200	76.	Hudson
	1500	77	J. Rodriguez
	1800	77	J. Rodriguez
	2100	77.4	J. Rodriguez
	2400	77	B. Rode

Wednesday 8/28/24

Date	Time	Temp.	Name (Print)
	0300	76	B. Rode
	0600	76	Hudson
	0900	76	Hudson
	1200	76	Hudson
	1500	77	Hudson
	1800	78	Hudson
	2100	79	Hudson
	2400	79	B. Rode

Thursday 8/29/24

Date	Time	Temp.	Name (Print)
	0300	78	B. Rode
	0600	76	Hudson
	0900	76.	Hudson
	1200	76.	Hudson
	1500	77	Mora
	1800	77.6	Mora
	2100	77.5	Mora
	2400	77	Gonzalez

Friday 8/30/24

Date	Time	Temp.	Name (Print)
	0300	76.5	Gonzalez
	0600	76	Hudson
	0900	76	Hudson
	1200	76	Hudson
	1500	80.5	A. CABRERA
	1800	81.0	A. CABRERA
	2100	80.5	A. CABRERA
	2400	77.6	S. ALVARADO

Saturday

Date	Time	Temp.	Name (Print)
	0300	78.1	S. ALVARADO
	0600	77.1	Rodriguez
	0900	77.1	Rodriguez
	1200	77.2	Rodriguez
	1500	77.3	Rodriguez
	1800	77.8	Rodriguez
	2100	77.6	Rodriguez
	2400	79.	B. Rode

Sunday 9/1/24

Date	Time	Temp.	Name (Print)
	0300	77.1	B. Rode
	0600	76.1	E. NIETO
	0900	76.3	E. NIETO
	1200	77.2	E. NIETO
	1500	77.7	C. SANTICO
	1800	77.5	C. SANTICO
	2100	77.5	C. SANTICO
	2400	77	B. Rode

Notes:

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

August 1, 2024

Bryan D. Phillips
Associate Director (A)
High Security Mission
Division of Adult Institutions

SUBJECT: **Daily Heat Discussion**

☒ CDW E. Silva	☒ 3B Captain F. Chappel	☒ AA/PIO: Lt. Clifton
☒ AW-H: J. Perez	☐ 4A Captain A. Johnson	☒ DRP: Lewis Carrol
☐ AW-HS: R. Ruiz	☐ 4B Captain A. Randolph	☒ C&PR: Juan Mendez
☒ AW-CO: A. Guillen	☒ P/Opps Manager: E. Cortez	☒ Capt. D. Burns
☒ AW-RHU- J. Weber	☐ CBMI: H. Kalstrom	☒ Education: B. Xiong
☒ AW-BS: B. McKinney	☐ CEO: Michael Whittaker	☒ Capt. Peterson
☒ AW-ADA: T. Henne	☐ CSE: Eric McDaniel	☐ Psychiatrist: Yasaei Rama
☒ AW-HCS: J. Bugarin	☐ CNE: Renee Griswold	☐ SRN III: Shawn Autrey
☒ Capt. D. Espinoza	☐ CMH: Scott Harris	☐
☐ 3A Captain: D. Madsen	☒ SRN II: Shannon Alvarado	

MEETING:

- Facility Captains continue to monitor their housing units in 3A,3B,4A, and 4B.
- On facility 3B temperatures reached 85.5 degrees the in Workshop. A work order has been placed and education class was cancelled.
- 3B is using the sprinkler system as a cool off for the inmates on the yard.
- No Issues for medical have been reported

E. SILVA
Chief Deputy Warden
California State Prison – Corcoran

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

August 2, 2024

Bryan D. Phillips
Associate Director (A)
High Security Mission
Division of Adult Institutions

SUBJECT: **Daily Heat Discussion**

☒ **CDW E. Silva**	☒ **3B Captain F. Chappel**	☒ **AA/PIO: Lt. Clifton**
☒ **AW-H: J. Perez**	☐ **4A Captain A. Johnson**	☐ **DRP: Lewis Carrol**
☐ **AW-HS: R. Ruiz**	☐ **4B Captain A. Randolph**	☒ **C&PR: Juan Mendez**
☒ **AW-CO: A. Guillen**	☒ **P/Opps Manager: E. Cortez**	☒ **Capt. D. Burns**
☒ **AW-RHU- J. Weber**	☐ **CBMI: H. Kalstrom**	☒ **Education: B. Xiong**
☒ **AW-BS: B. McKinney**	☐ **CEO: Michael Whittaker**	☒ **Capt. Peterson**
☒ **AW-ADA: T. Henne**	☐ **CSE: Eric McDaniel**	☒ **Psychiatrist: Yasaei Rama**
☐ **AW-HCS: J. Bugarin**	☐ **CNE: Renee Griswold**	☐ **SRN III: Shawn Autrey**
☒ **Capt. D. Espinoza**	☐ **CMH: Scott Harris**	☐
☒ **3A Captain: D. Madsen**	☒ **SRN II: Shannon Alvarado**	

MEETING:

- In Housing facility 4B, two fans broke. Both fans Have been repaired.
- No issues for Medical.
- Facility Captains Continue to monitor housing units 3A,3B,4A, and 4B.
- In Housing Unit 3A, one housing unit reached 80 degrees.

E. SILVA
Chief Deputy Warden
California State Prison – Corcoran

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

August 5, 2024

Bryan D. Phillips
Associate Director (A)
High Security Mission
Division of Adult Institutions

SUBJECT: Daily Heat Discussion

☒ **CDW E. Silva**	☒ **3B Captain F. Chappel**	☒ **AA/PIO: Lt. Clifton**
☒ **AW-H: J. Perez**	☒ **4A Captain D. Espinoza**	☐ **DRP: Lewis Carrol**
☐ **AW-HS: R. Ruiz**	☐ **4B Captain A. Randolph**	☒ **C&PR: Juan Mendez**
☒ **AW-CO: A. Guillen**	☒ **P/Opps Manager: N. Erling**	☒ **Capt. D. Burns**
☒ **AW-RHU- J. Weber**	☐ **CBMI: H. Kalstrom**	☐ **Education: B. Xiong**
☒ **AW-BS: B. McKinney**	☒ **CEO: Michael Whittaker**	☒ **Capt. Peterson**
☒ **AW-ADA: T. Henne**	☒ **CSE: Eric McDaniel**	☐ **Psychiatrist: Yasaei Rama**
☒ **AW-HCS: J. Bugarin**	☒ **CNE: Renee Griswold**	☐ **SRN III: Shawn Autrey**
☒ **Capt. D. Espinoza**	☐ **CMH: Scott Harris**	☒ **Litigations P. Williams**
☒ **3A Captain: D. Madsen**	☐ **SRN II: Shannon Alvarado**	

MEETING:

- Captains toured all housing units highest reported temperature was 86 degrees (4B).
- AW Healthcare walked all general population units, no discrepancies noted, incarcerated persons had access to cold water fountains or cold water via igloo.
- Thermometers were working properly in all units.

E. SILVA
Chief Deputy Warden
California State Prison – Corcoran

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

August 6, 2024

Bryan D. Phillips
Associate Director (A)
High Security Mission
Division of Adult Institutions

SUBJECT: **Daily Heat Discussion**

☐ CDW E. Silva	☒ 3B Captain F. Chappel	☒ AA/PIO: Lt. Clifton
☐ AW-H: J. Perez	☐ 4A Captain A. Johnson	☒ DRP: Lewis Carrol
☐ AW-HS: R. Ruiz	☐ 4B Captain A. Randolph	☒ C&PR: Juan Mendez
☒ AW-CO: A. Guillen	☐ P/Opps Manager: E. Cortez	☒ Capt. D. Burns
☒ AW-RHU- J. Weber	☐ CBMI: H. Kalstrom	☒ Education: R. Moser
☐ AW-BS: B. McKinney	☐ CEO: Michael Whittaker	☒ Capt. Peterson
☒ AW-ADA: T. Henne	☒ CSE: Eric McDaniel	☒ Psychiatrist: Yasaei Rama
☒ AW-HCS: J. Bugarin	☐ CNE: Renee Griswold	☒ SRN III: Shawn Autrey
☒ Capt. D. Espinoza	☐ CMH: Scott Harris	☐
☒ 3A Captain: D. Madsen	☐ SRN II: Shannon Alvarado	

MEETING:

- 3B Vocational issues with cooling have been fixed and blowing cool air.
- 4B do not have block ice due to having a cooling fountain on housing area.
- Nothing for Medical has been reported.
- Captains Continue to monitor their housing units on 3A,3B,4A and 4B.

E. SILVA
Chief Deputy Warden
California State Prison – Corcoran

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

August 7, 2024

Bryan D. Phillips
Associate Director (A)
High Security Mission
Division of Adult Institutions

SUBJECT: Daily Heat Discussion

☒ **CDW E. Silva**	☒ **3B Captain F. Chappel**	☒ **AA/PIO: Lt. Clifton**
☐ **AW-H: J. Perez**	☐ **4A Captain A. Johnson**	☐ **DRP: Lewis Carrol**
☐ **AW-HS: R. Ruiz**	☒ **4B Captain A. Randolph**	☒ **C&PR: Juan Mendez**
☒ **AW-CO: A. Guillen**	☒ **P/Opps Manager: E. Cortez**	☒ **Capt. D. Burns**
☒ **AW-RHU- J. Weber**	☒ **CBMI: H. Kalstrom**	☒ **Education: B. Xiong**
☒ **AW-BS: B. McKinney**	☐ **CEO: Michael Whittaker**	☒ **Capt. Peterson**
☐ **AW-ADA: T. Henne**	☐ **CSE: Eric McDaniel**	☐ **Psychiatrist: Yasaei Rama**
☒ **AW-HCS: J. Bugarin**	☐ **CNE: Renee Griswold**	☐ **SRN III: Shawn Autrey**
☒ **Capt. D. Espinoza**	☐ **CMH: Scott Harris**	☐
☒ **3A Captain: D. Madsen**	☒ **SRN II: Shannon Alvarado**	

MEETING:

- *No Issues to Report from Medical*
- *3A03 B Section Pumps have been repaired and unit is working properly.*
- *Education Main Building A/C unit fixed and working properly.*
- *Electronics room A/C unit has been repaired and is working properly.*
- *All Captains continue to monitor their housing facilities on 3A,3B,4A, and 4B.*

E. SILVA
Chief Deputy Warden
California State Prison – Corcoran

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
PO. Box 8800
Corcoran, CA 93212

August 8, 2024

Bryan D. Phillips
Associate Director (A)
High Security Mission
Division of Adult Institutions

SUBJECT: Daily Heat Discussion

☒ **Warden T.L Campbell**	☒ **3B Captain F. Chappel**	☒ **AA/PIO: Lt. Clifton**
☐ **AW-H: J. Perez**	☐ **4A Captain A. Johnson**	☒ **DRP: Lewis Carrol**
☐ **AW-HS: R. Ruiz**	☒ **4B Captain A. Randolph**	☒ **C&PR: Juan Mendez**
☒ **AW-CO: A. Guillen**	☐ **P/Opps Manager: N. Erling**	☒ **Capt. D. Burns**
☒ **AW-RHU- J. Weber**	☒ **CBMI: H. Kalstrom**	☒ **Education: B. Xiong**
☒ **AW-BS: B. McKinney**	☐ **CEO: Michael Whittaker**	☐ **Capt. Peterson**
☒ **AW-ADA: T. Henne**	☐ **CSE: Eric McDaniel**	☐ **Psychiatrist: Yasaei Rama**
☐ **AW-HCS: J. Bugarin**	☐ **CNE: Renee Griswold**	☒ **SRN III: Shawn Autrey**
☐ **Capt. D. Espinoza**	☐ **CMH: Scott Harris**	☐
☒ **3A Captain: D. Madsen**	☒ **SRN II: Shannon Alvarado**	

MEETING Discussion:

- Heat Plan Stage Alerts and routine temperature monitoring:
  - 3A: 80-82 Degrees
  - 3B: 79-82 Degrees
  - 4A: 86-87 Degrees
  - 4B: 83-86 Degrees
- Program impacts: None to report
- Staff related impacts: None to Report
- Incarcerated persons related impacts: None to report
- Facility related issues: None to Report
- Medical Warehouse: None to report
- Pharmacy: None to report
- Space Allocation: 3A04 is an available option to house 100 inmates if needed to relocate.
- Cooling stations (locations, as well as additional cooling and hydration measures, etc.):

- 4B cooling station is provided by sprinkler system.
- 3A and 3B are provided by Chapels, dayrooms, and sprinkler system.

- Daily Documentation: Daily Documentation of heat Logs continue to be properly checked and documented for each housing units.
  - 3A
  - 3B
  - 4A
  - 4B
- Main Education has possible blown motor for A/C Unit. Issue has been reported to plant Ops. Plant Ops will be there in the morning 8/9/24 to look at repairs needed.
- No Issues for Medical
- No Issues for Pharmacy
- No Issues for DRP
- No Issues for C&PR
- AA/PIO: Education Materials sent to all tablets and staff.

• Reasonable accommodations as necessary: None to report.

T.L. CAMPBELL
WARDEN
California State Prison – Corcoran

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

August 9, 2024

Bryan D. Phillips
Associate Director (A)
High Security Mission
Division of Adult Institutions

SUBJECT: Daily Heat Discussion

☒ **Warden T.L Campbell**	☒ **3B Captain F. Chappel**	☒ **AA/PIO: Lt. Clifton**
☐ **AW-H: J. Perez**	☐ **4A Captain A. Johnson**	☐ **DRP: Lewis Carrol**
☐ **AW-HS: R. Ruiz**	☒ **4B Captain A. Randolph**	☒ **C&PR: Juan Mendez**
☒ **AW-CO: A. Guillen**	☒ **P/Opps Manager: N. Erling**	☒ **Capt. D. Burns**
☐ **AW-RHU- J. Weber**	☒ **CBMI: H. Kalstrom**	☒ **Education: B. Xiong**
☐ **AW-BS: B. McKinney**	☐ **CEO: Michael Whittaker**	☐ **Capt. Peterson**
☒ **AW-ADA: T. Henne**	☒ **CSE: Eric McDaniel**	☒ **Psychiatrist: Yasaei Rama**
☒ **AW-HCS: J. Bugarin**	☐ **CNE: Renee Griswold**	☒ **SRN III: Shawn Autrey**
☐ **Capt. D. Espinoza**	☐ **CMH: Scott Harris**	☐
☒ **3A Captain: D. Madsen**	☒ **SRN II: Shannon Alvarado**	

MEETING Discussion:

Temperature for the day: High of 106 Degrees
Low of 66 Degrees

- Heat Plan Stage Alerts and routine temperature monitoring:
  - 3A: 82-85 Degrees
  - 3B: 81-83 Degrees
  - 4A: 80-84 Degrees
  - 4B: 80-85 Degrees
- Program impacts: None to report
- Staff related impacts: None to report
- Incarcerated persons related impacts:
  - **AA/PIO**: Color Copies of Incarcerated persons' Cooling Literature has been sent Via GTL Tablets on 8/8/2024. Color English/Spanish copies are being distributed to put on housing units.

- Facility related issues:
    - Main Education A/C back online and working properly.
    - Rental Fridge Trailer went out. The Tech is on site working to get it back up and running.
- Medical Warehouse: None to Report
- Pharmacy: None to Report
- Space Allocation:
    - 3A04 is an option to house 100 incarcerated persons' if needed to relocate.
- Cooling stations (locations, as well as additional cooling and hydration measures, etc.):
    - Housing Units Dayroom/Showers (For Cooling not Hygiene Purposes)
    - Cell Doors in General Population units may be open to allow
    - Sprinkler systems

- Daily Documentation: Daily Documentation of heat Logs continue to be properly checked and documented for each housing units.
    - 3A
    - 3B
    - 4A
    - 4B

- Reasonable accommodations as necessary: None to report.

T.L. CAMPBELL
WARDEN
California State Prison – Corcoran

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

August 12, 2024

Bryan D. Phillips
Associate Director (A)
High Security Mission
Division of Adult Institutions

SUBJECT: Daily Heat Discussion

☒ **Warden T.L Campbell**	☒ **3B Captain F. Chappel**	☒ **AA/PIO: Lt. Clifton**
☐ **CDW: E. Silva**	☐ **4A Captain A. Johnson**	☒ **DRP: Lewis Carrol**
☐ **AW-HS: R. Ruiz**	☒ **4B Captain A. Randolph**	☒ **C&PR: Juan Mendez**
☒ **AW-CO: A. Guillen**	☒ **P/Opps Manager: N. Erling**	☒ **Capt. D. Burns**
☒ **AW-RHU- J. Weber**	☐ **CBMI: H. Kalstrom**	☒ **Education: B. Xiong**
☐ **AW-BS: B. McKinney**	☐ **CEO: Michael Whittaker**	☐ **Capt. Peterson**
☒ **AW-ADA: T. Henne**	☒ **CSE: Eric McDaniel**	☐ **Psychiatrist: Yasaei Rama**
☒ **AW-HCS: J. Bugarin**	☐ **CNE: Renee Griswold**	☒ **SRN III: Shawn Autrey**
☒ **Capt. D. Espinoza**	☐ **CMH: Scott Harris**	☒ **Pharmacy: Sameh Boulos**
☒ **3A Captain: D. Madsen**	☒ **SRN II: Shannon Alvarado**	

MEETING Discussion:

Temperature for the day: High of 97 Degrees
Low of 68 Degrees

- Heat Plan Stage Alerts and routine temperature monitoring:
  - 3A: 81-85 Degrees
  - 3B: 81-86 Degrees
  - 4A: 80-84 Degrees
  - 4B: 80-85 Degrees
- Program impacts: None to report
- Staff related impacts: None to report
- Incarcerated persons related impacts:
  - AA/PIO: Received a phone call from a concerned family member on behalf of an Incarcerated Persons. The heat issue was concerning 4B where the air handler broke down. It is currently actively being looked at by Plant Ops for repairs.
  - DRP: Vocational Building on the west side area of 3A hit 90 degrees. 1 class session was cancelled due to heat related issue.

- Facility related issues:
    - Plant Ops: 4B02 Air Handler went down. Plant Ops is currently working on the issue to get the air handler operational.
    - Issue from Friday 8.9.24 concerning the Fridge trailer has been resolved. Fridge is in operation again.
    - Plant Ops is currently working on retrieving 5 water fountains to install into the housing facilities that do not currently have one accessible.
    - Mister on 3A and 3B are currently in operational. Plant Ops is currently trying to get misters installed on the other housing units.

- Medical Warehouse: None to Report
- Pharmacy: None to Report
- Space Allocation:
    - 3A04 is an option to house 100 incarcerated persons' if needed to relocate.
- Cooling stations (locations, as well as additional cooling and hydration measures, etc.):
    - Housing Units Dayroom/Showers (For Cooling not Hygiene Purposes)
    - Cell Doors in General Population units may be open to allow
    - Sprinkler systems

- Daily Documentation: Daily Documentation of heat Logs continue to be properly checked and documented for each housing units.
    - 3A
    - 3B
    - 4A
    - 4B

- Reasonable accommodations as necessary: None to report.

T.L. CAMPBELL
WARDEN
California State Prison – Corcoran

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

August 16, 2024

Bryan D. Phillips
Associate Director (A)
High Security Mission
Division of Adult Institutions

SUBJECT: **Daily Heat Discussion**

☐ **Warden T.L Campbell**	☒ **3B Captain F. Chappel**	☒ **AA/PIO: Lt. Clifton**
☒ **CDW: E. Silva**	☐ **4A Captain A. Johnson**	☐ **DRP: Lewis Carrol**
☐ **AW-HS: R. Ruiz**	☒ **4B Captain A. Randolph**	☒ **C&PR: Juan Mendez**
☒ **AW-CO: A. Guillen**	☒ **P/Opps Manager: N. Erling**	☒ **Capt. D. Burns**
☒ **AW-RHU- J. Weber**	☐ **CBMI: H. Kalstrom**	☒ **Education: B. Xiong**
☐ **AW-BS: B. McKinney**	☐ **CEO: Michael Whittaker**	☐ **Capt. Peterson**
☒ **AW-ADA: T. Henne**	☐ **CSE: Eric McDaniel**	☐ **Psychiatrist: Yasaei Rama**
☒ **AW-HCS: J. Bugarin**	☐ **CNE: Renee Griswold**	☒ **SRN III: Shawn Autrey**
☒ **Capt. D. Espinoza**	☐ **CMH: Scott Harris**	☒ **Pharmacy: Sameh Boulos**
☒ **3A Captain: D. Madsen**	☒ **SRN II: Shannon Alvarado**	

MEETING Discussion:

Temperature for the day: High of 97 Degrees
Low of 64 Degrees

- Heat Plan Stage Alerts and routine temperature monitoring:
  - 3A: Mid 80's
  - 3B: Mid 80's
  - 4A: Mid 80's
  - 4B: Mid 80's
- Program impacts: None to report
- Staff related impacts: None to report
- Incarcerated persons related impacts:
- Facility related issues:
  - AA/PIO: Reference Heat Plan Cards continue to be generated and issued to Housing units.

- Medical Warehouse: None to Report
- Pharmacy: None to Report
- Space Allocation:
    - 3A04 is an option to house 100 incarcerated persons' if needed to relocate.
- Cooling stations (locations, as well as additional cooling and hydration measures, etc.):
    - Housing Units Dayroom/Showers (For Cooling not Hygiene Purposes)
    - Cell Doors in General Population units may be open to allow
    - Sprinkler systems

- Daily Documentation: Daily Documentation of heat Logs continue to be properly checked and documented for each housing units.
    - 3A
    - 3B
    - 4A
    - 4B

- Reasonable accommodations as necessary: None to report.

T.L. CAMPBELL
WARDEN
California State Prison – Corcoran

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

August 19, 2024

Bryan D. Phillips
Associate Director (A)
High Security Mission
Division of Adult Institutions

SUBJECT: Daily Heat Discussion

☒ **Warden T.L Campbell**	☒ **3B Captain F. Chappel**	☒ **AA/PIO: Lt. Clifton**
☒ **CDW: E. Silva**	☐ **4A Captain A. Johnson**	☒ **DRP: Lewis Carrol**
☐ **AW-HS: R. Ruiz**	☒ **4B Captain A. Randolph**	☒ **C&PR: Juan Mendez**
☒ **AW-CO: A. Guillen**	☒ **P/Opps Manager: N. Erling**	☒ **Capt. D. Burns**
☒ **AW-RHU- J. Weber**	☒ **CBMI: H. Kalstrom**	☒ **Education: B. Xiong**
☒ **AW-BS: B. McKinney**	☐ **CEO: Michael Whittaker**	☐ **Capt. Peterson**
☒ **AW-ADA: T. Henne**	☐ **CSE: Eric McDaniel**	☐ **Psychiatrist: Yasaei Rama**
☒ **AW-HCS: J. Bugarin**	☐ **CNE: Renee Griswold**	☒ **SRN III: Shawn Autrey**
☒ **Capt. D. Espinoza**	☐ **CMH: Scott Harris**	☐ **Pharmacy: Sameh Boulos**
☒ **3A Captain: D. Madsen**	☒ **SRN II: Shannon Alvarado**	

MEETING Discussion:

Temperature for the day: High of 94 Degrees
Low of 62 Degrees

- Heat Plan Stage Alerts and routine temperature monitoring: None to report
- Program impacts: DRP Porta-Coolers stopped working. Plant Ops were made aware of the situation, and they are currently working on it to make sure it is back online in a timely manner.
- Staff related impacts: None to report
- Incarcerated persons related impacts:
- Facility related issues:
  - AA/PIO: Reference Heat Plan Cards continue to be issued to Housing units. Staff is aware if they have not received their cards they can ask the facility Captain for additional cards.
- Medical Warehouse: None to Report

- Pharmacy: None to Report
- Space Allocation:
    - 3A04 is an option to house 100 incarcerated persons' if needed to relocate.
- Cooling stations (locations, as well as additional cooling and hydration measures, etc.):
    - Housing Units Dayroom/Showers (For Cooling not Hygiene Purposes)
    - Cell Doors in General Population units may be open to allow
    - Sprinkler systems

- Daily Documentation: Daily Documentation of heat Logs continue to be properly checked and documented for each housing units.
    - 3A
    - 3B
    - 4A
    - 4B

- Reasonable accommodations as necessary: None to report.

T.L. CAMPBELL
WARDEN
California State Prison – Corcoran

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

August 28, 2024

Bryan D. Phillips
Associate Director (A)
High Security Mission
Division of Adult Institutions

SUBJECT: Daily Heat Discussion

☐ CDW: E. Silva	☒ 3B Captain F. Chappel	☒ AA/PIO: Lt. Clifton
☐ AW-H: J. Perez	☒ 4A Captain A. Johnson	☒ DRP: Lewis Carrol
☐ AW-HS: R. Ruiz	☐ 4B Captain A. Randolph	☒ C&PR: Juan Mendez
☒ AW-CO: A. Guillen	☐ P/Opps Manager: N. Erling	☒ Capt. D. Burns
☒ AW-RHU- J. Weber	☒ CBMI: H. Kalstrom	☒ Education: B. Xiong
☒ AW-BS: B. McKinney	☐ CEO: Michael Whittaker	☐ Capt. Peterson
☒ AW-ADA: T. Henne	☐ CSE: Eric McDaniel	☐ Psychiatrist: Yasaei Rama
☒ AW-HCS: J. Bugarin	☐ CNE: Renee Griswold	☒ SRN III: Shawn Autrey
☒ Capt. D. Espinoza	☐ CMH: Scott Harris	☐
☒ 3A Captain: D. Madsen	☒ SRN II: Shannon Alvarado	

MEETING Discussion:

- Heat Plan Stage Alerts and routine temperature monitoring:
  - Temperature for the day: **High 100 degrees**
    Low 59 Degrees
- Program impacts: Nothing to report
- Staff related impacts: Nothing to report
- Incarcerated persons related impacts: Nothing to report
- Facility related issues:
  - Ice Machines will be installed by the end of the week for Facility Housing Units 4A and 4B.
  - 4B4L Showers needs repairs. A ticket has been submitted to Plant Ops; they are currently in the process of fixing the issue.
- Medical Warehouse: Nothing to Report
- Pharmacy: Nothing to report

- Space Allocation:
    - 3A04 is an option to house 100 incarcerated persons' if needed to relocate.
- Cooling stations (locations, as well as additional cooling and hydration measures, etc.):
    - Housing Units Dayroom/Showers (For Cooling not Hygiene Purposes)
    - Cell doors in General Population units may be left open to allow air flow.
    - Sprinkler systems.

- Daily Documentation: Daily Documentation of heat Logs continue to be properly checked and documented for each housing units.
    - 3A
    - 3B
    - 4A
    - 4B

- Reasonable accommodations as necessary: None to report.

T.L. CAMPBELL
WARDEN
California State Prison – Corcoran

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

August 29, 2024

Bryan D. Phillips
Associate Director (A)
High Security Mission
Division of Adult Institutions

SUBJECT: **Daily Heat Discussion**

☒ **CDW: E. Silva**	☒ **3B Captain F. Chappel**	☒ **AA/PIO: Lt. Clifton**
☐ **AW-H: J. Perez**	☒ **4A Captain A. Johnson**	☒ **DRP: Lewis Carrol**
☐ **AW-HS: R. Ruiz**	☐ **4B Captain A. Randolph**	☒ **C&PR: Juan Mendez**
☒ **AW-CO: A. Guillen**	☐ **P/Opps Manager: N. Erling**	☒ **Capt. D. Burns**
☒ **AW-RHU- J. Weber**	☒ **CBMI: H. Kalstrom**	☒ **Education: B. Xiong**
☒ **AW-BS: B. McKinney**	☐ **CEO: Michael Whittaker**	☒ **Capt. Peterson**
☒ **AW-ADA: T. Henne**	☐ **CSE: Eric McDaniel**	☐ **Psychiatrist: Yasaei Rama**
☒ **AW-HCS: J. Bugarin**	☐ **CNE: Renee Griswold**	☒ **SRN III: Shawn Autrey**
☒ **Capt. D. Espinoza**	☐ **CMH: Scott Harris**	☐
☒ **3A Captain: D. Madsen**	☒ **SRN II: Shannon Alvarado**	

MEETING Discussion:

- Heat Plan Stage Alerts and routine temperature monitoring:
  - Temperature for the day: **High 100 degrees**
    Low 67 Degrees
- Program impacts: Nothing to report
- Staff related impacts: Nothing to report
- Incarcerated persons related impacts: Nothing to report
- Facility related issues:
  - All housing Units temperatures are within an appropriate range. They continue to be monitored through out the day.
- Medical Warehouse: Nothing to Report
- Pharmacy: Nothing to report
- Space Allocation:

- 3A04 is an option to house 100 incarcerated persons' if needed to relocate.

- Cooling stations (locations, as well as additional cooling and hydration measures, etc.):
  - Housing Units Dayroom/Showers (For Cooling not Hygiene Purposes)
  - Cell doors in General Population units may be left open to allow air flow.
  - Sprinkler systems.

- Daily Documentation: Daily Documentation of heat Logs continue to be properly checked and documented for each housing units.
  - 3A
  - 3B
  - 4A
  - 4B

- Reasonable accommodations as necessary: None to report.

T.L. CAMPBELL
WARDEN
California State Prison – Corcoran

DIVISION OF ADULT INSTITUTIONS
CALIFORNIA STATE PRISON - CORCORAN
P.O. Box 8800
Corcoran, CA 93212

August 30, 2024

Bryan D. Phillips
Associate Director (A)
High Security Mission
Division of Adult Institutions

SUBJECT: **Daily Heat Discussion**

☒ **CDW: E. Silva**	☒ **3B Captain F. Chappel**	☒ **AA/PIO: Lt. Clifton**
☐ **AW-H: J. Perez**	☒ **4A Captain A. Johnson**	☒ **DRP: Lewis Carrol**
☐ **AW-HS: R. Ruiz**	☐ **4B Captain A. Randolph**	☒ **C&PR: Juan Mendez**
☒ **AW-CO: A. Guillen**	☐ **P/Opps Manager: N. Erling**	☒ **Capt. D. Burns**
☒ **AW-RHU- J. Weber**	☒ **CBMI: H. Kalstrom**	☒ **Education: B. Xiong**
☒ **AW-BS: B. McKinney**	☐ **CEO: Michael Whittaker**	☒ **Capt. Peterson**
☒ **AW-ADA: T. Henne**	☐ **CSE: Eric McDaniel**	☐ **Psychiatrist: Yasaei Rama**
☒ **AW-HCS: J. Bugarin**	☐ **CNE: Renee Griswold**	☒ **SRN III: Shawn Autrey**
☒ **Capt. D. Espinoza**	☐ **CMH: Scott Harris**	☐
☒ **3A Captain: D. Madsen**	☒ **SRN II: Shannon Alvarado**	

MEETING Discussion:

- Heat Plan Stage Alerts and routine temperature monitoring:
  - Temperature for the day: **High 101 degrees**
    Low 63 Degrees
- Program impacts: Nothing to report
- Staff related impacts: Nothing to report
- Incarcerated persons related impacts: Nothing to report
- Facility related issues:
  - All housing Units temperatures are within an appropriate range. They continue to be monitored through out the day.
  - Facility 4A and 4B Ice machines are currently being worked on so they may be installed in the housing units.
- Medical Warehouse: Nothing to Report
- Pharmacy: Nothing to report

- Space Allocation:
    - 3A04 is an option to house 100 incarcerated persons' if needed to relocate.
- Cooling stations (locations, as well as additional cooling and hydration measures, etc.):
    - Housing Units Dayroom/Showers (For Cooling not Hygiene Purposes)
    - Cell doors in General Population units may be left open to allow air flow.
    - Sprinkler systems.

- Daily Documentation: Daily Documentation of heat Logs continue to be properly checked and documented for each housing units.
    - 3A
    - 3B
    - 4A
    - 4B

- Reasonable accommodations as necessary: None to report.

T.L. CAMPBELL
WARDEN
California State Prison – Corcoran