

Monthly Summary Report

Institution: SAC

Memorandum

Date: August

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - July 2024

The following is a summary of the heat related activity for the month of July,
at SAC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 28

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes

Number of days Stage II Alert initiated: 33

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 3

4. Weekly list of heat risk patients archived?:Yes

5. Number of patients with heat related illness.10 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

J. Lynch

Warden Name

DocuSigned by:


Jeffrey Lynch

4DFAE006361444E7...

Warden Signature

K. Oglesby

Chief Executive Officer Name

DocuSigned by:


Kerry Oglesby

EA245D64FA3C4FE...

Chief Executive Officer Signature

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/01/24	0100	80.4	L. Adams
	0200	78.6	L. Adams
	0300	77.8	L. Adams
	0400	77.1	L. Adams
	0500	76.2	L. Adams
	0600	75.3	GriFFith
	0700	79.3	GriFFith
	0800	81.6	GriFFith
	0900	83.8	GriFFith
	1000	86.3	GriFFith
	1100	89.0	Gr. fFith
	1200	90.8	GriFFith
	1300	94.8	GriFFith
	1400	94.1	Wooden
	1500	94.8	Wooden
	1600	94.1	Wooden
	1700	93.5	Wooden
	1800	92.1	Warden
	1900	90.1	Wooden
	2000	89.3	Wooden
	2100	86.3	Warden
	2200	85.2	GriFFith
	2300	83.5	GriFFith
	2400	82.2	GriFFith

Stage 1 ACTIVATED

1104 hrs

Stage 1 DEACTIVATED

2111 hrs

Date	Time	Temp.	Printed Name
07/02/24	0100	81.8	Gr. fFith
	0200	80.4	Gr. DAK
	0300	80.6	Gr. fFith
	0400	80.0	Gr. fFith
	0500	79.3	Gr. fFith
	0600	78.8	Gr. fFith
	0700	79.5	Gr. fFith
	0800	81.3	Griffith
	0900	85.4	Griffith
	1000	88.7	Griffith
	1100	91.9	Griffith
	1200	92.6	Gr. fFith
	1300	98.6	Griffith
	1400	97.3	Robles
	1500	97.7	Robles
	1600	98.9	Robles
	1700	97.5	Robles
	1800	96	Robles
	1900	94.8	Robles
	2000	96.3	Robles
	2100	89	Robles
	2200	87.0	Gr. fFith
	2300	84.7	Gr. fFith
	2400	82.0	Gr. fFith

Stage 1 Deactivated

2200 hrs

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/03/24	0100	81.5	Griffith
	0200	80.3	Griffith
	0300	79.5	Griffith
	0400	78.3	Griffith
	0500	77.9	Griffith
	0600	76.4	Cernich
	0700	78.4	Cernich
	0800	85.0	Cernich
	0900	89.4	Cernich
	1000	89.0	Cernich
8/1	1100	94.2	Cernich
	1200	96.3	Cernich
	1300	98.7	Cernich
	1400	98.9	Cernich
	1500	97.3	VASQUEZ
	1600	97.1	VASQUEZ
XO	1700	96.9	VASQUEZ
	1800	95.3	VASQUEZ
	1900	95.0	VASQUEZ
	2000	91.2	VASQUEZ
	2100	88.9	VASQUEZ
	2200	86.9	Griffith
	2300	84.9	Griffith
	2400	83.2	Griffith

Date	Time	Temp.	Printed Name
07/04/24	0100	80.8	Griffith
	0200	80.5	Griffith
W	0300	80.0	Griffith
	0400	77.8	Griffith
	0500	75.3	Griffith
	0600	75.6	LUCERO
	0700	78.6	LUCERO
	0800	83.6	LUCERO
	0900	87.0	LUCERO
	1000	92.0	LUCERO
N	1100	96.4	LUCERO
	1200	94.2	LUCERO
	1300	102.2	LUCERO
	1400	103.1	VASQUEZ
	1500	102.2	VASQUEZ
	1600	101.8	VASQUEZ
	1700	99.6	VASQUEZ
XO	1800	96.4	VASQUEZ
	1900	95.3	VASQUEZ
	2000	91.4	VASQUEZ
	2100	89.6	VASQUEZ
	2200	86.6	Adams
	2300	82.9	Adams
	2400	81.2	Adams

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/05/24	0100	80.6	Adams
	0200	79.2	Adams
	0300	76.1	Adam
	0400	75.9	Holman
	0500	75.1	Holman
	0600	73.7	Johnson
	0700	76.1	Johnson
	0800	82.0	Johnson
	0900	81.2	Johnson
	1000	89.0	Johnson
	1100	93.0	Johnson
	1200	94.8	Johnson
	1300	96.9	Johnson
	1400	100.9	VASQUEZ
	1500	99.5	VASQUEZ
	1600	98.7	VASQUEZ
	1700	100.5	VASQUEZ
	1800	98.6	VASQUEZ
	1900	96.0	VASQUEZ
	2000	95.9	VASQUEZ
	2100	94.5	VASQUEZ
	2200	90.4	Adams
	2300	85.8	Adams
	2400	85.1	Adams

Date	Time	Temp.	Printed Name
07/06/24	0100	83.6	Adam
	0200	81.3	Adam
	0300	79.1	Adam
	0400	77.1	Adam
	0500	79.0	Adam
	0600	75.7	Johnson
	0700	78.6	Johnson
	0800	84.0	Johnson
	0900	88.6	Johnson
	1000	92.3	Johnson
	1100	93.7	Johnson
	1200	93.7	Johnson
	1300	98.6	Johnson
	1400	103.1	VASQUEZ
	1500	101.4	VASQUEZ
	1600	100.0	VASQUEZ
	1700	100.0	VASQUEZ
	1800	98.7	VASQUEZ
	1900	99.6	VASQUEZ
	2000	94.8	VASQUEZ
	2100	91.5	VASQUEZ
	2200	87.0	Bach.
	2300	85.1	Bach
	2400	84.5	Bach

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/07/24	0100	81.6	Bauchi
	0200	79.5	Bauchi
	0300	78.6	Bauchi
	0400	76.8	Bauchi
	0500	75.2	Bauchi
	0600	75.3	LUCERO
	0700	78.3	LUCERO
	0800	82.1	LUCERO
	0900	85.4	LUCERO
	1000	87.5	LUCERO
	1100	92.3	LUCERO
	1200	94.6	LUCERO
	1300	93.2	LUCERO
	1400	96.9	VASQUEZ
	1500	97.5	VASQUEZ
	1600	98.2	VASQUEZ
	1700	97.3	VASQUEZ
	1800	97.7	VASQUEZ
	1900	93.3	VASQUEZ
	2000	90.5	VASQUEZ
	2100	86.7	VASQUEZ
	2200	82.4	Adam
	2300	78.9	Adams
	2400	77.0	Adam

Stage 1 Heat Alert activated @ 10:30

Date	Time	Temp.	Printed Name
07/08/24	0100	75.1	Adam
	0200	73.4	Adam
	0300	72.1	Adam
	0400	71.6	Adam
	0500	70.5	Adam
	0600	71.9	LUCERO
	0700	73.2	LUCERO
	0800	77.0	LUCERO
	0900	79.7	LUCERO
	1000	82.9	LUCERO
	1100	85.4	LUCERO
	1200	90.1	Martinez
	1300	93.7	LUCERO
	1400	97.3	A. AMARO
	1500	98.4	A. AMARO
	1600	96.2	A. AMARO
	1700	95.9	A. AMARO
	1800	93.7	A. AMARO
	1900	92.3	A. AMARO
	2000	89.7	A. AMARO
	2100	82.4	A. AMARO
	2200	80.2	Griffith
	2300	79.7	Griffith
	2400	75.7	Griffith

Stage 1
deactivated
2030

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

STAGE 1 HEAT ALERT
ACTIVATED @ 1300
deactivated at 1830

Date	Time	Temp.	Printed Name
07/09/24	0100	74.3	Gr. Griffith
	0200	73.0	Gr. Griffith
	0300	71.2	Gr. Griffith
	0400	69.9	Griffith
	0500	68.9	Griffith
	0600	67.7	LUCERO
	0700	69.4	LUCERO
	0800	74.7	LUCERO
	0900	79.4	LUCERO
	1000	77.0	LUCERO
	1100	79.5	LUCERO
	1200	80.8	LUCERO
	1300	92.1	LUCERO
	1400	86	Robles
	1500	90.6	Robles
	1600	87.8	Robles
	1700	87.4	Robles
	1800	87	Robles
	1900	84	Robles
	2000	82.4	Robles
	2100	80.7	Robles
	2200	76.5	Griffith
	2300	74.4	Griffith
	2400	73.5	Gr. Griffith

Date	Time	Temp.	Printed Name
07/10/24	0100	71.7	Griffith
	0200	70.5	Griffith
	0300	69.3	Griffith
	0400	68.9	Griffith
	0500	68.5	Gr. Griffith
	0600	67.6	Garcia
	0700	75.2	Garcia
	0800	76.6	Garcia
	0900	78.2	Garcia
	1000	80.9	Garcia
	1100	84.8	Garcia
	1200	86.1	Garcia
	1300	89.7	Garcia
	1400	93.0	VASQUEZ
	1500	92.5	VASQUEZ
	1600	91.5	VASQUEZ
	1700	92.4	VASQUEZ
	1800	91.7	VASQUEZ
	1900	90.1	VASQUEZ
	2000	88.4	VASQUEZ
	2100	85.1	VASQUEZ
	2200	83.6	Griffith
	2300	80.7	Griffith
	2400	50.7	Gr. Griffith

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/11/24	0100	80.0	Gr.FATh
	0200	80.0	Griffith
	0300	80.0	Griffith
	0400	76.6	Gr.FATh
	0500	76.6	Gr.FATh
	0600	76.8	LUCERO
	0700	79.3	LUCERO
	0800	81.9	LUCERO
	0900	85.2	LUCERO
	1000	87.6	LUCERO
	1100	90.8	LUCERO
	1200	91.9	Martinez
	1300	92.8	LUCERO
	1400	97.5	MEARVEL
	1500	96.6	VASQUEZ
	1600	109.0	VASQUEZ
	1700	107.7	VASQUEZ
	1800	104.7	VASQUEZ
	1900	103.4	VASQUEZ
	2000	100.7	VASQUEZ
	2100	97.3	VASQUEZ
	2200	92.6	Gr.FATh
	2300	89.6	Gr.FATh
	2400	88.8	Griffith

Date	Time	Temp.	Printed Name
07/12/24	0100	86.1	Gr.FATh
	0200	84.3	Griffith
	0300	81.8	Gr.FATh
	0400	80.7	Gr.FATh
	0500	80.2	Griffith
	0600	77.9	JOHNSON
	0700	82.4	JOHNSON
	0800	86.0	JOHNSON
	0900	90.4	JOHNSON
	1000	94.4	JOHNSON
	1100	98.7	LUCERO
	1200	102.9	JOHNSON
	1300	106.1	JOHNSON
	1400	108.7	VASQUEZ
	1500	109.0	VASQUEZ
	1600	109.2	VASQUEZ
	1700	108.6	VASQUEZ
	1800	107.7	VASQUEZ
	1900	104.3	VASQUEZ
	2000	99.8	VASQUEZ
	2100	95.7	VASQUEZ
	2200	91.0	Adams
	2300	88.4	Adams
	2400	88.5	Adams

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/13/24	0100	85.4	Adams
	0200	85.6	Adams
	0300	81.8	Adams
	0400	79.8	Adams
	0500	78.8	Adams
	0600	75.7	J. Johnson
	0700	79.8	Johnson
	0800	80.0	Johnson
	0900	82.2	Johnson
	1000	80.9	Johnson
	1100	85.0	Johnson
	1200	87.8	Johnson
	1300	92.1	Johnson
	1400	95.3	VASQUEZ
	1500	97.8	VASQUEZ
	1600	99.6	VASQUEZ
	1700	100.2	VASQUEZ
	1800	95.8	VASQUEZ
	1900	90.5	VASQUEZ
	2000	88.2	VASQUEZ
	2100	83.6	VASQUEZ
	2200	80.7	Bauchi
	2300	80.2	Bauchi
	2400	79.5	Bauchi

Stage 1
Deact
@2045

Date	Time	Temp.	Printed Name
07/14/24	0100	77.7	Bauchi
	0200	76.6	Bauchi
	0300	75.4	Bauchi
	0400	74.3	Bauchi
	0500	75.2	Bauchi
	0600	74.6	LUCERO
	0700	73.4	LUCERO
	0800	74.6	LUCERO
	0900	73.7	LUCERO
	1000	75.3	LUCERO
	1100	79.3	LUCERO
	1200	84.4	LUCERO
	1300	87.8	LUCERO
	1400	91.7	VASQUEZ
	1500	94.6	VASQUEZ
	1600	95.1	VASQUEZ
	1700	97.1	VASQUEZ
	1800	98.0	VASQUEZ
	1900	96.2	VASQUEZ
	2000	94.8	VASQUEZ
	2100	89.7	Martinez
	2200	79.8	CAMPUS
	2300	74.4	CAMPUS
	2400	72.1	CAMPUS

stage 1 is 53
deactivated 2015
86

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/15/24	0100	71.9	Campos
	0200	70.5	Campos
	0300	69.4	Campos
	0400	67.2	Campos
	0500	66.5	Lightfield
	0600	67.1	LUCERO
	0700	67.8	LUCERO
	0800	72.1	LUCERO
	0900	74.7	LUCERO
	1000	78.1	LUCERO
	1100	83.3	LUCERO
	1200	88.8	Martinez
	1300	88.8	Martinez
	1400	89.4	LUCERO
	1500	95.3	A. AMARO
	1600	95.0	A. AMARO
	1700	95.5	A. AMARO
	1800	93.7	A. AMARO
	1900	90.6	A. AMARO
	2000	88.7	A. AMARO
	2100	82.7	A. AMARO
	2200	78.4	Lightfield
	2300	75.0	Campos
	2400	70.8	Campos

Date	Time	Temp.	Printed Name
07/16/24	0100	70.7	Campos
	0200	67.8	Campos
	0300	67.4	Campos
	0400	66.5	Campos
	0500	66.5	Campos
	0600	65.6	LUCERO
	0700	66.7	LUCERO
	0800	68.1	LUCERO
	0900	72.3	LUCERO
	1000	77.1	LUCERO
	1100	80.0	LUCERO
	1200	83.1	LUCERO
	1300	85.4	LUCERO
	1400	88.1	Robles
	1500	89.9	Robles
	1600	89.7	Robles
	1700	89	Robles
	1800	88.3	Robles
	1900	83.1	Robles
	2000	81.5	Robles
	2100	77.3	Robles
	2200	67.5	Campos
	2300	66.5	Campos
	2400	66.3	Campos

STAGE 1 Heat Alert Stage 1 Reactivated @ 105.4
ACTIVATED @ 133.0

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/17/24	0100	70.7	CAMPOS
	0200	67.8	CAMPOS
6/3	0300	67.4	CAMPOS
	0400	66.5	CAMPOS
	0500	66.5	CAMPOS
	0600	59.3	LUCERO
	0700	62.7	LUCERO
	0800	67.4	LUCERO
(P)	0900	70.5	LUCERO
	1000	75.7	LUCERO
	1100	78.3	LUCERO
	1200	83.1	LUCERO
	1300	85.6	LUCERO
	1400	89.8	VASQUEZ
	1500	93.2	VASQUEZ
	1600	93.2	VASQUEZ
	1700	93.9	VASQUEZ
	1800	92.8	VASQUEZ
	1900	91.7	VASQUEZ
	2000	88.5	VASQUEZ
	2100	82.2	VASQUEZ
	2200	78.6	GRIFFITH
	2300	76.2	GRIFFITH
	2400	74.3	GRIFFITH

STAGE 1
@1420STAGE 1
Deact
@2130

Date	Time	Temp.	Printed Name
07/18/24	0100	72.1	GRIFFITH
	0200	70.5	GRIFFITH
NK	0300	67.2	GRIFFITH
	0400	69.2	GRIFFITH
	0500	66.9	GRIFFITH
	0600	67.6	LUCERO
	0700	73.2	LUCERO
	0800	77.1	LUCERO
	0900	81.4	LUCERO
	1000	85.1	LUCERO
NK	1100	89.8	LUCERO
5x5 R	1200	97.7	LUCERO
	1300	98.5	LUCERO
	1400	99.6	VASQUEZ
	1500	100.0	VASQUEZ
	1600	100.9	VASQUEZ
	1700	100.5	VASQUEZ
NK	1800	98.9	VASQUEZ
stage deact @2120	1900	97.7	VASQUEZ
	2000	95.1	VASQUEZ
	2100	87.9	VASQUEZ
	2200	86.0	E. ADAMS
	2300	84.5	Adams
	2400	82.9	Adams

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/19/24	0100	80.6	Adam
	0200	78.1	Adam
	0300	76.0	Adam
	0400	75.0	Adam
	0500	73.0	Adam
	0600	73.4	Johnson
	0700	75.3	Johnson
	0800	72.0	Johnson
	0900	70.0	Johnson
	1000	69.1	Johnson
	1100	69.6	Johnson
	1200	69.2	Johnson
	1300	69.8	Johnson
	1400	70.5	VASQUEZ
	1500	70.4	VASQUEZ
	1600	70.1	VASQUEZ
	1700	70.9	VASQUEZ
	1800	70.7	VASQUEZ
	1900	70.5	VASQUEZ
	2000	70.6	VASQUEZ
	2100	70.0	B. Martinez
	2200	70.7	Campos
	2300	70.9	Campos
	2400	70.7	Campos

150° → 130° → Stage 1 @ 100°
 Stage 2 @ 150°
 Stage 3 @ 223°
 DEACTIVATED

Date	Time	Temp.	Printed Name
07/20/24	0100	84.7	Campos
	0200	82.8	Campos
	0300	80.0	Campos
	0400	78.2	Campos
	0500	76.6	Campos
	0600	76.2	Johnson
	0700	78.9	Johnson
	0800	82.0	Johnson
	0900	87.2	Johnson
	1000	91.2	Johnson
	1100	95.1	Johnson
	1200	98.0	Johnson
	1300	100.9	Johnson
	1400	103.1	VASQUEZ
	1500	103.2	VASQUEZ
	1600	103.4	VASQUEZ
	1700	102.8	VASQUEZ
	1800	102.2	VASQUEZ
	1900	98.9	VASQUEZ
	2000	92.4	VASQUEZ
	2100	89.0	VASQUEZ
	2200	85.2	Campos
	2300	82.0	Lightfield
	2400	79.1	Campos

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/21/24	0100	77.9	Campos
	0200	75	Campos
	0300	73.8	Campos
	0400	72.6	Campos
	0500	70.8	Campos
	0600	69.9	LUCERO
	0700	71.4	LUCERO
	0800	73.1	LUCERO
	0900	76.4	LUCERO
	1000	78.3	LUCERO
	1100	80.6	LUCERO
	1200	89.2	LUCERO
	1300	91.1	LUCERO
	1400	94.5	VASQUEZ
	1500	96.6	VASQUEZ
	1600	96.3	VASQUEZ
	1700	96.6	VASQUEZ
	1800	95.1	VASQUEZ
	1900	93.3	VASQUEZ
	2000	90.1	VASQUEZ
	2100	84.5	VASQUEZ
	2200	78.8	Campos
	2300	78.6	Campos
	2400	77	Campos

Date	Time	Temp.	Printed Name
07/22/24	0100	76.8	Campos
	0200	75.2	Campos
	0300	74.8	Campos
	0400	73.2	Campos
	0500	71.9	Campos
	0600	71.4	LUCERO
	0700	74.4	LUCERO
	0800	78.2	LUCERO
	0900	82.4	LUCERO
	1000	87.8	LUCERO
	1100	96.8	LUCERO
	1200	100.4	LUCERO
	1300	100.4	LUCERO
	1400	100.8	Rodriguez
	1500	103.1	Rodriguez
	1600	104.5	Rodriguez
	1700	102.1	Rodriguez
	1800	103.1	Rodriguez
	1900	99.8	Rodriguez
	2000	91.1	Rodriguez
	2100	91.4	Rodriguez
	2200	91.4	Campos
	2300	87.8	Campos
	2400	83.3	Campos

Perchance
at 2120

Stage 1 Heat Alert
ACTIVATED @ 1214
Initial heat alert
X@ 1214
de activated
15 hours

1000-1300

STAGE 1 Heat Alert
ACTIVATED @ 1055

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/23/24	0100	83.4	Campos
	0200	80.4	Campos
DS	0300	80.0	Campos
	0400	80.6	Campos
	0500	70.2	Campos
	0600	80.0	LUCERO
	0700	82.2	LUCERO
	0800	87.5	LUCERO
	0900	91.1	LUCERO
AP	1000	96.7	LUCERO
	1100	100.2	LUCERO
	1200	102.3	LUCERO
	1300	104.0	LUCERO
	1400	106.1	Rodriguez
	1500	107.1	Rodriguez
	1600	107.1	Rodriguez
	1700	100.8	Rodriguez
	1800	105.6	Rodriguez
	1900	103.8	Rodriguez
	2000	97.3	Rodriguez
	2100	94.8	Rodriguez
	2200	93.0	Rodriguez
	2300	89.4	Campos
	2400	88.1	Campos

Date	Time	Temp.	Printed Name
07/24/24	0100	88.3	Campos
	0200	83.4	Campos
DS	0300	83.2	Campos
	0400	82.0	Campos
	0500	82.7	Campos
	0600	80.5	VanHeeffer
	0700	85.3	VanHeeffer
	0800	88.2	VanHeeffer
	0900	91.5	VanHeeffer
	1000	94.6	VanHeeffer
AP	1100	96.1	VanHeeffer
	1200	101.8	VanHeeffer
	1300	104	VanHeeffer
	1400	104.5	VASQUEZ
	1500	105.4	VASQUEZ
	1600	104.6	VASQUEZ
	1700	102.3	VASQUEZ
	1800	101.4	VASQUEZ
	1900	98.2	VASQUEZ
	2000	95.3	VASQUEZ
	2100	91.0	VASQUEZ
	2200	88.7	GRIFFIN
	2300	87.4	GRIFFIN
	2400	84.9	GRIFFIN

STAGE ONE ALERT

ACTIVATED @ 0850

100 DEGREES REACHED AT 1100

Stage one alert
activated 2:52 PM

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/25/24	0100	81.6	G. Griffith
	0200	81.8	G. Griffith
	0300	80.2	G. Griffith
	0400	78.4	G. Griffith
	0500	77.7	G. Griffith
	0600	77.0	M. Martinez
	0700	82.9	LUCERO
	0800	84.7	LUCERO
	0900	86.2	LUCERO
	1000	89.7	LUCERO
	1100	93.3	LUCERO
	1200	95.0	Marinier
	1300	98.0	LUCERO
	1400	100.4	VASQUEZ
	1500	101.4	VASQUEZ
	1600	100.9	VASQUEZ
	1700	101.6	VASQUEZ
	1800	98.9	VASQUEZ
	1900	96.9	VASQUEZ
	2000	90.5	VASQUEZ
	2100	88.1	VASQUEZ
	2200	86.5	G. Griffith
	2300	82.7	G. Griffith
	2400	81.6	G. Griffith

Date	Time	Temp.	Printed Name
07/26/24	0100	78.2	G. Griffith
	0200	76.6	G. Griffith
	0300	75.9	G. Griffith
	0400	75.0	G. Griffith
	0500	74.8	G. Griffith
	0600	74.3	Johnson
	0700	80.4	Johnson
	0800	82.2	Johnson
	0900	89.0	Johnson
	1000	91.4	Johnson
	1100	91.8	Johnson
	1200	98.7	Johnson
	1300	100.2	Johnson
	1400	101.2	VASQUEZ
	1500	102.2	VASQUEZ
	1600	100.4	VASQUEZ
	1700	98.2	VASQUEZ
	1800	94.1	VASQUEZ
	1900	90.2	VASQUEZ
	2000	85.4	VASQUEZ
	2100	79.9	VASQUEZ
	2200	77.5	Campos
	2300	72.3	Campos
	2400	67.2	Campos

STAGE 1 ALERT
ACTIVATED @ 1003
100° R 1905
BA
Stage 1
Deact @ 2135

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/27/24	0100	65.3	Campos
	0200	62.9	Campos
	0300	61.0	Campos
	0400	60.2	Campos
	0500	59.7	Campos
	0600	59.0	Johnson
	0700	60.4	Johnson
	0800	61.7	Johnson
	0900	65.8	Johnson
	1000	70.8	Johnson
	1100	73.0	Johnson
	1200	76.2	Johnson
	1300	78.0	Johnson
	1400	79.8	Johnson
	1500	81.8	Johnson
	1600	81.3	Johnson
	1700	80.6	Johnson
	1800	78.9	Johnson
	1900	75.5	Johnson
	2000	74.3	Johnson
	2100	70.3	Johnson
	2200	67.2	Campos
	2300	64.0	Campos
	2400	63.5	Campos

Date	Time	Temp.	Printed Name
07/28/24	0100	62.0	Campos
	0200	60.0	Campos
	0300	59.1	Campos
	0400	59.5	Campos
	0500	57.9	Campos
	0600	58.1	Lucero
	0700	59.7	Lucero
	0800	61.8	Lucero
	0900	64.2	Lucero
	1000	69.9	Lucero
	1100	73.4	Lucero
	1200	77.6	Lucero
	1300	81.3	Lucero
	1400	84.2	Johnson
	1500	85.8	Johnson
	1600	87.2	Johnson
	1700	86.5	Johnson
	1800	85.6	Johnson
	1900	84.9	Johnson
	2000	79.1	Johnson
	2100	78.4	Johnson
	2200	73.0	Campos
	2300	71.2	Campos
	2400	68.3	Campos

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/29/24	0100	67.4	Campos
05	0200	63.6	Campos
	0300	62.6	Campos
	0400	61.1	Campos
	0500	60.6	Campos
	0600	61.1	Campos
23	0700	63.1	Campos
	0800	62.3	Campos
	0900	71.4	Campos
28	1000	73.2	Campos
	1100	80.2	Campos
	1200	85.1	Campos
	1300	84.1	Campos
	1400	86.5	Rodriguez
	1500	89.9	Rodriguez
	1600	89.7	Rodriguez
	1700	90.6	Rodriguez
	1800	86.3	Rodriguez
	1900	86.7	Rodriguez
	2000	83.1	Rodriguez
	2100	78.4	Rodriguez
	2200	73.7	Campos
	2300	69.6	Campos
	2400	68.0	Campos

Date	Time	Temp.	Printed Name
07/30/24	0100	66.7	Campos
08	0200	66.0	Campos
	0300	65.3	Campos
	0400	64.4	Campos
	0500	65.3	Campos
	0600	67	MANASERO
	0700	68.9	MANASERO
	0800	70.8	MANASERO
	0900	74.4	MANASERO
	1000	78	MANASERO
	1100	82.5	MANASERO
	1200	85.8	MANASERO
	1300	89	MANASERO
	1400	92.4	Rodriguez
	1500	93.7	Rodriguez
	1600	93.4	Rodriguez
	1700	94.1	Rodriguez
	1800	92.3	Rodriguez
	1900	89.9	Rodriguez
	2000	79.0	Campos
	2100	78.3	Campos
	2200	77.0	Campos
	2300	73.5	Campos
	2400	71.0	Campos

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
07/31/24	0100	70.5	Campus
	0200	69.0	Campus
DS	0300	67.1	Campus
	0400	67.4	Campus
	0500	66.2	Campus
	0600	63.8	LUCERO
	0700	68.1	LUCERO
	0800	78.3	LUCERO
	0900	76.6	LUCERO
	1000	79.4	LUCERO
	1100	83.1	LUCERO
	1200	88.7	LUCERO
	1300	91.2	LUCERO
	1400	93.3	Rodriguez
	1500	97.5	Rodriguez
	1600	97.9	Rodriguez
	1700	96.0	Rodriguez
	1800	94.0	Rodriguez
	1900	94.4	Rodriguez
	2000	89.9	Rodriguez
	2100	85.8	Rodriguez
	2200	83.2	Griffith
	2300	79.8	Griffith
	2400	78.2	Griffith

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STAGE ONE HEAT ALERT
ACTIVATED @ 1235
Deactivated @ 1300

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	72.1	TAYLOR
	0600	71.6	Santos
	0900	73.0	Santos
	1200	74.5	Santos
	1500	81.2	SCON
	1800	82.0	SCON
	2100	81.2	SCON
	2400	72.6	Holmes

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	82.2	Holmes
	0600	81.7	Holmes
	0900	89.0	Santos
	1200	77.5	Santos
	1500	77.6	Santos
	1800	77.3	Holmes
	2100	77.9	Holmes
	2400	85.9	GARIBAY

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	85.5	GARIBAY
	0600	84.1	Santos
	0900	74.0	Santos
	1200	74.0	Santos
	1500	79.2	SCON
	1800	85.5	SCON
	2100	82.4	SCON
	2400	81.2	Holmes

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300		
	0600	77.0	Santos
	0900	77.5	Santos
	1200	78.0	Santos
	1500	84.4	SCON
	1800	85.9	SCON
	2100	84.8	SCON
	2400	84.2	TAYLOR

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	84.2	TAYLOR
	0600	71.2	VELASQUEZ
	0900	75.0	VELASQUEZ
	1200	79.9	VELASQUEZ
	1500	80.6	SCON
	1800	86.4	SCON
	2100	82.9	SCON
	2400	82.1	Bachti

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	81.3	Bachti
	0600	71.5	VELASQUEZ
	0900	78.8	VELASQUEZ
	1200	81.5	VELASQUEZ
	1500	82.4	SCON
	1800	86.8	SCON
	2100	83.6	SCON
	2400	82.0	SCON

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	80.10	PUNZALAN
	0600	83.00	Santos
	0900	84.00	Santos
	1200	81.00	Santos
	1500	86.2	SCON
	1800	84.8	SCON
	2100	81.8	SCON
	2400	79.5	MARTIN

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: 11 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	77.4	MULLER
	0600	79.4	Santos
	0900	77.4	Santos
	1200	80.0	Santos
	1500	82.1	R. Villareal
	1800	84.2	R. Villareal
	2100	89.0	R. Villareal
	2400	79.9	MULLER

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	76.9	MULLER
	0600	79.0	Santos
	0900	79.0	Santos
	1200	77.9	Santos
	1500	84.0	R. Villareal
	1800	84.0	R. Villareal
	2100	80.0	M. Coronado
	2400	78.1	M. Coronado

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	75.85	M. Coronado
	0600	76.1	Santos
	0900	77.0	Santos
	1200	78.0	Santos
	1500	82.3	SC
	1800	86.3	SC
	2100	80.1	SC
	2400	78.7	M. Coronado

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	78.5	M. Coronado
	0600	76.5	M. Coronado
	0900	78.1	BENSO
	1200	85.1	BENSO
	1500	86.2	BENSO
	1800	87.2	SC
	2100	84.6	SC
	2400	81.0	M. Coronado

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	78.1	M. Coronado
	0600	77.2	M. Coronado
	0900	80.3	VELASQUEZ
	1200	85.5	VELASQUEZ
	1500	87.7	SC
	1800	86.9	SC
	2100	84.8	SC
	2400	82.6	D. PUNZALAN

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	78.7	D. PUNZALAN
	0600	73.3	R. VELASQUEZ
	0900	75.2	R. VELASQUEZ
	1200	76.5	R. VELASQUEZ
	1500	83.9	J. ABUSSA
	1800	83	J. ABUSSA
	2100	78.7	J. ABUSSA
	2400	75.1	AYENI-AARONS

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	74.9	AYENI-AARONS
	0600	77.0	Santos
	0900	78.8	Santos
	1200	78.0	Santos
	1500	77.7	SC
	1800	83.3	SC
	2100	78.6	SC
	2400	79.3	MULLER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	73.5	MURRAY
	0600	72.2	MURRAY
	0900	78.0	SANDEES
	1200	77.0	SANDEES
	1500	79.2	VILLARREAL
	1800	76.0	VILLARREAL
	2100	76.0	R. VILLARREAL
	2400	79.5	MURRAY

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	76.2	MURRAY
	0600	74.0	SANDEES
	0900	76.0	SANDEES
	1200	75.0	SANDEES
	1500	74.0	VILLARREAL
	1800	76.0	VILLARREAL
	2100	76.0	VILLARREAL
	2400	76	VILLARREAL

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	78.7	MURRAY
	0600	76.9	SANDEES
	0900	76.0	SANDEES
	1200	75.0	SANDEES
	1500	76.2	VILLARREAL
	1800	76.4	VILLARREAL
	2100	76.7	VILLARREAL
	2400	72.9	Coronado

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	71.5	Coronado
	0600	71.5	Coronado
	0900	72.3	BENZO
	1200	76.3	BENZO
	1500	77.6	SC
	1800	77.9	SC
	2100	76.1	SC
	2400	74.3	Coronado

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	72.9	Coronado
	0600	72.2	Coronado
	0900	76.7	VELASQUEZ
	1200	78.5	VELASQUEZ
	1500	79.7	SC
	1800	83.5	SC
	2100	78.2	SC
	2400	75.2	Coronado

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	74.7	Coronado
	0600	74.6	Coronado
	0900	76.2	VALSQUEZ
	1200	78.7	VELASQUEZ
	1500	73.2	VALSQUEZ
	1800	74.5	VALSQUEZ
	2100	74.3	VALSQUEZ
	2400	79.2	VALSQUEZ

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	78	JUAREZ
	0600	75.0	SANDEES
	0900	78.0	SANDEES
	1200	76.0	SANDEES
	1500	77.4	SC
	1800	78.7	SC
	2100	76.9	SC
	2400	76.9	MURRAY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	74.2	Herrera
	0600	78.0	Santos M
	0900	78.5	Santos M
	1200	81.0	Santos M
	1500	80.1	Villareal J
	1800	81.1	Villareal J
	2100	75.0	Villareal J
	2400	78.7	Herrera J

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	76.1	Herrera
	0600	80.0	Santos M
	0900	83.0	Santos M
	1200	84.0	Santos M
	1500	88.0	Villareal J
	1800	88.1	Villareal J
	2100	87.0	Villareal J
	2400	87.8	Herrera J

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	80.9	Herrera
	0600	86.0	Santos M
	0900	81.5	Santos M
	1200	84.1	Santos M
	1500	87.6	CCW
	1800	85.9	CCW
	2100	78.7	CCW
	2400	78.5	Herrera

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	76.5	unhoused M
	0600	75.8	Mirlohi M
	0900	75.8	Mirlohi M
	1200	82.6	Mirlohi M
	1500	83.5	SCW
	1800	85.4	SCW
	2100	75.8	SCW
	2400	79.4	Herrera M

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	79.6	unhoused J
	0600	73.6	Velasquez J
	0900	78.2	VELASQUEZ
	1200	79.6	VELASQUEZ
	1500	76.3	Gutierrez
	1800	71.4	Gutierrez
	2100	76.5	Gutierrez
	2400	75.4	Herrera J

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	71.0	TAYLOR
	0600	72.9	F. CORONEL
	0900	70.4	F. CORONEL
	1200	71.5	F. CORONEL
	1500	72.4	L. DIAZ
	1800	73.4	L. DIAZ
	2100	73.4	L. DIAZ
	2400	71.1	TAYLOR

Notes

Date	Time	Temp.	Name (Print)
7/28	0300	71.1	TAYLOR M
	0600	70.8	E. SHINNETTE
	0900	71.3	E. SHINNETTE
	1200	71.5	E. SHINNETTE
	1500	72.3	W.Merrera
	1800	72.8	W. Herrera
	2100	72.6	W. Herrera
	2400	72.9	Herrera J

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	73.1	Muñoz M
	0600	70.4	Ruelas
	0900	70.0	Ruelas
	1200	70.7	Ruelas M
	1500	73.0	Villarreal
	1800	72.9	Villarreal
	2100	73.0	Villarreal
	2400	68.4	Muñoz N



Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	68.2	Muñoz M
	0600	72.5	Sánchez
	0900	72.5	Sánchez
	1200	72.0	Sánchez
	1500	73.0	Villarreal
	1800	80.0	Villarreal
	2100	80.0	Villarreal M
	2400	77.2	Herrera

lower
P
OS

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	76.7	W. Herrera
	0600	74.0	Sánchez
	0900	77.5	Sánchez
	1200	73.0	Sánchez
	1500	72.6	SCM
	1800	79.6	SCM
	2100	75.8	SCM
	2400	75.8	W. Herrera

2 var

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A2 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday																																																																																																																																																						
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)																																																																																																																																																			
7/1	0300	83.3	Lieber	7/2	0300	83.8	Lieber	7/3	0300	84.8	Weber	7/14	0300	86.6	Lieber	7/15	0300	87.4	Weber	7/6	0300	88.1	Fitz	7/17	0300	87.9	Weber																																																																																																																																																			
	0600	83	Cox		0600	83	Cox		0600	84.7	LAPOWNSKI		0600	85.4	C. S. ALEX		0600	85.2	Cox		0600	84.5	GARCIA, A			0900	83	Cox		0900	85.3	LAPOWNSKI		0900	85.9	C. S. ALEX		0900	86.9	GARCIA, A		0900	87.0	Cox		0900	87.3	GARCIA, A			1200	83	Cox		1200	84.2	LAPOWNSKI		1200	86.2	C. S. ALEX		1200	87.3	GARCIA, A		1200	87.3	Cox		1200	87.5	GARCIA, A			1500	83.4	Garibay		1500	85.3	LAPOWNSKI		1500	87.4	Nutir		1500	87.4	T. MOORE		1500	88.2	Garibay		1500	88.2	T. MOORE			1800	83.2	Garibay		1800	85.7	Nutir		1800	87.7	Nutir		1800	87.7	T. MOORE		1800	88.0	Garibay		1800	89.1	T. MOORE			2100	84.4	Garibay		2100	85.1	Nutir		2100	87.7	Nutir		2100	87.7	T. MOORE		2100	88.3	Garibay		2100	89.0	T. MOORE			2400	84.2	Lieber		2400	85.3	Weber		2400	88.7	Weber		2400	88.7	Weber		2400	88.1	Chavez		2400	88.7	Lieber	
	0900	83	Cox		0900	85.3	LAPOWNSKI		0900	85.9	C. S. ALEX		0900	86.9	GARCIA, A		0900	87.0	Cox		0900	87.3	GARCIA, A																																																																																																																																																							
	1200	83	Cox		1200	84.2	LAPOWNSKI		1200	86.2	C. S. ALEX		1200	87.3	GARCIA, A		1200	87.3	Cox		1200	87.5	GARCIA, A																																																																																																																																																							
	1500	83.4	Garibay		1500	85.3	LAPOWNSKI		1500	87.4	Nutir		1500	87.4	T. MOORE		1500	88.2	Garibay		1500	88.2	T. MOORE																																																																																																																																																							
	1800	83.2	Garibay		1800	85.7	Nutir		1800	87.7	Nutir		1800	87.7	T. MOORE		1800	88.0	Garibay		1800	89.1	T. MOORE																																																																																																																																																							
	2100	84.4	Garibay		2100	85.1	Nutir		2100	87.7	Nutir		2100	87.7	T. MOORE		2100	88.3	Garibay		2100	89.0	T. MOORE																																																																																																																																																							
	2400	84.2	Lieber		2400	85.3	Weber		2400	88.7	Weber		2400	88.7	Weber		2400	88.1	Chavez		2400	88.7	Lieber																																																																																																																																																							

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A2 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/18	0300	87.3	Chavez
	0600	86	Cox
	0900	87	
	1200	88.9	Ducote
	1500	88.7	Ducote
	1800	87.9	Dwarte
	2100	88.6	Ducote
	2400	87.5	J. Thompson

Tuesday

Date	Time	Temp.	Name (Print)
7/19	0300	86.9	J. Thompson
	0600	86.7	J. Miller
	0900	86.5	J. Miller
	1200	87.1	J. Miller
	1500	87.0	Kiasly
	1800	88.0	Kiasly
	2100	87.7	Kiasly
	2400	87.0	Bell

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	86.2	Bell
	0600	86	Seaton
	0900	83	Seaton
	1200	83	Seaton
	1500	84	Seaton
	1800	85	Seaton
	2100	84	Seaton
	2400	83	Seaton

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	84.1	SDARS
	0600	85.1	SDARS
	0900	84	
	1200	85	
	1500	87.7	LARA
	1800	88.9	LARA
	2100	88.3	LARA
	2400	87.6	LARA

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	87.1	
	0600	86	
	0900	87	
	1200	87	
	1500	88.3	LARA
	1800	88.9	LARA
	2100	87.3	
	2400	87.0	

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	87	
	0600	87.3	NGUYEN
	0900	87.4	NGUYEN
	1200	87.4	NGUYEN
	1500	87.5	T. MOORE
	1800	88.1	T. MOORE
	2100	87.4	T. MOORE
	2400	87.0	Lieber

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	86.6	Lieber
	0600	85.4	LARA
	0900	85.9	LARA
	1200	85.3	LARA
	1500	85.4	
	1800	85.5	
	2100	86.0	Lieber
	2400	85.7	Lieber

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A2 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	85.5	Lieber
	0600	84.1	QUINTERO P
	0900	83.9	QUINTERO
	1200	84.3	QUINTERO
	1500	85.1	T. MOORE
	1800	85.3	T. MOORE
	2100	84.5	T. MOORE
	2400	84.	Lieber

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	83.7	Lieber P
	0600	83	Sento
	0900	82	Sento
	1200	82	Sento
	1500	81	J. M.
	1800	81	J. M.
	2100	81.	J. M.
	2400	82.6	Lieber

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	81.8	Lieber
	0600	81	Sento
	0900	82	Sento
	1200	82	Sento
	1500	81.1	J. M.
	1800	83.7	J. M.
	2100	81.7	J. M.
	2400	83.0	Lieber

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	82.6	Lieber
	0600	82	Sento
	0900	82	Sento
	1200	82	Sento
	1500	74	T. D. R. U.
	1800	80	T. D. R. U.
	2100	78	T. D. R. U.
	2400	77	T. D. R. U.

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	770	LARA
	0600	81	Sento
	0900	82	Sento
	1200	83	Sento
	1500	83.4	LARA
	1800	84.5	LARA
	2100	84.0	LARA
	2400	83.0	LARA

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	81	LARA
	0600	82	Sento
	0900	82	Sento
	1200	83	Sento
	1500	86.5	A. AMARO
	1800	87.7	A. AMARO
	2100	85.0	A. AMARO
	2400	84	Chavez

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	83.2	Chavez
	0600	82.2	MCNEIL
	0900	82.2	MCNEIL
	1200	83.2	MCNEIL
	1500	89.1	J. M.
	1800	83.2	J. M.
	2100	85	J. M.
	2400	86.8	Lieber

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A2 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	84.4	Lieber
	0600	86.3	QUINTERO
	0900	82.5	QUINTERO
	1200	84.3	QUINTERO
	1500	85.8	T. MOORE
	1800	81.3	T. MOORE
	2100	87.0	T. MOORE
	2400	86.7	Lieber

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	86.4	Lieber
	0600	84	Seaton
	0900	85	Seaton
	1200	85	Seaton
	1500	86	Seaton
	1800	87	Seaton
	2100	86	Seaton
	2400	85.8	Lieber

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	85	Lieber
	0600	84	Seaton
	0900	85	Seaton
	1200	86	Seaton
	1500	86.1	Kim
	1800	86.3	Kim
	2100	86.0	Kim
	2400	85.7	Lieber

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	85	Lieber
	0600	84	Seaton
	0900	84	Seaton
	1200	85	Seaton
	1500	86	Seaton
	1800	87	Seaton
	2100	86	Seaton
	2400	85	Lieber

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	87.3	MORA
	0600	83	Seaton
	0900	84	Seaton
	1200	86	Seaton
	1500	86.3	LARA
	1800	87.0	LARA
	2100	85.3	LARA
	2400	82.0	AYENI-AARONS

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	80.1	AYENI-AARONS
	0600	78.9	AYENI-AARONS
	0900	78	Seaton
	1200	79	Seaton
	1500	75	Terrones
	1800	75	Terrones
	2100	74.5	Seaton
	2400	74.8	Seaton

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	74.3	Lieber
	0600	75.3	J. D.
	0900	78.2	J. D.
	1200	79.1	J. D.
	1500	81.3	J. Mutter
	1800	80	J. Mutter
	2100	81	J. Mutter
	2400	80	J. Mutter

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A2 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	64.1	<i>[Signature]</i>
	0600	70.0	Viray
	0900	72.0	Viray
	1200	74.9	Viray
	1500	75	<i>[Signature]</i>
	1800	80.9	<i>[Signature]</i>
	2100	81.0	<i>[Signature]</i>
	2400	80.8	Weber

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	80.3	Weber
	0600	79	<i>[Signature]</i>
	0900	78	<i>[Signature]</i>
	1200	79	Sentor
	1500	80.6	KLASKE
	1800	81.0	KLASKE
	2100	80.2	KLASKE
	2400	79.8	<i>[Signature]</i>

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	78.4	Lieber
	0600	78.2	<i>[Signature]</i>
	0900	79.1	<i>[Signature]</i>
	1200	80.2	<i>[Signature]</i>
	1500	81.3	<i>[Signature]</i>
	1800	82.1	Dominguez
	2100	81.0	Dominguez
	2400	79.5	Lieber

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A3 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	77.3	C-1 ✓
	0600	79.1	C-1 ✓
	0900	77.3	STAYDOITAR
	1200	79.9	STAYDOITAR
	1500	83.3	Coleman
	1800	82.9	Coleman
	2100	82.9	Coleman
	2400	78.5	Quivor ✓

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	77.1	Quivor ✓
	0600	77.3	Quivor ✓
	0900	78.5	✓
	1200	80.2	Ramirez ✓
	1500	83.2	Coleman
	1800	83.5	Escalante ✓
	2100	81.1	Escalante ✓
	2400	78.9	Quivor ✓

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	78.2	Quivor ✓
	0600	78.0	Quivor ✓
	0900	78.8	✓
	1200	81.2	✓
	1500	83.8	Coleman ✓
	1800	84.0	Coleman ✓
	2100	84.2	Coleman ✓
	2400	84.2	C-1 ✓

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	80.2	C-1 ✓
	0600	77.3	✓
	0900	78.5	✓
	1200	81.6	✓
	1500	84.2	Coleman
	1800	84.9	Coleman
	2100	84.5	Coleman
	2400	84.5	C-1 ✓

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	78.2	C-1 ✓
	0600	78.2	C-1 ✓
	0900	78.8	✓
	1200	85.1	Perez ✓
	1500	81.3	A. LARA
	1800	81.8	A. LARA
	2100	82.0	A. LARA
	2400	80.2	C-1 ✓

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	80.2	C-1 ✓
	0600	79.7	C-1 ✓
	0900	81.3	Montalban
	1200	82.8	Montalban
	1500	82.5	A. CARA
	1800	83.3	A. LARA
	2100	82.1	A. LARA
	2400	81.5	C-1 ✓

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	80.2	C-1 ✓
	0600	79.2	C-1 ✓
	0900	81.2	Montalban
	1200	84.1	Montalban
	1500	85.8	Coleman ✓
	1800	86.1	Coleman ✓
	2100	86.7	Coleman ✓
	2400	86.7	C-1 ✓

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A3 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				
Date	Time	Temp.	Name (Print)	
7/8	0300	80.5	C-y	
	0600	80.5	C-y	
	0900	81	STAYDOHAR	
	1200	81.8	STAYDOHAR	
	1500	85.2	Coleman	
	1800	85.2	Coleman	CP
	2100	85.4	Coleman	
	2400	80.9	A. QUIROZ	

Tuesday				
Date	Time	Temp.	Name (Print)	
7/9	0300	79.9	A. QUIROZ	
	0600	79.7	A. QUIROZ	
	0900	80.2	A. DUARTE	
	1200	82.4	A. DUARTE	
	1500	85.1	Coleman	NY
	1800	85.1	Coleman	CP
	2100	85.4	Coleman	
	2400	80.9	A. QUIROZ	

Wednesday				
Date	Time	Temp.	Name (Print)	
7/10	0300	80.2	A. QUIROZ	W
	0600	84.2	MONTALBAN	
	0900	84.9	MONTALBAN	
	1200	84.7	MONTALBAN	
	1500	84.9	Coleman	
	1800	84.7	Coleman	CP
	2100	84.9	Coleman	NY
	2400	81	C-y	

Thursday				
Date	Time	Temp.	Name (Print)	
7/11	0300	80.5	C-y	
	0600	80.5	C-y	
	0900	84.9	MONTALBAN	
	1200	85.4	MONTALBAN	
	1500	84.9	Coleman	
	1800	85.2	Coleman	CP
	2100	85.1	Coleman	
	2400	81.8	C-y	

Friday				
Date	Time	Temp.	Name (Print)	
7/12	0300	81.0	C-y	
	0600	80.5	C-y	
	0900	86.1	MONTALBAN	
	1200	85.4	MONTALBAN	
	1500	81.6	A. LARA	
	1800	82.0	A. LARA	
	2100	82.0	A. LARA	
	2400	81.6	C-y	

Sunday				
Date	Time	Temp.	Name (Print)	
7/14	0300	80.5	C-y	
	0600	81.5	C-y	
	0900	81.5	MONTALBAN	
	1200	84.2	MONTALBAN	
	1500	84.0	Coleman	
	1800	83.6	Coleman	CP
	2100	83.6	Coleman	
	2400	83.6	C-y	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: 13 Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	76.8	PUNZALAN ✓
	0600	76.6	STAYDOHAR
	0900	77.3	STAYDOHAR
	1200	78.5	STAYDOHAR
	1500	83.6	Coleman
	1800	83.4	Coleman CP
	2100	83.4	Coleman
	2400	76.4	A. QUIROZ

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	78.9	A. QUIROZ ✓
	0600	78.3	A. QUIROZ
	0900	76.0	C. Salazar
	1200	79.0	C. Salazar
	1500	82.7	Coleman
	1800	82.9	Coleman CP
	2100	82.7	Coleman
	2400	76.1	A. QUIROZ

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	75.8	A. QUIROZ
	0600	75.2	A. QUIROZ
	0900	77.5	MONTALBAN M
	1200	77.5	MONTALBAN
	1500	82.0	Coleman
	1800	82.2	Coleman CP
	2100	81.8	Coleman
	2400	81.2	C. Y ✓

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	75.0	C. Y ✓
	0600	73.7	MONTALBAN
	0900	81.1	MONTALBAN
	1200	81.8	Coleman
	1500	82.0	Coleman
	1800	81.8	Coleman
	2100	82.0	Coleman
	2400	82.0	C. Y ✓

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	77.3	AYENI-AARONS
	0600	76.8	AYENI-AARONS
	0900	81.5	MONTALBAN
	1200	82.9	MONTALBAN
	1500	80.0	A. LARA M
	1800	80.6	A. LARA
	2100	80.9	A. LARA
	2400	79.2	J. JOHNSON M

Notes

Date	Time	Temp.	Name (Print)
7/21	0300	78.4	J. JOHNSON
	0600	82.1	MONTALBAN
	0900	82.4	MONTALBAN
	1200	82.7	MONTALBAN
	1500	82.9	Coleman
	1800	83.3	Coleman
	2100	83.4	Coleman
	2400	76.4	J. JOHNSON

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A3 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	77.9	AYENI-AKONES
	0600	77.7	AYENI-AKONES
	0900	78.3	STAYDOH AY
	1200	79.4	SAYADOTRA
	1500	83.4	Coleman
	1800	83.6	Coleman
	2100	83.8	Coleman
	2400	79.9	A. QUIROZ

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	79.7	A. QUIROZ
	0600	78.8	A. QUIROZ
	0900	79.8	A. FOX
	1200	79.5	A. FOX
	1500	83.6	Coleman
	1800	84.3	Coleman
	2100	83.8	Coleman
	2400	80.2	A. QUIROZ

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	79.5	A. QUIROZ
	0600	79.5	A. QUIROZ
	0900	83.4	MONTAUBAN
	1200	83.8	MONTAUBAN
	1500	83.8	Coleman
	1800	83.8	Coleman
	2100	80.2	Coleman
	2400	80.2	C. T. S.

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	80.5	C. T. S.
	0600	80.5	C. T. S.
	0900	79.6	MONTAUBAN
	1200	79.5	MONTAUBAN
	1500	81.3	Coleman
	1800	81.2	Coleman
	2100	81.1	Coleman
	2400	81.5	C. T. S.

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	80.5	C. T. S.
	0600	80.5	MONTAUBAN
	0900	79.2	MONTAUBAN
	1200	80.0	MONTAUBAN
	1500	78.6	A. LARA
	1800	79.7	A. LARA
	2100	77.5	A. LARA
	2400	77.6	A. LARA

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	76.4	A. LARA
	0600	76.4	MONTAUBAN
	0900	75.7	MONTAUBAN
	1200	77.0	MONTAUBAN
	1500	75.2	A. LARA
	1800	75.5	A. LARA
	2100	74.4	A. LARA
	2400	73.6	C. T. S.

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	76.0	C. T. S.
	0600	75.0	C. AVILA
	0900	71.0	C. AVILA
	1200	74.0	C. AVILA
	1500	77.1	QUINTERO
	1800	75.5	QUINTERO
	2100	75.7	QUINTERO
	2400	74.3	WARD

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A3 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	72.7	WARD
	0600	75.0	WARD
	0900	76.2	WARD
	1200	72.0	Carter
	1500	76.1	Coleman
	1800	77.3	Coleman
	2100	75.9	Coleman
	2400	73.7	A. QUIROZ

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	73.4	A. QUIROZ
	0600	77	G. MIR
	0900	77.6	G. MIR
	1200	73.7	G. MIR
	1500	77.1	Coleman
	1800	77.9	Coleman
	2100	77.1	Coleman
	2400	73.2	A. QUIROZ

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	73.9	A. QUIROZ
	0600	75.3	A. QUIROZ
	0900	75.4	MONTALBAN
	1200	77.0	MONTALBAN
	1500	77.3	Coleman
	1800	78.8	Coleman
	2100	77.1	Coleman
	2400	77.0	Coleman

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A4 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	77.1	Holmes CP
	0600	78.3	RUIZ
	0900	76.4	RUIZ O
	1200	77	RUIZ
	1500	76.8	Escalante
	1800	79.0	RUIZ &
	2100	79.1	Escalante
	2400	77.5	Holmes B

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	77.3	Holmes
	0600	76.2	RUIZ
	0900	76.8	RUIZ O
	1200	77.4	RUIZ
	1500	78.2	Penuzo
	1800	78.9	Penuzo &
	2100	79.1	Penuzo
	2400	78.8	Holmes

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	78.6	Holmes
	0600	78.7	RUIZ
	0900	78.3	RUIZ O
	1200	78.8	RUIZ
	1500	80.2	Penuzo
	1800	81.3	Penuzo &
	2100	80.2	Penuzo
	2400	79.7	Holmes

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	79.3	Holmes
	0600	78.6	RUIZ
	0900	78.8	RUIZ
	1200	79.1	RUIZ
	1500	80.2	Penuzo
	1800	80.9	Penuzo
	2100	81.2	Penuzo
	2400	79.9	Holmes

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	79.7	Holmes
	0600	79.9	RUIZ
	0900	79.7	RUIZ O
	1200	79.8	RUIZ
	1500	85.4	Escalante
	1800	85.7	Escalante
	2100	86.0	Escalante
	2400	80.6	WILRIGHT

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	80.2	WILRIGHT
	0600	81.7	T. Jones
	0900	82.8	T. Jones
	1200	84.7	T. Jones
	1500	85.4	Escalante
	1800	85.8	Escalante
	2100	86.4	Escalante
	2400	82.2	Holmes

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	82.0	Holmes
	0600	80	J
	0900	82.6	T. Jones
	1200	80.6	T. Jones
	1500	84.0	Penuzo
	1800	84.7	Penuzo &
	2100	84.0	Penuzo
	2400	82.5	Holmes

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: 14 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	81.8	Holmes
	0600	80.0	Rukrall
	0900	79.8	Rukrall
	1200	80.9	Rukrall
	1500	82.4	Peluso
	1800	82.7	Peluso
	2100	82.7	Peluso
	2400	82.4	Holmes

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	82.0	Holmes
	0600	80	RUIZ
	0900	83	RUIZ
	1200	80.7	RUIZ
	1500	86.7	Peluso
	1800	80.9	Peluso
	2100	80.5	Peluso
	2400	80.7	Holmes

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	80.0	Holmes
	0600	79.8	RUIZ
	0900	78	RUIZ
	1200	79.7	RUIZ
	1500	81.1	Peluso
	1800	81.1	Peluso
	2100	80.4	Peluso
	2400	80.2	Holmes

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	79.8	Holmes
	0600	79.8	GARCIA
	0900	81.0	GARCIA
	1200	81.9	GARCIA
	1500	82.0	Peluso
	1800	82.0	Peluso
	2100	82.0	Peluso
	2400	81.0	Holmes

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	80.4	Holmes
	0600	80.2	RUIZ
	0900	80	RUIZ
	1200	81.3	RUIZ
	1500	86.4	ESCALANTE
	1800	86.5	ESCALANTE
	2100	86.3	ESCALANTE
	2400	80.4	Holmes

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	83	BROTON
	0600	82.4	BROTON
	0900	83.1	J. Jones
	1200	84.4	J. Jones
	1500	85.5	ESCALANTE
	1800	85.8	ESCALANTE
	2100	85.3	ESCALANTE
	2400	79.9	BLAUNSPY

Notes

Date	Time	Temp.	Name (Print)
7/14	0300	75.2	Holmes
	0600	75.2	T. Jones
	0900	76.3	T. Jones
	1200	77.1	T. Jones
	1500	77.7	Peluso
	1800	78.9	Peluso
	2100	79.1	Peluso
	2400	78.0	Holmes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A4 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday																																																																																																																																																						
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)																																																																																																																																																			
7/15	0300	77.7	Holmes	7/16	0300	77.0	Holmes	7/17	0300	76.6	Ruiz	7/18	0300	75.7	Holmes	7/19	0300	76.4	Holmes	7/20	0300	80.1	G. Butler	7/21	0300	76.6	Wenger																																																																																																																																																			
	0600	76.6	Ruiz		0600	77	Ruiz		0600	76.4	Ruiz		0600	75.7	G. Butler		0600	76.2	Ruiz		0600	79.0	G. Butler			0900	76.8	Ruiz		0900	77.1	Ruiz		0900	75.6	Ruiz		0900	79.1	T. Jones		0900	77	Ruiz		0900	79.1	T. Jones			1200	77.1	Ruiz		1200	78			1200	75.7	Ruiz		1200	80.2	T. Jones		1200	77.3	Ruiz		1200	79.2	T. Jones			1500	77.9	Perez		1500	78.5	Perez		1500	76.1	Perez		1500	82.8	Escalante		1500	78.5	Perez		1500	82.8	Escalante			1800	77.7	Perez		1800	78.9	Perez		1800	77.9	Perez		1800	83.2	Escalante		1800	78.9	Perez		1800	83.2	Escalante			2100	77.0	Perez		2100	79.1	Perez		2100	77.1	Perez		2100	83.5	Escalante		2100	78.9	Perez		2100	83.5	Escalante			2400	77.1	Holmes		2400	77.1	Holmes		2400	76.8	Holmes		2400	78.6	Wenger		2400	77.1	Holmes		2400	78.6	Wenger	
	0900	76.8	Ruiz		0900	77.1	Ruiz		0900	75.6	Ruiz		0900	79.1	T. Jones		0900	77	Ruiz		0900	79.1	T. Jones																																																																																																																																																							
	1200	77.1	Ruiz		1200	78			1200	75.7	Ruiz		1200	80.2	T. Jones		1200	77.3	Ruiz		1200	79.2	T. Jones																																																																																																																																																							
	1500	77.9	Perez		1500	78.5	Perez		1500	76.1	Perez		1500	82.8	Escalante		1500	78.5	Perez		1500	82.8	Escalante																																																																																																																																																							
	1800	77.7	Perez		1800	78.9	Perez		1800	77.9	Perez		1800	83.2	Escalante		1800	78.9	Perez		1800	83.2	Escalante																																																																																																																																																							
	2100	77.0	Perez		2100	79.1	Perez		2100	77.1	Perez		2100	83.5	Escalante		2100	78.9	Perez		2100	83.5	Escalante																																																																																																																																																							
	2400	77.1	Holmes		2400	77.1	Holmes		2400	76.8	Holmes		2400	78.6	Wenger		2400	77.1	Holmes		2400	78.6	Wenger																																																																																																																																																							

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A4 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	76.6	Holmes
	0600	76.6	RUIZ
	0900	76.9	RUIZ
	1200	78.7	RENUCO
	1500	80.2	RENUCO
	1800	83.0	RENUCO
	2100	79.1	RENUCO
	2400	78.8	Holmes

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	78.2	Holmes
	0600	77.9	RUIZ
	0900	78.9	RUIZ
	1200	79.2	RUIZ
	1500	79.1	RENUCO
	1800	80.0	RENUCO
	2100	80.0	RENUCO
	2400	79.1	Holmes

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	78.4	Holmes
	0600	78	RUIZ
	0900	78.4	RUIZ
	1200	78.6	RUIZ
	1500	80.8	RENUCO
	1800	80.8	RENUCO
	2100	80.4	RENUCO
	2400	79.3	Willie

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	78.9	Willie
	0600	77.3	RUIZ
	0900	78.2	RUIZ
	1200	78.6	RUIZ
	1500	78.1	RENUCO
	1800	79.3	RENUCO
	2100	79.1	RENUCO
	2400	77.3	RENUCO

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	75	KYRA
	0600	74.6	RUIZ
	0900	74.8	RUIZ
	1200	77.9	RUIZ
	1500	83.7	ESCALANTE
	1800	84.2	ESCALANTE
	2100	84.3	ESCALANTE
	2400	77.7	ABUSSA

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	76.6	ABUSSA
	0600	79.0	KYRA
	0900	75.6	KYRA
	1200	76.2	KYRA
	1500	82.8	ESCALANTE
	1800	83.1	ESCALANTE
	2100	83.1	ESCALANTE
	2400	73.2	ABUSSA

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	72.8	ABUSSA
	0600	71.4	KYRA
	0900	73.7	KYRA
	1200	73.7	KYRA
	1500	74.7	ALVARADO
	1800	74.7	ALVARADO
	2100	74.4	ALVARADO
	2400	74.4	AYENI-AARONS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A4 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	73.5	AYENI-AARON/S
	0600	73.5	AYENI-Aarons
	0900	72.5	RUIZ
	1200	74.1	RUIZ
	1500	74.1	RUIZ
	1800	76.8	RUIZ
	2100	73.5	RUIZ
	2400	74.1	Holmes

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	73.5	Holmes
	0600	73.7	RUIZ
	0900	73.8	RUIZ
	1200	74	RUIZ
	1500	76.8	PENSO
	1800	76.8	PENSO
	2100	77.1	PENSO
	2400	75.0	Holmes

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	74.4	Holmes
	0600	74.8	RUIZ
	0900	75	RUIZ
	1200	76.1	RUIZ
	1500	76.8	PENSO
	1800	77.5	PENSO
	2100	76.8	PENSO
	2400	75.4	PENSO

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A5 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	89.9	D. HANOVER
	0600	79.9	S. BALDWIN
	0900	80.1	S. BALDWIN
	1200	80.6	S. BALDWIN
	1500	81.0	S. Zajdel
	1800	81.7	S. Zajdel
	2100	81.9	S. Zajdel
	2400	80.9	GARIBAY

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	81.0	GARIBAY
	0600	80.6	J. THOMPSON
	0900	80.8	J. THOMPSON
	1200	81.5	J. THOMPSON
	1500	81.9	S. O'NEILL
	1800	82.4	S. O'NEILL
	2100	82.4	S. O'NEILL
	2400	82.2	ROMERO

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	81.7	ROMERO
	0600	81.5	J. THOMPSON
	0900	81.9	J. THOMPSON
	1200	82.3	J. THOMPSON
	1500	82.4	S. O'NEILL
	1800	82.6	S. O'NEILL
	2100	83.0	S. O'NEILL
	2400	83	WREN

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	81	WREN
	0600	81	WREN
	0900	82.8	J. THOMPSON
	1200	83.0	J. THOMPSON
	1500	83.2	S. O'NEILL
	1800	83.7	S. O'NEILL
	2100	83.7	S. O'NEILL
	2400	83	WREN

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	81	WREN
	0600	81	WREN
	0900	82.6	J. THOMPSON
	1200	82.8	J. THOMPSON
	1500	83.7	B. HALE
	1800	84.1	B. HALE
	2100	83.9	B. HALE
	2400	83.7	B. HALE

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	83.0	B. HALE
	0600	83	J. THOMPSON
	0900	83	J. THOMPSON
	1200	83.3	J. THOMPSON
	1500	84.4	B. HALE
	1800	84.8	B. HALE
	2100	79.9	B. HALE
	2400	79.9	LARIOS

Notes

Date	Time	Temp.	Name (Print)
7/7	0300	76.0	WREN
	0600	77	FONSECA
	0900	77°	FONSECA
	1200	77°	FONSECA
	1500	84.8	MANDALON
	1800	85.3	MANDALON
	2100	85.0	MANDALON
	2400	85.	WREN

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A5

Temp. Reading Location: A5 Control

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5500 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	83	L.W.
	0600	84.3	SPARROWIN
	0900	84.4	SPARROWIN
	1200	84.4	SPARROWIN
	1500	84.8	Mandalas
	1800	85.0	Mandalas
	2100	85.1	Mandalas
	2400	84	L.W.

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	84	L.W.
	0600	84	L.W.
	0900	83.5	J. Thompson
	1200	83.5	J. Thompson
	1500	84.3	S. O'NEILL
	1800	84.4	S. O'NEILL
	2100	84.4	S. O'NEILL
	2400	84	L.W.

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	83	L.W.
	0600	83	L.W.
	0900	83	J. Thompson
	1200	83.2	J. Thompson
	1500	84.1	S. O'NEILL
	1800	84.4	S. O'NEILL
	2100	84.4	S. O'NEILL
	2400	84	L.W.

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	84	L.W.
	0600	84	L.W.
	0900	84.1	J. Thompson
	1200	84.1	J. Thompson
	1500	84.4	S. O'NEILL
	1800	84.4	S. O'NEILL
	2100	84.6	S. O'NEILL
	2400	84.7	S. O'NEILL

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	82.3	S. O'NEILL
	0600	83.7	J. Thompson
	0900	83.7	J. Thompson
	1200	84.1	J. Thompson
	1500	84.4	B. Hale
	1800	84.4	B. Hale
	2100	84.4	B. Hale
	2400	84	A-YENI-AARONS

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	75	A-YENI-AARONS
	0600	83.7	A-YENI-AARONS
	0900	84.1	J. Thompson
	1200	83.7	J. Thompson
	1500	83.7	B. Hale
	1800	84.1	B. Hale
	2100	84.5	B. Hale
	2400	83.7	Viray

Notes

Date	Time	Temp.	Name (Print)
7/14/24	0300	83.2	Viray
	0600	83.0	LADOWSKI
	0900	85.0	M. Ferino
	1200	87	J. Thompson
	1500	82.8	Mandalas
	1800	83.0	Mandalas
	2100	83.0	Mandalas
	2400	82.8	A-YENI-AARONS

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A5 Temp. Reading Location: A5 Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5500 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	78.4	Baldwin
	0600	79.9	Baldwin
	0900	80.1	Baldwin
	1200	80.8	Baldwin
	1500	81.5	Mandalos
	1800	81.9	Mandalos
	2100	81.5	Mandalos
	2400	81	WBR

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	81	WBR
	0600	81	WBR
	0900	79.4	J. Zamora
	1200	79.4	J. Zamora
	1500	80.1	S. O'Neill
	1800	80.1	S. O'Neill
	2100	80.1	S. O'Neill
	2400	80	WBR

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	79	WBR
	0600	79	WBR
	0900	80.2	WBR
	1200	80.6	WBR
	1500	80.6	I. Neves
	1800	80.8	I. Neves
	2100	80.8	I. Neves
	2400	80.5	C. Castro

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	75.1	Farris
	0600	75	Farris
	0900	80	Farris
	1200	80	Farris
	1500	80.8	Mandalos
	1800	81.2	Mandalos
	2100	81.4	Mandalos
	2400	81	WBR

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	81	WBR
	0600	81	WBR
	0900	81.2	J. Thompson
	1200	81	J. Thompson
	1500	81.2	S. O'Neill
	1800	81.5	S. O'Neill
	2100	81.4	S. O'Neill
	2400	81	WBR

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	78	WBR
	0600	78	L. M.
	0900	79	Perry
	1200	79.3	Perry
	1500	80.0	S. O'Neill
	1800	80.1	S. O'Neill
	2100	80.1	S. O'Neill
	2400	80	WBR

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	80.1	C. Castro
	0600	80.1	A. Alvarado
	0900	80.1	A. Alvarado
	1200	80.3	A. Alvarado
	1500	80.1	B. Hale
	1800	81.5	B. Hale
	2100	81.2	B. Hale
	2400	79.9	Larios

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A5 Temp. Reading Location: A5 Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5500 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/22	0300	80	CRW
	0600	80	WR
	0900	80.5	Baldwin
	1200	81.0	Baldwin
	1500	81.7	Manderson
	1800	82.3	Manderson
	2100	81.9	Manderson
	2400	81	WR

Tuesday			
Date	Time	Temp.	Name (Print)
7/23	0300	81	WR
	0600	81	WR
	0900	81.5	ECPY-O-Sa
	1200	82.3	ECPY-O-Sa
	1500	82.6	S. O'NEILL
	1800	82.6	S. O'NEILL
	2100	82.8	S. O'NEILL
	2400	82	WR

Wednesday			
Date	Time	Temp.	Name (Print)
7/24	0300	82	WR
	0600	82	WR
	0900	82.1	J. Thompson
	1200	82.3	J. Thompson
	1500	82.4	S. O'NEILL
	1800	83.2	S. O'NEILL
	2100	83.0	S. O'NEILL
	2400	83	WR

Thursday			
Date	Time	Temp.	Name (Print)
7/25	0300	81	WR
	0600	81	WR
	0900	81.5	J. Thompson
	1200	81.9	J. Thompson
	1500	82.8	S. O'NEILL
	1800	83.0	S. O'NEILL
	2100	83.0	S. O'NEILL
	2400	83	WR

Friday			
Date	Time	Temp.	Name (Print)
7/26	0300	81	WR
	0600	81	WR
	0900	81	J. Thompson
	1200	81.4	J. Thompson
	1500	81.9	B. Hale
	1800	81.9	B. Hale
	2100	81.5	B. Hale
	2400	81.0	WR

Saturday			
Date	Time	Temp.	Name (Print)
7/27	0300	80.8	WR
	0600	79.4	J. Thompson
	0900	80.1	J. Thompson
	1200	80.1	J. Thompson
	1500	80.1	B. Hale
	1800	80.5	B. Hale
	2100	80.1	B. Hale
	2400	80.0	J. ROCHA

Sunday			
Date	Time	Temp.	Name (Print)
7/28	0300	76.2	J. ROCHA
	0600	73.0	Zam
	0900	74.5	Zam
	1200	75	Ferry
	1500	79.0	Markellos
	1800	79.0	Markellos
	2100	79.0	Markellos
	2400	79	WR

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A5 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	78	WR
	0600	78	WR
	0900	77.4	SPARROW JN
	1200	77.9	SPARROW JN
	1500	77.9	Manderson
	1800	78.3	Manderson
	2100	78.7	Manderson
	2400	78	WR

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	77	WR
	0600	77	WR
	0900	77.6	J. Thompson
	1200	77.9	J. Thompson
	1500	78.5	S. O'NEILL
	1800	79.0	S. O'NEILL
	2100	78.8	S. O'NEILL
	2400	77	WR

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	77	WR
	0600	77	WR
	0900	77.2	J. Thompson
	1200	77.6	J. Thompson
	1500	77.9	S. O'NEILL
	1800	78.3	S. O'NEILL
	2100	78.7	S. O'NEILL
	2400	77	WR

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A6

Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/1	0300	81.8	AUSTIN
	0600	82	M. THAO
	0900	84.5	M. THAO
	1200	84.9	M. THAO
	1500	86.2	O. ENRIQUEZ
	1800	86.7	O. ENRIQUEZ
	2100	86.7	O. ENRIQUEZ
	2400	86.2	AUSTIN

Tuesday			
Date	Time	Temp.	Name (Print)
7/2	0300	82	AUSTIN
	0600	83.8	THAO
	0900	84.7	THAO
	1200	86.5	THAO
	1500	87.8	O. ENRIQUEZ
	1800	88.2	O. ENRIQUEZ
	2100	87.8	O. ENRIQUEZ
	2400	87.1	J. TAYLOR

Wednesday			
Date	Time	Temp.	Name (Print)
7/3	0300	86.4	J. THOMPSON
	0600	85.0	THOMPSON
	0900	87	T. PONTE
	1200	90	T. PONTE
	1500	89.0	O. ENRIQUEZ
	1800	89.5	O. ENRIQUEZ
	2100	88.9	O. ENRIQUEZ
	2400	89.2	HU

Thursday			
Date	Time	Temp.	Name (Print)
7/4	0300	88.2	HU
	0600	89.0	T. PONTE
	0900	88	T. PONTE
	1200	90	T. PONTE
	1500	89.6	O. ENRIQUEZ
	1800	90.3	O. ENRIQUEZ
	2100	89.3	O. ENRIQUEZ
	2400	87.1	AUSTIN

Friday			
Date	Time	Temp.	Name (Print)
7/5	0300	88.2	AUSTIN
	0600	81.0	T. PONTE
	0900	85.0	T. PONTE
	1200	83	T. PONTE
	1500	89.4	O. ENRIQUEZ
	1800	90.3	O. ENRIQUEZ
	2100	90.1	O. ENRIQUEZ
	2400	88.8	M. THAO

Saturday			
Date	Time	Temp.	Name (Print)
7/6	0300	88.1	
	0600	86.2	T. PONTE
	0900	88.0	T. PONTE
	1200	89.3	T. PONTE
	1500	90.5	SANCHEZ
	1800	89.4	SANCHEZ
	2100	89.2	SANCHEZ
	2400	88.8	AUSTIN

Sunday			
Date	Time	Temp.	Name (Print)
7/7	0300	88.0	AUSTIN
	0600	86.3	T. PONTE
	0900	88.9	T. PONTE
	1200	89.4	T. PONTE
	1500	89.2	SANCHEZ
	1800	89.2	SANCHEZ
	2100	89.2	SANCHEZ
	2400	89.9	TAYLOR

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A6 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/18	0300	89.9	TAYLOR
	0600	88.9	THAO
	0900	89.9	THAO
	1200	88.9	THAO
	1500	87.1	O. ENRIQUEZ
	1800	90.5	O. ENRIQUEZ
	2100	89.6	O. ENRIQUEZ
	2400	89.2	ANASTASIO

Tuesday

Date	Time	Temp.	Name (Print)
7/19	0300	89.0	ANASTASIO
	0600	88.2	ANASTASIO
	0900	89.3	THAO
	1200	89.7	THAO
	1500	88.0	O. ENRIQUEZ
	1800	89.4	O. ENRIQUEZ
	2100	88.3	O. ENRIQUEZ
	2400	86.2	J. THOMPSON

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	85.6	J. THOMPSON
	0600	81.4	T. PONTE
	0900	84.7	T. PONTE
	1200	88.3	T. PONTE
	1500	87.3	O. ENRIQUEZ
	1800	90.3	O. ENRIQUEZ
	2100	87.4	O. ENRIQUEZ
	2400	86.4	J. THOMPSON

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	87.2	ANASTASIO
	0600	85.2	TPH
	0900	88.5	TPH
	1200	89.6	TPH
	1500	91.2	O. ENRIQUEZ
	1800	90.3	O. ENRIQUEZ
	2100	90.5	O. ENRIQUEZ
	2400	89.8	ANASTASIO

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	88.8	ANASTASIO
	0600	82.5	T. PONTE
	0900	84.7	T. PONTE
	1200	90.1	T. PONTE
	1500	90.5	J. ABUSSA
	1800	90.7	J. ABUSSA
	2100	90.1	J. ABUSSA
	2400	90.0	ANASTASIO

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	89.6	ANASTASIO
	0600	85.7	T. PONTE
	0900	86.0	T. PONTE
	1200	88.1	T. PONTE
	1500	89.2	SANCHEZ
	1800	88.3	SANCHEZ
	2100	88.3	SANCHEZ
	2400	88.2	ANASTASIO

Notes

Date	Time	Temp.	Name (Print)
7/14	0300	88.9	ANASTASIO
	0600	87.6	T. PONTE
	0900	83.7	T. PONTE
	1200	85.7	T. PONTE
	1500	87.0	SANCHEZ
	1800	86.4	SANCHEZ
	2100	86.4	SANCHEZ
	2400	86.2	ANASTASIO

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: No Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	86.0	Anastasio
	0600	86.3	HITE
	0900	87.9	HITE
	1200	84.00	HITE
	1500	84.5	Reynolds
	1800	84.9	Reynolds
	2100	84.7	Reynolds
	2400	83.7	Garibay

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	83.5	AHENI-AARONS
	0600	83.5	AHENI-AARONS
	0900	85.5	T.Ponce
	1200	83.5	T.Ponce
	1500	83.5	O.Enriquez
	1800	84.0	O.Enriquez
	2100	83.7	O.Enriquez
	2400	83.7	X.Garcia

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	83.7	MILLS
	0600	84.2	T.Ponce
	0900	84.6	T.Ponce
	1200	84.8	T.Ponce
	1500	84.2	O.Enriquez
	1800	84.7	O.Enriquez
	2100	84.7	O.Enriquez
	2400	84.5	T.Ponce

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	85.2	Anastasio
	0600	85.6	T.Ponce
	0900	87.4	T.Ponce
	1200	85.3	T.Ponce
	1500	86.2	Sanchez
	1800	86.2	Sanchez
	2100	85.8	Sanchez
	2400	85.6	Anastasio

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	82.4	Garibay
	0600	82.8	Thao
	0900	82.0	Thao
	1200	83.5	THAO
	1500	84.0	O.Enriquez
	1800	83.8	O.Enriquez
	2100	83.8	O.Enriquez
	2400	83.7	AHENI-AARONS

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	82.6	X.Garcia
	0600	82.9	T.Ponce
	0900	84.6	T.Ponce
	1200	83.7	T.Ponce
	1500	84.0	O.Enriquez
	1800	84.0	O.Enriquez
	2100	84.2	O.Enriquez
	2400	84.0	MILLS

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	84.0	Anastasio
	0600	84.3	T.Ponce
	0900	84.7	T.Ponce
	1200	84.7	T.Ponce
	1500	85.5	Sanchez
	1800	85.6	Sanchez
	2100	85.6	Sanchez
	2400	85.4	Anastasio

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: No Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	85.0	AUSTIN 9
	0600	82.8	THAO
	0900	85.3	THAO
	1200	87.8	THAO 5
	1500	88.4	O. ENRIQUEZ
	1800	89.7	O. ENRIQUEZ
	2100	87.6	O. ENRIQUEZ
	2400	85.6	AMSTADU

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	85.4	AUSTIN 8
	0600	84.7	THAO
	0900	82.2	THAO
	1200	87.5	THAO
	1500	88.3	O. ENRIQUEZ
	1800	88.5	O. ENRIQUEZ
	2100	88.0	O. ENRIQUEZ
	2400	87.1	AMSTADU

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	86.9	AMSTADU
	0600	86.2	AMSTADU
	0900	87.5	T. PONTE
	1200	88.1	T. PONTE
	1500	88.5	O. ENRIQUEZ
	1800	88.3	O. ENRIQUEZ
	2100	88.0	O. ENRIQUEZ
	2400	87.4	THAO

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	86.8	AMSTADU
	0600	86.2	T. PONTE
	0900	86.4	T. PONTE
	1200	87.3	T. PONTE
	1500	88.2	O. ENRIQUEZ
	1800	88.2	O. ENRIQUEZ
	2100	87.4	O. ENRIQUEZ
	2400	87.1	AMSTADU

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	86.7	AMSTADU
	0600	86.0	T. PONTE
	0900	86.3	T. PONTE
	1200	86.7	T. PONTE
	1500	86.7	L. NEALSON
	1800	86.9	L. NEALSON
	2100	86.7	L. NEALSON
	2400	86.6	AMSTADU

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	86.2	AMSTADU
	0600	84.7	T. PONTE
	0900	84.9	T. PONTE
	1200	85.2	T. PONTE
	1500	85.3	SANCHEZ
	1800	85.0	SANCHEZ
	2100	84.9	SANCHEZ
	2400	84.6	AMSTADU

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	89.4	AMSTADU
	0600	78.4	T. PONTE
	0900	79.8	T. PONTE
	1200	80.1	T. PONTE
	1500	82.6	SANCHEZ
	1800	82.4	SANCHEZ
	2100	81.3	SANCHEZ
	2400	81.0	L. ADAMS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: AB Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	80.1	Adam
	0600	80.1	
	0900	79.3	M
	1200	80.1	
	1500	81.5	Reynolds
	1800	82.0	Reynolds
	2100	81.0	Reynolds
	2400	80.8	AYENI-AARONS

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	80.2	AYENI-AARONS
	0600	77.7	THAO
	0900	78.3	THAO
	1200	80.6	THAO
	1500	82.4	Reynolds
	1800	82.6	Reynolds
	2100	81.9	Reynolds
	2400	79.3	AYENI-AARONS

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	78.1	AYENI-AARONS
	0600	78.6	AYENI-AARONS
	0900	79.3	T.Ponte
	1200	80.2	T.Ponte
	1500	80.8	Reynolds
	1800	81.5	Reynolds
	2100	81.3	Reynolds
	2400	78.9	AYENI-AARONS

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A7 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	76.5	Villanuva
	0600	75.6	Romanet
	0900	75.6	Romanet
	1200	75.6	Romanet
	1500	81.9	Hernandez
	1800	81.7	Hernandez
	2100	79.3	Hernandez
	2400	78.0	Villanuva

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	78.0	Villanuva
	0600	75.6	M. PADILLA
	0900	75.6	M. PADILLA
	1200	75.6	M. PADILLA
	1500	81.5	Hernandez
	1800	82.7	Fernandez
	2100	83.1	Hernandez
	2400	84	LEE

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	79	LEE
	0600	75.6	Lopez
	0900	75.6	Lopez
	1200	75.6	Lopez
	1500	81.5	Hernandez
	1800	84.4	Hernandez
	2100	82.8	Hernandez
	2400	81.0	Villanuva

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	80.0	Villanuva
	0600	80.0	ESPINO
	0900	81.0	ESPINO
	1200	85.0	ESPINO
	1500	80.0	Alfred
	1800	85.4	Alfred
	2100	75.6	Alfred
	2400	75	LEE

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	75	LEE
	0600	75.6	ESPINO
	0900	80.0	ESPINO
	1200	83.0	ESPINO
	1500	84.9	Hernandez
	1800	88.0	Hernandez
	2100	84.9	Hernandez
	2400	75	LEE

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	75	LEE
	0600	75.6	ESPINO
	0900	80.0	ESPINO
	1200	83.0	ESPINO
	1500	84.9	Spinoza
	1800	84.9	Spinoza
	2100	83.1	Spinoza
	2400	75.3	RICARDO

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	75.3	RICARDO
	0600	75.6	ESPINO
	0900	83.0	ESPINO
	1200	86.4	ESPINO
	1500	96.1	ZCARLOS
	1800	92.0	ZCARLOS
	2100	86.1	ZCARLOS
	2400	85.4	ZCARLOS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: K7 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>7/8</u>	0300	<u>75.9</u>	<u>Villan</u>
	0600	<u>76.0</u>	<u>Espin</u>
	0900	<u>80.5</u>	<u>Espin</u>
	1200	<u>83.6</u>	<u>Espin</u>
	1500	<u>86.4</u>	<u>Hernandez</u>
	1800	<u>83.6</u>	<u>Hernandez</u>
	2100	<u>85.5</u>	<u>Hernandez</u>
	2400	<u>81.5</u>	<u>Villan</u>

Tuesday			
Date	Time	Temp.	Name (Print)
<u>7/9</u>	0300	<u>81.5</u>	<u>Villan</u>
	0600	<u>75.6</u>	<u>M. PADILLA</u>
	0900	<u>75.6</u>	<u>M. PADILLA</u>
	1200	<u>81.5</u>	<u>M. PADILLA</u>
	1500	<u>82.0</u>	<u>Hernandez</u>
	1800	<u>82.8</u>	<u>Hernandez</u>
	2100	<u>80.8</u>	<u>Hernandez</u>
	2400	<u>80.0</u>	<u>Villan</u>

Wednesday			
Date	Time	Temp.	Name (Print)
<u>7/10</u>	0300	<u>79.0</u>	<u>Villan</u>
	0600	<u>78.1</u>	<u>M. PADILLA</u>
	0900	<u>81.5</u>	<u>M. PADILLA</u>
	1200	<u>84.3</u>	<u>M. PADILLA</u>
	1500	<u>81.5</u>	<u>Hernandez</u>
	1800	<u>82.0</u>	<u>Hernandez</u>
	2100	<u>81.5</u>	<u>Hernandez</u>
	2400	<u>79.9</u>	<u>Villan</u>

Thursday			
Date	Time	Temp.	Name (Print)
<u>7/11</u>	0300	<u>78.0</u>	<u>Villan</u>
	0600	<u>79.2</u>	<u>Espin</u>
	0900	<u>81.6</u>	<u>Espin</u>
	1200	<u>84.0</u>	<u>Espin</u>
	1500	<u>82.9</u>	<u>Hernandez</u>
	1800	<u>84.7</u>	<u>Hernandez</u>
	2100	<u>82.0</u>	<u>Hernandez</u>
	2400	<u>82.2</u>	<u>SAC</u>

Friday			
Date	Time	Temp.	Name (Print)
<u>7/12</u>	0300	<u>80.5</u>	<u>SAC</u>
	0600	<u>79.6</u>	<u>Espin</u>
	0900	<u>82.6</u>	<u>Espin</u>
	1200	<u>84.0</u>	<u>Espin</u>
	1500	<u>84.9</u>	<u>Hernandez</u>
	1800	<u>85.0</u>	<u>Hernandez</u>
	2100	<u>84.7</u>	<u>Hernandez</u>
	2400	<u>80.6</u>	<u>LOL</u>

Saturday			
Date	Time	Temp.	Name (Print)
<u>7/13</u>	0300	<u>78.2</u>	<u>LOL</u>
	0600	<u>80.0</u>	<u>Espin</u>
	0900	<u>81.2</u>	<u>Espin</u>
	1200	<u>82.4</u>	<u>Espin</u>
	1500	<u>82.5</u>	<u>LOL</u>
	1800	<u>75.6</u>	<u>LOL</u>
	2100	<u>75.7</u>	<u>LOL</u>
	2400	<u>78.1</u>	<u>RICHARDSON</u>

Sunday			
Date	Time	Temp.	Name (Print)
<u>7/14</u>	0300	<u>75.1</u>	<u>RICHARDSON</u>
	0600	<u>76.0</u>	<u>Espin</u>
	0900	<u>78.6</u>	<u>Espin</u>
	1200	<u>78.5</u>	<u>Espin</u>
	1500	<u>78.5</u>	<u>Espin</u>
	1800	<u>78.6</u>	<u>Espin</u>
	2100	<u>78.6</u>	<u>Espin</u>
	2400	<u>78.6</u>	<u>Espin</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: 1T Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	74.4	R. ROSS
	0600	75.6	L. RUELAS
	0900	75.0	L. RUELAS
	1200	71.8	L. RUELAS
	1500	71.8	F. VALENCIA
	1800	71.8	F. VALENCIA
	2100	71.8	F. VALENCIA
	2400	71.0	LEE P

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	73	LEE P
	0600	75	M. PADILLA
	0900	78	M. PADILLA
	1200	80	M. PADILLA
	1500	79.3	Hernandez
	1800	77.2	Hernandez
	2100	76.1	Hernandez
	2400	76.0	Villan

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	75.0	Villan
	0600	75.6	M. PADILLA
	0900	75.6	M. PADILLA
	1200	76	M. PADILLA
	1500	75.9	Hernandez
	1800	77.2	Hernandez
	2100	80.4	Hernandez
	2400	77.8	Galyen

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	74.5	Galyen
	0600	73.6	GONZALEZ
	0900	77.8	GONZALEZ
	1200	79.3	GONZALEZ
	1500	77.9	Hernandez
	1800	79.7	Hernandez
	2100	80.4	Hernandez
	2400	79.7	Galyen

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	75.6	CASTRO
	0600	75.7	Durante
	0900	76.0	Durante
	1200	76.5	Durante
	1500	75.5	Durante
	1800	75.5	terronez
	2100	75.6	terronez
	2400	77.5	L. Villan

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	77.0	Villan
	0600	77.3	O. Vargas
	0900	79.0	O. Vargas
	1200	79.0	O. Vargas
	1500	80.1	J. Campinas
	1800	77.8	D. Huerta
	2100	77.1	D. Huerta
	2400	76.0	C. Briones

Notes

Date	Time	Temp.	Name (Print)
7/21	0300	76.6	C. Banish
	0600	76.9	C. Banish
	0900	78.4	J. Zamora
	1200	78.3	J. Zamora
	1500	78.1	J. Zamora
	1800	78.8	J. Zamora
	2100	79.2	J. Zamora
	2400	78.1	R. Romero

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A7 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	76.1	POMERO
	0600	75.6	RAMOS
	0900	75.3	KAMOS
	1200	76.1	RAMOS
	1500	79.3	Hernandez
	1800	81.6	Hernandez
	2100	81.0	Hernandez
	2400	76.5	Villa

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	76.0	Villanu
	0600	76.3	PADILLA
	0900	83	PADILLA
	1200	82	PADILLA
	1500	78.1	Hernandez
	1800	82.2	Hernandez
	2100	83.8	Hernandez
	2400	83.5	Villa

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	83.0	Villa
	0600	83	M.PADILLA
	0900	82.9	M.PADILLA
	1200	83.3	M.PADILLA
	1500	83.8	Hernandez
	1800	84.0	Hernandez
	2100	84.4	Hernandez
	2400	82.8	M.BROWN

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	80.9	M.BROWN
	0600	79.5	Xiong
	0900	81.3	Xiong
	1200	82.2	Xiong
	1500	84.0	monica
	1800	84.6	bernie
	2100	84.7	Vernon
	2400	82.8	Sacajai's

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	80.9	Sacajai's
	0600	75.6	RAMOS
	0900	76.8	RAMOS
	1200	75.8	RAMOS
	1500	75.6	TERKONES
	1800	75.8	TERKONES
	2100	75.6	TERKONES
	2400	75.2	LEE

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	75.2	LEE
	0600	74.8	RAMOS
	0900	77.3	RAMOS
	1200	82.6	RAMOS
	1500	75.6	GUERRERO
	1800	76.1	J.JOHNSON
	2100	75.6	J.JOHNSON
	2400	75.5	J.JOHNSON

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	75.6	J.JOHNSON
	0600	78.2	RAMOS
	0900	81.6	RAMOS
	1200	83.2	RAMOS
	1500	71.6	GUTIERREZ
	1800	75.1	GUTIERREZ
	2100	74.7	GUTIERREZ
	2400	74.0	Villa

Notes

(Red checkmarks and initials are present throughout the notes section, indicating specific data points or actions taken.)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A7 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	74	VILLANUEVA
	0600	75.6	B. REYES
	0900	75.6	B. REYES
	1200	76.6	B. REYES
	1500	71.8	F. VALENCIA
	1800	71.8	F. VALENCIA
	2100	71.0	VILLANUEVA
	2400	71.0	VILLANUEVA

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	77.4	M. BROWN
	0600	76.3	M. PADILLA
	0900	78.8	M. PADILLA
	1200	79.0	M. PADILLA
	1500	81°	A. OSUNA
	1800	71.5°	A. OSUNA
	2100	80.4	A. OSUNA
	2400	79.3	M. BROWN

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	70.0	VILLANUEVA
	0600	75.9	M. PADILLA
	0900	77.5	M. PADILLA
	1200	77.9	M. PADILLA
	1500	78.4	Hernandez
	1800	75.4	Hernandez
	2100	72.8	Hernandez
	2400	77.4	M. BROWN

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: 18 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	79.4	OPR ✓
	0600	72.2	YAHIMENRO ✓
	0900	72.2	YAHIMENRO ✓
	1200	72.2	YAHIMENRO ✓
	1500	80.2	Castro ✓
	1800	80.0	Castro ✓
	2100	79.4	Castro ✓
	2400	79.4	OPR ✓

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	79.4	OPR ✓
	0600	79.4	YAHIMENRO ✓
	0900	79.4	YAHIMENRO ✓
	1200	79.4	YAHIMENRO ✓
	1500	81.0	Castro ✓
	1800	79.4	Castro ✓
	2100	79.4	Castro ✓
	2400	79.6	Humen ✓

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	78.9	Humen ✓
	0600	79.4	SARAGI'S ✓
	0900	79.6	SARAGI'S ✓
	1200	79.6	SARAGI'S ✓
	1500	79.4	Chacon ✓
	1800	79.4	Chacon ✓
	2100	79.4	Chacon ✓
	2400	79.4	Chacon ✓

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	75	Dee.P ✓
	0600	79.6	SARAGI'S ✓
	0900	79.4	SARAGI'S ✓
	1200	79.6	SARAGI'S ✓
	1500	79.4	ROMALET ✓
	1800	79.4	ROMALET ✓
	2100	79.4	ROMALET ✓
	2400	79.4	Dominguez ✓

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	79.4	Dominguez ✓
	0600	79.4	Gardigni ✓
	0900	79.6	Gardigni ✓
	1200	79.4	Gardigni ✓
	1500	80.1	Castro ✓
	1800	79.8	Castro ✓
	2100	79.4	Castro ✓
	2400	79.4	A. YERBY ✓

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	79.4	A. YERBY ✓
	0600	79.4	A. YERBY ✓
	0900	79.6	SARAGI'S ✓
	1200	79.6	SARAGI'S ✓
	1500	84.0	Castro ✓
	1800	80.2	Castro ✓
	2100	79.8	Castro ✓
	2400	79.4	A. YERBY ✓

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	79.4	A. YERBY ✓
	0600	79.4	A. YERBY ✓
	0900	79.4	S. Viray ✓
	1200	79.4	S. Viray ✓
	1500	85.2	Castro ✓
	1800	83.2	Castro ✓
	2100	82.1	Castro ✓
	2400	79.4	Turner ✓

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: 18 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/18	0300	79.7	Turner M
	0600	79.4	YAKIMENKO
	0900	79.4	YAKIMENKO
	1200	79.4	YAKIMENKO
	1500	79.4	Hyde, D.
	1800	79.4	Hyde, D.
	2100	79.4	Hyde, D.
	2400	79.4	Gambay

Tuesday

Date	Time	Temp.	Name (Print)
7/19	0300	79.6	Gambay
	0600	79.4	YAKIMENKO
	0900	79.4	YAKIMENKO
	1200	79.4	YAKIMENKO
	1500	79.4	Hyde, D.
	1800	79.4	Hyde, D.
	2100	79.3	Hyde, D.
	2400	79.4	WILRIGHT

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	79.4	WILRIGHT
	0600	79.4	Sadighi S
	0900	79.6	Sadighi S
	1200	79.6	Sadighi S
	1500	79.6	B. Chacon
	1800	79.4	B. Chacon
	2100	79.4	B. Chacon
	2400	79.6	Sadighi S

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	79.6	Sadighi S
	0600	79.4	Sadighi S
	0900	79.4	Sadighi S
	1200	79.6	Sadighi S
	1500	79.4	B. Chacon
	1800	79.4	B. Chacon
	2100	79.4	B. Chacon
	2400	79.4	A. YERBY

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	79.4	A. YERBY
	0600	79.4	A. YERBY
	0900	79.4	Sadighi S
	1200	79.6	Sadighi S
	1500	79.6	Hyde, D.
	1800	79.4	Hyde, D.
	2100	79.4	Hyde, D.
	2400	79.4	A. YERBY

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	79.4	A. YERBY
	0600	79.4	A. YERBY
	0900	79.3	LEE
	1200	79.3	LEE
	1500	79.3	LEE
	1800	79.4	D. Hyde
	2100	79.4	D. Hyde
	2400	79.4	A. YERBY

Notes

Date	Time	Temp.	Name (Print)
7/14	0300	79.4	A. YERBY
	0600	79.4	A. YERBY
	0900	79	LEE
	1200	79	LEE
	1500	79.4	Hyde, D.
	1800	79.4	Hyde, D.
	2100	79.4	Hyde, D.
	2400	79.4	ORR

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A8 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/15	0300	79.4	ORR
	0600	79.4	N. YAKIMENKO
	0900	79.4	N. YAKIMENKO
	1200	79.4	N. YAKIMENKO
	1500	79.4	ESCOLAR
	1800	78.3	ESCOLAR
	2100	79.4	ESCOLAR
	2400	79.4	ORR
Tuesday			
Date	Time	Temp.	Name (Print)
7/16	0300	79.4	ORR
	0600	79.7	ORR
	0900	79.7	N. YAKIMENKO
	1200	79.7	N. YAKIMENKO
	1500	79.4	N. YAKIMENKO
	1800	79.2	Rodriguez
	2100	79.1	Rodriguez
	2400	77.9	X Garcia
Wednesday			
Date	Time	Temp.	Name (Print)
7/17	0300	79.4	X Garcia
	0600	79.4	G. Perez
	0900	78.5	G. Perez
	1200	73.6	G. Perez
	1500	79.4	B. Chacon
	1800	79.4	B. Chacon
	2100	79.4	B. Chacon
	2400	76	PER
Thursday			
Date	Time	Temp.	Name (Print)
7/18	0300	76	Lee
	0600	79.4	G. Perez
	0900	79.4	G. Perez
	1200	79.4	G. Perez
	1500	79.4	B. Chacon
	1800	79.4	B. Chacon
	2100	79.4	B. Chacon
	2400	79.4	A. YERBY
Friday			
Date	Time	Temp.	Name (Print)
7/19	0300	79.4	A. YERBY
	0600	79.4	A. YERBY
	0900	79.4	G. Perez
	1200	79.4	G. Perez
	1500	79.6	Castro
	1800	79.4	Castro
	2100	79.6	Castro
	2400	79.4	A. YERBY
Saturday			
Date	Time	Temp.	Name (Print)
7/20	0300	79.4	A. YERBY
	0600	79.4	A. YERBY
	0900	79.4	G. Perez
	1200	79.4	G. Perez
	1500	80.1	Castro
	1800	79.9	Castro
	2100	79.4	Castro
	2400	79.4	A. YERBY
Sunday			
Date	Time	Temp.	Name (Print)
7/21	0300	79.4	A. YERBY
	0600	79.4	A. YERBY
	0900	79.4	G. Perez
	1200	79.4	G. Perez
	1500	80.2	Castro
	1800	79.6	Castro
	2100	79.4	Castro
	2400	79.5	ORR

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A8 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	79.4	ORE
	0600	79.4	N.YAKIMENKO
	0900	79.4	N.YAKIMENKO
	1200	79.4	N.YAKIMENKO
	1500	79.4	Castro
	1800	79.4	Castro
	2100	79.4	Castro
	2400	79.4	ORE

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	79.4	ORE
	0600	79.4	N.YAKIMENKO
	0900	79.4	N.YAKIMENKO
	1200	79.4	N.YAKIMENKO
	1500	78.0	Castro
	1800	77.1	Castro
	2100	75.2	Castro
	2400	75.4	ABUSSA

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	75.4	ABUSSA
	0600	75.4	ABUSSA
	0900	79.4	Saayghi S
	1200	79.6	Saayghi S
	1500	82.6	B. Chacon
	1800	82.6	B. Chacon
	2100	82.6	B. Chacon
	2400	79.6	Saayghi S

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	79.4	Sadighi S
	0600	79.6	Sadighi S
	0900	82.6	Sadighi S
	1200	82.6	Sadighi S
	1500	82.6	B. Chacon
	1800	82.6	B. Chacon
	2100	82.6	B. Chacon
	2400	82.6	A. YERBY

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	82.6	A. YERBY
	0600	82.6	A. YERBY
	0900	82.6	Saayghi S
	1200	82.6	Saayghi S
	1500	78.6	Castro
	1800	77.4	Castro
	2100	75.4	Castro
	2400	82.6	A. YERBY

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	82.6	A. YERBY
	0600	82.6	A. YERBY
	0900	82.6	Lel
	1200	82.6	Lel
	1500	82.9	Castro
	1800	82.6	Castro
	2100	76.4	Castro
	2400	82.6	A. YERBY

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	82.6	A. YERBY
	0600	82.6	A. YERBY
	0900	82.6	Lel
	1200	82.6	Lel
	1500	79.4	Castro
	1800	76.4	Castro
	2100	72.4	Castro
	2400	75.0	ORE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A6 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	75.3	ORR
	0600	75.4	N. YAKINIE
	0900	75.4	N. YAKINIE
	1200	75.4	N. YAKINIE
	1500	75.4	N. YAKINIE
	1800	75.4	A. HERNANDEZ
	2100	75.4	A. HERNANDEZ
	2400	75.4	ORR

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	75.2	ORR
	0600	75.4	N. YAKINIE
	0900	75.4	N. YAKINIE
	1200	75.4	N. YAKINIE
	1500	75.4	A. Duarte
	1800	75.4	A. Duarte
	2100	75.4	A. Duarte
	2400	75.4	ABUSSA

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	75.4	ABUSSA
	0600	82.6	Sadiq's
	0900	82.6	Sadiq's
	1200	82.6	Sadiq's
	1500	82.6	B. Chacon
	1800	82.6	B. Chacon
	2100	82.6	B. Chacon
	2400	80.3	ABUSSA

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A VISITING Temp. Reading Location: VISITING FUR
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	88.5	KUKRAI
	1200	90.0	KUKRAI
	1500	91.1	KUKRAI
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	80.1	RODRIGUEZ
	1500	84.4	RODRIGUEZ
	1800	85.9	RODRIGUEZ
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	81.0	RODRIGUEZ
	1500	85.7	RODRIGUEZ
	1800	90.9	RODRIGUEZ
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	75.4	RODRIGUEZ
	1200	80.7	RODRIGUEZ
	1500	84.1	RODRIGUEZ
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	78.8	RODRIGUEZ
	1200	80.3	RODRIGUEZ
	1500	83.3	RODRIGUEZ
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	72.0	RODRIGUEZ
	1200	77.7	RODRIGUEZ
	1500	80.3	RODRIGUEZ
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	72.5	RODRIGUEZ
	1200	74.9	RODRIGUEZ
	1500	78.1	RODRIGUEZ
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A VISITING Temp. Reading Location: VISITING FLR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday 7/26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	79.2	Kukrall
	1500	81.1	Kukrall
1800	82.7	Kukrall	
	2100		
	2400		

Saturday 7/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	77.5	THAO
	1200	79.8	THAO
	1500	82.1	THAO
	1800		
	2100		
	2400		

Sunday 7/28

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	76.2	D. RODRIGUEZ
	1200	79.1	D. RODRIGUEZ
	1500	84.4	D. RODRIGUEZ
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 31 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-24	0300	75.9	CAS
	0600	76.4	Myles
	0900	77.4	Myles
	1200	77.6	Myles
	1500	79	Paloman
	1800	79	Paloman
	2100	80	Paloman
	2400	79.2	Stacy

Tuesday

Date	Time	Temp.	Name (Print)
7-24	0300	77.7	Stacy
	0600	77.2	None
	0900	78.5	SPARROW
	1200	78	None
	1500	79	Paloman
	1800	79	Paloman
	2100	78	Paloman
	2400	78.8	None

Wednesday

Date	Time	Temp.	Name (Print)
7-3-24	0300	78.7	Stacy
	0600	78.7	Stacy
	0900	79.9	SPARROW
	1200	80.5	SPARROW
	1500	80.7	JONES
	1800	81.3	JONES
	2100	82.3	JONES
	2400	83.7	CAS

Thursday

Date	Time	Temp.	Name (Print)
7-4-24	0300	78.6	CAS
	0600	78.6	Myles
	0900	78.9	Myles
	1200	80.1	Myles
	1500	81.5	JONES
	1800	82.0	JONES
	2100	81.5	JONES
	2400	78.7	CAS

Friday

Date	Time	Temp.	Name (Print)
7-5-24	0300	78.7	CAS
	0600	79.7	Myles
	0900	79.7	Myles
	1200	80.1	Myles
	1500	81.5	Powell
	1800	81.3	Powell
	2100	82.3	Powell
	2400	82.2	Romero

Saturday

Date	Time	Temp.	Name (Print)
7-6-24	0300	81	Romero
	0600	79.4	Myles
	0900	80.0	Myles
	1200	80.1	Myles
	1500	82.3	Robinson
	1800	82.8	ROBERTSON
	2100	82	ROBERTSON
	2400	79.9	Gambay

Sunday

Date	Time	Temp.	Name (Print)
7-7-24	0300	78.7	Gambay
	0600	81.2	Myles
	0900	81.9	Myles
	1200	82.3	Myles
	1500	82.2	Myles
	1800	82.4	Felton
	2100	81.9	Powell
	2400	79.2	Powell

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B-1 Temp. Reading Location: Dryroom
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8-24	0300	79.4	Fellor
	0600	79.9	Myles
	0900	80.3	Myles
	1200	81.5	Myles
	1500	82	Pelton
	1800	84.4	Pelton
	2100	80	Pelton
	2400	80.2	MANASO

Tuesday

Date	Time	Temp.	Name (Print)
7-9-24	0300	79.2	MANASO
	0600	78.5	SPOADWIN
	0900	79.1	SPOADWIN
	1200	80.8	SPOADWIN
	1500	80.5	Pelton
	1800	81.2	Pelton
	2100	80.0	Kear
	2400	78.5	Kear

Wednesday

Date	Time	Temp.	Name (Print)
07/10/24	0300	77.7	Kear
	0600	77.1	Lopez
	0900	80.5	Lopez
	1200	80.5	Lopez
	1500	80.9	JONES
	1800	81.0	JONES
	2100	81.5	JONES
	2400	81.5	S-YANK

Thursday

Date	Time	Temp.	Name (Print)
07/11/24	0300	81.5	S-YANK
	0600	80.8	JONES
	0900	82.1	JONES
	1200	82.2	JONES
	1500	82.0	JONES
	1800	81.7	JONES
	2100	83.0	Sadler
	2400	83	Sadler

Friday

Date	Time	Temp.	Name (Print)
07/12/24	0300	80	Sadler
	0600	79	Vick
	0900	79	Vick
	1200	82.3	Vick
	1500	82.6	JONES
	1800	82.3	JONES
	2100	82.0	JONES
	2400	82.0	Bernal

Saturday

Date	Time	Temp.	Name (Print)
07/13/24	0300	81.7	BERNAL
	0600	80.0	BERNAL
	0900	82.2	Esquivia
	1200	82.1	Flores
	1500	82.1	JONES
	1800	81.0	JONES
	2100	81.5	JONES
	2400	81.2	Romero

Sunday

Date	Time	Temp.	Name (Print)
07/14/24	0300	81.0	Romo
	0600	81.0	Romo
	0900	79.9	Romo
	1200	79.9	Romo
	1500	79.9	Romo
	1800	80.2	Romo
	2100	80.1	Romo
	2400	73.3	Gambay

Notes

NY

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B1 Temp. Reading Location: DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
7/15/24	0300	71.5	Ganbay	7/16/24	0300	77.4	Bilal																				
	0600	70.4	Almanza		0600	77.0	D. Lee																				
	0900	71.8	Almanza		0900	77.1	SPADWIN																				
	1200	72.4	Almanza		1200	77.2	SPADWIN																				
	1500	74.0	Palomo		1500	72.5	Palomo																				
	1800	74.2	Palomo		1800	73.4	Prieto																				
	2100	73.1	Palomo		2100	74.6	Prieto																				
	2400	77.1	Stapp		2400	75.7	S. Yank																				
Wednesday																											
7/17/24	0300	75.7	S. Yank	7/18/24	0300	77.4	Palomo																				
	0600	75.7	Lopez		0600	77.0	Palomo																				
	0900	75.5	Lopez		0900	77.5	J. Vaca																				
	1200	75.5	Lopez		1200	77.6	J. Vaca																				
	1500	75.7	Lopez		1500	80.0	Vones																				
	1800	71.9	Vones		1800	82.0	Vones																				
	2100	70.3	Vones		2100	78.4	Vones																				
	2400	77	Vones		2400	71.4	Stapp																				
Thursday																											
7/19/24	0300	77.5	Stapp	7/20/24	0300	77.4	Stapp																				
	0600	77.3	Stapp		0600	77	Stapp																				
	0900	77	Myles		0900	77.8	Myles																				
	1200	80.9	Myles		1200	78.7	Myles																				
	1500	78.7	Vones		1500	81.2	Vando																				
	1800	79.2	Vones		1800	81.5	Vando																				
	2100	79.0	Vones		2100	79.7	Vando																				
	2400	78.6	Stapp		2400	78.7	Ganbay																				
Friday																											
7/21/24	0300	77.8	Ganbay	7/22/24	0300	77.4	Stapp																				
	0600	77.2	Gimmon		0600	77	Stapp																				
	0900	77	Gimmon		0900	77.8	Myles																				
	1200	77	G. Rod		1200	78.7	Myles																				
	1500	78.7	Myles		1500	81.2	Vando																				
	1800	78.7	Myles		1800	81.5	Vando																				
	2100	78.8	Myles		2100	79.7	Vando																				
	2400	78.5	Myles		2400	78.7	Ganbay																				
Saturday																											
7/21/24	0300	77.8	Ganbay	7/22/24	0300	77.4	Stapp																				
	0600	77.2	Gimmon		0600	77	Stapp																				
	0900	77	Gimmon		0900	77.8	Myles																				
	1200	77	G. Rod		1200	78.7	Myles																				
	1500	78.7	Myles		1500	81.2	Vando																				
	1800	78.7	Myles		1800	81.5	Vando																				
	2100	79.7	Vando		2100	79.7	Vando																				
	2400	78.7	Ganbay		2400	78.7	Ganbay																				
Sunday																											
7/21/24	0300	77.8	Ganbay	7/22/24	0300	77.4	Stapp																				
	0600	77.2	Gimmon		0600	77	Stapp																				
	0900	77	Gimmon		0900	77.8	Myles																				
	1200	77	G. Rod		1200	78.7	Myles																				
	1500	78.7	Myles		1500	81.2	Vando																				
	1800	78.7	Myles		1800	81.5	Vando																				
	2100	78.8	Myles		2100	79.7	Vando																				
	2400	78.5	Myles		2400	78.7	Ganbay																				

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Sac Housing Unit: 51 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
X	0300	77.8	Flemm
X	0600	77.4	Brown
X	0900	77.6	Myles
X	1200	78.7	Myles
X	1500	78.3	JACOB
X	1800	80.1	Paloma
X	2100	79.9	Paloma
X	2400	79.9	Stans

Tuesday

Date	Time	Temp.	Name (Print)
X	0300	78.0	Stans
X	0600	78.5	SPADWIN
X	0900	79.7	SPADWIN
X	1200	80.1	SPADWIN
X	1500	80.3	Paloma
X	1800	80	166
X	2100	80.5	166
X	2400	79.9	Stans

Wednesday

Date	Time	Temp.	Name (Print)
X	0300	79.4	Stans
X	0600	79.3	Stans
X	0900	75.1	Thom
X	1200	76.1	Thom
X	1500	79.0	PAL
X	1800	80.4	PAL
X	2100	79.4	PAL
X	2400	76.7	Stans

Thursday

Date	Time	Temp.	Name (Print)
X	0300	78.8	STANS
X	0600	78.7	C. VANG
X	0900	79.3	C. VANG
X	1200	79.5	C. VANG
X	1500	79.9	JONES
X	1800	80.1	JONES
X	2100	79.4	L. NEILSON
X	2400	78.7	;

Friday

Date	Time	Temp.	Name (Print)
X	0300	78.7	Stans
X	0600	78.1	Stans
X	0900	78.8	Myles
X	1200	78.6	Myles
X	1500	79.6	JONES
X	1800	80.3	JONES
X	2100	78.8	JONES
X	2400	77.1	;

Saturday

Date	Time	Temp.	Name (Print)
X	0300	77.1	;
X	0600	77.1	;
X	0900	76.7	Myles
X	1200	78.2	Myles
X	1500	71.2	JONES
X	1800	76.7	JONES
X	2100	76.5	JONES
X	2400	76.4	Palma

Sunday

Date	Time	Temp.	Name (Print)
X	0300	72.3	;
X	0600	72.1	;
X	0900	75	Gimmon
X	1200	75.2	Gimmon
X	1500	77	JONES
X	1800	79.0	JONES
X	2100	76	JONES
X	2400	72.6	;

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B - 1 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/31	0300	74.2	Ramirez
	0600	74.5	Reed
	0900	74.7	Myles
	1200	75.7	Myles
	1500	75.4	Palmer
	1800	75.4	Palmer
	2100	75.1	Reed
	2400	75.1	Reed

Tuesday

Date	Time	Temp.	Name (Print)
7/31	0300	74.9	Reed
	0600	74.7	Reed
	0900	74.6	Reed
	1200	74.4	Reed
	1500	74.3	Palmer
	1800	74.7	Palmer
	2100	75.1	Palmer
	2400	75	Reed

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	75.1	Reed
	0600	75.1	Reed
	0900	75.2	SPADARINI
	1200	76.0	SPADARINI
	1500	76.1	Perez
	1800	76.1	Perez
	2100	78.1	Reed
	2400	78.2	Reed

Thursday

Date	Time	Temp.	Name (Print)
	0300	75.7	Reed
	0600	75.8	Reed
	0900	75.8	Reed
	1200	75.9	Reed
	1500	75.9	Palmer
	1800	75.6	Palmer
	2100	75.6	Palmer
	2400	75.6	Reed

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B 2 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	71.1	NICANOR
	0600	71.1	Palomar
	0900	71.1	Palomar
	1200	81	Palomar
	1500	81.1	E. RANGER
	1800	80.9	E. RANGER
	2100	80.6	E. RANGER
	2400	79.7	N. CAMERON

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	78.4	N. CAMERON
	0600	75	Palomar
	0900	79	Palomar
	1200	83.0	Palomar
	1500	83.1	E. RANGER
	1800	82.5	E. RANGER
	2100	81.8	E. RANGER
	2400	79.6	N. CAMERON

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	79.2	N. CAMERON
	0600	79.5	C. RANGER
	0900	80.0	Kunyan
	1200	80.0	Kunyan
	1500	82.2	E. RANGER
	1800	83.2	E. RANGER
	2100	82.9	E. RANGER
	2400	82.8	N. CAMERON

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	81.1	N. CAMERON
	0600	79	Kunyan
	0900	79	Kunyan
	1200	82	Kunyan
	1500	81.9	E. RANGER
	1800	80.5	E. RANGER
	2100	78.2	E. RANGER
	2400	77.9	E. RANGER

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	78.1	E. RANGER
	0600	79	Kunyan
	0900	81	Kunyan
	1200	83	Kunyan
	1500	82.5	E. RANGER
	1800	81.5	E. RANGER
	2100	79.6	E. RANGER
	2400	79.2	E. RANGER

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	79.6	E. RANGER
	0600	79.8	E. RANGER
	0900	80	Kunyan
	1200	82	Kunyan
	1500	81.9	E. RANGER
	1800	81.9	E. RANGER
	2100	81.8	E. RANGER
	2400	81.8	E. RANGER

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	79	Draver
	0600	79	Kunyan
	0900	80	Kunyan
	1200	82	Kunyan
	1500	84.1	STAYDOHAR
	1800	85.5	STAYDOHAR
	2100	84.9	STAYDOHAR
	2400	82.1	E. RANGER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B2 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/18	0300	80.1	E. Esqueria
	0600	77	Palmer
	0900	79	Palmer
	1200	82.2	Palmer
	1500	83.6	Reynolds
	1800	83.2	REYNOLDS
	2100	82.5	REYNOLDS
	2400	81.1	Esqueria

Tuesday

Date	Time	Temp.	Name (Print)
7/19	0300	80.7	Esqueria
	0600	80.3	Palmer
	0900	79.6	Palmer
	1200	80.1	Palmer
	1500	81.8	E. RANGER
	1800	82.5	E. RANGER
	2100	82.2	E. RANGER
	2400	82.1	E. RANGER

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	79.8	N. (ANERON)
	0600	77.3	KURGAN
	0900	78.6	KURGAN
	1200	80.5	KURGAN
	1500	82.7	E. RANGER
	1800	83.3	E. RANGER
	2100	83.1	E. RANGER
	2400	82.7	Esqueria

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	78	Esqueria
	0600	80	Kurgen
	0900	81	Kurgen
	1200	82	Kurgen
	1500	82	Drazen
	1800	82.2	Drazen
	2100	81.6	Drazen
	2400	80.5	Esqueria

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	80	Esqueria
	0600	80	Kurgen
	0900	81	Kurgen
	1200	82	Kurgen
	1500	82.4	Esqueria
	1800	81.9	Esqueria
	2100	80.3	Esqueria
	2400	80.1	Esqueria

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	80	Esqueria
	0600	79.4	A. QUINTERO
	0900	80.0	A. QUINTERO
	1200	80.6	A. QUINTERO
	1500	81.9	E. RANGER
	1800	81.3	E. RANGER
	2100	81	E. RANGER
	2400	79.8	E. RANGER

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	79.2	E. Esqueria
	0600	79.4	E. Esqueria
	0900	78.8	C. Avila
	1200	78.76	C. Avila
	1500	79.5	STAYDARAS
	1800	80.6	STAYDARAS
	2100	80.3	Esqueria
	2400	80.1	Esqueria

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B2 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	79.3	N. LARSEN
	0600	74.8	Palomera
	0900	76.8	Palomera
	1200	70.5	Palomera
	1500	79.2	E. RANGER
	1800	79	G. RANGER
	2100	78.9	E. RANGER
	2400	78.2	N. CARMERON

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	78.8	N. CARMERON
	0600	76.4	Palomera
	0900	75.2	Palomera
	1200	77.4	Palomera
	1500	77.7	E. RANGER
	1800	78	E. RANGER
	2100	77.5	E. RANGER
	2400	77.4	N. CARMERON

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	77.4	S. CARDOZO
	0600	77.8	Kurjan
	0900	79	Kurjan
	1200	80	Kurjan
	1500	79.2	E. RANGER
	1800	78.7	E. RANGER
	2100	77.3	G. RANGER
	2400	77.1	E. RANGER

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	76.4	E. RANGER
	0600	74	E. RANGER
	0900	75	Kurjan
	1200	77	Kurjan
	1500	77.9	E. RANGER
	1800	77.7	E. RANGER
	2100	77.4	E. RANGER
	2400	76.7	E. RANGER

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	76.2	E. RANGER
	0600	75.9	E. RANGER
	0900	76.0	Kurjan
	1200	76.4	Kurjan
	1500	78.9	E. RANGER
	1800	78.5	E. RANGER
	2100	78.4	E. RANGER
	2400	78.3	E. RANGER

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	78.0	E. RANGER
	0600	71.9	E. RANGER
	0900	79.9	Kurjan
	1200	80.1	Kurjan
	1500	80.2	THOMPSON
	1800	79.4	THOMPSON
	2100	79.2	THOMPSON
	2400	79.1	Drazen

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	79.	Drazen
	0600	79.0	Kurjan
	0900	78.9	Kurjan
	1200	79.9	Kurjan
	1500	78.8	STAYDOLAE
	1800	78.8	STAYDOLAE
	2100	78.2	STAYDOLAE
	2400	77.9	Drazen

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B2 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7339 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	73.9	DRAVEN
	0600	76.5	P. GLOVER
	0900	78	P. GLOVER
	1200	80.6	M. GLOVER
	1500	81.2	QUINTO
	1800	81.5	E. RANGER
	2100	81.1	E. RANGER
	2400	79.8	RAMADA

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	79.7	S. AMERON
	0600	74.5	P. GLOVER
	0900	72.4	P. GLOVER
	1200	82.4	P. GLOVER
	1500	82.4	VALENCIA
	1800	81.5	VALENCIA
	2100	81.5	VALENCIA
	2400	79.6	RAMADA

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	72.4	(AN RON)
	0600	78.2	KURGAN
	0900	78.9	KURGAN
	1200	79.5	KURGAN
	1500	80.8	E. RANGER
	1800	80.6	E. RANGER
	2100	80.2	E. RANGER
	2400	77.2	E. RANGER

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	77.9	E. SQUILLA
	0600	77.3	E. SQUILLA
	0900	79	KURGAN
	1200	79	KURGAN
	1500	79.1	E. SQUILLA
	1800	79.1	E. SQUILLA
	2100	78.7	E. SQUILLA
	2400	78.3	E. SQUILLA

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	77.1	E. SQUILLA
	0600	77.9	E. SQUILLA
	0900	78.1	E. RANGER
	1200	78.6	E. RANGER
	1500	79.1	E. SQUILLA
	1800	78.9	E. SQUILLA
	2100	77.1	E. SQUILLA
	2400	77.0	E. SQUILLA

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	76.8	E. SQUILLA
	0600	76.5	E. SQUILLA
	0900	76.5	KURGAN
	1200	76.5	KURGAN
	1500	76.4	REYNOLDS
	1800	76.5	REYNOLDS
	2100	76.5	REYNOLDS
	2400	76.8	E. SQUILLA

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	75.0	E. SQUILLA
	0600	75.0	KURGAN
	0900	75.0	KURGAN
	1200	75.0	KURGAN
	1500	75.2	STAYDOHAR
	1800	75.2	STAYDOHAR
	2100	75.2	STAYDOHAR
	2400	75.4	E. SQUILLA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B2 Temp. Reading Location: B SECTION DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
7/29	0300	70.5	DRAVEN	7/30	0300	72.2	CAMERON
	0600	71	P glover		0600	73	P glover
	0900	71.7	P glover		0900	73.7	P glover
	1200	74.5	P glover		1200	73.8	P glover
	1500	76.5	E. RANGER		1500	76	E. RANGER
	1800	74.8	E. RANGER		1800	75.8	E. RANGER
	2100	74.5	E. RANGER		2100	75.5	E. RANGER
	2400	74.1	CAMERON		2400	74.7	CAMERON

Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
7/31	0300	74	Kunyan	08/01	0300	74.2	E. ESQUERNA
	0600	75	Kunyan		0600	74.5	E. ESQUERNA
	0900	77	Kunyan		0900	76	Kunyan
	1200	80	Kunyan		1200	77	Kunyan
	1500	78.8	E. RANGER		1500	76.3	E. RANGER
	1800	79.1	E. RANGER		1800		
	2100	77.7	E. RANGER		2100		
	2400	75.2	E. ESQUERNA		2400		

Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
08/02	0300				0300		
	0600				0600		
	0900				0900		
	1200				1200		
	1500				1500		
	1800				1800		
	2100				2100		
	2400				2400		

Sunday				Notes			
Date	Time	Temp.	Name (Print)	Notes			
	0300						
	0600						
	0900						
	1200						
	1500						
	1800						
	2100						
	2400						

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B3 Temp. Reading Location: ASPECT LUV
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5301 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	81.0	Her
	0600	80.8	T. MOORE
	0900	81.0	T. MOORE
	1200	81.5	T. MOORE
	1500	81.7	Phillips
	1800	82.0	Phillips
	2100	81.9	Phillips
	2400	81.9	Her

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	82.0	Her
	0600	81.7	Kalb
	0900	81.7	Kalb
	1200	82.0	Kalb
	1500	83.2	Phillips
	1800	83.4	Phillips
	2100	83.8	Phillips
	2400	83.1	Her

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	82.8	Her
	0600	82.4	KIRSCHBAUM
	0900	83.2	KIRSCHBAUM
	1200	84.2	KIRSCHBAUM
	1500	84.1	Phillips
	1800	84.5	Phillips
	2100	84.9	Phillips
	2400	83.7	Her

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	83.0	Her
	0600	82.4	Her
	0900	84.2	T. MOORE
	1200	84.7	T. MOORE
	1500	85.7	THOMPSON
	1800	85.4	THOMPSON
	2100	85.6	THOMPSON
	2400	85.2	TURNER

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	84.9	Turner
	0600	89.0	T. MOORE
	0900	84.9	T. MOORE
	1200	84.9	T. MOORE
	1500	85.2	Myles
	1800	86.4	Myles
	2100	86.6	Myles
	2400	85.9	Her

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	85.3	Her
	0600	84.6	T. MOORE
	0900	85.2	T. MOORE
	1200	86.6	T. MOORE
	1500	86.0	Bennett
	1800	87.4	Bennett
	2100	87.6	Bennett
	2400	81.0	Y. SANDOME

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	78	Y. SANDOME
	0600	78.7	T. moore
	0900	80.3	T. moore
	1200	84.9	T. moore
	1500	87.1	Phillips
	1800	87.3	Phillips
	2100	87.6	Phillips
	2400	87.1	Her

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 155 Temp. Reading Location: 1st tier, 2nd tier, 3rd tier, etc.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1/13	0300	86.3	Her
	0600	85.3	T. MOORE
	0900	85.8	T. MOORE
	1200	86.2	T. MOORE
	1500	86.4	Phillips
	1800	86.5	Phillips
	2100	87.1	Phillips
	2400	86.4	Her

Tuesday

Date	Time	Temp.	Name (Print)
1/14	0300	85.6	Her
	0600	85.1	Her
	0900	85.2	Her
	1200	85.5	Her
	1500	85.8	Phillips
	1800	86.2	Phillips
	2100	86.1	Phillips
	2400	85.5	Her

Wednesday

Date	Time	Temp.	Name (Print)
1/10	0300	84.6	Her
	0600	84.2	E. RANGER
	0900	84.8	E. RANGER
	1200	85.1	G. RANGER
	1500	85.3	Phillips
	1800	85.5	Phillips
	2100	86.2	Phillips
	2400	86.3	Her

Thursday

Date	Time	Temp.	Name (Print)
1/11	0300	85.2	Her
	0600	85.6	T. MOORE
	0900	85.7	T. MOORE
	1200	86.0	T. MOORE
	1500	86.1	T. MOORE
	1800	86.3	T. MOORE
	2100	86.4	Her
	2400	86.8	Her

Friday

Date	Time	Temp.	Name (Print)
1/12	0300	85.7	Her
	0600	86.2	T. MOORE
	0900	86.1	T. MOORE
	1200	86.3	T. MOORE
	1500	86.6	J. BILLS
	1800	87.3	J. BILLS
	2100	87.7	J. BILLS
	2400	87.1	T. MOORE

Saturday

Date	Time	Temp.	Name (Print)
1/13	0300	86.1	T. MOORE
	0600	86.3	T. MOORE
	0900	86.6	T. MOORE
	1200	86.6	T. MOORE
	1500	86.6	Phillips
	1800	86.8	Phillips
	2100	86.6	Phillips
	2400	85.9	Her

Sunday

Date	Time	Temp.	Name (Print)
1/14	0300	84.8	Shawn
	0600	76.6	Her
	0900	79.9	Her
	1200	80.6	Her
	1500	85.0	Phillips
	1800	85.2	Phillips
	2100	85.6	Phillips
	2400	85.4	Her

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 63 Temp. Reading Location: 17 DECK TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	81.9	Hev
	0600	83.1	T. Moore
	0900	83.1	T. Moore
	1200	83.6	T. Moore
	1500	84.2	D. Guerrero
	1800	84.3	D. Guerrero
	2100	84.3	D. Guerrero
	2400	84.2	Hev

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	82.6	Hev
	0600	82.4	Hev
	0900	83.2	Hev
	1200	82.9	MURRAY
	1500	83.0	Phillips
	1800	82.9	Phillips
	2100	82.7	Phillips
	2400	82.4	Hev

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	81.9	Hev
	0600	81.9	KRESCENZI
	0900	82.9	KRESCENZI
	1200	81.8	KRESCENZI
	1500	82.5	Phillips
	1800	82.4	Phillips
	2100	82.2	Phillips
	2400	82.0	Ledezma

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	81.7	Ledezma
	0600	81.5	T. Moore
	0900	81.3	T. Moore
	1200	81.6	T. Moore
	1500	82.1	Phillips
	1800	82.4	Phillips
	2100	82.3	Phillips
	2400	82.8	Ledezma

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	81.7	Ledezma
	0600	82.1	T. Moore
	0900	82.4	T. Moore
	1200	82.9	T. Moore
	1500	83.3	Gimor
	1800	84.1	Gimor
	2100	83.9	Gimor
	2400	84.5	Hev

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	84.0	Hev
	0600	83.1	T. Moore
	0900	83.5	T. Moore
	1200	83.8	T. Moore
	1500	84.4	Gimor
	1800	84.7	Gimor
	2100	84.7	Gimor
	2400	87.7	Y. SADOWIC

Notes

Date	Time	Temp.	Name (Print)
7/21	0300	79.0	Y. SADOWIC
	0600	80.0	Y. SADOWIC
	0900	76	J. MTH
	1200	76	J. MTH
	1500	84.7	A. Reynolds
	1800	84.4	A. Reynolds
	2100	84.6	A. Reynolds
	2400	84.2	Hev

50
E-211

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 31C Housing Unit: B3 Temp. Reading Location: 1st, 2nd, 3rd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5300 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/24	0300	83.5	Her
	0600	83.3	T. MOORE
	0900	83.3	T. MOORE
	1200	84.3	T. MOORE
	1500	84.7	Phillips
	1800	84.9	Phillips
	2100	85.2	Phillips
	2400	84.9	Her

Tuesday

Date	Time	Temp.	Name (Print)
7/25	0300	84.3	Her
	0600	84.3	Fernandez
	0900	84.3	Fernandez
	1200	85.3	Fernandez
	1500	86.2	Lewis
	1800	86.1	Lewis
	2100	84.7	Lewis
	2400	82.7	Romero

Wednesday

Date	Time	Temp.	Name (Print)
7/26	0300	83.5	Romero
	0600	85.1	Phillips
	0900	85.4	Phillips
	1200	85.0	Phillips
	1500	86.0	Phillips
	1800	86.4	Phillips
	2100	86.7	Phillips
	2400	86.0	Ledezma

Thursday

Date	Time	Temp.	Name (Print)
7/27	0300	85.7	LEDEZMA
	0600	85.4	T. MOORE
	0900	85.3	T. MOORE
	1200	85.8	T. MOORE
	1500	86.0	Phillips
	1800	86.1	Phillips
	2100	86.6	Phillips
	2400	86.3	LEDEZMA

Friday

Date	Time	Temp.	Name (Print)
7/28	0300	85.7	LEDEZMA
	0600	77.0	Zamora
	0900	74.3	Zamora
	1200	75.1	Zamora
	1500	85.41	Myles
	1800	85.3	Myles
	2100	85	Myles
	2400	84.9	Honeybunch

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	84.3	HONEYBUNCH
	0600	84.1	T. MARIE
	0900	82.9	T. MOORE
	1200	82.9	T. MOORE
	1500	82.9	Bennett
	1800	82.9	Bennett
	2100	83.1	Bennett
	2400	82.8	HONEYBUNCH

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	81.7	HONEYBUNCH
	0600	81.9	Her
	0900	81.8	Her
	1200	81.9	Her
	1500	81.9	Phillips
	1800	81.9	Phillips
	2100	81.9	Phillips
	2400	82.0	Her

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 500 Housing Unit: B3 Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 3306 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/20	0300	81.2	Hev
	0600	80.2	T. Moore
	0900	80.2	T. Moore
	1200	80.5	T. Moore
	1500	80.8	Phillips
	1800	81.0	Phillips
	2100	81.2	Phillips
	2400	80.0	Phillips

Tuesday

Date	Time	Temp.	Name (Print)
7/21	0300	80.0	Hev
	0600	80.1	Hev
	0900	80.2	Hev
	1200	80.3	Hev
	1500	80.4	Hev
	1800	80.2	Hev
	2100	80.1	Hev
	2400	80.9	Hev

Wednesday

Date	Time	Temp.	Name (Print)
7/22	0300	80.8	Hev
	0600	81.3	Bauchi
	0900	81.5	Bauchi
	1200	81.7	Bauchi
	1500	81.9	Phillips
	1800	82.1	Phillips
	2100	81.7	Phillips
	2400	81.5	LEDEZMA

Thursday

Date	Time	Temp.	Name (Print)
7/23	0300	81.4	LEDEZMA
	0600	81.3	T. Moore
	0900	81.0	T. Moore
	1200	81.7	T. Moore
	1500	81.8	
	1800	81.7	
	2100	81.1	
	2400	80.9	

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B4 Temp. Reading Location: A - Day 1200-5
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	79.2	Bell
	0600	79.8	SCHUMANN
	0900	79.5	SCHUMANN
	1200	81.2	SCHUMANN
	1500	81.2	SCHUMANN
	1800	81.3	Nguyen
	2100	81.2	Nguyen
	2400	81.0	Nguyen

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	81.9	Nguyen
	0600	82.6	Camps
	0900	82.9	Camps
	1200	83.6	Camps
	1500	84.1	Perry
	1800	83.9	Perry
	2100	83.4	Perry
	2400	82.9	Hunt

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	81.9	Hunt
	0600	81.9	Camps
	0900	82.0	Camps
	1200	82.6	Camps
	1500	82.9	Camps
	1800	82.9	Camps
	2100	82.1	Camps
	2400	82.0	Lara

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	82.0	Powell
	0600	82.9	Nguyen
	0900	82.9	Nguyen
	1200	83.8	Nguyen
	1500	84.6	Perry
	1800	83.9	Perry
	2100	83.4	Perry
	2400	82.9	Powell

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	82.1	Powell
	0600	82.4	Fernandez
	0900	82.9	Fernandez
	1200	82.9	Fernandez
	1500	83.6	Fernandez
	1800	83.9	Perry
	2100	82.1	Perry
	2400	82.1	Powell

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	80.4	Powell
	0600	74.1	SCHUMANN
	0900	80.5	SCHUMANN
	1200	81.6	SCHUMANN
	1500	82.6	SCHUMANN
	1800	82.4	SCHUMANN
	2100	81.1	SCHUMANN
	2400	81.2	Bell

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	78.4	Bell
	0600	79.0	SCHUMANN
	0900	80.1	SCHUMANN
	1200	80.1	SCHUMANN
	1500	81.8	SCHUMANN
	1800	82.4	SCHUMANN
	2100	81.8	SCHUMANN
	2400	81.4	Bell

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: 64 Temp. Reading Location: A DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		<u>7/08</u>		Tuesday		<u>7/09</u>	
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300	82.9	BELL		0300	83.4	Bell
7/8	0600	84.6	SCHUMANN	7/9	0600	83.7	CAMPUS
	0900	82.4	SCHUMANN		0900	83.9	CAMPUS
	1200	83.6	SCHUMANN		1200	83.5	CAMPUS
	1500	83.9	CAMPUS		1500	84.7	CAMPUS
	1800	84.2	CAMPUS		1800	83.6	CAMPUS
	2100	84.0	BELL		2100	83.6	CAMPUS
	2400	84.0	BELL		2400	83.4	HUNT

Wednesday		<u>7/10</u>		Thursday		<u>7/11</u>	
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300	82.9	HUNT		0300	83.1	HUNT
7/10	0600	82.6	CAMPUS	7/11	0600	82.9	NGUYEN
	0900	82.8	CAMPUS		0900	84	NGUYEN
	1200	83.4	CAMPUS		1200	84.3	NGUYEN
	1500	83.9	CAMPUS		1500	85.8	PERRY
	1800	83.8	CAMPUS		1800	86.5	PERRY
	2100	84.1	CAMPUS		2100	86.1	PERRY
	2400	84.7	HUNT		2400	85.8	HUNT

Friday		<u>7/12</u>		Saturday		<u>7/13</u>	
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300	84.1	HUNT		0300	84.2	POWELL
7/12	0600	84.5	HERNANDEZ	7/13	0600	85.1	SCHUMANN
	0900	84.2	HERNANDEZ		0900	85.8	SCHUMANN
	1200	85.4	HERNANDEZ		1200	87.5	SCHUMANN
	1500	86.5	PERRY		1500	84.9	SCHUMANN
	1800	86.3	PERRY		1800	85.2	SCHUMANN
	2100	86.0	PERRY		2100	85.2	SCHUMANN
	2400	85.0	POWELL		2400	84.7	HILARA

Sunday		<u>7/14</u>		Notes	
Date	Time	Temp.	Name (Print)		
	0300	84.0	HILARA		
7/14	0600	83.8	HILARA		
	0900	84.1	SCHUMANN		
	1200	82.4	SCHUMANN		
	1500	83.8	SCHUMANN		
	1800	83.1	SCHUMANN		
	2100	84.5	SCHUMANN		
	2400	83.5	BELL		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LSP-SAC Housing Unit: B4 Temp. Reading Location: A DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/15	0300	81.5	Bell
	0600	80.5	MA-TIER 2
	0900	80.5	MA-TIER 2
	1200	80.5	MA-TIER 2
	1500	82.9	Campas
	1800	83.4	Campas
	2100	83.1	Campas
	2400	81.5	Bell
Tuesday			
Date	Time	Temp.	Name (Print)
7/16	0300	79.3	Bell
	0600	79.3	Campas
	0900	79.5	Campas
	1200	80.1	Campas
	1500	82.2	Campas
	1800	82.7	Campas
	2100	81.5	Campas
	2400	81.3	HUNT
Wednesday			
Date	Time	Temp.	Name (Print)
7/17	0300	80.6	HUNT
	0600	79.0	Campas
	0900	79.0	Campas
	1200	79.1	Campas
	1500	81.9	Campas
	1800	81.7	Campas
	2100	81.1	HUNT
	2400	80.4	HUNT
Thursday			
Date	Time	Temp.	Name (Print)
7/18	0300	80.1	HUNT
	0600	77.1	N GUYEN
	0900	78.4	N GUYEN
	1200	70.7	N GUYEN
	1500	82.5	Perry
	1800	83.1	Perry
	2100	82.7	Perry
	2400	79.3	HUNT
Friday			
Date	Time	Temp.	Name (Print)
7/19	0300	78.2	Hunt
	0600	79.1	Hernandez
	0900	81.5	Hernandez
	1200	82.2	Hernandez
	1500	82.1	Perry
	1800	83.7	Perry
	2100	84.0	Perry
	2400	83.5	Powell
Saturday			
Date	Time	Temp.	Name (Print)
7/20	0300	82.8	POWELL
	0600	80.1	SCHUMANN
	0900	81.6	SCHUMANN
	1200	83.4	SCHUMANN
	1500	83.2	SCHUMANN
	1800	83.1	SCHUMANN
	2100	83.0	SCHUMANN
	2400	82.7	Hunter
Sunday			
Date	Time	Temp.	Name (Print)
7/21	0300	82.3	Hunter
	0600	81.8	Hunter
	0900	81.2	SCHUMANN
	1200	80.8	SCHUMANN
	1500	83.4	SCHUMANN
	1800	83.4	SCHUMANN
	2100	82.9	SCHUMANN
	2400	81.0	Bell

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B4 Temp. Reading Location: 4 DAYroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/22	0300	80.6	Bell
	0600	79.8	SCHUMANN
	0900	80.2	SCHUMANN
	1200	81.6	SCHUMANN
	1500	84.2	CAMPBELL
	1800	83.9	CAMPBELL
	2100	83.7	CAMPBELL
	2400	83.3	BELL

Tuesday			
Date	Time	Temp.	Name (Print)
7/23	0300	83.1	BELL
	0600	83.3	CAMPBELL
	0900	82.2	CAMPBELL
	1200	83.0	CAMPBELL
	1500	83.8	CAMPBELL
	1800	84.6	CAMPBELL
	2100	84.5	CAMPBELL
	2400	84.4	HUNT

Wednesday			
Date	Time	Temp.	Name (Print)
7/24	0300	83.7	HUNT
	0600	83.0	CAMPBELL
	0900	83.8	CAMPBELL
	1200	84.9	CAMPBELL
	1500	92	THOMPSON
	1800	91	THOMPSON
	2100	91	THOMPSON
	2400	84.8	HUNT

Thursday			
Date	Time	Temp.	Name (Print)
7/25	0300	82.9	HUNT
	0600	82.4	NGUYEN
	0900	83.1	NGUYEN
	1200	84.5	NGUYEN
	1500	84.9	PERRY
	1800	85.2	PERRY
	2100	84.9	PERRY
	2400	82.8	HUNT

Friday			
Date	Time	Temp.	Name (Print)
7/26	0300	81.5	HUNT
	0600	81.6	HERNANDEZ
	0900	83.2	HERNANDEZ
	1200	83.8	HERNANDEZ
	1500	85.1	PERRY
	1800	84.2	PERRY
	2100	82.9	PERRY
	2400	81.1	J. JOHNSON

Saturday			
Date	Time	Temp.	Name (Print)
7/27	0300	78.9	J. JOHNSON
	0600	79.9	SCHUMANN
	0900	77.5	SCHUMANN
	1200	78.4	SCHUMANN
	1500	80.4	SCHUMANN
	1800	81.5	SCHUMANN
	2100	81.1	SCHUMANN
	2400	78.5	HUANG

Sunday			
Date	Time	Temp.	Name (Print)
7/28	0300	77.8	HUANG
	0600	76.2	HUANG
	0900	76.4	SCHUMANN
	1200	78.6	SCHUMANN
	1500	79.8	SCHUMANN
	1800	80.7	SCHUMANN
	2100	79.5	SCHUMANN
	2400	78.9	J. JOHNSON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B4 Temp. Reading Location: A DAY ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	80.1	MARTINEZ
7/29	0600	79.3	MARTINEZ
	0900	79.2	SCHUMANN
	1200	77.5	SCHUMANN
	1500	79.5	SAETEURN
	1800	79.5	SAETEURN
	2100	78.8	SAETEURN
	2400	77.6	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	76.1	MARTINEZ
	0600	75.3	E. RANGER
	0900	77	E. RANGER
	1200	79.8	E. RANGER
	1500	80.2	J. THOMPSON
	1800	80.1	J. THOMPSON
	2100	80.1	J. THOMPSON
	2400	79.0	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
08/02	0300	78.1	MARTINEZ
	0600	78.0	MARTINEZ
	0900	79.5	Hernandez
	1200	80.4	Hernandez
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
08/04	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	76.3	MARTINEZ
	0600	75	E. RANGER
	0900	75.9	E. RANGER
	1200	78	E. RANGER
	1500	80	J. THOMPSON
	1800	81	J. THOMPSON
	2100	79	J. THOMPSON
	2400	78	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
08/01	0300	76.1	MARTINEZ
	0600	74.5	MARTINEZ
	0900	78.6	NGUYEN
	1200	80.9	NGUYEN
	1500	82.5	Perry
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
08/03	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

77 7820

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B 5 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	75.1	MANASERO
	0600	75.3	T. Lopez
	0900	75.3	T. Lopez
	1200	75.4	T. Lopez
	1500	75.6	A. Cisneros
	1800	75.6	A. Cisneros
	2100	75.6	A. Cisneros
	2400	75	Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	74.5	Manasero
	0600	75.6	J. Munoz
	0900	76.3	J. Munoz
	1200	75.4	J. Munoz
	1500	75.6	A. Cisneros
	1800	75.6	A. Cisneros
	2100	76.1	A. Cisneros
	2400	76	Ramirez

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	76	Ramirez
	0600	76.1	A. Cisneros
	0900	76.5	A. Cisneros
	1200	76.5	A. Cisneros
	1500	76.7	A. Cisneros
	1800	76.7	A. Cisneros
	2100	76.7	A. Cisneros
	2400	76.9	Ramirez

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	76	Ramirez
	0600	76.9	J. Serna
	0900	77.0	J. Serna
	1200	77.2	J. Serna
	1500	77.5	M. Lopez
	1800	77.5	M. Lopez
	2100	77.4	M. Lopez
	2400	77.4	Hilario

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	77.2	Hilario
	0600	77.2	Hilario
	0900	77.5	J. Serna
	1200	78.0	J. Serna
	1500	77.7	M. Lopez
	1800	77.7	M. Lopez
	2100	78.1	M. Lopez
	2400	78	Hilario

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	77.4	Hilario
	0600	77.4	J. Serna
	0900	77.5	J. Serna
	1200	77.7	J. Serna
	1500	77.8	ARRUDA
	1800	78.1	ARRUDA
	2100	77.9	ARRUDA
	2400	77.9	CASTELLANO

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	77.4	CASTELLANO
	0600	77.9	J. Serna
	0900	78.0	J. Serna
	1200	78.1	J. Serna
	1500	78.3	ARRUDA
	1800	78.7	ARRUDA
	2100	78.7	ARRUDA
	2400	78.2	J. Serna

Notes

JULY 2024

6387

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B 5 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	77.9	N. CAMERON
	0600	78.3	L. Silva
	0900	78.6	L. Silva
	1200	78.7	L. Silva
	1500	78.7	W. Herrera
	1800	78.7	W. Herrera
	2100	78.7	W. Herrera
	2400	78.4	Juniper

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	78	Juniper
	0600	78.3	AVILA
	0900	78.7	AVILA
	1200	78.7	AVILA
	1500	78.7	A. Cisneros
	1800	78.4	A. Cisneros
	2100	78.6	A. Cisneros
	2400	78.4	Juniper

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	78	Juniper
	0600	78.3	AVILA
	0900	78.3	AVILA
	1200	78.3	AVILA
	1500	78.7	A. Cisneros
	1800	78.7	A. Cisneros
	2100	78.7	A. Cisneros
	2400	78.5	Juniper

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	78	Juniper
	0600	78.3	AVILA
	0900	78.8	AVILA
	1200	78.8	AVILA
	1500	79.0	Gutierrez-Ayon
	1800	78.7	Gutierrez-Ayon
	2100	77.9	Gutierrez-Ayon
	2400	77.7	Juniper

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	77.5	Juniper
	0600	77.5	AVILA
	0900	78	AVILA
	1200	79.0	AVILA
	1500	79.4	Lopez
	1800	79.4	Lopez
	2100	79.5	Lopez
	2400	78.5	Juniper

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	78.5	Juniper
	0600	78.0	AVILA
	0900	78.5	AVILA
	1200	78.9	AVILA
	1500	79.1	AVILA
	1800	79.2	AVILA
	2100	79.3	AVILA
	2400	78.9	Cameron

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	77.6	CAMERON
	0600	77.6	AVILA
	0900	78	AVILA
	1200	78	AVILA
	1500	79.0	A. Cisneros
	1800	79.0	A. Cisneros
	2100	79.0	A. Cisneros
	2400	79.1	N. CAMERON

Notes

JULY 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B 5 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	78.2	CANCION
	0600	78.1	SOURCE
	0900	78.1	SOURCE
	1200	78.1	SOURCE
	1500	78.2	A. Cisneros
	1800	78.2	A. Cisneros
	2100	78.2	A. Cisneros
	2400	78.	Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	78	Ramirez
	0600	78.5	A. Cisneros
	0900	78.5	A. Cisneros
	1200	78.6	A. Cisneros
	1500	78.5	A. Cisneros
	1800	78.8	A. Cisneros
	2100	78.2	A. Cisneros
	2400	78.3	Harris

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	77.1	Harris
	0600	77.1	JK
	0900	77.9	JK
	1200	77.9	JK
	1500	77.9	A. Cisneros
	1800	77.9	A. Cisneros
	2100	77.9	A. Cisneros
	2400	72.6	Ramirez

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	77.6	Ramirez
	0600	72.6	AVILA
	0900	77.9	AVILA
	1200	77.9	AVILA
	1500	78.1	Lyne
	1800	78.1	Lyne
	2100	78.1	Lyne
	2400	78.1	Ramirez

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	78.3	Ramirez
	0600	77.5	AVILA
	0900	77.5	AVILA
	1200	77.9	AVILA
	1500	78.5	JK
	1800	78.5	JK
	2100	78.5	JK
	2400	78.6	JK

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	78.3	RAMIREZ
	0600	78.1	AVILA
	0900	78.1	AVILA
	1200	77.9	AVILA
	1500	78.7	A. Cisneros
	1800	78.7	A. Cisneros
	2100	78.7	A. Cisneros
	2400	78.6	JK

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	78.6	JK
	0600	78.6	AVILA
	0900	78.6	AVILA
	1200	78.3	AVILA
	1500	78.5	A. Cisneros
	1800	78.5	A. Cisneros
	2100	78.5	A. Cisneros
	2400	78.5	E. Ramirez

Notes

JULY 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B 5 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	78.5	E. Ramirez
	0600	79.3	E. Ramirez
	0900	78.3	E. Ramirez
	1200	75.1	E. Ramirez
	1500	78.5	Espinosa
	1800	74.55	Espinosa
	2100	77.8	Espinosa
	2400	78.2	Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	79	Ramirez
	0600	80.2	Garcia
	0900	81	Garcia
	1200	80	Garcia
	1500	79.4	Espinosa
	1800	79.2	Espinosa
	2100	79.4	Espinosa
	2400	79.4	Ramirez

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	79	Ramirez
	0600	79.3	Avila
	0900	79.4	Avila
	1200	80.0	Avila
	1500	79.6	Espinosa
	1800	79.7	Espinosa
	2100	79.8	Espinosa
	2400	79.9	Ramirez

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	79	Ramirez
	0600	79	Avila
	0900	79	Avila
	1200	79	Avila
	1500	79	Avila
	1800	79.2	Avila
	2100	79.1	Avila
	2400	80	Ramirez

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	79	Ramirez
	0600	79.4	Avila
	0900	79.4	Avila
	1200	79.4	Avila
	1500	79.3	Espinosa
	1800	79.2	Coker
	2100	78.0	Coker
	2400	76.0	Ramirez

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	79	Ramirez
	0600	78.1	Avila
	0900	78.1	Avila
	1200	79.1	Avila
	1500	79	Avila
	1800	74.4	Ross
	2100	74.1	Ross
	2400	74.2	Washington

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	76.9	Hartigan
	0600	79.0	A. Cisneros
	0900	77.7	A. Cisneros
	1200	77.8	A. Cisneros
	1500	79.2	F. Thao
	1800	78.6	F. Thao
	2100	78.7	F. Thao
	2400	79.9	Hartigan

Notes

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP SAC Housing Unit: B5

Temp. Reading Location: 2nd TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/19	0300	76	Huntington
	0600	77	ROSS
	0900	79	ROSS
	1200	73	ROSS
	1500	78.3	Espinosa
	1800	78.3	Espinosa
	2100	78.1	Espinosa
	2400	77.8	Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
7/20	0300	77	Ramirez
	0600	77.9	Diaz
	0900	77.9	Diaz
	1200	77.7	Diaz
	1500	78.2	Espinosa
	1800	78.3	Espinosa
	2100	78.1	Espinosa
	2400	78	Ramirez

Wednesday

Date	Time	Temp.	Name (Print)
	0300	78	Ramirez
	0600	77.4	AVILA
	0900	77.9	AVILA
	1200	77.8	AVILA
	1500	77.1	CISNEROS
	1800	78	CISNEROS
	2100	78.	CISNEROS
	2400	78	Ramirez

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

JULY 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

PARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B6 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1	0300	75.9	CKS
N	0600	76.2	MILES
1	0900	76.5	MILES
1	1200	77.0	MILES
1	1500	78.0	PEREZ
1	1800	80.0	PEREZ
1	2100	80.0	PEREZ
1	2400	78.0	STIMSON

Tuesday

Date	Time	Temp.	Name (Print)
1	0300	77.6	SHAWNEE
N	0600	77.5	JENIS
1	0900	77.0	JENIS
1	1200	78.3	JENIS
1	1500	78.9	JENIS
1	1800	79.0	JENIS
1	2100	78.5	JENIS
1	2400	78.0	JENIS

Wednesday

Date	Time	Temp.	Name (Print)
1	0300	77.5	SHAWNEE
N	0600	77.3	SHAWNEE
1	0900	77.8	JENIS
1	1200	78.0	JENIS
1	1500	79.2	JENIS
1	1800	80.0	JENIS
1	2100	79.5	JENIS
1	2400	78.3	DIAZ

Thursday

Date	Time	Temp.	Name (Print)
1	0300	77.7	DIAZ
N	0600	77.0	DIAZ
1	0900	77.5	JENIS
1	1200	78.0	JENIS
1	1500	78.5	RACKERS
1	1800	79.5	RACKERS
1	2100	78.9	PEREZ
1	2400	78.0	HADAWORO

Friday

Date	Time	Temp.	Name (Print)
1	0300	77.5	HARRINGTON
N	0600	77.0	RACKERS
1	0900	78.0	RACKERS
1	1200	78.5	RACKERS
1	1500	79.0	RACKERS
1	1800	78.0	RACKERS
1	2100	77.5	RACKERS
1	2400	77.0	HARRINGTON

Saturday

Date	Time	Temp.	Name (Print)
1	0300	76.8	HARRINGTON
N	0600	76.5	HARRINGTON
1	0900	77.0	RACKERS
1	1200	77.5	RACKERS
1	1500	78.0	ZODA
1	1800	79.0	ZODA
1	2100	78.5	ZODA
1	2400	78.0	ZODA

Sunday

Date	Time	Temp.	Name (Print)
1	0300	77.5	SHAWNEE
N	0600	77.8	MACHAS
1	0900	78.0	MACHAS
1	1200	78.5	MACHAS
1	1500	79.0	MACHAS
1	1800	80.0	PEREZ
1	2100	80.2	PEREZ
1	2400	79.8	CHIEF

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: BG Temp. Reading Location: COA TDR
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1	0300	78.8	SPENCER
2	0600	78.0	XIONE
3	0900	78.5	XIONE
4	1200	79.0	XIONE
5	1500	79.5	PEREZ
6	1800	80.0	PEREZ
7	2100	79.5	PEREZ
8	2400	79.5	HARRING

Tuesday

Date	Time	Temp.	Name (Print)
1	0300	79.0	HARRING
2	0600	78.7	JENKS
3	0900	79.0	JENKS
4	1200	80.0	JENKS
5	1500	80.5	JENKS
6	1800	81.0	JENKS
7	2100	81.5	JENKS
8	2400	81.0	HARRING

Wednesday

Date	Time	Temp.	Name (Print)
1	0300	80.0	HARRING
2	0600	79.5	JENKS
3	0900	79.8	JENKS
4	1200	80.0	JENKS
5	1500	81.5	PFEIFFER
6	1800	82.0	PFEIFFER
7	2100	81.0	PFEIFFER
8	2400	80.5	PFEIFFER

Thursday

Date	Time	Temp.	Name (Print)
1	0300	79.0	PFEIFFER
2	0600	78.5	JENKS
3	0900	78.8	JENKS
4	1200	79.0	JENKS
5	1500	79.5	PFEIFFER
6	1800	81.0	PFEIFFER
7	2100	80.5	PFEIFFER
8	2400	79.8	HARRING

Friday

Date	Time	Temp.	Name (Print)
1	0300	79.0	HARRING
2	0600	78.8	PFEIFFER
3	0900	79.5	PFEIFFER
4	1200	80.0	PFEIFFER
5	1500	82.0	PFEIFFER
6	1800	83.5	PFEIFFER
7	2100	81.0	PFEIFFER
8	2400	80.0	SANCHEZ

Saturday

Date	Time	Temp.	Name (Print)
1	0300	79.5	GARCIA
2	0600	79.5	DIAZ
3	0900	80.0	DIAZ
4	1200	81.5	DIAZ
5	1500	82.0	ZOCO
6	1800	82.5	ZOCO
7	2100	82.0	ZOCO
8	2400	81.0	HARRING

Sunday

Date	Time	Temp.	Name (Print)
1	0300	80.5	HARRING
2	0600	79.0	MARSH
3	0900	80.0	MARSH
4	1200	81.0	MARSH
5	1500	82.5	PEREZ
6	1800	83.0	PEREZ
7	2100	82.5	PEREZ
8	2400	82.0	PEREZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B6 Temp. Reading Location: CONTROL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
~	0300	81.3	SHAWNEE
~	0600	80.5	JONES
~	0900	80.0	JONES
~	1200	80.3	JONES
~	1500	81.0	PATRICK
~	1800	81.8	PATRICK
~	2100	81.5	PATRICK
~	2400	80.0	SHAWNEE

Tuesday

Date	Time	Temp.	Name (Print)
~	0300	79.5	SHAWNEE
~	0600	79.0	JONES
~	0900	79.5	JONES
~	1200	80.0	JONES
~	1500	80.8	PATRICK
~	1800	81.3	PATRICK
~	2100	81.0	PATRICK
~	2400	80.5	SHAWNEE

Wednesday

Date	Time	Temp.	Name (Print)
~	0300	79.7	SHAWNEE
~	0600	79.5	SHAWNEE
~	0900	79.8	JONES
~	1200	80.0	JONES
~	1500	81.3	MURRAY
~	1800	81.5	MURRAY
~	2100	81.0	MURRAY
~	2400	80.5	SHAWNEE

Thursday

Date	Time	Temp.	Name (Print)
~	0300	79.9	SHAWNEE
~	0600	79.5	JONES
~	0900	79.9	JONES
~	1200	80.5	JONES
~	1500	81.0	PATRICK
~	1800	81.5	PATRICK
~	2100	81.0	PATRICK
~	2400	80.5	SHAWNEE

Friday

Date	Time	Temp.	Name (Print)
~	0300	79.5	SHAWNEE
~	0600	79.0	PATRICK
~	0900	79.5	PATRICK
~	1200	79.8	PATRICK
~	1500	80.0	PATRICK
~	1800	80.5	PATRICK
~	2100	80.0	PATRICK
~	2400	79.5	SHAWNEE

Saturday

Date	Time	Temp.	Name (Print)
~	0300	79.0	HARRISON
~	0600	78.5	HARRISON
~	0900	78.0	HARRISON
~	1200	78.5	SAC
~	1500	78.5	ZOLCER
~	1800	78.0	ZOLCER
~	2100	77.0	ZOLCER
~	2400	76.3	HARRISON

Sunday

Date	Time	Temp.	Name (Print)
~	0300	76.0	HARRISON
~	0600	75.8	HARRISON
~	0900	76.0	MURRAY
~	1200	76.5	MURRAY
~	1500	77.0	PATRICK
~	1800	76.5	PATRICK
~	2100	75.0	PATRICK
~	2400	74.5	HARRISON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: FB6 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
03/23/21	0300	73.1	Shimoda
	0600	73.4	Xiong
	0900	73.5	Xiong
	1200	74.4	Xiong
	1500	74.9	Perez
	1800	76.5	Perez
	2100	76.3	Perez
	2400	75.9	Shimoda

Tuesday

Date	Time	Temp.	Name (Print)
03/23/21	0300	75.1	Shimoda
	0600	75.0	Jenkins
	0900	73.0	Jenkins
	1200	79.0	Jenkins
	1500	71.1	Jenkins
	1800	79.4	Jenkins
	2100	76.3	Jenkins
	2400	75.9	Shimoda

Wednesday

Date	Time	Temp.	Name (Print)
03/24/21	0300	79.8	Shimoda
	0600	74.0	Jenkins
	0900	73.6	Jenkins
	1200	70.4	Phelps
	1500	70.1	Jenkins
	1800	69.2	Jenkins
	2100	68.0	Jenkins
	2400	67.4	Jenkins

Thursday

Date	Time	Temp.	Name (Print)
03/25/21	0300	66.4	Jenkins
	0600	68.0	Jenkins
	0900	72.4	Jenkins
	1200	71.7	Phelps
	1500	73.4	Phelps
	1800	73.1	Phelps
	2100	72.2	Phelps
	2400	72.9	Harrison

Friday

Date	Time	Temp.	Name (Print)
03/26/21	0300	74.7	Perez
	0600	73.9	Phelps
	0900	72.9	Phelps
	1200	72.9	Phelps
	1500	72.7	Phelps
	1800	72.5	Phelps
	2100	72.5	Phelps
	2400	72.5	Phelps

Saturday

Date	Time	Temp.	Name (Print)
03/27/21	0300	73.3	HARRINGTON
	0600	73.3	BEVENS
	0900	74.2	BEVENS
	1200	74.9	BEVENS
	1500	74.9	Zouy
	1800	74.7	Zouy
	2100	74.7	Zouy
	2400	73.9	Shimoda

Sunday

Date	Time	Temp.	Name (Print)
03/28/21	0300	72.8	Shimoda
	0600	71.3	Macias
	0900	71	Macias
	1200	72.6	Macias
	1500	72.2	Perez
	1800	72.9	Perez
	2100	75.1	Perez
	2400	74.7	Shimoda

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B6 Temp. Reading Location: Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/29/24	0300	72.1	Shinagawa
	0600	72.4	Jenly
	0900	72.9	Jenly
	1200	73.4	Jenly
	1500	73.4	Perez
	1800	73.4	Perez
	2100	73.1	Perez
	2400	72.8	Shinagawa

Tuesday

Date	Time	Temp.	Name (Print)
07/30/24	0300	72.7	Shinagawa
	0600	72.8	Jenly
	0900	72.9	Jenly
	1200	73.4	Jenly
	1500	73.4	Jenly
	1800	73.4	Jenly
	2100	73.4	Jenly
	2400	72.8	Shinagawa

Wednesday

Date	Time	Temp.	Name (Print)
07/31/24	0300	72.9	Shinagawa
	0600	72.9	Phelps
	0900	73.1	Phelps
	1200	73.1	Phelps
	1500	73.2	Phelps
	1800	73.1	Phelps
	2100	72.4	Phelps
	2400	71.6	Phelps

Thursday

Date	Time	Temp.	Name (Print)
08/01/24	0300	71.1	Hernandez
	0600	72.8	Hernandez
	0900	73.6	Hernandez
	1200	73.3	Hernandez
	1500	72.8	Phelps
	1800	72.5	Phelps
	2100	72.4	Phelps
	2400	72.4	Hernandez

Friday

Date	Time	Temp.	Name (Print)
08/02/24	0300	72.4	Hernandez
	0600	72.5	C. AVILA
	0900	73.9	C. AVILA
	1200	73.8	C. AVILA
	1500	73.6	Phelps
	1800	72.9	Phelps
	2100	72.5	Phelps
	2400	72.5	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
08/03/24	0300	71.2	Hernandez
	0600	71.3	Hernandez
	0900	71.3	Hernandez
	1200	72.7	Hernandez
	1500	72.7	7.0m
	1800	72.7	7.0m
	2100	72.7	7.0m
	2400	72.7	7.0m

Sunday

Date	Time	Temp.	Name (Print)
08/04/24	0300	72.4	OAS
	0600	70.7	Macias
	0900	72.2	Macias
	1200	72.5	Macias
	1500	72.2	Perez
	1800	73.5	Perez
	2100	74.6	Perez
	2400	74.6	Bartson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B 7 Temp. Reading Location: 2 TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5500 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1/1	0300	73.6	MEDRANO
	0600	73.6	Barnabe
	0900	73.6	Barnabe
	1200	73.6	Barnabe
	1500	73.6	D. Guerero
	1800	73.5	D. Guerero
	2100	77.9	D. Guerero
	2400	73.6	Medrano

Tuesday

Date	Time	Temp.	Name (Print)
1/2	0300	73.6	Medrano
	0600	73.6	Barnabe
	0900	73.6	Barnabe
	1200	73.6	Barnabe
	1500	74	THOMPSON
	1800	75	THOMPSON
	2100	75	THOMPSON
	2400	73	Larios

Wednesday

Date	Time	Temp.	Name (Print)
1/3	0300	73	Larios
	0600	73.6	Barnabe
	0900	73.6	Barnabe
	1200	73.6	Barnabe
	1500	75.6	M. Lopez
	1800	75.6	M. Lopez
	2100	75.6	M. Lopez
	2400	73	Larios

Thursday

Date	Time	Temp.	Name (Print)
1/4	0300	73	Larios
	0600	75.6	Barnabe
	0900	75.9	Barnabe
	1200	76.2	Barnabe
	1500	76.0	Simon
	1800	79.2	Simon
	2100	79.4	Simon
	2400	77.7	Medrano

Friday

Date	Time	Temp.	Name (Print)
1/5	0300	73.6	Whe...
	0600	73.6	MACIAS
	0900	73.6	Macias
	1200	75.4	macias
	1500	76.8	Macias
	1800	76.5	Macias
	2100	76.5	Macias
	2400	76.5	Whe...

Saturday

Date	Time	Temp.	Name (Print)
1/6	0300	76.3	Medrano
	0600	76.3	MACIAS
	0900	76.3	MACIAS
	1200	76.3	MACIAS
	1500	76.7	THOMPSON
	1800	76.8	THOMPSON
	2100	76.5	THOMPSON
	2400	76.6	Medrano

Sunday

Date	Time	Temp.	Name (Print)
1/7	0300	76.3	Medrano
	0600	76.3	Bennett
	0900	73.6	Bennett
	1200	77.6	Bennett
	1500	73.6	FICON
	1800	73.6	FICON
	2100	73	McCoy
	2400	73.6	Whe...

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B 7 Temp. Reading Location: 2 TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5500 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	73.6	Melvin
	0600	73.1	Gman
	0900	73.6	Gman
	1200	72.4	Crowns
	1500	73.6	YANG
	1800	73.6	YANG
	2100	73.6	YANG
	2400	76.3	Melvin

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	76.3	Melvin
	0600	76.3	Melvin
	0900	76.3	Melvin
	1200	76.3	Melvin
	1500	73.6	YANG
	1800	73.6	YANG
	2100	73.6	YANG
	2400	72.9	Larios

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	73	Larios
	0600	73.6	Dominic
	0900	73.4	Dominic
	1200	73.5	Dominic
	1500	76.4	M. Lopez
	1800	76.4	M. Lopez
	2100	76.4	M. Lopez
	2400	77	Larios

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	76	Larios
	0600	73.6	Melvin
	0900	73.1	Melvin
	1200	73.6	Melvin
	1500	74.4	M. Lopez
	1800	75.6	M. Lopez
	2100	74.6	M. Lopez
	2400	75.6	Melvin

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	73.6	M
	0600	73.6	MACIAS
	0900	73.6	MACIAS
	1200	73.6	MACIAS
	1500	73.6	YANG
	1800	73.6	YANG
	2100	73.6	YANG
	2400	73.6	Melvin

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	73.6	Melvin
	0600	73.6	MACIAS
	0900	73.6	MACIAS
	1200	73.6	MACIAS
	1500	73.6	YANG
	1800	73.6	YANG
	2100	73.6	YANG
	2400	73.6	Melvin

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	73.6	Melvin
	0600	73.6	BEVENS
	0900	73.4	BEVENS
	1200	73.6	BEVENS
	1500	73.6	S. YANG
	1800	73.6	S. YANG
	2100	73.6	S. YANG
	2400	75.4	Melvin

Notes

N
S
X

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B 7 Temp. Reading Location: 2 TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5500 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	76	KOMERO
	0600	77	Tabor
	0900	75.1	Tabor
	1200	74.9	Tabor
	1500	73.6	S. YANG
	1800	73.6	S. YANG
	2100	73.6	S. YANG
	2400	73.6	N.YAKIMENKO

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	73.6	N.YAKIMENKO
	0600	73.6	P.Ternurka
	0900	73.6	P.Ternurka
	1200	73.6	P.Ternurka
	1500	73.6	S.YANG
	1800	73.6	S.YANG
	2100	73.6	S.YANG
	2400	73	Larios

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	73	Larios
	0600	71.2	MIL
	0900	71.5	MIL
	1200	72.3	MIL
	1500	72.4	MIL
	1800	72.1	MIL
	2100	71.9	MIL
	2400	73.6	MIL

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	73.5	KOIB
	0600	73.6	KOIB
	0900	73.6	KOIB
	1200	73.6	KOIB
	1500	73.6	A.Serrano
	1800	73.6	A.Serrano
	2100	73.6	Serrano
	2400	73.2	MIL

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	77.7	MACIAS
	0600	75.6	MACIAS
	0900	73.6	MACIAS
	1200	73.6	MACIAS
	1500	73.6	S.YANG
	1800	73.6	S.YANG
	2100	73.6	S.YANG
	2400	73.1	MIL

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	73.6	MOTA
	0600	73.6	MOTA
	0900	73.6	MOTA
	1200	73.6	MOTA
	1500	73.6	YANG
	1800	73.6	YANG
	2100	73.6	YANG
	2400	73.6	YANG

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	72.3	Harrington
	0600	73.4	Bennet
	0900	73.4	Bennet
	1200	73.6	Bennet
	1500	73.6	S.S.YANG
	1800	73.6	S.YANG
	2100	73.6	S.YANG
	2400	73.6	MIL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B 7 Temp. Reading Location: 2 TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5500 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7.11	0300	73.6	M
	0600	73.6	YANG
	0900	73.6	YANG
	1200	73.6	YANG
	1500	73.6	S.YANG
	1800	73.6	S.YANG
	2100	73.6	S.YANG
	2400	73.6	M

Tuesday

Date	Time	Temp.	Name (Print)
7.12	0300	73.6	M
	0600	73.6	YANG
	0900	73.6	YANG
	1200	73.6	YANG
	1500	73.6	S.YANG
	1800	73.6	S.YANG
	2100	73.6	S.YANG
	2400	72.8	L.Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
7.13	0300	73.6	Hernandez
	0600	73.3	Hernandez
	0900	73.6	Frank
	1200	73.6	Frank
	1500	73.6	Frank
	1800	73.6	Frank
	2100	73.6	Frank
	2400	73.6	J.Thompson

Thursday

Date	Time	Temp.	Name (Print)
7.14	0300	73.6	J.Thompson
	0600	73.6	Brown
	0900	73.6	Brown
	1200	73.6	Brown
	1500	73.5	Limon
	1800	73.6	W
	2100	73.6	W
	2400	73.6	W

Friday

Date	Time	Temp.	Name (Print)
7.15	0300	73.6	W
	0600	73.6	MACIAS
	0900	73.6	MACIAS
	1200	73.6	MACIAS
	1500	73.6	S.YANG
	1800	73.6	S.YANG
	2100	73.6	S.YANG
	2400	73.6	W

Saturday

Date	Time	Temp.	Name (Print)
7.16	0300	73.6	W
	0600	73.6	MACIAS
	0900	73.6	MACIAS
	1200	73.6	W
	1500	73.6	S.YANG
	1800	73.6	S.YANG
	2100	73.6	S.YANG
	2400	73.6	W

Sunday

Date	Time	Temp.	Name (Print)
7.17	0300	73.6	M
	0600	73.6	YANG
	0900	73.6	YANG
	1200	73.4	YANG
	1500	73.6	S.YANG
	1800	73.6	S.YANG
	2100	73.6	S.YANG
	2400	73.6	M

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B 7 Temp. Reading Location: 2 TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5500 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/26	0300	73.6	M
	0600	73.6	Brown
	0900	73.6	Brown
	1200	73.6	Brown
	1500	73.6	S.YANG
	1800	73.6	S.YANG
	2100	73.6	S.YANG
	2400	73.6	M

Tuesday

Date	Time	Temp.	Name (Print)
9/27	0300	73.6	M
	0600	73.6	Brown
	0900	73.6	Brown
	1200	73.6	Brown
	1500	73.6	S.YANG
	1800	73.6	S.YANG
	2100	73.6	S.YANG
	2400	71.5	I.Garibay

Wednesday

Date	Time	Temp.	Name (Print)
9/28	0300	71.5	I.Garibay
	0600	71.7	Brown
	0900	72.0	Brown
	1200	73.6	T.Santos
	1500	71.5	J.Chavez
	1800	71.5	J.Chavez
	2100	71.5	J.Chavez
	2400	73.6	M

Thursday

Date	Time	Temp.	Name (Print)
9/29	0300	73.6	M
	0600	73.6	Brown
	0900	73.6	Brown
	1200	73.6	Brown
	1500	73.6	Giron
	1800	73.6	Giron
	2100	73.6	Giron
	2400	73.6	M

Friday

Date	Time	Temp.	Name (Print)
9/30	0300	73.6	M
	0600	73.6	MACIAS
	0900	73.6	MACIAS
	1200	73.6	MACIAS
	1500	73.6	S.YANG
	1800	73.6	S.YANG
	2100	73.6	S.YANG
	2400	73.6	M

Saturday

Date	Time	Temp.	Name (Print)
10/1	0300	73.6	M
	0600	73.6	MACIAS
	0900	73.6	MACIAS
	1200	73.6	MACIAS
	1500	73.6	S.YANG
	1800	73.6	S.YANG
	2100	73.6	M
	2400	73.6	M

Sunday

Date	Time	Temp.	Name (Print)
10/2	0300	73.6	M
	0600	73.6	Brown
	0900	73.6	Brown
	1200	73.6	Brown
	1500	73.6	S.YANG
	1800	73.6	S.YANG
	2100	73.6	S.YANG
	2400	73.6	M

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B VISITING Temp. Reading Location: VISITING FLR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	80.3	Kirschenmann
	1200	90.2	Kirschenmann
	1500	92.8	Kirschenmann
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		KIRSCHENMANN
	0600		
	0900		
	1200	88.1	KIRSCHENMANN
	1500	94.3	KIRSCHENMANN
	1800	94.6	Lopez
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	81.1	KIRSCHENMANN
	1200	83.7	KIRSCHENMANN
	1500	86.7	KIRSCHENMANN
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	76.2	KIRSCHENMANN
	1200	80.1	KIRSCHENMANN
	1500	81.4	Lopez
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SPAC Housing Unit: B VISITING Temp. Reading Location: VISITING FUR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5319 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday TUESDAY 2/26/24

Date	Time	Temp.	Name (Print)
<u>2/26/24</u>	0300		
	0600		
	0900		
	1200	85.3	KIRSCHENMAIER
	1500	91.4	KIRSCHENMAIER
	1800	91.9	KIRSCHENMAIER
	2100		
	2400		

Tuesday SATURDAY

Date	Time	Temp.	Name (Print)
<u>2/27/24</u>	0300		
	0600		
	0900	79.9	KIRSCHENMAIER
	1200	85.4	KIRSCHENMAIER
	1500	88.6	KIRSCHENMAIER
	1800		
	2100		
	2400		

Wednesday SATURDAY

Date	Time	Temp.	Name (Print)
<u>2/27/24</u>	0300		
	0600		
	0900	73.1	KIRSCHENMAIER
	1200	76.4	KIRSCHENMAIER
	1500	80.6	KIRSCHENMAIER
	1800		
	2100		
	2400		

Thursday SUNDAY

Date	Time	Temp.	Name (Print)
<u>2/28/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday SUNDAY

Date	Time	Temp.	Name (Print)
<u>2/28/24</u>	0300		
	0600		
	0900	73.7°	C. SALAS
	1200	74.0°	C. SALAS
	1500	73.9°	C. SALAS
	1800		
	2100		
	2400		

Saturday FRIDAY

Date	Time	Temp.	Name (Print)
<u>2/19/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday FRIDAY

Date	Time	Temp.	Name (Print)
<u>2/12/24</u>	0300		
	0600		
	0900		
	1200	83.0	KIRSCHENMAIER
	1500	86.3	KIRSCHENMAIER
	1800	87.5	KIRSCHENMAIER
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COP-SAC Housing Unit: C1

Temp. Reading Location: C1 control A/B

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	74.1	THOMPSON
	0600	74.5	THOMPSON
	0900	76.1	BURTON
	1200	76.3	BURTON
	1500	76.2	HICARO
	1800	76.6	HICARO
	2100	76.6	HICARO
	2400	75.9	THOMPSON

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	75.5	THOMPSON
	0600	76.1	THOMPSON
	0900	77.1	Ramos
	1200	77.6	Ramos
	1500	77.0	M. Lee
	1800	77.7	M. Lee
	2100	78.1	M. Lee
	2400	77.7	THOMPSON

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	76.7	Heu
	0600	73.6	S. Zavonca
	0900	73.6	S. Zavonca
	1200	77.5	S. Zavonca
	1500	77.6	M. Lee
	1800	78.1	M. Lee
	2100	77.0	M. Lee
	2400	75.4	J. Thompson

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	79.1	ALLEN
	0600	78.1	Zavonca
	0900	78.1	Zavonca
	1200	78.4	Zavonca
	1500	78.2	H. LACEY
	1800	78.3	H. LACEY
	2100	78.1	H. LACEY
	2400	77	S. dL

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	75.1	THOMPSON
	0600	76.3	Thompson
	0900	76.	Dann
	1200	76.3	Dann
	1500	76.3	M. Lee
	1800	76.8	M. Lee
	2100	76.3	M. Lee
	2400	75.9	Thompson

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	77.5	Thompson
	0600	77.7	Thompson
	0900	78.1	Stewart
	1200	79.1	Stewart
	1500	77.5	M. Lee
	1800	77.5	M. Lee
	2100	77.0	M. Lee
	2400	77.6	Thompson

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	78.3	J. Thompson
	0600	75.9	R. Tran
	0900	75.9	R. Tran
	1200	77.4	R. Tran
	1500	78.2	H. LACEY
	1800	78.2	H. LACEY
	2100	78.0	H. LACEY
	2400	77.0	ALLEN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	77	Soder
	0600	74.3	S.Zavala
	0900	74.7	S.Zavala
	1200	73.2	S.Zavala
	1500	77.0	H.LARA
	1800	77.5	H.LARA
	2100	77.5	H.LARA
	2400	76.9	Thompson

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	76.5	Thompson
	0600	76.3	Thompson
	0900	76.3	Zavala
	1200	76.3	Zavala
	1500	76.1	M.Lee
	1800	77.4	M.Lee
	2100	77.1	M.Lee
	2400	77.0	Thompson

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	77.7	THOMPSON
	0600	76.9	THOMPSON
	0900	76.5	Junges
	1200	76.5	Junges
	1500	77.7	M.Lee
	1800	78.1	M.Lee
	2100	77.0	M.Lee
	2400	76.8	THOMPSON

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	76.5	THOMPSON
	0600	76.5	THOMPSON
	0900	76.7	STANF
	1200	76.5	STANF
	1500	77.7	M.Lee
	1800	77.4	M.Lee
	2100	77.4	M.Lee
	2400	77.4	THOMPSON

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	77.1	THOMPSON
	0600	77.1	THOMPSON
	0900	77.1	Zavala
	1200	77.4	Zavala
	1500	77.7	M.Lee
	1800	77.4	M.Lee
	2100	77.7	M.Lee
	2400	77.9	Chern

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	76.3	Chern
	0600	76.1	Chern
	0900	75.9	Tran
	1200	75.6	Tran
	1500	75.6	Chern
	1800	75.6	Chern
	2100	77.2	Chern
	2400	77.2	ALLEN

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	77.2	ALLEN
	0600	77.2	Zavala
	0900	77.2	Zavala
	1200	77.4	Zavala
	1500	77.0	H.LARA
	1800	77.2	H.LARA
	2100	75.4	H.LARA
	2400	75.1	Thompson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C-1 Temp. Reading Location: Between AFB sections
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	75.3	THOMPSON
	0600	76.5	THOMPSON
	0900	75.6	Zavala
	1200	75.2	Zavala
	1500	76.1	HILARA
	1800	76.5	HILARA
	2100	74.1	HILARA
	2400	73.9	THOMPSON

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	73.7	THOMPSON
	0600	73.9	THOMPSON
	0900	73.9	Zavala
	1200	75.9	Zavala
	1500	74.3	M-Lee
	1800	75.3	M-Lee
	2100	75.3	THOMPSON
	2400	74.5	THOMPSON

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	74.1	THOMPSON
	0600	74.5	THOMPSON
	0900	75.2	Xiong
	1200	75.1	Xiong
	1500	75.2	M-Lee
	1800	75.3	M-Lee
	2100	74.2	M-Lee
	2400	76.3	THOMPSON

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	75.7	Thompson
	0600	76.1	Thompson
	0900	75.3	M-Lee
	1200	75.	M-Lee
	1500	75.3	M-Lee
	1800	78.0	M-Lee
	2100	74.5	M-Lee
	2400	75.2	Thompson

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	75.2	Thompson
	0600	75.2	Thompson
	0900	75.2	Zavala
	1200	76.1	Zavala
	1500	75.2	M-Lee
	1800	75.9	M-Lee
	2100	74.3	M-Lee
	2400	72.9	Perry

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	73.3	Perry
	0600	73.6	Tran
	0900	74.1	Tran
	1200	74.1	Tran
	1500	74.2	E.Hurta
	1800	76.3	E.Hurta
	2100	76.3	E.Hurta
	2400	75.0	ALLEN

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	75	ALLEN
	0600	75	MCCOY
	0900	75	CORNELIA
	1200	76	CORNELIA
	1500	76.6	E.Hurta
	1800	76.1	HILARA
	2100	76.5	HILARA
	2400	74.8	THOMPSON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C-1 Temp. Reading Location: Between A & B sections
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	74.6	THOMPSON
	0600	74.8	THOMPSON
	0900	74.8	Zaverda
	1200	77.0	Zaverda
	1500	77	Zaverda
	1800	76	Zaverda
	2100	75	Zaverda
	2400	75.3	THOMPSON

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	75.2	THOMPSON
	0600	75.2	Zaverda
	0900	75.2	S. Zaverda
	1200	76.6	S. Zaverda
	1500	76.3	M. Lee
	1800	75.9	M. Lee
	2100	75.7	THOMPSON
	2400	75.5	THOMPSON

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	75.7	THOMPSON
	0600	75.9	THOMPSON
	0900	76.5	XING
	1200	76.5	XING
	1500	76.5	M. Lee
	1800	76.4	M. Lee
	2100	75.4	M. Lee
	2400	75.3	THOMPSON

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	75.2	THOMPSON
	0600	75.1	THOMPSON
	0900	75.9	STEWART
	1200	75.5	STEWART
	1500	75.6	M. Lee
	1800	75.9	M. Lee
	2100	75.4	M. Lee
	2400	75.2	THOMPSON

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	75.2	THOMPSON
	0600	75.4	THOMPSON
	0900	76.3	M. Lee
	1200	75.9	M. Lee
	1500	76.6	M. Lee
	1800	76.6	M. Lee
	2100	75.4	M. Lee
	2400	72.0	AUTEN

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	70.1	AUTEN
	0600	72.3	TRAN
	0900	72.7	TRAN
	1200	72.8	TRAN
	1500	73.0	HURST
	1800	73.6	HURST
	2100	73.2	HURST
	2400	73.0	HURST

Notes

Date	Time	Temp.	Name (Print)
7/28	0300	73	
	0600	73	Zaverda
	0900	73	Zaverda
	1200	73.6	Zaverda
	1500	75.24 LATA	
	1800	74.4	HURST
	2100	73.2	HURST
	2400	73.2	THOMPSON

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ISP-SAC Housing Unit: C-1 Temp. Reading Location: Between Section A&B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	72.5	Thompson
	0600	73.1	Thompson
	0900	73.1	Zawaler
	1200	73.6	Zawaler
	1500	73	Forrest 2
	1800	74	Friedman 2
	2100	74	Kelwood
	2400	73.1	Thompson

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	73.5	Thompson
	0600	73.7	Thompson
	0900	73.7	Zawaler
	1200	74.3	Zawaler
	1500	74.3	Brooks McLee
	1800	74.5	McLee
	2100	74.3	Thompson
	2400	74.3	Thompson

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	73.9	Thompson
	0600	74.1	Thompson
	0900	74.2	Xong
	1200	74.5	Xong
	1500	75.6	M-Lee
	1800	74.5	M-Lee
	2100	74.3	M-Lee
	2400	74.5	THOMPSON

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSD-SAC Housing Unit: C1 - Central Temp. Reading Location: A & B sections Panel
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	74.5	Thompson

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	74.3	Thompson
	0600	74.5	Thompson
	0900	74.5	Stewart
	1200	74.5	Stewart
	1500	74.5	M. Lee
	1800	74.5	M. Lee
	2100	74.5	M. Lee
	2400	74.3	Thompson

Friday

Date	Time	Temp.	Name (Print)
8/1	0300	74.3	Thompson
	0600	74.5	THOMSON
	0900	76.6	Zavala
	1200	75.2	Zavala
	1500	76.2	Zavala
	1800	75.2	Zavala
	2100	75.2	Zavala
	2400	73.2	BELL

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	74.5	BELL
	0600	74.1	Tran
	0900	73.2	Tran
	1200	73.9	Tran
	1500	72.4	Huerta
	1800	73.9	Huerta
	2100	73.9	Huerta
	2400	75.6	Holmes

Sunday

Date	Time	Temp.	Name (Print)
	0300	75.2	Holmes
	0600	74.1	Zavala
	0900	74.1	Zavala
	1200	75.3	Zavala
	1500	76.1	Powell
	1800	76.1	Powell
	2100	75.4	Powell
	2400	75.5	Thompson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C 3 Temp. Reading Location: B SECTION

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07-01-24	0300	76.6	HOMEBUCH
	0600	77.2	L. RUELAS
	0900	76.3	L. RUELAS
	1200	76.5	L. RUELAS
	1500	76.7	S. VALL
	1800	76.7	S. VALL
	2100	76.5	S. VALL
	2400	77.4	HOMEBUCH

Wednesday

Date	Time	Temp.	Name (Print)
07-03-24	0300	77.5	MANASERO
	0600	77.4	J. FARR
	0900	76.3	OTTIN
	1200	76.6	OTTIN
	1500	76.3	OTTIN
	1800	77.1	OTTIN
	2100	77.7	OTTIN
	2400	78	MANASERO

Friday

Date	Time	Temp.	Name (Print)
07/05/24	0300	79.1	HOMEBUCH
	0600	79.3	Narvaez
	0900	79.5	Narvaez
	1200	79.7	Narvaez
	1500	79.7	SHARP
	1800	80.1	SHARP
	2100	80.6	SHARP
	2400	80.5	HOMEBUCH

Sunday

Date	Time	Temp.	Name (Print)
07/07/24	0300	79.9	HOMEBUCH
	0600	79.9	SHARP
	0900	80.1	SHARP
	1200	80.4	SHARP
	1500	80.6	VALL
	1800	81.0	VALL
	2100	80.8	VALL
	2400	80.6	HOMEBUCH

Tuesday

Date	Time	Temp.	Name (Print)
07-02-24	0300	77.1	HOMEBUCH
	0600	75.1	ORNIPLAS
	0900	75.1	J. ELLIS
	1200	75.1	J. ELLIS
	1500	77.4	S. VALL
	1800	78.2	S. VALL
	2100	78.1	S. VALL
	2400	77.7	MANASERO

Thursday

Date	Time	Temp.	Name (Print)
07-04-24	0300	78.3	MANASERO
	0600	78.3	Perez
	0900	78.5	Perez
	1200	78.8	Perez
	1500	79.9	OTTIN
	1800	79.3	OTTIN
	2100	79.8	OTTIN
	2400	79.4	HOMEBUCH

Saturday

Date	Time	Temp.	Name (Print)
07/06/24	0300	79.7	HOMEBUCH
	0600	79.5	SHARP
	0900	79.7	SHARP
	1200	79.9	SHARP
	1500	80.6	QUINTERO
	1800	80.4	QUINTERO
	2100	80.8	QUINTERO
	2400	79.9	HOMEBUCH

Notes

21A
115

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C 3 Temp. Reading Location: B SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees. when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
7/18	0300	80.6	H. OMEBUCH
	0600	80.4	SHARP
	0900	80.6	SHARP
	1200	80.5	SHARP
	1500	80.9	VAN L
	1800	80.9	VAN L
	2100	80.6	VAN L
	2400	80.6	H. OMEBUCH

Tuesday

Date	Time	Temp.	Name (Print)
7/19	0300	80.2	H. OMEBUCH
	0600	75	A. ORNELAS
	0900	78	A. ORNELAS
	1200	78	A. ORNELAS
	1500	81.0	S. VILLE
	1800	80.9	S. VILLE
	2100	80.8	S. VILLE
	2400	80.2	MANGERO

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	80.2	MANGERO
	0600	80.2	BARRAGAN
	0900	79.7	BARRAGAN
	1200	80.2	BARRAGAN
	1500	79.9	WAN
	1800	80.2	WAN
	2100	80.1	WAN
	2400	80.2	MANGERO

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	80.2	MANGERO
	0600	80.2	WAN
	0900	80.0	WAN
	1200	80.4	WAN
	1500	80.6	COLIN
	1800	81.0	COLIN
	2100	81.0	COLIN
	2400	81.0	H. OMEBUCH

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	80.8	H. OMEBUCH
	0600	80.2	NARVAZ
	0900	80.2	NARVAZ
	1200	80.2	NARVAZ
	1500	80.0	J. SANTA
	1800	81.0	J. SANTA
	2100	81.1	P. KAY
	2400	80.8	T. MASI

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	80.6	T. MASI
	0600	80.6	T. MASI
	0900	80.6	SHARP
	1200	80.0	SHARP
	1500	81.0	J. SANTA
	1800	81.0	J. SANTA
	2100	81.0	J. SANTA
	2400	80.4	T. MASI

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	80.6	T. MASI
	0600	81.6	T. MASI
	0900	80.8	SHARP
	1200	80.6	SHARP
	1500	78	LUTHER
	1800	77.1	LUTHER
	2100	77.4	LUTHER
	2400	75.0	WACARIN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP Housing Unit: C3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	75.0	WALDRON
	0600	77.6	SHARP
	0900	80.2	SHARP
	1200	80.4	SHARP
	1500	80.2	WAMS
	1800	80.6	WAMS
	2100	80.6	WAMS
	2400	80.6	HOMERBUCH

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	80.2	HOMERBUCH
	0600	71.1	A. ORNELAS
	0900	76.4	A. ORNELAS
	1200	78	A. ORNELAS
	1500	80.4	WAMS
	1800	80.3	WAMS
	2100	79.6	WAMS
	2400	80.1	SHARP

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	78.7	SHARP
	0600	74.3	SHARP
	0900	79.2	SHARP
	1200	80.8	SHARP
	1500	79.3	WAMS
	1800	79.2	WAMS
	2100	79.1	WAMS
	2400	78.8	SHARP

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	78.0	SHARP
	0600	76.1	SHARP
	0900	75.4	SHARP
	1200	84.6	SHARP
	1500	77.2	SHARP
	1800	77.3	SHARP
	2100	77.4	SHARP
	2400	77.7	HOMERBUCH

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	77.7	HOMERBUCH
	0600	77.5	WAMS
	0900	77.9	WAMS
	1200	78.2	WAMS
	1500	78.1	J. SORIA
	1800	78.4	J. SORIA
	2100	78.9	J. SORIA
	2400	78.9	HOMERBUCH

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	78.6	HOMERBUCH
	0600	76.6	SHARP
	0900	79.3	SHARP
	1200	79.7	SHARP
	1500	79.9	J. SORIA
	1800	80.8	J. SORIA
	2100	80.8	J. SORIA
	2400	80.5	HOMERBUCH

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	79.8	HOMERBUCH
	0600	79.7	SHARP
	0900	79.7	SHARP
	1200	80.2	SHARP
	1500	80.0	RAMOS
	1800	80.2	CATIN
	2100	79.9	CATIN
	2400	79.8	HOMERBUCH

Notes

STATE OF CALIFORNIA
 INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C 3 Temp. Reading Location: B SECTION
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	79-44	H-Douglas
	0600	80.2	SHARP
	0900	80.2	SHARP
	1200	80.88	SHARP
	1500	80.6	Wynn
	1800	80.45	Wynn
	2100	80.25	Wynn
	2400	79.8	G-Bowman

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	78.7	G-Bowman
	0600	76°	A-Douglas
	0900	77	A-Douglas
	1200	78	A-Douglas
	1500	80.5	Wynn
	1800	80.8	Wynn
	2100	81.5	Wynn
	2400	80.6	H-Douglas

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	79.8	H-Douglas
	0600	80.1	Wynn
	0900	80.1	Wynn
	1200	80.1	Wynn
	1500	80.8	Wynn
	1800	81.0	Wynn
	2100	81.3	Wynn
	2400	80.4	Her

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	80.6	Her
	0600	80.6	Her
	0900	80.8	Her
	1200	80.8	Her
	1500	81.5	Cotton
	1800	80.2	Cotton
	2100	81.4	Cotton
	2400	80.4	Her

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	80.8	Her
	0600	80.8	Wynn
	0900	80.6	Wynn
	1200	80.9	Wynn
	1500	80.8	Her
	1800	80.6	Her
	2100	80.6	PEARSON
	2400	80.5	PEARSON

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	80.5	PEARSON
	0600	81.9	Castro
	0900	70.6	Castro
	1200	79.5	Castro
	1500	80.2	J-Sanchez
	1800	79.9	J-Sanchez
	2100	78.7	J-Sanchez
	2400	78	PEARSON

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	80	PEARSON
	0600	78.8	SHARP
	0900	78.8	SHARP
	1200	79.3	SHARP
	1500	79.5	Wynn
	1800	79.3	Wynn
	2100	79.2	Wynn
	2400	78.9	H-Douglas

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C 3 Temp. Reading Location: B SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees. when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	79.5	H. ONGEERTH
	0600	78.8	SHARER
	0900	79.0	SHARER
	1200	79.3	SHARER
	1500	79.2	MARS
	1800	79.1	MARS
	2100	79.0	MARS
	2400	78.6	

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	78.4	
	0600	78.1	H. LARA
	0900	78.1	H. LARA
	1200	78.1	H. LARA
	1500	78.4	MARS
	1800	78.3	MARS
	2100	78.3	MARS
	2400	78.8	A. ONGEERTH

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	78.4	A. ONGEERTH
	0600	77.8	E. COO
	0900	78.5	
	1200	79.2	
	1500	79.2	MARS
	1800	79.2	MARS
	2100	79.2	MARS
	2400	78.4	

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-Sac Housing Unit: C4 Temp. Reading Location: B 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7/1

Date	Time	Temp.	Name (Print)
	0300	77.1	MARTINEZ
	0600	78.0	MARSHALL
	0900	78.0	MARSHALL
	1200	78.1	MARSHALL
	1500	78.0	MARSHALL
	1800	77.5	MARSHALL
	2100	77.2	MARSHALL
	2400	77.4	MARSHALL

Wednesday 7/3

Date	Time	Temp.	Name (Print)
	0300	77.8	MARSHALL
	0600	77.7	MARSHALL
	0900	76.9	MARSHALL
	1200	76.0	MARSHALL
	1500	78.4	MARSHALL
	1800	78.5	MARSHALL
	2100	78.8	MARSHALL
	2400	78.0	MARSHALL

Friday 7/5

Date	Time	Temp.	Name (Print)
	0300	79	S.DL
	0600	78.8	ARRUEDO
	0900	78.8	ARRUEDO
	1200	79.2	ARRUEDO
	1500	90	DEBELDE
	1800	80	DEBELDE
	2100	75	OCIBELDE
	2400	75	HORN

Sunday 7/7

Date	Time	Temp.	Name (Print)
	0300	79.3	WILIGHT
	0600	79.5	Dominic
	0900	79.2	Dominic
	1200	80.2	Dominic
	1500	80.2	SHARP
	1800	80.1	SHARP
	2100	79.3	SHARP
	2400	79.9	MUSK

Tuesday 7/2

Date	Time	Temp.	Name (Print)
	0300	78.1	MARTINEZ
	0600	79.0	MARTINEZ
	0900	79.0	MARTINEZ
	1200	79.1	MARTINEZ
	1500	78.1	MARTINEZ
	1800	78.1	MARTINEZ
	2100	78.5	MARTINEZ
	2400	78.4	MARTINEZ

Thursday 7/4

Date	Time	Temp.	Name (Print)
	0300	79.1	MARTINEZ
	0600	78.1	MARTINEZ
	0900	78.8	Dominic
	1200	79.2	Dominic
	1500	85.0	D-OBERTIDE
	1800	80.0	I. OG BETIDE
	2100	79.0	I. OG BETIDE
	2400	79	S-DL

Saturday 7/6

Date	Time	Temp.	Name (Print)
	0300	75	HORN
	0600	78.8	Dominic
	0900	79.5	Dominic
	1200	79.5	Dominic
	1500	79.9	Veach
	1800	80.4	Veach
	2100	79.1	Veach
	2400	79.7	WILIGHT

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-Sac Housing Unit: 64 Temp. Reading Location: B sec 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	79.9	Musk
7/8	0600	79.9	Reyes
7/8	0900	79.8	Reyes
7/24	1200	80.2	Aguilar
7/24	1500	79.9	Navarro
7/24	1800	80.4	Navarro
7/24	2100	80.2	Navarro
7/24	2400	80.2	Musk

Tuesday

Date	Time	Temp.	Name (Print)
7/1	0300	80.2	Musk
7/9	0600	80.6	Reyes
7/9	0900	79.1	Reyes
7/24	1200	78.2	Reyes
7/24	1500	79.5	Navarro
7/24	1800	79.5	Navarro
7/24	2100	79.9	Navarro
7/24	2400	79.5	Musk

Wednesday

Date	Time	Temp.	Name (Print)
7/1	0300	79.5	Musk
7/10	0600	79.2	Hernandez
7/10	0900	78.4	Hernandez
7/24	1200	78.3	Hernandez
7/24	1500	79.7	Navarro
7/24	1800	79.9	Navarro
7/24	2100	79.9	Navarro
7/24	2400	79.9	Musk

Thursday

Date	Time	Temp.	Name (Print)
7/1	0300	79.9	Musk
7/11	0600	78.6	Hernandez
7/11	0900	78.2	Hernandez
7/24	1200	79.5	Aguilar
7/24	1500	79.9	Dominguez
7/24	1800	80.4	Dominguez
7/24	2100	80.4	Dominguez
7/24	2400	79.9	Mitchell

Friday

Date	Time	Temp.	Name (Print)
7/1	0300	78.6	Mitchell
7/12	0600	78.6	Ramos
7/12	0900	79	Ramos
7/24	1200	80.6	Henry
7/24	1500	80.8	Veach
7/24	1800	80.4	Veach
7/24	2100	80.0	Veach
7/24	2400	80.4	Mitchell

Saturday

Date	Time	Temp.	Name (Print)
7/1	0300	80.0	Mitchell
7/13	0600	79.9	A. DOROFEEV
7/13	0900	80.4	A. DOROFEEV
7/24	1200	80.2	A. DOROFEEV
7/24	1500	83.0	RAMOS
7/24	1800	82.0	RAMOS
7/24	2100	79.0	RAMOS
7/24	2400	80.6	Musk

Sunday

Date	Time	Temp.	Name (Print)
7/1	0300	80.6	Musk
7/14	0600	74.0	RAMOS
7/14	0900	74.0	RAMOS
7/24	1200	76.0	RAMOS
7/24	1500	76.9	SHARP
7/24	1800	80.4	SHARP
7/24	2100	80.2	SHARP
7/24	2400	80.2	Musk

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

SILK Williams 165 - much 102

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C4 Temp. Reading Location: Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	80.2	Musk
15	0600	79.5	Navarro
15	0900	79.5	Navarro
15	1200	79.5	Navarro
15	1500	79.7	Navarro
15	1800	79.9	Navarro
24	2100	79.9	Navarro
24	2400	79.7	Musk

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	79.7	Musk
16	0600	79.2	Hernandez
16	0900	77.5	Hernandez
16	1200	78.1	Hernandez
16	1500	78.6	Navarro
24	1800	78.3	Navarro
24	2100	78.1	Navarro
24	2400	78.1	Musk

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	78.1	Musk
17	0600	77.5	Kaminer
17	0900	77.2	Kaminer
17	1200	77.8	Kaminer
17	1500	78.1	Navarro
24	1800	78.5	Navarro
24	2100	78.6	Navarro
24	2400	78.6	Musk

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	78.6	Musk
18	0600	77.7	Kaminer
18	0900	77.2	Kaminer
18	1200	78.6	Kaminer
18	1500	79.0	I-OBEZDE
24	1800	79.0	I-OBEZDE
24	2100	79.0	I-OBEZDE
24	2400	78.6	Mitchell

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	79.6	Mitchell
19	0600	78.3	Kaminer
19	0900	78.4	Kaminer
19	1200	78.6	Kaminer
19	1500	78.6	I-OBEZDE
24	1800	78.4	I-OBEZDE
24	2100	78.1	Musk
24	2400	78.1	Musk

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	77.8	
20	0600	78.3	Kaminer
20	0900	78.6	Kaminer
20	1200	79.2	Kaminer
20	1500	79.2	Navarro
24	1800	79.6	Navarro
24	2100	79.6	Navarro
24	2400	79.6	Musk

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	79.6	Musk
21	0600	78.6	Ryane
21	0900	79.2	Ryane
21	1200	79.3	Ryane
21	1500	79.6	SHARP
21	1800	79.6	SHARP
24	2100	79.3	SHARP
24	2400	78.8	Musk

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C - 4 Temp. Reading Location: Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees. when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	78.8	Musk
7/22	0600	78.8	A. Lopez
7/22	0900	78.0	A. Lopez
7/22	1200	78.2	close
7/22	1500	79.5	Navarro
7/22	1800	79.5	Navarro
7/22	2100	79.5	Navarro
7/22	2400	79.5	Musk

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	79.5	Musk
7/23	0600	79.5	Musk
7/23	0900	79.5	Musk
7/23	1200	79.2	Musk
7/23	1500	79.5	Navarro
7/23	1800	80.4	Navarro
7/23	2100	80.6	Navarro
7/23	2400	79.9	Musk

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	79.9	Musk
7/24	0600	79.3	J. Ramirez
7/24	0900	80.2	J. Ramirez
7/24	1200	80.6	J. Ramirez
7/24	1500	80.6	Navarro
7/24	1800	81.0	Navarro
7/24	2100	80.6	Navarro
7/24	2400	80.7	Musk

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	80.1	Musk
7/25	0600	80.2	J. Ramirez
7/25	0900	80.2	J. Ramirez
7/25	1200	80.2	J. Ramirez
7/25	1500	80.2	I. OGBERDE
7/25	1800	80.2	I. OGBERDE
7/25	2100	80.2	I. OGBERDE
7/25	2400	80.0	Mitchell

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	80.0	Mitchell
7/26	0600	79.8	Santiago
7/26	0900	79.9	Santiago
7/26	1200	80.6	Santiago
7/26	1500	80.8	A. Gladney
7/26	1800	80.8	A. Gladney
7/26	2100	80.8	A. Gladney
7/26	2400	80.2	J. Vasquez

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	80.2	J. Vasquez
7/27	0600	80.4	J. Vasquez
7/27	0900	79.7	A. YENI-AARON
7/27	1200	78.3	A. YENI-AARON
7/27	1500	78.2	Herrera
7/27	1800	78.8	Herrera
7/27	2100	79.5	I. Nelson
7/27	2400	79.5	Musk

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	79.5	Musk
7/28	0600	78.8	B. Mink
7/28	0900	78.9	B. Mink
7/28	1200	78.4	C. S.
7/28	1500	78.5	SHARP
7/28	1800	78.3	SHARP
7/28	2100	78.6	SHARP
7/28	2400	78.6	WILRIGHT

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C-4 Temp. Reading Location: CONTROL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	79.2	WILIGHT
	0600	79.2	Ramirez
	0900	79.7	Am
	1200	78.1	Am
	1500	78.4	Navarro
	1800	79.3	Navarro
	2100	79.3	Navarro
	2400	78.6	Musk

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	78.6	Musk
	0600	78.8	Ramirez
	0900	78.9	Musk
	1200	79.1	Musk
	1500	78.3	Navarro
	1800	78.6	Navarro
	2100	78.6	Navarro
	2400	78.4	Musk

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	78.4	Musk
	0600	78.1	Ramirez
	0900	78.4	Ramirez
	1200	78.4	Ramirez
	1500	78.6	Navarro
	1800	78.6	Navarro
	2100	78.6	Navarro
	2400	78.4	NAVALLO

Thursday

Date	Time	Temp.	Name (Print)
7/31/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C5 CTR Temp. Reading Location: B-Section Windows
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	83.1	Barnard
	0600	82.9	Barnard
	0900	81.5	Morse
	1200	81.7	Morse
	1500	83.5	W. Everett
	1800	85.6	W. Everett
	2100	84.7	W. Everett
	2400	84.2	Morse

Tuesday

Date	Time	Temp.	Name (Print)
11	0300	84	
	0600	83.5	
	0900	82.0	
	1200	82.6	
	1500	84.6	
	1800	86.2	
	2100	85.8	
	2400	84.5	

Wednesday

Date	Time	Temp.	Name (Print)
13	0300	84.6	Morse
	0600	84.2	Morse
	0900	83.2	Ramirez
	1200	83.7	Ramirez
	1500	84.7	W. Everett
	1800	86.4	W. Everett
	2100	87.4	W. Everett
	2400	87	Morse

Thursday

Date	Time	Temp.	Name (Print)
14	0300	85.6	
	0600	84.7	
	0900	83.3	Ramirez
	1200	84.0	Ramirez
	1500	85.6	W. Everett
	1800	87.1	W. Everett
	2100	87.1	W. Everett
	2400	87	Morse

Friday

Date	Time	Temp.	Name (Print)
15	0300	86.3	Morse
	0600	85.6	Morse
	0900	84.7	Arriaga
	1200	85.6	Arriaga
	1500	86.6	W. Everett
	1800	87.3	W. Everett
	2100	87.8	W. Everett
	2400	87.9	Morse

Saturday

Date	Time	Temp.	Name (Print)
16	0300	86.6	
	0600	85.7	
	0900	85.4	
	1200	85.6	
	1500	86.4	
	1800	86.9	
	2100	86.4	
	2400	86.4	Patterson

Sunday

Date	Time	Temp.	Name (Print)
17	0300	85.6	Arriaga
	0600	85.6	Arriaga
	0900	85.6	Arriaga
	1200	87.1	E. Rivera
	1500	89.1	RODRIGUEZ
	1800	90.3	RODRIGUEZ
	2100	90.1	Patrigon
	2400	90.1	Patrigon

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

ATTACHMENT G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

- Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 65

Temp. Reading Location: B Section Window
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	83.4	Brown
	0600	83.7	Villaseca
	0900	83.9	Villaseca
	1200	84.6	Villaseca
	1500	86.6	C. Everett
	1800	87.1	C. Everett
	2100	86.9	C. Everett
	2400	85.7	M. Brown

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	84.2	M. Brown
	0600	83.8	M. Brown
	0900	83.9	V. Villaseca
	1200	83.1	V. Villaseca
	1500	84.7	C. Everett
	1800	86.4	C. Everett
	2100	86.7	C. Everett
	2400	85.6	M. Brown

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	84.2	M. Brown
	0600	82.0	M. Brown
	0900	83.0	M. Brown
	1200	83.1	M. Brown
	1500	85.5	M. Brown
	1800	81.2	M. Brown
	2100	80.0	M. Brown
	2400	84.4	M. Brown

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	84.	M. Brown
	0600	83.8	M. Brown
	0900	83.9	V. Villaseca
	1200	84.6	V. Villaseca
	1500	85.1	C. Everett
	1800	87.1	C. Everett
	2100	87.4	C. Everett
	2400	87	M. Brown

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	86	M. Brown
	0600	85.3	M. Brown
	0900	84.2	V. Villaseca
	1200	86.0	V. Villaseca
	1500	86.9	C. Everett
	1800	87.8	C. Everett
	2100	87.8	C. Everett
	2400	87.1	C. Everett

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	86.2	M. Brown
	0600	85.9	M. Brown
	0900	85.4	M. Brown
	1200	87.5	M. Brown
	1500	86.0	M. Brown
	1800	87.1	M. Brown
	2100	86.4	M. Brown
	2400	86.0	M. Brown

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	86.1	M. Brown
	0600	85.4	M. Brown
	0900	85.4	M. Brown
	1200	85.1	M. Brown
	1500	85.7	M. Brown
	1800	85.8	M. Brown
	2100	85.1	M. Brown
	2400	86.1	M. Brown

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: OSP Soc Housing Unit: 05-Corner Temp. Reading Location: B Pine (WIndo)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	82	M. Brown	
0600	81.5	J. Brown	
0900	81.5	J. Brown	
1200	81.7	J. Brown	
1500	82.8	C. Brown	
1800	85.1	C. Brown	
2100	84.7	C. Brown	
2400	85	M. Brown	

Tuesday

Date	Time	Temp.	Name (Print)
0300	81	M. Brown	
0600	80.6	J. Brown	
0900	81.7	J. Brown	
1200	80.8	J. Brown	
1500	82.6	C. Brown	
1800	82.9	C. Brown	
2100	82.9	C. Brown	
2400	82	M. Brown	

Wednesday

Date	Time	Temp.	Name (Print)
0300	81.4	M. Brown	
0600	80.6	J. Brown	
0900	89.2	J. Brown	
1200	83.2	J. Brown	
1500	84.6	C. Brown	
1800	84.9	C. Brown	
2100	85.2	C. Brown	
2400	80	M. Brown	

Thursday

Date	Time	Temp.	Name (Print)
0300	80	M. Brown	
0600	80.6	J. Brown	
0900	80.6	J. Brown	
1200	80.2	J. Brown	
1500	81.7	C. Brown	
1800	82.9	C. Brown	
2100	83.8	C. Brown	
2400	83.5	M. Brown	

Friday

Date	Time	Temp.	Name (Print)
0300	82.3	M. Brown	
0600	81.0	J. Brown	
0900	81.3	J. Brown	
1200	81.9	J. Brown	
1500	82.6	C. Brown	
1800	84.7	C. Brown	
2100	84.2	C. Brown	
2400	83.2	M. Brown	

Saturday

Date	Time	Temp.	Name (Print)
0300	82.2	M. Brown	
0600	82.9	J. Brown	
0900			J. Brown
1200			J. Brown
1500	84.7	M. Brown	
1800	85.3	M. Brown	
2100	85.3	M. Brown	
2400	85.8	M. Brown	

Sunday

Date	Time	Temp.	Name (Print)
0300	84.3	M. Brown	
0600	84.1	M. Brown	
0900	84.1	M. Brown	
1200	84.1	M. Brown	
1500	83.8	M. Brown	
1800	84.9	M. Brown	
2100	84.2	M. Brown	
2400	83.9	M. Brown	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C5-Black Temp. Reading Location: B Level A Wing
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	82.0	Mitchell
	0600	82.0	Wilson
	0900	82.6	Wilson
	1200	84.0	Wilson
	1500	86.0	W. E. F. (W. E. F. F. M.)
	1800	87.3	W. E. F. (W. E. F. F. M.)
	2100	87.3	W. E. F. (W. E. F. F. M.)
	2400	84.6	W. E. F. (W. E. F. F. M.)

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	84.6	W. E. F. (W. E. F. F. M.)
	0600	84.0	Wilson
	0900	84.9	Wilson
	1200	85.3	Wilson
	1500	86.0	W. E. F. (W. E. F. F. M.)
	1800	86.7	W. E. F. (W. E. F. F. M.)
	2100	86.7	W. E. F. (W. E. F. F. M.)
	2400	86.7	W. E. F. (W. E. F. F. M.)

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	86.6	W. E. F. (W. E. F. F. M.)
	0600	85.3	Wilson
	0900	85.9	Wilson
	1200	86.4	Wilson
	1500	86.2	W. E. F. (W. E. F. F. M.)
	1800	87.1	W. E. F. (W. E. F. F. M.)
	2100	87.8	W. E. F. (W. E. F. F. M.)
	2400	85	W. E. F. (W. E. F. F. M.)

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	84	W. E. F. (W. E. F. F. M.)
	0600	84.7	W. E. F. (W. E. F. F. M.)
	0900	84.6	Wilson
	1200	84.4	Wilson
	1500	86.4	W. E. F. (W. E. F. F. M.)
	1800	87.1	W. E. F. (W. E. F. F. M.)
	2100	85.8	W. E. F. (W. E. F. F. M.)
	2400	84.3	W. E. F. (W. E. F. F. M.)

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	84	W. E. F. (W. E. F. F. M.)
	0600	83.7	Wilson
	0900	82.6	Wilson
	1200	82.9	Wilson
	1500	83.8	W. E. F. (W. E. F. F. M.)
	1800	85.1	W. E. F. (W. E. F. F. M.)
	2100	85.6	W. E. F. (W. E. F. F. M.)
	2400	83.4	W. E. F. (W. E. F. F. M.)

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	82.8	W. E. F. (W. E. F. F. M.)
	0600	82.6	W. E. F. (W. E. F. F. M.)
	0900	82.6	W. E. F. (W. E. F. F. M.)
	1200	86.1	W. E. F. (W. E. F. F. M.)
	1500	85	W. E. F. (W. E. F. F. M.)
	1800	85.7	W. E. F. (W. E. F. F. M.)
	2100	81	W. E. F. (W. E. F. F. M.)
	2400	81.6	M. BROWN

Notes

Date	Time	Temp.	Name (Print)
7/28	0300	81.0	M. BROWN
	0600	80.1	F. H. E. F. (F. H. E. F. F. M.)
	0900	79.2	F. H. E. F. (F. H. E. F. F. M.)
	1200	79.3	F. H. E. F. (F. H. E. F. F. M.)
	1500	71	O. L. M. (O. L. M. F. M.)
	1800	74	O. L. M. (O. L. M. F. M.)
	2100	74	D. J. M. (D. J. M. F. M.)
	2400	74.4	M. BROWN

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

ATTACHMENT G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit C5

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension S309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	76.4	mitchell
	0600	78.0	Villaseone
	0900	78.0	Villaseone
	1200	78.1	Villaseone
	1500	78.7	W. Ermert
	1800	79.5	W. Ermert
	2100	80.2	W. Ermert
	2400	79	W. Ermert

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	78.8	M. M.
	0600	78.4	M. M.
	0900	77.5	M. M.
	1200	78.3	M. M.
	1500	78.8	W. Ermert
	1800	79.5	W. Ermert
	2100	80.2	W. Ermert
	2400	80	W. Ermert

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	79.4	M. M.
	0600	78.0	M. M.
	0900	78.3	M. M.
	1200	78.8	M. M.
	1500	79.3	W. Ermert
	1800	79.3	W. Ermert
	2100	79.5	W. Ermert
	2400	79.5	W. Ermert

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
JULY 1, 2024	0300	78.1	DURANT
	0600	78.1	DURANT
	0900	76.5	Thompson
	1200	77.0	Thompson
	1500	78	ANDRADE
	1800	78	ANDRADE
	2100	78	ANDRADE
	2400	78.1	CAS

Tuesday

Date	Time	Temp.	Name (Print)
JULY 2, 2024	0300	78.1	CAS
	0600	77.8	Thompson
	0900	77.2	Thompson
	1200	77.7	Thompson
	1500	78.3	RODRIGUEZ
	1800	78.3	RODRIGUEZ
	2100	79.3	RODRIGUEZ
	2400	78.6	RODRIGUEZ

Wednesday

Date	Time	Temp.	Name (Print)
JULY 3, 2024	0300	79.1	CAS
	0600	78.1	Thompson
	0900	78.1	Thompson
	1200	78.4	Thompson
	1500	79.7	Dominguez
	1800	80.8	Dominguez
	2100	80.4	Dominguez
	2400	80.5	DURANT

Thursday

Date	Time	Temp.	Name (Print)
JULY 4, 2024	0300	78.9	DURANT
	0600	78.8	DURANT
	0900	78.8	Thompson
	1200	78.8	Thompson
	1500	79.5	Veach
	1800	79.9	Veach
	2100	80.2	Veach
	2400	80.2	DURANT

Friday

Date	Time	Temp.	Name (Print)
JULY 5, 2024	0300	79.2	DURANT
	0600	79.2	DURANT
	0900	79.3	Musgrave
	1200	79.2	Musgrave
	1500	79.5	Veach
	1800	79.9	Veach
	2100	80.2	Veach
	2400	80.2	DURANT

Saturday

Date	Time	Temp.	Name (Print)
JULY 6, 2024	0300	79.5	DURANT
	0600	79.5	DURANT
	0900	79.6	Arraiza
	1200	79.7	Arraiza
	1500	79.9	YSIANA
	1800	80.4	YSIANA
	2100	80.4	YSIANA
	2400	80.3	TURNER

Notes

Date	Time	Temp.	Name (Print)
JULY 7, 2024	0300	80.2	Turner
	0600	80.2	Hurley
	0900	81.8	Hurley
	1200	85.0	Hurley
	1500	86.1	Hurley
	1800	86.1	DURANT
	2100	86.1	DURANT
	2400	86.0	DURANT

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
JULY 8, 2024	0300	86.0	DURANT
	0600	86.0	DURANT
	0900	79.5	Thompson
	1200	79.5	Thompson
	1500	79.3	D. Smith
	1800	78.9	Smith
	2100	78.5	D. Smith
	2400	78.4	OAS SWED

Tuesday

Date	Time	Temp.	Name (Print)
JULY 9, 2024	0300	78.1	OAS
	0600	78.8	Thompson
	0900	78.8	Thompson
	1200	78.8	Thompson
	1500	79.7	Johnson Jr
	1800	80.1	Johnson Jr
	2100	80.2	Johnson Jr
	2400	78.8	Johnson Jr

Wednesday

Date	Time	Temp.	Name (Print)
JULY 10, 2024	0300	78.8	Johnson Jr
	0600	78.4	Thompson
	0900	78.4	Thompson
	1200	78.4	Thompson
	1500	78.4	Johnson Jr
	1800	78.6	Johnson Jr
	2100	78.6	Johnson Jr
	2400	78.6	DURANT

Thursday

Date	Time	Temp.	Name (Print)
JULY 11, 2024	0300	78.2	DURANT
	0600	78.6	DURANT
	0900	78.8	Thompson
	1200	79.2	Thompson
	1500	79.3	YSIANO
	1800	79.5	YSIANO
	2100	79.7	YSIANO
	2400	79.7	DURANT

Friday

Date	Time	Temp.	Name (Print)
JULY 12, 2024	0300	79.7	DURANT
	0600	79.7	DURANT
	0900	79.9	Cantrell
	1200	79.9	Cantrell
	1500	79.7	Johnson Jr
	1800	79.9	YSIANO
	2100	79.9	YSIANO
	2400	79.9	DURANT

Saturday

Date	Time	Temp.	Name (Print)
JULY 13, 2024	0300	79.7	DURANT
	0600	79.7	DURANT
	0900	79.2	Cantrell
	1200	79.5	Cantrell
	1500	80.6	L. Digez
	1800	79.4	L. Digez
	2100	80.2	L. Digez
	2400	79.9	Chavez

Notes

Date	Time	Temp.	Name (Print)
JULY 14, 2024	0300	79.3	Chavez
	0600	78.4	Hurley
	0900	78.4	Hurley
	1200	78.4	Hurley
	1500	78.4	Hurley
	1800	78.8	Hurley
	2100	78.8	Hurley
	2400	78.8	DURANT

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
JULY 15, 2024	0300	79.3	DURAN
	0600	79.3	DURAN
	0900	78.2	APEWODA
	1200	78.11	ARIRUPA
	1500	78.1	ARIRUPA
	1800	79.5	APPEWODA
	2100	79.2	ARIRUPA
	2400	78.7	CES

Tuesday

Date	Time	Temp.	Name (Print)
JULY 16, 2024	0300	78.6	OAS
	0600	78.6	TEMPER
	0900	78.3	TEMPER
	1200	78.7	TEMPER
	1500	78.3	TERRONES
	1800	78.3	TERRONES
	2100	77.8	TERRONES
	2400	77.7	TERRONES

Wednesday

Date	Time	Temp.	Name (Print)
JULY 17, 2024	0300	78.1	TERRONES
	0600	77.0	TEMPER
	0900	77.0	TEMPER
	1200	77.0	TEMPER
	1500	76.6	REYNOLDS
	1800	76.6	REYNOLDS
	2100	76.6	REYNOLDS
	2400	76.6	DURAN

Thursday

Date	Time	Temp.	Name (Print)
JULY 18, 2024	0300	77.5	DURAN
	0600	77.5	DURAN
	0900	76.3	TEMPER
	1200	76.3	TEMPER
	1500	76.3	YSIANO
	1800	76.3	YSIANO
	2100	76.4	YSIANO
	2400	76.4	DURAN

Friday

Date	Time	Temp.	Name (Print)
JULY 19, 2024	0300	77.4	DURAN
	0600	77.4	DURAN
	0900	76.5	CANTRELL
	1200	76.5	CANTRELL
	1500	76.6	CANTRELL
	1800	77.8	CANTRELL
	2100	77.4	CANTRELL
	2400	77.4	DURAN

Saturday

Date	Time	Temp.	Name (Print)
JULY 20, 2024	0300	77.4	DURAN
	0600	77.4	DURAN
	0900	77.2	CANTRELL
	1200	77.4	CANTRELL
	1500	77.7	YSIANO
	1800	77.7	YSIANO
	2100	77.7	YSIANO
	2400	77.7	DURAN

Sunday

Date	Time	Temp.	Name (Print)
JULY 21, 2024	0300	77.7	DURAN
	0600	77.7	DURAN
	0900	70.2	POCER
	1200	69.7	POCER
	1500	77.5	L. NEALSON
	1800	77.7	L. NEALSON
	2100	77.7	L. NEALSON
	2400	77.7	DURAN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
JULY 22, 2024	0300	77.7	DURAN
	0600	77.7	DURAN
	0900	77.2	Lewis
	1200	77.2	ELIAS
	1500	77.6	WOODARD
	1800	78.1	Woodard
	2100	77	Woodard
	2400	77.7	CAS

Tuesday

Date	Time	Temp.	Name (Print)
JULY 23, 2024	0300	77.6	CAS
	0600	77.5	Thompson
	0900	77.5	Thompson
	1200	77.7	Thompson
	1500	78.1	Johnson Jr
	1800	78.1	Johnson Jr
	2100	77.8	Johnson
	2400	77.8	GARIBAY

Wednesday

Date	Time	Temp.	Name (Print)
JULY 24, 2024	0300	77.7	GARIBAY
	0600	77.5	Thompson
	0900	77.4	Thompson
	1200	77.4	Thompson
	1500	77.5	Johnson
	1800	77.5	Johnson
	2100	77.5	Johnson
	2400	77.6	DURAN

Thursday

Date	Time	Temp.	Name (Print)
JULY 25, 2024	0300	77.5	DURAN
	0600	77.5	DURAN
	0900	77.4	Thompson
	1200	77.4	Thompson
	1500	77.7	WOODARD
	1800	77.4	WOODARD
	2100	77.4	WOODARD
	2400	77.5	DURAN

Friday

Date	Time	Temp.	Name (Print)
JULY 26, 2024	0300	77.2	DURAN
	0600	76.5	DURAN
	0900	77.0	Cantrell
	1200	77.0	Cantrell
	1500	77	YSIANA
	1800	77	YSIANA
	2100	77	YSIANA
	2400	77	DURAN

Saturday

Date	Time	Temp.	Name (Print)
JULY 27, 2024	0300	77.4	DURAN
	0600	77.4	DURAN
	0900	75.2	Cantrell
	1200	74.8	Cantrell
	1500	76.4	YSIANA
	1800	76	YSIANA
	2100	76	YSIANA
	2400	76.1	DURAN

Notes

Date	Time	Temp.	Name (Print)
JULY 28, 2024	0300	75.2	DURAN
	0600	74.8	DURAN
	0900	74.1	Hurley
	1200	74.5	Hurley
	1500	74.8	Hurley
	1800	75.2	Hurley
	2100	75.2	Hurley
	2400	75.2	CAS

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
JULY 29 2024	0300	75.2	Deaver
	0600	75.2	Deaver
	0900	74.1	Tony
	1200	74.3	Tony
	1500	74.7	Wooden
	1800	74.7	Wooden
	2100	74.7	Wooden
	2400	74.6	CAS

Tuesday

Date	Time	Temp.	Name (Print)
JULY 30, 2024	0300	74.6	CAS
	0600	74.3	Thompson
	0900	74.3	Tony
	1200	74.3	Tony
	1500	74.5	ARAIZA
	1800	74.5	ARAIZA
	2100	74.7	ARAIZA
	2400	74.6	Bailey

Wednesday

Date	Time	Temp.	Name (Print)
JULY 31, 2024	0300	74.4	Bailey
	0600	74.3	Tony
	0900	74.3	Tony
	1200	74.5	Tony
	1500	74.8	Alfred
	1800	75.2	Alfred
	2100	75.2	Alfred
	2400	75.2	Alfred

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C-7 Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	84.6	K. OLSON
	0600	84.6	CANTRELL
	0900	84.5	CANTRELL
	1200	84.6	CANTRELL
	1500	84.6	K. OLSON
	1800	84.6	K. OLSON
	2100	84.6	K. OLSON
	2400	84.6	K. OLSON

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	84.6	K. OLSON
	0600	82.8	CANTRELL
	0900	83.2	CANTRELL
	1200	84.0	CANTRELL
	1500	84.6	K. OLSON
	1800	84.6	K. OLSON
	2100	84.6	K. OLSON
	2400	84.6	K. OLSON

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	84.6	HUCKEM
	0600	84.6	HUCKEM
	0900	84.6	HUCKEM
	1200	84.9	HUCKEM
	1500	84.6	HUCKEM
	1800	84.6	HUCKEM
	2100	84.9	HUCKEM
	2400	84.5	HUCKEM

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	84.6	K. OLSON
	0600	83.6	C. Hernandez
	0900	85.6	C. Hernandez
	1200	85.9	C. Hernandez
	1500	86.7	J. Brown
	1800	87.4	J. Brown
	2100	87.4	J. Brown
	2400	86.9	M. Hernandez

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	87.1	WARD
	0600	84.6	C. Hernandez
	0900	84.6	C. Hernandez
	1200	85.6	C. Hernandez
	1500	87.2	WARD
	1800	88	WARD
	2100	89	WARD
	2400	88	WARD

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	88	WARD
	0600	87	WARD
	0900	86.2	C. Hernandez
	1200	86.2	C. Hernandez
	1500	87	WARD
	1800	88.9	WARD
	2100	88.9	WARD
	2400	88.9	WARD

Notes

Date	Time	Temp.	Name (Print)
7/7/24	0300	88.9	WARD
	0600	88.3	WARD
	0900	87.8	C. Hernandez
	1200	87.8	C. Hernandez
	1500	88.2	WARD
	1800	89.5	WARD
	2100	89.2	WARD
	2400	88.7	K. OLSON

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8-24	0300	88.8	K OLSON
	0600	87.3	C. Hernandez
	0900	87.3	C. Hernandez
	1200	87.2	C. Hernandez
	1500	88.9	K OLSON
	1800	88.0	K OLSON
	2100	88.0	K OLSON
	2400	88.0	K OLSON

Wednesday

Date	Time	Temp.	Name (Print)
7-10-24	0300	86.1	K OLSON
	0600	85.3	M. Lee
	0900	85.3	M. Lee
	1200	85.3	M. Lee
	1500	86.0	Hedgepeth
	1800	86.9	Hedgepeth
	2100	86.8	Hedgepeth
	2400	86.2	Hedgepeth

Friday

Date	Time	Temp.	Name (Print)
7-12-24	0300	86.1	K WARD
	0600	85.1	C. Hernandez
	0900	85.1	C. Hernandez
	1200	85.0	C. Hernandez
	1500	86.2	K WARD
	1800	86.2	K WARD
	2100	86.2	K WARD
	2400	86.2	K WARD

Sunday

Date	Time	Temp.	Name (Print)
7-14-24	0300	83.4	K WARD
	0600	83.	K WARD
	0900	83.1	C. Hernandez
	1200	83.1	C. Hernandez
	1500	83.7	F VALENCIA
	1800	84.0	F VALENCIA
	2100	84.0	F VALENCIA
	2400	86.0	shawn

Tuesday

Date	Time	Temp.	Name (Print)
7-9-24	0300	88.0	K OLSON
	0600	84.7	Cantrell
	0900	84.2	Cantrell
	1200	84.9	Cantrell
	1500	87.0	K OLSON
	1800	87.1	K OLSON
	2100	87.1	K OLSON
	2400	87.1	K OLSON

Thursday

Date	Time	Temp.	Name (Print)
7-11-24	0300	83.3	un known
	0600	84.9	C. Hernandez
	0900	84.9	C. Hernandez
	1200	85.3	C. Hernandez
	1500	85.8	C. Hernandez
	1800	86.4	C. Hernandez
	2100	86.4	C. Hernandez
	2400	86.0	C. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
7-13-24	0300	86.4	K WARD
	0600	86.4	K WARD
	0900	84.6	C. Hernandez
	1200	84.9	C. Hernandez
	1500	85.8	O. Terrones
	1800	85.6	O. Terrones
	2100	85.1	O. Terrones
	2400	84.7	K. WARD

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

1353 876#1 HEAT WORKS

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C7 Temp. Reading Location: Top Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-15-24	0300	71.7	WARD
	0600	83.7	C. Hernandez
	0900	83.7	C. Hernandez
	1200	83.8	C. Hernandez
	1500	83.5	WARD
	1800	84	WARD
	2100	83.5	WARD
	2400	83.0	KOLSON

Tuesday

Date	Time	Temp.	Name (Print)
7-16-24	0300	83.0	K. Olson
	0600	84.0	D. Smith
	0900	85.2	D. Smith
	1200	86.0	D. Smith
	1500	84	K. Olson
	1800	84	K. Olson
	2100	84	K. Olson
	2400	84	K. Olson

Wednesday

Date	Time	Temp.	Name (Print)
7-17-24	0300	84	K. Olson
	0600	81.9	M. Lee
	0900	82.0	M. Lee
	1200	82.2	M. Lee
	1500	82.4	J. Brown
	1800	82.4	J. Brown
	2100	82.4	J. Brown
	2400	82.4	M. Hernandez

Thursday

Date	Time	Temp.	Name (Print)
7-18-24	0300	81.9	M. Hernandez
	0600	81.8	C. Hernandez
	0900	81.7	C. Hernandez
	1200	82.0	C. Hernandez
	1500	82.0	J. Brown
	1800	82.6	J. Brown
	2100	82.6	J. Brown
	2400	82	M. Hernandez

Friday

Date	Time	Temp.	Name (Print)
7-19-24	0300	81.9	M. Hernandez
	0600	82.0	C. Hernandez
	0900	82.0	C. Hernandez
	1200	82.0	C. Hernandez
	1500	83.7	WARD
	1800	83.7	WARD
	2100	83.7	WARD
	2400	83.7	WARD

Saturday

Date	Time	Temp.	Name (Print)
7-20-24	0300	82.1	WARD
	0600	82.7	WARD
	0900	81.7	C. Hernandez
	1200	82.4	C. Hernandez
	1500	83.7	WARD
	1800	82.9	WARD
	2100	82.9	WARD
	2400	82.7	Hernandez

Notes

Date	Time	Temp.	Name (Print)
7-21-24	0300	81.0	
	0600	82.4	C. Hernandez
	0900	82.6	C. Hernandez
	1200	82.6	C. Hernandez
	1500	82.0	WARD
	1800	82.0	WARD
	2100	82.0	WARD
	2400	82.4	M. Hernandez

STATE OF CALIFORNIA
 INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 7 Block Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5301 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/21/18	0300	82.4	V. Latorre
	0600	82.4	V. Latorre
	0900	82.8	C. Hernandez
	1200	82.8	C. Hernandez
	1500	82.9	Kolson
	1800	82.9	Kolson
	2100	82.9	Kolson
	2400	82.9	Kolson

Tuesday

Date	Time	Temp.	Name (Print)
7/22/18	0300	82.9	Kolson
	0600	82.6	Cantrell
	0900	82.9	Cantrell
	1200	83.1	Cantrell
	1500	83.7	Kolsch
	1800	83.7	Kolson
	2100	83.7	Kolson
	2400	83.7	Kolson

Wednesday

Date	Time	Temp.	Name (Print)
7/23/18	0300	83.1	Kolson
	0600	82.6	M. Lee
	0900	82.8	M. Lee
	1200	82.8	M. Lee
	1500	82.8	M. Lee
	1800	82.5	L. Alvarez
	2100	82.5	K. Alvarado
	2400	82.5	K. Alvarado

Thursday

Date	Time	Temp.	Name (Print)
7/24/18	0300	82.4	K. JUAREZ
	0600	82.8	C. AVILA
	0900	82.6	C. AVILA
	1200	82.8	C. AVILA
	1500	82.8	C. AVILA
	1800	82.9	J. BRAVO
	2100	83.0	J. BRAVO
	2400	83.1	J. BRAVO

Friday

Date	Time	Temp.	Name (Print)
7/25/18	0300	82.5	K. JUAREZ
	0600	82.8	S. Zajdel
	0900	82.4	S. Zajdel
	1200	82.6	S. Zajdel
	1500	83.1	A. Serrano
	1800	82.8	A. Serrano
	2100	82.8	A. Serrano
	2400	82.9	KWARD

Saturday

Date	Time	Temp.	Name (Print)
7/26/18	0300	82.9	KWARD
	0600	82.9	KWARD
	0900	81.7	SANTIAGO
	1200	81.9	SANTIAGO
	1500	81.7	WARD
	1800	81.7	WARD
	2100	82.6	WARD
	2400	82.6	WARD

Sunday

Date	Time	Temp.	Name (Print)
7/27/18	0300	82.6	WARD
	0600	82.6	WARD
	0900	83.1	H. HENRY
	1200	82.7	B. Glover, Glover
	1500	81.5	B. Glover
	1800	81.5	B. Glover
	2100	81.5	B. Glover
	2400	81.0	K. Olson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C 7 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300	81.0	K. Olson
	0600	81.0	C. Hernandez
	0900	81.0	C. Hernandez
	1200	81.0	C. Hernandez
	1500	81.0	K. Olson
	1800	81.0	K. Olson
	2100	81.0	K. Olson
	2400	81.0	K. Olson

Tuesday

Date	Time	Temp.	Name (Print)
7-30-24	0300	81.0	K. Olson
	0600	80.6	J. Cantrell
	0900	80.4	J. Cantrell
	1200	80.6	J. Cantrell
	1500	80.8	K. Olson
	1800	80.8	K. Olson
	2100	80.8	K. Olson
	2400	80.8	K. Olson

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	80.8	K. Olson
	0600	80.2	M. Lee
	0900	80.2	M. Lee
	1200	80.2	M. Lee
	1500	81.0	J. Brown
	1800	81.0	J. Brown
	2100	81.0	K. Olson
	2400	81.0	K. Olson

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5003 C Dining
128 Maxwell OPP

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: VISITING Temp. Reading Location: VISITING FLR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	85.0	NORSE
	1200	80.4	NORSE
	1500	88.5	NORSE
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	91.7	GEORGETTE
	1500	95.5	Georgette
	1800	93.1	GEORGETTE
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600	7	
	0900	80.1	NORSE
	1200	81.0	NORSE
	1500	81.2	NORSE
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	80.2	GEORGETTE
	1200	83.5	GEORGETTE
	1500	87.1	GEORGETTE
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	84.9	GEORGETTE
	1500	89.6	NORSE
	1800	89.5	NORSE
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	80.0	NORSE
	1200	85.7	NORSE
	1500	85.8	NORSE
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	80.0	NORSE
	1200	82.1	NORSE
	1500	82.1	NORSE
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C VISITING Temp. Reading Location: VISITING FLR
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday 7/26/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	83.4 above	
	1500	86.5 above	
	1800		
	2100		
	2400		

Saturday 7/27/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	106.1	
	1200	106.1	
	1500	106.1	
	1800		
	2100		
	2400		

Sunday 7/28/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	76.3 Georgette	
	1200	77.2 Georgette	
	1500	79.1 Georgette	
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: CTC-1 Temp. Reading Location: HALLWAY
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/01	0300	74.5	AYENI-AARONS
	0600	74.3	AYENI-AARONS
	0900	74.6	S.DAVIS
	1200	76.5	S.DAVIS
	1500	75.7	AYENI-AARONS
	1800	75.9	AYENI-AARONS
	2100	76.1	AYENI-AARONS
	2400	75.9	AYENI-AARONS

Tuesday

Date	Time	Temp.	Name (Print)
7/02	0300	75.7	AYENI-AARONS ✓
	0600	75.4	AYENI-AARONS
	0900	75.9	I.G.BOKWE
	1200	78.4	I.G.BOKWE
	1500	78.6	I.G.BOKWE
	1800	79	S.ALTIERN ✓
	2100	77.9	AYENI-AARONS ✓
	2400	77.5	AYENI-AARONS

Wednesday

Date	Time	Temp.	Name (Print)
7/03	0300	77.2	AYENI-AARONS
	0600	76.8	AYENI-AARONS ✓
	0900	78.1	A.Serrano
	1200	79.2	A.Serrano
	1500	79.3	A.Serrano
	1800	80.1	A.Serrano
	2100	79.5	A.Serrano ✓
	2400	79.10	AYENI-AARONS

Thursday

Date	Time	Temp.	Name (Print)
7/04	0300	78.0	I.G.BOKWE ✓
	0600	78.1	I.G.BOKWE
	0900	78.8	I.G.BOKWE
	1200	79.7	I.G.BOKWE
	1500	80.4	I.G.BOKWE ✓
	1800	81.5	AYENI-AARONS
	2100	80.2	AYENI-AARONS
	2400	79.7	MILES

Friday

Date	Time	Temp.	Name (Print)
7/05	0300	77	HOLFS
	0600	76	HOLFS
	0900	78.6	Pachibar
	1200	79.0	Pachibar
	1500	79.0	Patterson
	1800	79.2	Patterson
	2100	79.5	AYENI-AARONS
	2400	80.8	AYENI-AARONS

Saturday

Date	Time	Temp.	Name (Print)
7/06	0300	80.4	AYENI-AARONS
	0600	89.5	AYENI-AARONS ✓
	0900	79.9	Pachibar
	1200	81.7	SALAZAR
	1500	81.9	I.Nunes
	1800	88.2	I.Nunes
	2100	82.8	I.Nunes
	2400	82.2	AYENI-AARONS

Sunday

Date	Time	Temp.	Name (Print)
7/07	0300	81.3	AYENI-AARONS
	0600	81.1	AYENI-AARONS
	0900	71.3	Pachibar
	1200	82.6	Pachibar
	1500	83.7	RAMOS
	1800	82.4	RAMOS
	2100	82.0	RAMOS
	2400	82.2	AYENI-AARONS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: CTC 1 Temp. Reading Location: Hallway
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/08	0300	81.5	AYENI-AARONS
	0600	81.0	AYENI-AARONS
	0900	81.6	Georgiou
	1200	81.9	Georgiou
	1500	83.5	AYENI-AARONS
	1800	84.0	AYENI-AARONS
	2100	83.1	AYENI-AARONS
	2400	82.6	AYENI-AARONS

Tuesday

Date	Time	Temp.	Name (Print)
7/09	0300	81.6	AYENI-AARONS
	0600	81.1	AYENI-AARONS
	0900	80.2	Georgiou
	1200	81.0	Georgiou
	1500	80.8	AYENI-AARONS
	1800	81.3	AYENI-AARONS
	2100	80.8	AYENI-AARONS
	2400	80.2	AYENI-AARONS

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	79.5	AYENI-AARONS
	0600	79.2	AYENI-AARONS
	0900	77.0	Georgiou
	1200	80.3	Georgiou
	1500	80.3	A. HERRERA
	1800	80.2	A. HERRERA
	2100	81.2	B. NGUYEN
	2400	81.3	B. NGUYEN

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	77.7	S. MURRAY
	0600	78	Georgiou
	0900	79.7	Georgiou
	1200	81.5	Georgiou
	1500	81.1	AYENI-AARONS
	1800	81.1	AYENI-AARONS
	2100	79.7	AYENI-AARONS
	2400	77.7	MURRAY

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	79.7	HULLS
	0600	79.0	Georgiou
	0900	79.0	Pachibar
	1200	80.1	Pachibar
	1500		
	1800	LAST PATIENT LEFT UNIT AT 1330 HOURS. OFFICERS REDIRECTED	
	2100	1330 HOURS. OFFICERS REDIRECTED	
	2400	AND UNIT DEACTIVATED DUE TO	

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday HVAC FAILURE ON 7/12/2024.

Notes

A. KONRAD, HCO CAPTAIN

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: CCL 2 Temp. Reading Location: NURSING STATION
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/01	0300	77	D. Otero
	0600	77.7	RE Hutchings
	0900	77.1	RE Hutchings
	1200	77.6	RE Hutchings
	1500	77.9	S. Lina
	1800	77.2	S. Lina
	2100	77.9	S. Lina
	2400	77	Mirlohi

Tuesday

Date	Time	Temp.	Name (Print)
7/02	0300	77.2	M. Mohr
	0600	77.2	RE Hutchings
	0900	77.0	RE Hutchings
	1200	77	RE Hutchings
	1500	77.8	RE Hutchings
	1800	77.9	RE Hutchings
	2100	77.8	RE Hutchings
	2400	78.1	Mirlohi

Wednesday

Date	Time	Temp.	Name (Print)
7/03	0300	76.9	Mirlohi
	0600	77.4	RE Hutchings
	0900	77.4	RE Hutchings
	1200	77.6	RE Hutchings
	1500	77.1	T. Mayan
	1800	77.6	T. Mayan
	2100	77.6	T. Mayan
	2400	77.6	J. Alhalimi

Thursday

Date	Time	Temp.	Name (Print)
7/04	0300	77.6	J. Alhalimi
	0600	76.1	J. Barragan
	0900	75.4	J. Barragan
	1200	75.4	J. Barragan
	1500	75.8	L. Diaz
	1800	75.8	T. Mccormick
	2100	76.0	T. Mccormick
	2400	76.0	J. Alhalimi

Friday

Date	Time	Temp.	Name (Print)
7/05	0300	75.4	J. Alhalimi
	0600	75.2	J. Alhalimi
	0900	75.6	J. Yanez
	1200	75.8	J. Yanez
	1500	76.0	T. Mccormick
	1800	75.8	A. Garibay
	2100	75.2	A. Garibay
	2400	75.4	J. Alhalimi

Saturday

Date	Time	Temp.	Name (Print)
7/06	0300	76.5	J. Alhalimi
	0600	77	J. Cordon
	0900	77	J. Cordon
	1200	77	J. Cordon
	1500	76.9	A. Amaro
	1800	77.2	A. Amaro
	2100	77.4	A. Salazar
	2400	77.9	Otero

Sunday

Date	Time	Temp.	Name (Print)
7/07	0300	77.8	Otero
	0600	77.4	RE Hutchings
	0900	77.9	RE Hutchings
	1200	77.9	RE Hutchings
	1500	76.3	D. Celency
	1800	76.1	D. Celency
	2100	77.4	D. Celency
	2400	78.5	Otero

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: CTC II Temp. Reading Location: Nursery Station
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/08	0300	78.3	Otero
	0600	78.3	RE Hutchings
	0900	78.3	RE Hutchings
	1200	78.5	RE Hutchings
	1500	78.6	Jurita
	1800	78.5	Gilson
	2100	77.9	Garita
	2400	77.9	Mirlohi

Tuesday

Date	Time	Temp.	Name (Print)
7/09	0300	77.7	Mirlohi
	0600	77.8	RE Hutchings
	0900	78.1	RE Hutchings
	1200	77.8	RE Hutchings
	1500	77.6	D.Simmons
	1800	77.2	T.Morgan
	2100	77.4	D.Simmons
	2400	77.8	Mirlohi

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	77.	Mirlohi
	0600	77.6	RE Hutchings
	0900	77.6	RE Hutchings
	1200	77.8	RE Hutchings
	1500	75.2	D.Simmons
	1800	75.2	T.Morgan
	2100	75.2	ARTHER
	2400	75.2	ARTHER

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	75.2	ARTHER
	0600	74.70	ARRUDA
	0900	73.6	ARRUDA
	1200	73.80	ARRUDA
	1500	73.8	RE Hutchings
	1800	73.6	RE Hutchings
	2100	74.3	RE Hutchings
	2400	76.1	ARTHER

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	75.8	ARTHER
	0600	74.7	Rodolphy
	0900	74.7	Rodolphy
	1200	74.3	Rodolphy
	1500	81.5	T.Morgan
	1800	80.5	A.Darote
	2100	81.7	J.Amalenu
	2400	83.3	J.Amalenu

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	83.0	J.Amalenu
	0600	83.1	L.Appino
	0900	82.1	L.Appino
	1200	82.3	L.Appino
	1500	83.7	T.Morgan
	1800	84.4	T.Morgan
	2100	84.6	J.Amalenu
	2400	83.0	D.Otero

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	82.4	D.Otero
	0600	83.0	M.Lyons
	0900	84.0	M.Sandoval
	1200	84.0	M.Sandoval
	1500	84.1	Celwyn
	1800	84.4	Celwyn
	2100	85.1	Celwyn
	2400	85.7	D.Otero

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: OCN Temp. Reading Location: NURSING STATION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	84.2	D. Otero
	0600	85.0	D. Serrano
	0900	82.5	D. Serrano
	1200	80.4	D. Serrano
	1500	80.1	J. Garcia
	1800	78.6	S. Baldwin
	2100	78.4	S. Baldwin
	2400	77	Mirlohi

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	75	Mirlohi
	0600	75.2	A. Yeni-Aarons
	0900	75.0	D. Serrano
	1200	74.6	D. Serrano
	1500	74.0	T. Mayow
	1800	74.0	T. Mayow
	2100	74.0	K. Rags
	2400	74.6	Mirlohi

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	75.7	Mirlohi
	0600	75.0	D. Serrano
	0900	75.2	D. Serrano
	1200	74.4	D. Serrano
	1500	73.9	T. Mayow
	1800	74.1	T. Mayow
	2100	73.9	T. Mayow
	2400	73.7	D. Serrano

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	73.1	(Downey) ²¹⁵
	0600	73.2	Downey
	0900	72.5	Downey
	1200	72.8	Poway
	1500	74.1	T. Mayow
	1800	74.0	T. Mayow
	2100	74.4	T. Mayow
	2400	74.4	D. Serrano

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	72.7	ARTHER
	0600	72.3	A. QUIROZ
	0900	73.0	A. QUIROZ
	1200	73.4	A. Quiroz
	1500	74.3	T. Mayow
	1800	74.4	S. Alhalimi
	2100	72.1	S. Alhalimi
	2400	73.4	S. Alhalimi

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	73.4	S. Alhalimi
	0600	73.4	C. SALAS
	0900	74.4	D. Serrano
	1200	74.6	D. Serrano
	1500	74.4	T. Mayow
	1800	74.6	T. Mayow
	2100	74.9	T. Mayow
	2400	74.4	S. Alhalimi

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	74.4	D. Otero
	0600	74.3	D. Serrano
	0900	74.3	D. Serrano
	1200	74.4	D. Serrano
	1500	73.4	D. Celaya
	1800	73.4	D. Celaya
	2100	73.7	D. Celaya
	2400	73.7	S. Otero

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: CTC II Temp. Reading Location: MESURE STATION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	73.4	D. Otero ✓
	0600	73.2	D. Giron ✓
	0900	73.5	D. Giron ✓
	1200	74	J. Cordon ✓
	1500	74.3	J. Garcia ✓
	1800	73	J. Cordon ✓
	2100	73	J. Cordon ✓
	2400	74.3	Mirlohi ✓

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	74.4	Mirlohi ✓
	0600	74.1	RE Hutchings ✓
	0900	73.2	RE Hutchings ✓
	1200	74.4	RE Hutchings ✓
	1500	74.1	Trujillo ✓
	1800	74	RE Hutchings ✓
	2100	73.2	RE Hutchings ✓
	2400	74.8	Mirlohi ✓

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	75.7	Mirlohi ✓
	0600	75.4	RE Hutchings ✓
	0900	74.7	RE Hutchings ✓
	1200	75.2	RE Hutchings ✓
	1500	75.0	T. Munoz ✓
	1800	75.0	T. Munoz ✓
	2100	75.0	T. Munoz ✓
	2400	74.8	APZ

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	74.3	D. Giron ✓
	0600	77.4	RE Hutchings ✓
	0900	77.5	RE Hutchings ✓
	1200	77.6	RE Hutchings ✓
	1500	77.8	T. Munoz ✓
	1800	75.5	T. Munoz ✓
	2100	73.5	T. Munoz ✓
	2400	73.0	APZ

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	74.3	D. Giron ✓
	0600	74.5	S. Davis ✓
	0900	74.7	S. Davis ✓
	1200	75.3	S. Davis ✓
	1500	75.7	J. Alhalimi ✓
	1800	75.9	J. Alhalimi ✓
	2100	75.7	J. Alhalimi ✓
	2400	74.7	J. Alhalimi ✓

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	74.1	J. Alhalimi ✓
	0600	73.4	D. Giron ✓
	0900	73.1	D. Giron ✓
	1200	73.4	L. Appino ✓
	1500	73.2	J. Alhalimi ✓
	1800	73.0	T. Munoz ✓
	2100	72.1	J. Alhalimi ✓
	2400	72.3	J. Alhalimi ✓

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	71.5	D. Otero ✓
	0600	71.2	L. Paclibar ✓
	0900	71.0	L. Paclibar ✓
	1200	70	L. Paclibar ✓
	1500	71.4	D. Celayca ✓
	1800	71.9	D. Celayca ✓
	2100	71.7	D. Celayca ✓
	2400	72.3	D. Otero ✓

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: GTC II Temp. Reading Location: Nursing Station
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>7/29</u>	0300	72.1	J. Arroyo <i>X</i>
	0600	72.3	RE Hutchings
	0900	72.6	RE Hutchings
	1200	73.4	RE Hutchings
	1500	71	J. Cordon
	1800	71	J. Cordon
	2100	71	J. Cordon
	2400	72.8	Mirlohi

Tuesday

Date	Time	Temp.	Name (Print)
<u>7/30</u>	0300	72.3	Mirlohi <i>9</i>
	0600	72.4	RE Hutchings
	0900	72.1	RE Hutchings
	1200	72.5	RE Hutchings
	1500	71.9	D. Flores
	1800	73.4	D. Flores
	2100	73.4	D. Flores
	2400	73.4	Mirlohi

Wednesday

Date	Time	Temp.	Name (Print)
<u>7/31</u>	0300	72.6	Mirlohi
	0600	72.6	D. Flores
	0900	73.3	RE Hutchings
	1200	74.3	RE Hutchings
	1500	74.3	D. Flores
	1800	74.3	T. Murphy
	2100	74.3	J. Meeker
	2400	73.2	D. Flores

Thursday

Date	Time	Temp.	Name (Print)
	0300	72.8	D. Flores
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: MATW KITCHEN Temp. Reading Location: BAKERY
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300		
	0600	77.0	Ech
	0900	77.4	Ech
	1200	78.6	Ech
	1500		Ech
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300		
	0600	77.9	Ech
	0900	77.9	Ech
	1200	78.0	Ech
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300		
	0600	77.9	Ech
	0900	79.1	Ech
	1200	80.1	Ech
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300		
	0600	76.1	Ech
	0900	76.7	Ech
	1200	78.3	Ech
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/5	0300		
	0600	79.9	Ech
	0900	80.1	Ech
	1200	81.3	Ech
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: MAIN KITCHEN Temp. Reading Location: BAKERY
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300		
	0600	73.2	Ech
	0900	73.8	Ech
	1200	74.5	Ech
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300		
	0600	73.9	Ech
	0900	74.2	Ech
	1200	76.4	Ech
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300		
	0600	74.6	Ech
	0900	74.9	Ech
	1200	76.0	Ech
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300		
	0600	78.1	Ech
	0900	78.2	Ech
	1200	81	J. ABUSSA
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		
	0600	78.2	Ech
	0900	79.1	Ech
	1200	80.3	Ech
	1500	82.1	
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: MAIN KITCHEN Temp. Reading Location: BAKERY
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/14	0300		
	0600	76.5	Ech
	0900	77.1	Ech
	1200	78.1	Ech
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/15	0300		
	0600	74.0	Ech
	0900	75.9	Ech
	1200	77.4	Ech
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/16	0300		
	0600	74.2	Ech
	0900	74.4	Ech
	1200	76.1	Ech
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/17	0300		
	0600	75.1	Ech
	0900	76.3	Ech
	1200	77.4	Ech
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/18	0300	75.1	Valeen
	0600	75.1	Valeen
	0900	77.2	Valeen
	1200	78.3	Valeen
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: Main Kitchen Temp. Reading Location: Bakery
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>7/22</u>	0300		
	0600	74.1	Downey
	0900	75.9	Downey
	1200	76.3	Downey
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
<u>7/23</u>	0300		
	0600	76.3	Downey
	0900	75.9	Downey
	1200	77.4	Downey
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
<u>7/24</u>	0300		
	0600	74.2	Downey
	0900	74.4	Downey
	1200	70.1	Downey
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
<u>7/25</u>	0300		
	0600	75.1	Downey
	0900	76.3	Downey
	1200	77.4	Downey
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
<u>7/26</u>	0300		
	0600	75.1	Downey
	0900	77.2	Downey
	1200	78.3	Downey
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Sac Housing Unit: Main Kitchen Temp. Reading Location: Bakery
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		
	0600	74.8	Abres
	0900	76.1	Abres
	1200	78.3	Abres
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300		
	0600	75.1	Abres
	0900	76.9	Abres
	1200	77.8	Abres
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/30	0300		
	0600	71.2	Almanza
	0900	75.4	Almanza
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Sac Housing Unit: Main K. tower Temp. Reading Location: Bakery
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
7/29	0600	74.8	Afrees
	0900	76.1	Afrees
	1200	78.3	Afrees
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
7/30	0600	75.1	Afrees
	0900	76.9	Afrees
	1200	77.8	Afrees
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
7/30	0600	71.2	Almanza
	0900	75.4	Almanza
	1200	77.4	Spore
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: LAUNDRY
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7.1	0300	86.2	<u>S. Dennis</u>
	0600	82.6	<u>S. Dennis</u>
	0900	84.1	<u>S. Dennis</u>
	1200	88.5	<u>Abres</u>
	1500	91.12	<u>Abres</u>
	1800	92.7	<u>Abres</u>
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7.2	0300	88.9	<u>S. Dennis</u>
	0600	85.1	<u>S. Dennis</u>
	0900	84.0	<u>S. Dennis</u>
	1200	88.3	<u>Poole</u>
	1500	92.7	<u>Abres</u>
	1800	93.6	<u>Abres</u>
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7.3	0300	89.1	<u>S. Dennis</u>
	0600	84.6	<u>S. Dennis</u>
	0900	84.2	<u>S. Dennis</u>
	1200	85.6	<u>Abres</u>
	1500	93.0	<u>Abres</u>
	1800	94.8	<u>Abres</u>
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7.4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7.5	0300	87.5	<u>GUTIERREZ</u>
	0600	84.6	<u>GUTIERREZ</u>
	0900	86.4	<u>GUTIERREZ</u>
	1200	90.3	<u>GUTIERREZ</u>
	1500	93.5	<u>Abres</u>
	1800	94.8	<u>Abres</u>
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

- * Called Supervisor on 7/2 @ 1500 hours 92.7 No inmates
- * 7/3 Supervisor contacted 93.1 0400 No inmates
- * 7/5 Temp @ 90.0 @ 1300
Inmates were leaving - OPTION TO LEAVE
Notified Supervisor of Temp
* NO INMATES AFTER 1430

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: LAUNDRY

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7.7	0300	79.9	St Dennis
	0600	80.1	St Dennis
	0900	81.4	St Dennis
	1200	84.1	Ech
	1500	93.6	DAVIS
	1800	93.7	DAVIS
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7.9	0300	85.2	St Dennis
	0600	87.9	St Dennis
	0900	88.1	St Dennis
	1200	84.6	Ech
	1500	96.1	Ech
	1800	88.6	Ech
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7.10	0300	86.1	St Dennis
	0600	87.1	St Dennis
	0900	83.8	St Dennis
	1200	86.4	DAVIS
	1500	91.0	DAVIS
	1800	92.5	DAVIS
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7.11	0300	88.5	St Dennis
	0600	86.9	St Dennis
	0900	87.1	St Dennis
	1200	89.6	Ech
	1500	92.2	Ech
	1800	93.1	Ech
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7.12	0300	90.5	St Dennis
	0600	88.0	St Dennis
	0900	87.6	St Dennis
	1200	92.0	Ech
	1500	93.6	Ech
	1800	95.1	Ech
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

7/8 Temp 93.6 No inmates
 7/12 Temp 92.0 - NOTIFIED SGT.
 7/10/20 - 7/12/20 NO 14415 AFTER 1930

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: LAUNDRY
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7.15	0300	86.2	S. Dennis
	0600	85.6	S. Dennis
	0900	87.3	S. Dennis
	1200	83.2	Ech
	1500	83.4	Ech
	1800	86.1	Ech
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7.16	0300	84.9	S. Dennis
	0600	89.9	S. Dennis
	0900	87.8	S. Dennis
	1200	82.4	Ech
	1500	85.6	Ech
	1800	84.1	Ech
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7.17	0300	89.2	S. Dennis
	0600	85.6	S. Dennis
	0900	87.3	S. Dennis
	1200	78.9	Ech
	1500	82.4	Ech
	1800	81.8	Ech
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7.18	0300	83.3	S. Dennis
	0600	80.2	S. Dennis
	0900	82.6	S. Dennis
	1200	82.2	A. Abres
	1500	90.5	A. Abres
	1800	91.8	A. Abres
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7.19	0300	87.3	S. Dennis
	0600	82.8	S. Dennis
	0900	84.5	S. Dennis
	1200	84.9	A. Abres
	1500	91.6	A. Abres
	1800	93.4	A. Abres
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7.20	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7.21	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

7/19 - Temp @ 91.6 @ 1500
Called Sat. No Inmates
in work area

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: LAUNDRY
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
22	0300	87.3	Dennis
	0600	83.8	Dennis
	0900	88.2	Dennis
	1200	88.0	Fogle
	1500	92.0	Harris
	1800	93.1	Jau. I
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
23	0300	89.9	Dennis
	0600	89.9	Dennis
	0900	88.2	Dennis
	1200	91.8	Aires
	1500	95.5	Aires
	1800	97.5	Aires
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
24	0300	92.8	TAYLOR
	0600	90.7	TAYLOR
	0900	86.2	TAYLOR
	1200	86.4	Aires
	1500	93.9	Aires
	1800	94.6	Aires
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
25	0300	83.1	m. cabrus
	0600	83.3	m. cabrus
	0900	85.1	m. cabrus
	1200	86.2	m. cabrus
	1500	94.3	Aires
	1800	91.6	Aires
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
26	0300	83.3	VALENT
	0600	84.1	VALENT
	0900	88.2	VALENT
	1200	89.1	VALENT
	1500	91.8	DAVIS
	1800	91.0	DAVIS
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
27	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
28	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

- 7/23 - No inmates
- 7/24 - C. LASAR NOTIFIED LT - NOT ALLOWED TO HAVE
- 7/24 - NO INMATES
- Called 587 @ 1500
- 7/25 NO INMATES
- 7/26 NOTIFIED WATCH COMMANDER
Central tower + watch office

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: LAUNDRY
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
129	0300	81.5	St Dennis
	0600	76.1	St Dennis
	0900	77.2	St Dennis
	1200	78.8	Abres
	1500	85.1	Karla
	1800	86.7	Abres
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
30	0300	81.7	St Dennis
	0600	78.1	St Dennis
	0900	79.1	St Dennis
	1200	82.2	Abres
	1500	83.3	Abres
	1800	88.9	Abres
	2100	84	
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
31	0300	87.8	St Dennis
	0600	79.5	St Dennis
	0900	80.1	St Dennis
	1200	82.4	Abres
	1500	86.9	Abres
	1800	89.6	Abres
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: MK Pantry
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-1	0300		
	0600	77.4	Fogle
	0900	78.3	Fogle
	1200	81.1	Fogle
	1500	82.5	Fogle
	1800	85.2	Fogle
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7-2	0300		
	0600	82.9	D. M-L
	0900	81.5	D. M-L
	1200	82	G. PREMOCK
	1500	83	G. PREMOCK
	1800	84	G. PREMOCK
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-3	0300		
	0600	85.6	D. M-L
	0900	82.5	D. M-L
	1200	81.1	D. M-L
	1500	85	CHILD
	1800	87	CHILD
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7-4	0300		
	0600	82	D. M-L
	0900	84	D. M-L
	1200	86	PREMOCK
	1500	89	PREMOCK
	1800	81	PREMOCK
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7-5	0300		
	0600	83.2	Fogle
	0900	85.4	Fogle
	1200	86.8	Fogle
	1500	88.4	Fogle
	1800	89.1	Fogle
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7-6	0300		
	0600	79	CANO
	0900	82	CANO
	1200	85.3	Dominguez
	1500	91.2	Dominguez
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7-7	0300		
	0600	84.2	T. Richard
	0900	89.0	T. Richard
	1200	88.1	T. Richard
	1500	88.5	T. Richard
	1800	89.0	T. Richard
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: MK Pantry
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5500 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8	0300		
	0600	82.1	Fogle
	0900	83.7	Fogle
	1200	85.3	Fogle
	1500	88.9	Fogle
	1800	87.1	Fogle
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7-9	0300		
	0600	82.4	P. Mink
	0900	83.0	D. Mink
	1200	83.2	Fogle
	1500	83.7	Fogle
	1800	84.1	Fogle
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-10	0300		
	0600	80	ZARAGORA
	0900	81	ZARAGORA
	1200	82.9	Dominguez
	1500	84.3	Dominguez
	1800	88.4	Dominguez
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7-11	0300		
	0600	80	ZARAGORA
	0900	84	ZARAGORA
	1200	90	PREMOCK
	1500	91	PREMOCK
	1800	90	PREMOCK
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7-12	0300		
	0600	82	ZARAGORA
	0900	83	ZARAGORA
	1200	84.6	Dominguez
	1500	91.0	Dominguez
	1800	91.4	Dominguez
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7-13	0300		
	0600	84	ZARAGORA
	0900	84	ZARAGORA
	1200	86	DOSA
	1500	88	DOSA
	1800	88	DOSA
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7-14	0300		
	0600	80	ZARAGORA
	0900	84	ZARAGORA
	1200	85	DOSA
	1500	86	DOSA
	1800	88	DOSA
	2100		
	2400		

Notes

7-12 No inmates present

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: MK Pantry
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-15	0300		
	0600	77.7	Fogie
	0900	78.3	Fogie
	1200	79.7	Fogie
	1500	80.1	Fogie
	1800	79.7	Fogie
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7-16	0300		
	0600	75.4	D. Min
	0900	74.5	D. Min
	1200	78.5	D. Min
	1500	79.3	Fogie
	1800	77.8	Fogie
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-17	0300		
	0600	76	ZANACOSTA
	0900	78	ZANACOSTA
	1200	82.4	Dominique
	1500	85.8	Dominique
	1800	87.3	Dominique
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7-18	0300		
	0600	81	ZANACOSTA
	0900	84	ZANACOSTA
	1200	87	PROMOC
	1500	89	PROMOC
	1800	90	PROMOC
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7-19	0300		
	0600	83	ZANACOSTA
	0900	85	Zanacosta
	1200	86	Zanacosta
	1500	87	ZROSE
	1800	88	ZROSE
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7-20	0300		
	0600	74	ZANACOSTA
	0900	75	ZANACOSTA
	1200	78.9	ZANACOSTA
	1500	81.2	ALFRED
	1800	81.89	ALFRED
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7-21	0300		
	0600	80	ZANACOSTA
	0900	83	ZANACOSTA
	1200	84	Unwalled
	1500	81	Unwalled
	1800	81	Unwalled
	2100		
	2400		

Notes

7-20 1500 no inmate

7-20 1800 no inmate

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: MK Pantry
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>7/22</u>	0300		
	0600	78.6	Fogle
	0900	82.4	Fogle
	1200	85.1	Fogle
	1500	86.4	Fogle
	1800	87.2	Fogle
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
<u>7/23</u>	0300		
	0600	88.3	D. Mc
	0900	87.4	D. Mc
	1200	86.2	De Wees
	1500	87	De Wees
	1800	88.9	De Wees
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
<u>7/24</u>	0300		
	0600	85	ZANACRA
	0900	88	ZANACRA
	1200	89	CHILD
	1500	87	CHILD
	1800	86	CHILD
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
<u>7/25</u>	0300		
	0600	81.3	Fogel
	0900	82.6	Fogel
	1200	83	PHOENIX
	1500	84	PHOENIX
	1800	86	PHOENIX
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
<u>7/26</u>	0300		
	0600	80	ZANACRA
	0900	83	ZANACRA
	1200	86	Granderson
	1500	87	Granderson
	1800	85	Granderson
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
<u>7/27</u>	0300		
	0600	78	ZANACRA
	0900	81	ZANACRA
	1200	81	Granderson
	1500		Granderson
	1800		Granderson
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
<u>7/28</u>	0300		
	0600	77	ZANACRA
	0900	79	ZANACRA
	1200	77	Granderson
	1500	77	Granderson
	1800		Granderson
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: Pantry
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300		
	0600	82.1	Fogle
	0900	76.4	Fogle
	1200	82.7	Fogle
	1500	83.7	Fogle
	1800	84.1	Fogle
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300		
	0600	83.5	D. Mck
	0900	84.0	D. Mck
	1200	84.3	Fogle
	1500	85.1	Fogle
	1800	86.0	Fogle
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300		
	0600	78	ZARAZENA
	0900	80	ZARAZENA
	1200	82	CAZID
	1500	84	CAZID
	1800	86	CAZID
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONAL REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g. top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: STR H

Temp. Reading Location: A-14

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5319 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	70	AVILA
	0600	71	CHAVEZ
	0900	71	CHAVEZ
	1200	72	CHAVEZ
	1500	70	R. CHAVEZ
	1800	70	R. CHAVEZ
	2100	70	R. CHAVEZ
	2400	71	TURNER

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	71	TURNER
	0600	71	AKIN
	0900	71	AKIN
	1200	73	AKIN
	1500	71	R. CHAVEZ
	1800	70	R. CHAVEZ
	2100	70	R. CHAVEZ
	2400	70	R. CHAVEZ

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	70.7	AKIN
	0600	71	AKIN
	0900	71	AKIN
	1200	71	AKIN
	1500	72	AKIN
	1800	70	AKIN
	2100	70	AKIN
	2400	68	AKIN

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	68	CHACON
	0600	72	CHACON
	0900	73	CHACON
	1200	75	CHACON
	1500	71.5	Chacon
	1800	72.5	Chacon
	2100	71	Chacon
	2400	69	Chacon

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	73	AVILA
	0600	70.5	neborey
	0900	70.7	neborey
	1200	72.4	neborey
	1500	72	CHAVEZ
	1800	72	CHAVEZ
	2100	70	YORK
	2400	69	YORK

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	68	Storch
	0600	72	Storch
	0900	72	Storch
	1200	73	Storch
	1500	72	R. CHAVEZ
	1800	71	R. CHAVEZ
	2100	71	R. CHAVEZ
	2400	70	Storch

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	67	Storch
	0600	70.7	neborey
	0900	71.4	neborey
	1200	73.7	neborey
	1500	73	Chacon
	1800	71.6	Chacon
	2100	72.9	Chacon
	2400	73	AVILA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SP-SAC Housing Unit: STR H Temp. Reading Location: A - H
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8 2021	0300	69.5	YORK ✓
	0600	71	AKIN ✓
	0900	72	AKIN ✓
	1200	72	AKIN ✓
	1500	70	R. CHAVEZ ✓
	1800	70	R. CHAVEZ ✓
	2100	70	R. CHAVEZ ✓
	2400	70	STICKEL ✓

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	68	STICKEL ✓
	0600	71	AKIN ✓
	0900	71	AKIN ✓
	1200	70	AKIN ✓
	1500	70	R. CHAVEZ ✓
	1800	71	R. CHAVEZ ✓
	2100	71.6	R. CHAVEZ ✓
	2400	72	STICKEL ✓

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	72	STICKEL ✓
	0600	70	AKIN ✓
	0900	70	AKIN ✓
	1200	71	AKIN ✓
	1500	70.5	MUSK ✓
	1800	70.5	MUSK ✓
	2100	70.2	STICKEL ✓
	2400	72	STICKEL ✓

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	68	STICKEL ✓
	0600	71	AKIN ✓
	0900	72	AKIN ✓
	1200	73	AKIN ✓
	1500	71	R. CHAVEZ ✓
	1800	71	R. CHAVEZ ✓
	2100	71	R. CHAVEZ ✓
	2400	71	MUSK

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	71	MUSK ✓
	0600	71	HOLLES ✓
	0900	70.2	HOLLES ✓
	1200	73.4	HOLLES ✓
	1500	72.2	B. CHACON
	1800	72.5	B. CHACON
	2100	72.5	B. CHACON
	2400	72.5	MUSK ✓

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	72.5	MUSK ✓
	0600	70.1	NEBONY ✓
	0900	71.1	NEBONY ✓
	1200	71.6	NEBONY ✓
	1500	71.5	B. CHACON ✓
	1800	71.5	B. CHACON ✓
	2100	71.8	B. CHACON ✓
	2400	71.8	YORK ✓

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	76	YORK ✓
	0600	70.4	YORK ✓
	0900	70.2	NEBONY ✓
	1200	71.5	NEBONY ✓
	1500	71	R. CHAVEZ ✓
	1800	71	R. CHAVEZ ✓
	2100	71	R. CHAVEZ ✓
	2400	70.7	YORK ✓

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: (SIP)-SAC Housing Unit: SIX Temp. Reading Location: A-H
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
<u>7/15</u>	0300	70.6	YORK	<u>7/16</u>	0300	74	LATCHUM	<u>7/17</u>	0300	69	STICKEL	<u>7/18</u>	0300	69	STICKEL	<u>7/19</u>	0300	68	STICKEL	<u>7/20</u>	0300	66	STICKEL
	0600	75.7	Cousin J		0600	73	AKIN		0600	72	AKIN		0600	72	AKIN		0600	72	AKIN		0600	71.5	ROBROY
	0900	77.5	Cousin J		0900	73	AKIN		0900	72	AKIN		0900	72	AKIN		0900	71.5	ROBROY		0900	71.5	ROBROY
	1200	70	Cousin J		1200	73	AKIN		1200	72	AKIN		1200	72	AKIN		1200	72	AKIN		1200	72.5	ROBROY
	1500	71	R. CHAVEZ		1500	73	R. CHAVEZ		1500	72	R. CHAVEZ												
	1800	74	R. chavez		1800	73	R. chavez		1800	72	R. chavez												
	2100	73	R. richard		2100	73	R. richard		2100	72	R. richard												
	2400	74	Lo Adam		2400	70	Sticks		2400	71	YORK												
Wednesday				Thursday				Friday				Saturday				Notes							
<u>7/17</u>	0300	69	Sticks	<u>7/18</u>	0300	69	Sticks	<u>7/19</u>	0300	68	Sticks	<u>7/20</u>	0300	66	Sticks								
	0600	72	AKIN																				
	0900	72	AKIN																				
	1200	72	AKIN																				
	1500	72.7	M. B.		1500	72	R. CHAVEZ		1500	72	R. CHAVEZ		1500	72	R. CHAVEZ								
	1800	72.7	M. B.		1800	72	R. CHAVEZ		1800	72	R. CHAVEZ		1800	72	R. CHAVEZ								
	2100	72.5	M. B.		2100	72	R. CHAVEZ		2100	72	R. CHAVEZ		2100	72	R. CHAVEZ								
	2400	70	Sticks																				

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: STRH Temp. Reading Location: A/H
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	71.1	Yome
	0600	71.1	Akin
	0900	73	Akin
	1200	74	Akin
	1500	77	R. Chavez
	1800	73	R. Chavez W
	2100	73	R. Chavez
	2400	70	Stacker

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	68	Stacker
	0600	74	Akin
	0900	74	Akin
	1200	74	Akin
	1500	75	R. Chavez
	1800	75	R. Chavez
	2100	76	R. Chavez
	2400	73	Stacker

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	73	Stacker
	0600	74	Akin
	0900	75	Akin
	1200	75	Akin
	1500	75.5	Mills
	1800	75.5	Mills
	2100	75.5	Mills
	2400	73	Stacker

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	73	Stacker
	0600	73	Akin
	0900	74	Akin
	1200	75	Akin
	1500	75	Chavez
	1800	75	Chavez
	2100	75	Chavez
	2400	70	Stacker

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	67	Stacker
	0600	75	Akin
	0900	75	Akin
	1200	76	Akin
	1500	77.2	B. Chacon M
	1800	77.2	B. Chacon
	2100	77.2	B. Chacon
	2400	77.2	Stacker

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	66.4	Stacker
	0600	66.4	Norway
	0900	66.4	Norway
	1200	67.0	Norway
	1500	68.2	B. Chacon
	1800	67.3	B. Chacon
	2100	67.3	B. Chacon
	2400	66	Yome

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	65.1	Yome J
	0600	65.7	Norway J
	0900	65.7	Norway
	1200	66.4	Norway
	1500	67.	R.C
	1800	66.6	R.C
	2100	66.4	R.C
	2400	66.1	Yome W

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

ATTACHMENT F
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: STRH Temp. Reading Location: A - H
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>7/29</u>	0300	67.2	Yome <u>W</u>
	0600	68.4	Akin
	0900	68.9	Akin <u>S</u>
	1200	69.1	Akin
	1500	69.4	R. CHAVEZ <u>H</u>
	1800	70.1	R. CHAVEZ <u>H</u>
	2100	70.0	R. CHAVEZ <u>H</u>
	2400	69.1	Yome

Tuesday

Date	Time	Temp.	Name (Print)
<u>7/30</u>	0300	69.0	Yome <u>W</u>
	0600	70.2	Akin <u>S</u>
	0900	70.5	Akin
	1200	70.5	Akin
	1500	71.2	R. CHAVEZ <u>M</u>
	1800	71.5	R. CHAVEZ <u>M</u>
	2100	71.1	R. CHAVEZ <u>M</u>
	2400	70	Musk

Wednesday

Date	Time	Temp.	Name (Print)
<u>7/31</u>	0300	70.3	Musk <u>J</u>
	0600	71.1	Akin <u>J</u>
	0900	71.2	Akin <u>J</u>
	1200	72.1	Akin <u>J</u>
	1500	73.0	R. CHAVEZ <u>H</u>
	1800	73.2	R. CHAVEZ <u>H</u>
	2100	72.5	R. CHAVEZ <u>H</u>
	2400	70.9	Musk

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: TOOL ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/1	0300		
	0600	78	Hayden
	0900	77	Hayden
	1200	79	GUTIERREZ
	1500	81	GUTIERREZ
	1800	81	GUTIERREZ
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
7/2	0300		
	0600	79	PROMOC
	0900	80	PROMOC
	1200	81	GUTIERREZ
	1500	82	GUTIERREZ
	1800	82	GUTIERREZ
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
7/3	0300		
	0600	80	PROMOC
	0900	80	PROMOC
	1200	81	GUTIERREZ
	1500	82	GUTIERREZ
	1800	82	GUTIERREZ
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
7/4	0300		
	0600	81	PROMOC
	0900	82	PROMOC
	1200	82	GUTIERREZ
	1500	83	GUTIERREZ
	1800	83	GUTIERREZ
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
7/5	0300		
	0600	88	PROMOC
	0900	88	PROMOC
	1200	89	PROMOC
	1500	89	PROMOC
	1800	89	PROMOC
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
7/6	0300		
	0600	84	PROMOC
	0900	84	PROMOC
	1200	74	J. HERRERA
	1500	75	J. HERRERA
	1800	77	J. HERRERA
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
7/7	0300		
	0600	81	ROMANET
	0900	81	ROMANET
	1200	81	ROMANET
	1500	82	GUTIERREZ
	1800	83	GUTIERREZ
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: TOOL ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/18	0300		
	0600	80	W-Melvin
	0900	79.8	W-Melvin
	1200	80.1	S. Zajdel
	1500	81.2	S. Zajdel
	1800	81.7	S. Zajdel
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
7/19	0300		
	0600	80.3	Fog 4
	0900	81.2	Fog 4
	1200	86.8	Reynolds
	1500	82	Reynolds
	1800	80	Reynolds
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
7/20	0300		
	0600	80.1	Fog 4
	0900	81.2	Fog 4
	1200	75	Reynolds
	1500	75	Reynolds
	1800	75	Reynolds
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
7/21	0300		
	0600	81	PREMOK
	0900	81	PREMOK
	1200	81	J. ABUSSA.
	1500	82.6	J. ABUSSA.
	1800	83.2	J. ABUSSA.
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
7/22	0300		
	0600	81	PREMOK
	0900	81	PREMOK
	1200	82	PREMOK
	1500	84	PREMOK
	1800	84	PREMOK
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
7/23	0300		
	0600	81	PREMOK
	0900	81	PREMOK
	1200	80	Hayden
	1500	82	Hayden
	1800	82	Hayden
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
7/24	0300		
	0600	80	Hayden
	0900	79	Hayden
	1200	78	Herrera
	1500	79.7	Herrera
	1800	81.0	Herrera
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: TOOL ROOM
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7/15	0300		
	0600	78	Hayden
	0900	77	Hayden
	1200	79	GUTIERREZ
	1500	81	GUTIERREZ
	1800	81	GUTIERREZ
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
7/16	0300		
	0600	76	Foylo
	0900	77	Foylo
	1200	78	GUTIERREZ
	1500	79	GUTIERREZ
	1800	78	GUTIERREZ
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
7/17	0300		
	0600	74	PRENICK
	0900	74	PRENICK
	1200	77	GUTIERREZ
	1500	78	GUTIERREZ
	1800	78	GUTIERREZ
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
7/18	0300		
	0600	76	PRENICK
	0900	76	PRENICK
	1200	77	GUTIERREZ
	1500	78	GUTIERREZ
	1800	78	GUTIERREZ
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
7/19	0300		
	0600	80	PRENICK
	0900	80	PRENICK
	1200	80	PRENICK
	1500	80	PRENICK
	1800	80	PRENICK
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
7/20	0300		
	0600	80	PRENICK
	0900	79	PRENICK
	1200	80	W.Williams
	1500	81	W.Williams
	1800	80	W.Williams
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
7/21	0300		
	0600	78	Hayden
	0900	77	Hayden
	1200	79	GUTIERREZ
	1500	79	GUTIERREZ
	1800	80	GUTIERREZ
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: TOOL ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
7/22	0600	78	Hayden
	0900	78	Hayden
	1200	79	GUTIERREZ
	1500	80	GUTIERREZ
	1800	80	GUTIERREZ
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
7/23	0600	80.5	Toole
	0900	81.4	Toole
	1200	81.5	GUTIERREZ
	1500	81.6	GUTIERREZ
	1800	81.7	GUTIERREZ
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
7/24	0600	81.9	Toole
	0900	81.7	Toole
	1200	81.8	GUTIERREZ
	1500	82.0	GUTIERREZ
	1800	82.9	GUTIERREZ
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
7/25	0600	80	PRIMACK
	0900	81	PRIMACK
	1200	80.5	GUTIERREZ
	1500	81.1	GUTIERREZ
	1800	81	GUTIERREZ
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
7/26	0600	79	PRIMACK
	0900	80	PRIMACK
	1200	81	PRIMACK
	1500	81	PRIMACK
	1800	81	PRIMACK
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
7/27	0600	75	PRIMACK
	0900	74	PRIMACK
	1200	75	Hayden
	1500	76	Hayden
	1800	76	Hayden
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
7/28	0600	73	Hayden
	0900	72	Hayden
	1200	73	Hayden
	1500	74	Hayden
	1800	75	Hayden
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: TOOL ROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
7/29	0300		
	0600	73	Hayden
	0900	73	Hayden
	1200	74.6	GUTIERREZ
	1500	73.7	GUTIERREZ
	1800	73.8	GUTIERREZ
	2100		
	2400		

Date	Time	Temp.	Name (Print)
7/30	0300		
	0600	73.7	Pogre
	0900	74.0	Pogre
	1200	74	GUTIERREZ
	1500	75	GUTIERREZ
	1800	76	GUTIERREZ
	2100		
	2400		

Date	Time	Temp.	Name (Print)
7/31	0300		
	0600	73.4	Pogre
	0900	74.3	Pogre
	1200	75	GUTIERREZ
	1500	76	GUTIERREZ
	1800	77	GUTIERREZ
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes			

Heat Incident Log			
Institution:	CSP SAC	Date:	1/8/2024
1. Patient Name:		Number of Heat Incidents:	(1)
MHSDS Designation:	EOP	CDCR#:	
Location of Incident:		Housing:	
List of Heat Risk Medications:	Olanzapine		
Chief Medical Complaint:	Dehydration		
Diagnosis of Heat Related Illness (specify):	Dehydration		
Treatment Rendered:	Vital assessment, oral rehydration.		
Medication Changes Made:	N/A		
Ultimate Disposition of Patient:	return to custody		
Clinician's Name and Title:	J. King SPN 11 8/13/24		
2. Patient Name:		CDCR#:	Housing:
MHSDS Designation:		Level of Care:	Date of Heat Incident:
Location of Incident:		Change in Level of Care:	
List of Heat Risk Medications:			
Chief Medical Complaint:			
Diagnosis of Heat Related Illness (specify):			
Treatment Rendered:			
Medication Changes Made:			
Ultimate Disposition of Patient:			
Clinician's Name and Title:			
3. Patient Name:		CDCR#:	Housing:
MHSDS Designation:		Level of Care:	Date of Heat Incident:
Location of Incident:		Change in Level of Care:	
List of Heat Risk Medications:			
Chief Medical Complaint:			
Diagnosis of Heat Related Illness (specify):			
Treatment Rendered:			
Medication Changes Made:			
Ultimate Disposition of Patient:			
Clinician's Name and Title:			

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Institution:	CSP SAC	Date:	7/10/2024	Number of Heat Incidents:	(1)
1. Patient Name:	[REDACTED]	CDCR#:	[REDACTED]	Housing:	[REDACTED]
MHSDS Designation:	ACUTE	Level of Care:	INPATIENT	Date of Heat Incident:	7/10/24
Location of Incident:	[REDACTED]	Change in Level of Care:	NON URGENT TRANSFER		
List of Heat Risk Medications:	NOT ON HEAT MED LIST.				
Chief Medical Complaint:	DEHYDRATION				
Diagnosis of Heat Related Illness (specify):	PER STETH: HX OF Rhabdomyolysis AMA.				
Treatment Rendered:	NON COMPLIANCE W/ VS & ASSESSMENT, REFUSING LABS & FLUIDS.				
Medication Changes Made:	N/A				
Ultimate Disposition of Patient:	NON URGENT TRANSFER TO TDOC (STETH)				
Clinician's Name and Title:	JUNG SPN II 8/13/24				
2. Patient Name:	[REDACTED]		CDCR#:	Housing:	
MHSDS Designation:	[REDACTED]		Level of Care:	Date of Heat Incident:	
Location of Incident:	[REDACTED]		Change in Level of Care:	[REDACTED]	
List of Heat Risk Medications:	[REDACTED]				
Chief Medical Complaint:	[REDACTED]				
Diagnosis of Heat Related Illness (specify):	[REDACTED]				
Treatment Rendered:	[REDACTED]				
Medication Changes Made:	[REDACTED]				
Ultimate Disposition of Patient:	[REDACTED]				
Clinician's Name and Title:	[REDACTED]				
3. Patient Name:	[REDACTED]		CDCR#:	Housing:	
MHSDS Designation:	[REDACTED]		Level of Care:	Date of Heat Incident:	
Location of Incident:	[REDACTED]		Change in Level of Care:	[REDACTED]	
List of Heat Risk Medications:	[REDACTED]				
Chief Medical Complaint:	[REDACTED]				
Diagnosis of Heat Related Illness (specify):	[REDACTED]				
Treatment Rendered:	[REDACTED]				
Medication Changes Made:	[REDACTED]				
Ultimate Disposition of Patient:	[REDACTED]				
Clinician's Name and Title:	[REDACTED]				

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log			
Institution:	CSP ISAC.	Date:	7/11/2024
1. Patient Name:	[REDACTED]	Number of Heat Incidents:	(1)
MHSDS Designation:	ACUTE	Level of Care:	INPATIENT
Location of Incident:	[REDACTED]	Change in Level of Care:	Urgent transfer
List of Heat Risk Medications:	NOT ON HEAT MED LIST.		
Chief Medical Complaint:	Dehydration, possible rhabdomyolysis, ALDC.		
Diagnosis of Heat Related Illness (specify):	Mild dehydration & psychosis.		
Treatment Rendered:	Non compliance, unable to obtain IV, administered Alivah.		
Medication Changes Made:	N/A		
Ultimate Disposition of Patient:	Urgent transfer TO HLOC (Mercy Folsom)		
Clinician's Name and Title:	J. King (RN) 8/13/24		
2. Patient Name:	[REDACTED]	CDCR#:	Housing:
MHSDS Designation:	[REDACTED]	Level of Care:	[REDACTED]
Location of Incident:	Change in Level of Care:		
List of Heat Risk Medications:			
Chief Medical Complaint:			
Diagnosis of Heat Related Illness (specify):			
Treatment Rendered:			
Medication Changes Made:			
Ultimate Disposition of Patient:			
Clinician's Name and Title:			
3. Patient Name:	[REDACTED]	CDCR#:	Housing:
MHSDS Designation:	[REDACTED]	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:		
List of Heat Risk Medications:			
Chief Medical Complaint:			
Diagnosis of Heat Related Illness (specify):			
Treatment Rendered:			
Medication Changes Made:			
Ultimate Disposition of Patient:			
Clinician's Name and Title:			

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Institution:	Date:	Number of Heat Incidents:	
CSP (COTC)	7/12/24	(3)	
1. Patient Name:		CDCR#:	Housing:
MHSDS Designation:	TOP	Level of Care:	Outpatient
Location of Incident:		Change in Level of Care:	N/A
List of Heat Risk Medications:	Clorazapine		
Chief Medical Complaint:	Nausea & vomiting, tachycardia		
Diagnosis of Heat Related Illness (specify):	Nausea & vomiting		
Treatment Rendered:	Peripheral IV, IV fluids, Zofran, labs, vs assessment		
Medication Changes Made:	N/A		
Ultimate Disposition of Patient:	return to custody		
Clinician's Name and Title:	J. King (RN) 7/12/24		
2. Patient Name:		CDCR#:	Housing:
MHSDS Designation:	TOP	Level of Care:	Outpatient
Location of Incident:		Change in Level of Care:	N/A
List of Heat Risk Medications:	NOT ON heat med. list.		
Chief Medical Complaint:	Dizziness		
Diagnosis of Heat Related Illness (specify):	Dizziness likely from dehydration		
Treatment Rendered:	vs assessment, peripheral IV, NF, oral rehydration		
Medication Changes Made:	N/A		
Ultimate Disposition of Patient:	return to custody		
Clinician's Name and Title:	J. King 7/12/24		
3. Patient Name:		CDCR#:	Housing:
MHSDS Designation:	TOP	Level of Care:	Outpatient
Location of Incident:		Change in Level of Care:	N/A
List of Heat Risk Medications:	Quetiapine		
Chief Medical Complaint:	Dizziness		
Diagnosis of Heat Related Illness (specify):	Dizziness		
Treatment Rendered:	vs assessment, oral rehydration		
Medication Changes Made:	N/A		
Ultimate Disposition of Patient:	return to custody		
Clinician's Name and Title:	J. King 7/12/24		

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log			
Institution:	CSP SAC	Date:	7/13/24
1. Patient Name:	[REDACTED]	Number of Heat Incidents:	①
MHSDS Designation:	TDP	Level of Care:	Outpatient
Location of Incident:	[REDACTED]	Change in Level of Care:	N/A
List of Heat Risk Medications:	NOT ON heat med. list.		
Chief Medical Complaint:	Nausea & Vomiting		
Diagnosis of Heat Related Illness (specify):	Nausea & Vomiting		
Treatment Rendered:	VS assessment, peripheral IV, 20fan.		
Medication Changes Made:	N/A		
Ultimate Disposition of Patient:	return to custody 11/13/24		
Clinician's Name and Title:	J. King (RN) 8/13/24		
2. Patient Name:	[REDACTED]	CDCR#:	Housing:
MHSDS Designation:	[REDACTED]	Level of Care:	[REDACTED]
Location of Incident:	Change in Level of Care:		
List of Heat Risk Medications:			
Chief Medical Complaint:			
Diagnosis of Heat Related Illness (specify):			
Treatment Rendered:			
Medication Changes Made:			
Ultimate Disposition of Patient:			
Clinician's Name and Title:			
3. Patient Name:	[REDACTED]	CDCR#:	Housing:
MHSDS Designation:	[REDACTED]	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:		
List of Heat Risk Medications:			
Chief Medical Complaint:			
Diagnosis of Heat Related Illness (specify):			
Treatment Rendered:			
Medication Changes Made:			
Ultimate Disposition of Patient:			
Clinician's Name and Title:			

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log			
Institution:	CSP SOC	Date:	7/14/24
1. Patient Name:	[REDACTED]	Number of Heat Incidents:	(2)
MHSDS Designation:	FOD	CDCR#:	[REDACTED]
Location of Incident:	[REDACTED]	Housing:	[REDACTED]
List of Heat Risk Medications:	NOT ON HEAT MED. LIST		
Chief Medical Complaint:	DIZZINESS, HYPOTENSION		
Diagnosis of Heat Related Illness (specify):	PER HLOC: SYNCOPE		
Treatment Rendered:	VS ASSESSMENT, PERIPHERAL IV, INF x 2, TRANSFER TO HLOC.		
Medication Changes Made:	N/A		
Ultimate Disposition of Patient:	Urgent transfer to HLOC (SJETT → SUTTER Roseville).		
Clinician's Name and Title:	J. Kind (CPN) [REDACTED]	8/13/24	
2. Patient Name:	[REDACTED]	CDCR#:	[REDACTED]
MHSDS Designation:	FOD	Level of Care:	OUTPATIENT
Location of Incident:	[REDACTED]	Date of Heat Incident:	7/14/24
List of Heat Risk Medications:	ABILIFY		
Chief Medical Complaint:	DIZZINESS, DEHYDRATION		
Diagnosis of Heat Related Illness (specify):	DIZZINESS, POSITIVE ORTHOSTATICS		
Treatment Rendered:	VS ASSESSMENT, PERIPHERAL IV, INF x 2		
Medication Changes Made:	N/A		
Ultimate Disposition of Patient:	RETURN TO CUSTODY		
Clinician's Name and Title:	"	"	
3. Patient Name:	[REDACTED]	CDCR#:	[REDACTED]
MHSDS Designation:	[REDACTED]	Level of Care:	
Location of Incident:	[REDACTED]	Date of Heat Incident:	
List of Heat Risk Medications:			
Chief Medical Complaint:			
Diagnosis of Heat Related Illness (specify):			
Treatment Rendered:			
Medication Changes Made:			
Ultimate Disposition of Patient:			
Clinician's Name and Title:			

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log			
Institution:	COP (CAC)	Date:	7/15/24
1. Patient Name:	[REDACTED]	Number of Heat Incidents:	①
MHSDS Designation:	PAP	Level of Care:	Outpatient
Location of Incident:	[REDACTED]	Change in Level of Care:	N/A
List of Heat Risk Medications:	NOT ON HEAT MED LIST		
Chief Medical Complaint:	DIZZINESS (SLP WORKOUT ON YARD)		
Diagnosis of Heat Related Illness (specify):	DIZZINESS, FATIGUE.		
Treatment Rendered:	VS ASSESSMENT, COLD PACKS, ORAL REHYDRATION		
Medication Changes Made:	N/A		
Ultimate Disposition of Patient:	RETURN TO CUSTODY		
Clinician's Name and Title:	J. King (PN) 8/13/24		
2. Patient Name:	[REDACTED]	CDCR#:	[REDACTED]
MHSDS Designation:	[REDACTED]	Level of Care:	[REDACTED]
Location of Incident:	[REDACTED]	Change in Level of Care:	[REDACTED]
List of Heat Risk Medications:			
Chief Medical Complaint:			
Diagnosis of Heat Related Illness (specify):			
Treatment Rendered:			
Medication Changes Made:			
Ultimate Disposition of Patient:			
Clinician's Name and Title:			
3. Patient Name:	[REDACTED]	CDCR#:	[REDACTED]
MHSDS Designation:	[REDACTED]	Level of Care:	[REDACTED]
Location of Incident:	[REDACTED]	Change in Level of Care:	[REDACTED]
List of Heat Risk Medications:			
Chief Medical Complaint:			
Diagnosis of Heat Related Illness (specify):			
Treatment Rendered:			
Medication Changes Made:			
Ultimate Disposition of Patient:			
Clinician's Name and Title:			

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information