

Monthly Summary ReportInstitution: CHCF**Memorandum**Date: July 2, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CHCF June 2024

The following is a summary of the heat related activity for the month of JUNE,
 at CHCF (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? YesNumber of days Stage I Alert initiated: 202. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? NoNumber of days Stage II Alert initiated: 03. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? NoNumber of days Stage III Alert initiated: 04. Weekly list of heat risk patients archived? No

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

GENA JONES

Warden Name

DocuSigned by:



27EF10BEF45A40E...

Warden Signature

JOSEPH GARLAND

Chief Executive Officer Name

DocuSigned by:



CA151301B333471...

Chief Executive Officer Signature

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: OHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension (6967) when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/24	0100	61	ARETAS
	0200	60	ARETAS
	0300	59	ARETAS
	0400	58	ARETAS
	0500	57	ARETAS
	0600	57	C. REBELO
	0700	59	C. REBELO
	0800	62	C. REBELO
	0900	65	C. REBELO
	1000	70	C. REBELO
	1100	73	C. REBELO
	1200	78	C. REBELO
	1300	82	C. REBELO
	1400	84	ORTIZ
	1500	86	ORTIZ
	1600	87	ORTIZ
	1700	86	ORTIZ
	1800	84	ORTIZ
	1900	80	ORTIZ
	2000	76	ORTIZ
	2100	71	ORTIZ
	2200	69	ARETAS
	2300	67	ARETAS
	2400	65	ARETAS

Date	Time	Temp.	Printed Name
6/3/14	0100	66	ARETAS
	0200	65	ARETAS
	0300	64	ARETAS
	0400	63	ARETAS
	0500	62	ARETAS
	0600	61	PONTER
	0700	63	PONTER
	0800	66	PONTER
	0900	69	PONTER
	1000	73	PONTER
	1100	77	PONTER
	1200	78	PONTER
	1300	79	PONTER
	1400	81	GARCIA
	1500	82	GARCIA
	1600	82	GARCIA
	1700	81	GARCIA
	1800	79	GARCIA
	1900	76	GARCIA
	2000	72	GARCIA
	2100	68	GARCIA
	2200	65	ARETAS
	2300	63	ARETAS
	2400	62	ARETAS

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/5/24	0100	61	ARETAS
	0200	59	ARETAS
	0300	58	ARETAS
	0400	58	ARETAS
	0500	57	ARETAS
	0600	60	PORTER
	0700	63	PORTER
	0800	69	PORTER
	0900	75	PORTER
	1000	80	PORTER
	1100	86	PORTER
11:50 ACTIVATED	1200	91	PORTER
	1300	95	PORTER
	1400	98	C. CASINO
	1500	99	C. CASINO
	1600	101	C. CASINO
	1700	102	C. CASINO
	1800	101	C. CASINO
	1900	91	C. CASINO
	2000	92	C. CASINO
	2100	86	C. CASINO
	2200	82	ARETAS
	2300	77	ARETAS
	2400	76	ARETAS

Date	Time	Temp.	Printed Name
6/5/24	0100	75	ARETAS
	0200	73	ARETAS
	0300	71	ARETAS
	0400	69	ARETAS
	0500	68	ARETAS
	0600	69	ARETAS
	0700	71	PORTER
	0800	76	PORTER
	0900	81	PORTER
	1000	84	PORTER
10:50 ~90 ACTIVATED	1100	91	PORTER
	1200	95	PORTER
	1300	99	PORTER
	1400	102	PORTER
	1500	102	PORTER
	1600	104	PORTER
	1700	103	PORTER
	1800	102	PORTER
	1900	98	PORTER
	2000	94	PORTER
	2100	91	PORTER
	2200	87	PINERA
	2300	84	PINERA
	2400	79	PINERA

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDGR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CENTRAL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/6/24	0100	76	PINEDA
	0200	74	PINEDA
	0300	72	PINEDA
	0400	71	PINEDA
	0500	69	PINEDA
	0600	68	PORTER
	0700	70	PORTER
	0800	75	PORTER
	0900	80	PORTER
	1000	85	PORTER
	1100	90	PORTER
	1200	94	PORTER
	1300	97	PORTER
	1400	99	C. CASINO
	1500	100	C. CASINO
	1600	101	C. CASINO
	1700	100	C. CASINO
	1800	97	C. CASINO
	1900	93	C. CASINO
	2000	87	C. CASINO
	2100	82	C. CASINO
	2200	76	C. CASINO
	2300	74	C. CASINO
	2400		

STAGE I
ACTIVATED
AT 11:00

202408
DOCUMENTED

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: _____

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
6/7/24	2300	74	PINERA
	2400	72	PINERA

Date	Time	Temp.	Printed Name
	0100	71	PINERA
	0200	68	PINERA
	0300	66	PINERA
	0400	65	PINERA
	0500	63	PINERA
	0600	61	GARCIA
	0700	63	GARCIA
	0800	67	GARCIA
	0900	71	GARCIA
	1000	77	GARCIA
	1100	83	GARCIA
	1200	86	GARCIA
6/7/24	1300	92	GARCIA
	1400	93	C. CASINO
	1500	95	C. CASINO
	1600	94	C. CASINO
	1700	92	C. CASINO
	1800	88	C. CASINO
	1900	84	C. CASINO
	2000	79	C. CASINO
	2100	74	C. CASINO
	2200	70	PINERA
	2300	68	PINERA
	2400	66	PINERA

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL central

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/8/24	0100	64	PIMFORT
	0200	62	PIMFORT
	0300	60	PIMFORT
	0400	66	PIMFORT
	0500	59	PIMFORT
	0600	58	Herr
	0700	60	Herr
	0800	63	Herr
	0900	66	Herr
	1000	70	Herr
	1100	75	Herr
	1200	79	Herr
	1300	83	Herr
	1400	84	PIMFORT
	1500	85	PIMFORT
	1600	86	PIMFORT
	1700	85	PIMFORT
	1800	81	PIMFORT
	1900	78	PIMFORT
	2000	74	PIMFORT
	2100	71	PIMFORT
	2200	67	PORTER
	2300	66	PORTER
	2400	65	PORTER

Date	Time	Temp.	Printed Name
6/9/24	0100	64	PORTER
	0200	62	PORTER
	0300	61	PORTER
	0400	59	PORTER
	0500	58	PORTER
	0600	59	PORTER
	0700	60	PORTER
	0800	64	PORTER
	0900	66	PORTER
	1000	70	PORTER
	1100	75	PORTER
	1200	79	PORTER
	1300	83	PORTER
	1400	85	OPTIZ
	1500	84	OPTIZ
	1600	86	OPTIZ
	1700	87	OPTIZ
	1800	86	OPTIZ
	1900	89	OPTIZ
	2000	89	OPTIZ
	2100	90	OPTIZ
	2200	86	ALERTAS
	2300	85	ALERTAS
	2400	83	ALERTAS

INSTITUTION:

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 60167 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/10/24	0100	62	ALVETAS
	0200	60	ALVETAS
	0300	58	ALVETAS
	0400	57	ALVETAS
	0500	56	ALVETAS
	0600	55	PORTER
	0700	58	PORTER
	0800	62	PORTER
	0900	65	PORTER
	1000	71	PORTER
	1100	79	PORTER
	1200	83	PORTER
	1300	88	PORTER
	1400	90	HER
	1500	94	HER
	1600	95	HER
	1700	94	HER
	1800	93	HER
	1900	90	HER
	2000	86	HER
	2100	80	HER
	2200	74	ALVETAS
	2300	73	ALVETAS
	2400	70	ALVETAS

Heat Alert Activated

0834 Heat Alert Deactivated

Date	Time	Temp.	Printed Name
6/11/24	0100	69	ALVETAS
	0200	67	ALVETAS
	0300	65	ALVETAS
	0400	64	ALVETAS
	0500	62	ALVETAS
	0600	61	PORTER
	0700	63	PORTER
	0800	69	PORTER
	0900	72	PORTER
	1000	78	PORTER
	1100	84	PORTER
	1200	90	PORTER
	1300	93	PORTER
	1400	96	C. CASINO
	1500	99	C. CASINO
	1600	100	C. CASINO
	1700	102	C. CASINO
	1800	102	C. CASINO
	1900	99	C. CASINO
	2000	91	C. CASINO
	2100	87	C. CASINO
	2200	79	ALVETAS
	2300	79	ALVETAS
	2400	76	ALVETAS

Stage 1
Reached

2130 HS
Deactivated

6/11/24

6/12/24

INSTITUTION:

C HCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/12/14	0100	73	ANETIAS
	0200	71	ANETIAS
	0300	69	ANETIAS
	0400	68	ANETIAS
	0500	66	ANETIAS
	0600	66	PORTOR
	0700	69	PORTOR
	0800	73	PORTOR
	0900	76	PORTOR
	1000	83	PORTOR
	1100	89	PORTOR
	1200	93	PORTOR
	1300	96	PORTOR
6/12/14	1400	97	C. CASINO
	1500	97	C. CASINO
	1600	97	C. CASINO
	1700	94	C. CASINO
	1800	91	C. CASINO
	1900	87	C. CASINO
	2000	82	C. CASINO
	2100	77	C. CASINO
	2200	75	C. CASINO
	2300	72	C. CASINO
	2400	69	C. CASINO

11:20
STAFF
ACTIVATED

1915 was
DEACTIVATED

Date	Time	Temp.	Printed Name
6/13/14	0100	67	C. CASINO
	0200	66	C. CASINO
	0300	64	C. CASINO
	0400	63	C. CASINO
	0500	61	C. CASINO
	0600	58	PORTOR
	0700	60	PORTOR
	0800	64	PORTOR
	0900	67	PORTOR
	1000	73	PORTOR
	1100	76	PORTOR
	1200	81	PORTOR
	1300	85	PORTOR
6/13/14	1400	86	C. CASINO
	1500	88	C. CASINO
	1600	89	C. CASINO
	1700	87	C. CASINO
	1800	85	C. CASINO
	1900	81	C. CASINO
	2000	77	C. CASINO
	2100	71	C. CASINO
	2200	68	PIMENTA
	2300	66	PIMENTA
	2400	64	PIMENTA

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CFNTRAL CENTRL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/24/24	0100	63	PINFRA
	0200	62	PINFRA
	0300	60	PINFRA
	0400	59	PINFRA
	0500	58	PINFRA
	0600	56	GARCIA
	0700	59	GARCIA
	0800	63	GARCIA
	0900	66	GARCIA
	1000	73	GARCIA
	1100	78	GARCIA
	1200	82	GARCIA
	1300	87	GARCIA
	1400	88	C. CASINO
1430 hrs ACTIVATED	1500	91	C. CASINO
	1600	92	C. CASINO
	1700	90	C. CASINO
1800 hrs DEACTIVATED	1800	88	C. CASINO
	1900	84	C. CASINO
	2000	80	C. CASINO
	2100	74	C. CASINO
	2200	67	TEAM
	2300	66	TEAM
	2400	65	TEAM

Date	Time	Temp.	Printed Name
6/24/24	0100	62	TEAM
	0200	66	TEAM
	0300	58	TEAM
	0400	57	TEAM
	0500	55	TEAM
	0600	56	HER
	0700	58	HER
	0800	62	HER
	0900	67	HER
	1000	71	HER
	1100	75	HER
	1200	80	HER
	1300	84	HER
6/25/24 STAGE 1 ACTIVATED	1400	84	PINFRA
	1500	89	PINFRA
	1600	91	PINFRA
	1700	90	PINFRA
	1800	88	PINFRA
	1900	85	PINFRA
	2000	80	PINFRA
	2100	74	PINFRA
	2200	69	ARENA
	2300	69	ARENA
	2400	65	ARENA

INSTITUTION: _____

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL WNTL

Immediately notify the Watch Commander at extension (696) when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/1/14	0100	63	ALETA
	0200	61	ALETA
	0300	60	ALETA
	0400	59	ALETA
	0500	58	ALETA
	0600	57	ORTIZ
	0700	61	ORTIZ
	0800	66	ORTIZ
	0900	71	ORTIZ
	1000	75	ORTIZ
	1100	70	ORTIZ
	1200	64	ORTIZ
	1300	64	ORTIZ
	1400	64	ORTIZ
	1500	90	ORTIZ
	1600	89	ORTIZ
	1700	88	ORTIZ
	1800	86	ORTIZ
	1900	82	ORTIZ
	2000	76	ORTIZ
	2100	73	ORTIZ
	2200	69	ALETA
	2300	68	ALETA
	2400	68	ALETA

Date	Time	Temp.	Printed Name
6/1/14	0100	65	ALETA
	0200	63	ALETA
	0300	61	ALETA
	0400	60	ALETA
	0500	59	ALETA
	0600	57	PORTER
	0700	60	PORTER
	0800	64	PORTER
	0900	67	PORTER
	1000	72	PORTER
	1100	75	PORTER
	1200	78	PORTER
	1300	81	PORTER
	1400	83	PORTER
	1500	84	GARCIA
	1600	85	GARCIA
	1700	86	GARCIA
	1800	85	GARCIA
	1900	84	GARCIA
	2000	80	GARCIA
	2100	75	GARCIA
	2200	69	ALETA
	2300	67	ALETA
	2400	67	ALETA

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

C.H.C.F

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/18/24	0100	65	ALVARAS
	0200	63	ALVARAS
	0300	61	ALVARAS
	0400	60	ALVARAS
	0500	59	ALVARAS
	0600	57	PORTER
	0700	61	PORTER
	0800	65	PORTER
	0900	70	PORTER
	1000	75	PORTER
	1100	79	PORTER
	1200	83	PORTER
	1300	85	PORTER
6/18/24	1400	87	C. CASINO
	1500	89	C. CASINO
	1600	89	C. CASINO
	1700	89	C. CASINO
	1800	86	C. CASINO
	1900	83	C. CASINO
	2000	80	C. CASINO
	2100	74	C. CASINO
	2200	70	TEAM
	2300	67	TEAM
6/19/24	2400	64	TEAM

Date	Time	Temp.	Printed Name
6/19/24	0100	62	TEAM
	0200	59	TEAM
	0300	58	TEAM
	0400	57	TEAM
	0500	56	TEAM
	0600	55	PORTER
	0700	58	PORTER
	0800	62	PORTER
	0900	67	PORTER
	1000	72	PORTER
	1100	71	PORTER
	1200	82	PORTER
	1300	84	PORTER
	1400	86	C. CASINO
	1500	88	C. CASINO
	1600	88	C. CASINO
	1700	87	C. CASINO
	1800	85	C. CASINO
	1900	81	C. CASINO
	2000	77	C. CASINO
	2100	71	C. CASINO
	2200	67	PINTER
	2300	66	PINTER
6/20/24	2400	63	PINTER

INSTITUTION:

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/20/24	0100	60	PINTER
	0200	58	PINTER
	0300	57	PINTER
	0400	55	PINTER
	0500	54	PINTER
	0600	53	PORTER
	0700	56	PORTER
	0800	59	PORTER
	0900	65	PORTER
	1000	69	PORTER
	1100	74	PORTER
	1200	80	PORTER
6/20/24	1300	84	PORTER
	1400	86	C. CASINO
	1500	89	C. CASINO
	1600	89	C. CASINO
	1700	89	C. CASINO
	1800	88	C. CASINO
	1900	84	C. CASINO
	2000	80	C. CASINO
	2100	72	C. CASINO
	2200	69	C. CASINO
	2300	67	C. CASINO
	2400	65	C. CASINO

Date	Time	Temp.	Printed Name
6/21/24	0100	63	C. CASINO
	0200	61	C. CASINO
	0300	59	C. CASINO
	0400	58	C. CASINO
	0500	57	C. CASINO
	0600	55	GARCIA
	0700	58	GARCIA
	0800	62	GARCIA
	0900	67	GARCIA
	1000	72	GARCIA
	1100	78	GARCIA
	1200	83	GARCIA
	1300	88	GARCIA
6/24/24	1400	90	C. CASINO
	1500	92	C. CASINO
	1600	94	C. CASINO
	1700	95	C. CASINO
	1800	95	C. CASINO
	1900	92	C. CASINO
	2000	87	C. CASINO
	2100	80	C. CASINO
	2200	71	TEAM
	2300	73	TEAM
	2400	71	TEAM

INSTITUTION:

California Health Care Facility

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

Central Control

Immediately notify the Watch Commander at extension 10967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/22/21	0100	68	TEAM
	0200	69	TEAM
	0300	64	TEAM
	0400	62	TEAM
	0500	62	TEAM
	0600	60	Her
	0700	63	Her
	0800	67	Her
	0900	72	HER
	1000	78	HER
	1100	85	Her
	1200	91	Her
	1300	90	Her
	1400	100	P1/MER
	1500	103	P1/MER
	1600	104	P1/MER
	1700	105	P1/MER
	1800	103	P1/MER
	1900	100	P1/MER
	2000	94	P1/MER
	2100	88	P1/MER
	2200	83	TEAM
	2300	78	TEAM
	2400	75	TEAM

1150 - HEAT ALERT ACTIVATED

2100 STAGE 1 HEAT A
A DEACTIVATED

Date	Time	Temp.	Printed Name
6/23/21	0100	73	TEAM
	0200	70	TEAM
	0300	68	TEAM
	0400	100	TEAM
	0500	100	TEAM
	0600	63	PORTER
	0700	66	PORTER
	0800	71	PORTER
	0900	76	PORTER
	1000	82	PORTER
	1100	88	PORTER
	1200	95	PORTER
	1300	99	PORTER
	1400	100	Her
	1500	102	Her
	1600	103	Her
	1700	101	HER
	1800	98	Her
	1900	94	Her
	2000	89	Her
	2100	91	Her
	2200	75	ALETA'S
	2300	72	ALETA'S
	2400	70	ALETA'S

STAGE 1 ACTIVATED
AT 11:10

2100 Deactivation

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

O'HOK

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

EX. INTERNAL CONTROL

Immediately notify the Watch Commander at extension 5967 when the air temperature reaches 90 degrees.

(d) Alpha

Date	Time	Temp.	Printed Name
	0100	69	ALVETAS
	0200	68	ALVETAS
	0300	67	ALVETAS
	0400	65	ALVETAS
	0500	67	ALVETAS
	0600	63	PORTER
	0700	66	PORTER
	0800	70	PORTER
	0900	71	PORTER
	1000	82	PORTER
	1100	87	PORTER
	1200	94	PORTER
	1300	88	PORTER
	1400	99	HER
	1500	100	HER
	1600	101	HER
	1700	100	HER
	1800	98	HER
	1900	94	HER
	2000	90	HER
	2100	84	HER
	2200	78	ALVETAS
	2300	77	ALVETAS
	2400	74	ALVETAS

6/25/20

2017 Heat alert clearance

STAGE 1 ACTIVATED @ 11:15

(b) Beta

Date	Time	Temp.	Printed Name
	0100	72	ALVETAS
	0200	70	ALVETAS
	0300	69	ALVETAS
	0400	67	ALVETAS
	0500	67	ALVETAS
	0600	67	PORTER
	0700	68	PORTER
	0800	71	PORTER
	0900	75	PORTER
	1000	82	PORTER
	1100	88	PORTER
	1200	93	PORTER
	1300	97	PORTER
	1400	98	C. Casino
	1500	99	C. Casino
	1600	98	C. Casino
	1700	98	C. Casino
	1800	97	C. Casino
	1900	93	C. Casino
	2000	88	C. Casino
	2100	83	C. Casino
	2200	74	ALVETAS
	2300	73	ALVETAS
	2400	72	ALVETAS

6/26/20

2015 HS REACTIVATION

INSTITUTION:

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
0100	71	ATLAS	
0200	69	ATLAS	
0300	67	ATLAS	
0400	65	ATLAS	
0500	64	ATLAS	
0600	63	POTTER	
0700	65	POTTER	
0800	68	POTTER	
0900	71	POTTER	
1000	78	POTTER	
1100	82	POTTER	
1200	87	POTTER	
1300	91	POTTER	
1400	91	C. CASINO	
1500	91	C. CASINO	
1600	91	C. CASINO	
1700	90	C. CASINO	
1800	88	C. CASINO	
1900	84	C. CASINO	
2000	78	C. CASINO	
2100	73	C. CASINO	
2200	70	PINTER	
2300	68	PINTER	
2400	66	PINTER	

STAGE 1
ACTIVATED
2/25/21

1845HR
DEACTIVATED

10/20/21

Date	Time	Temp.	Printed Name
0100	64	PINTER	
0200	63	PINTER	
0300	61	PINTER	
0400	60	PINTER	
0500	58	PINTER	
0600	58	PORTER	
0700	61	PORTER	
0800	66	PORTER	
0900	70	PORTER	
1000	74	PORTER	
1100	78	PORTER	
1200	83	PORTER	
1300	86	PORTER	
1400	88	C. CASINO	
1500	90	C. CASINO	
1600	90	C. CASINO	
1700	90	C. CASINO	
1800	90	C. CASINO	
1900	86	C. CASINO	
2000	80	C. CASINO	
2100	74	C. CASINO	
2200	71	C. CASINO	
2300	68	C. CASINO	
2400	65	C. CASINO	

1500HR
ACTIVATED

1930HR
DEACTIVATED

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA Health Care Facility - Stockton

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension x6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/28/24	0100	64	C. CASINO
	0200	62	C. CASINO
	0300	60	C. CASINO
	0400	59	C. CASINO
	0500	58	C. CASINO
	0600	57	GARCIA
	0700	59	GARCIA
	0800	65	GARCIA
	0900	70	GARCIA
	1000	75	GARCIA
	1100	81	GARCIA
	1200	88	GARCIA
	1300	91	GARCIA
	1400	93	C. CASINO
	1500	95	C. CASINO
	1600	96	C. CASINO
	1700	96	C. CASINO
	1800	96	C. CASINO
	1900	93	C. CASINO
	2000	86	C. CASINO
	2100	81	C. CASINO
	2200	78	ARETAS
	2300	75	ARETAS
6/29/24	2400	71	ARETAS

1235
OUTSIDE
90°

2030 H.P.
DEACTIVATED

Date	Time	Temp.	Printed Name
6/29/24	0100	69	ARETAS
	0200	67	ARETAS
	0300	65	ARETAS
	0400	64	ARETAS
	0500	62	ARETAS
	0600	61	HER
	0700	62	HER
	0800	64	HER
	0900	70	HER
	1000	74	HER
	1100	81	HER
	1200	84	HER
	1300	93	HER
	1400	95	PINERA
	1500	97	PINERA
	1600	98	PINERA
	1700	97	PINERA
	1800	95	PINERA
	1900	92	PINERA
	2000	89	PINERA
	2100	82	PINERA
	2200	76	ARETAS
	2300	75	ARETAS
6/29/24	2400	73	ARETAS

1235 Heat Alert Activated
2100 Stage 1 H.P. Deactivation

INSTITUTION: CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension (6907) when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
11/12/11	0100	71	AMTAJ
	0200	69	AMTAJ
	0300	68	AMTAJ
	0400	66	AMTAJ
	0500	64	AMTAJ
	0600	66	PORTER
	0700	68	PORTER
	0800	72	PORTER
	0900	77	PORTER
	1000	82	PORTER
	1100	88	PORTER
	1200	92	PORTER
	1300	93	PORTER
	1400	96	HER
	1500	98	HER
	1600	97	HER
	1700	91	HER
	1800	95	HER
	1900	92	HER
	2000	86	HER
	2100	81	HER
	2200	78	TEMP
	2300	75	TEMP
	2400	73	TEMP

11/12/11 HEAT ALERT ACTIVATED

Date	Time	Temp.	Printed Name
11/12/11	0100	70	TEMP
	0200	68	TEMP
	0300	67	TEMP
	0400	65	TEMP
	0500	64	TEMP
	0600	64	PORTER
	0700	66	PORTER
	0800		PORTER
	0900		PORTER
	1000		PORTER
	1100		PORTER
	1200		PORTER
	1300		PORTER
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

New month started on 11/13