STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

HEAT PLAN - MONTHLY SUMMARY REPORT

CDCR MH-7711-1 (02/17)

Monthly Summary Report

Institution: HDSP

Memorandum

Date: June 3, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - May 2024

The following is a summary of the heat related activity for the month of May,

at HDSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: No

   Number of days Stage I Alert initiated: 0

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

   Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

ROB ST. ANDRE, WARDEN	TODD E. MURRAY, PSY. D. MA. CCHP
Warden Name	Chief Executive Officer Name
DocuSigned by: Rob St. Andre 6/4/2024 9329072039AE4DA...	DocuSigned by: Todd Murray 6/3/2024 E93A9FE4DDE8456...
Warden Signature	Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	70.5	D. LEWIS
	0600	70	Collins
	0900	69	Collins
	1200	70	Collins
	1500	69	D. Munoz
	1800	69	D. Munoz
	2100	68	D. Munoz
	2400	70	Avery

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	70	Avery
	0600	70	Avery
	0900	70	Collins
	1200	70	Collins
	1500	71	D. Munoz
	1800	71	D. Munoz
	2100	69	D. Munoz
	2400	68.9	Bell

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	68.9	Bell
	0600	68.9	Marquez
	0900	68.9	Marquez
	1200	68.9	Marquez
	1500	71	D. Munoz
	1800	72	D. Munoz
	2100	71	D. Munoz
	2400	71	J. Burgess

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	69	J. Burgess
	0600	71.2	Camacho
	0900	71	Camacho
	1200	71	Camacho
	1500	71	D. Munoz
	1800	69	D. Munoz
	2100	69	D. Munoz
	2400	69	Bell

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	69	Bell
	0600	68	Collins
	0900	70	Collins
	1200	70	Collins
	1500	71	Guerra
	1800	70	Guerra
	2100	71	Guerra
	2400	70	Yazo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	70	[illegible]
	0600	70	Collins
	0900	69	Collins
	1200	70	Collins
	1500	70	I. Gómez
	1800	69	I. Gómez
	2100	70	I. Gómez
	2400	70.0	VELASCO

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	70.0	VELASCO
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70.9	D. Munoz
	1800	70.4	D. Munoz
	2100	69.9	D. Munoz
	2400	69.8	KINGSLEY

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69.6	Kingsley
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	69	D. Munoz
	1800	70	D. Munoz
	2100	70.8	D. Munoz
	2400	70.0	C. Huskey

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	70 69.6	Kingsley C. Huskey
	0600	70	Collins
	0900	70	Collins
	1200	70	Collins
	1500	71	D. Munoz
	1800	71.4	D. Munoz
	2100	70.3	D. Munoz
	2400	70.1	C. Huskey

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	C. Huskey
	0600	71	OCHOA
	0900	72	OCHOA
	1200	72	OCHOA
	1500	73	D. Munoz
	1800	73.9	D. Munoz
	2100	72.5	D. Munoz
	2400	72.00	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	71.0	[illegible]
	0600	70	VALDEZ
	0900	71	VALDEZ
	1200	73	VALDEZ
	1500	75	D. Munoz
	1800	77	D. Munoz
	2100	73.6	D. Munoz
	2400	73	BELL

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	73	Bell
	0600	69	Collins
	0900	71	Collins
	1200	76	Collins
	1500	78	Hinojosa
	1800	79	Hinojosa
	2100	79	Bell
	2400	78	Bell

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	78	BELL
	0600	70	Collins
	0900	72	Collins
	1200	75	Collins
	1500	78.6	Raschella
	1800	77	Raschella
	2100	76.5	Raschella
	2400	75.7	C. Huskey

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	75	C. Huskey
	0600	75	Collins
	0900	74	Collins
	1200	74	Collins
	1500	76	D. Munoz
	1800	77.5	D. Munoz
	2100	76.3	D. Munoz
	2400	76	A. Perez

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	75	A. Perez
	0600	75	Collins
	0900	75	Collins
	1200	75	Collins
	1500	75.7	D. Munoz
	1800	76.5	D. Munoz
	2100	75.4	D. Munoz
	2400	75.1	Wilson

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	73.1	Wilson
	0600	75	Collins
	0900	70	Collins
	1200	70	Collins
	1500	70.9	D. Munoz
	1800	70.3	D. Munoz
	2100	69	D. Munoz
	2400	70	Bell

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	70	Bell
	0600	70	Rodriguez
	0900	69	Rodriguez
	1200	70	Rodriguez
	1500	71	D. Munoz
	1800	70	D. Munoz
	2100	69	D. Munoz
	2400	69	Bell

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	69	Bell
	0600	70	Rodriguez
	0900	70	Rodriguez
	1200	69	Rodriguez
	1500	70	D. Munoz
	1800	68	D. Munoz
	2100	66	D. Munoz
	2400	66	Bell

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	66	Bell
	0600	66	Collins
	0900	66	Collins
	1200	66	Collins
	1500	65	Macias
	1800	65	Macias
	2100	65.6	Macias
	2400	65.	Bell

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	65	BEC
	0600	64	Collins
	0900	64	Collins
	1200	64	Collins
	1500	61.7	Raschella
	1800	62	Raschella
	2100	61.5	Raschella
	2400	60.8	Melendrez

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	60.5	Melendrez
	0600	60.7	Melendrez
	0900	60	Collins
	1200	60	Collins
	1500	62	D. Munoz
	1800	64	D. Munoz
	2100	62	D. Munoz
	2400	60	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	59.8	[illegible]
	0600	60	Collins
	0900	62	Collins
	1200	64	Collins
	1500	65	D. Munoz
	1800	65	D. Munoz
	2100	62.8	D. Munoz
	2400	61	LOFTON

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	61	LOFTON
	0600	60	Collins
	0900	61	Collins
	1200	61	Collins
	1500	61	L. MURILLO
	1800	63	L. MURILLO
	2100	61	[illegible]
	2400	61	Gonzalez

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	61	Gonzalez
	0600	61	RODRIGUES
	0900	60	RODRIGUES
	1200	60	RODRIGUES
	1500	65.1	Fierro
	1800	64.2	Fierro
	2100	62.2	Fierro
	2400	65	BEC

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	65	BEC
	0600	66	RODRIGUES
	0900	61	RODRIGUES
	1200	62	RODRIGUES
	1500	65	D. Munoz
	1800	64	D. Munoz
	2100	63	D. Munoz
	2400	62	CHITWOOD

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	61	CHITWOOD
	0600	60	CHITWOOD
	0900	60	Collins
	1200	62	Collins
	1500	62	Collins
	1800	67.2	Raschella
	2100	68	Raschella
	2400	68	BEC

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A-1 Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300	67	CWHITWOOD
	0600	68	Collins
	0900	69	Collins
	1200	69.5	Collins
	1500	69	Raschella
	1800	68	Raschella
	2100	68	Raschella
	2400	67	BELL

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	67.3	BELL
	0600	68	Collins
	0900	68.8	Collins
	1200	69	Collins
	1500	69	Munoz
	1800	68.6	Munoz
	2100	68	Munoz
	2400	67	White

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	67	White
	0600	67.4	Collins
	0900	68	Collins
	1200	68	Collins
	1500	69	Munoz
	1800	68.4	Munoz
	2100	68	Munoz
	2400	67	VELASCO

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	67	VELASCO
	0600	68	Collins
	0900	68	Collins
	1200	68	Collins
	1500	69	Munoz
	1800	69	Munoz
	2100	68	Munoz
	2400	68	LOFTON

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	68	LOFTON
	0600	68	Rodrigues
	0900	68.4	Rodrigues
	1200	69	Rodrigues
	1500	69.3	WHEELUS
	1800	69	WHEELUS
	2100	69	WHEELUS
	2400	69	BELL

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	69	BELL
	0600	69	Rodrigues
	0900	69	Rodrigues
	1200	69.1	Rodrigues
	1500	69.3	D. Munoz
	1800	68.5	D. Munoz
	2100	68.2	D. Munoz
	2400	68	BELL

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	68	BELL
	0600	65	Collins
	0900	66	Collins
	1200	68	Collins
	1500	69.4	ANDERSON
	1800	54.3	ANDERSON
	2100	54.3	ANDERSON
	2400	54.0	Bell

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A2 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	74.1	Webb J
	0600	73.8	Walsh
	0900	73.8	Walsh
	1200	72	Walsh
	1500	69	Zetterholm
	1800	68	Zetterholm
	2100	74	Zetterholm
	2400	73	Webb J

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	71	Webb J
	0600	67	Peterson
	0900	74	Peterson
	1200	72	Peterson
	1500	70.2	Zetterholm
	1800	70.2	Zetterholm
	2100	73.9	Zetterholm
	2400	74.3	Webb J

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	73.9	Webb J
	0600	74.5	TATE
	0900	74	SCHMUGER
	1200	69.6	SCHMUGER
	1500	69.6	WALTER
	1800	71.2	WALTER
	2100	69.6	WALTER
	2400	68	mitt

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	68	mitt
	0600	71.2	Arthur
	0900	74.5	[illegible]
	1200	74.0	Arthur
	1500	59.7	Gridsley
	1800	73.2	Gridsley
	2100	73	Gridsley
	2400	73	mitt

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	73	mitt
	0600	72.7	Caminio
	0900	73.9	caminio
	1200	74.5	caminio
	1500	72	Marquez
	1800	72	Marquez
	2100	72	Marquez
	2400	74.5	CAMPBELL

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A2 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	72.7	Camacho
	0600	71.8	Gomez
	0900	74	Gomez
	1200	74.8	Gomez
	1500	67.8	Raschella
	1800	69.2	Raschella
	2100	73.9	Raschella
	2400	73.8	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	73.0	[illegible]
	0600	74	Peterson
	0900	74	Peterson
	1200	73	Peterson
	1500	66.9	Walsh
	1800	66.9	Walsh
	2100	65.8	Walsh
	2400	71.2	Webb J

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	74.9	Webb J
	0600	74	Peterson
	0900	74	Peterson
	1200	74	Peterson
	1500	70	Zettergholm
	1800	69	Zettergholm
	2100	74.3	Zettergholm
	2400	74.3	Webb J

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	74.8	Webb J
	0600	74	Peterson
	0900	74	Peterson
	1200	72	Peterson
	1500	72	Zettergholm
	1800	70	Zettergholm
	2100	68	Zettergholm
	2400	71.3	Webb J

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	75.2	Webb J
	0600	75	Peterson
	0900	70	Peterson
	1200	71	Peterson
	1500	74	Zettergholm
	1800	74	Zettergholm
	2100	71	Zettergholm
	2400	70	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	72	[illegible]
	0600	74	Peterson
	0900	73	Moncada
	1200	72	Moncada
	1500	76	Zettergholm
	1800	75	Zettergholm
	2100	73	Zettergholm
	2400	74	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	75	[illegible]
	0600	75	Z. Parker
	0900	71	Z. Parker
	1200	76	Z. Parker
	1500	78	Zettergholm
	1800	78	Zettergholm
	2100	70	Zettergholm
	2400	70	Camacho

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A2 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	72	CAMACHO
	0600	72	Gonzalez
	0900	73	Gonzalez
	1200	75	Gonzalez
	1500	76	Gonzalez
	1800	76	Gonzalez
	2100	74	Gonzalez
	2400	77	Bell

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	77	Bell
	0600	74	Peterson
	0900	68	Peterson
	1200	75	Peterson
	1500	80	Lo
	1800	80	Lo
	2100	72	Lo
	2400	66.4	Webb J

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	71.4	Webb J
	0600	70	Peterson
	0900	69	Peterson
	1200	74	Peterson
	1500	78	Zetterholm
	1800	75	Zetterholm
	2100	75	Zetterholm
	2400	73	Webb J

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	69	Webb J
	0600	69	Peterson
	0900	72	Peterson
	1200	76	Peterson
	1500	79	Zetterholm
	1800	76	Zetterholm
	2100	74	Zetterholm
	2400	68	Webb J

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	70	Webb J
	0600	68	Peterson
	0900	71	Peterson
	1200	75	Peterson
	1500	77	Zetterholm
	1800	77	Zetterholm
	2100	70	Zetterholm
	2400	70	Mott

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	70	Mott
	0600	67	Peterson
	0900	70	Peterson
	1200	73	Peterson
	1500	76	Zetterholm
	1800	74	Zetterholm
	2100	71	Zetterholm
	2400	70	Mott

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	68	Mott
	0600	68	Gonzalez
	0900	68	Gonzalez
	1200	67	Gonzalez
	1500	69	Zetterholm
	1800	68	Zetterholm
	2100	67	Zetterholm
	2400	66.4	CAMACHO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A2 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	66.4	Camacho
	0600	66	Gonzalez
	0900	67	Gonzalez
	1200	67	Gonzalez
	1500	67	Gonzalez
	1800	66	Gonzalez
	2100	66	Gonzalez
	2400	66	BEE

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	63	BEE
	0600	63	Peterson
	0900	63	Peterson
	1200	67	Peterson
	1500	68	Felix
	1800	69	Felix
	2100	68	Felix
	2400	65	Webb J

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	65	Webb J
	0600	64	Peterson
	0900	65	Peterson
	1200	68	Peterson
	1500	70	Zottenholm
	1800	69	Zottenholm
	2100	67	Zottenholm
	2400	66	Webb J

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	64	Webb J
	0600	63	Peterson
	0900	64	Peterson
	1200	65	Peterson
	1500	67	Zottenholm
	1800	65	Zottenholm
	2100	64	Zottenholm
	2400	64	Webb J

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	62.8	West
	0600	61	Peterson
	0900	65	Peterson
	1200	69	Peterson
	1500	68	Zottenholm
	1800	68	Zottenholm
	2100	66	Zottenholm
	2400	64	mitt

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	68	mitt
	0600	65	Peterson
	0900	64	Peterson
	1200	67	Peterson
	1500	69	Zottenholm
	1800	69	Zottenholm
	2100	68	Zottenholm
	2400	65	mitt

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	65	mitt
	0600	66	Camacho
	0900	67	Gonzalez
	1200	68	Gonzalez
	1500	67	Zottenholm
	1800	74	Zottenholm
	2100	70	Zottenholm
	2400	66	CAMACHO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A2 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	66	Camacho
	0300	66	Gonzalez
	0900	67	Gonzalez
	1200	67	Gonzalez
	1500	68	Gonzalez
	1800	68	Gonzalez
	2100	68	Gonzalez
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300		
	0600	68	Wheeler
	0900	68	Wheeler
	1200	72	Wheeler
	1500	77	Felix
	1800	74	Felix
	2100	71	Felix
	2400	69	Webb J

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	67	Webb J.
	0600	67	Peterson
	0900	68	Peterson
	1200	70	Peterson
	1500	70	Zottenbaum
	1800	70	Zottenbaum
	2100	67	Zottenbaum
	2400	67	Webb J

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	66	Webb J
	0600	66	Peterson
	0900	67	Peterson
	1200	69	Peterson
	1500	70	Zottenbaum
	1800	72	Zottenbaum
	2100	108	Zottenbaum
	2400	67	Webb J

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	66	Webb J
	0600	65	Peterson
	0900	69.3	Carter
	1200	69.3	Knapp
	1500	72	Zettenbaum
	1800	74	Zettenbaum
	2100	70	Zettenbaum
	2400		

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	73	PAGGG
	0600	70	CARPENTER
	0900	70	CARPENTER
	1200	71	CARPENTER
	1500	70	HOBBS
	1800	70	HOBBS
	2100	69	HOBBS
	2400	70	Camacho

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	70	Camacho
	0600	70	CKelly
	0900	70	CKelly
	1200	69	CKelly
	1500	70	Villalobos
	1800	72	Villalobos
	2100	71	Villalobos
	2400	70	Camacho

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	70	Camacho
	0600	71	GUERRA
	0900	72	GUERRA
	1200	72	GUERRA
	1500	72	Villalobos
	1800	72	Villalobos
	2100	69	Bell
	2400	70	Bell

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	70	Bell
	0600	70	OCHOA
	0900	70	OCHOA
	1200	71	OCHOA
	1500	71	Gallegos
	1800	72	Gallegos
	2100	71	Gallegos
	2400	70	WESTON

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	68	DUESTER
	0600	70	Duester
	0900	70	OCHOA
	1200	71	OCHOA
	1500	72	Gallegos
	1800	71	Gallegos
	2100	71	Gallegos
	2400	70	C. HUSKEY

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300		C. HUSKEY
	0600	71	Z. PARKER
	0900	71	Z. PARKER
	1200	71	Z. PARKER
	1500	72	Gallmen
	1800	72	Gallmen
	2100	73	Gallmen
	2400	72	elwell

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	72	elwell
	0600	71	GALWAN
	0900	71	GALWAN
	1200	72	GALWAN
	1500	72	HOBBS
	1800	71	HOBBS
	2100	70	HOBBS
	2400	71	elwell

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	72	elwell
	0600	72	CKelly
	0900	72	CKelly
	1200	72	HOBBS
	1500	71	HOBBS
	1800	71	HOBBS
	2100	71	HOBS
	2400	72	LOFTON

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	72	LOFTON.
	0600	72	CKelly
	0900	72	CK
	1200	72	CK
	1500	72	Gallmen
	1800	72	Gallmen
	2100	72	Gallmen
	2400	72	Kreth

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	71	Kreth
	0600	71	Kreth
	0900	72	CKelly
	1200	72	CKelly
	1500	67	[illegible]
	1800	[illegible]	[illegible]
	2100	[illegible]	[illegible]
	2400	67	WEST

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	66	WEST
	0600	71	OCHOA
	0900	71	OCHOA
	1200	72	OCHOA
	1500	72	Gallmen
	1800	73	Gallmen
	2100	71	Gallmen
	2400	72	WEST

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	70	WEST
	0600	72	OCHOA
	0900	72	OCHOA
	1200	72	OCHOA
	1500	72	Gallmen
	1800	72	Gallmen
	2100	73	Gallmen
	2400	72	WEST, N

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	70	WEST, N
	0600	69	Z. PARKER
	0900	70	Z. PARKER
	1200	71	Gullmen
	1500	72	Gullmen
	1800	71	Gullmen
	2100	71	Gillme
	2400	73	Elwell

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	71	elwell
	0600	73	Gonzalez
	0900	71	Gonzalez
	1200	72	Gonzalez
	1500	73	Hobbs
	1800	73	Hobbs
	2100	72	Hobbs
	2400	73	elwell

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	73	elwell
	0600	70	Hinojosa
	0900	70	Hinojosa
	1200	72	Hinojosa
	1500	73	Hobbs
	1800	73	Hobbs
	2100	71	Hobbs
	2400	70	Camacho

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	70	Camacho
	0600	70	Velasquez
	0900	71	Velasquez
	1200	73	Velasquez
	1500	~~75~~ 73	~~Ho~~ RODRIGUES
	1800	~~75~~ 73	RODRIGUES
	2100	~~75~~ 72	RODRIGUES
	2400	74	CAMACHO

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	71	CAMACHO
	0600	71	Glenor
	0900	71	Glenor
	1200	72	Glenor
	1500	75	RODRIGUES
	1800	71	RODRIGUES
	2100	70	RODRIGUES
	2400	70	WEST, N

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	68	N. WEST
	0600	69	Jensen
	0900	68	Jensen
	1200	70	Jensen
	1500	72	Gullmen
	1800	73	Gullmen
	2100	73	Gullmen
	2400	72	WEST, N

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	71	WEST, N
	0600	70	Z. PARKER
	0900	71	Miller
	1200	71	Miller
	1500	72	Gullmen
	1800	72	Gullmen
	2100	73	Gullmen
	2400	72	WEST, N

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	70	WEST, N
	0600	65	Z. PARKER
	0900	66	Z. PARKER
	1200	66	Z. PARKER
	1500	67	D. TANCRETO
	1800	68	D. TANCRETO
	2100	68	D TANCRETO
	2400	68	elwell

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	68	elwell
	0600	68	Gonzalez
	0900	67	Gonzalez
	1200	68	Gonzalez
	1500	69	HOBBS
	1800	69	HOBBS
	2100	68	HOBBS
	2400	68	elwell

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	68	elwell
	0600	68	CKelly
	0900	69	CKelly
	1200	69	CKelly
	1500	69	HOBBS
	1800	68	HOBBS
	2100	68	HOBBS
	2400	68	Campello

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	68	Campello
	0600	68	CKelly
	0900	68	CKelly
	1200	69	CKelly
	1500	70	RODRIGUES
	1800	69	RODRIGUES
	2100	69	RODRIGUES
	2400	69	Car

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	68	CKelly
	0600	68	CKelly
	0900	67	CKelly
	1200	67	CKe
	1500	69	RODRIGUES
	1800	70	RODRIGUES
	2100	70	RODRIGUES
	2400	67	Hume

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	67	J Cruz
	0600	68	OCHOA
	0900	69	OCHOA
	1200	69	OCHOA
	1500	70	Gilmore
	1800	69	Gilmore
	2100	69	Gilmore
	2400	68	WEST, N

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	68	WEST, N
	0600	69	OCHOA
	0900	70	OCHOA
	1200	70	OCHOA
	1500	70	Gilmore
	1800	71	Gilmore
	2100	70	Gilmore
	2400	70	WEST, N

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A3 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	West
	0600	70	Valdez
	0900	71	Valdez
	1200	71	Valdez
	1500	70	Gmez
	1800	69	Gmez
	2100	69	Gmezt
	2400	68	Ewell

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	69	Ewell
	0600	70	Hobbs
	0900	70	Hobbs
	1200	71	Hobbs
	1500	71	Hobbs
	1800	70	Hobbs
	2100	69	Hobbs
	2400	68	Ewell

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	68	Ewell
	0600	68	Hobbs
	0900	68	Hobbs
	1200	68	Hobbs
	1500	69	Hobbs
	1800	69	Hobbs
	2100	69	Hobbs
	2400	69	Camacho

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	Camacho
	0600	70	Hing
	0900	70	Hing
	1200	71	Hing
	1500	71	Rodriguez
	1800	70	Rodriguez
	2100	71	Rodriguez
	2400	68	Camacho

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	68	Camach
	0600	66	Camach
	0900	67	Cham
	1200	68	camac
	1500	69	Rodriguez
	1800	70.3	Rodriguez
	2100	72.1	Rodriguez
	2400	69	GOMEZ

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	69	GOMEZ
	0600	70	Cottat
	0900	70	Cottat
	1200	70	Cottat
	1500	71	Gilliam
	1800	72	Gilliam
	2100	70	Gilliam
	2400	70	WESTON

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	69	WESTON
	0600	70	Gomez
	0900	71.3	Gomez
	1200	71.3	Gomez
	1500	72	Gilliam
	1800	72	Gilliam
	2100	72	Gomez
	2400	70	WESTON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A4 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	76	YATES
	0600	75	[illegible]
	0900	75	[illegible]
	1200	75	[illegible]
	1500	76	[illegible]
	1800	76	[illegible]
	2100	76	[illegible]
	2400	76	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	76	[illegible]
	0600	76	VALDEZ
	0900	75	VALDEZ
	1200	73	VALDEZ
	1500	76	[illegible]
	1800	76	[illegible]
	2100	76	[illegible]
	2400	77	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	77	[illegible]
	0600	76	VALDEZ
	0900	76	VALDEZ
	1200	75	VALDEZ
	1500	77	[illegible]
	1800	77	[illegible]
	2100	77	[illegible]
	2400	77	CAMACHO

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	77	CAMACHO
	0600	76	VALDEZ
	0900	72	VALDEZ
	1200	75	VALDEZ
	1500	75	[illegible]
	1800	78	[illegible]
	2100	76	[illegible]
	2400	77	CAMACHO

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	77	CAMACHO
	0600	74	Z. PARKER
	0900	75	Z. PARKER
	1200	71	Z. PARKER
	1500	72	L. [illegible]
	1800	72	L. [illegible]
	2100	71	L. [illegible]
	2400	77	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A4 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	71	L-Mayo
	0600	73	Shawback
	0900	75	Shawback
	1200	75	Shawback
	1500	75	Austin
	1800	75	Austin
	2100	75	Austin
	2400	75	Austin

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	75	Austin
	0600	75	Jordan
	0900	75	Jordan
	1200	75	Jordan
	1500	75	Austin
	1800	75	Austin
	2100	75	Austin
	2400	75	Austin

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	75	Austin
	0600	75	Jordan
	0900	75	Jordan
	1200	75	Jordan
	1500	74	YATES
	1800	75	YATES
	2100	75	YATES
	2400	78	YATES

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	77	YATES
	0600	74	VALDEZ
	0900	76	VALDEZ
	1200	75	VALDEZ
	1500	75	YATES
	1800	78	YATES
	2100	77	YATES
	2400	78	YATES

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	76	YATES
	0600	76	VALDEZ
	0900	78	VALDEZ
	1200	78	VALDEZ
	1500	77	Jordan
	1800	77	Jordan
	2100	76	Jordan
	2400	76	Bell

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	76	Bell
	0600	76	Shawback
	0900	76	Shawback
	1200	76	Shawback
	1500	76	Lawind
	1800	76	[illegible]
	2100	76	Lm
	2400	76	Avm

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	70	Avm
	0600	70	Avm
	0900	70	Shawback
	1200	70	Shawback
	1500	77	CORTEZ
	1800	80	M-Sey
	2100	78	M-Sey
	2400	79	YATES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A4 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	77	YATES
	0600	77	SHAUBACH
	0900	78	SHAUBACH
	1200	78	SHAUBACH
	1500	77	YATES
	1800	79	YATES
	2100	78	YATES
	2400	76	YATES

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	76	YATES
	0600	77	Jordan
	0900	77	Jordan
	1200	76	Jordan
	1500	78	YATES
	1800	79	YATES
	2100	79	YATES
	2400	77	YATES

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	76	YATES
	0600	74	Jordan
	0900	75	Jordan
	1200	76	Jordan
	1500	77	L. MURILLO
	1800	79	L. MURILLO
	2100	76	L. MURILLO
	2400	76	Arnold

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	76	Arnold
	0600	75	VALDEZ
	0900	76	VALDEZ
	1200	78	VALDEZ
	1500	80	Arnold
	1800	86	Arnold
	2100	78	Arnold
	2400	76	Arnold

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	75	Arnold
	0600	73	VALDEZ
	0900	74	VALDEZ
	1200	76	VALDEZ
	1500	76	LANDON
	1800	76	LANDON
	2100	76.1	LANDON
	2400	73	CAMACHO

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	73	CAMACHO
	0600	73	VALDEZ
	0900	72	VALDEZ
	1200	75	VALDEZ
	1500	76	RODRIGUES
	1800	76	RODRIGUES
	2100	75	RODRIGUES
	2400	74	CAMACHO

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	73	CAMACHO
	0600	73	SHAUBACH
	0900	74	SHAUBACH
	1200	74	SHAUBACH
	1500	74	Gonzalez
	1800	74	Gonzalez
	2100	72	Gonzalez
	2400	73	YATES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A4 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	72	YATES
	0600	73	SHAUBACH
	0900	74	SHAUBACH
	1200	75	SHAUBACH
	1500	74	YATES
	1800	73	YATES
	2100	73	YATES
	2400	72	YATES

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	72	YATES
	0600	72	Jordan
	0900	72	Jordan
	1200	73	Jordan
	1500	73	YATES
	1800	74	YATES
	2100	72	YATES
	2400	72	YATES

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	71	YATES
	0600	71	Jordan
	0900	73	Jordan
	1200	72	Jordan
	1500	74	Arrin
	1800	74	Arrin
	2100	73	Arrin
	2400	73	Arrin

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	73	Arrin
	0600	68	VALDEZ
	0900	68	VALDEZ
	1200	71	VALDEZ
	1500	73	Arrin
	1800	73	Arrin
	2100	72	Arrin
	2400	70	Arrin

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	70	Arrin
	0600	71	Gomez
	0900	72	Gomez
	1200	72	Gomez
	1500	73	Arrin
	1800	74	Arrin
	2100	73	ARRIN
	2400	72	CAMACHO

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	71	CAMACHO
	0600	71°	Quiroz
	0900	71	Quiroz
	1200	71	Quiroz
	1500	73	RODRIGUES
	1800	72	RODRIGUES
	2100	73	RODRIGUES
	2400	73	PATTERSON

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	70	PATTERSON
	0600	70	Wheeler
	0900	71	Wheeler
	1200	73	Wheeler
	1500	73	Camden
	1800	73	Camden
	2100	73	Camden
	2400	73	YATES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

For May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: A4 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	72	YATES
	0600	73	I. YATES
	0900	73	I. YATES
	1200	74	I. YATES
	1500	74	YATES
	1800	74	YATES
	2100	73	YATES
	2400	73	YATES

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	72	YATES
	0600	72	Jordan
	0900	72	Jordan
	1200	73	Jordan
	1500	73	YATES
	1800	73	YATES
	2100	73	YATES
	2400	73	YATES

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	72	YATES
	0600	72	Jordan
	0900	72	Jordan
	1200	72	Jordan
	1500	74	Arnold
	1800	73	Arnold
	2100	73	Arnold
	2400	72	Arnold

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	72	Arnold
	0600	70	VALDEZ
	0900	72	VALDEZ
	1200	72	VALDEZ
	1500	73	Arnold
	1800	73	Arnold
	2100	73	Arnold
	2400	72	Arnold

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	72	Arnold
	0600	71	VALDEZ
	0900	73	VALDEZ
	1200	73	VALDEZ
	1500	74	Arnold
	1800	74	Arnold
	2100	72	Arnold
	2400	72	Arnold

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **HDSP** Housing Unit: **Z-UNIT** Temp. Reading Location: **ALL SECTIONS** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

~~Monday~~

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

~~Tuesday~~ Wednesday

Dat	Time	Temp.	Name (Print)
5-1-2024	0300	75	Hernandez
	0600	75	Hernandez
	0900	75	Abamona
	1200	75	Abamona
	1500	75	Hoelzle
	1800	75	Hoelzle
	2100	75	Hoelzle
	2400	75	Hernandez

~~Wednesday~~ Thursday

Date	Time	Temp.	Name (Print)
5-2-2024	0300	75	Hernandez
	0600	75	Hernandez
	0900	75	Hoelzle
	1200	75	Hoelzle
	1500	75	Hoelzle
	1800	75	Hoelzle
	2100	75	Hoelzle
	2400	75	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5-3-2024	0300	75	Hernandez
	0600	75	Hernandez
	0900	75	Hernandez
	1200	75	Hernandez
	1500	75	SLIVER
	1800	75	SLIVER
	2100	75	Hernandez
	2400	75	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	75	Hernandez
	0600	75	[illegible]
	0900	75	[illegible]
	1200	75	[illegible]
	1500	75	[illegible]
	1800	75	[illegible]
	2100	75	[illegible]
	2400	74.5	S.KOTLAR

Sunday

Date	Time	Temp.	Name (Print)
5/5	0300	74.5	S.KOTLAR
	0600	75	Abamona
	0900	75	Abamona
	1200	75	Abamona
	1500	75	D. Heredia
	1800	73	D. Heredia
	2100	72	D. Heredia
	2400	72	SEXTON

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: Z unit Temp. Reading Location: all sections

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	72	SEXTON
	0600	72	SEXTON
	0900	75	ABAMONA
	1200	75	ABAMONA
	1500	74	Hoelzle
	1800	74	Hoelzle
	2100	74	Hoelzle
	2400	75	Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	75	Hernandez
	0600	75	Hernandez
	0900	75	ABAMONA
	1200	75	ABAMONA
	1500	75	Hoelzle
	1800	75	Hoelzle
	2100	75	Hoelzle
	2400	75	Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	75	Hernandez
	0600	75	Hernandez
	0900	75	ABAMONA
	1200	75	ABAMONA
	1500	75	Hoelzle
	1800	75	Hoelzle
	2100	75	Hoelzle
	2400	74	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	74	Hernandez
	0600	74	Hernandez
	0900	75	Hernandez
	1200	75	Hernandez
	1500	75	Hernandez
	1800	75	Hoelzle
	2100	75	Hoelzle
	2400	75	Hernandez

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	75	Hernandez
	0600	75	Hernandez
	0900	75	[illegible]
	1200	74	[illegible]
	1500	75	[illegible]
	1800	75	Gonzalez
	2100	75	Gonzalez
	2400	75	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	75	Hernandez
	0600	75	Hernandez
	0900	75	[illegible]
	1200	75	[illegible]
	1500	75	Gonzalez
	1800	75	Gonzalez
	2100	75	Gonzalez
	2400	75.9	S. KOTLAR

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	75.7	S. KOTLAR
	0600	76	ABAMONA
	0900	76	ABAMONA
	1200	75	ABAMONA
	1500	77	Hoelzle
	1800	77	Hoelzle
	2100	77	Hoelzle
	2400	77	

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: Z unit Temp. Reading Location: all sections
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	74	SEXTON
	0600	74	SEXTON
	0900	76	ABAMONGA
	1200	76	ABAMONGA
	1500	77	Hoelzle
	1800	78	Hoelzle
	2100	77	Hoelzle
	2400	77	Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	77	Hernandez
	0600	77	Hernandez
	0900	77	Hurd
	1200	77	Hurd
	1500	77	Hoelzle
	1800	78	Hoelzle
	2100	78	Hoelzle
	2400	77	Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	77	Hernandez
	0600	77	Hernandez
	0900	77	Hernandez
	1200	77	Hernandez
	1500	78	Hoelzle
	1800	78	Hoelzle
	2100	78	Hoelzle
	2400	77	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	77	Hernandez
	0600	77	Hernandez
	0900	77	Hoelzle
	1200	77	Hoelzle
	1500	78	Hoelzle
	1800	78	Hoelzle
	2100	78	Hoelzle
	2400	77	Hernandez

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	77	Hernandez
	0600	77	Hernandez
	0900	76	PARRA
	1200	76	PARRA
	1500	76	Gonzalez
	1800	76	Gonzalez
	2100	76	Gonzalez
	2400	76	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	76	Hernandez
	0600	76	Hernandez
	0900	76	Hurd
	1200	76	Hurd
	1500	76	Gonzalez
	1800	76	Gonzalez
	2100	76	Gonzalez
	2400	76	Speiker

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	76	Speiker
	0600 B	77	Hoelzle
	0900	77	Hoelzle
	1200	77	Hoelzle
	1500	77	Hoelzle
	1800	77	Hoelzle
	2100	77	Hoelzle
	2400	77	SEXTON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: Z unit Temp. Reading Location: all sections
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	77	SEXTON
	0600	77	SEXTON
	0900	77	ABAMONG
	1200	76	ABAMONG
	1500	76	Hoelzle
	1800	76	Hoelzle
	2100	76	Hoelzle
	2400	76	Purnis

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	76	Purnis
	0600	76	ABAMONG
	0900	76	ABAMONG
	1200	76	ABAMONG
	1500	76	Hoelzle
	1800	76	Hoelzle
	2100	76	Hoelzle
	2400	76	Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	76	Hernandez
	0600	76	Hernandez
	0900	76	Hernandez
	1200	76	Hernandez
	1500	76	Hoelzle
	1800	77	Hoelzle
	2100	76	Hoelzle
	2400	76	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	76	Hernandez
	0600	76	Hernandez
	0900	76	Hoelzle
	1200	76	Hoelzle
	1500	76	Hoelzle
	1800	76	Hoelzle
	2100	76	Hoelzle
	2400	76	Hernandez

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	76	Hernandez
	0600	76	Hernandez
	0900	76	[illegible]
	1200	76	[illegible]
	1500	76	Hernandez
	1800	76	Hernandez
	2100	76	Hernandez
	2400	76	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	76	Hernandez
	0600	76	Hernandez
	0900	76	WIN
	1200	76	WIN
	1500	76	Gonzalez
	1800	76	Gonzalez
	2100	76	Gonzalez
	2400	75.6	S. KOTLAR

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	75.7	S. KOTLAR
	0600	76	ABAMONG
	0900	76	ABAMONG
	1200	76	ABAMONG
	1500	76	Hoelzle
	1800	77	Hoelzle
	2100	77	Hoelzle
	2400	77	SEXTON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

6716

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: Z m't Temp. Reading Location: all sections

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	77	SEXTON
	0600	77	SEXTON
	0900	76	ABAMONA
	1200	76	ABAMONA
	1500	77	Hoelzle
	1800	77	Hoelzle
	2100	77	Hoelzle
	2400	77	Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	77	Hernandez
	0600	77	Hernandez
	0900	76	ABAMONA
	1200	76	ABAMONA
	1500	76	Jensen
	1800	75	Jensen
	2100	75	Jensen
	2400	77	Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	77	Hernandez
	0600	77	Hernandez
	0900	76	ABAMONA
	1200	76	ABAMONA
	1500	77	Hoelzle
	1800	77	Hoelzle
	2100	77	Hoelzle
	2400	76	Escobar

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	76	Escobar
	0600	76	Hoelzle
	0900	76	Hoelzle
	1200	76	Hoelzle
	1500	77	Hoelzle
	1800	77	Hoelzle
	2100	77	Hoelzle
	2400	76	Parrish

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	76	Parrish
	0300	76	Winn
	0900	76	Winn
	1200	76	Winn
	1500	76	Gonzalez
	1800	76	Gonzalez
	2100	76	Gonzalez
	2400	76	

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 80 degrees.

TUESDAY, APRIL 30, 2024

Date	Time	Temp.	Printed Name
	0100	46	Banks
	0200	45	Banks
	0300	44	Banks
	0400	42	Banks
	0500	40	Banks
	0600	38	Weston
	0700	41	Weston
	0800	42	Weston
	0900	49	HASSELL
	1000	55	HASSELL
	1100	60	HASSELL
	1200	63	HASSELL
	1300	68	Dweston
	1400	67	Vang
	1500	68	Dweston
	1600	66	Dweston
	1700	64	HASSELL
	1800	61	HASSELL
	1900	60	HASSELL
	2000	55	HASSELL
	2100	55	Vang
	2200	53	Hutson
	2300	51	Hutson
	2400	50	Hutson

WEDNESDAY, MAY 1ST, 2024

Date	Time	Temp.	Printed Name
	0100	46	Hutson
	0200	44	Hutson
	0300	44	Hutson
	0400	44	Hutson
	0500	44	Hutson
	0600	40	HASSELL
	0700	41	HASSELL
	0800	48	HASSELL
	0900	55	HASSELL
	1000	58	HASSELL
	1100	66	HASSELL
	1200	66	HASSELL
	1300	67	HASSELL
	1400	68	HASSELL
	1500	66	HASSELL
	1600	67	HASSELL
	1700	67	HASSELL
	1800	68	Giesser
	1900	66	HASSELL
	2000	63	Giesser
	2100	60	Giesser
	2200	59	Orozco
	2300	57	Granfield
	2400	55	Granfield

FAX 5031

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18)

INSTITUTION: **HIGH DESERT STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY, APRIL 30, 2024	0100	46	Ramirez
	0200	45	Ramirez
	0300	44	Ramirez
	0400	42	Ramirez
	0500	40	Ramirez
	0600	38	Weston
	0700	41	Weston
	0800	42	Weston
	0900	49	HASSELL
	1000	55	HASSELL
	1100	60	HASSELL
	1200	63	HASSELL
	1300	66	Dueston
	1400	67	Vang
	1500	66	Dueston
	1600	66c	Dueston
	1700	64	HASSELL
	1800	61	HASSELL
	1900	60	HASSELL
	2000	55	HASSELL
	2100	55	Vang
	2200	53	HUTSON
	2300	51	HUTSON
	2400	50	HUTSON

Date	Time	Temp.	Printed Name
WEDNESDAY, MAY 1ST, 2024	0100	46	HUTSON
	0200	44	HUTSON
	0300	44	HUTSON
	0400	44	HUTSON
	0500	44	HUTSON
	0600	40	HASSELL
	0700	41	HASSELL
	0800	48	HASSELL
	0900	55	HASSELL
	1000	58	HASSELL
	1100	66	HASSELL
	1200	66	HASSELL
	1300	67	HASSELL
	1400	68	HASSELL
	1500	66	HASSELL
	1600	67	HASSELL
	1700	67	HASSELL
	1800	68	GIESSNER
	1900	66	HASSELL
	2000	63	GIESSNER
	2100	60	GIESSNER
	2200	59	Osorio
	2300	57	Granfield
	2400	55	Granfield

DISTRIBUTION: Original: Institution Heat Plan Coordinator

FAX 5031

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: _____

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
THURSDAY, MAY 2, 2024	0100	46	S. Hutson
	0200	44	S. Hutson
	0300	44	S. Hutson
	0400	44	S. Hutson
	0500	44	S. Hutson
	0600	47	Weston
	0700	49	Weston
	0800	50	Weston
	0900	57	Dweston
	1000	63	Dweston
	1100	65	Dweston
	1200	7[illegible]	Dweston
	1300	77	Weston
	1400	80	Weston
	1500	81	Weston
	1600	80	Weston
	1700	79	D. Weston
	1800	77	Dweston
	1900	71	Dweston
	2000	64	Dweston
	2100	62	Dweston
	2200	60	S. Hutson
	2300	58	S. Hutson
	2400	56	S. Hutson

Date	Time	Temp.	Printed Name
FRIDAY, MAY 3, 2024	0100	56	S. Hutson
	0200	55	S. Hutson
	0300	55	S. Hutson
	0400	54	S. Hutson
	0500	53	S Hutson
	0600	52	Weston
	0700	54	Weston
	0800	55	Weston
	0900	60	Weston
	1000	63	Dweston
	1100	73	Dweston
	1200	75	Weston
	1300	77	Dweston
	1400	80	Dweston
	1500	81	Hassell
	1600	80	Hassell
	1700	79	Hassell
	1800	77	Hassell
	1900	71	Hassell
	2000	71	Hassell
	2100	69	Hassell
	2200	64	S Hutson
	2300	63	S Hutson
	2400	60	S Hutson

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/16)

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: _____

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
THURSDAY, MAY 2, 2024	0100	46	S. Hutson
	0200	44	S. Hutson
	0300	44	S. Hutson
	0400	44	S. Hutson
	0500	44	S. Hutson
	0600	47	Weston
	0700	49	Weston
	0800	50	Weston
	0900	57	Dweston
	1000	63	Dweston
	1100	65	Dweston
	1200	7	Dweston
	1300	77	Weston
	1400	80	Weston
	1500	81	Weston
	1600	80	Weston
	1700	79	D. Weston
	1800	77	Dweston
	1900	71	Dweston
	2000	64	Dweston
	2100	62	Dweston
	2200	60	S. Hutson
	2300	58	S. Hutson
	2400	56	S. Hutson

Date	Time	Temp.	Printed Name
FRIDAY, MAY 3, 2024	0100	56	S. Hutson
	0200	55	S. Hutson
	0300	55	S. Hutson
	0400	54	S. Hutson
	0500	53	S Hutson
	0600	52	Weston
	0700	54	Weston
	0800	55	Weston
	0900	60	Weston
	1000	68	Dweston
	1100	73	Dweston
	1200	75	Weston
	1300	77	Dweston
	1400	80	Dweston
	1500	81	Hassell
	1600	80	Hassell
	1700	79	Hassell
	1800	77	Hassell
	1900	71	Hassell
	2000	71	Hassell
	2100	69	Hassell
	2200	64	S Hutson
	2300	63	S Hutson
	2400	60	S Hutson

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION **OUTSIDE TEMPERATURE RECORD**
CDCR 3030 (04/18)

INSTITUTION: **HIGH DESERT STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 80 degrees.

Date	Time	Temp.	Printed Name
SATURDAY, MAY 4, 2024	0100	55	Orozco
	0200	55	Orozco
	0300	55	Orozco
	0400	55	Orozco
	0500	54	Orozco
	0600	53	Rinaldo
	0700	52	Robinette
	0800	49	Robinette
	0900	47	Robinette
	1000	46	Rinaldo
	1100	43	Robinette
	1200	44	Robinette
	1300	44	Rinaldo
	1400	44	Rinaldo
	1500	42	Rinaldo
	1600	42	Rinaldo
	1700	42	Rinaldo
	1800	43	Rinaldo
	1900	38	Rinaldo
	2000	37	Rinaldo
	2100	36	Rinaldo
	2200	35	Smith
	2300	34	Smith
	2400	34	Smith

Date	Time	Temp.	Printed Name
SUNDAY, MAY 5, 2024	0100	34	Smith
	0200	34	Smith
	0300	34	Smith
	0400	34	Smith
	0500	33	Smith
	0600	33	Rinaldo
	0700	33	Rinaldo
	0800	35	Dueston
	0900	36	Rinaldo
	1000	40	Rinaldo
	1100	43	Dueston
	1200	43	Dueston
	1300	42	Rinaldo
	1400	42	Rinaldo
	1500	42	Rinaldo
	1600	42	Rinaldo
	1700	43	Rinaldo
	1800	43	Rinaldo
	1900	43	Rinaldo
	2000	43	Rinaldo
	2100	42	Rinaldo
	2200	41	Alba
	2300	41	Alba
	2400	41	Alba

DISTRIBUTION: Original: Institution Heat Plan Coordinator

FAX 5031

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18)

INSTITUTION: **HIGH DESERT STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SATURDAY, MAY 4, 2024	0100	55	Orozco
	0200	55	Orozco
	0300	55	Orozco
	0400	55	Orozco
	0500	54	Orozco
	0600	53	RINAUDO
	0700	52	Robinette
	0800	49	Robinette
	0900	47	Robinette
	1000	46	RINAUDO
	1100	43	Robinette
	1200	44	Robinette
	1300	44	RINAUDO
	1400	44	RINAUDO
	1500	42	RINAUDO
	1600	42	RINAUDO
	1700	42	RINAUDO
	1800	43	RINAUDO
	1900	38	RINAUDO
	2000	37	RINAUDO
	2100	36	RINAUDO
	2200	35	Smith
	2300	34	Smith
	2400	34	Smith

Date	Time	Temp.	Printed Name
SUNDAY, MAY 5, 2024	0100	34	Smith
	0200	34	Smith
	0300	34	Smith
	0400	34	Smith
	0500	33	Smith
	0600	33	RINAUDO
	0700	33	RINAUDO
	0800	35	Dueston
	0900	36	RINAUDO
	1000	40	RINAUDO
	1100	43	Dueston
	1200	43	Dueston
	1300	42	RINAUDO
	1400	42	RINAUDO
	1500	42	RINAUDO
	1600	42	RINAUDO
	1700	43	RINAUDO
	1800	43	RINAUDO
	1900	43	RINAUDO
	2000	43	RINAUDO
	2100	42	RINAUDO
	2200	41	Alba
	2300	41	Alba
	2400	41	Alba

DISTRIBUTION: Original: Institution Heat Plan Coordinator

FAX 5031

515 - Attachment 5.

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18)

INSTITUTION: **HIGH DESERT STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

MONDAY, MAY 6, 2024

Date	Time	Temp.	Printed Name
	0100	41	S. Robertson
	0200	40	S. Robertson
	0300	40	S. Robertson
	0400	39	S. Robertson
	0500	39	S. Robertson
	0600	40	J. BAKER
	0700	39	J. BAKER
	0800	42	J. BAKER
	0900	44	J. BAKER
	1000	49	J. BAKER
	1100	50	J. BAKER
	1200	52	J. BAKER
	1300	52	J. BAKER
	1400	52	J. BAKER
	1500	54	J. BAKER
	1600	55	J. BAKER
	1700	54	J. BAKER
	1800	54	J. BAKER
	1900	52	J. BAKER
	2000	49	J. BAKER
	2100	48	J. BAKER
	2200	47	S. Robertson
	2300	46	S. Robertson
	2400	44	S. Robertson

TUESDAY, MAY 7, 2024

Date	Time	Temp.	Printed Name
	0100	44	S. Robertson
	0200	44	S. Robertson
	0300	44	S. Robertson
	0400	43	S. Robertson
	0500	42	S. Robertson
	0600	40	BAKER
	0700	41	HAWKY
	0800	43	BAKER
	0900	45	BAKER
	1000	46	HAWKY
	1100	47	HAWKY
	1200	50	HAWKY
	1300	52	HAWKY
	1400	55	BAKER
	1500	57	BAKER
	1600	57	BAKER
	1700	57	BAKER
	1800	56	BAKER
	1900	55	BAKER
	2000	52	BAKER
	2100	50	BAKER
	2200	49	S. Robertson
	2300	46	S. Robertson
	2400	45	S. Robertson

FAX 5031

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18)

INSTITUTION: **HIGH DESERT STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY, MAY 6, 2024	0100	41	S. Robertson
	0200	40	S. Robertson
	0300	40	S. Robertson
	0400	39	S. Robertson
	0500	39	S. Robertson
	0600	40	J. BAKER
	0700	39	J. BAKER
	0800	42	J. BAKER
	0900	44	J. BAKER
	1000	49	J. BAKER
	1100	50	J. BAKER
	1200	52	J. BAKER
	1300	52	J. BAKER
	1400	52	J. BAKER
	1500	54	J. BAKER
	1600	55	J. BAKER
	1700	54	J. BAKER
	1800	54	J. BAKER
	1900	52	J. BAKER
	2000	49	J. BAKER
	2100	48	J. BAKER
	2200	47	S. Robertson
	2300	45	S. Robertson
	2400	44	S. Robertson

Date	Time	Temp.	Printed Name
TUESDAY, MAY 7, 2024	0100	44	S. Robertson
	0200	44	S. Robertson
	0300	44	S. Robertson
	0400	43	S. Robertson
	0500	42	S. Robertson
	0600	40	BAKER
	0700	41	HAWKS
	0800	43	BAKER
	0900	45	BAKER
	1000	46	HAWKS
	1100	47	HAWKS
	1200	50	HAWKS
	1300	52	HAWKS
	1400	55	BAKER
	1500	57	BAKER
	1600	57	BAKER
	1700	57	BAKER
	1800	56	BAKER
	1900	55	BAKER
	2000	52	BAKER
	2100	50	BAKER
	2200	49	S. Robertson
	2300	46	S. Robertson
	2400	45	S. Robertson

DISTRIBUTION: Original: Institution Heat Plan Coordinator

FAX 5031

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18)

INSTITUTION: **HIGH DESERT STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY, MAY 8TH, 2024	0100	44	S. Robertson
	0200	42	S. Robertson
	0300	41	S. Robertson
	0400	40	S. Robertson
	0500	38	S. Robertson
	0600	37	HAWKS
	0700	38	HAWKS
	0800	41	HAWKS
	0900	44	HAWKS
	1000	46	HAWKS
	1100	49	BAKER
	1200	51	HAWKS
	1300	53	HAWKS
	1400	56	HASSELL
	1500	58	HASSELL
	1600	60	HASSELL
	1700	60	HASSELL
	1800	60	HASSELL
	1900	58	HASSELL
	2000	56	HASSELL
	2100	51	HASSELL
	2200	49	Bartu
	2300	48	Bartu
	2400	47	Bartu

Date	Time	Temp.	Printed Name
THURSDAY, MAY 9TH, 2024	0100	46	Bartu
	0200	44	Bartu
	0300	43	Bartu
	0400	42	Bartu
	0500	42	Bartu
	0600	42	HASSELL
	0700	45	HASSELL
	0800	47	HASSELL
	0900	51	HASSELL
	1000	55	WESTON
	1100	59	HASSELL
	1200	61	HASSELL
	1300	62	HASSELL
	1400	64	Vang
	1500	67	Vang
	1600	67	HASSELL
	1700	67	HASSELL
	1800	67	HASSELL
	1900	67	HASSELL
	2000	62	Vang
	2100	58	Vang
	2200	58	HUTSON
	2300	58	HUTSON
	2400	57	HUTSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

FAX 5031

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18)

INSTITUTION: **HIGH DESERT STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY, MAY 8TH, 2024	0100	44	S. Roberson
	0200	42	S. Roberson
	0300	41	S. Roberson
	0400	40	S. Roberson
	0500	38	S. Roberson
	0600	37	HAWKS
	0700	38	HAWKS
	0800	41	HAWKS
	0900	44	HAWKS
	1000	46	HAWKS
	1100	49	BAKER
	1200	51	HAWKS
	1300	53	HAWKS
	1400	56	HASSELL
	1500	59	HASSELL
	1600	60	HASSELL
	1700	60	HASSELL
	1800	60	HASSELL
	1900	58	HASSELL
	2000	56	HASSELL
	2100	51	HASSELL
	2200	49	[illegible]
	2300	48	[illegible]
	2400	47	[illegible]

Date	Time	Temp.	Printed Name
THURSDAY, MAY 9TH, 2024	0100	46	[illegible]
	0200	44	[illegible]
	0300	43	[illegible]
	0400	42	[illegible]
	0500	42	[illegible]
	0600	42	HASSELL
	0700	45	HASSELL
	0800	47	HASSELL
	0900	51	HASSELL
	1000	55	WESTON
	1100	59	HASSELL
	1200	61	HASSELL
	1300	62	HASSELL
	1400	64	Vang
	1500	67	Vang
	1600	67	HASSELL
	1700	67	HASSELL
	1800	67	HASSELL
	1900	67	HASSELL
	2000	62	Vang
	2100	58	Vang
	2200	58	HUTSON
	2300	58	HUTSON
	2400	57	HUTSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

FAX 5031

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18)

INSTITUTION: **HIGH DESERT STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
FRIDAY, MAY 10TH, 2024	0100	55	Hutson
	0200	55	Hutson
	0300	52	Hutson
	0400	52	Hutson
	0500	50	Hutson
	0600	45	Hassell
	0700	46	Hassell
	0800	55	Hassell
	0900	60	Hassell
	1000	64	Colover
	1100	65	Colover
	1200	68	Hassell
	1300	69	Colover
	1400	70	Colover
	1500	74	Navarro
	1600	74	Navarro
	1700	72	Navarro
	1800	72	Navarro
	1900	71	Navarro
	2000	66	Navarro
	2100	66	Navarro
	2200	64	Murphy
	2300	58	Murphy
	2400	52	Murphy

Date	Time	Temp.	Printed Name
SATURDAY, MAY 11TH, 2024	0100	50	Murphy
	0200	48	Murphy
	0300	50	Murphy
	0400	47	Murphy
	0500	43	Murphy
	0600	48	Aranda
	0700	48	Aranda
	0800	52	Rogers
	0900	58	Rogers
	1000	63	Rogers
	1100	67	Rogers
	1200	71	Rogers
	1300	74	Rogers
	1400	76	Navarro
	1500	77	Navarro
	1600	77	Navarro
	1700	78	Navarro
	1800	78	Navarro
	1900	70	Navarro
	2000	68	Navarro
	2100	68	Navarro
	2200	66	Alba
	2300	64	Alba
	2400	63	Alba

DISTRIBUTION: Original: Institution Heat Plan Coordinator

FAX 5031

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/19)

INSTITUTION: **HIGH DESERT STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 5048 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
FRIDAY, MAY 10TH, 2024	0100	55	Hutson
	0200	55	Hutson
	0300	52	Hutson
	0400	52	Hutson
	0500	50	Hutson
	0600	45	Hassell
	0700	46	Hassell
	0800	55	Hassell
	0900	60	Hassell
	1000	64	Colver
	1100	65	Colver
	1200	68	Hassell
	1300	69	Colver
	1400	70	Colver
	1500	74	Navarro
	1600	74	Navarro
	1700	72	Navarro
	1800	72	Navarro
	1900	71	Navarro
	2000	66	Navarro
	2100	66	Navarro
	2200	64	Murphy
	2300	58	Murphy
	2400	52	Murphy

Date	Time	Temp.	Printed Name
SATURDAY, MAY 11TH, 2024	0100	50	Murphy
	0200	48	Murphy
	0300	50	Murphy
	0400	47	Murphy
	0500	43	Murphy
	0600	[illegible]	Aranda
	0700	48	Aranda
	0800	52	Rogers
	0900	56	Rogers
	1000	63	Rogers
	1100	67	Rogers
	1200	71	Rogers
	1300	74	Rogers
	1400	76	Navarro
	1500	77	Navarro
	1600	77	Navarro
	1700	78	Navarro
	1800	78	Navarro
	1900	70	Navarro
	2000	68	Navarro
	2100	68	Navarro
	2200	66	Alba
	2300	64	Alba
	2400	63	Alba

DISTRIBUTION: Original: Institution Heat Plan Coordinator

FAX 5031

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY, MAY 12TH, 2024	0100	59	J Smith
	0200	57	Alba
	0300	54	Alba
	0400	54	Alba
	0500	50	Alba
	0600	54	McGinnis
	0700	57	McGinnis
	0800	60	JUAREZ
	0900	70	JUAREZ
	1000	71	JUAREZ
	1100	77	CORTEZ
	1200	77	CORTEZ
	1300	77	CORTEZ
	1400	80	Navarro
	1500	80	Navarro
	1600	76	Navarro
	1700	75	Navarro
	1800	75	Navarro
	1900	75	Navarro
	2000	72	Navarro
	2100	70	Navarro
	2200	67	Alba
	2300	62	Alba
	2400	60	Alba

Date	Time	Temp.	Printed Name
MONDAY, MAY 13TH, 2024	0100	59	Alba
	0200	59	Alba
	0300	56	Alba
	0400	54	Alba
	0500	52	Alba
	0600	52	Hawks
	0700	52	Hawks
	0800	57	Hawks
	0900	62	Hawks
	1000	69	Hawks
	1100	72	Hawks
	1200	75	Hawks
	1300	77	Hawks
	1400	80	BAKER
	1500	80	BAKER
	1600	80	BAKER
	1700	80	BAKER
	1800	80	BAKER
	1900	76	BAKER
	2000	74	BAKER
	2100	72	BAKER
	2200	70	S. Robertson
	2300	67	S. Robertson
	2400	64	S. Robertson

DISTRIBUTION: Original: Institution Heat Plan Coordinator

FAX 5031

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18)

INSTITUTION: **HIGH DESERT STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY, MAY 12TH, 2024	0100	59	J Santa
	0200	57	Alba
	0300	54	Alba
	0400	54	Alba
	0500	50	Alba
	0600	54	McGinnis
	0700	57	McGinnis
	0800	60	JUAREZ
	0900	70	JUAREZ
	1000	71	JUAREZ
	1100	77	CORTEZ
	1200	77	CORTEZ
	1300	77	CORTEZ
	1400	80	Navarro
	1500	80	Navarro
	1600	76	Navarro
	1700	75	Navarro
	1800	75	Navarro
	1900	75	Navarro
	2000	72	Navarro
	2100	70	Navarro
	2200	67	Alba
	2300	62	Alba
	2400	60	Alba

Date	Time	Temp.	Printed Name
MONDAY, MAY 13TH, 2024	0100	59	Alba
	0200	59	Alba
	0300	56	Alba
	0400	54	Alba
	0500	52	Alba
	0600	52	Hands
	0700	52	Hands
	0800	57	Hands
	0900	62	Hands
	1000	69	Hands
	1100	72	Hands
	1200	75	Hands
	1300	77	Hands
	1400	80	BAKER
	1500	80	BAKER
	1600	80	BAKER
	1700	80	BAKER
	1800	80	BAKER
	1900	76	BAKER
	2000	74	BAKER
	2100	72	BAKER
	2200	70	S. Robertson
	2300	67	S. Robertson
	2400	64	S. Robertson

DISTRIBUTION: Original: Institution Heat Plan Coordinator

FAX 5031

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION **OUTSIDE TEMPERATURE RECORD**
CDCR 2030 (04/18)

INSTITUTION: **HIGH DESERT STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY, MAY 14TH, 2024	0100	61	S. Robertson
	0200	56	S. Robertson
	0300	55	S. Robertson
	0400	54	S. Robertson
	0500	53	S. Robertson
	0600	51	BAKER
	0700	54	BAKER
	0800	59	HAWKS
	0900	63	HAWKS
	1000	66	HAWKS
	1100	72	HAWKSS
	1200	75	BAKER
	1300	77	HAWKS
	1400	79	BAKER
	1500	81	BAKER
	1600	81	BAKER
	1700	81	Baker
	1800	80	BAKER
	1900	79	BAKER
	2000	76	BAKER
	2100	72	BAKER
	2200	71	S. Robertson
	2300	68	S. Robertson
	2400	65	S. Robertson

Date	Time	Temp.	Printed Name
WEDNESDAY, MAY 15TH, 2024	0100	62	S. Robertson
	0200	59	S. Robertson
	0300	56	S. Robertson
	0400	55	S. Robertson
	0500	52	S. Robertson
	0600	52	HAWKS
	0700	54	HAWKS
	0800	61	HAWKS
	0900	66	HAWKS
	1000	67	HAWKS
	1100	71	HAWKS
	1200	72	BAKER
	1300	77	BAKER
	1400	77	Bruto
	1500	77	Bruto
	1600	77	Bruto
	1700	78	Bruto
	1800	78	Bruto
	1900	79	Bruto
	2000	77	Bruto
	2100	74	Bruto
	2200	71	Bruto
	2300	67	Bruto
	2400	64	Bruto

DISTRIBUTION: Original: Institution Heat Plan Coordinator

FAX 5031

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2030 (04/18)

OUTSIDE TEMPERATURE RECORD

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY, MAY 14TH, 2024	0100	61	S. Robertson
	0200	56	S. Robertson
	0300	55	S. Robertson
	0400	54	S. Robertson
	0500	53	S. Robertson
	0600	51	BAKER
	0700	54	BAKER
	0800	59	HAWKS
	0900	63	HAWKS
	1000	68	HAWKS
	1100	72	HAWKS
	1200	75	BAKER
	1300	77	HAWKS
	1400	79	BAKER
	1500	81	BAKER
	1600	81	BAKER
	1700	81	BAKER
	1800	80	BAKER
	1900	79	BAKER
	2000	76	BAKER
	2100	72	BAKER
	2200	71	S. Robertson
	2300	68	S. Robertson
	2400	65	S. Robertson

Date	Time	Temp.	Printed Name
WEDNESDAY, MAY 15TH, 2024	0100	62	S. Robertson
	0200	59	S. Robertson
	0300	56	S. Robertson
	0400	55	S. Robertson
	0500	52	S. Robertson
	0600	52	HAWKS
	0700	54	HAWKS
	0800	61	HAWKS
	0900	66	HAWKS
	1000	67	HAWKS
	1100	71	HAWKS
	1200	72	BAKER
	1300	77	BAKER
	1400	77	Bruto
	1500	77	Bruto
	1600	77	Bruto
	1700	78	Bruto
	1800	78	Bruto
	1900	79	Bruto
	2000	77	Bruto
	2100	74	Bruto
	2200	71	Bruto
	2300	67	Bruto
	2400	64	Bruto

DISTRIBUTION: Original: Institution Heat Plan Coordinator

FAX 5031

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: _____

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
THURSDAY, MAY 16, 2024	0100	61	S. Hutson
	0200	60	S. Hutson
	0300	59	S. Hutson
	0400	52	S. Hutson
	0500	52	S. Hutson
	0600	53	Hassell
	0700	53	Hassell
	0800	55	Hassell
	0900	60	Hassell
	1000	62	Hassell
	1100	65	Hassell
	1200	70	Hassell
	1300	70	Hassell
	1400	71	Hassell
	1500	73	Hassell
	1600	74	Hassell
	1700	75	Hassell
	1800	73	Hassell
	1900	73	Hassell
	2000	71	Hassell
	2100	70	Hassell
	2200	70	S. Hutson
	2300	68	S. Hutson
	2400	64	S. Hutson

Date	Time	Temp.	Printed Name
FRIDAY, MAY 17, 2024	0100	60	S. Hutson
	0200	56	S. Hutson
	0300	53	S. Hutson
	0400	52	S. Hutson
	0500	50	S. Hutson
	0600	50	Hassell
	0700	51	Hassell
	0800	51	Hassell
	0900	53	Hassell
	1000	57	Hassell
	1100	60	Hassell
	1200	62	Hassell
	1300	65	Hassell
	1400	70	Hassell
	1500	70	Hassell
	1600	73	Hassell
	1700	72	Hassell
	1800	72	Hassell
	1900	70	Hassell
	2000	70	Hassell
	2100	69	Hassell
	2200	63	S Hutson
	2300	61	S Hutson
	2400	60	S Hutson

DISTRIBUTION: Original: Institution Heat Plan Coordinator

315 - Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SATURDAY, MAY 18, 2024	0100	59	WALTER
	0200	56	WALTER
	0300	54	WALTER
	0400	52	WALTER
	0500	48	WALTER
	0600	49	RINAUDO
	0700	50	Rogess
	0800	57	RINAUDO
	0900	63	Rogess
	1000	65	RINAUDO
	1100	73	Rogess
	1200	75	Rogess
	1300	77	RINAUDO
	1400	80	Navarro
	1500	81	RINAUDO
	1600	80	RINAUDO
	1700	79	RINAUDO
	1800	77	RINAUDO
	1900	71	Navarro
	2000	71	Navarro
	2100	67	RINAUDO
	2200	64	Alba
	2300	63	Alba
	2400	60	Alba

Date	Time	Temp.	Printed Name
SUNDAY, MAY 19, 2024	0100	58	Alba
	0200	55	Alba
	0300	55	Alba
	0400	54	Alba
	0500	53	Alba
	0600	52	RINAUDO
	0700	53	RINAUDO
	0800	58	RINAUDO
	0900	61	RINAUDO
	1000	64	RINAUDO
	1100	67	RINAUDO
	1200	67	RINAUDO
	1300	68	RINAUDO
	1400	71	RINAUDO
	1500	73	RINAUDO
	1600	73	RINAUDO
	1700	72	Navarro
	1800	68	RINAUDO
	1900	67	RINAUDO
	2000	61	Navarro
	2100	61	Navarro
	2200	58	Alba
	2300	56	Alba
	2400	53	Alba

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SATURDAY, MAY 18, 2024	0100	59	WALTER
	0200	56	WALTER
	0300	54	WALTER
	0400	52	WALTER
	0500	48	WALTER
	0600	49	RINAUDO
	0700	50	Rogess
	0800	57	RINAUDO
	0900	63	Rogess
	1000	65	RINAUDO
	1100	73	Rogess
	1200	75	Rogess
	1300	77	RINAUDO
	1400	80	Navarro
	1500	81	RINAUDO
	1600	80	RINAUDO
	1700	79	RINAUDO
	1800	77	RINAUDO
	1900	71	Navarro
	2000	71	Navarro
	2100	67	RINAUDO
	2200	64	Alba
	2300	63	Alba
	2400	60	Alba

Date	Time	Temp.	Printed Name
SUNDAY, MAY 19, 2024	0100	58	Alba
	0200	55	Alba
	0300	55	Alba
	0400	54	Alba
	0500	53	Alba
	0600	52	RINAUDO
	0700	53	RINAUDO
	0800	58	RINAUDO
	0900	61	RINAUDO
	1000	64	RINAUDO
	1100	67	RINAUDO
	1200	67	RINAUDO
	1300	68	RINAUDO
	1400	71	RINAUDO
	1500	73	RINAUDO
	1600	73	RINAUDO
	1700	72	Navarro
	1800	68	RINAUDO
	1900	67	RINAUDO
	2000	61	Navarro
	2100	61	Navarro
	2200	58	Alba
	2300	56	Alba
	2400	53	Alba

DISTRIBUTION: Original: Institution Heat Plan Coordinator

315 - Attachment C

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY, MAY 20, 2024	0100	51	Alba
	0200	49	Alba
	0300	47	Alba
	0400	45	Alba
	0500	44	Alba
	0600	43	HAWKS
	0700	44	BAKER
	0800	47	BAKER
	0900	49	BAKER
	1000	54	HAWKS
	1100	54	HAWKS
	1200	56	BAKER
	1300	58	HAWKS
	1400	60	Alba
	1500	62	BAKER
	1600	63	RINAUDO
	1700	63	RINAUDO
	1800	63	RINAUDO
	1900	63	RINAUDO
	2000	60	BAKER
	2100	58	BAKER
	2200	56	S. Robertson
	2300	54	S. Robertson
	2400	52	S. Robertson

Date	Time	Temp.	Printed Name
TUESDAY, MAY 21, 2024	0100	50	S. Robertson
	0200	48	S. Robertson
	0300	46	S. Robertson
	0400	44	S. Robertson
	0500	42	S. Robertson
	0600	41	HAWKS
	0700	45	HAWKS
	0800	49	HAWKS
	0900	55	HAWKS
	1000	58	HAWKS
	1100	60	BAKER
	1200	61	HAWKS
	1300	64	HAWKS
	1400	66	Bustos
	1500	66	Bustos
	1600	67	Bustos
	1700	68	Bustos
	1800	68	Bustos
	1900	69	Bustos
	2000	64	Bustos
	2100	62	Bustos
	2200	59	Bustos
	2300	60	Bustos
	2400	59	Bustos

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY, MAY 20, 2024	0100	51	Alba
	0200	49	Alba
	0300	47	Alba
	0400	45	Alba
	0500	44	Alba
	0600	43	HAWKS
	0700	44	BAKER
	0800	47	BAKER
	0900	49	BAKER
	1000	54	HAWKS
	1100	54	HAWKS
	1200	56	BAKER
	1300	58	HAWKS
	1400	60	Alba
	1500	62	BAKER
	1600	63	RINAUDO
	1700	63	RINAUDO
	1800	63	RINAUDO
	1900	63	RINAUDO
	2000	60	BAKER
	2100	58	BAKER
	2200	56	S. Robertson
	2300	54	S. Robertson
	2400	52	S. Robertson

Date	Time	Temp.	Printed Name
TUESDAY, MAY 21, 2024	0100	50	S. Robertson
	0200	48	S. Robertson
	0300	46	S. Robertson
	0400	44	S. Robertson
	0500	42	S. Robertson
	0600	41	HAWKS
	0700	45	HAWKS
	0800	49	HAWKS
	0900	55	HAWKS
	1000	58	HAWKS
	1100	60	BAKER
	1200	61	HAWKS
	1300	64	HAWKS
	1400	66	Bruton
	1500	66	Bruton
	1600	67	Bruton
	1700	68	Bruton
	1800	68	Bruton
	1900	69	Bruton
	2000	64	Bruton
	2100	62	Bruton
	2200	59	Bruton
	2300	60	Bruton
	2400	59	Bruton

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY, MAY 22, 2024	0100	57	Bunter
	0200	55	Bunter
	0300	53	Bunter
	0400	47	Bunter
	0500	47	Bunter
	0600	48	HAWKS
	0700	49	HAWKS
	0800	52	HAWKS
	0900	59	HAWKS
	1000	62	HAWKS
	1100	66	HAWKS
	1200	68	HAWKS
	1300	70	HAWKS
	1400	70	Bunter
	1500	71	Bunter
	1600	72	Bunter
	1700	71	Bunter
	1800	69	Bunter
	1900	64	Bunter
	2000	61	Bunter
	2100	57	Bunter
	2200	55	Bunter
	2300	52	Bunter
	2400	50	Bunter

Date	Time	Temp.	Printed Name
THURSDAY, MAY 23, 2024	0100	48	Bunter
	0200	46	Bunter
	0300	45	Bunter
	0400	43	Bunter
	0500	42	Bunter
	0600	43	HASSELL
	0700	45	HASSELL
	0800	46	HASSELL
	0900	49	HASSELL
	1000	52	HASSELL
	1100	55	HASSELL
	1200	56	HASSELL
	1300	60	HASSELL
	1400	64	HASSELL
	1500	67	HASSELL
	1600	67	HASSELL
	1700	66	HASSELL
	1800	65	HASSELL
	1900	64	HASSELL
	2000	64	HASSELL
	2100	57	HASSELL
	2200	54	HUTSON
	2300	50	HUTSON
	2400	50	HUTSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

315 - Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY, MAY 22, 2024	0100	57	Bunter
	0200	55	Bunter
	0300	53	Bunter
	0400	47	Bunter
	0500	47	Bunter
	0600	48	HAWKS
	0700	49	HAWKS
	0800	52	HAWKS
	0900	59	HAWKS
	1000	62	HAWKS
	1100	66	HAWKS
	1200	68	HAWKS
	1300	70	HAWKS
	1400	70	Bunter
	1500	71	Bunter
	1600	72	Bunter
	1700	71	Bunter
	1800	69	Bunter
	1900	64	Bunter
	2000	61	Bunter
	2100	57	Bunter
	2200	55	Bunter
	2300	52	Bunter
	2400	50	Bunter

Date	Time	Temp.	Printed Name
THURSDAY, MAY 23, 2024	0100	48	Bunter
	0200	46	Bunter
	0300	45	Bunter
	0400	43	Bunter
	0500	42	Bunter
	0600	43	HASSELL
	0700	45	HASSELL
	0800	46	HASSELL
	0900	49	HASSELL
	1000	52	HASSELL
	1100	55	HASSELL
	1200	56	HASSELL
	1300	60	HASSELL
	1400	64	HASSELL
	1500	67	HASSELL
	1600	67	HASSELL
	1700	66	HASSELL
	1800	65	HASSELL
	1900	64	HASSELL
	2000	64	HASSELL
	2100	57	HASSELL
	2200	54	HUTSON
	2300	50	HUTSON
	2400	50	HUTSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
FRIDAY, MAY 24, 2024	0100	47	HUTSON
	0200	43	HUTSON
	0300	43	HUTSON
	0400	40	HUTSON
	0500	40	HUTSON
	0600	40	HUTSON
	0700	44	HASSELL
	0800	49	HASSELL
	0900	57	NOSTON.
	1000	62	HASSELL
	1100	68	HASSELL
	1200	68	HASSELL
	1300	70	HASSELL
	1400	71	Navarro
	1500	72	Navarro
	1600	71	HASSELL
	1700	69	HASSELL
	1800	67	HASSELL
	1900	64	HASSELL
	2000	63	HASSELL
	2100	59	Navarro
	2200	58	ERNST
	2300	57	ERNST
	2400	57	ERNST

Date	Time	Temp.	Printed Name
SATURDAY, MAY 25, 2024	0100	56	ERNST
	0200	55	ERNST
	0300	55	ERNST
	0400	53	ERNST
	0500	53	ERNST
	0600	53	ERNST
	0700	51	Rogers
	0800	54	Rogers
	0900	58	Rogers
	1000	60	Rogers
	1100	63	Rogers
	1200	65	Rogers
	1300	67	Rogers
	1400	68	Alba
	1500	68	Navarro
	1600	68	Navarro
	1700	68	RINALDI
	1800	66	RINALDI
	1900	66	RINALDI
	2000	60	Navarro
	2100	59	Navarro
	2200	57	Alba
	2300	55	STAUB
	2400	54	Alba

DISTRIBUTION: Original: Institution Heat Plan Coordinator

315 - Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
FRIDAY, MAY 24, 2024	0100	47	HUTSON
	0200	43	HUTSON
	0300	43	HUTSON
	0400	40	HUTSON
	0500	40	HUTSON
	0600	40	HUTSON
	0700	44	HASSELL
	0800	49	HASSELL
	0900	57	HUTSON
	1000	67	HASSELL
	1100	68	HASSELL
	1200	68	HASSELL
	1300	70	HASSELL
	1400	71	NAVARRO
	1500	72	NAVARRO
	1600	71	HASSELL
	1700	69	HASSELL
	1800	67	HASSELL
	1900	64	HASSELL
	2000	63	HASSELL
	2100	59	NAVARRO
	2200	58	ERNST
	2300	57	ERNST
	2400	57	ERNST

Date	Time	Temp.	Printed Name
SATURDAY, MAY 25, 2024	0100	56	ERNST
	0200	55	ERNST
	0300	55	ERNST
	0400	53	ERNST
	0500	53	ERNST
	0600	53	ERNST
	0700	51	Rogers
	0800	54	Rogers
	0900	58	Rogers
	1000	60	Rogers
	1100	63	Rogers
	1200	65	Rogers
	1300	67	Rogers
	1400	68	Alba
	1500	68	Navarro
	1600	68	Navarro
	1700	68	Rosales
	1800	66	Rosales
	1900	66	Rosales
	2000	60	Navarro
	2100	59	Navarro
	2200	57	Alba
	2300	55	STAUB
	2400	54	Alba

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY, MAY 26, 2024	0100	54	Alba
	0200	52	Alba
	0300	52	Alba
	0400	49	Alba
	0500	46	Alba
	0600	44	DUESTON
	0700	46	DUESTON
	0800	49	Dueston
	0900	58	Dueston
	1000	62	DUESTON
	1100	66	DUESTON
	1200	69	DUESTON
	1300	73	RINAUDO
	1400	73	RINAUDO
	1500	75	Navarro
	1600	75	Navarro
	1700	77	Alba
	1800	77	Alba
	1900	76	Navarro
	2000	72	Alba
	2100	69	RINAUDO
	2200	66	S. Robertson
	2300	64	S. Robertson
	2400	63	S. Robertson

Date	Time	Temp.	Printed Name
MONDAY, MAY 27, 2024	0100	61	S. Robertson
	0200	57	S. Robertson
	0300	54	S. Robertson
	0400	53	S. Robertson
	0500	49	S. Robertson
	0600	48	BAKER
	0700	49	Lutes
	0800	53	Lutes
	0900	63	Lutes
	1000	71	Lutes
	1100	74	Lutes
	1200	76	HAWKS
	1300	78	HAWKS
	1400	82	RINAUDO
	1500	83	RINAUDO
	1600	82	RINAUDO
	1700	81	RINAUDO
	1800	78	RINAUDO
	1900	77	RINAUDO
	2000	75	BAKER
	2100	73	RINAUDO
	2200	68	S. Robertson
	2300	65	S. Robertson
	2400	63	S. Robertson

DISTRIBUTION: Original: Institution Heat Plan Coordinator

315 - Attachment C

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY, MAY 26, 2024	0100	54	Alba
	0200	52	Alba
	0300	52	Alba
	0400	49	Alba
	0500	46	Alba
	0600	44	DUESTON
	0700	46	DUESTON
	0800	49	Dueston
	0900	58	Dueston
	1000	62	DUESTON
	1100	66	DUESTON
	1200	69	DUESTON
	1300	73	RINALDO
	1400	73	RINALDO
	1500	75	Navarro
	1600	75	Navarro
	1700	77	Alba
	1800	77	Alba
	1900	76	Navarro
	2000	72	Alba
	2100	69	RINALDO
	2200	66	S. Robertson
	2300	64	S. Robertson
	2400	63	S. Robertson

Date	Time	Temp.	Printed Name
MONDAY, MAY 27, 2024	0100	61	S. Robertson
	0200	57	S. Robertson
	0300	54	S. Robertson
	0400	53	S. Robertson
	0500	49	S. Robertson
	0600	48	BAKER
	0700	49	Lutes
	0800	53	Lutes
	0900	63	Lutes
	1000	71	Lutes
	1100	74	Lutes
	1200	76	HAWKS
	1300	78	HAWKS
	1400	82	RINALDO
	1500	83	RINALDO
	1600	82	RINALDO
	1700	81	RINALDO
	1800	78	RINALDO
	1900	77	RINALDO
	2000	75	BAKER
	2100	73	RINALDO
	2200	68	S. Robertson
	2300	65	S. Robertson
	2400	63	S. Robertson

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY, MAY 28, 2024	0100	62	S. Robertson
	0200	60	S. Robertson
	0300	58	S. Robertson
	0400	56	S. Robertson
	0500	56	S. Robertson
	0600	54	HAWKS
	0700	56	HAWKS
	0800	61	HAWKS
	0900	67	HAWKS
	1000	69	HAWKS
	1100	73	HAWKS
	1200	76	HAWKS
	1300	76	HAWKS
	1400	78	HAWKS
	1500	79	BAKER
	1600	80	BAKER
	1700	79	BAKER
	1800	75	BAKER
	1900	72	BAKER
	2000	69	BAKER
	2100	66	BAKER
	2200	64	Bruto
	2300	62	Bruto
	2400	60	Bruto

Date	Time	Temp.	Printed Name
WEDNESDAY, MAY29, 2024	0100	58	Bruto
	0200	50	Bruto
	0300	56	Bruto
	0400	54	Bruto
	0500	53	Bruto
	0600	52	BAKER
	0700	52	BAKER
	0800	55	HAWKS
	0900	57	HAWKS
	1000	59	BAKER
	1100	61	HAWKS
	1200	64	BAKER
	1300	68	HAWKS
	1400	70	Bruto
	1500	71	Bruto
	1600	72	Bruto
	1700	72	Bruto
	1800	69	Bruto
	1900	67	Bruto
	2000	65	Bruto
	2100	62	Bruto
	2200	60	Bruto
	2300	56	Bruto
	2400	57	Bruto

DISTRIBUTION: Original: Institution Heat Plan Coordinator

315 - Attachment C

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY, MAY 28, 2024	0100	62	S. Robertson
	0200	60	S. Robertson
	0300	58	S. Robertson
	0400	56	S. Robertson
	0500	56	S. Robertson
	0600	54	HAWKS
	0700	56	HAWKS
	0800	61	HAWKS
	0900	67	HAWKS
	1000	69	HAWKS
	1100	73	HAWKS
	1200	76	HAWKS
	1300	76	HAWKS
	1400	78	HAWKS
	1500	79	BAKER
	1600	80	BAKER
	1700	79	BAKER
	1800	75	BAKER
	1900	72	BAKER
	2000	69	BAKER
	2100	66	BAKER
	2200	64	Bank
	2300	62	Bank
	2400	60	Bank

Date	Time	Temp.	Printed Name
WEDNESDAY, MAY29, 2024	0100	58	Bank
	0200	58	Bank
	0300	56	Bank
	0400	54	Bank
	0500	53	Bank
	0600	52	BAKER
	0700	52	BAKER
	0800	55	HAWKS
	0900	57	HAWKS
	1000	59	BAKER
	1100	61	HAWKS
	1200	64	BAKER
	1300	68	HAWKS
	1400	70	Bank
	1500	71	Bank
	1600	72	Bank
	1700	72	Bank
	1800	69	Bank
	1900	67	Bank
	2000	65	Bank
	2100	62	Bank
	2200	60	Bank
	2300	58	Bank
	2400	57	Bank

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
THURSDAY, MAY 30, 2024	0100	54	Bunter
	0200	51	Bunter
	0300	51	Bunter
	0400	50	Bunter
	0500	48	Bunter
	0600	47	WESTON
	0700	48	WESTON
	0800	51	HASSELL
	0900	59	HASSELL
	1000	63	HASSELL
	1100	65	HASSELL
	1200	67	HASSELL
	1300	69	HASSELL
	1400	72	HASSELL
	1500	73	HASSELL
	1600	75	HASSELL
	1700	77	HASSELL
	1800	77	HASSELL
	1900	78	Vang
	2000	73	HASSELL
	2100	69	HASSELL
	2200	66	HUTSON
	2300	66	HUTSON
	2400	62	HUTSON

Date	Time	Temp.	Printed Name
FRIDAY, MAY 31, 2024	0100	62	HUTSON
	0200	55	HUTSON
	0300	55	HUTSON
	0400	53	HUTSON
	0500	53	HUTSON
	0600	54	[illegible]
	0700	54	HASSELL
	0800	61	HASSELL
	0900	65	HASSELL
	1000	68	QUESTON
	1100	70	QUESTON
	1200	74	HASSELL
	1300	75	HASSELL
	1400	78	Navarro
	1500	78	Navarro
	1600	83	Navarro
	1700	83	Navarro
	1800	83	Navarro
	1900	78	HASSELL
	2000	77	HASSELL
	2100	75	HASSELL
	2200	72	Orozco
	2300	70	Orozco
	2400	70	Orozco

Fax 5031

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: HIGH DESERT STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5046 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
THURSDAY, MAY 30, 2024	0100	54	Bunter
	0200	51	Bunter
	0300	51	Bunter
	0400	50	Bunter
	0500	48	Bunter
	0600	47	Weston
	0700	48	WESTON
	0800	51	HASSELL
	0900	59	HASSELL
	1000	63	HASSELL
	1100	65	HASSELL
	1200	67	HASSELL
	1300	69	HASSELL
	1400	72	HASSELL
	1500	73	HASSELL
	1600	75	HASSELL
	1700	77	HASSELL
	1800	77	HASSELL
	1900	78	Vang
	2000	73	HASSELL
	2100	69	HASSELL
	2200	66	HUTSON
	2300	66	HUTSON
	2400	62	HUTSON

Date	Time	Temp.	Printed Name
FRIDAY, MAY 31, 2024	0100	62	HUTSON
	0200	55	HUTSON
	0300	55	HUTSON
	0400	53	HUTSON
	0500	53	HUTSON
	0600	54	Lotan
	0700	54	HASSELL
	0800	61	HASSELL
	0900	65	HASSELL
	1000	68	DWESTON
	1100	70	DWESTON
	1200	74	HASSELL
	1300	75	HASSELL
	1400	78	Navarro
	1500	78	Navarro
	1600	83	Navarro
	1700	83	Navarro
	1800	83	Navarro
	1900	78	HASSELL
	2000	77	HASSELL
	2100	75	HASSELL
	2200	72	Orozco
	2300	70	Orozco
	2400	70	Orozco

Fax 5031

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	71	Cuzman
	0600	71	HOUTZ
	0900	71	HOUTZ
	1200	71	HOUTZ
	1500	71	HOUTZ
	1800	71	HOUTZ
	2100	71	HOUTZ
	2400	71.8	Cuzman

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	71	Cuzman
	0600	71	HOUTZ
	0900	71	HOUTZ
	1200	71	HOUTZ
	1500	71	MORGENSTERN
	1800	71	Villagomez
	2100	71	Villagomez
	2400	70	Jones

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	71	Jones
	0600	71	~
	0900	71	~
	1200	71	~
	1500	72.1	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	Jones

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300	71.2	Jones
	0600	74	RODRIGUEZ
	0900	74	C RODRIGUEZ
	1200	74	C RODRIGUEZ
	1500	72	L. GARCIA
	1800	72	~
	2100	72	~
	2400	71	E. Murphy

Sunday

Date	Time	Temp.	Name (Print)
	0300	72	E. Murphy
	0600	72.1	~
	0900	72.1	~
	1200	72.1	~
	1500	72.1	GARCIA
	1800	72.5	GARCIA
	2100	72.3	GARCIA
	2400	[illegible]	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: D Housing Unit: 1 Temp. Reading Location: tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0300	73	[illegible]
	0600	71.5	PAIGE
	0900	72.7	PAIGE
	1200	72.7	PAIGE
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	72.1	Cuzman

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0300	72	Cuzman
	0600	72	Avalos
	0900	71	[illegible]
	1200	71	[illegible]
	1500	72	PAIGE
	1800	72	PAIGE
	2100	72	PAIGE
	2400	72	Cuzman

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300	72	Cuzman
	0600	71	HOUTZ
	0900	71	HOUTZ
	1200	71	HOUTZ
	1500	71	HOUTZ
	1800	71	HOUTZ
	2100	71	HOUTZ
	2400	71.8	Cuzman

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300	71	Cuzman
	0600	71	[illegible]
	0900	71	[illegible]
	1200	71	[illegible]
	1500	71	Villagomez
	1800	71	Villagomez
	2100	71	Villagomez
	2400	71.2	Jones

Friday

Date	Time	Temp.	Name (Print)
5/10	0300	71	Jones
	0600	71	[illegible]
	0900	71	[illegible]
	1200	71	[illegible]
	1500	71	(illegible)
	1800	71	[illegible]
	2100	71	[illegible]
	2400	71	Jones

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	72	Jones
	0600	71	Velasquez
	0900	70	VELASQUEZ
	1200	72	[illegible]
	1500	72.5	[illegible]
	1800	73.4	[illegible]
	2100	73.4	[illegible]
	2400	71	Cahk

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	73	
	0600	73	PAIGE
	0900	73	PAIGE
	1200	73	PAIGE
	1500	73.8	GARCIA
	1800	73.9	GARCIA
	2100	73.9	GARCIA
	2400	71	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	71	Gom
	0600	72	[illegible]
	0900	72	[illegible]
	1200	71	[illegible]
	1500	74	Gom
	1800	75	Gom
	2100	75	Gom
	2400	74.8	Cruzman

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	74	Cruzman
	0600	73.6	Lee
	0900	74.1	Lee
	1200	73.1	Lee
	1500	74	MARTINEZ
	1800	73	MARTINEZ
	2100	73	MARTINEZ
	2400	73.4	Cruzman

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	73	Cruzman
	0600	72	HOUTZ
	0900	72	HOUTZ
	1200	72	HOUTZ
	1500	72.7	ELIZARRARAZ
	1800	72	Brown
	2100	71.2	Brown
	2400	72.9	Cruzman

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	72	Cruzman
	0600	71	[illegible]
	0900	71	[illegible]
	1200	71	[illegible]
	1500	72	MARTINEZ
	1800	72	MARTINEZ
	2100	72	MARTINEZ
	2400	72.7	Jom

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	72	Jom
	0600	71	[illegible]
	0900	71	[illegible]
	1200	71	[illegible]
	1500	72	MARTINEZ
	1800	72	MARTINEZ
	2100	72	MARTINEZ
	2400	72	Jom

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	72	Jom
	0600	71	[illegible]
	0900	71	[illegible]
	1200	71	[illegible]
	1500	72	Gom
	1800	72	Gom
	2100	72	Gom
	2400	71	Cuhle

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	71	Cuhle
	0600	71	PAGE
	0900	71	PAGE
	1200	71	PAGE
	1500	71	Page
	1800	72	Page
	2100	71	Page
	2400	71	Cuhle

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	71	[illegible]
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	CTRO

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	70	[illegible]
	0600	70	[illegible]
	0900	70	[illegible]
	1200	71	[illegible]
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	Cruzan

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	69.6	Cruzan
	0600	69.7	[illegible]
	0900	69.7	[illegible]
	1200	70	[illegible]
	1500	70	G. MARTINEZ
	1800	70	G. MARTINEZ
	2100	70	G. MARTINEZ
	2400	69.1	Cruzan

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	69	Cruzan
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	69	Rubio
	1800	69	[illegible]
	2100	69.2	[illegible]
	2400	69.4	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	69	[illegible]
	0600	70.3	[illegible]
	0900	70.5	[illegible]
	1200	71	[illegible]
	1500	70	MARTINEZ
	1800	70	MARTINEZ
	2100	70	MARTINEZ
	2400	71	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	68	[illegible]
	0600	70	wilcox
	0900	70	wilcox
	1200	70	wilcox
	1500	70	[illegible]
	1800	70.9	[illegible]
	2100	70.9	[illegible]
	2400	70	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	70	[illegible]
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70.9	[illegible]
	1800	71.2	[illegible]
	2100	71	LOFTON
	2400	71	LOFTON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	71	LOFTON
	0600	71	
	0900	71	
	1200	71	
	1500	71	MARTINEZ
	1800	71	MARTINEZ
	2100	71	MARTINEZ
	2400	71.6	Cuzman

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	71	Cuzman
	0600	70.7	CARINIO
	0900	70.7	CARINIO
	1200	70.7	CATTAO
	1500	70	G. MARTINEZ
	1800	72	G. MARTINEZ
	2100	72	G. MARTINEZ
	2400	71.8	C. THAO

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	71.6	C. THAO
	0600	71.4	
	0900	71.4	
	1200	71	
	1500	71	
	1800	71	
	2100	71	
	2400	71.2	Melendrez

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	71.4	Melendrez
	0600	71.2	Melendrez
	0900	71.0	YATES
	1200	70	YATES
	1500	71	J. HOOVEN
	1800	71	J. HOOVEN
	2100	71	J. HOOVEN
	2400	~~71.2~~	~~Mele~~

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	70	
	0600	70	
	0900	70	
	1200	70.	
	1500	70.9	
	1800	71.1	
	2100	71.6	
	2400	71.5	Jon

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D2 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	72	WANNAMAKER
	0600	73	NIETO
	0900	73	NIETO
	1200	73	NIETO
	1500	73.9	NIETO
	1800	73.9	NIETO
	2100	73.9	NIETO
	2400	73	WANNAMAKER

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	73	WANNAMAKER
	0600	73	PALMER
	0900	73	NIETO
	1200	73	NIETO
	1500	73	RATCHEFF
	1800	73	RATCHEFF
	2100	73	RATCHEFF
	2400	73	WANNAMAKER

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	73	WANNAMAKER
	0600	73	PALMER
	0900	73	PAMM
	1200	73	PAMM
	1500	72.7	NIETO
	1800	72.5	NIETO
	2100	72.3	NIETO
	2400	72	MORTENSEN

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	73	PAMM
	0600	73	PAMM
	0900	73	PAMM
	1200	73	PAMM
	1500	72.5	NIETO
	1800	72.5	NIETO
	2100	72.5	NIETO
	2400	72	MORTENSEN

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	72	Mordensen
	0600	72.7	MORGENSTERN
	0900	71.6	MORGENSTERN
	1200	71.8	MORGENSTERN
	1500	72	NIETO
	1800	72.5	NIETO
	2100	72.7	NIETO
	2400	72.3	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D2 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	72.0	[illegible]
	0600	72.0	C. Rodriguez
	0900	72.0	C. Rodriguez
	1200	71.0	C. Rodriguez
	1500	71	[illegible]
	1800	71.4	[illegible]
	2100	71.2	[illegible]
	2400	72	White

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	72	White
	0600	72	Palmer
	0900	72	Palmer
	1200	72	Palmer
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72	Wannamaker

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	71	[illegible]
	0600	72	Palmer
	0900	72	Palmer
	1200	72	Palmer
	1500	71.6	[illegible]
	1800	71.8	Nieto
	2100	72	Nieto
	2400	72	Wannamaker

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	72.9	[illegible]
	0600	72.9	[illegible] Palmer
	0900	73	Palmer
	1200	73	Palmer
	1500	72.3	Nieto
	1800	72.3	Nieto
	2100	72.3	Nieto
	2400	72	Wannamaker

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	72	Wannamaker
	0600	72	Nieto
	0900	72.3	Nieto
	1200	72.3	Nieto
	1500	72.3	Nieto
	1800	72.9	Nieto
	2100	73	Nieto
	2400	73	Martensen

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	73.	Martensen
	0600	72.7	72.7 Nieto
	0900	72.3	72.3 Nieto
	1200	72.5	72.5 Nieto
	1500	72.9	Nieto
	1800	73.6	Nieto
	2100	73.2	Nieto
	2400	73	Martensen

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	73	Martensen
	0600	73	Rodriguez
	0900	73	Rodriguez
	1200	73	Rodriguez
	1500	73.9	Nieto
	1800	73.5	Nieto
	2100	74.1	Nieto
	2400	74.0	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D2 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	73.8	[illegible]
	0600	72.1	C. Rodriguez
	0900	72.2	C. Rodriguez
	1200	72.3	C. Rodriguez
	1500	71	C. Rodriguez
	1800	71	[illegible]
	2100	71	[illegible]
	2400	72	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	71	[illegible]
	0600	71	Palmer
	0900	72	Palmer
	1200	73	Palmer
	1500	73	Carinio
	1800	73	Carinio
	2100	73	Carinio
	2400	73	Wannamaker

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	73	Wannamaker
	0600	73	Palmer
	0900	73	Palmer
	1200	73	Palmer
	1500	72.7	Nieto
	1800	72.7	Nieto
	2100	73.2	Nieto
	2400	72	Wannamaker

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	72	Wannamaker
	0600	68	Palmer
	0900	70	Palmer
	1200	72	Palmer
	1500	72	Nieto
	1800	72.5	Nieto
	2100	72.5	Nieto
	2400	72	Wannamaker

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	72	Wannamaker
	0600	72	Nieto
	0900	72.1	Nieto
	1200	72.1	Nieto
	1500	72.1	Nieto
	1800	72.3	Nieto
	2100	72.3	Nieto
	2400	72	Mortensen

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	72	Mortensen
	0600	72	Nieto
	0900	71.8	Nieto
	1200	71.8	Nieto
	1500	71.6	Nieto
	1800	72	Nieto
	2100	71.6	Nieto
	2400	71	Mortensen

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	71	Mortensen
	0600	71.1	Nieto
	0900	71.2	Nieto
	1200	70.9	Nieto
	1500	70.9	Nieto
	1800	70.9	Nieto
	2100	71.1	Nieto
	2400	70.7	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D2 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	70.5	[illegible]
	0600	71.6	[illegible]
	0900	71.6	[illegible]
	1200	70.3	[illegible]
	1500	70.3	[illegible]
	1800	70.3	[illegible]
	2100	70.2	[illegible]
	2400	71.2	Palmer

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	71.0	Palmer
	0600	71.8	Nieto
	0900	71.4	Nieto
	1200	70.4	Nieto
	1500	70.5	[illegible]
	1800	70.7	[illegible]
	2100	70.9	[illegible]
	2400	71	Wannamaker

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	71	Wannamaker
	0600	71	Palmer
	0900	71	Palmer
	1200	71	Palmer
	1500	70.9	Nieto
	1800	70	Nieto
	2100	70	Nieto
	2400	71	Wannamaker

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	71	Wannamaker
	0600	71	Palmer
	0900	71	Palmer
	1200	71	Palmer
	1500	70.7	Nieto
	1800	70.9	Nieto
	2100	70.9	Nieto
	2400	71	Torres

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	71	Torres
	0600	71	Torres
	0900	71	Palmer
	1200	71	Palmer
	1500	71	Palmer
	1800	71.2	[illegible]
	2100	71.2	[illegible]
	2400	70.9	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	70.4	Martensen
	0600	70	Palmer
	0900	71	Palmer
	1200	71	Palmer
	1500	70.7	Nieto
	1800	70.9	Nieto
	2100	71.7	Nieto
	2400	70.3	Martensen

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	70	Martensen
	0600	72	Gomez
	0900	72.2	Gomez
	1200	73	Gomez
	1500	71.2	Nieto
	1800	71.4	Nieto
	2100	71.6	Nieto
	2400	71.5	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D2 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	71.4	Geoni
	0600	72.1	2 INMATE
	0900	72.0	2 INMATE
	1200	71.6	2 INMATE
	1500	72	GARCIA
	1800	72.3	GARCIA
	2100	72.3	GARCIA
	2400	72.1	Melendrez

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	72.0	Melendrez
	0600	72	PALMER
	0900	71	PALMER
	1200	71	PALMER
	1500	71.6	RL
	1800	72.1	RL
	2100	72.1	RL
	2400	72	WANNAMAKER

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	72	WANNAMAKER
	0600	71.8	TOLESSA
	0900	[illegible]	TOLESSA
	1200	72	TOLESSA
	1500	71.6	Carinio
	1800	72	carinio
	2100	72	carinio
	2400	72	WANNAMAKER

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	72	WANNAMAKER
	0600	72.3	Gow
	0900	72.6	Gow
	1200	72.6	Gow
	1500	71.2	Nieto
	1800	71.4	Nieto
	2100	71.8	Nieto
	2400	71	WANNAMAKER

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	72	WANNAMAKER
	0600	72	NIETO
	0900	71	NIETO
	1200	71.2	NIETO
	1500	71.2	Nieto
	1800	71.4	Nieto
	2100	71.8	Nieto
	2400	71.2	Martensen

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D5 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	71.1	SORIANO
	0600	73.6	J. Morgan
	0900	73.6	J. Morgan
	1200	73.6	J. Morgan
	1500	72.1	C. Gonzales
	1800	72.3	C. Gonzales
	2100	72.3	C. Gonzales
	2400	71.7	Cont.

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	71.1	Cont.
	0600	73.4	CROWLEY
	0900	73.4	CROWLEY
	1200	71.8	CROWLEY
	1500	72.3	C. Gonzales
	1800	72.3	C. Gonzales
	2100	72.5	C. Gonzales
	2400	71.2	Cont.

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	71.0	Cont.
	0600	72.7	CROWLEY
	0900	72.7	CROWLEY
	1200	71.2	CROWLEY
	1500	72.5	C. Gonzales
	1800	72.3	C. Gonzales
	2100	72.3	C. Gonzales
	2400	71	Camp

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	71	Camp
	0600	71.2	C. Rodriguez
	0900	71.1	C. Rodriguez
	1200	71.2	C. Rodriguez
	1500	71.1	C. Gonzales
	1800	71.5	C. Gonzales
	2100	72.3	C. Gonzales
	2400	71.4	GRIFFITH

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	71.3	GRIFFITH
	0600	71	Cam
	0900	71	Cam
	1200	71	Cam
	1500	72.7	Arthur
	1800	72.3	Arthur
	2100	71.4	Arthur
	2400	71.7	GRIFFITH

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D5 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	72.3	GRIFFITH
	0600	73.4	J. Morgan
	0900	73.4	J. Morgan
	1200	73.4	J. Morgan
	1500	72.1	PAGE
	1800	72.1	PAGE
	2100	72.1	PAGE
	2400	72.5	GRIFFITH

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	72.1	GRIFFITH
	0600	73.6	J. Morgan
	0900	73.6	J. Morgan
	1200	73.6	J. Morgan
	1500	71.4	C. Gonzales
	1800	72.3	C. Gonzales
	2100	72.3	C. Gonzales
	2400	91	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	70	[illegible]
	0600	73.6	J. Morgan
	0900	73.6	J. Morgan
	1200	73.6	J. Morgan
	1500	73.2	C. Gonzales
	1800	72.8	C. Gonzales
	2100	72.2	C. Gonzales
	2400	71.8	Gioni

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	71.8	Gioni
	0600	73.4	CROWLEY
	0900	73.6	CROWLEY
	1200	71.1	CROWLEY
	1500	71.8	C. Gonzales
	1800	72.1	C. Gonzales
	2100	72.3	C. Gonzales
	2400	71.4	Gioni

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	71.4	Gioni
	0600	71.4	CROWLEY
	0900	71.4	CROWLEY
	1200	71.4	CROWLEY
	1500	72.1	C. Gonzales
	1800	72.9	C. Gonzales
	2100	73	C. Gonzales
	2400	72	Camp

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	72	[illegible]
	0600	71.2	C. Rodriguez
	0900	72.3	C. Rodriguez
	1200	72.1	C. Rodriguez
	1500	73.2	C. Gonzales
	1800	73.5	C. Gonzales
	2100	73.4	C. Gonzales
	2400	73.2	GRIFFITH

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	71.6	GRIFFITH
	0600	72.8	C. Rodriguez
	0900	72.9	C. Rodriguez
	1200	72.6	C. Rodriguez
	1500	74	[illegible]
	1800	74	[illegible]
	2100	74	[illegible]
	2400	74.4	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D5 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	73.4	GRIFFITH
	0600	73.0	J. Morgan
	0900	73.0	J. Morgan
	1200	73.0	J. Morgan
	1500	73	PAINE
	1800	73	PAINE
	2100	73	PAINE
	2400	74.5	GRIFFITH

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	73.6	GRIFFITH
	0600	73.9	J. Morgan
	0900	73.9	J. Morgan
	1200	73.9	J. Morgan
	1500	73.6	C. Gonzales
	1800	73.5	C. Gonzales
	2100	73.6	C. Gonzales
	2400	77	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	73	Friend
	0600	72.3	J. Morgan
	0900	72.3	J. Morgan
	1200	72.3	J. Morgan
	1500	72.0	C. Gonzales
	1800	72.3	C. Gonzales
	2100	72.7	C. Gonzales
	2400	72.4	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	72.2	[illegible]
	0600	72.1	C. Rodriguez
	0900	72.1	C. Rodriguez
	1200	72.0	C. Rodriguez
	1500	73	C. Gonzales
	1800	73.2	C. Gonzales
	2100	73.2	C. Gonzales
	2400	71.9	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	71.8	[illegible]
	0600	71.2	Streedman
	0900	71.4	Streedman
	1200	71.6	Streedman
	1500	71.8	C. Gonzales
	1800	72.3	C. Gonzales
	2100	72.3	C. Gonzales
	2400	71.4	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	71	[illegible]
	0600	71.1	C. Rodriguez
	0900	71.2	C. Rodriguez
	1200	71.4	C. Rodriguez
	1500	71.4	C. Gonzales
	1800	71.2	C. Gonzales
	2100	72.3	C. Gonzales
	2400	70.9	GRIFFITH

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	70.6	GRIFFITH
	0600	70.9	C. Rodriguez
	0900	70.1	C. Rodriguez
	1200	70.2	C. Rodriguez
	1500	70.1	Z. Gonzalez
	1800	71.0	Z. Gonzalez
	2100	70.2	Z. Gonzalez
	2400	70.3	Z. Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D5 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	70.2	GRIFFITH
	0600	70.0	CROWLEY
	0900	70.0	CROWLEY
	1200	70.0	CROWLEY
	1500	69	PAIGE
	1800	69	PAIGE
	2100	69	PAIGE
	2400	69.8	GRIFFITH

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	69.6	GRIFFITH
	0600	69.6	CROWLEY
	0900	70.0	CROWLEY
	1200	69.4	CROWLEY
	1500	69.4	LOZADA
	1800	69.4	LOZADA
	2100	69.6	LOZADA
	2400	70	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	69	[illegible]
	0600	69	J. Moreyon
	0900	69	J. Moreyon
	1200	69	J. Moreyon
	1500	69	HOUTZ
	1800	69	HOUTZ
	2100	69	HOUTZ
	2400	69.4	Gonzi

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	69.3	Gonzi
	0600	69.5	J. Moreyon
	0900	69.8	J. Moreyon
	1200	69.7	J. Moreyon
	1500	69.6	L. LOPEZ
	1800	69.6	L. LOPEZ
	2100	70.0	L. LOPEZ
	2400	69.4	Gonzi

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	69.3	Gonzi
	0600	69.4	J. Moreyon
	0900	69.5	J. Moreyon
	1200	69.6	J. Moreyon
	1500	69.6	R. GARCIA
	1800	69.6	R. GARCIA
	2100	70	R. GARCIA
	2400	69	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	69	[illegible]
	0600	69.6	[illegible]
	0900	69.8	[illegible]
	1200	69.6	[illegible]
	1500	69.8	[illegible]
	1800	69.6	[illegible]
	2100	70.0	[illegible]
	2400	69.3	GRIFFITH

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	69.4	GRIFFITH
	0600	69.6	REYES
	0900	69.9	REYES
	1200	70.0	REYES
	1500	70	PAIGE
	1800	70	PAIGE
	2100	70	PAIGE
	2400	70.4	GRIFFITH

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D5 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	69.6	GRIFFITH
	0600	69.6	J. Morgan
	0900	69.7	J. Morgan
	1200	69.8	J. Morgan
	1500	70	PAIGE
	1800	70	PAIGE
	2100	70	PAIGE
	2400	70.2	GRIFFITH

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	70.3	GRIFFITH
	0600	70.1	J. Morgan
	0900	70.0	J. Morgan
	1200	70.2	J. Morgan
	1500	70	PAIGE
	1800	70	PAIGE
	2100	70	PAIGE
	2400	70	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	70	[illegible]
	0600	69.6	A. MARTINEZ
	0900	70.3	A. MARTINEZ
	1200	70	A. MARTINEZ
	1500	70.2	A. MARTINEZ
	1800	70	Villagomez
	2100	70.1	Villagomez
	2400	70.3	Gaw.

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	70.1	Gaw.
	0600	69.6	CROWLEY
	0900	69.4	CROWLEY
	1200	69.6	CROWLEY
	1500	70	Celis
	1800	70	Celis
	2100	70	Celis
	2400	70.1	Gaw.

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	70.0	Gaw.
	0600	69.4	CROWLEY
	0900	69.4	CROWLEY
	1200	69.4	CROWLEY
	1500	70.3	R. Rodriguez
	1800	70.3	R. Rodriguez
	2100	70.2	R. Rodriguez
	2400	70.1	R. Rodriguez

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D6 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	69	XIONG N
	0600	69.2	E. Monclova
	0900	69.3	E. Monclova
	1200	69.8	E. Monclova
	1500	69.8	CROWLEY
	1800	69.0	CROWLEY
	2100	69.0	CROWLEY
	2400	69	DUTTON

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	69	DUTTON
	0600	69.6	PRICE
	0900	69.3	PRICE
	1200	69.3	PRICE
	1500	69.6	CROWLEY
	1800	69.6	CROWLEY
	2100	69.6	CROWLEY
	2400	69	DUTTON

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	69	DUTTON
	0600	69.8	PRICE
	0900	69.8	PRICE
	1200	69.3	PRICE
	1500	69.6	CROWLEY
	1800	69.6	CROWLEY
	2100	69.6	CROWLEY
	2400	69.3	VELASCO

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	69.1	VELASCO
	0600	69.6	PRICE
	0900	69.8	PRICE
	1200	69.8	PRICE
	1500	69.8	Melendrez
	1800	70.0	Melendrez
	2100	69.6	Melendrez
	2400	69.8	VELASCO

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	70.0	VELASCO
	0600	69.8	PRICE
	0900	69.8	PRICE
	1200	69.6	PRICE
	1500	70	Hernandez
	1800	70.2	Hernandez
	2100	69.8	Hernandez
	2400	69.8	VELASCO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D6 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	69.8	VELASCO
	0600	69.8	Price
	0900	70.0	Price
	1200	70.0	Price
	1500	69.4	J. Morgan
	1800	69.4	J. Morgan
	2100	69.4	J. Morgan
	2400	69	LOPEZ, W

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	69	LOPEZ, W
	0600	69	INGWERSON
	0900	69	INGWERSON
	1200	69	INGWERSON
	1500	69.1	J. Morgan
	1800	69.1	J. Morgan
	2100	69.1	J. Morgan
	2400	69.8	XIONG

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69	XIONG
	0600	69.1	Monclova
	0900	69.3	Monclova
	1200	68.9	Monclova
	1500	69.1	CROWLEY
	1800	69.1	CROWLEY
	2100	69.1	CROWLEY
	2400	69	DEEHAN

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	69	DEEHAN
	0600	69.8	Price
	0900	69.8	Price
	1200	69.6	CROWLEY
	1500	69.6	CROWLEY
	1800	69.6	CROWLEY
	2100	69.6	CROWLEY
	2400	69	DEEHAN

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	69	DEEHAN
	0600	69.6	Price
	0900	70.0	Price
	1200	70.1	Price
	1500	70.2	OVOZO
	1800	71.3	Garcia
	2100	70.1	Price
	2400	70.0	VELASCO

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	70.2	VELASCO
	0600	70.0	Price
	0900	69.6	Price
	1200	70.0	Price
	1500	70.3	Hernandez
	1800	71.2	Hernandez
	2100	70.7	Hernandez
	2400	70.7	VELASCO

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	70.3	VELASCO
	0600	70.5	Price
	0900	70.9	Price
	1200	71	Price
	1500	72.3	Hernandez
	1800	72.3	Hernandez
	2100	72.3	Hernandez
	2400	71.6	VELASCO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D6 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	71.2	VELASCO
	0600	71.2	Price J.
	0900	71.4	Price J.
	1200	72.0	Price J.
	1500	72	ARNEY
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72	LOPEZ

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	72	LOPEZ
	0600	72	Price
	0900	72	Price
	1200	72	Price
	1500	71	PALAE
	1800	71	PALAE
	2100	71	PALAE
	2400	71.6	XUN

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	71.6	XUN
	0600	71.2	E. Monclova
	0900	71.3	E. Monclova
	1200	71.4	E. Monclova
	1500	71	HOVTZ
	1800	71	HOVTZ
	2100	71	HOVTZ
	2400	71	DEZHIN

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	71	DEZHIN
	0600	71	PRICE
	0900	71	PRICE
	1200	71	PRICE
	1500	71	HOVTZ
	1800	71	HOVTZ
	2100	71	HOVTZ
	2400	71	DEZHIN

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	71	DEZHIN
	0600	70.9	Price
	0900	70.9	Price
	1200	70.9	Price
	1500	71.1	Estrada
	1800	70.9	Estrada
	2100	71.1	Estrada
	2400	71.2	GONI

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	71.0	GONI
	0600	71.0	Price
	0900	71.0	Price
	1200	71.0	Price
	1500	70.7	Hernandez
	1800	70.7	Hernandez
	2100	70.5	Hernandez
	2400	70.6	Melendrez

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	70.5	Melendrez
	0600	70.5	Price J.
	0900	70.5	Price J.
	1200	70.3	Price J.
	1500	70.2	Hernandez
	1800	70.2	Hernandez
	2100	70.2	HERNANDEZ
	2400	69.8	VELASCO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D6 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	70.5	VELASCO
	0600	70.3	Price
	0900	70.2	Price
	1200	70.2	Price
	1500	69.8	CROWLEY
	1800	69.8	CROWLEY
	2100	69.8	CROWLEY
	2400	69.6	C. Huskey

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	70.2	C. Huskey
	0600	70	INGLWERSON
	0900	70	INGLWERSON
	1200	70	INGLWERSON
	1500	69.4	CROWLEY
	1800	69.6	CROWLEY
	2100	69.6	CROWLEY
	2400	69.6	XIONG

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	69.6	XIONG
	0600	70.2	E. Monclova
	0900	70.1	E. Monclova
	1200	69.8	E. Monclova
	1500	70.1	I. Gonzalez
	1800	74.0	I. Gonzalez
	2100	69.3	I. Gonzalez
	2400	69	DEZETHAN

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	69	DEZETHAN
	0600	70.2	Price
	0900	70.2	Price
	1200	69.4	Price
	1500	69.5	J. Morgan
	1800	69.6	J. Morgan
	2100	69.5	J. Morgan
	2400	69	DEZETHAN

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	69	DEZETHAN
	0600	70.0	Price
	0900	69.6	Price
	1200	69.8	Price
	1500	69.1	J. Morgan
	1800	69.2	J. Morgan
	2100	69.0	J. Morgan
	2400	69	D. STAUB

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	69	D. STAUB
	0600	69	D. STAUB
	0900	69.4	Price
	1200	69.4	Price
	1500	69.4	Hernandez
	1800	69.4	Hernandez
	2100	69.4	Hernandez
	2400	69.2	MAGANA

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	69	MAGANA
	0600	69	MAGANA
	0900	70.0	Price
	1200	69.6	Price
	1500	69.4	Hernandez
	1800	69.5	Hernandez
	2100	69.8	Hernandez
	2400	69.8	VELASCO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCF 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D6 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	69.4	VELASCO
	0600	69.4	VELASCO
	0900	69.4	PRICE
	1200	70.0	PRICE
	1500	69.9	J. Morgan
	1800	69.8	J. Morgan
	2100	69.7	J. Morgan
	2400	70	Escobar

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	70	Escobar
	0600	70	INGWERSON
	0900	70	INGWERSON
	1200	70	INGWERSON
	1500	70	J. Morgan
	1800	70	J. Morgan
	2100	70	J. Morgan
	2400	70	J XION

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	71	XIONG
	0600	70	E. Monclova
	0900	70	E. Monclova
	1200	70	E. Monclova
	1500	69.3	CROWLEY
	1800	70.0	CROWLEY
	2100	70.2	CROWLEY
	2400	70	DEZHAN

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	70	DEZHAN
	0600	70.3	Price
	0900	70.3	Price
	1200	70.0	Price
	1500	70.0	CROWLEY
	1800	70.2	CROWLEY
	2100	70.2	CROWLEY
	2400	70	DEZHAN

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	70	DEZHAN
	0600	70.3	PRICE
	0900	70.2	PRICE
	1200	70.2	PRICE
	1500	70.3	CROWLEY
	1800	70.3	CROWLEY
	2100	70.3	CROWLEY
	2400		

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D7 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5-1-24	0300	70	GAU
	0600	70	C. RODRIGUEZ
	0900	70	C. RODRIGUEZ
	1200	70	C. RODRIGUEZ
	1500	70	Smith
	1800	70	Smith
	2100	70	Smith
	2400	70	GAU

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0300	70	GAU
	0600	69	Roberts
	0900	69	Roberts
	1200	69	[illegible]
	1500	71.0	Hernandez
	1800	71.1	Hernandez
	2100	71	Litzeath
	2400	70	GAU

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0300	70	GAU
	0600	70	GAU
	0900	70	GAU
	1200	70	GAU
	1500	70	Hernandez
	1800	70.3	Hernandez
	2100	70	Hernandez
	2400	69	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300	69	[illegible]
	0600	69.6	E. Monclova
	0900	69.8	E. Monclova
	1200	70.2	E. Monclova
	1500	70.2	Cortinic
	1800	70.0	Cortinic
	2100	70.0	Cortinic
	2400	69	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5-5-24	0300	69	[illegible]
	0600	69.6	E. Monclova
	0900	69	mchizo
	1200	69	mchizo
	1500	70	GAU
	1800	70	GAU
	2100	70	GAU
	2400	70	GAU

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D7 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	70	GALE
	0600	70	Thompson
	0900	70	Thompson
	1200	69	Thompson
	1500	69	Carinio
	1800	69	Carinio
	2100	70	Carinio
	2400	70	GALE

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	70	GALE
	0600	70	Thompson
	0900	70	Thompson
	1200	70	Thompson
	1500	70	HODGE
	1800	70	HODGE
	2100	70	HODGE
	2400	70	GALE

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	70	GALE
	0600	70	Thompson
	0900	70	Thompson
	1200	70	Thompson
	1500	70	HODGE
	1800	70	HODGE
	2100	70	HODGE
	2400	70	GALE

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	70	GALE
	0600	70	Thompson
	0900	70	Thompson
	1200	70	Thompson
	1500	70.2	Hernandez
	1800	70.2	Hernandez
	2100	70.2	Hernandez
	2400	70	GALE

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	GALE
	0600	70	M. LEE
	0900	70	M. LEE
	1200	70	M. LEE
	1500	70.5	Hernandez
	1800	71.1	Hernandez
	2100	70.9	Hernandez
	2400	70	Parente

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	70	Parente
	0600	70	Monclova
	0900	70.2	Monclova
	1200	70.3	Monclova
	1500	71	HODGE
	1800	71	HODGE
	2100	71	HODGE
	2400	71	

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	70	
	0600	70	
	0900	70	
	1200	71	HODGE
	1500	72	HODGE
	1800	72	HODGE
	2100	72	HODGE
	2400	72	GALE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D7 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	72	GALE
	0600	71.5	Melendrez
	0900	71.6	Melendrez
	1200	72.0	Melendrez
	1500	72	HODGE
	1800	72	HODGE
	2100	72	HODGE
	2400	72	GALE

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	72	GALE
	0600	69	Hinojosa
	0900	72	HINOJOSA
	1200	72	HINOJOSA
	1500	72	HODGE
	1800	72	HODGE
	2100	72	HODGE
	2400	71	GALE

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	71	GALE
	0600	71	Thompson
	0900	71	Thompson
	1200	71	Thompson
	1500	72	HODGE
	1800	72	HODGE
	2100	72	HODGE
	2400	71	GALE

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	71	GALE
	0600	71	Thompson
	0900	71	Thompson
	1200	71	Thompson
	1500	71	Smith
	1800	72	Smith
	2100	71	Smith
	2400	71	GALE

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	71	GALE
	0600	71	Thompson
	0900	71	Thompson
	1200	71	Thompson
	1500	71.8	Hernandez
	1800	71.8	Hernandez
	2100	71.8	Hernandez
	2400	71	

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	71	
	0600	71.2	E. Monclova
	0900	71.4	E. Monclova
	1200	71.4	E. Monclova
	1500	71	T. HODGE
	1800	71	T. HODGE
	2100	71	T. HODGE
	2400	71	

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	71	
	0600	70.9	E. Monclova
	0900	71.2	E. Monclova
	1200	71.2	E. Monclova
	1500	71	HODGE
	1800	71	HODGE
	2100	71	HODGE
	2400	71	GALE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D7 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	71	Gale
	0600	71	Wheeler
	0900	70	Wheeler
	1200	70	Wheeler
	1500	71	HODGE
	1800	71	HODGE
	2100	71	HODGE
	2400	71	GALE

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	71	Gale
	0600	71	Thompson
	0900	70	Thompson
	1200	70	Thompson
	1500	71	HODGE
	1800	71	HODGE
	2100	71	HODGE
	2400	70	GALE

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	70	Gale
	0600	70	Thompson
	0900	70	Thompson
	1200	70	Thompson
	1500	71	HODGE
	1800	71	HODGE
	2100	71	HODGE
	2400	70.7	Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300		Gonzalez
	0600	70	Thompson
	0900	70	Thompson
	1200	70	Thompson
	1500	71	Smith
	1800	71	Smith
	2100	71	Smith
	2400	70.5	SLIVER

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	70.9	SLIVER
	0600	70	Thompson
	0900	70	Thompson
	1200	71	Thompson
	1500	71	Gale
	1800	71	Gale
	2100	71	Gale
	2400	70	

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	70	
	0600	70.5	E. Monclova
	0900	70.7	E. Monclova
	1200	70.8	E. Monclova
	1500	70	HODGE
	1800	70	HODGE
	2100	70	HODGE
	2400	70	

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	70	
	0600	71	J. Diaz
	0900	71	J. Diaz
	1200	71	J. Diaz
	1500	70.9	HODGE
	1800	71	HODGE
	2100	71	HODGE
	2400	71	GALE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D7 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	71	Gale
	0600	71	Thompson
	0900	70	Thompson
	1200	70	Thompson
	1500	70	HODGE
	1800	70	Gale
	2100	70	Gale
	2400	70	Gale

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	70	Gale
	0600	70	Thompson
	0900	70	Thompson
	1200		Thompson
	1500	70.9	Melendrez
	1800	70.7	Melendrez
	2100	71.2	Melendrez
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	70	Gale
	0600	70	Thompson
	0900	70	Thompson
	1200	70	Thompson
	1500	70	HODGE
	1800	70	HODGE
	2100	70	HODGE
	2400	70	Gale

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	70	Gale
	0600	70	Thompson
	0900	70	Thompson
	1200	70	Thompson
	1500	70	Smith
	1800	70	Smith
	2100	70.9	Smith
	2400	70	Gale

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	70	Gale
	0600	70	Thompson
	0900	70	Thompson
	1200	70	Thompson
	1500	70.7	Hernandez
	1800	70.7	Hernandez
	2100	71.1	Hernandez
	2400	71	Xiong

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D8 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	68	RIVERA
	0600	69	MICA
	0900	68	MICA
	1200	69	MICA
	1500	70	FOLKES
	1800	68	FOLKES
	2100	68.5	FOLKES
	2400	68	RIVERA

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	68	RIVERA
	0600	68	RIVERA
	0900	69	monclova
	1200	69	monclova
	1500	~~68~~ 68	Estrada
	1800	68	Estrada
	2100	68.9	Estrada
	2400	68	Shannon

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	68	Shannon
	0600	69.3	E. Monclova
	0900	69.3	E. Monclova
	1200	69	E. Monclova
	1500	69	E. Monclova
	1800	69	J. Diaz
	2100	69	J. Diaz
	2400	68	Shannon

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	68	Shannon
	0600	69	Spiegel
	0900	69	Spiegel
	1200	68	Spiegel
	1500	67	Spiegel
	1800	67	Spiegel
	2100	67	Spiegel
	2400	68	Shannon

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	68	Shannon
	0600	69	Spiegel
	0900	69	Spiegel
	1200	69	Spiegel
	1500	68	J. Diaz
	1800	68	J. Diaz
	2100	68	J. Diaz
	2400	68	J Yiona

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D8 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	69.1	XIONA
	0600	67.8	Mape
	0900	67.9	Mape
	1200	68	Mape
	1500	67.5	Hernandez
	1800	67.7	Hernandez
	2100	67.6	Hernandez
	2400	678	XIONA

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	68	XIONA
	0600	68	Mape
	0900	68	Mape
	1200	68	Mape
	1500	68.7	Todd
	1800	68.5	Todd
	2100	69.1	Todd
	2400	69	M. RIVERA

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69	M. RIVERA
	0600	68	Mape
	0900	68	Mape
	1200	68	Mape
	1500	68.2	Monclova
	1800	68.2	Monclova
	2100	68.5	Monclova
	2400	68	M. RIVERA

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	69	M. RIVERA
	0600	69.4	G. Monclova
	0900	69.7	G. Monclova
	1200	68.9	G. Monclova
	1500	68.5	J. DIAZ
	1800	68.3	J. DIAZ
	2100	68.3	J. DIAZ
	2400	68	Shannon

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	68	Shannon
	0600	69.1	G. Monclova
	0900	69.9	G. Monclova
	1200	69.1	G. Monclova
	1500	68.9	J. DIAZ
	1800	69.1	J. DIAZ
	2100	69.3	J. DIAZ
	2400	69	Shannon

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	69	Shannon
	0600	69	Spivey
	0900	69	Spivey
	1200	69	Spivey
	1500	69	J. DIAZ
	1800	69	J. DIAZ
	2100	69	J. DIAZ
	2400	69	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	69	[illegible]
	0600	69	Spivey
	0900	69	Spivey
	1200	69	Spivey
	1500	68	J. DIAZ
	1800	69	J. DIAZ
	2100	69	J. DIAZ
	2400	69.3	J. XIONA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D8 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	70	J Xiong
	0600	69	Carinio
	0900	68.7	Carinio
	1200	69.1	Carinio
	1500	68	Hernandez
	1800	68	Hernandez
	2100	70.9	Hernandez
	2400	70.9	J Xiong

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	70	J Xiong
	0600	70	Mupu
	0900	70	Mupu
	1200	70	Mupu
	1500	69.4	Todd
	1800	69.3	Todd
	2100	70.3	Todd
	2400	71	M. RIVERA

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	71	M. RIVERA
	0600	71	D. Lu
	0900	71	D. Lu
	1200	71.2	D. Lu
	1500	69	J. DIAZ
	1800	70	J. DIAZ
	2100	71	J. DIAZ
	2400	71	M. RIVERA

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	70	M. RIVERA
	0600	70	E. Monclova
	0900	71.2	E. Monclova
	1200	71.6	E. Monclova
	1500	71	J. DIAZ
	1800	73	J. DIAZ
	2100	73	J. DIAZ
	2400	72	Shannon

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	72	Shannon
	0600	70.5	E. Monclova
	0900	70.9	E. Monclova
	1200	72	E. Monclova
	1500	72	J. DIAZ
	1800	72	J. DIAZ
	2100	72	J. DIAZ
	2400	72	Shannon

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	72	Shannon
	0600	70	Spiple
	0900	70	Spiple
	1200	70	Spiple
	1500	74	J. DIAZ
	1800	73	J. DIAZ
	2100	73	J. DIAZ
	2400	72	Shannon

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	72	Shannon
	0600	70	Spiple
	0900	70	Spiple
	1200	70	Spiple
	1500	71	J. DIAZ
	1800	71	J. DIAZ
	2100	71	J. DIAZ
	2400	71.7	J Xiong

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D8 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	71	Xiong
	0600	70	Mejia
	0900	70	Mejia
	1200	70	Mejia
	1500	69.3	Hernandez
	1800	69.3	Hernandez
	2100	69.3	Hernandez
	2400	69.4	Xiong

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	70	Xiong
	0600	69	Mejia
	0900	69	Mejia
	1200	69	Mejia
	1500	68.9	Todd
	1800	69.1	Todd
	2100	69.4	Todd
	2400	69	M. RIVERA

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	69	M. RIVERA
	0600	69	Mejia
	0900	69	Mejia
	1200	69	Mejia
	1500	69.3	E. Monclova
	1800	70.1	E. Monclova
	2100	69	E. Monclova
	2400	68	M. RIVERA

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	69	M. RIVERA
	0600	69.3	E. Monclova
	0900	69.7	E. Monclova
	1200	69.6	E. Monclova
	1500	68	J. DIAZ
	1800	69	J. DIAZ
	2100	69	J. DIAZ
	2400	69	Shannon

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	69	Shannon
	0600	69.4	E. Monclova
	0900	69.8	E. Monclova
	1200	69.9	E. Monclova
	1500	68	J. DIAZ
	1800	68	J. DIAZ
	2100	69	J. DIAZ
	2400	68	Shannon

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	68	Shannon
	0600	69	Silva
	0900	69	Silva
	1200	69	Silva
	1500	68	J. DIAZ
	1800	68	J. DIAZ
	2100	68	J. DIAZ
	2400	67	Shannon

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	67	Shannon
	0600	69	Silva
	0900	69	Silva
	1200	69	Silva
	1500	69	J. DIAZ
	1800	69	J. DIAZ
	2100	69	J. DIAZ
	2400	69.4	Xiong

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: D8 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	70	Xiong
	0600	69	Mepse
	0900	69	Mepse
	1200	69	Mepse
	1500	70.7	Hernandez
	1800	70.7	Hernandez
	2100	70.7	Hernandez
	2400	70.5	Xiong

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	70.1	Xiong
	0600	69	Mepse
	0900	69	Mepse
	1200	69	Mepse
	1500	69.1	Todd
	1800	71.4	Todd
	2100	71.6	Todd
	2400	70	M. RIVERA

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	70	M. RIVERA
	0600	70	Mepse
	0900	70	Mepse
	1200	70	Mepse
	1500	71	J. DIAZ
	1800	71	J. DIAZ
	2100	71	J. DIAZ
	2400	70	M. RIVERA

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	70	M. RIVERA
	0600	70	E. Monclova
	0900	70.1	E. Monclova
	1200	69.7	E. Monclova
	1500	71	J. DIAZ
	1800	71	J. DIAZ
	2100	71	J. DIAZ
	2400	70	Shannon

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	70	Shannon
	0600	69.4	E. Monclova
	0900	69.8	E. Monclova
	1200	69.4	E. Monclova
	1500	72.1	Finch
	1800	72.1	Finch
	2100	72.2	Finch
	2400	72	Shannon

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	72.5	C. HUSKEY
	0600	72.3	SORIANO
	0900	72.1	SORIANO
	1200	72.5	SORIANO
	1500	72.3	KRETH
	1800	72.1	KRETH
	2100	72.0	KRETH
	2400	72.7	C. HUSKEY

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	72.9	C. HUSKEY
	0600	72.5	SORIANO
	0900	72.1	SORIANO
	1200	72.3	SORIANO
	1500	72.4	MASON
	1800	72.6	MASON
	2100	72.5	MASON
	2400	72.5	HURD

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	72.0	HURD
	0600	72.7	HURD
	0900	72.9	Masters
	1200	72.1	Masters
	1500	72.1	Herrera
	1800	72.1	Morris
	2100	22.1	Morrim
	2400	72.0	Mauk

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	720	Mauk
	0600	72	LILY
	0900	72	LILY
	1200	72	LILY
	1500	72	LOZADA
	1800	72.1	LOZADA
	2100	72.	LOZADA
	2400	77	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	77	[illegible]
	0600	73.4	SORIANO
	0900	73.2	SORIANO
	1200	73.2	SORIANO
	1500	73.9	Estrada
	1800	73.4	Estrada
	2100	73.4	Estrada
	2400	732	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	72.5	Hurd
	0600	72.7	Hurd
	0900	77	C RODRIGUEZ
	1200	77	C RODRIGUEZ
	1500	73.4	Kreth
	1800	72.6	Kreth
	2100	72.4	Kreth
	2400	72.6	Hurd

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	73.6	Hurd
	0600	79	C RODRIGUEZ
	0900	79	C RODRIGUEZ
	1200	79	C RODRIGUEZ
	1500	72.3	Kreth
	1800	72.1	Kreth
	2100	72	Kreth
	2400	72.5	Hurd

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	73.2	Hurd
	0600	78	C RODRIGUEZ
	0900	79	C RODRIGUEZ
	1200	78	C RODRIGUEZ
	1500	72.9	PATTERSON
	1800	72.9	Kreth
	2100	72.7	Kreth
	2400	73.0	Hurd

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	73.9	Hurd
	0600	73.6	SORIANO
	0900	73.9	SORIANO
	1200	73.4	SORIANO
	1500	73.2	Kreth
	1800	73.6	Kreth
	2100	73.7	Kreth
	2400	72.3	Hurd

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	73.8	Hurd
	0600	73.8	Hurd
	0900	73.2	Masters
	1200	72.7	Masters
	1500	73.4	Kreth
	1800	73.7	Kreth
	2100	73.8	Kreth
	2400	73	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	73	[illegible]
	0600	73.4	Lilly
	0900	73.4	Lilly
	1200	73.4	Lilly
	1500	73.	[illegible]
	1800	73	[illegible]
	2100	73	[illegible]
	2400	73	DELGADO

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	73	DELGADO
	0600	73.8	SORIANO
	0900	73.4	SORIANO
	1200	73.8	SORIANO
	1500	75.1	Pineda
	1800	75.0	Pineda
	2100	75.0	Pineda
	2400	73.3	Hurd

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	73.0	D. Hurd
	0600	73.6	SORIANO
	0900	73.4	SORIANO
	1200	73.6	SORIANO
	1500	73.6	Kreth
	1800	74.7	Kreth
	2100	74.3	Kreth
	2400	73.6	Hurd

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	73.6	Hurd
	0600	73.8	Hurd
	0900	73.6	SORIANO
	1200	73.2	SORIANO
	1500	73.6	Kreth
	1800	73.8	Kreth
	2100	73.4	Kreth
	2400	73.7	Hurd

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	72.7	Hurd
	0600	73.8	SORIANO
	0900	72.9	SORIANO
	1200	73.8	SORIANO
	1500	73.0	Kreth
	1800	73.3	Kreth
	2100	73.4	Kreth
	2400	73.8	Hurd

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	73.7	Hurd
	0600	73.8	SORIANO
	0900	72.9	SORIANO
	1200	73.0	SORIANO
	1500	73.4	Kreth
	1800	73.9	Kreth
	2100	73.4	Kreth
	2400	73.2	Hurd

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	73.8	Hurd
	0600	73.4	Masters
	0900	72.9	Masters
	1200	73.8	Masters
	1500	73.2	Kreth
	1800	73.8	Kreth
	2100	73.6	Kreth
	2400	72	CHEMAROUSKY

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	72	CHEMAROUSKY
	0600	73	Lilly
	0900	73	Lilly
	1200	73	Lilly
	1500	73	Clay
	1800	73	Lm
	2100	72	Lilly
	2400	73	Clay

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	73	Clay
	0600	72.5	SORIANO
	0900	72.5	SORIANO
	1200	72.3	SORIANO
	1500	72	Mulle
	1800	71.2	Muller
	2100	71.2	Muller
	2400	71.2	Hurd

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	71.0	Hurd
	0600	73.2	Hurd
	0900	73.0	SORIANO
	1200	73.2	SORIANO
	1500	72.4	SORIANO
	1800	73.4	Kreth
	2100	73.2	Arreola
	2400	73.0	Hurd

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	73.0	Hurd
	0600	72.9	SORIANO
	0900	72.7	SORIANO
	1200	72.7	SORIANO
	1500	72.5	Kreth
	1800	73.2	Kreth
	2100	73.2	Kreth
	2400	73.2	Hurd

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	73.2	Hurd
	0600	73	THAO
	0900	73.4	THAO
	1200	73.9	THAO
	1500	73.9	Kreth
	1800	73.6	Kreth
	2100	72.9	Kreth
	2400	72.3	Hurd

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	72	HURD
	0600	72.9	SORIANO
	0900	73.0	SORIANO
	1200	72.6	SORIANO
	1500	72.5	Kreth
	1800	72.6	Kreth
	2100	72.7	Kreth
	2400	72.3	Hurd

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	72.1	Hurd
	0600	72.9	Masters
	0900	72.9	Masters
	1200	72.5	Masters
	1500	73.6	Kreth
	1800	73.0	Kreth
	2100	73.0	Kreth
	2400	72	CHEHAROVSKIY

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	72	CHEHAROVSKIY
	0600	73	Li'lly
	0900	73	Li'lly
	1200	72.9	Li'lly
	1500	72.3	Cochrane
	1800	72.1	Cochrane
	2100	72.1	Cochrane
	2400	72	Elwell

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	71	Elwell
	0600	72.4	SORIANO
	0900	72.4	SORIANO
	1200	72.3	SORIANO
	1500	72.9	YANG
	1800	72.7	YANG
	2100	72.1	YANG
	2400	72.3	Hurd

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C1 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	72.3	Hurd
	0600	72.9	SORIANO
	0900	72.5	SORIANO
	1200	72.2	SORIANO
	1500	73.6	Kreth
	1800	73.2	Kreth
	2100	73.2	Kreth
	2400	73.8	Hurd

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	73.8	Hurd
	0600	72.8	SORIANO
	0900	72.2	SORIANO
	1200	72.5	SORIANO
	1500	72.5	D. HUSKEY
	1800	72.4	D. HUSKEY
	2100	72.7	D. HUSKEY
	2400	73.6	D. Hurd

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	73.6	D. Hurd
	0600	73.7	SORIANO
	0900	72.6	SORIANO
	1200	72.5	SORIANO
	1500	72.3	Kreth
	1800	72.6	Kreth
	2100	72.9	Kreth
	2400	72.7	Hurd

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	73.9	Hurd
	0600	73.0	SORIANO
	0900	72.6	SORIANO
	1200	72.6	SORIANO
	1500	73.1	Kreth
	1800	72.9	Kreth
	2100	72.7	Kreth
	2400	72.1	Hurd

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	72.1	Hurd
	0600	73.0	Hurd
	0900	73.8	Masters
	1200	72.3	Masters
	1500	73.6	Kreth
	1800	74.3	Kreth
	2100	73.6	Kreth
	2400	72	CHEMAROUSKIT

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	70	Valergan
	0600	70	Shaver
	0900	70	Shaver
	1200	70	Shaver
	1500	70	Shaver
	1800	70	Shaver
	2100	70	Shaver
	2400	70	Valergan

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	70	Valergan
	0600	70	Shaver
	0900	70	Shaver
	1200	70	Shaver
	1500	70	Shaver
	1800	70	Shaver
	2100	70	Shaver
	2400	70.0	C. Huskey

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	70.7	C. Huskey
	0600	70.5	C. Huskey
	0900	70.2	Shaver
	1200	70.3	Shaver
	1500	70	Marquez
	1800	70	Marquez
	2100	70	Marquez
	2400	70	JARVIS

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	70	JARVIS
	0600	70	Herndon
	0900	69	Herndon
	1200	69	Herndon
	1500	69	Herndon
	1800	69	Herndon
	2100	69	Herndon
	2400	68	SALTSGAVER

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	69	SALTSGAVER
	0600	69	Herndon
	0900	69	Herndon
	1200	70	Herndon
	1500	70	Herndon
	1800	70	Herndon
	2100	69	Herndon
	2400	69	Valergan

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	70	Valerga
	0600	70	E. Amaya
	0900	70	E Amaya
	1200	70	E. Amaya
	1500	69	Endsley
	1800	70	Endsley
	2100	70	Endsley
	2400	70	Valerga

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	70	Valerga
	0600	70	Lilly
	0900	70	Lilly
	1200	70	Lilly
	1500	70	Gonzalez
	1800	70	Gonzalez
	2100	70	Gonzalez
	2400	70	Valerga

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	70	Valerga
	0600	70	I. Gómez
	0900	70	I. Gómez
	1200	70	I. Gómez
	1500	70	Shafer
	1800	70	Shafer
	2100	70	Shafer
	2400	70	Valerga

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	70	Valerga
	0600	70	Shafer
	0900	70	Shafer
	1200	70	Shafer
	1500	70.3	MASON
	1800	70.3	MASON
	2100	70.1	MASON
	2400	70	ORTEGA

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	ORTEGA
	0600	70	ORTEGA
	0900	70	Shafer
	1200	70	Shafer
	1500	70	Herndon
	1800	70	Herndon
	2100	70	Herndon
	2400	71	JARVIS

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	71	JARVIS
	0600	71	Herndon
	0900	71	Herndon
	1200	71	Herndon
	1500	72	Herndon
	1800	72	Herndon
	2100	72	Herndon
	2400	72	Valerga

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	72	Valerga
	0600	72	Herndon
	0900	72	Herndon
	1200	73	Herndon
	1500	74	Herndon
	1800	74	Herndon
	2100	74	Herndon
	2400	73	Valerga

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	73	Valerga
	0600	72	TORRES
	0900	73	TORRES
	1200	73	TORRES
	1500	74	Endsley
	1800	74.7	REYES
	2100	74.7	REYES
	2400	73	Valerga

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	73	Valerga
	0600	73	LIG
	0900	74	LIG
	1200	73	LIG
	1500	73	Valerga
	1800	73	Valerga
	2100	73	Valerga
	2400	73	Valerga

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	72	Valerga
	0600	73	Shafer
	0900	73	Shafer
	1200	73	Shafer
	1500	73	Shafer
	1800	73	Shafer
	2100	73	Shafer
	2400	73	Valerga

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	73	Valerga
	0600	73	Shafer
	0900	73	Shafer
	1200	73	Shafer
	1500	73	Shafer
	1800	73	Shafer
	2100	73	Shafer
	2400	73	ORTEGA

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	73	ORTEGA
	0600	73	ORTEGA
	0900	73	Shafer
	1200	73	Shafer
	1500	73	Filoreto
	1800	73	Filoreto
	2100	73	Filoreto
	2400	73	JARVIS

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	73	JARVIS
	0600	73	Herndon
	0900	73	Herndon
	1200	73	Herndon
	1500	73	Herndon
	1800	73	Herndon
	2100	73	Herndon
	2400	73	SALISGAVER

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	73	SALISGAVER
	0600	73	Herndon
	0900	73	Herndon
	1200	73	Herndon
	1500	73	Herndon
	1800	73	Herndon
	2100	73	Herndon
	2400	73	Valerga

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	73	Valerga
	0600	73	E. Amaya
	0900	72.3	E. Amaya
	1200	72	E. AMAYA
	1500	72	Macias
	1800	72.7	Macias
	2100	72.4	Macias
	2400	72	Valerga

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	72	Valerga
	0600	72	Lily
	0900	72	Lily
	1200	72	Lily
	1500	72	Valerga
	1800	72	Valerga
	2100	72	Valerga
	2400	71	Valerga

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	71	Valerga
	0600	72	Shaver
	0900	72	Shaver
	1200	72	Shaver
	1500	72	Shaver
	1800	72	Shaver
	2100	72	Shaver
	2400	71.6	Melendrez

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	71.2	Melendrez
	0600	72	Shaver
	0900	72	Shaver
	1200	72	Shaver
	1500	72	Shaver
	1800	72	Shaver
	2100	72	Shaver
	2400	71	ORTEGA

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	71	ORTEGA
	0600	71	ORTEGA
	0900	71	Shaver
	1200	71	Shaver
	1500	71	ZAMZAM
	1800	71	ZAMZAM
	2100	72	ZAMZAM
	2400	72	JARVIS

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	72	JARVIS
	0600	72	Hernden
	0900	71	Hernden
	1200	71	Hernden
	1500	71	Hernden
	1800	72	Hernden
	2100	72	Hernden
	2400	72	SALTSGAVER

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	71	SALTSGAVER
	0600	72	Hernden
	0900	72	Hernden
	1200	72	Hernden
	1500	72	Hernden
	1800	72	Owen
	2100	72	Owen
	2400	72.5	C. Huskey

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	71.8	C. Huskey
	0600	71.8	E. Amaya
	0900	72.3	E. Amaya
	1200	72.3	E. Amaya
	1500	72	Herndon
	1800	72	Herndon
	2100	72	Herndon
	2400	73.0	C. THAO

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	73.0	C. THAO
	0600	72	Lile
	0900	72	Lile
	1200	72	Lile
	1500	73	Valuzza
	1800	74	Valuzza
	2100	73	Valuzza
	2400	73	Valuzza

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	73	Valuzza
	0600	73	Shafer
	0900	73	Shafer
	1200	73	Shafer
	1500	73	Shafer
	1800	73	Shafer
	2100	73	Shafer
	2400	72	Hazo

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	72	Hazo
	0600	72	Shafer
	0900	72	Shafer
	1200	72	Shafer
	1500	72	Shafer
	1800	72	Shafer
	2100	72	Shafer
	2400	72	ORTEGA

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	72.5	ORTEGA
	0600	72	ORTEGA
	0900	72	Guzman
	1200	72	Guzman
	1500	72	Herndon
	1800	72	Herndon
	2100	72	Herndon
	2400	72	Vue

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: CU Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	72	MEZA
	0600	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	72	HALL
	1800	72	HALL
	2100	72	HALL
	2400	72	MEZA

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	72	MEZA
	0600	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	72	HALL
	1800	72	HALL
	2100	72	HALL
	2400	72	MEZA

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	72	MEZA
	0600	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	72	SALTSGAVER
	1800	72	SALTSGAVER
	2100	72	SALTSGAVER
	2400	72	MEZA

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	72	MEZA
	0600	72	AMAYA
	0900	72	E. AMAYA
	1200	72	E. AMAYA
	1500	72	SALTSGAVER
	1800	72	SALTSGAVER
	2100	72	SALTSGAVER
	2400	72	JARVIS

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	72	JARVIS
	0600	72	E. AMAYA
	0900	72	E. AMAYA
	1200	72	E. AMAYA
	1500	73	H. MARTINEZ
	1800	73	H. MARTINEZ
	2100	73	H. MARTINEZ
	2400	72	JARVIS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C4 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	72	JARVIS
	0600	73	L. LOPEZ
	0900	73	L. LOPEZ
	1200	73	L. LOPEZ
	1500	72	Pineda
	1800	72.	Pineda
	2100	72.1	Pineda
	2400	73	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	72	[illegible]
	0600	73	L. LOPEZ
	0900	73	L. LOPEZ
	1200	73	L. LOPEZ
	1500	72	Pineda
	1800	72	Pineda
	2100	72.1	Pineda
	2400	72	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	72	[illegible]
	0600	72	L. LOPEZ
	0900	72.	L. LOPEZ
	1200	72.	L. LOPEZ
	1500	72.3	Pineda
	1800	72.1	Pineda
	2100	72	Pineda
	2400	72	MEZA

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	72	MEZA
	0600	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	72.3	D. Husley
	1800	72.4	D. Husley
	2100	72.1	D. Husley
	2400	72	MEZA

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	72	MEZA
	0600	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	72	Endsley
	1800	72	Endsley
	2100	73	Endsley
	2400	72	MEZA

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	72	MEZA
	0600	72	E. Amaya
	0900	72	E. Amaya
	1200	72	[illegible]
	1500	72	Macias
	1800	72	Macias
	2100	71	Macias
	2400	72	JARVIS

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	72	JARVIS
	0600	72	E. Amaya
	0900	72	E. Amaya
	1200	72	E. Amaya
	1500	72	BJURSTRM
	1800	72	BJURSTRM
	2100	72	BJURSTRM
	2400	72	JARVIS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: CU Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	72	JARVIS
	0600	74	L. LOPEZ
	0900	74	L. LOPEZ
	1200	74	L. LOPEZ
	1500	72	Macias
	1800	71	Macias
	2100	71	Macias
	2400	72	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	72	[illegible]
	0600	75	L. LOPEZ
	0900	75	L. LOPEZ
	1200	75	L. LOPEZ
	1500	75	RITCHEY
	1800	75	RITCHEY
	2100	74	RITCHEY
	2400	72	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	74	[illegible]
	0600	74	L. LOPEZ
	0900	74	L. LOPEZ
	1200	74	L. LOPEZ
	1500	74	H. MARTINEZ
	1800	74	H. MARTINEZ
	2100	74	H. MARTINEZ
	2400	73	QUIROZ

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	75	QUIROZ
	0600	73	L. LOPEZ
	0900	73	L. LOPEZ
	1200	73	L. LOPEZ
	1500	74	H. MARTINEZ
	1800	73	H. MARTINEZ
	2100	73	H. MARTINEZ
	2400	73	ANTRAM

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	73	ANTRAM
	0600	73	L. LOPEZ
	0900	73	L. LOPEZ
	1200	73	L. LOPEZ
	1500	73	SALTSGAVER
	1800	73	SALTSGAVER
	2100	73	SALTSGAVER
	2400	73	MEZA

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	73	MEZA
	0600	73	E. AMAYA
	0900	74	E. AMAYA
	1200	73	E. AMAYA
	1500	73	SALTSGAVER
	1800	73	SALTSGAVER
	2100	73	SALTSGAVER
	2400	73	JARVIS

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	73	JARVIS
	0600	73	E. AMAYA
	0900	73	E. AMAYA
	1200	73	E. AMAYA
	1500	72	H. MARTINEZ
	1800	72	H. MARTINEZ
	2100	72	H. MARTINEZ
	2400	72	JARVIS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: CU Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	72	JARVIS
	0600	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	72	H. MARTINEZ
	1800	72	H. MARTINEZ
	2100	72	H. MARTINEZ
	2400	72	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	72	[illegible]
	0600	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	72	H. MARTINEZ
	1800	72	H. MARTINEZ
	2100	72	H. MARTINEZ
	2400	72	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	72	[illegible]
	0600	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	72	HALL
	1800	72	HALL
	2100	72	HALL
	2400	72	MEZA

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	72	MEZA
	0600	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	~~71~~ 72	~~L. LO~~ HALL
	1800	72	HALL
	2100	72	HALL
	2400	72	MEZA

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	72	MEZA
	0600	71	L. LOPEZ
	0900	72	L. LOPEZ
	1200	71	L. LOPEZ
	1500	72	SALTSGAVER
	1800	72	SALTSGAVER
	2100	72	SALTSGAVER
	2400	71	M. RIVERA

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	71	M. RIVERA
	0600	71	E. Arroyo
	0900	72	E. Arroyo
	1200	72	E. Arroyo
	1500	72	SALTSGAVER
	1800	72	SALTSGAVER
	2100	72	SALTSGAVER
	2400	72	JARVIS

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	72	JARVIS
	0600	71.6	E. Arroyo
	0900	72	E. Arroyo
	1200	72	E. Arroyo
	1500	72	H. MARTINEZ
	1800	72	H. MARTINEZ
	2100	72	H. MARTINEZ
	2400	72	JARVIS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C4 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	72	JARVIS
	0600	72	L. LOPEZ
	0900	72	LOPEZ
	1200	72	LOPEZ
	1500	72	H. MARTINEZ
	1800	72	H. MARTINEZ
	2100	72	H. MARTINEZ
	2400	72	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	72	[illegible]
	0600	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	72	H. MARTINEZ
	1800	72	H. MARTINEZ
	2100	72	H. MARTINEZ
	2400	72	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	72	[illegible]
	0600	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72	MEZA

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	72	MEZA
	0600	72	MEZA
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72	MEZA

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	72	MEZA
	0300	72	L. LOPEZ
	0900	72	L. LOPEZ
	1200	72	L. LOPEZ
	1500	72	S. KOTLAR
	1800	72	S. KOTLAR
	2100	72	S. KOTLAR
	2400	72	MEZA

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C5 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300		
	0600	72	MOORE
	0900	72	MOORE
	1200	72	MOORE
	1500	72	MOORE
	1800	72	MOORE
	2100	72	MOORE
	2400	72	JARVIS

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	72	JARVIS
	0600	72	MOORE
	0900	72	MOORE
	1200	72	MOORE
	1500	72.3	MOORE
	1800	72.9	MOORE
	2100	72.5	MOORE
	2400	72	JARVIS

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	72	JARVIS
	0600	72	E. Arraya
	0900	72	E. Arraya
	1200	72	E. Arraya
	1500	72	E. Arraya
	1800	72	E. Arraya
	2100	72	E. Arraya
	2400	72	Koches

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	72	Koches
	0600	72	BCOUNT
	0900	72	BCOUNT
	1200	72	BCOUNT
	1500	72	BCOUNT
	1800	72	BCOUNT
	2100	72	BCOUNT
	2400	72.1	B. Simpson

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	72.1	B. Simpson
	0600	72	BCOUNT
	0900	72	BCOUNT
	1200	72	BCOUNT
	1500	72	SALTSGAVER
	1800	72	SALTSGAVER
	2100	72	SALTSGAVER
	2400	72.7	Melendrez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C5 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	72.0	Melendrez
	0600	72	BERNIRT
	0900	72	BCOURT
	1200	72	BCOURT
	1500	72	RUIZ
	1800	72	RUIZ
	2100	72	RUIZ
	2400	72	Parente

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	72	Parente
	0600	72.3	MOORE
	0900	72.5	MOORE
	1200	72.5	MOORE
	1500	72.5	MOORE
	1800	72.5	MOORE
	2100	72.5	MOORE
	2400	72	Parente

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	72	Parente
	0600	72	MOORE
	0900	72.3	MOORE
	1200	72.5	MOORE
	1500	72.9	MOORE
	1800	72.3	MOORE
	2100	72	MOORE
	2400	72	Murphy

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	71.8	Murphy
	0600	72	E. Amaya
	0900	72.3	E. Amaya
	1200	72.1	E. Amaya
	1500	72.3	MOORE
	1800	72.2	MOORE
	2100	72.3	MOORE
	2400	72	JARVIS

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	72	JARVIS
	0600	71.6	E. Amaya
	0900	72	E. Amaya
	1200	72	E. Amaya
	1500	72	Hinojosa
	1800	73	Hinojosa
	2100	73	Hinojosa
	2400	72.3	B. Simpson

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	72.1	B. Simpson
	0600	72	BCOURT
	0900	72	BCOURT
	1200	72	BCOURT
	1500	72	BCOURT
	1800	72	BCOURT
	2100	72	BCOURT
	2400	73.2	B. Simpson

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	73.0	B. Simpson
	0600	72	BCOURT
	0900	72	BCOURT
	1200	72	BCOURT
	1500	74.1	CHAMBER
	1800	74.1	CHAMBER
	2100	74.7	CHAMBER
	2400	74.7	B. Simpson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C5 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	74.1	B. Simpson
	0600	77.8	Lilly
	0900	73.9	Lilly
	1200	74.4	Lilly
	1500	75.7	YANG
	1800	75.7	YANG
	2100	75.4	YANG
	2400	75.0	B. Simpson

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	74.7	B. Simpson
	0600	74	BROWN
	0900	74	BROWN
	1200	74	BROWN
	1500	74	BROWN
	1800	74	BROWN
	2100	74	BROWN
	2400	73.8	B. Simpson

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	73.6	B. Simpson
	0600	73.4	MOORE
	0900	73.4	MOORE
	1200	73.4	MOORE
	1500	73.4	MOORE
	1800	73.4	MOORE
	2100	73.4	MOORE
	2400	73.2	JARVIS

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	73	JARVIS
	0600	73	MOORE
	0900	73	MOORE
	1200	73	MOORE
	1500	73	MOORE
	1800	73	MOORE
	2100	73	MOORE
	2400	73	JARVIS

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	73	JARVIS
	0600	72.9	E. Amaya
	0900	72.9	E. Amaya
	1200	73.2	E. Amaya
	1500	73.2	E. Amaya
	1800	73.2	E. Amaya
	2100	73.0	E. Amaya
	2400	73.0	Lee

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	72.5	B. Simpson
	0600	71	BROWN
	0900	71	BROWN
	1200	72	BROWN
	1500	72	BROWN
	1800	72	BROWN
	2100	72	BROWN
	2400	72.3	B. Simpson

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	72.3	B. Simpson
	0600	72	Lilly
	0900	72	Lilly
	1200	72	Lilly
	1500	72	SALTSGAVER
	1800	72	SALTSGAVER
	2100	72	SALTSGAVER
	2400	72.0	B. Simpson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C5 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	71.8	B. Simpson
	0600	71.8	TORRES. L
	0900	71.8	TORRES
	1200	71.8	TORRES
	1500	71.6	Saltsgaver
	1800	72	Saltsgaver
	2100	72	Saltsgaver
	2400	71	Parente

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	71	Parente
	0600	71.6	MOORE
	0900	71.6	MOORE
	1200	71.6	MOORE
	1500	71.4	MOORE
	1800	71	MOORE
	2100	71	MOORE
	2400	71	Parente

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	71	Parente
	0600	71	MOORE
	0900	71.4	MOORE
	1200	71	MOORE
	1500	71	MOORE
	1800	71	MOORE
	2100	71	MOORE
	2400	71	JARVIS

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	71	JARVIS
	0600	71.4	E. Avalos
	0900	71.6	E. Avalos
	1200	71.6	E. Avalos
	1500	71.6	MOORE
	1800	71.6	MOORE
	2100	71.6	MOORE
	2400	71	JARVIS

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	71	JARVIS
	0600	71.4	E. Avalos
	0900	71.6	E. Avalos
	1200	71.2	E. Avalos
	1500	71	Avalos
	1800	71	Avalos
	2100	71	Avalos
	2400	71.4	B. Simpson

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	71.4	B. Simpson
	0600	71	BCOURT
	0900	71	BCOURT
	1200	71	BCOURT
	1500	71	BCOURT
	1800	71	BCOURT
	2100	71	BCOURT
	2400	71.4	B. Simpson

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	71.4	B. Simpson
	0600	71	BCOURT
	0900	71	BCOURT
	1200	71	BCOURT
	1500	71	SALTSGAVER
	1800	71	SALTSGAVER
	2100	71	SALTSGAVER
	2400	71.4	B. Simpson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C5 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300		
	0600	71	BCOURT
	0900	71	BCOURT
	1200	71	BCOURT
	1500	71	SALTSGAVER
	1800	72	SALTSGAVER
	2100	71	SALTSGAVER
	2400	71	Parente

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	71	Parente
	0600	71	BCOURT
	0900	71	BCOURT
	1200	71	BCOURT
	1500	72	BCOURT
	1800	72	BCOURT
	2100	72	BCOURT
	2400	72	Parente

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	72	Parente
	0600	71.6	MOORE
	0900	72	MOORE
	1200	72	MOORE
	1500	72	MOORE
	1800	71.6	MOORE
	2100	71.6	MOORE
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300		
	0600	71	MOORE
	0900	71	MOORE
	1200	71	MOORE
	1500	71	MOORE
	1800	71	MOORE
	2100	71	MOORE
	2400	72	OCHOA

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	72	OCHOA
	0600	71.2	E. Arroyo
	0900	71.4	E. Arroyo
	1200	71.2	E. Arroyo
	1500	71.4	E. Arroyo
	1800	71.6	E. Arroyo
	2100	71.8	E. Arroyo
	2400	71.6	B. Simpson

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C6 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	71.2	Martin
	0600	71.2	Chapman
	0900	71	Chapman
	1200	70	Chapman
	1500	70	MUTHANA
	1800	71	MUTHANA
	2100	71	MUTHANA
	2400	71.1	MUTHANA

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	70.8	Martin
	0600	70.1	Chapman
	0900	70.9	Chapman
	1200	70.7	Chapman
	1500	70	MUTHANA
	1800	71	MUTHANA
	2100	71	MUTHANA
	2400	71	Martin

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	70.9	Martin
	0600	70.9	HOOVEN
	0900	71.1	HOOVEN
	1200	71.1	HOOVEN
	1500	71	MUTHANA
	1800	71	MUTHANA
	2100	71	MUTHANA
	2400	71.6	SLIVER

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	71.4	SLIVER
	0600	71.4	HOOVEN
	0900	71.4	HOOVEN
	1200	71.4	HOOVEN
	1500	71	REYES
	1800	71	REYES
	2100	71	REYES
	2400	70	NPedro

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	70	NPedro
	0600	70	M. LEE
	0900	70	M. LEE
	1200	70	M. LEE
	1500	70.4	A. Macias
	1800	71.	Macias
	2100	71.1	Macias
	2400	71.1	Chen

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C6 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	70.9	Chen
	0600	70.9	Chen
	0900	70.9	VIDANA
	1200	71.1	VIDANA
	1500	71.2	Mathana
	1800	71.2	Mathana
	2100	71.2	Mata
	2400	70.9	Chen

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	70.9	Chen
	0600	70.7	Chen
	0900	70.7	CHAPMAN
	1200	71.1	CHAPMAN
	1500	71	MUTHANA
	1800	71	MUTHANA
	2100	71	MUTHANA
	2400	70.7	Mauldin

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	70.5	Mauldin
	0600	70.7	CHAPMAN
	0900	70.5	CHAPMAN
	1200	70.5	CHAPMAN
	1500	70	MUTHANA
	1800	71	MUTHANA
	2100	71	MUTHANA
	2400	71.1	Mauldin

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	70.8	Mauldin
	0600	70.5	CHAPMAN
	0900	70.5	CHAPMAN
	1200	70.7	CHAPMAN
	1500	70	MUTHANA
	1800	70	MUTHANA
	2100	70.0	Mitchell
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300		
	0600	70.7	HOOVEN
	0900	71.1	HOOVEN
	1200	71.1	HOOVEN
	1500	71	MUTHANA
	1800	71	MUTHANA
	2100	72	MUTHANA
	2400	71	Mejia

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	71	Mejia
	0600	71.1	HOOVEN
	0900	71.4	HOOVEN
	1200	71.4	HOOVEN
	1500	71.6	REYES
	1800	71.6	REYES
	2100	72.	REYES
	2400	72	Mejia

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	72	Mejia
	0600	72.1	Moore
	0900	72.1	Moore
	1200	72.7	Moore
	1500	73	Chen
	1800	73.2	Chen
	2100	73.2	Chen
	2400	73.4	Chen

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: CCC Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	72	Chen
	0600	70.3	Chen
	0900	71	CHANNEL
	1200	72	CHANNEL
	1500	72	MUTHALA
	1800	72	MUTHALA
	2100	74	MUTHALA
	2400	74.3	Chen

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	73.9	Chen
	0600	73	Chen
	0900	72.9	CHANNEL
	1200	73.4	CHANNEL
	1500	73	MUTHALA
	1800	73	MUTHALA
	2100	73	MUTHALA
	2400	73.2	Marth

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	73.9	Chen
	0600	72.7	CHANNEL
	0900	72.3	CHANNEL
	1200	73.4	CHANNEL
	1500	73	MUTHALA
	1800	73	MUTHALA
	2100	72	MUTHALA
	2400	72.5	Marth

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	72.3	Marth
	0600	72.5	YATES
	0900	73.0	YATES
	1200	73.2	YATES
	1500	73	MUTHALA
	1800	72	MUTHALA
	2100	72	MUTHALA
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300		
	0600	72.1	HOOVEN
	0900	72.5	HOOVEN
	1200	72.5	HOOVEN
	1500	72	MUTHALA
	1800	72	MUTHALA
	2100	72	MUTHALA
	2400	72	Hleia

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	72	Hleia
	0600	71.6	HOOVEN
	0900	71	Hooven
	1200	71	HOOVEN
	1500	72.3	Macias
	1800	72.1	Macias
	2100	72	Macias
	2400	72	Hleia

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	72	Hleia
	0600	71.1	MOOR
	0900	71.1	MOOR
	1200	71.4	MOOR
	1500	71	REYES
	1800	71	REYES
	2100	71	REYES
	2400	71.1	Chen

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C6 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	70.7	Chen
	0600	70.3	Chen
	0900	69.8	CHAPPEL
	1200	70	CHAPPEL
	1500	70	MUTHANA
	1800	70	MUTHANA
	2100	70	MUTHANA
	2400	70	Chen

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	69.4	Chen.
	0600	69.3	Chen
	0900	69.1	CHAPPEL
	1200	69.3	CHAPPEL
	1500	69	MUTHANA
	1800	69	MUTHANA
	2100	69	MUTHANA
	2400	69.3	Mauldin

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	69	Mauldin
	0600	68.9	CHAPPEL
	0900	69.1	CHAPPEL
	1200	67.5	CHAPPEL
	1500	70	MUTHANA
	1800	70	MUTHANA
	2100	70	MUTHANA
	2400	69.1	Mauldin

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	68.7	Mauldin
	0600	68.4	CHAPPEL
	0900	68.4	CHAPPEL
	1200	68.4	CHAPPEL
	1500	68	MUTHANA
	1800	68	MUTHANA
	2100	68	MUTHANA
	2400	68.2	Mauldin

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	68.1	Mauldin
	0600	68.1	HOOVEN
	0900	54.1	HOOVEN
	1200	54.3	HOOVEN
	1500	68	MUTHANA
	1800	68	MUTHANA
	2100	68	MUTHANA
	2400	68.4	TORRES

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	68.2	TORRES
	0600		
	0900		
	1200		
	1500	69.7	REYES
	1800	68.7	REYES
	2100	68.3	REYES
	2400	68.5	Mortaya

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	68.4	Mortaya
	0600	68.0	Moore
	0900	68.1	Moore
	1200	68.5	Moore
	1500	68	Chen
	1800	68	Chen
	2100	68	Chen
	2400	68.4	Chen

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C6 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	68.5	Chen
	0600	68.5	Chen
	0900	68.7	Chapper
	1200	68.7	Chapper
	1500	68	Muthana
	1800	69	Muthana
	2100	69	Muthana
	2400	69.3	Chen

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	69.3	Chen
	0600	69.3	Chen
	0900	69.3	Chapper
	1200	70.3	Chapper
	1500	70	Muthana
	1800	70	Muthana
	2100	70	Muthana
	2400	70.1	Manlo

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	69.8	Manlo
	0600	68.4	Chapper
	0900	69.3	Chapper
	1200	69.6	Chapper
	1500	69	Muthana
	1800	69	Muthana
	2100	69	Muthana
	2400	69.4	Manlo

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	69.1	Manlo
	0600	69.1	Chapper
	0900	69.1	Chapper
	1200	69.3	Chapper
	1500	69	Muthana
	1800	70	Muthana
	2100	68.9	M Torres
	2400	68	M. Torres

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	68	M. Torres
	0600	69.3	Hooven
	0900	69.3	Hooven
	1200	69.4	Hooven
	1500	69	Muthana
	1800	70	Muthana
	2100	70	Muthana
	2400	71	Mela

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C7 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	72	Thompson
	0600	71	Heaven
	0900	71	Heaven
	1200	71	Heaven
	1500	71	Heaven
	1800	71	Eson
	2100	71	Eson
	2400	72	Thompson

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	71	Thompson
	0600	70	Gilcrest
	0900	70	Gilcrest
	1200	70	Gilcrest
	1500	70	Gilcrest
	1800	71	Gilcrest
	2100	71	Gilcrest
	2400	71	Thompson

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	71	Thompson
	0600	71	Heaven
	0900	71	Heaven
	1200	71	Heaven
	1500	71.6	Eaven
	1800	71.6	Eaven
	2100	71.6	Eaven
	2400	71	Thompson

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	71	Thompson
	0600	71.1	Ram S
	0900	71.4	Ram S
	1200	71.2	Ram-S
	1500	71.2	Montgomery
	1800	71.2	Montgomery
	2100	71.2	Montgomery
	2400	71	Thompson

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	71	Thompson
	0600	70.9	Ram S
	0900	71.2	Ram S
	1200	71.2	Ram S
	1500	71.2	Montgomery
	1800	71.2	Montgomery
	2100	71.1	Montgomery
	2400	71.1	J. Clark

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C7 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	71	J. Luna
	0600	71.1	Ramos
	0900	71.1	Ramos
	1200	71.2	Ramos
	1500	71	S. REYES
	1800	72	S. REYES
	2100	71	S. REYES
	2400	70	J. Luna

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	70	J. Luna
	0600	71.1	Ramos
	0900	71.1	Ramos
	1200	71.2	Ramos
	1500	71	Reyes
	1800	71	Reyes
	2100	70	Reyes
	2400	70.5	VERASCO

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	70.5	VERASCO
	0600	70.5	HOOVEN
	0900	70.5	HOOVEN
	1200	70.5	HOOVEN
	1500	70.7	FIGUEROA
	1800	71.2	FIGUEROA
	2100	71.2	FIGUEROA
	2400	71	Hinojosa

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	70.8	Hinojosa
	0600	70.7	Hinojosa
	0900	71.2	HOOVEN
	1200	71.2	HOOVEN
	1500	71.6	FIGUEROA
	1800	71.6	FIGUEROA
	2100	71.6	FIGUEROA
	2400	71.4	SLIVER

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70.9	SLIVER
	0600	71	BALLESTEROS
	0900	71	BALLESTEROS
	1200	71	BALLESTEROS
	1500	72	RUIZ
	1800	72	RUIZ
	2100	72	RUIZ
	2400	72.1	SLIVER

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	71.2	SLIVER
	0600	71.2	Ramos
	0900	71.8	Ramos
	1200	72.1	Ramos
	1500	72.9	Montgomery
	1800	73.2	Montgomery
	2100	73.4	Montgomery
	2400	73.0	Melendrez

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	72.5	Lee
	0600	72.5	Ramos
	0900	70.9	Ramos
	1200	71.3	Ramos
	1500	73.0	Montgomery
	1800	74.1	Montgomery
	2100	74.3	Montgomery
	2400	74	J. Lopez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C7 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	73	J. Luna
	0600	73	Ballesteros
	0900	73	Ballesteros
	1200	73	Reyes
	1500	73	Reyes
	1800	74	Reyes
	2100	75	Reyes
	2400	74	J. Luna

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	74	J. Luna
	0600	74	Ballesteros
	0900	74	Ballesteros
	1200	74	Ballesteros
	1500	74	Helms
	1800	74	Helms
	2100	74	Helms
	2400	73.0	Velasco

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	73.0	Velasco
	0600	72.7	Hooven
	0900	72.7	Hooven
	1200	72.7	Hooven
	1500	72.7	Flaire
	1800	73.0	Flaire
	2100	72.9	Flaire
	2400	72.3	C. Huskey

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	72.3	C. Huskey
	0600	72.0	Hooven
	0900	72.0	Hooven
	1200	72.3	Hooven
	1500	72.5	Flaire
	1800	72.7	Flaire
	2100	72.7	Flaire
	2400	72.3	C. Huskey

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300		C. Huskey
	0600	72.1	Ramos
	0900	72.1	Ramos
	1200	72.5	Ramos
	1500	72.7	Montgomery
	1800	72.5	Montgomery
	2100	72.1	Montgomery
	2400	72.0	Hurd

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	72	Hurd
	0600	72	Ramos
	0900	72	Ramos
	1200	72	Ramos
	1500	71.8	Montgomery
	1800	72.0	Montgomery
	2100	71.6	Montgomery
	2400	71.6	Hurd

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	71.8	Hurd
	0600	71.2	Ramos
	0900	71.2	Ramos
	1200	71.3	Ramos
	1500	71.4	Montgomery
	1800	71.3	Montgomery
	2100	71.3	Montgomery
	2400	71.2	C. Huskey

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C7 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	71.1	C. Huskey
	0600	70.9	Ramos
	0900	71.1	Ramos
	1200	71	Reyes
	1500	71	Reyes
	1800	71	Reyes
	2100	71	Reyes
	2400	71.2	Leport

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	69.8	Leport
	0600	70	Wheeler
	0900	71	Wheeler
	1200	71	Wheeler
	1500	70	Melons
	1800	70	Melons
	2100	70	Melons
	2400	70.1	C. Huskey

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	70.1	C. Huskey
	0600	70.9	Hooven
	0900	70.5	Hooven
	1200	70.5	Hooven
	1500	70.7	Fierro
	1800	70.7	Fierro
	2100	70.5	Fierro
	2400	70.7	C. Huskey

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	70.7	C. Huskey
	0600	70.5	Hooven
	0900	70.5	Hooven
	1200	70.5	Hooven
	1500	70.9	Fierro
	1800	70.7	Fierro
	2100	70.7	Fierro
	2400	70.7	C. Huskey

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300		C. Huskey
	0600	70.7	Ramos
	0900	70.7	Bedolla
	1200	70.2	Ramos
	1500	70.5	Montgomery
	1800	70.7	Montgomery
	2100	70.7	Montgomery
	2400	70.8	Gomi

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	70.6	Gomi
	0600	70.8	Ramos
	0900	71	Endsley
	1200	70	Endsley
	1500	70.5	Rodriguez
	1800	70.7	[illegible]
	2100	70.9	[illegible]
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	70.2	Ramos
	0600	70.5	Ramos
	0900	71.1	Ramos
	1200	70.5	Ramos
	1500	70.5	Blahut
	1800	70.7	Blahut
	2100	70.4	Blahut
	2400	70	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE indoor air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C7 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	70	J. Luna
	0600	70.5	Ramos
	0900	70.7	Ramos
	1200	70.6	Ramos
	1500	71.1	Ramos
	1800	70.7	Ramos
	2100	70.7	[illegible]
	2400	70	J. Luna

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	70	J. Luna
	0600	70.7	Ramos
	0900	71.1	Ramos
	1200	70.1	Ramos
	1500	71	Helms
	1800	71	Helms
	2100	71	Helms
	2400	71.2	C. Huskey

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	71.2	C. Huskey
	0600	70.7	J. Hooven
	0900	71.1	J. Hooven
	1200	70.9	J. Hooven
	1500	71.1	Fierro
	1800	70.9	Fierro
	2100	70.9	Fierro
	2400	70.9	C. Huskey

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	71.0	C. Huskey
	0600	70.7	J. Hooven
	0900	70.7	J. Hooven
	1200	70.7	J. Hooven
	1500	70.9	Fierro
	1800	70.7	Fierro
	2100	70.9	Fierro
	2400	70.3	C. Huskey

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300		C. Huskey
	0600	70.1	Spazier
	0900	70.3	Spazier
	1200	70.7	Spazier
	1500	70.5	Zamzami
	1800	70.9	Zamzami
	2100	71.2	[illegible]
	2400		

[redacted]

[redacted]

Notes

DISTRIBUTION Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C8 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	71.1	BRADDEN
	0600	71	REYES
	0900	71	REYES
	1200	72	REYES
	1500	72	CHANNER
	1800	72.3	CHANNER
	2100	72.3	CHANNER
	2400	71.2	BRADDEN

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	71.1	BRADDEN
	0600	71.1	MASON
	0900	71.1	MASON
	1200	71.2	MASON
	1500	71.4	Narayan
	1800	71.4	Narayan
	2100	71.4	Narayan
	2400	71.1	SILVER

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	70.7	SILVER
	0600	71.1	MASON
	0900	71.1	MASON
	1200	71.3	MASON
	1500	71	REYES
	1800	71	REYES
	2100	71	REYES
	2400	71.4	SILVER

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	71.4	S. KOPPAR
	0600	71.2	NUNEZ
	0900	71.3	NUNEZ
	1200	71.4	NUNEZ
	1500	71.2	MOORE
	1800	71.2	Moore
	2100	71.1	Moore
	2400	70.7	Willis

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	70.7	Willis
	0600	71.1	HOOVEN
	0900	71	REYES
	1200	71	HOOVEN
	1500	71.2	Gomez
	1800	71.2	Gomez
	2100	71.1	Gomez
	2400	71.1	BRADDEN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C8 Temp. Reading Location: 2nd tier.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	70.9	BRADEEN
	0600	70.9	REYES
	0900	71	REYES
	1200	71	REYES
	1500	71.1	MOORE
	1800	71.1	MOORE
	2100	71.1	MOORE
	2400	71.1	BRADEEN

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	70.9	BRADEEN
	0600	70.9	REYES
	0900	71.7	REYES
	1200	71.7	REYES
	1500	71.1	MOORE
	1800	71.2	MOORE
	2100	71.1	MOORE
	2400	71.2	BRADEEN

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	71.7	BRADEEN
	0600	71.2	REYES
	0900	71.1	REYES
	1200	71.1	REYES
	1500	70.9	CHAPMAN
	1800	71.6	CHAPMAN
	2100	71.2	CHAPMAN
	2400	71.2	BRADEEN

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	70.9	BRADEEN
	0600	71.1	MASON
	0900	71.1	MASON
	1200	71.2	MASON
	1500	71.2	Narayan
	1800	71.2	Narayan
	2100	71.2	Narayan
	2400	71.6	Turner

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	71.4	Turner
	0600	71.2	MASON
	0900	71.3	MASON
	1200	71.3	MASON
	1500	71.3	J. REYES
	1800	72.3	J. REYES
	2100	72.	J. REYES
	2400	72.1	S. KOTLAR

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	72.0	S. KOTLAR
	0600	71.4	NURSES
	0900	71.7	NURSES
	1200	71.4	NURSES
	1500	71.7	MOORE
	1800	73.0	MOORE
	2100	73.0	MOORE
	2400	72	Unknown

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	72	Unknown
	0600	72	HOOLEN
	0900	72	HOOLEN
	1200	72	HOOLEN
	1500	72.4	MOORE
	1800	73.0	MOORE
	2100	74.1	MOORE
	2400	74.1	C. HUSKEY

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C 8 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	73.6	C. Huskey
	0600	73.6	C. Reyes
	0900	73.9	C. Reyes
	1200	74.1	C Reyes
	1500	74.1	Moor
	1800	74.5	Moore
	2100	75.2	Moore
	2400	74.8	Bradeen

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	74.1	Bradeen
	0600	74.5	Reyes
	0900	74.7	Reyes
	1200	74.1	Reyes
	1500	73.9	Moore
	1800	74.1	Moore
	2100	74.2	Moore
	2400	73.6	Bradeen

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	73.6	Bradeen
	0600	73.4	Reyes
	0900	73.2	Reyes
	1200	73.2	Reyes
	1500	73.4	Chapman
	1800	73.4	Chapman
	2100	73.8	Chapman
	2400	73.2	Bradeen

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	72.9	Bradeen
	0600	72	Mason
	0900	72.5	Mason
	1200	72.6	Mason
	1500	73	Richey
	1800	73	Richey
	2100	72	Richey
	2400	72	Hicks

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	73	Hicks
	0600	72.5	Mason
	0900	72.8	Mason
	1200	73.0	Mason
	1500	73.0	Flemo
	1800	73.0	Flemo
	2100	73.0	Flemo
	2400	72.7	Silver

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	72.3	Silver
	0600	72	Hinojosa
	0900	72	Hinojosa
	1200	72	Hinojosa
	1500	72.5	Moore
	1800	72.5	Moore
	2100	72.3	Moore
	2400	72.2	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	72.1	[illegible]
	0600	72.1	[illegible]
	0900	72	[illegible]
	1200	72	[illegible]
	1500	71.6	Moore
	1800	71.8	Moore
	2100	71.8	Moore
	2400	71.6	Bradeen

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C8 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	71.4	BRADEEN
	0600	71.4	REYES
	0900	71.2	REYES
	1200	71.2	REYES
	1500	71.2	MOOR
	1800	71.2	Pineda
	2100	71.2	Pineda
	2400	71.2	BRADEEN

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	71.1	BRADEEN
	0600	71.2	REYES
	0900	71.2	REYES
	1200	71.2	REYES
	1500	71.2	MOORE
	1800	71.2	MOORE
	2100	71.2	MOORE
	2400	71.2	BRADEEN

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	71.1	BRADEEN
	0600	71.1	REYES
	0900	71.1	REYES
	1200	71.1	REYES
	1500	71.1	CHAMPION
	1800	71.2	CHAMPION
	2100	71.1	CHAMPION
	2400	71.1	BRADEEN

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	70.3	BRADEEN
	0600	70.9	MASON
	0900	71	MASON
	1200	71.1	MASON
	1500	71.1	Narayan
	1800	71.1	Narayan
	2100	71.1	Narayan
	2400	71	elwell

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	70	elwell
	0600	71	MASON
	0900	71.3	MASON
	1200	71.1	MASON
	1500	71	REYES
	1800	71	REYES
	2100	71	REYES
	2400	70.9	S.KOTLAR

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	70.9	S.KOTLAR
	0600	70.9	[illegible]
	0900	71	[illegible]
	1200	71	[illegible]
	1500	70.7	[illegible]
	1800	70.9	MOORE
	2100	70.9	MOORE
	2400	70.9	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	70.9	[illegible]
	0600	71	LILLY
	0900	71	LILLY
	1200	71	LILLY
	1500	71.1	MOORE
	1800	71.2	MOORE
	2100	71.2	MOORE
	2400	71.1	BRADEEN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: C8 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	71.1	BRADEEN
	0600	70.9	REYES
	0900	71.2	REYES
	1200	71.2	REYES
	1500	72	Pineda
	1800	72	Pineda
	2100	71.2	Pineda
	2400	71.2	BRADEEN

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	71.4	BRADEEN
	0600	71.2	REYES
	0900	71.2	REYES
	1200	71.6	REYES
	1500	71.8	MOORE
	1800	71.8	MOORE
	2100	71.8	MOORE
	2400	71.6	BRADEEN

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	71.6	BRADEEN
	0600	71.2	REYES
	0900	71.4	REYES
	1200	71.4	REYES
	1500	71.4	CHAPMAN
	1800	71.4	CHAPMAN
	2100	70.9	CHAPMAN
	2400	71.2	BRADEEN

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	71.1	BRADEEN
	0600	71.1	MASON
	0900	71.2	MASON
	1200	71.4	MASON
	1500	71.4	Narayan
	1800	71.4	Narayan
	2100	71.2	Narayan
	2400	71	MICH

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	71	MICH
	0600	71.1	MASON
	0900	71.1	MASON
	1200	71.2	MASON
	1500	71.1	HOOVEN
	1800	72.1	HOOVEN
	2100	72.1	HOOVEN
	2400	71.4	S.KOTLAR

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF 1 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

[redacted]

[redacted]

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	72	J. EASLEY
	0600	68	Torres
	0900	68	Torres
	1200	68	Torres
	1500	73	D. MARTINEZ
	1800	73	D. MARTINEZ
	2100	73	D. MARTINEZ
	2400	72	J. EASLEY

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	72	J. EASLEY
	0600	70	Norness
	0900	70	Norness
	1200	76	Norness
	1500	73	D. MARTINEZ
	1800	73	D. MARTINEZ
	2100	73	D. MARTINEZ
	2400	71	H. MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	71	H. MARTINEZ
	0600	70	A. Arreola
	0900	70	A. Arreola
	1200	70	A. Arreola
	1500	72	Stanbar
	1800	72	Stanbar
	2100	72	Stanbar
	2400	72	EASLEY

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	71	T. RIVERA
	0600	71	A. [illegible]
	0900	71	[illegible]
	1200	71	J. [illegible]
	1500	71	J. MARTIN
	1800	71	J. MARTIN
	2100	71	J. MARTIN
	2400	69	B. Crawford

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	70	B. Crawford
	0600	65	ELIZARRARAZ
	0900	65	ELIZARRARAZ
	1200	66	ELIZARRARAZ
	1500	74	D. MARTINEZ
	1800	74	D. MARTINEZ
	2100	74	D. MARTINEZ
	2400	70	B. Crawford

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF 1 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	68	B. Crawford
	0600	71	Atkins
	0900	71	Atkins
	1200	71	Atkins
	1500	73	D. Martinez
	1800	73	D. Martinez
	2100	73	D. Martinez
	2400	70	B. Crawford

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	71	B. Crawford
	0600	69	Atkins
	0900	70	Atkins
	1200	71	Atkins
	1500	73	D. Martinez
	1800	73	D. Martinez
	2100	73	D. Martinez
	2400	72.6	Middleton

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	71	Middleton
	0600	70	Atkins
	0900	70	Atkins
	1200	71	Atkins
	1500	73	D. Martinez
	1800	73	D. Martinez
	2100	73	D. Martinez
	2400	71	Nocross

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	69	Norcross
	0600	69	Norcross
	0900	70	Norcross 2
	1200	71	Norcross
	1500	71	D. Clair
	1800	70.7	D. Clair
	2100	71	D. Clair
	2400	71	J. Martin

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	71	Martin
	0600	71	Martin
	0900	69	Jarvis
	1200	69	Jarvis
	1500	70	Atkins
	1800	70	Atkins
	2100	70	Atkins
	2400	70	Atkins

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	70	Atkins
	0600	71	Atkins
	0900	72	Atkins
	1200	72	Atkins
	1500	72	Stanley
	1800	72	Stanley
	2100	72	Stanley
	2400	76	B. Crawford

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	72	B. Crawford
	0600	70	S. Torres
	0900	73	S. Torres
	1200	73	S. Torres
	1500	73	D. Martinez
	1800	73	D. Martinez
	2100	73	D. Martinez
	2400	70	B. Crawford

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF 1 Temp. Reading Location: dayroom podium

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	71	B. Crawford
	0600	71	J. Atkins
	0900	72	J. Atkins
	1200	73	J. Atkins
	1500	75	D. MARTINEZ
	1800	75	D. MARTINEZ
	2100	75	D. MARTINEZ
	2400	73	B. Crawford

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	72	B. Crawford
	0600	72	Atkins
	0900	73	Atkins
	1200	74	Atkins
	1500	75	D. MARTINEZ
	1800	75	D. MARTINEZ
	2100	75	D. MARTINEZ
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300		
	0600	72	Atkins
	0900	73	Atkins
	1200	73	Atkins
	1500	75	D. MARTINEZ
	1800	75	D. MARTINEZ
	2100	75	D. MARTINEZ
	2400	75	Martin

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	73	Martin
	0600	73	Martin
	0900	69	NORCROSS
	1200	66	NORCROSS
	1500	75	D. MARTINEZ
	1800	75	D. MARTINEZ
	2100	75	D. MARTINEZ
	2400	76	WESTON

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	75	WESTON
	0600	75	A. PANNU
	0900	75	A. PANNU
	1200	75	A. PANNU
	1500	75	Atkins
	1800	75	Atkins
	2100	75	Atkins
	2400	73	Atkins

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	73	Atkins
	0600	73	Atkins
	0900	73	Atkins
	1200	73	Atkins
	1500	74	D. MARTINEZ
	1800		D. MARTINEZ
	2100		D. MARTINEZ
	2400	72	Crawford

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	73	Crawford
	0600	73	Atkins
	0900	74	[illegible]
	1200	74	[illegible]
	1500	75	[illegible]
	1800	75	[illegible]
	2100	73	[illegible]
	2400	73	Crawford

Notes

Nope

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF 1 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	72	Crawford
	0600	73	Atkins
	0900	73	Atkins
	1200	74	D. MARTINEZ
	1500	74	D. MARTINEZ
	1800	74	D. MARTINEZ
	2100	73	
	2400	73	Crawford

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	73	Crawford
	0600	74	Atkins
	0900	74	Atkins
	1200	74	Atkins
	1500	74	D. MARTINEZ
	1800	74	D. MARTINEZ
	2100	74	D. MARTINEZ
	2400	73	

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	70	
	0600	70	Atkins
	0900	73	Atkins
	1200	73	Atkins
	1500	74	D. MARTINEZ
	1800	74	D. MARTINEZ
	2100	74	D. MARTINEZ
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	70	
	0600	70	
	0900	71	
	1200	72	
	1500	74	D. Cowell
	1800	73	D. Cowell
	2100	74	D. Cow
	2400	70	MAGAÑA

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	70	MAGAÑA
	0600	70	MAGAÑA
	0900	70	Schow
	1200	70	Schow
	1500	71	Martin
	1800	72	Martin
	2100	72	Martin
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	70	
	0600	71	Atkins
	0900	72	Atkins
	1200	72	Atkins
	1500	72	Martin
	1800	72	Martin
	2100	72	Martin
	2400	73	B. Crawford

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	72	B. Crawford
	0600	72	J. Atkins
	0900	72	J. Atkins
	1200	72	J. Atkins
	1500	74	D. MARTINEZ
	1800	74	D. MARTINEZ
	2100	74	D. MARTINEZ
	2400	73	B. Crawford

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF-1 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	72	B. Crawford
	0600	72	J. Atkins
	0900	72	J. Atkins
	1200	73	J. Atkins
	1500	75	D. Martinez
	1800	75	D. Martinez
	2100	74	D. Martinez
	2400	73	B. Crawford

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	72	B. Crawford
	0600	72	Atkins
	0900	73	Atkins
	1200	73	Atkins
	1500	75	D. Martinez
	1800	75	D. Martinez
	2100	75	D. Martinez
	2400	73	R. Shoe

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	73	R. Shoe
	0600	73	Atkins
	0900	73	Atkins
	1200		D. Martinez
	1500	75	D. Martinez
	1800	75	D. Martinez
	2100	75	D. Martinez
	2400	72	V Xiong

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	73	Xiong
	0600	65	Norcross
	0900	73	[illegible]
	1200	74	[illegible]
	1500	75	D. Martinez
	1800	75	D. Martinez
	2100	74	D. Martinez
	2400	70	Cabrera

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	68	J. Diaz
	0600	67	[illegible]
	0900	71	Norcross
	1200	68	Norcross
	1500	68	Kummer
	1800	68	Kummer
	2100	67	Kummer
	2400	73	E. Ruiz

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF 2 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd Tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.





Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	77	[illegible]
	0600	77	Kummer
	0900	77	Kummer
	1200	77	Kummer
	1500	77	Stambaugh
	1800	77	Stambaugh
	2100	77	Stambaugh
	2400	77	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	77	[illegible]
	0600	77	Kummer
	0900	77	Kummer
	1200	77	Kummer
	1500	77	Stambaugh
	1800	77	Stambaugh
	2100	77	Stambaugh
	2400	77	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	77	[illegible]
	0600	77	Kummer
	0900	77	Kummer
	1200	77	Kummer
	1500	77	Kummer
	1800	77	Kummer
	2100	77	Kummer
	2400	77	CABRERA

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	78	CABRERA
	0600	77	BJustrom
	0900	77	BJustrom
	1200	77	BJustrom
	1500	77	Grimsley
	1800	77	Grimsley
	2100	77	Grimsley
	2400	74	Arthur

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	74	Arthur
	0600	74	Arthur
	0900	74	Martin
	1200	74	Martin
	1500	74	Stambaugh
	1800	74	Stambaugh
	2100	74	Stambaugh
	2400	74	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF 2 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	[illegible]	[illegible]
	0600	77	Walsh
	0900	77	Walsh
	1200	77	Walsh
	1500	77	Stamback
	1800	77	Stamback
	2100	77	Stamback
	2400	77	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	77	[illegible]
	0600	77	Walsh
	0900	77	Walsh
	1200	77	Walsh
	1500	77	Stamback
	1800	77	Stamback
	2100	77	Stamback
	2400	77	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	77	[illegible]
	0600	77	Kummer
	0900	77	Kummer
	1200	77	Kummer
	1500	77	Walsh
	1800	77	Walsh
	2100	77	Walsh
	2400	77	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	77	[illegible]
	0600	77	Kummer
	0900	77	Kummer
	1200	77	Kummer
	1500	77	Kummer
	1800	77	Kummer
	2100	77	Kummer
	2400	77	Hoffman

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300		
	0600	77	Kummer
	0900	77	Kummer
	1200	77	Kummer
	1500	77	Kummer
	1800	77	Kummer
	2100	77	Kummer
	2400	77	Cabrera

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	77	Cabrera
	0600	77	Cabrera
	0900	77	Cabrera
	1200	77	Cabrera
	1500	77	Valle
	1800	77	Valle
	2100	77	Valle
	2400	77	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	77	[illegible]
	0600	77	Martin
	0900	77	Martin
	1200	77	Martin
	1500	77	Stamback
	1800	77	Stamback
	2100	77	Stamback
	2400	77	Hoffman

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF 2 Temp. Reading Location: dayroom podium

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	77	Hoffer
	0600	77	Walsh
	0900	77	Walsh
	1200	77	Walsh
	1500	76	Stauber
	1800	76	Stauber
	2100	76	Stauber
	2400	77	Martin

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	77	Martin
	0600	77	Martin
	0900	77	Walsh
	1200	77	Walsh
	1500	79	Glover
	1800	78	Glover
	2100	77	Glover
	2400	77	Hoffer

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	77	Hoffer
	0600	77	Kummer
	0900	77	Kummer
	1200	77	Kummer
	1500	77	Kummer
	1800	82	Kummer
	2100	82	Kummer
	2400	77	Hoffer

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	77	Hoffer
	0600	76	Kummer
	0900	78	Kummer
	1200	77	Kummer
	1500	77	Kummer
	1800	76	Hernandez
	2100	76	Hernandez
	2400	77	Cabrera

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	75	Hoffer
	0600	74	Kummer
	0900	74	Kummer
	1200	73	Kummer
	1500	74	Kummer
	1800	75	Kummer
	2100	75	Cabrera
	2400	75	Cabrera

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	72	Cabrera
	0600	71	Kummer
	0900	72	Kummer
	1200	73	Kummer
	1500	73	Kummer
	1800	73	Kummer
	2100	72	Kummer
	2400	72	M. Lee

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	72	M. Lee
	0600	72	M. Lee
	0900	72	J. Martin
	1200	72	J. Martin
	1500	73	Stauber
	1800	73	Stauber
	2100	73	Stauber
	2400	73	Hoffer

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF 2 Temp. Reading Location: dayroom podium

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	73	Hoffer
	0600	77	Walsh
	0900	77	Walsh
	1200	77	Walsh
	1500	77	Stabar
	1800	77	Stabar
	2100	76	Stabar
	2400	76	Hoffer

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	75	Hoffer
	0600	77	Walsh
	0900	77	Walsh
	1200	77	Walsh
	1500	77	Walsh
	1800	77	Walsh
	2100	77	Walsh
	2400	77	Hoffer

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	71	Hoffer
	0600	71	Kummer
	0900	71	Kummer
	1200	71	Kummer
	1500	71	Kummer
	1800	72	Kummer
	2100	72	Kummer
	2400	72	Hoffer

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	72	Hoffer
	0600	68	Kummer
	0900	69	Kummer
	1200	69	Kummer
	1500	71	Kummer
	1800	72	Kummer
	2100	72	Kummer
	2400	72	Hoffer

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300		
	0600	67	Kummer
	0900	68	Kummer
	1200	72	Kummer
	1500	71	Ernst
	1800	71	Ernst
	2100	71	Ernst
	2400	72	Cabrera

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	72	Cabrera
	0600	72	Kummer
	0900	72	Kummer
	1200	72	Kummer
	1500	72	Amado
	1800	73	Amado
	2100	71	Amado
	2400	71	Arthur

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	65	Arthur
	0600	69	Arthur
	0900	71	Yates
	1200	73	Yates
	1500	73	Staabal
	1800	73	Staabal
	2100	73	Staabal
	2400	72	Hoffer

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HDSP Housing Unit: MSF 2 Temp. Reading Location: dayroom podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	72	Herrera
	0600	77	Walsh
	0900	77	Walsh
	1200	77	Walsh
	1500	76	Stanbac
	1800	77	Stanbac
	2100	77	Stanback
	2400	77	Herrera

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	76	Herrera
	0600	77	Walsh
	0900	77	Walsh
	1200	77	Walsh
	1500	73	Aranda
	1800	72	Aranda
	2100	72	PAIGE
	2400	72	PAIGE

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	72	PAIGE
	0600	72	Kummer
	0900	72	Kummer
	1200	72	Kummer
	1500	71	Aranda
	1800	70	[redacted] Aranda
	2100	69	Aranda
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300		
	0600	68	Kummer
	0900	70	Kummer
	1200	72	Kummer
	1500	71	Aranda
	1800	71	Aranda
	2100	72	Santos
	2400	72	GROOT

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	72	GROOT
	0600	71	GROOT
	0900	70	Kummer
	1200	71	Kummer
	1500	71	Aranda
	1800	71	Aranda
	2100	71	Aranda
	2400	71	Cabrera

[redacted]

[redacted]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator