

STATE OF CALIFORNIA
HEAT PLAN - MONTHLY SUMMARY REPORT
 CDCR MH-7711-1 (02/17)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Page 1 of 1

Monthly Summary Report

Institution: CAL

Memorandum

Date: November 5, 2024
 To: Statewide Heat Plan Coordinator
 Subject: Heat Plan Activity - October 2024

The following is a summary of the Heat related activity for the month of October 2024 at CAL (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes _____
 Number of days Stage I Alert initiated: 22 _____
2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No _____
 Number of days Stage II Alert initiated: 0 _____
3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____
 Number of days Stage III Alert initiated: 0 _____
4. Weekly list of heat risk patients archived? Yes _____

5. Number of patients with heat related illness: 0 List these patients on the Heat Incident Log and include the patient's name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Robert Arias, Warden

Warden Name:

Signed by:
 Roberto Arias
 ROBERTO ARIAS


Warden Signature:

Brandy Hill, CEO

Chief Executive Officer Name:

Signed by:
 Brandy Hill
 BRANDY HILL

Chief Executive Officer Signature



CALIFORNIA CORRECTIONAL HEALTH CARE SERVICES

MEMORANDUM

Date : 11/12/2024

To : P. Nava,
Litigation Coordinator
Calipatria State Prison

From : A. Zuniga
Nursing Department Office Technician
Calipatria State Prison

Subject : Monthly Summary Heat Incident Report for October 2024

The purpose of this memorandum is to advise you that there were zero (0) heat related incidents reported for the month of October 2024.

Attached please find the CDCR MH-7711-2 Heat Incident Log for 10/01/2024 – 10/31/2024.

Adriana Zuniga
Heat Incident Log

Institution: CAL Date of Review: 11/5/24 Auditor: A.Zuniga Review Period: 10/01/24-10/31/24 Number of Heat Incidents: Zero (0)

1. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

2. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

3. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

Heat Incident Log
CDCR MH-7711-2 (01/23)

Confidential Patient Information

Heat Incident Log (continued)

4. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

5. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

6. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

Heat Incident Log
CDCR MH-7711-2 (01/23)

Confidential Patient Information

Heat Incident Log (continued)

7. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
8. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
9. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		

Heat Incident Log
CDCR MH-7711-2 (01/23)

Confidential Patient Information

Heat Incident Log (continued)

10. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
11. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
12. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		

Heat Incident Log
CDCR MH-7711-2 (01/23)

Confidential Patient Information

From: [REDACTED]
Sent: Tuesday, November 5, 2024 7:51 AM
To: [REDACTED]
Cc: [REDACTED]
Subject: Monthly Summary Reports - Heat Logs - October 2024

Follow Up Flag: Follow up
Flag Status: Flagged

Good morning,

*For the month of October 2024 we had zero (0) heat related incidents.
Please forward to applicable parties that may be missing from this e-mail.*

Thank you,

Adriana Zuniga
Office Technician
Nursing Department
Calipatria State Prison
(760) 348-7000 Ext. [REDACTED]

RECEIVED

NOV - 5 2024

LITIGATION'S OFFICE

Memorandum

Date : November 5, 2024

RECEIVED

To : P. Nava
Litigations Coordinator
Calipatria State Prison

NOV - 5 2024

LITIGATION'S OFFICE

Subject: **C5 HOUSING UNIT HEAT LOGS**

Due to the de-activation of Facility "C", housing unit C5 was vacated of the inmate population on October 19, 2024. Staff continued to be assigned to positions in the housing unit, therefore continued to document the housing unit temperatures on the Heat Log. As of October 21, 2024, the temperatures for housing unit C5 were no longer required to be documented.



M. BARRA
Correctional Captain (A)
Calipatria State Prison

RECEIVED

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

NOV - 1 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU

Temp. Reading Location: 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	69	J. CANALEZ
	0600	70	S. RAMES
	0900	71	S. RAMES
	1200	71	S. RAMES
	1500	72	P. HUYNH
	1800	72	P. HUYNH
	2100	72	P. HUYNH
	2400	69	J. CANALEZ

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	71	C. SILVA
	0600	71	C. SILVA
	0900	72	S. RAMES
	1200	72	S. RAMES
	1500	72	P. HUYNH
	1800	72	P. HUYNH
	2100	72	P. HUYNH
	2400	71	E. GUEVARA

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	70	J. CANALEZ
	0600	70	E. GUEVARA
	0900	70	E. GUEVARA
	1200	71	M. RODRIGUEZ
	1500	71	P. HUYNH
	1800	71	P. HUYNH
	2100	71	P. HUYNH
	2400	70	J. CANALEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	69	J. CANALEZ
	0600	69	G. OLIVAS
	0900	70	S. RAMES
	1200	70	G. OLIVAS
	1500	71	J. MARCO
	1800	71	J. MARCO
	2100	71	J. MARCO
	2400	69	J. CANALEZ

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	69	J. CANALEZ
	0600	70	S. RAMES
	0900	71	S. RAMES
	1200	71	S. RAMES
	1500	72	P. HUYNH
	1800	72	P. HUYNH
	2100	72	P. HUYNH
	2400	71	C. SILVA

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	71	E. GUEVARA
	0600	71	G. NAVARRO
	0900	71	E. RIBOLIO
	1200	71	E. RIBOLIO
	1500	72	P. HUYNH
	1800	72	L. CARTER
	2100	71	P. HUYNH
	2400	70	J. CANALEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU Temp. Reading Location: 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	70	J. CANTRELL
	0600	70	A. Booth
	0900	70	A. Booth
	1200	71	A. Booth
	1500	71	D.G. Gallegos
	1800	71	D.G. Gallegos
	2100	71	D.G. Gallegos
	2400	70	J. CANTRELL

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	70	J. CANTRELL
	0600	71	B. GUERRA
	0900	71	S. RAVENS
	1200	72	B. GUERRA
	1500	72	P. HUYNH
	1800	72	P. HUYNH
	2100	71	P. HUYNH
	2400	70	J. CANTRELL

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	71	E. GUEVARA
	0600	70	E. GUEVARA
	0900	71	E. GUEVARA
	1200	71	E. GUEVARA
	1500	71	P. HUYNH
	1800	71	P. HUYNH
	2100	71	P. HUYNH
	2400	71	E. GUEVARA

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	69.9	CORONADO CORTEZ
	0600	69.4	CORONADO CORTEZ
	0900	69	B. GUERRA
	1200	69	E. GUEVARA
	1500	69	P. HUYNH
	1800	69	P. HUYNH
	2100	69	P. HUYNH
	2400	69	S. WILMSTRUM

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	70	J. CANTRELL
	0600	74	S. RAVENS
	0900	72	S. RAVENS
	1200	73	S. RAVENS
	1500	73	G. VILLENEUVE
	1800	73	D.G. Gallegos
	2100	72	D.G. Gallegos
	2400	70	J. CANTRELL

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70	J. CANTRELL
	0600	70	S. RAVENS
	0900	70	S. RAVENS
	1200	71	S. RAVENS
	1500	71	P. HUYNH
	1800	71	P. HUYNH
	2100	71	P. HUYNH
	2400	71	P. HUYNH

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	E. GUEVARA
	0600	70	E. GUEVARA
	0900	70	E. GUEVARA
	1200	71	E. GUEVARA
	1500	70	P. HUYNH
	1800	70	P. HUYNH
	2100	70	P. HUYNH
	2400	70	CORONADO CORTEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU Temp. Reading Location: 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>10/14/24</u>	0300	68	S. Womph
	0600	68	A. Booth
	0900	68	A. Booth
	1200	68	A. Booth
	1500	69	D. G. Gallegos
	1800	69	D. G. Gallegos
	2100	68	D. G. Gallegos
	2400	68	D. G. Gallegos

Wednesday

Date	Time	Temp.	Name (Print)
<u>10/16/24</u>	0300	69	R. Silva
	0600	68	N. NEVADA
	0900	69	S. Ramos
	1200	70	S. Ramos
	1500	70	P. Huynh
	1800	69	P. Huynh
	2100	69	P. Huynh
	2400	69	S. Womstrm

Friday

Date	Time	Temp.	Name (Print)
<u>10/18/24</u>	0300	68	N. NEVADA
	0600	68	N. NEVADA
	0900	68	N. NEVADA
	1200	69	N. NEVADA
	1500	71	P. Huynh
	1800	72	P. Huynh
	2100	72	P. Huynh
	2400	72	E. Glevara

Sunday

Date	Time	Temp.	Name (Print)
<u>10-20-24</u>	0300	69	C. Silva
	0600	68	E. Glevara
	0900	68	E. Glevara
	1200	68	E. Glevara
	1500	68	P. Huynh
	1800	68	P. Huynh
	2100	67	P. Huynh
	2400	67	S. Womstrm

Tuesday

Date	Time	Temp.	Name (Print)
<u>10/15/24</u>	0300	68	N. NEVADA
	0600	67	G. Olivas
	0900	68	S. Ramos
	1200	69	S. Ramos
	1500	69	N. NEVADA
	1800	69	N. NEVADA
	2100	70	N. NEVADA
	2400	69	C. Silva

Thursday

Date	Time	Temp.	Name (Print)
<u>10/17/24</u>	0300	69	S. Womstrm
	0600	69	S. Ramos
	0900	69	N. NEVADA
	1200	70	S. Ramos
	1500	69	P. Huynh
	1800	69	P. Huynh
	2100	68	P. Huynh
	2400	69	N. NEVADA

Saturday

Date	Time	Temp.	Name (Print)
<u>10-19-24</u>	0300	72	S. Womstrm
	0600	73	N. NEVADA
	0900	72	S. Ramos
	1200	71	S. Ramos
	1500	71	P. Huynh
	1800	70	N. NEVADA
	2100	70	P. Huynh
	2400	69	C. Silva

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU Temp. Reading Location: 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	67	J. Cawley
	0600	66	B. Booth
	0900	67	A. Rocky
	1200	68	D. Boardt
	1500	68.1	D.G. Gallegos
	1800	68.1	D.G. Gallegos
	2100	67.7	D.G. Gallegos
	2400	68.1	B. Guevara

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	67	S. Cawley
	0600	67	B. Guevara
	0900	67	S. Ramos
	1200	68	B. Guevara
	1500	68	P. Huynh
	1800	68	P. Huynh
	2100	68	P. Huynh
	2400	67	S. Cawley

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	69	B. Guevara
	0600	69	B. Guevara
	0900	70	S. Ramos
	1200	70	B. Guevara
	1500	70	A. Lopez
	1800	71	A. Lopez
	2100	70	P. Huynh
	2400	70	S. Weston

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	69	J. Cawley
	0600	70	B. Guevara
	0900	70	E. Guevara
	1200	70	A. Booth
	1500	71	P. Huynh
	1800	71	P. Huynh
	2100	71	P. Huynh
	2400	69	S. Cawley

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	68	B. Guevara
	0600	67	G. Olivas
	0900	67	S. Ramos
	1200	68	S. Ramos
	1500	68	D.G. Gallegos
	1800	68	D.G. Gallegos
	2100	68	D.G. Gallegos
	2400	67	J. Cawley

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	67	J. Cawley
	0600	67	B. Guevara
	0900	68	S. Ramos
	1200	69	B. Guevara
	1500	69	P. Huynh
	1800	69	P. Huynh
	2100	69	P. Huynh
	2400	69	B. Guevara

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	S. Weston
	0600	70	S. Ramos
	0900	70	S. Ramos
	1200	70	S. Ramos
	1500	71	P. Huynh
	1800	71	P. Huynh
	2100	71	P. Huynh
	2400	69	J. Cawley

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU Temp. Reading Location: 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	69	J. Cawago
	0600	70	A. Booth
	0900	70	A. Booth
	1200	70	A. Booth
	1500	70	D. G. Gallegos
	1800	70	D. G. Gallegos
	2100	70	D. G. Gallegos
	2400	70	S. Ramo

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	69	J. Cawago
	0600	69	G. Olivas
	0900	69	S. Ramo
	1200	69	S. Ramo
	1500	69	D. G. Gallegos
	1800	69	D. G. Gallegos
	2100	69	D. G. Gallegos
	2400	69	J. Cawago

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	69	J. Cawago
	0600	70	C. Siva
	0900	70	S. Ramo
	1200	70	S. Ramo
	1500	70	P. Huynh
	1800	69	P. Huynh
	2100	69	P. Huynh
	2400	70	S. Washington

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70	S. Washington
	0600	70	S. Ramo
	0900	70	S. Ramo
	1200	70	S. Ramo
	1500	70	P. Huynh
	1800	70	P. Huynh
	2100	70	P. Huynh
	2400	70	E. Gervara

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

RECEIVED

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

NOV - 5 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION
Attachment C

LITIGATION'S OFFICE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A 1 Temp. Reading Location: 91 Castro
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300	74.5	E. RAMOS
	0600	74.1	V. CARP. O
	0900	74.5	V. CARP. O
	1200	75	V. CARP. O
	1500	75.7	A. SALAZAR
	1800	76.2	A. SALAZAR
	2100	76.2	A. SALAZAR
	2400	75.7	E. RAMOS

Friday

Date	Time	Temp.	Name (Print)
	0300	74.5	E. RAMOS
	0600	74.0	J. MELENCHEZ
	0900	74.5	J. MELENCHEZ
	1200	75.7	J. MELENCHEZ
	1500	76.5	J. MELENCHEZ
	1800	76.8	J. MELENCHEZ
	2100	76.4	J. MELENCHEZ
	2400	75.6	J. MELENCHEZ

Sunday

Date	Time	Temp.	Name (Print)
	0300	74.6	M. Segura
	0600	74.3	M. Segura
	0900	75	H. CARP. O
	1200	77	H. CARP. O
	1500	76.6	M. Palma
	1800	76.7	M. Palma
	2100	76.2	M. Palma
	2400	76.1	E. RAMOS

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
	0300	79	E. RAMOS
	0600	73.5	V. CARP. O
	0900	74	V. CARP. O
	1200	74.7	V. CARP. O
	1500	75.1	A. SALAZAR
	1800	75.5	A. SALAZAR
	2100	75.3	A. SALAZAR
	2400	74.9	E. RAMOS

Thursday

Date	Time	Temp.	Name (Print)
	0300	79.1	E. RAMOS
	0600	73.4	V. CARP. O
	0900	74.2	V. CARP. O
	1200	75.4	V. CARP. O
	1500	76.5	A. SALAZAR
	1800	76.9	A. SALAZAR
	2100	76.0	A. SALAZAR
	2400	75.1	E. RAMOS

Saturday

Date	Time	Temp.	Name (Print)
	0300	79.3	grm
	0600	74.7	grthm
	0900	74.6	grthm
	1200	75.9	J. MELENCHEZ
	1500	76.16	J. MELENCHEZ
	1800	76.1	J. MELENCHEZ
	2100	76.4	J. MELENCHEZ
	2400	75.7	M. Sagua

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR-2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION
Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A-1 Temp. Reading Location: A-1 Corr. C (Top Tier)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	75.1	E RAMOS
	0600	72.8	V.CARV.D
	0900	74.0	V.CARV.D
	1200	75.3	V.CARV.D
	1500	77.2	S. SOTO
	1800	76.4	S. SOTO
	2100	76.1	S. SOTO
	2400	75.1	E RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
	0300	74.9	E RAMOS
	0600	74.2	V.CARV.D
	0900	75	V.CARV.D
	1200	75.4	V.CARV.D
	1500	76.4	A.SALAZAR
	1800	76.3	A.SALAZAR
	2100	75.7	A.SALAZAR
	2400	74.5	E RAMOS

Friday

Date	Time	Temp.	Name (Print)
	0300	74	V.VILLA
	0600	72.9	D.Navarro
	0900	73.4	D.Navarro
	1200	73.9	J.Melendrez
	1500	74.9	J.Melendrez
	1800	75.2	J.Melendrez
	2100	74.9	J.Melendrez
	2400	74.2	M.Segura

Sunday

Date	Time	Temp.	Name (Print)
	0300	72.7	S.PASCUA
	0600	71.0	S.PASCUA
	0900	72.0	S.PASCUA
	1200	72.0	S.PASCUA
	1500	73.4	A.SALAZAR
	1800	72.9	A.SALAZAR
	2100	73.4	A.SALAZAR
	2400	71.9	E RAMOS

Tuesday

Date	Time	Temp.	Name (Print)
	0300	77.1	E RAMOS
	0600	76.0	V.CARV.D
	0900	75.4	V.CARV.D
	1200	76	V.CARV.D
	1500	76.5	A.SALAZAR
	1800	77.1	A.SALAZAR
	2100	76.6	A.SALAZAR
	2400	75.5	E RAMOS

Thursday

Date	Time	Temp.	Name (Print)
	0300	77.7	E RAMOS
	0600	73.4	V.CARV.D
	0900	73.4	V.CARV.D
	1200	74.0	V.CARV.D
	1500	75.1	A.SALAZAR
	1800	75.4	A.SALAZAR
	2100	75.2	A.SALAZAR
	2400	74	V.VILLA

Saturday

Date	Time	Temp.	Name (Print)
	0300	73.5	M.Segura
	0600	71.7	M.Segura
	0900	72.2	J.Melendrez
	1200	77.7	J.Melendrez
	1500	74.5	J.Melendrez
	1800	74.6	J.Melendrez
	2100	74.0	J.Melendrez
	2400	74.0	J.Melendrez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION
Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A-1 Temp. Reading Location: TOP TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	73.5	E RAMOS
	0600	71.1	V. CALPIS
	0900	71	V. CALPIS
	1200	71.3	V. CALPIS
	1500	71.7	A. SALAZAR
	1800	72.5	A. SALAZAR
	2100	72.7	A. SALAZAR
	2400	72.1	E RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70.9	E RAMOS
	0600	70.6	V. CALPIS
	0900	70.8	V. CALPIS
	1200	71.8	V. CALPIS
	1500	72.0	A. SALAZAR
	1800	71.8	A. SALAZAR
	2100	71.6	A. SALAZAR
	2400	71.1	E RAMOS

Friday

Date	Time	Temp.	Name (Print)
	0300	69.3	E RAMOS
	0600	68.9	E RAMOS
	0900	68.9	D. NAVARRO
	1200	70.0	D. NAVARRO
	1500	71.6	J. MELENDREZ
	1800	73.4	J. MELENDREZ
	2100	73.4	J. MELENDREZ
	2400	73.2	M. SOTO

Sunday

Date	Time	Temp.	Name (Print)
	0300	70.7	M. SOTO
	0600	73.0	M. SOTO
	0900	73.9	V. CALPIS
	1200	71.9	V. CALPIS
	1500	72.9	V. CALPIS
	1800	70.3	A. SALAZAR
	2100	71.6	A. SALAZAR
	2400	69.5	M. SOTO

Tuesday

Date	Time	Temp.	Name (Print)
	0300	70.9	E RAMOS
	0600	70.2	V. CALPIS
	0900	70.5	V. CALPIS
	1200	71	V. CALPIS
	1500	72.6	A. SALAZAR
	1800	72.4	A. SALAZAR
	2100	72.1	A. SALAZAR
	2400	71.5	E RAMOS

Thursday

Date	Time	Temp.	Name (Print)
	0300	70.3	E RAMOS
	0600	69.9	V. CALPIS
	0900	69.8	V. CALPIS
	1200	71.1	V. CALPIS
	1500	71.5	A. SALAZAR
	1800	71.6	A. SALAZAR
	2100	70.8	A. SALAZAR
	2400	70.4	E RAMOS

Saturday

Date	Time	Temp.	Name (Print)
	0300	72.7	M. SOTO
	0600	73.1	M. SOTO
	0900	71.9	J. MELENDREZ
	1200	71.5	J. MELENDREZ
	1500	71.9	J. MELENDREZ
	1800	71.8	J. MELENDREZ
	2100	70.5	J. MELENDREZ
	2400	69.4	M. SOTO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION
Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: 41 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	69.3	E. RAMOS
	0600	69.6	V. GOMEZ
	0900	69.0	V. GOMEZ
	1200	69.0	V. GOMEZ
	1500	71.0	A. SALAZAR
	1800	70.3	A. SALAZAR
	2100	70.3	A. SALAZAR
	2400	69.2	E. RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
	0300	69.9	E. RAMOS
	0600	69.7	V. GOMEZ
	0900	69.5	V. GOMEZ
	1200	69.9	V. GOMEZ
	1500	70.7	A. SALAZAR
	1800	70.7	A. SALAZAR
	2100	70.3	A. SALAZAR
	2400	69.7	E. RAMOS

Friday

Date	Time	Temp.	Name (Print)
	0300	69.5	E. RAMOS
	0600	69.7	J. MONTAÑA
	0900	70.7	J. MONTAÑA
	1200	70.9	J. MONTAÑA
	1500	71.1	J. MONTAÑA
	1800	72	J. MONTAÑA
	2100	72	J. MONTAÑA
	2400	71.4	J. MONTAÑA

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	J. CHACON
	0600	69.9	J. CHACON
	0900	70.7	J. CHACON
	1200	70.7	J. CHACON
	1500	70	J. CHACON
	1800	70	J. CHACON
	2100	71.6	J. CHACON
	2400	71.6	J. CHACON

Tuesday

Date	Time	Temp.	Name (Print)
	0300	69.4	V. GOMEZ
	0600	69.7	V. GOMEZ
	0900	69.9	V. GOMEZ
	1200	69.8	V. GOMEZ
	1500	70.2	A. SALAZAR
	1800	70.9	A. SALAZAR
	2100	70.3	A. SALAZAR
	2400	69.5	E. RAMOS

Thursday

Date	Time	Temp.	Name (Print)
	0300	69.1	E. RAMOS
	0600	69.2	V. GOMEZ
	0900	69.5	V. GOMEZ
	1200	69.5	V. GOMEZ
	1500	70.8	A. SALAZAR
	1800	71.6	A. SALAZAR
	2100	71.3	A. SALAZAR
	2400	69.9	E. RAMOS

Saturday

Date	Time	Temp.	Name (Print)
	0300	70.3	E. RAMOS
	0600	69.7	J. MONTAÑA
	0900	70.7	J. MONTAÑA
	1200	70.8	J. MONTAÑA
	1500	71.9	N. SILVA
	1800	72.8	N. SILVA
	2100	72.5	N. SILVA
	2400	70	J. MONTAÑA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION
Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A-1 Temp. Reading Location: TOP TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	70.5	E. RAMOS
	0600	70.0	J. CONTRERAS
	0900	69.9	J. CONTRERAS
	1200	68.6	J. CONTRERAS
	1500	71.8	A. SALAZAR
	1800	72.0	A. SALAZAR
	2100	70.9	A. SALAZAR
	2400	70.5	E. RAMOS

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	69.1	E. RAMOS
	0600	69.4	T. SILENT
	0900	69.3	T. SILENT
	1200	69.8	T. SILENT
	1500	70.1	A. SALAZAR
	1800	69.8	A. SALAZAR
	2100	69.8	A. SALAZAR
	2400	68.9	J. CONTRERAS

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	69.7	T. CONTRERAS
	0600	69.9	V. CONTRERAS
	0900	68.1	V. CONTRERAS
	1200	68.1	V. CONTRERAS
	1500	69.9	A. SALAZAR
	1800	69.8	A. SALAZAR
	2100	69.6	A. SALAZAR
	2400	69.9	E. RAMOS

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	67.1	E. RAMOS
	0600	66.5	V. CONTRERAS
	0900	66	V. CONTRERAS
	1200	67.1	V. CONTRERAS
	1500	68.1	A. SALAZAR
	1800	67.8	A. SALAZAR
	2100	67.6	A. SALAZAR
	2400	67.1	E. RAMOS

Friday

Date	Time	Temp.	Name (Print)
11-1-24	0300	66.3	E. RAMOS
	0600	66.3	S. MARINA
	0900	66.7	J. MAREK
	1200	67	J. MAREK
	1500	68.0	J. MELENDREZ
	1800	67.9	J. MELENDREZ
	2100	67.4	J. MELENDREZ
	2400	66.9	M. SEGURA

Saturday

Date	Time	Temp.	Name (Print)
11-2-24	0300	66.4	M. SEGURA
	0600	66.7	M. SEGURA
	0900	67.1	J. MAREK
	1200	67.4	J. MAREK
	1500	67.6	J. MELENDREZ
	1800	67.8	J. MELENDREZ
	2100	67.4	J. MELENDREZ
	2400	67.0	M. SEGURA

Notes

Date	Time	Temp.	Name (Print)
11-3-24	0300	66.4	S. MARINA
	0600	66.4	J. MAREK
	0900	67.1	J. MAREK
	1200	67.1	J. MAREK
	1500	67.4	A. SALAZAR
	1800	67.5	A. SALAZAR
	2100	67.3	A. SALAZAR
	2400	67	D. L. DAWSON

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

RECEIVED

NOV - 5 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	76	on
	0600	71	D. Acosta
	0900	75	D. Acosta
	1200	75	D. Acosta
	1500	78.5	laura
	1800	77.3	laura
	2100	73	on
	2400	73	on

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	73	A. Rodriguez
	0600	71	D. Acosta
	0900	76	D. Acosta
	1200	76	D. Acosta
	1500	77	C. Daviha
	1800	75	C. Daviha
	2100	74	C. Daviha
	2400	74.1	A. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	77.3	N. maria
	0600	71.8	N. maria
	0900	79.0	E. V. J.
	1200	76.8	E. V. J.
	1500	78.3	laura
	1800	77.6	laura
	2100	76.8	laura
	2400	76.1	on

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	71.0	on
	0600	71.0	on
	0900	71.5	on
	1200	79.0	Ed
	1500	75.9	Ed
	1800	75.2	Ed
	2100	74.5	Ed
	2400	76.0	on

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	71.1	on
	0600	70	D. Acosta
	0900	75	D. Acosta
	1200	75	D. Acosta
	1500	78.7	laura
	1800	77.4	laura
	2100	77.2	laura
	2400	74.3	A. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	71.4	A. Rodriguez
	0600	72.0	E. V. J.
	0900	74.0	E. V. J.
	1200	75.9	E. V. J.
	1500	77	C. Daviha
	1800	76	C. Daviha
	2100	74	C. Daviha
	2400	73	N. maria

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A5

Temp. Reading Location: Upper Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1	0300	74.1	dm
	0600	71	D. Acosta
	0900	74	D. Acosta
	1200	76	D. Acosta
	1500	78.6	V. Mireles
	1800	77.3	V. Mireles
	2100	76.8	J. Mireles
	2400	74.2	dm

Tuesday

Date	Time	Temp.	Name (Print)
10/8	0300	74.1	dm
	0600	71	D. Acosta
	0900	75	D. Acosta
	1200	77	D. Acosta
	1500	79.4	V. Mireles
	1800	78.9	V. Mireles
	2100	77.2	V. Mireles
	2400	74.1	dm

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	71	dm
	0600	71	D. Acosta
	0900	74	D. Acosta
	1200	75	D. Acosta
	1500	76.6	V. Mireles
	1800	76.2	V. Mireles
	2100	77.9	V. Mireles
	2400	74.1	dm

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	71.1	dm
	0600	70	D. Acosta
	0900	75	D. Acosta
	1200	75	D. Acosta
	1500	79.9	V. Mireles
	1800	77.2	V. Mireles
	2100	75.3	V. Mireles
	2400	74.1	H. Lopez

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	71	J. Manning
	0600	69	D. Acosta
	0900	72	D. Acosta
	1200	74	D. Acosta
	1500	74	C. Daviha
	1800	74	C. Daviha
	2100	72	C. Daviha
	2400	69	J. Manning

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	69	J. Manning
	0600	69	E. V.
	0900	73.0	E. V.
	1200	76.5	E. V.
	1500	79	C. Daviha
	1800	73	C. Daviha
	2100	71	C. Daviha
	2400	71	dm

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	68	dm
	0600	68	E. V.
	0900	69	E. V.
	1200	73.0	E. V.
	1500	76.9	V. Mireles
	1800	76.2	V. Mireles
	2100	75.0	V. Mireles
	2400	77	dm

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A5

Temp. Reading Location: Upper Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	67	<u>D. Acosta</u>
	0600	66	<u>D. Acosta</u>
	0900	69	<u>D. Acosta</u>
	1200	73	<u>D. Acosta</u>
	1500	76.3	<u>W.M.</u>
	1800	74.9	<u>V.M.</u>
	2100	74.1	<u>V.M.</u>
	2400	71.0	<u>D.</u>

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	67.0	<u>D. Acosta</u>
	0600	66	<u>D. Acosta</u>
	0900	69	<u>D. Acosta</u>
	1200	71	<u>D. Acosta</u>
	1500	73.0	<u>W.M.</u>
	1800	73.1	<u>V.M.</u>
	2100	72.7	<u>V.M.</u>
	2400	70.0	<u>D.</u>

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	64	<u>D.</u>
	0600	66	<u>D. Acosta</u>
	0900	69	<u>D. Acosta</u>
	1200	73	<u>D. Acosta</u>
	1500	76.7	<u>V.M.</u>
	1800	75.3	<u>V.M.</u>
	2100	74.0	<u>V.M.</u>
	2400	72.0	<u>D.</u>

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	67.3	<u>D.</u>
	0600	66	<u>D. Acosta</u>
	0900	69	<u>D. Acosta</u>
	1200	70.	<u>A. Vina</u>
	1500	73.5	<u>V.M.</u>
	1800	72.0	<u>V.M.</u>
	2100	72.1	<u>V.M.</u>
	2400	70.1	<u>A. Rodriguez</u>

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	67	<u>A. Rodriguez</u>
	0600	66	<u>D. Acosta</u>
	0900	67	<u>D. Acosta</u>
	1200	68	<u>D. Acosta</u>
	1500	74	<u>Davidson</u>
	1800	74	<u>Davidson</u>
	2100	73	<u>D. Acosta</u>
	2400	72.1	<u>A. Rodriguez</u>

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	69.9	<u>A. Rodriguez</u>
	0600	72.0	<u>E. V.</u>
	0900	73.1	<u>E. V.</u>
	1200	76.1	<u>E. V.</u>
	1500	77	<u>C. Davis</u>
	1800	70	<u>C. Davis</u>
	2100	68	<u>C. Davis</u>
	2400	67	<u>R. Martinez</u>

Notes

Date	Time	Temp.	Name (Print)
10-20-24	0300	66.1	<u>R. Martinez</u>
	0600	65.5	<u>R. Martinez</u>
	0900	65.0	<u>R. Martinez</u>
	1200	69.2	<u>R. Martinez</u>
	1500	72.5	<u>R. Martinez</u>
	1800	69.7	<u>R. Martinez</u>
	2100	67.0	<u>K. S.</u>
	2400	65	<u>K. S.</u>

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A5

Temp. Reading Location: Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	69	D. Acosta
	0600	64	D. Acosta
	0900	65	D. Acosta
	1200	72	D. Acosta
	1500	72	S. T. Brink
	1800	70	D. Acosta
	2100	68	D. Acosta
	2400	66	D. Acosta

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	69	D. Acosta
	0600	64	D. Acosta
	0900	66	D. Acosta
	1200	72	D. Acosta
	1500	77.1	V. M.
	1800	75.6	V. M.
	2100	75.7	V. M.
	2400	75.7	V. M.

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	65.5	D. Acosta
	0600	64	D. Acosta
	0900	66	D. Acosta
	1200	74.3	V. M.
	1500	77.7	V. M.
	1800	75.2	V. M.
	2100	70.5	V. M.
	2400	68.6	V. M.

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	64.2	D. Acosta
	0600	64	D. Acosta
	0900	66	D. Acosta
	1200	73	D. Acosta
	1500	77.8	V. M.
	1800	75.2	V. M.
	2100	75.2	V. M.
	2400	76.5	A. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70.2	A. Rodriguez
	0600	66	D. Acosta
	0900	69	D. Acosta
	1200	73	D. Acosta
	1500	73	C. Davila
	1800	73	C. Davila
	2100	70	C. Davila
	2400	70	K. Madsen

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	67	R. Madsen
	0600	66.0	E. V.
	0900	70	E. V.
	1200	73	E. V.
	1500	74	K. Kortsen
	1800	71	K. Kortsen
	2100	68	K. Kortsen
	2400	67.0	R. Madsen

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	67	R. Madsen
	0600	67	E. V.
	0900	76.6	E. V.
	1200	76.5	V. M.
	1500	74.3	V. M.
	1800	70.8	V. M.
	2100	70	V. M.
	2400	70.	V. M.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A5 Temp. Reading Location: Upper Tier 3rd

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	68.4	DR
	0600	68	D. ACOSTA
	0900	71	D. ACOSTA
	1200	70	D. ACOSTA
	1500	72.5	VAKERS
	1800	72.8	DR
	2100	70.1	VAKERS
	2400	68.4	DR

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	66	DR
	0600	65	D. ACOSTA
	0900	67	D. ACOSTA
	1200	69	D. ACOSTA
	1500	73.5	VAKERS
	1800	72.5	VAKERS
	2100	72.5	VAKERS
	2400	67.5	DR

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	69.0	DR
	0600	64	D. ACOSTA
	0900	63	D. ACOSTA
	1200	69	D. ACOSTA
	1500	72.5	VAKERS
	1800	73.8	VAKERS
	2100	70.3	VAKERS
	2400	68	DR

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	63	DR
	0600	63	D. ACOSTA
	0900	63	D. ACOSTA
	1200	67	D. ACOSTA
	1500	72.2	A. HERNANDEZ
	1800	62.2	A. HERNANDEZ
	2100	66.1	A. HERNANDEZ
	2400	66.6	B. BROOKS

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes:

RECEIVED

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

NOV - 5 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-1 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	0 3	

Wednesday

Date	Time	Temp.	Name (Print)
10-02-24	0300	73.7°	S.F. ARAZAS
	0600	73	R. Maslalier
	0900	74	R. Maslalier
	1200	75	R. Maslalier
	1500	75	J. Velez
	1800	76	R. Valdezrea
	2100	76	R. Valdezrea
	2400	76°	S.F. ARAZAS

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	74.8	S.F. ARAZAS
	0600	71	V. VEGA
	0900	75	V. VEGA
	1200	75	A. VEGA
	1500	77.0	A. MARTINEZ
	1800	77.0	A. MARTINEZ
	2100	76.9	A. MARTINEZ
	2400	76°	S.F. ARAZAS

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	74	M. NAVA
	0600	74	M. NAVA
	0900	74	R. Maslalier
	1200	75	R. Maslalier
	1500	77	J. Spells
	1800	77	J. Spells
	2100	77	J. Spells
	2400	74	CML

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	72	A. ARAZAS
	0600	72.3	R. Maslalier
	0900	73.6	R. Maslalier
	1200	73	R. Maslalier
	1500	74.5	J. JAMES
	1800	75.8	J. JAMES
	2100	75.1	J. JAMES
	2400	74°	S.F. ARAZAS

Thursday

Date	Time	Temp.	Name (Print)
10-03-24	0300	74.8°	S.F. ARAZAS
	0600	74	R. Maslalier
	0900	75	R. Maslalier
	1200	75	R. Maslalier
	1500	76	J. Spells
	1800	76	J. Spells
	2100	76	J. Spells
	2400	75°	S.F. ARAZAS

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	75°	S.F. ARAZAS
	0600	75	V. VEGA
	0900	76	V. VEGA
	1200	76	V. VEGA
	1500	75.5	A. MARTINEZ
	1800	76.7	A. MARTINEZ
	2100	77	M. Rodriguez
	2400	76	M. NAVA

Notes

JL

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-1 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	75	CML
	0600	75	R. Maslan
	0900	75	R. Maslan
	1200	76	R. Maslan
	1500	76	J. Spells
	1800	77	J. Spells
	2100	76	J. Spells
	2400	77°	S.F. AAZAS

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	77°	S.F. AAZAS
	0600	77	R. Maslan
	0900	75	R. Maslan
	1200	76	R. Maslan
	1500	76	J. Spells
	1800	76	J. Spells
	2100	76	J. Spells
	2400	75.1°	S.F. AAZAS

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	73.9°	S.F. AAZAS
	0600	73	R. Maslan
	0900	73	R. Maslan
	1200	74	R. Maslan
	1500	75.2	J. Spells
	1800	75.2	J. Spells
	2100	75.2	J. Spells
	2400	73.0	S.F. AAZAS

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72.9°	S.F. AAZAS
	0600	73	R. Maslan
	0900	73	R. Maslan
	1200	73	R. Maslan
	1500	74	J. Spells
	1800	75	J. Spells
	2100	74	K. Arellano
	2400	73.4	S.F. AAZAS

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	72.8°	S.F. AAZAS
	0600	72	R. Maslan
	0900	72.8	R. Maslan
	1200	72	R. Maslan
	1500	73	SAKOMAN
	1800	75.6	SAKOMAN
	2100	72.7	SAKOMAN
	2400	72.2°	S.F. AAZAS

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	71.5°	S.F. AAZAS
	0600	71.6°	translina
	0900	71.6°	translina
	1200	72.5	translina
	1500	73	SARAHU
	1800	73.6	SARAHU
	2100	73.1	SARAHU
	2400	69	Simental

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	68	Simental
	0600	70	J. Spells
	0900	71	J. Spells
	1200	72	J. Spells
	1500	72	J. Spells
	1800	73	J. Spells
	2100	72	J. Spells
	2400	72.1	R. Arellano

Notes

8/3

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-18	0300	70.6	R. Arellano
	0600	74	R. Arellano
	0900	70	R. Arellano
	1200	71	R. Arellano
	1500	71	J. Spells
	1800	72	J. Spells
	2100	71	J. Spells
	2400	70	J. Gutierrez

Tuesday

Date	Time	Temp.	Name (Print)
10-15-18	0300	69	J. Gutierrez
	0600	69	R. Arellano
	0900	70	R. Arellano
	1200	70	R. Arellano
	1500	71	J. Gutierrez
	1800	71.7	P. Lopez
	2100	71.6	P. Lopez
	2400	70	D. Bustamante

Wednesday

Date	Time	Temp.	Name (Print)
10/16/18	0300	69	J. Bustamante
	0600	69	R. Arellano
	0900	70	R. Arellano
	1200	71	R. Arellano
	1500	71	J. Spells
	1800	71	J. Spells
	2100	71	J. Spells
	2400	70	J. Bustamante

Thursday

Date	Time	Temp.	Name (Print)
10/17/18	0300	69	J. Bustamante
	0600	69	R. Arellano
	0900	70	R. Arellano
	1200	70	R. Arellano
	1500	71	J. Ortiz
	1800	71	J. Ortiz
	2100	70	J. Ortiz
	2400	70	R. Ramirez

Friday

Date	Time	Temp.	Name (Print)
10/19/18	0300	69	R. Ramirez
	0600	68	R. Ramirez
	0900	70	VEGA
	1200	71	VEGA
	1500	72	S. Ramirez
	1800	73	S. Ramirez
	2100	74	S. Ramirez
	2400	73.70	S. F. Arias

Saturday

Date	Time	Temp.	Name (Print)
10/20/18	0300	74	S. F. Arias
	0600	72	VEGA
	0900	72	VEGA
	1200	71	VEGA
	1500	71.5	S. Ramirez
	1800	71	S. Ramirez
	2100	70.3	S. Ramirez
	2400	70.2	R. Arellano

Sunday

Date	Time	Temp.	Name (Print)
10/21/18	0300	68.8	R. Arellano
	0600	69	R. Arellano
	0900	68	R. Arellano
	1200	68.9	R. Arellano
	1500	69	R. Arellano
	1800	69	R. Arellano
	2100	69	R. Arellano
	2400	69	R. Arellano

Notes

YB

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	69	Ramirez, C.
	0600	67	R. Magaña, Jr.
	0900	68	R. Magaña, Jr.
	1200	69	R. Magaña, Jr.
	1500	70	R. Magaña, Jr.
	1800	70	R. Magaña, Jr.
	2100	69	R. Magaña, Jr.
	2400	69.30	S.F. AREAS

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	68.2°	S.F. AREAS
	0600	68	R. Magaña, Jr.
	0900	68	R. Magaña, Jr.
	1200	69	R. Magaña, Jr.
	1500	70	J. Spells
	1800	70	J. Spells
	2100	69	J. Spells
	2400	68°	S.F. AREAS

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	68°	J.F. AREAS
	0600	67	T. O'Brien, Jr.
	0900	67	T. O'Brien, Jr.
	1200	69	T. O'Brien, Jr.
	1500	70	J. Spells
	1800	70	J. Spells
	2100	69	J. Spells
	2400	69°	S.F. AREAS

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	67.8°	S.F. AREAS
	0600	67	R. Magaña, Jr.
	0900	69	R. Magaña, Jr.
	1200	69	R. Magaña, Jr.
	1500	73	J. Spells
	1800	72	J. Spells
	2100	71	J. Spells
	2400	70°	S.F. AREAS

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	69.7°	S.F. AREAS
	0600	69.5	VEGA
	0900	70	VEGA
	1200	71	VEGA
	1500	72	SAU RAMAN
	1800	72	SAU RAMAN
	2100	72.2	SAU RAMAN
	2400	70.30	S.F. AREAS

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	68.90	S.F. AREAS
	0600	69	VEGA
	0900	70	VEGA
	1200	71	VEGA
	1500	72	SAU RAMAN
	1800	72	SAU RAMAN
	2100	72.3	SAU RAMAN
	2400	71.1	All day

Notes

JM

Date	Time	Temp.	Name (Print)
10/27/24	0300	72.3	J. Martinez
	0600	69.7	J. Martinez
	0900	69.8	S. PASCUAL
	1200	71°	S. PASCUAL
	1500	72	H. Park
	1800	72	H. Park
	2100	71	H. Park
	2400	69	J. Martinez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-18	0300	69	J. Martin
	0600	69	R. Magdalena
	0900	69	R. Magdalena
	1200	70	J. Mayan
	1500	71.3	J. Tami
	1800	72.9	J. Tami
	2100	71.0	J. Tami
	2400	69.8°	S.F. AREAS

Tuesday

Date	Time	Temp.	Name (Print)
10-29-18	0300	68.8°	S.F. AREAS
	0600	68	R. Magdalena
	0900	69	R. Magdalena
	1200	69	R. Magdalena
	1500	70	J. Gervan
	1800	69	J. Gervan
	2100	69	J. Gervan
	2400	69.0	S.F. AREAS

Wednesday

Date	Time	Temp.	Name (Print)
10-30-18	0300	67.3°	S.F. AREAS
	0600	66	R. Magdalena
	0900	66	R. Magdalena
	1200	68	R. Magdalena
	1500	69	A. Sandaval
	1800	68	A. Sandaval
	2100	68	A. Sandaval
	2400	67.0	S.F. AREAS

Thursday

Date	Time	Temp.	Name (Print)
10-31-18	0300	67°	S.F. AREAS
	0600	65	R. Magdalena
	0900	65	R. Magdalena
	1200	66	R. Magdalena
	1500	67	A. Alvarado
	1800	67	A. Alvarado
	2100	69	G. Hidalgo
	2400	66.8°	S.F. AREAS

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

8/

RECEIVED

NOV - 5 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/11/24	0300	72	D. Perez
	0600	72.5	F. Gavaz
	0900	72.9	F. Gavaz
	1200	74	F. Gavaz
	1500	75.3	A. Rodriguez
	1800	75.2	A. Rodriguez
	2100	72.7	A. Rodriguez
	2400	74.5	Widmer M

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	75.3	A. Rodriguez
	1800	75.7	A. Rodriguez
	2100	75.0	A. Rodriguez
	2400	74.5	Widmer M

Wednesday

Date	Time	Temp.	Name (Print)
10/12/24	0300	73	Widmer M
	0600	73	A. Gill
	0900	73	A. Gill
	1200	74	A. Gill
	1500	75	A. Martinez
	1800	75	A. Martinez
	2100		
	2400	74.9	Widmer M

Thursday

Date	Time	Temp.	Name (Print)
	0300	73.5	A. Martinez
	0600	73	A. Gill
	0900	73	A. Gill
	1200	74	A. Gill
	1500	74	A. Martinez
	1800	74	A. Martinez
	2100	74	A. Martinez
	2400	74	Widmer M

Friday

Date	Time	Temp.	Name (Print)
10/13/24	0300	73	A. Martinez
	0600	73	A. Martinez
	0900	73	A. Martinez
	1200	75	A. Martinez
	1500	75	I. Martinez
	1800	76	I. Martinez
	2100	75	I. Martinez
	2400	74	Rodriguez M

Saturday

Date	Time	Temp.	Name (Print)
	0300	74	Rodriguez M
	0600	74	Rodriguez M
	0900	74	Rodriguez M
	1200	74.3	Rodriguez M
	1500	76	A. Rodriguez
	1800	77.7	A. Rodriguez
	2100	75.6	A. Rodriguez
	2400	74.2	Widmer M

Sunday

Date	Time	Temp.	Name (Print)
10/14/24	0300	73.4	Widmer M
	0600	73.0	R. Ramirez
	0900	74.3	R. Ramirez
	1200	75.2	R. Ramirez
	1500	75.6	A. Rodriguez
	1800	75.3	A. Rodriguez
	2100	74.6	A. Rodriguez
	2400	74.8	Widmer M

Notes

OB

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	73.1	Widmer
	0600	72	A. Gill
	0900	72	A. Gill
	1200	73	A. Gill
	1500	77.9	A. Gill
	1800	77.1	A. Gill
	2100	74.6	A. Gill
	2400	74.5	Widmer

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	77	Widmer
	0600	76.1	R. Ramirez
	0900	74.0	R. Ramirez
	1200	75.9	R. Ramirez
	1500	75.8	A. Espinoza
	1800	76.1	A. Espinoza
	2100	75.0	A. Espinoza
	2400	74.6	Widmer

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	73.1	Widmer
	0600	73	A. Gill
	0900	72	A. Gill
	1200	73	A. Gill
	1500	75.3	A. Espinoza
	1800	75.3	A. Espinoza
	2100	74.4	A. Espinoza
	2400	73.4	Widmer

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	72.5	Widmer
	0600	71	A. Gill
	0900	72	A. Gill
	1200	73	A. Gill
	1500	74.7	A. Espinoza
	1800	75.4	A. Espinoza
	2100	73.7	A. Espinoza
	2400	73.5	Widmer

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	72	Widmer
	0600	71	A. Gill
	0900	71	A. Gill
	1200	72	A. Gill
	1500	73.6	A. Espinoza
	1800	73.6	A. Espinoza
	2100	73.0	A. Espinoza
	2400	71	Widmer

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	71	Ramirez ✓
	0600	71	Ramirez ✓
	0900	71.0	R. Ramirez
	1200	72.7	R. Ramirez
	1500	74.4	A. Espinoza
	1800	73.1	A. Espinoza
	2100	72.7	A. Espinoza
	2400	71	Ramirez ✓

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	70	Ramirez ✓
	0600	70.9	Ramirez
	0900	70.7	R. Ramirez
	1200	71.6	R. Ramirez
	1500	70.9	A. Espinoza
	1800	72.4	A. Espinoza
	2100	71.9	A. Espinoza
	2400	71	A. Espinoza

Notes

JK

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	71	J-ESPINOZA
	0600	70.4	J. PONCE
	0900	70	A. GILL
	1200	70	A. GILL
	1500	71.5	A. Ponce
	1800	71.4	A. Ponce
	2100	71.6	A. Ponce
	2400	71.2	Widmark

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70.4	Widmark
	0600	70.3	J. Casper
	0900	70.7	L. SILVA
	1200	71.4	L. SILVA
	1500	72.0	A. Ponce
	1800	71.9	A. Ponce
	2100	71.6	A. Ponce
	2400	71.6	Widmark

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70.3	Widmark
	0600	74.8	R. McPherson
	0900	70.0	R. McPherson
	1200	71.0	R. McPherson
	1500	73.8	A. Espinoza
	1800	74.2	A. Espinoza
	2100	74.5	A. Espinoza
	2400	73	reidher

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	J. Vaca
	0600	68.6	R. Ramirez
	0900	69.4	R. Ramirez
	1200	69.8	R. Ramirez
	1500	71.1	R. Ramirez
	1800	73.9	A. Ponce
	2100	70.6	A. Ponce
	2400	70.3	Widmark

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70.3	Widmark
	0600	70	A. Gill
	0900	70	A. Gill
	1200	70	A. Gill
	1500	71.4	A. Ponce
	1800	71.8	A. Ponce
	2100	70.9	A. Ponce
	2400	71	Widmark

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70.5	Widmark
	0600	70.3	F. Gomez
	0900	70.5	F. Gomez
	1200	70.8	F. Gomez
	1500	70.7	A. Espinoza
	1800	70.7	A. Espinoza
	2100	71.0	A. Espinoza
	2400	70.7	Widmark

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	73	Ramirez
	0600	73	Ramirez
	0900	71.0	R. Ramirez
	1200	71.3	R. Ramirez
	1500	71.4	A. Ponce
	1800	71.4	A. Ponce
	2100	72.9	A. Ponce
	2400	70	Vaca

Notes

JB

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	68.5	J. W. Widmer
	0600	68	A. Gill
	0900	68	A. Gill
	1200	69	A. Gill
	1500	70	J. Lopez
	1800	69	R. Lopez
	2100	70.6	R. Lopez
	2400	70.3	J. Widmer

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	69.0	Widmer
	0600	68	A. Gill
	0900	69	A. Gill
	1200	69	A. Gill
	1500	73.2	J. Lopez
	1800	71.0	J. Lopez
	2100	70.9	J. Lopez
	2400	70.5	Widmer

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70.1	Widmer
	0600	70	A. Gill
	0900	69	A. Gill
	1200	70	A. Gill
	1500	70	A. Gill
	1800	73.2	A. Espinoza
	2100	72.1	A. Espinoza
	2400	70.1	Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	71	Rodriguez
	0600	70.7	R. Ramirez
	0900	70.7	R. Ramirez
	1200	71.8	R. Ramirez
	1500	74.0	J. Lopez
	1800	73.6	J. Lopez
	2100	72.8	J. Lopez
	2400	72.5	Widmer

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	69.6	Widmer
	0600	68.6	R. Lopez
	0900	68	A. Gill
	1200	70	A. Gill
	1500	72.6	J. Lopez
	1800	72.9	J. Lopez
	2100	72.6	J. Lopez
	2400	70.3	Widmer

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	69.3	Widmer
	0600	69	A. Lopez
	0900	69	A. Gill
	1200	70	A. Gill
	1500	71.5	A. Espinoza
	1800	72.0	A. Espinoza
	2100	71.2	A. Espinoza
	2400	70.7	Widmer

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	70	Rodriguez
	0600	70	Rodriguez
	0900	70.9	R. Ramirez
	1200	72.5	R. Ramirez
	1500	73.4	J. Lopez
	1800	72.8	J. Lopez
	2100	72.3	J. Lopez
	2400	71	Rodriguez

Notes

JB

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	71	Widmark
	0600	71	A. Gill
	0900	71	A. Gill
	1200	71	A. Gill
	1500	72.3	A. Gill
	1800	70.1	A. Gill
	2100	71.7	A. Gill
	2400	71.6	Widmark

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	70.6	Widmark
	0600	70	A. Gill
	0900	70	A. Gill
	1200	70	A. Gill
	1500	70.2	A. Gill
	1800	70.6	A. Gill
	2100	70.3	A. Gill
	2400	70.3	Widmark

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	69.3	Widmark
	0600	68	A. Gill
	0900	68	A. Gill
	1200	69	A. Gill
	1500	70.1	A. Gill
	1800	70.4	A. Gill
	2100	70.0	A. Gill
	2400	69.8	Widmark

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	67.9	Widmark
	0600	67	A. Gill
	0900	67	A. Gill
	1200	68	A. Gill
	1500	69.4	A. Gill
	1800	69.8	A. Gill
	2100	69.6	A. Gill
	2400	69.1	Widmark

Friday

Date	Time	Temp.	Name (Print)
11-1-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11-3-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11-2-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

AB

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAC Housing Unit: C1 Control Temp. Reading Location: Indoor Bsec.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/29	0300	72	Charles
	0600	72	Schommer
	0900	72	Schommer
	1200	72	Schommer
	1500	73	McGinnel
	1800	73	McGinnel
	2100	73	McGinnel
	2400	72	Charles

Wednesday

Date	Time	Temp.	Name (Print)
10/2/29	0300	72	Charles
	0600	73	Schommer
	0900	72	Schommer
	1200	73	Schommer
	1500	73.9	Simental
	1800	74.4	Simental
	2100	74.4	Simental
	2400	73	Charles

Thursday

Date	Time	Temp.	Name (Print)
10/3/29	0300	72	Charles
	0600	72	Schommer
	0900	72	Schommer
	1200	73	Schommer
	1500	73.9	Simental
	1800	74.3	Simental
	2100	74.4	Simental
	2400	74.3	Jilka

Friday

Date	Time	Temp.	Name (Print)
10/4/29	0300	73	Tilka
	0600	73.4	Omar S.
	0900	73.4	Omar S.
	1200	74.6	Omar S.
	1500	74.6	Simental
	1800	74.8	Simental
	2100	74.8	Simental
	2400	74.5	Simental

Saturday

Date	Time	Temp.	Name (Print)
10/5/29	0300	73.4	Simental
	0600	73.2	Omar S.
	0900	73.4	Omar S.
	1200	73.9	Omar S.
	1500	74.3	Simental
	1800	74.8	Simental
	2100	74.4	Simental
	2400	73	Charles

Sunday

Date	Time	Temp.	Name (Print)
10/6/29	0300	72	Charles
	0600	72	E. VANGUARD
	0900	72.6	E. VANGUARD
	1200	73	E. VANGUARD
	1500	74.3	Simental
	1800	74.8	Simental
	2100	74.6	Simental
	2400	73.9	Charles

Notes

7/29/29

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Cal

Housing Unit: C1 Central

Temp. Reading Location: 2nd tier B sec.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	73	Chadles
	0600	72	Schomann
	0900	72	Schomann
	1200	73	Schomann
	1500	73	Schomann
	1800	74	Morgan
	2100	74	Morgan
	2400	73	Chadles

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	73	Chadles
	0600	73	Schomann
	0900	72	Schomann
	1200	73	Schomann
	1500	73.9	Schomann
	1800	74.3	Simental
	2100	74	Simental
	2400	73	Chadles

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	72.1	M.SANCHEZ
	0600	71.6	M.SANCHEZ
	0900	71.4	Oscar G.
	1200	71.4	Oscar G.
	1500	72.6	Simental
	1800	73	Simental
	2100	72.6	Simental
	2400	72.5	R.Arenas

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	R.Arenas
	0600	70	Schomann
	0900	69	Schomann
	1200	70	Schomann
	1500	70.8	R.Arenas
	1800	71.6	R.Arenas
	2100	71.4	R.Arenas
	2400	70	Chadles

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	78	Chadles
	0600	75	Schomann
	0900	73	Schomann
	1200	73	Schomann
	1500	73	R.Morgan
	1800	74	R.Morgan
	2100	75	R.Morgan
	2400	74	Chadles

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	72	Chadles
	0600	72	Schomann
	0900	71	Schomann
	1200	72	Schomann
	1500	73	Simental
	1800	73.7	Simental
	2100	73.2	Simental
	2400	72.6	M.GARRO

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70.4	A.Romanos
	0600	70.7	A.Romanos
	0900	71.2	A.Romanos
	1200	71.0	A.Romanos
	1500	72	Simental
	1800	72.3	Simental
	2100	72	Simental
	2400	72	Chadles

Notes

X 10/13/24

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Cal

Housing Unit: C1 Central

Temp. Reading Location: 2nd tier B sec.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	69	Chuckles
	0600	69	Schommer
	0900	69	Schommer
	1200	70	Schommer
	1500	70.7	Schommer
	1800	70.5	E Lamont
	2100	70.1	E Lamont
	2400	70	Chuckles

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	69	Chuckles
	0600	69	Schommer
	0900	69	Schommer
	1200	70	Schommer
	1500	70.7	Schommer
	1800	70.8	Simental
	2100	70.8	Simental
	2400	70.3	Simental

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	68.7	Simental
	0600	68.9	Oscar Jr
	0900	68.7	Oscar Jr
	1200	69	Oscar Jr
	1500	71.6	Simental
	1800	73	Simental
	2100	73	Simental
	2400	72	Ramirez Jr

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	69	S. Rodriguez
	0600	69	Schommer
	0900	69	Schommer
	1200	69	Schommer
	1500	70.69	Lamiree
	1800	69	Lamiree
	2100	69	Lamiree C.
	2400	69	Chuckles

Tuesday

Date	Time	Temp.	Name (Print)
10/21/24	0300	68	Chuckles
	0600	69	Schommer
	0900	69	Schommer
	1200	69	Schommer
	1500	70	Velasco H
	1800	70	Velasco H
	2100	70	Velasco H
	2400	70	Chuckles

Thursday

Date	Time	Temp.	Name (Print)
10/23/24	0300	69	JUQUARA
	0600	69.4	Diaz
	0900	70.0	Diaz
	1200	70.2	Diaz
	1500	70.3	Simental
	1800	70.1	Simental
	2100	70	Simental
	2400	69	Simental

Saturday

Date	Time	Temp.	Name (Print)
10/25/24	0300	72	R. Ramirez
	0600	72	R. Ramirez
	0900	72.6	Oscar Jr
	1200	72.7	Oscar Jr
	1500	71	Simental
	1800	70.7	Simental
	2100	70.5	Simental
	2400	69	S. RiosAlmijo

Notes

HJL

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR.2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Cal

Housing Unit: C1 contine

Temp. Reading Location: 2nd tier B sec.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	68	E. Leeder
	0600	68	Schommer
	0900	67	Schommer
	1200	67	Schommer
	1500	69	Martinez
	1800	69	Villarreal, F
	2100	69	Villarreal, F
	2400	69	C. Hodges

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	69	C. Hodges
	0600	69	Schommer
	0900	69	Schommer
	1200	69	Schommer
	1500	70.3	Simental
	1800	71	Simental
	2100	71	Simental
	2400	70	C. Hodges

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	71	Simental
	0600	70.9	C. Hodges
	0900	70.8	C. Hodges
	1200	71.3	C. Hodges
	1500	71.9	Simental
	1800	72.5	Simental
	2100	72.5	Simental
	2400	72	A. Johnson

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	71	E. Leeder
	0600	71	Schommer
	0900	71	Schommer
	1200	72	Schommer
	1500	73	J. CARO
	1800	73	J. CARO
	2100	73	J. CARO
	2400	73	C. Hodges

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	69	C. Hodges
	0600	69	Schommer
	0900	69	Schommer
	1200	69	Schommer
	1500	73	H. Macero
	1800	70.5	A. Carpio
	2100	69.0	A. Carpio
	2400	69	C. Hodges

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	C. Hodges
	0600	70	Schommer
	0900	70	Schommer
	1200	70	Schommer
	1500	71	Simental
	1800	72	Simental
	2100	72	Simental
	2400	71.7	Simental

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	J. Mariano
	0600	71	A. Montoya
	0900	71.2	C. Hodges
	1200	71.5	C. Hodges
	1500	71.7	C. Hodges
	1800	72	J. CARO
	2100	73	J. CARO
	2400	73	C. Hodges

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDGR.2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION
Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat-risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL

Housing Unit: C1 Central

Temp. Reading Location: 2nd tier B sec.

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	71	G Hodges
	0600	71	Schommer
	0900	71	Schommer
	1200	72	Schommer
	1500	72.3	J SOTO
	1800	72	J SOTO
	2100	71	J SOTO
	2400	71	G Hodges

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	71	G Hodges
	0600	71	Schommer
	0900	70	Schommer
	1200	70	Schommer
	1500	70	E Avila
	1800	70	E Avila
	2100	70	E Avila
	2400	70	G Hodges

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	69	I Martinez
	0600	68	I Martinez
	0900	68	I Martinez
	1200		
	1500		
	1800		
	2100	68	I Martinez
	2400	68	I Martinez

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	71	G Hodges
	0600	71	Schommer
	0900	71	Schommer
	1200	71	Schommer
	1500	71	J SOTO
	1800	71	J SOTO
	2100	71	J SOTO
	2400	71	G Hodges

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	69	G Hodges
	0600	68	Schommer
	0900	68	Schommer
	1200	68	Schommer
	1500	69	Sandoval
	1800	69	Sandoval
	2100	69	Sandoval
	2400	69	Sandoval

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

V J M

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

RECEIVED

NOV - 5 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

LITIGATION'S OFFICE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAC Housing Unit: C-5 H.U. Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5X5303 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
Oct 1, 2024	0300	72.4	M. SANDOVAL
	0600	71.1	A. SANOVAL
	0900	72.5	Rachael S.
	1200	73.1	Packer
	1500	77	MARQUEZ
	1800	75.2	MARQUEZ
	2100	74.2	MARQUEZ
	2400	72.3	R. Ramirez

Wednesday

Date	Time	Temp.	Name (Print)
Oct 12, 2024	0300	72.1	R. Ramirez
	0600	74.7	R. Ramirez
	0900	73.6	S. MENTAL
	1200	75.5	S. MENTAL
	1500	75.5	MARQUEZ
	1800	78.3	MARQUEZ
	2100	74.9	MARQUEZ
	2400	73	J. BASTIDON

Thursday

Date	Time	Temp.	Name (Print)
Oct 3, 2024	0300	72	J. BASTIDON
	0600	72	Carrasco
	0900	74	Carrasco
	1200	75	Carrasco
	1500	75.2	MARQUEZ
	1800	76	MARQUEZ
	2100	76.4	MARQUEZ
	2400	75.0	M. SANDOVAL

Friday

Date	Time	Temp.	Name (Print)
Oct 4, 2024	0300	74.5	M. SANDOVAL
	0600	73.3	M. SANDOVAL
	0900	79.3	B. Garrett
	1200	76.0	B. Garrett
	1500	77.1	REBECCA MCGOWAN
	1800	77.2	REBECCA MCGOWAN
	2100	77.1	REBECCA MCGOWAN
	2400	73.9	M. SANDOVAL

Saturday

Date	Time	Temp.	Name (Print)
Oct. 5, 2024	0300	72.7	M. SANDOVAL
	0600	72.3	M. SANDOVAL
	0900	74.7	COTA
	1200	74.8	COTA
	1500	75.3	A. MANCERA
	1800	76.1	A. MANCERA
	2100	74.6	D. GUERRERO
	2400	73.5	S. ROSA-MIRE

Notes

NR

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: C5

Temp. Reading Location: End
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
Oct 7 2024	0300	72.0	FALKINS
	0600	71.5	M. SILVA
	0900	78.6	M. SILVA
	1200	83.3	M. SILVA
	1500	74.5	E. SANCHEZ
	1800	77.2	E. SANCHEZ
	2100	72.7	E. SANCHEZ
	2400	74.5	G. BERMUDEZ

Wednesday

Date	Time	Temp.	Name (Print)
Oct 9 2024	0300	73	J. Bustamante
	0600	72	MENDEZ
	0900	73	MENDEZ
	1200	73	MENDEZ
	1500	74.8	J. Soto
	1800	75	J. Soto
	2100	73	J. Soto
	2400	72	A. GILL

Friday

Date	Time	Temp.	Name (Print)
Oct 11 2024	0300	70.5	R. DELGADO
	0600	69.9	R. DELGADO
	0900	74.2	VARGAS G.
	1200	73.6	VARGAS G.
	1500	73.4	ARMANIEZA
	1800	73.4	ARMANIEZA
	2100	73.0	ARMANIEZA
	2400	72.5	D. RUPES

Sunday

Date	Time	Temp.	Name (Print)
Oct 13 2024	0300	67.9	D. RUPES
	0600	68.9	D. RUPES
	0900	69.5	D. RUPES
	1200	72	D. RUPES
	1500	73	J. SOTO
	1800	73	J. SOTO
	2100	72	J. SOTO
	2400	69	S. ROGULSON

Tuesday

Date	Time	Temp.	Name (Print)
Oct 8 2024	0300	76	G. BERMUDEZ
	0600	76	MENDEZ A.
	0900	74	MENDEZ
	1200	74	MENDEZ
	1500	75	E. SANCHEZ
	1800	77	E. SANCHEZ
	2100	75	E. SANCHEZ
	2400	74	J. BUSTAMANTE

Thursday

Date	Time	Temp.	Name (Print)
Oct 10 2024	0300	70	A. GILL
	0600	70	MENDEZ
	0900	72	MENDEZ
	1200	74	MENDEZ
	1500	77	J. SOTO
	1800	76	J. SOTO
	2100	75.5	J. SOTO
	2400	71.5	A. DELGADO

Saturday

Date	Time	Temp.	Name (Print)
Oct 12 2024	0300	72	D. RUPES
	0600	69.8	D. RUPES
	0900	70.9	D. RUPES
	1200	71.8	D. RUPES
	1500	73.7	A. DELGADO
	1800	73.3	A. DELGADO
	2100	72.5	A. DELGADO
	2400	71.5	D. RUPES

Notes

X JDR

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: C5 Temp. Reading Location: 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	68	S. Rosario
	0600	66	A. Mendoza
	0900	67	A. Mendoza
	1200	70	A. Mendoza
	1500	72	B. RASCON
	1800	71	B. RASCON
	2100	70	B. RASCON
	2400	69	A. GILL

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	67	J. GILL
	0600	67	J. GURMAN
	0900	72.1	J. GURMAN
	1200	75	J. GURMAN
	1500	72	J. SOTO
	1800	71.7	J. SOTO
	2100	72	J. SOTO
	2400	68.9	M. SANDOVAL

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	67.8	M. SANDOVAL
	0600	67.9	M. SANDOVAL
	0900	70	Camacho
	1200	71	Camacho
	1500	71.6	J. SOTO
	1800	73.3	J. SOTO
	2100	70.0	J. SOTO
	2400	69	R. DELGADO

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	68	R. DELGADO
	0600	68	R. DELGADO
	0900	68	Camacho
	1200	71	Camacho
	1500	71	J. SOTO
	1800	71	J. SOTO
	2100	69.9	J. SOTO
	2400	69	M. ALVAN

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	67	M. ALVAN
	0600	67	M. ALVAN
	0900	67	M. ALVAN
	1200	68	M. ALVAN
	1500	72.7	A. Mendoza
	1800	73.6	A. Mendoza
	2100	73.1	A. Mendoza
	2400	70.5	D. LUPES

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	71.0	D. LUPES
	0600	71.8	D. LUPES
	0900	71	D. LUPES
	1200	70.3	D. LUPES
	1500	70.1	A. Mendoza
	1800	70.9	A. Mendoza
	2100	70.9	A. Mendoza
	2400	67.3	D. LUPES

Notes

*P/S
T/S
J/S
R/S*

Date	Time	Temp.	Name (Print)
10-20-24	0300	66.5	D. LUPES
	0600	65.9	D. LUPES
	0900	66.4	D. LUPES
	1200	68	J. SOTO
	1500	69	J. SOTO
	1800	69	J. SOTO
	2100	69	J. SOTO
	2400	69	A. GILL

Memorandum

Date : November 5, 2024

RECEIVED

To : P. Nava
Litigations Coordinator
Calipatria State Prison

NOV - 5 2024

LITIGATION'S OFFICE

Subject: C5 HOUSING UNIT HEAT LOGS

Due to the de-activation of Facility "C", housing unit C5 was vacated of the inmate population on October 19, 2024. Staff continued to be assigned to positions in the housing unit, therefore continued to document the housing unit temperatures on the Heat Log. As of October 21, 2024, the temperatures for housing unit C5 were no longer required to be documented.



M. BARRA
Correctional Captain (A)
Calipatria State Prison

RECEIVED

NOV - 5 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: RTH

Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
<u>10-2-24</u>	0300	70	M. Hurtado
	0600	72	C. Ruffo
	0900	73	C. Ruffo
	1200	75	C. Ruffo
	1500	75	R. Delgado
	1800	74	R. Delgado
	2100	75	R. Delgado
	2400	70	M. Hurtado

Friday			
Date	Time	Temp.	Name (Print)
<u>10-4-24</u>	0300	70	M. Hurtado
	0600	70	J. Diaz
	0900	71	J. Diaz
	1200	71	J. Diaz
	1500	74	R. Delgado
	1800	74	R. Delgado
	2100	74	R. Delgado
	2400	72	M. Hurtado

Sunday			
Date	Time	Temp.	Name (Print)
<u>10-6-24</u>	0300	75	A. Rodriguez
	0600	74	Velasco
	0900	70	Velasco
	1200	71	Velasco
	1500	75	Davita
	1800	76	C. Daucher
	2100	75	C. Daucher
	2400	77	M. Hurtado

DISTRIBUTION: Original: Institution ADA Coordinator

6435

Tuesday			
Date	Time	Temp.	Name (Print)
<u>10-1-24</u>	0300	71	J. Angel
	0600	71	J. Angel
	0900	76	J. Angel
	1200	70	R. Delgado
	1500	74	R. Delgado
	1800	73	R. Delgado
	2100	75	R. Delgado
	2400	70	M. Hurtado

Thursday			
Date	Time	Temp.	Name (Print)
<u>10-3-24</u>	0300	70	M. Hurtado
	0600	70	J. Angel
	0900	70	J. Angel
	1200	72	J. Angel
	1500	74	R. Delgado
	1800	74	R. Delgado
	2100	74	R. Delgado
	2400	72	M. Hurtado

Saturday			
Date	Time	Temp.	Name (Print)
<u>10-5-24</u>	0300	70	M. Hurtado
	0600	70	M. Hurtado
	0900	72	M. Hurtado
	1200	73	M. Hurtado
	1500	75	R. Delgado
	1800	76	R. Delgado
	2100	74	R. Delgado
	2400	76	A. Rodriguez

Notes

NB -

X

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: RTHM

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-84	0300	75°	A. Rodriguez
	0600	72	J. Sanchez
	0900	72	J. Sanchez
	1200	72	J. Sanchez
	1500	75	C. Daviher
	1800	73	C. Daviher
	2100	75	C. Daviher
	2400	74	J. Angel

Wednesday

Date	Time	Temp.	Name (Print)
10-9-84	0300	72	M. Hernandez
	0600	72	J. Sanchez
	0900	72	J. Sanchez
	1200	74	J. Sanchez
	1500	75	R. Delgado
	1800	74	R. Delgado
	2100	74	R. Delgado
	2400	72	J. Bastida

Friday

Date	Time	Temp.	Name (Print)
10-11-84	0300	70	M. Hernandez
	0600	70	J. Sanchez
	0900	70	J. Sanchez
	1200	72	J. Sanchez
	1500	72	R. Delgado
	1800	72	R. Delgado
	2100	71	R. Delgado
	2400	70	S. Guerrero

Sunday

Date	Time	Temp.	Name (Print)
10-13-84	0300	70	Manny
	0600	70	J. Sanchez
	0900	70	J. Sanchez
	1200	70	J. Sanchez
	1500	70	J. Sanchez
	1800	70	J. Sanchez
	2100	70	J. Sanchez
	2400	70	J. Gutierrez

DISTRIBUTION: Original: Institution ADA Coordinator

Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches

Tuesday

Date	Time	Temp.	Name (Print)
10-8-84	0300	74	J. Sanchez
	0600	72	J. Sanchez
	0900	72	J. Sanchez
	1200	74	J. Sanchez
	1500	75	R. Delgado
	1800	74	R. Delgado
	2100	73	R. Delgado
	2400	72	M. Hernandez

Thursday

Date	Time	Temp.	Name (Print)
10-10-84	0300	72	J. Sanchez
	0600	70	J. Sanchez
	0900	72	J. Sanchez
	1200	74	J. Sanchez
	1500	73	R. Delgado
	1800	72	R. Delgado
	2100	72	R. Delgado
	2400	70	M. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
10-12-84	0300	70°	S. Guerrero
	0600	70	J. Sanchez
	0900	70	J. Sanchez
	1200	71	J. Sanchez
	1500	72	R. Delgado
	1800	72	R. Delgado
	2100	71	J. Sanchez
	2400	67	Manny

Notes

X JBS

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: BHM

Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-94	0300	70	J. Gutiierrez
	0600	70	J. Gutiierrez
	0900	70	J. Gutiierrez
	1200	70	J. Gutiierrez
	1500	70	J. Gutiierrez
	1800	70	J. Gutiierrez
	2100	70	J. Gutiierrez
	2400	70	J. Gutiierrez

Wednesday

Date	Time	Temp.	Name (Print)
10-16-94	0300	70	M. Hernandez
	0600	70	M. Hernandez
	0900	70	M. Hernandez
	1200	70	M. Hernandez
	1500	70	R. DELGADO
	1800	70	R. DELGADO
	2100	70	R. DELGADO
	2400	70	M. Hernandez

Friday

Date	Time	Temp.	Name (Print)
10-18-94	0300	70	M. Hernandez
	0600	70	J. Gutierrez
	0900	70	J. Gutierrez
	1200	70	J. Gutierrez
	1500	70	R. DELGADO
	1800	70	R. DELGADO
	2100	70	R. DELGADO
	2400	70	M. Hernandez

Sunday

Date	Time	Temp.	Name (Print)
10-20-94	0300	70	A Rodriguez
	0600	70	J. Smither
	0900	70	J. Smither
	1200	69	J. Smither
	1500	68	C. Daupha
	1800	68	C. Daupha
	2100	68	C. Daupha
	2400	68	A Rodriguez

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10-15-94	0300	70	J. Gutierrez
	0600	70	J. Gutierrez
	0900	70	J. Gutierrez
	1200	70	J. Gutierrez
	1500	70	R. DELGADO
	1800	70	R. DELGADO
	2100	70	R. DELGADO
	2400	70	M. Hernandez

Thursday

Date	Time	Temp.	Name (Print)
10-17-94	0300	70	M. Hernandez
	0600	70	J. Gutierrez
	0900	70	J. Gutierrez
	1200	70	J. Gutierrez
	1500	70	R. DELGADO
	1800	70	R. DELGADO
	2100	70	R. DELGADO
	2400	70	M. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
10-19-94	0300	70	M. Hernandez
	0600	70	M. Hernandez
	0900	70	M. Hernandez
	1200	70	M. Hernandez
	1500	70	C. Rodriguez
	1800	70	C. Rodriguez
	2100	70	C. Rodriguez
	2400	70	A. Rodriguez

Notes

X UN

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: RTHY

Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-94	0300	68	A.Rodriguez
	0600	68	J.Sanchez
	0900	70	J.Sanchez
	1200	70	J.Sanchez
	1500	68	C.Davila
	1800	68	C.Davila
	2100	67	C.Davila
	2400	66	J.Perez

Wednesday

Date	Time	Temp.	Name (Print)
10-23-94	0300	68	M.Hurtado
	0600	68	J.Sanchez
	0900	68	J.Sanchez
	1200	68	J.Sanchez
	1500	69	R.Delgado
	1800	69	R.Delgado
	2100	69	R.Delgado
	2400	68	M.Hurtado

Friday

Date	Time	Temp.	Name (Print)
10-25-94	0300	68	J.Gutierrez
	0600	68	H.Amezcua
	0900	69	H.Amezcua
	1200	69	H.Amezcua
	1500	69	R.Delgado
	1800	69	R.Delgado
	2100	69	R.Delgado
	2400	68	M.Hurtado

Sunday

Date	Time	Temp.	Name (Print)
10-27-94	0300	69	R.Delgado
	0600	69	R.Delgado
	0900	69	J.Sanchez
	1200	70	J.Sanchez
	1500	73	C.Davila
	1800	70	C.Davila
	2100	70	C.Davila
	2400	69	J.Vargas

Tuesday

Date	Time	Temp.	Name (Print)
10-26-94	0300	68	J.Sanchez
	0600	68	J.Sanchez
	0900	68	J.Sanchez
	1200	70	J.Sanchez
	1500	70	R.Delgado
	1800	69	R.Delgado
	2100	69	R.Delgado
	2400	68	M.Hurtado

Thursday

Date	Time	Temp.	Name (Print)
10-24-94	0300	68	M.Hurtado
	0600	68	H.Amezcua
	0900	68	H.Amezcua
	1200	68	H.Amezcua
	1500	69	R.Delgado
	1800	69	R.Delgado
	2100	69	R.Delgado
	2400	68	J.Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
10-26-94	0300	68	M.Hurtado
	0600	68	J.Sanchez
	0900	68	J.Sanchez
	1200	70	J.Sanchez
	1500	73	R.Delgado
	1800	72	R.Delgado
	2100	69	R.Delgado
	2400	69	R.Delgado

Notes

[Handwritten notes]

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: RHM

Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-94	0300	60	HARGOGS S
	0600	68	J. LARSEN
	0900	68	J. LARSEN
	1200	70	J. LARSEN
	1500	70	J. LARSEN
	1800	70	J. LARSEN
	2100	70	J. LARSEN
	2400	68	J. LARSEN

Wednesday

Date	Time	Temp.	Name (Print)
10-30-94	0300	68	M. Hurtado
	0600	68	J. LARSEN
	0900	68	J. LARSEN
	1200	70	J. LARSEN
	1500	69	R. DELGADO
	1800	69	R. DELGADO
	2100	69	R. DELGADO
	2400	68	R. DELGADO

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10-29-94	0300	68	J. LARSEN
	0600	68	J. LARSEN
	0900	68	J. LARSEN
	1200	69	J. LARSEN
	1500	69	R. DELGADO
	1800	69	R. DELGADO
	2100	69	R. DELGADO
	2400	68	M. Hurtado

Thursday

Date	Time	Temp.	Name (Print)
10-31-94	0300	68	M. Hurtado
	0600	68	D. Santana
	0900	68	D. Santana
	1200	69	D. Santana
	1500	68	R. DELGADO
	1800	67	R. DELGADO
	2100	67	R. DELGADO
	2400	66	J. GUTIERREZ

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

RECEIVED

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

NOV - 5 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D1

Temp. Reading Location: 2nd
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
<u>10/2/24</u>	0300	73	R Castellanos
	0600	72	M SARABIA
	0900	73	M SARABIA
	1200	75	M SARABIA
	1500	77	DESPINOZA
	1800	76	DESPINOZA
	2100	76	DESPINOZA
	2400	74	M G.

Friday

Date	Time	Temp.	Name (Print)
<u>10/4/24</u>	0300	73	O. INAY
	0600	72	OVERBAY
	0900	74	OVERBAY
	1200	78	OVERBAY
	1500	78	D. RIBO
	1800	78	D. RIBO
	2100	76	D. RIBO
	2400	73	O. INAY

Sunday

Date	Time	Temp.	Name (Print)
<u>10/6/24</u>	0300	72	R Castellano
	0600	72	M Saraben
	0900	73	M SARABIA
	1200	74	M SARABIA
	1500	73	CUEVAS
	1800	73	CUEVAS
	2100	72	CUEVAS
	2400	73	R Castellano

Tuesday

Date	Time	Temp.	Name (Print)
<u>10/1/2024</u>	0300	71	M SARABIA
	0600	72	M SARABIA
	0900	72	M SARABIA
	1200	75	M SARABIA
	1500	75	DESPINOZA
	1800	76	DESPINOZA
	2100	76	DESPINOZA
	2400	74	ACOSTILLANES

Thursday

Date	Time	Temp.	Name (Print)
<u>10/3/24</u>	0300	72	YARREAS
	0600	72	M Saraben
	0900	73	M SARABIA
	1200	75	M SARABIA
	1500	78	DESPINOZA
	1800	77	DESPINOZA
	2100	76	DESPINOZA
	2400	74	A. Mupes

Saturday

Date	Time	Temp.	Name (Print)
<u>10/5/24</u>	0300	72.9	O. INAY.
	0600	72	M. HERRERA
	0900	71	M. HERRERA
	1200	78	M. HERRERA
	1500	77	G. OLIVAS
	1800	77	H. PEREZ
	2100	75	H. PEREZ
	2400	73	R Castellano

Notes

captain reviewed LJ

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CAL Housing Unit: D1

Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5703 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	73	R.Casterian
	0600	78	M.SARABIA
	0900	72	M.SARABIA
	1200	74	M.SARABIA
	1500	79	J.Espinoza
	1800	77	J.Espinoza
	2100	76	J.Espinoza
	2400	76	R.Casterian

Tuesday

Date	Time	Temp.	Name (Print)
10/08/24	0300	76	R.Casterian
	0600	77	M.Sarabia
	0900	74	M.Sarabia
	1200	76	M.Sarabia
	1500	77	J.Espinoza
	1800	76	J.Espinoza
	2100	76	J.Espinoza
	2400	74	P.Rodriguez Toledo

Wednesday

Date	Time	Temp.	Name (Print)
10/09/24	0300	73	P.Rodriguez Toledo
	0600	75	M.Sarabia
	0900	74	M.Sarabia
	1200	73	M.Sarabia
	1500	77	J.Espinoza
	1800	78	J.Espinoza
	2100	75	J.Espinoza
	2400	73.1	D.Mypes

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72.5	D.Mypes
	0600	71	M.Sarabia
	0900	72	M.Sarabia
	1200	74	M.Sarabia
	1500	78	M.Sarabia
	1800	75	M.Sarabia
	2100	75	M.Sarabia
	2400	73	D.Mypes

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	72	D.Mypes
	0600	72	Perez
	0900	72	Perez
	1200	72	Perez
	1500	76	J.Espinoza
	1800	73	J.Espinoza
	2100	74	J.Espinoza
	2400	72.6	O.TINDAY

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	71.2	O.TINDAY
	0600	72.1	P.Perez
	0900	72.5	P.Perez
	1200	73.7	P.Perez
	1500	76.8	V.Arias
	1800	79.9	V.Arias
	2100	79.1	V.Arias
	2400	77	R.Casterian

Notes

captain reviewed LJ

Date	Time	Temp.	Name (Print)
10/13/24	0300	73	R.Casterian
	0600	69	M.Sarabia
	0900	70	M.Sarabia
	1200	74	M.Sarabia
	1500	74	J.Espinoza
	1800	73	J.Espinoza
	2100	72	J.Espinoza
	2400	72.1	Amidley

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: D1 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	72	GONZALEZ
	0600	71	M SARABIA
	0900	71	M SARABIA
	1200	74	M SARABIA
	1500	74	ZESPINOZA
	1800	74	JESPINOZA
	2100	71	ZESPINOZA
	2400	69	NANARDO, G

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	71	NANARDO, G
	0600	71	M SARABIA
	0900	69	M SARABIA
	1200	71	M SARABIA
	1500	74	ZESPINOZA
	1800	73	JESPINOZA
	2100	72	JESPINOZA
	2400	70	R CASTELLANOS

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	69.1	G. PORTUGAL
	0600	70.7	SIMENTAL, J
	0900	69.8	SIMENTAL, J
	1200	71.6	SIMENTAL, J
	1500	74.6	B. RASCON
	1800	72.8	B. RASCON
	2100	72.7	B. RASCON
	2400	70.9	D. MUPES

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	69.9	D. MUPES
	0600	70	M. SARABIA
	0900	71	M. SARABIA
	1200	72	M. SARABIA
	1500	72	ZESPINOZA
	1800	72	ZESPINOZA
	2100	71	ZESPINOZA
	2400	69.5	D. MUPES

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	69.5	D. MUPES
	0600	70	J. GUERRA
	0900	69	S. BALDWIN
	1200	68	S. GUERRA
	1500	70.3	D. RUBBIO
	1800	70.8	D. RUBBIO
	2100	71	D. RUBBIO
	2400	73.8	O. INAY

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	73.3	O. INAY
	0600	72	R. PEREZ
	0900	71	R. PEREZ
	1200	71	R. PEREZ
	1500	72.1	S. SILVA
	1800	71	R. PEREZ
	2100	70	R. PEREZ
	2400	70	R. CASTELLANOS

Notes

captain reviewed DR

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	R. CASTELLANOS
	0600	70	M. SARABIA
	0900	69.1	M. SARABIA
	1200	70	M. SARABIA
	1500	70	C. GOMEZ
	1800	70.8	J. MONROY
	2100	69.8	J. MONROY
	2400	69	G. HARRIS

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NAL Housing Unit: D1

Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5307 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10.21.2024	0300	71	TESPINORA
	0600	70	M SARABIA
	0900	70	M SARABIA
	1200	71	M SARABIA
	1500	70	J. Foyard
	1800	70	J. Foyard
	2100	71	J. Foyard
	2400	70	H. Lopez

Tuesday

Date	Time	Temp.	Name (Print)
10.22.2024	0300	70	H. Lopez
	0600	70	M SARABIA
	0900	70	M SARABIA
	1200	73	M SARABIA
	1500	73	TESPINORA
	1800	74	TESPINORA
	2100	71	TESPINORA
	2400	70	R. Castaneda

Wednesday

Date	Time	Temp.	Name (Print)
10.23.2024	0300	70	R. Caselberr
	0600	68	M SARABIA
	0900	70	M SARABIA
	1200	72	M SARABIA
	1500	74	TESPINORA
	1800	75	TESPINORA
	2100	70	TESPINORA
	2400	69.1	A. Lopez

Thursday

Date	Time	Temp.	Name (Print)
10.24.2024	0300	69.9	A. Lopez
	0600	70	M SARABIA
	0900	70	M SARABIA
	1200	72	M SARABIA
	1500	73	TESPINORA
	1800	74	TESPINORA
	2100	74	PANTSA
	2400	70.5	A. Lopez

Friday

Date	Time	Temp.	Name (Print)
10.25.2024	0300	69.9	A. Lopez
	0600	70	Querry
	0900	70	Querry
	1200	73	Querry
	1500	73	G. Oliver
	1800	73	G. Oliver
	2100	73	G. Oliver
	2400	71.0	OINAY

Saturday

Date	Time	Temp.	Name (Print)
10.26.2024	0300	69.9	OINAY
	0600	70.9	R. Perez
	0900	71.2	R. Perez
	1200	71.1	Ryan
	1500	75	VEGA
	1800	73	M. Little
	2100	71	M. Little
	2400	71	M. Little

Notes

captain reviewed JD

Date	Time	Temp.	Name (Print)
10.27.2024	0300	65	M. Merado
	0600	65	M. Merado
	0900	71	M SARABIA
	1200	70	M SARABIA
	1500	73	M SARABIA
	1800	75	TESPINORA
	2100	73	TESPINORA
	2400	71	M. Merado

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D1 Temp. Reading Location: 2ND
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10.28.2024	0300	70	J ESPINOZA
	0600	69	M SARABIA
	0900	71	M Sarabia
	1200	71	M SARABIA
	1500	72	J ESPINOZA
	1800	72	J ESPINOZA
	2100	71	J ESPINOZA
	2400	70	R Castelan

Tuesday

Date	Time	Temp.	Name (Print)
10.29. 2024	0300	70	R Castelan
	0600	71	M SARABIA
	0900	69	M SARABIA
	1200	69	M SARABIA
	1500	70	J ESPINOZA
	1800	71	J ESPINOZA
	2100	69	J ESPINOZA
	2400	70	R Castelan

Wednesday

Date	Time	Temp.	Name (Print)
10.30. 2024	0300	70	R Castelan
	0600	69	M SARABIA
	0900	69	M SARABIA
	1200	70	M SARABIA
	1500	70	J ESPINOZA
	1800	71	J ESPINOZA
	2100	70	J ESPINOZA
	2400	70-7	D Mypes

Thursday

Date	Time	Temp.	Name (Print)
10.31. 2024	0300	70.5	D Mypes
	0600	69.5	K Bell
	0900	69.5	K Bell
	1200	68.2	K Bell
	1500	70.5	S. IBARRA
	1800	70.1	S. IBARRA
	2100	70.1	S. IBARRA
	2400	71.3	D Mypes

Friday

Date	Time	Temp.	Name (Print)
11-1-24	0300		
	0600	71.1	K Bell
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

captain reviewed DR

RECEIVED

DocuSign Envelope ID: 2D611470-9AEE-439B-982B-B0DFD9D61B6D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOV - 5 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment

LITIGATION'S OFFICE

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D-5 Temp. Reading Location: Control 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-02-24	0300	72.5	D. PEREZ
	0600	73.9	J. Arellano
	0900	72.9	J. Arellano
	1200	73.8	J. Arellano
	1500	74	J. Martinez
	1800	77	J. Martinez
	2100	75.5	I. Martinez
	2400	74.4	M. CASTRO

Friday

Date	Time	Temp.	Name (Print)
10-04-24	0300	73.3	M. CASTRO
	0600	72.6	M. CASTRO
	0900	72.8	J. Arellano
	1200	73.8	J. Arellano
	1500	75.4	L. SANTIAGO
	1800	75.3	L. SANTIAGO
	2100	74.5	L. SANTIAGO
	2400	74.0	E. V

Sunday

Date	Time	Temp.	Name (Print)
10-06-24	0300	72.6	D. PEREZ
	0600	72.0	D. PEREZ
	0900	72.6	D. PEREZ
	1200	73.2	A. LOPEZ
	1500	74.9	L. SANTIAGO
	1800	75.0	L. SANTIAGO
	2100	74.6	L. SANTIAGO
	2400	73.7	M. CASTRO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10-01-24	0300	72.2	M. CASTRO
	0600	71.7	M. CASTRO
	0900	71.2	J. Arellano
	1200	73.0	J. Arellano
	1500	73	T. RIVERA
	1800	73	T. RIVERA
	2100	73	T. RIVERA
	2400	72.8	D. PEREZ

Thursday

Date	Time	Temp.	Name (Print)
10-03-24	0300	73.1	M. CASTRO
	0600	72.3	M. CASTRO
	0900	72.4	J. Arellano
	1200	73.2	J. Arellano
	1500	74.9	M. CASTRO
	1800	74.6	M. CASTRO
	2100	74.4	M. CASTRO
	2400	74.1	M. CASTRO

Saturday

Date	Time	Temp.	Name (Print)
10-05-24	0300	73.0	E. V
	0600	72.0	E. V
	0900	72.9	E. V
	1200	74.1	E. V
	1500	75.2	L. SANTIAGO
	1800	75.6	L. SANTIAGO
	2100	74.7	L. SANTIAGO
	2400	74.9	L. SANTIAGO

Notes

Captain reviewed YDR

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D-5 Temp. Reading Location: CONTROL 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-07-24	0300	72.8	M. CASTRO
	0600	72.3	M. CASTRO
	0900	71.9	J. Amorando
	1200	73.5	J. Amorando
	1500	74.7	B. Garrett
	1800	75.1	B. Garrett
	2100	74.5	B. Garrett
	2400	74.0	M. CASTRO

Tuesday

Date	Time	Temp.	Name (Print)
10-08-24	0300	73.4	M. CASTRO
	0600	73.1	M. CASTRO
	0900	74.0	J. Amorando
	1200	75.0	J. Amorando
	1500	74	J. Romeo
	1800	74	J. Romeo
	2100	74.5	J. Romeo
	2400	74.0	M. CASTRO

Wednesday

Date	Time	Temp.	Name (Print)
10-09-24	0300	73.5	M. CASTRO
	0600	72.5	M. CASTRO
	0900	72.3	A. Chabolla
	1200	73.4	A. Chabolla
	1500	74.3	A. Espinoza
	1800	74.3	A. Espinoza
	2100	73.6	A. Espinoza
	2400	72.5	M. Sandoval

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	72.4	M. Sandoval
	0600	71.2	M. Sandoval
	0900	71.0	J. Amorando
	1200	72.8	J. Amorando
	1500	74.1	UNNAMED
	1800	74.0	UNNAMED
	2100	73	UNNAMED
	2400	74.2	M. CASTRO

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	72.8	M. CASTRO
	0600	71.4	M. CASTRO
	0900	71.8	J. Amorando
	1200	72.3	J. Amorando
	1500	73.0	L. SANTIAGO
	1800	73.5	L. SANTIAGO
	2100	72.8	L. SANTIAGO
	2400	72	VICKY

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	72	VICKY
	0600	70	S. Johnson
	0900	70.5	S. Johnson
	1200	72	S. Johnson
	1500	73	J. CARO
	1800	72	J. CARO
	2100	71	J. CARO
	2400	70.9	J. Padden

Notes

Captain reviewed LS

Date	Time	Temp.	Name (Print)
10-13-24	0300	69.8	J. Amorando
	0600	69.8	J. Amorando
	0900	70.0	J. Amorando
	1200	70.6	J. Amorando
	1500	70.9	L. SANTIAGO
	1800	71.0	L. SANTIAGO
	2100	71.2	L. SANTIAGO
	2400	70.7	M. CASTRO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAC Housing Unit: D-5

Temp. Reading Location: CONTROL 2 TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	70.3	M. CASTRO
	0600	70.0	M. CASTRO
	0900	69.1	J. ANGELOMBO
	1200	70.2	J. Amelando
	1500	70.6	B. Garrett
	1800	71.2	B. Garrett
	2100	71.3	B. Garrett
	2400	70.5	M. CASTRO

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	68.6	M. CASTRO
	0600	68.1	M. CASTRO
	0900	69.0	J. ANGELOMBO
	1200	70.1	J. Amelando
	1500	71.6	J. Sera
	1800	70.7	C. ISIDORO
	2100	70.0	C. ISIDORO
	2400	69.8	M. CASTRO

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	67.9	M. CASTRO
	0600	67.3	M. CASTRO
	0900	67.1	J. Amelando
	1200	68.0	J. Amelando
	1500	71.4	P. PARTIDA
	1800	71.3	C. ISIDORO
	2100	72.0	C. ISIDORO
	2400	71.8	E. QUITAS

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	68.6	
	0600	69.0	H. ROBERT
	0900	68.1	H. ROBERT
	1200	68.3	P. PARTIDA
	1500	68.8	L. SANTIAGO
	1800	69.3	L. SANTIAGO
	2100	69.7	L. SANTIAGO
	2400	68.8	M. CASTRO

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	70.1	M. CASTRO
	0600	69.7	M. CASTRO
	0900	68.9	J. ANGELOMBO
	1200	69.3	J. Amelando
	1500	69	T. Rivas
	1800	69	T. Rivas
	2100	69	T. Rivas
	2400	69.1	M. CASTRO

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	69.2	M. CASTRO
	0600	68.6	M. CASTRO
	0900	68.0	J. ANGELOMBO
	1200	69.1	J. Amelando
	1500	69	M. SARABIA
	1800	69	M. SARABIA
	2100	69	M. SARABIA
	2400	68.4	M. CASTRO

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	71.6	J. QUILIZAR
	0600	71.6	H. ROBERT
	0900	70.9	H. ROBERT
	1200	70.3	H. ROBERT
	1500	70.3	L. SANTIAGO
	1800	70.1	L. SANTIAGO
	2100	69.10	L. SANTIAGO
	2400	69.3	H. ROBERT

Notes

Captain reviewed JS

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAC Housing Unit: D-5

Temp. Reading Location: CONTROL 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

5302 when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	68.6	M. CASTRO
	0600	68.4	M. CASTRO
	0900	68.0	J. ANNEOONO
	1200	68.3	J. Andrade
	1500	68.9	L. SANTIAGO
	1800	69.5	L. SANTIAGO
	2100	69.0	L. SANTIAGO
	2400	68.9	M. CASTRO

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	68.8	M. CASTRO
	0600	68.4	M. CASTRO
	0900	68.2	J. Andrade
	1200	68.8	J. Andrade
	1500	69	J. Ronco
	1800	69	J. Ronco
	2100	69	J. Ronco
	2400	68.8	M. CASTRO

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	68.7	M. CASTRO
	0600	68.7	M. CASTRO
	0900	68.5	J. ANNEOONO
	1200	68.5	J. ANNEOONO
	1500	69.9	J. Andrade
	1800	70.1	C. TSE (Temp)
	2100	69.7	C. TSE (Temp)
	2400	69	H. VYPERZ

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	68	J. VYPERZ
	0600	69.9	J. Andrade
	0900	68.6	J. Andrade
	1200	69.5	J. ANNEOONO
	1500	70.2	L. MORALES
	1800	71.2	L. MORALES
	2100	70.7	L. MORALES
	2400	70	J. Bastida

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	69	J. Bastida
	0600	69.4	J. ANNEOONO
	0900	69.3	J. ANNEOONO
	1200	69.8	J. Andrade
	1500	71.6	L. SANTIAGO
	1800	71.6	L. SANTIAGO
	2100	71.1	L. SANTIAGO
	2400	70.5	J. Andrade

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	69.8	J. VYPERZ
	0600	69.8	N. RUM
	0900	69.8	Navaro
	1200	70.3	Navaro
	1500	71.3	L. SANTIAGO
	1800	72.7	L. SANTIAGO
	2100	71.6	L. SANTIAGO
	2400	71.3	M. CASTRO

Notes

Captain reviewed

Date	Time	Temp.	Name (Print)
10-27-24	0300	70.0	M. CASTRO
	0600	70.1	M. CASTRO
	0900	69.7	M. HERNANDEZ
	1200	71.0	M. HERNANDEZ
	1500	72.1	L. SANTIAGO
	1800	72.4	L. SANTIAGO
	2100	71.9	L. SANTIAGO
	2400	70.6	M. CASTRO

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D-5

Temp. Reading Location: CONTROL 2nd TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	71	MENDEZ
	0600	71	MENDEZ
	0900	69.5	J. ANNEDONDO
	1200	69.3	J. ANNEDONDO
	1500	70.4	B. GARRET
	1800	70.7	B. GARRET
	2100	70.0	B. GARRET
	2400	69	MALIN

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	68	M. ALVAREZ
	0600	68.9	J. ANNEDONDO
	0900	69.9	J. ANNEDONDO
	1200	68.2	J. ANNEDONDO
	1500	69	T. RONCO
	1800	69	T. RONCO
	2100	69	T. RONCO
	2400	69	J. BASTILLI

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	69	J. BASTILLI
	0600	68.5	J. ANNEDONDO
	0900	68.1	J. ANNEDONDO
	1200	68.6	J. ANNEDONDO
	1500	68.3	B. RASON
	1800	68.4	B. RASON
	2100	68.8	B. RASON
	2400	68.5	CANACHO

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	68.0	GONZALEZ
	0600	68.0	S. BELMONT
	0900	68.0	S. BELMONT
	1200	67.7	S. BELMONT
	1500	67.9	C. HALLERAS
	1800	68.1	C. HALLERAS
	2100	68.7	C. HALLERAS
	2400	69	MARIN

Friday

Date	Time	Temp.	Name (Print)
	0300	63	MALIN
	0600	63	O. GARCIA
	0900	64	O. GARCIA
	1200	67	O. GARCIA
	1500		
	1800		
	2100		
	2400	62	

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Captain reviewed JG

22 days over 90°

RECEIVED

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

NOV - 1 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCTOBER 2024	0100	78	N.BRADFO
	0200	77	N.BRADFO
	0300	77	N.BRADFO
	0400	76	N.BRADFO
	0500	76	N.BRADFO
	0600	73	N.BRADFO
	0700	74	N.BRADFO
	0800	78	N.BRADFO
	0900	86	N.BRADFO
	1000	89	N.BRADFO
	1100	95	N.BRADFO
	1200	101	N.BRADFO
	1300	105	N.BRADFO
	1400	107	R.VIZCARRA
	1500	108	R.VIZCARRA
	1600	109	R.VIZCARRA
	1700	109	R.VIZCARRA
	1800	102	R.VIZCARRA
	1900	97	R.VIZCARRA
	2000	95	R.VIZCARRA
	2100	91	R.VIZCARRA
	2200	86	E.Valencia
	2300	84	E.Valencia
	2400	83	E.Valencia

Date	Time	Temp.	Printed Name
OCTOBER 2024	0100	83	E.Valencia
	0200	83	E.Valencia
	0300	82	E.Valencia
	0400	81	E.Valencia
	0500	81	E.Valencia
	0600	79	RS.IUWS
	0700	79	RS.IUWS
	0800	81	RS.IUWS
	0900	87	RS.IUWS
	1000	90	RS.IUWS
	1100	94	RS.IUWS
	1200	99	RS.IUWS
	1300	103	RS.IUWS
	1400	105	J.Castro
	1500	105	J.Castro
	1600	106	J.Castro
	1700	105	J.Castro
	1800	101	J.Castro
	1900	94	J.Castro
	2000	94	J.Castro
	2100	92	J.Castro
	2200	88	E.Valencia
	2300	85	E.Valencia
	2400	82	E.Valencia

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 03 2024	0100	82	E.Valencia
	0200	81	E.Valencia
	0300	78	E.Valencia
	0400	76	E.Valencia
	0500	74	E.Valencia
	0600	76	RS.mn
	0700	79	RS.mn
	0800	81	RS.mn
	0900	84	RS.mn
	1000	90	RS.mn
	1100	97	RS.mn
	1200	102	RS.mn
	1300	103	RS.mn
	1400	104	J.Castro
	1500	100	J.Castro
	1600	106	J.Castro
	1700	105	J.Castro
	1800	102	J.Castro
	1900	100	J.Castro
	2000	95	J.Castro
	2100	91	J.Castro
	2200	91	E.Valencia
	2300	85	E.Valencia
	2400	84	E.Valencia

Date	Time	Temp.	Printed Name
OCT 04 2024	0100	82	E.Valencia
	0200	80	E.Valencia
	0300	77	E.Valencia
	0400	77	E.Valencia
	0500	76	E.Valencia
	0600	75	S.Melvin
	0700	76	S.Melvin
	0800	81	S.Melvin
	0900	87	S.Melvin
	1000	92	S.Melvin
	1100	97	S.Melvin
	1200	99	S.Melvin
	1300	101	S.Melvin
	1400	104	J.W.Hans
	1500	105	J.W.Hans
	1600	105	J.W.Hans
	1700	104	J.W.Hans
	1800	98	J.W.Hans
	1900	95	J.W.Hans
	2000	92	J.W.Hans
	2100	92	J.W.Hans
	2200	86	E.Valencia
	2300	83	E.Valencia
	2400	82	E.Valencia

90°
0950

89@2230
DeACT@2330

90°
0949

89°
2130

Deact@
2230

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 05 2024	0100	82	E.Valencia
	0200	81	E.Valencia
	0300	79	E.Valencia
	0400	78	E.Valencia
	0500	76	E.Valencia
	0600	75	S.Garcia
	0700	77	S.McPain
	0800	84	S.McPain
	0900	89	S.McPain
	1000	95	S.McPain
	1100	98	S.McPain
	1200	101	S.McPain
	1300	105	S.McPain
	1400	107	J.Harris
	1500	108	J.Harris
	1600	108	J.Harris
	1700	104	J.Harris
	1800	99	J.Harris
	1900	95	J.Harris
	2000	93	J.Harris
	2100	90	J.Harris
	2200	88	E.Valencia
	2300	86	E.Valencia
	2400	84	E.Valencia

Date	Time	Temp.	Printed Name
OCT 06 2024	0100	82	E.Valencia
	0200	81	E.Valencia
	0300	80	E.Valencia
	0400	78	E.Valencia
	0500	78	E.Valencia
	0600	76	R.Sims
	0700	79	R.Sims
	0800	82	R.Sims
	0900	85	R.Sims
	1000	89	R.Sims
	1100	94	R.Sims
	1200	99	R.Sims
	1300	106	R.Sims
	1400	109	J.Harris
	1500	109	J.Harris
	1600	108	J.Harris
	1700	107	J.Harris
	1800	102	J.Harris
	1900	96	J.Harris
	2000	91	J.Harris
	2100	88	J.Harris
	2200	86	N.Bradford
	2300	84	N.Bradford
	2400	82	N.Bradford

90° E
10/10

89° A
2030
90° E
10/10
89° A
2030
90° E
10/10
89° A
2030
90° E
10/10

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIPATRIA STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension **5302** when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 07 2024	0100	79	N. Bradford
	0200	77	N. Bradford
	0300	75	N. Bradford
	0400	75	N. Bradford
	0500	75	N. Bradford
	0600	75	R.S. m
	0700	78	R.S. m
	0800	80	R.S. m
	0900	86	R.S. m
	1000	90'	R.S. m
	1100	96	R.S. m
	1200	99	R.S. m
	1300	107	R.S. m
	1400	107	R.Vizcarra
	1500	108	R.Vizcarra
	1600	107	R.Vizcarra
	1700	103	R.Vizcarra
	1800	99	R.Vizcarra
	1900	95	R.Vizcarra
	2000	94	R.Vizcarra
	2100	91	R.Vizcarra
	2200	87	N. Bradford
	2300	82	N. Bradford
	2400	82	N. Bradford

89°
2130

90° decimal
2220

Date	Time	Temp.	Printed Name
OCT 08 2024	0100	80	N. Bradford
	0200	79	N. Bradford
	0300	76	N. Bradford
	0400	78	N. Bradford
	0500	75	N. Bradford
	0600	76	D. Martinez
	0700	74	D. Martinez
	0800	78	D. Martinez
	0900	85	D. Martinez
	1000	89	D. Martinez
	1100	96	D. Martinez
	1200	99	D. Martinez
	1300	103	D. Martinez
	1400	104	R. Vizcarra
	1500	105	R. Vizcarra
	1600	105	R. Vizcarra
	1700	101	R. Vizcarra
	1800	98	R. Vizcarra
	1900	95	R. Vizcarra
	2000	89	R. Vizcarra
	2100	85	R. Vizcarra
	2200	83	F. Martinez
	2300	83	F. Martinez
	2400	82	F. Martinez

90°
@1015

89°
2000

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 09 2024	0100	83	ELMartinez
	0200	83	ELMartinez
	0300	79	ELMartinez
	0400	79	ELMartinez
	0500	75	ELMartinez
	0600	74	R.Silvas
	0700	76	R.Silvas
	0800	80	R.Silvas
	0900	84	R.Silvas
	1000	88	R.Silvas
	1100	92	R.Silvas
	1200	96	R.Silvas
	1300	99	R.Silvas
	1400	100	J.Hollings
	1500	101	J.Hollings
	1600	102	J.Hollings
	1700	102	J.Hollings
	1800	98	J.Hollings
	1900	94	J.Hollings
	2000	88	J.Hollings
	2100	84	J.Hollings
	2200	83	E.Valencia
	2300	79	E.Valencia
	2400	78	E.Valencia

Date	Time	Temp.	Printed Name
OCT 10 2024	0100	77	E.Valencia
	0200	76	E.Valencia
	0300	75	E.Valencia
	0400	75	E.Valencia
	0500	74	E.Valencia
	0600	73	R.Silvas
	0700	71	D.Rivera
	0800	74	D.Rivera
	0900	82	D.Rivera
	1000	88	D.Rivera
	1100	92	D.Rivera
	1200	98	D.Rivera
	1300	100	D.Rivera
	1400	101	D.Rivera
	1500	103	D.Rivera
	1600	102	D.Rivera
	1700	99	D.Rivera
	1800	97	D.Rivera
	1900	91	D.Rivera
	2000	85	D.Rivera
	2100	89	D.Rivera
	2200	84	E.Valencia
	2300	82	E.Valencia
	2400	86	E.Valencia

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIPATRIA STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension **5302** when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 11 2024	0100	79	E.Valencia
	0200	78	E.Valencia
	0300	77	E.Valencia
	0400	74	E.Valencia
	0500	70	E.Valencia
	0600	69	S.McCain
	0700	70	S.McCain
	0800	76	S.McCain
	0900	81	S.McCain
	1000	88	S.McCain
	1100	91	S.McCain
	1200	92	S.McCain
	1300	94	S.McCain
	1400	99	J.Castro
	1500	100	J.Castro
	1600	101	J.Castro
	1700	99	J.Castro
	1800	92	J.Castro
	1900	89	J.Castro
	2000	85	J.Castro
	2100	83	J.Castro
	2200	83	E.Valencia
	2300	81	E.Valencia
	2400	78	E.Valencia

Date	Time	Temp.	Printed Name
OCT 12 2024	0100	77	E.Valencia
	0200	77	E.Valencia
	0300	76	E.Valencia
	0400	76	E.Valencia
	0500	75	E.Valencia
	0600	72	S.McCain
	0700	74	S.McCain
	0800	81	S.McCain
	0900	83	S.McCain
	1000	88	S.McCain
	1100	94	S.McCain
	1200	96	S.McCain
	1300	98	S.McCain
	1400	98	J.Castro
	1500	99	J.Castro
	1600	99	J.Castro
	1700	98	J.Castro
	1800	93	J.Castro
	1900	89	J.Castro
	2000	85	J.Castro
	2100	86	J.Castro
	2200	79	E.Valencia
	2300	77	E.Valencia
	2400	74	E.Valencia

90° deactivated
@ 1942

90°
deactivated
@ 1945

INSTITUTION: **CALIPATRIA STATE PRISON**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: **CENTRAL CONTROL**

Immediately notify the Watch Commander at extension **5302** when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 1 3	0100	73	E.Valencia
	0200	73	E.Valencia
	0300	72	E.Valencia
	0400	69	E.Valencia
	0500	68	E.Valencia
	0600	66	R.Silva
	0700	64	R.Silva
	0800	70	R.Silva
	0900	76	R.Silva
	1000	81	R.Silva
	1100	87	R.Silva
	1200	91	R.Silva
	1300	94	R.Silva
	1400	95	J.Castro
	1500	94	J.Castro
	1600	96	J.Castro
	1700	95	J.Castro
	1800	91	J.Castro
	1900	84	J.Castro
	2000	80	J.Castro
	2100	76	J.Castro
	2200	74	N.Bradford
	2300	73	N.Bradford
	2400	71	N.Bradford

90° deactivated
@ 1938

Date	Time	Temp.	Printed Name
OCT 1 4	0100	69	N.Bradford
	0200	69	N.Bradford
	0300	67	N.Bradford
	0400	65	N.Bradford
	0500	64	N.Bradford
	0600	64	N.Bradford
	0700	65	N.Bradford
	0800	67	N.Bradford
	0900	74	N.Bradford
	1000	80	N.Bradford
	1100	86	N.Bradford
	1200	91	N.Bradford
	1300	92	N.Bradford
	1400	93	R.Vizcarra
	1500	94	R.Vizcarra
	1600	94	R.Vizcarra
	1700	91	R.Vizcarra
	1800	89	R.Vizcarra
	1900	84	R.Vizcarra
	2000	77	R.Vizcarra
	2100	79	R.Vizcarra
	2200	73	N.Bradford
	2300	72	N.Bradford
	2400	72	N.Bradford

90° @
1152

89° @
1740

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 15	0100	72	N Bradford
	0200	69	N Bradford
	0300	69	N Bradford
	0400	67	N Bradford
	0500	67	N Bradford
	0600	64	R.Silva
	0700	65	R.Silva
	0800	69	R.Silva
	0900	77	R.Silva
	1000	81	R.Silva
	1100	85	R.Silva
	1200	88	R.Silva
	1300	91	R.Silva
	1400	93	R.VIZCARRA
	1500	94	R.VIZCARRA
	1600	94	R.VIZCARRA
	1700	92	R.VIZCARRA
	1800	89	R.VIZCARRA
	1900	84	R.VIZCARRA
	2000	81	R.VIZCARRA
	2100	78	R.VIZCARRA
	2200	77	E.Valencia
	2300	74	E.Valencia
	2400	75	E.Valencia

Date	Time	Temp.	Printed Name
OCT 16	0100	74	E.Valencia
	0200	73	E.Valencia
	0300	72	E.Valencia
	0400	70	E.Valencia
	0500	69	E.Valencia
	0600	68	R.Silva
	0700	68	R.Silva
	0800	73	R.Silva
	0900	78	R.Silva
	1000	82	R.Silva
	1100	85	R.Silva
	1200	88	R.Silva
	1300	90	R.Silva
	1400	91	J.Castro
	1500	92	J.Castro
	1600	93	J.Castro
	1700	91	J.Castro
	1800	86	J.Castro
	1900	83	J.Castro
	2000	79	J.Castro
	2100	77	J.Castro
	2200	77	E.Valencia
	2300	75	E.Valencia
	2400	73	E.Valencia

90° deactivated
 @ 1626

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 17	0100	71	E.Valencia
	0200	70	E.Valencia
	0300	69	E.Valencia
	0400	68	E.Valencia
	0500	67	E.Valencia
	0600	66	R.Silva
	0700	66	R.Silva
	0800	69	R.Silva
	0900	75	R.Silva
	1000	77	R.Silva
	1100	80	R.Silva
	1200	83	R.Silva
	1300	82	R.Silva
	1400	86	J.Castro
	1500	87	J.Castro
	1600	87	J.Castro
	1700	84	J.Castro
	1800	80	J.Castro
	1900	78	J.Castro
	2000	74	J.Castro
	2100	72	J.Castro
	2200	71	J.Aguilar
	2300	73	J.Aguilar
	2400	71	J.Aguilar

Date	Time	Temp.	Printed Name
OCT 18	0100	71	J.Aguilar
	0200	71	J.Aguilar
	0300	71	J.Aguilar
	0400	70	J.Aguilar
	0500	68	J.Aguilar
	0600	68	J.Aguilar
	0700	69	F.Rivera
	0800	71	F.Rivera
	0900	76	F.Rivera
	1000	77	F.Rivera
	1100	77	F.Rivera
	1200	79	F.Rivera
	1300	79	F.Rivera
	1400	79	J.Harris
	1500	80	J.Harris
	1600	81	J.Harris
	1700	79	J.Harris
	1800	78	J.Harris
	1900	75	J.Harris
	2000	73	J.Harris
	2100	71	J.Harris
	2200	69	F.Viccarra
	2300	70	F.Viccarra
	2400	65	F.Viccarra

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 19 2024	0100	64	R.VIZCARRA
	0200	64	R.VIZCARRA
	0300	64	R.VIZCARRA
	0400	65	R.VIZCARRA
	0500	66	R.VIZCARRA
	0600	68	B.BECKERD
	0700	68	B.BECKERD
	0800	72	B.BECKERD
	0900	74	B.BECKERD
	1000	78	B.BECKERD
	1100	80	B.BECKERD
	1200	81	B.BECKERD
	1300	82	B.BECKERD
	1400	84	B.BECKERD
	1500	84	R.WITTE
	1600	64	R.WITTE
	1700	74	R.WITTE
	1800	75	R.WITTE
	1900	73	R.WITTE
	2000	70	R.WITTE
	2100	68	R.WITTE
	2200	67	M.WILLIAMS
	2300	67	M.WILLIAMS
	2400	65	M.WILLIAMS

Date	Time	Temp.	Printed Name
OCT 20 2024	0100	65	M.BELTRAN
	0200	63	M.BELTRAN
	0300	60	M.BELTRAN
	0400	60	M.BELTRAN
	0500	58	M.BELTRAN
	0600	59	R.SILVER
	0700	59	R.SILVER
	0800	62	R.SILVER
	0900	66	R.SILVER
	1000	69	R.SILVER
	1100	74	R.SILVER
	1200	79	R.SILVER
	1300	64	R.SILVER
	1400	84	J.HERNANDEZ
	1500	84	J.HERNANDEZ
	1600	84	J.HERNANDEZ
	1700	83	J.HERNANDEZ
	1800	80	J.HERNANDEZ
	1900	74	J.HERNANDEZ
	2000	72	J.HERNANDEZ
	2100	71	J.HERNANDEZ
	2200	70	N.BRADFIELD
	2300	68	N.BRADFIELD
	2400	66	N.BRADFIELD

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 21 2024	0100	64	N.BRADFO
	0200	65	N.BRADFO
	0300	64	N.BRADFO
	0400	63	N.BRADFO
	0500	63	N.BRADFO
	0600	60	R.SILVA
	0700	66	R.SILVA
	0800	64	R.SILVA
	0900	69	R.SILVA
	1000	73	R.SILVA
	1100	79	R.SILVA
	1200	83	R.SILVA
	1300	85	R.VIZCARRA
	1400	86	R.VIZCARRA
	1500	86	R.VIZCARRA
	1600	87	R.VIZCARRA
	1700	84	R.VIZCARRA
	1800	81	R.VIZCARRA
	1900	78	R.VIZCARRA
	2000	75	R.VIZCARRA
	2100	74	R.VIZCARRA
	2200	73	N.BRADFO
	2300	70	N.BRADFO
	2400	68	N.BRADFO

Date	Time	Temp.	Printed Name
OCT 22 2024	0100	66	N.BRADFO
	0200	65	N.BRADFO
	0300	64	N.BRADFO
	0400	62	N.BRADFO
	0500	62	N.BRADFO
	0600	60	R.SILVA
	0700	62	R.SILVA
	0800	64	R.SILVA
	0900	71	R.SILVA
	1000	74	R.SILVA
	1100	79	R.SILVA
	1200	83	R.SILVA
	1300	87	R.SILVA
	1400	90	R.VIZCARRA
	1500	91	R.VIZCARRA
	1600	92	R.VIZCARRA
	1700	89	R.VIZCARRA
	1800	84	R.VIZCARRA
	1900	79	R.VIZCARRA
	2000	78	R.VIZCARRA
	2100	75	R.VIZCARRA
	2200	75	E.Valencia
	2300	73	E.Valencia
	2400	71	E.Valencia

90°@
1345

89°@
1710

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 23	0100	68	E.Valencia
	0200	67	E.Valencia
	0300	65	E.Valencia
	0400	63	E.Valencia
	0500	62	E.Valencia
	0600	62	R.Silva
	0700	65	R.Silva
	0800	68	R.Silva
	0900	73	R.Silva
	1000	77	R.Silva
	1100	81	R.Silva
	1200	86	R.Silva
	1300	89	R.Silva
	1400	91	J.Watson
	1500	93	J.Watson
	1600	92	J.Watson
	1700	90	J.Watson
	1800	85	J.Watson
	1900	81	J.Watson
	2000	79	J.Watson
	2100	77	J.Watson
	2200	74	E.Valencia
	2300	67	E.Valencia
	2400	68	E.Valencia

Date	Time	Temp.	Printed Name
OCT 24	0100	67	E.Valencia
	0200	65	E.Valencia
	0300	63	E.Valencia
	0400	62	E.Valencia
	0500	62	E.Valencia
	0600	62	R.Silva
	0700	62	R.Silva
	0800	65	R.Silva
	0900	72	R.Silva
	1000	78	R.Silva
	1100	83	R.Silva
	1200	86	R.Silva
	1300	88	R.Silva
	1400	91	J.Watson
	1500	91	J.Watson
	1600	91	J.Watson
	1700	90	J.Watson
	1800	85	J.Watson
	1900	81	J.Watson
	2000	78	J.Watson
	2100	77	J.Watson
	2200	76	E.Valencia
	2300	70	E.Valencia
	2400	69	E.Valencia

90° 0
13:06

89° 1718

90° 0
13:40

89° 1715
90° 1815

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 25	0100	68	E Valencia
	0200	65	E Valencia
	0300	63	E Valencia
	0400	64	E Valencia
	0500	60	E Valencia
	0600	62	F Rivera
	0700	64	F Rivera
	0800	65	F Rivera
	0900	73	F Rivera
	1000	81	F Rivera
	1100	84	F Rivera
	1200	82	F Rivera
	1300	90	F Rivera
	1400	92	M. Beltran
	1500	92	M. Morales
	1600	92	M. Morales
	1700	92 89°	M. Morales
	1800	89	M. Morales
	1900	84	M. Morales
	2000	80	M. Morales
	2100	78	M. Morales
	2200	77	M. Beltran
	2300	69	M. Beltran
	2400	68	M. Beltran

Date	Time	Temp.	Printed Name
OCT 26	0100	66	M. Beltran
	0200	64	M. Beltran
	0300	64	M. Beltran
	0400	63	M. Beltran
	0500	63	M. Beltran
	0600	61	S. Garcia
	0700	62	S. Garcia
	0800	63	S. Garcia
	0900	72	S. Garcia
	1000	77	S. Garcia
	1100	75	S. Garcia
	1200	78	S. Garcia
	1300	92	S. Garcia
	1400	93	J. Castro
	1500	94	J. Castro
	1600	94	J. Castro
	1700	91	J. Castro
	1800	86	J. Castro
	1900	86	J. Castro
	2000	79	J. Castro
	2100	77	J. Castro
	2200	75	J. Hernandez
	2300	68	J. Hernandez
	2400	68	J. Hernandez

Deactivated @
1949

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 27	0100	68	J. HERNANDEZ
	0200	67	J. HERNANDEZ
	0300	65	J. HERNANDEZ
	0400	64	J. HERNANDEZ
	0500	63	J. HERNANDEZ
	0600	63	N. BRADFORD
	0700	62	N. BRADFORD
	0800	63	N. BRADFORD
	0900	74	N. BRADFORD
	1000	81	N. BRADFORD
	1100	83	N. BRADFORD
	1200	88	N. BRADFORD
	1300	89	N. BRADFORD
	1400	92	J. CASTRO
	1500	93	J. CASTRO
	1600	91	J. CASTRO
	1700	90	J. CASTRO
	1800	84	J. CASTRO
	1900	81	J. CASTRO
	2000	80	J. CASTRO
	2100	73	J. CASTRO
	2200	72	N. BRADFORD
	2300	68	N. BRADFORD
	2400	68	N. BRADFORD

Date	Time	Temp.	Printed Name
OCT 28	0100	68	R. VIZCARRA
	0200	68	R. VIZCARRA
	0300	67	R. VIZCARRA
	0400	68	R. VIZCARRA
	0500	69	R. VIZCARRA
	0600	68	R. VIZCARRA
	0700	68	R. VIZCARRA
	0800	73	R. VIZCARRA
	0900	79	R. VIZCARRA
	1000	82	R. VIZCARRA
	1100	82	R. VIZCARRA
	1200	84	R. VIZCARRA
	1300	84	R. VIZCARRA
	1400	89	R. VIZCARRA
	1500	89	R. VIZCARRA
	1600	84	R. VIZCARRA
	1700	79	R. VIZCARRA
	1800	74	R. VIZCARRA
	1900	71	R. VIZCARRA
	2000	69	R. VIZCARRA
	2100	69	R. VIZCARRA
	2200	68	N. BRADFORD
	2300	67	N. BRADFORD
	2400	67	N. BRADFORD

90° Deactwated P
1413

90°
1410
89°
1560

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 29	0100	66	N. Bradford
	0200	66	N. Bradford
	0300	66	N. Bradford
	0400	64	N. Bradford
	0500	64	N. Bradford
	0600	64	R.Silva
	0700	62	R.Silva
	0800	65	R.Silva
	0900	68	R.Silva
	1000	70	R.Silva
	1100	71	R.Silva
	1200	73	R.Silva
	1300	75	R.Silva
	1400	77	R.Vizcarra
	1500	77	R.Vizcarra
	1600	76	R.Vizcarra
	1700	73	R.Vizcarra
	1800	70	R.Vizcarra
	1900	68	R.Vizcarra
	2000	65	R.Vizcarra
	2100	65	R.Vizcarra
	2200	62	E.Valencia
	2300	60	E.Valencia
	2400	59	E.Valencia

Date	Time	Temp.	Printed Name
OCT 30	0100	57	E.Valencia
	0200	56	E.Valencia
	0300	55	E.Valencia
	0400	55	E.Valencia
	0500	55	E.Valencia
	0600	53	R.Silva
	0700	53	R.Silva
	0800	56	R.Silva
	0900	66	R.Silva
	1000	67	R.Silva
	1100	73	R.Silva
	1200	75	R.Silva
	1300	79	R.Silva
	1400	78	J.Hicks
	1500	79	J.Hicks
	1600	79	J.Hicks
	1700	77	J.Hicks
	1800	74	J.Hicks
	1900	69	J.Hicks
	2000	67	J.Hicks
	2100	65	J.Hicks
	2200	64	E.Valencia
	2300	60	E.Valencia
	2400	58	E.Valencia

INSTITUTION: CALIPATRIA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCT 31 2024	0100	54	E.Valenzia
	0200	56	E.Valenzia
	0300	57	E.Valenzia
	0400	57	E.Valenzia
	0500	57	E.Valenzia
	0600	55	R.Sauer
	0700	56	R.Sauer
	0800	56	R.Sauer
	0900	60	R.Sauer
	1000	64	R.Sauer
	1100	69	R.Sauer
	1200	74	R.Sauer
	1300	78	J.Bertram
	1400	78	J.Bertram
	1500	79	J.Bertram
	1600	78	R.Witte
	1700	75	R.Witte
	1800	73	R.Witte
	1900	70	R.Witte
	2000	68	R.Witte
	2100	65	R.Witte
	2200	60	R.Aguilera
	2300	58	R.Aguilera
	2400	59	R.Aguilera

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		