

**Monthly Summary Report**Institution: WSP**Memorandum**Date: August 5, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Wasco State Prison- RC

The following is a summary of the heat related activity for the month of July,  
 at WSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: YesNumber of days Stage I Alert initiated: 312. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? YesNumber of days Stage II Alert initiated: 23. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? NoNumber of days Stage III Alert initiated: 04. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 1 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Christian Pfeiffer

Warden Name



Warden Signature

Penny Shank

Chief Executive Officer Name



Chief Executive Officer Signature

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
(01/30)	0100	78	E. Ramirez
	0200	76	E. Ramirez
	0300	74	E. Ramirez
	0400	71	E. Ramirez
	0500	69	E. Ramirez
	0600	69	P. Espinosa
	0700	73	P. Espinosa
	0800	77	P. Espinosa
	0900	80	P. Espinosa
	1000	84	P. Espinosa
	1100	88	P. Espinosa
	1200	91	P. Espinosa
	1300	94	P. Espinosa
	1400	97	C. Bolan
	1500	98	C. Bolan
	1600	99	C. Bolan
	1700	96	C. Bolan
	1800	98	C. Bolan
	1900	96	C. Bolan
	2000	93	C. Bolan
	2100	89	C. Bolan
	2200	88	E. Ramirez
	2300	79	J. Garcia
	2400	78	E. Ramirez

Date	Time	Temp.	Printed Name
7/1 24	0100	76	E. Ramirez
	0200	74	E. Ramirez
	0300	71	J. Garcia
	0400	70	E. Ramirez
	0500	70	E. Ramirez
	0600	71	Gaudynski
	0700	76	Gaudynski
	0800	80	Gaudynski
	0900	85	Gaudynski
	1000	88	Gaudynski
	1100	89	Gaudynski
	1200	93	Gaudynski
	1300	97	Gaudynski
	1400	98	P. Espinosa
	1500	99	P. Espinosa
	1600	99	P. Espinosa
	1700	100	P. Espinosa
	1800	99	P. Espinosa
	1900	95	P. Espinosa
	2000	90	P. Espinosa
	2100	88	P. Espinosa
	2200	86	E. Ramirez
	2300	84	E. Ramirez
	2400	82	E. Ramirez

ACTIVATED 1150

ACTIVATED 1150

DEACTIVATED 2140

DEACTIVATED 2130

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/24	0100	76	E. Ramirez
	0200	75	J. Garcia
	0300	73	J. Garcia
	0400	71	J. Garcia
	0500	71	J. Garcia
	0600	70	Gaudynski
	0700	76	Gaudynski
	0800	81	Gaudynski
	0900	87	Gaudynski
	1000	91	Gaudynski
	1100	94	Gaudynski
	1200	96	Gaudynski
	1300	100	Gaudynski
	1400	101	C. Segaria
	1500	102	C. Segaria
	1600	104	C. Segaria
	1700	104	C. Segaria
	1800	103	C. Segaria
	1900	107	C. Segaria
	2000	102	C. Segaria
	2100	90	C. Segaria
	2200	88	J. Garcia
	2300	85	J. Garcia
	2400	84	J. Garcia

Date	Time	Temp.	Printed Name
7/24	0100	81	J. Garcia
	0200	77	J. Garcia
	0300	77	J. Garcia
	0400	75	J. Garcia
	0500	74	J. Garcia
	0600	72	M. Sturges
	0700	86	M. Sturges
	0800	85	M. Sturges
	0900	89	M. Sturges
	1000	90	M. Sturges
	1100	97	M. Sturges
	1200	100	M. Sturges
	1300	105	M. Sturges
	1400	107	M. Sturges
	1500	108	C. Segaria
	1600	108	C. Segaria
	1700	108	C. Segaria
	1800	108	C. Segaria
	1900	105	C. Segaria
	2000	100	C. Segaria
	2100	97	C. Segaria
	2200	89	E. Garcia
	2300	87	E. Garcia
	2400	85	E. Garcia

ACTIVATED 0945

ACTIVATED 11:00 90°

DEACTIVATED 2200

DEACTIVATED 2300

STATE OF CALIFORNIA  
 OUTSIDE TEMPERATURE RECORD  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
1 4 24	0100	79	J.Garcia
	0200	76	J.Garcia
	0300	79	J.Garcia
	0400	79	J.Garcia
	0500	79	J.Garcia
	0600	72	M.Jones
	0700	79	M.Jones
	0800	82	M.Jones
	0900	89	M.Jones
	1000	92	M.Jones
	1100	94	M.Jones
	1200	99	M.Jones
	1300	103	M.Jones
	1400	104	G.Perez
	1500	110	G.Perez
	1600	110	G.Perez
	1700	111	G.Perez
	1800	116	G.Perez
	1900	106	G.Perez
	2000	102	G.Perez
	2100	98	G.Perez
	2200	93	M.Jones
	2300	90	M.Jones
	2400	88	M.Jones

Date	Time	Temp.	Printed Name
7 S 24 10/1	0100	89	M.Jones
	0200	81	M.Jones
	0300	81	M.Jones
	0400	81	M.Jones
	0500	86	M.Jones
	0600	80	M.Jones
	0700	81	M.Jones
	0800	84	M.Jones
	0900	88	M.Jones
	1000	89	M.Jones
	1100	94	M.Jones
	1200	95	M.Jones
	1300	101	M.Jones
	1400	104	G.Perez
	1500	107	G.Perez
	1600	107	G.Perez
	1700	110	G.Perez
	1800	107	G.Perez
	1900	104	G.Perez
	2000	102	G.Perez
	2100	94	G.Perez
	2200	90	E.Ramirez
	2300	86	E.Ramirez
	2400	83	E.Ramirez

ACTIVATED 90 9DS Hand

ACTIVATED 1025

DEACTIVATED 0000

DEACTIVATED 2315

STATE OF CALIFORNIA  
 OUTSIDE TEMPERATURE RECORD  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7 16 17 18 19 20 21 22 23 24 25	0100	80	E.Snow
	0200	79	E.Snow
	0300	78	E.Ramirez
	0400	77	E.Ramirez
	0500	76	E.Ramirez
	0600	74	Mejia
	0700	75	Mejia
	0800	80	Mejia
	0900	88	Mejia
	1000	100	Mejia
	1100	103	Mejia
	1200	104	Mejia
	1300	107	Mujica
	1400	109	C.B.Garci
	1500	112	C.B.Garci
	1600	113	C.B.Garci
	1700	110	C.B.Garci
	1800	107	C.B.Garci
	1900	104	C.B.Garci
	2000	101	C.B.Garci
	2100	97	C.B.Garci
	2200	91	E.Ramirez
	2300	88	E.Ramirez
	2400	86	E.Snow

Date	Time	Temp.	Printed Name
7 17 18 19 20 21 22 23 24 25	0100	89	E.Snow
	0200	82	E.Snow
	0300	80	E.Snow
	0400	80	E.Snow
	0500	79	E.Snow
	0600	77	Rodriguez
	0700	77	Rodriguez
	0800	81	Rodriguez
	0900	83	Rodriguez
	1000	87	Rodriguez
	1100	102	Rodriguez
	1200	107	Rodriguez
	1300	108	Rodriguez
	1400	110	C.B.GARCI
	1500	113	C.B.GARCI
	1600	115	C.B.GARCI
	1700	114	C.B.GARCI
	1800	113	C.B.GARCI
	1900	110	C.B.GARCI
	2000	106	C.B.GARCI
	2100	99	C.B.GARCI
	2200	95	E.Ramirez
	2300	91	S.Garcia
	2400	87	S.Garcia

ACTIVATED 9/15

ACTIVATED 10/15

DEACTIVATED 23/95

DEACTIVATED 10/15

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/8/24	0100	84	J. Garcia
	0200	84	E. Ramirez
	0300	81	J. Garcia
	0400	78	E. Ramirez
	0500	76	E. Ramirez
	0600	75	C. Bogart
	0700	73	C. Bogart
	0800	77	C. Bogart
	0900	82	C. Bogart
	1000	95	C. Bogart
	1100	100	C. Bogart
	1200	105	C. Bogart
	1300	108	C. Bogart
	1400	110	C. Bogart
	1500	111	C. Bogart
	1600	111	C. Bogart
	1700	110	C. Bogart
	1800	108	C. Bogart
	1900	104	C. Bogart
	2000	99	C. Bogart
	2100	92	C. Bogart
	2200	92	J. Garcia
	2300	87	E. Ramirez
	2400	84	E. Ramirez

Date	Time	Temp.	Printed Name
7/9/24	0100	82	E. Ramirez
	0200	80	E. Ramirez
	0300	78	E. Ramirez
	0400	76	E. Ramirez
	0500	74	E. Ramirez
	0600	74	Mejia
	0700	81	Mejia
	0800	84	Mejia
	0900	88	Mujica
	1000	91	Mujica
	1100	95	Mujica
	1200	99	Mujica
	1300	102	Mujica
	1400	105	C. Bogart
	1500	107	C. Bogart
	1600	107	C. Bogart
	1700	104	C. Bogart
	1800	104	C. Bogart
	1900	103	C. Bogart
	2000	99	C. Bogart
	2100	93	C. Bogart
	2200	89	B. Dahl
	2300	87	B. Dahl
	2400	85	J. Garcia

ACTIVATED 0640 DEACTIVATED 0900

ACTIVATED 0640 DEACTIVATED 0900

DEACTIVATED 2345

DEACTIVATED 2300

STATE OF CALIFORNIA  
 OUTSIDE TEMPERATURE RECORD  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/10/24	0100	83	J Gar
	0200	77	J Gar
	0300	75	J Gar
	0400	74	J Gar
	0500	75	J Gar
	0600	75	Mejis
	0700	76	Mejis
	0800	81	Mejis
	0900	83	Mejis
	1000	86	Mejis
	1100	91	Mujic
	1200	97	Mujic
7/11/24	1300	102	Mujic
	1400	103	Gpr
	1500	105	Gpr
	1600	107	Gpr
	1700	108	Gpr
	1800	106	Gpr
	1900	108	Gpr
	2000	99	Gpr
	2100	93	Gpr
	2200	89	J Gar
	2300	88	J Gar
	2400	85	J Gar

Date	Time	Temp.	Printed Name
7/11/24	0100	83	J Gar
	0200	80	J Gar
	0300	79	J Gar
	0400	78	J Gar
	0500	74	M. Sturges
	0600	75	M. Sturges
	0700	75	M. Sturges
	0800	80	M. Sturges
	0900	88	M. Sturges
	1000	95	M. Sturges
	1100	99	M. Sturges
	1200	101	M. Sturges
7/12/24	1300	105	M. Sturges
	1400	106	M. Sturges
	1500	109	Gpr
	1600	110	Gpr
	1700	109	Gpr
	1800	107	Gpr
	1900	106	Gpr
	2000	103	Gpr
	2100	98	Gpr
	2200	90	Gpr
	2300	88	E. loc
	2400	88	E. loc

ACTIVATED 1045 90°

ACTIVATED 915 90

DEACTIVATED 2245

DEACTIVATED 2330

STATE OF CALIFORNIA  
 OUTSIDE TEMPERATURE RECORD  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/12/24	0100	87	E. Slocum
	0200	89	E. Slocum
	0300	81	E. Slocum
	0400	79	E. Slocum
	0500	76	M. Stoenes
	0600	76	M. Stoenes
	0700	79	M. Stoenes
	0800	82	M. Stoenes
	0900	90	M. Stoenes
	1000	91	M. Stoenes
	1100	95	M. Stoenes
	1200	99	M. Stoenes
	1300	101	M. Stoenes
	1400	103	M. Stoenes
	1500	104	J. Parker
	1600	105	J. Parker
	1700	106	J. Parker
	1800	102	J. Parker
	1900	98	J. Parker
	2000	95	J. Parker
	2100	90	J. Parker
	2200	88	E. Slocum
	2300	87	E. Slocum
	2400	88	E. Slocum

Date	Time	Temp.	Printed Name
7/13/24	0100	86	E. Ramond
	0200	84	E. Ramond
	0300	82	E. Ramond
	0400	81	E. Ramond
	0500	79	E. Ramond
	0600	80	S. Slocum
	0700	82	S. Slocum
	0800	85	S. Slocum
	0900	87	S. Slocum
	1000	90	S. Slocum
	1100	90	S. Slocum
	1200	91	S. Slocum
	1300	95	S. Slocum
	1400	102	S. Slocum
	1500	107	G. Brown
	1600	108	G. Brown
	1700	109	G. Brown
	1800	106	G. Brown
	1900	102	G. Brown
	2000	93	G. Brown
	2100	89	G. Brown
	2200	87	G. Brown
	2300	84	G. Brown
	2400	84	E. Slocum

ACTIVATED 0950

ACTIVATED 0940

DEACTIVATED 2230

DEACTIVATED 2200

STATE OF CALIFORNIA  
 OUTSIDE TEMPERATURE RECORD  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	81	E.Ramirez
	0200	79	E.Ramirez
	0300	76	E.Ramirez
	0400	76	E.Ramirez
	0500	76	E.Ramirez
	0600	74	Sobek
	0700	81	Sobek
	0800	86	Sobek
	0900	87	Sobek
	1000	88	Sobek
	1100	90	Sobek
	1200	95	Sobek
	1300	99	Sobek
	1400	101	C.BOWMAN
	1500	105	C.BOGARIN
	1600	109	C.BOGARIN
	1700	109	C.BOGARIN
	1800	104	C.BOGARIN
	1900	104	C.BOGARIN
	2000	97	C.BOGARIN
	2100	93	C.BOGARIN
	2200	89	E.Ramirez
	2300	86	E.Ramirez
	2400	84	E.Ramirez

Date	Time	Temp.	Printed Name
	0100	82	E.Ramirez
	0200	80	E.Ramirez
	0300	79	E.Ramirez
	0400	78	E.Ramirez
	0500	76	E.Ramirez
	0600	76	Gaudynski
	0700	76	Gaudynski
	0800	78	Gaudynski
	0900	82	Gaudynski
	1000	86	Gaudynski
	1100	89	P.Espinoza
	1200	94	Gaudynski
	1300	96	Gaudynski
	1400	98	P.Espinoza
	1500	101	P.Espinoza
	1600	102	P.Espinoza
	1700	101	P.Espinoza
	1800	100	P.Espinoza
	1900	99	P.Espinoza
	2000	98	P.Espinoza
	2100	90	P.Espinoza
	2200	89	J.Garcia
	2300	82	J.Garcia
	2400	81	J.Garcia

ACTIVATED 1100

ACTIVATED 1115

DEACTIVATED 2200

DEACTIVATED 2245

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/16/2011	0100	74	J.Gar
	0200	77	J.Gar
	0300	74	J.Gar
	0400	74	J.Gar
	0500	73	J.Gar
	0600	72	C.Pn
	0700	72	C.Pn
	0800	74	C.Pn
	0900	78	C.Pn
	1000	81	C.Pn
	1100	85	C.Pn
	1200	90	C.Pn
	1300	94	C.Pn
	1400	97	C.B.GAR
	1500	100	C.B.GAR
	1600	102	C.B.GAR
	1700	102	C.B.GAR
	1800	102	C.B.GAR
	1900	100	C.B.GAR
	2000	97	C.B.GAR
	2100	91	C.B.GAR
	2200	86	J.Gar
	2300	82	J.Gar
	2400	78	J.Gar

ACTIVATED 1200DEACTIVATED 2215

Date	Time	Temp.	Printed Name
7/17/2011	0100	76	J.Gar
	0200	79	J.Gar
	0300	72	J.Gar
	0400	71	J.Gar
	0500	69	J.Gar
	0600	67	C.Pn
	0700	68	C.Pn
	0800	69	C.Pn
	0900	74	C.Pn
	1000	79	C.Pn
	1100	81	C.Pn
	1200	87	C.Pn
	1300	90	C.Pn
	1400	92	C.B.GAR
	1500	97	C.B.GAR
	1600	97	C.B.GAR
	1700	98	C.B.GAR
	1800	96	C.B.GAR
	1900	95	C.B.GAR
	2000	90	C.B.GAR
	2100	89	C.B.GAR
	2200	83	J.Gar
	2300	82	J.Gar
	2400	80	J.Gar

ACTIVATED 1255DEACTIVATED 2150

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/18/24	0100	74	J.Garcia
	0200	73	J.Garcia
	0300	71	J.Garcia
	0400	72	McDaniel
	0500	76	J.Cook
	0600	71	C.P.
	0700	71	C.P.
	0800	75	C.P.
	0900	85	C.P.
	1000	87	C.P.
	1100	88	C.P.
	1200	89	C.P.
	1300	94	C.P.
	1400	98	C.Brown
	1500	100	C.Brown
	1600	101	C.Gordon
	1700	101	C.Gordon
	1800	102	C.Gordon
	1900	101	C.Brown
	2000	97	C.B.Gary
	2100	90	C.T.Garrett
	2200	89	E.Silver
	2300	82	E.Silver
	2400	80	E.Silver

ACTIVATED 1220

DEACTIVATED 2213

Date	Time	Temp.	Printed Name
7/19/24	0100	77	E.Silver
	0200	76	E.Silver
	0300	74	E.Silver
	0400	72	E.Silver
	0500	71	E.Silver
	0600	72	C.P.
	0700	76	C.P.
	0800	82	C.P.
	0900	88	C.P.
	1000	89	C.P.
	1100	92	C.P.
	1200	94	C.P.
	1300	100	C.P.
	1400	101	F.Alvarez
	1500	103	F.Alvarez
	1600	105	F.Alvarez
	1700	98	F.Alvarez
	1800	98	F.Alvarez
	1900	99	F.Alvarez
	2000	99	F.Alvarez
	2100	93	F.Alvarez
	2200	90	F.Alvarez
	2300	87	S.Garcia
	2400	83	E.Silver

ACTIVATED 1008 CP

DEACTIVATED 2250

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7 20 21 24	0100	80	E.Snow
	0200	78	E.Snow
	0300	77	E.Snow
	0400	76	E.Snow
	0500	73	E.Snow
	0600	74	G.Perry
	0700	74	G.Perry
	0800	81	G.Perry
	0900	82	G.Perry
	1000	94	G.Perry
	1100	92	G.Perry
	1200	93	G.Perry
	1300	102	G.Perry
	1400	104	F.Albafo
	1500	105	F.Albafo
	1600	106	F.Albafo
	1700	104	F.Albafo
	1800	103	F.Albafo
	1900	100	F.Albafo
	2000	97	F.Albafo
	2100	94	F.Albafo
	2200	79	E.Snow
	2300	76	E.Snow
	2400	82	E.Snow

ACTIVATED

0940

DEACTIVATED

2245

Date	Time	Temp.	Printed Name
7 21 24	0100	82	E.Snow
	0200	80	E.Snow
	0300	77	E.Snow
	0400	76	E.Snow
	0500	75	E.Snow
	0600	75	S.H.
	0700	78	S.H.
	0800	81	S.H.
	0900	85	S.H.
	1000	88	S.H.
	1100	90	S.H.
	1200	93	S.H.
	1300	97	S.H.
	1400	101	C.Bogard
	1500	103	C.Bogard
	1600	104	C.Bogard
	1700	103	C.Bogard
	1800	103	C.Bogard
	1900	98	C.Bogard
	2000	96	C.Bogard
	2100	92	C.Bogard
	2200	87	J.Garrett
	2300	85	J.Garrett
	2400	82	J.Garrett

ACTIVATED

1050

DEACTIVATED

2225

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/22	0100	89	J.Garcia
	0200	80	J.Garcia
	0300	77	J.Garcia
	0400	76	J.Garcia
	0500	73	J.Garcia
	0600	76	M.Sturges
	0700	80	M.Sturges
	0800	82	M.Sturges
	0900	85	M.Sturges
	1000	89	M.Sturges
	1100	93	M.Sturges
	1200	97	M.Sturges
	1300	102	M.Sturges
	1400	103	M.Sturges
	1500	105	C.Bogard
	1600	107	C.Bogard
	1700	108	C.Bogard
	1800	107	C.Bogard
	1900	104	C.Bogard
	2000	98	C.Bogard
	2100	95	C.Bogard
	2200	90	J.Garcia
	2300	88	E.Ramirez
	2400	85	E.Ramirez

Date	Time	Temp.	Printed Name
7/23	0100	80	E.Ramirez
	0200	77	E.Ramirez
	0300	77	E.Ramirez
	0400	77	E.Ramirez
	0500	77	E.Ramirez
	0600	78	M.Sturges
	0700	81	M.Sturges
	0800	86	M.Sturges
	0900	90	M.Sturges
	1000	95	M.Sturges
	1100	99	M.Sturges
	1200	101	M.Sturges
	1300	104	M.Sturges
	1400	107	C.Bogard
	1500	109	C.Bogard
	1600	110	C.Bogard
	1700	108	C.Bogard
	1800	109	C.Bogard
	1900	108	C.Bogard
	2000	102	C.Bogard
	2100	98	C.Bogard
	2200	97	E.Ramirez
	2300	92	E.Ramirez
	2400	90	J.Garcia

ACTIVATED 1015

ACTIVATED 0846

DEACTIVATED 2330

DEACTIVATED 0115

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/24	0100	89	J.Garci
	0200	86	J.Garci
	0300	86	J.Garci
	0400	84	J.Garci
	0500	80	J.Garci
	0600	80	M.Schroes
	0700	83	M.Schroes
	0800	85	M.Schroes
	0900	91	M.Schroes
	1000	95	M.Schroes
	1100	98	M.Schroes
	1200	101	M.Schroes
	1300	105	M.Schroes
	1400	106	M.Schroes
	1500	108	C.Park
	1600	109	C.Park
	1700	108	C.Park
	1800	109	C.Park
	1900	104	C.Park
	2000	106	C.Park
	2100	97	C.Park
	2200	93	S.Garcia
	2300	93	J.Garci
	2400	89	J.Garci

ACTIVATED 0900  $90^{\circ}$

DEACTIVATED 0030

Date	Time	Temp.	Printed Name
7/24	0100	88	J.Garci
	0200	86	J.Garci
	0300	83	J.Garci
	0400	81	J.Garci
	0500	80	J.Garci
	0600	78	Gaudynski
	0700	80	Gaudynski
	0800	84	Gaudynski
	0900	90	Gaudynski
	1000	94	Gaudynski
	1100	99	Gaudynski
	1200	101	Gaudynski
	1300	102	Gaudynski
	1400	105	C.Park
	1500	107	C.Park
	1600	108	C.Park
	1700	109	C.Park
	1800	105	C.Park
	1900	107	C.Park
	2000	100	C.Park
	2100	94	C.Park
	2200	90	J.Davis
	2300	88	J.Park
	2400	89	J.Park

ACTIVATED 0430

DEACTIVATED 2315

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7 26 27 28	0100	83	Elyon
	0200	80	Elyon
	0300	78	Elyon
	0400	76	Elyon
	0500	74	Elyon
	0600	74	M. Stevens
	0700	78	M. Stevens
	0800	80	M. Stevens
	0900	87	M. Stevens
	1000	90	M. Stevens
	1100	93	M. Stevens
	1200	96	M. Stevens
	1300	100	M. Stevens
	1400	100	G. Dr
	1500	101	G. Dr
	1600	103	G. Dr
	1700	106	G. Dr
	1800	106	G. Dr
	1900	104	G. Dr
	2000	100	G. Dr
	2100	90	G. Dr
	2200	85	Elyon
	2300	81	Elyon
	2400	79	Elyon

ACTIVATED 1000

DEACTIVATED 2215

Date	Time	Temp.	Printed Name
7 27 28 29	0100	75	Elyon
	0200	72	Elyon
	0300	70	Elyon
	0400	68	Elyon
	0500	66	Elyon
	0600	66	Gaudioso
	0700	66	Gaudioso
	0800	70	Gaudioso
	0900	75	Gaudioso
	1000	80	Gaudioso
	1100	87	Gaudioso
	1200	90	Gaudioso
	1300	93	Gaudioso
	1400	93	M. Valencia
	1500	98	M. Valencia
	1600	95	M. Medina
	1700	85	U. Medina
	1800	85	U. Medina
	1900	85	U. Medina
	2000	85	U. Medina
	2100	82	Elyon
	2200	79	Elyon
	2300	75	Elyon
	2400	72	E. Ramirez

ACTIVATED 1145

DEACTIVATED 1630

STATE OF CALIFORNIA  
 OUTSIDE TEMPERATURE RECORD  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7 28 24	0100	64	E.Ramirez
	0200	67	E.Ramirez
	0300	65	E.Ramirez
	0400	67	E.Ramirez
	0500	63	E.Ramirez
	0600	63	E.Ramirez
	0700	66	E.Ramirez
	0800	70	E.Ramirez
	0900	75	E.Ramirez
	1000	78	E.Ramirez
	1100	82	E.Ramirez
	1200	85	P.Gordon
	1300	87	P.Gordon
	1400	89	C.B.Garcia
	1500	90	C.B.Garcia
	1600	90	C.B.Garcia
	1700	96	C.B.Garcia
	1800	93	C.B.Garcia
	1900	92	C.B.Garcia
	2000	89	C.B.Garcia
	2100	80	C.B.Garcia
	2200	77	E.Ramirez
	2300	76	E.Ramirez
	2400	75	E.Ramirez

Date	Time	Temp.	Printed Name
7 29 24	0100	71	E.Ramirez
	0200	69	E.Ramirez
	0300	67	E.Ramirez
	0400	65	E.Ramirez
	0500	64	E.Ramirez
	0600	64	M.Stevens
	0700	68	M.Stevens
	0800	71	M.Stevens
	0900	76	M.Stevens
	1000	78	M.Stevens
	1100	83	M.Stevens
	1200	88	M.Stevens
	1300	90	M.Stevens
	1400	93	M.Stevens
	1500	95	J.Parikh
	1600	97	J.Parikh
	1700	95	J.Parikh
	1800	93	J.Parikh
	1900	91	J.Parikh
	2000	89	J.Parikh
	2100	87	J.Garcia
	2200	82	J.Garcia
	2300	79	E.Ramirez
	2400	75	J.Garcia

ACTIVATED 1500

ACTIVATED 1230

DEACTIVATED 2100

DEACTIVATED 2100

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/30/24	0100	73	E. Ramirez
	0200	70	J. Garcia
	0300	70	J. Garcia
	0400	70	J. Garcia
	0500	65	J. Garcia
	0600	64	Gaudynski
	0700	70	Gaudynski
	0800	76	Gaudynski
	0900	79	Gaudynski
	1000	82	Gaudynski
	1100	84	Gaudynski
	1200	89	Gaudynski
	1300	92	Gaudynski
	1400	94	G. P.
	1500	94	G. P.
	1600	95	G. P.
	1700	94	G. P.
	1800	94	G. P.
	1900	94	G. P.
	2000	90	G. P.
	2100	85	G. P.
	2200	81	J. Gau
	2300	79	E. Ramirez
	2400	77	E. Ramirez

Date	Time	Temp.	Printed Name
7/31/24	0100	76	E. Ramirez
	0200	76	E. Ramirez
	0300	74	E. Ramirez
	0400	72	E. Ramirez
	0500	70	E. Ramirez
	0600	69	M. Sturges
	0700	71	M. Sturges
	0800	73	M. Sturges
	0900	81	M. Sturges
	1000	85	M. Sturges
	1100	88	M. Sturges
	1200	91	M. Sturges
	1300	93	M. Sturges
	1400	97	M. Sturges
	1500	99	G. P.
	1600	100	G. P.
	1700	100	G. P.
	1800	98	G. P.
	1900	95	G. P.
	2000	93	G. P.
	2100	97	G. P.
	2200	87	G. P.
	2300	80	G. P.
	2400	78	G. P.

ACTIVATED 1245

DEACTIVATED 2105

ACTIVATED 1145

DEACTIVATED 2130

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1 - A SIDE Temp. Reading Location: 1<sup>ST</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
<u>7/1/24</u>	0300	73	C. Lomeli
	0600	75	BETANCOURT
	0900	78	BETANCOURT
	1200	79	BETANCOURT
	1500	80	M. Garcia
	1800	80	M. Garcia
	2100	80	M. Garcia
	2400	80	C. Lomeli

#### Tuesday

Date	Time	Temp.	Name (Print)
<u>7/2/24</u>	0300	77	C. Lomeli
	0600	77	Perry
	0900	78	Perry
	1200	78	Perry
	1500	78	R. Rice
	1800	78	R. Rice
	2100	77	R. Rice
	2400	77	R. Rice

#### Wednesday

Date	Time	Temp.	Name (Print)
<u>7/3/24</u>	0300	77	R. Rice
	0600	77	T. Pitts
	0900	77	T. Pitts
	1200	77	T. Pitts
	1500	78	Dunne
	1800	78	Dunne
	2100	78	Dunne
	2400	78	Martinez

#### Thursday

Date	Time	Temp.	Name (Print)
<u>7/4/24</u>	0300	77	Martinez
	0600	77	O'BRIER
	0900	78	O'BRIER
	1200	78	O'BRIER
	1500	78	Dunne
	1800	78	Dunne
	2100	78	Dunne
	2400	78	Martinez

#### Friday

Date	Time	Temp.	Name (Print)
<u>7/5/24</u>	0300	78	Dunne
	0600	74	BETANCOURT
	0900	74	BETANCOURT
	1200	78	BETANCOURT
	1500	79	Dunne
	1800	79	Dunne
	2100	78	Dunne
	2400	77	Dunne

#### Saturday

Date	Time	Temp.	Name (Print)
<u>7/6/24</u>	0300	77	Dunne
	0600	79	BETANCOURT
	0900	80	BETANCOURT
	1200	80	BETANCOURT
	1500	80	Dunne
	1800	80	Dunne
	2100	79	Dunne
	2400	78	Dunne

#### Sunday

Date	Time	Temp.	Name (Print)
<u>7/7/24</u>	0300	77	Dunne
	0600	79	BETANCOURT
	0900	80	BETANCOURT
	1200	80	BETANCOURT
	1500	80	Rice
	1800	80	Rice
	2100	80	Rice
	2400	80	Martinez

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1 A-SIDE Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/8/24	0300	78	MAMANAS
	0600	79	BETANCOURT
	0900	80	BETANCOURT
	1200	80	BETANCOURT
	1500	80	Rice
	1800	80	Rice
	2100	80	Rice
	2400	79	Rice

**Tuesday**

Date	Time	Temp.	Name (Print)
7/9/24	0300	78	Rice
	0600	77	T-PITS
	0900	77	T-PITS
	1200	80	T-PITS
	1500	80	Rice
	1800	80	Rice
	2100	80	Rice
	2400	78	Rice

**Wednesday**

Date	Time	Temp.	Name (Print)
7/10/24	0300	77	Rice
	0600	75	M.ZAMORA
	0900	76	M.ZAMORA
	1200	77	M.ZAMORA
	1500	76	J.AGUILAR
	1800	77	J.AGUILAR
	2100	76	J.AGUILAR
	2400	77	Hernandez

**Thursday**

Date	Time	Temp.	Name (Print)
7/11/24	0300	77	Hernandez
	0600	76	M.ZAMORA
	0900	76	M.ZAMORA
	1200	79	M.ZAMORA
	1500	82	J.AGUILAR
	1800	80	J.AGUILAR
	2100	78	J.AGUILAR
	2400	76	J.AGUILAR

**Friday**

Date	Time	Temp.	Name (Print)
7/12/24	0300	77	Hernandez
	0600	78	BETANCOURT
	0900	79	BETANCOURT
	1200	80	BETANCOURT
	1500	80	Dunne
	1800	80	Dunne
	2100	78	Dunne
	2400	77	Dunne

**Saturday**

Date	Time	Temp.	Name (Print)
7/13/24	0300	77	Dunne
	0600	78	BETANCOURT
	0900		BETANCOURT
	1200		BETANCOURT
	1500	80	Dunne
	1800	80	Dunne
	2100	79	Dunne
	2400	77	Dunne

**Sunday**

Date	Time	Temp.	Name (Print)
7/14/24	0300	77	Dunne
	0600	77	T-PITS
	0900	77	T-PITS
	1200	77	T-PITS
	1500	78	E.TELAYA
	1800	80	E.TELAYA
	2100	80	E.TELAYA
	2400	79	M.Dunne

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C1 Temp. Reading Location: 1st Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-15-24	0300	78	M. Dunne
	0600	78	BETANCOURT
	0900	78	BETANCOURT
	1200	79	DYLAN COURT
	1500	79	R. Rice
	1800	79	R. Rice
	2100	78	R. Rice
	2400	78	R. Rice

Tuesday

Date	Time	Temp.	Name (Print)
7-16-24	0300	77	R. Rice
	0600	78	G. EARNEST
	0900	78	G. EARNEST
	1200	78	G. EARNEST
	1500	78	R. Rice
	1800	78	R. Rice
	2100	77	R. Rice
	2400	76	R. Rice

Wednesday

Date	Time	Temp.	Name (Print)
7-17-24	0300	75	R. Rice
	0600	73	M. ZAMORA
	0900	74	M. ZAMORA
	1200	75	M. ZAMORA
	1500	75	R. Montoya
	1800	75	R. Montoya
	2100	74	R. Montoya
	2400	74	M. Leen

Thursday

Date	Time	Temp.	Name (Print)
7-18-24	0300	72	M. Leen
	0600	72	M. Leen
	0900	73	M. ZAMORA
	1200	74	M. ZAMORA
	1500	76	R. Montoya
	1800	76	R. Montoya
	2100	76	R. Montoya
	2400	77	Hernandez

Friday

Date	Time	Temp.	Name (Print)
7-19-24	0300	77	Hernandez
	0600	77	BETAN COURT
	0900	78	BETAN COURT
	1200	78	BETAN COURT
	1500	79	Dunne
	1800	79	Dunne
	2100	77	Dunne
	2400	76	Dunne

Saturday

Date	Time	Temp.	Name (Print)
7-20-24	0300	75	Dunne
	0600	75	BETAN COURT
	0900	76	BETAN COURT
	1200	78	BETAN COURT
	1500	79	Dunne
	1800	80	Dunne
	2100	78	Dunne
	2400	77	Dunne

Sunday

Date	Time	Temp.	Name (Print)
7-21-24	0300	76	Dunne
	0600	78	BETAN COURT
	0900	76	BETAN COURT
	1200	77	BETAN COURT
	1500	78	R. Rice
	1800	79	R. Rice
	2100	78	R. Rice
	2400	79	M. Dunne

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C1-A Temp. Reading Location: 1<sup>st</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
7-22-24	0300	78	Dunne
	0600	78	J. Perez
	0900	79	Perez
	1200	81	Perez
	1500	85	Rice
	1800	78	Rice
	2100	78	Rice
	2400	78	Rice

Tuesday			
Date	Time	Temp.	Name (Print)
7-23-24	0300	78	R. Rice
	0600	78	J. Perez
	0900	79	J. Perez
	1200	80	J. Perez
	1500	80	R. Rice
	1800	80	R. Rice
	2100	80	R. Rice
	2400	79	R. Rice

Wednesday			
Date	Time	Temp.	Name (Print)
7-24-24	0300	80	R. Rice
	0600	80	T. Pitts
	0900	80	T. Pitts
	1200	80	T. Pitts
	1500	80	Dunne
	1800	80	Dunne
	2100	79	Dunne
	2400	77	Hernandez

Thursday			
Date	Time	Temp.	Name (Print)
7-25-24	0300	79	Hernandez
	0600	84	M. Zamora
	0900	84	M. Zamora
	1200	85	M. Zamora
	1500	85	V. Medina
	1800	85	V. Medina
	2100	85	V. Medina
	2400	78	Hernandez

Friday			
Date	Time	Temp.	Name (Print)
7-26-24	0300	78	Hernandez
	0600	78	E. Bustos
	0900	78	E. Bustos
	1200	78	E. Bustos
	1500	80	M. Dunne
	1800	80	Dunne
	2100	79	Dunne
	2400	79	Dunne

Saturday			
Date	Time	Temp.	Name (Print)
7-27-24	0300	77	Dunne
	0600	78°	E. Bustos
	0900	79°	E. Bustos
	1200	80°	E. Bustos
	1500	81	Dunne
	1800	82	Dunne
	2100	79	Dunne
	2400	77	Dunne

Sunday			
Date	Time	Temp.	Name (Print)
7-28-24	0300	77	Dunne
	0600	77°	E. Bustos
	0900	78°	E. Bustos
	1200	79°	E. Bustos
	1500	83	R. Rice
	1800	83	R. Rice
	2100	83	R. Rice
	2400	80	U. Ortega

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7-29	0300		
	0600		
	0900		
	1200		
	1500	82	R. Rice
	1800	82	R. Rice
	2100	82	R. Rice
	2400	81	R. Rice

**Tuesday**

Date	Time	Temp.	Name (Print)
7-30	0300	81	R. Rice
	0600	81	GANNON
	0900	81	GANNON
	1200	82	
	1500	82	
	1800	83	
	2100	82	
	2400	82	

**Wednesday**

Date	Time	Temp.	Name (Print)
7-31	0300	83	
	0600	83	M. ZAMORA
	0900	83	M. ZAMORA
	1200	83	M. ZAMORA
	1500	83	F. GONZALEZ
	1800	83	F. GONZALEZ
	2100	82	F. GONZALEZ
	2400	81	F. HERNANDEZ

**Thursday**

Date	Time	Temp.	Name (Print)
8-1	0300	81	F. HERNANDEZ
	0600	83	M. ZAMORA
	0900	82	M. ZAMORA
	1200	83	M. ZAMORA
	1500	83	F. GONZALEZ
	1800	83	F. GONZALEZ
	2100	81	F. GONZALEZ
	2400	80	Fernandez

**Friday**

Date	Time	Temp.	Name (Print)
8-2	0300	79	fernand
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8-3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8-4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RK Housing Unit: C1 F12 Temp. Reading Location: 1st Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1/1	0300	72	K Smith
	0600	72	A. ATILANO
	0900	73	A. ATILANO
	1200	74	A. ATILANO
	1500	74	J. RAMIREZ
	1800	74	J. RAMIREZ
	2100	74	J. RAMIREZ
	2400	74	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
1/2	0300	72	K Smith
	0600	73	Garrison, S
	0900	75°	Garrison, S
	1200	76	Garrison, S
	1500	76	V. ROMERO
	1800	76	J. RAMIREZ
	2100	77	J. RAMIREZ
	2400	75	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
1/3	0300	72	K Smith
	0600	77°	Cte
	0900	77°	Cte
	1200	78°	Cte
	1500	78°	J. RAMIREZ
	1800	78	J. RAMIREZ
	2100	78	J. RAMIREZ
	2400	76	K Smith

Thursday

Date	Time	Temp.	Name (Print)
1/4	0300	74°	K Smith
	0600	76°	Cte
	0900	78°	Cte
	1200	78°	Cte
	1500	77	J. RAMIREZ
	1800	76	J. RAMIREZ
	2100	76	J. RAMIREZ
	2400	75°	Cte

Friday

Date	Time	Temp.	Name (Print)
1/5	0300	78°	Cte
	0600	75°	Cte
	0900	78°	Cte
	1200	79°	Cte
	1500	79	A. GONZALEZ
	1800	79	A. GONZALEZ
	2100	79	A. GONZALEZ
	2400	79	Cte

Saturday

Date	Time	Temp.	Name (Print)
1/6	0300	78	F. ORTIZ
	0600	78°	F. Cte
	0900	80°	F. Cte
	1200	80°	F. Cte
	1500	80	M. Garcia
	1800	80	M. Garcia
	2100	80	M. Garcia
	2400	80	F. ORTIZ

Sunday

Date	Time	Temp.	Name (Print)
1/7	0300	80	F. ORTIZ
	0600	80°	Cte
	0900	80°	Cte
	1200	80°	Cte
	1500	80°	PONCE
	1800	80°	PONCE
	2100	80°	PONCE
	2400	78	K Smith

Notes

---



---



---



---



---



---



---



---

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CDSP-RC Housing Unit: C1 F12 Temp. Reading Location: 1st Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 605 when the inside air temperature reaches 90 degrees and again at 95 degrees.

<b>Monday</b>			
Date	Time	Temp.	Name (Print)
7/8	0300	74	K Smith
	0600	74	A. ATILANO
	0900	75	A. ATILANO
	1200	75	A. ATILANO
	1500	80	MACIEL J.
	1800	80	MACIEL J.
	2100	80	MACIEL J.
	2400	78	K Smith

<b>Tuesday</b>			
Date	Time	Temp.	Name (Print)
7/9	0300	78	K Smith
	0600	78	A. ATILANO
	0900	78	A. ATILANO
	1200	79	A. ATILANO
	1500	80	MACIEL J.
	1800	80	MACIEL J.
	2100	80	MACIEL J.
	2400	78	K Smith

<b>Wednesday</b>			
Date	Time	Temp.	Name (Print)
7/10	0300	76	K Smith
	0600	78	Cote
	0900	78	Cote
	1200	78	Cote
	1500	80	MACIEL J.
	1800	80	MACIEL J.
	2100	80	MACIEL J.
	2400	76	K Smith

<b>Thursday</b>			
Date	Time	Temp.	Name (Print)
7/11	0300	74	K Smith
	0600	76	Kota
	0900	78	F.C.
	1200	79	F.C.
	1500	80	MACIEL J.
	1800	80	MACIEL J.
	2100	80	MACIEL J.
	2400	80	K Smith

<b>Friday</b>			
Date	Time	Temp.	Name (Print)
7/12	0300	76	K Smith
	0600	78	Cote
	0900	78	Cote
	1200	79	Cote
	1500	79	A. Gonzales
	1800	79	A. Gonzales
	2100	79	A. Gonzales
	2400	78	Hernandez

<b>Sunday</b>			
Date	Time	Temp.	Name (Print)
7/14	0300	80	F. ORTIZ
	0600	79	Martinez
	0900	79	Martinez
	1200	79	Martinez
	1500	80	MACIEL J.
	1800	80	MACIEL J.
	2100	80	MACIEL J.
	2400	80	K Smith

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**Attachment B**  
**OP #37**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COSP-RC Housing Unit: C1 E12 Temp. Reading Location: 1st Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/15	0300	76	K Smith
	0600	77	A. ATILANO
	0900	78	A. ATILANO
	1200	79	A. ATILANO
	1500	78	J. AGUILAR
	1800	79	J. AGUILAR
	2100	78	J. AGUILAR
	2400	76	K Smith

**Wednesday**

Date	Time	Temp.	Name (Print)
7/17	0300	70	K Smith
	0600	72°	F. Cota
	0900	72°	F. Cota
	1200	72°	F. Cota
	1500	72°	J. RAMIREZ
	1800	72°	J. RAMIREZ
	2100	72°	J. RAMIREZ
	2400	70	K Smith

**Friday**

Date	Time	Temp.	Name (Print)
7/19	0300	76	K Smith
	0600	85°	F. Cota
	0900	85°	F. Cota
	1200	85°	F. Cota
	1500	85	A. GONZALES
	1800	85	A. GONZALES
	2100	85	A. GONZALES
	2400	84	K Smith

**Sunday**

Date	Time	Temp.	Name (Print)
7/21	0300	85	F. ORTIZ
	0600	85°	F. Cota
	0900	85°	F. Cota
	1200	85°	F. Cota
	1500	85	J. RAMIREZ
	1800	85	J. RAMIREZ
	2100	85	J. RAMIREZ
	2400	83	K Smith

**Tuesday**

Date	Time	Temp.	Name (Print)
7/16	0300	76	K Smith
	0600	77	A. ATILANO
	0900	78	A. ATILANO
	1200	78	A. ATILANO
	1500	73	J. RAMIREZ
	1800	73	J. RAMIREZ
	2100	73	J. RAMIREZ
	2400	72	K Smith

**Thursday**

Date	Time	Temp.	Name (Print)
7/18	0300	70	K Smith
	0600	80°	Cota
	0900	85°	Cota
	1200	85°	Cota
	1500	80	J. RAMIREZ
	1800	80	J. RAMIREZ
	2100	80	J. RAMIREZ
	2400	76	K Smith

**Saturday**

Date	Time	Temp.	Name (Print)
7/20	0300	83	K Smith
	0600	82°	F. Cota
	0900	83	Cota
	1200	83	Cota
	1500	86	A. GONZALES
	1800	87	A. GONZALES
	2100	86	A. GONZALES
	2400	85	F. ORTIZ

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (6/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**Attachment B**  
**OP #37**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-R Housing Unit: C1 F12 Temp. Reading Location: 1st Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/22	0300	76	K. Smith
	0600	74	A. ATLAND
	0900	76	A. ATLAND
	1200	78	A. ATLAND
	1500	80	J. RAMIREZ
	1800	80	J. RAMIREZ
	2100	80	J. RAMIREZ
	2400	78	K. Smith

**Wednesday**

Date	Time	Temp.	Name (Print)
7/24	0300	76	K. Smith
	0600	78	F. Cota
	0900	79	F. Cota
	1200	79	F. Cota
	1500	79	RAMIREZ
	1800	79	RAMIREZ
	2100	79	RAMIREZ
	2400	78	K. Smith

**Friday**

Date	Time	Temp.	Name (Print)
7/26	0300	76	K. Smith
	0600	77	F. Cota
	0900	78	F. Cota
	1200	79	F. Cota
	1500	79	A. GONZALES
	1800	79	A. GONZALES
	2100	79	A. GONZALES
	2400	79	F. SANTO

**Sunday**

Date	Time	Temp.	Name (Print)
7/28	0300	78	K. Smith
	0600	78	K. Smith
	0900	77	F. Cota
	1200	79	F. Cota
	1500	79	J. RAMIREZ
	1800	79	J. RAMIREZ
	2100	79	J. RAMIREZ
	2400	78	K. Smith

**Tuesday**

Date	Time	Temp.	Name (Print)
7/23	0300	76	K. Smith
	0600	76	A. ATLAND
	0900	77	A. ATLAND
	1200	78	A. ATLAND
	1500	80	J. RAMIREZ
	1800	80	J. RAMIREZ
	2100	80	J. RAMIREZ
	2400	78	K. Smith

**Thursday**

Date	Time	Temp.	Name (Print)
7/25	0300	76	K. Smith
	0600	77	F. Cota
	0900	78	F. Cota
	1200	79	F. Cota
	1500	80	RAMIREZ
	1800	80	RAMIREZ
	2100	79	RAMIREZ
	2400	78	K. Smith

**Saturday**

Date	Time	Temp.	Name (Print)
7/27	0300	79	K. Smith
	0600	78	K. Smith
	0900	78	F. Cota
	1200	78	F. Cota
	1500	79	A. GONZALES
	1800	79	A. GONZALES
	2100	79	A. GONZALES
	2400	78	K. Smith

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**Attachment B**  
**OP #37**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COSP-RC Housing Unit: C1 F12 Temp. Reading Location: 1st Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
0300	76	K Smith	
0600	76	A. ATILANO	
0900	77	ATILANO	
1200	77	ATILANO	
1500	77	J. RAMIREZ	
1800	77	J. RAMIREZ	
2100	77	J. RAMIREZ	
2400	76	K Smith	

**Wednesday**

Date	Time	Temp.	Name (Print)
0300	76	K Smith	
0600	77	Cole	
0900	78	Cole	
1200	78	Cole	
1500	77	RAMIREZ	
1800	77	RAMIREZ	
2100	77	RAMIREZ	
2400	77	A. M. OCHOA	

**Friday**

Date	Time	Temp.	Name (Print)
0300	78	A.M. OCHOA	
0600			
0900			
1200			
1500			
1800			
2100			
2400			

**Sunday**

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

**Tuesday**

Date	Time	Temp.	Name (Print)
0300	76	K Smith	
0600	76	A. ATILANO	
0900	77	ATILANO	
1200	77	ATILANO	
1500	78	RAMIREZ	
1800	78	RAMIREZ	
2100	78	RAMIREZ	
2400	76	K Smith	

**Thursday**

Date	Time	Temp.	Name (Print)
0300	76	A. M. OCHOA	
0600	76	Cole	
0900	78	Cole	
1200	78	Cole	
1500	78	RAMIREZ	
1800	78	RAMIREZ	
2100	78	RAMIREZ	
2400	78	RAMIREZ	

**Saturday**

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

**Notes**

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

- Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C-2-A Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	78°	E. LOZANO
	0600	79	R. LEE
	0900	80	R. LEE
	1200	80	R. LEE
	1500	80	A. Gonzales
	1800	80	A. Gonzales
	2100	80	A. Gonzales
	2400	80	E. LOZANO

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	78°	E. LOZANO
	0600	79	R. LEE
	0900	80	R. LEE
	1200	81	R. LEE
	1500	81	H. Ahmed
	1800	81	H. Ahmed
	2100	82	H. Ahmed
	2400	81	T. Henwood

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	80	T. Henwood
	0600	81	R. LEE
	0900	82	R. LEE
	1200	83	R. LEE
	1500	83	H. Ahmed
	1800	83	H. Ahmed
	2100	82	H. Ahmed
	2400	82	T. Henwood

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	80	T. Henwood
	0600	80	R. LEE
	0900	81	R. LEE
	1200	82	R. LEE
	1500	82	H. Ahmed
	1800	83	H. Ahmed
	2100	82	H. Ahmed
	2400	81	T. Henwood

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	81	T. Henwood
	0600	81	R. LEE
	0900	82	R. LEE
	1200	83	R. LEE
	1500	79	E. Gonzales
	1800	82	E. Gonzales
	2100		
	2400	81	T. Henwood

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	80	T. Henwood
	0600	80	S. JONES
	0900	80	S. JONES
	1200	81	H. Ahmed
	1500	81	H. Ahmed
	1800	81	H. Ahmed
	2100	80	H. Ahmed
	2400	80	T. Henwood

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	80	T. Henwood
	0600	80	M. RIOS
	0900	81	M. RIOS
	1200	82	M. RIOS
	1500	83	C. LUMEN
	1800	83	C. LUMEN
	2100	82	C. LUMEN
	2400	80	E. LOZANO

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

- Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C-2-A

Temp. Reading Location: 1<sup>st</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 608 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	80°	E. LOZANO
	0600	81	R. LEE
	0900	82	R. LEE
	1200	82	R. LEE
	1500	84-	GONZALEZ
	1800	84-	GONZALEZ
	2100	82°	GONZALEZ
	2400	82°	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	77	T. Henwood
	0600	79	R. LEE
	0900	80	R. LEE
	1200	81	R. LEE
	1500	84	B. Brown
	1800	83	B. Brown
	2100	84	B. Brown
	2400	81	T. Henwood

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	81	T. Henwood
	0600	82	R. LEE
	0900	82	R. LEE
	1200	83	R. LEE
	1500	85	B. Brown
	1800	84	B. Brown
	2100	84	T. Henwood
	2400	82	T. Henwood

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	80	T. Henwood
	0600	80	H. AGUADO
	0900	80	H. AGUADO
	1200	79	H. AGUADO
	1500	79	C. LUMELI
	1800	81	C. LUMELI
	2100	81	C. LUMELI
	2400	81	E. LOZANO

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	80°	E. LOZANO
	0600	81	R. LEE
	0900	82	R. LEE
	1200	83	R. LEE
	1500	83	D. Hagan
	1800	82	D. Hagan
	2100	83	D. Hagan
	2400	78	T. Henwood

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	81	T. Henwood
	0600	81	R. LEE
	0900	82	R. LEE
	1200	83	R. LEE
	1500	84	D. Hagan
	1800	85	D. Hagan
	2100	84	D. Hagan
	2400	80	T. Henwood

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	80	T. Henwood
	0600	86	J. Perez
	0900	82	J. Perez
	1200	83	J. Perez
	1500	80	C. Brown
	1800	88	C. Brown
	2100	81	B. Brown
	2400	81	T. Henwood

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

- Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C-2-A Temp. Reading Location: 1<sup>ST</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 680 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	80°	E. LOZANO
	0600	80	R-LEF
	0900	81	R-LEF
	1200	81	R-LEF
	1500	92	B. LOZANO
	1800	93	B. LOZANO
	2100	92	B. LOZANO
	2400	80	E. LOZANO

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	78°	E. LOZANO
	0600	79	R-LEF
	0900	80	R-LEF
	1200	80	R-LEF
	1500	83	D. HOLLOWAY
	1800	84	D. HOLLOWAY
	2100	84	D. HOLLOWAY
	2400	83	T. HENWOOD

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	81	T. HENWOOD
	0600	82	R-LEF
	0900	83	R-LEF
24	1200	84	R-LEF
	1500	84	B. LOZANO
	1800	84	B. LOZANO
	2100	84	B. LOZANO
	2400	82	T. HENWOOD

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	81	T. HENWOOD
	0600	81	R-LEF
	0900	82	R-LEF
25	1200	84	R-LEF
	1500	84	L. HOLLOWAY
	1800	85	E. LOZANO
	2100	84	A. MEL
24	2400	84	T. HENWOOD

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	69	T. HENWOOD
	0600	78	R-LEF
	0900	80	R-LEF
26	1200	82	R-LEF
	1500	84	L. HOLLOWAY
	1800	84	L. HOLLOWAY
	2100	84	L. HOLLOWAY
24	2400	79	T. HENWOOD

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	78	T. HENWOOD
	0600	79	M. RIOS
	0900	78	M. RIOS
27	1200	79	M. RIOS
	1500	80	F. GONZALEZ
	1800	80	F. GONZALEZ
	2100	80	F. GONZALEZ
24	2400	79	F. GONZALEZ

Notes

Date	Time	Temp.	Name (Print)
7/28	0300	78	F. GONZALEZ
	0600	78	M. RIOS
	0900	78	M. RIOS
28	1200	78	M. RIOS
	1500	78	C. LUMELI
	1800	78	C. LUMELI
	2100	77	C. LUMELI
24	2400	77°	E. LOZANO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

- Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-R Housing Unit: C-2-A Temp. Reading Location: 1<sup>st</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 1001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>7/29/24</u>	0300	75°	E. LOZANO
	0600	79	R. LEE
	0900	80	R. LEE
	1200	81	R. LEE
	1500	83	R. LEE
	1800	83	R. LEE
	2100	83	R. LEE
	2400	80°	E. LOZANO

Tuesday

Date	Time	Temp.	Name (Print)
<u>7/30/24</u>	0300	80°	E. LOZANO
	0600	81	R. LEE
	0900	81	R. LEE
	1200	82	R. LEE
	1500	84	K. Hagan
	1800	84	R. LEE
	2100	84	R. LEE
	2400	80	T. Henwood

Wednesday

Date	Time	Temp.	Name (Print)
<u>7/31/24</u>	0300	77	T. Henwood
	0600	79	A. K. P.
	0900	79	R. LEE
	1200	80	R. LEE
	1500	83	S. Hagan
	1800	84	S. Hagan
	2100	84	S. Hagan
	2400	81	T. Henwood

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C-2-A Temp. Reading Location: 1<sup>st</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	77°	E. LOZANO
	0600	79	R. LEE
	0900	79	R. LEE
	1200	80	R. LEE
	1500	80	Dominguez
	1800	80	Dominguez
	2100	79	Dominguez
	2400	78°	E. LOZANO

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	78°	E. LOZANO
	0600	79	R. LEE
	0900	79	R. LEE
	1200	80	R. LEE
	1500	81	Dominguez
	1800	83	Dominguez
	2100	82	Dominguez
	2400	79	THenwood

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	78	THenwood
	0600	79	R. LEE
	0900	80	R. LEE
	1200	80	R. LEE
	1500	80	Dominguez
	1800	80	Dominguez
	2100	80	Dominguez
	2400	80	S. Moreno

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	80	S. Moreno
	0600	83	R. LEE
	0900	83	R. LEE
	1200	85	R. LEE
	1500	86°	Dominguez
	1800	86	Dominguez
	2100	83	Dominguez
	2400	80	Dominguez

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	80	G. Webb
	0600	82	R. LEE
	0900	82	R. LEE
	1200	84	R. LEE
	1500	85	Dominguez
	1800	83	Dominguez
	2100	81	Dominguez
	2400	80°	D. CBBB

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	80°	D. CBBB
	0600	83	R. LEE
	0900	83	R. LEE
	1200	85	R. LEE
	1500	85°	Dominguez
	1800	83°	Dominguez
	2100	83°	Dominguez
	2400	80	PARALEM

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	80	E. LOZANO
	0600	82	R. LEE
	0900	80	R. LEE
	1200	80	R. LEE
	1500	80	CARRAWAY
	1800	85	CARRAWAY
	2100	85	CARRAWAY
	2400	85°	E. LOZANO

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSI Housing Unit: C2 B Temp. Reading Location: 1st  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6801 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1/1/24	0300	74	CAMPOS
	0600	74	H.AGUADO
	0900	74	H.AGUADO
	1200	74	H.AGUADO
	1500	78	M.RIOS
	1800	78	M.RIOS
	2100	78	M.RIOS
	2400	73	CAMPOS

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	80°	E.LOZANDO
	0600	80	HERNANDEZ
	0900	80	HERNANDEZ
	1200	82	HERNANDEZ
	1500	82	HERNANDEZ
	1800	82	HERNANDEZ
	2100	80	HERNANDEZ
	2400	80°	E.LOZANDO

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	76	R.FEE
	0600	80	HERNANDEZ
	0900	80	HERNANDEZ
	1200	82	HERNANDEZ
	1500	82	M.RIOS
	1800	82	M.RIOS
	2100	82	M.RIOS
	2400	81	J.VIGIL

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	77°	J.VIGIL
	0600	78°	J.VIGIL
	0900	79°	S.GARZA
	1200	80°	S.GARZA
	1500	84	M.RIOS
	1800	86	M.RIOS
	2100	86	M.RIOS
	2400	78	CAMPOS

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	73	CAMPOS
	0600	74	H.AGUADO
	0900	74	H.AGUADO
	1200	74	H.AGUADO
	1500	79	A.Gonzales
	1800	79	A.Gonzales
	2100	79	A.Gonzales
	2400	80	E.LOZANDO

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	80°	E.LOZANDO
	0600	80	HERNANDEZ
	0900	82	HERNANDEZ
	1200	82	HERNANDEZ
	1500	82	M.RIOS
	1800	83	M.RIOS
	2100	85	M.RIOS
	2400	81	R.LEFF

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	80	J.VIGIL
	0600	79	J.VIGIL
	0900	81	S.GARZA
	1200	82	S.GARZA
	1500	82	M.RIOS
	1800	84	M.RIOS
	2100	84	M.RIOS
	2400	84	VIGIL

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

- Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2B Temp. Reading Location: 1<sup>ST</sup>  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
1/8/24	0300	73	CAMPES
	0600	78	H.AGUANO
	0900	82	H.AGUANO
	1200	82	H.AGUANO
	1500	82	H.AGUANO
	1800	80	H.AGUANO
	2100	76	H.AGUANO
	2400	74	CAMPES

Tuesday

Date	Time	Temp.	Name (Print)
1/9/24	0300	73	CAMPES
	0600	78	H.AGUANO
	0900	82	H.AGUANO
	1200	82	H.AGUANO
	1500	82	A.Gonzales
	1800	82	A.Gonzales
	2100	82	A.Gonzales
	2400	82	E.Lozano

Wednesday

Date	Time	Temp.	Name (Print)
1/10/24	0300	80	E.Lozano
	0600	80	HERNANDEZ
	0900	82	HERNANDEZ
	1200	83	HERNANDEZ
	1500	85	HERNANDEZ
	1800	82	HERNANDEZ
	2100	81	HERNANDEZ
	2400	80	M.Garcia

Thursday

Date	Time	Temp.	Name (Print)
1/11/24	0300	80	M.Garcia
	0600	82	HERNANDEZ
	0900	82	HERNANDEZ
	1200	80	HERNANDEZ
	1500	85	GONZALEZ
	1800	85	GONZALEZ
	2100	82	M.Garcia
	2400	82	J.Vigan

Friday

Date	Time	Temp.	Name (Print)
1/12/24	0300	82	J.Vigan
	0600	80	J.Vigan
	0900	80	HERNANDEZ
	1200	81	HERNANDEZ
	1500	83	GONZALEZ
	1800	81	GONZALEZ
	2100	82	GONZALEZ
	2400	80	J.Vigan

Saturday

Date	Time	Temp.	Name (Print)
1/13/24	0300	78	J.Vigan
	0600	76	J.Vigan
	0900	79	S.GARZA
	1200	80	S.GARZA
	1500	82	M.RIOS
	1800	82	M.RIOS
	2100	82	M.RIOS
	2400	81	J.Vigan

Sunday

Date	Time	Temp.	Name (Print)
1/14/24	0300	80	J.Vigan
	0600	79	J.Vigan
	0900	79	S.GARZA
	1200	80	S.GARZA
	1500	82	M.RIOS
	1800	82	M.RIOS
	2100	82	M.RIOS
	2400	78	CAMPES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: CZB Temp. Reading Location: 1<sup>st</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	77	CANARS
	0600	80	H. AGUARD
	0900	80	H. AGUARD
	1200	80	H. AGUARD
	1500	80	M. RIOS
	1800	82	M. RIOS
	2100	82	M. RIOS
	2400	76	CANTER

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	78°	E. LOZANO
	0600	80	M. HERNANDEZ
	0900	80	M. HERNANDEZ
	1200	81	M. HERNANDEZ
	1500	83	M. HERNANDEZ
	1800	83	M. HERNANDEZ
	2100	83	M. HERNANDEZ
	2400	78°	E. LOZANO

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	79	J. VIGIL
	0600	77	J. VIGIL
	0900	80	H. AGUARD
	1200	80	H. AGUARD
	1500	80	M. RIOS
	1800	82	M. RIOS
	2100	82	M. RIOS
	2400	82	J. VIGIL

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	79	J. VIGIL
	0600	77	J. VIGIL
	0900	78°	S. GARCIA
	1200	80	S. GARCIA
	1500	80	M. RIOS
	1800	82	M. RIOS
	2100	82	M. RIOS
	2400	78	CANARS

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	76	CANARS
	0600	80	H. AGUARD
	0900	80	H. AGUARD
	1200	82	H. AGUARD
	1500	80	A. Gonzalez
	1800	80	A. Gonzalez
	2100	80	A. Gonzalez
	2400	80°	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	77°	E. LOZANO
	0600	78	M. HERNANDEZ
	0900	80	M. HERNANDEZ
	1200	80°	M. HERNANDEZ
	1500	80	M. RIOS
	1800	81	M. RIOS
	2100	81	M. RIOS
	2400	80	J. VIGIL

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	80	J. VIGIL
	0600	79	J. VIGIL
	0900	80	S. GARCIA
	1200	80	S. GARCIA
	1500	80	M. RIOS
	1800	82	M. RIOS
	2100	82	M. RIOS
	2400	81	J. VIGIL

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-B Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	78	CAMPOS
	0600	80	H.AGUADO
	0900	80	H.AGUADO
	1200	82	H.AGUADO
	1500	82	H.AGUADO
	1800	82	H.AGUADO
	2100	80	H.AGUADO
	2400	77	CAMPOS

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	80°	E. LOZANO
	0600	82	HERNANDEZ
	0900	83	HERNANDEZ
	1200	83	HERNANDEZ
	1500	83	HERNANDEZ
	1800	83	HERNANDEZ
	2100	80	HERNANDEZ
	2400	80	E. LOZANO

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	80	J. VIGIL
	0600	79	J. VIGIL
	0900	80	HERNANDEZ
	1200	80	HERNANDEZ
	1500	80	MARIO'S
	1800	82	MARIO'S
	2100	82	MARIO'S
	2400	81	J. VIGIL

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	77	J. VIGIL
	0600	77	J. VIGIL
	0900	79	S.GARZA
	1200	80	S.GARZA
	1500	80	MARIO'S
	1800	79	MARIO'S
	2100	79	MARIO'S
	2400	76	MARIO'S

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	77	CAMPOS
	0600	78	H.AGUADO
	0900	80	H.AGUADO
	1200	83	H.AGUADO
	1500	83	H.AGUADO
	1800	80	H.AGUADO
	2100	80	H.BROWN
	2400	80°	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	80-	E. LOZANO
	0600	80	HERNANDEZ
	0900	80	HERNANDEZ
	1200	82	HERNANDEZ
	1500	82	MARIO'S
	1800	82	MARIO'S
	2100	83	MARIO'S
	2400	81	J. VIGIL

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	81	J. VIGIL
	0600	79	J. VIGIL
	0900	80	S.GARZA
	1200	80	S.GARZA
	1500	80	MARIO'S
	1800	80	MARIO'S
	2100	78	MARIO'S
	2400	78	J. VIGIL

Notes

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-B Temp. Reading Location: TIER 1  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	78	CAMPOS
	0600	78	H. AGUADO
	0900	78	H. AGUADO
	1200	80	H. AGUADO
	1500	80	RIOS
	1800	80	RIOS
	2100	80	RIOS
	2400	78	CAMPOS

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	78	CAMPOS
	0600	78	H. AGUADO
	0900	78	H. AGUADO
	1200	80	H. AGUADO
	1500		
	1800		
	2100		
	2400	80	E. LOZANO

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31/24	0300	78	E. LOZANO
	0600	78	HERNANDEZ
	0900	80	HERNANDEZ
	1200	80	HERNANDEZ
	1500	80	HERNANDEZ
	1800	80	HERNANDEZ
	2100	80	HERNANDEZ
	2400	80	E. LOZANO

**Thursday**

Date	Time	Temp.	Name (Print)
8/1/24	0300	80	E. LOZANO
	0600	80	HERNANDEZ
	0900	80	HERNANDEZ
	1200		HERNANDEZ
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**


---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-a/b/c/d/e Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>7/1/24</u>	0300	75	A. RAMIREZ
	0600	75	I. SALAZAR
	0900	77	I. SALAZAR
	1200	77	I. SALAZAR
	1500	76	Bombard
	1800	76	Bombard
	2100	76	Bombard
	2400	76	A. RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
<u>7/2/24</u>	0300	69	A. RAMIREZ
	0600	79	SALAZAR
	0900	79	SALAZAR
	1200	79	SALAZAR
	1500	79	CARRAWAY
	1800	79	CARRAWAY
	2100	80	CARRAWAY
	2400	75	A. RAMIREZ

Wednesday

Date	Time	Temp.	Name (Print)
<u>7/3/24</u>	0300	75	A. RAMIREZ
	0600	78	R. RAMIREZ
	0900	75	S. RODRIGUEZ
	1200	79	S. RODRIGUEZ
	1500	78	Bombard
	1800	78	Bombard
	2100	78	Bombard
	2400	75	A. RAMIREZ

Thursday

Date	Time	Temp.	Name (Print)
<u>7/4/24</u>	0300	69	A. RAMIREZ
	0600	80	Rios
	0900	80	Rios
	1200	81	Rios
	1500	82	Hernandez
	1800	82	Hernandez
	2100	80	Hernandez
	2400	80	A. MOCTEZUMA

Friday

Date	Time	Temp.	Name (Print)
<u>7/5/24</u>	0300	75	A. RAMIREZ
	0600	78	H. AGUADO
	0900	78	H. AGUADO
	1200	78	H. AGUADO
	1500	78	CARRAWAY
	1800	78	CARRAWAY
	2100	78	CARRAWAY
	2400	77	A. RAMIREZ

Saturday

Date	Time	Temp.	Name (Print)
<u>7/6/24</u>	0300	78	JULIE
	0600	80	SALAZAR
	0900	80	SALAZAR
	1200	80	SALAZAR
	1500	80	A. FRANISTO
	1800	80	A. FRANISTO
	2100	81	A. FRANISTO
	2400	79	A. RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
<u>7/7/24</u>	0300	76	A. RAMIREZ
	0600	80	Rios
	0900	80	Rios
	1200	80	BONNER
	1500	80	A. FRANISTO
	1800	80	A. FRANISTO
	2100	79	A. RAMIREZ
	2400	75	A. RAMIREZ

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3 A Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	70	A RAMIREZ
	0600	70	A RAMIREZ
	0900	70	S ROMAÑEZ
	1200	70	S ROMAÑEZ
	1500	80	Banchill/
	1800	80	Banchill/
	2100	80	Banchill/
	2400	80	A RAMIREZ

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	80	A RAMIREZ
	0600	80	H AGUADO
	0900	80	H AGUADO
	1200	80	H AGUADO
	1500	80	Banchill/
	1800	80	Banchill/
	2100	80	Banchill/
	2400	79	A RAMIREZ

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	78	S.H.
	0600	78	S.H.
	0900	80	S ROMAÑEZ
	1200	80	S ROMAÑEZ
	1500	81	S GARZA
	1800	80	S GARZA
	2100	80	S GARZA
	2400	80	S.H.

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	80	A RAMIREZ
	0600	80	S ROMAÑEZ
	0900	80	S ROMAÑEZ
	1200	80	S ROMAÑEZ
	1500	80	Banchill/
	1800	80	Banchill/
	2100	80	Banchill/
	2400	80	A RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
7/19	0300	80	A RAMIREZ
	0600	80	S ROMAÑEZ
	0900	80	S ROMAÑEZ
	1200	80	S ROMAÑEZ
	1500	80	Banchill/
	1800	80	Banchill/
	2100	80	Banchill/
	2400	80	A RAMIREZ

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	79	A RAMIREZ
	0600	79	D RIOS
	0900		
	1200		
	1500	80	HERNANDEZ
	1800	80	HERNANDEZ
	2100	80	HERNANDEZ
	2400	80	S.H.

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	78	S.H.
	0600	78	S.H.
	0900	79	S ROMAÑEZ
	1200	80	S ROMAÑEZ
	1500	80	Banchill/
	1800	80	Banchill/
	2100	80	Banchill/
	2400	80	A RAMIREZ

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-A Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7-15-29	0300	79	A RAMIREZ
	0600	79	S RODRIGUEZ
	0900	79	S RODRIGUEZ
	1200	79	S RODRIGUEZ
	1500	78	BACASILL
	1800	78	BACASILL
	2100	78	BACASILL
	2400	78	A RAMIREZ

**Tuesday**

Date	Time	Temp.	Name (Print)
7-16-29	0300	78	A RAMIREZ
	0600	78	S RODRIGUEZ
	0900	79	S RODRIGUEZ
	1200	79	S RODRIGUEZ
	1500	79	F. ROJAS
	1800	79	F. ROJAS
	2100	79	F. ROJAS
	2400	79	A RAMIREZ

**Wednesday**

Date	Time	Temp.	Name (Print)
7-17-29	0300	79	A RAMIREZ
	0600	78	H. AGUAD
	0900	78	H. AGUAD
	1200	78	H. AGUAD
	1500	77	S MORENO
	1800	79	S MORENO
	2100	78	S MORENO
	2400	78	A RAMIREZ

**Thursday**

Date	Time	Temp.	Name (Print)
7-18-29	0300	78	A RAMIREZ
	0600	78	D. RIOS
	0900	78	D. RIOS
	1200	78	D. RIOS
	1500	80	M. HERNANDEZ
	1800	80	M. HERNANDEZ
	2100	78	M. HERNANDEZ
	2400	77	S. RIOS

**Friday**

Date	Time	Temp.	Name (Print)
7-19-29	0300	75	S. RIOS
	0600	75	S. RIOS
	0900	76	M. PANTOJA
	1200	78	M. PANTOJA
	1500	79	E. GONZALEZ
	1800	79	E. GONZALEZ
	2100	78	E. GONZALEZ
	2400	78	K. GARCIA

**Saturday**

Date	Time	Temp.	Name (Print)
7-20-29	0300	78	K. GARCIA
	0600	78	S. RODRIGUEZ
	0900	80	S. RODRIGUEZ
	1200	80	S. RODRIGUEZ
	1500	80	A. FRAUSTO
	1800	80	A. FRAUSTO
	2100	80	A. FRAUSTO
	2400	80	A. FRAUSTO

**Notes**

Date	Time	Temp.	Name (Print)
7-21-29	0300	80	A RAMIREZ
	0600	80	S. RODRIGUEZ
	0900	80	S. RODRIGUEZ
	1200	80	S. RODRIGUEZ
	1500	79	J. MCCAIN
	1800	79	J. MCCAIN
	2100	79	J. MCCAIN
	2400	79	A RAMIREZ

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3 A Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>7/23/21</u>	0300	77	A. RAMIREZ
	0600	76	S. ROMERO
	0900	80	S. ROMERO
	1200	80	S. ROMERO
	1500	79	L. CARRAWAY
	1800	79	L. CARRAWAY
	2100	79	L. CARRAWAY
	2400	79	A. RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
<u>7/24/21</u>	0300	79	A. RAMIREZ
	0600	79	S. ROMERO
	0900	80	S. ROMERO
	1200	80	S. ROMERO
	1500	80	Banhill, J.
	1800	80	Banhill, J.
	2100	80	Banhill, J.
	2400	80	A. RAMIREZ

Wednesday

Date	Time	Temp.	Name (Print)
<u>7/25/21</u>	0300	80	A. RAMIREZ
	0600	80	H. AGUADO
	0900	80	H. AGUADO
	1200	80	H. AGUADO
	1500	80	Banhill, J.
	1800	80	Banhill, J.
	2100	80	Banhill, J.
	2400	80	A. RAMIREZ

Thursday

Date	Time	Temp.	Name (Print)
<u>7/26/21</u>	0300	79	A. RAMIREZ
	0600	80	J. AGOS
	0900	80	J. AGOS
	1200	80	J. AGOS
	1500	80	F. HERNANDEZ
	1800	80	F. HERNANDEZ
	2100	80	F. HERNANDEZ
	2400	80	F. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
<u>7/27/21</u>	0300	80	F. GONZALEZ
	0600	80	S. ROMERO
	0900	80	S. ROMERO
	1200	80	S. ROMERO
	1500	81	S. GARCIA
	1800	80	S. GARCIA
	2100	80	S. GARCIA
	2400	78	S. HUILE

Saturday

Date	Time	Temp.	Name (Print)
<u>7/28/21</u>	0300	78	S. HUILE
	0600	78	S. HUILE
	0900	79	S. ROMERO
	1200	79	S. ROMERO
	1500	79	Banhill, J.
	1800	78	Banhill, J.
	2100	78	Banhill, J.
	2400	77	C. VALICENTI

Notes

Date	Time	Temp.	Name (Print)
<u>7/28/21</u>	0300	77	GARLICKA
	0600	78	S. ROMERO
	0900	78	S. ROMERO
	1200	78	S. ROMERO
	1500	78	S. BANHILL, J.
	1800	76	Banhill, J.
	2100	76	Banhill, J.
	2400	76	Banhill, J.

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSF Housing Unit: C3-A Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/21	0300	76	ZELAYA
	0600	77	ZELAYA
	0900	77	S. ROMAN
	1200	78	S. ROMAN
	1500	79	ZELAYA
	1800	79	ZELAYA
	2100	78	ZELAYA
	2400	78	ZELAYA

Tuesday

Date	Time	Temp.	Name (Print)
7/30/21	0300	76	ZELAYA
	0600	77	MOMA
	0900	77	S. ROMAN
	1200	78	S. ROMAN
	1500	78	ZELAYA
	1800	78	ZELAYA
	2100	78	ZELAYA
	2400	78	A. RAMIREZ

Wednesday

Date	Time	Temp.	Name (Print)
7/31/21	0300	78	A. RAMIREZ
	0600	78	H. AGUERO
	0900	78	H. AGUERO
	1200	78	H. AGUERO
	1500	79	ZELAYA
	1800	79	ZELAYA
	2100	77	ZELAYA
	2400	77	ZELAYA

Thursday

Time	Temp.	Name (Print)
0300	77	ZELAYA
0600	77	D. RIOS
0900	77	D. RIOS
1200	78	
1500	78	J. M. VASQUEZ
1800	79	H. AGUERO
2100	79	H. AGUERO
2400	75	S. LIEU

Friday

Date	Time	Temp.	Name (Print)
8/3/21	0300	72	S. LIEU
	0600	72	S. LIEU
	0900	72	S. LIEU
	1200		S. LIEU
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3/21	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4/21	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3 Temp. Reading Location: C3 B Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-1-24	0300	78	S-Hine
	0600	75	S-Hine
	0900	78	Martinez
	1200	79	Martinez
	1500	81	Gadelica
	1800	82	Gadelica
	2100	80	Gadelica
	2400	80	F.MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
7-2-24	0300	78	F.MARTINEZ
	0600	76	F.MARTINEZ
	0900	83	Vasquez
	1200	85	Vasquez
	1500	85	Gadelica
	1800	86	Gadelica
	2100	86	Gadelica
	2400	84	F.MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
7-3-24	0300	84	F.MARTINEZ
	0600	84	F.MARTINEZ
	0900	85	J. SALAZAR
	1200	86	J. SALAZAR
	1500	88	Gadelica
	1800	89	Gadelica
	2100	89	Gadelica
	2400	88	F.MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
7-4-24	0300	87	<del>F.MARTINEZ</del>
	0600	86	<del>F.MARTINEZ</del>
	0900	83	S. GANNON
	1200	85	S. GANNON
	1500	88	Gadelica
	1800	89	Gadelica
	2100	88	Gadelica
	2400	87	Gadelica

Friday

Date	Time	Temp.	Name (Print)
7-5-24	0300	87	Gadelica
	0600	87	Gadelica
	0900	87	KIDS
	1200	87	KIDS
	1500	81	Gadelica
	1800	82	Gadelica
	2100	82	Gadelica
	2400	82	F.MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
7-6-24	0300	81	<del>E.F.MARTINEZ</del>
	0600	80	<del>E.MARTINEZ</del>
	0900	81	RICO
	1200	81	RICO
	1500	82	<del>S.GARCIA</del>
	1800	83	<del>S.GARCIA</del>
	2100	80	<del>S.GARCIA</del>
	2400	82	S.GARCIA

Sunday

Date	Time	Temp.	Name (Print)
7-7-24	0300	80	S.Hine
	0600	78	S.Hine
	0900	73	<del>PEREZ</del>
	1200	83	<del>PEREZ</del>
	1500	83	S.GARCIA
	1800	85	S.GARCIA
	2100	84	S.GARCIA
	2400	82	S.Hine

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3B Temp. Reading Location: B doorway  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07.09.2024	0300		
	0600	78	F. MARTINEZ
	0900	80	F. MARTINEZ
	1200	80	F. MARTINEZ
	1500	80	Gadelia
	1800	81	Gadelia
	2100	80	Gadelia
	2400	82	F. MARTINEZ

Wednesday 7-10-24

Date	Time	Temp.	Name (Print)
7.10.24	0300	80	F. MARTINEZ
	0600	80	F. MARTINEZ
	0900	81	Clarissa
	1200	81	Clarissa
	1500	82	Gadelia
	1800	82	Gadelia
	2100	81	Gadelia
	2400	82	F. MARTINEZ

Friday 7-12-24

Date	Time	Temp.	Name (Print)
7.12.24	0300	80	F. MARTINEZ
	0600	79	F. MARTINEZ
	0900	80	Rios
	1200	80	Rios
	1500	82	Gadelia
	1800	81	Gadelia
	2100	81	Gadelia
	2400	80	F. MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
7.14.24	0300	80	S. Rios
	0600	78	S. Rios
	0900	78	Clarissa
	1200	78	Clarissa
	1500	82	S. Garza
	1800	80	S. Garza
	2100	79	S. Garza
	2400	79	S. Rios

Tuesday

Date	Time	Temp.	Name (Print)
7.9.24	0300	81	F. MARTINEZ
	0600	80	F. MARTINEZ
	0900	81	Clarissa
	1200	83	Clarissa
	1500	82	Gadelia
	1800	82	Gadelia
	2100	82	Clarissa
	2400	82	F. MARTINEZ

Thursday 7-11-24

Date	Time	Temp.	Name (Print)
7.11.24	0300	80	F. MARTINEZ
	0600	80	F. MARTINEZ
	0900	81	Clarissa
	1200	81	Clarissa
	1500	82	Gadelia
	1800	82	Gadelia
	2100	81	Clarissa
	2400	80	F. MARTINEZ

Saturday 7-13-24

Date	Time	Temp.	Name (Print)
7.13.24	0300	79	F. MARTINEZ
	0600	79	F. MARTINEZ
	0900	80	Rios
	1200	80	Rios
	1500	82	S. GARZA
	1800	81	S. GARZA
	2100	80	S. GARZA
	2400	80	S. Rios

Notes

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C.3 Temp. Reading Location: B side Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension (600) when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7-15	0300	78°	S. Hine
	0600	78°	S. Hine
	0900	80	Elton
	1200	83	Elton
	1500	80	Gadelina
	1800	80	Gadelina
	2100	80	Gadelina
	2400	80	F. MARTINEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
7-17	0300	78	F. MARTINEZ
	0600	78	F. MARTINEZ
	0900	79	C. Lee
	1200	80	C. Lee
	1500	80	Gadelina
	1800	80	Gadelina
	2100	80	Gadelina
	2400	79	Gadelina

**Friday**

Date	Time	Temp.	Name (Print)
7-19	0300	78	F. MARTINEZ
	0600	77	F. MARTINEZ
	0900	78	Rios
	1200	79	Rios
	1500	80	Gadelina
	1800	80	Gadelina
	2100	80	Gadelina
	2400	80	K. Raley

**Sunday**

Date	Time	Temp.	Name (Print)
7-21	0300	78	S. Hine
	0600	78	S. Hine
	0900	79	Elton
	1200	81	Elton
	1500	81	S. Garza
	1800	80	S. Garza
	2100	79	S. Garza
	2400	79	S. Hine

**Tuesday**

Date	Time	Temp.	Name (Print)
7-19	0300	79	F. MARTINEZ
	0600	78	F. MARTINEZ
	0900	79	C. Lee
	1200	80	C. Lee
	1500	80	Gadelina
	1800	80	<del>Gadelina</del> C. Lee
	2100	78	C. Lee
	2400	78	F. MARTINEZ

**Thursday**

Date	Time	Temp.	Name (Print)
7-18	0300	78	Gadelina
	0600	75	M. PANTOJA
	0900	78	M. PANTOJA
	1200	79	M. PANTOJA
	1500	80	Gadelina
	1800	79	Gadelina
	2100	79	Gadelina
	2400	79	F. MARTINEZ

**Saturday**

Date	Time	Temp.	Name (Print)
7-20	0300	80	K. Raley
	0600	80	Rios
	0900	80	Rios
	1200	80	Rios
	1500	80	S. Garza
	1800	81	S. Garza
	2100	80	S. Garza
	2400	79	S. Hine

**Notes**


---

---

---

---

---

---

---

---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3 Temp. Reading Location: 3 pod day room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7-22	0300	78	S. Vile
	0600	78	S. Vile
	0900	79	E. Cun
	1200	80	E. Cun
	1500	82	F. MARTINEZ
	1800	82	F. MARTINEZ
	2100	80	F. MARTINEZ
	2400	79	F. MARTINEZ

#### Tuesday

Date	Time	Temp.	Name (Print)
7-23	0300	79	F. MARTINEZ
	0600	78	F. MARTINEZ
	0900	79	C. Leon
	1200	80	C. Leon
	1500	82	F. MARTINEZ
	1800	83	F. MARTINEZ
	2100	82	F. MARTINEZ
	2400	80	F. MARTINEZ

#### Wednesday

Date	Time	Temp.	Name (Print)
7-24	0300	79	F. MARTINEZ
	0600	78	F. MARTINEZ
	0900	79	C. Leon
	1200	83	C. Leon
	1500	81	D. Rios
	1800	81	D. Rios
	2100	81	D. Rios
	2400	80	F. MARTINEZ

#### Thursday

Date	Time	Temp.	Name (Print)
7-25	0300	79	F. MARTINEZ
	0600	78	F. MARTINEZ
	0900	80	J. HAZEL
	1200	81	C. Leon
	1500	82	F. MARTINEZ
	1800	82	F. MARTINEZ
	2100	81	F. MARTINEZ
	2400	80	F. MARTINEZ

#### Friday

Date	Time	Temp.	Name (Print)
7-26	0300	78	F. MARTINEZ
	0600	78	F. MARTINEZ
	0900	80	R. Rios
	1200	80	R. Rios
	1500	82	F. MARTINEZ
	1800	82	F. MARTINEZ
	2100	81	F. MARTINEZ
	2400	79	F. MARTINEZ

#### Saturday

Date	Time	Temp.	Name (Print)
7-27	0300	78	F. MARTINEZ
	0600	78	F. MARTINEZ
	0900	79	R. Rios
	1200	77	R. Rios
	1500	80	S. Garza
	1800	80	S. Garza
	2100	79	S. Garza
	2400	75	S. Vile

#### Sunday

Date	Time	Temp.	Name (Print)
7-28	0300	75	S. Vile
	0600	75	S. Vile
	0900	76	E. Cun
	1200	77	E. Cun
	1500	79	S. Garza
	1800	77	S. Garza
	2100	77	S. Garza
	2400	76	S. Vile

#### Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3 Temp. Reading Location: B day room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7-29	0300	70	S. Huie
	0600	70	S. Huie
	0900	70	C. Young
	1200	75	C. Young
	1500	74	F. MARTINEZ
	1800	73	F. MARTINEZ
	2100	72	F. MARTINEZ
	2400	70	F. MARTINEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
7-30	0300	70	F. MARTINEZ
	0600	69	F. MARTINEZ
	0900	70	C. Young
	1200	71	C. Young
	1500	71	F. MARTINEZ
	1800	72	F. MARTINEZ
	2100	71	F. MARTINEZ
	2400	70	F. MARTINEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
7-31	0300	70	F. MARTINEZ
	0600	69	F. MARTINEZ
	0900	70	C. Young
	1200	72	C. Young
	1500	79	D. RIOS
	1800	80	D. RIOS
	2100	80	D. RIOS
	2400	79	F. MARTINEZ

**Thursday**

Date	Time	Temp.	Name (Print)
8-1	0300	78	F. MARTINEZ
	0600	78	F. MARTINEZ
	0900	73	C. Young
	1200	76	C. Young
	1500	75	L. AMARAL
	1800	76	L. AMARAL
	2100	80	L. AMARAL
	2400	78	F. MARTINEZ

**Friday**

Date	Time	Temp.	Name (Print)
8-2	0300	78	F. MARTINEZ
	0600	77	F. MARTINEZ
	0900	78	D. RIOS
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8-3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8-4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

---

---

---

---

---

---

---

---

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4A Temp. Reading Location: Tier 2  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>7/1/24</u>	0300	72	Williams
	0600	72	Rios
	0900	72	Rios
	1200	72	Rios
	1500	72	Hernandez
	1800	72	Hernandez
	2100	72	Hernandez
	2400	72	Williams

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>7/2/24</u>	0300	72	Williams
	0600	72	Zenobia
	0900	73	Zenobia
	1200	73	Zenobia
	1500	75	Hernandez
	1800	76	Hernandez
	2100	77	Hernandez
	2400	74	J. Quiñonez

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>7/3/24</u>	0300	72	J. Quiñonez
	0600	72	Zenobia
	0900	74	Zenobia
	1200	74	Zenobia
	1500	75	Hernandez
	1800	75	Hernandez
	2100	75	Hernandez
	2400	75	Williams

**Thursday**

Date	Time	Temp.	Name (Print)
<u>7/4/24</u>	0300	75	Williams
	0600	73	Zenobia
	0900	74	Zenobia
	1200	73	Zenobia
	1500	80	F. Hernandez
	1800	80	F. Hernandez
	2100	79	F. Hernandez
	2400	77	D. Cobb

**Friday**

Date	Time	Temp.	Name (Print)
<u>7/5/24</u>	0300	76	Williams
	0600	77	M. Mora
	0900	77	M. Mora
	1200	77	M. Mora
	1500	80	Hernandez
	1800	80	Hernandez
	2100	78	Hernandez
	2400	78	Williams

**Saturday**

Date	Time	Temp.	Name (Print)
<u>7/6/24</u>	0300	77	D. Cobb
	0600	75	D. Cobb
	0900	75	Zenobia
	1200	75	Zenobia
	1500	75	Zenobia
	1800	80	J. Record
	2100	80	J. Record
	2400	80	J. Record

**Sunday**

Date	Time	Temp.	Name (Print)
<u>7/7/24</u>	0300	78	Jefford
	0600	78	Jefford
	0900	79	Rios
	1200	79	Rios
	1500	78	Meja
	1800	80	Meja
	2100	80	Meja
	2400	80	Meja

**Notes**


---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VISP Housing Unit: C4 A Temp. Reading Location: TIER 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
1/8/24	0300	80°	M. Garcia	7/10/24	0300	80°	E. DELAYA	1/10/24	0300	80°	ZENDAYA	7/11/24	0300	80°	WILLIAMS	1/11/24	0300	78	F. GOMEZ	7/12/24	0300	78	Hernandez
	0600	78	RICO		0600	78	ZENDAYA		0600	78	ZENDAYA		0600	72	F. GOMEZ		0600	72	ZENDAYA		0600	72	WILLIAMS
	0900	78	RICO		0900	78	ZENDAYA		0900	78	ZENDAYA		0900	77	F. GOMEZ		0900	77	ZENDAYA		0900	77	ZENDAYA
	1200	79	RICO		1200	79	ZENDAYA		1200	79	ZENDAYA		1200	78	F. GOMEZ		1200	78	ZENDAYA		1200	78	F. GOMEZ
	1500	80°	Romo		1500	80°	F. GOMEZ		1500	80°	F. GOMEZ		1500	79	F. GOMEZ		1500	79	F. GOMEZ		1500	79	F. GOMEZ
	1800	82°	Romo		1800	82°	F. GOMEZ		1800	82°	F. GOMEZ		1800	79	F. GOMEZ		1800	79	F. GOMEZ		1800	79	F. GOMEZ
	2100	80°	Romo		2100	80°	F. GOMEZ		2100	80°	F. GOMEZ		2100	78	F. GOMEZ		2100	78	F. GOMEZ		2100	78	F. GOMEZ
	2400	80°	E. DELAYA		2400	80°	E. DELAYA		2400	80°	E. DELAYA		2400	78	E. DELAYA		2400	78	E. DELAYA		2400	78	E. DELAYA
Wednesday				Thursday				Friday				Saturday				Sunday							
1/10/24	0300	80°	E. DELAYA	7/11/24	0300	80°	WILLIAMS	1/11/24	0300	80°	F. GOMEZ	7/12/24	0300	78	Hernandez	1/12/24	0300	78	WILLIAMS	7/13/24	0300	75	WILLIAMS
	0600	80	ZENDAYA		0600	80	ZENDAYA		0600	72	F. GOMEZ		0600	72	ZENDAYA		0600	72	ZENDAYA		0600	72	ZENDAYA
	0900	80	ZENDAYA		0900	80	ZENDAYA		0900	77	F. GOMEZ		0900	77	F. GOMEZ		0900	77	F. GOMEZ		0900	77	F. GOMEZ
	1200	80	ZENDAYA		1200	80	ZENDAYA		1200	78	F. GOMEZ		1200	78	F. GOMEZ		1200	78	F. GOMEZ		1200	78	F. GOMEZ
	1500	82	Holguin		1500	82	Holguin		1500	79	Hernandez		1500	79	Hernandez		1500	79	Hernandez		1500	79	Hernandez
	1800	82	Holguin		1800	82	Holguin		1800	79	Hernandez		1800	79	Hernandez		1800	79	Hernandez		1800	79	Hernandez
	2100	80	Holguin		2100	80	Holguin		2100	78	Hernandez		2100	78	Hernandez		2100	78	Hernandez		2100	78	Hernandez
	2400	80	D. WILLIAMS		2400	80	D. WILLIAMS		2400	78	D. WILLIAMS		2400	78	D. WILLIAMS		2400	78	D. WILLIAMS		2400	78	D. WILLIAMS
Friday				Saturday				Sunday															
1/12/24	0300	78	WILLIAMS	1/13/24	0300	75	WILLIAMS	1/13/24	0300	75	WILLIAMS	7/14/24	0300	76	ZENDAYA	1/14/24	0300	71	RICO		0600	76	ZENDAYA
	0600	72	WILLIAMS		0600	72	WILLIAMS		0600	77	ZENDAYA		0600	77	ZENDAYA		0600	77	ZENDAYA		0600	77	ZENDAYA
	0900	77	ZENDAYA		0900	77	ZENDAYA		0900	78	ZENDAYA		0900	78	ZENDAYA		0900	78	ZENDAYA		0900	78	ZENDAYA
	1200	75	ZENDAYA		1200	75	ZENDAYA		1200	78	ZENDAYA		1200	78	ZENDAYA		1200	78	ZENDAYA		1200	78	ZENDAYA
	1500	78	Hernandez		1500	78	Hernandez		1500	78	Hernandez		1500	78	Hernandez		1500	78	Hernandez		1500	78	Hernandez
	1800	77	Hernandez		1800	77	Hernandez		1800	78	Hernandez		1800	78	Hernandez		1800	78	Hernandez		1800	78	Hernandez
	2100	77	Hernandez		2100	77	Hernandez		2100	78	Hernandez		2100	78	Hernandez		2100	78	Hernandez		2100	78	Hernandez
	2400	77	WILLIAMS		2400	78	WILLIAMS		2400	78	WILLIAMS		2400	78	WILLIAMS		2400	78	WILLIAMS		2400	78	WILLIAMS
<u>Notes</u>																							

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**Attachment B**  
**OP #37**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4 Temp. Reading Location: T2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/15/24	0300	75	Williams
	0600	72	
	0900	73	Rios
	1200	73	
	1500	75	Rios
	1800	70	
	2100	78	Rios
	2400	77	Stafford

**Wednesday**

Date	Time	Temp.	Name (Print)
7/17/24	0300	69	J. Quinonez
	0600	69	Bernabe
	0900	70	Bernabe
	1200	78	Bernabe
	1500	78	Fornes
	1800	78	Fornes
	2100	78	Fornes
	2400	70	J. Quinonez

**Friday**

Date	Time	Temp.	Name (Print)
7/19/24	0300	70	Williams
	0600	72	Zendejas
	0900	72	Zendejas
	1200	73	Zendejas
	1500	77	Hernandez
	1800	78	Hernandez
	2100	77	Hernandez
	2400	77	Williams

**Sunday**

Date	Time	Temp.	Name (Print)
7/21/24	0300	70	Williams
	0600	78	
	0900	77	Rios
	1200	77	Zepeda
	1500	76	Rios Fornes
	1800	78	Rios
	2100	76	Lumeli
	2400	74	Lumeli

**Tuesday**

Date	Time	Temp.	Name (Print)
7/16/24	0300	77	Stafford
	0600	74	Gannon
	0900	75	Gannon
	1200	76	Gannon
	1500	76	Romero
	1800	78	Fornes
	2100	78	Fornes
	2400	70	J. Quinonez

**Thursday**

Date	Time	Temp.	Name (Print)
7/18/24	0300	70	J. Quinonez
	0600	71	Zendejas
	0900	71	Zendejas
	1200	72	Zendejas
	1500	74	J. Carter
	1800	75	J. Carter
	2100	74	J. Carter
	2400	72	Williams

**Saturday**

Date	Time	Temp.	Name (Print)
7/20/24	0300	76	Williams
	0600	75	Zendejas
	0900	75	Zendejas
	1200	78	Zendejas
	1500	78	Romero
	1800	78	Romero
	2100	78	Romero
	2400	76	Williams

**Notes**

---



---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2021 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**Attachment B**  
**OP #37**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: T2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300	70	C. LOMELI
	0600	77	T. PITTS
	0900	77	T. PITTS
	1200	77	T. PITTS
	1500	71	Rivero
	1800	71	Rivero
	2100	78	Rivero
	2400	76	STAFFORD

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300	71	J. Quinonez
	0600	71	ZENDEJAS
	0900	73	ZENDEJAS
	1200	73	ZENDEJAS
	1500	70	Rivero
	1800	70	Rivero
	2100	75	Romero
	2400	71	J. Quinonez

**Friday**

Date	Time	Temp.	Name (Print)
	0300	74	Garcia
	0600	70	ZENDEJAS
	0900	71	ZENDEJAS
	1200	75	ZENDEJAS
	1500	76	ORTIZ
	1800	76	ORTIZ
	2100	76	ORTIZ
	2400	74	Williams

**Sunday**

Date	Time	Temp.	Name (Print)
	0300	70	Williams
	0600	70	Reyes
	0900	70	Reyes
	1200	70	KIBS
	1500	76	Romero
	1800	76	Romero
	2100	76	Romero
	2400	72	Williams

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300	74	Stevens
	0600	72	ZENDEJAS
	0900	74	ZENDEJAS
	1200	74	ZENDEJAS
	1500	71	Romero
	1800	71	Romero
	2100	76	Romero
	2400	72	J. Quinonez

**Thursday**

Date	Time	Temp.	Name (Print)
	0300	70	J. Quinonez
	0600	71	ZENDEJAS
	0900	72	ZENDEJAS
	1200	73	ZENDEJAS
	1500	74	Hernandez
	1800	74	Hernandez
	2100	76	Hernandez
	2400	74	Aguero

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	74	Williams
	0600	74	ZENDEJAS
	0900	74	ZENDEJAS
	1200	75	ZENDEJAS
	1500	77	Romero
	1800	77	Romero
	2100	72	Romero
	2400	70	Williams

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**Attachment B**  
**OP #37**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: T 2.  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29/24	0300	70	J. Williams
	0600	70	Peters
	0900	71	Kios
	1200	71	G.O.
	1500	76	Romeo
	1800	76	Romeo
	2100	75	Romeo
	2400	73	S. Jefford

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31/24	0300	68	J. Quinonez
	0600	70	C. Barnes
	0900	70	C. Barnes
	1200	70	C. Barnes
	1500	75	Romeo
	1800	75	Romeo
	2100	75	Romeo
	2400	73	J. Quinonez

**Friday**

Date	Time	Temp.	Name (Print)
8/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/4/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30/24	0300	72	S. Stafford
	0600	72	Hernandez
	0900	70	Hernandez
	1200	70	Hernandez
	1500	75	Romeo
	1800	76	Romeo
	2100	76	Romeo
	2400	70	J. Quinonez

**Thursday**

Date	Time	Temp.	Name (Print)
8/1/24	0300	70	J. Quinonez
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4 FLR 2 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	73	BARTON
	0600	72	THANH
	0900	71	FARNER
	1200	71	THANH
	1500	79	FARNER
	1800	78	THANH
	2100	79	THANH
	2400	79	BARTON

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	77	BARTON
	0600	77	Salinas
	0900	78	Salinas
	1200	79	Salinas
	1500	79	THANH
	1800	78	THANH
	2100	78	THANH
	2400	78	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
7/24	0300	78	J. Quinonez
	0600	79	Gamer
	0900	78	Gamer
	1200	78	Gamer
	1500	79	Gamer
	1800	80	Gamer
	2100	80	Gamer
	2400	80	BARTON

Sunday

Date	Time	Temp.	Name (Print)
7/27	0300	80	BARTON
	0600	79	Earnest
	0900	80	Earnest
	1200	80	Earnest
	1500	80	A. Frost
	1800	82	A. Frost
	2100	82	A. Frost
	2400	82	BARTON

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	76	BARTON
	0600	75	E. Salinas
	0900	77	E. Salinas
	1200	78	E. Salinas
	1500	79	THANH
	1800	78	THANH
	2100	78	THANH
	2400	78	BARTON

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	78	J. Quinonez
	0600	78°	Gamer
	0900	78°	Gamer
	1200	78	Gamer
	1500	80	THANH
	1800	79	THANH
	2100	79	THANH
	2400	79	J. Quinonez

Saturday

Date	Time	Temp.	Name (Print)
7/4	0300	78	BARTON
	0600	78°	Gamer
	0900	78°	Gamer
	1200	80	Gamer
	1500	80	A. Frost
	1800	82	A. Frost
	2100	82	A. Frost
	2400	82	BARTON

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C-4 Temp. Reading Location: 1<sup>st</sup> tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7-8-24	0300	82	BARTON
	0600	81	
	0900	81	
	1200	81	
	1500	80	CARRAWAY
	1800	82	CARRAWAY
	2100	82	CARRAWAY
	2400	82	BARTON

**Tuesday**

Date	Time	Temp.	Name (Print)
7-9-24	0300	77	Salinas
	0600	78	Salinas
	0900	78	Salinas
	1200	80	Salinas
	1500	82	CARRAWAY
	1800	82	CARRAWAY
	2100	82	CARRAWAY
	2400	82	BARTON

**Wednesday**

Date	Time	Temp.	Name (Print)
7-10-24	0300	82	BARTON
	0600	79	Salinas
	0900	80	Salinas
	1200	82	Salinas
	1500	82	CARRAWAY
	1800	82	CARRAWAY
	2100	82	CARRAWAY
	2400	82	E.TELAYA

**Thursday**

Date	Time	Temp.	Name (Print)
7-11-24	0300	80°	E.TELAYA
	0600	80°	Gamel
	0900	81°	Gamel
	1200	81°	Gamel
	1500	82	CARRAWAY
	1800	82	CARRAWAY
	2100	82	CARRAWAY
	2400	81°	E.TELAYA

**Friday**

Date	Time	Temp.	Name (Print)
7-12-24	0300	81°	E.TELAYA
	0600	81°	Gamel
	0900	81°	Gamel
	1200	81°	Gamel
	1500	81	CARRAWAY
	1800	82	CARRAWAY
	2100	82	CARRAWAY
	2400	82	BARTON

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	80	TSATTON
	0600	80°	Gam
	0900	80°	Gam
	1200	81°	Gam
	1500	81°	Mendoza
	1800	81°	Mendoza
	2100	80°	Mendoza
	2400	80	BARTON

**Sunday**

Date	Time	Temp.	Name (Print)
7-13-24	0300	79	BARTON
	0600	79°	Gamel
	0900		Gamel
	1200		Gamel
	1500	80	E.GONZALEZ
	1800	79	E.GONZALEZ
	2100	79	E.GONZALEZ
	2400	79	TSATTON

**Notes**

(Red mark over Gamel name)

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**Attachment B**  
**OP #37**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4 fl h 2 Temp. Reading Location: 2<sup>nd</sup>  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6601 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/15	0300	77	BARTON
7/15	0600	77	FARNAN
7/15	0900	73	FARNAN
7/15	1200	79	FARNAN
7/15	1500	79	FARNAN
7/15	1800	80	FARNAN
7/15	2100	79	FARNAN
7/15	2400	80	BARTON

**Wednesday**

Date	Time	Temp.	Name (Print)
7/17	0300	79	Dominquez
7/17	0600	79	Dominquez
7/17	0900	78	Salinas
7/17	1200	79	Salinas
7/17	1500	79	FARNAN
7/17	1800	78	FARNAN
7/17	2100	76	FARNAN
7/17	2400	77	FARNAN

**Friday**

Date	Time	Temp.	Name (Print)
7/19	0300	77	J. Quinonez
7/19	0600	75	Garni
7/19	0900	76	Garni
7/19	1200	75	Garni
7/19	1500	76	Garni
7/19	1800	75	Garni
7/19	2100	76	Garni
7/19	2400	75	M. Paswel

**Sunday**

Date	Time	Temp.	Name (Print)
7/21	0300	77	H. Ahmed
7/21	0600	78	J. Aguilar
7/21	0900	78	J. Aguilar
7/21	1200	79	J. Aguilar
7/21	1500	80	J. AGUILAR
7/21	1800	78	J. AGUILAR
7/21	2100	79	J. AGUILAR
7/21	2400	78	BARTON

**Tuesday**

Date	Time	Temp.	Name (Print)
7/16	0300	79	BARTON
7/16	0600	79	Zepeda
7/16	0900	80	Zepeda
7/16	1200	80	Zepeda
7/16	1500	81	FARNAN
7/16	1800	79	FARNAN
7/16	2100	79	FARNAN
7/16	2400	79	Dominquez

**Thursday**

Date	Time	Temp.	Name (Print)
7/18	0300	77	FARNAN
7/18	0600	78	OFFICER
7/18	0900	78	OFFICER
7/18	1200	79	OFFICER
7/18	1500	78	WILLIAMS
7/18	1800	80	WILLIAMS
7/18	2100	82	WILLIAMS
7/18	2400	79	J. Quinonez

**Saturday**

Date	Time	Temp.	Name (Print)
7/20	0300	79	M. Paswel
7/20	0600	79	Garni
7/20	0900	79	Garni
7/20	1200	79	Garni
7/20	1500	79	E. GONZALEZ
7/20	1800	78	E. GONZALEZ
7/20	2100	78	E. GONZALEZ
7/20	2400	77	H. Ahmed

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B  
OP #37

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: CY FLR2 Temp. Reading Location: 2<sup>nd</sup> T

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
11/22/24	0300	78	BARTON
	0600	77	THANN
	0900	79	THANN
	1200	79	THANN
	1500	80	THANN
	1800	79	THANN
	2100	79	THANN
	2400	79	BARTON

Wednesday

Date	Time	Temp.	Name (Print)
11/24/24	0300	78	BARTON
	0600	78	Salinas
	0900	79	Salinas
	1200	80	Salinas
	1500	79	R. Barred
	1800	80	G. Montoya
	2100	76	R. Monterey
	2400	79	THANN

Friday

Date	Time	Temp.	Name (Print)
11/24/24	0300	78	J. Quinonez
	0600	76°	Gann
	0900	76°	Gann
	1200	80°	Gann
	1500	80°	Gann
	1800	76°	Gann
	2100	76°	Gann
	2400	76°	Dominquez

Sunday

Date	Time	Temp.	Name (Print)
11/24/24	0300	76	BARTON
	0600	75°	Gann
	0900	75°	Gann
	1200	75	Gann
	1500	76	T. R.
	1800	76	Gann
	2100	73	Gann
	2400	77	BARTON

Tuesday

Date	Time	Temp.	Name (Print)
11/24/24	0300	79	BARTON
	0600	77	P. OTS
	0900	77	P. OTS
	1200	77	P. OTS
	1500	79	THANN
	1800	78	THANN
	2100	78	THANN
	2400	79	BARTON

Thursday

Date	Time	Temp.	Name (Print)
11/24/24	0300	78	THANN
	0600	76°	Gann
	0900	78°	Gann
	1200	81°	Gann
	1500	82	WILLIAMS
	1800	80°	S. ESTABROOK
	2100	80	S. ESTABROOK
	2400	79	J. Quinonez

Saturday

Date	Time	Temp.	Name (Print)
11/24/24	0300	79°	Dominquez
	0600	79°	Dominquez
	0900	79°	Gann
	1200	80°	Gann
	1500	74	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	75	BARTON

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**Attachment B**  
**OP #37**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: CYFLb2 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
1/ 29 n	0300	76	BROWN
	0600	77	TANNAN
	0900	81	TANNAN
	1200	81	TANNAN
	1500	79	TANNAN
	1800	79	TANNAN
	2100	78	TANNAN
	2400	77	BROWN

Date	Time	Temp.	Name (Print)
1/ 30 n	0300	79	Dominguez
	0600	74	Mur
	0900	75	Mur
	1200	75	Mur
	1500	78	TANAH
	1800	78	TANAH
	2100	78	TANAH
	2400	78	TANAH

Date	Time	Temp.	Name (Print)
8/ 2 24	0300	76	J. Quinonez
	0600	76	GAM
	0900	76	GAM
	1200		GAM
	1500		GAM
	1800		GAM
	2100		GAM
	2400		GAM


Date	Time	Temp.	Name (Print)
8/ 4 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
1/ 30 24	0300	77	BALNOV
	0600	77	SALINAS
	0900	79	SALINAS
	1200	79	SALINAS
	1500	80	TANAH
	1800	79	TANAH
	2100	78	TANAH
	2400	79	Dominguez

Date	Time	Temp.	Name (Print)
8/ 1 24	0300	79	TANAH
	0600	77	G. Lemos
	0900	78	G. Lemos
	1200	80	G. Lemos
	1500	80	D. Williams
	1800	79	D. Williams
	2100	78	D. Williams
	2400	76	J. Quinonez

Date	Time	Temp.	Name (Print)
8/ 3 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes			



# CALIFORNIA CORRECTIONAL HEALTH CARE SERVICES



## MEMORANDUM

Date : August 1, 2024

---

To : Nicarlo Ibarra  
Litigation Coordinator  
Wasco State Prison - Reception Center

---

From : KATHY P. SALAZAR  
Chief Nurse Executive (A)

---

Subject : HEAT RELATED ILLNESS

---

This memorandum is to inform you that there was (1) heat related illnesses reported from July 1, 2024 through July 31, 2024. Please see attached CDCR MH-7711, Heat Incident Log.

If you have any questions or need further information please contact support staff R. Stein, AGPA at extension [REDACTED]

DocuSigned by:

*Kathy Salazar*

AC64E79B6EE4499...

**KATHY P. SALAZAR, RN, BSN**  
**Chief Nurse Executive (A)**  
Wasco State Prison -Reception Center

Heat Incident Log		
Institution: WSP	Date: Jul 10, 2024	Number of Heat Incidents: 1
1. Patient Name: [REDACTED]	CDCR#: [REDACTED]	Housing: [REDACTED]
MHSDS Designation: RC	Level of Care: CCCMS	Date of Heat Incident: 7/10/2024
Location of Incident: [REDACTED]	Change in Level of Care: NONE	
List of Heat Risk Medications: ABILIFY		
Chief Medical Complaint: DIZZY, DEHYDRATION AND FALL		
Diagnosis of Heat Related Illness (specify): DIZZY, DEHYDRATION AND FALL		
Treatment Rendered: ORAL HYDRATION		
Medication Changes Made: ABILIFY CHANGE FROM MORNING TO NIGHT		
Ultimate Disposition of Patient: RETURN TO HOUSING		
Clinician's Name and Title: DR. MONTEGRANDE/ MHMD Surveyadevara		
2. Patient Name: [REDACTED]	CDCR#: [REDACTED]	Housing: [REDACTED]
MHSDS Designation: [REDACTED]	Level of Care: [REDACTED]	Date of Heat Incident: 7/10/2024
Location of Incident: [REDACTED]	Change in Level of Care: [REDACTED]	
List of Heat Risk Medications: [REDACTED]		
Chief Medical Complaint: [REDACTED]		
Diagnosis of Heat Related Illness (specify): [REDACTED]		
Treatment Rendered: [REDACTED]		
Medication Changes Made: [REDACTED]		
Ultimate Disposition of Patient: [REDACTED]		
Clinician's Name and Title: [REDACTED]		
3. Patient Name: [REDACTED]	CDCR#: [REDACTED]	Housing: [REDACTED]
MHSDS Designation: [REDACTED]	Level of Care: [REDACTED]	Date of Heat Incident: 7/10/2024
Location of Incident: [REDACTED]	Change in Level of Care: [REDACTED]	
List of Heat Risk Medications: [REDACTED]		
Chief Medical Complaint: [REDACTED]		
Diagnosis of Heat Related Illness (specify): [REDACTED]		
Treatment Rendered: [REDACTED]		
Medication Changes Made: [REDACTED]		
Ultimate Disposition of Patient: [REDACTED]		
Clinician's Name and Title: [REDACTED]		

Heat Incident Log  
CDCR MH-7711-2 (02/17)

Confidential Patient Information