

STATE OF CALIFORNIA  
**HEAT PLAN - MONTHLY SUMMARY REPORT**  
 CDCR MH-7711-1 (02/17)

## DEPARTMENT OF CORRECTIONS AND REHABILITATION

Page 1 of 1

**Monthly Summary Report**

Institution: CAL

**Memorandum**Date: June 10, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - May 2024

The following is a summary of the heat related activity for the month of May 2024 at CAL (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alert)? Yes \_\_\_\_\_

Number of days Stage I Alert initiated: 29

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No \_\_\_\_\_

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No \_\_\_\_\_

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived? Yes \_\_\_\_\_

5. Number of patients with heat related illness:<sup>3</sup> 3. List these patients on the Heat Incident Log and include the patient's name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms/diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Robert Arias, Warden

Brandy Hernandez, CEO

Warden Name

Chief Executive Officer Name

DocuSigned by:

DocuSigned by:

**Roberto Arias****Brandy Hernandez**

40EE3B2EEE79456

7PAZ3052-CSE24EV

Warden Signature

Chief Executive Officer Signature

Heat Incident Log		
Institution: CALIPATRIA Date of Review: 6/10/24 Auditor: R. ESTILL, AGPA Review Period: May 1, 2024 - May 31, 2024 Number of Heat Incidents: Three (3)		
1. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 5/11/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications: None		
Chief Medical Complaint: Stomach pain, Nausea/vomiting		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered: ESI. V/S. Assessed. IV fluids Meds. Observation		
Medication Changes Made: zofran (nausea)		
Ultimate Disposition of Patient: Returned to Housing		
Clinician's Name and Title: NP J Samson, RN J. Nunez		
2. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 5/25/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications: None		
Chief Medical Complaint: Dizziness due to increased heat and decreased fluid intake		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered: ESI, VS, Assess		
Medication Changes Made: N/A		
Ultimate Disposition of Patient: Returned to Housing		
Clinician's Name and Title: RN R. Sawtell		
3. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident: 5/26/24
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications: None		
Chief Medical Complaint: Arm and leg numbness, headache/vomited, chills while in heat, fatigue		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered: ESI, VS, assessment, Heat Exhaustion/Stroke education provided		
Medication Changes Made: N/A		
Ultimate Disposition of Patient: Returned to housing		
Clinician's Name and Title: RN R. Sawtell		

Heat Incident Log  
CDCR MH-7711-2 (01/23)

Confidential Patient Information

RECEIVED

JUN 10 2024

LITIGATION'S OFFICE

Heat Incident Log (continued)

4. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
5. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
6. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		

Heat Incident Log  
CDCR MH-7711-2 (01/23)

Confidential Patient Information

Heat Incident Log (continued)

7. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
8. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
9. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		

Heat Incident Log  
CDCR MH-7711-2 (01/23)

Confidential Patient Information

Heat Incident Log (continued)

10. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
11. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		
12. Patient Name:	CDCR#:	Housing:
MHSDS Designation:	Level of Care:	Date of Heat Incident:
Location of Incident:	Change in Level of Care:	
List of Heat Risk Medications:		
Chief Medical Complaint:		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered:		
Medication Changes Made:		
Ultimate Disposition of Patient:		
Clinician's Name and Title:		

Heat Incident Log  
CDCR MH-7711-2 (01/23)

Confidential Patient Information

JUN - 3 2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU Temp. Reading Location: 1  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05-01-24	0300	69	J. CAWACER
	0600	68	S. RAMES
	0900	69	S. RAMES
	1200	70	S. RAMES
	1500	70	P. HUYNH
	1800	70	P. HUYNH
	2100	70	P. HUYNH
	2400	69	S. CAWACER

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	69	J. CAWACER
	0600	68	S. RAMES
	0900	70	S. RAMES
	1200	71	S. RAMES
	1500	71	P. HUYNH
	1800	70	P. HUYNH
	2100	70	P. HUYNH
	2400	70	S. WIMSTON

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	S. WIMSTON
	0600	69	B. GUEVARA
	0900	70	S. RAMES
	1200	71	S. RAMES
	1500	71	P. HUYNH
	1800	71	P. HUYNH
	2100	70	P. HUYNH
	2400	70	E. GUEVARA

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	B. GUEVARA
	0600	69	B. GUEVARA
	0900	70	B. GUEVARA
	1200	70	M. GUERRERO
	1500	70	P. HUYNH
	1800	70	P. HUYNH
	2100	70	P. HUYNH
	2400	69	J. CAWACER

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	69	J. CAWACER
	0600	69	B. GUEVARA
	0900	69	B. GUEVARA
	1200	69	S. RAMES
	1500	69	P. HUYNH
	1800	69	P. HUYNH
	2100	69	P. HUYNH
	2400	69	J. CAWACER

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU

Temp. Reading Location: 1  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	69	J. CAVAZOS
	0600	68	F. RAMIREZ
	0900	69	F. RAMIREZ
	1200	69	A. Booth
	1500	69	J. Marco
	1800	69	J. Marco
	2100	69	J. Marco
	2400	69	J. CAVAZOS

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	69	J. CAVAZOS
	0600	67	G. OLIVAS
	0900	68	S. RAMOS
	1200	68	S. RAMOS
	1500	69	J. Marco
	1800	69	J. Marco
	2100	69	J. Marco
	2400	69	J. CAVAZOS

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	69	J. CAVAZOS
	0600	68	J. DAVALOS
	0900	69	S. RAMOS
	1200	69	J. DAVALOS
	1500	69	P. HUYNH
	1800	69	P. HUYNH
	2100	69	P. HUYNH
	2400	69	J. CAVAZOS

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	69	J. CAVAZOS
	0600	69	S. RAMOS
	0900	69	S. RAMOS
	1200	70	S. RAMOS
	1500	70	P. HUYNH
	1800	70	P. HUYNH
	2100	70	P. HUYNH
	2400	69	S. RAMOS

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	69	S. RAMOS
	0600	69	S. RAMOS
	0900	69	S. RAMOS
	1200	70	B. NEVARA
	1500	70	P. HUYNH
	1800	70	P. HUYNH
	2100	70	P. HUYNH
	2400	70	E. G. CLEVARA

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	69	E. G. CLEVARA
	0600	69	S. RAMOS
	0900	70	S. RAMOS
	1200	71	S. RAMOS
	1500	71	P. HUYNH
	1800	71	P. HUYNH
	2100	70	P. HUYNH
	2400	70	C. CORDERO

Notes

Date	Time	Temp.	Name (Print)
5/12/24	0300	69	C. CORDERO
	0600	69	B. NEVARA
	0900	70	B. NEVARA
	1200	70	P. HUYNH
	1500	71	P. HUYNH
	1800	71	P. HUYNH
	2100	71	P. HUYNH
	2400	71	J. CAVAZOS

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU Temp. Reading Location: 1  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	71	J. Cawaco
	0600	70	A. Booth
	0900	71	A. Booth
	1200	72	A. Booth
	1500	72	M. Marquez
	1800	72	M. Marquez
	2100	72	M. Marquez
	2400	71	Rodriguez, J.I.

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	J. Cawaco
	0600	70	S. Ramos
	0900	71	S. Ramos
	1200	71	S. Ramos
	1500	71	P. Huynh
	1800	71	P. Huynh
	2100	71	P. Huynh
	2400	70	J. Cawaco

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	71	S. Holmstrom
	0600	71	B. Guvara
	0900	71	B. Guvara
	1200	72	B. Guvara
	1500	72	P. Huynh
	1800	72	P. Huynh
	2100	71	P. Huynh
	2400	71	S. Holmstrom

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	71	S. Cawaco
	0600	70	A. Booth
	0900	71	A. Booth
	1200	71	A. Booth
	1500	71	P. Huynh
	1800	71	P. Huynh
	2100	71	P. Huynh
	2400	71	J. Cawaco

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	70	Rodriguez, J.I.
	0600	70	Rodriguez, J.I.
	0900	71	S. Ramos
	1200	71	S. Ramos
	1500	71	H. Maceo
	1800	71.6	F. Burgos
	2100	71.9	F. Burgos
	2400	70	J. Cawaco

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	J. Cawaco
	0600	70	B. Guvara
	0900	71	S. Ramos
	1200	72	S. Ramos
	1500	72	P. Huynh
	1800	72	P. Huynh
	2100	71	P. Huynh
	2400	71	S. Holmstrom

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	71	S. Holmstrom
	0600	71	B. Guvara
	0900	71	S. Holmstrom
	1200	72	S. Ramos
	1500	71	P. Huynh
	1800	72	P. Huynh
	2100	72	P. Huynh
	2400	71	J. Cawaco

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU Temp. Reading Location: 1  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	71	J. Cawdor
	0600	71	F. Ramirez
	0900	71	A. Booth
	1200	71	A. Booth
	1500	71	J. Marco
	1800	71	J. Marco
	2100	72	J. Marco
	2400	71	J. Cawdor

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	71	J. Cawdor
	0600	70	E. Sanchez
	0900	71	S. Ramos
	1200	72	S. Ramos
	1500	72	J. Marco
	1800	72	J. Marco
	2100	72	J. Marco
	2400	71	J. Cawdor

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	71	J. Cawdor
	0600	70	B. Juarez
	0900	71	S. Ramos
	1200	72	S. Ramos
	1500	72	P. Huynh
	1800	72	P. Huynh
	2100	71	P. Huynh
	2400	71	J. Cawdor

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	71	J. Cawdor
	0600	71	B. Juarez
	0900	71	B. Juarez
	1200	72	S. Ramos
	1500	72	P. Huynh
	1800	72	P. Huynh
	2100	71	P. Huynh
	2400	71	S. Ramos

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	71	S. Holstrom
	0600	70	P. Huynh
	0900	71	S. Ramos
	1200	72	B. Juarez
	1500	72	P. Huynh
	1800	72	P. Huynh
	2100	71	P. Huynh
	2400	71	S. Holstrom

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	71	S. Holstrom
	0600	70	P. Huynh
	0900	70	P. Huynh
	1200	71	P. Huynh
	1500	71	P. Huynh
	1800	71	P. Huynh
	2100	71	P. Huynh
	2400	71	S. Holstrom

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	S. Holstrom
	0600	70	P. Huynh
	0900	70	S. Holstrom
	1200	70	S. Holstrom
	1500	70	P. Huynh
	1800	70	P. Huynh
	2100	70	P. Huynh
	2400	70	S. Cawdor

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: OHU Temp. Reading Location: 1  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	J. CANACCI
	0600	70	F. RAMIREZ
	0900	70	A. BARTH
	1200	70	A. BARTH
	1500	71	J. Marco
	1800	71	J. Marco
	2100	71	J. Marco
	2400	70	J. CANACCI

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	70	J. CANACCI
	0600	70	S. RAMES
	0900	70	S. RAMES
	1200	71	S. RAMES
	1500	71	J. Marco
	1800	71	J. Marco
	2100	71	J. Marco
	2400	70	J. CANACCI

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	J. CANACCI
	0600	70	E. GUEVARA
	0900	71	E. GUEVARA
	1200	72	E. GUEVARA
	1500	72	P. HUYNH
	1800	72	P. HUYNH
	2100	72	P. HUYNH
	2400	71	D. Sifuentes

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	D. Sifuentes
	0600	71	D. Sifuentes
	0900	71	S. RAMES
	1200	72	S. RAMES
	1500	72	P. HUYNH
	1800	72	P. HUYNH
	2100	72	P. HUYNH
	2400	72	D. Sifuentes

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	71	D. Sifuentes
	0600	71	E. GUEVARA
	0900	72	S. RAMES
	1200	72	S. RAMES
	1500	72	P. HUYNH
	1800	72	P. HUYNH
	2100	72	P. HUYNH
	2400	72	E. Guevara

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

RECEIVED

JUN - 5 2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A1

Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday 5-1-24

Date	Time	Temp.	Name (Print)
	0300	67.3	E. Romo
	0600	68.1	V. Carrasco
	0900	68.9	V. Carrasco
	1200	70.3	V. Carrasco
	1500	70.6	I. Martinez
	1800	71.3	I. Martinez
	2100	71.6	I. Martinez
	2400	70.5	E. Romo

Friday 5-3-24

Date	Time	Temp.	Name (Print)
	0300	69	T. Romero
	0600	69.2	A. Gonzalez
	0900	69.8	A. Gonzalez
	1200	71.2	A. Gonzalez
	1500	71.5	M. Morales
	1800	71.7	M. Morales
	2100	71.3	M. Morales
	2400	70.3	J. Caro

Sunday 5-5-24

Date	Time	Temp.	Name (Print)
5-5-24	0300	68.4	M. Reyes
5-5-24	0600	67.9	M. Reyes
5-5-24	0900	68.9	P. Navarro
5-5-24	1200	68.7	P. Navarro
5-5-24	1500	69	I. Martinez
5-5-24	1800	69.10	I. Martinez
5-5-24	2100	68.8	I. Martinez
5-5-24	2400	69.4	I. Martinez

Thursday 5-2-24

Date	Time	Temp.	Name (Print)
	0300	69.7	E. Romo
	0600	68.9	V. Carrasco
	0900	69.9	V. Carrasco
	1200	70.5	V. Carrasco
	1500	71.0	I. Martinez
	1800	72.60	I. Martinez
	2100	71.6	I. Martinez
	2400	70	I. Martinez

Saturday 5-4-24

Date	Time	Temp.	Name (Print)
5-4-24	0300	68.9	J. Caro
5-4-24	0600	68.3	C. Lopez
5-4-24	0900	69.8	N. Navarro
5-4-24	1200	70.1	N. Navarro
5-4-24	1500	71.4	S. Rosales
5-4-24	1800	70.8	T. Romero
5-4-24	2100	70.6	T. Romero
5-4-24	2400	69	M. Reyes

Notes

Cpt. O'Dell

6-4-24

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C4L Housing Unit: 41

Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5-6-24

Date	Time	Temp.	Name (Print)
5 ↓ 6 + 2024	0300	66.5	JENEGOSA
	0600	65.7	V. CARPIO
	0900	66.8	V. CARPIO
	1200	67.4	V. CARPIO
	1500	68.5	M. PANTOSA
	1800	68.9	M. PANTOSA
	2100	68.5	M. PANTOSA
	2400	68.1	E RAMOS

Wednesday 5-8-24

Date	Time	Temp.	Name (Print)
5 ↓ 6 + 2024	0300	68.5	E RAMOS
	0600	67.1	V. CARPIO
	0900	66.2	V. CARPIO
	1200	69.8	V. CARPIO
	1500	70.7	M. PANTOSA
	1800	70.6	M. PANTOSA
	2100	69.9	M. PANTOSA
	2400	69.5	E RAMOS

Friday

Date	Time	Temp.	Name (Print)
5 ↓ 6 + 2024	0300	67.9	E RAMOS
	0600	67	J. Velasco
	0900	69	J. Velasco
	1200	70	J. Velasco
	1500	71	E LARA
	1800	71	E LARA
	2100	71	M. LARA
	2400	70	M. LARA

Sunday

Date	Time	Temp.	Name (Print)
5 ↓ 6 + 2024	0300	69.1	M. LARA
	0600	70.5	Hern
	0900	70.3	Hern
	1200	72.0	Hern
	1500	72.0	Hern
	1800	72.0	Hern
	2100	72.0	Hern
	2400	70.1	E RAMOS

Tuesday 5-7-24

Date	Time	Temp.	Name (Print)
5 ↓ 6 + 2024	0300	67.3	E RAMOS
	0600	66.2	V. CARPIO
	0900	67.0	V. CARPIO
	1200	68.0	V. CARPIO
	1500	69.6	M. PANTOSA
	1800	70.2	M. PANTOSA
	2100	69.8	M. PANTOSA
	2400	69.1	E RAMOS

Thursday 5-9-24

Date	Time	Temp.	Name (Print)
5 ↓ 6 + 2024	0300	69.3	E RAMOS
	0600	68.5	V. CARPIO
	0900	69.7	V. CARPIO
	1200	69.8	V. CARPIO
	1500	69.9	Loren
	1800	69.9	Loren
	2100	69.8	Loren
	2400	68.5	E RAMOS

Saturday

Date	Time	Temp.	Name (Print)
5 ↓ 6 + 2024	0300	69.1	M. LARA
	0600	70.2	J. Fenzl
	0900	70.4	J. Fenzl
	1200	70.6	J. Fenzl
	1500	72	B. Sumner
	1800	71	D. Marquez
	2100	71	D. Marquez
	2400	70	M. LARA

Notes

Cpt O. Valdez 0000  
6-4-24

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A +

Temp. Reading Location: TOP TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ 90 degrees and again at 95 degrees when the inside air temperature reaches

Monday 5-13-24

Date	Time	Temp.	Name (Print)
	0300	70.5	E. Ramirez
	0600	70.2	V. Calvo
	0900	71.3	V. Calvo
	1200	72.9	V. Calvo
	1500	73.3	M. Pantosa
	1800	73.4	M. Pantosa
	2100	73.3	M. Pantosa
	2400	72	M. Mava

Wednesday 5-15-24

Date	Time	Temp.	Name (Print)
	0300	71.4	R. Delgado
	0600	70.6	V. Calvo
	0900	71.3	V. Calvo
	1200	71.3	V. Calvo
	1500	72.3	M. Pantosa
	1800	72.8	M. Pantosa
	2100	72.5	M. Pantosa
	2400	71.6	R. Delgado

Friday

Date	Time	Temp.	Name (Print)
	0300	71.1	E. Ramirez
	0600	71	J. Velas
	0900	71	J. Velas
	1200	72	J. Velas
	1500	73.0	A. Hernandez
	1800	72.9	A. Hernandez
	2100	72.6	A. Hernandez
	2400	71.2	M. Mava

Sunday

Date	Time	Temp.	Name (Print)
	0300	70.4	C. Ramirez
	0600	69.5	C. Ramirez
	0900	70.3	V. Calvo
	1200	71.2	V. Calvo
	1500	72.6	M. Pantosa
	1800	73.1	M. Pantosa
	2100	72.6	M. Pantosa
	2400	71.5	E. Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
	0300	71	M. Mava
	0600	70.1	V. Calvo
	0900	71.5	V. Calvo
	1200	71.8	V. Calvo
	1500	73.2	M. Pantosa
	1800	73.1	M. Pantosa
	2100	72.5	M. Pantosa
	2400	72.1	Z. Ramirez

Thursday 5-16-24

Date	Time	Temp.	Name (Print)
	0300	70	R. Delgado
	0600	70	R. Delgado
	0900	70.8	V. Calvo
	1200	71.8	V. Calvo
	1500	72.5	M. Pantosa
	1800	72.9	M. Pantosa
	2100	72.9	M. Pantosa
	2400	71.5	R. Delgado

Saturday

Date	Time	Temp.	Name (Print)
	0300	70.1	M. Mava
	0600	70	J. Velas
	0900	71	J. Velas
	1200	72	J. Velas
	1500	72	J. Velas
	1800	73	J. Velas
	2100	73	J. Velas
	2400	71.1	C. Ramirez

Notes

Cpt. O. Miller

6-4-24

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A-1

Temp. Reading Location: TOP TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

5-22-24

Date	Time	Temp.	Name (Print)
5-22-24	0300	70.9	E RAMOS
	0600	70.6	E RAMOS
	0900	70.9	V. CARP
	1200	72.1	V. CARP
	1500	72.7	M PANTOSA
	1800	73.3	M PANTOSA
	2100	72.5	M PANTOSA
	2400	71.0	E RAMOS

Wednesday

5-22-24

Date	Time	Temp.	Name (Print)
5-22-24	0300	71.9	E RAMOS
	0600	71.7	V. CARP
	0900	72.4	V. CARP
	1200	73.2	V. CARP
	1500	73.9	M PANTOSA
	1800	73.5	M PANTOSA
	2100	74.3	M PANTOSA
	2400	73.5	E RAMOS

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	71.9	E RAMOS
	0600	71.5	N. RIOS
	0900	72.5	N. RIOS
	1200	72.2	m m
	1500	74.7	TORRE
	1800	74.3	TORRE
	2100	74.7	TORRE
	2400	73.1	m m

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	72.8	m m
	0600	70.5	D NAVARRO
	0900	72.3	D NAVARRO
	1200	73.0	D NAVARRO
	1500	73.3	M PANTOSA
	1800	74.9	M PANTOSA
	2100	74.8	M PANTOSA
	2400	74.1	CIPRONA

Tuesday

5-22-24

Date	Time	Temp.	Name (Print)
5-22-24	0300	70.5	E RAMOS
	0600	70.6	V. CARP
	0900	71.5	V. CARP
	1200	72.2	V. CARP
	1500	73.2	M PANTOSA
	1800	73.6	M PANTOSA
	2100	73.7	M PANTOSA
	2400	72.1	E RAMOS

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	73.1	E RAMOS
	0600	72.0	V. CARP
	0900	72.2	V. CARP
	1200	73.4	V. CARP
	1500	74.0	M PANTOSA
	1800	74.4	M PANTOSA
	2100	74.4	M PANTOSA
	2400	72.8	E RAMOS

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	72.2	m m
	0600	72.0	BORG
	0900	72.5	BORG
	1200	72.5	BORG
	1500	73.4	KS
	1800	73.2	KS
	2100	72.6	KS
	2400	73.2	m m

Notes

Cpt. O. Valdez 000  
6-4-24

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A-1

Temp. Reading Location: Top Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	73.5	E. LAMAR
	0600	72.2	V. CARP.
	0900	73.4	V. CARP.
	1200	73.6	V. CARP.
	1500	74.3	M. PANTOSA
	1800	74.5	M. PANTOSA
	2100	75.2	M. PANTOSA
	2400	74.3	E. REYES

Tuesday

Date	Time	Temp.	Name (Print)
TUESDAY MAY 28 2024	0300	73.3	E. REYES
	0600	72.6	V. CARP.
	0900	73.1	V. CARP.
	1200	73.4	V. CARP.
	1500	74.5	M. PANTOSA
	1800	74.7	M. PANTOSA
	2100	73.8	M. PANTOSA
	2400	73.0	E. REYES

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	71.0	E. REYES
	0600	71.0	E. REYES
	0900	72.3	V. CARP.
	1200	73.0	V. CARP.
	1500	74.5	M. PANTOSA
	1800	74.6	M. PANTOSA
	2100	75.3	M. PANTOSA
	2400	76.1	E. REYES

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	74.5	E. REYES
	0600	72.2	V. CARP.
	0900	73.2	V. CARP.
	1200	73.6	V. CARP.
	1500	74.2	M. PANTOSA
	1800	75.1	M. PANTOSA
	2100	75.2	M. PANTOSA
	2400	74.1	E. REYES


Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	73.7	E. REYES
	0600	73	J. VELASCO
	0900	73	J. VELASCO
	1200	73	J. VELASCO
	1500	74	A. VERA
	1800	74	A. VERA
	2100	73	A. VERA
	2400	72	R. RAMIREZ

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	71	R. RAMIREZ
	0600	71	R. RAMIREZ
	0900	71	J. VELASCO
	1200	73	J. VELASCO
	1500	74.4	J. VELASCO
	1800	75	J. VELASCO
	2100	74.6	J. VELASCO
	2400	73.4	J. VELASCO

Notes

Cpt. O. Chater   
6-9-24

Date	Time	Temp.	Name (Print)
6-2-24	0300	72.5	J. MELENDREZ
	0600	73	J. MELENDREZ
	0900	73.2	J. MELENDREZ
	1200	73.8	J. MELENDREZ
	1500	74.3	M. PANTOSA
	1800	75.0	M. PANTOSA
	2100	74.3	M. PANTOSA
	2400	73.7	J. MELENDREZ

RECEIVED

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

JUN - 5 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: A5

Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5-1-24	0300	67.9	Espinosa A
	0600	66	D. Acosta
	0900	69	D. Acosta
	1200	72	D. Acosta
	1500	72.8	Van
	1800	73.2	Van
	2100	72.5	N
	2400	70	A. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0300	67	A. Rodriguez
	0600	67	D. Acosta
	0900	69	D. Acosta
	1200	72	D. Acosta
	1500	75.2	Van
	1800	79.1	Van
	2100	72.6	Van
	2400	70	M. Martinez

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0300	69	M. Martinez
	0600	67	D. Acosta
	0900	70	D. Acosta
	1200	73	D. Acosta
	1500	76	C. Davila
	1800	74	C. Davila
	2100	71	C. Davila
	2400	71	A. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300	70	A. Rodriguez
	0600	67	E. Vargas
	0900	70	E. Vargas
	1200	72	E. Vargas
	1500	73	F. Lopez
	1800	73	F. Lopez
	2100	70	F. Lopez
	2400	68.7	R. Martinez

Notes

Cpt. O'Dell   
6-4-24

Date	Time	Temp.	Name (Print)
5-5-24	0300	68.7	R. Martinez
	0600	67.3	J. Silvers
	0900	68.1	J. Silvers
	1200	68.9	J. Silvers
	1500	71.2	N
	1800	69.9	Van
	2100	69.0	Van
	2400	69.0	J. Silvers

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CPI Housing Unit: A5 Temp. Reading Location: 2nd tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	64.3	JFM
	0600	64	D. Acosta
	0900	65	D. Acosta
	1200	68	D. Acosta
	1500	71.8	L. Mendoza
	1800	72	L. Mendoza
	2100	69.6	L. Mendoza
	2400	67	Oran

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	64	Oran
	0600	64	D. Acosta
	0900	67	D. Acosta
	1200	71	D. Acosta
	1500	74.6	L. Mendoza
	1800	73.7	Van
	2100	72.7	Van
	2400	79.0	Oran

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	72	Oran
	0600	65	D. Acosta
	0900	69	D. Acosta
	1200	72	D. Acosta
	1500	75.2	
	1800	74.1	Van
	2100	72.8	Van
	2400	70.4	Oran

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	68	Oran
	0600	66	D. Acosta
	0900	68	D. Acosta
	1200	71	D. Acosta
	1500	73.4	L. Mendoza
	1800	72.8	Van
	2100	70.8	Van
	2400	70	M. Acosta

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	68	M. Acosta
	0600	67	D. Acosta
	0900	69	D. Acosta
	1200	72	D. Acosta
	1500	73.0	E. Valdez
	1800	73.0	E. Valdez
	2100	74.0	E. Valdez
	2400	74.0	A. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	73.0	A. Rodriguez
	0600	67	E. Valdez
	0900	70	E. Valdez
	1200	72	E. Valdez
	1500	73.6	L. Perez
	1800	73.2	L. Perez
	2100	72.0	L. Perez
	2400	71.0	Oran

Notes

Cpt. O. Valdez 6/4/24

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	E. Valdez
	0600	72	E. Valdez
	0900	72	E. Valdez
	1200	75.0	E. Valdez
	1500	71.1	E. Valdez
	1800	72.2	E. Valdez
	2100	72.0	E. Valdez
	2400	72.0	Oran

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CHC Housing Unit: A5

Temp. Reading Location: 3rd tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/11/18	0300	71	D. Acosta
	0600	69	D. Acosta
	0900	72	D. Acosta
	1200	74	D. Acosta
	1500	76.4	
	1800	75.1	JW
	2100	74.8	JW
	2400	73.8	D. Acosta

Tuesday

Date	Time	Temp.	Name (Print)
5/11/18	0300	70	D. Acosta
	0600	69	D. Acosta
	0900	73	D. Acosta
	1200	79	D. Acosta
	1500	76.2	
	1800	75.6	JW
	2100	74.0	JW
	2400	72.1	D. Acosta

Wednesday

Date	Time	Temp.	Name (Print)
5/11/18	0300	70	D. Acosta
	0600	68	D. Acosta
	0900	70	D. Acosta
	1200	73	D. Acosta
	1500	76.5	
	1800	75.2	JW
	2100	74.1	JW
	2400	74.1	

Thursday

Date	Time	Temp.	Name (Print)
5/11/18	0300	68	D. Acosta
	0600	69	D. Acosta
	0900	71	D. Acosta
	1200	74	D. Acosta
	1500	76.5	JW
	1800	75.4	JW
	2100	73	JW
	2400	73	in K6, CHA

Friday

Date	Time	Temp.	Name (Print)
5/11/18	0300	70	M. A. Givens
	0600	69	Ramirez C.
	0900	70	Ramirez C.
	1200	73	Ramirez C.
	1500	75	C. Davila
	1800	76	C. Davila
	2100	73	C. Davila
	2400	73	A. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
5/12/18	0300	72	A. Rodriguez
	0600	72	
	0900	73.1	C. Davila
	1200	75.0	C. Davila
	1500	76	C. Davila
	1800	75	C. Davila
	2100	73	C. Davila
	2400	72.1	W. Mingo

Notes

Cpt - O. Wallace

6-4-29

Date	Time	Temp.	Name (Print)
5/12/18	0300	70.5	R. Martinez
	0600	70.5	R. Martinez
	0900	69.8	2. V. —
	1200	70.8	2. V. —
	1500	70.9	
	1800	71.7	
	2100	70.5	V. —
	2400	71.0	J. R.

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 61 Housing Unit: A5

Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees. when the inside air temperature reaches

**Monday**

Date	Time	Temp.	Name (Print)
5/21/12	0300	70	D. Acosta
	0600	69	D. Acosta
	0900	72	D. Acosta
	1200	75	D. Acosta
	1500	76.9	✓
	1800	77.7	✓
	2100	76.0	✓
	2400	70.2	✓

**Wednesday**

Date	Time	Temp.	Name (Print)
5/21/12	0300	70	✓
	0600	69	D. Acosta
	0900	72	D. Acosta
	1200	75	D. Acosta
	1500	76.9	✓
	1800	77.7	✓
	2100	76.6	✓
	2400	70.5	✓

**Friday**

Date	Time	Temp.	Name (Print)
5/21/12	0300	70	M. Alvarado
	0600	69	D. Acosta
	0900	73	D. Acosta
	1200	75	D. Acosta
	1500	76	C. Davila
	1800	76	C. Davila
	2100	75	C. Davila
	2400	75	A. Rodriguez

**Sunday**

Date	Time	Temp.	Name (Print)
5/21/12	0300	72	✓
	0600	72	E. V.
	0900	70	E. V.
	1200	70.7	✓
	1500	79.0	✓
	1800	78.7	✓
	2100	78.1	✓
	2400	74.0	✓

**Tuesday**

Date	Time	Temp.	Name (Print)
5/21/12	0300	69.6	✓
	0600	69	D. Acosta
	0900	70	D. Acosta
	1200	74	D. Acosta
	1500	76.5	✓
	1800	76.8	✓
	2100	75.9	✓
	2400	79.0	✓

**Thursday**

Date	Time	Temp.	Name (Print)
5/21/12	0300	70	✓
	0600	69	D. Acosta
	0900	72	D. Acosta
	1200	74	D. Acosta
	1500	79.1	✓
	1800	77.0	✓
	2100	77.0	✓
	2400	75.2	m-peterson

**Saturday**

Date	Time	Temp.	Name (Print)
5/21/12	0300	74	A. Rodriguez
	0600	69.00	E. V.
	0900	72.00	E. V.
	1200	75.00	E. V.
	1500	75	C. Davila
	1800	75	C. Davila
	2100	73	C. Davila
	2400	72	✓

**Notes**

CPT. O. Valdez COO

6-4-24

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: CAC Housing Unit: A5

Temp. Reading Location: 2nd tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/18/14	0300	72	John
	0600	69	D. Acosta
	0900	72	D. Acosta
	1200	74	D. Acosta
	1500	79.7	
	1800	78.2	V.M.
	2100	77.7	V.M.
	2400	74.7	V.M.

Tuesday

Date	Time	Temp.	Name (Print)
5/18/14	0300	76	John
	0600	70	D. Acosta
	0900	74	D. Acosta
	1200	76	D. Acosta
	1500	79.9	
	1800	77.7	V.M.
	2100	77.0	V.M.
	2400	77	D. Acosta

Wednesday

Date	Time	Temp.	Name (Print)
5/18/14	0300	71	John
	0600	71	D. Acosta
	0900	73	D. Acosta
	1200	75	D. Acosta
	1500	78.2	
	1800	77.7	V.M.
	2100	76.9	V.M.
	2400	74.7	V.M.

Thursday

Date	Time	Temp.	Name (Print)
5/18/14	0300	72.2	
	0600	71	D. Acosta
	0900	73	D. Acosta
	1200	76	D. Acosta
	1500	79.2	V.M.
	1800	78.5	V.M.
	2100	76.8	V.M.
	2400	73	M. AGUILERA

Friday

Date	Time	Temp.	Name (Print)
5/19/14	0300	72	M. AGUILERA
	0600	72	D. Acosta
	0900	74	D. Acosta
	1200	77	D. Acosta
	1500	78	C. Davila
	1800	79	C. Davila
	2100	76	C. Davila
	2400	74	C. Davila

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Cpt-O.Valdez CO-5

6-4-14

RECEIVED

JUN - 4 2024

#### LITIGATION'S OFFICE

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-1 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 3502 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
2/15/51	0300	68°	J. F. ARXAS
	0600	68	R. Magdalena
	0900	69	R. Magdalena
	1200	69	R. Magdalena
	1500	69	O. Valencia
	1800	69	O. Valencia
	2100	69	O. Valencia
	2400	68°	J. F. ARXAS

Friday

Date	Time	Temp.	Name (Print)
5-3-29	0300	68°	J. F. FARXAS
	0600	68	V. G. H.
	0900	69	66°
	1200	69.8	JELPA
	1500	69.9	Lover
	1800	69.5	Lover
	2100	69.5	Lover
	2400	69°	J. F. FARXAS

## Sunday

Date	Time	Temp.	Name (Print)
5/5/21	0300	69	J. R. L. Z.
	0600	68	O. Valenzuela
	0900	67	O. Valenzuela
	1200	69	O. Valenzuela
	1500	70	O. Valenzuela
	1800	70	O. Valenzuela
	2100	69	O. Valenzuela
	2400	67	J. R. L. Z.

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
12/25/15	0300	65°	J. F. ARAZAS
	0600	68°	R. Magdaleno
	0900	68°	J. Masoliver
	1200	74°	J. Masoliver
	1500	70°	A. SANCHEZ
	1800	70°	SANCHEZ, A.
	2100	70°	SANCHEZ, A.
	2400	70°	J. F. ARAZAS

## Saturday

Date	Time	Temp.	Name (Print)
5/4/11	0300	69°	J. F. RAYAS
	0600	68.9	V. G. GR
	0900	70.9	V. G. GR
	1200	70.3	V. G. GR
	1500	70.6	A. TRUJILLO
	1800	71.9	A. TRUJILLO
	2100	70.7	A. TRUJILLO
	2400	69	A. TRUJILLO

## Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAC Housing Unit: B1 Temp. Reading Location: 2nd tier  
5302 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
<u>5/6/24</u>	0300	66	J. RIZZO
	0600	67	R. MAGALDO
	0900	67	R. MAGALDO
	1200	67	R. MAGALDO
	1500	67	O. VALVERDE
	1800	67	O. VALVERDE
	2100	67	O. VALVERDE
	2400	67	S.F. ARRAZAS

## Tuesday

Date	Time	Temp.	Name (Print)
	0300	65°	S.F. ARRAZAS
	0600	66	R. MAGALDO
	0900	67	R. MAGALDO
	1200	67	R. MAGALDO
	1500	67	O. VALVERDE
	1800	67	O. VALVERDE
	2100	67	O. VALVERDE
	2400	67	S.F. ARRAZAS

## Wednesday

Date	Time	Temp.	Name (Print)
	0300	67°	S.F. ARRAZAS
	0600	67	R. MAGALDO
	0900	68	R. MAGALDO
	1200	68	R. MAGALDO
	1500	68	O. VALVERDE
	1800	69	O. VALVERDE
	2100	69	O. VALVERDE
	2400	67	S.F. ARRAZAS

## Thursday

Date	Time	Temp.	Name (Print)
	0300	67°	S.F. ARRAZAS
	0600	68°	MAGDALENO
	0900	68.5	MAGDALENO
	1200	69	MAGDALENO
	1500	68	O. VALVERDE
	1800	68	O. VALVERDE
	2100	69	O. VALVERDE
	2400	68°	S.F. ARRAZAS

## Friday

Date	Time	Temp.	Name (Print)
	0300	67°	S.F. ARRAZAS
	0600	68	JEGU
	0900	68	VEGA
	1200	68	VEGA
	1500	68	MOULIN
	1800	68	DIAZQUE
	2100	69	ARMEDILO
	2400	69°	S.F. ARRAZAS

## Saturday

Date	Time	Temp.	Name (Print)
<u>5/12/24</u>	0300	68°	S.F. ARRAZAS
	0600	68	VEGA
	0900	68	VEGA
	1200	69	VEGA
	1500	70	VEGA
	1800	71	VEGA
	2100	71	VEGA
	2400	71	J. RIZZO

## Notes

Date	Time	Temp.	Name (Print)
<u>5/12/24</u>	0300	69	J. RIZZO
	0600	69	R. MAGALDO
	0900	70	R. MAGALDO
	1200	71	R. MAGALDO
	1500	71	O. VALVERDE
	1800	70	O. VALVERDE
	2100	67	O. VALVERDE
	2400	71	J. RIZZO

*S.F. ARRAZAS  
J. RIZZO*

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-1 CONTROL Temp. Reading Location: 2nd TIER  
S-02 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	J. M. R.
	0600	70	R. Magdaleno
	0900	70	R. Magdaleno
	1200	70	R. Magdaleno
	1500	72	R. Magdaleno
	1800	71	O. Venezuela
	2100	71	O. Venezuela
	2400	70.6	J. Villanueva

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	71°	S.F. ARIAS
	0600	69	R. Magdaleno
	0900	69	R. Magdaleno
	1200	70	R. Magdaleno
	1500	70	O. Venezuela
	1800	71	O. Venezuela
	2100	71	O. Venezuela
	2400	71.0	S.F. ARIAS

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70°	S.F. ARIAS
	0600	70.5	Lopez
	0900	71	Lopez
	1200	71.9	Lopez
	1500	72.2	J. Martinez
	1800	72.5	J. Martinez
	2100	72.0	J. Martinez
	2400	70°	S.F. ARIAS

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	J. M. R.
	0600	69	CHEVINS
	0900	69	CHEVINS
	1200	70	CHEVINS
	1500	70.1	PEDERSON
	1800	70.0	PEDERSON
	2100	71	KELLOGG
	2400	71°	S.F. ARIAS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	70.1	J. Villanueva
	0600	69	R. Magdaleno
	0900	69	R. Magdaleno
	1200	70	R. Magdaleno
	1500	70	O. Venezuela
	1800	70	O. Venezuela
	2100	70	O. Venezuela
	2400	71.0	S.F. ARIAS

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70°	S.F. ARIAS
	0600	69	R. Magdaleno
	0900	69	R. Magdaleno
	1200	71	R. Magdaleno
	1500	71	O. Venezuela
	1800	71	O. Venezuela
	2100	71	O. Venezuela
	2400	71°	S.F. ARIAS

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	69°	S.F. ARIAS
	0600	71	J. EGLE
	0900	71	J. EGLE
	1200	71	J. EGLE
	1500	71	P. OCHOA
	1800	71.5	P. OCHOA
	2100	71.4	P. OCHOA
	2400	71.9	J. M. R.

Notes

*J. EGLE ✓* *J. EGLE ✓*

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-1 CONTROL Temp. Reading Location: 2<sup>nd</sup> Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 15302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
05/20/2024	0300	70°	S.F. ARZAS
	0600	70.0	J. SILLAS
	0900	69.8	J. SILLAS
	1200	70.9	SILLAS
	1500	70	SILLAS
	1800	70	Ormez
	2100		Sanchez
	2400	69°	S.F. ARZAS

## Wednesday

Date	Time	Temp.	Name (Print)
05/22/24	0300	69°	S.F. ARZAS
	0600	69	R. Magdaleno
	0900	69	R. Magdaleno
	1200	70	R. Magdaleno
	1500	70	O. Valenzuela
	1800	71	O. Valenzuela
	2100	71	O. Valenzuela
	2400	71°	S.F. ARZAS

## Friday

Date	Time	Temp.	Name (Print)
05/24/24	0300	69°	S.F. ARZAS
	0600	69	V.B. H
	0900	70	V.B.H
	1200	70	V.B.H
	1500	70	Sifuentes
	1800	71	Sifuentes
	2100	70	Sifuentes
	2400	69°	S.F. ARZAS

## Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300	69	Ward
	0600	68.2	R. Magdaleno
	0900	69	R. Magdaleno
	1200	69.11	R. Magdaleno
	1500	70	O. Valenzuela
	1800	71	O. Valenzuela
	2100	71	O. Valenzuela
	2400	71	Lowe

## Tuesday

Date	Time	Temp.	Name (Print)
05/21/24	0300	69°	S.F. ARZAS
	0600	69	R. Magdaleno
	0900	69	R. Magdaleno
	1200	71	R. Magdaleno
	1500	71	O. Valenzuela
	1800	71	O. Valenzuela
	2100	71	O. Valenzuela
	2400	70°	S.F. ARZAS

## Thursday

Date	Time	Temp.	Name (Print)
05/23/24	0300	69°	S.F. ARZAS
	0600	69	R. Magdaleno
	0900	69	R. Magdaleno
	1200	69	R. Magdaleno
	1500	70	R. Valenzuela
	1800	71	R. Valenzuela
	2100	71	R. Valenzuela
	2400	70°	S.F. ARZAS

## Saturday

Date	Time	Temp.	Name (Print)
	0300	68°	S.F. ARZAS
	0600	69	VEGA
	0900	69	VEGA
	1200	69	VEGA
	1500	70	Silva
	1800	70	Silva
	2100	70	Silva
	2400	70	Armas

## Notes

*J.H. ✓ 05/26/24*

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B1

Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/27/24	0300	70.4	E. REYES
	0600	69	R. Mason Jr
	0900	70	R. Mason Jr
	1200	71	R. Mason Jr
	1500	71	O. Valenzuela
	1800	71	O. Valenzuela
	2100	71	O. Valenzuela
	2400	70	S.F. AREAS

Tuesday

Date	Time	Temp.	Name (Print)
	0300	69°	J. P. O.
	0600	69	R. Mason Jr
	0900	70	R. Mason Jr
	1200	71	R. Mason Jr
	1500	71	O. Valenzuela
	1800	71	O. Valenzuela
	2100	70	O. Valenzuela
	2400	70	S.F. AREAS

Wednesday

Date	Time	Temp.	Name (Print)
05-30-24	0300	70°	S.F. AREAS
	0600	69	R. Mason Jr
	0900	70	R. Mason Jr
	1200	71	R. Mason Jr
	1500	71	O. Valenzuela
	1800	71	O. Valenzuela
	2100	71	O. Valenzuela
	2400	70	S.F. AREAS

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	69°	S.F. AREAS
	0600	69	R. Mason Jr
	0900	69	R. Mason Jr
	1200	71	R. Mason Jr
	1500	71	C. CASTRO
	1800	71	C. CASTRO
	2100	73.4	C. CASTRO
	2400	72.4	G. Bermudez

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	71.7	G. Bermudez
	0600	71	V. 64
	0900	71	V. 64
	1200	71	T. R. O.
	1500	73	R. Madena
	1800	73	R. Madena
	2100	73	M. Palma
	2400	72	T. R. O.

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	71	T. R. O.
	0600	71	V. 64
	0900	71	V. 64
	1200	72	V. 64
	1500	72	V. 64
	1800	73	L. R. O.
	2100	73	L. R. O.
	2400	73	R. R. O.

Notes

Date	Time	Temp.	Name (Print)
6-2-24	0300	72	R. R. O.
	0600	71	R. R. O.
	0900	72	R. R. O.
	1200	71	R. R. O.
	1500	71	R. R. O.
	1800	70	A. SANCHEZ
	2100	71	A. SANCHEZ
	2400	71	A. GILL

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-5 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday MAY 1, 2024**

Date	Time	Temp.	Name (Print)
	0300	69.1	D. Rojas
	0600	68	A. Gill
	0900	69	A. Gill
	1200	71	A. Gill
	1500	73.4	A. Jordan
	1800	71.6	A. Jordan
	2100	71.3	A. Jordan
	2400	69.1	D. Rojas

**Friday MAY 3, 2024**

Date	Time	Temp.	Name (Print)
	0300	69	A. Gill
	0600	69	A. Gill
	0900	69	A. Gill
	1200	71	CARRILLO
	1500	72	A. Espinoza
	1800	71	A. Espinoza
	2100	71	A. Espinoza
	2400	70	CARRILLO ✓

**Sunday MAY 5, 2024**

Date	Time	Temp.	Name (Print)
	0300	68	J. Espinoza
	0600	68	J. Espinoza
	0900	68.9	R. Ramirez
	1200	69.9	R. Ramirez
	1500	69.8	M. Morales
	1800	69.8	M. Morales
	2100	68.9	M. Morales
	2400	68	A. Gill

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300	68.7	D. Rojas
	0600	68.7	D. Rojas
	0900	69	A. Gill
	1200	70	A. Gill
	1500	72	A. Espinoza
	1800	71	A. Espinoza
	2100	71	A. Espinoza
	2400	70	A. Gill

**Thursday MAY 2, 2024**

Date	Time	Temp.	Name (Print)
	0300	68.7	D. Rojas
	0600	68.7	D. Rojas
	0900	69	A. Gill
	1200	70	A. Gill
	1500	72	A. Espinoza
	1800	71	A. Espinoza
	2100	71	A. Espinoza
	2400	70	A. Gill

**Saturday MAY 4, 2024**

Date	Time	Temp.	Name (Print)
5	0300	70	R. Ramirez ✓
04	0600	70	R. Ramirez ✓
24	0900	69.9	R. Ramirez
	1200	71.0	R. Ramirez
	1500	72.4	A. Jordan
	1800	71.0	A. Jordan
	2100	70.6	A. Jordan
	2400	69	A. Espinoza

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-5 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday May 6, 2024

Date	Time	Temp.	Name (Print)
	0300	63	A. GILL
	0600	67	A. GILL
	0900	67	A. GILL
	1200	68	A. GILL
	1500	70.9	A. Gill
	1800	70.3	A. Gill
	2100	68.6	A. Gill
	2400	67	A. GILL

Tuesday

MAY 7, 2024

Date	Time	Temp.	Name (Print)
	0300	67	A. GILL
	0600	66	A. GILL
	0900	67	A. GILL
	1200	68	A. GILL
	1500	71.4	A. Gill
	1800	73.4	A. Gill
	2100	69.8	A. Gill
	2400	68	A. GILL

Wednesday

Date	Time	Temp.	Name (Print)
	0300	67	J. Barragan
	0600	67	A. GILL
	0900	68	A. GILL
	1200	71	A. GILL
	1500	72.5	A. Gill
	1800	73.1	A. Gill
	2100	70.2	A. Gill
	2400	69	A. GILL

Thursday

Date	Time	Temp.	Name (Print)
	0300	68	A. GILL
	0600	68	A. GILL
	0900	69	A. GILL
	1200	70	A. GILL
	1500	71	A. Esparza
	1800	70	A. Esparza
	2100	70	A. Esparza
	2400	69	A. Esparza

Friday

Date	Time	Temp.	Name (Print)
	0300	68	M. NARVAZ
	0600	68	A. GILL
	0900	69	A. GILL
	1200	70	A. GILL
	1500	72	A. Esparza
	1800	71	A. Esparza
	2100	70	A. Esparza
	2400	69	J. Barragan

Saturday

Date	Time	Temp.	Name (Print)
	0300	69.7	G. Narvaez
	0600	68.4	R. Ramirez
	0900	69.8	R. Ramirez
	1200	70.8	R. Ramirez
	1500	72.4	A. Gill
	1800	73.6	A. Gill
	2100	71.1	A. Gill
	2400	70	A. Esparza

Sunday

Date	Time	Temp.	Name (Print)
	0300	69	A. Esparza
	0600	68.9	R. Ramirez
	0900	70.8	R. Ramirez
	1200	73.7	R. Ramirez
	1500	72.3	J. L. Espinoza
	1800	71.4	J. L. Espinoza
	2100	72	J. L. Espinoza
	2400	71	A. GILL

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: B-5 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday May 13, 2024

Date	Time	Temp.	Name (Print)
	0300	70	A. Gill
	0600	69	A. Gill
	0900	70	A. Gill
	1200	72	A. Gill
	1500	74.4	A. Gill
	1800	75.3	A. Gill
	2100	70.1	A. Gill
	2400	69.9	F. Martinez

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70.1	F. Martinez
	0600	69	A. Gill
	0900	70	A. Gill
	1200	71	A. Gill
	1500	73.4	A. Gill
	1800	72.4	A. Gill
	2100	71.3	A. Gill
	2400	70	A. Gill

Friday

Date	Time	Temp.	Name (Print)
	0300	70	F. Martinez
	0600	69	A. Gill
	0900	71	A. Gill
	1200	71	A. Gill
	1500	73	A. Gill
	1800	73	W. Enders
	2100	71	W. Enders
	2400	71	S. Brown

Sunday

Date	Time	Temp.	Name (Print)
	0300	69	A. Gill
	0600	69	W. Enders
	0900	70	W. Enders
	1200	71	W. Enders
	1500	73	I. Morales
	1800	72	I. Morales
	2100	71	I. Morales
	2400	71	A. Gill

Tuesday

Date	Time	Temp.	Name (Print)
	0300	69.7	F. Martinez
	0600	69	A. Gill
	0900	71	A. Gill
	1200	73	A. Gill
	1500	74.3	A. Gill
	1800	72.4	A. Gill
	2100	71.7	A. Gill
	2400	70.3	F. Martinez

Thursday MAY 16, 2024

Date	Time	Temp.	Name (Print)
	0300	70	A. Gill
	0600	69	A. Gill
	0900	70	A. Gill
	1200	71	A. Gill
	1500	72	A. Espinoza
	1800	72	A. Espinoza
	2100	72	A. Espinoza
	2400	71	F. Martinez

Saturday

Date	Time	Temp.	Name (Print)
	0300	70	S. Brown
	0600	69.7	R. Ramirez
	0900	70.7	R. Ramirez
	1200	72.8	R. Ramirez
	1500	74.0	A. Gill
	1800	72.4	A. Gill
	2100	71.8	A. Gill
	2400	70	A. Espinoza

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL      Housing Unit: B-5      Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday MAY 20, 2024

Date	Time	Temp.	Name (Print)
	0300	70	A. GILL
	0600	69	A. GILL
	0900	69	A. GILL
	1200	71	A. GILL
	1500	73.0	A. GILL
	1800	71.9	A. GILL
	2100	71.6	A. GILL
	2400	70	A. GILL

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70.8	ZENONIA A.
	0600	70	A. GILL
	0900	70	A. GILL
	1200	71	A. GILL
	1500	73.9	A. GILL
	1800	72.3	A. GILL
	2100	71.5	A. GILL
	2400	70.7	M. TRASIM

**Friday** 5/24/24

Date	Time	Temp.	Name (Print)
	0300	69	T. Romeo
	0600	69	A. Gil
	0900	70	A. Gil
	1200	71	A. Gil
	1500	71	A. Espinosa
	1800	72	A. Espinosa
	2100	72	A. Espinosa
	2400	68.9	N. Cipriano

## **Sunday**

Date	Time	Temp.	Name (Print)
	0300	69	J. GYLLEN
	0600	69.6	R. RAMMELER
	0900	69.7	R. RAMMELER
	1200	69.8	R. RAMMELER
	1500	73.3	C. BARNHILL
	1800	72.4	C. BARNHILL
	2100	71.3	C. BARNHILL
	2400	70	A. GYLLEN

Tuesday

MAY 21, 2024

Date	Time	Temp.	Name (Print)
	0300	78	A. GILL
	0600	68	A. GILL
	0900	76	A. GILL
	1200	72	A. GILL
	1500	74.4	A. GILL
	1800	75.2	A. GILL
	2100	72.1	A. GILL
	2400	72.1	A. GILL

Thursday

May 23.2024

Date	Time	Temp.	Name (Print)
	0300	69.8	69.8 MURASINA
	0600	69	A. GILL
	0900	70	A. GILL
	1200	70	A. GILL
	1500	72	A. Espinoza
	1800	71	J. Espinoza
	2100	71	A. Espinoza
	2400	70	J. Espinoza

Saturday 5/25/24

Date	Time	Temp.	Name (Print)
	0300	68.7	N. Cuyas
	0600	69.8	R. Ramirez
	0900	69.9	R. Ramirez
	1200	70.6	R. Ramirez
	1500	70.0	A. Aguilan
	1800	73.4	A. Aguilan
	2100	70.6	A. Aguilan
	2400	69	A. Aguilan

## Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL      Housing Unit: B-5      Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday MAY 27, 2024

Date	Time	Temp.	Name (Print)
	0300	70	A. GILL
	0600	69	A. GILL
	0900	69	A. GILL
	1200	70	A. GILL
	1500	73.7	A. Bradford
	1800	75.3	A. Bradford
	2100	72.1	A. Bradford
	2400	70.3	J. H. R.

Wednesday

Date	Time	Temp.	Name (Print)
May 29, 2024	0300	70.2	J. H. R.
	0600	70.2	J. H. R.
	0900	71	A. GILL
	1200	72	A. GILL
	1500	74.9	A. Bradford
	1800	77.0	A. Bradford
	2100	73.1	A. Bradford
	2400	71.6	O. INAY

Friday

Date	Time	Temp.	Name (Print)
5. 31. 2024	0300	71.1	M. L. M.
	0600	70	A. GILL
	0900	71	A. GILL
	1200	72	A. GILL
	1500	76.5	C. BRADFORD
	1800	73	W. ENGLAND
	2100	74	W. ENGLAND
	2400	72.5	R. RODRIGUEZ

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	J. EGAN
	0600	70.5	R. RAMIREZ
	0900	71.0	R. RAMIREZ
	1200	72.0	R. RAMIREZ
	1500	73.6	NARANTO
	1800	73.0	NARANTO
	2100	72.0	NARANTO
	2400	71	D. AGUIN

Tuesday

Date	Time	Temp.	Name (Print)
May 28, 2024	0300	70	J. H. R.
	0600	70	J. H. R.
	0900	70	A. GILL
	1200	71	A. GILL
	1500	72.5	A. Bradford
	1800	73.6	A. Bradford
	2100	73.1	A. Bradford
	2400	73.2	J. H. R.

Thursday

Date	Time	Temp.	Name (Print)
May 30, 2024	0300	71.2	O. INAY
	0600	70	A. GILL
	0900	71	A. GILL
	1200	72	A. GILL
	1500	72	A. Espinoza
	1800	73	A. Espinoza
	2100	73	A. Espinoza
	2400	72	M. L. M.

Saturday

Date	Time	Temp.	Name (Print)
	0300	72.5	R. RODRIGUEZ
	0600	72.5	R. RODRIGUEZ
	0900	71.3	R. RAMIREZ
	1200	72.5	R. RAMIREZ
	1500	72.7	A. Bradford
	1800	72.9	A. Bradford
	2100	72.4	A. Bradford
	2400	72	A. Espinoza

Notes

AN  
J. J.  
J. J.

**RECEIVED**

JUN - 4 2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAC Housing Unit: C1 Control Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
5/1-24	0300	71	M. Harada
	0600	70	Schommer
	0900	71	Schommer
	1200	72	Schommer
	1500	73	Schommer
	1800	74	Schommer
	2100	73	Schommer
	2400	71	M. Harada

**Thursday**

Date	Time	Temp.	Name (Print)
5/2-24	0300	71	M. Harada
	0600	70	Simental J.
	0900	71	Simental J.
	1200	73	Simental
	1500	75	Simental
	1800	74.8	Simental
	2100	74.8	Simental
	2400	72	J. Rizzo

**Friday**

Date	Time	Temp.	Name (Print)
5/3-24	0300	71	J. Rizzo
	0600	71	Oswin J.
	0900	72	Oswin J.
	1200	73	Oswin J.
	1500	75.7	Simental
	1800	76	Simental
	2100	75	Simental
	2400	73	J. Rizzo

**Saturday**

Date	Time	Temp.	Name (Print)
5/4-24	0300	72	J. Rizzo
	0600	72	Oswin J.
	0900	72	Oswin J.
	1200	72	Oswin
	1500	75	Simental
	1800	75	Simental
	2100	74	Simental
	2400	72	P. Huynh

**Sunday**

Date	Time	Temp.	Name (Print)
5/5-24	0300	72	P. Huynh
	0600	72	Schommer
	0900	71	Schommer
	1200	71	Schommer
	1500	71	Simental
	1800	72	Simental
	2100	71	Simental
	2400	70	S. Rossignoli

**Notes**

X MS AM

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CPL Housing Unit: C1 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-6-24	0300	70	S. Rios Almog
	0600	69	Schommer
	0900	69	Schommer
	1200	70	Schommer
	1500	71	P. Betancu
	1800	72	P. Betancu
	2100	72	P. Betancu
	2400	72	J. S. TV

Tuesday

Date	Time	Temp.	Name (Print)
5-7-24	0300	70	J. Gov
	0600	69	Schommer
	0900	70	Schommer
	1200	71	Schommer
	1500	73	P. Betancu
	1800	73	P. Betancu
	2100	74	P. Betancu
	2400	73.6	Z. L.

Wednesday

Date	Time	Temp.	Name (Print)
5-8-24	0300	70.3	M. A.
	0600	70	Schommer
	0900	70	Schommer
	1200	71	Schommer
	1500	72.8	Simental
	1800	73.9	Simental
	2100	72	Simental
	2400	70	M. A.

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0300	70	M. A.
	0600	70	Schommer
	0900	71	Schommer
	1200	71	Schommer
	1500	73	Simental
	1800	73.4	Simental
	2100	73.5	Simental
	2400	71	J. R.

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	70	J. R.
	0600	70	J. R.
	0900	70	J. R.
	1200	70	J. R.
	1500	75	Simental
	1800	75	Simental
	2100	74.8	Simental
	2400	74.3	J. Estrada

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	72.3	J. Estrada
	0600	71	J. Estrada
	0900	71	J. Estrada
	1200	74	J. Estrada
	1500	75	J. Estrada
	1800	75	J. Estrada
	2100	75.5	J. Estrada
	2400	74.4	Z. Vargas

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300	72.1	-
	0600	71.7	T. M.
	0900	73.9	T. M.
	1200	74.1	T. M.
	1500	75.1	Simental
	1800	77	Simental
	2100	76	Simental
	2400	75	M. Haraldo

Notes

X B B P W

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Cal Housing Unit: C2 Temp. Reading Location: End Tier  
B2 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 502 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
6-13-201	0300	76	M Hartado
	0600	75	Hern
	0900	72	Hern
	1200	70	Hern
	1500	77	R McDonald
	1800	77	R McDonald
	2100	77	R McDonald
	2400	75	M Hartado

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0300	75	M. Hendade
	0600	73	Schommer
	0900	74	Schommer
	1200	74	Schommer
	1500	75	Schommer
	1800	77	Schommer
	2100	77	Schommer
	2400	75	M. Hendade

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	73	Roger
	0600	73	Orvin S.
	0900	73	Orvin S.
	1200	75	Orvin S.
	1500	77.5	Simental
	1800	78	Simental
	2100	77	Simental
	2400	74	J. Ross

## Sunday

Date	Time	Temp.	Name (Print)
S/19/24	0300	74	Ranger
	0600	73	Ranger
	0900	74	DARZ
	1200	75	DARZ
	1500	76.6	Simental
	1800	77.9	Simental
	2100	76.4	Simental
	2400	74	G. Porteg

Tuesday

Dat	Time	Temp.	Name (Print)
6-14 - 24	0300	74	M. Harboldo
	0600	73	Schroeder
	0900	74	Schoenauer
	1200	75	Schwander
	1500	75	McNamee
	1800	75	Nelson
	2100	75	Redding
	2400	76	M. Harboldo

**Thursday**

Date	Time	Temp.	Name (Print)
5/16 - 24	0300	79	Montejo
	0600	73.4	Simental
	0900	73.1	Simental
	1200	75.9	Simental
	1500	77	Simental
	1800	77.9	Simental
	2100	71.5	Simental
	2400	75	Diggs

## Saturday

Date	Time	Temp.	Name (Print)
5/10/21	0300	74	J. R. L. S.
	0600	74	Chris S.
	0900	74	Chris S.
	1200	73	Chris S.
	1500	71.9	Simental
	1800	78.8	Simental
	2100	77.5	Simental
	2400	74	Randy

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAC Housing Unit: C1

Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
<u>05/20/24</u>	0300	73.5	G. Portugal
	0600	73	Schommer
	0900	79	Schommer
	1200	75	Schommer
	1500	73	McDaniel
	1800	73	McDaniel
	2100	73	McDaniel
	2400	73	M. Hurtado

#### Wednesday

Date	Time	Temp.	Name (Print)
<u>05/22/24</u>	0300	70	M. Hurtado
	0600	70	Schommer
	0900	70	Schommer
	1200	72	Schommer
	1500	74	Schommer
	1800	73	Schommer
	2100	73	Schommer
	2400	69	M. Hurtado

#### Friday

Date	Time	Temp.	Name (Print)
<u>5/24/24</u>	0300	70	C. Lopez
	0600	69.2	J. Hernandez
	0900	70	L. Sanchez
	1200	73	L. Sanchez
	1500	74	Simental
	1800	74	Simental
	2100	72.8	Simental
	2400	70	R. Lopez

#### Sunday

Date	Time	Temp.	Name (Print)
<u>5/26/24</u>	0300	70	J. Lopez
	0600	69	J. Lopez
	0900	70	A. Diaz
	1200	71	A. Diaz
	1500	72	Simental
	1800	73	Simental
	2100	72	Simental
	2400	72	Perez

#### Tuesday

Date	Time	Temp.	Name (Print)
<u>05/21/24</u>	0300	70	M. Hurtado
	0600	70	Schommer
	0900	70	Schommer
	1200	71	Schommer
	1500	73	McDaniel
	1800	73	McDaniel
	2100	72	McDaniel
	2400	71	M. Hurtado

#### Thursday

Date	Time	Temp.	Name (Print)
<u>05/23/24</u>	0300	69	M. Hurtado
	0600	69.4	Montalvo
	0900	70	Simental
	1200	72	Simental
	1500	73	Simental
	1800	74	Simental
	2100	72.6	Simental
	2400	70	Codillo

#### Saturday

Date	Time	Temp.	Name (Print)
<u>5/25/24</u>	0300	70	R. Lopez
	0600	69	Elizondo
	0900	69	Osumir
	1200	70	Osumir
	1500	73.5	Simental
	1800	73	Simental
	2100	72	Simental
	2400	72	J. Perez

#### Notes

X 115 PW 105 PW

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: C1

Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/21	0300	69.8	D. Peier
21	0600	69	Schommer
21	0900	69	Schommer
21	1200	70	Schommer
21	1500	72	R. McDaniel
21	1800	72	R. McDaniel
21	2100	72	R. McDaniel
21	2400	71	M. Alvarado

**Tuesday**

Date	Time	Temp.	Name (Print)
5/22	0300	70	M. Alvarado
22	0600	69	Schommer
22	0900	70	Schommer
22	1200	71	Schommer
22	1500	72	R. McDaniel
22	1800	73	R. McDaniel
22	2100	74	R. McDaniel
22	2400	75	O. Diaz

**Wednesday**

Date	Time	Temp.	Name (Print)
5/29	0300	70	M. Alvarado
29	0600	70	Schommer
29	0900	71	Schommer
29	1200	73	Schommer
29	1500	75	Simental
29	1800	75.5	Simental
29	2100	74.8	Simental
29	2400	70	O. Diaz

**Thursday**

Date	Time	Temp.	Name (Print)
5/30/2014	0300	70	M. Alvarado
30/2014	0600	71	Schommer
30/2014	0900	71	Schommer
30/2014	1200	73	Schommer
30/2014	1500	74.6	Simental
30/2014	1800	76	Simental
30/2014	2100	74.8	Simental
30/2014	2400	73	R. Castellanos

**Friday**

Date	Time	Temp.	Name (Print)
5/31	0300	72	R. Castellanos
31	0600	71	J. Gutierrez
31	0900	72.5	J. Gutierrez
31	1200	76	J. Gutierrez
31	1500	76.6	Simental
31	1800	77	Simental
31	2100	75	Simental
31	2400	73.4	M. Sandoval

**Saturday**

Date	Time	Temp.	Name (Print)
6/1/2014	0300	72.8	M. Sandoval
6/1/2014	0600	71.6	M. Sandoval
6/1/2014	0900		
6/1/2014	1200		
6/1/2014	1500	74.8	Simental
6/1/2014	1800	77	Simental
6/1/2014	2100	75	Simental
6/1/2014	2400	73.6	J. Rangel

**Notes**

Date	Time	Temp.	Name (Print)
5/31	0300	72.8	J. Gutierrez
31	0600	71.8	J. Gutierrez
31	0900	71	Schommer
31	1200	72	Schommer
31	1500	74.8	Simental
31	1800	75.9	Simental
31	2100	74.6	Simental
31	2400	73	J. Gutierrez

RW

X RW

RW

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR.2031 (04/18)

RECEIVED

JUN - 4 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: C5

LITIGATION'S OFFICE

RECEIVED

JUN - 4 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Temp. Reading Location: TIER 2

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

S3CZ

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
MAY 1 2024	0300	68.2	HAWKINS
	0600	67.1	Perez D
	0900	68.8	Perez D
	1200	70.6	Perez D
	1500	72.5	J Soto
	1800	77.7	J Soto
	2100	72.9	J Soto
	2400	68.6	HAWKINS

Thursday

Date	Time	Temp.	Name (Print)
MAY 2 2024	0300	68	HAWKINS
	0600	66.6	Perez D
	0900	71.8	Perez D
	1200	73.9	Perez D
	1500	73.9	DAVALOS J
	1800	72.4	J. DAVALOS
	2100	71.4	J. DAVALOS
	2400	69.9	HAWKINS

Friday

Date	Time	Temp.	Name (Print)
MAY 3 2024	0300	68.8	HAWKINS
	0600	68.1	Perez D
	0900	69.0	Perez D
	1200	72.3	Perez D
	1500	75.2	A. Mancera
	1800	74.8	A. Mancera
	2100	71.6	A. Mancera
	2400	71	D. Mages

Saturday

Date	Time	Temp.	Name (Print)
MAY 4 2024	0300	70	D. Mages
	0600	69.7	D. Mages
	0900	70.9	D. Mages
	1200	72.1	D. Mages
	1500	73	J. C. Perez
	1800	73	J. C. Perez
	2100	72	J. C. Perez
	2400	72	D. Mages

Sunday

Date	Time	Temp.	Name (Print)
5 24	0300	72	D. Mages
	0600	70.6	R. Aguirre
	0900	70.5	R. Aguirre
	1200	70.7	R. Aguirre
	1500	71	J. Soto
	1800	71.5	J. Soto
	2100	71	J. Soto
	2400	67.4	G. Najarro

Notes

MR PW AW MW

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: C 5 Temp. Reading Location: Tier 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 9302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
MAY 6 2024	0300	66.8	Godavarro
	0600	65.6	Peres D
	0900	68.5	Peres D
	1200	72.5	Peres D
	1500	72	J Soto
	1800	72	J Soto
	2100	71	J Soto
	2400	68.6	T Jafeta

Wednesday

Date	Time	Temp.	Name (Print)
MAY 8 2024	0300	68	M-C
	0600	68	Nunes
	0900	70	Nunes
	1200	71	Nunes
	1500	72	J Soto
	1800	72	J Soto
	2100	71.7	J Soto
	2400	70	R Castellanos

Friday

Date	Time	Temp.	Name (Print)
05/10/24	0300	70	R Castellanos
	0600	67.9	C. SARABIA
	0900	70.8	C. MATAJOSA
	1200	78.8	C. SANCHEZ
	1500	73.0	A. MENESES
	1800	72.6	A. MENESES
	2100	72.4	A. MENESES
	2400	72	D. Lopez

Sunday

Date	Time	Temp.	Name (Print)
5 12 24	0300	71	D. Lopez
	0600	71.2	D. Lopez
	0900	72.4	D. Lopez
	1200	73.1	D. Lopez
	1500	73	Castellanos R
	1800	73	Castellanos R
	2100	73	Castellanos R
	2400	71	M. Sanchez

Tuesday

Date	Time	Temp.	Name (Print)
MAY 7 2024	0300	67.1	M. Lopez
	0600	69.7	Peres D
	0900	68.0	PEREZ
	1200	69.7	PEREZ D
	1500	71.1	J Soto
	1800	73.1	J Soto
	2100	71.5	J Soto
	2400	68	M. Lopez

Thursday

Date	Time	Temp.	Name (Print)
05/09/24 O	0300	70	K Castellanos
	0600	67.6	Simental
	0900	72.5	Simental
	1200	78.8	Simental
	1500	72.7	J Soto
	1800	72.5	J Soto
	2100	71.6	J Soto
	2400	70	K Castellanos

Saturday

Date	Time	Temp.	Name (Print)
5 11 24	0300	71	D. Lopez
	0600	70.1	M. Lopez
	0900	71	M. Lopez
	1200	72	M. Lopez
	1500	75.6	A. Meneeses
	1800	73.9	A. Meneeses
	2100	72.5	A. Meneeses
	2400	72	M. Lopez

Notes

JB (initials)  
MB (initials)

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CN1 Housing Unit: C5 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5352 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
May 13 2024	0300	68	M Surubin
	0600	70	NAVAMO
	0900	72	NAJAMO
	1200	74	NAVATMO
	1500	74	J Soto
	1800	75.7	J Soto
	2100	75.6	J Soto
	2400	69.1	HAWKINS

**Wednesday**

Date	Time	Temp.	Name (Print)
May 15 2024	0300	68.0	HAWKINS
	0600	67.5	Perez D
	0900	71.2	Perez D
	1200	73.4	Perez D
	1500	75.1	J Soto
	1800	75.4	J Soto
	2100	75	J Soto
	2400	69.5	HAWKINS

**Friday**

Date	Time	Temp.	Name (Print)
May 17 2024	0300	70.7	HAWKINS
	0600	70.7	Perez D
	0900	72.9	Perez D
	1200	74.8	Perez D
	1500	74.3	A. Mancera
	1800	76.1	A. Mancera
	2100	74.3	J. Rentero
	2400	73	D. Mayes

**Sunday**

Date	Time	Temp.	Name (Print)
May 19 2024	0300	72	D. Mayes
	0600	71.5	Rogerson
	0900	72.6	Rogerson
	1200	73.4	Rogerson
	1500	74.7	J. Soto
	1800	75.4	J. Soto
	2100	74	J. Soto
	2400	74.1	F. Burneo

**Tuesday**

Date	Time	Temp.	Name (Print)
May 14 2024	0300	69.4	HAWKINS
	0600	69.5	Perez D
	0900	70.9	Perez D
	1200	71.9	Perez D
	1500	73.4	J. Soto
	1800	73.7	J. Soto
	2100	73.5	J. Soto
	2400	69.3	HAWKINS

**Thursday**

Date	Time	Temp.	Name (Print)
May 16 2024	0300	69.5	HAWKINS
	0600	68.8	Perez D
	0900	71.3	Perez D
	1200	73.3	Perez D
	1500	74.7	J. Soto
	1800	74.9	J. Soto
	2100	75.8	J. Soto
	2400	69.3	HAWKINS

**Saturday**

Date	Time	Temp.	Name (Print)
May 24 2024	0300	70	D. Mayes
	0600	71.5	Rogerson
	0900	73	Rogerson
	1200	74	Rogerson
	1500	74.8	A. Mancera
	1800	74.5	A. Mancera
	2100	73.6	A. Mancera
	2400	74	D. Mayes

**Notes**

(Handwritten notes: A large diagonal line through the notes section, with several initials like J, D, R, and F written in red ink near the line.)

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: CS Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/20	0300	67.0	E. Burguado
	0600	67.0	D. Perez
	0900	76.5	D. Perez
	1200	79.1	D. Perez
	1500	73.2	J. Soto
	1800	71	J. Soto
	2100	70.1	J. Soto
	2400	68.7	HAWKINS

Tuesday

Date	Time	Temp.	Name (Print)
MAY 21	0300	67.1	HAWKINS
	0600	66.7	Perez D
	0900	68.2	Perez D
	1200	71	J. Soto
	1500	72.1	J. Soto
	1800	72.5	F. CARZILLO
	2100	70.5	F. CARZILLO
	2400	68.5	HAWKINS

Wednesday

Date	Time	Temp.	Name (Print)
MAY 22	0300	67.5	HAWKINS
	0600	66.8	Perez D
	0900	68.2	Perez D
	1200	70.8	Perez D
	1500	71.3	J. Soto
	1800	72.4	J. Soto
	2100	70.3	J. Soto
	2400	68.9	HAWKINS

Thursday

Date	Time	Temp.	Name (Print)
MAY 23	0300	67.4	HAWKINS
	0600	66.8	Perez D
	0900	68.8	Perez D
	1200	70.6	Perez D
	1500	72	J. Soto
	1800	72.6	J. Soto
	2100	70	J. Soto
	2400	69.4	J. ESTRADE

Friday

Date	Time	Temp.	Name (Print)
MAY 24	0300	67.1	J. ESTRADE
	0600	66.6	J. ESTRADE
	0900	68.7	D. Perez
	1200	71.4	D. Perez
	1500	71.6	J. CARO
	1800	71.1	J. CARO
	2100	69.3	J. CARO
	2400	68	D. Mupes


Saturday

Date	Time	Temp.	Name (Print)
MAY 25	0300	69	D. Mupes
	0600	66	J. Nuñez
	0900	67	J. Nuñez
	1200	68.8	J. Nuñez
	1500	69.8	A. Mancesta
	1800	71.1	A. Mancesta
	2100	69.6	A. Mancesta
	2400	67	D. Mupes

Sunday

Date	Time	Temp.	Name (Print)
MAY 27	0300	66	D. Mupes
	0600	66	D. Mupes
	0900	67	D. Mupes
	1200	68	D. Mupes
	1500	72.1	J. Soto
	1800	72.5	J. Soto
	2100	69.9	J. Soto
	2400	69	M. Soto b11

Notes



STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAB Housing Unit: C5 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
MAY 27 2024	0300	69	M SOTO/BIA
	0600	66.4	D Perez
	0900	68.7	D Perez
	1200	69.7	D Perez
	1500	71.4	J SOTO
	1800	71	J SOTO
	2100	70	J SOTO
	2400	69.1	J SOTO

**Tuesday**

Date	Time	Temp.	Name (Print)
MAY 28 2024	0300	68	J SOTO
	0600	67	D Perez
	0900	68.9	D Perez
	1200	71.9	D Perez
	1500	71.6	J SOTO
	1800	71	J SOTO
	2100	71.3	J SOTO
	2400	70.2	J SOTO

**Wednesday**

Date	Time	Temp.	Name (Print)
MAY 29 2024	0300	68.1	V.H. VERA/IDE
	0600	67.2	V.H. VERA/IDE
	0900	67.3	D PEREZ
	1200	69.7	D PEREZ
	1500	72.2	J SOTO
	1800	72.2	J SOTO
	2100	72	J SOTO
	2400	71.	F Martinez

**Friday**

Date	Time	Temp.	Name (Print)
MAY 31 2024	0300	69.1	F Martinez
	0600	68.4	D Perez
	0900	71.2	D Perez
	1200	72.1	D Perez
	1500	75.4	A. Mancera
	1800	77.1	A. Mancera
	2100	72.5	A. Mancera
	2400	70	D Mages

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		


**Thursday**

Date	Time	Temp.	Name (Print)
MAY 30 2024	0300	70	F Martinez
	0600	67.9	D Perez
	0900	71.4	D Perez
	1200	72.4	D Perez
	1500	73.5	J SOTO
	1800	72.9	J SOTO
	2100	71.9	J SOTO
	2400	69.7	F Martinez

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**



*RECEIVED  
JUN - 4 2024*

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: RHU Temp. Reading Location: ISI TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5-1-04	0300	65	J. FORTINERZ
	0600	64	J. VARGAS
	0900	66	K. JONES
	1200	66	K. JONES
	1500	69	R. DELGADO
	1800	68	R. DELGADO
	2100	68	R. DELGADO
	2400	67	JELIA

Thursday

Date	Time	Temp.	Name (Print)
5-2-04	0300	67	J. VARGAS
	0600	66	J. VARGAS
	0900	66	K. JONES
	1200	66	K. JONES
	1500	69	R. DELGADO
	1800	69	R. DELGADO
	2100	69	R. DELGADO
	2400	69	R. DELGADO

Friday

Date	Time	Temp.	Name (Print)
5-3-04	0300	68	R. DELGADO
	0600	68	J. VARGAS
	0900	68	K. JONES
	1200	68	K. JONES
	1500	69	R. DELGADO
	1800	69	R. DELGADO
	2100	68	R. DELGADO
	2400	65	J. VARGAS

Saturday

Date	Time	Temp.	Name (Print)
5-4-04	0300	63	J. Bastida
	0600	63	G. Vargas
	0900	65	G. Vargas
	1200	66	G. Vargas
	1500	70	S. Hernandez
	1800	68	S. Hernandez
	2100	62	S. Hernandez
	2400	62	A. Casares

Sunday

Date	Time	Temp.	Name (Print)
5-5-04	0300	62	A. CRISOSTOMO
	0600	62	A. CRISOSTOMO
	0900	65	C. RODRIGUEZ
	1200	65	C. RODRIGUEZ
	1500	65	E. Morales
	1800	65	E. Morales
	2100	65	E. Morales
	2400	65	A. Rodriguez

Notes

*100% R/W*

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: RHM

Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-6-84	0300	64	A. Rodriguez
	0600	64	J. Vargas
	0900	64	J. Vargas
	1200	64	J. Vargas
	1500	64	J. Vargas
	1800	64	J. Vargas
	2100	64	J. Vargas
	2400	64	J. Gutierrez

Tuesday

Date	Time	Temp.	Name (Print)
5-7-84	0300	62	J. Gutierrez
	0600	62	J. Vargas
	0900	64	J. Vargas
	1200	64	J. Vargas
	1500	68	J. Delgado
	1800	68	J. Delgado
	2100	68	J. Delgado
	2400	64	J. Gutierrez

Wednesday

Date	Time	Temp.	Name (Print)
5-8-84	0300	62	J. Gutierrez
	0600	62	J. Vargas
	0900	64	J. Vargas
	1200	64	J. Vargas
	1500	68	R. Delgado
	1800	68	R. Delgado
	2100	68	R. Delgado
	2400	65	J. Bustillo

Thursday

Date	Time	Temp.	Name (Print)
5-9-84	0300	64	J. Bustillo
	0600	66	C. Canacho
	0900	65	C. Canacho
	1200	66	C. Canacho
	1500	68	R. Delgado
	1800	68	R. Delgado
	2100	68	R. Delgado
	2400	66	J. Gutierrez

Friday

Date	Time	Temp.	Name (Print)
5-10-84	0300	64	J. Gutierrez
	0600	64	Vargas G-
	0900	68	G. Vargas
	1200	68	G. Vargas
	1500	69	R. Delgado
	1800	68	R. Delgado
	2100	68	R. Delgado
	2400	66	J. Bustillo

Saturday

Date	Time	Temp.	Name (Print)
5-11-84	0300	64	J. Bustillo
	0600	65	J. Sanchez
	0900	65	J. Sanchez
	1200	66	J. Sanchez
	1500	67	D. Cortez
	1800	67	D. Cortez
	2100	68	D. Cortez
	2400	69	A. Rodrguez

Sunday

Date	Time	Temp.	Name (Print)
5-12-84	0300	69°	A. Rodrguez
	0600	60°	B. Hernandez
	0900	68	B. Hernandez
	1200	68	B. Hernandez
	1500	70	C. Lopez
	1800	64	C. Lopez
	2100	64	C. Lopez
	2400	64	A. Rodrguez

Notes

MR  
RW  
RW  
RW

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: RHU

Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	65	A. Rodriguez
	0600	64	J. Hernandez
	0900	64	J. Hernandez
	1200	66	J. Hernandez
	1500	69	C. Davila
	1800	70	C. Davila
	2100	70	C. Davila
	2400	68	J. Gutierrez

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	66	J. Gutierrez
	0600	66	J. Gutierrez
	0900	66	J. Gutierrez
	1200	66	J. Gutierrez
	1500	70	R. Delgado
	1800	70	R. Delgado
	2100	70	R. Delgado
	2400	68	J. Bustamante

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	68	J. Gutierrez
	0600	68	J. Gutierrez
	0900	68	J. Gutierrez
	1200	68	J. Gutierrez
	1500	70	R. Delgado
	1800	70	R. Delgado
	2100	70	R. Delgado
	2400	69	R. Delgado

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	69	A. Rodriguez
	0600	70	R. Hernandez
	0900	70	R. Hernandez
	1200	71	R. Hernandez
	1500	70	C. Davila
	1800	70	C. Davila
	2100	70	C. Davila
	2400	70	A. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	66	J. Gutierrez
	0600	66	J. Gutierrez
	0900	66	J. Gutierrez
	1200	66	J. Gutierrez
	1500	70	R. Delgado
	1800	69	R. Delgado
	2100	69	R. Delgado
	2400	68	J. Gutierrez

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	66	J. Gutierrez
	0600	66	J. Gutierrez
	0900	66	J. Gutierrez
	1200	66	J. Gutierrez
	1500	70	R. Delgado
	1800	69	R. Delgado
	2100	69	R. Delgado
	2400	68	J. Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	68	R. Delgado
	0600	68	R. Delgado
	0900	68	R. Delgado
	1200	70	J. Gutierrez
	1500	70	R. Delgado
	1800	70	R. Delgado
	2100	70	R. Delgado
	2400	69	A. Rodriguez

Notes

X R DW RD

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: COR Housing Unit: RHU

Temp. Reading Location: ISI TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-20-24	0300	70	A. RODRIGUEZ
	0600	70	J. SANCHEZ
	0900	70	J. SANCHEZ
	1200	70	J. SANCHEZ
	1500	70	C. DAUHARA
	1800	70	C. DAUHARA
	2100	70	C. DAUHARA
	2400	71	A. RODRIGUEZ

Tuesday

Date	Time	Temp.	Name (Print)
5-21-24	0300	68	J. GUTIERREZ
	0600	68	J. GUTIERREZ
	0900	70	J. GUTIERREZ
	1200	70	J. GUTIERREZ
	1500	70	R. DELGADO
	1800	70	R. DELGADO
	2100	70	R. DELGADO
	2400	70	R. DELGADO

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0300	69	R. DELGADO
	0600	68	J. SANCHEZ
	0900	70	J. SANCHEZ
	1200	70	J. SANCHEZ
	1500	70	R. DELGADO
	1800	70	R. DELGADO
	2100	70	R. DELGADO
	2400	70	R. DELGADO

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0300	68	R. DELGADO
	0600	68	J. SANCHEZ
	0900	68	J. SANCHEZ
	1200	70	J. SANCHEZ
	1500	70	R. DELGADO
	1800	70	R. DELGADO
	2100	70	R. DELGADO
	2400	70	J. GUTIERREZ

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0300	68	J. GUTIERREZ
	0600	68	J. SANCHEZ
	0900	68	J. SANCHEZ
	1200	68	J. SANCHEZ
	1500	70	R. DELGADO
	1800	70	R. DELGADO
	2100	70	R. DELGADO
	2400	68	P. Rodriguez Toledo

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0300	69	P. Rodriguez Toledo
	0600	69	J. Sanchez
	0900	70	J. Sanchez
	1200	70	J. Sanchez
	1500	70	J. SANCHEZ
	1800	70	J. SANCHEZ
	2100	70	J. SANCHEZ
	2400	71	A. Rodriguez

Notes

Date	Time	Temp.	Name (Print)
5-26-24	0300	70	A. Rodriguez
	0600	70	K. Hernandez
	0900	70	B. Hernandez
	1200	70	B. Hernandez
	1500	69	C. Dauhara
	1800	70	C. Dauhara
	2100	70	C. Dauhara
	2400	70	C. Dauhara

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Cal Housing Unit: RHU

Temp. Reading Location: ISI TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-04	0300	70	A Rodriguez
	0600	70	J. Vargas
	0900	70	K. Vargas
	1200	70	K. Vargas
	1500	70	C. Daviha
	1800	70	C. Daviha
	2100	71	C. Daviha
	2400	71	A Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
5-29-04	0300	70	J. Sanchez
	0600	68	J. Vargas
	0900	68	J. Vargas
	1200	70	J. Vargas
	1500	70	R. DELGADO
	1800	70	R. DELGADO
	2100	70	R. DELGADO
	2400	70	P. Rodriguez Toledo

Friday

Date	Time	Temp.	Name (Print)
5-31-04	0300	68	M. NAVARRO
	0600	68	M. NAVARRO
	0900	70	J. Vargas
	1200	70	J. Vargas
	1500	70	R. DELGADO
	1800	70	R. DELGADO
	2100	70	R. DELGADO
	2400	70	C. Daviha

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5-28-04	0300	70	J. Sanchez
	0600	68	J. Vargas
	0900	70	J. Vargas
	1200	70	J. Vargas
	1500	70	R. DELGADO
	1800	70	R. DELGADO
	2100	70	R. DELGADO
	2400	70	J. Sanchez

Thursday

Date	Time	Temp.	Name (Print)
5-30-04	0300	68	P. Rodriguez Toledo
	0600	68	J. Vargas
	0900	68	J. Vargas
	1200	70	J. Vargas
	1500	70	R. DELGADO
	1800	70	R. DELGADO
	2100	70	R. DELGADO
	2400	70	M. NAVARRO

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

X AF PW

RECEIVED

JUN - 5 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION  
 Attachment

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAC Housing Unit: D1 Temp. Reading Location: Captain  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	70	GONZALES	
0600	70	M SARABIA	
0900	71	M SARABIA	
1200	70	M SARABIA	
1500	74	J-ESPINOZA	
1800	73	J-ESPINOZA	
2100	71	J-ESPINOZA	
2400	71	RASCON	

Wednesday

Date	Time	Temp.	Name (Print)
0300	71	R. Castellano	
0600	70	M SARABIA	
0900	69	M SARABIA	
1200	70	M SARABIA	
1500	74	J-ESPINOZA	
1800	74	J-ESPINOZA	
2100	70	J-ESPINOZA	
2400	70	D. Minges	

Friday

Date	Time	Temp.	Name (Print)
0300	70	D. Minges	
0600	71	Querby	
0900	72	Querby	
1200	73	Querby	
1500	75	B. RASCON	
1800	73	B. RASCON	
2100	71	B. RASCON	
2400	70	S. Minges	

Sunday

Date	Time	Temp.	Name (Print)
0300	69.7	A. Valdez	
0600	70	F. GANTZ	
0900	70	F. GANTZ	
1200	70	F. GANTZ	
1500	70	J-ESPINOZA	
1800	70	J-ESPINOZA	
2100	72	J-ESPINOZA	
2400	70	WATSON	

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
0300	70	Castellanos	
0600	71	M. Sarabia	
0900	70	M. Sarabia	
1200	75	M. Sarabia	
1500	74	J-ESPINOZA	
1800	73	J-ESPINOZA	
2100	73	J-ESPINOZA	
2400	71	R. Castellano	

Thursday

Date	Time	Temp.	Name (Print)
0300	70	D. Minges	
0600	71	M. Sarabia	
0900	69	M. Sarabia	
1200	72	M. Sarabia	
1500	74	J-ESPINOZA	
1800	75	J-ESPINOZA	
2100	72	J-ESPINOZA	
2400	70	D. Minges	

Saturday

Date	Time	Temp.	Name (Print)
0300	71	Simental	
0600	71	Simental	
0900	73	Simental	
1200	75	Simental	
1500	75	B. RASCON	
1800	72.8	B. RASCON	
2100	70.8	B. RASCON	
2400	70.1	A. Partida	

Notes

CAPTAIN REVIEWED JK

OK AW

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: OAL Housing Unit: D1

Temp. Reading Location: 2nd Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>05-06-24</u>	0300	70	GONZALEZ
	0600	69	J PONCE
	0900	71	J Fazardo
	1200	71	J Fazardo
	1500	71	J ESPINOZA
	1800	72	J-ESPINOZA
	2100	70	J-ESPINOZA
	2400	70	R Castellanos

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>05-07-24</u>	0300	70	R Castellanos
	0600	71	M SARABIA
	0900	70	M SARABIA
	1200	71	M SARABIA
	1500	71	J-ESPINOZA
	1800	72	J-ESPINOZA
	2100	71	J-ESPINOZA
	2400	71	R Castellanos

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>05-08-24</u>	0300	70	R Castellanos
	0600	71	M SARABIA
	0900	69	M SARABIA
	1200	72	M SARABIA
	1500	72	J-ESPINOZA
	1800	77	J-ESPINOZA
	2100	77	J-ESPINOZA
	2400	69	A Mares

**Thursday**

Date	Time	Temp.	Name (Print)
<u>05-09-24</u>	0300	71	A Mares
	0600	71	M SARABIA
	0900	70	M SARABIA
	1200	71	M SARABIA
	1500	72	M SARABIA
	1800	77	J-ESPINOZA
	2100	77	J-ESPINOZA
	2400	71	A Mares

**Friday**

Date	Time	Temp.	Name (Print)
<u>05-10-24</u>	0300	72	A Mares
	0600	72	C UEBRAY
	0900	72	C UEBRAY
	1200	74	C UEBRAY
	1500	74	C UEBRAY
	1800	74	C UEBRAY
	2100	71	C UEBRAY
	2400	70.6	O'DAY

**Saturday**

Date	Time	Temp.	Name (Print)
<u>05-11-24</u>	0300	71.4	O'DAY
	0600	71	<del>ST</del>
	0900	75	<del>ST</del>
	1200	76	<del>ST</del>
	1500	76	J. Corrales
	1800	75	J. Corrales
	2100	73	J. Corrales
	2400	71	R Castellanos

**Notes**

CAPTAIN REVIEWED AS

OK

Date	Time	Temp.	Name (Print)
<u>05-12-24</u>	0300	71	R Castellanos
	0600	70	M SARABIA
	0900	70	M SARABIA
	1200	71	M SARABIA
	1500	76	J-ESPINOZA
	1800	74	J-ESPINOZA
	2100	73	J-ESPINOZA
	2400	70	A Mares

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D1

Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/13/24			
Date	Time	Temp.	Name (Print)
5-13-24	0300	71	GONZALEZ
	0600	71	M SARABIA
	0900	70	M SARABIA
	1200	75	M SARABIA
	1500	76	J-ESPINOZA
	1800	76	J-ESPINOZA
	2100	72.2	LOPEZ
	2400	70	G-BERMUDEZ

Wednesday 5/15/24			
Date	Time	Temp.	Name (Print)
5-15-24	0300	70	R.Castellon
	0600	70	F.GOMEZ
	0900	71.5	F.GOMEZ
	1200	71.5	F.GOMEZ
	1500	73	B.RASCON
	1800	75	J-ESPINOZA
	2100	74	J-ESPINOZA
	2400	71	A.MYERS

Friday 5/17/24			
Date	Time	Temp.	Name (Print)
5	0300	70	A.MYERS
17	0600	70	R.CASTELLON
	0900	70	R.CASTELLON
24	1200	74	R.CASTELLON
	1500	72	M.SARABIA
	1800	73	M.SARABIA
	2100	71	M.SARABIA
	2400	78	R.CASTELLON

Sunday 5/19/24			
Date	Time	Temp.	Name (Print)
5-19-24	0300	72	R.CASTELLON
	0600	72	M.SARABIA
	0900	70	M.SARABIA
	1200	70	M.SARABIA
	1500	74.4	B.RASCON
	1800	72	R.CASTELLON
	2100	72	R.CASTELLON
	2400	70	R.CASTELLON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday 5/14/24			
Date	Time	Temp.	Name (Print)
5-14-24	0300	70	G-BERMUDEZ
	0600	70	J.PONCE
	0900	70	J.PONCE
	1200	72	J.PONCE
	1500	77	O-ESPINOZA
	1800	73	J-ESPINOZA
	2100	72	J-ESPINOZA
	2400	70	K-CASTELLON

Thursday 5/16/24			
Date	Time	Temp.	Name (Print)
5	0300	71	A.MYERS
16	0600	71	M.SARABIA
	0900	72	M.SARABIA
24	1200	72	M.SARABIA
	1500	72	R.CASTELLON
	1800	73	J-ESPINOZA
	2100	73	J-ESPINOZA
	2400	71	A.MYERS

Saturday 5/18/24			
Date	Time	Temp.	Name (Print)
5-18-24	0300	70	R.CASTELLON
	0600	71	R.CASTELLON
	0900	71	R.CASTELLON
	1200	71	R.CASTELLON
	1500	72	DR.JOB
	1800	70	R.CASTELLON
	2100	70	R.CASTELLON
	2400	70	R.CASTELLON

#### Notes

CAPTAIN REVIEWED JK

DO

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION  
Attachment 1

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D1

Temp. Reading Location: 2nd Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/19/21	0300	70	GONZALEZ
	0600	70	M SARABIA
	0900	70	M SARABIA
	1200	72	M SARABIA
	1500	75	J-ESPINOZA
	1800	74	J-ESPINOZA
	2100	73	J-ESPINOZA
	2400	72	R CASTELLANOS

Tuesday

Date	Time	Temp.	Name (Print)
5/21/21	0300	72	R CASTELLANOS
	0600	72	M SARABIA
	0900	70	M SARABIA
	1200	71	M SARABIA
	1500	71	J-ESPINOZA
	1800	73	J-ESPINOZA
	2100	71	J-ESPINOZA
	2400	71	R CASTELLANOS

Wednesday

Date	Time	Temp.	Name (Print)
5/22/21	0300	70	R CASTELLANOS
	0600	70	M SARABIA
	0900	72	M SARABIA
	1200	71	M SARABIA
	1500	72	J-ESPINOZA
	1800	74	J-ESPINOZA
	2100	73	J-ESPINOZA
	2400	70	A MUNIZ

Friday

Date	Time	Temp.	Name (Print)
5/24/21	0300	70	A MUNIZ
	0600	70	ESPINOZA
	0900	70	ESPINOZA
	1200	75	ESPINOZA
	1500	74	ESPINOZA
	1800	73	ESPINOZA
	2100	72	ESPINOZA
	2400	69.7	O INAY

Sunday

Date	Time	Temp.	Name (Print)
5/26/21	0300	70	R CASTELLANOS
	0600	70	M SARABIA
	0900	70	M SARABIA
	1200	69	M SARABIA
	1500	74	ESPINOZA
	1800	73	ESPINOZA
	2100	76	ESPINOZA
	2400	70	R CASTELLANOS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Thursday

Date	Time	Temp.	Name (Print)
5/23/21	0300	70	A MUNIZ
	0600	72	M SARABIA
	0900	70	M SARABIA
	1200	71	M SARABIA
	1500	73	J-ESPINOZA
	1800	73	J-ESPINOZA
	2100	74	J-ESPINOZA
	2400	70	A MUNIZ

Saturday

Date	Time	Temp.	Name (Print)
5/25/21	0300	70.3	O INAY
	0600	71	Perez
	0900	72	Perez
	1200	74	Perez
	1500	74	Gonzales
	1800	73	Gonzales
	2100	71	Gonzales
	2400	70	R CASTELLANOS

Notes

CAPTAIN reviewed. JL  
OMG AW

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: 101 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
05/27/24	0300	70	R Castellano
	0600	71	M SARABIA
	0900	70	M SARABIA
	1200	71	M SARABIA
	1500	73	J ESPINOZA
	1800	73	J ESPINOZA
	2100	74	J ESPINOZA
	2400	70	Gonzales

## Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	R Castellano
	0600	70	M SARABIA
	0900	71	M SARABIA
	1200	72	M SARABIA
	1500	73	J ESPINOZA
	1800	75	J ESPINOZA
	2100	72	J ESPINOZA
	2400	71	D Mungas

## Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	71	D Mungas
	0600	71	VERBAL
	0900	71	VERBAL
	1200	74	VERBAL
	1500	73	Lopez
	1800	75	Lopez
	2100	72	Lopez
	2400	71	O'INAY

## Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	70	Gonzales
	0600	71	Gonzales
	0900	74	Gonzales
	1200	74	Gonzales
	1500	73	J ESPINOZA
	1800	75	J ESPINOZA
	2100	74	J ESPINOZA
	2400	72	Gonzales

## Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	71	Gonzales
	0600	70	M SARABIA
	0900	71	M SARABIA
	1200	71	M SARABIA
	1500	73	J ESPINOZA
	1800	74	J ESPINOZA
	2100	74	J ESPINOZA
	2400	70	R Castellano

## Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	71	D Mungas
	0600	70	M SARABIA
	0900	71	M SARABIA
	1200	71	M SARABIA
	1500	76	J ESPINOZA
	1800	76	J ESPINOZA
	2100	73	J ESPINOZA
	2400	71	D Mungas

## Saturday

Date	Time	Temp.	Name (Print)
6/01/24	0300	70	O'INAY
	0600	70	M Sarabia
	0900	71	M Sarabia
	1200	71	M Sarabia
	1500	74	Gonzales
	1800	74	Gonzales
	2100	73	Gonzales
	2400	71	Gonzales

## Notes

Re-filled by T. Stephens  
 5/31/24  
 6/01/24  
 Max AW

RECEIVED

JUN - 5 2001

DEPARTMENT OF CORRECTIONS AND REHABILITATION  
 Attachment

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D-5 Temp. Reading Location: CONTROL Z <sup>4th</sup> TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
05-01-24	0300	70.4	M. CASTRO
	0600	70.5	M. CASTRO
	0900	70.6	J. AREOCUNDO
	1200	70.9	J. AREOCUNDO
	1500	71.5	B. PEREZ
	1800	71.5	R. DELGARDO
	2100	71.5	P. PEREZ
	2400	70.6	M. CASTRO

**Thursday**

Date	Time	Temp.	Name (Print)
05-02-24	0300	70.1	M. CASTRO
	0600	70.2	M. CASTRO
	0900	70.5	J. AREOCUNDO
	1200	70.8	J. AREOCUNDO
	1500	73.8	U. MORALES
	1800	72.4	U. MORALES
	2100	71.8	U. MORALES
	2400	70.6	M. CASTRO

**Saturday**

Date	Time	Temp.	Name (Print)
05-04-24	0300	70.1	M. ELIAS
	0600	70.6	B. RASCO
	0900	70.5	B. RASCO
	1200	71.4	B. RASCO
	1500	72.0	L. SANTIAGO
	1800	73.1	L. SANTIAGO
	2100	71.7	L. SANTIAGO
	2400	70	G. KASNER

**Notes**

CAPITALS REVIEWED DR

Date	Time	Temp.	Name (Print)
05-05-24	0300	69	G. KASNER
	0600	70	B. RASCO
	0900	69.8	B. RASCO
	1200	69.8	B. RASCO
	1500	70.0	L. SANTIAGO
	1800	70.3	L. SANTIAGO
	2100	70.4	L. SANTIAGO
	2400	69.9	M. CASTRO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D-5 Temp. Reading Location: Control 2<sup>nd</sup> tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
05-06-24	0300	68.2	M. CASTRO
	0600	68.0	M. CASTRO
	0900	71.7	J. Amorosano
	1200	79.5	J. Amedando
	1500	79.1	L. SANTIAGO
	1800	70.9	L. SANTIAGO
	2100	70.4	L. SANTIAGO
	2400	70.1	M. CASTRO

## Wednesday

Date	Time	Temp.	Name (Print)
05-08-24	0300	70.6	M. CASTRO
	0600	70.1	M. CASTRO
	0900	70.5	J. Amedando
	1200	71.3	O. Amorosano
	1500	73	V. RODRIGUEZ
	1800	73	V. RODRIGUEZ
	2100	73	V. RODRIGUEZ
	2400	72.7	M. CASTRO

## Friday

Date	Time	Temp.	Name (Print)
05-10-24	0300	71.3	M. CASTRO
	0600	70.7	M. CASTRO
	0900	72.1	J. Amedando
	1200	72.9	J. Amedando
	1500	72.2	B. RASCO
	1800	72.5	B. RASCO
	2100	72.3	B. RASCO
	2400	72.1	M. Elias

## Sunday

Date	Time	Temp.	Name (Print)
05-12-24	0300	70.9	M. Rule
	0600	69	I. Morales
	0900	69	I. Morales
	1200	70	L. SANTIAGO
	1500	71.5	L. SANTIAGO
	1800	72.7	L. SANTIAGO
	2100	72.2	L. SANTIAGO
	2400	71.9	M. CASTRO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

## Tuesday

Date	Time	Temp.	Name (Print)
05-07-24	0300	66.5	M. CASTRO
	0600	69	M. CASTRO
	0900	70.1	J. Amorosano
	1200	70.5	J. Amorosano
	1500	71	T. Romera
	1800	71	T. Romera
	2100	71	T. Romera
	2400	71.2	M. CASTRO

## Thursday

Date	Time	Temp.	Name (Print)
05-09-24	0300	71.4	M. CASTRO
	0600	70.8	M. CASTRO
	0900	70.5	J. Amorosano
	1200	70.8	J. Amorosano
	1500	70.9	J. Amorosano
	1800	72.8	J. Amorosano
	2100	72.2	J. Amorosano
	2400	71.8	M. CASTRO

## Saturday

Date	Time	Temp.	Name (Print)
05-11-24	0300	71.4	M. Elias
	0600	67	M. Elias
	0900	70	B. RASCO
	1200	71	B. RASCO
	1500	72.2	M. CASTRO
	1800	72.2	M. CASTRO
	2100	71.9	M. Elias
	2400	71.3	M. Rule

## Notes

CAPTAIN REVIEWED DR  
DR AW

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D-5 Temp. Reading Location: CONTROL 2<sup>ND</sup> TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
05-13-24	0300	70.6	M. CASTRO
	0600	70.2	M. CASTRO
	0900	70.7	J. Amorim
	1200	70.8	J. Amorim
	1500	72.1	B. Garrett
	1800	72.6	B. Garrett
	2100	72.3	B. Garrett
	2400	72.1	M. CASTRO

## Wednesday

Date	Time	Temp.	Name (Print)
05-15-24	0300	70.3	M. CASTRO
	0600	69.6	M. CASTRO
	0900	70.1	J. Amorim
	1200	70.7	J. Amorim
	1500	71.0	Rodriguez
	1800	71.0	Rodriguez
	2100	70.9	Rodriguez
	2400	69.9	M. CASTRO

## Friday

Date	Time	Temp.	Name (Print)
05-17-24	0300	70.2	M. CASTRO
	0600	69.3	M. CASTRO
	0900	70.5	J. Amorim
	1200	70.8	J. Amorim
	1500	71.6	L. SANTIAGO
	1800	72.5	L. SANTIAGO
	2100	72.1	L. SANTIAGO
	2400	69.9	M. CASTRO

## Sunday

Date	Time	Temp.	Name (Print)
05-19-24	0300	69.5	B. RISON
	0600	68.9	B. RISON
	0900	69.5	B. RISON
	1200	70.3	B. RISON
	1500	71.8	L. SANTIAGO
	1800	71.8	L. SANTIAGO
	2100	71.8	L. SANTIAGO
	2400	70.8	M. CASTRO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

## Tuesday

Date	Time	Temp.	Name (Print)
05-14-24	0300	71.4	M. CASTRO
	0600	69.7	M. CASTRO
	0900	70.2	J. Amorim
	1200	70.6	J. Amorim
	1500	71.1	T. Romeo
	1800	71.1	T. Romeo
	2100	71.1	T. Romeo
	2400	71.2	M. CASTRO

## Thursday

Date	Time	Temp.	Name (Print)
05-16-24	0300	69.5	M. CASTRO
	0600	69.3	M. CASTRO
	0900	70.2	J. Amorim
	1200	70.8	J. Amorim
	1500	71.4	J. CANCIO
	1800	72.0	J. CANCIO
	2100	72.2	J. CANCIO
	2400	71.6	M. CASTRO

## Saturday

Date	Time	Temp.	Name (Print)
05-18-24	0300	60.5	M. CASTRO
	0600	69.3	M. CASTRO
	0900	70.2	B. RISON
	1200	70.2	B. RISON
	1500	71.3	L. SANTIAGO
	1800	71.4	L. SANTIAGO
	2100	71.1	L. SANTIAGO
	2400	70.8	M. CASTRO

## Notes

CAPTAIN REVIEWED *[Signature]*  
*AMM*

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D-5 Temp. Reading Location: CONTROL 2<sup>nd</sup> TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
05-20-24	0300	70.2	M. CASTRO
	0600	69.7	M. CASTRO
	0900	69.3	J. Arellano
	1200	70.1	J. Arellano
	1500	71.1	B. Garrett
	1800	71.6	B. Garrett
	2100	71.5	B. Garrett
	2400	70.4	M. CASTRO

## Wednesday

Date	Time	Temp.	Name (Print)
05-22-24	0300	70.2	M. CASTRO
	0600	69.7	M. CASTRO
	0900	69.8	J. Arellano
	1200	70.5	J. Arellano
	1500	70.0	R. Perez
	1800	70.3	R. Perez
	2100	71.0	R. Perez
	2400	70.6	M. CASTRO

## Friday

Date	Time	Temp.	Name (Print)
05-24-24	0300	70.0	M. Elias
	0600	69.5	M. Elias
	0900	70.1	A. Arellano
	1200	70.9	A. Arellano
	1500	71.1	L. Santiago
	1800	71.0	L. Santiago
	2100	71.3	L. Santiago
	2400	70.6	M. Elias

## Sunday

Date	Time	Temp.	Name (Print)
05-26-24	0300	68.4	J. Arellano
	0600	68.5	J. Arellano
	0900	68.7	B. Rios
	1200	69.3	S. Cas
	1500	70.0	L. Santiago
	1800	71.4	L. Santiago
	2100	71.3	L. Santiago
	2400	70.7	M. Castro

DISTRIBUTION: Original: Institution Heat Plan Coordinator

## Tuesday

Date	Time	Temp.	Name (Print)
05-21-24	0300	69.8	M. CASTRO
	0600	69.3	M. CASTRO
	0900	69.0	J. Arellano
	1200	70.0	J. Arellano
	1500	71	T. Romo
	1800	71	T. Romo
	2100	71	T. Romo
	2400	70.8	M. CASTRO

## Thursday

Date	Time	Temp.	Name (Print)
05-23-24	0300	70.0	M. CASTRO
	0600	69.5	M. CASTRO
	0900	69.0	J. Arellano
	1200	70.1	J. Arellano
	1500	70.7	M. Hernandez
	1800	70.1	
	2100	70.5	
	2400	70.8	M. Elias

## Saturday

Date	Time	Temp.	Name (Print)
05-25-24	0300	70.0	M. Elias
	0600	69.0	M. Elias
	0900	68.1	B. Rios
	1200	69.2	B. Rios
	1500	70.2	L. Santiago
	1800	70.1	L. Santiago
	2100	70.5	L. Santiago
	2400	69.2	J. Arellano

## Notes

CAPTAIN reviewed 05-24-24

OK AW

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CAL Housing Unit: D-5 Temp. Reading Location: CONTROL 2 NO TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5302 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
05-27-24	0300	69.8	M. CASTRO
	0600	69.3	M. CASTRO
	0900	69.2	J. Andrade
	1200	70.2	J. Andrade
	1500	70.1	B. Garrett
	1800	71.8	B. Garrett
	2100	71.3	B. Garrett
	2400	70.5	M. CASTRO

## Tuesday

Date	Time	Temp.	Name (Print)
05-28-24	0300	69.2	M. CASTRO
	0600	69.1	M. CASTRO
	0900	69.3	J. Andrade
	1200	70.1	J. Andrade
	1500	71	T. Romeo
	1800	71	T. Romeo
	2100	71	T. Romeo
	2400	70.8	M. CASTRO

## Wednesday

Date	Time	Temp.	Name (Print)
05-29-24	0300	70.2	M. CASTRO
	0600	69.7	M. CASTRO
	0900	69.8	J. Andrade
	1200	70.1	J. Andrade
	1500	71.9	A. Gonzalez
	1800	71.0	A. Gonzalez
	2100	71.6	A. Gonzalez
	2400	71.2	M. CASTRO

## Thursday

Date	Time	Temp.	Name (Print)
05-30-24	0300	70.1	M. CASTRO
	0600	69.2	M. CASTRO
	0900	70.0	J. Andrade
	1200	70.5	J. Andrade
	1500	72.5	V. Morales
	1800	72.7	V. Morales
	2100	72.9	V. Morales
	2400	72.4	M. CASTRO

## Friday

Date	Time	Temp.	Name (Print)
05-31-24	0300	71.6	M. CASTRO
	0600	70.2	M. CASTRO
	0900	70.0	J. Andrade
	1200	70.3	J. Andrade
	1500	71.5	L. SANTANDER
	1800	71.1	L. SANTANDER
	2100	71.1	L. SANTANDER
	2400	71.2	M. Elias

## Saturday

Date	Time	Temp.	Name (Print)
	0300		M. Elias
	0600		M. Elias
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

Review By T. Stephens  
T. Stephens  
100% SW

RECEIVED

29 days over 90°

JUN - 4 2024

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

LITIGATION'S OFFICE  
INSTITUTION: CALIPATRIA STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

### CENTRAL CONTROL

Thermometer Location: \_\_\_\_\_

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
M A Y  0 1 2 0 2 2 4	0100	70	EValencia
	0200	70	EValencia
	0300	67	EValencia
	0400	65	EValencia
	0500	63	EValencia
	0600	63	RS.Iuns
	0700	66	RS.Iuns
	0800	71	RS.Iuns
	0900	77	RS.Iuns
	1000	81	RS.Iuns
	1100	84	RS.Iuns
	1200	87	RS.Iuns
	1300	89	RS.Iuns
	1400	91	J.Price
	1500	92	J.Price
	1600	93	J.Price
	1700	94	J.Price
	1800	92	J.Price
	1900	88	J.Price
	2000	83	J.Price
	2100	79	J.Price
	2200	76	EValencia
	2300	73	EValencia
	2400	71	EValencia

90° @  
13:12

89° @ 1850

Date	Time	Temp.	Printed Name
M A Y  0 1 2 0 2 2 4	0100	70	EValencia
	0200	69	EValencia
	0300	68	EValencia
	0400	66	EValencia
	0500	65	EValencia
	0600	70	J.Price
	0700	71	J.Price
	0800	74	J.Price
	0900	76	J.Price
	1000	78	J.Price
	1100	87	J.Price
	1200	90	J.Price
	1300	92	J.Price
	1400	94	J.Price
	1500	95	J.Price
	1600	97	J.Price
	1700	96	J.Price
	1800	95	J.Price
	1900	89	J.Price
	2000	81	J.Price
	2100	76	J.Price
	2200	76	EValencia
	2300	74	EValencia
	2400	73	EValencia

INSTITUTION: CALIPATRIA STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
M A Y  0 3  2 0 2 4	0100	71	EValencia
	0200	71	EValencia
	0300	71	EValencia
	0400	66	EValencia
	0500	67	EValencia
	0600	66	EValencia
	0700	67	F.Rivera
	0800	69	F.RIVERA
	0900	76	F.RIVERA
	1000	83	F.Rivera
	1100	89	F.Rivera
	1200	90	F.Rivera
	1300	92	F.Rivera
	1400	94	J.Castro
	1500	95	J.Castro
	1600	95	J.Castro
	1700	95	J.Castro
	1800	91	J.Castro
	1900	88	J.Castro
	2000	80	J.Castro
	2100	76	J.Castro
	2200	74	EValencia
	2300	73	EValencia
	2400	73	EValencia

Date	Time	Temp.	Printed Name
M A Y  0 4  2 0 2 4	0100	70	EValencia
	0200	68	EValencia
	0300	67	EValencia
	0400	65	EValencia
	0500	65	EValencia
	0600	63	EValencia
	0700	69	S.McCain
	0800	76	S.McCain
	0900	79	S.McCain
	1000	84	S.McCain
	1100	86	S.McCain
	1200	90	S.McCain
	1300	91	S.McCain
	1400	92	J.Castro
	1500	94	J.Castro
	1600	94	J.Castro
	1700	90	J.Castro
	1800	86	J.Castro
	1900	79	J.Castro
	2000	77	J.Castro
	2100	74	J.Castro
	2200	72	F.Umaru
	2300	71	F.Umaru
	2400	69	F.Umaru

INSTITUTION: CALIPATRIA STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
M A Y  0 5  2 0 2 4	0100	69	FLMartinez
	0200	68	FLMartinez
	0300	67	FLMartinez
	0400	66	FLMartinez
	0500	65	FLMartinez
	0600	64	FLMARTINEZ
	0700	67	D. MARTINEZ
	0800	69	D. MARTINEZ
	0900	73	D. MARTINEZ
	1000	77	D. MARTINEZ
	1100	77	D. MARTINEZ
	1200	78	D. MARTINEZ
	1300	78	D. MARTINEZ
	1400	78	J Castro
	1500	78	J Castro
	1600	78	J Castro
	1700	78	J Castro
	1800	79	J Castro
	1900	72	J Castro
	2000	49	J Castro
	2100	66	J Castro
	2200	65	N. BRADFORD
	2300	65	N. BRADFORD
	2400	64	N. BRADFORD

Date	Time	Temp.	Printed Name
M A Y  0 6  2 0 2 4	0100	64	N. BRADFORD
	0200	62	N. BRADFORD
	0300	62	N. BRADFORD
	0400	58	N. BRADFORD
	0500	55	N. BRADFORD
	0600	55	I. LOPEZ-NORIEGA
	0700	58	I. Lopez-Noriega
	0800	66	I. Lopez-Noriega
	0900	72	I. Lopez-Noriega
	1000	77	I. Lopez-Noriega
	1100	78	I. Lopez-Noriega
	1200	81	I. Lopez-Noriega
	1300	84	I. Lopez-Noriega
	1400	87	emartinez
	1500	84	emartinez
	1600	87	emartinez
	1700	87	emartinez
	1800	80	emartinez
	1900	80	lmartinez
	2000	78	emartinez
	2100	70	emartinez
	2200	68	N. BRADFORD
	2300	64	N. BRADFORD
	2400	67	N. BRADFORD

INSTITUTION: CALIPATRIA STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

### CENTRAL CONTROL

Thermometer Location: \_\_\_\_\_

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
M A Y  0 7  2 0 2 4	0100	67	N. Bradford
	0200	65	N. Bradford
	0300	62	N. Bradford
	0400	62	N. Bradford
	0500	60	N. Bradford
	0600	62	R.Silva
	0700	66	R.Silva
	0800	71	R.Silva
	0900	76	R.Silva
	1000	81	R.Silva
	1100	84	R.Silva
	1200	87	R.Silva
	1300	90	R.Silva
	1400	92	F.L.Martinez
	1500	94	F.L.Martinez
	1600	94	F.L.Martinez
	1700	94	F.L.Martinez
	1800	93	F.L.Martinez
	1900	90	F.L.MARTINEZ
	2000	88	F.L.MARTINEZ
	2100	77	F.L.Martinez
	2200	74	E.Valencia
	2300	72	E.Valencia
	2400	69	E.Valencia

Date	Time	Temp.	Printed Name
M A Y  0 8  2 0 2 4	0100	67	E.Valencia
	0200	66	E.Valencia
	0300	63	E.Valencia
	0400	64	E.Valencia
	0500	64	E.Valencia
	0600	63	R.Silva
	0700	67	R.Silva
	0800	73	R.Silva
	0900	83	R.Silva
	1000	85	R.Silva
	1100	87	R.Silva
	1200	88	R.Silva
	1300	89	R.Silva
	1400	92	J.Castro
	1500	92	J.Castro
	1600	92	J.Castro
	1700	92	J.Castro
	1800	85°	D.Rivera
	1900	82°	D.Rivera
	2000	80°	D.Rivera
	2100	79°	D.Rivera
	2200	78	E.Valencia
	2300	76	E.Valencia
	2400	74	E.Valencia

INSTITUTION: CALIPATRIA STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
M A Y  0 9  2 0 2 4	0100	71	E.Valencia
	0200	64	E.Valencia
	0300	63	E.Valencia
	0400	63	E.Valencia
	0500	63	E.Valencia
	0600	63	R.S.Ivan
	0700	65	R.S.Ivan
	0800	73	R.S.Ivan
	0900	79	R.S.Ivan
	1000	83	R.S.Ivan
	1100	87	R.S.Ivan
	1200	88	R.S.Ivan
	1300	90	R.S.Ivan
	1400	91	J.Castro
	1500	92	J.Castro
	1600	93	J.Castro
	1700	93	J.Castro
	1800	91	J.Castro
	1900	86	J.Castro
	2000	79	J.Castro
	2100	74	J.Castro
	2200	69	E.Valencia
	2300	71	E.Valencia
	2400	71	E.Valencia

Date	Time	Temp.	Printed Name
M A Y  1 0  2 0 2 4	0100	70	E.Valencia
	0200	68	E.Valencia
	0300	65	E.Valencia
	0400	64	E.Valencia
	0500	62	E.Valencia
	0600	62	E.Valencia
	0700	67	F.Rivera
	0800	70	F.Rivera
	0900	79	F.Rivera
	1000	86	F.Rivera
	1100	90	F.Rivera
	1200	93	F.Rivera
	1300	93	F.Rivera
	1400	95	J.Holmes
	1500	95	J.Holmes
	1600	96	J.Holmes
	1700	96	J.Holmes
	1800	94	J.Holmes
	1900	90	J.Holmes
	2000	85	J.Holmes
	2100	82	J.Holmes
	2200	80	E.Valencia
	2300	78	E.Valencia
	2400	78	E.Valencia

-89°  
1920

INSTITUTION: CALIPATRIA STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
M A Y  1 1  2 0 2 4	0100	75	E Valencia
	0200	73	E Valencia
	0300	67	E Valencia
	0400	65	E Valencia
	0500	64	E Valencia
	0600	64	E Valencia
	0700	67	F. RIVERA
	0800	67	F. RIVERA
	0900	83	F. RIVERA
	1000	89	F. RIVERA
	1100	90	F. RIVERA
	1200	93	F. RIVERA
	1300	95	F. RIVERA
	1400	95	J. Hayes
	1500	97	J. Hayes
	1600	97	J. Hayes
	1700	98	J. Hayes
	1800	95	J. Hayes
	1900	90	J. Hayes
	2000	80	J. Hayes
	2100	80	Emarther
	2200	78	Emarther
	2300	78	Emarther
	2400	73	Emarther

89°  
1925

Date	Time	Temp.	Printed Name
M A Y  1 2  2 0 2 4	0100	70	emarther
	0200	68	emarther
	0300	68	emarther
	0400	67	emarther
	0500	67	emarther
	0600	67	RS:ium
	0700	71	RS:ium
	0800	76	RS:ium
	0900	84	RS:ium
	1000	89	RS:ium
	1100	93	RS:ium
	1200	97	RS:ium
	1300	100°	RS:ium
	1400	101°	T. DESIDERIO
	1500	102°	T. DESIDERIO
	1600	102°	T. DESIDERIO
	1700	101°	T. DESIDERIO
	1800	98°	T. DESIDERIO
	1900	90°	T. DESIDERIO
	2000	89°	T. DESIDERIO
	2100	82°	T. DESIDERIO
	2200	79°	T. DESIDERIO
	2300	78°	J. PIETAS
	2400	78°	J. PIETAS

90-2  
1010 10.10  
40°

INSTITUTION: CALIPATRIA STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
M A Y	0100	80°	J. RIVELAS
	0200	73°	J. RIVELAS
	0300	71°	J. RIVELAS
	0400	67°	J. RIVELAS
	0500	68°	J. RIVELAS
	0600	69°	J. RIVELAS
	0700	72	D. MARTINEZ
	0800	81	D. MARTINEZ
	0900	85	D. MARTINEZ
	1000	91	D. MARTINEZ
	1100	94	D. MARTINEZ
	1200	96	D. MARTINEZ
	1300	98	D. MARTINEZ
	1400	102	e.martinez
	1500	105	e.martinez
	1600	100	e.martinez
	1700	100	e.martinez
	1800	97	e.martinez
	1900	93	e.martinez
	2000	83	e.martinez
	2100	81	e.martinez
	2200	80	N. BRADFORD
	2300	80	N. BRADFORD
	2400	77	N. BRADFORD

Date	Time	Temp.	Printed Name
M A Y	0100	75	N. BRADFORD
	0200	73	N. BRADFORD
	0300	72	N. BRADFORD
	0400	70	N. BRADFORD
	0500	68	N. BRADFORD
	0600	69	R.Silva
	0700	74	R.Silva
	0800	80	R.Silva
	0900	85	R.Silva
	1000	87	R.Silva
	1100	89	R.Silva
	1200	94	R.Silva
	1300	94	R.Silva
	1400	94	e.martinez
	1500	94	e.martinez
	1600	93	e.martinez
	1700	92	e.martinez
	1800	91	e.martinez
	1900	90	e.martinez
	2000	89	e.martinez
	2100	88	e.martinez
	2200	78	E.Valencia
	2300	78	E.Valencia
	2400	75	E.Valencia

INSTITUTION: CALIPATRIA STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
M A Y	0100	72	E.Valencia
	0200	72	E.Valencia
	0300	72	E.Valencia
	0400	72	E.Valencia
	0500	70	E.Valencia
	0600	66	RS.Ivan
	0700	70	RS.Ivan
	0800	76	RS.Ivan
	0900	82	RS.Ivan
	1000	87	RS.Ivan
	1100	89	RS.Ivan
	1200	92	RS.Ivan
	1300	95	RS.Ivan
	1400	97	Hastings
	1500	96	Hastings
	1600	96	Hastings
	1700	99	Hastings
	1800	96	Hastings
	1900	92	Hastings
	2000	89	Hastings
	2100	83	Hastings
	2200	80	E.Valencia
	2300	80	E.Valencia
	2400	76	E.Valencia

90° P  
W/12

89° O  
1953

Date	Time	Temp.	Printed Name
M A Y	0100	75	E.Valencia
	0200	73	E.Valencia
	0300	72	E.Valencia
	0400	73	E.Valencia
	0500	69	E.Valencia
	0600	69	RS.Ivan
	0700	72	RS.Ivan
	0800	75	RS.Ivan
	0900	84	RS.Ivan
	1000	86	RS.Ivan
	1100	88	RS.Ivan
	1200	93	RS.Ivan
	1300	94	K.Sims
	1400	97	Hastings
	1500	100	Hastings
	1600	100	Hastings
	1700	100	Hastings
	1800	99	Hastings
	1900	94	Hastings
	2000	89	Hastings
	2100	83	Hastings
	2200	79	E.Valencia
	2300	79	E.Valencia
	2400	76	E.Valencia

90° P  
11:44

89° O  
2000

INSTITUTION: CALIPATRIA STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MAY	0100	74	E Valencia
	0200	73	E Valencia
	0300	72	E Valencia
	0400	72	E Valencia
	0500	71	E Valencia
	0600	70	B. Bojorquez
	0700	73	B. Bojorquez
	0800	80	B. Bojorquez
	0900	85	B. Bojorquez
	1000	89	B. Bojorquez
	1100	93	B. Bojorquez
	1200	96	B. Bojorquez
	1300	98	B. Bojorquez
	1400	99	J Castro
	1500	101	J Castro
	1600	101	J Castro
	1700	101	J Castro
	1800	96	J Castro
	1900	94	J Castro
	2000	88	J Castro
	2100	83	J Castro
	2200	78	E Valencia
	2300	74	E Valencia
	2400	72	E Valencia

90°  
Deactivated  
2015

Date	Time	Temp.	Printed Name
MAY	0100	71	E Valencia
	0200	69	E Valencia
	0300	68	E Valencia
	0400	69	E Valencia
	0500	68	E Valencia
	0600	63	J. Fries
	0700	70	J. Fries
	0800	79	J. Fries
	0900	91	J. Fries
	1000	91	J. Fries
	1100	94	J. Fries
	1200	93	J. Fries
	1300	100	J. Fries
	1400	103	J. Castro
	1500	103	J. Castro
	1600	102	J. Castro
	1700	99	J. Castro
	1800	95	J. Castro
	1900	90	J. Castro
	2000	85	J. Castro
	2100	82	J. Castro
	2200	81	E Valencia
	2300	79	E Valencia
	2400	77	E Valencia

90°  
Activated  
1000

90°  
Deactivated  
@  
2020

RECEIVED

JUN - 4 2024

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

LITIGATION'S OFFICE

INSTITUTION: CALIPATRIA STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location: \_\_\_\_\_

5302

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
M A Y  1 9  2 0  2 2  2 4	0100	76	E Valenz
	0200	74	E Valen
	0300	72	E Valen
	0400	70	E Valen
	0500	67	E Valen
	0600	67	E Valen
	0700	73	R.Sims
	0800	79	R.Sims
	0900	80	R.Sims
	1000	87	R.Sims
	1100	89	R.Sims
	1200	93	R.Sims
	1300	97	R.Sims
	1400	99	J Castro
	1500	100	J Castro
	1600	101	J Castro
	1700	97	J Castro
	1800	93	J Castro
	1900	90	J Castro
	2000	83	J Castro
	2100	79	J Castro
	2200	78	N.Bradford
	2300	78	N.Bradford
	2400	78	N.Bradford

Date	Time	Temp.	Printed Name
M A Y  2 0  2 0  2 4	0100	78	N.Bradford
	0200	74	N.Bradford
	0300	72	N.Bradford
	0400	69	N.Bradford
	0500	67	N.Bradford
	0600	67	R.Sims
	0700	72	R.Sims
	0800	78	R.Sims
	0900	82	R.Sims
	1000	86	R.Sims
	1100	88	R.Sims
	1200	94	L.Martinez
	1300	95	L.Martinez
	1400	96	L.Martinez
	1500	97	L.Martinez
	1600	94	L.Martinez
	1700	92	L.Martinez
	1800	92	L.Martinez
	1900	84	L.Martinez
	2000	80	L.Martinez
	2100	78	L.Martinez
	2200	74	N.Bradford
	2300	73	N.Bradford
	2400	73	N.Bradford

INSTITUTION: CALIPATRIA STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

### CENTRAL CONTROL

Thermometer Location: \_\_\_\_\_

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
M A Y  2 1  2 0 2 4	0100	70	N. Bradford
	0200	69	N. Bradford
	0300	66	N. Bradford
	0400	65	N. Bradford
	0500	64	N. Bradford
	0600	64	N. Bradford
	0700	70	N. Bradford
	0800	74	N. Bradford
	0900	80	N. Bradford
	1000	83	N. Bradford
	1100	86	N. Bradford
	1200	89	N. Bradford
	1300	91	N. Bradford
	1400	95	E. Martinez
	1500	94	E. Martinez
	1600	97	E. Martinez
	1700	91	E. Martinez
	1800	95	E. Martinez
	1900	91	E. Martinez
	2000	85	E. Martinez
	2100	78	E. Martinez
	2200	77	E. Valencia
	2300	75	E. Valencia
	2400	74	E. Valencia

Date	Time	Temp.	Printed Name
M A Y  2 2  2 0 2 4	0100	73	E. Valencia
	0200	69	E. Valencia
	0300	69	E. Valencia
	0400	68	E. Valencia
	0500	67	E. Valencia
	0600	67	R. Silvas
	0700	70	R. Silvas
	0800	77	R. Silvas
	0900	83	R. Silvas
	1000	82	R. Silvas
	1100	91	R. Silvas
	1200	93	R. Silvas
	1300	97	R. Silvas
	1400	99	J. Castro
	1500	99	J. Castro
	1600	100	J. Castro
	1700	99	J. Castro
	1800	97	J. Castro
	1900	91	J. Castro
	2000	85	J. Castro
	2100	73	J. Castro
	2200	81	E. Valencia
	2300	77	E. Valencia
	2400	76	E. Valencia

90 @  
10:41

INSTITUTION: CALIPATRIA STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

### CENTRAL CONTROL

Thermometer Location: \_\_\_\_\_

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
M A Y  2 3  2 0 2 4	0100	73	E.Valencia
	0200	70	E.Valencia
	0300	69	E.Valencia
	0400	68	E.Valencia
	0500	69	E.Valencia
	0600	65	RS.IIWS
	0700	64	RS.IIWS
	0800	76	RS.IIWS
	0900	81	RS.IIWS
	1000	86	RS.IIWS
	1100	88	RS.IIWS
	1200	90	RS.IIWS
	1300	93	RS.IIWS
	1400	95	J.Castro
	1500	98	J.Castro
	1600	100	J.Castro
	1700	99	J.Castro
	1800	94	J.Castro
	1900	90	J.Castro
	2000	85	J.Castro
	2100	82	J.Castro
	2200	79	E.Valencia
	2300	76	E.Valencia
	2400	71	E.Valencia

Date	Time	Temp.	Printed Name
M A Y  2 3  2 0 2 4	0100	70	E.Valencia
	0200	69	E.Valencia
	0300	69	E.Valencia
	0400	69	E.Valencia
	0500	69	E.Valencia
	0600	66	E.Valencia
	0700	70	J.McCain
	0800	71	J.McCain
	0900	82	J.McCain
	1000	88	J.McCain
	1100	99	J.McCain
	1200	92	J.McCain
	1300	95	J.McCain
	1400	97	J.McCain
	1500	98	J.McCain
	1600	99	J.McCain
	1700	96	J.McCain
	1800	92	J.McCain
	1900	89	J.McCain
	2000	82	J.McCain
	2100	80	J.McCain
	2200	76	E.Valencia
	2300	74	E.Valencia
	2400	72	E.Valencia

INSTITUTION: CALIPATRIA STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
M A Y  2 5  2 0 2 4	0100	72	EValencia
	0200	70	EValencia
	0300	70	EValencia
	0400	68	EValencia
	0500	68	EValencia
	0600	68	EValencia
	0700	70	S.Martin
	0800	72	S.Martin
	0900	75	S.Martin
	1000	81	S.Martin
	1100	84	S.Martin
	1200	86	S.Martin
	1300	89	S.Martin
	1400	91	S.Martin
	1500	92	S.Martin
	1600	94	S.Martin
	1700	94	S.Martin
	1800	90	S.Martin
	1900	87	S.Martin
	2000	83	S.Martin
	2100	77	S.Martin
	2200	74	M.Beltran
	2300	73	M.Beltran
	2400	70	M.Beltran

90°  
@ 1304

89° @ 1840

Date	Time	Temp.	Printed Name
M A Y  2 6  2 0 2 4	0100	69	M.Beltran
	0200	68	M.Beltran
	0300	66	M.Beltran
	0400	66	M.Beltran
	0500	66	M.Beltran
	0600	68	M.Beltran
	0700	69	D.Martinez
	0800	75	D.Martinez
	0900	80	D.Martinez
	1000	85	D.Martinez
	1100	88	D.Martinez
	1200	91	D.Martinez
	1300	92	D.Martinez
	1400	94	J.Castro
	1500	96	J.Castro
	1600	98	J.Castro
	1700	97	J.Castro
	1800	94	J.Castro
	1900	94	J.Castro
	2000	89	J.Castro
	2100	82	J.Castro
	2200	81	N.Bradford
	2300	79	N.Bradford
	2400	73	N.Bradford

90°  
@ 1149

RECEIVED

INSTITUTION: CALIPATRIA STATE PRISON

JUN - 4 2024

LITIGATION'S OFFICE

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

**CENTRAL CONTROL**

Thermometer Location: \_\_\_\_\_

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MAY 27	0100	74	N. Bradford
	0200	73	N. Bradford
	0300	70	N. Bradford
	0400	69	N. Bradford
	0500	66	N. Bradford
	0600	69	J. Hernandez
	0700	71	J. Hernandez
	0800	79	J. Hernandez
	0900	84	J. Hernandez
	1000	87	J. Hernandez
	1100	92	J. Hernandez
	1200	94	J. Hernandez
	1300	96	J. Hernandez
	1400	101	emartinez
	1500	101	emartinez
	1600	102	emartinez
	1700	102	emartinez
	1800	100	emartinez
	1900	100	emartinez
	2000	84	emartinez
	2100	85	emartinez
	2200	82	N. Bradford
	2300	80	N. Bradford
	2400	75	N. Bradford

Date	Time	Temp.	Printed Name
MAY 28	0100	73	N. Bradford
	0200	72	N. Bradford
	0300	71	N. Bradford
	0400	69	N. Bradford
	0500	69	N. Bradford
	0600	69	R. Sivins
	0700	72	R. Sivins
	0800	78	R. Sivins
	0900	85	R. Sivins
	1000	89	R. Sivins
	1100	94	R. Sivins
	1200	98	R. Sivins
	1300	106	Emartinez
	1400	103	Emartinez
	1500	103	Emartinez
	1600	104	Emartinez
	1700	102	Emartinez
	1800	101	Emartinez
	1900	90	Emartinez
	2000	87	Emartinez
	2100	86	Emartinez
	2200	85	E. Valencia
	2300	82	E. Valencia
	2400	81	E. Valencia

INSTITUTION: CALIPATRIA STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
M A Y	0100	79	E Valencia
	0200	78	E Valencia
	0300	78	E Valencia
	0400	77	E Valencia
	0500	72	E Valencia
	0600	72	R Silvas
	0700	74	R Silvas
	0800	79	R Silvas
	0900	88	R Silvas
	1000	91	R Silvas
	1100	93	R Silvas
	1200	98	R Silvas
	1300	100	R Silvas
	1400	100	Jontae
	1500	102	Jontae
	1600	103	Jontae
	1700	103	Jontae
	1800	102	Jontae
	1900	98	Jontae
	2000	91	Jontae
	2100	87	Jontae
	2200	79	E Valencia
	2300	77	E Valencia
	2400	77	E Valencia

90°  
0943

89°  
2025

Date	Time	Temp.	Printed Name
M A Y	0100	75	E Valencia
	0200	73	E Valencia
	0300	72	E Valencia
	0400	71	E Valencia
	0500	70	E Valencia
	0600	68	R Silvas
	0700	73	R Silvas
	0800	79	R Silvas
	0900	88	R Silvas
	1000	93	R Silvas
	1100	95	R Silvas
	1200	96	R Silvas
	1300	98	R Silvas
	1400	102	Jontae
	1500	104	Jontae
	1600	105	Jontae
	1700	104	Jontae
	1800	103	Jontae
	1900	100	Jontae
	2000	95	Jontae
	2100	86	Jontae
	2200	82	E Valencia
	2300	80	E Valencia
	2400	79	E Valencia

90°@  
0948

89°@  
2020

INSTITUTION:

**CALIPATRIA STATE PRISON**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

**CENTRAL CONTROL**

Thermometer Location:

Immediately notify the Watch Commander at extension 5302 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
M A Y  3 1 2 0 2 4	0100	77	E Valencia
	0200	76	E Valencia
	0300	74	E Valencia
	0400	74	E Valencia
	0500	73	E Valencia
	0600	70	E Valencia
	0700	74	S. Garcia
	0800	75	S. Garcia
	0900	77	S. Garcia
	1000	73	S. Garcia
	1100	76	S. Garcia
	1200	78	S. Garcia
	1300	101	S. Garcia
	1400	104	J Castro
	1500	105	J Castro
	1600	109	J Castro
	1700	106	J Castro
	1800	104	J Castro
	1900	100	J Castro
	2000	93	J Castro
	2100	84	J Castro
	2200	84	E Valencia
	2300	79	E Valencia
	2400	76	E Valencia

Date	Time	Temp.	Printed Name
J U N E  0 1 2 0 2 4	0100	74	E Valencia
	0200	73	E Valencia
	0300	72	E Valencia
	0400	71	E Valencia
	0500	69	E Valencia
	0600	70	E Valencia
	0700	76	S. Garcia
	0800	82	S. Garcia
	0900	75	S. Garcia
	1000	73	S. Garcia
	1100	77	S. Garcia
	1200	79	S. Garcia
	1300	101	S. Garcia
	1400	102	J Castro
	1500	104	J Castro
	1600	104	J Castro
	1700	100	J Castro
	1800	98	J Castro
	1900	96	J Castro
	2000	92	J Castro
	2100	89	J Castro
	2200	88	R. Aguirre
	2300	87	R. Aguirre
	2400	86	R. Aguirre