

HEAT PLAN - MONTHLY SUMMARY REPORT

CDCR MH-7711-1 (02/17)

Institution: CHCF

Memorandum

Date: June 5, 2024To: Statewide Heat Plan CoordinatorSubject: Heat Plan Activity - CHCF MAY 2024The following is a summary of the heat related activity for the month of MAYat CHCF (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes
Number of days Stage I Alert initiated: 4
2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No
Number of days Stage II Alert initiated: 0
3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No
Number of days Stage III Alert initiated: 0
4. Weekly list of heat risk patients archived?: No

5. Number of patients with heat related illness: 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

GENA JONES

Warden Name

DocuSigned by:

Gena Jones

27EE10BEE45A48E

Warden Signature

JOSEPH GARLAND

Chief Executive Officer Name

DocuSigned by:

Joseph Garland

CA1513019333471

Chief Executive Officer Signature

INSTITUTION:

CACF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

Courtyard Cover

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/1/24	0100	56	R. PORTER
	0200	56	R. PORTER
	0300	55	R. PORTER
	0400	54	R. PORTER
	0500	53	R. PORTER
	0600	52	R. PORTER
	0700	54	R. PORTER
	0800	56	R. PORTER
	0900	60	R. PORTER
	1000	65	R. PORTER
	1100	67	R. PORTER
	1200	73	R. PORTER
	1300	76	R. PORTER
5/1/24	1400	78	C. CASINO
	1500	80	C. CASINO
	1600	80	C. CASINO
	1700	80	C. CASINO
	1800	79	C. CASINO
	1900	79	C. CASINO
	2000	73	C. CASINO
	2100	66	C. CASINO
	2200	64	PINEDA
	2300	61	PINEDA
5/2/24	2400	58	R. PORTER

Date	Time	Temp.	Printed Name
5/2/24	0100	57	PINEDA
	0200	57	PINEDA
	0300	56	PINEDA
	0400	55	PINEDA
	0500	55	PINEDA
	0600	54	R. PORTER
	0700	55	R. PORTER
	0800	60	R. PORTER
	0900	64	R. PORTER
	1000	69	R. PORTER
	1100	73	R. PORTER
	1200	73	R. PORTER
	1300	77	R. PORTER
5/2/24	1400	79	C. CASINO
	1500	80	C. CASINO
	1600	82	C. CASINO
	1700	82	C. CASINO
	1800	80	C. CASINO
	1900	78	C. CASINO
	2000	70	C. CASINO
	2100	66	C. CASINO
	2200	64	PINEDA
	2300	63	PINEDA
5/3/24	2400	61	PINEDA

OUTSIDE TEMPERATURE RECORD
CDCH 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CENTRAL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/3/24	0100	59	PINEDA
	0200	58	PINEDA
	0300	57	PINEDA
	0400	57	PINEDA
	0500	56	PINEDA
	0600	55	GARCIA
	0700	57	GARCIA
	0800	60	GARCIA
	0900	64	GARCIA
	1000	67	GARCIA
	1100	72	GARCIA
	1200	75	GARCIA
	1300	78	GARCIA
	1400	79	PINEDA
	1500	81	PINEDA
	1600	81	PINEDA
	1700	80	PINEDA
	1800	78	PINEDA
	1900	73	PINEDA
	2000	79	PINEDA
	2100	64	PINEDA
	2200	62	PINEDA
	2300	60	PINEDA
	2400	58	PINEDA

Date	Time	Temp.	Printed Name
5/4/24	0100	57	PINEDA
	0200	56	PINEDA
	0300	55	PINEDA
	0400	54	PINEDA
	0500	55	PINEDA
	0600	55	HER
	0700	56	HER
	0800	58	HER
	0900	60	HER
	1000	58	HER
	1100	58	HER
	1200	74	HER
	1300	50	HER
	1400	52	C. CASINO
	1500	49	C. CASINO
	1600	49	C. CASINO
	1700	55	C. CASINO
	1800	55	C. CASINO
	1900	56	C. CASINO
	2000	51	C. CASINO
	2100	52	C. CASINO
	2200	50	ARELAS
	2300	48	ARELAS
	2400	48	ARELAS

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDGR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHVF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

5/5/24

Date	Time	Temp.	Printed Name
	0100	47	ANETAS
	0200	46	ANETAS
	0300	45	ANETAS
	0400	45	ANETAS
	0500	44	ANETAS
	0600	44	PORTER
	0700	49	PORTER
	0800	50	PORTER
	0900	52	PORTER
	1000	54	PORTER
	1100	56	PORTER
	1200	59	PORTER
	1300	61	PORTER
	1400	63	Her
	1500	63	Her
	1600	64	Her
	1700	65	Her
	1800	62	Her
	1900	60	Her
	2000	59	Her
	2100	58	Her
	2200	52	ANETAS
	2300	51	ANETAS
	2400	50	ANETAS

5/6/24

5/6/24

Date	Time	Temp.	Printed Name
	0100	43	ANETAS
	0200	48	ANETAS
	0300	46	ANETAS
	0400	46	ANETAS
	0500	45	ANETAS
	0600	44	PORTER
	0700	46	PORTER
	0800	51	PORTER
	0900	54	PORTER
	1000	57	PORTER
	1100	62	PORTER
	1200	64	PORTER
	1300	67	PORTER
	1400	68	Her
	1500	69	Her
	1600	70	Her
	1700	69	Her
	1800	69	Her
	1900	68	Her
	2000	64	Her
	2100	61	Her
	2200	56	ANETAS
	2300	56	ANETAS
	2400	55	ANETAS

5/7/24

OUTSIDE TEMPERATURE RECORD
CDOR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHOF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

5/1/24

Date	Time	Temp.	Printed Name
	0100	54	ARREAS
	0200	52	ARREAS
	0300	51	ARREAS
	0400	50	ARREAS
	0500	49	ARREAS
	0600	49	PORTER
	0700	51	PORTER
	0800	51	PORTER
	0900	56	PORTER
	1000	60	PORTER
	1100	64	PORTER
	1200	68	PORTER
	1300	70	PORTER
5/7/24	1400	71	C. CASINO
	1500	72	C. CASINO
	1600	74	C. CASINO
	1700	74	C. CASINO
	1800	74	C. CASINO
	1900	70	C. CASINO
	2000	66	C. CASINO
	2100	63	C. CASINO
	2200	60	ARREAS
	2300	60	ARREAS
5/8/24	2400	59	ARREAS

5/1/24

Date	Time	Temp.	Printed Name
	0100	80	ARREAS
	0200	57	ARREAS
	0300	55	ARREAS
	0400	54	ARREAS
	0500	53	ARREAS
	0600	52	Rock
	0700	54	Rock
	0800	57	Rock
	0900	61	Rock
	1000	65	Rock
	1100	69	Rock
	1200	73	Rock
	1300	75	Rock
5/8/24	1400	77	C. CASINO
	1500	78	C. CASINO
	1600	78	C. CASINO
	1700	79	C. CASINO
	1800	78	C. CASINO
	1900	76	C. CASINO
	2000	72	C. CASINO
	2100	70	C. CASINO
	2200	67	PIVETA
	2300	66	PIVETA
5/9/24	2400	63	PIVETA

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHAF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6962 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/10/24	0100	60	PINEDA
	0200	57	PINEDA
	0300	55	PINEDA
	0400	53	PINEDA
	0500	50	PINEDA
	0600	50	PORTER
	0700	52	PORTER
	0800	51	PORTER
	0900	62	PORTER
	1000	67	PORTER
	1100	73	PORTER
	1200	78	PORTER
	1300	81	PORTER
5/9/24	1400	83	C. CASINO
	1500	84	C. CASINO
	1600	85	C. CASINO
	1700	85	C. CASINO
	1800	85	C. CASINO
	1900	82	C. CASINO
	2000	77	C. CASINO
	2100	73	C. CASINO
	2200	69	PINEDA
	2300	65	PINEDA
5/10/24	2400	62	PINEDA

Date	Time	Temp.	Printed Name
5/10/24	0100	61	PINEDA
	0200	59	PINEDA
	0300	57	PINEDA
	0400	56	PINEDA
	0500	55	PINEDA
	0600	56	HER
	0700	58	HER
	0800	62	HER
	0900	66	HER
	1000	71	HER
	1100	76	HER
	1200	80	HER
	1300	84	HER
5/10/24	1400	86	C. CASINO
	1500	88	C. CASINO
	1600	88	C. CASINO
	1700	89	C. CASINO
	1800	88	C. CASINO
	1900	86	C. CASINO
	2000	80	C. CASINO
	2100	75	C. CASINO
	2200	71	C. CASINO
	2300	68	C. CASINO
	2400	66	C. CASINO

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA HEALTH CARE FACILITY - STOCKTON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension x6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/11/24	0100	63	C. CASINO
	0200	62	C. CASINO
	0300	60	C. CASINO
	0400	59	C. CASINO
	0500	57	C. CASINO
	0600	56	Garcia
	0700	58	Garcia
	0800	64	Garcia
	0900	68	Garcia
	1000	73	Garcia
	1100	77	Garcia
	1200	82	Garcia
	1300	85	Garcia
5/11/24	1400	89	C. CASINO
	1500	90	C. CASINO
	1600	91	C. CASINO
	1700	92	C. CASINO
	1800	90	C. CASINO
	1900	86	C. CASINO
	2000	80	C. CASINO
	2100	76	C. CASINO
	2200	70	ALBERTAS
	2300	68	ALBERTAS
5/12/24	2400	66	ALBERTAS

STREET LIGHTS
1500 HRS
ACTIVATED

STREET
LIGHTS
1935 HRS

Date	Time	Temp.	Printed Name
5/11/24	0100	64	ALBERTAS
	0200	62	ALBERTAS
	0300	61	ALBERTAS
	0400	60	ALBERTAS
	0500	58	ALBERTAS
	0600	60	PORTER
	0700	61	PORTER
	0800	64	PORTER
	0900	69	PORTER
	1000	74	PORTER
	1100	78	PORTER
	1200	80	PORTER
	1300	85	PORTER
5/12/24	1400	87	ORTIZ
	1500	89	ORTIZ
	1600	90	ORTIZ
	1700	89	ORTIZ
	1800	87	ORTIZ
	1900	83	ORTIZ
	2000	77	ORTIZ
	2100	72	ORTIZ
	2200	68	ALBERTAS
	2300	66	ALBERTAS
	2400	64	ALBERTAS

INSTITUTION: CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

5/13/14

Date	Time	Temp	Printed Name
	0100	62	ANETAS
	0200	60	ANETAS
	0300	59	ANETAS
	0400	57	ANETAS
	0500	56	ANETAS
	0600	55	PORTER
	0700	57	PORTER
	0800	62	PORTER
	0900	66	PORTER
	1000	69	PORTER
	1100	75	PORTER
	1200	79	PORTER
	1300	81	PORTER
	1400	84	ORTIZ
	1500	86	ORTIZ
	1600	87	ORTIZ
	1700	85	ORTIZ
	1800	83	ORTIZ
	1900	80	ORTIZ
	2000	75	ORTIZ
	2100	69	ORTIZ
	2200	65	ANETAS
	2300	65	ANETAS
	2400	67	ANETAS

5/13/14

5/13/14

Date	Time	Temp	Printed Name
	0100	61	ANETAS
	0200	59	ANETAS
	0300	58	ANETAS
	0400	56	ANETAS
	0500	55	ANETAS
	0600	53	PORTER
	0700	55	PORTER
	0800	58	PORTER
	0900	64	PORTER
	1000	68	PORTER
	1100	73	PORTER
	1200	80	PORTER
	1300	83	PORTER
	1400	86	PORTER
	1500	87	PORTER
	1600	88	PORTER
	1700	87	PORTER
	1800	85	PORTER
	1900	81	PORTER
	2000	76	PORTER
	2100	71	PORTER
	2200	66	PORTER
	2300	65	ANETAS
	2400	63	ANETAS

5/13/14

OUTSIDE TEMPERATURE RECORD
CDCR 2020 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHOF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/14/24	0100	62	ALBERTA
	0200	60	ALBERTA
	0300	59	ALBERTA
	0400	58	ALBERTA
	0500	57	ALBERTA
	0600	56	PORTER
	0700	57	PORTER
	0800	61	PORTER
	0900	66	PORTER
	1000	72	PORTER
	1100	75	PORTER
	1200	80	PORTER
	1300	84	PORTER
5/15/24	1400	86	C. CASINO
	1500	86	C. CASINO
	1600	87	C. CASINO
	1700	87	C. CASINO
	1800	85	C. CASINO
	1900	81	C. CASINO
	2000	77	C. CASINO
	2100	72	C. CASINO
	2200	69	PINEA
	2300	66	PINEA
	2400	64	PINEA

Date	Time	Temp.	Printed Name
5/16/24	0100	61	PINEA
	0200	60	PINEA
	0300	58	PINEA
	0400	57	PINEA
	0500	57	PINEA
	0600	56	PORTER
	0700	58	PORTER
	0800	62	PORTER
	0900	66	PORTER
	1000	71	PORTER
	1100	73	PORTER
	1200	78	PORTER
	1300	82	PORTER
5/17/24	1400	85	PORTER
	1500	87	PORTER
	1600	88	PORTER
	1700	86	PORTER
	1800	83	PORTER
	1900	78	PORTER
	2000	73	PORTER
	2100	69	PORTER
	2200	66	PINEA
	2300	63	PINEA
	2400	61	PINEA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CACF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/17/24	0100	59	PINFA
	0200	58	PINFA
	0300	56	PINFA
	0400	55	PINFA
	0500	54	PINFA
	0600	55	Her
	0700	56	Her
	0800	58	Her
	0900	60	Her
	1000	65	Her
	1100	69	Her
	1200	74	Her
	1300	79	Her
5/17/24	1400	79	C. CASINO
	1500	82	C. CASINO
	1600	82	C. CASINO
	1700	83	C. CASINO
	1800	82	C. CASINO
	1900	79	C. CASINO
	2000	75	C. CASINO
	2100	69	C. CASINO
	2200	45	TEAR
	2300	62	TEA
	2400	60	TEAR

Date	Time	Temp.	Printed Name
5/18/24	0100	59	TEAR
	0200	58	TEAR
	0300	56	TEAR
	0400	55	TEAR
	0500	53	TEAR
	0600	54	Her
	0700	56	Her
	0800	58	Her
	0900	62	Her
	1000	66	Her
	1100	71	Her
	1200	74	Her
	1300	76	Her
5/18/24	1400	82	C. CASINO
	1500	83	C. CASINO
	1600	84	C. CASINO
	1700	83	C. CASINO
	1800	80	C. CASINO
	1900	76	C. CASINO
	2000	73	C. CASINO
	2100	68	C. CASINO
	2200	64	R. PORTER
	2300	62	R. PORTER
	2400	60	R. PORTER

DISTRIBUTION: Original Institution ADA Coordinator

OUTSIDE TEMPERATURE RECORD
CDGR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CORRIDOR

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/19/24	0100	58	R. PORTER
	0200	56	R. PORTER
	0300	55	R. PORTER
	0400	53	R. PORTER
	0500	52	R. PORTER
	0600	51	R. PORTER
5/19/24	0700	54	R. PORTER
	0800	51	R. PORTER
	0900	62	R. PORTER
	1000	65	R. PORTER
	1100	70	R. PORTER
	1200	74	R. PORTER
	1300	77	R. PORTER
	1400	81	R. PORTER
	1500	83	ORTIZ
	1600	84	ORTIZ
	1700	84	ORTIZ
	1800	91	ORTIZ
	1900	77	ORTIZ
	2000	70	ORTIZ
	2100	66	ORTIZ
	2200	62	R. PORTER
	2300	60	R. PORTER
	2400	58	R. PORTER

Date	Time	Temp.	Printed Name
5/20/24	0100	51	R. PORTER
	0200	55	R. PORTER
	0300	53	R. PORTER
	0400	51	R. PORTER
	0500	50	R. PORTER
	0600	50	R. PORTER
5/20/24	0700	53	R. PORTER
	0800	58	R. PORTER
	0900	62	R. PORTER
	1000	67	R. PORTER
	1100	74	R. PORTER
	1200	77	R. PORTER
	1300	80	R. PORTER
	1400	83	HER
	1500	84	HER
	1600	84	HER
	1700	83	HER
	1800	82	HER
	1900	79	HER
	2000	75	HER
	2100	70	HER
	2200	67	ALVARAS
5/21/24	2300	67	ALVARAS
	2400	61	ALVARAS

DISTRIBUTION: Original Institution ADA Coordinator

INSTITUTION:

CHCF

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

Central Control

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/21/24	0100	62	ALBERTAS
	0200	59	ALBERTAS
	0300	57	ALBERTAS
	0400	56	ALBERTAS
	0500	55	ALBERTAS
5/21/24	0600	54	PORTER
	0700	57	PORTER
	0800	62	PORTER
	0900	64	PORTER
	1000	70	PORTER
	1100	74	PORTER
	1200	80	PORTER
	1300	83	PORTER
	1400	85	C. CASINO
	1500	85	C. CASINO
5/21/24	1600	86	C. CASINO
	1700	86	C. CASINO
	1800	86	C. CASINO
	1900	82	C. CASINO
	2000	77	C. CASINO
	2100	73	C. CASINO
	2200	70	TEAM
	2300	67	TEAM
	2400	63	TEAM

Date	Time	Temp.	Printed Name
5/22	0100	60	TEAM
	0200	58	TEAM
	0300	57	TEAM
	0400	56	TEAM
	0500	56	TEAM
	0600	55	TEAM
	0700	58	P. PORTER
	0800	63	P. PORTER
	0900	67	P. PORTER
	1000	69	R. PORTER
5/22/24	1100	76	R. PORTER
	1200	80	R. PORTER
	1300	82	R. PORTER
	1400	82	C. CASINO
	1500	85	C. CASINO
	1600	86	C. CASINO
	1700	85	C. CASINO
	1800	84	C. CASINO
	1900	80	C. CASINO
	2000	76	C. CASINO
5/23/24	2100	71	C. CASINO
	2200	67	PIVETA
	2300	64	PIVETA
	2400	62	PIVETA

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CLACF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/23/24	0100	60	PINEDA
	0200	58	PINEDA
	0300	57	PINEDA
	0400	57	PINEDA
	0500	57	PINEDA
	0600	55	R. PORTER
	0700	58	R. PORTER
	0800	61	R. PORTER
	0900	65	R. PORTER
	1000	69	R. PORTER
	1100	73	R. PORTER
	1200	75	R. PORTER
5/23/24	1300	71	R. PORTER
	1400	81	C. CASINO
	1500	82	C. CASINO
	1600	84	C. CASINO
	1700	83	C. CASINO
	1800	80	C. CASINO
	1900	75	C. CASINO
	2000	72	C. CASINO
	2100	67	C. CASINO
	2200	64	PINEDA
	2300	62	PINEDA
	2400	60	PINEDA

Date	Time	Temp.	Printed Name
5/24/24	0100	58	PINEDA
	0200	56	PINEDA
	0300	55	PINEDA
	0400	54	PINEDA
	0500	52	PINEDA
	0600	51	GARCIA
	0700	53	GARCIA
	0800	56	GARCIA
	0900	60	GARCIA
	1000	64	GARCIA
	1100	69	GARCIA
	1200	71	GARCIA
5/24/24	1300	74	GARCIA
	1400	72	C. CASINO
	1500	71	C. CASINO
	1600	70	C. CASINO
	1700	68	C. CASINO
	1800	66	C. CASINO
	1900	64	C. CASINO
	2000	60	C. CASINO
	2100	58	C. CASINO
	2200	58	PINEDA
	2300	57	PINEDA
	2400	56	PINEDA

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDGR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/25/24	0100	55	PINENA
	0200	53	PINENA
	0300	52	PINENA
	0400	51	PINENA
	0500	50	PINENA
	0600	49	SHERGILL
	0700	50	SHERGILL
	0800	53	SHERGILL
	0900	60	SHERGILL
	1000	64	SHERGILL
	1100	68	SHERGILL
	1200	71	SHERGILL
	1300	73	SHERGILL
5/25/24	1400	72	C. CASINO
	1500	71	C. CASINO
	1600	72	C. CASINO
	1700	72	C. CASINO
	1800	70	C. CASINO
	1900	67	C. CASINO
	2000	64	C. CASINO
	2100	60	C. CASINO
	2200	56	ALBERTAS
	2300	56	ALBERTAS
5/26/24	2400	54	ALBERTAS

Date	Time	Temp.	Printed Name
5/26/24	0100	53	ALBERTAS
	0200	52	ALBERTAS
	0300	50	ALBERTAS
	0400	49	ALBERTAS
	0500	48	ALBERTAS
	0600	48	PORTER
	0700	50	PORTER
	0800	56	PORTER
	0900	60	PORTER
	1000	65	PORTER
	1100	70	PORTER
	1200	74	PORTER
	1300	78	PORTER
5/26/24	1400	81	ORTIZ
	1500	83	ORTIZ
	1600	84	ORTIZ
	1700	84	ORTIZ
	1800	83	ORTIZ
	1900	80	ORTIZ
	2000	79	ORTIZ
	2100	71	ORTIZ
	2200	65	ALBERTAS
	2300	64	ALBERTAS
5/27/24	2400	62	ALBERTAS

DISTRIBUTION: Original: Institution ADA Coordinator

OUTSIDE TEMPERATURE RECORD
CDOR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 60907 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/28/24	0100	59	ALBERTAS
	0200	57	ALBERTAS
	0300	56	ALBERTAS
	0400	54	ALBERTAS
	0500	53	ALBERTAS
	0600	56	Reck
	0700	56	Reck
	0800	61	Reck
	0900	66	Reck
	1000	70	Reck
	1100	76	Reck
	1200	80	Reck
	1300	84	Reck
	1400	86	Her
	1500	87	Her
	1600	88	Her
	1700	87	Her
	1800	84	Her
	1900	80	Her
	2000	74	Her
	2100	69	Her
	2200	63	ALBERTAS
	2300	63	ALBERTAS
	2400	61	ALBERTAS

Date	Time	Temp.	Printed Name
5/28/24	0100	59	ALBERTAS
	0200	58	ALBERTAS
	0300	56	ALBERTAS
	0400	55	ALBERTAS
	0500	54	ALBERTAS
	0600	53	Reck
	0700	56	Reck
	0800	60	Reck
	0900	64	Reck
	1000	69	Reck
	1100	74	Reck
	1200	78	Reck
	1300	82	Reck
	1400	84	Reck
	1500	84	C. CASINO
	1600	85	C. CASINO
	1700	84	C. CASINO
	1800	82	C. CASINO
	1900	77	C. CASINO
	2000	74	C. CASINO
	2100	69	C. CASINO
	2200	64	ALBERTAS
	2300	63	ALBERTAS
	2400	61	ALBERTAS

INSTITUTION: CHOF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/29/24	0100	60	ALBERTA
	0200	58	ALBERTA
	0300	57	ALBERTA
	0400	55	ALBERTA
	0500	54	ALBERTA
	0600	54	C. REBELLO
	0700	56	C. REBELLO
	0800	61	C. REBELLO
	0900	65	C. REBELLO
	1000	71	C. REBELLO
	1100	75	C. REBELLO
	1200	80	C. REBELLO
	1300	83	C. REBELLO
	1400	86	C. CASINO
	1500	87	C. CASINO
	1600	87	C. CASINO
	1700	89	C. CASINO
	1800	88	C. CASINO
	1900	86	C. CASINO
	2000	81	C. CASINO
	2100	76	C. CASINO
	2200	72	PINEA
	2300	69	PINEA
	2400	67	PINEA

Date	Time	Temp.	Printed Name
5/30/24	0100	65	PINEA
	0200	64	PINEA
	0300	62	PINEA
	0400	60	PINEA
	0500	59	PINEA
	0600	59	Reck
	0700	62	Reck
	0800	66	Reck
	0900	71	Reck
	1000	75	Reck
	1100	79	Reck
	1200	84	Reck
	1300	87	Reck
	1400	89	C. CASINO
	1500	90	C. CASINO
	1600	90	C. CASINO
	1700	90	C. CASINO
	1800	94	C. CASINO
	1900	89	C. CASINO
	2000	84	C. CASINO
	2100	78	C. CASINO
	2200	74	PINEA
	2300	71	PINEA
	2400	69	PINEA

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/31/24	0100	67	PINFAR
	0200	64	PINFAR
	0300	63	PINFAR
	0400	61	PINFAR
	0500	66	PINFAR
	0600	59	GARCIA
	0700	63	GARCIA
	0800	68	GARCIA
	0900	70	GARCIA
	1000	79	GARCIA
	1100	83	GARCIA
	1200	88	GARCIA
	1300	91	GARCIA
	1400	93	C. CASINO
	1500	94	C. CASINO
	1600	95	C. CASINO
	1700	94	C. CASINO
	1800	93	C. CASINO
	1900	88	C. CASINO
	2000	82	C. CASINO
	2100	76	C. CASINO
	2200	72	ALVIA
	2300	70	ALVIA
	2400	67	ALVIA

1237
ACTIVATED
5/31/24

2000
DEACTIVATED

G-114

Date	Time	Temp.	Printed Name
6-1-24	0100	65	ALVIA
	0200	63	ALVIA
	0300	62	ALVIA
	0400	59	ALVIA
	0500	57	ALVIA
	0600	57	HER
	0700	59	HER
	0800	63	HER
	0900	67	HER
	1000	72	HER
	1100	77	HER
	1200	81	HER
	1300	84	HER
	1400	86	HER
	1500	84	C. CASINO
	1600	84	C. CASINO
	1700	82	C. CASINO
	1800	80	C. CASINO
	1900	76	C. CASINO
	2000	72	C. CASINO
	2100	68	C. CASINO
	2200	66	ALVIA
	2300	65	ALVIA
	2400	63	ALVIA

G-114