

## Monthly Summary Report

Institution: SAC

### Memorandum

Date: September  
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - August 2024

The following is a summary of the heat related activity for the month of August,  
at SAC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 25

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 11

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?:Yes

5. Number of patients with heat related illness.0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

J. Lynch

Warden Name

DocuSigned by:

Jeffrey Lynch

4DF8C06301444E7...  
Warden Signature

K. Oglesby

Chief Executive Officer Name

DocuSigned by:

Kerry Oglesby

EA245D64FA3C4FF  
Chief Executive Officer Signature

## INMATE TEMPERATURE RECORD

(18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/01 - 8/04

F. From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1 Temp. Reading Location: B Section  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
8/01	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	74.5	hernandez ✓

## Thursday

Date	Time	Temp.	Name (Print)
8/02	0300	74.5	hernandez ✓
	0600	75.7	benso
	0900	72.2	benso
	1200	77.3	benso
	1500	79.4	scott
	1800	82.6	scott
	2100	75.1	unlabeled
	2400	75.1	unlabeled

## Friday

Date	Time	Temp.	Name (Print)
8/02	0300	77.7	unlabeled
	0600	73.1	hernandez ✓
	0900	76.9	unlabeled
	1200	75.4	unlabeled
	1500	77.8	scott
	1800	81.4	scott
	2100	75.8	unlabeled
	2400	76.5	hernandez ✓

## Saturday

Date	Time	Temp.	Name (Print)
8/03	0300	79	hernandez ✓
	0600	78.5	sanchez
	0900	79.5	sanchez
	1200	75.5	sanchez
	1500	79.4	scott
	1800	80.6	scott
	2100	77.8	scott
	2400	77.2	hernandez ✓

## Sunday

Date	Time	Temp.	Name (Print)
8/04	0300	74.5	hernandez ✓
	0600	74.4	sanchez
	0900	74.4	sanchez
	1200	77.0	sanchez
	1500	81.2	scott
	1800	82.4	scott
	2100	76.9	scott
	2400	77.9	hernandez ✓

## Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/05 - 8/14

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1 Temp. Reading Location: B SEC T1o~  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/05	0300	72.9	Huett
	0600	74.7	Santos
	0900	76.0	Santos
	1200	75.0	Santos
	1500	76.4	A. Quarte
	1800	74.1	A. D. Quarte
	2100	74.2	A. Quarte
	2400	75.1	Huett

**Tuesday**

Date	Time	Temp.	Name (Print)
8/06	0300	72.8	Huett
	0600	77.2	Santos
	0900	76.5	Santos
	1200	76.5	Santos
	1500	77.0	Villarreal
	1800	79.2	Villarreal
	2100	79.0	Villarreal
	2400	76.9	Garibay

**Wednesday**

Date	Time	Temp.	Name (Print)
8/07	0300	74.3	Garibay
	0600	74.4	Santos
	0900	74.0	Santos
	1200	80.6	Santos
	1500	72.4	SCM
	1800	81.6	SCM
	2100	80.2	SCM
	2400	77.8	C. Castro

**Thursday**

Date	Time	Temp.	Name (Print)
8/08	0300	72.9	C. Castro
	0600	71.1	Wain
	0900	72.0	Wain
	1200	75.9	Wain
	1500	78.6	SCM
	1800	82.4	SCM
	2100	79.1	SCM
	2400	77.6	Castro

**Friday**

Date	Time	Temp.	Name (Print)
8/09	0300	72.9	C. Castro
	0600	72.7	R. Velasquez
	0900	72.5	R. Velasquez
	1200	75.0	R. Velasquez
	1500	74.8	SCM
	1800	77.6	SCM
	2100	75.7	SCM
	2400	71.0	Han

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	70.6	Han
	0600	78.0	R. Velasquez
	0900	73.2	R. Velasquez
	1200	73.4	R. Velasquez
	1500	78.8	SCM
	1800	80.4	SCM
	2100	77.2	SCM
	2400	77.2	Han

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	75.8	Han
	0600	74.0	Santos
	0900	74.0	Santos
	1200	74.0	Santos
	1500	76.8	SCM
	1800	79.2	SCM
	2100	77.1	SCM
	2400	77.3	Willie

**Notes**


STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/12 - 8/18

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1 Temp. Reading Location: B SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	76.1	WILLIE
	0600	74.4	SANTOS
	0900	73.0	SANTOS
	1200	71.0	SANTOS
	1500	72.4	GARIBAY
	1800	72.2	GARIBAY
	2100	72.2	GARIBAY
	2400	67.9	REGAL

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	67.8	REGAL
	0600	68.0	NARVAEZ
	0900	68.6	NARVAEZ
	1200	69.3	NARVAEZ
	1500	72.7	DEVENS
	1800	72.5	DEVENS
	2100	71.8	DEVENS
	2400	71.1	HARRIS

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	76.0	HARRIS
	0600	74.4	N. CAMERON
	0900	79.2	N. CAMERON
	1200	78.1	N. CAMERON
	1500	79.6	SCOTT
	1800	81.2	SCOTT
	2100	78.6	SCOTT
	2400	76.7	HARRIS

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	77.7	HARRIS
	0600	72.4	RIVELSON
	0900	75.4	RIVELSON
	1200	78.6	RIVELSON
	1500	79.4	SCOTT
	1800	82.1	SCOTT
	2100	74.2	SCOTT
	2400	74.2	HARRIS

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	73.7	HARRIS
	0600	64.5	RIVELSON
	0900	72.5	RIVELSON
	1200	75.6	RIVELSON
	1500	79.2	SCOTT
	1800	76.9	SCOTT
	2100	74.6	SCOTT
	2400	74.5	HARRIS

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	73.7	HARRIS
	0600	74.6	RIVELSON
	0900	75.6	RIVELSON
	1200	76.4	RIVELSON
	1500	77.2	SCOTT
	1800	81.4	SCOTT
	2100	76.1	SCOTT
	2400	74.3	HARRIS

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	73.7	HARRIS
	0600	69.3	CUNTERO
	0900	69.7	CUNTERO
	1200	70.0	CUNTERO
	1500	71.2	SCOTT
	1800	72.4	SCOTT
	2100	70.1	SCOTT
	2400	70.0	TAYLOR

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/19 - 8/25

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1

Temp. Reading Location: B SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	72.1	TAYLOR
	0600	73.1	Sandler
	0900	73.0	Sandler
	1200	71.6	Sandler
	1500	73.2	Villareal
	1800	76.4	Villareal
	2100	80.0	Villareal
	2400	73.2	WILLIS

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	74.3	WILLIS
	0600	73.8	Sandler
	0900	75.2	Sandler
	1200	73.5	Sandler
	1500	74.2	Villareal
	1800	76.0	Villareal
	2100	76.0	Villareal
	2400	76.0	WILLIS

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	75.2	Hernandez
	0600	74.2	Sandler
	0900	75.5	Sandler
	1200	74.0	Sandler
	1500	75.2	SCM
	1800	76.6	SCM
	2100	75.7	SCM
	2400	74.9	Hernandez

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	74.1	Hernandez
	0600	70.7	BENSON
	0900	70.1	BENSON
	1200	70.7	BENSON
	1500	71.1	SCM
	1800	71.6	SCM
	2100	71.5	SCM
	2400	71.3	Hernandez

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	70.8	Hernandez
	0600	71.3	Ontiveros
	0900	72.2	Ontiveros
	1200	70.9	Ontiveros
	1500	71.3	SCM
	1800	69.8	SCM
	2100	68.4	SCM
	2400	72.0	Castro

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	70.8	Castro
	0600	70.9	Ramirez
	0900	71.8	Ramirez
	1200	73.7	Ramirez
	1500	69.8	Guerrero-Ayon
	1800	73.5	Guerrero-Ayon
	2100	71.8	Guerrero-Ayon
	2400	75.7	Willie

**Notes**

Date	Time	Temp.	Name (Print)
8/25	0300	72.0	Willie
	0600	70.4	Sandler
	0900	71.6	Sandler
	1200	72.0	Sandler
	1500	72.4	SCM
	1800	70.1	SCM
	2100	68.8	SCM
	2400	72.2	Willie

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/26 - 8/31

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1 Temp. Reading Location: B SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	73.0	Harris
	0600	73.6	Santos ✓
	0900	74.0	Santos
	1200	71.0	Santos
	1500	71.0	Villareal
	1800	75.3	Villareal
	2100	71.0	Villareal
	2400	72.2	Villareal

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	69.3	Harris
	0600	72.9	Santos
	0900	73.4	Santos
	1200	73.5	Santos
	1500	75.0	Villareal
	1800	74.1	Villareal
	2100	75.9	Villareal
	2400	76.1	John

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	75.1	John
	0600	75.1	Santos
	0900	75.3	Santos
	1200	75.0	Santos
	1500	75.8	J. Smith
	1800	75.0	J. Smith
	2100	74.9	J. Smith
	2400	74.9	John

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	74.2	John
	0600	73.1	Benso
	0900	71.1	Benso
	1200	72.0	Benso
	1500	74.2	THAO
	1800	81.5	THAO
	2100	81.5	THAO
	2400	81.1	John

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	79.7	John
	0600	71.1	Ontiveros
	0900	71.1	Ontiveros
	1200	71.3	Ontiveros
	1500	74.3	ARRUDA
	1800	76.9	ARRUDA
	2100	74.0	ARRUDA
	2400	74.0	John

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	73.7	John
	0600	70.4	Barragan
	0900	70.0	Barragan
	1200	72.7	Barragan
	1500	77.6	SC
	1800	77.4	SC
	2100	70.1	SC
	2400	70.1	SC

**Notes**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 7/29 - 8/4

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A2 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	74.9	Bach
	0600	82.1	Bach
	0900	84.8	Blair
	1200	84.9	Blair
	1500	85	Blair
	1800	85	Blair
	2100	85.5	Blair
	2400	80	Blair

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	79.5	Blair
	0600	79	Blair
	0900	80.7	Blair
	1200	80.9	Blair
	1500	81	Blair
	1800	82.6	Blair
	2100	80.7	Blair
	2400	79	Blair

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	78.1	Davis
	0600	79	Scotia
	0900	80.3	Scotia
	1200	80	Scotia
	1500	80	Scotia
	1800	79.5	Scotia
	2100	79.8	Scotia
	2400	78.7	Scotia

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	79.1	J. Davis
	0600	79.3	J. Davis
	0900	79	Scotia
	1200	80	Scotia
	1500	82.7	LARA
	1800	83.4	LARA
	2100	80.2	LARA
	2400	81.8	HOLMES

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	81.6	ALLEN-Aarons
	0600	81	Scotia
	0900	81	Scotia
	1200	82	Scotia
	1500	82.5	LARA
	1800	82.9	LARA
	2100	83.5	LARA
	2400	83.1	ALLEN-Aarons

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	82.0	AYENI-Aarons
	0600	82.1	AYENI-Aarons
	0900	82	Scotia
	1200	83	Scotia
	1500	84.9	T. MOORE
	1800	85.6	T. MOORE
	2100	85.0	T. MOORE
	2400	82	J. SAMARAS

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	82	J. SAMARAS
	0600	72	AYENI-Aarons
	0900	80	AYENI-Aarons
	1200	81	AYENI-Aarons
	1500	82	NW
	1800	80	NW
	2100	80	NW
	2400	79.8	Wobes

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/5 - 8/11

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A2 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/6	0300	79.5	Weber
	0600	72	<del>Seaton</del>
	0900	76	<del>Seaton</del>
	1200	70	<del>J. Thompson</del>
	1500	81.6	IBARRA
	1800	84.8	IBARRA
	2100	83.8	IBARRA
	2400	82.6	J. Thompson

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	82.1	J. Thompson
	0600	82	<del>Seaton</del>
	0900	81	<del>Seaton</del>
	1200	82	<del>Seaton</del>
	1500	83	MHR
	1800	80	MHR
	2100	82	MHR
	2400	80.2	Weber

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	79.7	Weber
	0600	80	<del>Seaton</del>
	0900	83	<del>Seaton</del>
	1200	83	<del>Seaton</del>
	1500	83.1	MHR
	1800	80.1	MHR
	2100	80.9	MHR
	2400	80.2	Weber

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	80.4	Weber
	0600	81	<del>Seaton</del>
	0900	82	<del>Seaton</del>
	1200	83	<del>Seaton</del>
	1500	82	<del>Seaton</del>
	1800	81	<del>Seaton</del>
	2100	82	<del>Seaton</del>
	2400	82.1	<del>Seaton</del>

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	81	<del>Seaton</del>
	0600	81	<del>Seaton</del>
	0900	80.9	<del>Seaton</del>
	1200	82.4	<del>Seaton</del>
	1500	79	<del>Seaton</del>
	1800	82	<del>Seaton</del>
	2100	82	<del>Seaton</del>
	2400	81	<del>Seaton</del>

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	81.2	<del>Seaton</del>
	0600	79.5	S. Zabel
	0900	80.0	S. Zabel
	1200	81.5	S. Zabel
	1500	82.8	Bailey
	1800	84.1	Bailey
	2100	83.7	<del>Seaton</del>
	2400	81.5	G. SANDOZ

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	80.5	G. SANDOZ
	0600	80.5	G. SANDOZ
	0900	80	B. ALANIZ
	1200	80	B. ALANIZ
	1500	80	<del>Seaton</del>
	1800	79.9	<del>Seaton</del>
	2100	79.8	<del>Seaton</del>
	2400	79.9	Weber

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/12 - 8/18

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: A2      Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>8/12</u>	0300	79.6	Lieber
	0600	79	Deppman
	0900	79	B. Almaz
	1200	75	D. Almaz
	1500	80.1	J. Synder
	1800	81.0	J. Tomillo
	2100	80	Selby
	2400	80	Lieber

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>8/13</u>	0300	79.4	Lieber
	0600	79	Seaton
	0900	78	Seaton
	1200	79	Seaton
	1500	80.9	J. Thompson
	1800	81.4	J. Thompson
	2100	80.6	J. Thompson
	2400	80.2	Lieber

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>8/14</u>	0300	79.7	Lieber
	0600	79	Seaton
	0900	79	Seaton
	1200	79	Seaton
	1500	80.0	LARA
	1800	82.5	BEVENS
	2100	81.5	BEVENS
	2400	81	Lieber

**Thursday**

Date	Time	Temp.	Name (Print)
<u>8/15</u>	0300	80.6	Lieber
	0600	79	Seaton
	0900	78	Seaton
	1200	79	Seaton
	1500	80.8	LARA
	1800	81.2	LARITA
	2100	80.9	Lieber
	2400	79.8	Lieber

**Friday**

Date	Time	Temp.	Name (Print)
<u>8/16</u>	0300	76	Lieber
	0600	76	Seaton
	0900	78	Seaton
	1200	81	Seaton
	1500	81.4	ADIOS
	1800	82.5	LARA
	2100	81.6	LARA
	2400	81.3	Murphy

**Saturday**

Date	Time	Temp.	Name (Print)
<u>8/17</u>	0300	82.1	W. Murray
	0600	80.6	
	0900	80.1	
	1200	80.7	
	1500	80.8	Rach
	1800	80.4	Rach
	2100	78.2	
	2400	77.1	Y. SANDOVAL

**Sunday**

Date	Time	Temp.	Name (Print)
<u>8/18</u>	0300	77.1	Y. SANDOVAL
	0600	77.1	Y. SANDOVAL
	0900	77	B. ALMAM
	1200	77	D. ALMAM
	1500	79.2	G. SINGER
	1800	80.1	G. SINGER
	2100	78.2	
	2400	71°	Osuna

**Notes**


**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

Week of

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: A'V      Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	69°	Osuna
	0600	69	B. Almanz
	0900	70	B. Almanz
	1200	73	B. Almanz
	1500	73.6	r. (Amigo)
	1800	72.9	r. (Amigo)
	2100	72.7	r. (Amigo)
	2400	72.3	6666

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	70.7	Heber
	0600	79	Seitz
	0900	72	Seitz
	1200	74	Seitz
	1500	80.4	W. Herrera
	1800	80.8	W. Herrera
	2100	79.8	W. Herrera
	2400	79.2	CASTRO

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	73.1	CASTRO
	0600	73	Seaton
	0900	74	Seaton
	1200	78	Seaton
	1500	80.1	J. Thompson
	1800	80.8	J. Thompson
	2100	79.4	J. Thompson
	2400	79.3	J. Fink

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	74.5	B. Curr
	0600	73.8	Salazar
	0900	74.0	Salazar
	1200	74.9	Salazar
	1500	75.4	D. SMITH
	1800	75.5	D. SMITH
	2100	75.0	D. SMITH
	2400	73.0	J. PARRA

Friday

Date	Time	Temp.	Name (Print)
6/2	0300	74.3	Tony
	0600	77	Seaton
	0900	77	Seaton
	1200	78	Seaton
	1500	77	Alamiz
	1800	76	Alamiz
	2100	71	Alamiz
	2400	71	Willie

## Saturday

Date	Time	Temp.	Name (Print)
8/25	0300	73.5	J. Sardina
	0600	72.0	J. Sardina
	0900	73.5	JARA
	1200	72.7	
	1500	72.6	J. Herrera
	1800	73.1	J. Herrera
	2100	72.0	J. Herrera
	2400	71.8	

Sunday

Date	Time	Temp.	Name (Print)
8/23	0300	74	Willie
	0600	79	Seata
	0900	77	Seata
	1200	75	Seata
	1500	76.4	LARA
	1800	76.3	LARA
	2100	75.7	LARA
	2400	75	Black

## Notes

(a)

—

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of \_\_\_\_\_

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: A 2

Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	72.3	Lieber
	0600	71.8	Lieber
	0900	70	Alain
	1200	72	Kane
	1500	72	Alain
	1800	72	Alain
	2100	72	Alain
	2400	71.9	Lieber

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	71.2	Lieber
	0600	76	Seaton
	0900	78	Seaton
	1200	78	Seaton
	1500	77.4	Espinosa
	1800	77.4	Espinosa
	2100	77.6	Espinosa
	2400	76.8	Lieber

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	75.7	Lieber
	0600	76	Seaton
	0900	78	Seaton
	1200	79	Seaton
	1500	80	Thomas
	1800	80	Thomas
	2100	79	Thomas
	2400	79.5	Georgiou

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	79.0	Georgiou
	0600	79.1	Georgiou
	0900	79	Seaton
	1200	79	Seaton
	1500	72	Alain
	1800	70	Alain
	2100	70	Alain
	2400	74	Murphy

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	77	Murphy
	0600	76	Seaton
	0900	78	Seaton
	1200	79	Seaton
	1500	77	Alain
	1800	77	Alain
	2100	80	Alain
	2400	79	Murphy

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	76	Murphy
	0600	76	Perry
	0900	80.0	Perry
	1200	81.1	Perry
	1500	80.5	T. Moore
	1800	81.8	T. Moore
	2100	80.6	T. Moore
	2400	80.4	T. Moore

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 08/01 - 08/04

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: 3 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300	75.3	Willie
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300	75.3	Willie
	0600	72.6	A. QUIROZ
	0900	76.1	MONTAUBAN
	1200	77.3	MONTAUBAN
	1500	78.4	Coleman
	1800	79.1	Coleman
	2100	78.9	Coleman
	2400	78.9	C. SPAN

**Friday**

Date	Time	Temp.	Name (Print)
	0300	77.5	C. TAYLOR
	0600	77.5	C. TAYLOR
	0900	76.2	MONTAUBAN
	1200	77.7	MONTAUBAN
	1500	77.1	L. MUNOZ
	1800	78.2	A. LARA
	2100	77.7	A. LARA
	2400	77.0	C. TAYLOR

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	74.2	C. TAYLOR
	0600	77.9	C. TAYLOR
	0900	77.1	MONTAUBAN
	1200	79.1	MONTAUBAN
	1500	78.0	Coleman
	1800	78.9	Coleman
	2100	78.8	Coleman
	2400	78.2	TAYLOR

**Sunday**

Date	Time	Temp.	Name (Print)
	0300	75.2	TAYLOR
	0600	75.9	Willie
	0900	75.0	MONTAUBAN
	1200	77.2	MONTAUBAN
	1500	80.0	Coleman
	1800	80.1	Coleman
	2100	80.0	Coleman
	2400	80.0	C. TAYLOR

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 08/05 - 08/11

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A3 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	80	C-Y ✓
	0600	80	C-Y ✓
	0900	74.3	STAYDOOR
	1200	77.2	STAYDOOR
	1500	78.4	Coleman
	1800	79.5	Coleman
	2100	78.8	Coleman
	2400	78.0	Gambay

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	76.8	Gambay
	0600	72.5	C. AVILA
	0900	72.8	C. AVILA
	1200	76.1	C. AVILA
	1500	79.8	Coleman
	1800	80.6	Coleman
	2100	79.8	Coleman
	2400	79.5	NUOCEN

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	79.4	NGUYEN
	0600	79.3	MONTAUBAN
	0900	70.9	MONTAUBAN
	1200	78.8	MONTAUBAN
	1500	80.0	Coleman
	1800	78.6	Coleman
	2100	79.8	Coleman
	2400	79.8	C-Y ✓

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	77.5	C-Y ✓
	0600	79.5	C-Y ✓
	0900	77.1	MONTAUBAN
	1200	79.0	MONTAUBAN
	1500	80.6	Coleman
	1800	80.6	Coleman
	2100	80.4	Coleman
	2400	80.4	C-Y ✓

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	78.5	C-Y ✓
	0600	78.5	C-Y ✓
	0900	76.2	MONTAUBAN
	1200	77.1	MONTAUBAN
	1500	78.7	Coleman
	1800	79.4	Coleman
	2100	79.3	Coleman
	2400	80.2	C-Y ✓

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	75.8	C-Y ✓
	0600	75.8	C-Y ✓
	0900	77.9	MONTAUBAN
	1200	79.0	MONTAUBAN
	1500	78.4	Domingo
	1800	78.8	Domingo
	2100	78.	Domingo
	2400	78.5	C-Y ✓

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	75.4	C-Y ✓ NO
	0600	75.4	C-Y ✓
	0900	78.2	MONTAUBAN
	1200	79.1	MONTAUBAN
	1500	78.8	Coleman
	1800	79.5	Coleman
	2100	79.7	Coleman
	2400	78.5	C-Y ✓

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 08/12 - 08/18

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A53 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>8/12</u>	0300	75.4	C-4 ✓
	0600	73.8	C-4 ✓
	0900	71.2	Perry URCM
	1200	74.1	Perry URCM
	1500	79.1	Coleman
	1800	78.9	Coleman
	2100	78.6	Coleman
	2400	73.7	Adams

Tuesday			
Date	Time	Temp.	Name (Print)
<u>8/13</u>	0300	73.0	Holmes
	0600	72.0	G.MORR
	0900	72.9	G.MORR
	1200	73.0	G.MORR
	1500	77.6	Coleman
	1800	78.0	Coleman
	2100	77.9	Coleman
	2400	72.8	WILRIGHT

Wednesday			
Date	Time	Temp.	Name (Print)
<u>8/14</u>	0300	71.0	WILRIGHT
	0600	74.0	MONTALBAN
	0900	77.3	MONTALBAN
	1200	77.9	MONTALBAN
	1500	78.4	Coleman
	1800	79.1	Coleman
	2100	78.6	Coleman
	2400	78.6	C-4 ✓

Thursday			
Date	Time	Temp.	Name (Print)
<u>8/15</u>	0300	75.4	C-4 ✓
	0600	75.4	C-4 ✓
	0900	75.7	MONTALBAN
	1200	76.1	MONTALBAN
	1500	78.6	Coleman
	1800	79.5	Coleman
	2100	78.6	Coleman
	2400	78.6	C-4 ✓

Friday			
Date	Time	Temp.	Name (Print)
<u>8/16</u>	0300	71.1	C-4 ✓
	0600	71.1	C-4 ✓
	0900	71.0	MONTALBAN
	1200	78.2	MONTALBAN
	1500	76.6	A. LARA
	1800	76.4	A. LARA
	2100	76.3	A. LARA
	2400	76.2	C-4 ✓

Saturday			
Date	Time	Temp.	Name (Print)
<u>8/17</u>	0300	71.5	C-4 ✓
	0600	71.5	C-4 ✓
	0900	76.6	MONTALBAN
	1200	77.5	MONTALBAN
	1500	77.6	A. LARA
	1800	77.0	A. LARA
	2100	76.2	A. LARA
	2400	75.4	C-4 ✓

Sunday			
Date	Time	Temp.	Name (Print)
<u>8/18</u>	0300	71.5	C-4 ✓
	0600	71.5	C-4 ✓
	0900	74.1	MONTALBAN
	1200	75.7	MONTALBAN
	1500	77.0	Coleman
	1800	77.6	Coleman
	2100	77.7	Coleman
	2400	77.0	C-4 ✓

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/19 - 8/26

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A 3 Temp. Reading Location: B section  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	71.5	C-ya
	0600	71.5	G-L
	0900	74.1	G-ANOL
	1200	76.2	G-M
	1500	77.1	Coleman
	1800	77.9	Coleman
	2100	77.0	Coleman
	2400	73.2	A. QUIROZ

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	73.3	A. QUIROZ
	0600	73.4	Coleman
	0900	72.5	A. FOX
	1200	73.4	G. MALLIN
	1500	77.1	Coleman
	1800	77.7	Coleman
	2100	76.2	Coleman
	2400	72.1	QUIROZ

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	70.3	QUIROZ
	0600	70.3	MONTALBAN
	0900	74.3	MONTALBAN
	1200	75.7	MONTALBAN
	1500	77.9	Coleman
	1800	78.0	Coleman
	2100	77.7	Coleman
	2400	75.4	C-ya

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	71.7	C-ya
	0600	71.7	C-ya
	0900	75.7	MONTALBAN
	1200	76.4	MONTALBAN
	1500	76.2	Coleman
	1800	77.5	Coleman
	2100	76.8	Coleman
	2400	76.8	C-ya

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	71.5	C-ya
	0600	71.5	C-ya
	0900	70.1	MONTALBAN
	1200	75.2	MONTALBAN
	1500	70.7	A. LARA
	1800	72.3	A. LARA
	2100	73.6	A. LARA
	2400	75.8	C-ya

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	72.4	C-ya
	0600	72.4	C-ya
	0900	74.3	MONTALBAN
	1200	72.5	MONTALBAN
	1500	70.1	A. LARA
	1800	70.8	A. LARA
	2100	70.5	TURMAN
	2400	70.4	TURMAN

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	69.9	TURNER
	0600	70.4	MONTALBAN
	0900	71.5	MONTALBAN
	1200	73.7	MONTALBAN
	1500	73.4	Coleman
	1800	74.6	Coleman
	2100	74.6	Coleman
	2400	68	Osuna

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/26 - 09/01

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: A-3      Temp. Reading Location: B section  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	68.5	A. OSUNTA
	0600	69.1	Y. MCCOY
	0900	69.1	Y. MCCOY
	1200	73.0	Y. MCCOY
	1500	73.7	Coleman
	1800	77.0	Coleman
	2100	74.6	Coleman
	2400	74.1	QUIROZ

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	74.5	A. QUIROZ
	0600	75.1	A. QUIROZ
	0900	72.5	Coleman
	1200	73.9	Coleman
	1500	76.2	Coleman
	1800	76.6	Coleman
	2100	75.0	Coleman
	2400	71.6	A. QUIROZ

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	70.5	A. QUIROZ
	0600	69.9	A. QUIROZ
	0900	74.4	MONTALBAN
	1200	76.6	MONTALBAN
	1500	76.8	Coleman
	1800	78.2	Coleman
	2100	77.7	Coleman
	2400	78.4	C-4

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	73.5	C-4
	0600	71.8	C-4
	0900	75.5	MONTALBAN
	1200		MONTALBAN
	1500	77.5	Coleman
	1800	76.2	Coleman
	2100	77.7	Coleman
	2400	75.8	C-4

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	72.4	C-4
	0600	70.3	C-4
	0900	74.0	MONTALBAN
	1200	76.2	MONTALBAN
	1500	76.2	J. HERRERA
	1800	76.3	J. HERRERA
	2100	75.4	J. HERRERA
	2400	75.4	C-4

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	73.4	C-4
	0600	70.4	C-4
	0900	74.3	MONTALBAN
	1200	76.1	MONTALBAN
	1500	76.1	Marcos
	1800	76.1	Marcos
	2100	76.1	Marcos
	2400	77.	Marcos

**Notes**


STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

105, 113, 115

DEPARTMENT OF CORRECTIONS AND REHABILITATION  
Week of 8-2 - 8-4

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC

Housing Unit: A-4

Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
8/2	0300	76.2	Holmes
	0600	75.9	RUIZ
	0900	76.2	RUIZ
	1200	77.3	RUIZ
	1500	77.5	RUIZ
	1800	77.8	RUIZ
	2100	78.2	RUIZ
	2400	77.3	ABUSSA

Sunday			
Date	Time	Temp.	Name (Print)
8/4	0300	77.9	ABUSSA
	0600	77.0	RUIZ
	0900	78.2	RUIZ
	1200	78.4	RUIZ
	1500	79.1	RUIZ
	1800	76.2	RUIZ
	2100	79.7	RUIZ
	2400	78.2	Holmes

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
8/1	0300	75.7	Holmes
	0600	75.3	RUIZ
	0900	76.2	RUIZ
	1200	76.4	RUIZ
	1500	76.6	RUIZ
	1800	78.4	RUIZ
	2100	77.0	RUIZ
	2400	76.1	Holmes

Saturday			
Date	Time	Temp.	Name (Print)
8/3	0300	77.1	ABUSSA
	0600	76.3	RUIZ
	0900	77.5	RUIZ
	1200	77.9	RUIZ
	1500	77.5	RUIZ
	1800	79.3	RUIZ
	2100	77.9	RUIZ
	2400	78.0	ABUSSA

Notes

OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 85 - 8-18

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A4 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	77.7	Holmes
	0600	78.4	RUIZ
	0900	78.9	RUIZ
	1200	77.1	RUIZ
	1500	77.6	Peluso
	1800	78.8	Peluso
	2100	77.7	Peluso
	2400	77.3	Holmes

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	76.6	Holmes
	0600	75.2	RUIZ
	0900	74.8	RUIZ
	1200	76.6	RUIZ
	1500	76.8	Peluso
	1800	77.9	Peluso
	2100	77.9	Peluso
	2400	76.8	Holmes

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	76.4	Holmes
	0600	76.1	RUIZ
	0900	77	RUIZ
	1200	77.9	RUIZ
	1500	72.5	Peluso
	1800	77.9	Peluso
	2100	77.7	RUIZ
	2400	76.8	Holmes

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	76.4	Holmes
	0600	76.2	RUIZ
	0900	76.6	RUIZ
	1200	77	RUIZ
	1500	77.9	Peluso
	1800	79.1	Peluso
	2100	78.6	Peluso
	2400	77.3	Holmes

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	77.0	Holmes
	0600	76.6	RUIZ
	0900	76.1	RUIZ
	1200	77.1	RUIZ
	1500	72.4	Taylor
	1800	77.1	Taylor
	2100	76.8	Taylor
	2400	77.0	Holmes

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	75.5	Holmes
	0600	75.5	Russo
	0900	77.5	Russo
	1200	78.0	Russo
	1500	77.1	Infra
	1800	76.7	Taylor
	2100	76.4	Taylor
	2400	75.6	Holmes

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	73	Infra
	0600	75.0	Infra
	0900	76.1	Infra
	1200	78.2	Infra
	1500	78.2	<del>Infra</del> Holmes
	1800	77.4	<del>Infra</del> Holmes
	2100	75.5	<del>Infra</del> Holmes
	2400	75.5	Holmes

**Notes**

---



---



---



---



---



---



---



---

OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8-12 - 8-18

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A4 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>8/12</u>	0300	75.2	Holmes <i>HO</i>
	0600	74.1	Silazier <i>SI</i>
	0900	75.1	Silazier <i>SI</i>
	1200	77.0	Silazier <i>SI</i>
	1500	72.5	Perruso <i>PE</i>
	1800	78.2	Perruso <i>PE</i>
	2100	75.5	Perruso <i>PE</i>
	2400	75.2	Holmes

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>8/13</u>	0300	75.0	Holmes
	0600	76.0	Silazier <i>SI</i>
	0900	72.6	Kukull <i>KU</i>
	1200	74.6	Kukull <i>KU</i>
	1500	75.5	Perruso <i>PE</i>
	1800	76.8	Perruso <i>PE</i>
	2100	76.4	Perruso <i>PE</i>
	2400	73.9	Holmes

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>8/14</u>	0300	73.7	Holmes
	0600	73.4	Ruiz <i>RU</i>
	0900	74	Ruiz <i>RU</i>
	1200	75.2	Ruiz <i>RU</i>
	1500	75.2	Perruso <i>PE</i>
	1800	76.1	Perruso <i>PE</i>
	2100	76.4	Perruso <i>PE</i>
	2400	74.8	Holmes

**Thursday**

Date	Time	Temp.	Name (Print)
<u>8/15</u>	0300	74.4	Holmes
	0600	75.6	Ruiz <i>RU</i>
	0900	73.9	Ruiz <i>RU</i>
	1200	74.1	Ruiz <i>RU</i>
	1500	75.2	Perruso <i>PE</i>
	1800	76.8	Perruso <i>PE</i>
	2100	75.6	Perruso <i>PE</i>
	2400	74.8	Holmes

**Friday**

Date	Time	Temp.	Name (Print)
<u>8/16</u>	0300	74.3	Holmes
	0600	73.9	Ruiz <i>RU</i>
	0900	75.3	Ruiz <i>RU</i>
	1200	75.1	Ruiz <i>RU</i>
	1500	74.3	F-VALENCIA <i>FA</i>
	1800	79.7	F-VALENCIA <i>FA</i>
	2100	76.8	F-VALENCIA <i>FA</i>
	2400	77.0	Osuna

**Saturday**

Date	Time	Temp.	Name (Print)
<u>8/17</u>	0300	77.0	Osuna <i>OS</i>
	0600	77.1	Young <i>Y</i>
	0900	76.9	Young <i>Y</i>
	1200	77.1	Young <i>Y</i>
	1500	76.1	Young <i>Y</i>
	1800	75.6	Young <i>Y</i>
	2100	75.0	Young <i>Y</i>
	2400	74.4	Osuna <i>OS</i>

**Sunday**

Date	Time	Temp.	Name (Print)
<u>8/18</u>	0300	74.1	Osuna <i>OS</i>
	0600	74.1	Young <i>Y</i>
	0900	75.4	Young <i>Y</i>
	1200	76.9	Young <i>Y</i>
	1500	76.4	Perruso <i>PE</i>
	1800	75.5	Perruso <i>PE</i>
	2100	75.7	Perruso <i>PE</i>
	2400	74.0	Holmes

**Notes**

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**
Week of 8/19 - 8/25

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A4 Temp. Reading Location: \_\_\_\_\_  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	73.4	Holmes
	0600	71.8	RUIZ
	0900	72.5	RUIZ
	1200	73.2	RUIZ
	1500	74.3	Peluso
	1800	75.5	Peluso
	2100	74.3	Peluso
	2400	73.2	Holmes

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	72.8	Holmes
	0600	73.7	RUIZ
	0900	73.4	RUIZ
	1200	73.8	RUIZ
	1500	73.9	Peluso
	1800	75.3	Peluso
	2100	72.5	Peluso
	2400	73.4	Holmes

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	72.8	Holmes
	0600	72.5	RUIZ
	0900	73	RUIZ
	1200	73.9	RUIZ
	1500	74.8	Peluso
	1800	76.1	Peluso
	2100	75.5	Peluso
	2400	74.1	Holmes

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	73.5	Holmes
	0600	73.5	RUIZ
	0900	73.6	RUIZ
	1200	73.4	RUIZ
	1500	74.1	Peluso
	1800	75.4	Peluso
	2100	74.8	Peluso
	2400	73.5	Holmes

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	74.6	Holmes
	0600	74.6	RUIZ
	0900	73.1	RUIZ
	1200	73.5	RUIZ
	1500	73.2	Peluso
	1800	73.2	Irigles
	2100	73.1	Irigles
	2400	74.2	Holmes

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	71.9	Holmes
	0600	72.8	Ruina
	0900	73.5	Ruina
	1200	74.6	Ruina
	1500	73.1	Irigles
	1800	72.8	Irigles
	2100	72.4	Irigles
	2400	67.1	CHA

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	68.9	CHA
	0600	64	CHA
	0900	69.4	Ruina
	1200	71.1	Ruina
	1500	71.7	Peluso
	1800	72.8	Peluso
	2100	71.7	Peluso
	2400	76.7	Holmes

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/26 - 8/31

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: A4      Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/24	0300	70.8	Gutierrez <i>NO</i>
	0600	71.4	Coronel
	0900	73.0	Coronel <i>MM</i>
	1200	76.1	Coronel
	1500	77.1	Perez <i>JP</i>
	1800	74.8	Perez <i>JP</i>
	2100	72.5	Perez
	2400	73.3	Gutierrez

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	70.7	Gutierrez
	0600	71.2	Ruiz
	0900	71.5	Ruiz <i>DR</i>
	1200	72.3	Ruiz
	1500	72.8	Perez
	1800	73.9	Perez <i>JP</i>
	2100	72.2	Perez
	2400	73.2	Perez <i>JP</i>

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	73	Gutierrez
	0600	70.5	Ruiz
	0900	71.2	Ruiz <i>DR</i>
	1200	72.6	Ruiz
	1500	73.2	Perez <i>JP</i>
	1800	73.7	Perez <i>JP</i>
	2100	74.3	Perez <i>JP</i>
	2400	73	Gutierrez <i>DR</i>

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	71.9	Gutierrez
	0600	72.6	Ruiz
	0900	71.7	Ruiz <i>DR</i>
	1200	73.0	Ruiz
	1500	73.2	Cox
	1800	73.9	Perez <i>JP</i>
	2100	72.8	Perez <i>JP</i>
	2400	73	Gutierrez <i>DR</i>

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	73	Gutierrez
	0600	73.7	Ruiz <i>DR</i>
	0900	73	Ruiz <i>DR</i>
	1200	73.4	Ruiz
	1500	73.4	Perez <i>JP</i>
	1800	73.4	Ingle <i>IP</i>
	2100	72.8	Ingle <i>IP</i>
	2400	73.7	CHA

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	71.8	CHA
	0600	71.3	CHA
	0900	72.6	Cox
	1200	73.9	Cox
	1500	74.2	Willie <i>WU</i>
	1800	75.8	CHA
	2100	75	CHA
	2400	74.9	CHA

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A-5 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300				0300		
	0600				0600		
	0900				0900		
	1200				1200		
	1500				1500		
	1800				1800		
	2100				2100		
	2400				2400		

Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300				0300	78	L-Brown
	0600				0600	78	L-Brown
	0900				0900	78.3	J. Thompson
	1200				1200	78.7	J. Thompson
	1500				1500	79.0	S. O'Dell
	1800				1800	80.5	S. O'Dell
	2100				2100	80.2	S. O'Dell
	2400				2400	78	L-Brown

Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
	0300	78	L-Brown		0300	79	R-Hite
	0600	77	L-Brown		0600	79	R-Hite
	0900	79	J. Thompson		0900	79.4	J. Thompson
8/2	1200	79	J. Thompson		1200	79.7	J. Thompson
	1500	79.4	B. Hale		1500	79.7	J. Thompson
	1800	79.7	B. Hale		1800	80.1	J. Thompson
	2100	79.7	B. Hale		2100	80.3	J. Thompson
	2400	79	R-Hite		2400	79.5	Cirelli

Sunday				Notes			
Date	Time	Temp.	Name (Print)				
	0300	79.7	Cirelli				
	0600	76.7	T. Gonzalez				
	0900	79.1	T. Gonzalez				
	1200	79.9	T. Gonzalez				
	1500	80.1	Mandalenos				
	1800	80.6	Mandalenos				
	2100	80.5	Mandalenos				
	2400	80.5	Mandalenos				

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A-5 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/5	0300	80.3	Mirlohi
	0600	80.1	SPAWNIN
	0900	80.1	SPAWNIN
	1200	80.1	SPAWNIN
	1500	80.1	Mandalas
	1800	80.5	Mandalas
	2100	80.5	Mandalas
	2400	80	WR

Tuesday			
Date	Time	Temp.	Name (Print)
8/6	0300	80.0	WR
	0600	80	Linh
	0900	79.9	NGUYEN
	1200	80.1	NGUYEN
	1500	80.1	S. O'NEILL
	1800	80.4	S. O'NEILL
	2100	80.5	S. O'NEILL
	2400	80	WR

Wednesday			
Date	Time	Temp.	Name (Print)
8/7	0300	80	WR
	0600	80	WR
	0900	79.7	Downey
	1200	80.1	Downey
	1500	80.5	S. O'NEILL
	1800	80.5	S. O'NEILL
	2100	80.6	S. O'NEILL
	2400	80.1	WR

Thursday			
Date	Time	Temp.	Name (Print)
8/8	0300	80	WR
	0600	79.7	Downey
	0900	79.9	Downey
	1200	80.1	Downey
	1500	80.1	S. O'NEILL
	1800	80.3	S. O'NEILL
	2100	80.6	S. O'NEILL
	2400	80.4	WR

Friday			
Date	Time	Temp.	Name (Print)
8/9	0300	79	WR
	0600	79	WR
	0900	79.9	Downey
	1200	80.1	Downey
	1500	79.9	B. Hale
	1800	80.1	B. Hale
	2100	80.1	B. Hale
	2400	80	R. HITE

Saturday			
Date	Time	Temp.	Name (Print)
8/10	0300	79.7	R. HITE
	0600	79.4	Downey
	0900	79.4	Downey
	1200	79.4	Downey
	1500	79.9	B. Hale
	1800	80.1	B. Hale
	2100	80.1	B. Hale
	2400	79.7	R. HITE

Sunday			
Date	Time	Temp.	Name (Print)
8/11	0300	79.7	SPAWNIN
	0600	79.7	SPAWNIN
	0900	79.7	SPAWNIN
	1200	79.9	SPAWNIN
	1500	79.9	Mandalas
	1800	80.1	Mandalas
	2100	80.1	Mandalas
	2400	80	WR

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A-5 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/12	0300	79	WR	8/13	0300	78	WR
	0600	79	WR		0600	78	WR
	0900	79.2	SPOONER		0900	78.7	J. Thompson
	1200	79.4	SPOONER		1200	78.7	J. Thompson
	1500	79.4	Mandalay		1500	76.7	S. O'NEILL
	1800	79.6	Mandalay		1800	78.7	S. O'NEILL
	2100	79.6	Mandalay		2100	78.7	S. O'NEILL
	2400	79	WR		2400	78	WR
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/14	0300	78	WR	8/15	0300	78	WR
	0600	78	WR		0600	78	WR
	0900	78.3	J. Thompson		0900	78.3	J. Thompson
	1200	78.3	J. Thompson		1200	78.3	J. Thompson
	1500	78.7	S. O'NEILL		1500	78.5	S. O'NEILL
	1800	78.7	S. O'NEILL		1800	78.7	S. O'NEILL
	2100	78.7	S. O'NEILL		2100	78.7	S. O'NEILL
	2400	78	WR		2400	78	WR
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/16	0300	78	WR	8/17	0300	78.5	R. HITE
	0600	78	WR		0600	78.3	J. Thompson
	0900	78.3	J. Thompson		0900	77.9	J. Thompson
	1200	78.5	J. Thompson		1200	78.1	J. Thompson
	1500	78.7	B. Hale		1500	78.7	B. Hale
	1800	78.7	B. Hale		1800	78.7	B. Hale
	2100	78.8	B. Hale		2100	78.7	B. Hale
	2400	78.7	R. HITE		2400	78.7	R. BLYSON
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
8/18	0300	78.5	Billy PM				
	0600	78.1	Tur Gazzell				
	0900	78.3	Tur Gazzell				
	1200	78.3	Gazzell				
	1500	78.7	Mandalay				
	1800	78.7	Mandalay				
	2100	78.7	Mandalay				
	2400	78	WR				

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ST-0553  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A-5 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/19	0300	77	WR	8/20	0300	78	WR
	0600	77	WR		0600	78	WR
	0900	77.6	S. O'NEILL		0900	77.8	J. Thompson
	1200	77.5	S. O'NEILL		1200	77.9	J. Thompson
	1500	78.1	Mandalas		1500	77.9	S. O'NEILL
	1800	78.3	Mandalas		1800	78.1	S. O'NEILL
	2100	78.5	Mandalas		2100	78.3	S. O'NEILL
	2400	78	WR		2400	78	WR
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/21	0300	78	WR	8/22	0300	78	WR
	0600	78	WR		0600	78	WR
	0900	77.6	J. Thompson		0900	77.9	J. Thompson
	1200	77.8	J. Thompson		1200	77.9	J. Thompson
	1500	77.9	S. O'NEILL		1500	78.1	S. O'NEILL
	1800	78.0	S. O'NEILL		1800	77.9	S. O'NEILL
	2100	78.3	S. O'NEILL		2100	77.9	S. O'NEILL
	2400	78	WR		2400	77	WR
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/23	0300	77	WR	8/24	0300	77.2	R. HITE
	0600	77	WR		0600	77.2	J. Thompson
	0900	77.8	J. Thompson		0900	77.2	J. Thompson
	1200	77.6	J. Thompson		1200	77.2	J. Thompson
	1500	77.8	J. Thompson		1500	77.2	B. Hale
	1800	77.9	J. Thompson		1800	77.2	B. Hale
	2100	77.9	J. Thompson		2100	77.2	B. Hale
	2400	77.2	R. HITE		2400	76.9	B. Hale
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
8/25	0300	79	Castro				
	0600	77	Gonzalez				
	0900	78.3	Gonzalez				
	1200	78.3	Gonzalez				
	1500	76.5	S. O'NEILL				
	1800	76.7	S. O'NEILL				
	2100	76.9	S. O'NEILL				
	2400	76.5	E. Spinette				

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A-5 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/26	0300	76.5	B.Shinette	8/27	0300	70.0	J.Hernandez
	0600	76.5	S.Brown		0600	77.0	J.Thompson
	0900	76.9	S.Brown		0900	77.0	J.Thompson
	1200	76.9	G.Davis		1200	77.2	J.Thompson
	1500	76.9	S.O'Neill		1500	77.2	J.Thompson
	1800	77.2	S.O'Neill		1800	77.6	J.Thompson
	2100	77.2	S.O'Neill		2100	77.6	J.Thompson
	2400	70.0	I.Hernandez		2400	77	W.Brown
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/28	0300	77	W.Brown	8/29	0300	77	W.Brown
	0600	77	W.Brown		0600	77	W.Brown
	0900	77.6	J.Thompson		0900	77.9	J.Thompson
	1200	77.6	J.Thompson		1200	78.3	J.Thompson
	1500	77.8	Mandalas		1500	78.3	Mandalas
	1800	78.1	Mandalas		1800	78.5	Mandalas
	2100	78.1	Mandalas		2100	78.7	Mandalas
	2400	78	W.Brown		2400	78	W.Brown
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
8/30	0300	78	W.Brown	8/31	0300	77	R.Hite
	0600	78	W.Brown		0600	78.0	R.Hite
	0900	78.3	J.Thompson		0900	78.7	J.Thompson
	1200	78.3	J.Thompson		1200	78.7	J.Thompson
	1500	78.7	J.Thompson		1500	78.7	B.Hale
	1800	78.7	J.Thompson		1800	79.0	B.Hale
	2100	78.8	J.Thompson		2100	79.0	B.Hale
	2400	78.7	J.Thompson		2400	78.7	B.Hale
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
	0300						
	0600						
	0900						
	1200						
	1500						
	1800						
	2100						
	2400						

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**
Week of 8-1-24/8-4

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A 6 Temp. Reading Location: \_\_\_\_\_  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	78.6	T. Ponte

**Thursday**

Date	Time	Temp.	Name (Print)
	0300	74.8	T. Ponte
	0600	77.3	T. Ponte
	0900	74.3	T. Ponte
	1200	80.6	T. Ponte
	1500	81.3	Reynolds
	1800	81.3	Reynolds
	2100	81.7	Reynolds
	2400	81.5	Reynolds

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	81.0	Anastasio
	0600	79.2	T. Ponte
	0900	79.3	T. Ponte
	1200	81.5	T. Ponte
	1500	82.0	C. Avila
	1800	82.6	C. Avila
	2100	82.0	C. Avila
	2400	81.8	Anastasio

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	80.8	Anastasio
	0600	80.8	T. Ponte
	0900	84.6	T. Ponte
	1200	84.8	T. Ponte
	1500	84.8	C. Avila
	1800	83.9	C. Avila
	2100	83.3	C. Avila
	2400	81.5	Anastasio

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	81.0	Anastasio
	0600	80.8	T. Ponte
	0900	82.5	T. Ponte
	1200	83.8	T. Ponte
	1500	83.7	Sanchez
	1800	83.0	Sanchez
	2100	82.6	Sanchez
	2400	82.6	Phillips

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8-8-24/8-11

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A6 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	81.9	Phillips
	0600	81.3	RAMOS
	0900	81.5	RAMOS
	1200	81.7	RAMOS
	1500	83.5	Reynolds
	1800	82.8	Reynolds
	2100	81.9	Reynolds
	2400	81.4	ANASTASIO

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	81.2	ANASTASIO
	0600	79.9	THAO
	0900	79.7	THAO
	1200	81.5	THAO
	1500	81.7	Reynolds
	1800	82.0	Reynolds
	2100	81.0	Reynolds
	2400	81.3	BILL YOUNG

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	78.4	G. BURTON
	0600	76.1	G. BURTON
	0900	80.4	T. PONTE
	1200	80.8	T. PONTE
	1500	82.0	Reynolds
	1800	81.7	Reynolds
	2100	81.0	Reynolds
	2400	80.6	CASSTO

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	81.3	T. PONTE
	0600	81.7	T. PONTE
	0900	81.7	T. PONTE
	1200	82.4	T. PONTE
	1500	82.6	A. REYNOLDS
	1800	82.8	A. REYNOLDS
	2100	82.8	A. REYNOLDS
	2400	81.7	CASSTO

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	80.8	CASTRO
	0600	82.0	T. PONTE
	0900	82.3	T. PONTE
	1200	82.6	T. PONTE
	1500	82.6	A. REYNOLDS
	1800	82.6	A. REYNOLDS
	2100	82.9	A. REYNOLDS
	2400	82.8	ANASTASIO

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	82.0	ANASTASIO
	0600	81.3	T. PONTE
	0900	82.5	T. PONTE
	1200	81.9	T. PONTE
	1500	81.9	SANCHEZ
	1800	82.6	SANCHEZ
	2100	82.6	SANCHEZ
	2400	82.4	ANASTASIO

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	82.0	ANASTASIO
	0600	78.4	T. PONTE
	0900	79.3	T. PONTE
	1200	79.8	T. PONTE
	1500	81.3	SANCHEZ
	1800	81.0	SANCHEZ
	2100	80.8	SANCHEZ
	2400	81.0	ANASTASIO

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A 6 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/12	0300	80.5	Anastasio
	0600	77.0	THAO
	0900	77.7	THAO
	1200	78.8	THAO
	1500	83.0	Davenport
	1800	80.0	Davenport
	2100	77.0	Davenport
	2400	77.4	Anastasio

#### Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	76.0	Anastasio
	0600	76.1	M. THAO
	0900	76.4	M. THAO
	1200	78.3	M. THAO
	1500	78.6	A. Reynolds
	1800	79.2	A. Reynolds
	2100	78.4	A. Reynolds
	2400	78.8	A. Reynolds

#### Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	78.4	Anastasio
	0600	78.3	T. Ponte
	0900	77.3	T. Ponte
	1200	78.4	T. Ponte
	1500	78.8	A. Reynolds
	1800	79.5	A. Reynolds
	2100	78.8	A. Reynolds
	2400	78.8	Ker

#### Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	79.7	Hes
	0600	79.8	T. Ponte
	0900	71.5	T. Ponte
	1200	78.4	T. Ponte
	1500	79.7	A. Reynolds
	1800	79.5	A. Reynolds
	2100	79.5	A. Reynolds
	2400	79.9	B. Martinez

#### Friday

Date	Time	Temp.	Name (Print)
8/16	0300	78.0	B. Martinez
	0600	76.3	T. Ponte
	0900	78.4	T. Ponte
	1200	78.6	T. Ponte
	1500	79.2	A. Reynolds
	1800	79.3	A. Reynolds
	2100	79.4	A. Reynolds
	2400	78.8	Anastasio

#### Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	78.6	Anastasio
	0600	77.2	T. Ponte
	0900	77.5	T. Ponte
	1200	77.7	T. Ponte
	1500	71.2	Sanchez
	1800	78.4	Sanchez
	2100	78.1	Sanchez
	2400	77.8	Anastasio

#### Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	77.6	Anastasio
	0600	76.3	T. Ponte
	0900	76.5	T. Ponte
	1200	76.4	T. Ponte
	1500	82.7	Gonzales
	1800	82.4	Gonzales
	2100	82.1	Gonzales
	2400	82.0	Anastasio

#### Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/19-8-25

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A 6 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8-19	0300	80.0	ANASTASIO
	0600	75.4	M. THAO
	0900	76.4	M. THAO
	1200	78.2	Gonzales
	1500	83.4	Gonzales
	1800	84.4	Gonzales
	2100	77.4	Reynolds
	2400	77.2	ANASTASIO

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	76.8	ANASTASIO
	0600	76.1	M. THAO
	0900	75.4	M. THAO
	1200	76.4	M. THAO
	1500	77.5	Reynolds
	1800	77.4	Reynolds
	2100	77.2	Reynolds
	2400	77.5	Reynolds

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	77.5	Reynolds
	0600	77.2	T. Ponte
	0900	76.1	T. Ponte
	1200	77.0	T. Ponte
	1500	77.4	A. Reynolds
	1800	77.4	A. Reynolds
	2100	77.4	A. Reynolds
	2400	70.1	Reynolds

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	70.5	Reynolds
	0600	72.0	Sanchez
	0900	73.2	T. Ponte
	1200	76.4	T. Ponte
	1500	77.0	A. Reynolds
	1800	76.6	A. Reynolds
	2100	76.1	A. Reynolds
	2400	75.8	ANASTASIO

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	75.0	ANASTASIO
	0600	75.2	T. Ponte
	0900	74.7	T. Ponte
	1200	76.4	T. Ponte
	1500	73.1	Glover
	1800	76.2	Glover
	2100	74.1	Glover
	2400	73.8	ANASTASIO

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	71.6	ANASTASIO
	0600	74.2	T. Ponte
	0900	74.7	T. Ponte
	1200	76.5	T. Ponte
	1500	75.2	A. Sanchez
	1800	75.6	A. Sanchez
	2100	76.1	A. Sanchez
	2400	75.8	ANASTASIO

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	75.6	ANASTASIO
	0600	74.3	T. Ponte
	0900	74.7	T. Ponte
	1200	74.6	T. Ponte
	1500	75.2	Sanchez
	1800	74.8	Sanchez
	2100	74.3	Sanchez
	2400	74.1	ANASTASIO

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

8/26-8/31

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A6

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	73.8	ANASTASIO
	0600	74.1	Hernandez
	0900	74.5	M. THAO
	1200	76.1	D. McLeanman
	1500	77.0	A. Reynolds
	1800	77.0	A. Reynolds
	2100	77.2	A. Reynolds
	2400	77.0	ANASTASIO

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	76.8	ANASTASIO
	0600	77	M. Thao
	0900	77.2	M. Thao
	1200	77.5	M. Thao
	1500	77.7	A. Reynolds
	1800	78.3	A. Reynolds
	2100	78.4	A. Reynolds
	2400	77.7	K. Lee

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	77.7	K. Lee
	0600	77.0	M. THAO
	0900	78.3	T. Pone
	1200	78.5	T. Pone
	1500	77.7	A. Reynolds
	1800	78.3	A. Reynolds
	2100	78.4	A. Reynolds
	2400	78.3	K. Lee

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	78.3	Rader
	0600	78.5	K. Lee
	0900	78.4	T. Pone
	1200	78.8	T. Pone
	1500	79.2	A. Reynolds
	1800	79.4	A. Reynolds
	2100	79.3	A. Reynolds
	2400	79.0	ANASTASIO

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	78.6	ANASTASIO
	0600	78.8	T. Pone
	0900	79.5	T. Pone
	1200	79.3	T. Pone
	1500	79.5	A. Reynolds
	1800	79.9	A. Reynolds
	2100	80.7	A. Reynolds
	2400	80.0	ANASTASIO

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	79.8	ANASTASIO
	0600	79.4	T. Pone
	0900	76.3	T. Pone
	1200	78.8	T. Pone
	1500	80.8	T. Pone
	1800	79.3	T. Pone
	2100	79.3	T. Pone
	2400	79.0	ANASTASIO

**Sunday**

Date	Time	Temp.	Name (Print)
	0300	78.8	ANASTASIO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/1 - 8/4

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A 7 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	82.0	BERNAL

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	79.0	BERNAL
	0600	79.0	BERNAL
	0900	75.6	B. REYES
	1200	73.9	b. reyes
	1500	80.1	K. SUAREZ
	1800	81.5	K. SUAREZ
	2100	82.1	K. SUAREZ
	2400	82.4	SAGIBANG

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	82.4	SAGIBANG
	0600	75.6	Reyes
	0900	75.6	B. REYES
	1200	75.6	K. SUAREZ
	1500	73.0	ORANTCHO
	1800	84.0	VALENCIA
	2100	81.1	Lee
	2400	81.1	Lee

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	83	Lee
	0600	75.6	Reyes
	0900	75.6	Reyes
	1200	75.6	Reyes
	1500	75.6	J. SAWAYA
	1800	76.8	Garcia
	2100	75.6	Garcia
	2400	75.6	RICHARDSON

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	75.6	RICHARDSON
	0600	75.6	Reyes
	0900	75.6	Reyes
	1200	75.6	Reyes
	1500	75.6	Vang
	1800	77.3	Vang
	2100	75.6	Vang
	2400	75.6	Vang

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/4 - 8/11

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A 7 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/5

Date	Time	Temp.	Name (Print)
<u>8/5</u>	0300	75.0	V. Munn
	0600	77.9	E. GONZALEZ
	0900	75.6	B. Reyes
	1200	75.6	B. Reyes
	1500	79.7	C. Hernandez
	1800	79.9	C. Hernandez
	2100	79.0	C. Hernandez
	2400	78.0	V. Munn

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/6</u>	0300	77.0	V. Munn
	0600	77.4	M. PADILLA
	0900	78.3	PADILLA
	1200	78.8	PADILLA
	1500	79.5	Hernandez
	1800	79.2	Hernandez
	2100	78.1	Alexander
	2400	77.8	M. BROWN

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/7</u>	0300	76.9	M. BROWN
	0600	76.1	M. Brown
	0900	76.3	M. PADILLA
	1200	76.0	M. PADILLA
	1500	83.3	Hernandez
	1800	83.1	Hernandez
	2100	84.2	Hernandez
	2400	84.0	V. Munn

Thursday

Date	Time	Temp.	Name (Print)
<u>8/8</u>	0300	76.0	V. Munn
	0600	75.6	B. Reyes
	0900	75.6	Reyes
	1200	75.6	Reyes
	1500	79.2	Hernandez
	1800	79.9	Hernandez
	2100	80.7	Hernandez
	2400	78.1	Casero

Friday

Date	Time	Temp.	Name (Print)
<u>8/9</u>	0300	76.8	CASERO
	0600	75.6	Reyes
	0900	75.6	Reyes
	1200	75.6	Reyes
	1500	79.2	Hernandez
	1800	79.5	Hernandez
	2100	79.5	Hernandez
	2400	78.0	V. Munn

Saturday

Date	Time	Temp.	Name (Print)
<u>8/10</u>	0300	76.0	V. Munn
	0600	75.6	B. Chacon
	0900	75.6	B. Chacon
	1200	75.6	B. Chacon
	1500	75.6	A. Duarte
	1800	75.6	A. Duarte
	2100	75.6	A. Duarte
	2400	74.1	Esparza

Sunday

Date	Time	Temp.	Name (Print)
<u>8/11</u>	0300	72.1	C. Mora
	0600	75.6	B. Reyes
	0900	75.6	B. Reyes
	1200	75.6	B. Reyes
	1500	75.6	O. Terrones
	1800	75.6	O. Terrones
	2100	75.6	O. Terrones
	2400	75.6	V. Munn

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/12 - 8/18

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: A7      Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	74.0	V. Umar
	0600	75.6	B. Reyes
	0900	75.6	B. Reyes
	1200	75.8	B. Reyes
	1500	79.3	Hernandez
	1800	79.5	Hernandez
	2100	83.1	Alexander
	2400	73.8	C. Estrada

**WEDNESDAY**

Date	Time	Temp.	Name (Print)
8/14	0300	74.	OANIA
	0600	76.6	M. PADILLA
	0900	78.6	M. PADILLA
	1200	76.6	M. PADILLA
	1500	79.9	Hernandez
	1800	79.9	Hernandez
	2100	79.7	Hernandez
	2400	74.6	C. Estrada

**TUESDAY**

Date	Time	Temp.	Name (Print)
8/13	0300	73	C. Estrada
	0600	73.0	M. PADILLA
	0900	77.9	M. PADILLA
	1200	79.0	M. PADILLA
	1500	81.3	Hernandez
	1800	82.0	Hernandez
	2100	82.2	Hernandez
	2400	74.3	M. OANIA

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	73.0	Poole
	0600	75.6	B. Reyes
	0900	75.6	B. Reyes
	1200	75.6	B. Reyes
	1500	79.3	Hernandez
	1800	79.3	Hernandez
	2100	79.2	Hernandez
	2400	79.1	Lee P

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	74	Lee P
	0600	74	Lee P
	0900	75.6	B. Reyes
	1200	75.6	B. Reyes
	1500	79.0	Hernandez
	1800	78.2	Hernandez
	2100	78.0	Hernandez
	2400	75.0	MONCERRAT

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	75.0	MONCERRAT
	0600	73.9	Reyes
	0900	78	B. Reyes
	1200	77.9	B. Reyes
	1500	79.0	B. Reyes
	1800	75.6	Hernan
	2100	75	Hernan
	2400	77.9	RICHARDZ

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	77.9	RICHARDZ
	0600	78.4	B. Reyes
	0900	77.9	Reyes
	1200	78.1	Reyes
	1500	75.1	Hernan
	1800	79.3	Hernan
	2100	79	Hernan
	2400	79.2	C. Estrada

**Notes**

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/19 - 8/25

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A7 Temp. Reading Location: Lyd Lee  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	78.8	C. Estrada
	0600	78.3	Gonzalez
	0900	76.6	B. Reyes
	1200	77.9	B. Reyes
	1500	71.8	F. Valencia
	1800	77	Herrera
	2100	77	Ortiz
	2400	77	Ortiz

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	76.8	C. Estrada
	0600	71.8	H. Ontiveros
	0900	72.5	Gonzalez
	1200	75.8	Gonzalez
	1500	77.5	Hernandez
	1800	77.3	Hernandez
	2100	77.1	Hernandez
	2400	77.1	Gutierrez

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	72	Gutierrez
	0600	73	M. Padilla
	0900	75	M. Padilla
	1200	75.4	N. Singh
	1500	76.5	Hernandez
	1800	76.4	Hernandez
	2100	76.1	Hernandez
	2400	76.1	S. Gutierrez

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	73.1	Gutierrez
	0600	75.0	Reyes
	0900	75.0	B. Reyes
	1200	75.9	B. Reyes
	1500	71.8	I. Nelson
	1800	71.8	I. Nelson
	2100	71.8	I. Nelson
	2400	71.8	Gutierrez

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	77	Lee
	0600	77.9	B. Reyes
	0900	77.9	B. Reyes
	1200	74.1	B. Reyes
	1500	73.6	M. Sandoval
	1800	73.8	M. Sandoval
	2100	73.6	M. Sandoval
	2400	74.4	Lee

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	76.0	Lee
	0600	77.0	Reyes
	0900	73.6	Reyes
	1200	73.9	Reyes
	1500	73	Hernandez
	1800	73.5	Hernandez
	2100	73.6	Hernandez
	2400	73.6	Perez

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	73.4	Reyes
	0600	73.0	Reyes
	0900	70.3	Reyes
	1200	71.3	Reyes
	1500	75	Hernandez
	1800	73.8	Hernandez
	2100	73.6	Hernandez
	2400	73.4	V. Munoz

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/26 - 8/31

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A 7 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	72	VILLAN
	0600	74.8	GONZALEZ
	0900	75.6	GONZALEZ
	1200	76.0	GONZALEZ
	1500	73.9	PUNZALAN
	1800	73.4	PUNZALAN
	2100	73.2	PUNZALAN
	2400	72.4	Audreyas

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	74.8	ANDRADE
	0600	73.0	M. PADILLA
	0900	73	M. PADILLA
	1200	74.1	M. PADILLA
	1500	71.8	N. SINGH
	1800	71	N. SINGH
	2100	72	N. SINGH
	2400	72.0	V. VILLAN

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	71.8	VILLAN
	0600	71.8	PADILLA
	0900	73.6	PADILLA
	1200	74.8	PADILLA
	1500	71.8	THAO
	1800	71.8	THAO
	2100	71.8	THAO
	2400	71.6	VILLAN

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	70.0	VILLAN
	0600	71.4	LEYES
	0900	73.4	B. LEYES
	1200	73.8	B. LEYES
	1500	75.6	J. BORGES
	1800	75.6	J. BORGES
	2100	75.6	J. BORGES
	2400	75	LEM

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	75	Lee
	0600	78.3	B. REYES
	0900	75.2	B. REYES
	1200	75.4	B. REYES
	1500	75.6	Herrera
	1800	79.5	Herrera
	2100	78.7	Herrera
	2400	79.6	Lee, P

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	79	Lee, P
	0600	79.3	B. REYES
	0900	75.6	B. REYES
	1200	75.9	B. REYES
	1500	75.7	Leanne
	1800	76.0	Leanne
	2100	75.8	Leanne
	2400	75.4	Leanne

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/21 - 8/4

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A 8 Temp. Reading Location: \_\_\_\_\_  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8-1-24	0300	82.6	Sadighi, S
	0600	80.4	Sadighi, S
	0900	82.6	Sadighi, S
	1200	82.6	Sadighi, S
	1500	82.6	B. Chacon
	1800	82.6	B. Chacon
	2100	82.6	B. Chacon
	2400	82.6	A. YERBY

**Friday**

Date	Time	Temp.	Name (Print)
8-2-24	0300	82.6	A. YERBY
	0600	82.6	A. YERBY
	0900	82.6	Sadighi, S
	1200	82.6	Sadighi, S
	1500	82.4	Gatibay
	1800	78.7	Gatibay
	2100	80.2	Gatibay
	2400	82.6	A. YERBY

**Saturday**

Date	Time	Temp.	Name (Print)
8-3-24	0300	82.6	A. YERBY
	0600	82.6	A. YERBY
	0900	80.4	Sadighi, S
	1200	82.6	Sadighi, S
	1500	83.7	Castro
	1800	80.4	Castro
	2100	78.8	Castro
	2400	78.7	A. YERBY

**Sunday**

Date	Time	Temp.	Name (Print)
8-4-24	0300	78.7	A. YERBY
	0600	78.3	A. YERBY
	0900	79.4	Castro, M
	1200	79.8	Castro, M
	1500	80.8	Castro, M
	1800	81.2	Castro
	2100	79.9	Castro
	2400	79.4	Castro

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/5 - 8/11

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A 8 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>8/5/24</u>	0300	78.5	ORR
	0600	72.9	N. YAKIMENKO
	0900	74.3	N. YAKIMENKO
	1200	74.3	N. YAKIMENKO
	1500	76.1	Castro
	1800	79.2	Castro
	2100	79.4	Castro
	2400	78.5	ORR

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>8/6/24</u>	0300	78.2	ORR
	0600	69.1	N. YAKIMENKO
	0900	71.1	N. YAKIMENKO
	1200	74.0	N. YAKIMENKO
	1500	78.9	Castro
	1800	77.8	Castro
	2100	77.0	Castro
	2400	77.6	YER

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>8/7/24</u>	0300	77.4	Castro
	0600	77.2	Castro
	0900	74.1	SANDRA S
	1200	77.6	SANDRA S
	1500	76.9	Castro
	1800	78.0	Castro
	2100	77.6	Castro
	2400	74.6	A. YERBY

**Thursday**

Date	Time	Temp.	Name (Print)
<u>8/8/24</u>	0300	74.0	A. YERBY
	0600	74.2	SANDRA S
	0900	80.1	SANDRA S
	1200	81.4	SANDRA S
	1500	81.5	B. Chacon
	1800	71.8	Castro
	2100	70.10	Castro
	2400	74.2	A. YERBY

**Friday**

Date	Time	Temp.	Name (Print)
<u>8/9/24</u>	0300	78.1	A. YERBY
	0600	72.6	A. YERBY
	0900	79.6	Sandra S
	1200	80.2	SANDRA S
	1500	72.4	Castro
	1800	73.0	Castro
	2100	73.7	Castro
	2400	80.6	A. YERBY

**Saturday**

Date	Time	Temp.	Name (Print)
<u>8/10/24</u>	0300	78.8	A. YERBY
	0600	77.2	A. YERBY
	0900	76.7	Castro
	1200	76.0	Castro
	1500	75.6	Castro
	1800	74.9	Castro
	2100	74.4	Castro
	2400	81.0	A. YERBY

**Sunday**

Date	Time	Temp.	Name (Print)
<u>8/11/24</u>	0300	81.0	A. YERBY
	0600	81.0	A. YERBY
	0900	72.9	Castro
	1200	76.4	Castro
	1500	71.8	Castro
	1800	76.4	Castro
	2100	75.6	Castro
	2400	78.1	ORR

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 8/12 - 8/18

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A8 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>8/12/24</u>	0300	78.0	OPR
	0600	70.8	N.YAKIMENKO
	0900	71.8	N.YAKIMENKO
	1200	80.9	N.YAKIMENKO
	1500	78.1	Castro
	1800	77.9	Castro
	2100	76.6	Castro
	2400	76.0	OPR

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>8/13/24</u>	0300	76.1	OPR
	0600	70.1	N.YAKIMENKO
	0900	72.6	N.YAKIMENKO
	1200	75.2	N.YAKIMENKO
	1500	76.4	Castro
	1800	75.2	Castro
	2100	75.2	Castro
	2400	76.0	OPR

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>8/14/24</u>	0300	74.	Osuna
	0600	72.4	Sadiqui S
	0900	76.2	Sadiqui S
	1200	79.2	Sadiqui S
	1500	78.0	Castro
	1800	78.1	Castro
	2100	77.5	Castro
	2400	76.	Osuna

**Thursday**

Date	Time	Temp.	Name (Print)
<u>8/15/24</u>	0300	76	Lee P
	0600	76	Lee P
	0900	71	Ramirez
	1200	77	Ramirez
	1500	79	SYAS
	1800	74	SYAS
	2100	73	SYAS
	2400	71	A.YERBY

**Friday**

Date	Time	Temp.	Name (Print)
<u>8/16/24</u>	0300	71	A.YERBY
	0600	71	A.YERBY
	0900	72.4	Sadiqui S
	1200	74.6	Sadiqui S
	1500	73.3	Castro
	1800	73.4	Castro
	2100	72.3	Castro
	2400	71	A.YERBY

**Saturday**

Date	Time	Temp.	Name (Print)
<u>8/17/24</u>	0300	70.3	A.YERBY
	0600	70	A.YERBY
	0900	72.4	Sadiqui S
	1200	74.6	Sadiqui S
	1500	74.7	Sadiqui S
	1800	74.4	Sadiqui S
	2100	73.4	Sadiqui S
	2400	71.2	A.YERBY

**Sunday**

Date	Time	Temp.	Name (Print)
<u>8/18/24</u>	0300	68.3	A.YERBY
	0600	67.2	A.GARCIA
	0900	69.6	A.GARCIA
	1200	71.2	A.GARCIA
	1500	73.9	A.AMARO
	1800	73.9	A.AMARO
	2100	73.6	A.AMARO
	2400	75.6	OPR

**Notes**

---



---



---



---



---



---



---



---

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 3/19-3/25

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: A 8      Temp. Reading Location: (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8-18	0300	74.7	ORR
	0600	71.2	N. YAKIMENKO
	0900	72.3	N. YAKIMENKO
	1200	72.5	N. YAKIMENKO
	1500	71.6	J. HERRERA
	1800	72.5	J. HERRERA
	2100	71.9	J. HERRERA
	2400	71.8	Turkey

**Tuesday**

Date	Time	Temp.	Name (Print)
8-20	0300	71.1	Turner
	0600	70.5	N.YAKIMENKO
	0900	68.7	N.YAKIMENKO
	1200	70.0	N.YAKIMENKO
	1500	72.5	Castro
	1800	72.6	Castro
	2100	72.1	Castro
	2400	73.0	Hill

Wednesday

Date	Time	Temp.	Name (Print)
2/21/23	0300	72.9	Hol
	0600	72.8	Hol
	0900	73.4	Santiago
	1200	74.2	Santiago
	1500	71.3	B. Chacon
	1800	71.2	B. Chacon
	2100	71.2	B. Chacon
	2400	71.1	Lee

**Thursday**

Date	Time	Temp.	Name (Print)
Mar 24	0300	74.3	Leib
	0600	74.8	Quirce
	0900	73.4	Southern S
	1200	74.2	Southern S
	1500	70.8	B. Chacon
	1800	69.4	B. Chacon
	2100	69.6	B. Chacon
	2400	70.7	A. YERBY

Friday

Date	Time	Temp.	Name (Print)
8/23/29	0300	70.7	A. YERBY
	0600	70.7	A. YERBY
	0900	71.2	Santiago
	1200	71.2	Santiago
	1500	73.4	Castro
	1800	72.8	Castro
	2100	68.4	Castro
	2400	70.7	A. YERBY

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	70.7	A. YERRY
	0600	70.7	A. YERRY
	0900	70.2	Sadie Smith
	1200	70.7	Sadie Smith
	1500	69.2	Castro
	1800	68.3	Castro
	2100	71.0	Castro
	2400	71.4	A. YERRY

Sunday

Date	Time	Temp.	Name (Print)
8/25/21	0300	70.8	A. YERRY
	0600	71.0	A. YERRY
	0900	70.7	Soriano's
	1200	71.4	Soriano's
	1500	71.0	Castro
	1800	69.0	Castro
	2100	68.0	Castro
	2400	66.0	OPP

## Notes

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

8/26-8/31

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A8

Temp. Reading Location: B Section 2<sup>nd</sup> tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	66.0	ORR
	0600	70.2	N. YAMENKO
	0900	69.9	N. YAMENKO
	1200	70.0	V. YAMENKO
	1500	70.1	Castro, M
	1800	69.8	Castro, M
	2100	69.0	Castro, M
	2400	68.3	ORR

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	68.0	ORR
	0600	71.3	N. YAMENKO
	0900	69.6	N. YAMENKO
	1200	70	N. YAMENKO
	1500	70.0	Castro, M
	1800	71.1	Castro, M
	2100	70.3	Castro, M
	2400	70.3	HER

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	70.1	Lee
	0600	70.2	Lee
	0900	72.4	Sadigni's
	1200	72.6	Sadigni's
	1500	71.3	B. Chacon
	1800	71.3	B. Chacon
	2100	71.3	B. Chacon
	2400	71.6	Lee

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	70.7	Lee
	0600	71.4	Lee
	0900	71.2	Sadigni's
	1200	72.4	Sadigni's
	1500	70.7	B. Chacon
	1800	71.3	B. Chacon
	2100	71.3	B. Chacon
	2400	71.0	A. YERBY

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	69.6	A. YERBY
	0600	69.2	A. YERBY
	0900	72.2	Sadigni's
	1200	73.2	Sadigni's
	1500	73.4	Castro
	1800	74.3	Castro
	2100	74.6	Castro
	2400	71.2	A. YERBY

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	70.7	A. YERBY
	0600	70.3	A. YERBY
	0900	71.2	Sadigni's
	1200	73.4	Sadigni's
	1500	73.9	Castro, M
	1800	72.9	Castro, M
	2100	70.4	Castro, M
	2400	70.0	A. YERBY

Notes

Date	Time	Temp.	Name (Print)
9/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 81 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/1/24	0300	75.8	Stamp
8/1/24	0600	75.8	Yany
8/1/24	0900	75.9	Yany
8/1/24	1200	77.0	Yany
8/1/24	1500	77.5	Jones
8/1/24	1800	78.0	Jones
8/1/24	2100	78	Jones
8/1/24	2400	77.6	Stamp

**Friday**

Date	Time	Temp.	Name (Print)
8/2/24	0300	75.3	Stamp
8/2/24	0600	75.9	Stamp
8/2/24	0900	76.7	Myles
8/2/24	1200	77	Myles
8/2/24	1500	77.6	Jones
8/2/24	1800	77.6	Jones
8/2/24	2100	77.6	Jones
8/2/24	2400	77.6	Ahmed

**Saturday**

Date	Time	Temp.	Name (Print)
8/3/24	0300	77.1	Ahmed
8/3/24	0600	76	Myles
8/3/24	0900	76.2	Myles
8/3/24	1200	77.6	Myles
8/3/24	1500	77.9	Jones
8/3/24	1800	78.6	Jones
8/3/24	2100	78.6	Jones
8/3/24	2400	76.1	Ahmed

**Sunday**

Date	Time	Temp.	Name (Print)
8/4/24	0300	73.8	Ahmed
8/4/24	0600	73.9	Gimmon
8/4/24	0900	76.9	Gimmon
8/4/24	1200	77	Gimmon
8/4/24	1500	79.0	Jones
8/4/24	1800	78.6	Jones
8/4/24	2100	78.7	Jones
8/4/24	2400	77.6	Ahmed

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B1 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	70.5	Randy
	0600	71.5	Randy
	0900	74.7	Myles
	1200	77.0	Myles
	1500	77.2	J. CUNNINGHAM
	1800	77.4	P. BICKERS
	2100	77.6	P. BICKERS
	2400	75.8	Stamp

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	75.8	Stamp
	0600	75.1	Stamp
	0900	76.0	SPARROWIN
	1200	76.9	SPARROWIN
	1500	77.2	Musgrave
	1800	77.9	Musgrave
	2100	77.9	Musgrave
	2400	77.9	CNS

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	77.0	CAS
	0600	78.5	SPARROWIN
	0900	77.0	SPARROWIN
	1200	77.4	SPARROWIN
	1500	80	THOMPSON
	1800	78.2	THOMPSON
	2100	77	THOMPSON
	2400	76.8	Stamp

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	76.1	Stamp
	0600	74.1	Stamp
	0900	76.5	JANG
	1200	74.5	VAN
	1500	77.2	JONES
	1800	77.2	JONES
	2100	77.2	JONES
	2400	77.0	Stamp

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	76.9	JONES
	0600	74.1	Stamp
	0900	75.8	Myles
	1200	76.6	Myles
	1500	77.2	JONES
	1800	77.2	JONES
	2100	77.2	JONES
	2400	74.4	Stamp

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	75.5	Stamp
	0600	75.1	Stamp
	0900	72.4	ZBZ
	1200	72.0	ZBZ
	1500	77.4	F. VALENCIA
	1800	77.2	F. VALENCIA
	2100	77.2	F. VALENCIA
	2400	74.3	AJ

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	76.1	AJ
	0600	75.6	Gordon
	0900	75.8	G. MON
	1200	76.6	Gordon
	1500	76.3	Reyes
	1800	75.8	Reyes
	2100	76	Reyes
	2400	75.3	F. MUS

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B 1

Temp. Reading Location: Dormitory  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5304 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-16-24	0300	73	Finner
	0600	74.3	Finner
	0900	74.3	Myles
	1200	76.2	Myles
	1500	74.2	Palomera
	1800	76.1	Palomera
	2100	73.2	Palomera
	2400	73.1	Palmira

Tuesday

Date	Time	Temp.	Name (Print)
8-17-24	0300	72.5	Palmira
	0600	70.2	N. CANADA
	0900	72.4	N. CANADA
	1200	74.8	N. CANADA
	1500	76.8	Palomera
	1800	74.7	Palomera
	2100	74.4	Palomera
	2400	74.1	STAMPER

Wednesday

Date	Time	Temp.	Name (Print)
8-17-24	0300	73	STAMPER
	0600	73	Drawn
	0900	74	Drawn
	1200	74	Drawn
	1500	75.1	JONES
	1800	75.3	JONES
	2100	74.9	JONES
	2400	72.1	Stamp

Thursday

Date	Time	Temp.	Name (Print)
8-17-24	0300	72.8	Stamp
	0600	72.9	Stamp
	0900	73.3	JANG
	1200	74.3	JANG
	1500	75.4	T. MOORE
	1800	75.8	T. MOORE
	2100	75	Vopes
	2400	75.1	Stamp

Friday

Date	Time	Temp.	Name (Print)
8-17-24	0300	74.6	Stamp
	0600	74.2	Stamp
	0900	74.5	Myles
	1200	74.7	KUB
	1500	75.1	John
	1800	75.6	Jones
	2100	75.0	Jones
	2400	75.0	CAS

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	73.3	CAS
	0600	74.3	Myles
	0900	74.6	Myles
	1200	74.7	Myles
	1500	75.1	John
	1800	75.1	John
	2100	75.1	John
	2400	73.6	John

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	74.3	Drawn
	0600	73.8	Drawn
	0900	73.4	Drawn
	1200	73.6	Drawn
	1500	74.3	Jones
	1800	74.3	Jones
	2100	74.3	Jones
	2400	73.1	Ramirez

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B1

Temp. Reading Location: Dormitory Corridor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	73.1	Ramirez
	0600	73.6	Myles
	0900	73.8	Myles
	1200	74.0	Myles
	1500	75	Falcons
	1800	75.4	Falcons
	2100	74.9	Falcons
	2400	74.4	Stamp

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	74.1	Stamp
	0600	74.0	Stamp
	0900	74.0	SPALDING
	1200	74.0	SPALDING
	1500	74.3	Falcons
	1800	75.3	Falcons
	2100	74.8	Stamp
	2400	74.5	Stamp

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	74.4	Stamp
	0600	74.0	Jay
	0900	74.0	SPALDING
	1200	74.0	SPALDING
	1500	74.3	Jones
	1800	74.3	Jones
	2100	74.3	Jones
	2400	73.1	Stamp

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	73.3	Stamp
	0600	73.6	JAN
	0900	74.3	JAN
	1200	75.2	JAN
	1500	76.5	WILLIAMS-JAY
	1800	76.3	WILLIAMS-JAY
	2100	72.1	WILLIAMS-JAY
	2400	72.0	Stamp

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	73.3	Stamp
	0600	71.6	Stamp
	0900	73.6	Myles
	1200	73.8	Myles
	1500	74.0	JONES
	1800	74.0	JONES
	2100	74.0	JONES
	2400	73.4	Stamp

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	72.4	Stamp
	0600	73.1	Stamp
	0900	74.5	Myles
	1200	74.9	Myles
	1500	76.6	Lynns
	1800	76.6	Lynns
	2100	74.3	Lynns
	2400	77.6	Aldred

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	73.4	Aldred
	0600	73.4	Gibson
	0900	73.6	Gibson
	1200	74.1	Gibson
	1500	74.2	Duro
	1800	74.5	Duro
	2100	74.0	Duro
	2400	75.6	Aldred

Notes

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B1 Temp. Reading Location: Central Bay  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/16	0300	74	
	0600	74.1	Myles
	0900	74.6	Myles
	1200	74.6	Myles
	1500	77.6	Palomera
	1800	77.6	Palomera
	2100	77.9	Palomera
	2400	77.7	

**Tuesday**

Date	Time	Temp.	Name (Print)
5/17	0300	73.4	
	0600	73.1	
	0900	75.9	S. BARDONIN
	1200	75.9	S. BARDONIN
	1500	75.8	Palomera
	1800	75.4	Palomera
	2100	75.8	Palomera
	2400	75.8	

**Wednesday**

Date	Time	Temp.	Name (Print)
5/18	0300		
	0600	74.6	S. BARDONIN
	0900	74.9	S. BARDONIN
	1200	74.9	S. BARDONIN
	1500	74.1	
	1800	72.3	PALOMERA
	2100	72.1	PALOMERA
	2400	72.0	

**Thursday**

Date	Time	Temp.	Name (Print)
5/19	0300		
	0600	73.0	JANG
	0900	73.0	JANG
	1200	74.0	JANG
	1500	74.5	JONES
	1800	74.6	JONES
	2100	74.5	JONES
	2400	74.4	

**Friday**

Date	Time	Temp.	Name (Print)
5/20	0300	74.1	
	0600	74.1	
	0900	74.0	Myles
	1200	74.3	Myles
	1500	74.3	JONES
	1800	74.5	JONES
	2100	74.3	JONES
	2400	74.1	HARRINGTON

**Saturday**

Date	Time	Temp.	Name (Print)
5/21	0300	74.1	HARRINGTON
	0600	74.3	Myles
	0900	74.3	Myles
	1200	74.3	Myles
	1500	75.7	JONES
	1800	75.1	JONES
	2100	75.1	CORRAL
	2400	75.1	

**Sunday**

Date	Time	Temp.	Name (Print)
5/22	0300	74.2	
	0600	74.2	GIMON
	0900	74.9	GIMON
	1200		
	1500	75.1	JONES
	1800	75.1	JONES
	2100	75.1	JONES
	2400	73.4	GARIBAY

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: B Housing Unit: 2 Temp. Reading Location: \_\_\_\_\_  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>7/30</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
<u>7/30</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
<u>7/31</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
<u>8/1</u>	0300	74	ESQUERRA
	0600	74	Kuniga
	0900	75	Kuniga
	1200	77	Kuniga
	1500	79.2	ESQUEMADA
	1800	78.1	ESQUEMADA
	2100	77.5	ESQUEMADA
	2400	77.1	ESQUEMADA

Friday			
Date	Time	Temp.	Name (Print)
<u>8/2</u>	0300	74.1	ESQUEMADA
	0600	74.9	ESQUEMADA
	0900	76	Kuniga
	1200	77	Kuniga
	1500	78.4	CC
	1800	78.2	CC
	2100	77.9	CC
	2400	77.4	CC

Saturday			
Date	Time	Temp.	Name (Print)
<u>8/3</u>	0300	77.1	CC
	0600	76.8	CC
	0900	77	C.Kuniga
	1200	78	C.Kuniga
	1500	78.2	SCHUMANN
	1800	78.2	SCHUMANN
	2100	77.4	SCHUMANN
	2400	77.3	ESQUEMADA

Sunday			
Date	Time	Temp.	Name (Print)
<u>8/4</u>	0300	77.1	ESQUEMADA
	0600	77.1	AZENI-AARONS
	0900	77.2	AZENI-AARONS
	1200	77.4	AZENI-AARONS
	1500	78.2	SCHUMANN
	1800	78.0	SCHUMANN
	2100	77.5	SCHUMANN
	2400	77.4	ESQUEMADA

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B2 Temp. Reading Location: Upper tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/15	0300	74	Drazen
	0600	75	Kuragan
	0900	76	Kuragan
	1200	78	Kuragan
	1500	77	Rangel
	1800	76	Rangel
	2100	75	Rangel
	2400	74	Canner

**Tuesday**

Date	Time	Temp.	Name (Print)
8/16	0300	74	Gamer
	0600	75.6	Gamer
	0900	76.7	Gamer
	1200	79.7	Gamer
	1500	74	Rangel
	1800	77	Rangel
	2100	78	Rangel
	2400	76	Canner

**Wednesday**

Date	Time	Temp.	Name (Print)
8/17	0300	76	Canner
	0600	76	Kuragan
	0900	77	Kuragan
	1200	78	Kuragan
	1500	78	Rangel
	1800	77	Rangel
	2100	78	Rangel
	2400	74	Esguerra

**Thursday**

Date	Time	Temp.	Name (Print)
8/18	0300	74	Esguerra
	0600	75	Abreo
	0900	76	Abreo
	1200	76	Abreo
	1500	77	Esguerra
	1800	77	Esguerra
	2100	75	Esguerra
	2400	74	Esguerra

**Friday**

Date	Time	Temp.	Name (Print)
8/19	0300	75	Esguerra
	0600	75	Kuragan
	0900	76	Kuragan
	1200	77	Kuragan
	1500	77	Esguerra
	1800	77	Esguerra
	2100	75	Esguerra
	2400	74	Esguerra

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	74	Esguerra
	0600	74	Kuragan
	0900	75	Kuragan
	1200	75	Kuragan
	1500	76.3	Simplicio
	1800	77.5	Simplicio
	2100	77.1	Giron
	2400	77	Drazen

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	75	Drazen
	0600	74	Kuragan
	0900	74	Kuragan
	1200	75	Kuragan
	1500	75	Drazen
	1800	76	Drazen
	2100	74	Drazen
	2400	74	Drazen

**Notes**


---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B2 Temp. Reading Location: Central Bldg 012  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	74	Drazen
	0600	74.5	Palomer
	0900	74.3	Palomer
	1200	74.1	Palomer
	1500	74.5	Buchholz
	1800	74	Buchholz
	2100	74	Buchholz
	2400	74	J. H. Deak

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	73.2	V. H. Deak
	0600	73.2	V. H. Deak
	0900	74.4	Palomer
	1200	76.7	Palomer
	1500	77.9	E. RANGER
	1800	76.5	E. RANGER
	2100	74.8	E. RANGER
	2400	74.6	P. Murphy

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	74.9	Kun
	0600	75	Kun
	0900	76	Kun
	1200	76	Kun
	1500	76.3	E. RANGER
	1800	78.2	E. RANGER
	2100	76.8	E. RANGER
	2400	76.2	E. RANGER

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	75.9	E. RANGER
	0600	75.8	E. RANGER
	0900	76	Kun
	1200	76	Kun
	1500	78.8	E. RANGER
	1800	78.1	E. RANGER
	2100	77.6	E. RANGER
	2400	77.2	E. RANGER

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	76.3	E. RANGER
	0600	76.6	E. RANGER
	0900	77	Kun
	1200	77	Kun
	1500	76.8	E. RANGER
	1800	76.3	E. RANGER
	2100	76.1	E. RANGER
	2400	75.9	E. RANGER

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	75.9	E. RANGER
	0600	75.8	E. RANGER
	0900	75	Kun
	1200	75	Kun
	1500	76.4	J. C. Curtis
	1800	76.3	J. C. Curtis
	2100	76.2	J. C. Curtis
	2400	75	D. Dunn

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	74.0	D. Dunn
	0600	73.8	Salazar
	0900	73.5	Salazar
	1200	75.0	Salazar
	1500	75.0	STAYDOHAR
	1800	75.0	STAYDOHAR
	2100	75.0	G. F. Dunn
	2400	74.8	G. F. Dunn

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B2 Temp. Reading Location: Control Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	74	Proven
	0600	74	Tran
	0900	74	Tran
	1200	74.4	Tran
	1500	74.7	Rugert
	1800	75.0	Rugert
	2100	75.6	Rugert
	2400	73	Abu

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	73	Abu
	0600	73.4	Palomo
	0900	73.8	Palomo
	1200	75.8	Palomo
	1500	77.0	H. LARA
	1800	76.4	H. LARA
	2100	76.7	H. LARA
	2400	74.2	I. Garibay

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	73.6	I. Garibay
	0600	75	Kurjan
	0900	76	Kurjan
	1200	77	Kurjan
	1500	76.2	Jones
	1800	75.8	Jones
	2100	74.9	Jones
	2400	74.8	E. Esquivel

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	74.6	E. Esquivel
	0600	74.2	E. Esquivel
	0900	75	C. Kurjan
	1200	76	C. Kurjan
	1500	76	Jones
	1800	76.0	Jones
	2100	75.4	Jones
	2400	75.5	Jones

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	70	Esquerra
	0600	71	Kurjan
	0900	71	Kurjan
	1200	71	Kurjan
	1500	71.2	Jones
	1800	71	Jones
	2100	71	Jones
	2400	71	Jones

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	73.1	E. Esquivel
	0600	71.1	E. Esquivel
	0900	71.2	Kurjan
	1200	72	Kurjan
	1500	73.7	Esquerra
	1800	74.2	Jones
	2100	74.1	Jones
	2400	71.2	D. Allen

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	70	Draven
	0600	71	Kurjan
	0900	72	Kurjan
	1200	74	Kurjan
	1500	74	Kurjan
	1800	74.1	Esquivel
	2100	74.1	Esquivel
	2400	73	Draven

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ESPAC Housing Unit: B2 Temp. Reading Location: B section window  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	73	Drazen
	0600	73.7	Palonen
	0900	73.9	Palonen
	1200	74.7	Palonen
	1500	75.5	E. RANGER
	1800	74.9	E. RANGER
	2100	74.5	E. RANGER
	2400	74.0	L. Adams

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	74	Adams
	0600	73.4	Palonen
	0900	73.9	Palonen
	1200	77.7	Palomera
	1500	77.8	E. RANGER
	1800	75.9	E. RANGER
	2100	75.4	E. RANGER
	2400	75	C. Estrada

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	74	C. Estrada
	0600	73.9	Koloski
	0900	75.0	Koloski
	1200	78.0	Koloski
	1500	78.7	E. RANGER
	1800	78.3	E. RANGER
	2100	77.9	E. RANGER
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	71	Kurzan
	0600	73	Kurzan
	0900	74	Kurzan
	1200	74	Kurzan
	1500	74.7	ESQUIMA
	1800	75.1	ESQUIMA
	2100	75.4	ESQUIMA
	2400	75.2	ESQUIMA

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	74.4	ESQUIMA
	0600	74.7	ESQUIMA
	0900	74.9	ESQUIMA
	1200	75.2	ESQUIMA
	1500	75.7	ESQUIMA
	1800	76.2	ESQUIMA
	2100	75.1	ESQUIMA
	2400	75.0	ESQUIMA

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	74.7	ESQUIMA
	0600	74	Kurzan
	0900	75	Kurzan
	1200	76	Kurzan
	1500	78.1	E. RANGER
	1800	78.8	E. RANGER
	2100	77.4	E. RANGER
	2400	75.2	Train

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	75.	Drazen
	0600	75	Kurzan
	0900	75	Kurzan
	1200	76	Kurzan
	1500	75.7	MCCOY
	1800	76.3	MCCOY
	2100	76.2	MCCOY
	2400		

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B3 Temp. Reading Location: A SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	81.9	H. McRae
	0600	81.3	T. McRae
	0900	81.0	T. McRae
	1200	81.7	T. McRae
	1500	82.1	Phillips
	1800	82.2	Phillips
	2100	82.3	Phillips
	2400	82.0	LEOPOLD

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	81.9	LEDEZMA
	0600	81.6	T. MOORE
	0900	81.7	T. MOORE
	1200	82.0	T. MOORE
	1500	82.0	MUJICA
	1800	82.8	MUJICA
	2100	82.5	MUJICA
	2400	81.9	LEDEZMA

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	81.7	HOMEBECK
	0600	82.6	T. INCORR.
	0900	82.2	T. INCORR.
	1200	82.4	T. INCORR.
	1500	87.1	C. GENELEY
	1800	83.2	C. GENELEY
	2100	88.4	C. GENELEY
	2400	87.9	HOMEBECK

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	82.5	<del>H. OREGON BEECH</del>
	0600	81.7	Nutter
	0900	81.9	NUTTER
	1200	82.1	NUTTER
	1500	83.1	Pn. 11.05
	1800	83.4	Phillipps
	2100	83.7	Phillipps
	2400	83.3	Hev

## Notes

---

---

---

---

---

---

---

---

---

---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC      Housing Unit: B3      Temp. Reading Location: A SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

## Monday

Date	Time	Temp.	Name (Print)
8/5	0300	82.7	Hov
	0600	82.1	T. moore
	0900	81.8	T. moore
	1200	82.4	T. moore
	1500	83.1	Phillips
	1800	83.3	Phillips
	2100	83.2	Phillips
	2400	82.6	Hov

Tuesday

Dat	Time	Temp.	Name (Print)
8/6	0300	81.9	Aev
	0600	81.7	Kev
	0900	81.7	Kole
	1200	82.2	Kev
	1500	82.4	Phillips
	1800	82.4	Phillips
	2100	81.5	Phillips
	2400	82.8	Aev

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	86.5	Herr
	0600	81.9	KIRSCHENMANN
	0900	82.4	KIRSCHENMANN
	1200	82.8	KIRSCHENMANN
	1500	93.2	Phillips
	1800	83.4	Phillips
	2100	83.5	Phillips
	2400	82.9	LEOFZMA

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	82.5	Lodzema
	0600	82.2	T. McCRE
	0900	81.9	T. McCRE
	1200	82.5	T. McCRE
	1500	82.7	Philips
	1800	82.9	Philips
	2100	83.0	Philips
	2400	82.6	Lodzema

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	62.3	LedeZma
	0600	81.7	T. Moore
	0900	91.9	T. Moore
	1200	92.0	T. Moore
	1500	82.5	Myles
	1800	82.8	Myles
	2100	80	Myles
	2400	82.7	+ Doug Bunker

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	82.3	John Brucker
	0600	81.7	T. Moore
	0900	81.2	T. Moore
	1200	81.7	T. Moore
	1500	82.4	Robert H.
	1800	82.4	Henry L.
	2100	82.7	Brown
	2400	82.5	John Brucker

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	81.8	Wongie Ruth
	0600	81.9	JISHARA
	0900	81.7	LISA RIA
	1200	81.6	JISHARA
	1500	82.1	Philips
	1800	82.2	Philips
	2100	82.4	Philips
	2400	82.0	Neil

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC      Housing Unit: B3      Temp. Reading Location: A SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	80.4	Her
	0600	80.4	T. MOORE
	0900	80.5	T. MOORE
	1200	80.8	T. MOORE
	1500	81.1	Phillips
	1800	81.2	Phillips
	2100	81.4	Phillips
	2400	80.4	Her

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	80.1	Her
	0600	79.6	KOLB
	0900	79.6	KOLB
	1200	79.9	KOLB
	1500	80.8	McLellan
	1800	81.6	McLellan
	2100	81.5	McLellan
	2400	80.4	Her

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	79.8	Her
	0600	79.8	KIRSCHBAUM
	0900	79.4	KIRSCHBAUM
	1200	79.9	KIRSCHBAUM
	1500	80.2	Phillips
	1800	80.6	Phillips
	2100	80.9	Phillips
	2400	80.5	Ledezma

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	80.4	Ledezma
	0600	79.4	T. MOORE
	0900	79.7	T. MOORE
	1200	79.1	T. MOORE
	1500	79.2	Phillips
	1800	79.3	Phillips
	2100	79.4	Phillips
	2400	79.3	Ledezma

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	79.2	Ledezma
	0600	79.1	(OER)
	0900	79.2	(OER)
	1200	79.9	(OER)
	1500	79.9	Miles
	1800	79.9	Miles
	2100	79	Myles
	2400	79.6	H. ONYEWUETH

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	79.5	H. ONYEWUETH
	0600	79.5	T. MOORE
	0900	79.6	T. MOORE
	1200	79.4	T. MOORE
	1500	79.6	Bennett
	1800	79.6	Perkins
	2100	79.6	Perkins
	2400	79.5	H. ONYEWUETH

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	79.5	H. ONYEWUETH
	0600	79.4	L. Ruelas
	0900	79.4	L. Ruelas
	1200	79.3	L. Ruelas
	1500	79.3	Phillips
	1800	79.3	Phillips
	2100	79.4	Phillips
	2400	79.4	Her

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC      Housing Unit: B3      Temp. Reading Location: A SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	78.7	Her
	0600	78.6	T. MOORE
	0900	78.6	T. MOORE
	1200	78.6	T. MOORE
	1500	79.1	Phillips
	1800	78.9	Phillips
	2100	78.6	Phillips
	2400	78.5	Her

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	78.2	Her
	0600	70	ROSS
	0900	73	ROSS
	1200	85	ROSS
	1500	78.1	Phillips
	1800	78.3	Phillips
	2100	78.6	Phillips
	2400	78.4	Her

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	78.4	Her
	0600	78.4	KIRSCHERMAN
	0900	78.1	KIRSCHERMAN
	1200	78.1	KIRSCHERMAN
	1500	79.4	Phillips
	1800	78.5	Phillips
	2100	78.3	Phillips
	2400	78.2	Ledezma

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	78.1	Ledezma
	0600	78.1	T. MOORE
	0900	78.1	T. MOORE
	1200	78.0	T. MOORE
	1500	78.1	Phillips
	1800	78.2	Phillips
	2100	78.1	Phillips
	2400	77.8	Ledezma

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	77.5	Ledezma
	0600	77.6	T. MOORE
	0900	77.5	T. MOORE
	1200	77.5	T. MOORE
	1500	77.6	Myles
	1800	77.6	Myles
	2100	77.3	Myles
	2400	77.2	H. ONGBUCH

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	77.2	H. ONGBUCH
	0600	77.1	T. MOORE
	0900	77.1	T. MOORE
	1200	77.0	T. MOORE
	1500	77.0	Bennett
	1800	75.6	Bennett
	2100	72.6	Bennett
	2400	76.6	H. ONGBUCH

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	76.6	H. ONGBUCH
	0600	76.6	T. MOORE
	0900	76.6	T. MOORE
	1200	76.5	T. MOORE
	1500	72.5	OMINGERO
	1800	72.5	OMINGERO
	2100	72.5	OMINGERO
	2400	74.3	Her

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC      Housing Unit: B3

Temp. Reading Location: A SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/26	0300	76.1	Her
	0600	76.1	T. MOORE
	0900	76.1	T. MOORE
	1200	76.1	T. MOORE
	1500	76.3	Phillips
	1800	76.4	Phillips
	2100	76.5	Phillips
	2400	76.5	Her

#### Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	76.4	Her
	0600	76.5	E. RANGER
	0900	76.6	E. RANGER
	1200	76.7	E. RANGER
	1500	76.8	D. SYKES
	1800	77.1	D. SYKES
	2100	76.7	D. SYKES
	2400	77.0	Her

#### Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	77.8	Her
	0600	77.8	KIRSCHENMAN
	0900	77.0	KIRSCHENMAN
	1200	77.1	KIRSCHENMAN
	1500	77.3	Phillips
	1800	77.4	Phillips
	2100	77.4	Phillips
	2400	77.5	Lederma

#### Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	77.6	Lederma
	0600	77.6	T. MOORE
	0900	77.7	T. MOORE
	1200	77.7	T. MOORE
	1500	74.3	J. Ramirez
	1800	74.6	J. Ramirez
	2100	74.3	J. Ramirez
	2400	76.9	ESPINOZA

#### Friday

Date	Time	Temp.	Name (Print)
8/30	0300	77.2	Barragan
	0600	77.6	Barragan
	0900	77.8	T. MOORE
	1200	77.3	T. MOORE
	1500	77.9	Myles
	1800	77.8	Myles
	2100	77.8	Myles
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	78.1	T. Moore
	0600	78.1	T. MOORE
	0900	78.1	T. MOORE
	1200	78.4	T. MOORE
	1500	78.5	Bennett
	1800	77.8	Bennett
	2100	77.8	Bennett
	2400	78.6	Holloman

#### Sunday

Date	Time	Temp.	Name (Print)
8/1	0300	78.6	Moore
	0600	78.7	Moore
	0900	76.1	Moore
	1200	76.2	Gunn
	1500	78.1	Phillips
	1800	78.4	Phillips
	2100	78.6	Phillips
	2400		

#### Notes

Handwritten notes and signatures are present on the right side of the page, including initials and a signature that appears to be "Holloman".

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B3 Temp. Reading Location: 1-3rd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 1309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/20	0300	81.2	Her
	0600	80.2	T. Moore
	0900	80.2	T. Moore
	1200	80.5	T. Moore
	1500	80.8	Phillips
	1800	81.0	Phillips
	2100	81.2	Phillips
	2400	80.0	Phillips

#### Tuesday

Date	Time	Temp.	Name (Print)
7/20	0300	80.0	Her
	0600	80.1	Her
	0900	80.2	Her
	1200	80.3	Her
	1500	80.4	Mohr
	1800	80.2	Mohr
	2100	80.1	Mohr
	2400	80.9	Her

#### Wednesday

Date	Time	Temp.	Name (Print)
7/21	0300	80.8	Her
	0600	81.3	Bauchi
	0900	81.5	Bauchi
	1200	81.7	Bauchi
	1500	81.9	Phillips
	1800	82.1	Phillips
	2100	81.7	Phillips
	2400	81.5	LEDEZMA

#### Thursday

Date	Time	Temp.	Name (Print)
7/21	0300	81.4	LEDEZMA
	0600	81.3	T. Moore
	0900	81.0	T. Moore
	1200	81.7	T. Moore
	1500	81.8	Phillips
	1800	81.7	Phillips
	2100	81.1	Phillips
	2400	80.9	Ledezma

#### Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B4

Temp. Reading Location: A DAYROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300	80.1	Martinez
	0600	79.5	Martinez
	0900	78.6	NGUYEN
	1200	80.9	NGUYEN
	1500	82.5	PERRY
	1800	82.1	Perry
	2100	81.1	Perry
	2400	81	Martinez

**Friday**

Date	Time	Temp.	Name (Print)
	0300	78.1	Martinez
	0600	78.0	Martinez
	0900	79.5	Hernandez
	1200	80.4	Hernandez
	1500	81.8	Perry
	1800	81.8	Perry
	2100	81.8	Perry
	2400	86.2	G. BRUTON

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	82.1	G. BRUTON
	0600	80.2	SCHUMANN
	0900	80.4	SCHUMANN
	1200	81.4	SCHUMANN
	1500	81.3	THOMPSON
	1800	81.8	THOMPSON
	2100	82.6	THOMPSON
	2400	81.9	PARKER

**Sunday**

Date	Time	Temp.	Name (Print)
	0300	71.4	POURELL
	0600	74.3	SCHUMANN
	0900	80.6	SCHUMANN
	1200	81.3	SCHUMANN
	1500	83.3	MCGOWAN
	1800	83.3	MCGOWAN
	2100	83.6	MCGOWAN
	2400	81.0	Bell

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: 64 Temp. Reading Location: A DAYROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	79.2	BELL
	0600	77.4	SCHUMAN
	0900	77.2	SCHUMAN
	1200	80.1	SCHUMAN
	1500	83.0	CAMPUS
	1800	83.1	CAMPUS
	2100	82.9	CAMPUS
	2400	81.4	HUNT

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	79.7	HUNT
	0600	79.9	CAMPUS
	0900	80.1	CAMPUS
	1200	82.2	CAMPUS
	1500	82.2	CAMPUS
	1800	83.3	CAMPUS
	2100	83.2	CAMPUS
	2400	81.6	HUNT

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	80.4	HUNT
	0600	79.8	CAMPUS
	0900	81.9	CAMPUS
	1200	83.3	CAMPUS
	1500	83.9	CAMPUS
	1800	83.1	CAMPUS
	2100	82.4	CAMPUS
	2400	81.8	CASSTO

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	79.9	CASSTO
	0600	79.9	WILLIE
	0900	80.1	WILLIE
	1200	80.4	NGUYEN
	1500	82.4	PERRY
	1800	83.6	PERRY
	2100	82.4	PERRY
	2400	80.5	BELL

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	78.8	BELL
	0600	77.7	HELMERICK
	0900	79.8	HELMERICK
	1200	81.3	HELMERICK
	1500	82.5	PERRY
	1800	82.9	PERRY
	2100	83.1	PERRY
	2400	81.2	JONES

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	77.9	JONES
	0600	77.6	SCHUMAN
	0900	78.0	SCHUMAN
	1200	80.0	SCHUMAN
	1500	81.6	SCHUMAN
	1800	83.1	SCHUMAN
	2100	82.2	SCHUMAN
	2400	81.4	HILBERT

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	80.2	HILBERT
	0600	78.8	HILBERT
	0900	72.9	SCHUMAN
	1200	79.7	SCHUMAN
	1500	81.6	SCHUMAN
	1800	82.8	SCHUMAN
	2100	81.4	SCHUMAN
	2400	79.0	BELL

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSC-SAC Housing Unit: B41 Temp. Reading Location: A DAYROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5389 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	77.4	Bell
	0600	78	Weller
	0900	77.1	Mahan
	1200	78.3	Medium
	1500	80.9	Regal
	1800	79.3	Regal
	2100	78.4	Regal
	2400	77.1	HUNT

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	75.9	HUNT
	0600	75.9	Campos
	0900	76.1	Campos
	1200	78.8	Campos
	1500	80.8	Campos
	1800	80.3	Campos
	2100	79.7	Campos
	2400	77.0	HUNT

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	74.9	HUNT
	0600	74.9	Campos
	0900	76.8	Campos
	1200	78.8	Campos
	1500	80.9	Campos
	1800	80.4	Campos
	2100	80.2	Campos
	2400	78.1	HUNT

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	77.1	HUNT
	0600	76.1	NGUYEN
	0900	76.2	NGUYEN
	1200	77.5	NGUYEN
	1500	78	E.RANGE
	1800	78.4	A.ESCALAR
	2100	78.4	A.ESCALAR
	2400	77.8	HUNT

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	77.4	HUNT
	0600	77.5	Hernandez
	0900	77.5	Hernandez
	1200	77.0	Hernandez
	1500	78.0	Perry
	1800	78.5	Perry
	2100	78.9	Perry
	2400	77.9	Powell

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	77.4	Powell
	0600	77.3	SCHUMANN
	0900	77.3	SCHUMANN
	1200	77.5	SCHUMANN
	1500	77.7	SCHUMANN
	1800	77.9	SCHUMANN
	2100	78.0	SCHUMANN
	2400	77.7	Powell

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	75.9	Powell
	0600	75.9	SCHUMANN
	0900	76.4	SCHUMANN
	1200	76.9	SCHUMANN
	1500	77.5	SCHUMANN
	1800	78.0	SCHUMANN
	2100	77.7	SCHUMANN
	2400	76.9	BELL

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B4

Temp. Reading Location: B - Day Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	75.5	BELL
	0600	75.5	SCHUMANN
	0900	75.5	SCHUMANN
	1200	76.1	SCHUMANN
	1500	77.8	CAMPUS
	1800	77.0	CAMPUS
	2100	75.1	HUNT
	2400	74.9	HUNT

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	74.6	HUNT
	0600	73.2	CAMPUS
	0900	74.6	CAMPUS
	1200	76.1	CAMPUS
	1500	77.0	CAMPUS
	1800	77.1	CAMPUS
	2100	77.2	CAMPUS
	2400	77.2	CAMPUS

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	76.2	HUNT
	0600	76.1	CAMPUS
	0900	76.9	CAMPUS
	1200	76.2	CAMPUS
	1500	76.4	KLACKI
	1800	76.9	KLACKI
	2100	77	KLACKI
	2400	76.4	BELL

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	75.9	BELL
	0600	75.9	NGUYEN
	0900	76.0	NGUYEN
	1200	76.1	NGUYEN
	1500	76.9	NGUYEN
	1800	78.8	NGUYEN
	2100	79.1	NGUYEN
	2400	77.2	HUNT

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	75.3	HUNT
	0600	74.8	Hernandez
	0900	74.8	Hernandez
	1200	74.6	Hernandez
	1500	74.6	Hernandez
	1800	74.1	NASH
	2100	74.0	NASH
	2400	73.8	POWELL

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	73.6	POWELL
	0600	73.7	SCHUMANN
	0900	73.7	SCHUMANN
	1200	73.7	SCHUMANN
	1500	73.9	SCHUMANN
	1800	74.1	SCHUMANN
	2100	73.8	SCHUMANN
	2400	73.2	HILARA

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	73.0	HILARA
	0600	72.5	SCHUMANN
	0900	72.6	SCHUMANN
	1200	72.9	SCHUMANN
	1500	73.1	SCHUMANN
	1800	73.5	SCHUMANN
	2100	73.1	SCHUMANN
	2400	73.5	BELL

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B4 Temp. Reading Location: B DAY ROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/16	0300	73.4	BELL
	0600	73.4	SCHUMANN
	0900	73.4	SCHUMANN
	1200	73.9	SCHUMANN
	1500	75.0	CAMPUS
	1800	76.3	CAMPUS
	2100	76.8	CAMPUS
	2400	75.1	HUNT

Tuesday			
Date	Time	Temp.	Name (Print)
8/17	0300	75.2	HUNT
	0600	75.7	CAMPUS
	0900	75.7	CAMPUS
	1200	75.3	CAMPUS
	1500	75.9	CAMPUS
	1800	76.1	CAMPUS
	2100	76.2	CAMPUS
	2400	76.1	HUNT

Wednesday			
Date	Time	Temp.	Name (Print)
8/18	0300	76.1	HUNT
	0600	75.9	CAMPUS
	0900	75.9	CAMPUS
	1200	76.1	CAMPUS
	1500	77.5	BELL
	1800	73.4	BELL
	2100	78.7	BELL
	2400	77.0	BELL

Thursday			
Date	Time	Temp.	Name (Print)
8/19	0300	76.6	BELL
	0600	76.2	NGUYEN
	0900	76.1	NGUYEN
	1200	76.2	NGUYEN
	1500	76.1	PERRY
	1800	77.3	PERRY
	2100	77.7	PERRY
	2400	77.7	HUNT

Friday			
Date	Time	Temp.	Name (Print)
8/20	0300	77.4	HUNT
	0600	77.0	HERNANDEZ
	0900	76.8	HERNANDEZ
	1200	77.0	HERNANDEZ
	1500	77.4	PERRY
	1800	77.7	PERRY
	2100	78.0	PERRY
	2400	77.9	POOBLL

Saturday			
Date	Time	Temp.	Name (Print)
8/21	0300	77.0	POOBLL
	0600	77.3	SCHUMANN
	0900	77.2	SCHUMANN
	1200	77.1	SCHUMANN
	1500	77.1	SCHUMANN
	1800	77.7	SCHUMANN
	2100	77.8	SCHUMANN
	2400	78.4	HOLMES

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

6348

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B5 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	72.3	Ramirez
	0600	72.4	AVILA
	0900	72.6	AVILA
	1200	72.6	AVILA
	1500	77.6	J.Chavez
	1800	77.6	J.Chavez
	2100	77.7	J.Chavez
	2400	77	Ramirez

#### Friday

Date	Time	Temp.	Name (Print)
8/2	0300	77	Ramirez
	0600	72.6	AVILA
	0900	72.8	AVILA
	1200	72.8	AVILA
	1500	77.9	J.Chavez
	1800	77.9	J.Chavez
	2100	77.8	J.Chavez
	2400	77.6	Ramirez

#### Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	77	Ramirez
	0600	77.	AVILA
	0900	76.7	AVILA
	1200	76.7	AVILA
	1500	76.8	F.CORONE
	1800	76.3	F.CORONE
	2100	77.9	F.CORONE
	2400	79.4	CAMPOS

#### Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	76.2	CAMPOS
	0600	74.5	A.Cisneros
	0900	76.8	A.Cisneros
	1200	77.4	A.Cisneros
	1500	78.2	GSP/NOSEN
	1800	78.3	GSP/NOSEN
	2100	77.3	GSP/NOSEN
	2400	78.2	C.Delgado

#### Notes

AUGUST 2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: BS Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/5	0300	78.1	CANCER
	0600	77.7	Almanza
	0900	78.2	Almanza
	1200	77.4	Almanza
	1500	77.7	Van
	1800	80.1	Van
	2100	78.1	Van
	2400	77.7	Ramirez

#### Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	77.8	Ramirez
	0600	77.9	Almanza
	0900	78.2	Almanza
	1200	78.4	Almanza
	1500	73.3	F. VALENCIA
	1800	77.9	Black
	2100	77.9	Black
	2400	77.8	DANIEL

#### Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	77.6	DANIA
	0600	77.6	AVILA
	0900	77.6	AVILA
	1200	77.8	AVILA
	1500	78.1	Robles
	1800	77.9	Robles
	2100	77	Robles
	2400	77	Ramirez

#### Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	77	MOTA
	0600	77	MOTA
	0900	77.8	AVILA
	1200	77.8	AVILA
	1500	77.9	Chavez
	1800	77.9	Chavez
	2100	77.8	Chavez
	2400	77.4	Ramirez

#### Friday

Date	Time	Temp.	Name (Print)
8/9	0300	77.2	Ramirez
	0600	72.2	Willie
	0900	72.8	Willie
	1200	77.4	Willie
	1500	77.8	Chavez
	1800	77.6	Chavez
	2100	77.6	Chavez
	2400		Ramirez

#### Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	73.4	Ramirez
	0600	77.2	AVILA
	0900	77.8	AVILA
	1200	77.8	AVILA
	1500	77.4	Otero
	1800	77.3	Otero
	2100	77.0	Black
	2400	72.4	CAMERON

#### Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	72.0	CANCER
	0600	72.1	AVILA
	0900	77.7	AVILA
	1200	72.9	AVILA
	1500	73.4	F. VALENCIA
	1800	73.1	F. VALENCIA
	2100	74.3	F. VALENCIA
	2400	73.4	Ramirez

#### Notes

August 2018

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B5 Temp. Reading Location: 2nd TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	77.9	Ramirez
	0600	79.3	WEE
	0900	78.3	Lopez
	1200	78.3	Lopez
	1500	77.4	OTERO
	1800	77.2	OTERO
	2100	77.2	OTERO
	2400	77.1	Ramirez

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	73.1	Ramirez
	0600	71.1	O. Gonzalez
	0900	76.1	O. Gonzalez
	1200	76.4	O. Gonzalez
	1500	77.2	GSpinola
	1800	76.9	GSpinola
	2100	77.0	GSpinola
	2400	77	Ramirez

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	77	Ramirez
	0600	76.5	C. AVILA
	0900	76.7	C. AVILA
	1200	76.1	C. AVILA
	1500	76.1	D. Black
	1800	76.1	D. Black
	2100	76.1	D. Black
	2400	76.7	Ramirez

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	76	Ramirez
	0600	76	Avila
	0900	76.1	Avila
	1200	76.1	Milk
	1500	76.3	Singh, M
	1800	76.2	Chavez
	2100	76.1	Chavez
	2400	76	Ramirez

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	76	Ramirez
	0600	76	MOTA
	0900	77	MOTA
	1200	77	MOTA
	1500	77	MOTA
	1800	75.8	J. Chavez
	2100	76	J. Chavez
	2400	76	Ramirez

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	76	Ramirez
	0600	76	Castro
	0900	75.8	Castro
	1200	76	Castro
	1500	75.8	Black
	1800	75.8	Black
	2100	75.8	Black
	2400	75.1	Ramirez

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300		Ramirez
	0600	75.9	CFER
	0900	75.9	CFER
	1200	76.3	CFER
	1500	76.7	J. BARBA
	1800	77.2	J. BARBA
	2100	77.0	J. BARBA
	2400	76.5	Ramirez

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LSPSNC Housing Unit: BS Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/19	0300	74.5	J. AMARO
	0600	74.5	Hernandez
	0900	74.5	Hernandez
	1200	77	J. AMARO
	1500	77	A. AMARO
	1800	77	A. AMARO
	2100	73	A. AMARO
	2400	72	Ramirez

#### Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	72	J. AMARO
	0600	73	Hernandez
	0900	74	Hernandez
	1200	74	Hernandez
	1500	75.4	Hernandez
	1800	75.3	J. C. FAZ
	2100	75.3	J. C. FAZ
	2400	75	Ramirez

#### Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	75	Ramirez
	0600	75.4	AVILA
	0900	75.8	AVILA
	1200	75.9	AVILA
	1500	75.1	BLACK
	1800	75.1	Black
	2100	75.1	Black
	2400	72.1	Harrington

#### Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	70.7	Harrington
	0600	75.8	AVILA
	0900	75.8	AVILA
	1200	76.7	AVILA
	1500	72.3	J. Chavez
	1800	70.1	J. Chavez
	2100	75.3	J. Chavez
	2400	74.3	J. Harrington

#### Friday

Date	Time	Temp.	Name (Print)
8/23	0300	74.5	J. Harrington
	0600	74.1	AVILA
	0900	74.1	AVILA
	1200	75.4	AVILA
	1500	73.8	J. Chavez
	1800	73.3	J. Chavez
	2100	74.3	J. Chavez
	2400	74.3	Ramirez

#### Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	74.1	Ramirez
	0600	74.4	AVILA
	0900	75.1	AVILA
	1200	75	AVILA
	1500	74.9	BLACK
	1800	74.9	Black
	2100	74.9	Black
	2400	74.6	Wrightson

#### Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	73	Wrightson
	0600	74.0	AVILA
	0900	74.5	AVILA
	1200	74.5	AVILA
	1500	73.9	GUERRERO
	1800	73.9	Guerrero
	2100	73.2	Guerrero
	2400	73.2	Ramirez

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP SAC Housing Unit: B5

Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/26	0300	74.4	LAMAR
	0600	75.7	T. COPE
	0900	82.3	T. COPE
	1200	83.1	T. COPE
	1500	79.2	C. Atteberry
	1800	78.7	C. Atteberry
	2100	77.6	C. Atteberry
	2400	76.9	Shinn

#### Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	76.3	Shinn
	0600	75.4	DIAZ
	0900	77.0	DIAZ
	1200	77.9	DIAZ
	1500	79.0	C. Atteberry
	1800	80.1	C. Atteberry
	2100	78.3	C. Atteberry
	2400	76.5	Shinn

#### Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	76.3	Shinn
	0600	76.5	AVILA
	0900	78.1	AVILA
	1200	78.4	AVILA
	1500	81.2	Atteberry
	1800	81.5	Atteberry
	2100	80.6	Atteberry
	2400	74.9	Shinn

#### Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	75.9	Shinn
	0600	78.4	AVILA
	0900	76.3	AVILA
	1200	79.0	AVILA
	1500	80.7	Atteberry
	1800	81.7	Atteberry
	2100	80.6	Atteberry
	2400	79.6	Shinn

#### Friday

Date	Time	Temp.	Name (Print)
8/30	0300	78.9	Shinn
	0600	76.9	AVILA
	0900	77.1	AVILA
	1200	79.4	AVILA
	1500	79.4	M. Smith
	1800	79	Black
	2100	76.1	Black
	2400	77.9	Shinn

#### Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	77.4	Shinn
	0600	77.2	AVILA
	0900	78.1	AVILA
	1200	79.0	AVILA
	1500	81.0	Atteberry
	1800	81.9	Atteberry
	2100	79.5	Atteberry
	2400	72.3	

#### Sunday

Date	Time	Temp.	Name (Print)
9/1	0300		
	0600	76.7	AVILA
	0900	76.1	AVILA
	1200		AVILA
	1500	76.5	Atteberry
	1800	76.9	Atteberry
	2100		
	2400		

#### Notes

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B - 6

Temp. Reading Location: \_\_\_\_\_  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8	0300	75.1	Batson
.	0600	73.6	N. Johnson
26	0900	73.5	N. Johnson
.	1200	72.3	N. Johnson
24	1500	72.1	A. Murray
.	1800	72.4	A. Murray
24	2100	72.3	A. Murray
.	2400	72.3	Batson

**Wednesday**

Date	Time	Temp.	Name (Print)
8	0300	73.0	TAYLOR
.	0600	73.1	N. Johnson
28	0900	73.6	N. Johnson
.	1200	73.7	N. Johnson
24	1500	74.2	J. Willis
.	1800	74.5	J. Willis
24	2100	75.6	J. Willis
.	2400	75.2	TAYLOR

**Friday**

Date	Time	Temp.	Name (Print)
8	0300	74.0	Brown
.	0600	74.1	Phelps
30	0900	74.9	Phelps
.	1200	75.1	Phelps
24	1500	74.1	Phelps
.	1800	74.1	Phelps
24	2100	74.1	Phelps
.	2400	71.7	Castro

**Sunday**

Date	Time	Temp.	Name (Print)
9	0300	73.6	S. Nguyen
.	0600	74.2	M. Lai
1	0900	74.2	M. Lai
.	1200	74.3	M. Lai
24	1500	74.9	Perez
.	1800	74.8	Perez
24	2100	74.0	Perez
.	2400	74.5	Batson

**Tuesday**

Date	Time	Temp.	Name (Print)
8	0300	72	Batson
.	0600	73.8	N. Johnson
27	0900	73.5	N. Johnson
.	1200	73.6	N. Johnson
24	1500	73.2	N. Johnson
.	1800	73.0	N. Johnson
24	2100	73.8	N. Johnson
.	2400	73.1	TAYLOR

**Thursday**

Date	Time	Temp.	Name (Print)
8	0300	75.0	TAYLOR
.	0600	74.6	LEDEZMA
29	0900	74.0	LEDEZMA
.	1200	74.0	LEDEZMA
24	1500	74.0	Perez
.	1800	75.9	Perez
24	2100	74.2	Perez
.	2400	74.2	Bryant

**Saturday**

Date	Time	Temp.	Name (Print)
8	0300	74.0	Hernandez
.	0600	74.3	Hernandez
31	0900	74.3	Hernandez
.	1200	74.5	Hernandez
24	1500	74.7	Zoldy
.	1800	75.3	Zoldy
24	2100	76.0	Zoldy
.	2400	73.2	J. Nguyen

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: BRAVO 6 Temp. Reading Location: CONTROL BOOTH  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8 19 24	0300	75.8	WRIGHT
	0600	75.9	PHELPS
	0900	75.5	PHELPS
	1200	74.4	PHELPS
	1500	74.9	Morain
	1800	74.8	Morain
21	2100	74.5	Morain
	2400	74.7	Batson

**Tuesday**

Date	Time	Temp.	Name (Print)
8 20 24	0300	79.8	Batson
	0600	76.0	Sparks
	0900	78.0	Anilino
	1200	78.2	Sparks
	1500	75.2	Sparks
	1800	75.4	Sparks
21	2100	75.4	Sparks
	2400	75.2	TAYLOR

**Wednesday**

Date	Time	Temp.	Name (Print)
8 21 24	0300	75	TAYLOR
	0600	78.1	N. Pagan
	0900	79.1	N. Pagan
	1200	79.7	N. Pagan
	1500	79.9	Pheps
	1800	75.9	Pheps
21	2100	74.4	Pheps
	2400	74.4	Pheps

**Thursday**

Date	Time	Temp.	Name (Print)
8 22 24	0300		
	0600	78.1	N. Pagan
	0900	75.0	N. Pagan
	1200	75.7	N. Pagan
	1500	74.3	Zevry
	1800	74.3	Zevry
21	2100	74.3	Zevry
	2400	74.3	Bryant

**Friday**

Date	Time	Temp.	Name (Print)
8 23 24	0300	79.3	Bryant
	0600	74.3	Bryant
	0900	74.0	Bryant
	1200	74.0	Bryant
	1500	78.0	Reyes
	1800	78.3	B. Reyes
21	2100	74.3	B. Reyes
	2400	73.6	Bryant

**Saturday**

Date	Time	Temp.	Name (Print)
8 21 24	0300	73.6	Bryant
	0600	73.6	Hernandez
	0900	73.6	Hernandez
	1200	73.6	Hernandez
	1500	75.4	Cuervo
	1800	76.3	Cuervo
21	2100	75.5	Cuervo
	2400	75.1	Bryant

**Sunday**

Date	Time	Temp.	Name (Print)
8 25 24	0300	75	B. Isaac
	0600	73.6	Macias
	0900	73.6	Macias
	1200	73.8	Macias
	1500	73.6	Perez
	1800	73.6	Perez
21	2100	73.2	Perez
	2400	74.1	Bryant

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: BRAVO 6 Temp. Reading Location: CONTROL BOOTH  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8	0300	72.5	Batson
.	0600	72.5	N. Batson
.	0900	72.7	N. Batson
12	1200	72.0	N. Batson
.	1500	72.9	A. Moore
12	1800	72.3	A. Moore
.	2100	72.3	A. Moore
24	2400	72.0	Batson

#### Tuesday

Date	Time	Temp.	Name (Print)
8	0300	72.2	Batson
.	0600	72.2	N. Batson
.	0900	72.2	N. Batson
13	1200	72.3	N. Batson
.	1500	73.5	N. Batson
13	1800	73.4	N. Batson
.	2100	73.3	N. Batson
24	2400	74.8	TAYLOR

#### Wednesday

Date	Time	Temp.	Name (Print)
8	0300	74.5	TAYLOR
.	0600	72.9	N. Batson
.	0900	73.7	N. Batson
14	1200	73.8	N. Batson
.	1500	75.5	Phelps
14	1800	75.5	Phelps
.	2100	75.6	Phelps
24	2400	75.6	TAYLOR

#### Thursday

Date	Time	Temp.	Name (Print)
8	0300	75.8	TAYLOR
.	0600	75.6	M. Phelps
.	0900	75.8	M. Phelps
15	1200	76.0	M. Phelps
.	1500	75.8	M. Phelps
15	1800	75.0	M. Phelps
.	2100	75.5	M. Phelps
24	2400	75.3	COSTA

#### Friday

Date	Time	Temp.	Name (Print)
8	0300	75.0	COSTA
16	0600	75.1	Phelps
.	0900	75.3	Phelps
16	1200	75.5	Phelps
.	1500	75.5	Phelps
16	1800	75.3	Phelps
.	2100	75.3	Phelps
24	2400	75.6	WILRIGHT

#### Saturday

Date	Time	Temp.	Name (Print)
8	0300	75.8	WILRIGHT
.	0600	76.0	Hernandez
.	0900	75.8	Hernandez
17	1200	75.8	ZONG
.	1500	75.3	ZONG
17	1800	75.0	ZONG
.	2100	76.0	ZONG
24	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
8	0300	75.5	WILRIGHT
.	0600	75.8	MARIAS
.	0900	76.0	MARIAS
8	1200	75.5	MARIAS
.	1500	75.8	FERREZ
8	1800	75.6	FERREZ
.	2100	75.4	FERREZ
24	2400	75.8	WILRIGHT

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: BRAVO 6 Temp. Reading Location: CONTROL BOOTH  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/5	0300	72.1	SAC
	0600	72.6	Ruiz
	0900	73.4	Perez
	1200	73.7	Perez
	1500	74.4	Phelps
	1800	75.8	Phelps
	2100	75.6	Phelps
	2400	75.4	Wright

#### Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	75.1	Wright
	0600	75.1	Patmore
	0900	75.8	Patmore
	1200	75.8	Patmore
	1500	75.1	Patmore
	1800	76.0	Phelps
	2100	76.0	Phelps
	2400	75.8	Taylor

#### Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	75.6	Taylor
	0600	75.1	Patmore
	0900	75.1	Patmore
	1200	75.5	Patmore
	1500	76.0	Phelps
	1800	76.0	Phelps
	2100	75.2	Phelps
	2400	75.2	Taylor

#### Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	75	Taylor
	0600	75	Patmore
	0900	75.9	Patmore
	1200	75.9	Patmore
	1500	76.0	Phelps
	1800	76.5	Phelps
	2100	76.1	Phelps
	2400	75.2	Castro

#### Friday

Date	Time	Temp.	Name (Print)
8/9	0300	75.0	Castro
	0600	75.0	Phelps
	0900	75.4	Phelps
	1200	76.1	Phelps
	1500	76.5	Phelps
	1800	76.8	Phelps
	2100	76.2	Phelps
	2400	76	Wright

#### Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	76.0	Wright
	0600	75.6	Hernandez
	0900	75.4	Hernandez
	1200	75.8	Hernandez
	1500	76.3	Hernandez
	1800	76.3	Zoldan
	2100	76.1	Zoldan
	2400	75.5	Wright

#### Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	75.0	Wright
	0600	75.0	Macias
	0900	76.0	Macias
	1200	76.0	Macias
	1500	76.0	Perez
	1800	76.0	Perez
	2100	76.1	Perez
	2400	77.1	Johnson

#### Notes

---



---



---



---



---



---



---



---

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: BRAVO 6 Temp. Reading Location: CONTROL BOOTH  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	74.9	Dea
	0600	75.1	Patmore
	0900	75.6	Patmore
	1200	75.6	Patmore
	1500	75.5	Perez
	1800	74.9	Perez
	2100	74.6	Perez
	2400	74.6	Rea

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	74.8	Rea
	0600	75.1	Patmore
	0900	75.2	Patmore
	1200	75.9	Patmore
	1500	76.2	Patmore
	1800	75.9	Patmore
	2100	74.9	Patmore
	2400	74.6	Taylor

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	74.9	Rea
	0600	75.2	Patmore
	0900	75.6	Patmore
	1200	75.7	Patmore
	1500	76.1	Phelps
	1800	75.1	Phelps
	2100	74.9	Phelps
	2400	74.5	Rea

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	74.9	Phelps
	0600	75.3	Patmore
	0900	75.9	Patmore
	1200	75.9	Patmore
	1500	76.1	Phelps
	1800	75.9	Phelps
	2100	75.1	Phelps
	2400	74.9	AST RC

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	75.1	AST RC
	0600	75.4	Phelps
	0900	75.6	Phelps
	1200	75.9	Phelps
	1500	76.1	Phelps
	1800	75.8	Phelps
	2100	75.1	Phelps
	2400	74.6	WILRIGHTS

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	74.1	Rea
	0600	74.9	Rea
	0900	75.1	Rea
	1200	75.2	Rea
	1500	75.9	Zoldy
	1800	75.1	Zoldy
	2100	74.8	Zoldy
	2400	74.1	Rea

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	74.9	Ade
	0600	75.1	More
	0900	75.7	More
	1200	76.1	More
	1500	77.1	Perez
	1800	76.8	Perez
	2100	75.5	Perez
	2400	75.1	Rea

**Notes**

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B 7 Temp. Reading Location: 2 TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5500 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	73.6	M
	0600	73.6	B. MELLO
	0900	73.6	B. MELLO
	1200	73.6	B. MELLO
	1500	73.6	S. YANG
	1800	73.6	S. YANG
	2100	73.6	S. YANG
	2400	73.6	M

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	73.6	M
	0600	73.6	B. MELLO
	0900	73.6	B. MELLO
	1200	73.6	B. MELLO
	1500	73.6	S. YANG
	1800	73.6	S. YANG
	2100	73.6	S. YANG
	2400	71.5	I. Garibay

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	71.5	I. Garibay
	0600	71.7	B. MELLO
	0900	72.0	B. MELLO
	1200	73.6	T. Serrano
	1500	71.5	J. Chavez
	1800	71.5	J. Chavez
	2100	71.5	J. Chavez
	2400	73.6	(M)

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	73.6	(M)
	0600	73.6	B. MELLO
	0900	73.6	B. MELLO
	1200	73.6	B. MELLO
	1500	73.6	G. MOL
	1800	73.6	G. MOL
	2100	73.6	G. MOL
	2400	73.6	M

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	73.6	M
	0600	73.6	MACIAS
	0900	73.6	MACIAS
	1200	73.6	MACIAS
	1500	73.6	S. YANG
	1800	73.6	S. YANG
	2100	73.6	S. YANG
	2400	73.6	M

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	73.6	M
	0600	73.6	MACIAS
	0900	73.6	MACIAS
	1200	73.6	MACIAS
	1500	73.6	S. YANG
	1800	73.6	S. YANG
	2100	73.6	M
	2400	73.6	M

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300	73.6	M
	0600	73.6	B. MELLO
	0900	73.6	B. MELLO
	1200	73.6	B. MELLO
	1500	73.6	S. YANG
	1800	73.6	S. YANG
	2100	73.6	S. YANG
	2400	73.6	M

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B 7

Temp. Reading Location: 2 TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5500 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8-5	0300	73.6	Medrano
	0600	73.6	Nayor
	0900	73.6	Nayor
	1200	73.6	Nayor
	1500	73.6	C. Farnshaw
	1800	73.6	C. Farnshaw
	2100	73.5	C. Farnshaw
	2400	73.6	Medrano

#### Tuesday

Date	Time	Temp.	Name (Print)
8-6	0300	73.6	Medrano
	0600	73.6	A. Hodges
	0900	73.6	A. Hodges
	1200	N/A	NOT LEGIBLE N/A
	1500	N/A	(TODAY)
	1800	N/A	(TODAY)
	2100	N/A	(TODAY)
	2400	N/A	UNABLE TO READ

#### Wednesday

Date	Time	Temp.	Name (Print)
8-7	0300	N/A	UNABLE TO READ
	0600	N/A	(TODAY)
	0900	N/A	TOOKIES NOT READ
	1200	N/A	To Read
	1500	N/A	Macias
	1800	N/A	Macias
	2100	N/A	Macias
	2400	N/A	UNABLE TO READ N/A

#### Thursday

Date	Time	Temp.	Name (Print)
8-8	0300	N/A	UNABLE TO READ
	0600	N/A	Cimon
	0900	N/A	Cimon
	1200	81.3	Cimon
	1500	82.7	Cimon
	1800	83.4	Cimon
	2100	83.3	Cimon
	2400	83.2	Medrano

#### Friday

Date	Time	Temp.	Name (Print)
8-9	0300	76.3	Medrano
	0600	78.7	MACIAS
	0900	79.3	MACIAS
	1200	80.9	MACIAS
	1500	82.00	C. Farnshaw
	1800	82.40	C. Farnshaw
	2100	82.30	C. Farnshaw
	2400	83.00	Medrano

#### Saturday

Date	Time	Temp.	Name (Print)
8-10	0300	77.6	Medrano
	0600	77.6	Medrano
	0900	78.4	MACIAS
	1200	79.6	MACIAS
	1500	81.6	ARRUDA
	1800	81.8	ARRUDA
	2100	81.6	ARRUDA
	2400	81.6	Medrano

#### Sunday

Date	Time	Temp.	Name (Print)
8-11	0300	80.0	Medrano
	0600	78.5	A. Hodges
	0900	78.8	A. Hodges
	1200	80.9	A. Hodges
	1500	81.4	C. Farnshaw
	1800	82.10	C. Farnshaw
	2100	82.0	C. Farnshaw
	2400	79.00	Medrano

#### Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B 7

Temp. Reading Location: 2 TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

5500

when the inside air temperature reaches

Immediately notify the Watch Commander at extension \_\_\_\_\_

90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8-12	0300	76.0	Wendy
	0600	78.8	Brown
	0900	78.6	Banuelos
	1200	78.5	Brown
	1500	79.1	C. Earnshaw
	1800	80.3	C. Earnshaw
	2100	78.9	Wendy
	2400	77.8	Wendy

#### Tuesday

Date	Time	Temp.	Name (Print)
8-13	0300	78.7	Meredith
	0600	78.1	Meredith
	0900	78.9	Banuelos
	1200	77.7	Banuelos
	1500	79.4	Earnshaw
	1800	79.2	Earnshaw
	2100	79.2	Earnshaw
	2400	78.9	Abrams

#### Wednesday

Date	Time	Temp.	Name (Print)
8-14	0300	78.3	Abner
	0600	77.9	Banuelos
	0900	78.5	Banuelos
	1200	78.8	Banuelos
	1500	77.8	Chavez
	1800	77.7	Chavez
	2100	77.7	Chavez
	2400	78.7	CASTRO

#### Thursday

Date	Time	Temp.	Name (Print)
8-15	0300	77.5	CASTRO
	0600	77.9	Banuelos
	0900	78.3	Banuelos
	1200	78.5	Banuelos
	1500	78.9	Castro
	1800	80.2	Giron
	2100	80.1	Giron
	2400	79.9	Men

#### Friday

Date	Time	Temp.	Name (Print)
8-16	0300	78.6	Wendy
	0600	76.5	MACIAS
	0900	77.2	MACIAS
	1200	79.2	MACIAS
	1500	79.3	Earnshaw
	1800	79.6	Earnshaw
	2100	79.3	Earnshaw
	2400	79.8	Wendy

#### Saturday

Date	Time	Temp.	Name (Print)
8-17	0300	80.2	Wendy
	0600	76.4	MACIAS
	0900	76.7	MACIAS
	1200	77.7	MACIAS
	1500	77.7	MACIAS
	1800	77.7	MACIAS
	2100	76.1	MACIAS
	2400	78.4	Wendy

#### Sunday

Date	Time	Temp.	Name (Print)
8-18	0300	73.3	Wendy
	0600	75.2	Banuelos
	0900	75.3	Banuelos
	1200	76.5	Banuelos
	1500	78.1	MACIAS
	1800	79.1	Jones
	2100	79.1	Jones
	2400	77.6	Wendy

#### Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B 7 Temp. Reading Location: 2 TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5500 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	74.3	Wheeler
	0600	75.6	Banuelos
	0900	76.9	Banuelos
	1200	77.5	Banuelos
	1500	78.3	C. Earnshaw
	1800	78.5	C. Earnshaw
	2100	77.7	C. Earnshaw
	2400	76.7	Wheeler

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	76.0	Strawder
	0600	74.3	Strawder
	0900	76.3	Banuelos
	1200	77.0	Banuelos
	1500	78.2	Earnshaw
	1800	78.5	Earnshaw
	2100	78.0	Earnshaw
	2400	77.6	CASTRO

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	76.5	CASTRO
	0600	75.5	Pringle
	0900	76.0	Pringle
	1200	77.5	Pringle
	1500	79.1	J. Chavez
	1800	79.6	J. Chavez
	2100	78.7	J. Chavez
	2400	78.8	J. Chavez

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	77.7	Rickey G.
	0600	75.7	Banuelos
	0900	76.7	Banuelos
	1200	77.1	Banuelos
	1500	78.0	Gimel
	1800	76.0	Gimel
	2100	75.5	Gimel
	2400	75.4	Wheeler

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	75.9	Wheeler
	0600	76.2	MACIAS
	0900	74.8	MACIAS
	1200	74.9	MACIAS
	1500	75.4	C. Earnshaw
	1800	76.2	C. Earnshaw
	2100	77.1	C. Earnshaw
	2400	77.1	Wheeler

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	75.6	Wheeler
	0600	75.6	MACIAS
	0900	77.6	MACIAS
	1200	74.2	MACIAS
	1500	74.8	MACIAS
	1800	75	Chavez
	2100	71	Chavez
	2400	73.4	Wheeler

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	73.1	Miles
	0600	76.4	Zamora
	0900	74.6	Zamora
	1200	75.5	Banuelos
	1500	75.6	C. Earnshaw
	1800	76.7	C. Earnshaw
	2100	76.4	C. Earnshaw
	2400	76.9	Miles

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B 7 Temp. Reading Location: 2 TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5500 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/26	0300	74.7	Medron
	0600	78.1	Bonnie
	0900	75.6	Bonnie
	1200	75.4	Bonnie
	1500	76.7	C.Earnshaw
	1800	77.1	C.Earnshaw
	2100	78.1	C.Earnshaw
	2400	77.6	Medron

#### Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	76.9	Medron
	0600	74.7	Bonnie
	0900	74.3	Bonnie
	1200	77.5	Bonnie
	1500	77.9	C.Earnshaw
	1800	77.9	C.Earnshaw
	2100	77.8	C.Earnshaw
	2400	76.7	CASTRO

#### Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	77.7	CASTRO
	0600	76.3	Bonnie
	0900	74.5	Bonnie
	1200	79.7	Bonnie
	1500	79.5	C.Nez
	1800	79	C.Nez
	2100	76.4	C.Nez
	2400	76.7	C.Nez

#### Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	77.1	Bonnie
	0600	77.0	Bonnie
	0900	75.8	Bonnie
	1200	78.5	Bonnie
	1500	78.5	V.Van
	1800	78.5	V.Van
	2100	79.0	V.Van
	2400	78.6	V.Van

#### Friday

Date	Time	Temp.	Name (Print)
8/30	0300	76	Medron
	0600	76.7	MAGIAS
	0900	76.5	MAGIAS
	1200	77.9	MAGIAS
	1500	78.1	Nyree
	1800	81.2	Nyree
	2100	81.1	Nyree
	2400	80.5	Medron

#### Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	79.2	Medron
	0600	77.4	MAGIAS
	0900	76.7	MAGIAS
	1200	79.4	MAGIAS
	1500	79.2	C.Earnshaw
	1800	79.2	Medron
	2100	81.2	Medron
	2400	78.1	Medron

#### Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	76.7	Medron
	0600	75.6	Bonnie
	0900	77.6	Bonnie
	1200	78.5	Bonnie
	1500	79.1	C.Earnshaw
	1800	81.1	Wheet
	2100	81.1	Wheet
	2400	80.2	Medron

#### Notes

Notes:

---



---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: Main Kitchen Temp. Reading Location: Bakery  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
	0300		
8/1	0600	77.3	Abreos
	0900	79.6	Abreos
	1200	80.5	Abreos
	1500		
	1800		
	2100		
	2400		

#### Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600	76.9	Abreos
	0900	78.4	Abreos
	1200	80.0	Abreos
	1500		
	1800		
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: Main Kitchen Temp. Reading Location: BAKERY  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/5	0300		
	0600	79.0	Hyde, D.
	0900	79.0	Hyde, D.
	1200		
	1500		
	1800		
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300		
	0600	79.2	Hyde, D.
	0900	79.7	Hyde, D.
	1200		
	1500		
	1800		
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300		
	0600	79.2	Hyde, D.
	0900	79.6	Hyde, D.
	1200		
	1500		
	1800		
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
8/8	0300		
	0600	80.2	Hyde, D.
	0900	80.4	Hyde, D.
	1200		
	1500		
	1800		
	2100		
	2400		

#### Friday

Date	Time	Temp.	Name (Print)
8/9	0300		
	0600	78.2	Hyde, D.
	0900	79.9	Hyde, D.
	1200		
	1500		
	1800		
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Sac Housing Unit: Bakery Temp. Reading Location: Special Feeding Cage  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 12 AUG 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600	78	Abren
8/12	0900	78.9	Abren
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
8/14	0600	78.2	Abren
	0900	80	Abren
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/16	0300		
	0600	78	Abren
	0900	80	Abren
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300		
	0600	76	Abren
	0900	79	Abren
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300		
	0600	74	GUTIERREZ
	0900	76	GUTIERREZ
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600	73	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: BAKERY Temp. Reading Location: BAKERY OFFICE  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8/19</u>	0300		
	0600	74	Ech
	0900	74	Ech
	1200	76	Ech
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/20</u>	0300		
	0600	74	Ech
	0900	74	Ech
	1200	74	Ech
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/21</u>	0300		
	0600	73	Ech
	0900	74	Ech
	1200	74	Ech
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
<u>8/22</u>	0300		
	0600	72	Ech
	0900	74	Ech
	1200	76	Ech
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
<u>8/23</u>	0300		
	0600	72	Ech
	0900	73	Ech
	1200	75	Ech
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300		
	0600	72.1	Ech
	0900	72.4	Ech
	1200	74.1	Ech
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
<u>8/25</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: BAKERY Temp. Reading Location: BAKERY OFFICE  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
<u>8/26</u>	0300		
	0600	77.9	Eck
	0900	78.6	Eck
	1200	79.0	Eck
	1500		
	1800		
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
<u>8/27</u>	0300		
	0600	77.1	Eck
	0900	77.3	Eck
	1200	77.9	Eck
	1500		
	1800		
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
<u>8/28</u>	0300		
	0600	77.2	Eck
	0900	78.3	Eck
	1200	79.8	Eck
	1500		
	1800		
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
<u>8/29</u>	0300		
	0600	76.9	Eck
	0900	77.6	Eck
	1200	78.2	Eck
	1500		
	1800		
	2100		
	2400		

#### Friday

Date	Time	Temp.	Name (Print)
<u>8/30</u>	0300		
	0600	77.1	Eck
	0900	78.5	Eck
	1200	79.9	Eck
	1500		
	1800		
	2100		
	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: LAUNDRY  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	85.5	St. Dennis
	0600	81.0	St. Dennis
	0900	87.2	St. Dennis
	1200	85.1	Abreo
	1500	87.8	Abreo
	1800	91.8	Abreo
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8-2	0300	86.4	St. Dennis
	0600	87.8	St. Dennis
	0900	87.7	St. Dennis
	1200	86.0	Abreo
	1500	89.6	Abreo
	1800	90.5	Abreo
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8-3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8-4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

8/1 Temp over 90° called supervisor

8/2 - Temp @ 90.6 @ 1800  
Notified Supervisor

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: LAUNDRY  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 05 AUG 2024

Date	Time	Temp.	Name (Print)
8/5	0300		
	0600	84.5	m. calderon
	0900	83.8	m. calderon
	1200	87.9	Abres
	1500	87.6	Davis
	1800	93.0	Abres
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	87.4	St Dennis
	0600	83.1	St Dennis
	0900	86.7	St Dennis
	1200	86.9	DAVIS
	1500	90.7	Abres
	1800	92.3	Abres
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300		
	0600	84	MANASERO
	0900	86.7	MANASERO
	1200	92.1	MANASERO
	1500	93.4	Davis
	1800	93.0	newton
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	87.3	St Dennis
	0600	82.7	St Dennis
	0900	85.3	St Dennis
	1200	86.2	Abres
	1500	90.9	Abres
	1800	91.8	Abres
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	86.9	St Dennis
	0600	85.2	St Dennis
	0900	83.7	St Dennis
	1200	84.9	Abres
	1500	89.6	Abres
	1800	90.3	Abres
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

8/5 - 91.6 @ 1500 Notified supervisor - No inmates  
 8/6 @ 1500 temp @ 90.0  
 Notified supervisor  
 8/7 Temp. 92.1 Notified supervisor/watch office + watch commander + central control  
 8/7 93.4 Notified supervisor, watch office & watch commander + central control  
 No inmates  
 8/8 Notified supervisor over 90° @ 1500 . No inmates  
 8/9 - 90.5 @ 1800 Notified supervisor

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: LAUNDRY  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5305 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8-12	0300	84.6	S. Dennis
	0600	81.0	S. Dennis
	0900	72.5	S. Dennis
	1200	81.5	A. Abres
	1500	85.3	A. Abres
	1800	81.6	A. Abres
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
14	0300	72.9	<u>St Dennis</u>
	0600	71.5	<u>St Dennis</u>
	0900	71.5	<u>St Dennis</u>
	1200	82.4	<u>Abreo</u>
	1500	82.6	<u>Abreo</u>
	1800	89.6	<u>Abreo</u>
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300	86.6	Dennis
	0600	87.4	Dennis
	0900	89.5	Dennis
116	1200	86.2	Laverty
	1500	88.2	Laverty
	1800	89.3	DAVIS
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
1/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
13	0300	82.6	S. Dennis
	0600	77.7	S. Dennis
	0900	77.9	S. Dennis
	1200	78.6	A. Neo
	1500	85.8	A. Neo
	1800	86.9	A. Neo
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
15	0300	73.6	Dennis
	0600	78.6	Dennis
	0900	79.2	Dennis
	1200	82.0	Alecia
	1500	86.9	Alecia
	1800	86.7	Alecia
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

---

---

---

---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: LAUNDRY  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8.19	0300	82.2	Dennis
	0600	88.1	Dennis
	0900	79.3	Dennis
	1200	81.3	Abres
	1500	84.9	Abres
	1800	85.8	DAVIS
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8.20	0300	81.2	Dennis
	0600	77.9	Dennis
	0900	78.6	Dennis
	1200	83.5	Abres
	1500	86.7	Abres
	1800	87.6	Abres
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8.21	0300	81.2	Dennis
	0600	78.6	Dennis
	0900	73.1	Dennis
	1200	81.9	Abres
	1500	85.4	Abres
	1800	86.5	Abres
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8.22	0300	83.6	Cherry
	0600	79.3	Cherry
	0900	78.2	Cherry
	1200	82.0	Abres
	1500	83.3	Abres
	1800	82.7	Abres
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8.23	0300	82	Abres
	0600	79	Abres
	0900	79	Abres
	1200	79.2	Abres
	1500	72.3	Abres
	1800	78.1	Abres
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8.24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8.25	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**


---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: LAUNDRY  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/26	0300		
	0600	79.5	PEREZ
	0900	80.9	PEREZ
	1200	82.8	PEREZ
	1500	85.6	Abreo
	1800	86.2	Abreo
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	83.3	Dennis
	0600	79.2	Dennis
	0900	81.3	Dennis
	1200	84.3	Abreu
	1500	88.7	Abreu
	1800	90.1	Abreu
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	88.1	Dennis
	0600	83.1	Dennis
	0900	82.9	Dennis
	1200	85.3	Abreu
	1500	84.8	Abreu
	1800	89.8	Abreu
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	84.9	Dennis
	0600	79.6	Dennis
	0900	79.7	Dennis
	1200	82.4	Abreu
	1500	90.5	Abreu
	1800	92.3	Abreu
	2100		
	2400		

#### Friday

Date	Time	Temp.	Name (Print)
8/30	0300	84.9	Dennis
	0600	81.5	Dennis
	0900	82.4	Abreu
	1200	88.2	Denes 84.3
	1500	88.5	Abreu
	1800	90.6	Abreu
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
8/31	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Notes

8/27 - 90.1° @ 1800 called supervisor  
No Inmates present  
8/29 - 90.5° @ 1500 called supervisor  
No Inmates present  
8/30 - 90.5° @ 1800 called supervisor  
No Inmates present

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: Pantry  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600	82	ZANACERA
	0900	83	ZANACERA
	1200	86	PRENOCK
	1500	87	PRENOCK
	1800	87	PRENOCK
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600	84	ZANACERA
	0900	85	ZANACERA
	1200	86	SOK B. GLOVER
	1500	88	B. GLOVER
	1800	88	B. GLOVER
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600	80	ZANACERA
	0900	83	ZANACERA
	1200	83	WAN WILDER
	1500	86	WAN WILDER
	1800	82	WAN WILDER
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600	81	ZANACERA
	0900	83	ZANACERA
	1200	89.2	W.Herrera
	1500	88.9	W.Herrera
	1800		
	2100		
	2400		

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: Pantry  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/5	0300		
	0600	81.3	Foggy
	0900	82.1	Foggy
	1200	86.3	Foggy
	1500	88.7	Foggy
	1800	89.2	Foggy
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300		
	0600	84.5	D.M.L
	0900	83.1	D.M.L
	1200	85.2	Foggy
	1500	88.5	Foggy
	1800	88.4	Foggy
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300		
	0600	81	ZANACERIA
	0900	83	ZANACERIA
	1200	84	CHERY
	1500	83	CHERY
	1800	85	CHERY
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
8/8	0300		
	0600	83	ZANACERIA
	0900	85	ZANACERIA
	1200	86	Hayden
	1500	88	Hayden
	1800	88	Hayden
	2100		
	2400		

#### Friday

Date	Time	Temp.	Name (Print)
8/9	0300		
	0600	77	ZANACERIA
	0900	79	ZANACERIA
	1200	81	Van Weller
	1500	89.4	Van Weller
	1800	90.3	Van Weller - Inmates
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
8/10	0300		
	0600	78	ZANACERIA
	0900	80	ZANACERIA
	1200	83	Van Weller
	1500	84.4	Van Weller
	1800	85	Van Weller
	2100		
	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600	79	ZANACERIA
	0900	80	ZANACERIA
	1200	81.2	Van Weller
	1500	83	Van Weller
	1800	84.5	Van Weller
	2100		
	2400		

#### Notes

*No inmates in work area*

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP SAC Housing Unit: WORK CENTER Temp. Reading Location: front of  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300		
	0600	79.8	Fogie
	0900	81.1	Fogie
	1200	81.3	Fogie
	1500	82.7	Fogie
	1800	83.3	Fogie
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300		
	0600	79	Fogie
	0900	81	Fogie
	1200	81	Fogie
	1500	84	Fogie
	1800	84	Fogie
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300		
	0600	78	ZANACIO
	0900	80	ZANACIO
	1200	83	CHILD
	1500	84	CHILD
	1800	81	CHILD
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300		
	0600	77	ZANACIO
	0900	80	ZANACIO
	1200	82	PERMOC
	1500	86	PERMOC
	1800	80	PERMOC
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/16	0300		
	0600	77	ZANACIO
	0900	79	ZANACIO
	1200	81	JW WELCH
	1500	83	JW WELCH
	1800	83	JW WELCH
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300		
	0600	76	ZANACIO
	0900	78	ZANACIO
	1200	80	JW WELCH
	1500	84.3	JW WELCH
	1800	84.4	JW WELCH
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600	74	ZANACIO
	0900	76	ZANACIO
	1200	80	JW WELCH
	1500	82.1	JW WELCH
	1800	83	JW WELCH
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: Workcenter Temp. Reading Location: Pantry  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
08/19	0300	NA	FOAT
	0600	79	FOAT
	0900	82	FOAT
	1200	85	FOAT
	1500	87	Van Wierda
	1800	84	Van Wierda
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
08/20	0300		
	0600	83.8	D. M.
	0900	87.1	D. M.
	1200	83.0	D. M.
	1500	85.5	Van Wierda
	1800	85.4	Van Wierda
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300		
	0600	78	ZARACONA
	0900	80	ZARACONA
	1200	82	CHILD
	1500	84	CHILD
	1800	85	CHILD
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
8/22	0300		
	0600	75.9	As weo
	0900	89.9	Ranger
	1200	80	PRBnion
	1500	80	PRBnion
	1800	78	PRBnion
	2100		
	2400		

#### Friday

Date	Time	Temp.	Name (Print)
8/23	0300		
	0600	74	ZARACONA
	0900	76	ZARACONA
	1200	77	Van Wierda
	1500	79.5	Van Wierda
	1800	78	Van Wierda
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600	74	ZARACONA
	0900	75	ZARACONA
	1200	75	Van Wierda
	1500	75	Van Wierda
	1800	76	Van Wierda
	2100		
	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600	78	ZARACONA
	0900	74	ZARACONA
	1200	77	Van Wierda
	1500	78.5	Van Wierda
	1800	77	Van Wierda
	2100		
	2400		

#### Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: WORK CENTER      Temp. Reading Location: PANTRY  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300	N/A	N/A
8/26	0600	77.7	6th
	0900	78.8	PL
	1200	83.0	GARDWNA
	1500	81.5	GARDWNA
	1800	79.8	GARDWNA
	2100	N/A	N/A
	2400	N/A	N/A

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	N/A	N/A
	0600	82.2	B. MUL
	0900	80.1	B. MUL
	1200	82	LAVERTY
	1500	84	LAVERTY
	1800	82	LAVERTY
	2100	N/A	N/A
	2400	N/A	N/A

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	N/A	N/A
	0600	80	ZANACERA
	0900	81	ZANACERA
	1200	83	Fogle
	1500	84	Fogle
	1800	85	Fogle
	2100	N/A	N/A
	2400	N/A	N/A

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	N/A	N/A
	0600	81	ZANACERA
	0900	83	ZANACERA
	1200	85	PRINCE
	1500	84	PRINCE
	1800	84	PRINCE
	2100	N/A	N/A
	2400	N/A	N/A

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	N/A	N/A
	0600	78	ZANACERA
	0900	80	ZANACERA
	1200		
	1500		
	1800		
	2100	N/A	N/A
	2400	N/A	N/A

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	N/A	N/A
	0600	77	ZANACERA
	0900	79	ZANACERA
	1200	82	Fogle
	1500	84	Fogle
	1800	87	Fogle
	2100	N/A	N/A
	2400	N/A	N/A

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300	N/A	N/A
	0600	77	ZANACERA
	0900		ZANACERA
	1200		
	1500		
	1800		
	2100	N/A	N/A
	2400	N/A	N/A

**Notes**

WORK CENTER IS NOT OCCUPIED BY INMATES  
 OR STAFF BETWEEN THE HOURS OF 2000 TO  
 0400

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: TOOL ROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		
	0600	76	PREMOK
	0900	76	PREMOK
	1200	77	GUTIERREZ
	1500	77	GUTIERREZ
	1800	78	GUTIERREZ
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600	77	Premocek
	0900	77	Premocek
	1200	77	Premocek
	1500	78	Premocek
	1800	79	Premocek
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600	79	PENNOCK
	0900	79	PENNOCK
	1200	80	CALWD
	1500	81	CALWD
	1800	81	CALWD
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600	78	Hayden
	0900	77	Hayden
	1200	78	Hayden
	1500	79	Hayden
	1800	80	Hayden
	2100		
	2400		

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: TOOL ROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300		
	0600	77.6	Tran
	0900	76.7	Tran
	1200	77	GUTIERREZ
	1500	77.5	GUTIERREZ
	1800	77.5	GUTIERREZ
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300		
	0600	76.4	Fogle
	0900	77.2	Fogle
	1200	78.4	GUTIERREZ
	1500	78.5	GUTIERREZ
	1800	78.4	GUTIERREZ
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300		
	0600	76.7	Fogle
	0900	78.1	Fogle
	1200	79.5	GUTIERREZ
	1500	79.7	GUTIERREZ
	1800	80.1	GUTIERREZ
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300		
	0600	76.1	Fogle
	0900	77.3	Fogle
	1200	78.1	GUTIERREZ
	1500	79.1	GUTIERREZ
	1800	79.5	GUTIERREZ
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300		
	0600	76.3	Fogle
	0900	76.7	Fogle
	1200	77.2	Fogle
	1500	78	PRENODA
	1800	78	PRENODA
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	75.6	Almazan
	0600	75.8	Almazan
	0900	76	Almazan
	1200	76.7	Hayden
	1500	78.1	Hayden
	1800	79.6	Hayden
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300		
	0600	76.6	Almazan Jr
	0900	75.8	Almazan Jr
	1200	77.3	Valent
	1500	78.6	Valent
	1800	79.2	Valent
	2100		
	2400		

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: TOOL ROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
8/12	0600	74	Hayden
	0900	74	Hayden
	1200	74	GUTIERREZ
	1500	74	GUTIERREZ
	1800	74	GUTIERREZ
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
8/13	0600	73.9	G. BURTON
	0900	73.8	G. BURTON
	1200	73.8	G. BURTON
	1500	73.9	GUTIERREZ
	1800	74	GUTIERREZ
	2100	74	GUTIERREZ
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300		
	0600	74	PREMICK
	0900	74	PREMICK
	1200	74.5	GUTIERREZ
	1500	74.6	GUTIERREZ
	1800	74.9	GUTIERREZ
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	74	PREMICK
	0600	74	PREMICK
	0900	74	PREMICK
	1200	74.9	GUTIERREZ
	1500	74.9	GUTIERREZ
	1800	74.9	GUTIERREZ
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300		
	0600	74	PREMICK
	0900	74	PREMICK
	1200	74	PREMICK
	1500	74	PREMICK
	1800	75	PREMICK
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	74	PREMICK
	0600	74	PREMICK
	0900	74	PREMICK
	1200	74.6	VANESSA
	1500	74.9	VANESSA
	1800	74.9	VANESSA
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300		
	0600	73	Hayden
	0900	73	Hayden
	1200	74	GUTIERREZ
	1500	74	GUTIERREZ
	1800	74	GUTIERREZ
	2100		
	2400		

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: TOOL ROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
8/19	0600	73	Hayden
	0900	73	Hayden
	1200	74.5	GUTIERREZ
	1500	74.6	GUTIERREZ
	1800	74.6	GUTIERREZ
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
8/20	0600	73.6	Abrera
	0900	74.0	Abrera
	1200	74.1	GUTIERREZ
	1500	75	GUTIERREZ
	1800	76	GUTIERREZ
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300		
	0600	74	Hayden
	0900	74	Hayden
	1200	74.1	GUTIERREZ
	1500	74	GUTIERREZ
	1800	78	GUTIERREZ
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300		
	0600	74	PROMOCH
	0900	74	PROMOCH
	1200	75	Eck
	1500	75	Eck
	1800	76	Eck
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300		
	0600	71	PROMOCH
	0900	71	PROMOCH
	1200	72	PROMOCH
	1500	72	PROMOCH
	1800	72	PROMOCH
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300		
	0600	71	PROMOCH
	0900	71	PROMOCH
	1200	72	Hayden
	1500	72	Hayden
	1800	71	Hayden
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300		
	0600	71	Hayden
	0900	71	Hayden
	1200	72	GUTIERREZ
	1500	73	GUTIERREZ
	1800	73	GUTIERREZ
	2100		
	2400		

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: WORK CENTER      Temp. Reading Location: TOOL ROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/26	0300		
	0600	72	Hayden
	0900	72	Hayden
	1200	75	GUTIERREZ
	1500	74.1	GUTIERREZ
	1800	74.2	GUTIERREZ
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
8/23	0300	74.9	Abreo
	0600	74.3	Abreo
	0900	75.1	GUTIERREZ
	1200	75.5	GUTIERREZ
	1500	76.1	GUTIERREZ
	1800	76.1	GUTIERREZ
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600	79	Fogel
	0900	79	Fogel
8/28	1200	77	GUTIERREZ
	1500	77.5	GUTIERREZ
	1800	77.5	GUTIERREZ
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600	76	PREMOK PREMOOK
	0900	76	
	1200	77.1	GUTIERREZ
	1500	77.5	GUTIERREZ
	1800	77.5	GUTIERREZ
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/30	0300		
	0600	75	PRAESEN
	0900	75	PRAEMICK
	1200	75	PRAEMICK
	1500	75	PRAEMICK
	1800	76	PRAEMICK
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600	75	Parsons
	0900	75	Parsons
	1200	76	Hayden
	1500	77	Hayden
	1800	78	Hayden
	2100		
	2400		

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C1 - Control Temp. Reading Location: A & B section Panel  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	74.5	Thompson

**Thursday**

Date	Time	Temp.	Name (Print)
	0300	74.3	Thompson
	0600	74.5	Thompson
	0900	74.5	Stewart
	1200	74.8	
	1500	74.5	M. Lee
	1800	74.5	M. Lee
	2100	74.5	M. Lee
	2400	74.3	Thompson

**Friday**

Date	Time	Temp.	Name (Print)
	0300	74.3	Thompson
	0600	74.5	Thompson
	0900	76.6	Zavala
	1200	75.2	Zavala
	1500	76.2	Zavala
	1800	75.2	Zavala
	2100	75.7	Zavala
	2400	73.2	Bernal

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	74.5	Bernal
	0600	74.1	Tran
	0900	73.2	Tran
	1200	73.9	Tran
	1500	73.9	Huerta
	1800	73.9	Huerta
	2100	73.9	Huerta
	2400	75.6	Holmes

**Sunday**

Date	Time	Temp.	Name (Print)
	0300	75.2	Holmes
	0600	74.1	Zavala
	0900	74.1	Zavala
	1200	75.3	Zavala
	1500	76.1	Powell
	1800	76.1	Powell
	2100	75.7	Powell
	2400	75.5	Thompson

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C1 - control Temp. Reading Location: A/B Sections  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
8/5	0300	75.3	Thompson
	0600	75.3	Thompson
	0900	75.5	Zavala
	1200	75.4	Zavala
	1500	75.9	H.LARA
	1800	75.4	H.LARA
	2100	74.6	H.LARA
	2400	74.4	THOMPSON

## Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	74.5	THOMPSON
	0600	74.5	THOMPSON
	0900	75.4	Xiong
	1200	75.2	Xiong
	1500	75.6	M.Lee
	1800	75.6	M.Lee
	2100	75.6	M.Lee
	2400	75.4	THOMPSON

## Friday

Date	Time	Temp.	Name (Print)
8/9	0300	74.9	Hollingson
	0600	74.8	Lopez
	0900	75.4	Lopez
	1200	75.4	Lopez
	1500	75.6	M.Lee
	1800	75.4	M.Lee
	2100	75.4	M.Lee
	2400	75.2	Church

## Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	71.2	ALLEN
	0600	75.6	Zavala
	0900	75.6	Zavala
	1200	74.7	Zavala
	1500	74.8	H.LARA
	1800	74.5	H.LARA
	2100	72.2	H.LARA
	2400	74.1	THOMPSON

## Tuesday

Date	Time	Temp.	Name (Print)
8/10	0300	74.4	THOMPSON
	0600	74.6	THOMPSON
	0900	74.6	Zavala
	1200	74.6	Zavala
	1500	75.6	Zavala
	1800	75.2	McGregor
	2100	74.9	McGregor
	2400	74.6	THOMPSON

## Thursday

Date	Time	Temp.	Name (Print)
8/12	0300	75.2	THOMPSON
	0600	75.6	THOMPSON
	0900	75.4	Perry
	1200	75.2	Perry
	1500	75.4	M.Lee
	1800	75.8	M.Lee
	2100	75.9	M.Lee
	2400	75.2	Hollingson

## Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	69.6	Chen
	0600	70.1	Chen
	0900	72.9	Zavala
	1200	74.5	Zavala
	1500	79.5	Herrera
	1800	74.7	Rivera
	2100	73.1	Allen
	2400	78.4	ALLEN

## Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C1 - Control Temp. Reading Location: A/B section  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/12	0300	74.1	Thompson
	0600	74.3	Thompson
	0900	74.3	Zavala
	1200	74.3	Zavala
	1500	74.3	Bennett
	1800	74.3	Bennett
	2100	72.4	Bennett
	2400	73.3	Thompson

#### Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	74.1	Thompson
	0600	74.3	Thompson
	0900	73.2	Zavala
	1200	73.9	Zavala
	1500	74.5	Lee
	1800	73.4	Lee
	2100	73.9	Lee
	2400	73.5	Thompson

#### Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	73.1	Thompson
	0600	73.5	Thompson
	0900	73.4	Ladowski
	1200	73.4	Ladowski
	1500	75.6	M.Lee
	1800	75.4	M.Lee
	2100	74.6	M.Lee
	2400	73.9	Thompson

#### Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	73.5	THOMPSON
	0600	73.3	THOMPSON
	0900	73.7	STEWART
	1200	74.3	Tabor
	1500	74.6	Tabor
	1800	74.5	M.Lee
	2100	71.7	F.JACOB
	2400	73.1	THOMPSON

#### Friday

Date	Time	Temp.	Name (Print)
8/16	0300	73.3	Thompson
	0600	73.5	Thompson
	0900	74.1	Zavala
	1200	74.7	Zavala
	1500	74.5	M.Lee
	1800	75.4	M.Lee
	2100	74.8	M.Lee
	2400	74.6	Church

#### Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	75.9	Church
	0600	75.9	Zavala
	0900	75.9	Zavala
	1200	73.4	Zavala
	1500	73.9	HIPOLITA
	1800	74.3	HIPOLITA
	2100	74.1	HIPOLITA
	2400	74.1	Allan

#### Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	74.1	Allen
	0600	74.1	S.Zavala
	0900	73.4	S.Zavala
	1200	73.4	S.Zavala
	1500	74.6	S.Zavala
	1800	74.6	S.Zavala
	2100	72.1	S.Zavala
	2400	71.9	Thompson

#### Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C-1 control

Temp. Reading Location: A/B Section Panel  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 95 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/19	0300	72.5	Thompson
	0600	73.1	Thompson
	0900	73.1	Zavala
	1200	73.6	Zavala
	1500	73	Fernandez
	1800	72	Fernandez
	2100	72	Fernandez
	2400	73.1	Thompson

#### Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	73.5	Thompson
	0600	74.1	Thompson
	0900	74.1	Zavala
	1200	73.6	Zavala
	1500	73.6	M.Lee
	1800	73.3	M.Lee
	2100	73.3	M.Lee
	2400	73.1	Thompson

#### Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	73.5	Thompson
	0600	74.1	Thompson
	0900	75.4	Xiong
	1200	75.6	Xiong
	1500	74.8	M.Lee
	1800	74.5	M.Lee
	2100	73.9	M.Lee
	2400	74.1	Thompson

#### Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	74.3	Thompson
	0600	74.5	Thompson
	0900	75.6	Stewart
	1200	76.5	Stewart
	1500	76.7	Powell
	1800	72.1	Powell
	2100	71.6	Powell
	2400	72.5	Thompson

#### Friday

Date	Time	Temp.	Name (Print)
8/23	0300	73.5	Thompson
	0600	74.5	Thompson
	0900	74.5	Zavala
	1200	73.9	Zavala
	1500	72.9	M.Lee
	1800	73.8	M.Lee
	2100	72.9	M.Lee
	2400	73.1	Church

#### Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	73.1	Church
	0600	73.2	Zavala
	0900	73.2	Zavala
	1200	73.6	Zavala
	1500	73.0	M.Lee
	1800	72.9	M.Lee
	2100	72.9	M.Lee
	2400	70.1	Allen

#### Notes

Date	Time	Temp.	Name (Print)
8/25	0300	72.9	Allen
	0600	76.8	Valencia
	0900	74.5	Valencia
	1200	74.	Lima
	1500	72.4	H.Lara
	1800	71.2	H.Lara
	2100	71.2	H.Lara
	2400	71.2	Hollingson

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP - Sac Housing Unit: C1 Control Temp. Reading Location: A/B Section Panels  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 95 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/26	0300	71.0	Han
	0600	74.1	Zavala
	0900	74.1	Zavala
	1200	72.9	Zavala
	1500	72.9	Hilary
	1800	72.9	Hilary
	2100	71.1	Hilary
	2400	71.3	Thompson

#### Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	71.5	Thompson
	0600	72.5	Thompson
	0900	72.5	Zavala
	1200	73.2	Zavala
	1500	73.7	M.Lee
	1800	73.9	M.Lee
	2100	74.1	M.Lee
	2400	73.9	Thompson

#### Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	73.7	Thompson
	0600	74.5	Thompson
	0900	73.0	Hilary
	1200	74.1	Hilary
	1500	74.5	M.Lee
	1800	74.9	M.Lee
	2100	74.5	M.Lee
	2400	74.3	Thompson

#### Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	74.5	Thompson
	0600	75.3	Thompson
	0900	78.5	Stewart
	1200	78.5	Stewart
	1500	73.9	M.Lee
	1800	72.9	M.Lee
	2100	72.5	M.Lee
	2400	72.1	Thompson

#### Friday

Date	Time	Temp.	Name (Print)
8/30	0300	72.1	Thompson
	0600	73.5	Thompson
	0900	73.4	Zavala
	1200	73.4	Zavala
	1500	74.9	M.Lee
	1800	74.5	M.Lee
	2100	72.7	M.Lee
	2400	73.1	Chum

#### Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	73.3	Perez
	0600	73.2	Perez
	0900	73.6	Perez
	1200	73.6	Perez
	1500	73.2	Garibay
	1800	73.6	Garibay
	2100	73.6	Garibay
	2400	73.5	Allen

#### Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	70.9	Allen
	0600	77.0	Monzon
	0900	71.3	Monzon
	1200	74.5	Monzon
	1500	74.8	Hilary
	1800	74.0	Hilary
	2100	73.2	Hilary
	2400	73.1	Thompson

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C3 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
	0300	78.8	Her
	0600	78.8	Alison
	0900	78.8	Alison
	1200	78.6	Parrot
	1500	78.6	Catia
	1800	78.5	Catia
	2100	78.3	Catia
	2400		Her

#### Friday

Date	Time	Temp.	Name (Print)
	0300		Her
	0600	77.5	Alvaro
	0900	77.4	Naomi
	1200	77.4	Naomi
	1500	78.3	S. Zajdel
	1800	77.5	S. Zajdel
	2100	77.5	S. Zajdel
	2400	77.5	J. Willie

#### Saturday

Date	Time	Temp.	Name (Print)
	0300	78.8	J. Willie
	0600	79.3	F. Coronel
	0900	79.3	F. Coronel
	1200	79.3	F. Coronel
	1500	79.2	J. Souza
	1800	79.9	J. Souza
	2100	79.6	J. Souza
	2400	79.7	J. Willie

#### Sunday

Date	Time	Temp.	Name (Print)
	0300	79.5	Sewards
	0600	79.5	SHARP
	0900	79.7	SHARP
	1200	79.9	SHARP
	1500	79.9	WAHL
	1800	79.5	WAHL
	2100	79.8	WAHL
	2400	79.8	DRYBUCK

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C 3 Temp. Reading Location: B SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/5	0300	80.2	H OMEBUCH
	0600	79.7	SHARP
	0900	79.9	SHARP
	1200	80.2	SHARP
	1500	79.9	WAN
	1800	79.7	WAN
	2100	79.9	WAN
	2400	79.7	WAN

#### Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	80.2	MAS
	0600	79.1	MAS
	0900	79.2	MAS
	1200	79.0	SHARP
	1500	79.7	WAN
	1800	79.7	WAN
	2100	79.8	WAN
	2400	79.5	H OMEBUCH

#### Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	79.3	H OMEBUCH
	0600	78.7	Mas
	0900	79.4	Mas
	1200	78.3	Mas
	1500	79.5	Mas
	1800	79.7	Mas
	2100	80.2	Mas
	2400	79.5	Her

#### Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	79.3	Her
	0600	79.7	Mas
	0900	79.4	Mas
	1200	78.4	Mas
	1500	79.3	Catlin
	1800	79.6	Catlin
	2100	79.0	Catlin
	2400	79.5	Her

#### Friday

Date	Time	Temp.	Name (Print)
8/9	0300	79.9	Her
	0600	79.9	Navarro
	0900	78.8	Navarro
	1200	78.8	Navarro
	1500	78.6	S. Zabel
	1800	78.6	S. Zabel
	2100	79.3	S. Zabel
	2400	79.5	PEARSON

#### Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	79.3	PEARSON
	0600	78.8	SHARP
	0900	78.8	SHARP
	1200	78.6	SHARP
	1500	78.3	J. Sonza
	1800	78.4	J. Sonza
	2100	78.6	J. Sonza
	2400	78.6	Cirilli

#### Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	78.6	Cirilli
	0600	78.8	SHARP
	0900	78.8	SHARP
	1200	78.3	SHARP
	1500	78.1	WAN
	1800	78.1	WAN
	2100	77.7	WAN
	2400	77.7	H OMEBUCH

#### Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C 3 Temp. Reading Location: B SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	78.4	H. OMEQUELLA
	0600	78.3	SHARP
	0900	78.1	SHARP
	1200	78.1	SHARP
	1500	77.7	WAN
	1800	77.7	WAN
	2100	77.6	WAN
	2400	78.4	SHARP

MON  
8/12

Tuesday

Date	Time	Temp.	Name (Print)
	0300	78.1	SHARP
	0600	70	Ornelas
	0900	73	Ornelas
	1200	75	Ornelas
	1500	77.6	WAN
	1800	77.6	WAN
	2100	77.4	WAN
	2400	78.3	H. OMEQUELLA

TUE  
8/13

Wednesday

Date	Time	Temp.	Name (Print)
	0300	77.9	H. OMEQUELLA
	0600	77.4	RAMOS
	0900	78.6	RAMOS
	1200	78.8	RAMOS
	1500	78.4	WAN
	1800	78.6	WAN
	2100	78.8	WAN
	2400	78.5	HEV

WED  
8/14

Thursday

Date	Time	Temp.	Name (Print)
	0300	79.3	HEV
	0600	79.1	PURIST
	0900	79.4	PURIST
	1200	79.7	PURIST
	1500	79.5	GOTTI
	1800	79.3	GOTTI
	2100	79.1	GOTTI
	2400	79.2	HEV

Thursday

Date	Time	Temp.	Name (Print)
	0300	79.3	HEV
	0600	79.0	NARVO
	0900	78.6	NARVO
	1200	78.6	NARVO
	1500	79.2	S. ZAPPEL
	1800	79.3	S. ZAPPEL
	2100	79.3	S. ZAPPEL
	2400	79.5	PEARSON

FRI  
8/16

Date	Time	Temp.	Name (Print)
	0300	79.3	PEARSON
	0600	70.1	SHARP
	0900	78.3	SHARP
	1200	79.2	SHARP
	1500	79.2	J. SOUTHERN
	1800	79.3	J. SOUTHERN
	2100	78.9	R. SOLITA
	2400	79.3	PEARSON

Saturday

Date	Time	Temp.	Name (Print)
	0300	79.3	PEARSON
	0600	79.2	SHARP
	0900	79.2	SHARP
	1200	79.2	SHARP
	1500	79.2	CULMERO
	1800	79.2	CULMERO
	2100	78.8	CULMERO
	2400	79.9	H. OMEQUELLA

SUN  
8/18

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C 3 Temp. Reading Location: B Sec 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0	0300	78.8	H OMEBUCK
	0600	78.8	SHARP
	0900	76.8	SHARP
	1200	78.8	SHARP
	1500	78.8	NAME
	1800		NAME
	2100		NAME
	2400	78.5	H OMEBUCK

Tuesday

Date	Time	Temp.	Name (Print)
0	0300	78.3	H OMEBUCK
	0600	73	A ORNELAS
	0900	75	A ORNELAS
	1200	76	A ORNELAS
	1500	78.6	NAME
	1800	78.4	NAME
	2100	76.4	NAME
	2400	78.8	H OMEBUCK

Wednesday

Date	Time	Temp.	Name (Print)
06/21	0300	78.8	H OMEBUCK
	0600	77.8	Almanza
	0900	78.8	Almanza
	1200	79.3	Almanza
	1500	79.2	NAME
	1800	79.2	NAME
	2100		NAME
	2400	79.8	HEV

Thursday

Date	Time	Temp.	Name (Print)
18/22	0300	79.7	HEV
	0600	78.7	HEV
	0900	78.3	HEV
	1200	78.7	HEV
	1500	78.9	CETLN
	1800	78.9	CETLN
	2100	78.6	CETLN
	2400	78.6	HEV

Friday

Date	Time	Temp.	Name (Print)
08/23	0300	78.4	HEV
	0600	78.1	Navarro
	0900	77.5	Navarro
	1200	77.5	Navarro
	1500	77.7	S. ZAPOL
	1800	77.5	S. ZAPOL
	2100	77.5	S. ZAPOL
	2400	77.2	HARRINGTON

Saturday

Date	Time	Temp.	Name (Print)
	0300	76.8	HARRINGTON
	0600	77.5	S. ZAPOL
	0900	77.5	S. ZAPOL
	1200	77.5	J. SONZA
	1500	77.4	J. SONZA
	1800	77.0	J. SONZA
	2100	77.0	J. SONZA
	2400	77.2	R. MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
	0300	77.0	H OMEBUCK
	0600	77.2	SHARP
	0900	77.2	SHARP
	1200	77.2	SHARP
	1500	77.0	CETLN
	1800	77.3	CETLN
	2100	77.7	CETLN
	2400	77.6	H OMEBUCK

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C 3 Temp. Reading Location: B SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	77.1	H. OMESBUTCH
	0600	77.0	SHARP
	0900	77.0	SHARP
	1200	77.2	SHARP
	1500	77.0	WATKIN
	1800	77.4	WATKIN
	2100	77.4	WATKIN
	2400	77.4	H. OMESBUTCH

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	77.4	H. OMESBUTCH
	0600	77.0	A. OMELAS
	0900	75	A. OMELAS
	1200	75	A. OMELAS
	1500	77.6	WATKIN
	1800	77.7	WATKIN
	2100	77.7	WATKIN
	2400	77.5	H. OMESBUTCH

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	77.3	H. OMESBUTCH
	0600	78.1	CORONEL
	0900	77.4	CORONEL
	1200	78.0	CORONEL
	1500	77.7	WATKIN
	1800	77.6	WATKIN
	2100	77.6	WATKIN
	2400	77.6	HEV

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	78.1	HEV
	0600	77.9	GOMEZ
	0900	77.9	GOMEZ
	1200	77.9	GOMEZ
	1500	78.1	GOMEZ
	1800	78.3	GOMEZ
	2100	78.4	GOMEZ
	2400	78.1	GOMEZ

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	78.1	GOMEZ
	0600	78.3	GOMEZ
	0900	77.7	NAVARRA
	1200	78.1	NAVARRA
	1500	78.3	S. ZARDEL
	1800	78.3	S. ZARDEL
	2100	78.4	S. ZARDEL
	2400	78.1	PEARSON

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	78.1	PEARSON
	0600	71	VALENCIA
	0900	75.	VALENCIA
	1200	75.3	VALENCIA
	1500	78.1	J. SONZA
	1800	78.3	J. SONZA
	2100	78.8	J. SONZA
	2400	78.1	PEARSON

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	76.3	H. OMESBUTCH
	0600	76.1	SHARP
	0900	75.1	SHARP
	1200	76.4	SHARP
	1500	76.4	CUTIN
	1800	76.6	CUTIN
	2100	76.6	CUTIN
	2400	76.4	H. OMESBUTCH

Notes

0189

---



---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C-4 Temp. Reading Location: Control  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
8/1/24	0300	78.4	MUSK
	0600	78.1	Ramirez
	0900	78.4	Ramirez
	1200	78.4	Ramirez
	1500	78.4	I. OGBEIDE
	1800	78.4	I. OGBEIDE
	2100	78.4	I. OGBEIDE
	2400	78.1	Mitchell

**Friday**

Date	Time	Temp.	Name (Print)
8/2/24	0300	78.1	Mitchell
	0600	78.4	Ramirez
	0900	78.6	Ramirez
	1200	79.3	Ramirez
	1500	78.4	I. OGBEIDE
	1800	76	I. OGBEIDE
	2100	76	I. OGBEIDE
	2400	76.6	Mitchell

**Saturday**

Date	Time	Temp.	Name (Print)
8/3/24	0300	76.6	Mitchell
	0600	78.8	Ramirez
	0900	78.8	Ramirez
	1200	78.8	Ramirez
	1500	79.3	Name
	1800	79.2	Name
	2100	79.2	Name
	2400	79.9	C. Hernandez

**Sunday**

Date	Time	Temp.	Name (Print)
8/4/24	0300	79.2	C. Hernandez
	0600	79.2	Ramirez
	0900	78.8	Ramirez
	1200	79.2	Ramirez
	1500	79.2	Sharp
	1800	79.2	Sharp
	2100	79.7	Sharp
	2400	78.8	MUSIC

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C-4 Temp. Reading Location: Central  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	78.8	Musk
5	0600	78.7	
5	0900	79.1	
5	1200	79.5	
5	1500	79.7	Navar
5	1800	79.2	Navar
5	2100	79.2	Navar
5	2400	79.2	Musk

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	79.2	Musk
6	0600	79.4	Navar
6	0900	78.6	Navar
6	1200	78.5	Navar
6	1500	79.3	Navar
6	1800	79.3	Navar
6	2100	79.3	Navar
6	2400	79.2	Musk

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	79.2	Musk
7	0600	78.6	Ramirez
7	0900	78.8	Ramirez
7	1200	79.2	Ramirez
7	1500	78.8	Navar
7	1800	79.2	Navar
7	2100	79.7	Navar
7	2400	79.2	Musk

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	79.2	Musk
8	0600	78.8	Ramirez
8	0900	78.6	Ramirez
8	1200	78.8	Ramirez
8	1500	79.2	Ramirez
8	1800	82.0	I-BESEIDE
8	2100	78.0	I-BESEIDE
8	2400	78.0	Mitchell

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	77.6	Mitchell
9	0600	77.8	S.Zagel
9	0900	78.2	S.Zagel
9	1200	78.3	S.Zagel
9	1500	78.8	J.Santiago
9	1800	79.2	ARRUDA
9	2100	78.8	ARRUDA
9	2400	78.8	Mitchell

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	78.4	Mitchell
10	0600	79.0	Salazar
10	0900	79.3	Salazar
10	1200	75.4	Salazar
10	1500	79.5	Navar
10	1800	79.5	Navar
10	2100	80.2	Navar
10	2400	79.2	S.Yank

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	79.2	S.Yank
11	0600	79.3	Ramirez
11	0900	79.2	Ramirez
11	1200	79.5	Ramirez
11	1500	79.7	SHARP
11	1800	79.1	SHARP
11	2100	79.7	SHARP
11	2400	78.9	SHARP

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-Sac Housing Unit: C - 4 Temp. Reading Location: Central 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>8/12</u>	0300	78.8	Shaw
	0600	78.8	Ramirez
	0900	78.7	Navarro
	1200	78.2	Navarro
	1500	79.2	Navarro
	1800	78.4	Navarro
	2100	78.4	Navarro
	2400	78.7	Shaw

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>8/13</u>	0300	78.8	Shaw
	0600	78.9	Ramirez
	0900	78.9	Ramirez
	1200	78.9	Ramirez
	1500	78.6	Navarro
	1800	78.9	Navarro
	2100	78.9	Navarro
	2400	77.8	Shaw

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>8/14</u>	0300	78.1	Shaw
	0600	77.7	Ramirez
	0900	78.4	Ramirez
	1200	79.2	Ramirez
	1500	79.3	Navarro
	1800	79.5	Navarro
	2100	79.5	Navarro
	2400	78.8	

**Thursday**

Date	Time	Temp.	Name (Print)
<u>8/15</u>	0300	78.5	Shaw
	0600	78.8	Ramirez
	0900	78.8	Ramirez
	1200	78.8	Ramirez
	1500	79.7	Ramirez
	1800	79.2	Ramirez
	2100	79.3	Ramirez
	2400	78.4	Villaseca

**Friday**

Date	Time	Temp.	Name (Print)
<u>8/16</u>	0300	78.8	Villaseca
	0600	78.8	Ramirez
	0900	77.7	Ramirez
	1200	79.2	Ramirez
	1500	80.2	I.OGBEDE
	1800	80.2	I.OGBEDE
	2100	76.0	I.OGBEDE
	2400	75.1	Cirelli

**Saturday**

Date	Time	Temp.	Name (Print)
<u>8/17</u>	0300	79.0	Cirelli
	0600	79.2	RAMOS
	0900	79.2	RAMOS
	1200	79.3	RAMOS
	1500	79.4	SMITH
	1800	79.4	SMITH
	2100	79.2	SMITH
	2400	79.0	SMITH

**Sunday**

Date	Time	Temp.	Name (Print)
<u>8/18</u>	0300	78.0	Zimmer
	0600	77.3	Zimmer
	0900	78.6	Ramirez
	1200	79.3	Ramirez
	1500	78.6	Sharp
	1800	78.6	Sharp
	2100	78.6	Sharp
	2400	78.6	J. Thompson

**Notes**

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C-4 Temp. Reading Location: Control 3rd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	78.8	T. Thompson
	0600	78.6	Perry
	0900	78.8	Perry
	1200	78.4	Perry
	1500	78.6	Nunes
	1800	78.6	Nunes
	2100	78.6	Navarro
	2400	78.6	Musk

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	78.6	Musk
	0600	78.4	100%
	0900	78.3	100%
	1200	78.3	Nozze
	1500	78.3	Nunes
	1800	78.4	Navarro
	2100	78.4	Navarro
	2400	78.6	Musk

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300	78.6	Musk
	0600	78.3	Perry
	0900	78.3	Perry
	1200	78.3	Perry
	1500	78.6	Navarro
	1800	78.6	Navarro
	2100	78.6	Navarro
	2400	78.4	Musk

**Thursday**

Date	Time	Temp.	Name (Print)
8/21	0300	78.4	Musk
	0600	78.3	Avila
	0900	77.4	Avila
	1200	77.7	Avila
	1500	77.7	Ramirez
	1800	77.7	Ramirez
	2100	78.1	Ramirez
	2400	78.1	Mitchell

**Friday**

Date	Time	Temp.	Name (Print)
	0300	78.0	Mitchell
	0600	78.1	Ramirez
	0900	77.7	Ramirez
	1200	77.7	Ramirez
	1500	78.3	DUBERDE
	1800	78.3	J. DUBERDE
	2100	78.3	Z. DUBERDE
	2400	78.1	Mitchell

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	78.1	Mitchell
	0600	77.7	Ramirez
	0900	77.7	Ramirez
	1200	77.5	Ramirez
	1500	78.4	Ramirez
	1800	77.7	Ramirez
	2100	77.5	Ramirez
	2400	77.7	WILRIGHT

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	77.5	WILRIGHT
	0600	77.4	Ramirez
	0900	77.3	Ramirez
	1200	77.2	Ramirez
	1500	77.7	SHARP
	1800	77.2	SHARP
	2100	77.2	SHARP
	2400	77.2	Musk

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C - 4 Temp. Reading Location: Control  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/26	0300	77.2	Musk
26	0600	77.4	
26	0900	77.2	
26	1200	72.3	J. Guzman
26	1500	70.3	Navarro
26	1800	77.3	Navarro
26	2100	77.4	Navarro
26	2400	77.3	Musk

#### Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	77.3	Musk
27	0600	77.3	
27	0900	77.4	
27	1200	77.4	
27	1500	77.7	Navarro
27	1800	72.7	Navarro
27	2100	77.7	Navarro
27	2400	77.5	Navarro

#### Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	77.5	Musk
28	0600	77.5	Ramirez
28	0900	77.5	Ramirez
28	1200	77.5	Ramirez
28	1500	77.7	Navarro
28	1800	78.1	Navarro
28	2100	78.1	Navarro
28	2400	77.1	Musk

#### Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	77.1	Musk
29	0600	77.7	L. Ruelas
29	0900	78.1	T. Guzman
29	1200	78.2	T. Guzman
29	1500	78.2	Z. O'BRIEDE
29	1800	78.2	T. O'BRIEDE
29	2100	78.0	T. O'BRIEDE
29	2400	77.0	Mitchell

#### Friday

Date	Time	Temp.	Name (Print)
8/30	0300	78.0	Mitchell
30	0600	78.3	Ramirez
30	0900	78.3	Ramirez
30	1200	78.8	Ramirez
30	1500	78.0	I. O'BRIEDE
30	1800	78.0	I. O'BRIEDE
30	2100	78.0	I. O'BRIEDE
30	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	78.4	U. Shifman
31	0600	78.4	U. Shifman
31	0900	78.4	Ramirez
31	1200	78.4	Ramirez
31	1500	78.6	Navarro
31	1800	78.6	Navarro
31	2100	78.6	Navarro
31	2400	78.5	J. JOHNSON

#### Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	71.2	Sharp
	1800	79.2	Sharp
	2100	78.6	Sharp
	2400		

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C5 - Control Temp. Reading Location: B - Front Window  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
	0300	78.4	
	0600	78.5	ARRUDA
	0900	78.8	ARRUDA
8/1/24	1200	79.2	ARRUDA
	1500	79.2	(W) F. FERNAN
	1800	79.7	(W) F. FERNAN
	2100	80.2	(W) F. FERNAN
	2400	79.6	78.2

#### Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	78	M. BROWN
	0600	78.8	YUEN
	0900	78.7	SUC
	1200	78.8	SUC
	1500	78.6	SUC
	1800	79.5	W. EXPERT
	2100	80.2	C. EXPERT
	2400	81	M. BROWN

#### Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	79	M. BROWN
	0600	79.9	M. BROWN
	0900	79.3	P. HARRIS
	1200	79.5	P. HARRIS
	1500	80.8	D. SHIGERU
	1800	80.4	D. SHIGERU
	2100	80.4	J. S. PRITCHARD
	2400	80.2	M. BROWN

#### Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	79.9	M. BROWN
	0600	79.5	HARRIS
	0900	79.5	P. HARRIS
	1200	81.3	P. HARRIS
	1500	82.4	D. SHIGERU
	1800	82.8	D. SHIGERU
	2100	82.0	D. SHIGERU
	2400	81.9	Mitchell

#### Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP SAC Housing Unit: C5-Control Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5/20	0300	77.5	MITCHALL
0600	77.5	VILLASENOR	
0900	78.6	VILLASENOR	
1200	79.7	VILLASENOR	
1500	80.2	(W) BERNARD	
1800	80.6	(W) BERNARD	
2100	80.4	(W) BERNARD	
2400	83	MILL	

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6/20	0300	81.4	MILL
0600	79.9	VILLASENOR	
0900	78.8	VILLASENOR	
1200	78.3	VILLASENOR	
1500	79.5	(W) BERNARD	
1800	79.8	(W) BERNARD	
2100	79.9	(W) BERNARD	
2400	79	MILL	

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7/20	0300	78.6	MILL
0600	78.1	VILLASENOR	
0900	79.3	VILLASENOR	
1200	79.3	VILLASENOR	
1500	79.9	(W) BERNARD	
1800	80.2	(W) BERNARD	
2100	80.6	(W) BERNARD	
2400	79	MILL	

**Thursday**

Date	Time	Temp.	Name (Print)
8/8/20	0300	78.8	MILL
0600	79.2	VILLASENOR	
0900	78.4	VILLASENOR	
1200	79.2	VILLASENOR	
1500	79.2	(W) BERNARD	
1800	79.7	(W) BERNARD	
2100	79.7	(W) BERNARD	
2400	79.1	MILL	

**Friday**

Date	Time	Temp.	Name (Print)
8/9/20	0300	79	MILL
0600	79.3	MILL	
0900	78.1	VILLASENOR	
1200	78.8	VILLASENOR	
1500	79.5	(W) BERNARD	
1800	79.7	(W) BERNARD	
2100	79.5	(W) BERNARD	
2400	79.6	MILL	

**Saturday**

Date	Time	Temp.	Name (Print)
8/10/20	0300	77	MILL
0600	79.5	MILL	
0900	79.5	MILL	
1200	79.1	MILL	
1500	78.8	VEACH	
1800	79.3	VEACH	
2100	79.9	VEACH	
2400	79.9	VEACH	

**Sunday**

Date	Time	Temp.	Name (Print)
8/11/20	0300	79.1	MILL
0600	79.4	E. MILLER	
0900	78.0	HURST	
1200	78.6	HURST	
1500	79.9	VEACH	
1800	79.7	VEACH	
2100	79.7	VILLASENOR	
2400	79.7	VILLASENOR	

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C5 CONTROL Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 3309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	76.4	Villaseñor
	0600	76.5	Villaseñor
	0900	76.6	Villaseñor
	1200	77.7	Villaseñor
	1500	78.4	C. Bryant
	1800	78.4	C. Bryant
	2100	78.8	C. Bryant
	2400	78.1	M. Brown

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	78.1	M. Brown
	0600	77.1	M. Brown
	0900	77.1	M. Brown
	1200	77.5	M. Brown
	1500	77.5	C. Bryant
	1800	78.3	C. Bryant
	2100	78.1	C. Bryant
	2400	78	M. Brown

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	78.1	M. Brown
	0600	78.1	M. Brown
	0900	77.5	M. Brown
	1200	77.5	M. Brown
	1500	77.4	M. Brown
	1800	77.5	M. Brown
	2100	77.5	M. Brown
	2400	77.3	M. Brown

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	77.3	M. Brown
	0600	77.3	M. Brown
	0900	77.5	V. Villaseñor
	1200	77.5	V. Villaseñor
	1500	78.3	M. Brown
	1800	77.7	M. Brown
	2100	77.5	M. Brown
	2400	77.5	M. Brown

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	77.5	M. Brown
	0600	77.5	M. Brown
	0900	77.4	V. Villaseñor
	1200	77.7	V. Villaseñor
	1500	77.5	C. Bryant
	1800	77.5	C. Bryant
	2100	78.1	C. Bryant
	2400	78.1	M. Brown

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	78.1	M. Brown
	0600	78.1	M. Brown
	0900	78.1	M. Brown
	1200	77.7	M. Brown
	1500	78.3	Veach
	1800	78.6	Veach
	2100	78.0	Veach
	2400	76.7	M. Brown

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	77.0	M. Brown
	0600	78.0	M. Brown
	0900	77.6	M. Brown
	1200	77.4	M. Brown
	1500	79.2	Veach
	1800	78.6	Veach
	2100	78.6	Veach
	2400	73.1	M. Brown

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the inside ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C5 Temp. Reading Location: 3rd Floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/14	0300	77.1	V. Lazz
	0600	77.0	V. Lazz
	0900	77.2	V. Lazz
	1200	77.5	V. Lazz
	1500	77.7	W. Everett
	1800	77.9	W. Everett
	2100	77.8	W. Everett
	2400	77.5	W. Everett

Tuesday

Date	Time	Temp.	Name (Print)
8/20/14	0300	77.5	W. Everett
	0600	77.5	W. Everett
	0900	77.2	V. Lazz
	1200	76.6	V. Lazz
	1500	77.2	W. Everett
	1800	77.7	W. Everett
	2100	77.8	W. Everett
	2400	77.4	W. Everett

Wednesday

Date	Time	Temp.	Name (Print)
8/21/14	0300	77.4	V. Lazz
	0600	77.4	V. Lazz
	0900	77.0	V. Lazz
	1200	77.2	V. Lazz
	1500	77.4	W. Everett
	1800	77.2	W. Everett
	2100	76.6	W. Everett
	2400	76.6	W. Everett

Thursday

Date	Time	Temp.	Name (Print)
8/22/14	0300	77.5	W. Everett
	0600	77.0	V. Lazz
	0900	76.6	V. Lazz
	1200	76.6	V. Lazz
	1500	76.6	W. Everett
	1800	76.6	W. Everett
	2100	76.1	W. Everett
	2400	76.4	W. Everett

Friday

Date	Time	Temp.	Name (Print)
8/23/14	0300	76.6	W. Everett
	0600	76.6	W. Everett
	0900	75.9	V. Lazz
	1200	75.9	V. Lazz
	1500	75.6	W. Everett
	1800	76.1	W. Everett
	2100	76.3	W. Everett
	2400	76.3	W. Everett

Saturday

Date	Time	Temp.	Name (Print)
8/24/14	0300	76.3	W. Everett
	0600	76.3	W. Everett
	0900	76.5	W. Everett
	1200	75.9	V. Lazz
	1500	76.1	Veach
	1800	76.1	Veach
	2100	76.0	Veach
	2400	76.0	Veach

Sunday

Date	Time	Temp.	Name (Print)
8/25/14	0300	76.1	
	0600	76.3	H. F. T.
	0900	76.1	H. F. T.
	1200	75.3	H. F. T.
	1500	75.3	Veach
	1800	76.1	Veach
	2100	76.1	Veach
	2400	76.1	Veach

Notes

STATE OF CALIFORNIA  
 INSIDE TEMPERATURE RECORD  
 CDGR 2031 (04/18)

ATTACHMENT G  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C5 Temp. Reading Location: B - Sect 204  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	75.4	Mitchell
	0600	75.3	Villaseca
	0900	75.7	Villaseca
	1200	75.9	Villaseca
	1500	76.2	W. Espinoza
	1800	75.7	W. Espinoza
	2100	76.1	W. Espinoza
	2400	76.1	W. Espinoza

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	76.1	W. Espinoza
	0600	76.1	W. Espinoza
	0900	76.1	W. Espinoza
	1200	76.2	W. Espinoza
	1500	77.1	W. Espinoza
	1800	76.2	W. Espinoza
	2100	76.1	W. Espinoza
	2400	76.2	W. Espinoza

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	76.3	M. Rivas
	0600	76.4	M. Rivas
	0900	76.6	M. Rivas
	1200	77.0	J. Almanza
	1500	76.0	Borges
	1800	76.6	Borges
	2100	76.5	Borges
	2400	77.1	M. Rivas

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	79.1	M. Rivas
	0600	77.1	M. Rivas
	0900	72.1	M. Rivas
	1200	75.2	M. Rivas
	1500	77.3	W. Espinoza
	1800	77.1	W. Espinoza
	2100	77.3	W. Espinoza
	2400	75.4	W. Espinoza

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	76.8	M. Rivas
	0600	76.8	A. Buiissa
	0900	76.2	A. Buiissa
	1200	71.4	A. Buiissa
	1500	73.2	Garibay
	1800	74.1	Garibay
	2100	74.5	Garibay
	2400	76.4	J. Johnson

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	76.7	J. JOHNSON
	0600	79.1	C. ESPINOZA
	0900	77.3	C. ESPINOZA
	1200	76.1	C. ESPINOZA
	1500	76.3	Veach
	1800	75.9	Veach
	2100		Veach
	2400		Veach

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300	74.7	DURNEY
	0600	74.7	Thony
	0900	74.7	Thony
	1200	74.7	Thony
	1500	74.7	YSIANO
	1800	74.8	YSIANO
	2100	74.8	YSIANO
	2400	74.8	DURNEY

**Friday**

Date	Time	Temp.	Name (Print)
	0300	75.4	DURNEY
	0600	75.4	DURNEY
	0900	74.7	Cantrell
	1200	76.1	Cantrell
	1500	75.2	YSIANO
	1800	75.2	YSIANO
	2100	75.2	YSIANO
	2400	75.3	DURNEY

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	75.6	DURNEY
	0600	75.6	DURNEY
	0900	75.4	Cantrell
	1200	74.9	Cantrell
	1500	75.2	51902
	1800	75.2	YSIANO
	2100	75.2	YSIANO
	2400	75.2	DURNEY

**Sunday**

Date	Time	Temp.	Name (Print)
	0300	76.3	DURNEY
	0600	76.3	DURNEY
	0900	75.4	Hurley
	1200	75.2	Hurley
	1500	75.4	Hurley
	1800	75.4	Hurley
	2100	75.4	Hurley
	2400	75.4	DURNEY

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	75.9	DURNEY
	0600	75.9	DURNEY
	0900	75.2	Thompson
	1200	75.9	Thompson
	1500	75.0	Clark
	1800	75.4	Morales
	2100	75.7	Morales
	2400	75.1	CAS

#### Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	75.1	CAS
	0600	74.8	Thompson
	0900	74.8	Thompson
	1200	74.8	Thompson
	1500	75.2	Johnson
	1800	75.2	Johnson
	2100	75.2	Johnson
	2400	74.8	Deveray

#### Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	75.2	Deveray
	0600	75.2	Deveray
	0900	74.7	Thompson
	1200	74.7	Thompson
	1500	75.2	Johnson
	1800	75.4	Johnson
	2100	75.4	Johnson
	2400	75.4	Deveray

#### Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	75.9	DURNEY
	0600	75.9	DURNEY
	0900	74.8	Thompson
	1200	74.8	Thompson
	1500	75.2	Ysiano
	1800	75.2	Ysiano
	2100	75.2	Ysiano
	2400	75.2	Deveray

#### Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	75.2	DURNEY
	0600	75.2	DURNEY
	0900	74.5	Cantrell
	1200	75.2	Cantrell
	1500	75.6	Ysiano
	1800	75.6	Ysiano
	2100	75.6	Ysiano
	2400	75.6	DURNEY

#### Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	74.5	DURNEY
	0600	74.5	DURNEY
	0900	73.9	Cantrell
	1200	73.7	Cantrell
	1500	76.5	Ysiano
	1800	75.7	Ysiano
	2100	75.7	Ysiano
	2400	75.2	Edwards

#### Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	75.2	Soriano
	0600	75.2	Soriano
	0900	74.8	Hurley
	1200	74.8	Hurley
	1500	74.8	Hurley
	1800	75.0	Hurley
	2100	74.8	Hurley
	2400	74.8	DURNEY

#### Notes

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12/24	0300	75.2	DURNEY
	0600	75.2	DURNEY
	0900	74.7	Thompson
	1200	74.7	Thompson
	1500	74.9	MCAFELLY, JR
	1800	74.7	MCAFELLY, JR
	2100	74.5	MCAFELLY, JR
	2400	74.3	CAS

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13/24	0300	74.3	CAS
	0600	74.3	Thompson
	0900	74.3	Thompson
	1200	74.5	Thompson
	1500	74.5	Johnson
	1800	74.7	Johnson
	2100	74.7	Johnson
	2400	74.7	Tucker

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14/24	0300	74.5	Tucker
	0600	74.5	Tucker
	0900	74.5	Thompson
	1200	74.7	Thompson
	1500	74.7	Johnson
	1800	74.6	Johnson
	2100	74.3	Johnson
	2400	74.4	DURNEY

**Thursday**

Date	Time	Temp.	Name (Print)
8/15/24	0300	75.2	DURNEY
	0600	75.2	DURNEY
	0900	74.5	Thompson
	1200	74.8	Thompson
	1500	74.5	YISIANO
	1800	74.5	YISIANO
	2100	74.5	YISIANO
	2400	74.8	DURNEY

**Friday**

Date	Time	Temp.	Name (Print)
8/16/24	0300	74.8	DURNEY
	0600	74.8	DURNEY
	0900	74.3	Cantrell
	1200	75.2	Cantrell
	1500	74.5	YISIANO
	1800	74.5	YISIANO
	2100	74.5	YISIANO
	2400	74.5	DURNEY

**Saturday**

Date	Time	Temp.	Name (Print)
8/17/24	0300	74.8	DURNEY
	0600	74.8	DURNEY
	0900	73.6	Cantrell
	1200	74.1	Cantrell
	1500	74.5	YISIANO
	1800	74.5	YISIANO
	2100	74.5	YISIANO
	2400	74.5	DURNEY

**Sunday**

Date	Time	Temp.	Name (Print)
8/18/24	0300	74.7	DURNEY
	0600	74.7	DURNEY
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	74.1	W. EMMETT

**Notes**

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19/24	0300	74.1	D. Farney
	0600	73.9	D. Farney
	0900	74.1	Thorne
	1200	74.3	Thorne
	1500	74.9	Chay
	1800	74.3	McMurry
	2100	74.3	McMurry
	2400	74.3	Chay

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/24	0300	74.0	Chay
	0600	74.1	Thorne
	0900	73.9	Thorne
	1200	74.1	Thorne
	1500	74.1	Johnson
	1800	74.2	Johnson
	2100	74.2	Johnson
	2400	74.3	Scott

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21/24	0300	74.3	Scott
	0600	74.3	Scott
	0900	74.1	Thorne
	1200	74.1	Thorne
	1500	74.1	Johnson
	1800	74.1	Johnson
	2100	74.1	Johnson
	2400	74.1	Durancy

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/24	0300	74.8	Durancy
	0600	74.8	Durancy
	0900	74.1	Thorne
	1200	74.1	Thorne
	1500	74.1	Yslam
	1800	74.1	Yslam
	2100	74.1	Yslam
	2400	74.1	Durancy

**Friday**

Date	Time	Temp.	Name (Print)
8/23/24	0300	74.3	Durancy
	0600	74.3	Durancy
	0900	73.9	Cantrell
	1200	73.6	Cantrell
	1500	73.6	Yslam
	1800	73.6	Yslam
	2100	73.6	Yslam
	2400	73.6	Durancy

**Saturday**

Date	Time	Temp.	Name (Print)
8/24/24	0300	74.3	Durancy
	0600	74.3	Durancy
	0900	73.9	F. Coronel
	1200	73.9	F. Coronel
	1500	74.1	Yslam
	1800	73.9	Yslam
	2100	73.9	Yslam
	2400	73.9	Durancy

**Sunday**

Date	Time	Temp.	Name (Print)
8/25/24	0300	73.9	Durancy
	0600	73.9	Durancy
	0900	73.9	Hurley
	1200	74.0	Hurley
	1500	74.2	Hurley
	1800	73.4	Hurley
	2100	73.2	Hurley
	2400	73.3	Durancy

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	73.4	DUMANIS
	0600	73.4	DUMANIS
	0900	73.2	Tonya
	1200	73.6	Tonya
	1500	73.0	J. Herrera
	1800	73.9	J. Herrera
	2100	73.7	J. Herrera
	2400	73.5	GAS


Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	74.5	Tucker
	0600	74.3	Tucker
	0900	74.1	Tony
	1200	74.3	Tony
	1500	74.1	Johnson
	1800	74.7	Johnson
	2100	74.7	Johnson
	2400	74.7	Johnson

**Friday**

Date	Time	Temp.	Name (Print)
8/30/24	0300	75.2	Durant
	0600	73.6	Sunay
	0900	74.2	Cantrell
	1200	74.5	Cantrell
	1500	71.8	Ysian
	1800	74.8	Ysian
	2100	74.8	Ysian
	2400	74.7	Durant

Sunday



Tuesday

Dat	Time	Temp.	Name (Print)
8/27/24	0300	78.3	Chris
	0600	73.8	Wade
	0900	73.9	Wade
	1200	74.1	Wade
	1500	74.1	John
	1800	74.2	Johnson
	2100	74.1	Johnson
	2400	74.3	Tucker

Thursday

Thursday		Date	Time	Temp.	Name (Print)
8/29/24		0300	74.7	DURAN	Elly
		0600	74.7	DURAN	Elly
		0900	75.2	DURAN	Tony
		1200	74.5	DURAN	Tony
		1500	74.8	DURAN	Tony
		1800	74.8	DURAN	Tony
		2100	74.8	DURAN	Tony
		2400	74.8	DURAN	Elly

## Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	54.7	Durante
	0600	73.9	Durante
	0900	74.2	Cantrell
	1200	74.7	Cantrell
	1500	74.8	YSIANO
	1800	74.8	YSIANO
	2100	74.8	YSIANO
	2400	74.8	Munoz

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP SAC Housing Unit: C 7 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300		
	0600	81.0	C. Hernandez
	0900	81.0	C. Hernandez
	1200	81.0	C. Hernandez
	1500	80.6	J. Bravo J. B.
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
7-30-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300		
	0600	79.9	C. Hernandez
	0900	79.9	C. Hernandez
	1200	80.4	C. Hernandez
	1500	80.6	J. Bravo
	1800	80.6	J. Bravo
	2100	80.6	J. Bravo
	2400	80.8	K. TUESPEZ

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300		
	0600	80.8	C. Hernandez
	0900	80.8	C. Hernandez
	1200	80.4	C. Hernandez
	1500	80.4	K. TUESPEZ
	1800	80.4	K. TUESPEZ
	2100	80.5	K. TUESPEZ
	2400	81.0	K. WARD

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	81.0	K. TUESPEZ
	0600	80.8	K. WARD
	0900	80.8	C. Hernandez
	1200	80.8	C. Hernandez
	1500	80.8	K. WARD
	1800	80.8	K. WARD
	2100	80.8	K. WARD
	2400	78.8	K. WARD

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	80.8	K. WARD
	0600	81.6	K. WARD
	0900	80.6	C. Hernandez
	1200	80.6	C. Hernandez
	1500	80.8	S. SINGH
	1800	80.8	S. SINGH
	2100	80.8	S. SINGH
	2400	80.1	V. LASEKOV

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C1

Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/15/21	0300	80.8	J. Hernandez
	0600	80.8	C. Hernandez
	0900	80.8	C. Hernandez
	1200	80.6	C. Hernandez
	1500	80.4	A. Garibay
	1800	80.4	A. Garibay
	2100	80.4	A. Garibay
	2400	80.5	CASERO

**Tuesday**

Date	Time	Temp.	Name (Print)
8/16/21	0300	80.4	CASERO
	0600	80.4	Campbell
	0900	80.4	Campbell
	1200	80.2	Campbell
	1500	80.6	A. Duarre
	1800	81.0	A. Duarre
	2100	80.4	A. Duarre
	2400	80.4	K. Olson

**Wednesday**

Date	Time	Temp.	Name (Print)
8/17/21	0300	80.4	K. Olson
	0600	80.4	M. Lee
	0900	80.4	M. Lee
	1200	80.4	M. Lee
	1500	81.0	Arizona
	1800	80.6	Arizona
	2100	80.6	Arizona
	2400	80.4	Hernandez

**Thursday**

Date	Time	Temp.	Name (Print)
8/18/21	0300	80.4	K. JUAREZ
	0600	80.4	C. Hernandez
	0900	80.4	C. Hernandez
	1200	80.6	C. Hernandez
	1500	80.6	J. Brune
	1800	81.0	J. Brune
	2100	80.4	J. Brune
	2400	80.4	K. JUAREZ

**Friday**

Date	Time	Temp.	Name (Print)
8/19/21	0300	80.0	K. JUAREZ
	0600	80.0	C. Hernandez
	0900	80.0	C. Hernandez
	1200	80.2	C. Hernandez
	1500	80.4	Robles
	1800	79.8	Robles
	2100	80.0	Robles
	2400	80.0	K. Olson

**Saturday**

Date	Time	Temp.	Name (Print)
8/20/21	0300	80.0	C. Hernandez
	0600	80.0	C. Hernandez
	0900	80.0	C. Hernandez
	1200	80.0	C. Hernandez
	1500	80.0	C. Hernandez
	1800	80.0	C. Hernandez
	2100	80.2	C. Hernandez
	2400	79.7	Holmes

**Notes**

Date	Time	Temp.	Name (Print)
8/21/21	0300	79.7	Holmes
	0600	79.3	C. Hernandez
	0900	79.3	C. Hernandez
	1200	79.3	C. Hernandez
	1500	80.2	C. Hernandez
	1800	80.2	C. Hernandez
	2100	80.2	C. Hernandez
	2400	80.0	CASERO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CSP SAC Housing Unit: C7 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/13/24	0300	79.7	CASTRO
	0600	79.5	AVILA
	0900	79.3	AVILA
	1200	79.5	AVILA
	1500	80.1	K. OLSON
	1800	80.1	K. OLSON
	2100	80.1	K. OLSON
	2400	80.1	K. OLSON

#### Tuesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	80.1	K. OLSON
	0600	80.	M. Lee
	0900	79.3	M. Lee
	1200	78.6	M. Lee
	1500	80.1	K. OLSON
	1800	80.1	K. OLSON
	2100	80.1	K. OLSON
	2400	80.1	K. OLSON

#### Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	78.1	K. OLSON
	0600	78.3	M. Lee
	0900	78.6	M. Lee
	1200	78.5	M. Lee
	1500	78.5	J. POW
	1800	78.6	J. POW
	2100	78.6	J. POW
	2400	78.7	K. JUAREZ

#### Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	78.8	K. JUAREZ
	0600	78.9	C. Hernandez
	0900	78.4	C. Hernandez
	1200	78.4	C. Hernandez
	1500	79.2	J. BRYAN
	1800	79.3	J. BRYAN
	2100	79.3	J. BRYAN
	2400	79.1	K. JUAREZ

#### Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	78.4	K. JUAREZ
	0600	78.1	C. Hernandez
	0900	78.1	C. Hernandez
	1200	78.6	C. Hernandez
	1500	78.8	C. Hernandez
	1800	79.7	C. Hernandez
	2100	79.7	C. Hernandez
	2400	78.4	K. WARD

#### Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	78.4	K. WARD
	0600	78.4	K. WARD
	0900	78.4	C. Hernandez
	1200	78.4	C. Hernandez
	1500	78.4	K. WARD
	1800	78.4	K. WARD
	2100	78.4	K. WARD
	2400	78.4	K. WARD

#### Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	78.4	K. WARD
	0600	78.3	K. WARD
	0900	77.7	C. Hernandez
	1200	79.1	C. Hernandez
	1500	78.3	K. WARD
	1800	79.1	K. WARD
	2100	78.4	K. WARD
	2400	80.8	K. OLSON

#### Notes

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C7 Temp. Reading Location: B-section  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8-19-84	0300	80.8	K. OLSEN
	0600		
	0900		
	1200		
	1500	80.8	K. OLSEN
	1800	80.8	K. OLSEN
	2100	80.8	K. OLSEN
	2400	80.8	K. OLSEN

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20/84	0300	80.8	K. OLSEN
	0600	79.7	Hernandez
	0900	78.1	Megally
	1200	78.7	Hernandez
	1500	78.6	K. OLSEN
	1800	78.6	K. OLSEN
	2100	78.6	K. OLSEN
	2400	78.6	K. OLSEN

**Wednesday**

Date	Time	Temp.	Name (Print)
8-21-84	0300	78.6	K. OLSEN
	0600	78.6	M. Lee
	0900	77.8	M. Lee
	1200	77.7	M. Lee
	1500	78.1	Mugrone
	1800	78.1	Musgrave
	2100	78.1	Musgrave
	2400	77.8	K. JUAPER

**Thursday**

Date	Time	Temp.	Name (Print)
8/22/84	0300	77.7	K. JUAPER
	0600	77.4	D. Hyde
	0900	77.2	D. Hyde
	1200	77.4	D. Hyde
	1500	77.5	J. Drane
	1800	77.8	J. Drane
	2100	77.6	J. Drane
	2400	77.2	K. JUAPER

**Friday**

Date	Time	Temp.	Name (Print)
8/23/84	0300	76.1	K. JUAPER
	0600	77.3	D. Hyde
	0900	77.4	D. Hyde
	1200	77.4	D. Hyde
	1500	76.6	L. Andress
	1800	77.0	L. Andress
	2100	77.0	M. Lyons
	2400	76.9	K. WARD

**Saturday**

Date	Time	Temp.	Name (Print)
8/24/84	0300	76.3	K. WARD
	0600	76.6	K. WARD
	0900	73.2	D. Hyde
	1200	73.4	D. Hyde
	1500	76.3	D. Hyde
	1800	77.0	D. Hyde
	2100		
	2400	76.5	K. WARD

**Sunday**

Date	Time	Temp.	Name (Print)
8/25/84	0300	76.5	K. WARD
	0600	76.5	K. WARD
	0900	76.5	D. Hyde
	1200	77.2	D. Hyde
	1500	72.8	M. Lyons
	1800	71	M. Lyons
	2100		
	2400	76.8	K. OLSEN

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C7 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	71.0	K. Olson
	0600	75.4	C. Hernandez
	0900	76.6	C. Hernandez
	1200	76.6	C. Hernandez
	1500	77.2	K. Olson
	1800	77.2	K. Olson
	2100	77.2	K. Olson
	2400	77.2	K. Olson

#### Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	77.2	K. Olson
	0600	76.3	C. Hernandez
	0900	77.0	C. Hernandez
	1200	77.0	C. Hernandez
	1500	77.0	G. Smith
	1800	76.6	G. Smith
	2100	76.5	S. Jones
	2400	75	O. Osuna

#### Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	75	O. Osuna
	0600	74	E. Martinez
	0900	76	E. Martinez
	1200	78	K. Harper
	1500	78.6	J. Brown
	1800	78.6	J. Brown
	2100	78.6	J. Brown
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	78.4	M. Abundes
	0600	78.4	C. Hernandez
	0900	78.4	C. Hernandez
	1200	78.6	C. Hernandez
	1500	78.8	J. Brown
	1800	79.2	J. Brown
	2100	79.2	J. Brown
	2400	79.3	

#### Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	78.8	M. Abundes
	0600	78.8	C. Hernandez
	0900	78.8	C. Hernandez
	1200	79.2	C. Hernandez
	1500	80.1	J. Vangs
	1800	84	J. Vangs
	2100	79.4	K. Wicks
	2400	79.5	K. Wicks

#### Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	78.8	M. Abundes
	0600	79.2	K. Wicks
	0900	79.3	C. Hernandez
	1200	79.3	C. Hernandez
	1500	79.7	K. Wicks
	1800	79.8	K. Wicks
	2100	79.5	K. Wicks
	2400	79.0	K. Wicks

#### Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	79.0	K. Wicks
	0600	79.5	K. Wicks
	0900	79.5	C. Hernandez
	1200	79.5	C. Hernandez
	1500	79.9	K. Wicks
	1800	80.2	K. Wicks
	2100	79.9	K. Wicks
	2400	80.8	K. Olson

#### Notes

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/01/24	0100	77.5	G. Griffith
	0200	75.4	G. Griffith
	0300	73.9	G. Griffith
	0400	73.7	G. Griffith
	0500	72.1	G. Griffith
	0600	71.4	LUCERO
	0700	73.1	LUCERO
	0800	76.3	LUCERO
	0900	78.7	LUCERO
	1000	87.0	LUCERO
	1100	89.2	LUCERO
	1200	92.6	LUCERO
	1300	96.4	LUCERO
	1400	100.4	L. Rodriguez
	1500	101.1	L. Rodriguez
	1600	100.0	Rodriguez
	1700	98.9	Rodriguez
	1800	98.1	Rodriguez
	1900	97.3	Rodriguez
	2000	90.0	Rodriguez
	2100	89.6	Rodriguez
	2200	87.9	G. Griffith
	2300	84.9	G. Griffith
	2400	83.3	G. Griffith

STAGE 1 - HEAT ALERT  
ACTIVATED @ 1125  
2200 stage 1 deactivated  
a

Date	Time	Temp.	Printed Name
08/02/24	0100	81.5	G. Griffith
	0200	80.4	G. Griffith
	0300	79.3	G. Griffith
	0400	77.0	G. Griffith
	0500	76.4	G. Griffith
	0600	74.1	Johnson
	0700	75.5	Johnson
	0800	75.5	Johnson
	0900	78.0	Johnson
	1000	85.1	Johnson
	1100	88.8	Johnson
	1200	90.3	Johnson
	1300	90.0	Johnson
	1400	91.0	Rodriguez
	1500	94.2	Rodriguez
	1600	94.8	Rodriguez
	1700	95.7	Rodriguez
	1800	95.7	Rodriguez
	1900	92.1	Rodriguez
	2000	89.7	Rodriguez
	2100	88.8	Rodriguez
	2200	86.9	Campbell
	2300	86.0	Campbell
	2400	82.9	Campbell

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/03/24	0100	82.9	Campos
	0200	81.8	Campos
08	0300	81.1	Campos
	0400	81.5	Campos
	0500	81.1	Campos
	0600	79.1	Johnson
	0700	77.9	Johnson
	0800	81.3	Johnson
	0900	83.4	Johnson
	1000	90.3	Johnson
	1100	91.4	Johnson
	1200	90.2	Johnson
	1300	99.8	Johnson
	1400	101.3	Johnson
	1500	101.3	Johnson
	1600	103.3	Johnson
	1700	100.9	Johnson
	1800	100.0	Johnson
	1900	98.9	Johnson
	2000	94.1	Johnson
	2100	90.5	Johnson
	2200	86.1	Campos
	2300	83.6	Campos
	2400	84.5	Campos

Date	Time	Temp.	Printed Name
08/04/24	0100	82.2	Campos
	0200	79.3	Campos
08	0300	77.5	Campos
	0400	76.7	Campos
	0500	75.5	Campos
	0600	74.4	LUCERO
	0700	77.5	LUCERO
	0800	80.9	LUCERO
	0900	83.3	LUCERO
	1000	87.9	LUCERO
	1100	91.1	LUCERO
	1200	95.5	LUCERO
	1300	97.3	LUCERO
	1400	98.9	VALENCIA
	1500	101.0	VALENCIA
	1600	99.8	VALENCIA
	1700	99.6	VALENCIA
	1800	98.7	VALENCIA
	1900	95.7	VALENCIA
	2000	88.4	VALENCIA
	2100	86.0	VALENCIA
	2200	83.3	Campos
	2300	79.5	Campos
	2400	78.0	Campos

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/05/24	0100	74.8	Campos
	0200	73.0	Campos
	0300	71.3	Campos
	0400	69.2	Campos
	0500	66.9	Campos
	0600	66.5	LUCERO
	0700	67.8	LUCERO
	0800	70.1	LUCERO
	0900	79.5	LUCERO
	1000	83.6	LUCERO
	1100	86.3	LUCERO
	1200	90.1	MARTINEZ
	1300	91.9	MARTINEZ
	1400	95.7	Rodriguez
	1500	97.7	Rodriguez
	1600	98.9	Rodriguez
	1700	96.9	Rodriguez
	1800	96.4	Rodriguez
	1900	94.9	Rodriguez
	2000	90.1	Rodriguez
	2100	82.4	Rodriguez
	2200	79.1	Campos
	2300	77.5	Campos
	2400	75.0	Campos

Date	Time	Temp.	Printed Name
08/06/24	0100	72.8	Campos
	0200	72.8	Campos
	0300	70.1	Campos
	0400	69.2	Campos
	0500	68.7	Campos
	0600	67.1	LUCERO
	0700	69.9	LUCERO
	0800	75.2	LUCERO
	0900	80.6	LUCERO
	1000	84.5	LUCERO
	1100	89.6	LUCERO
	1200	95.1	LUCERO
	1300	98.7	Rodriguez
	1400	100.0	Rodriguez
	1500	102.9	Rodriguez
	1600	101.4	Rodriguez
	1700	101.4	Rodriguez
	1800	99.0	Rodriguez
	1900	99.1	Rodriguez
	2000	94.1	Rodriguez
	2100	91.5	Rodriguez
	2200	88.5	Campos
	2300	83.6	Campos
	2400	83.3	Campos

STAGE I  
ACTIVATED @ 2140  
STAGE I  
DEACTIVATED @ 2140

STAGE I  
ACTIVATED @ 2140  
STAGE I  
deactivated @ 2140

STAGE I HEAT ALERT  
ACTIVATED @ 1120

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/07/24	0100	82.7	Campos
	0200	80.0	Campos
	0300	79.3	Campos
	0400	77.9	Campos
	0500	77.3	Campos
	0600	77.3	LUCERO
	0700	82.4	LUCERO
	0800	83.4	LUCERO
	0900	89.2	LUCERO
	1000	94.1	LUCERO
	1100	96.0	LUCERO
	1200	102.0	LUCERO
	1300	102.7	LUCERO
	1400	102.2	VASQUEZ
	1500	103.8	VASQUEZ
	1600	103.2	VASQUEZ
	1700	102.7	VASQUEZ
	1800	100.4	VASQUEZ
	1900	97.9	VASQUEZ
	2000	91.4	VASQUEZ
	2100	86.7	VASQUEZ
	2200	82.7	Griffith
	2300	80.5	Griffith
	2400	78.4	Griffith

① Highest Temp  
@ 1500-103.8

② 1246 Hrs. 7/7/24  
OUTSIDE TEMP over 100°  
AI 1244

Stage 2 deactivated

Date	Time	Temp.	Printed Name
08/08/24	0100	77.1	Griffith
	0200	76.1	Griffith
	0300	75.2	Griffith
	0400	74.4	Griffith
	0500	74.6	Griffith
	0600	78.9	Caceres
	0700	75.7	Caceres
	0800	79.1	Caceres
	0900	84.0	Caceres
	1000	87.0	Caceres
	1100	86.4	Caceres
	1200	89.0	Caceres
	1300	97.1	Caceres
	1400	96.6	VASQUEZ
	1500	97.2	VASQUEZ
	1600	97.8	VASQUEZ
	1700	97.8	VASQUEZ
	1800	96.8	VASQUEZ
	1900	94.4	VASQUEZ
	2000	89.9	VASQUEZ
	2100	83.1	VASQUEZ
	2200	79.1	Griffith
	2300	77.9	Griffith
	2400	75.5	Griffith

STAGE 1 HEAT ALERT 1230  
CL  
STATE 1 ACTIVATED

STAGE 1 HEAT ALERT  
Deactivated @ 2100

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
RR	0100	71.9	Griffith
	0200	71.6	Griffith
	0300	68.1	Griffith
	0400	68.0	Griffith
	0500	69.0	Griffith
	0600	67.1	VASQUEZ
	0700	72.8	VASQUEZ
	0800	73.2	VASQUEZ
	0900	78.6	VASQUEZ
	1000	83.2	VASQUEZ
	1100	86.3	VASQUEZ
	1200	88.4	VASQUEZ
	1300	92.6	VASQUEZ
	1400	95.7	VASQUEZ
	1500	96.9	VASQUEZ
	1600	99.5	VASQUEZ
	1700	98.4	VASQUEZ
	1800	97.1	VASQUEZ
	1900	93.7	VASQUEZ
	2000	89.9	VASQUEZ
	2100	83.8	VASQUEZ
	2200	79.3	Campus
	2300	74.3	Campus
	2400	73.4	Campus

Date	Time	Temp.	Printed Name
OS	0100	71.6	Campus
	0200	69.9	Campus
	0300	68.1	Campus
	0400	68.0	Campus
	0500	67.8	Campus
	0600	65.1	Johnson
	0700	70.8	Johnson
	0800	76.8	Johnson
	0900	77.9	Johnson
	1000	80.4	Johnson
	1100	85.6	Johnson
	1200	88.6	Johnson
	1300	91.7	Johnson
	1400	93.9	Johnson
	1500	95.9	Johnson
	1600	97.5	Johnson
	1700	90.0	Johnson
	1800	95.7	Johnson
	1900	97.2	Johnson
	2000	89.2	Johnson
	2100	82.2	Johnson
	2200	81.8	Campus
	2300	78.4	Campus
	2400	76.8	Campus

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/11/24	0100	76.4	Campos
	0200	72.8	Campos
	0300	71.7	Campos
	0400	70.1	Campos
	0500	69.4	Campos
	0600	68.1	LUCERO
	0700	74.3	LUCERO
	0800	76.7	LUCERO
	0900	80.1	LUCERO
	1000	82.2	LUCERO
	1100	86.6	LUCERO
	1200	85.8	Martinez
	1300	92.0	Martinez
	1400	93.5	Johnson
	1500	93.5	Johnson
	1600	92.8	Johnson
	1700	91.5	Johnson
	1800	90.0	Johnson
	1900	86.4	Johnson
	2000	85.1	Johnson
	2100	81.8	Johnson
	2200	76.4	Campos
	2300	72.3	Campos
	2400	69.2	Campos

Date	Time	Temp.	Printed Name
08/12/24	0100	66.7	Campos
	0200	66.7	Campos
	0300	64.9	Campos
	0400	63.3	Campos
	0500	62.4	Campos
	0600	63.3	LUCERO
	0700	64.8	LUCERO
	0800	67.1	LUCERO
	0900	72.5	LUCERO
	1000	76.7	LUCERO
	1100	81.1	LUCERO
	1200	88.1	Rodriguez
	1300	88.7	Rodriguez
	1400	91.1	Rodriguez
	1500	91.1	Rodriguez
	1600	89.2	Rodriguez
	1700	88.7	Rodriguez
	1800	86.3	Rodriguez
	1900	84.3	Rodriguez
	2000	80.0	Rodriguez
	2100	77.7	Rodriguez
	2200	73.4	Campos
	2300	69.0	Campos
	2400	68.3	Campos

Stage 1 deactivated  
at 1700

Stage 1 @ 1435  
Heat Activated  
at 1700

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/13/24	0100	69.0	Campos
	0200	67.1	Campos
OS	0300	66.2	Campos
	0400	65.8	Campos
	0500	64.0	Campos
	0600	63.5	LUCERO
	0700	68.7	LUCERO
	0800	70.9	LUCERO
	0900	73.6	LUCERO
	1000	77.8	LUCERO
	1100	80.4	LUCERO
	1200	83.8	LUCERO
	1300	86.4	LUCERO
	1400	88.8	Rodriguez
	1500	90.1	Rodriguez
	1600	90.8	Rodriguez
	1700	90.1	Rodriguez
	1800	88.8	Rodriguez
	1900	83.1	Rodriguez
	2000	83.4	Rodriguez
	2100	80.4	Rodriguez
	2200	75.9	Griffith
	2300	75.3	Griffith
	2400	72.5	Griffith

Stage 1 Heat Alert  
Activated @ 14:07  
Stage 1 Deactivated @ 19:10

Date	Time	Temp.	Printed Name
08/14/24	0100	71.4	Griffith
	0200	70.5	Griffith
OS	0300	69.6	Griffith
	0400	68.1	Griffith
	0500	68.3	Griffith
	0600	67.2	LUCERO
	0700	72.8	LUCERO
	0800	73.5	LUCERO
	0900	77.0	LUCERO
	1000	80.1	LUCERO
	1100	82.2	LUCERO
	1200	87.4	LUCERO
	1300	89.1	LUCERO
	1400	92.4	VASQUEZ
	1500	92.9	VASQUEZ
	1600	93.4	VASQUEZ
	1700	95.5	VASQUEZ
	1800	93.3	VASQUEZ
	1900	89.0	VASQUEZ
	2000	86.3	VASQUEZ
	2100	81.5	VASQUEZ
	2200	80.2	Gr. fith
	2300	76.2	Gr. fith
	2400	74.3	Griffith

STAGE 1 HEAT ALERT ACTIVATED @ 13:45  
STAGE 1 HEAT ALERT DEACTIVATED @ 20:00

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/15/24	0100	72.1	Griffith
	0200	68.1	Gr. Griffith
	0300	67.2	Griffith
	0400	67.1	Gr. Griffith
	0500	67.2	Gr. Griffith
	0600	65.8	LUCERO
	0700	71.7	LUCERO
	0800	71.7	LUCERO
	0900	76.4	LUCERO
	1000	79.3	LUCERO
	1100	82.7	LUCERO
	1200	88.1	LUCERO
	1300	88.3	LUCERO
	1400	90.3	LUCERO
	1500	93.3	VASQUEZ
	1600	92.4	VASQUEZ
	1700	91.9	VASQUEZ
	1800	90.8	VASQUEZ
	1900	89.9	VASQUEZ
	2000	85.8	VASQUEZ
	2100	81.1	VASQUEZ
	2200	78.9	Adams
	2300	75.7	Adam
	2400	72.3	Adams

STAGE 1 HEAT ALERT  
ACTIVATED @ 1300  
DEACTIVATED @ 2000

Date	Time	Temp.	Printed Name
08/16/24	0100	71.2	Adam
	0200	70.8	Adam
	0300	69.0	Adam
	0400	68.3	Adam
	0500	67.7	Adams
	0600	65.6	VASQUEZ
	0700	70.8	VASQUEZ
	0800	72.3	VASQUEZ
	0900	75.5	VASQUEZ
	1000	81.6	VASQUEZ
	1100	84.7	VASQUEZ
	1200	87.6	VASQUEZ
	1300	90.9	VASQUEZ
	1400	95.1	VASQUEZ
	1500	94.8	VASQUEZ
	1600	93.9	VASQUEZ
	1700	91.9	VASQUEZ
	1800	91.2	VASQUEZ
	1900	89.6	VASQUEZ
	2000	83.4	VASQUEZ
	2100	79.5	VASQUEZ
	2200	78.8	Lightfield
	2300	73.3	Lightfield
	2400	71.4	Lightfield

STAGE 1 HEAT ALERT  
DEACTIVATED @ 2008

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/17/24	0100	68.1	Lightfield
	0200	67.2	Lightfield
	0300	66.4	Lightfield
	0400	65.7	Lightfield
	0500	65.3	J. S. M.
	0600	65.4	Johnson
	0700	69.9	Johnson
	0800	71.2	Johnson
	0900	73.7	Johnson
	1000	79.4	Johnson
	1100	81.5	Johnson
	1200	82.9	Johnson
	1300	85.1	Johnson
	1400	86.1	VASQUEZ
	1500	85.1	VASQUEZ
	1600	86.1	VASQUEZ
	1700	83.8	VASQUEZ
	1800	80.9	VASQUEZ
	1900	79.7	VASQUEZ
	2000	76.8	VASQUEZ
	2100	74.4	VASQUEZ
	2200	72.6	Campus
	2300	69.9	Campus
	2400	67.4	Campus

Date	Time	Temp.	Printed Name
08/18/24	0100	66.9	Campus
	0200	65.3	Campus
	0300	64.9	Campus
	0400	63.5	Campus
	0500	63.6	Campus
	0600	62.0	Martial
	0700	69.2	MOTA
	0800	68.3	MOTA
	0900	71.4	MOTA
	1000	74.8	MOTA
	1100	79.3	MOTA
	1200	80.7	MOTA
	1300	83.6	MOTA
	1400	89.6	Johnson
	1500	87.8	Johnson
	1600	89.7	Johnson
	1700	89.6	Johnson
	1800	86.1	Johnson
	1900	83.4	Johnson
	2000	80.7	Johnson
	2100	76.4	Johnson
	2200	74.1	Campus
	2300	71.0	Campus
	2400	68.1	Campus

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/19/24	0100	66.9	Campos
	0200	66.5	Campos
	0300	64.3	Campos
	0400	65.3	Campos
	0500	64.2	Campos
	0600	63.6	Gr. FAITH
	0700	73.5	Gr. FAITH
	0800	70.2	Gr. FAITH
	0900	73.5	Griffith
	1000	77.1	Gr. FAITH
	1100	80.9	Griffith
	1200	87.2	Griffith
	1300	87.8	Griffith
	1400	89.0	Rodriguez
	1500	92.1	Rodriguez
	1600	91.0	Rodriguez
	1700	89.7	Rodriguez
	1800	88.8	Rodriguez
	1900	85.4	Rodriguez
	2000	81.3	Rodriguez
	2100	76.5	Rodriguez
	2200	73.2	Campos
	2300	72.1	Campos
	2400	70.4	Campos

SAT 1352  
L-16 STAGE 1  
Activated

Stage 1 heat  
alert deactivated  
@ 1107

Date	Time	Temp.	Printed Name
08/20/24	0100	67.2	Campos
	0200	66.7	Campos
	0300	67.1	Campos
	0400	66.0	Campos
	0500	64.4	Campos
	0600	64.5	Gr. Griffith
	0700	74.1	Gr. Griffith
	0800	71.1	Griffith
	0900	73.9	Griffith
	1000	79.7	Griffith
	1100	85.4	Griffith
	1200	88.7	Griffith
	1300	89.4	Griffith
	1400	90.6	Rodriguez
	1500	93.2	Rodriguez
	1600	92.0	Rodriguez
	1700	91.9	Rodriguez
	1800	90.5	Rodriguez
	1900	88.3	Rodriguez
	2000	82.5	Rodriguez
	2100	80.0	Rodriguez
	2200	76.1	Campos
	2300	73.5	Campos
	2400	72.1	Campos

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/21/24	0100	71.9	Campos
	0200	68.9	Campos
	0300	68.1	Campos
	0400	67.8	Campos
	0500	67.2	Campos
	0600	66.9	Grunew
	0700	72.5	Grunew
	0800	72.1	Grunew
	0900	76.5	Grunew
	1000	78.9	Grunew
	1100	84.7	Grunew
	1200	87.0	Grunew
	1300	89.0	Grunew
	1400	90.5	Grunew
	1500	90.6	JACOBO
	1600	90.5	JACOBO
	1700	90.5	JACOBO
	1800	86.7	JACOBO
	1900	85.1	JACOBO
	2000	80.7	JACOBO
	2100	76.4	JACOBO
	2200	72.6	Griffith
	2300	69.8	Griffith
	2400	70.5	Griffith

STAGE 1 HEAT ALERT  
 ACTIVATED @ 1400  
 X

Stage 1 Heat Alert  
 de-activated @ 1730

Date	Time	Temp.	Printed Name
08/22/24	0100	67.6	Gr. Griffith
	0200	64.3	Gr. Griffith
	0300	65.8	Griffith
	0400	65.4	Gr. Griffith
	0500	63.5	Gr. Griffith
	0600	62.9	Gr. Griffith
	0700	67.1	Griffith
	0800	67.2	Griffith
	0900	71.4	Gr. Griffith
	1000	73.4	Griffith
	1100	75.5	Gr. Griffith
	1200	80.4	Griffith
	1300	81.3	Griffith
	1400	82.5	JACOBO
	1500	82.3	JACOBO
	1600	82.0	JACOBO
	1700	80.2	JACOBO
	1800	78.6	JACOBO
	1900	74.0	JACOBO
	2000	71.0	JACOBO
	2100	68.5	JACOBO
	2200	66.0	Gr. Griffith
	2300	65.3	Griffith
	2400	64.4	Gr. Griffith

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/23/24	0100	63.6	Griffith
	0200	62.8	Griffith
	0300	61.7	Griffith
	0400	61.3	Griffith
	0500	61.1	Griffith
	0600	59.7	Ginnell
	0700	64.2	Ginnell
	0800	64.4	Ginnell
	0900	67.2	Ginnell
	1000	70.5	Ginnell
	1100	73.9	Ginnell
	1200	75.2	Ginnell
	1300	77.0	Ginnell
	1400	76.0	JACODO
	1500	74.4	JACODO
	1600	73.5	JACODO
	1700	72.8	JACODO
	1800	73.5	JACODO
	1900	71.0	JACODO
	2000	70.5	JACODO
	2100	68.9	JACODO
	2200	68.1	Campos
	2300	66.9	Campos
	2400	65.4	Campos

Date	Time	Temp.	Printed Name
08/24/24	0100	67.7	Campos
	0200	64.0	Campos
	0300	63.5	Campos
	0400	63.9	Campos
	0500	63.3	Campos
	0600	61.3	Johnsen
	0700	61.8	Johnsen
	0800	67.2	Johnsen
	0900	64.2	Johnsen
	1000	65.3	Johnsen
	1100	66.3	Johnsen
	1200	71.0	Johnsen
	1300	70.5	Johnsen
	1400	72.5	JACODO
	1500	74.4	JACODO
	1600	74.5	JACODO
	1700	69.0	JACODO
	1800	71.0	JACODO
	1900	69.8	JACODO
	2000	68.9	JACODO
	2100	68.3	JACODO
	2200	67.6	Campos
	2300	66.9	Campos
	2400	65.4	Campos

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/25/24	0100	64.0	Campos
	0200	63.5	Campos
	0300	61.5	Campos
	0400	61.1	Campos
	0500	59.5	Campos
	0600	59.2	LUCERO
	0700	58.7	LUCERO
	0800	63.7	LUCERO
	0900	68.1	LUCERO
	1000	72.3	LUCERO
	1100	75.7	LUCERO
	1200	80.4	LUCERO
	1300	83.4	LUCERO
	1400	85.0	JACOB
	1500	87.4	JACOB
	1600	88.3	JACOB
	1700	80.3	JACOB
	1800	88.3	JACOB
	1900	89.0	JACOB
	2000	78.4	JACOB
	2100	76.8	JACOB
	2200	75.9	Campus
	2300	72.6	Campus
	2400	70.3	Campus

Date	Time	Temp.	Printed Name
08/26/24	0100	69.4	Campus
	0200	68.9	Campus
	0300	67.4	Campus
	0400	66.1	Campus
	0500	67.2	Campus
	0600	66.5	LUCERO
	0700	71.9	LUCERO
	0800	72.3	LUCERO
	0900	77.5	LUCERO
	1000	84.9	LUCERO
	1100	84.7	LUCERO
	1200	90.8	Martinez
	1300	91.7	LUCERO
	1400	91.9	SINGH
	1500	90.6	SINGH
	1600	90.5	SINGH
	1700	90.3	SINGH
	1800	90.1	SINGH
	1900	86.7	SINGH
	2000	84.9	SINGH
	2100	81.0	SINGH
	2200	77.1	Campus
	2300	77.7	Campus
	2400	76.4	Campus

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/27/24	0100	75.3	Campos
	0200	74.1	Campos
	0300	73.0	Campos
	0400	72.5	Campos
	0500	70.0	Campos
	0600	69.8	LUCERO
	0700	75.5	LUCERO
	0800	75.9	LUCERO
	0900	80.4	LUCERO
	1000	85.4	LUCERO
	1100	89.5	LUCERO
	1200	93.0	LUCERO
	1300	93.7	LUCERO
	1400	95.7	SINGH
	1500	96.8	SINGH
	1600	97.7	SINGH
	1700	95.1	SINGH
	1800	93.4	SINGH
	1900	92.7	SINGH
	2000	87.6	SINGH
	2100	85.2	SINGH
	2200	80.9	Campos
	2300	80.7	Campos
	2400	79.3	Campos

Date	Time	Temp.	Printed Name
08/28/24	0100	77.3	Campos
	0200	77.0	Campos
	0300	74.0	Campos
	0400	73.9	Campos
	0500	72.0	Campos
	0600	73.0	LUCERO
	0700	75.2	LUCERO
	0800	77.1	LUCERO
	0900	83.4	LUCERO
	1000	86.7	LUCERO
	1100	91.9	LUCERO
	1200	94.6	LUCERO
	1300	96.6	LUCERO
	1400	98.7	Nguyen
	1500	100.9	Nguyen
	1600	99.2	Nguyen
	1700	98.7	Nguyen
	1800	97.8	Nguyen
	1900	95.9	Nguyen
	2000	89.9	Nguyen
	2100	84.7	Nguyen
	2200	78.9	Griffith
	2300	77.0	Gr. Griffith
	2400	74.4	Gr. Griffith

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/29/24	0100	74.6	Gr. Griffith
	0200	72.4	Griffith
	0300	70.5	Griffith
	0400	70.1	Gr. Griffith
	0500	69.0	Gr. Griffith
	0600	66.8	LUCERO
	0700	70.7	LUCERO
	0800	70.3	LUCERO
	0900	72.3	LUCERO
	1000	77.3	LUCERO
	1100	77.9	LUCERO
	1200	86.1	LUCERO
	1300	98.3	LUCERO
	1400	98.2	JACUBO
	1500	96.1	JACUBO
	1600	96.1	JACUBO
	1700	95.5	JACUBO
	1800	93.5	JACUBO
	1900	90.0	JACUBO
	2000	83.2	JACUBO
	2100	80.7	JACUBO
	2200	77.0	Griffith
	2300	74.0	Gr. Griffith
	2400	72.3	Gr. Griffith
08/30/24	0100	69.9	Gr. Griffith
	0200	68.5	Griffith
	0300	67.2	Griffith
	0400	65.6	Gr. Griffith
	0500	65.3	Gr. Griffith
	0600	64.4	Johnson
	0700	70.1	Johnson
	0800	70.7	Johnson
	0900	73.7	Johnson
	1000	80.0	Johnson
	1100	82.1	Johnson
	1200	87.1	Johnson
	1300	90.3	Johnson
	1400	94.2	JACUBO
	1500	93.9	JACUBO
	1600	96.6	JACUBO
	1700	95.5	JACUBO
	1800	95.0	JACUBO
	1900	87.1	JACUBO
	2000	84.5	JACUBO
	2100	80.4	JACUBO
	2200	78.2	Campos
	2300	74.3	Campos
	2400	73.9	Campos

8/29 STAGE 1 HEAT ALERT  
 ACTIVATED @ 1251  
 8/29 Stage 2 heat alert activated @ 1555  
 8/29 Stage 2 heat alert de-activated @ 1900  
 stage 1 heat alert de-activated @ 2000

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
08/31/24	0100	72.6	Campos
	0200	69.8	Campos
	0300	69.4	Campos
	0400	68.5	Campos
	0500	65.1	campos
	0600	65.1	Dhnsen
	0700	68.3	Dhnsen
	0800	71.9	Dhnsen
	0900	74.1	Dhnsen
	1000	79.1	johnson
	1100	84.0	johnsen
	1200	87.9	johnsen
	1300	92.4	Johnson
	1400	94.4	JACBO
	1500	96.2	JACBO
	1600	96.8	JACBO
	1700	95.9	JACBO
	1800	94.2	JACBO
	1900	92.3	JACBO
	2000	84.0	JACBO
	2100	80.2	JACBO
	2200	77.5	Adams
	2300	75.0	Adams
	2400	72.6	Adams

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of \_\_\_\_\_

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: CTC 1      Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/19/2024

Date	Time	Temp.	Name (Print)
	0300	65.1	B. WILHELM
	0600	68.9	B. WILHELM
	0900	69.1	T. THAO
	1200	68.7	T. THAO
	1500	68.0	D. Otero
	1800	67.0	D. Otero
	2100	66.0	D. Otero
	2400	66.0	D. Otero

Tuesday 8/20/2024

Date	Time	Temp.	Name (Print)
	0300	69.1	IGBOKWE
	0600	69.1	B. WILHELM
	0900	69.1	B. WILHELM
	1200	71.1	B. WILHELM
	1500	70.4	IGBOKWE
	1800	70.5	IGBOKWE
	2100	69.1	IGBOKWE
	2400	69.1	IGBOKWE

Wednesday 8/21/2024

Date	Time	Temp.	Name (Print)
	0300	69.3	IGBOKWE
	0600	69.3	IGBOKWE
	0900	69.1	ARRUDA
	1200	69.1	ARRUDA
	1500	69.8	Rogers
	1800	69.4	Rogers
	2100	69.4	Rogers
	2400	67.5	Pleley

Thursday 8/22/2024

Date	Time	Temp.	Name (Print)
	0300	70.2	Gunn
	0600	70.3	R. BROWN
	0900	68.2	R. BROWN
	1200	68.0	R. BROWN
	1500	69.3	Rogers
	1800	69.2	Rogers
	2100	69.3	AN
	2400	67	forces

Friday 8/23/2024

Date	Time	Temp.	Name (Print)
	0300	66	Murphy
	0600	67.3	L. Paclibar
	0900	69.7	L. Paclibar
	1200	69.4	L. Paclibar
	1500	67	D. Otero
	1800	67	D. Otero
	2100	67	D. Otero
	2400	69.4	IGBOKWE

Saturday 8/24/2024

Date	Time	Temp.	Name (Print)
	0300	69.1	IGBOKWE
	0600	69.1	IGBOKWE
	0900	68.2	L. Paclibar
	1200	69.1	L. Paclibar
	1500	68	D. Otero
	1800	69	D. Otero
	2100	68	D. Otero
	2400	68.7	IGBOKWE

Sunday 8/25/2024

Date	Time	Temp.	Name (Print)
	0300	68.5	IGBOKWE
	0600	68.5	IGBOKWE
	0900	68.2	Paclibar
	1200	68.2	Enriquez
	1500	68.7	D. Otero
	1800	67.6	D. Otero
	2100	69.1	D. Otero
	2400	67	Gomez, K

Notes

CTC U1 RE-ACTIVATED  
ON AUGUST 19, 2024. CPT A. KOMAS

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of \_\_\_\_\_

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: (CTC) Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300	66.7	Gomez, K
	0600	66.5	Gomez, K
	0900	66	Minh
	1200	67	Minh
	1500	68.2	Regal
	1800	68.2	SINGH
	2100	67	Otero
	2400	66.7	IGBOKWE

Date	Time	Temp.	Name (Print)
	0300	69.1	Regal
	0600	69.5	S DAVIS
	0900	69.1	S DAVIS
	1200	69.3	S DAVIS
	1500	69.4	Regal
	1800	69.6	Regal
	2100	69.4	Regal
	2400	66.0	YANG

Date	Time	Temp.	Name (Print)
	0300	69.1	SINGH
	0600	69	Paclibar
	0900	69.5	DAM
	1200	69.0	Paclibar
	1500	70	Otero
	1800	69	Otero
	2100	69	Otero
	2400	70.0	IGBOKWE

Date	Time	Temp.	Name (Print)
	0300		IGBOKWE
	0600		IGBOKWE
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300	68.7	IGBOKWE
	0600	68.7	IGBOKWE
	0900	68.1	S DAVIS
	1200	69.7	S DAVIS
	1500	68.6	Regal
	1800	68.7	Regal
	2100	69.1	Regal
	2400	69.1	Regal

Date	Time	Temp.	Name (Print)
	0300	68.3	YANG
	0600	69.4	S DAVIS
	0900	69.1	S DAVIS
	1200	69.6	S DAVIS
	1500	70.1	Regal
	1800	70.7	Regal
	2100	70.0	Fox
	2400	69.1	Fox

Date	Time	Temp.	Name (Print)
	0300	70.5	IGBOKWE
	0600	70.5	IGBOKWE
	0900	70	Paclibar
	1200	70.1	Paclibar
	1500	70	Otero
	1800	70	Otero
	2100	69	Otero
	2400		IGBOKWE

Notes

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: CTC 2      Temp. Reading Location: NURSES STATION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday		7-	
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday		7-	
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300	32.8	Flowers, J. A.
	0600	73.1	RE Hutchinson
	0900	73.2	RE Hutchinson
	1200	73.2	RE Hutchinson
	1500	73.4	RE Hutchinson
	1800	73.4	RE Hutchinson
	2100	74.2	RE Hutchinson
	2400	74.1	Flowers, J. A.

Friday 8/24			
Date	Time	Temp.	Name (Print)
	0300	74.0	D. Phillips
	0600	72.3	L. Padibar
	0900	72.5	L. Padibar
	1200	72.1	J. Fernandes
	1500	73.7	T. Moulton
	1800	73.4	T. Moulton
	2100	74.7	T. Moulton
	2400	73.4	J. Alvarado

Date	Time	Temp.	Name (Print)
	0300	73.2	J. Alhamed
	0600	72.3	L. Paclibar
	0900	71.6	L. Paclibar
	1200	72.1	L. Paclibar
	1500	72.8	T. M. Cruzan
	1800	74.1	T. M. Cruzan
	2100	74.2	J. Alhamed
	2400	74.1	J. Alhamed

Sunday	8/4/24		
Date	Time	Temp.	Name (Print)
	0300	73.5	J. Amalan.
	0600	72.5	L. Pacilibar
	0900	72.1	L. Pacilibar
	1200	72.1	V. SAMOVAL
	1500	72.3	D. Celuyan
	1800	72.5	D. Celuyan
	2100	72.5	D. Celuyan
	2400	74.3	S. Sandhu

## Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: CTC 2      Temp. Reading Location: NURSES STATION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday 8/15/2024

Date	Time	Temp.	Name (Print)
8/5/13	0300	74.3	J. Sandhu
	0600	73.9	J. Sandhu
	0900	73.6	RE Hutchings
	1200	73.9	RE Hutchings
	1500	73.9	Gurjeet
	1800	72.6	Gurjeet
	2100	73.1	<del>Yogi</del>
	2400	74.4	Miyoshi

Tuesday

Date	Time	Temp.	Name (Print)
8/6/03	0300	73.9	Mirlohi
	0600	74.1	<del>Re McAllister</del>
	0900	73.2	<del>Re McAllister</del>
	1200	73.6	<del>Re McAllister</del>
	1500	74.3	Terry Hill
	1800	73.0	Darren
	2100	73.0	Terry Hill
	2400	74.4	Mirlohi

Wednesday

Date	Time	Temp.	Name (Print)
8/1	0300	74.3	Mirrored
	0600	74.5	RE Mitchell
	0900	74.6	RE Mitchell
	1200	74.6	RE Mitchell
	1500	73.2	T. Brown
	1800	73.0	T. Brown
	2100	73.1	M. Taylor
	2400	73.3	M. Taylor

Thursday

Date	Time	Temp.	Name (Print)
8/18	0300	73.4	D. Myers
	0600	73.4	R.E. Hutchinson
	0900	73.4	R.E. Hutchinson
	1200	73.0	R. Neelings
	1500	71.4	T. Tolman
	1800	71.0	T. Tolman
	2100	71.0	T. Tolman
	2400	73.2	P. Pfeifer

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	73.9	J. M. Gómez
	0600	73.2	BERNAL
	0900	74.1	BERNAL
	1200	74.4	BERNAL
	1500	72.6	Dominguez
	1800	72.4	Tidmarsh
	2100	72.6	J. Domínguez
	2400	72.6	J. Albarán

## Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	72.6	S. Alvarez
	0600	73.4	RE Hitchings
	0900	74.2	RE Hitchings
	1200	73.2	RE Hitchings
	1500	71.8	T. Mueller
	1800	71.6	M. Mueller
	2100	71.7	T. Mueller
	2400	71.6	J. Alvarez

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	71.4	J. Alhalimi
	0600	71.4	L. Pacilbar
	0900	70.8	L. Pacilbar
	1200	71.2	L. Pacilbar
	1500	71.2	D. Celciyan
	1800	71.0	D. Celciyan
	2100	71.1	D. Celciyan
	2400	70.7	Bonch

## Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of \_\_\_\_\_

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: CTC 2 Temp. Reading Location: NURSES STATION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/12/24

Date	Time	Temp.	Name (Print)
	0300	71	
	0600	71.0	R.E. Hutchings
	0900	71.9	R.E. Hutchings
	1200	72.5	R.E. Hutchings
	1500	71	Saray
	1800	71.6	EDWARDSON
	2100	71	Graig
	2400	72.1	Mirlohi

Wednesday 8/14/24

Date	Time	Temp.	Name (Print)
	0300	71.7	Mirlohi
	0600	72.5	R.E. Hutchings
	0900	71.6	R.E. Hutchings
	1200	70.8	R.E. Hutchings
	1500	70.8	D. Otero
	1800	71.0	T. Munoz
	2100	71.0	T. Munoz
	2400	71.6	O. Flores

Friday 8/16/24

Date	Time	Temp.	Name (Print)
	0300	71.2	O. Flores
	0600	70.7	J. Gurnee
	0900	71.0	O. Gurnee
	1200	71.2	O. Gurnee
	1500	71.9	D. Otero
	1800	71.4	T. Munoz
	2100	71.4	D. Otero
	2400	71.1	ARTHUR

Sunday 8/18/24

Date	Time	Temp.	Name (Print)
	0300	70.5	Sanchez
	0600	70.1	L. Paclibar
	0900	70.5	L. Paclibar
	1200	70.7	L. Paclibar
	1500	70.8	D. Celuyan
	1800	70.5	D. Celuyan
	2100	70.5	D. Celuyan
	2400	70.5	J. Almalemi

Tuesday 8/13/24

Date	Time	Temp.	Name (Print)
	0300	70.4	Mirlohi
	0600	70.5	R.E. Hutchings
	0900	71.5	R.E. Hutchings
	1200	71.9	R.E. Hutchings
	1500	70.0	T. Munoz
	1800	71.0	T. Munoz
	2100	70.8	T. Munoz
	2400	72.5	Mirlohi

Thursday 8/15/24

Date	Time	Temp.	Name (Print)
	0300	71.0	O. Flores
	0600	71.4	R.E. Hutchings
	0900	70.9	R.E. Hutchings
	1200	70.7	R.E. Hutchings
	1500	71.1	T. Munoz
	1800	71.2	T. Munoz
	2100	70.8	T. Munoz
	2400	71.0	O. Flores

Saturday 8/17/24

Date	Time	Temp.	Name (Print)
	0300	70.5	J. Almalemi
	0600	70.7	L. Paclibar
	0900	70	J. Almalemi
	1200	70.7	L. Paclibar
	1500	70.7	T. Munoz
	1800	70.7	J. Almalemi
	2100	70.3	J. Almalemi
	2400	70.5	Sanchez

Notes

---



---



---



---



---



---



---



---



---

## Week of

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: CTC 2      Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday 8/19/24

Date	Time	Temp.	Name (Print)
	0300	70.1	J. Ameren
	0600	70.7	S. Viray
	0900	70.7	S. Viray
	1200	69.1	J. Gordon
	1500	69.0	RE Mutchings
	1800	71.4	RE Mutchings
	2100	70.6	RE Mutchings
	2400	70.9	M. Wong

Tuesday

Date	Time	Temp.	Name (Print)
	0300	70.7	Mylona
	0600	70.7	RE Hinchman
	0900	71.0	RE Hinchman
	1200	71.1	RE Hinchman
	1500	70.7	T. de la Torre
	1800	70.5	Taylor, Jr.
	2100	70.8	Taylor, Jr.
	2400	71.4	Mylona

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70.7	Miranda
	0600	70.1	RE Hutchings
	0900	70.7	RE Hutchings
	1200	71.4	RE Hutchings
	1500	70.8	Tucker
	1800	71.5	D. Williams
	2100	71.2	Tucker
	2400	71.0	ALTHEA

Thursday

Date	Time	Temp.	Name (Print)
	0300	71.0	ART KEEF
	0600	71.1	RE HUTCHINGS
	0900	70.8	RE HUTCHINGS
	1200	70.8	RE HUTCHINGS
	1500	70.3	T MURRAY
	1800	70.7	T MURRAY
	2100	70.3	T MURRAY
	2400	69.9	ART KEEF

Friday

Friday		8/23	
Date	Time	Temp.	Name (Print)
	0300	69.5	ARTHER DAM
	0600	64.8	
	0900	70.2	J DAM
	1200	71.7	SPARX
	1500	69.4	A. ARAIZA
	1800	69.2	A. ARAIZA
	2100	69.0	A. ARAIZA
	2400	68.9	T. Alhalimi

## Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	68.5	Osuna
	0600	68	J. Carson
	0900	68	J. Carson
	1200	68	J. Carson
	1500	68.7	Taylor
	1800	68.9	Taylor
	2100	68.9	J. Alvarado
	2400	68.9	M. Faris

Sunday

Date	Time	Temp.	Name (Print)
1/15	0300	69°	M. Faris
	0600	68	J. Carson
	0900	68	J. Carson
	1200	68	J. Carson
	1500	68	J. Carson
	1800	68.2	J. Garvin
	2100	68.5	J. Carson
	2400	68.5	J. Garvin

## Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION  
Week of August 26, 2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: CTC 2 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/26/2024

Date	Time	Temp.	Name (Print)
8/26	0300	69.2	J. Alharem
	0600	68.9	L. Ruelas
	0900	69.3	R. Estrada
	1200	70.5	L. Ruelas
	1500	70.1	J. Garcia
	1800	69.9	J. Garcia
	2100	69.6	J. Garcia
	2400	69.2	Mirlohi

Wednesday 8/28/2024

Date	Time	Temp.	Name (Print)
8/28	0300	69.6	Mirlohi
	0600	70.1	RE Hutchings
	0900	71.9	RE Hutchings
	1200	71.9	RE Hutchings
	1500	70.3	T. Meador
	1800	70.1	T. Meador
	2100	70.7	T. Meador
	2400	70.5	D. Price

Friday 8/30/2024

Date	Time	Temp.	Name (Print)
8/30	0300	69.8	ARTTER
	0600	62.9	Perriso
	0900	70.1	Perriso
	1200	70.5	Perriso
	1500	70.5	VALENCIA
	1800	70.5	J. Alharem
	2100	70.7	J. Alharem
	2400	70.6	J. Alharem

Sunday 8/26/2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 8/27/2024

Date	Time	Temp.	Name (Print)
8/27	0300	68.9	Mirlohi
	0600	68.3	RE Hutchings
	0900	69.2	RE Hutchings
	1200	70.5	RE Hutchings
	1500	70.7	D. Price
	1800	70.3	J. Alharem
	2100	70.1	J. Alharem
	2400	71	Mirlohi

Thursday 8/29/2024

Date	Time	Temp.	Name (Print)
8/29	0300	69.5	D. Price
	0600	70.3	RE Hutchings
	0900	70.8	RE Hutchings
	1200	71.8	RE Hutchings
	1500	69.9	T. Meador
	1800	69.9	T. Meador
	2100	70.1	T. Meador
	2400	69.9	ARTTER

Saturday 8/31/2024

Date	Time	Temp.	Name (Print)
8/31	0300	70.5	J. Alharem
	0600	70.5	L. Appino
	0900	69	J. Cordon
	1200	70	J. Cordon
	1500	70.7	T. Meador
	1800	70.5	T. Meador
	2100	70.3	J. Alharem
	2400	70.7	J. Alharem

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**ATTACHMENT G**  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: 5TRIA Temp. Reading Location: A - H  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/10/18	0300	72	7/10/18
	0600	72	Akin
	0900	72	Akin
	1200	73	Akin
	1500	72	R. CHAVEZ
	1800	72	R. CHAVEZ
	2100	72	R. CHAVEZ
	2400	72	Stockley

**Tuesday**

Date	Time	Temp.	Name (Print)
7/10/18	0300	70	Stockley
	0600	72	Akin
	0900	72	Akin
	1200	72	Akin
	1500	72	Wooden
	1800	72	Wooden
	2100	72	Wooden
	2400	72	Stockley

**Wednesday**

Date	Time	Temp.	Name (Print)
7/11/18	0300	72	Stockley
	0600	72	Akin
	0900	72	Akin
	1200	72	Akin
	1500	72.5	Milb
	1800	72.7	Milb
	2100	72.7	Milb
	2400	72	Stockley

**Thursday**

Date	Time	Temp.	Name (Print)
8/1/18	0300	72	Stockley
	0600	72	Akin
	0900	73	Akin
	1200	74	Akin
	1500	73	R. CHAVEZ
	1800	71	R. CHAVEZ
	2100	73	R. CHAVEZ
	2400	72	Stockley

**Friday**

Date	Time	Temp.	Name (Print)
8/2/18	0300	72	Stockley
	0600	72	Akin
	0900	73	Akin
	1200	74	Akin
	1500	74.5	B. Chacon
	1800	74	B. Chacon
	2100	74.3	B. Chacon
	2400	73	Stockley

**Saturday**

Date	Time	Temp.	Name (Print)
8/3/18	0300	73	Stockley
	0600	72.9	Moroney
	0900	73.6	Moroney
	1200	74.5	Moroney
	1500	74.7	B. Chacon
	1800	74.7	B. Chacon
	2100	74.3	B. Chacon
	2400	74.5	C. York

**Sunday**

Date	Time	Temp.	Name (Print)
8/4/18	0300	72.4	C. York
	0600	73.1	Moroney
	0900	73.4	Moroney
	1200	73.4	Moroney
	1500	73	CHAVEZ
	1800	73	CHAVEZ
	2100	73	CHAVEZ
	2400	72.4	C. York

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**ATTACHMENT G**  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: STR H Temp. Reading Location: A-H  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/5	0300	71.9	C.YANIK
	0600	72	Akin
	0900	72	Akin
	1200	73	Akin
	1500	73	R.CHAVEZ
	1800	72	R.CHAVEZ
	2100	72	R.CHAVEZ
	2400	72	TURNER

**Tuesday**

Date	Time	Temp.	Name (Print)
8/6	0300	71	TURNER
	0600	71	Akin
	0900	72	Akin
	1200	72	Akin
	1500	72	R.CHAVEZ
	1800	71	R.CHAVEZ
	2100	72	R.CHAVEZ
	2400	72	TURNER

**Wednesday**

Date	Time	Temp.	Name (Print)
8/7	0300	71.2	Stichel
	0600	71	Akin
	0900	72	Akin
	1200	72	Akin
	1500	72	R.CHAVEZ
	1800	71.8	Turner
	2100	71.2	Stichel
	2400	71	Stichel

**Thursday**

Date	Time	Temp.	Name (Print)
8/8	0300	71	Stichel
	0600	71	Akin
	0900	72	Akin
	1200	72	Akin
	1500	72	R.CHAVEZ
	1800	72	R.CHAVEZ
	2100	72	R.CHAVEZ
	2400	72	A.MOTA

**Friday**

Date	Time	Temp.	Name (Print)
8/9	0300	72	MOTA
	0600	72	MOTA
	0900	72	Akin
	1200	72	Akin
	1500	72	B.Chacon
	1800	72	B.Chacon
	2100	72	B.Chacon
	2400	72	Stichel

**Saturday**

Date	Time	Temp.	Name (Print)
8/10	0300	71	Akin
	0600	70.7	Roberry
	0900	71.1	Roberry
	1200	71.5	Roberry
	1500	72.9	B.Chacon
	1800	72.5	B.Chacon
	2100	72.4	B.Chacon
	2400	71.5	Roberry

**Sunday**

Date	Time	Temp.	Name (Print)
8/11	0300	71.2	VELASQUEZ
	0600	72	VELASQUEZ
	0900	70.7	Roberry
	1200	71.6	Roberry
	1500	71	R.CHAVEZ
	1800	71	R.CHAVEZ
	2100	71	R.CHAVEZ
	2400	70.4	C.YANIK

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

**ATTACHMENT G**  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: STR A

Temp. Reading Location: A-14  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/12	0300	70.4	Taylor
	0600	71	Akin
	0900	72	Akin
	1200	72	Akin
	1500	72	R. CHAVEZ
	1800	72	R. CHAVEZ
	2100	72	R. CHAVEZ
	2400	71	Taylor

**Tuesday**

Date	Time	Temp.	Name (Print)
8/13	0300	70	Taylor
	0600	71	Akin
	0900	71	Akin
	1200	71	Akin
	1500	72	MCGOWAN
	1800	70	MCGOWAN
	2100	70	MCGOWAN
	2400	70	MCGOWAN

**Wednesday**

Date	Time	Temp.	Name (Print)
8/14	0300	71	Shockey
	0600	71	Akin
	0900	71	Akin
	1200	71	Akin
	1500	71.5	M. M. S.
	1800	71.5	M. M. S.
	2100	71	Shockey
	2400	71	Shockey

**Thursday**

Date	Time	Temp.	Name (Print)
8/15	0300	71	Shockey
	0600	71	Akin
	0900	71	Akin
	1200	71	Akin
	1500	71	R. CHAVEZ
	1800	71	R. CHAVEZ
	2100	71	R. CHAVEZ
	2400	71	Shockey

**Friday**

Date	Time	Temp.	Name (Print)
8/16	0300	71	Shockey
	0600	71	Akin
	0900	71	Akin
	1200	72	Akin
	1500	71.5	J. Thompson
	1800	71.5	J. Thompson
	2100	71.1	J. Thompson
	2400	71	Taylor

**Saturday**

Date	Time	Temp.	Name (Print)
8/17	0300	71	Thompson
	0600	71.3	Noboney
	0900	71.1	Noboney
	1200	71.5	Noboney
	1500	71.1	J. Thompson
	1800	70.9	J. Thompson
	2100	70.7	J. Thompson
	2400	70.1	G. Yone

**Sunday**

Date	Time	Temp.	Name (Print)
8/18	0300	70.7	C. York
	0600	71.5	Noboney
	0900	71.5	Noboney
	1200	71.3	Noboney
	1500	71	CHAVEZ
	1800	71	CHAVEZ
	2100	70	CHAVEZ
	2400	70.5	C. York

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

**ATTACHMENT G**  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CSP-SAC Housing Unit: STR H Temp. Reading Location: A-11  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/19	0300	69.6	Xorc
	0600	70	Akin
	0900	70	Akin
	1200	71	Akin
	1500	71	CHAVEZ
	1800	71	CHAVEL
	2100	71	CHAVEZ
	2400	71	Stochel

**Tuesday**

Date	Time	Temp.	Name (Print)
8/20	0300	71	Stochel
	0600	71	Akin
	0900	71	Akin
	1200	71	Akin
	1500	72	CHAVEZ
	1800	71	CHAVEZ
	2100	71	CHAVEZ
	2400	71	Stochel

**Wednesday**

Date	Time	Temp.	Name (Print)
8/21	0300	71	Stochel
	0600	71	Akin
	0900	71	Akin
	1200	72	Akin
	1500	72	CHAVEZ
	1800	71	CHAVEZ
	2100	71	CHAVEZ
	2400	71	Stochel

**Thursday**

Date	Time	Temp.	Name (Print)
8/22	0300	71	Stochel
	0600	71	Akin
	0900	71	Akin
	1200	71	Akin
	1500	70	CHAVEZ
	1800	70	CHAVEZ
	2100	70	CHAVEZ
	2400	70	Stochel

**Friday**

Date	Time	Temp.	Name (Print)
8/23	0300	70	Stochel
	0600	71	Akin
	0900	71	Akin
	1200	71	Akin
	1500	70	B.Chacon
	1800	70	B.Chacon
	2100	70	B.Chacon
	2400	71	Stochel

**Saturday**

Date	Time	Temp.	Name (Print)
8/24	0300	68.4	Stochel
	0600	70.6	norman
	0900	71.5	norman
	1200	71.5	norman
	1500	71.1	B.Chacon
	1800	71.3	B.Chacon
	2100	71	B.Chacon
	2400	70.4	C.Yane

**Sunday**

Date	Time	Temp.	Name (Print)
8/25	0300	70	C.Yane
	0600	71.1	norman
	0900	71.1	norman
	1200	71.1	norman
	1500	70	R.CHAVEZ
	1800	70	R.CHAVEZ
	2100	70	R.CHAVEZ
	2400	70.1	C.Yane

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

**ATTACHMENT G**  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: STR 1A Temp. Reading Location: A-H  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
8/26	0300	70.6	CYCRIC
	0600	71	AKIN
	0900	71	AKIN
	1200	72	AKIN
	1500	72	CYCRIC
	1800	72	TURNER
	2100	70	CHAVEZ
	2400	70	SHIRMAN

**Tuesday**

Date	Time	Temp.	Name (Print)
8/27	0300	70	SHIRMAN
	0600	71	AKIN
	0900	71	AKIN
	1200	72	AKIN
	1500	72	CHAVEZ
	1800	71	CHAVEZ
	2100	71	CHAVEZ
	2400	70.1	P. SHIRMAN

**Wednesday**

Date	Time	Temp.	Name (Print)
8/28	0300	70.1	N. SH. PHAN
	0600	71	AKIN
	0900	71	AKIN
	1200	71	AKIN
	1500	71	M. TURNER
	1800	71	M. TURNER
	2100	71	M. TURNER
	2400	70	D. TURNER

**Thursday**

Date	Time	Temp.	Name (Print)
8/29	0300	70	SHIRMAN
	0600	71	AKIN
	0900	71	AKIN
	1200	71	AKIN
	1500	71	CHAVEZ
	1800	71	CHAVEZ
	2100	71	CHAVEZ
	2400	71	SHIRMAN

**Friday**

Date	Time	Temp.	Name (Print)
8/30	0300	71	SHIRMAN
	0600	71	AKIN
	0900	71	AKIN
	1200	71	AKIN
	1500	71	CHACON
	1800	71	CHACON
	2100	71	CHACON
	2400	70	TURNER

**Saturday**

Date	Time	Temp.	Name (Print)
8/31	0300	70	TURNER
	0600	71.3	NEWMAN
	0900	71.3	NEWMAN
	1200	72	NEWMAN
	1500	72	CHACON
	1800	71.3	CHACON
	2100	71.5	CHACON
	2400	70.2	YORK

**Sunday**

Date	Time	Temp.	Name (Print)
9/1	0300	70	YORK
	0600	70.7	NEWMAN
	0900	71.1	NEWMAN
	1200	71.5	NEWMAN
	1500	71	CHAVEZ
	1800	70	CHAVEZ
	2100	70	CHAVEZ
	2400	69.8	YORK

**Notes**

# AUGUST

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC

Housing Unit: VISITING

Temp. Reading Location: VISITING FLR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	79.1	RODRIGUEZ
1800	01.1	RODRIGUEZ	
	1800	88.9	RODRIGUEZ
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
0900	74.1	THAO	
	1200	80.1	THAO
	1500	81.3	THAO
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
0900	74.2	D. RODRIGUEZ	
	1200	79.3	D. RODRIGUEZ
	1500	82.9	D. RODRIGUEZ
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	77.8	D. RODRIGUEZ
	1500	83.0	Rodriguez
	1800	82.6	Rodriguez
	2100		
	2400		

Tuesday	SAT	8/10/24	
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	78.6	THAO
	1200	80.2	THAO
	1500	81.3	THAO
	1800		
	2100		
	2400		

Thursday	SUN	8/11/24	
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	71.1	THAO
	1200	75.6	THAO
	1500	79.1	THAO
	1800		
	2100		
	2400		

Saturday	FRI	8/10/24	
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	76.6	M. THAO
	1500	81.0	M. THAO
	1800	82.2	M. THAO
	2100		
	2400		

## Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A VISITING Temp. Reading Location: VISITING FUR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
0300			
0600			
0900	69.5	M. THAO	SB
1200	74.0	M. THAO	
1500	77.5	M. THAO	
1800			
2100			
2400			

Date	Time	Temp.	Name (Print)
0300			
0600			
0900	67.7	M. THAO	SB
1200	72.4	M. THAO	
1500	74.3	D. RODRIGUEZ	
1800			
2100			
2400			

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200	61.4	D. RODRIGUEZ	SB
1500	69.4	D. RODRIGUEZ	
1800	70.1	D. RODRIGUEZ	
2100			
2400			

Date	Time	Temp.	Name (Print)
0300			
0600			
0900	65.0	D. RODRIGUEZ	SB
1200	67.2	D. RODRIGUEZ	
1500	69.7	D. RODRIGUEZ	
1800			
2100			
2400			

Date	Time	Temp.	Name (Print)
0300			
0600			
0900	63.9	RODRIGUEZ	SB
1200	71.2	THAO	
1500	73.0	THAO	
1800			
2100			
2400			

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200	77.1	RODRIGUEZ	SB
1500	81.0	RODRIGUEZ	
1800	83.9	RODRIGUEZ	
2100			
2400			

Date	Time	Temp.	Name (Print)
0300			
0600			
0900	69.9	RODRIGUEZ	SB
1200	74.5	RODRIGUEZ	
1500	79.3	RODRIGUEZ	
1800			
2100			
2400			

Notes

Sun	9/1/24
0900 - 68.5	M. THAO
1200 - 75.6	C. Salazar
1500 - 77.8	C. Salazar

# AUGUST

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B VISITING Temp. Reading Location: VISITING FUR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
X/24/24	0500		
X/24/24	0600		
X/24/24	0900		
X/24/24	1200	85.3	KIRSCHENMANN
X/24/24	1500	91.4	KIRSCHENMANN
X/24/24	1800	91.9	KIRSCHENMANN
X/24/24	2100		
X/24/24	2400		

<u>Tuesday</u>	<u>SATURDAY</u>		
Dat	Time	Temp.	Name (Print)
8/13/24	0800		
	0900		
	1200	79.9	KIRSCHENMANN
	1500	85.4	KIRSCHENMANN
	1800	88.6	KIRSCHENMANN
	2100		
	2400		

Wednesday SATURDAY			
Date	Time	Temp.	Name (Print)
7/27/24	0800		
	0800		
	0900	73.1	KIRSCHBAUM
	1200	76.4	KIRSCHBAUM
	1500	76.6	KIRSCHBAUM
	1800		
	2100		
	2400		

Thursday		SUNDAY	
Date	Time	Temp.	Name (Print)
8/4/24	0300		
	0600		
	0900	79.4	KIRSCHENBAUM
	1200	84.5	KIRSCHENBAUM
	1500	88.4	KIRSCHENBAUM
	1800		
	2100		
	2400		

Friday SUNDAY			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	73.7°	C. SALAS
	1200	74.9°	C. SALAS
	1500	78.9°	C. SALAS
	1800		
	2100		
	2400		

Saturday		FRIDAY	
Date	Time	Temp.	Name (Print)
8/19/24	0800		
	0900		
	1000		
	1200	83.7	KIRSCHENBERG
	1500	87.1	KIRSCHENBERG
	1800	88.5	KIRSCHENBERG
	2100		
	2400		

Sunday		FRIDAY	
Date	Time	Temp.	Name (Print)
8/2/24	0300		
	0600		
	0900		
	1200	83.0	KIRSCHENMANN
	1500	86.3	KIRSCHENMANN
	1800	87.5	KIRSCHENMANN
	2100		
	2400		

## Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: BY VISITING Temp. Reading Location: VISITING FIR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
8/10/24	0300		
	0600		
	0900	74.7	KIRSCHENMANN
	1200	82.7	KIRSCHENMANN
	1500	84.2	KIRSCHENMANN
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
8/10/24	0300		
	0600		
	0900	74.8	KIRSCHENMANN
	1200	82.1	KIRSCHENMANN
	1500	84.4	KIRSCHENMANN
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
8/16/24	0300		
	0600		
	0900		
	1200	81.0	KIRSCHENMANN
	1500	84.9	KIRSCHENMANN
	1800	86.1	KIRSCHENMANN
	2100		
	2400		

Date	Time	Temp.	Name (Print)
8/17/24	0300		
	0600		
	0900	74.7	KIRSCHENMANN
	1200	78.6	KIRSCHENMANN
	1500	80.8	KIRSCHENMANN
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
8/18/24	0300		
	0600		
	0900	73.1	KIRSCHENMANN
	1200	77.8	KIRSCHENMANN
	1500	78.7	KIRSCHENMANN
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
8/23/24	0300		
	0600		
	0900		
	1200	71.8	KIRSCHENMANN
	1500	74.4	KIRSCHENMANN
	1800	77.1	KIRSCHENMANN
	2100		
	2400		

Date	Time	Temp.	Name (Print)
8/24/24	0300		
	0600		
	0900	72.1	KIRSCHENMANN
	1200	74.6	KIRSCHENMANN
	1500	75.8	KIRSCHENMANN
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: Visiting Temp. Reading Location: Visiting Flr  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday SUNDAY

Date	Time	Temp.	Name (Print)	
<u>8/25/24</u>	0300			
	0600			
	0900	74.8	KIRSCHENMANN	
	1200	75.6	KIRSCHENMANN	
	1500	79.1	KIRSCHENMANN	
	1800			
	2100			
	2400			

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/26/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday FRIDAY 8/30/24

Date	Time	Temp.	Name (Print)	
<u>8/29/24</u>	0300			
	0600			
	0900			
	1200	84.5	D. Long	
	1500	86.4	D. Long	
	1800	86.2	D. Long	
	2100			
	2400			

Thursday

Date	Time	Temp.	Name (Print)
<u>8/30/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		




Friday SATURDAY

Date	Time	Temp.	Name (Print)	
<u>8/31/24</u>	0300			
	0600			
	0900	74.5	KIRSCHENMANN	
	1200	81.7	KIRSCHENMANN	
	1500	83.7	KIRSCHENMANN	
	1800			
	2100			
	2400			

Saturday

Date	Time	Temp.	Name (Print)
<u>8/31/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)	
<u>9/1/24</u>	0300			
	0600			
	0900	75.0	D. Long	
	1200	80.0	M. Tintorov	
	1500	82.7	D. Long	
	1800			
	2100			
	2400			

Notes

---

---

---

---

---

---

---

---

# AUGUST

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C VISITING Temp. Reading Location: VISITING FLR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	84.1	D. STEWART
	1500	85.0	D. STEWART
	1800	80.0	NORSE
	2100		
	2400		

Monday Friday 8/9, 24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	79.4	NORSE
	1200	79.9	NORSE
	1500	81.3	NORSE
	1800		
	2100		
	2400		

Wednesday 8/10, 24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	84.0	GEORGETTE
	1500	87.4	GEORGETTE
	1800	86.6	NORSE
	2100		
	2400		

Friday 8/12/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	87.6	NORSE
	1200	83.4	D. STEWART
	1500	84.1	D. STEWART
	1800		
	2100		
	2400		

Sunday 8/14/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	74.1	NORSE
	1200	78.6	D. STEWART
	1500	82.1	NORSE
	1800		
	2100		
	2400		

Tuesday SUNDAY 11, 24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday 8/13

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	85.1	NORSE
	1200	86.6	NORSE
	1500	86.6	NORSE
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C VISITING Temp. Reading Location: VISITING FUR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 0309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday FRI 16, 24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
1200	83.1	GEORGETTE	<i>SB</i>
1500	86.7	GEORGETTE	<i>SB</i>
1800	87.1	D STEWART	
2100			
2400			

Wednesday SAT 17, 24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
0900	77.1	NORSE	<i>SB</i>
1200	78.10	D STEWART	<i>SB</i>
1500	82.4	NORSE	<i>SB</i>
1800			
2100			
2400			

Friday SUN 18, 24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
0900	74.3	NORSE	<i>SB</i>
1200	79.10	NORSE	<i>SB</i>
1500	82.4	NORSE	<i>SB</i>
1800			
2100			
2400			

Sunday FRI 23, 24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
1200	79.3	D STEWART	<i>SB</i>
1500	85.7	NORSE	<i>SB</i>
1800	80.1	NORSE	<i>SB</i>
2100			
2400			

Tuesday SAT 24, 24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
0900	78.0	NORSE	<i>SB</i>
1200	80.2	NORSE	<i>SB</i>
1500	83.4	GEORGETTE	<i>SB</i>
1800			
2100			
2400			

Thursday SUN 25, 24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
0900	74.9	D STEWART	<i>SB</i>
1200	78.8	D STEWART	<i>SB</i>
1500	80.6	NORSE	<i>SB</i>
1800			
2100			
2400			

Saturday FRI 30, 24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
1200	79.3	NORSE	<i>SB</i>
1500	81.0	NORSE	<i>SB</i>
1800	85.7	NORSE	<i>SB</i>
2100			
2400			

Notes

SAT 31, 2024

0900 - 77.4  
1200 - 81.7  
1500 - 84.3

NORSE  
NORSE  
NORSE