

Monthly Summary Report

Institution: PVSP

**Memorandum**

Date: November 5, 2024  
To: Statewide Heat Plan Coordinator  
Subject: Heat Plan Activity - PVSP

The following is a summary of the heat related activity for the month of October 2024  
at PVSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes \_\_\_\_\_

Number of days Stage I Alert initiated: 9 \_\_\_\_\_

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No \_\_\_\_\_

Number of days Stage II Alert initiated: N/A \_\_\_\_\_

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No \_\_\_\_\_

Number of days Stage III Alert initiated: N/A \_\_\_\_\_

4. Weekly list of heat risk patients archived? Yes \_\_\_\_\_

5. Number of patients with heat related illness. 0 \_\_\_\_\_ List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Steve Smith, Warden(A)

Warden Name

Warden Signature

Oscar Galloway, CEO

Chief Executive Officer Name

R. Coloma Jr.

Chief Executive Officer Signature

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/1	0100	72.3	Inares
	0200	71.9	Inares
24	0300	71.2	Inares
	0400	70.5	Inares
	0500	69.9	Inares
	0600	69.3	NEAL
	0700	68.1	NEAL
	0800	68.8	NEAL
	0900	72.5	NEAL
	1000	77.5	NEAL
	1100	81.8	NEAL
	1200	85.5	NEAL
	1300	88.4	NEAL
	1400	91.1	Banks
	1500	92.4	Banks
	1600	92.5	Banks
	1700	91.2	Banks
	1800	89.5	Banks
	1900	85.0	Banks
	2000	83.9	Banks
	2100	81.0	Banks
	2200	80.3	Bailey
	2300	79.1	Bailey
	2400	78.1	Bailey

Date	Time	Temp.	Printed Name
10/2	0100	76.2	Bailey
	0200	75.3	Bailey
24	0300	73.4	Bailey
	0400	72.6	Bailey
	0500	71.6	Bailey
	0600	70.2	Bailey
	0700	69.1	NEAL
	0800	71.8	NEAL
	0900	75.9	NEAL
	1000	80.3	NEAL
	1100	85.1	NEAL
	1200	88.4	NEAL
	1300	91.4	NEAL
	1400	92.9	Banks
	1500	94.0	Banks
	1600	94.5	Banks
	1700	94.2	Banks
	1800	91.7	Banks
	1900	86.5	Banks
	2000	83.7	Banks
	2100	81.2	Banks
	2200	80.6	Bailey
	2300	79.3	Bailey
	2400	78.5	Bailey

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/3/24	0100	77.2	Baily
	0200	76.3	Baily
	0300	74.4	Baily
	0400	73.3	Baily
	0500	71.7	Baily
	0600	69.6	Baily
	0700	73.8	LARA
	0800	73.4	LARA
	0900	73.7	LARA
	1000	81.9	LARA
	1100	80.3	LARA
	1200	89.6	LARA
	1300	92.3	LARA
	1400	94.3	Banks
	1500	95.6	Banks
	1600	96	Banks
	1700	95	Banks
	1800	92	Banks
	1900	7	Banks
	2000	84	Banks
	2100	81	Banks
	2200	81	Baily
	2300	80.3	Baily
	2400	79.1	Baily

Date	Time	Temp.	Printed Name
10/4/24	0100	77.3	Baily
	0200	76.2	Baily
	0300	75.0	Baily
	0400	73.3	Baily
	0500	72.6	Baily
	0600	71.2	Baily
	0700	73.5	J Soto
	0800	77.9	J Soto
	0900	80.1	J Soto
	1000	82.6	J Soto
	1100	87.3	J Soto
	1200	90.1	J Soto
	1300	93.8	J Soto
	1400	94.9	R Soto
	1500	95.2	R Soto
	1600	95.0	R Soto
	1700	97.8	R Soto
	1800	93.7	R Soto
	1900	87.2	R Soto
	2000	86.7	R Soto
	2100	83.9	R Soto
	2200	80.3	Baily
	2300	79.8	Baily
	2400	78.1	Baily

90C 115B

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat-neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/5/24	0100	77.2	Bailey
	0200	76.3	Bailey
	0300	75.1	Bailey
	0400	74.2	Bailey
	0500	73.8	Bailey
	0600	74.7	Bailey
	0700	75.5	Madrigal
	0800	76.2	Madrigal
	0900	76.6	Madrigal
	1000	83.6	Madrigal
	1100	84.9	Madrigal
	1200	89.5	Madrigal
	1300	91.4	Madrigal
	1400	93.1	Madrigal
	1500	95.4	DAVISON
	1600	96.7	DAVISON
	1700	96.8	DAVISON
	1800	99.6	DAVISON
	1900	87.1	DAVISON
	2000	86.3	DAVISON
	2100	84.6	DAVISON
	2200	82.5	Bailey
	2300	82.6	Bailey
	2400	81.4	Bailey

Date	Time	Temp.	Printed Name
10/6/24	0100	80.3	Bailey
	0200	78.1	Bailey
	0300	77.5	Bailey
	0400	76.2	Bailey
	0500	75.0	Bailey
	0600	74.4	Bailey
	0700	75.0	LATTA
	0800	71.5	LATTA
	0900	78.2	LATTA
	1000	82.1	LATTA
	1100	85.9	LATTA
	1200	88.7	LATTA
	1300	92.1	LATTA
	1400	95.0	Banks
	1500	94.2	Banks
	1600	95.0	Banks
	1700	93.5	Banks
	1800	90.4	Banks
	1900	88.2	Banks
	2000	86.5	Banks
	2100	82.8	Banks
	2200	81.3	Bailey
	2300	80.4	Bailey
	2400	79.4	Bailey

WHT activated 1226  
Deactivated 1913

WHT ACTIVATED 1223

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/7/24	0100	78.6	Bailey
	0200	78.1	Bailey
	0300	77.7	Bailey
	0400	77.1	Bailey
	0500	76.5	Bailey
	0600	75.1	Bailey
	0700	74.0	LATA
	0800	74.8	LATA
	0900	77.2	LATA
	1000	82.0	LATA
	1100	84.6	LATA
	1200	88.0	LATA
	1300	90.3	LATA
	1400	92.4	Banks
	1500	93.4	Banks
	1600	94.2	Banks
	1700	92.9	Banks
	1800	91.2	Banks
	1900	87.3	Banks
	2000	84.7	Banks
	2100	80.6	Banks
	2200	78.6	Bailey
	2300	77.5	Bailey
	2400	76.4	Bailey

Date	Time	Temp.	Printed Name
10/8/24	0100	76.1	Bailey
	0200	75.7	Bailey
	0300	75.1	Bailey
	0400	74.7	Bailey
	0500	74.4	Bailey
	0600	73.7	Bailey
	0700	70.7	Pimentel
	0800	73.7	Pimentel
	0900	77.2	Pimentel
	1000	80.5	Pimentel
	1100	83.3	Pimentel
	1200	87.1	Pimentel
	1300	90.3	Pimentel
	1400	92.1	Banks
	1500	93.2	Banks
	1600	92.9	Banks
	1700	92.1	Banks
	1800	90.8	Banks
	1900	84.1	Banks
	2000	82.4	Banks
	2100	82.1	Banks
	2200	79.5	Bailey
	2300	78.1	Bailey
	2400	77.6	Bailey

12ST UNIT ACTIVATED.

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/9/24	0100	75.7	Bailey
	0200	74.6	Bailey
	0300	74.3	Bailey
	0400	73.3	Bailey
	0500	72.6	Bailey
	0600	71.4	Bailey
	0700	70.2	LARA
	0800	69.9	LARA
	0900	73.2	LARA
	1000	77.2	LARA
	1100	82.1	LARA
	1200	84.5	LARA
	1300	87.3	LARA
	1400	89.6	Banks
	1500	90.2	Banks
	1600	90.	Banks
	1700	86.2	Banks
	1800	82.9	Banks
	1900	83.2	Banks
	2000	82.1	Banks
	2100	80.8	Banks
	2200	79.7	Bailey
	2300	78.1	Bailey
	2400	77.6	Bailey

Date	Time	Temp.	Printed Name
10/10/24	0100	76.3	Bailey
	0200	75.4	Bailey
	0300	74.1	Bailey
	0400	73.3	Bailey
	0500	72.6	Bailey
	0600	70.1	Bailey
	0700	70.0	Pinner
	0800	72.5	Pinner
	0900	73.4	Pinner
	1000	75.0	Pinner
	1100	81.2	Pinner
	1200	84.2	Pinner
	1300	85.5	Pinner
	1400	85.0	Banks
	1500	85.7	Banks
	1600	86.6	Banks
	1700	85.3	Banks
	1800	82.2	Banks
	1900	79.5	Banks
	2000	78.0	Banks
	2100	76.2	Banks
	2200	75.1	Bailey
	2300	74.5	Bailey
	2400	73.6	Bailey

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
0/ 11/ 21	0100	73.1	Baily
	0200	72.6	Baily
	0300	72.1	Baily
	0400	71.7	Baily
	0500	70.2	Baily
	0600	69.8	Baily
	0700	66.5	LATA
	0800	68.7	LATA
	0900	70.6	LATA
	1000	74.4	LATA
	1100	77.4	LATA
	1200	81.0	LATA
	1300	82.7	LATA
	1400	84.4	F. Soto
	1500	85.0	F. Soto
	1600	85.2	F. Soto
	1700	84.1	F. Soto
	1800	82.6	F. Soto
	1900	79.8	F. Soto
	2000	76.7	F. Soto
	2100	75.0	F. Soto
	2200	74.1	Baily
	2300	73.2	Baily
	2400	71.7	Baily

Date	Time	Temp.	Printed Name
10/ 12/ 24	0100	70.4	Baily
	0200	69.7	Baily
	0300	68.5	Baily
	0400	67.1	Baily
	0500	66.5	Baily
	0600	65.6	BAILY
	0700	64.4	LATA
	0800	64.3	LATA
	0900	72.5	LATA
	1000	73.4	LATA
	1100	74.3	LATA
	1200	76.5	LATA
	1300	78.1	LATA
	1400	80.5	DAVIDSON
	1500	81.5	DAVIDSON
	1600	81.6	DAVIDSON
	1700	80.9	DAVIDSON
	1800	78.3	DAVIDSON
	1900	76.7	DAVIDSON
	2000	74.5	DAVIDSON
	2100	73.8	DAVIDSON
	2200	72.1	Baily
	2300	71.1	Baily
	2400	70.3	Baily

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp	Printed Name
10/13/24	0100	69.2	Baily
	0200	68.1	Baily
	0300	66.5	Baily
	0400	66.5	Baily
	0500	65.1	Baily
	0600	64.6	Baily
	0700	63.8	LATA
	0800	63.1	LATA
	0900	62.2	LATA
	1000	71.0	LATA
	1100	73.0	LATA
	1200	75.8	LATA
	1300	78.9	LATA
	1400	80.4	Banks
	1500	82.1	Banks
	1600	80.6	Banks
	1700	79.5	Banks
	1800	78.1	Banks
	1900	75.6	Banks
	2000	73.8	Banks
	2100	73.0	Banks
	2200	72.3	Baily
	2300	71.7	Baily
	2400	70.6	Baily

Date	Time	Temp	Printed Name
10/14/24	0100	68.2	Baily
	0200	66.1	Baily
	0300	65.5	Baily
	0400	64.1	Baily
	0500	63.7	Baily
	0600	63.6	Baily
	0700	62.3	J Soto
	0800	61.0	J Soto
	0900	60.9	J Soto
	1000	62.7	J Soto
	1100	75.4	J Soto
	1200	78.6	J Soto
	1300	80.1	J Soto
	1400	81.7	Banks
	1500	82.4	Banks
	1600	82.1	Banks
	1700	81.1	Banks
	1800	78.9	Banks
	1900	76.5	Banks
	2000	74.8	Banks
	2100	73.2	Banks
	2200	72.3	Baily
	2300	71.7	Baily
	2400	70.4	Baily

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/15/24	0100	68.4	Bailey
	0200	67.5	Bailey
	0300	66.5	Bailey
	0400	65.8	Bailey
	0500	64.6	Bailey
	0600	64.4	Bailey
	0700	65.4	Primeril
	0800	67.0	Neatz
	0900	69.5	Primeril
	1000	71.7	Primeril
	1100	75.2	Primo
	1200	78.1	Primo
	1300	80.3	Primo
	1400	82.4	Banks
	1500	82.6	Banks
	1600	82.7	Banks
	1700	81.9	Banks
	1800	79.4	Banks
	1900	77.3	Banks
	2000	76.5	Banks
	2100	74.7	Banks
	2200	73.3	Bailey
	2300	72.6	Bailey
	2400	71.4	Bailey

Date	Time	Temp.	Printed Name
10/16/24	0100	70.5	Bailey
	0200	69.8	Bailey
	0300	69.1	Bailey
	0400	68.7	Bailey
	0500	67.9	Bailey
	0600	67.1	Bailey
	0700	65.2	LARA
	0800	64.6	LARA
	0900	68.7	LARA
	1000	72.7	LARA
	1100	76.0	LARA
	1200	78.4	LARA
	1300	79.0	LARA
	1400	80.0	Banks
	1500	80.2	Banks
	1600	78.9	Banks
	1700	79.4	Banks
	1800	76.2	Banks
	1900	74.2	Banks
	2000	73.7	Banks
	2100	71.6	Banks
	2200	71.1	Bailey
	2300	70.5	Bailey
	2400	69.5	Bailey

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
0/ 17/ 24	0100	68.4	Bailey
	0200	67.4	Bailey
	0300	67.1	Bailey
	0400	66.7	Bailey
	0500	65.8	Bailey
	0600	65.1	Bailey
	0700	62.1	NCA
	0800	62.3	NCA
	0900	65.9	NCA
	1000	69.7	NCA
	1100	73.8	NCA
	1200	76.7	NCA
	1300	76.3	NCA
	1400	79.1	Banks
	1500	78.5	BANKS
	1600	77.7	Banks
	1700	75.3	Banks
	1800	72.0	Banks
	1900	69.4	BANKS
	2000	68.4	BANKS
	2100	66.4	BANKS
	2200	67.1	Bailey
	2300	66.6	Bailey
	2400	66.1	Bailey

Date	Time	Temp.	Printed Name
0/ 18/ 24	0100	65.8	Bailey
	0200	65.4	Bailey
	0300	64.6	Bailey
	0400	64.1	Bailey
	0500	63.3	Bailey
	0600	61.8	Bailey
	0700	60.0	Pineapple
	0800	61.7	Pineapple
	0900	63.2	Pineapple
	1000	64.8	Pineapple
	1100	66.1	NCA
	1200	68.8	NCA
	1300	71.0	Pineapple
	1400	71.5	Pineapple
	1500	72.0	Pineapple
	1600	71.7	Pineapple
	1700	70.3	Pineapple
	1800	68.9	Pineapple
	1900	65.9	Pineapple
	2000	64.7	Pineapple
	2100	62.9	Pineapple
	2200	61.1	Bailey
	2300	60.7	Bailey
	2400	60.1	Bailey

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/19/24	0100	59.6	Baily
	0200	57.4	Baily
	0300	56.3	Baily
	0400	55.2	Baily
	0500	55.1	Baily
	0600	54.3	Baily
	0700	54.0	NGA
	0800	54.9	NGA
	0900	56.6	NGA
	1000	60.8	NGA
	1100	65.4	NGA
	1200	69.3	NGA
	1300	72.0	NGA
	1400	73.1	DAVIDSON
	1500	73.8	DAVIDSON
	1600	73.4	DAVIDSON
	1700	72.4	DAVIDSON
	1800	69.1	DAVIDSON
	1900	65.4	DAVIDSON
	2000	63.6	DAVIDSON
	2100	62.0	DAVIDSON
	2200	61.5	Baily
	2300	61.1	Baily
	2400	60.3	Baily

Date	Time	Temp.	Printed Name
10/20/24	0100	59.3	Baily
	0200	58.1	Baily
	0300	57.2	Baily
	0400	56.3	Baily
	0500	55.5	Baily
	0600	54.1	Baily
	0700	54.0	LATA
	0800	53.5	LATA
	0900	52.2	LATA
	1000	60.5	LATA
	1100	68.8	LATA
	1200	72.5	LATA
	1300	75.3	LATA
	1400	77.1	Banks
	1500	77.8	Banks
	1600	77.8	Banks
	1700	76.7	Banks
	1800	73.0	Banks
	1900	69.5	Banks
	2000	66.9	Banks
	2100	65.1	Banks
	2200	64.3	Baily
	2300	63.5	Baily
	2400	62.6	Baily

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/21/24	0100	61.1	Baily
	0200	60.3	Baily
	0300	58.2	Baily
	0400	56.3	Baily
	0500	54.6	Baily
	0600	53.1	Baily
	0700	56.8	LARA
	0800	56.6	LARA
	0900	59.7	LARA
	1000	61.7	LARA
	1100	68.9	LARA
	1200	73.3	LARA
	1300	75.2	LARA
	1400	78.1	Banks
	1500	78.8	Banks
	1600	78.6	Banks
	1700	77.4	Banks
	1800	74.0	Banks
	1900	71.4	Banks
	2000	70.7	Banks
	2100	66.6	Banks
	2200	65.0	Linares
	2300	64.3	Linares
	2400	63.2	Linares

Date	Time	Temp.	Printed Name
10/22/24	0100	62.1	Linares
	0200	61.6	Linares
	0300	60.6	Linares
	0400	59.2	Linares
	0500	58.7	Linares
	0600	57.9	LARA
	0700	56.6	LARA
	0800	57.5	LARA
	0900	61.3	LARA
	1000	65.9	LARA
	1100	69.7	LARA
	1200	73.2	LARA
	1300	75.5	LARA
	1400	77.9	Banks
	1500	78.6	Banks
	1600	78.3	Banks
	1700	74.5	Banks
	1800	72.8	Banks
	1900	70.6	Banks
	2000	68.9	Banks
	2100	67.5	Banks
	2200	66.4	Baily
	2300	65.5	Baily
	2400	64.7	Baily

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/23/24	0100	63.3	Baily
	0200	62.5	Baily
	0300	61.1	Baily
	0400	59.4	Baily
	0500	58.1	Baily
	0600	57.4	Baily
	0700	57.1	NEAR
	0800	58.5	NEAR
	0900	61.9	NEAR
	1000	65.9	NEAR
	1100	67.8	NEAR
	1200	72.8	NEAR
	1300	76.1	NEAR
	1400	78.0	M. Barker
	1500	77.8	M. Barker
	1600	77.3	M. Barker
	1700	76.0	M. Barker
	1800	73.9	M. Barker
	1900	71.4	M. Barker
	2000	70.4	M. Barker
	2100	67.0	M. Barker
	2200	66.3	Baily
	2300	65.3	Baily
	2400	63.3	Baily

Date	Time	Temp.	Printed Name
10/24/24	0100	61.7	Baily
	0200	60.3	Baily
	0300	59.4	Baily
	0400	58.5	Baily
	0500	58.1	Baily
	0600	57.5	Baily
	0700	56.7	LARA
	0800	56.7	LARA
	0900	59.6	LARA
	1000	62.2	LARA
	1100	65.9	LARA
	1200	69.5	LARA
	1300	69.6	LARA
	1400	71.9	M. Barker
	1500	73.7	M. Barker
	1600	73.5	M. Barker
	1700	72.2	M. Barker
	1800	68.0	M. Barker
	1900	66.7	M. Barker
	2000	64.7	M. Barker
	2100	63.1	M. Barker
	2200	62.6	Baily
	2300	61.6	Baily
	2400	60.6	Baily

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup> the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/25/24	0100	59.2	Baily
	0200	58.8	Baily
	0300	58.1	Baily
	0400	57.7	Baily
	0500	57.1	Baily
	0600	56.5	Baily
	0700	55.6	NGA
	0800	58.9	NGA
	0900	61.6	NGA
	1000	65.5	Nan
	1100	69.1	NGA
	1200	71.2	NGA
	1300	73.5	NGA
	1400	75.2	Morroy
	1500	76.5	Morroy
	1600	76.3	Morroy
	1700	74.6	Morroy
	1800	72.3	Morroy
	1900	68.5	Morroy
	2000	66.2	Morroy
	2100	64.6	M Morroy
	2200	63.1	Baily
	2300	62.6	Baily
	2400	61.6	Baily

Date	Time	Temp.	Printed Name
10/26/24	0100	60.2	Baily
	0200	59.3	Baily
	0300	59.6	Baily
	0400	57.7	Baily
	0500	57.1	Baily
	0600	56.5	Baily
	0700	56.7	Pimentel
	0800	54.9	Pimentel
	0900	59.4	Pimentel
	1000	60.3	Pimentel
	1100	63.2	Pimentel
	1200	70.5	Pimentel
	1300	74.0	NGA
	1400	77.0	F. Soto
	1500	75.9	F. Soto
	1600	75.6	F. Soto
	1700	73.5	F. Soto
	1800	71.8	F. Soto
	1900	68.3	F. Soto
	2000	66.8	F. Soto
	2100	65.4	F. Soto
	2200	64.3	Baily
	2300	63.3	Baily
	2400	62.1	Baily

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/27/24	0100	61.4	Baily
	0200	60.3	Baily
	0300	58.8	Baily
	0400	57.7	Baily
	0500	57.1	Baily
	0600	56.5	Baily
	0700	62.8	J Soto
	0800	61.8	J Soto
	0900	60.3	J Soto
	1000	68.6	J Soto
	1100	69.8	J Soto
	1200	71.5	J Soto
	1300	72.8	J Soto
	1400	73.0	J Soto
	1500	73.2	J Soto
	1600	72.8	M. Barker
	1700	71.5	M. Barker
	1800	69.9	M. Barker
	1900	69.0	M. Barker
	2000	68.5	M. Barker
	2100	67.5	M. Barker
	2200	66.3	Linares
	2300	66.1	Linares
	2400	66.0	Linares

Date	Time	Temp.	Printed Name
10/28/24	0100	65.2	Linares
	0200	65.0	Linares
	0300	64.8	Linares
	0400	64.4	Linares
	0500	63.9	Linares
	0600	63.9	V Hernandez
	0700	61.7	V Hernandez
	0800	61.5	V Hernandez
	0900	61.7	V Hernandez
	1000	69.4	V Hernandez
	1100	69.1	V Hernandez
	1200	68.2	V Hernandez
	1300	69.4	V Hernandez
	1400	70.3	M. Barker
	1500	68.8	M. Barker
	1600	69.3	M. Barker
	1700	66.7	M. Barker
	1800	64.7	M. Barker
	1900	63.4	M. Barker
	2000	62.4	M. Barker
	2100	61.6	M. Barker
	2200	61.1	Linares
	2300	59.0	Harris
	2400	58.0	Harris

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/29/24	0100	57.1	M. Harris
	0200	57.0	M. Harris
	0300	56.7	Linares
	0400	56.2	Linares
	0500	56.0	Linares
	0600	54.5	Pimentel
	0700	54.1	Pimentel
	0800	53.5	Pimentel
	0900	56.7	Pimentel
	1000	58.1	Pimentel
	1100	61.1	Pimentel
	1200	63.8	PIMENTEL
	1300	65.0	PIMENTEL
	1400	68.1	M. Barker
	1500	67.5	M. Barker
	1600	67.0	M. Barker
	1700	65.4	M. Barker
	1800	62.6	M. Barker
	1900	61.9	M. Barker
	2000	60.3	M. Barker
	2100	58.3	M. Barker
	2200	57.2	Bailey
	2300	56.3	Bailey
	2400	55.8	Bailey

Date	Time	Temp.	Printed Name
10/30/24	0100	55.1	Bailey
	0200	54.8	Bailey
	0300	54.1	Bailey
	0400	53.8	Bailey
	0500	53.6	Bailey
	0600	53.6	Bailey
	0700	50.9	NKA
	0800	51.5	NKA
	0900	53.6	NKA
	1000	55.2	NKA
	1100	59.0	NKA
	1200	62.7	NKA
	1300	66.3	NKA
	1400	68.4	Banks
	1500	68.3	Banks
	1600	67.7	Banks
	1700	66.3	Banks
	1800	64.7	Banks
	1900	63.2	Banks
	2000	60.2	Banks
	2100	57.6	Banks
	2200	57.2	Bailey
	2300	56.6	Bailey
	2400	56.1	Bailey

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/31/21	0100	56.7	Baily
	0200	54.2	Baily
	0300	53.5	Baily
	0400	52.2	Baily
	0500	51.5	Baily
	0600	50.1	Baily
	0700	53.6	LARA
	0800	55.4	LARA
	0900	56.9	LARA
	1000	61.6	LARA
	1100	63.9	LARA
	1200	63.9	LARA
	1300	65.7	LARA
	1400	67.0	Banks
	1500	67.4	Banks
	1600	66.7	Banks
	1700	64.9	Banks
	1800	63.2	Banks
	1900	60.4	Banks
	2000	59.8	Banks
	2100	59.1	Banks
	2200	58.5	Baily
	2300	57.6	Baily
	2400	56.5	Baily

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B1 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
10/24	0300	70°	5 end am
	0600	69°	DE LA CRUZ
	0900	69°	DE LA CRUZ
	1200	70°	DE LA CRUZ
	1500	72°	C. QUIZADA
	1800	72°	C. QUIZADA
	2100	72°	C. QUIZADA
	2400	72°	GONZALES

**Friday**

Date	Time	Temp.	Name (Print)
10/24	0300	70°	J. Mendoza
	0600	69°	J. Mendoza
	0900	70.5	J. Mendoza
	1200	71°	C. Purcell
	1500	73.2	J. MENDOZA
	1800	73.2	J. MENDOZA
	2100	72.9	J. MENDOZA
	2400	71.8	CUMMINS

**Sunday**

Date	Time	Temp.	Name (Print)
10/24	0300	70°	L. Russell
	0600	71°	Bar
	0900	71°	Bar
	1200	72°	Bar
	1500	72°	Hernandez
	1800	73°	Hernandez
	2100	72°	Hernandez
	2400	70°	Castillo

**Tuesday**

Date	Time	Temp.	Name (Print)
10/24	0300	71°	Robinson
	0600	66°	DE LA CRUZ
	0900	68°	DE LA CRUZ
	1200	68°	DE LA CRUZ
	1500	71°	C. QUIZADA
	1800	71°	C. QUIZADA
	2100	71°	C. QUIZADA
	2400	70°	Trujillo

**Thursday**

Date	Time	Temp.	Name (Print)
10/24	0300	72°	BONNACKS
	0600	68°	DE LA CRUZ
	0900	70°	DE LA CRUZ
	1200	71°	DE LA CRUZ
	1500	75°	J. MENDOZA
	1800	73.5	J. MENDOZA
	2100	73.6	J. MENDOZA
	2400	71°	Trujillo

**Saturday**

Date	Time	Temp.	Name (Print)
10/24	0300	70°	CUMMINS
	0600	64°	M. Trevino
	0900	71°	M. Trevino
	1200	72°	M. Trevino
	1500	73°	Kopnick
	1800	73°	Kopnick
	2100	72°	Kammer
	2400	70°	Kammer

**Notes**

10/24

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR.2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B1 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/16/24	0300	69	Castillo
	0600	69	M. Trevino
	0900	71	M. Trevino
	1200	72	M. Trevino
	1500	73	O. Hernandez
	1800	73	O. Hernandez
	2100	72	O. Hernandez
	2400	70	C. Quetzada

**Tuesday**

Date	Time	Temp.	Name (Print)
10/17/24	0300	69	C. Quetzada
	0600	69	M. Trevino
	0900	70	M. Trevino
	1200	71	M. Trevino
	1500	72	J. MENDOZA
	1800	72	J. MENDOZA
	2100	72	J. MENDOZA
	2400	71	C. Quetzada

**Wednesday**

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	G. Martin
	0600	67	Trevino
	0900	68	Cruz
	1200	69	Trevino
	1500	71	J. MENDOZA
	1800	71	J. MENDOZA
	2100	71	J. MENDOZA
	2400	66	J. Klein

**Thursday**

Date	Time	Temp.	Name (Print)
10/19/24	0300	66	C. Quetzada
	0600	67	A. Chavez
	0900	68	A. Chavez
	1200	69	A. Chavez
	1500	73	J. MENDOZA
	1800	73	J. MENDOZA
	2100	73	J. MENDOZA
	2400	71	C. Quetzada

**Friday**

Date	Time	Temp.	Name (Print)
10/20/24	0300	71	C. Quetzada
	0600	68	P. Cruz
	0900	67	P. Cruz
	1200	70	Trevino
	1500	72	J. MENDOZA
	1800	72	J. MENDOZA
	2100	72	J. MENDOZA
	2400	69	C. Quetzada

**Saturday**

Date	Time	Temp.	Name (Print)
10/21/24	0300	68	C. Quetzada
	0600	66	Trevino
	0900	64	Trevino
	1200	70	Casper
	1500	70	Casper
	1800	71	Casper
	2100	71	Casper
	2400	63	Castillo

**Notes**

Date	Time	Temp.	Name (Print)
10/22/24	0300	69	Castillo
	0600	69	Diaz
	0900	70	Diaz
	1200	70	Diaz
	1500	71	Hernandez
	1800	72	Trevino
	2100	72	Trevino
	2400	69	Castillo

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment (1)  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSP Housing Unit: B-1 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
10/14	0300	69	Castillo
14	0600	67	M. Trevino
	0900	68	M. Trevino
	1200	69	M. Trevino
	1500	70	D. Hernandez
	1800	73	C. Hernandez
	2100	70	G. Hernandez
	2400	69	Solorio

## Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	70	J. Morgan
16	0600	71	Trevino
	0900	73	Trevino
	1200	73	Trevino
	1500	74	Ramirez
	1800	74	Ramirez
	2100	73	Ramirez
	2400	70	Castillo

## Friday

Date	Time	Temp.	Name (Print)
10/18	0300	70	C. Purcell
18	0600	71	C. Purcell
	0900	72	C. Purcell
	1200	72	C. Purcell
	1500	72	C. COOPER
	1800	74	C. COOPER
	2100	72	J. Mendoza
	2400	70	Martinez

## Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	69	Castillo
20	0600	70	B. Diaz
	0900	70	B. Diaz
	1200	70	M. Diaz
	1500	70	M. Diaz
	1800	70	M. Diaz
	2100	70	M. Diaz
	2400	69	Castillo

DISTRIBUTION: Original: Institution Heat Plan Coordinator

## Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	69	Solorio
15	0600	69	Trevino
	0900	69	Trevino
	1200	70	Trevino
	1500	71	Trevino
	1800	72	J. Mendoza
	2100	72	J. Mendoza
	2400	70	Rodgers

## Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	70	Castillo
17	0600	71	Trevino
	0900	71	Trevino
	1200	71	Trevino
	1500	73	Cooper
	1800	73	Cooper
	2100	71	Cooper
	2400	71	Cooper

## Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	70	Martinez
19	0600	71	Rodriguez
	0900	71	Rodriguez
	1200	72	Rodriguez
	1500	72	Cooper
	1800	73	Cooper
	2100	71	Cooper
	2400	69	Castillo

## Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDOR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PNSP Housing Unit: B1 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/21	0300	66	S. Castillo
0600	67	M. Trevino	
0900	68	M. Trevino	
1200	69	M. Trevino	
1500	70°	C. Hernandez	
1800	71°	C. Hernandez	
2100	70°	C. Hernandez	
2400	69	S. Castillo	

**Wednesday**

Date	Time	Temp.	Name (Print)
10/23	0300	68	S. Castillo
0600	69	I. Moreno	
0900	69	I. Moreno	
1200	69	I. Moreno	
1500	72	C. Cooper	
1800	72	D. Mendez	
2100	73	D. Mendez	
2400	73	R. Brown	

**Friday**

Date	Time	Temp.	Name (Print)
10/25	0300	66	I. Moreno
0600	65°	R. Russell	
0900	66°	R. Russell	
1200	70°	R. Russell	
1500	70	C. Cooper	
1800	72	J. Mendez	
2100	72	J. Mendez	
2400	70	J. Martinez	

**Sunday**

Date	Time	Temp.	Name (Print)
10/27	0300	70	F. Foster
0600	70	G. Alvarez	
0900	70	G. Alvarez	
1200	70	C. Russell	
1500	70	I. Hernandez	
1800	71	I. Hernandez	
2100	72	I. Hernandez	
2400	69	R. Rodriguez	

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**Tuesday**

Date	Time	Temp.	Name (Print)
10/22	0300	69	S. Castillo
0600	68	I. Moreno	
0900	68	I. Moreno	
1200	67	I. Moreno	
1500	71	J. Hernandez	
1800	71	J. Hernandez	
2100	71	M. Morgan	
2400	69	S. Castillo	

**Thursday**

Date	Time	Temp.	Name (Print)
10/24	0300	71	R. Brown
0600	70	J. Hernandez	
0900	69	M. Moreno	
1200	70	M. Moreno	
1500	71	M. Moreno	
1800	72	J. Hernandez	
2100	72	J. Hernandez	
2400	69	J. Hernandez	

**Saturday**

Date	Time	Temp.	Name (Print)
10/26	0300	70	M. Turner
0600	70	R. Morgan	
0900	69	D. Morgan	
1200	67	D. Morgan	
1500	70	C. Cooper	
1800	71	C. Cooper	
2100	71	M. Morgan	
2400	70	E. Turner	

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B 1

Temp. Reading Location: 2nd

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
06/21/18	0300	68	Rodriguez
	0600	70	Trevino
	0900	70	Trevino
	1200	71	Trevino
	1500	70	ESCANZON
	1800	70	EXCHAVION
	2100	70	ESCALDON
	2400	68	Rodriguez

**Wednesday**

Date	Time	Temp.	Name (Print)
06/26/18	0300	68	Rodriguez
	0600	68	M.Trevino
	0900	67	M.Trevino
	1200	66	P.Garcia
	1500	68	Escarez
	1800	69	J.Hondroff
	2100	69	J.Mendoza
	2400	69	Gonzalez

**Friday**

Date	Time	Temp.	Name (Print)
06/29/18	0300	69	Medina
	0600	69	J.Mendoza
	0900	69	J.Mendoza
	1200	69	J.Mendoza
	1500	69	J.Mendoza
	1800	69	J.Mendoza
	2100	67	J.Mendoza
	2400	67	J.Mendoza

**Sunday**

Date	Time	Temp.	Name (Print)
06/30/18	0300	69	Castillo
	0600	69	Perez
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
06/29/18	0300	68	Rodriguez
	0600	71	Trevino
	0900	67	Cruz
	1200	67	Garcia
	1500	69	Garcia
	1800	69	J.Mendoza
	2100	69	J.Mendoza
	2400	68	Rodriguez

**Thursday**

Date	Time	Temp.	Name (Print)
06/30/18	0300	69	Castillo
	0600	69	Trevino
	0900	67	Trevino
	1200	67	Trevino
	1500	68	J.Mendoza
	1800	68	J.Mendoza
	2100	68	J.Mendoza
	2400	67	Mendoza

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	67	J.Mendoza
	0600	68	Rodriguez
	0900	69	Rodriguez
	1200	69	Rodriguez
	1500	70	J.Mendoza
	1800	68	J.Mendoza
	2100	66	J.Mendoza
	2400	68	Castillo

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2021 (04/18)

Attachment  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PNSP Housing Unit: B2 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
0300	71	MILLER	
0600	68	SERRA	
0900	70	SERRA	
1200	71	SERRA	
1500	72	CORTES	
1800	72	CORTES	
2100	72	CORTES	
2400	71	MILLER	

**Wednesday**

Date	Time	Temp.	Name (Print)
0300	71	C.MILLER	
0600	72	Ramirez	
0900	73	Ramirez	
1200	73	Ramirez	
1500	70	Gonzales	
1800	77	Gonzales	
2100	77	Gonzales	
2400	71	MILLER	

**Friday**

Date	Time	Temp.	Name (Print)
0300	71	MILLER	
0600	73	B. Vans	
0900	73	B. Vans	
1200	74	B. Vans	
1500	76	Robinson	
1800	77	Robinson	
2100	77	Robinson	
2400	77	MILLER	

**Sunday**

Date	Time	Temp.	Name (Print)
0300	77	MILLER	
0600	74	J. GOMEZ	
0900	74	J. GOMEZ	
1200	74	J. GOMEZ	
1500	76	J. AYALA	
1800	74	J. MATA	
2100	75	J. MATA	
2400	75	MILLER	

**Tuesday**

Date	Time	Temp.	Name (Print)
0300	71	C. Miller	
0600	70	A. RIZZO	
0900	73	A. RIZZO	
1200	75	A. RIZZO	
1500	73	Cortez	
1800	73	Ramirez	
2100	73	Ramirez	
2400	71	C. Miller	

**Thursday**

Date	Time	Temp.	Name (Print)
0300	71	MILLER	
0600	73	S. Ramirez	
0900	73	S. Ramirez	
1200	73	S. Ramirez	
1500	76	J. GOMERZ	
1800	77	J. GOMERZ	
2100	77	J. GOMERZ	
2400	71	MILLER	

**Saturday**

Date	Time	Temp.	Name (Print)
0300	70	MILLER	
0600	71	Robinson	
0900	71	Robinson	
1200	73	Robinson	
1500	74	Hector	
1800	72	Hector	
2100	71	Hector	
2400	70	MILLER	

**Notes**

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSP Housing Unit: B2 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10	0300	71	C. Miller
10	0600	71	Cortes
10	0900	71	Cortes
10	1200	73	Cortes
10	1500	74°	Cortes
10	1800	74°	Cortes
10	2100	74°	Cortes
10	2400	71	C. Miller

**Wednesday**

Date	Time	Temp.	Name (Print)
10	0300	71	C. Miller
10	0600	70	A. Saurin
10	0900	71	A. Saurin
10	1200	72	A. Saurin
10	1500	71	Cortes
10	1800	70	Cortes
10	2100	71	Cortes
10	2400	70	C. Miller

**Friday**

Date	Time	Temp.	Name (Print)
10	0300	70	S. Castillo
10	0600	68°	J. Morris
10	0900	69	J. Morris
11	1200	69	J. Morris
10	1500	70	B. Martinez
10	1800	70	B. Martinez
10	2100	70	B. Martinez
10	2400	69	S. Castillo

**Sunday**

Date	Time	Temp.	Name (Print)
10	0300	69	Morales
10	0600	68	Spanier
10	0900	67	Spanier
10	1200	68	Spanier
10	1500	71	R. Taylor
10	1800	71	R. Taylor
10	2100	72	R. Taylor
10	2400	69	R. Taylor

**Tuesday**

Date	Time	Temp.	Name (Print)
10	0300	71	C. Miller
10	0600	70	C. Russell
10	0900	71	R. Sosa
10	1200	73	R. Sosa
10	1500	74	Ramirez
10	1800	74	Ramirez
10	2100	73	Ramirez
10	2400	71	C. Miller

**Thursday**

Date	Time	Temp.	Name (Print)
10	0300	70	C. Miller
10	0600	72	Spanier
10	0900	72	Spanier
10	1200	72	Spanier
10	1500	72	J. Gadsden
10	1800	71	J. Gadsden
10	2100	71	J. Gadsden
10	2400	70	J. Gadsden

**Saturday**

Date	Time	Temp.	Name (Print)
10	0300	70	S. Castillo
10	0600	68	Spanier
10	0900	67	Spanier
10	1200	67	Spanier
10	1500	69	R. Taylor
10	1800	71	R. Taylor
10	2100	70	R. Taylor
10	2400	69	Spanier

**Notes**

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PJSP Housing Unit: B7

Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	67	
10	0600	67	Sierra
10	0900	69	Sierra
10	1200	69	Sierra
10	1500	70	Sierra
10	1800	70	Sierra
10	2100	70	Sierra
10	2400	69	C. Miller

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	69	C. Miller
10	0600	69	A. Sareco
10	0900	69	A. Sareco
10	1200	69	A. Sareco
10	1500	69	Cotes
10	1800	69	Cotes
10	2100	69	Cotes
10	2400	69	C. Miller

Friday

Date	Time	Temp.	Name (Print)
10	0300	79	S. Castillo
10	0600	71	J. Mennat
10	0900	70	J. Mennat
10	1200	70	J. Mennat
10	1500	69	Cotes
10	1800	69	Cotes
10	2100	68	Cotes
10	2400	74	S. Castillo

Sunday

Date	Time	Temp.	Name (Print)
10	0300	68	
10	0600	66	Spanier
10	0900	68	Spanier
10	1200	67	Spanier
10	1500	68	B. Taylor
10	1800	68	R. Taylor
10	2100	66	B. Taylor
10	2400	66	Spanier

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	69	C. Miller
10	0600	69	Sierra
10	0900	69	Sierra
10	1200	69	Sierra
10	1500	72	Romero
10	1800	72	Romero
10	2100	73	Romero
10	2400	67	C. Miller

Thursday

Date	Time	Temp.	Name (Print)
10	0300	69	C. Miller
10	0600	70	C. Miller
10	0900	70	C. Miller
10	1200	72	C. Miller
10	1500	72	SANTILLAN
10	1800	72	Cotes
10	2100	77	Cotes
10	2400	78	S. Castillo

Saturday

Date	Time	Temp.	Name (Print)
10	0300	76	E. Castillo
10	0600	68	Spanier
10	0900	68	Spanier
10	1200	67	Spanier
10	1500	70	R. Taylor
10	1800	73	R. Taylor
10	2100	73	R. Taylor
10	2400	69	Spanier

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHAB

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSID (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list may be housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B2 Temp. Reading Location: 2nd Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Mondáy

Date	Time	Temp.	Name (Print)
10	0300	67	<u>A. Sienra</u>
	0600	67	<u>A. Sienra</u>
21	0900	68	<u>A. Sienra</u>
	1200	68	<u>A. Sienra</u>
24	1500	68	<u>RAMIREZ</u>
	1800	69	<u>RAMIREZ</u>
24	2100	69	<u>RAMIREZ</u>
	2400	68	<u>C. Miller</u>

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	69	<u>C. Miller</u>
	0600	69	<u>A. Saucedo</u>
23	0900	69	<u>A. Saucedo</u>
	1200	70	<u>A. Saucedo</u>
24	1500	72°	<u>Cortes</u>
	1800	72°	<u>Cortes</u>
24	2100	72°	<u>Cortes</u>
	2400	70	<u>C. Miller</u>

Friday

Date	Time	Temp.	Name (Print)
10	0300	77	<u>S. Castillo</u>
25	0600	71	<u>J. Mendoza</u>
2021	0900	68	<u>J. Mendoza</u>
	1200	69	<u>J. Mendoza</u>
	1500	70	<u>Kemmer</u>
	1800	70	<u>Kemmer</u>
	2100	70	<u>Kemmer</u>
	2400	69	<u>T. G. Rice</u>

Sunday

Date	Time	Temp.	Name (Print)
10	0300	67	<u>Morales</u>
	0600	68	<u>J. Lame</u>
21	0900	69	<u>J. Lame</u>
	1200	70	<u>J. Lame</u>
24	1500	72	<u>J. Mender</u>
	1800	73	<u>J. Mender</u>
24	2100	73	<u>J. Mender</u>
	2400	70	<u>M. Miller</u>

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	68	<u>C. Miller</u>
	0600	68	<u>A. Sienra</u>
21	0900	68	<u>A. Sienra</u>
	1200	69	<u>A. Sienra</u>
24	1500	72°	<u>Cortes</u>
	1800	72°	<u>Cortes</u>
	2100	72°	<u>Cortes</u>
	2400	69	<u>C. Miller</u>

Thursday

Date	Time	Temp.	Name (Print)
10	0300	70	<u>C. Miller</u>
	0600	68	<u>S. Castillo</u>
24	0900	68	<u>S. Castillo</u>
	1200	68	<u>S. Castillo</u>
24	1500	70°	<u>Cortes</u>
	1800	70°	<u>Cortes</u>
	2100	70°	<u>Cortes</u>
	2400	75	<u>S. Castillo</u>

Saturday

Date	Time	Temp.	Name (Print)
10	0300	68	<u>T. G. Rice</u>
	0600	68	<u>S. Castillo</u>
26	0900	68	<u>S. Castillo</u>
	1200	67	<u>S. Castillo</u>
24	1500	69	<u>Hernandez</u>
	1800	68	<u>Hernandez</u>
	2100	68	<u>Hernandez</u>
	2400	67	<u>Hernandez</u>

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHAB

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIR (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list may be housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B-2 Temp. Reading Location: 2nd Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	67	miller
28/24	0600	67°	Sierra
	0900	68°	Sierra
	1200	68°	Sierra
	1500	69°	Cortes
	1800	69	Cortes
	2100	68	Cortes
	2400	69	C. miller

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	68	C. miller
30/24	0600	70	A. Flores
	0900	73	A. Flores
	1200	75	J. Gomez
	1500	66	J. GARCIA
	1800	66	M. Rodriguez
	2100	66	M. Rodriguez
	2400	68	miller

Friday

Date	Time	Temp.	Name (Print)
11/01	0300	70	Stumbaugh
0600	71		Davis
0900	71		Davis
1200	71		Davis
1500	70°		Cortes
1800	68		Cortes
2100	66°		Cortes
	2400	66	S. Castille

Sunday

Date	Time	Temp.	Name (Print)
11/03	0300	69	Miller
0600	71		Taylor
0900	71		Taylor
1200	71		Taylor
1500	69		Taylor
1800	66		Taylor
2100	66		Taylor
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	68	C. miller
29/24	0600	68	A. Sierra
	0900	67	A. Sierra
	1200	69	A. Sierra
	1500	69	Cortes
	1800	69	Cortes
	2100	69	Cortes
	2400	68	miller

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	69	miller
31/24	0600	73	Flores
	0900	75	Flores
	1200	75	Flores
	1500	70°	Cortes
	1800	69°	Cortes
	2100	69°	Cortes
	2400	69°	Stumbaugh

Saturday

Date	Time	Temp.	Name (Print)
11/01	0300	68	S. Castille
0600	70		Flores
0900	71		Flores
1200	72		Flores
1500	69		R. Taylor
1800	68		R. Taylor
2100	66		R. Taylor
	2400	67	Miller

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDOR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSP Housing Unit: B3

Temp. Reading Location: 2nd

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/12	0300	69°	J. MCG
12	0600	64°	A. Acosta
12	0900	68°	J. Acosta
12	1200	76°	J. Acosta
12	1500	77°	V. Rodriguez
12	1800	75°	V. Rodriguez
12	2100	70°	V. Rodriguez
12	2400	70°	C. Medina

Friday

Date	Time	Temp.	Name (Print)
10/14	0300	68°	R. MEDINA
14	0600	66°	MALDONADO
14	0900	66°	J. RAMIREZ
14	1200	70°	J. RAMIREZ
14	1500	71°	V. Rodriguez
14	1800	72°	V. Rodriguez
14	2100	71°	V. Rodriguez
14	2400	67°	E. AREVALO

Sunday

Date	Time	Temp.	Name (Print)
10/16	0300	66°	GARCIA
16	0600	69°	DIAZ
16	0900	69°	DIAZ
16	1200	70°	DIAZ
16	1500	73°	DIAZ
16	1800	75°	DIAZ
16	2100	77°	DIAZ
16	2400	70°	MILY

Tuesday

Date	Time	Temp.	Name (Print)
10/14	0300	66°	MCCOY
14	0600	66°	J. ACOSTA
14	0900	67°	J. Acosta
14	1200	68°	J. Acosta
14	1500	73°	A. SINGH
14	1800	73°	A. Singh
14	2100	73°	A. Singh
14	2400	71°	J. McCall

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	69°	C. MELTON
24	0600	68°	J. ACOSTA
24	0900	69°	J. ACOSTA
24	1200	69°	J. ACOSTA
24	1500	73°	V. RODRIGUEZ
24	1800	70°	V. Rodriguez
24	2100	69°	V. Rodriguez
24	2400	68°	R. MEDINA

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	67°	E. AREVALO
19	0600	69°	BANWELL
19	0900	69°	KALIBAH
19	1200	71°	KALIBAH
19	1500	73°	D. BRIGGS
19	1800	73°	D. BRIGGS
19	2100	71°	L. LEONARD
19	2400	71°	GARZA

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSY Housing Unit: B3 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/1/18	0300	69°	M. McCay
	0600	69.7	D. Diosa
	0900	69.7	D. Diosa
	1200	70.5	A. Rodriguez
	1500	71	A. Mendiola
	1800	72	S. Jang
	2100	72	S. Jang
	2400	69°	J. McLean

**Wednesday**

Date	Time	Temp.	Name (Print)
10/9/18	0300	61	J. Amporn
	0600	61	J. Amporn
	0900	63	A. Rodriguez
	1200	69	A. Rodriguez
	1500	70	A. Rodriguez
	1800	71	P. Cruz
	2100	63	T. Lee
	2400	61	T. Lee

**Friday**

Date	Time	Temp.	Name (Print)
10/11/18	0300	70	M. Mendiola
	0600	74	M. Mendiola
	0900	78	M. Mendiola
	1200	78	M. Mendiola
	1500	78	P. Cruz
	1800	75°	P. Cruz
	2100	74°	P. Cruz
	2400	73	F. Lopez

**Sunday**

Date	Time	Temp.	Name (Print)
10/13/18	0300	68	R. Taylor
	0600	65°	R. Taylor
	0900	66	R. Taylor
	1200	67	R. Taylor
	1500	67	C. Correa
	1800	67	C. Correa
	2100	67	C. Correa
	2400	66°	M. McCay

**Tuesday**

Date	Time	Temp.	Name (Print)
10/9/18	0300	66°	J. McLean
	0600	68°	A. Rodriguez
	0900	68°	A. Rodriguez
	1200	70	C. Diosa
	1500	71	S. Jang
	1800	71	A. Mendiola
	2100	71	A. Mendiola
	2400	63	J. Amporn

**Thursday**

Date	Time	Temp.	Name (Print)
10/10/18	0300	81	M. Mendiola
	0600	76°	E. Sison
	0900	77°	E. Sison
	1200	78	A. Rodriguez
	1500	78	P. Cruz
	1800	78	J. Corrales
	2100	70	V. Rodriguez
	2400	70	T. MHD

**Saturday**

Date	Time	Temp.	Name (Print)
10/12/18	0300	73°	L. Lopez
	0600	72°	L. Lopez
	0900	72	G. Andaya
	1200	70	G. Andaya
	1500	68°	V. O.
	1800	68°	V. O.
	2100	68°	V. O.
	2400	70°	L. Lopez

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**Attachment (**  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B3 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/14/24	0300	65°	J. McKey
	0600	67°	J. Acosta
	0900	67°	J. Acosta
	1200	68°	J. Acosta
	1500	68°	R. Taylor
	1800	68°	R. Taylor
	2100	69°	R. Taylor
	2400	67°	J. McKey

**Wednesday**

Date	Time	Temp.	Name (Print)
10/16/24	0300	68°	J. McKey
	0600	74°	A. Rodriguez
	0900	78°	M. Patacios
	1200	81°	M. Patacios
	1500	71°	D. Avila
	1800	69°	R. Avila
	2100	68°	R. Avila
	2400	71°	J. TMSI

**Friday**

Date	Time	Temp.	Name (Print)
10/18/24	0300	68°	V. Ang
	0600	68°	D. Diaz
	0900	68°	D. Diaz
	1200	69°	D. Diaz
	1500	69°	M. Matlock
	1800	69°	M. Matlock
	2100	69°	M. Matlock
	2400	69°	Lopez

**Sunday**

Date	Time	Temp.	Name (Print)
10/20/24	0300	68°	A. Amponio
	0600	66°	A. Rodriguez
	0900	71°	A. Rodriguez
	1200	73°	A. Rodriguez
	1500	70°	R. Robison
	1800	69°	R. Robison
	2100	69°	R. Robison
	2400	68°	R. Robison

**Tuesday**

Date	Time	Temp.	Name (Print)
10/24	0300	67°	J. McKey
	0600	67°	J. Acosta
	0900	67°	J. Acosta
	1200	69°	J. Acosta
	1500	69°	J. Acosta
	1800	69°	J. Acosta
	2100	68°	J. Acosta
	2400	68°	J. McKey

**Thursday**

Date	Time	Temp.	Name (Print)
10/24	0300	69°	J. TMSI
	0600	69°	Rodriguez
	0900	69°	Rodriguez
	1200	69°	Rodriguez
	1500	69°	ACTIA
	1800	69°	AVILA
	2100	69°	AVILA
	2400	69°	AVILA

**Saturday**

Date	Time	Temp.	Name (Print)
10/24	0300	69°	Lopez
	0600	67°	Ramirez
	0900	68°	Ramirez
	1200	69°	Ramirez
	1500	70°	Robison
	1800	70°	Robison
	2100	70°	Robison
	2400	68°	Amponio

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/16)

Attachment  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: All-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B3

Temp. Reading Location: 2nd

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10	0300	66°	J. Meany
10	0600	69	J. Ramirez
11	0900	67	J. Ramirez
12	1200	68	J. Ramirez
13	1500	69	R. Rayson
14	1800	64	R. Rayson
15	2100	66	R. Rayson
16	2400	68	J. Meany

**Wednesday**

Date	Time	Temp.	Name (Print)
10	0300	67	J. Meany
10	0600	64	J. Jimenez
11	0900	73	J. Jimenez
12	1200	75	J. Jimenez
13	1500	72	R. Franklin
14	1800	72	R. Franklin
15	2100	70	R. Franklin
16	2400	71°	J. Meany

**Friday**

Date	Time	Temp.	Name (Print)
10	0300	65°	H. Rodriguez
10	0600	66	Diosa
11	0900	67	Diosa
12	1200	69	Diosa
13	1500	67	V. Rodriguez
14	1800	67	V. Rodriguez
15	2100	69	V. Rodriguez
16	2400	68	J. Meany

**Sunday**

Date	Time	Temp.	Name (Print)
10	0300	68	V. Rodriguez
10	0600	68	J. Meany
11	0900	68	J. Meany
12	1200	70	J. Meany
13	1500	72°	V. Rodriguez
14	1800	73°	V. Rodriguez
15	2100	70°	V. Rodriguez
16	2400	68°	H. Martinez

**Tuesday**

Date	Time	Temp.	Name (Print)
10	0300	66°	J. Meany
10	0600	68	J. Jimenez
11	0900	70	J. Jimenez
12	1200	70	J. Jimenez
13	1500	71	R. Taylor
14	1800	71	R. Taylor
15	2100	70	R. Taylor
16	2400	68°	J. Meany

**Thursday**

Date	Time	Temp.	Name (Print)
10	0300	70°	J. Meany
10	0600	68	Perce
11	0900	69	Perce
12	1200	65	Perce
13	1500	67°	V. Rodriguez
14	1800	69°	V. Rodriguez
15	2100	69°	V. Rodriguez
16	2400	67°	H. Rodriguez

**Saturday**

Date	Time	Temp.	Name (Print)
10	0300	66	J. Meany
10	0600	64	Padre
11	0900	69	Padre
12	1200	70	Padre
13	1500	75°	V. Rodriguez
14	1800	70°	V. Rodriguez
15	2100	69°	V. Rodriguez
16	2400	69	V. Rodriguez

**Notes**

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDOR 2034 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B3 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/28	0300	68°	A. Martinez
	0600	68	J. Jimenez
	0900	69	S. Arevalo
	1200	70	S. Arevalo
	1500	70	Taylor
	1800	70	Taylor
10/24	2100	69	Taylor
	2400	67°	J. Martin

**Wednesday**

Date	Time	Temp.	Name (Print)
10/30	0300	67°	J. Muñoz
	0600	67	J. Jimenez
	0900	69	J. Jimenez
	1200	66	J. Jimenez
	1500	71	V. Rodriguez
	1800	68°	V. Rodriguez
10/31	2100	66	V. Rodriguez
	2400	69°	J. Muñoz

**Friday**

Date	Time	Temp.	Name (Print)
11/1	0300	67°	M. Rodriguez
	0600	65	Maldenado
	0900	65	Maldenado
	1200	66	D. Diaz
	1500	71°	V. Rodriguez
	1800	70°	V. Rodriguez
11/24	2100	67°	V. Rodriguez
	2400	66	Reyes

**Sunday**

Date	Time	Temp.	Name (Print)
11/3	0300	67	M. Lopez
	0600	68	Robinson
	0900	68	Robinson
	1200	70	Robinson
	1500	70°	V. Rodriguez
	1800	67°	V. Rodriguez
11/24	2100	67°	V. Rodriguez
	2400	68	A. Hernandez

**Tuesday**

Date	Time	Temp.	Name (Print)
10/29	0300	66	J. Muñoz
	0600	65	J. Muñoz
	0900	66	J. Muñoz
	1200	67	J. Muñoz
10/24	1500	72	J. Muñoz
	1800	72	J. Muñoz
	2100	72	J. Muñoz
	2400	72	J. Muñoz

**Thursday**

Date	Time	Temp.	Name (Print)
10/31	0300	73°	J. Yasi
	0600	70	J. Muñoz
	0900	69	J. Muñoz
	1200	69	J. Muñoz
10/24	1500	71°	V. Rodriguez
	1800	69°	V. Rodriguez
	2100	68°	V. Rodriguez
	2400	68°	V. Rodriguez

**Saturday**

Date	Time	Temp.	Name (Print)
11/12	0300	67	Reyes
	0600	68	Maldenado
	0900	68	Maldenado
	1200	68	Maldenado
11/24	1500	68°	V. Rodriguez
	1800	68°	V. Rodriguez
	2100	67°	V. Rodriguez
	2400	67°	M. Lopez

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDOR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PWSP Housing Unit: B4 Temp. Reading Location: 2nd

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/1/14	0300	70	Higuera
	0600	71	Higuera
	0900	72	Higuera
	1200	73	Higuera
	1500	74	Soler
	1800	74	Soler
	2100	72	Soler
	2400	70	(TBD)

Friday

Date	Time	Temp.	Name (Print)
10/14/14	0300	69	Gutierrez
	0600	69	Gutierrez
	0900	70	Gutierrez
	1200	70	Gutierrez
	1500	71	Gutierrez
	1800	71	Gutierrez
	2100	70	Gutierrez
	2400	69	Gutierrez

Sunday

Date	Time	Temp.	Name (Print)
10/16/14	0300	68	Rivas
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	71	Morales
	1800	71	Morales
	2100	72	Morales
	2400	70	Cruz

Tuesday

Date	Time	Temp.	Name (Print)
10/1/14	0300	70	(TBD)
	0600	72	(TBD)
	0900	72	(TBD)
	1200	73	(TBD)
	1500	72	Perez
	1800	72	Perez
	2100	71	Perez
	2400	70	Perez

Thursday

Date	Time	Temp.	Name (Print)
10/3/14	0300	68	Gutierrez
	0600	70	Gutierrez
	0900	72	Gutierrez
	1200	72	Gutierrez
	1500	72	Gutierrez
	1800	71	Gutierrez
	2100	71	Gutierrez
	2400	70	Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
10/4/14	0300	69	Duran
	0600	70	Duran
	0900	70	Duran
	1200	70	Duran
	1500	70	Duran
	1800	71	Duran
	2100	71	Duran
	2400	70	Duran

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

Attachment  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B4 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/12	0300	71	Morales
	0600	73	Maldonado
	0900	73	Maldonado
	1200	74	Maldonado
	1500	76	Moreno
	1800	76	Moreno
	2100	75	Moreno
	2400	73	Morales

**Wednesday**

Date	Time	Temp.	Name (Print)
10/19	0300	70	Ahuas
	0600	71	MJ EVAN AND
	0900	72	MJ EVAN AND
	1200	74	MJ RUE (AND)
	1500	77	C. Miller
	1800	71	C. Miller
	2100	76	C. Miller
	2400	74	T. Garcia

**Friday**

Date	Time	Temp.	Name (Print)
10/11	0300	70	GOMEZ
	0600	71	Almanza
	0900	72	Almanza
	1200	74	Almanza
	1500	73	Barrera, L
	1800	73	MORENO
	2100	72	MORENO
	2400	72	GOMEZ

**Sunday**

Date	Time	Temp.	Name (Print)
10/13	0300	72	Ruel
	0600	72	Maldonado
	0900	72	Maldonado
	1200	73	Maldonado
	1500	74	Barrera, M
	1800	72	Barrera, M
	2100	71	Barrera, M
	2400	74	Morales

**Tuesday**

Date	Time	Temp.	Name (Print)
10/8	0300	70	Morales
	0600	70	Morales
	0900	72	Morales
	1200	74	Morales
	1500	72	Velasquez
	1800	71	Velasquez
	2100	72	Velasquez
	2400	72	Velasquez

**Thursday**

Date	Time	Temp.	Name (Print)
10/10	0300	73	Guzman
	0600	71	Maldonado
	0900	72	Maldonado
	1200	72	Maldonado
	1500	72	Perez
	1800	71	Perez
	2100	71	Perez
	2400	71	Guzman

**Saturday**

Date	Time	Temp.	Name (Print)
10/12	0300	71	Gomez
	0600	70	Gomez
	0900	70	Gomez
	1200	70	Corona
	1500	72	MORENO
	1800	72	Corona
	2100	72	Corona
	2400	72	Corona

**Notes**

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment (1)  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B4 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	70	Zavala
	0600	70	Zavala
	0900	70	Zavala
	1200	70	Zavala
	1500	72	Moreno
	1800	72	Moreno
	2100	72	Moreno
	2400	78	Alvarez

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	68	Guzman
	0600	66	J. Gutierrez
	0900	68	Gutierrez
	1200	72	Gutierrez
	1500	74	Perez
	1800	72	Perez
	2100	72	Perez
	2400	71	Sinchez

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	69	Guzman
	0600	64	J. Gutierrez
	0900	68	J. Gutierrez
	1200	70	A. Morelos
	1500	70	Perez
	1800	69	Perez
	2100	69	Solorio
	2400	69	Solorio

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	64	Perez
	0600	66	A. Paredes
	0900	49	A. Paredes
	1200	69	A. Paredes
	1500	67	L. Perez
	1800	67	C. Perez
	2100	66	C. Perez
	2400	66	Guzman

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	59	Amaya
	0600	57	Dinh
	0900	70	Paredes
	1200	71	Paredes
	1500	71	Perez
	1800	70	Perez
	2100	70	Perez
	2400	70	Guzman

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	69	Sinchez
	0600	66	J. Gutierrez
	0900	70	J. Gutierrez
	1200	72	J. Gutierrez
	1500	74	J. Gutierrez
	1800	73	Cruz
	2100	73	Cruz
	2400	70	Guzman

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	69	Salazar
	0600	64	J. Gutierrez
	0900	68	J. Gutierrez
	1200	68	J. Gutierrez
	1500	68	Uren
	1800	67	Uren
	2100	67	Uren
	2400	68	Uren

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2021 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: All-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B4

Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300	68	T. Miller
10/21/21	0600	69	Luna
	0900	70	Luna
	1200	72	Luna
	1500	72	Luna
	1800	73	Luna
	2100	70	Luna
	2400	69	T. Miller

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300	68	T. Miller
10/23/21	0600	64	Martinez
	0900	65	Martinez
	1200	65	Martinez
	1500	66	C. Miller
	1800	66	C. Miller
	2100	66	C. Miller
	2400	66	T. Miller

**Friday**

Date	Time	Temp.	Name (Print)
	0300	66	T. Miller
10/25/21	0600	66	Martinez
	0900	67	Martinez
	1200	67	Martinez
	1500	67	Martinez
	1800	66	Martinez
	2100	67	Martinez
	2400	67	M. RODRIGUEZ

**Sunday**

Date	Time	Temp.	Name (Print)
10/27/21	0300	66	M. RODRIGUEZ
	0600	69	V. Martinez
	0900	70	V. Martinez
	1200	71	V. Martinez
	1500	70	MARROT
	1800	70	MARROT
	2100	69	MARROT
	2400	68	T. Miller

**Tuesday**

Date	Time	Temp.	Name (Print)
10/24/21	0300	68	T. Miller
	0600	68	Martinez
	0900	69	Martinez
	1200	70	Martinez
	1500	70	Whitt
	1800	70	Luna
	2100	69	Luna
	2400	69	T. Miller

**Thursday**

Date	Time	Temp.	Name (Print)
10/24/21	0300	66	T. Miller
	0600	66	Martinez
	0900	66	Martinez
	1200	67	Martinez
	1500	66	C. Miller
	1800	66	C. Miller
	2100	66	C. Miller
	2400	66	Gurk

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	66	M. RODRIGUEZ
10/26/21	0600	68	Martinez
	0900	68	Martinez
	1200	70	Martinez
	1500	70	STOCKTON
	1800	70	STOCKTON
	2100	68	STOCKTON
	2400	67	M. RODRIGUEZ

**Notes**

DISTRIBUTION: Original Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDRR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**Attachment**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B4 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/16	0300	63	
	0600	67	Maloney
	0900	67	Maloney
	1200	68	Maloney
10/17	1500	67	Luna
	1800	68	Luna
10/18	2100	68	Luna
	2400	67	T. G. -

**Wednesday**

Date	Time	Temp.	Name (Print)
10/20	0300	65	
	0600	68	Montane
	0900	68	Montane
	1200	70	Montane
10/21	1500	68	C. Miller
	1800	68	C. Miller
10/22	2100	68	C. Miller
	2400	68	Montane

**Friday**

Date	Time	Temp.	Name (Print)
10/24	0300	64	Montane
	0600	64	Montane
	0900	64	Montane
	1200	65	Montane
	1500	65	M. P. -
	1800	66	M. P. -
	2100	66	M. P. -
	2400	66	M. P. -

**Sunday**

Date	Time	Temp.	Name (Print)
10/26	0300	65	M. Rodriguez
	0600	65	Maloney
	0900	66	Maloney
	1200	66	Maloney
	1500	66	V. M.
	1800	65	V. M.
	2100	65	V. M.
	2400	64	P. Rodriguez

**Tuesday**

Date	Time	Temp.	Name (Print)
10/29	0300	66	F. Correa
	0600	67	F. Correa
	0900	68	F. Correa
	1200	69	F. Correa
	1500	69	C. Ono
10/30	1800	70	C. Ono
	2100	68	C. Ono
	2400	65	T. G. -

**Thursday**

Date	Time	Temp.	Name (Print)
10/31	0300	63	A. Martin
	0600	63	A. Martin
	0900	63	A. Martin
	1200	63	A. Martin
	1500	66	C. Miller
	1800	66	C. Miller
	2100	66	C. Miller
11/01	2400	65	M. Rodriguez

**Saturday**

Date	Time	Temp.	Name (Print)
11/02	0300	66	M. Rodriguez
	0600	65	M. P. -
	0900	65	M. P. -
	1200	65	M. P. -
	1500	65	M. Rodriguez
	1800	66	M. Rodriguez
	2100	65	M. Rodriguez
	2400	65	M. Rodriguez

**Notes**

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CCCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B5 Temp. Reading Location: 2nd B-Sec  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
10/1/18	0300	70	MORTADA
10/1/18	0600	70	Sandoz
10/1/18	0900	71	Sandoz
10/1/18	1200	73	Sandoz
10/1/18	1500	73	T. Grier
10/1/18	1800	74	T. Grier
10/1/18	2100	73	T. Grier
10/1/18	2400	73	MORTADA

## Friday

Date	Time	Temp.	Name (Print)
10/4/18	0300	72	MORTADA
10/4/18	0600	70	A. Aquileva
10/4/18	0900	72	A. Aquileva
10/4/18	1200	73	A. Aquileva
10/4/18	1500	74	Luna
10/4/18	1800	75	LUNA
10/4/18	2100	72	LUNA
10/4/18	2400	73	Affee

## Sunday

Date	Time	Temp.	Name (Print)
10/6/18	0300	70	MORTADA
10/6/18	0600	70	Robison
10/6/18	0900	70	Robison
10/6/18	1200	72	Robison
10/6/18	1500	75	MORTADA
10/6/18	1800	75	MORTADA
10/6/18	2100	74	MORTADA
10/6/18	2400	73	Freya

## Tuesday

Date	Time	Temp.	Name (Print)
10/1/18	0300	69°	J. Parkins
10/1/18	0600	70°	Sandor
10/1/18	0900	71°	Sandor
10/1/18	1200	72°	Sandor
10/1/18	1500	73°	MORTADA
10/1/18	1800	73°	MORTADA
10/1/18	2100	72°	MORTADA
10/1/18	2400	71°	MORTADA

## Thursday

Date	Time	Temp.	Name (Print)
10/3/18	0300	72	MORTADA
10/3/18	0600	72	V. Maldonado
10/3/18	0900	73	V. Maldonado
10/3/18	1200	74	V. Maldonado
10/3/18	1500	74	T. Grier
10/3/18	1800	75	T. Grier
10/3/18	2100	75	T. Grier
10/3/18	2400	72	RODRIGUEZ

Date	Time	Temp.	Name (Print)
10/5/18	0300	72	MORTADA
10/5/18	0600	71	SINEL VILLE
10/5/18	0900	72	SINEL VILLE
10/5/18	1200	73	SINEL VILLE
10/5/18	1500	74	Bennett, m
10/5/18	1800	74	Bennett, m
10/5/18	2100	73	Bennett, m
10/5/18	2400	72	Bennett, m

## Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDOR 2021 (04/18)

Attachment  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B5 Temp. Reading Location: 2nd B-Sectio  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
10/17/21	0300	71	Royer
	0600	71	Sandler
	0900	72	Sandler
	1200	73	Sandler
	1500	75	MONTANO
	1800	75	MONTANO
	2100	74	MONTANO
	2400	72	Royer

## Wednesday

Date	Time	Temp.	Name (Print)
10/19/21	0300	72	MONTANO
	0600	72	Sandler
	0900	72	Sandler
	1200	73	Sandler
	1500	74	L.Garcia
	1800	74	L.Garcia
	2100	74	L.Garcia
	2400	73	

## Friday

Date	Time	Temp.	Name (Print)
10/11/21	0300	71	MONTANO
	0600	70	WHITE
	0900	70	WHITE
	1200	70	C.Obis
	1500	72	C.Obis
	1800	72	C.Obis
	2100	73	C.Obis
	2400	72	MONTANO

## Sunday

Date	Time	Temp.	Name (Print)
10/13/21	0300	70	MONTANO
	0600	69	A.rod
	0900	70	A.rod
	1200	71	A.rod
	1500	71	Bullard
	1800	71	Bullard
	2100	71	Bullard
	2400	70	Royer

## Tuesday

Date	Time	Temp.	Name (Print)
10/12/21	0300	70	Royer
	0600	71	Sandler
	0900	72	Sandler
	1200	73	Sandler
	1500	75	MONTANO
	1800	75	MONTANO
	2100	74	MONTANO
	2400	73	MONTANO

## Thursday

Date	Time	Temp.	Name (Print)
10/10/21	0300	71	
	0600	72	C.Flores
	0900	72	C.Flores
	1200	72	C.Flores
	1500	77	R.Moreno
	1800	77	MONTANO
	2100	71	MONTANO
	2400	71	MONTANO

## Saturday

Date	Time	Temp.	Name (Print)
10/12/21	0300	70	MONTANO
	0600	69	MONTANO
	0900	69	MONTANO
	1200	70	MONTANO
	1500	68	MONTANO
	1800	71	MONTANO
	2100	72	MONTANO
	2400	72	MONTANO

## Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDOR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B5

Temp. Reading Location: 2nd B-Ser  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/10	0300	70	Sanchez
10/10	0600	71	Sanchez
10/10	0900	71	Sanchez
10/10	1200	71	Sanchez
10/10	1500	72	Morales
10/10	1800	72	Morales
10/10	2100	71	Morales
10/10	2400	70	Tigas

**Wednesday**

Date	Time	Temp.	Name (Print)
10/10	0300	71	Martinez
10/10	0600	72	C. Lee
10/10	0900	72	C. Lee
10/10	1200	73	C. Lee
10/10	1500	74	A. Alvidrez
10/10	1800	74	A. Alvidrez
10/10	2100	74	A. Alvidrez
10/10	2400	73	Martinez

**Friday**

Date	Time	Temp.	Name (Print)
10/18	0300	69	Martinez
10/18	0600	67	C. Lee
10/18	0900	69	C. Lee
10/18	1200	72	C. Lee
10/18	1500	72	Sanchez
10/18	1800	72	X. Garcia
10/18	2100	72	X. Garcia
10/18	2400	69	Trojillo

**Sunday**

Date	Time	Temp.	Name (Print)
10/20	0300	69	Trojillo
10/20	0600	68	A. Mury
10/20	0900	69	A. Mury
10/20	1200	70	A. Mury
10/20	1500	72	C. Sanchez
10/20	1800	73	C. Sanchez
10/20	2100	72	C. Sanchez
10/20	2400	68	Martinez

**Tuesday**

Date	Time	Temp.	Name (Print)
10/10	0300	69	Reyes
10/10	0600	69	K. X. Wong
10/10	0900	70	A. Mury
10/10	1200	71	A. Mury
10/10	1500	72	K. X. Wong
10/10	1800	72	K. X. Wong
10/10	2100	72	K. X. Wong
10/10	2400	72	A. Mury

**Thursday**

Date	Time	Temp.	Name (Print)
10/10	0300	71	Martinez
10/10	0600	71	C. Lee
10/10	0900	73	C. Lee
10/10	1200	73	C. Lee
10/10	1500	75	Moreno
10/10	1800	73	Moreno
10/10	2100	73	Morreno
10/10	2400	70	Martinez

**Saturday**

Date	Time	Temp.	Name (Print)
10/19	0300	69	Trojillo
10/19	0600	68	S. Lopez
10/19	0900	70	S. Lopez
10/19	1200	71	S. Lopez
10/19	1500	72	N. Bullock
10/19	1800	72	N. Bullock
10/19	2100	72	N. Bullock
10/19	2400	69	Trojillo

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2021 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSP Housing Unit: 35

Temp. Reading Location: 2

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	70	Kyle
10/21	0600	71	Sundtren
	0900	71	Sundtren
10/21	1200	73	Sundtren
10/24	1500	72	Montano
	1800	75	Montano
	2100	72	Montano
	2400	73	Perry

Wednesday

Date	Time	Temp.	Name (Print)
	0300	72	Montano
10/23	0600	72	Sundtren
	0900	72	Sundtren
10/23	1200	72	Sundtren
10/24	1500	72	Guzman
	1800	72	Guzman
	2100	72	Guzman
	2400	70	Montano

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	70	Montano
	0600	72	Flores
	0900	72	Flores
10/25	1200	72	Flores
10/26	1500	72	Luna
	1800	71	Luna
10/26	2100	71	Luna
	2400	70	Montano

Sunday

Date	Time	Temp.	Name (Print)
10/28	0300	70	Montano
	0600	72	Montano
10/28	0900	72	Montano
10/28	1200	72	Montano
10/28	1500	71	Alvarez
	1800	71	Alvarez
10/28	2100	71	Alvarez
	2400	70	Montano

Tuesday

Date	Time	Temp.	Name (Print)
	0300	70	Montano
10/22	0600	71	Sundtren
	0900	72	Sundtren
10/22	1200	72	Sundtren
10/24	1500	75	Montano
	1800	75	Montano
	2100	74	Montano
	2400	73	Montano

Thursday

Date	Time	Temp.	Name (Print)
	0300	70	Montano
10/24	0600	72	Montano
	0900	72	Elizalde
10/24	1200	72	Elizalde
10/26	1500	72	Montano
	1800	72	Montano
10/26	2100	71	Montano
	2400	70	Montano

Saturday

Date	Time	Temp.	Name (Print)
	0300	76	Montano
10/24	0600	70	Pineda
	0900	72	Pineda
10/24	1200	72	Pineda
10/26	1500	74	Pineda
	1800	74	Pineda
10/26	2100	73	Pineda
	2400	76	Montano

Notes

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDPR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: P.W.P. Housing Unit: B5 Temp. Reading Location: N.H.O.  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
✓	0300	67°	M. ROBERTSON
✓	0600	60°	Ammy
✓	0900	68°	Ammy
✓	1200	68°	A. M.
✓	1500	71	Ammy
✓	1800	69	Ammy
✓	2100	69	Ammy
✓	2400	71	Ammy

Wednesday			
Date	Time	Temp.	Name (Print)
5/16/01	0300	68	MONTANO
	0600	65	Sandoz
	0900	67	Da Silva
	1200	68	Santos
	1500	68	Sandoz
	1800	66	Sandoz
	2100	65	Santos
	2400	100	MONTANO

Friday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
W			2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Temp. Reading Location: 2<sup>nd</sup> tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

5346 when the inside air temperature reaches

Tuesday			
Date	Time	Temp.	Name (Print)
10.29.24	0300	67	Perrin a
	0600	67	Sandie
	0900	68	Sandie
	1200	68	Sandie
	1500	69	T. Carter
	1800	68	T. Carter
	2100	67	T. Carter
	2400	68	Ruthie

Thursday			
Date	Time	Temp.	Name (Print)
10/31/94	0300	67	Montane
	0600	68	Flares
	0900	68	Flares
	1200	70	Flares
	1500	72	Xanthy
	1800	72	Xanthy
	2100	72	Xanthy
	2400	72	Montane

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C1 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9/30 /24	0300	68	J. Soto
	0600	68	A. ORTIZ
	0900	71	A. ORTIZ
	1200	74	A. ORTIZ
	1500	75	J. Lopez
	1800	74	J. Lopez
	2100	74	J. Lopez
	2400	76	J. Lopez

**Wednesday**

Date	Time	Temp.	Name (Print)
10/02 /24	0300	70	Guzman
	0600	70	E. Ramirez
	0900	72	Cantu 73.8
	1200	73.8	Cantu 75.6
	1500	75	Torillo
	1800	76	Torillo
	2100	75	Torillo
	2400	76	Gomez

**Friday**

Date	Time	Temp.	Name (Print)
10/04 /24	0300	75	Gomez
	0600	73	Gomez
	0900	73	Gomez
	1200	77	Gomez
	1500	78	VILLECAS
	1800	77	VILLECAS
	2100	77	VILLECAS
	2400	76	Gomez

**Sunday**

Date	Time	Temp.	Name (Print)
10/06 /24	0300	76	Hernandez
	0600	74	VeraLopez
	0900	73	VeraLopez
	1200	78	VeraLopez
	1500	78.5	Torillo
	1800	77.5	Torillo
	2100	78	Torillo
	2400	76	Argote

**Tuesday**

Date	Time	Temp.	Name (Print)
10/01 /24	0300	70	Guzman
	0600	70	E. Ramirez
	0900	72	Lopez
	1200	72	Lopez
	1500	77	Lopez
	1800	77	Lopez
	2100	76	Lopez
	2400	70	Guzman

**Thursday**

Date	Time	Temp.	Name (Print)
10/03 /24	0300	75	Urbina
	0600	73	Orelliz
	0900	73	Gonzales
	1200	73	Orelliz
	1500	77	Torillo
	1800	71	Torillo
	2100	71	Torillo
	2400	75	Gomez

**Saturday**

Date	Time	Temp.	Name (Print)
10/05 /24	0300	76	Gomez
	0600	73	VeraLopez
	0900	77	VeraLopez
	1200	79	VeraLopez
	1500	78	Urbina
	1800	79	Urbina
	2100	78	VILLECAS
	2400	77	VILLECAS

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C1 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/07/24	0300	73	J. PALMA
	0600	76	Santam
	0900	77	Brown
	1200	78	Brown
	1500	78	Lopez
	1800	79	Lopez
	2100	79	Lopez
	2400	79	Acosta

**Tuesday**

Date	Time	Temp.	Name (Print)
10/08/24	0300	76	Acosta
	0600	77	VENALIONSO
	0900	77	MORENO
	1200	77	MORENO
	1500	78	TH. KILL
	1800	77	TRIVILO
	2100	76	TRIVILO
	2400	76	Acosta

**Wednesday**

Date	Time	Temp.	Name (Print)
10/09/24	0300	76	Acosta
	0600	74	Velabronso
	0900	74	Velalons
	1200	76	Velalons
	1500	79	Hernandez
	1800	78	Urbina
	2100	78	Urbina
	2400	78	Gomez

**Thursday**

Date	Time	Temp.	Name (Print)
10/10/24	0300	78	Gomez
	0600	75	J CASTELLANCO
	0900	76	J CASTELLANCO
	1200	78	J CASTELLANCO
	1500	78	VILLEGRAS
	1800	74	TRIVILO
	2100	73	TRIVILO
	2400	74	VILLEGRAS

**Friday**

Date	Time	Temp.	Name (Print)
10/11/24	0300	74	VILLEGRAS
	0600	72	Moreno
	0900	75	Moreno
	1200	75	Moreno
	1500	73	Cervantes
	1800	76	VILLEGRAS
	2100	76	VILLEGRAS
	2400	71	C. Miller

**Sunday**

Date	Time	Temp.	Name (Print)
10/13/24	0300	76	ACOSTA
	0600	70	WALLS
	0900	73	NATARIO
	1200	75	NATARIO
	1500	71	Urbina
	1800	75	Urbina
	2100	75	Urbina
	2400	77	ACOSTA

**Saturday**

Date	Time	Temp.	Name (Print)
10/12/24	0300	71	C. Miller
	0600	72	Smith
	0900	77	Smith
	1200	75	Smith
	1500	76	VILLEGRAS
	1800	74	VILLEGRAS
	2100	74	Urbina
	2400	73	VILLEGRAS

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

## 2ND TIER

Institution: PVSP Housing Unit: C1 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/14 24	0300	68	Galarza
	0600	68°	GRANZADA
	0900	70°	GRANZADA
	1200	72°	GRANZADA
	1500	72	A. HEREDIA
	1800	75	Urbina
	2100	75	Urbina
	2400	75	GONZALEZ

Tuesday			
Date	Time	Temp.	Name (Print)
10/15 24	0300	73	GONZALEZ
	0600	74	Moreno
	0900	73	Moreno
	1200	75	Moreno
	1500	75	Urbina
	1800	75	Urbina
	2100	73	Ruiz
	2400	73	GOMEZ

Wednesday			
Date	Time	Temp.	Name (Print)
10/16 24	0300	74	GOMEZ
	0600	75	Moreno
	0900	75	VENALONSO
	1200	74	Moreno
	1500	74	Ruiz
	1800	74	Urbina
	2100	74	Urbina
	2400	74	GOMEZ

Thursday			
Date	Time	Temp.	Name (Print)
10/17 24	0300	79°	GOMEZ
	0600	72	Moreno
	0900	72	Moreno
	1200	73	Moreno
	1500	74	VILLEGRAS
	1800	73	VILLEGRAS
	2100	70	Maldonado
	2400	70	Maldonado

Friday			
Date	Time	Temp.	Name (Print)
10/18 24	0300	79	GOMEZ
	0600	66	Moreno
	0900	66	QUINTERO
	1200	70	QUINTERO
	1500	71	Cernadas
	1800	69	VILLEGRAS
	2100	69	VILLEGRAS
	2400	70	GOMEZ

Saturday			
Date	Time	Temp.	Name (Print)
10/19 24	0300	70	GOMEZ
	0600	60	VENALONSO
	0900	61	VENALONSO
	1200	69	VENALONSO
	1500	69	A. HEREDIA
	1800	69	A. HEREDIA
	2100	69	VILLEGRAS
	2400	66	VILLEGRAS

Sunday			
Date	Time	Temp.	Name (Print)
10/20 24	0300	64	VILLEGRAS
	0600	61	VENALONSO
	0900	67	VENALONSO
	1200	69	VENALONSO
	1500	70	MORA
	1800	70	MORA
	2100	69	MORA
	2400	67	GONZALEZ

DISTRIBUTION: Original: Institution Heat Plan Coordinator

## Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP      Housing Unit: C1      Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/21/24	0300	70°	L.A. H.A.C.
	0600	67	Venaloms
	0900	67	Moreno
	1200	70	Moreno
	1500	70	Urbina
	1800	68	Thorne
	2100	66	Thorne
	2400	70°	GOMEZ

Tuesday			
Date	Time	Temp.	Name (Print)
10/22/24	0300	70°	GOMEZ
	0600	66	Moreno
	0900	69	Venaloms
	1200	70	Moreno
	1500	73	Casamassa
	1800	73	Urbina
	2100	73	Urbina
	2400	72	GOMEZ

Wednesday			
Date	Time	Temp.	Name (Print)
10/23/24	0300	71	Arocha
	0600	70	Moreno
	0900	71	Moreno
	1200	74	Moreno
	1500	75	Urbina
	1800	75	Urbina
	2100	75	Urbina
	2400	77	GOMEZ

Thursday			
Date	Time	Temp.	Name (Print)
10/24/24	0300	71	GOMEZ
	0600	69	Moreno
	0900	72	Moreno
	1200	74	Moreno
	1500	73	Soto
	1800	74	Soto
	2100	72	Soto
	2400	71	GOMEZ

Friday			
Date	Time	Temp.	Name (Print)
10/25/24	0300	70°	GOMEZ
	0600	71	Moreno
	0900	72	Moreno
	1200	73	Moreno
	1500	74	M. Kelly
	1800	74	M. Kelly
	2100	73	M. Kelly
	2400	72	M. Kelly

Saturday			
Date	Time	Temp.	Name (Print)
10/26/24	0300	72	Moreno
	0600	66	J. FERNANDEZ
	0900	68	J. FERNANDEZ
	1200	68	J. FERNANDEZ
	1500	73	M. Kelly
	1800	73	M. Kelly
	2100	73	M. Kelly
	2400	68	M. Kelly

Sunday			
Date	Time	Temp.	Name (Print)
10/27/24	0300	70°	Wells
	0600	67	WAHS
	0900	67	Fultock
	1200	69	Bullens
	1500	73	Urbina
	1800	74	Monteleg
	2100	74	Monteleg
	2400	68°	Hicks

## Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C1 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70	J. Ortiz
	0600	72	A. Moreno
	0900	73	A. Moreno
	1200	73	Venalongo
	1500	74	Ruhl
	1800	73	Ruhl
	2100	71	Ruhl
	2400	68	M. Moreno

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	(00) <sup>o</sup>	A. Moreno
	0600	68	A. Moreno
	0900	68	A Moreno
	1200	71	A Moreno
	1500	71	Venalanso
	1800	74	Venalanso
	2100	69	Venalanso
	2400	(00)	M. Moreno

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	69°	Meteer
	0600	68	A. Moreno
	0900	69	A Moreno
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	109° <sup>c</sup>	Dante
	0600	64	A Moreno
	0900	72	A Moreno
	1200	72	A. Moreno
	1500	72	Urbina
	1800	71	Urbina
	2100	70	Urbina
	2400	101° <sup>c</sup>	Muller

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	101°	Acosta
	0600	67°	A. Morena
	0900	69°	A. Morena
	1200	70°	A. Morena
	1500	70°	Poblete, J.
	1800	70°	Poblete, J.
	2100	69°	Poblete, J.
	2400	101°	Acosta

**Saturday**

Date	Time	Temp.	Name (Print)
11/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C2 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9/30 /24	0300	68	MICHAEL
	0600	65	Lemus
	0900	67	Lopez
	1200	71	Lemus
	1500	72	GARcia
	1800	72	Garcia
	2100	72	GARcia
	2400	78	MICHAEL

**Wednesday**

Date	Time	Temp.	Name (Print)
10/02 /24	0300	68	Reyes
	0600	63	SANTILLAN
	0900	63	SANTILLAN
	1200	73	SANTILLAN
	1500	70	NACAR
	1800	70	NACAR
	2100	70	NACAR
	2400	70	Mendoza

**Friday**

Date	Time	Temp.	Name (Print)
10/04 /24	0300	68	Mata
	0600	70	Lopez
	0900	72	Lopez
	1200	73	Lemus
	1500	74	NACAR
	1800	74	NACAR
	2100	74	MATA
	2400	74	MATA

**Sunday**

Date	Time	Temp.	Name (Print)
10/06 /24	0300	75	Coomer
	0600	70	Lemus
	0900	71	Lemus
	1200	73	Lemus
	1500	73	Coomer
	1800	75	Coomer
	2100	74	Coomer
	2400	75	Coomer

**Tuesday**

Date	Time	Temp.	Name (Print)
10/01 /24	0300	68	Acosta
	0600	64	Silva
	0900	64	Lemus
	1200	71	Lemus
	1500	72	VANG
	1800	72	VANG
	2100	72	VANG
	2400	70	Mendoza

**Thursday**

Date	Time	Temp.	Name (Print)
10/03 /24	0300	68	Hector
	0600	63	Lopez
	0900	72	SANTILLAN
	1200	73	SANTILLAN
	1500	74	NACAR
	1800	74	NACAR
	2100	74	NACAR
	2400	70	Mendoza

**Saturday**

Date	Time	Temp.	Name (Print)
10/05 /24	0300	70	Hernandez
	0600	68	Lemus
	0900	69	Lemus
	1200	71	Lemus
	1500	73	G.GONZALEZ
	1800	74	G.GONZALEZ
	2100	74	G.GONZALEZ
	2400	70	Hernandez

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C2 Temp. Reading Location: 2ND  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/7 2024	0300	70°	Arcata
	0600	71°	M. PACHEL
	0900	72°	Census
	1200	73°	M. PACHEL
	1500	73°	D. Cernuato
	1800	73°	D. Cernuato
	2100	73°	D. Cernuato
	2400	71°	Arcata

Wednesday

Date	Time	Temp.	Name (Print)
10/24/16	0300	75°	GOMEZ
	0600	63°	SANTILLAN
	0900	63°	SANTILLAN
	1200	72°	LOREZ
	1500	71°	XIONG
	1800	72°	XIONG
	2100	72°	XIONG
	2400	72°	GOMEZ

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	71	GOMEZ
	0600	74	(signature)
	0900	74	(signature)
	1200	74	(signature)
	1500	73	X. XIONG
	1800	72	X. XIONG
	2100	73	X. XIONG
	2400	72	VILLECAZOS

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	76	Accala
	0600	64°	Lemus
	0900	66°	Lemus
	1200	68°	Lemus
	1500	69	NACAR
	1800	70	NACAR
	2100	70	NACAR
	2400	70	Arosta

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	70°	Acosta
	0600	64°	Zemus
	0900	63°	Zemus
	1200	73°	Lopez
	1500	73	Xiong
	1800	74	Xiong
	2100	77	Venadeno
	2400	75°	Gomez

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70°	GOMEZ
	0600	65°	PAREDES
	0900	65	SANTILLIAN
	1200	67	SANTILLIAN
	1500	70	XIONG
	1800	70	XIONG
	2100	71	XIONG
	2400	71	GOMEZ

Saturday

Date	Time	Temp.	Name (Print)
4/2/2011	0300	69	Hernandez
	0600	66	E. PERIA
	0900	68	E. PERIA
	1200	68	E. PERIA
	1500	68	N. Phillips
	1800	69	NACAR
	2100	68	NACAR
	2400	69	Hernandez

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C2 Temp. Reading Location: 2ND  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/21/21	0300	70	Contreras
	0600	65	Lemus
	0900	66	Lemus
	1200	68	Lemus
	1500	68	Cervantes
	1800	68	Molina
	2100	68	Molina
	2400	70	Gomez

**Wednesday 10-23-21**

Date	Time	Temp.	Name (Print)
10-23-21	0300	62°	Acosta
	0600	63°	SANTILLAN
	0900	65°	Lopez
	1200	69°	Lopez
	1500	68°	Cruz
	1800	70°	CASTAÑEDA
	2100	70°	CERVANTES
	2400	70°	GOMEZ

**Friday**

Date	Time	Temp.	Name (Print)
10/25/21	0300	68°	Ruiz
	0600	62°	Lopez
	0900	64°	Lopez
	1200	67°	Lemus
	1500	68	Cruz
	1800	69	NACAR
	2100	70	Ruiz
	2400	70	Ruiz

**Sunday**

Date	Time	Temp.	Name (Print)
10/27/21	0300	70	Sando
	0600	65	Lemus
	0900	67	Lemus
	1200	69	Lemus
	1500	69	Cervantes
	1800	68	Cervantes
	2100	68	Cervantes
	2400	67	Ruiz

**Tuesday**

Dat	Time	Temp.	Name (Print)
10/26/21	0300	70	GOMEZ
	0600	67	MARQUEZ
	0900	68	Lemus
	1200	69	MARQUEZ
	1500	70	Cervantes
	1800	70	Cervantes
	2100	76	Cervantes
	2400	67	Acosta

**Thursday**

Date	Time	Temp.	Name (Print)
10/28/21	0300	70°	GOMEZ
	0600	63	SANTILLAN
	0900	64°	SANTILLAN
	1200	67°	Lopez
	1500	69	NACAR
	1800	69	NACAR
	2100	70°	NACAR
	2400	68	MARQUEZ

**Saturday**

Date	Time	Temp.	Name (Print)
10/26/21	0300	70	Ruiz
	0600	69	Molina
	0900	71	Molina
	1200	69	Molina
	1500	68	Cervantes
	1800	69	Cervantes
	2100	69	NACAR
	2400	70	Zulu

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C2 Temp. Reading Location: 2ND  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/14/14	0300	65°	PVL
	0600	67°	Lemus
	0900	67°	Lopez
	1200	67°	Lemus
	1500	68°	Gomez
	1800	69°	Gonzales
	2100	70°	RUL
	2400	69°	PVL

**Wednesday**

Date	Time	Temp.	Name (Print)
10/13/14	0300	66°	Acosta
	0600	65°	SANTILLAN
	0900	63°	Lopez
	1200	67°	Lopez
	1500	73°	NACAR
	1800	75°	CAN
	2100	72°	NACAR
	2400	72°	Gomez

**Friday**

Date	Time	Temp.	Name (Print)
10/17/14	0300	69°	Mata
	0600	68°	Lemus
	0900	67°	Lemus
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
10/14/14	0300	69°	RUL
	0600	63°	Lopez
	0900	63°	Lopez
	1200	67°	Lopez
	1500	69°	Gomez
	1800	69°	Cards
	2100	69°	Cards
	2400	69°	Muller

Thursday 10-31-14

Date	Time	Temp.	Name (Print)
10/31/14	0300	70°	Gomez
	0600	73°	SANTILLAN
	0900	70°	Lopez
	1200	74°	Lopez
	1500	73°	RUL
	1800	72°	NACAR
	2100	72°	ACOSTA
	2400	70°	MULLER

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**Attachment C**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP      Housing Unit: C-3      Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9-30- -21	0300	70°	Mader
	0600	68	Holloway
	0900	69	Holloway
	1200	73	Holloway
	1500	71	VELASQUEZ
	1800	73	Orozco
	2100	73	Orozco
	2400	69	Ortiz

**Tuesday**

Date	Time	Temp.	Name (Print)
10/ 1/ 24	0300	69	Gonzalez
	0600	68	FERNANDEZ
	0900	69	FERNANDEZ
	1200	69	KUBER
	1500	76	Castillo
	1800	76	Castillo
	2100	76	Vega
	2400	75	Vega

**Wednesday**

Date	Time	Temp.	Name (Print)
10/ 2/ 24	0300	68°	Ace
	0600	69°	FERNANDEZ
	0900	73°	FERNANDEZ
	1200	76	FERNANDEZ
	1500	76	Vega
	1800	76	Jesse
	2100	75	Castillo
	2400	78	Mendoza

**Thursday**

Date	Time	Temp.	Name (Print)
10/ 3/ 24	0300	68°	Ace
	0600	71	Holloway
	0900	74	Holloway
	1200	77	Holloway
	1500	78	Castillo
	1800	78	Castillo
	2100	77	Castillo
	2400	77	Gomez

**Friday**

Date	Time	Temp.	Name (Print)
10/ 4/ 24	0300	71	Gomez
	0600	74	Holloway
	0900	77	Holloway
	1200	80	Holloway
	1500	79	Geeles
	1800	78	Geeles
	2100	74	Geeles
	2400	74	Gomez

**Saturday**

Date	Time	Temp.	Name (Print)
10/ 5/ 24	0300	70°	Gomez
	0600	73	Holloway
	0900	76	Holloway
	1200	77	Holloway
	1500	77	Vega
	1800	77	Vega
	2100	76	Geeles
	2400	74	Hernandez

**Sunday**

Date	Time	Temp.	Name (Print)
10/ 6/ 24	0300	75	Hernandez
	0600	78	Holloway
	0900	74	Rusell
	1200	75	Rusell
	1500	75	Gonzalez
	1800	75	Gonzalez
	2100	76	Geeles
	2400	75	Hernandez

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C3 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/ 07 /24	0300	74	Gonzales
	0600	74	K. Holloway
	0900	70	Holloway
	1200	79	Holloway
	1500	79	Castillo
	1800	78	Castillo
	2100	77	Castillo
	2400	77	Acosta

Wednesday			
Date	Time	Temp.	Name (Print)
10/ 09 /24	0300	75	Gomez
	0600	74	Fernandez
	0900	74	FERNANDEZ
	1200	74	FERNANDEZ
	1500	75	Vega
	1800	75	Vega
	2100	75	Sustik
	2400	78	Mallard

Friday			
Date	Time	Temp.	Name (Print)
10/ 11 /24	0300	71	Villecas
	0600	72	M. Salcedo
	0900	72	Salcedo
	1200	72	M. Salcedo
	1500	71	Vega
	1800	74	Vega
	2100	73	Vega
	2400	72	VILLECAS

Sunday			
Date	Time	Temp.	Name (Print)
10/ 13 /24	0300	68	Velgash
	0600	70	Rodriguez
	0900	70	Rodriguez
	1200	71	Rodriguez
	1500	74	Contreras
	1800	74	Contreras
	2100	73	Contreras
	2400	72	Velgash

Tuesday			
Date	Time	Temp.	Name (Print)
10/ 08 /24	0300	75	Gomez
	0600	75	Fernandez
	0900	73	FERNANDEZ
	1200	70	Rodriguez
	1500	78	Castillo
	1800	78	Castillo
	2100	77	Castillo
	2400	75	Gomez

Thursday			
Date	Time	Temp.	Name (Print)
10/ 10 /24	0300	70	Acosta
	0600	70	Holloway
	0900	70	HOLLOWAY
	1200	70	Holloway
	1500	76	Castillo
	1800	74	Castillo
	2100	74	Castillo
	2400	74	Villalba

Saturday			
Date	Time	Temp.	Name (Print)
10/ 12 /24	0300	71	
	0600	71	A. Gonzalez
	0900	71	A. Gonzalez
	1200	72	A. Gonzalez
	1500	72	J. Geels
	1800	72	J. Geels
	2100	71	J. Geels
	2400	71	Velgash

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C3 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/14 24	0300	74	VELASQUEZ
	0600	67	Holloway
	0900	49	Holloway
	1200	73	RUSSELL
	1500	74	VELASQUEZ
	1800	74	Castillo
	2100	72	Castillo
	2400	72	GONZALEZ

Tuesday			
Date	Time	Temp.	Name (Print)
10/15 24	0300	71	GOMEZ
	0600	71	FERNANDEZ
	0900	71	DEGRO
	1200	71	DEGRO
	1500	74	FERNANDEZ
	1800	74	Castillo
	2100	72	Castillo
	2400	72	GOMEZ

Wednesday			
Date	Time	Temp.	Name (Print)
10/16 24	0300	70	GOMEZ
	0600	71	FERNANDEZ
	0900	72	FERNANDEZ
	1200	72	FERNANDEZ
	1500	73	Castillo
	1800	73	Castillo
	2100	73	Castillo
	2400	70	Acosta

Thursday			
Date	Time	Temp.	Name (Print)
10/17 24	0300	70	Holloway
	0600	72	Velasquez
	0900	72	Velasquez
	1200	72	Velasquez
	1500	71	Castillo
	1800	71	Castillo
	2100	71	Castillo
	2400	70	Gomez

Friday			
Date	Time	Temp.	Name (Print)
10/18 24	0300	72	GOMEZ
	0600	69	Cruz
	0900	64	GOMEZ
	1200	66	Cruz
	1500	66	GEELS
	1800	66	GEELS
	2100	65	GEELS
	2400	70	GOMEZ

Saturday			
Date	Time	Temp.	Name (Print)
10/19 24	0300	70	GOMEZ
	0600	69	RUSSELL
	0900	67	RUSSELL
	1200	63	Holloway
	1500	67	GEELS
	1800	66	GEELS
	2100	64	GEELS
	2400	64	HOLLOWAY

Sunday			
Date	Time	Temp.	Name (Print)
10/20 24	0300	62	FERNANDEZ
	0600	64	Holloway
	0900	63	Holloway
	1200	63	Holloway
	1500	66	GOMEZ
	1800	67	GOMEZ
	2100	66	GOMEZ
	2400	65	GONZALEZ

## Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C3 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/ 21 /24	0300	59	MEDINA
	0600	58	Ramos
	0900	60	Ramos
	1200	65	Ramos
	1500	66	Y. XIONG
	1800	68	Y. XIONG
	2100	69	Y. XIONG
	2400	59	MEDINA

Tuesday			
Date	Time	Temp.	Name (Print)
10/ 22 /24	0300	60°	Acosta
	0600	58	Escalante
	0900	60	J. FERNANDEZ
	1200	68	J. FERNANDEZ
	1500	70	Juega
	1800	71	Juega
	2100	71	Juega
	2400	70	Gomez

Wednesday			
Date	Time	Temp.	Name (Print)
10/ 23 /24	0300	70	Gomez
	0600	68	J. FERNANDEZ
	0900	64	J. FERNANDEZ
	1200	66	J. FERNANDEZ
	1500	69	Y. XIONG
	1800	70	Y. XIONG
	2100	69	Y. XIONG
	2400	70	Gomez

Thursday			
Date	Time	Temp.	Name (Print)
10/ 24 /24	0300	70	Gomez
	0600	64	Holloway
	0900	64	J. Mora
	1200	68	Holloway
	1500	69	Montalejo
	1800	69	Montalejo
	2100	69	Montalejo
	2400	70	Gomez

Friday			
Date	Time	Temp.	Name (Print)
10/ 25 /24	0300	70	Gomez
	0600	63	Holloway
	0900	63	Holloway
	1200	64	Holloway
	1500	69	Montalejo
	1800	71	Montalejo
	2100	71	Montalejo
	2400	70	Gomez

Saturday			
Date	Time	Temp.	Name (Print)
10/ 26 /24	0300	70	Gomez
	0600	63	G. Aguirre
	0900	64	Holloway
	1200	64	Holloway
	1500	70	Vega
	1800	70	Geels
	2100	69	Geels
	2400	68	Middlecat

Sunday			
Date	Time	Temp.	Name (Print)
10/ 27 /24	0300	68	McNeil
	0600	67	G. Aguirre
	0900	67	K. Holloway
	1200	67	K. Holloway
	1500	71	Geels
	1800	70	Geels
	2100	69	Geels
	2400	68	McNeil

## Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**Attachment C**  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP      Housing Unit: C-3      Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10-28-14	0300	68°	Aerosa
	0600	66°	FERNANDEZ
	0900	67°	FERNANDEZ
	1200	67°	FERNANDEZ
	1500	67°	Escobar
	1800	66°	Escobar
	2100	65°	Escobar
	2400	65°	Aerosa

Tuesday			
Date	Time	Temp.	Name (Print)
10-29-14	0300	65°	M. Molina
	0600	64°	U. Perez
	0900	66°	J. FERNANDEZ
	1200	64°	J. FERNANDEZ
	1500	67°	Castillo
	1800	67°	Castillo
	2100	67°	Castillo
	2400	67°	M. Molina

Wednesday			
Date	Time	Temp.	Name (Print)
10/30/14	0300		
	0600	65°	J. FERNANDEZ
	0900	65°	J. FERNANDEZ
	1200	61°	J. FERNANDEZ
	1500	66°	Castillo
	1800	67°	Castillo
	2100	65°	Castillo
	2400	65°	Gomez

Thursday			
Date	Time	Temp.	Name (Print)
10/31/14	0300	65°	GOMEZ
	0600	58°	Holloway
	0900	58°	Holloway
	1200	60°	Timber
	1500	66°	Jimenez
	1800	65°	Jimenez
	2100	65°	Jimenez
	2400	59°	M. Molina

Friday			
Date	Time	Temp.	Name (Print)
11/1/14	0300	66°	Mateo
	0600	59°	Holloway
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C4 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9/30/24	0300	70	X. THAO
	0600	70	X. THAO
	0900	68	C. SMITH
	1200	70	Cisneros
	1500	73	K. VANG
	1800	74	Cisneros
	2100	73	Cisneros
	2400	76	McMullan

**Wednesday**

Date	Time	Temp.	Name (Print)
10/02/24	0300	68	Acosta
	0600	70	Rodriguez
	0900	72	P. GOMEZ, J.
	1200	75	P. GOMEZ, J.
	1500	74	L. Martin
	1800	76	L. Martin
	2100	74	L. Martin
	2400	78	McMullan

**Friday**

Date	Time	Temp.	Name (Print)
10/04/24	0300	68	Mata
	0600	72	L. Martin
	0900	74	L. Martin
	1200	74	L. Martin
	1500	78	L. Martin
	1800	76	L. Martin
	2100	75	L. Martin
	2400	69	Mata

**Sunday**

Date	Time	Temp.	Name (Print)
10/06/24	0300	76	Acosta
	0600	76	C. Smith
	0900	76	Cisneros
	1200	76	C. Smith
	1500	77	K. VANG
	1800	77	K. VANG
	2100	76	K. VANG
	2400	76	Acosta

**Tuesday**

Date	Time	Temp.	Name (Print)
10/01/24	0300	68	Acosta
	0600	68	C. Smith
	0900	70	C. Smith
	1200	71	C. Smith
	1500	74	L. Martin
	1800	74	L. Martin
	2100	73	L. Martin
	2400	70	McMullan

**Thursday**

Date	Time	Temp.	Name (Print)
10/03/24	0300	68	Acosta
	0600	72	Rodriguez
	0900	74	GAMBOA
	1200	74	GAMBOA
	1500	76	L. Martin
	1800	78	L. Martin
	2100	76	L. Martin
	2400	72	McMullan

**Saturday**

Date	Time	Temp.	Name (Print)
10/05/24	0300	72	Martinez
	0600	73	Cisneros
	0900	75	Smith
	1200	76	Smith
	1500	77	K. VANG
	1800	77	K. VANG
	2100	77	K. VANG
	2400	77	Mata

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C4 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/ 07 /24	0300	67	Mendo
	0600	73	...
	0900	76	Cisneros
	1200	76	Cisneros
	1500	77	K. Vangs
	1800	77	K. Vangs
	2100	77	Cisneros
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
10/ 08 /24	0300	77	Gomr. 8
	0600	72°	Cisneros
	0900	74°	Cisneros
	1200	76°	Cisneros
	1500	77	K. Vangs
	1800	77°	L. Martin
	2100	77	K. Vangs
	2400	77	Silvado

**Wednesday**

Date	Time	Temp.	Name (Print)
10/ 09 /24	0300	75	Silvado
	0600	70°	Padilla W.
	0900	76°	Replete, J.
	1200	76°	Replete
	1500	76°	L. Martin
	1800	75°	L. Martin
	2100	75°	L. Martin
	2400	70°	M. Valdene

**Thursday**

Date	Time	Temp.	Name (Print)
10/ 10 /24	0300	108°	Arcosa
	0600	69°	Replete, J.
	0900	69°	Gambala
	1200	72	Gambala
	1500	75°	Paredesina
	1800	76°	Medina
	2100	78	Medina
	2400	72	Villaluk

**Friday**

Date	Time	Temp.	Name (Print)
10/ 11 /24	0300	72	VILLECA
	0600	70°	L. Martin
	0900	69°	L. Martin
	1200	74°	L. Martin
	1500	75°	L. Martin
	1800	75°	L. Martin
	2100	74°	L. Martin
	2400	72	VILLECA

**Saturday**

Date	Time	Temp.	Name (Print)
10/ 12 /24	0300	68	VILLECA
	0600	71	R. Lopez
	0900	71	R. Lopez
	1200	72	R. Lopez
	1500	73	K. Vangs
	1800	72	K. Vangs
	2100	71	K. Vangs
	2400	63	...

**Notes**

Date	Time	Temp.	Name (Print)
10/ 13 /24	0300	67	...
	0600	67	V. Cisneros
	0900	65	V. Cisneros
	1200	70	U. Cisneros
	1500	72	K. Vangs
	1800	72	K. Vangs
	2100	72	V. Valdene
	2400	70	Arosa

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C4 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday			
Date	Time	Temp.	Name (Print)
10/14 24	0300	72	Mr.
	0600	72	Mr.
	0900	76	C. SMITH
	1200	76	C. SMITH
	1500	76	15 years
	1800	74	15 years
	2100	71	Lewis
	2400	77	GONZALEZ

Tuesday		Temp.	Name (Print)
Date	Time		
10/15 24	0300	76	GARRET COZ
	0600	76	SAMM
	0900	76	C. S. COZ
	1200	76	C. S. COZ
	1500	73	K. VAGNER
	1800	72	K. VAGNER
	2100	72	K. VAGNER
	2400	72	M. WALTERS

Wednesday			
Date	Time	Temp.	Name (Print)
10/16	0300	70°	A. Acosta
24	0600	76°	S.M. Smith
	0900	76°	Pueblo, T.
	1200	76°	C. Smith
	1500	76°	L. Morfin
	1800	79	E. Vargas
	2100	73	I.C. Vargas
	2400	68	A. Acosta

Thursday		Temp.	Name (Print)
Date	Time		
10/17 24	0300	70°	Wadlow, J. O.
	0600	66°	PBLETE, T.
	0900	65°	GAMBON, M.
	1200	70°	Ridder, J.
	1500	72°	L. Morfin
	1800	72°	L. Morfin
	2100	72°	L. Morfin
	2400	70°	GAMZ

Friday			
Date	Time	Temp.	Name (Print)
10/18 24	0300	70	(60M6)
	0600	65°	Marlin
	0900	63°	POOLETE, J.
	1200	67°	POOLETE, J.
	1500	67°	POOLETE, J.
	1800	66°	POOLETE, J.
	2100	64°	POOLETE, J.
	2400	70	Gomez

Saturday			Name (Print)
Date	Time	Temp.	
10/19 24	0300	70°	GEORGE SMITH
	0600	59°	M. TAYLOR
	0900	61°	SARAH VAN
	1200	63°	K. VAN/CY
	1500	65°	K. VAN/CY
	1800	64°	K. VAN/CY
	2100	64°	K. VAN/CY
	2400	65°	HERNANDEZ

Sunday			Name (Print)
Date	Time	Temp.	
10/20 24	0300	60	WILLEGGS
	0600	57	Graebs
	0900	60	Cirrus
	1200	62	Cirrus
	1500	65	L Vandy
	1800	63	L Vandy
	2100	65	L sun
	2400	63	GOLDFELL

## Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP      Housing Unit: C4      Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/21/24	0300	69°	R. Zerr
	0600	69	Roberson
	0900	70	Roberson
	1200	70	Roberson
	1500	78	ROQUE
	1800	74	ROQUE
	2100	74	ROQUE
	2400	74	S. BRAVO

Tuesday			
Date	Time	Temp.	Name (Print)
10/22/24	0300	70	S. BRAVO
	0600	72	R. RAMIREZ
	0900	73	R. Ramirez
	1200	73	R. Ramirez
	1500	74	ROQUE
	1800	74	ROQUE
	2100	74	ROQUE
	2400	74	CASTRO

Wednesday			
Date	Time	Temp.	Name (Print)
10/23/24	0300	72	CASTRO
	0600	66	MEDINA
	0900	66	MEDINA
	1200	71	SMITH
	1500	72	L. MARTIN
	1800	72	L. Martin
	2100	72	L. MARTIN
	2400	70°	GOMEZ

Thursday			
Date	Time	Temp.	Name (Print)
10/24/24	0300	70°	GOMEZ
	0600	64°	POLLETTE, J.
	0900	65	GAMPER
	1200	67	GAMPER
	1500	69	L. MARTIN
	1800	69	L. MARTIN
	2100	68°	L. MARTIN
	2400	69	HUCKLE

Friday			
Date	Time	Temp.	Name (Print)
10/25/24	0300	60°	MATOS
	0600	66	C. MARTIN
	0900	65°	POLLETTE, J.
	1200	68°	POLLETTE, J.
	1500	70°	POLLETTE, J.
	1800	69°	C. MARTIN
	2100	69°	L. MARTIN
	2400	70	RUTZ

Saturday			
Date	Time	Temp.	Name (Print)
10/26/24	0300	69	RUTZ
	0600	76	MUSDON
	0900	76	MUSDON
	1200	76	MUSDON
	1500	70°	POLLETTE, J.
	1800	69°	POLLETTE, J.
	2100	67°	POLLETTE, J.
	2400	68	MUSDON

Sunday			
Date	Time	Temp.	Name (Print)
10/27/24	0300	62°	Nicole
	0600	66	A. GUZMAN
	0900	66	A. GUZMAN
	1200	66	C. SMITH
	1500	70	G. GONZALEZ
	1800	72	G. GONZALEZ
	2100	72	G. GONZALEZ
	2400	69	Nicole

## Notes

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

## **DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C4 Temp. Reading Location: 2<sup>ND</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension S346 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/10	0300	71	Arcene
	0600	72	CISNEROS
	0900	73	CISNEROS
	1200	73	CISNEROS
	1500	73	CISNEROS
	1800	73	CISNEROS
	2100	73	CISNEROS
	2400	70	Maren

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	61°	MICHAEL SMITH
	0600	60°	
	0900	61°	ROBERT J. SMITH
	1200	61°	
	1500	70°	KIM
	1800	68°	KIM
	2100	68°	KIM
	2400	70°	KIM T.

Friday

Date	Time	Temp.	Name (Print)
11/10	0300	90°	H. Madsen
	0600	65	DELETE
	0900	65°	L. Morfin
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/29	0300	(61) <sup>o</sup>	M. McGehee
	0600	66	J. Smith
	0900	68	C. Smith
	1200	67	C. Smith
	1500	71 <sup>o</sup>	L. Martin
	1800	70 <sup>o</sup>	L. Martin
	2100	70 <sup>o</sup>	L. Martin
	2400	69 <sup>o</sup> C	Wooten

Thursday

Date	Time	Temp.	Name (Print)
(0151)	0300	70°	GOMEZ
	0600	58°	A. HEREDIA
	0900	61°	PABЛЕTE, J.
	1200	63°	PABЛЕTE, J.
	1500	67°	L. Martin
	1800	61°	L. Martin
	2100	66°	L. Martin
	2400	100°	M. Malacado

Saturday

Date	Time	Temp.	Name (Print)
1/12	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

institution: VISP Housing Unit: 05 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 53410 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
10/10	0300	69°	Abozo
10/11	0600	68°	CASTANEDA
10/12	0900	70°	CASTANEDA
10/13	1200	72	CASTANEDA
10/14	1500	75	Batista
10/15	1800	75	Batista
10/16	2100	75	Batista
10/17	2400	75	Batista

**Wednesday**

Date	Time	Temp.	Name (Print)
10/18	0300	68°	Abozo
10/19	0600	69.6	J. GARCIA
10/20	0900	71.8	J. GARCIA
10/21	1200	74	CASTANEDA
10/22	1500	76	A. Batista
10/23	1800	75.8	Abozo
10/24	2100	75°	Pbello
10/25	2400	76°	Munoz, D.

**Thursday**

Date	Time	Temp.	Name (Print)
10/26	0300	68°	Abozo
10/27	0600	71°	CASTANEDA
10/28	0900	72°	CASTANEDA
10/29	1200	74°	CASTANEDA
10/30	1500	74	Batista
10/31	1800	75	Batista
10/31	2100	74	Batista
10/31	2400	72°	Munoz, D.

**Friday**

Date	Time	Temp.	Name (Print)
10/31	0300	68°	Munoz
10/31	0600	72°	CASTANEDA
10/31	0900	72°	GAMBOA
10/31	1200	75°	CASTANEDA
10/31	1500	78	CASTANEDA
10/31	1800	76	CASTANEDA
10/31	2100	75	Batista
10/31	2400	72°	Munoz

**Saturday**

Date	Time	Temp.	Name (Print)
10/31	0300	72°	Munoz
10/31	0600	72°	C. GONZALEZ
10/31	0900	72°	C. GONZALEZ
10/31	1200	74°	FLORES, J.
10/31	1500	76°	G. ASHLEY
10/31	1800	77°	G. ASHLEY
10/31	2100	76°	G. ASHLEY
10/31	2400	69°	ZANG

**Sunday**

Date	Time	Temp.	Name (Print)
10/31	0300	68°	YANG
10/31	0600	73°	MEDINA
10/31	0900	73°	MEDINA
10/31	1200	73°	MEDINA
10/31	1500	79°	M. MARCIA
10/31	1800	79°	M. MARCIA
10/31	2100	76°	M. MARCIA
10/31	2400	69	YANG

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PIS Housing Unit: 05

Temp. Reading Location: Jnd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5340 when the inside air temperature reaches ✓ 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/11	0300	72°	ACOSTA
11/12	0600	75°	MEDINA, M.
12/13	0900	75°	CASTANEDA
13/14	1200	76°	CASTANEDA
14/15	1500	76°	KUHL
15/16	1800	74°	KUHL
16/17	2100	73°	KUHL
17/18	2400	72°	KUHL

**Tuesday**

Date	Time	Temp.	Name (Print)
10/11	0300	72°	ACOSTA
11/12	0600	72°	J. CASTANEDA
12/13	0900	74°	J. CASTANEDA
13/14	1200	75°	M. MEDINA
14/15	1500	74	V. L.
15/16	1800	74	V. L.
16/17	2100	74	V. L.
17/18	2400	75°	GOMEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
10/11	0300	75°	GOMEZ
11/12	0600	68°	MEDINA
12/13	0900	72°	MEDINA
13/14	1200	74°	CASTANEDA
14/15	1500	75	Batista
15/16	1800	75	Batista
16/17	2100	75	Batista
17/18	2400	70°	Hernandez

**Thursday**

Date	Time	Temp.	Name (Print)
10/11	0300	69°	ACOSTA
11/12	0600	71°	CASTANEDA
12/13	0900	72°	CASTANEDA
13/14	1200	74°	CASTANEDA
14/15	1500	75	Batista
15/16	1800	75	Batista
16/17	2100	75	Batista
17/18	2400	72	MEASURER

**Friday**

Date	Time	Temp.	Name (Print)
10/11	0300	72	HEREDIA
11/12	0600	69°	E. Amaro
12/13	0900	70°	E. Amaro
13/14	1200	72°	E. Amaro
14/15	1500	75	Batista
15/16	1800	75	Batista
16/17	2100	75	Batista
17/18	2400	73	VILLEGRAS

**Saturday**

Date	Time	Temp.	Name (Print)
10/11	0300	69°	ACOSTA
11/12	0600	69°	A. HEREDIA
12/13	0900	70°	A. HEREDIA
13/14	1200	70°	A. HEREDIA
14/15	1500	70°	G. Amaro
15/16	1800	74°	G. Amaro
16/17	2100	72°	G. Amaro
17/18	2400	69°	ACOSTA

**Notes**

Date	Time	Temp.	Name (Print)
10/11	0300	68°	ACOSTA
11/12	0600	68°	M. MEDINA
12/13	0900	68°	M. MEDINA
13/14	1200	70°	M. MEDINA
14/15	1500	73	VILLEGRAS
15/16	1800	72	M. Rodriguez
16/17	2100	72	M. Rodriguez
17/18	2400	72	ACOSTA

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: 05 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 73410 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/11	0300	67°	Acosta
10/12	0600	68°	MEDINA, m.
10/13	0900	68°	MEDINA, m.
10/14	1200	70°	MEDINA, m.
10/15	1500	70°	Valencia
10/16	1800	70°	Valencia
10/17	2100	60°	Valencia
10/18	2400	67	Acosta

Tuesday

Date	Time	Temp.	Name (Print)
10/10	0300	70	Acosta
10/11	0600	68°	MEDINA
10/12	0900	68°	MEDINA
10/13	1200	70°	MEDINA
10/14	1500	75	Batista
10/15	1800	75	Batista
10/16	2100	75	Valdovino
10/17	2400	70	McMadden

Wednesday

Date	Time	Temp.	Name (Print)
10/10	0300	62°	Acosta
10/11	0600	68	Acosta
10/12	0900	72°	Orozco
10/13	1200	74°	Orozco
10/14	1500	75°	G. Aguirre
10/15	1800	75°	G. Aguirre
10/16	2100	75	Batista
10/17	2400	69°	Acosta

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	70	GOMBER
10/11	0600	68°	Cruz
10/12	0900	71°	Cruz
10/13	1200	72°	Cruz
10/14	1500	73°	G. Aguirre
10/15	1800	72	Batista
10/16	2100	72	Batista
10/17	2400	72°	Gomez

Friday

Date	Time	Temp.	Name (Print)
10/10	0300	70°	GOMEZ
10/11	0600	68	GAMBOA
10/12	0900	68°	GAMBOA
10/13	1200	70°	DE LEON
10/14	1500	70°	G. Aguirre
10/15	1800	70°	G. Aguirre
10/16	2100	72°	G. Aguirre
10/17	2400	70°	GOMEZ

Saturday

Date	Time	Temp.	Name (Print)
10/10	0300	70°	Gomez
10/11	0600	67°	A. HEREDIA
10/12	0900	62°	TORUENTE, J.
10/13	1200	64°	A. HEREDIA
10/14	1500	68°	G. Aguirre
10/15	1800	67°	G. Aguirre
10/16	2100	66°	G. Aguirre
10/17	2400	66	VILLALBA

Notes

Date	Time	Temp.	Name (Print)
10/10	0300	67	HERNANDEZ
10/11	0600	70°	QUINTERO
10/12	0900	69°	QUINTERO
10/13	1200	73°	QUINTERO
10/14	1500	73	MARQUEZ
10/15	1800	73	MARQUEZ
10/16	2100	73	MARQUEZ
10/17	2400	70	GOMEZ

## **Attachment C**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C5 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 9390 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/24/04	0300	60°	ROTOR
	0600	61°	MEDINA
	0900	63°	CASTANEDA
	1200	64°	CASTANEDA
	1500	68	VALDORNDO
	1800	68	VALDORNDO
	2100	68	VALDORNDO
	2400	100°	MOLINA

**Tuesday**

Date	Time	Temp.	Name (Print)
10/22/24	0300	68°	Acosta
	0600	69°	CASTAÑEAT
	0900	69°	MEDINA
	1200	69°	MEDINA
	1500	68°	CASTAÑET
	1800	68	Valdovino
	2100	68	Valdovino
	2400	67°	LÓPEZ

## **Wednesday**

Date	Time	Temp.	Name (Print)
10/3/24	0300	67°	AGUSTA CASTAÑEDA
	0600	62°	
	0900	63°	CASTAÑEDA
	1200	64°	CASTAÑEDA
	1500	70°	IBARRA
	1800	76°	IBARRA
	2100	70°	IBARRA
	2400	70°	GOMEZ

Thursday

Date	Time	Temp.	Name (Print)
X-10-24-21	0300	70°	GONZALEZ
	0600	63°	CRUZ
	0900	64°	CRUZ
	1200	66°	CRUZ
	1500	67°	IBARRA
	1800	66°	IBARRA
	2100	67	IBARRA
	2400	68	IBARRA

Friday

Date	Time	Temp.	Name (Print)
10/25/04	0300	60°	Morales
	0600	64°	64MB029 M.
	0900	68°	CASTANEDA
	1200	69°	CASTANEDA
	1500	71°	IBARRA
	1800	72°	IBARRA
	2100	73°	IBARRA
	2400	69	RUIZ

Saturday

Date	Time	Temp.	Name (Print)
10/26/2012	0300	69°	RUTH
	0600	63°	POBLETE, J.
	0900	65°	POBLETE, J.
	1200	67°	POBLETE, J.
	1500	70	VANG
	1800	70	VANG
	2100	71	JANCI
	2400	69°	REEDY

## Sunday

Date	Time	Temp.	Name (Print)
10/22/25	0300	66°	Marcia
	0600	66°	Valdovino
	0900	66°	Valdovino
	1200	68°	MEDINA
	1500	69	Loper
	1800	70	Loper
	2100	71	Loper
	2400	64°	Diaz

## Notes

---

---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NSP Housing Unit: C5

Temp. Reading Location: JANITOR  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5316 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/16/24	0300	61°	Garcia
	0600	62°	CASTANEDA
	0900	67°	CASTANEDA
	1200	69°	CASTANEDA
	1500	68°	Valencia
	1800	68°	Valencia
	2100	67°	Valencia
	2400	69	Ruth

Tuesday			
Date	Time	Temp.	Name (Print)
10/17/24	0300	69	Ruth
	0600	69	MEDINA
	0900	69	MEDINA
	1200	67°	MEDINA
	1500	75	Batista
	1800	75	Valdovino
	2100	75	Batista
	2400	67	Valdovino

Wednesday			
Date	Time	Temp.	Name (Print)
10/18/24	0300	67°	Garcia
	0600	62°	CASTANEDA
	0900	62°	Ruth
	1200	64	Ruth
	1500	65	Batista
	1800	65	Batista
	2100	65	Garcia
	2400	69°	M. Valdovino

Thursday			
Date	Time	Temp.	Name (Print)
10/19/24	0300	67°	Garcia
	0600	59°	Ruth
	0900	69	Ruth
	1200	67°	Ruth
	1500	67°	Batista
	1800	66	Batista
	2100	66	Batista
	2400	66	GOMEZ

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---

OF CALIFORNIA  
DE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D1 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	70	Ediger
	0600	71	CABIK
	0900	73	Cabbee
	1200	73	Cabbee
	1500	74	Kamara
	1800	75	Romero
	2100	74	Somax
	2400	70	Ediger

Wednesday

Date	Time	Temp.	Name (Print)
10/24	0300	70	Ediger
	0600	72	GREENWAD
	0900	71	GREENWOOD
	1200	74	U. CORONA
	1500	78	ESPINOSA
	1800	73	ESPINOSA
	2100	76	ESPINOSA
	2400	70	Ediger

Friday

Date	Time	Temp.	Name (Print)
10/24	0300	70	Ediger
	0600	71	Cabbee
	0900	73	Cabbee
	1200	74	Cabbee
	1500	76	ASHLEY
	1800	77	ASHLEY
	2100	77	ASHLEY
	2400	76	Ediger

Sunday

Date	Time	Temp.	Name (Print)
10/10	0300	76	EDIGER
	0600	70	Cabbee
	0900	71	Luttrell
	1200	71	Cabbee
	1500	77	ESPINOSA
	1800	79	ESPINOSA
	2100	77	ESPINOSA
	2400	70	Ediger

Tuesday

Date	Time	Temp.	Name (Print)
10/10	0300	70	Ediger
	0600	70	Cabbee
	0900	72	Cabbee
	1200	74	Cabbee
	1500	75	ESPINOSA
	1800	76	ESPINOSA
	2100	74	ESPINOSA
	2400	70	Ediger

Thursday

Date	Time	Temp.	Name (Print)
10/13	0300	76	Ediger
	0600	73	CABBEK / WOOD
	0900	74	U. CORONA
	1200	76	U. CORONA
	1500	78	E. PENA
	1800	78	E. PENA
	2100	77	E. PENA
	2400	76	Ediger

Saturday

Date	Time	Temp.	Name (Print)
10/15	0300	70	Ediger
	0600	72	Dobbins
	0900	71	T. Ayler
	1200	74	T. Ayler
	1500	75	ESPINOSA
	1800	77	ESPINOSA
	2100	77	ESPINOSA
	2400	70	Ediger

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OF CALIFORNIA  
DE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D1 Temp. Reading Location: 2nd Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/7	0300	74	Ediger
	0600	71	V. Corona
	0900	73	V. Corona
	1200	76	Junrez
	1500	76	Aguilera
	1800	78	A. Aguilar
	2100	77	A. Aguilar
	2400	74	Ediger

**Wednesday**

Date	Time	Temp.	Name (Print)
10/9	0300	70	Ediger
	0600	70	Ediger
	0900	70	GREENWOOD
	1200	74	GREENWOOD
	1500	76	ESPIROZA
	1800	77	ESPIROZA
	2100	75	ESPIROZA
	2400	74	Ediger

**Friday**

Date	Time	Temp.	Name (Print)
10/11	0300	74	Ediger
	0600	68	V. Corona
	0900	69	Labbie
	1200	72	Labbie
	1500	74	Chavez
	1800	76	Chavez
	2100	73	Chavez
	2400	68	Ediger

**Sunday**

Date	Time	Temp.	Name (Print)
10/13	0300	69	ESPIROZA
	0600	66	Labbie
	0900	66	Labbie
	1200	71	Labbie
	1500	71	CHAVEZ
	1800	71	ESPIROZA
	2100	73	ESPIROZA
	2400	77	Ediger

**Tuesday**

Date	Time	Temp.	Name (Print)
10/10	0300	74	Ediger
	0600	71	Labbie
	0900	71	Labbie
	1200	76	Labbie
	1500	77	ESPIROZA
	1800	78	ESPIROZA
	2100	77	ESPIROZA
	2400	70	Ediger

**Thursday**

Date	Time	Temp.	Name (Print)
10/10	0300	74	Ediger
	0600	71	(GREENWOOD)
	0900	72	(GREENWOOD)
	1200	72	(GREENWOOD)
	1500	74	A. HEREDIA
	1800	76	A. HEREDIA
	2100	74	A. HEREDIA
	2400	74	Ediger

**Saturday**

Date	Time	Temp.	Name (Print)
10/12	0300	65	S. T. S.
	0600	68	V. Corona
	0900	68	T. Ayer
	1200	69	T. Ayer
	1500	72	ESPIROZA
	1800	72	ESPIROZA
	2100	72	ESPIROZA
	2400	69	ESPIROZA

**Notes**

OF CALIFORNIA  
DE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D1 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/11/18	0300	70	L.CASTRO
	0600	72	L.CASTRO
	0900	68	L.CASTRO
	1200	75	L.CASTRO
	1500	75	ESPINOZA
	1800	73	ESPINOZA
	2100	72	ESPINOZA
	2400	72	ESPINOZA

Tuesday

Date	Time	Temp.	Name (Print)
10/11/18	0300	65.72	CINTO
	0600	69	CINTO
	0900	69	CINTO
	1200	70	CINTO
	1500	73	ESPINOZA
	1800	74	ESPINOZA
	2100	72	ESPINOZA
	2400	72	ESPINOZA

Wednesday

Date	Time	Temp.	Name (Print)
10/11/18	0300	78	R. F...
	0600	69	DOBBINS
	0900	73	GREENWOOD
	1200	71	GREENWOOD
	1500	73	M.ESPINOZA
	1800	74	M.ESPINOZA
	2100	72	M.ESPINOZA
	2400	76	Edgar

Thursday

Date	Time	Temp.	Name (Print)
10/11/18	0300	76	Edgar
	0600	66	HEREDIA
	0900	65	HEREDIA
	1200	69	HEREDIA
	1500	70	A.HEREDIA
	1800	74	A.HEREDIA
	2100	71	A.HEREDIA
	2400	65	MAXEdgar

Friday

Date	Time	Temp.	Name (Print)
10/12/18	0300		
	0600	64	Latree
	0900	66	Latree
	1200	67	Latree
	1500	68	MAHEZ
	1800	67	MAHEZ
	2100	67	Latree
	2400	67	Latree

Saturday

Date	Time	Temp.	Name (Print)
10/12/18	0300	61	SAC
	0600	61	CASTRO
	0900	62	Castee
	1200	64	Castee
	1500	65	ESPINOZA
	1800	67	ESPINOZA
	2100	66	ESPINOZA
	2400	66	SAC

Notes

Date	Time	Temp.	Name (Print)
10/12/18	0300	66	
	0600	60	CASTRO
	0900	62	Castee
	1200	67	Castee
	1500	70	MAHEZ
	1800	68	ESPINOZA
	2100	66	ESPINOZA
	2400	71	Edgar

DISTRIBUTION: Original: Institution Heat Plan Coordinator

OF CALIFORNIA  
IN-DE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D1

Temp. Reading Location: 2nd Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	70	Ediger
	0600	62	L. Dabber
	0900	61	L. Dabber
	1200	66	L. Dabber
	1500	70	M. ESPINOZA
	1800	72	M. ESPINOZA
	2100	68	M. ESPINOZA
	2400	70	Ediger

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	70	Ediger
	0600	62	L. CASTRO
	0900	67	L. Dabber
	1200	67	L. Dabber
	1500	67	J. Remora
	1800	67	J. Remora
	2100	67	J. Remora
	2400	70	Ediger

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	70	Ediger
	0600	65	Dobbins
	0900	70	(REMOVED)
	1200	73	Dobbins
	1500	73	J. Remora
	1800	72	J. Remora
	2100	72	J. Remora
	2400	70	Ediger

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	70	Ediger
	0600	69	Dobbins
	0900	65	Dobbins
	1200	69	Dobbins
	1500	74	Gum
	1800	73	A. HEREDIA
	2100	69	A. HEREDIA
	2400	70	Ediger

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	70	Ediger
	0600	64	L. CASTRO
	0900	64	L. CASTRO
	1200	68	L. CASTRO
	1500	75	C. CHAVEZ
	1800	71	C. CHAVEZ
	2100	70	C. CHAVEZ
	2400	70	Ediger

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	70	Ediger
	0600	69	T. Alegre
	0900	65	CASTRO
	1200	67	T. Alegre
	1500	70	ESPINOZA
	1800	71	ESPINOZA
	2100	69	ESPINOZA
	2400	70	Ediger

Notes

Date	Time	Temp.	Name (Print)
10/27	0300	70	Ediger
	0600	66	N. Phillips
	0900	67	N. Phillips
	1200	70	N. Phillips
	1500	70	M. ESPINOZA
	1800	71	M. ESPINOZA
	2100	70	M. ESPINOZA
	2400	70	Ediger

DISTRIBUTION: Original: Institution Heat Plan Coordinator

135

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D1 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Monday

Monday		Date	Time	Temp.	Name (Print)
<i>10-29</i>	0300		70		<i>Edgar</i>
	0600		66		<i>JUAREZ</i>
	0900		67		<i>JUAREZ</i>
	1200		67		<i>JUAREZ</i>
	1500		67		<i>ESPINOLA</i>
	1800		66		<i>ESPINOLA</i>
	2100		63		<i>ESPINOLA</i>
	2400		70		<i>Edgar</i>

Wednesday

Date	Time	Temp.	Name (Print)
10/13/21	0300	63	Ediger
	0600	63°	PALACIOS
	0900	62°	PALACIOS
	1200	62	FRANCIS
	1500	59	T. Rogers
	1800	62	J. Jones
	2100	63°	J. Jones
	2400	64	Ediger

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-29	0300	78	Eli
	0600	63	CASTRO
	0900	65	Laff
	1200	66	Carter
	1500	68	Espnura
	1800	66	ESP/WN
	2100	63	Espanya
	2400	63	Eli

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	64	Elija
	0600	64	Gabbie
	0900	64	Cathie
	1200	64	Loriann
	1500	64	J. Davis
	1800	63	J. Davis
	2100	62	J. Davis
	2400	61	J. Davis

## Saturday

Saturday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

## Notes

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

**Attachment C**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D2 Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 574 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
9/30	0300	70	Ediger
	0600	70	Hick
	0900	70	Hick
	1200	70	Hick
	1500	72	XCV
	1800	72	CML
	2100	72	CML
	2400	70	Ediger

**Wednesday**

Date	Time	Temp.	Name (Print)
10/2	0300	70	Ediger
	0600	70	Rivas
	0900	72	Reyes
	1200	74	Reyes
	1500	75	CML
	1800	77	CML
	2100	75	CML
	2400	70	Ediger

**Friday**

Date	Time	Temp.	Name (Print)
10/4	0300	70	Ediger
	0600	70	Rivas
	0900	74°	LARO
	1200	76°	LARO
	1500	77	Smith
	1800	77	Smith
	2100	77	Smith
	2400	69	Ediger

**Sunday**

Date	Time	Temp.	Name (Print)
10/6	0300	69	Ediger
	0600	70	LARO
	0900	73	LARO
	1200	75	LARO
	1500	75	Dobbins
	1800	77	Dobbins
	2100	72	Dobbins
	2400	69	Ediger

**Tuesday**

Date	Time	Temp.	Name (Print)
10/1	0300	70	Ediger
	0600	69	R. Reyes
	0900	71	R. Reyes
	1200	73	R. Reyes
	1500	73	A. Matarese
	1800	73	A. Matarese
	2100	73	A. Matarese
	2400	70	Ediger

**Thursday**

Date	Time	Temp.	Name (Print)
10/3	0300	70	Ediger
	0600	69	Reyes
	0900	71	Reyes
	1200	74	Reyes
	1500	73	Reyes
	1800	73	Smith
	2100	71	Smith
	2400	70	Ediger

**Saturday**

Date	Time	Temp.	Name (Print)
10/5	0300	70	Ediger
	0600	70	Reyes
	0900	73	LARO
	1200	76	LARO
	1500	77	Smith
	1800	77	Smith
	2100	71	Smith
	2400	70	Ediger

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

**Attachment C**  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSP Housing Unit: 02 Temp. Reading Location: \_\_\_\_\_  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 3666 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/1	0300	70°	Ediger
	0600	70°	Hill
	0900	70°	Hill
	1200	70°	Hill
	1500	71°	CARLITO
	1800	75	CASTRO
	2100	73	CASTRO
	2400	74	Ediger

**Wednesday**

Date	Time	Temp.	Name (Print)
10/19	0300	70	Ediger
	0600	70	Lewis
	0900	71	Davis
	1200	72	Rios
	1500	72	Cruz
	1800	71	Cruz
	2100	71	Cruz
	2400	73	Ediger

**Friday**

Date	Time	Temp.	Name (Print)
10/11	0300	70	Ediger
	0600	70	Rios
	0900	71	Davis
	1200	70	Cruz
	1500	73	Cruz
	1800	72	Cruz
	2100	70	Cruz
	2400	70	Seay

**Sunday**

Date	Time	Temp.	Name (Print)
10/13	0300	70	Seay
	0600	70	Hill
	0900	72	Hill
	1200	73	Hill
	1500	70	J. FERNANDEZ
	1800	69	J. FERNANDEZ
	2100	70	J. FERNANDEZ
	2400	70	EDGMR

**Tuesday**

Date	Time	Temp.	Name (Print)
10/18	0300	70	F. U. S.
	0600	70	Reyes
	0900	70	Lewis
	1200	72	Lewis
	1500	72	Cruz
	1800	74	Cruz
	2100	72	Cruz
	2400	74	Ediger

**Thursday**

Date	Time	Temp.	Name (Print)
10/10	0300	70	Ediger
	0600	69	Reyes
	0900	70°	Reyes
	1200	72	Reyes
	1500	72	SMITH
	1800	76	SANTOS
	2100	72	B. CARR
	2400	73	Ediger

**Saturday**

Date	Time	Temp.	Name (Print)
10/12	0300	76	Seay
	0600	68	Rios
	0900	71	Rios
	1200	72	Rios
	1500	72	ESCRIVAN
	1800	70	ESCRIVAN
	2100	70	GRANADA
	2400	76	JULY

**Notes**

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR-2031 (04/18)**

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PSSP Housing Unit: D2

**Temp. Reading Location:** \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	70°	J. GIGANTE
	0600	70°	R. HILL
	0900	70°	R. HILL
	1200	70°	R. HILL
	1500	69°	E. ESCANDON
	1800	70	U. CORTEZ
	2100	68	N. CORTEZ
	2400	70	E. CORTEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	79°	PANTU
	0600	78°	PANTU
	0900	73	ROSA
	1200	73	S. VANG
	1500	73	Lester
	1800	71	Lester
	2100	71	Lester
	2400	70	Edgar

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	70	Edgar
	0600	76	Roger
	0900	71	Ray-S
	1200	74	Rams
	1500	70	Cruz
	1800	71	Cruz
	2100	70	Cruz
	2400	72	Edgar

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	72	Edgar
	0600	70	Roxas
	0900	70	Roxas
	1200	70	Roxas
	1500	73	Smith
	1800	73	Smith
	2100	72	Smith
	2400	77	Edgar

**Friday**

Date	Time	Temp.	Name (Print)
16/10	0300	72	Edgar
	0600	70	Rosa
	0900	71	Pete
	1200	71	Karen
	1500	71	Cris
	1800	70	Cris
	2100	69	Carrie
	2400	69	Edgar

## Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	72	Zepeda
	0600	71	Zepeda
	0900	72	Zepeda
	1200	72	Zepeda
	1500	72	Cruz
	1800	70	Cruz
	2100	70	Cruz
	2400	69	Santos

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	70	S. W. L. B.
	0600	70	Hill
	0900	70	Hill
	1200	70	Hill
	1500	69	Corona
	1800	69	Corona
	2100	69	Corona
	2400	69	Edgar

## Notes

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (03/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSP

Housing Unit: D2

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension S 346 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	70	Ediger
	0600	70	214-11
	0900	70	214-11
	1200	70	214-11
	1500	69	Cesario
	1800	70	Cesario
	2100	69	Cesario
	2400	70	Ediger

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	70	Ediger
	0600	70	Rays
	0900	71	Rays
	1200	71	Rays
	1500	70	Cruz
	1800	71	Cruz
	2100	71	Cruz
	2400	70	Ediger

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	72	Ediger
	0600	72	Ediger
	0900	72	Bailey
	1200	72	Bailey
	1500	73	Cruz
	1800	74	Cruz
	2100	73	Cruz
	2400	71	Ediger

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	70	Ediger
	0600	70	14-11
	0900	70	14-11
	1200	70	14-11
	1500	70	Cesario
	1800	69	Cesario
	2100	69	Cesario
	2400	68	Ediger

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	72	Cantu
	0600	72	Cantu
	0900	72	Cantu
	1200	72	Cantu
	1500	73	Lobos
	1800	72	Lobos
	2100	71	Lobos
	2400	69	Cantu

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	70	Ediger
	0600	70	244-1
	0900	73	244-5
	1200	72	244-5
	1500	71	Santa
	1800	70	Santa
	2100	70	Santa
	2400	69	Ediger

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	72	Zepeda
	0600	72	Zepeda
	0900	72	Zepeda
	1200	72	Zepeda
	1500	71	CCUZ
	1800	71	CCUZ
	2100	71	CCUZ
	2400	69	Zepeda

Notes

DISTRIBUTION: Original Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

**Attachment C**  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D-2 Temp. Reading Location: \_\_\_\_\_  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/28/24	0300	67	Ediger
	0600	67	R. Hill
	0900	70	R. Hill
	1200	70	R. Hill
	1500	72	V. Corona
	1800	72	V. Corona
	2100	71	V. Corona
	2400	67	Ediger

Tuesday			
Date	Time	Temp.	Name (Print)
10/29/24	0300	64	Ediger
	0600	67	R. Reyes
	0900	70	A. Lewis
	1200	70	Moy-S
	1500	67	Ibarra
	1800	67	Cruz
	2100	66	Ortiz
	2400	64	Zaragoza

Wednesday			
Date	Time	Temp.	Name (Print)
10/30/24	0300	64	Ediger
	0600	67	R. Reyes
	0900	69	R. Reyes
	1200	70	R. Reyes
	1500	69	Cruz
	1800	67	Cruz
	2100	67	Cruz
	2400	64	Ediger

Thursday			
Date	Time	Temp.	Name (Print)
10/31/24	0300	64	Ediger
	0600	67	Reyes
	0900	68	Rod?
	1200	68	Ramirez
	1500	67	Lopez
	1800	67	Zaragoza
	2100	64	Ramirez
	2400	64	Ediger

Friday			
Date	Time	Temp.	Name (Print)
11/01/24	0300	64	Ediger
	0600	69	Reyes
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
11/02/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
11/03/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: DFB3 Temp. Reading Location: 2ND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
10/11/24	0300	76	Gutierrez
	0600	70	Lima
	0900	72	Lima
	1200	75	Lima
	1500	74	Juarez
	1800	74	Hernandez
	2100	74	Hernandez
	2400	74	Gutierrez

**Wednesday**

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	72	M. GONZALES
	1200	73	Scherry
	1500	74	Hernandez
	1800	78	Hernandez
	2100	78	Hernandez
	2400	72	Gutierrez

**Thursday**

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	72	J. Salazar
	1200	74	J. Salazar
	1500	74	JUAREZ
	1800	73	JUAREZ
	2100	73	JUAREZ
	2400	70	Gutierrez

**Friday**

Date	Time	Temp.	Name (Print)
10/14/24	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	74	J. Correa
	1200	76	Lima
	1500	78	Hernandez
	1800	78	Hernandez
	2100		
	2400	70	Gutierrez

**Saturday**

Date	Time	Temp.	Name (Print)
10/15/24	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	74	M. Cervantes
	1200	76	Lima
	1500	74	AVILA
	1800	74	AVILA
	2100	75	AVILA
	2400	70	Gutierrez

**Sunday**

Date	Time	Temp.	Name (Print)
10/16/24	0300	76	Gutierrez
	0600	77	Scherry
	0900	74	Lima
	1200	75	Lima
	1500	76	Hernandez
	1800	78	Hernandez
	2100	78	Hernandez
	2400	78	Scherry

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

**Attachment C**  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: DFB3 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/17/24	0300	78	Salsman
	0600	75	Lima
	0900	76	Lima
	1200	77	Lima
	1500	78	Hernandez
	1800	76	Juarez
	2100	75	Juarez
	2400	78	Martinez

**Wednesday**

Date	Time	Temp.	Name (Print)
10/19/24	0300	72	Gutierrez
	0600	72	Gutierrez
	0900	73	Salsman
	1200	74	M. GONZALES
	1500	75	Juarez
	1800	76	Hernandez
	2100	74	Hernandez
	2400	75	Gutierrez

**Friday**

Date	Time	Temp.	Name (Print)
10/11/24	0300	72	Gutierrez
	0600	72	Gutierrez
	0900	74	Dobbs
	1200	74	Lima
	1500	74	Alegre
	1800	71	Alegre
	2100	72	Gutierrez
	2400	72	Gutierrez

**Sunday**

Date	Time	Temp.	Name (Print)
10/13/24	0300	74	Martinez
	0600	70	Lima
	0900	72	Salsman
	1200	74	Salsman
	1500	75	Hernandez
	1800	75	Casper
	2100	75	Casper
	2400	75	Salsman

**Tuesday**

Date	Time	Temp.	Name (Print)
10/18/24	0300	74	Martinez
	0600	73	Lima
	0900	75	Lima
	1200	77	Lima
	1500	78	Juarez
	1800	77	Juarez
	2100	76	Juarez
	2400	72	Gutierrez

**Thursday**

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	Gutierrez
	0600	72	Gutierrez
	0900	74	M. GONZALES
	1200	70	M. GONZALES
	1500	73	L.CASTRO
	1800	73	L.CASTRO
	2100	73	Casper
	2400	72	Gutierrez

**Saturday**

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	Gutierrez
	0600	72	Lima
	0900	72	Lima
	1200	74	Lima
	1500	74	L.CASTRO
	1800	72	L.CASTRO
	2100	72	L.CASTRO
	2400	78	Martinez

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Pvsp Housing Unit A 3 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/14	0300	75	Silva
	0600	70	Salmeron
	0900	74	Pereira
	1200	75	Pereira
	1500	76	Hernandez
	1800	76	Hernandez
	2100	77	Hernandez
	2400	76	Silva

**Tuesday**

Date	Time	Temp.	Name (Print)
10/15	0300	76	Silva
	0600	71	Pereira
	0900	74	Pereira
	1200	75	Pereira
	1500	74	CASTRO
	1800	77	Hernandez
	2100	77	CASTRO
	2400	72	Gutierrez

**Wednesday**

Date	Time	Temp.	Name (Print)
10/16	0300	72	Gutierrez
	0600	78	J. GONZALEZ
	0900	70	J. Salmeron
	1200	71	J. Salmeron
	1500	77	Hernandez
	1800	76	Hernandez
	2100	75	Hernandez
	2400	75	Gutierrez

**Thursday**

Date	Time	Temp.	Name (Print)
10/17	0300	75	Gutierrez
	0600	74	Salmeron
	0900	74	Gutierrez
	1200	75	Salmeron
	1500	72	V. Corona
	1800	71	V. Corona
	2100	71	Rodriguez
	2400	70	Gutierrez

**Friday**

Date	Time	Temp.	Name (Print)
10/18	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	70	Pereira
	1200	71	Pereira
	1500	70	V. Corona
	1800	70	V. Corona
	2100	70	V. Corona
	2400	67	Gutierrez

**Saturday**

Date	Time	Temp.	Name (Print)
10/19	0300	67	Gutierrez
	0600	64	Pereira
	0900	65	Pereira
	1200	68	Pereira
	1500	68	Corona
	1800	69	Corona
	2100	69	Corona
	2400	66	Gutierrez

**Notes**

Date	Time	Temp.	Name (Print)
10/20	0300	60	Gutierrez
	0600	63	Pereira
	0900	65	Pereira
	1200	69	Pereira
	1500	74	Hernandez
	1800	71	Hernandez
	2100	71	Hernandez
	2400	70	Silva

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**Attachment C**  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D 3 Temp. Reading Location: 2nd tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	70	Santos
	0600	70	Lima
	0900	71	Lima
	1200	73	Lima
	1500	71	Hernandez
	1800	71	Hernandez
	2100	71	Hernandez
	2400	70	Santos

Wednesday

Date	Time	Temp.	Name (Print)
10/21	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	70	GONZALES
	1200	71	Gonzales
	1500	74	Hernandez
	1800	71	Hernandez
	2100	71	Hernandez
	2400	70	Gutierrez

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	70	Gutierrez
	1200	71	Gutierrez
	1500	72	V. Corona
	1800	72	V. corona
	2100	71	V. corona
	2400	72	Gutierrez

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	71	Gutierrez
	0600	72	Gutierrez
	0900	72	Martinez
	1200	72	Martinez
	1500	72	Surez
	1800	71	Juarez
	2100	71	Juarez
	2400	71	Gutierrez

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	70	Santos
	0600	70	J. Scherer
	0900	70	Lima
	1200	69	Lima
	1500	69	A. Chacon
	1800	73	Hernandez
	2100	71	Hernandez
	2400	70	Gutierrez

Thursday

Date	Time	Temp.	Name (Print)
10/21	0300	70	Gutierrez
	0600	70	Gutierrez
	0900	70	Salmon
	1200	71	Salmon
	1500	71	Corona
	1800	71	Corona
	2100	71	Corona
	2400	70	Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	73	Gutierrez
	0600	73	Gutierrez
	0900	73	Foch
	1200	74	Foch
	1500	74	Corona
	1800	73	Corona
	2100	71	Corona
	2400	71	Gutierrez

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**Attachment C**  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D3 Temp. Reading Location: 2nd tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>10/28</u>	0300	71	Santos
	0600	72	Salmerson J
	0900	72	Safra
	1200	72	Safra
	1500	74	Hernandez
	1800	74	Hernandez
	2100	73	Hernandez
	2400	72	Santos

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>10/30</u>	0300	70	Quiñonez
	0600	70	Quiñonez
	0900	70	Salmerson
	1200	72	Salmerson J
	1500	71	Juarez
	1800	69	Juarez
	2100	68	Juarez
	2400	70	Olivarez

**Friday**

Date	Time	Temp.	Name (Print)
<u>11/1</u>	0300	70	Gutierrez
	0600	70	Gutierrez
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>10/29</u>	0300	73	Santos
	0600	70	Salmerson
	0900	71	Salmerson J
	1200	71	Salmerson
	1500	67	Juarez
	1800	67	Juarez
	2100	67	Juarez
	2400	70	Quiñonez

**Thursday**

Date	Time	Temp.	Name (Print)
<u>10/31</u>	0300	70	Olivarez
	0600	70	Olivarez
	0900	70	J. Salmeron
	1200	72	J. Salmeron
	1500	70	J. Corona
	1800	69	J. Corona
	2100	69	Juarez
	2400	70	Quiñonez

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP

Housing Unit: D-4

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier)

Immediately notify the Watch Commander at extension \_\_\_\_\_ 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/24	0300	69	F. Cortes
10/24	0600	70	J. Garcia
10/24	0900	70	J. Garcia
10/24	1200	70	J. Lopez
10/24	1500	78	J. Lopez
10/24	1800	79	J. Serrano
10/24	2100	79	G. Gonzalez
10/24	2400	77	S. Serrano

Friday

Date	Time	Temp.	Name (Print)
10/24	0300	75	P. Aguirre
10/24	0600	75	J. Garcia
10/24	0900	75	J. Garcia
10/24	1200	77	J. Garcia
10/24	1500	78	M. Montenegro
10/24	1800	79	M. Montenegro
10/24	2100	79	M. Montenegro
10/24	2400	77	P. Aguirre

Sunday

Date	Time	Temp.	Name (Print)
10/24	0300	78	Cortes
10/24	0600	78	MONTENEGRO
10/24	0900	78	MONTENEGRO
10/24	1200	79	MONTENEGRO
10/24	1500	80	MONTENEGRO
10/24	1800	80	MONTENEGRO
10/24	2100	79	MONTENEGRO
10/24	2400	79	Cortes

Tuesday

Date	Time	Temp.	Name (Print)
10/24	0300	75	J. Lopez
10/24	0600	72	J. Lopez
10/24	0900	72	J. Lopez
10/24	1200	72	J. Lopez
10/24	1500	72	S. Serrano
10/24	1800	71	S. Serrano
10/24	2100	70	F. Cortes
10/24	2400	70	F. Cortes

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	76	F. Cortes
10/24	0600	76	J. Lopez
10/24	0900	76	J. Lopez
10/24	1200	76	J. Lopez
10/24	1500	79	J. Lopez
10/24	1800	79	J. Lopez
10/24	2100	80	S. Serrano
10/24	2400	76	S. Serrano

Saturday

Date	Time	Temp.	Name (Print)
10/24	0300	75	P. Aguirre
10/24	0600	75	MONTENEGRO
10/24	0900	75	MONTENEGRO
10/24	1200	78	MONTENEGRO
10/24	1500	79	MONTENEGRO
10/24	1800	79	MONTENEGRO
10/24	2100	79	MONTENEGRO
10/24	2400	79	Cortes

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

**Attachment C**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D4 Temp. Reading Location: \_\_\_\_\_  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/17	0300	76	F. Cortes
	0600	76	A. Garcia
	0900	76	A. Garcia
	1200	76	A. Garcia
	1500	79	S. Serrano
	1800	80	S. Serrano
	2100	80	S. Serrano
	2400	79	F. Cortes

**Tuesday**

Date	Time	Temp.	Name (Print)
10/18	0300	79	F. Cortes
	0600	76	J. Garcia
	0900	76	J. Garcia
	1200	77	J. Garcia
	1500	78	G. Guzman
	1800	79	S. Serrano
	2100	79	S. Serrano
	2400	79	F. Cortes

**Wednesday**

Date	Time	Temp.	Name (Print)
10/19	0300	78	F. Cortes
	0600	76	J. Garcia
	0900	76	J. Garcia
	1200	78	J. Garcia
	1500	78	S. Serrano
	1800	79	S. Serrano
	2100	79	S. Serrano
	2400	78	F. Cortes

**Thursday**

Date	Time	Temp.	Name (Print)
10/20	0300	77	F. Cortes
	0600	75	J. Garcia
	0900	75	J. Garcia
	1200	76	J. Garcia
	1500	76	J. Garcia
	1800	78	S. Serrano
	2100	78	S. Serrano
	2400	76	P. Aguirre

**Friday**

Date	Time	Temp.	Name (Print)
10/21	0300	75	P. Aguirre
	0600	74	J. Garcia
	0900	74	J. Garcia
	1200	74	J. Garcia
	1500	75	H. Montenegro
	1800	76	H. Montenegro
	2100	75	H. Montenegro
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
10/22	0300	70	J. Lopez
	0600	70	J. Lopez
	0900	72	J. Lopez
	1200	72	J. Lopez
	1500	75	H. Montenegro
	1800	76	H. Montenegro
	2100	76	H. Montenegro
	2400	76	F. Cortes

**Sunday**

Date	Time	Temp.	Name (Print)
10/23	0300	76	F. Cortes
	0600	76	A. Garcia
	0900	76	A. Garcia
	1200	75	A. Garcia
	1500	77	S. Serrano
	1800	76	S. Serrano
	2100	76	S. Serrano
	2400	76	F. Cortes

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

Attachment C  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D-C Temp. Reading Location: TIER 2

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/14/2014	0300	76	A. Mendoza
	0600	76	H. P. Perez
	0900	75	M. F. Araya
	1200	75	M. F. Araya
	1500	76	S. Sennarw
	1800	76	S. Sennarw
	2100	76	S. Sennarw
	2400	76	F. Cortes

Tuesday			
Date	Time	Temp.	Name (Print)
10/15/2014	0300	75	F. Cortes
	0600	74	J. Vega
	0900	75	J. Vega
	1200	76	R. Mendoza
	1500	76	S. Sennarw
	1800	76	S. Sennarw
	2100	76	C. Sennarw
	2400	76	F. Cortes

Wednesday			
Date	Time	Temp.	Name (Print)
10/16/2014	0300	76	F. Cortes
	0600	76	J. Garcia
	0900	76	J. Garcia
	1200	76	J. Garcia
	1500	72°	S. Sennarw
	1800	72°	S. Sennarw
	2100	72	S. Sennarw
	2400	72	F. Cortes

Thursday			
Date	Time	Temp.	Name (Print)
10/17/2014	0300	72	F. Cortes
	0600	73	J. Garcia
	0900	73	J. Garcia
	1200	73	J. Garcia
	1500	72	S. Sennarw
	1800	74	S. Sennarw
	2100	74	S. Sennarw
	2400	72	P. Aguirre

Friday			
Date	Time	Temp.	Name (Print)
10/18/2014	0300	72	P. Aguirre
	0600	72	J. Garcia
	0900	72	J. Garcia
	1200	73	J. Garcia
	1500	72°	M. Montenegro
	1800	72°	M. Montenegro
	2100	72°	M. Montenegro
	2400	71	P. Aguirre

Saturday			
Date	Time	Temp.	Name (Print)
10/19/2014	0300	71	P. Aguirre
	0600	72	H. Montenegro
	0900	72	H. Montenegro
	1200	73	H. Montenegro
	1500	74	H. Montenegro
	1800	72	H. Montenegro
	2100	72	H. Montenegro
	2400	71	B. Cornell

Sunday			
Date	Time	Temp.	Name (Print)
10/20/2014	0300	71	B. Cornell
	0600	70	M. F. Araya
	0900	71	M. F. Araya
	1200	72	M. F. Araya
	1500	72	M. F. Araya
	1800	72	S. Sennarw
	2100	71	S. Sennarw
	2400	72	F. Cortes

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

Attachment C  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D4 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/21	0300	72	F. Cortes
	0600	72	M. F. RODA
	0900	72	M. F. RODA
	1200	71	M. F. RODA
	1500	72	M. F. RODA
	1800	72	S. SENNAWAD
	2100	72	S. SERRANO
	2400	72	F. Cortes

  

Tuesday			
Date	Time	Temp.	Name (Print)
10/22	0300	72	F. Cortes
	0600	72	J. Garcia
	0900	72	J. Garcia
	1200	73	J. Garcia
	1500	72	S. SENNAWAD
	1800	73	S. SENNAWAD
	2100	73	S. SENNAWAD
	2400	73	E. PEASCE

  

Wednesday			
Date	Time	Temp.	Name (Print)
10/23	0300	72	G. PEREZ
	0600	72	E. PEASCE
	0900	70	J. Garcia
	1200	72	J. Garcia
	1500	73	J. Garcia
	1800	73	S. SENNAWAD
	2100	73	S. SENNAWAD
	2400	73	A. ALMEROZ

  

Thursday			
Date	Time	Temp.	Name (Print)
10/24	0300	73	A. ALMEROZ
	0600	70	J. Garcia
	0900	70	J. Garcia
	1200	70	J. Garcia
	1500	68	S. SENNAWAD
	1800	68	S. SENNAWAD
	2100	68	S. SENNAWAD Service
	2400	66	P. AGUZARTE

  

Friday			
Date	Time	Temp.	Name (Print)
10/25	0300	64	P. AGUZARTE
	0600	64	J. Garcia
	0900	67	J. Garcia
	1200	69	J. Garcia
	1500	68	MONTENEGRO
	1800	68	MONTENEGRO
	2100	68	MONTENEGRO
	2400	68	F. Cortes

  

Saturday			
Date	Time	Temp.	Name (Print)
10/26	0300	68	F. Cortes
	0600	67	MONTENEGRO
	0900	67	MONTENEGRO
	1200	67	MONTENEGRO
	1500	68	MONTENEGRO
	1800	67	MONTENEGRO
	2100	67	MONTENEGRO
	2400	66	T. Miller

  

Sunday			
Date	Time	Temp.	Name (Print)
10/27	0300	67	M. P. A.
	0600	67	M. P. A.
	0900	67	M. P. A.
	1200	69	M. P. A.
	1500	69	M. P. A.
	1800	70	S. SENNAWAD
	2100	70	S. SENNAWAD
	2400	70	F. Cortes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Notes

---



---



---



---



---



---



---

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D4 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70	F. Cortes
	0600	73	M. Arredondo
	0900	73	M. Arredondo
	1200	73	M. Arredondo
	1500	70	S. Sennar
	1800	70	S. Sennar
	2100	70	S. Sennar
	2400	70	F. Cortes

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	69	F. Cortes
	0600	66	J. Garza
	0900	67	J. Garza
	1200	67	J. Garza
	1500	69	S. Serrano
	1800	69	S. Serrano
	2100	69	S. Serrano
	2400	69	F. Cortes

Friday

Friday		Date	Time	Temp.	Name (Print)
11/24	0300	69	PAGUERRE		
	0600	69	J. Lep12		
	0900				
	1200				
	1500				
	1800				
	2100				
	2400				

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	70	F. Corde
	0600	70	J. Garcia
	0900	70	J. Game
	1200	70	J. Game
	1500	70	S. Sandoval
	1800	70	S. Sandoval
24	2100	70	S. Sandoval
	2400	70	F. Corde

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	69	F. Cortes
	0600	69	J. Lopez
	0900	69	J. Lopez
	1200	69	J. Lopez
	1500	69	S. Serrano
	1800	69	S. Serrano
	2100	69	G. UANG
	2400	69	P. AGUILAR

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: FUSP Housing Unit: D5 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300	68	J. ESPARZA
	0600	69	S. Serrano
	0900	71	S. Serrano
10/1	1200	73	S. Serrano
	1500	73	R. Coarce
	1800	74°	R. Coarce
	2100	74°	R. Coarce
	2400	73	J. ESPARZA

**Wednesday**

Date	Time	Temp.	Name (Print)
10/2	0300	72	J. ESPARZA
	0600	71	D. Orosco
	0900	73	D. Orosco
	1200	73	D. Orosco
	1500	74	R. Coarce
	1800	77	R. Coarce
	2100	78	R. Coarce
	2400	77	J. ESPARZA

**Thursday**

Date	Time	Temp.	Name (Print)
	0300	79	J. ESPARZA
	0600	72	S. Serrano
	0900	72	S. Serrano
10/3	1200	73	C. GARCIA
	1500	75°	R. Coarce
	1800	79	D. HUAN
	2100	79°	R. Coarce
	2400	77	J. ESPARZA

**Friday**

Date	Time	Temp.	Name (Print)
10/4	0300	74	J. ESPARZA
	0600	73	P. AGUIRRE
	0900	74	S. Serrano
	1200	74	P. AGUIRRE
	1500	79	E. Leonor
	1800	78	E. Leonor
	2100	77	E. Leonor
	2400	74	J. ESPARZA

**Saturday**

Date	Time	Temp.	Name (Print)
10/5	0300	72	J. ESPARZA
	0600	72	D. Huan
	0900	73	D. Huan
	1200	74	D. Huan
	1500	79	D. Huan
	1800	78	D. Huan
	2100	79	D. Huan
	2400	72	J. ESPARZA

**Notes**

Date	Time	Temp.	Name (Print)
10/6	0300	78	J. ESPARZA
	0600	72	C. Garcia
	0900	73	C. Garcia
	1200	74	C. Garcia
	1500	78	D. Huan
	1800	78	D. Huan
	2100	77	D. Huan
	2400	76	J. ESPARZA

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSP Housing Unit: D5 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/7	0300	72°	J. Espinoza
	0600	72°	S. Serrano
	0900	73°	G. Garcia
	1200	74°	C. Garcia
	1500	75°	V. Valdez
	1800	75°	V. Valdez
	2100	75°	V. Valdez
	2400	77°	E. Ramirez

**Tuesday**

Date	Time	Temp.	Name (Print)
10/8	0300	73	C. Malt
	0600	72	S. Serrano
	0900	72	G. Garcia
	1200	73	C. Garcia
	1500	78°	S. Serrano
	1800	78°	R. Garcia
	2100	78°	R. Garcia
	2400	76	J. Espinoza

**Wednesday**

Date	Time	Temp.	Name (Print)
10/9	0300	73°	J. Espinoza
	0600	71°	C. Garcia
	0900	72°	G. Garcia
	1200	73°	S. Serrano
	1500	77°	R. Garcia
	1800	77°	R. Garcia
	2100	78°	R. Garcia
	2400	76	J. Espinoza

**Thursday**

Date	Time	Temp.	Name (Print)
10/10	0300	73	J. Espinoza
	0600	71	C. Garcia
	0900	71	S. Serrano
	1200	73	S. Serrano
	1500	77°	R. Garcia
	1800	77°	R. Garcia
	2100	77	R. Garcia
	2400	78	J. Espinoza

**Friday**

Date	Time	Temp.	Name (Print)
10/11	0300	78°	J. Espinoza
	0600	69	S. Serrano
	0900	70	S. Serrano
	1200	71	P. Aguirre
	1500	76	D. Huerta
	1800	77	R. Garcia
	2100	76	R. Garcia
	2400	76	R. Garcia

**Saturday**

Date	Time	Temp.	Name (Print)
10/12	0300	75	M. Garcia
	0600	78	M. Garcia
	0900	78	M. Garcia
	1200	75	M. Garcia
	1500	75	J. Lopez
	1800	76	J. Lopez
	2100	76	J. Lopez
	2400	77	J. Lopez

**Sunday**

Date	Time	Temp.	Name (Print)
10/13	0300	77	J. Espinoza
	0600	76°	D. Hobbs
	0900	72°	D. Hobbs
	1200	74°	D. Hobbs
	1500	75°	J. Tafolla
	1800	76°	J. Tafolla
	2100	76°	J. Tafolla
	2400	77	J. Tafolla

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PSP Housing Unit: B-5 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5348 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	68°	T. Serrano
	0600	69°	C. Garcia
	0900	70°	C. Garcia
	1200	71°	S. Serrano
	1500	76°	R. Garcia
	1800	76°	R. Garcia
	2100	76°	R. Garcia
	2400	73°	G. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	70°	E. Serrano
	0600	69°	S. Serrano
	0900	70°	S. Serrano
	1200	71°	S. Serrano
	1500	76°	R. Garcia
	1800	76°	R. Garcia
	2100	76°	R. Garcia
	2400	74°	J. Espinoza

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	70°	E. Espinoza
	0600	68°	S. Serrano
	0900	68°	P. Aguirre
	1200	67°	P. Aguirre
	1500	68°	E. Lemon
	1800	70°	E. Lemon
	2100	71°	E. Lemon
	2400	71°	P. Aguirre

Sunday

Date	Time	Temp.	Name (Print)
10/21	0300	67°	J. Espinoza
	0600	69°	Garcia
	0900	69°	Garcia
	1200	70°	Garcia
	1500	71°	J. Yank
	1800	71°	J. Yank
	2100	71°	J. Yank
	2400	70°	J. Espinoza

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	72°	B. Yank
	0600	69°	S. Serrano
	0900	69°	G. Garcia
	1200	71°	S. Serrano
	1500	76°	R. Garcia
	1800	76°	R. Garcia
	2100	76°	R. Garcia
	2400	74°	B. Yank

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	67°	E. Espinoza
	0600	68°	G. Garcia
	0900	68°	G. Garcia
	1200	70°	S. Serrano
	1500	72°	D. Huynh
	1800	74°	D. Huynh
	2100	71°	D. Huynh
	2400	70°	E. Espinoza

Saturday

Date	Time	Temp.	Name (Print)
10/11	0300	70°	E. Escobar
	0600	70°	M. Garcia
	0900	70°	M. Garcia
	1200	70°	A. Garcia
	1500	70°	J. Lopez
	1800	70°	J. Lopez
	2100	70°	J. Lopez
	2400	70°	J. Escobar

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: AVSP Housing Unit: 05 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 53410 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/21	0300	68	J. ESPAÑOL
	0600	63	S. SERNA
	0900	66	C. CARPANO
	1200	68	S. SERNA
	1500	74°	R. GARCIA
	1800	76°	R. GARCIA
	2100	76°	R. GARCIA
	2400	68	J. ESPAÑOL

**Tuesday**

Date	Time	Temp.	Name (Print)
10-22	0300	65	J. ESPAÑOL
	0600	66	S. SERNA
	0900	67	S. SERNA
	1200	71	S. SERNA
	1500	72°	R. GARCIA
	1800	75°	R. GARCIA
	2100	71°	R. GARCIA
	2400	67	J. ESPAÑOL

**Wednesday**

Date	Time	Temp.	Name (Print)
10/23	0300	67	J. ESPAÑOL
	0600	68	S. SERNA
	0900	69	S. SERNA
	1200	72	S. SERNA
	1500	74	D. GUERRA
	1800	76	D. GUERRA
	2100	74	D. GUERRA
	2400	71	J. ESPAÑOL

**Thursday**

Date	Time	Temp.	Name (Print)
10/24	0300	67	J. ESPAÑOL
	0600	68°	C. GARCIA
	0900	68	S. SERNA
	1200	70	S. SERNA
	1500	74	D. GUERRA
	1800	76	D. GUERRA
	2100	74	D. GUERRA
	2400	71	J. ESPAÑOL

**Friday**

Date	Time	Temp.	Name (Print)
10/25	0300	67	J. ESPAÑOL
	0600	67	S. SERNA
	0900	67	R. AGUILAR
	1200	70	S. SERNA
	1500	72	E. LIMA
	1800	74	E. LIMA
	2100	73	E. LIMA
	2400	73	E. LIMA

**Saturday**

Date	Time	Temp.	Name (Print)
10/26	0300	67	E. LIMA
	0600	72	M. FARIJA
	0900	73	M. FARIJA
	1200	73	M. FARIJA
	1500	73	J. LEON
	1800	73	J. LEON
	2100	73	J. LEON
	2400	72	J. LEON

**Sunday**

Date	Time	Temp.	Name (Print)
10/27	0300	67	E. LIMA
	0600	67	D. BROWN
	0900	69	KOCH
	1200	70	KOCH
	1500	71	GONZALEZ
	1800	71	GONZALEZ
	2100	71	GONZALEZ
	2400	67	E. LIMA

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: PvSP Housing Unit: DS Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/28	0300	68	J. Serrano
	0600	69	C. Contreras
	0900	70	G. Garcia
	1200	70	C. Garcia
	1500	70	+n fosa
	1800	70	T. Acosta
	2100	70	T. Acosta
	2400	68	Hernandez

**Tuesday**

Date	Time	Temp.	Name (Print)
10/29	0300	66	Hernandez
	0600	66	Gato S. Serrano
	0900	68	Gato C. Garcia
	1200	68	C. Garcia
	1500	70	R. Garcia
	1800	69	R. Garcia
	2100	69	R. Garcia
	2400	68	J. Serrano

**Wednesday**

Date	Time	Temp.	Name (Print)
10/30	0300	68	J. Serrano
	0600	64	S. Serrano
	0900	65	S. Serrano
	1200	66	S. Serrano
	1500	71	D. Hernandez
	1800	70	D. Hernandez
	2100	70	R. Garcia
	2400	68	T. Espinoza

**Thursday**

Date	Time	Temp.	Name (Print)
10/31	0300	72	J. Espinoza
	0600	65	Gato C. Garcia
	0900	64	C. Garcia
	1200	65	C. Garcia
	1500	670	Hernandez
	1800	670	Acosta
	2100	67	Hunt
	2400	73	J. Espinoza

**Friday**

Date	Time	Temp.	Name (Print)
11/1/24	0300	73	J. Espinoza
	0600	73	Acosta
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DVSP

Housing Unit: A1

Temp. Reading Location:

1nd

(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_

when the inside air temperature reaches

90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	70	J. ORDONEZ
	0600	71	C. Montero
	0900	72	F. Bererra
	1200	71	E. CARTER
	1500	71	L. Escobar
	1800	80	L. Escobar
	2100	78	L. Escobar
	2400	71	J. ORDONEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	71	J. ORDONEZ
	0600	73	C. Montero
	0900	72	C. Montero
	1200	75	C. Montero
	1500	76	U. Perez
	1800	70	J. GONZALEZ
	2100	74	J. GONZALEZ
	2400	74	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	74	J. ORDONEZ
	0600	72	C. Montero
	0900	74	C. Montero
	1200	76	F. Bererra
	1500	70	J. GONZALEZ
	1800	81	J. GONZALEZ
	2100	79	J. GONZALEZ
	2400	74	J. ORDONEZ

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	74	J. ORDONEZ
	0600	73	C. Montero
	0900	75	F. Bererra
	1200	78	F. Bererra
	1500	70	J. GONZALEZ
	1800	71	J. GONZALEZ
	2100	79	J. GONZALEZ
	2400	75	J. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	74	J. SOTO
	0600	74	C. Montero
	0900	74	M. Reyes
	1200	78	C. Montero
	1500	79	J. GONZALEZ
	1800	78	M. Cervantes
	2100	77	J. GONZALEZ
	2400	75	J. SOTO

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	74	J. SOTO
	0600	74	C. Montero
	0900	74	C. Montero
	1200	75	E. CARTER
	1500	78	M. Cervantes
	1800	80	M. Cervantes
	2100	79	M. Cervantes
	2400	77	J. GONZALEZ

Notes

Date	Time	Temp.	Name (Print)
10/6/24	0300	71	J. ORDONEZ
	0600	72	M. Cervantes
	0900	73	E. CARTER
	1200	75	E. CARTER
	1500	78	M. Cervantes
	1800	80	M. Cervantes
	2100	80	U. Perez
	2400	77	J. ORDONEZ

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP

Housing Unit: A1

Temp. Reading Location: 1 MP

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/8/24	0300	77	J. ORDONEZ
	0600	74	E. CARTER
	0900	75	E. CARTER
	1200	77	E. CARTER
	1500	79	ESCOBAR
	1800	83	ESCOBAR
	2100	80	ESCOBAR
	2400	74	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	71	J. ORDONEZ
	0600	74	C. MONTERO
	0900	74	C. MONTERO
	1200	75	C. MONTERO
	1500	75	J. GONZALEZ
	1800	77	J. GONZALEZ
	2100	75	J. GONZALEZ
	2400	71	J. ORDONEZ

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70	J. NAV
	0600	71	J. CASTIEL BLANCO
	0900	70	J. CASTIEL BLANCO
	1200	73	M. REYES
	1500	74	J. GONZALEZ
	1800	76	J. GONZALEZ
	2100	75	J. GONZALEZ
	2400	74	P. NAV

Sunday

Date	Time	Temp.	Name (Print)
10/13	0500	70	J. ORDONEZ
	0600	70	E. CARTER
	0800	74	M. CERVANTES
	1200	70	E. CARTER
	1500	72	M. CERVANTES
	1800	71	L. CORONA
	2100	70	L. CORONA
	2400	70	R. CERVANTES

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	76	J. ORDONEZ
	0600	74	C. MONTERO
	0900	74	C. MONTERO
	1200	76	C. MONTERO
	1500	80	J. GONZALEZ
	1800	81	J. GONZALEZ
	2100	78	J. GONZALEZ
	2400	76	J. ORDONEZ

Thursday

Date	Time	Temp.	Name (Print)
10/11/24	0300	74	J. ORDONEZ
	0600	72	C. MONTERO
	0900	72	C. MONTERO
	1200	74	J. GONZALEZ
	1500	75	A. AGUSTA
	1800	76	A. AGUSTA
	2100	73	A. AGUSTA
	2400	71	J. NAV

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	71	P. NAV
	0600	71	E. CARTER
	0900	71	E. CARTER
	1200	71	E. CARTER
	1500	72	L. CORONA
	1800	74	L. CORONA
	2100	73	L. CORONA
	2400	71	J. ORDONEZ

Notes:

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP

Housing Unit: A-1

Temp. Reading Location: 270

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10-14	0300	70°	A. HEREDIA
	0600	70°	E. CARTER
	0900	71°	E. CARTER
	1200	72°	E. CARTER
	1500	74°	J. GONZALEZ
	1800	75°	J. GONZALEZ
	2100	73°	J. GONZALEZ
	2400	71°	J. GONZALEZ

Wednesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	73°	J. ORdonez
	0600	73°	C. Montero
	0900	72°	E. Becerra
	1200	74°	E. Becerra
	1500	75°	J. GONZALEZ
	1800	70°	J. GONZALEZ
	2100	74°	J. GONZALEZ
	2400	75°	J. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	72°	J. GONZALEZ
	0600	72°	C. Montero
	0900	73°	C. Montero
	1200	73°	M. Reyes
	1500	74°	J. GONZALEZ
	1800	74°	M. Cervantes
	2100	73°	J. GONZALEZ
	2400	64°	VANG

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	68°	L. Perez
	0600	69°	L. Perez
	0900	71°	L. Perez
	1200	72°	C. Perez
	1500	72°	M. Cervantes
	1800	73°	M. Cervantes
	2100	71°	M. Cervantes
	2400	70°	J. ORdonez

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	71°	J. ORdonez
	0600	70°	E. Becerra
	0900	70°	C. Montero
	1200	72°	C. Montero
	1500	75°	J. GONZALEZ
	1800	76°	J. GONZALEZ
	2100	73°	J. GONZALEZ
	2400	73°	J. GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	74°	J. GONZALEZ
	0600	72°	C. Montero
	0900	73°	C. Montero
	1200	74°	C. Montero
	1500	74°	A. Cuevas
	1800	75°	A. CUEVAS
	2100	78°	A. CUEVAS
	2400	74°	VANG

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	69°	VANG
	0600	68°	C. Montero
	0900	70°	C. Montero
	1200	71°	C. Montero
	1500	72°	M. Cervantes
	1800	73°	M. Cervantes
	2100	75°	L. ESCOBAR
	2400	71°	L. ESCOBAR

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DVSP Housing Unit: A1

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	68	J. ORDOÑEZ
	0600	68	J. PERCIRA
	0900	67	J. PERCIRA
	1200	71	J. PERCIRA
	1500	74	J. GONZALEZ
	1800	75	J. GONZALEZ
	2100	73	J. GONZALEZ
	2400	71	J. ORDOÑEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	72	J. ORDOÑEZ
	0600	71	C. MONTERO
	0900	72	K. PERCIRA
	1200	72	C. MONTERO
	1500	73	J. GONZALEZ
	1800	71	J. GONZALEZ
	2100	72	J. GONZALEZ
	2400	71	J. ORDOÑEZ

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	J. ORDOÑEZ
	0600	69	C. MONTERO
	0900	70	C. MONTERO
	1200	70	C. MONTERO
	1500	71	T. QUINTERO
	1800	71	T. QUINTERO
	2100	71	T. QUINTERO
	2400	71	J. ABELAR

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	69	J. FURNARI
	0600	67	M. RODRIGUEZ
	0900	70	M. RODRIGUEZ
	1200	71	M. RODRIGUEZ
	1500	72	T. ALGER
	1800	72	T. ALGER
	2100	71	T. ALGER
	2400	72	J. ORDOÑEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/28/24	0300	71	J. ORDOÑEZ
	0600	68	J. PERCIRA
	0900	70	J. PERCIRA
	1200	72	C. MONTERO
	1500	74	J. GONZALEZ
	1800	75	J. GONZALEZ
	2100	74	J. GONZALEZ
	2400	71	J. ORDOÑEZ

Thursday

Date	Time	Temp.	Name (Print)
10/30/24	0300	72	J. ORDOÑEZ
	0600	71	K. PERCIRA
	0900	71	K. PERCIRA
	1200	72	K. PERCIRA
	1500	72	J. GONZALEZ
	1800	72	J. GONZALEZ
	2100	71	J. GONZALEZ
	2400	70	J. ORDOÑEZ

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	68	J. ABELAR
	0600	69	C. MONTERO
	0900	69	C. MONTERO
	1200	70	C. MONTERO
	1500	70	M. CERVANTES
	1800	72	M. CERVANTES
	2100	71	M. CERVANTES
	2400	70	O. FURNARI

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP

Housing Unit: A1

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees, when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/25/24	0300	71	J. ORONIZ
	0600	72	CARTER
	0900	71	CARTER
	1200	71	CARTER
	1500	73	GONZALEZ, J
	1800	73	GONZALEZ, J
	2100	72	GONZALEZ, J
	2400	72	J. ORONIZ

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	65	J. ORONIZ
	0600	67	C. MONTERO
	0900	67	C. MONTERO
	1200	67	C. MONTERO
	1500	67	J. GONZALEZ
	1800	68	J. GONZALEZ
	2100	67	J. GONZALEZ
	2400	68	J. ORONIZ

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300	66	
	0600	66	C. MONTERO
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	70	J. ORONIZ
	0600	69	C. MONTERO
	0900	68	J. RABSTEIN
	1200	68	A. RABSTEIN
	1500	70	J. GONZALEZ
	1800	66	J. GONZALEZ
	2100	67	J. GONZALEZ
	2400	65	J. ORONIZ

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	66	J. ORONIZ
	0600	67	C. MONTERO
	0900	68	C. MONTERO
	1200	67	C. MONTERO
	1500	68	J. GONZALEZ
	1800	67	J. GONZALEZ
	2100	66	J. GONZALEZ
	2400	67	J. VANS

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: A2

DVSP

Housing Unit: 2

Temp. Reading Location: 2nd

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
0300	73	J. ORDOÑEZ	
0600	65	Panica	
0900	71	Bauer	
1200	72	Bauer	
1500	75	Panica	
1800	78	Panica	
2100	76	Panica	
2400	77	J. ORDOÑEZ	

Wednesday

Date	Time	Temp.	Name (Print)
0300	71	J. ORDOÑEZ	
0600	71	Panica	
0900	74	Bauer	
1200	75	Bauer	
1500	76	Raves	
1800	72	Raves	
2100	76	Raves	
2400	75	J. ORDOÑEZ	

Friday

Date	Time	Temp.	Name (Print)
0300	74	J. SOTO	
0600	74	J. ORDOÑEZ	
0900	75	J. ORDOÑEZ	
1200	76	J. ORDOÑEZ	
1500	73	Raves	
1800	80	M. JEVELAND	
2100	78	M. JEVELAND	
2400	75	J. SOTO	

Sunday

Date	Time	Temp.	Name (Print)
0300	71	J. ORDOÑEZ	
0600	71	Panica	
0900	73	Bauer	
1200	78	Bauer	
1500	78	E. CARTER	
1800	78	E. CARTER	
2100	77	E. CARTER	
2400	76	J. ORDOÑEZ	

Tuesday

Date	Time	Temp.	Name (Print)
0300	70	J. ORDOÑEZ	
0600	68	Panica	
0900	71	Bauer	
1200	73	Panica	
1500	74	M. JEVELAND	
1800	75	M. JEVELAND	
2100	74	M. JEVELAND	
2400	74	J. ORDOÑEZ	

Thursday

Date	Time	Temp.	Name (Print)
0300	75	J. ORDOÑEZ	
0600	72	A. ALFAGA	
0900	73	Raves	
1200	73	Raves	
1500	71	Raves	
1800	50	Raves	
2100	74	Raves	
2400	75	M. JEVELAND	

Saturday

Date	Time	Temp.	Name (Print)
0300	74	J. SOTO	
0600	74	X. VANG	
0900	74	X. VANG	
1200	76	X. VANG	
1500	73	M. JEVELAND	
1800	80	M. JEVELAND	
2100	79	M. JEVELAND	
2400	77	J. ORDOÑEZ	

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A2

Temp. Reading Location: ZND

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1/24	0300	76	J. ORDONEZ
	0600	73	BRUNEAU
	0900	75	P. ARNOLD
	1200	77	P. ARNOLD
	1500	78	P. ARNOLD
	1800	77	M. CERMIATIS
	2100	77	M. SECURATOR
	2400	75	J. ORDONEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	75	J. ORDONEZ
	0600	76	BRUNEAU
	0900	74	BRUNEAU
	1200	74	BRUNEAU
	1500	75	BRUNEAU
	1800	80	MEDINA
	2100	79	MEDINA
	2400	75	J. ORDONEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/3/24	0300	75	J. ORDONEZ
	0600	69	BRUNEAU
	0900	71	BRUNEAU
	1200	74	BRUNEAU
	1500	77	M. KATES
	1800	70	MJ EVELAND
	2100	74	MJ EVELAND
	2400	75	J. ORDONEZ

Thursday

Date	Time	Temp.	Name (Print)
10/4/24	0300	75	J. ORDONEZ
	0600	70	BRUNEAU
	0900	73	BRUNEAU
	1200	74	KATES
	1500	75	KATES
	1800	76	KATES
	2100	74	KATES
	2400	73	BRUNEAU

Friday

Date	Time	Temp.	Name (Print)
10/5/24	0300	73	S. COOK
	0600	72	J. OGDEN
	0900	73	R. MULLER
	1200	73	Z. KELLEY
	1500	74	J. ASHLEY
	1800	76	J. ASHLEY
	2100	75	J. ASHLEY
	2400	73	J. ORDONEZ

Saturday

Date	Time	Temp.	Name (Print)
10/6/24	0300	70	J. ORDONEZ
11/2/24	0600	71	MJ EVELAND
	0900	72	MJ EVELAND
	1200	73	MJ EVELAND
	1500	73	MJ EVELAND
	1800	76	MJ EVELAND
	2100	73	MJ EVELAND
	2400	77	J. ORDONEZ

Notes:

Date	Time	Temp.	Name (Print)
10/7/24	0300	70	J. ORDONEZ
	0600	70	MJ EVELAND
	0900	71	M. BRELAND
	1200	71	M. FONSECA
	1500	74	T. ALGER
	1800	75	T. ALGER
	2100	72	T. ALGER
	2400	71	J. ORDONEZ

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP

Housing Unit: A-Z

Temp. Reading Location: 2nd

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70°	A. HEREDIA
	0600	67	J. BAKER
	0900	68	J. BAKER
	1200	72	J. BAKER
	1500	74	MATTHEWS
	1800	75	MATTHEWS
	2100	73	MATTHEWS
	2400	74	J. ORDNER

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	74	J. ORDNER
	0600	69	J. BAKER
	0900	68	J. BAKER
	1200	73	J. BAKER
	1500	75	M. CERVANTES
	1800	76	M. CERVANTES
	2100	74	M. CERVANTES
	2400	75	J. ORDNER

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	73	J. ORDNER
	0600	72	J. BAKER
	0900	75	P. VANCE
	1200	75	P. VANCE
	1500	75	M. TIEVELAND
	1800	76	M. TIEVELAND
	2100	73	M. TIEVELAND
	2400	74	J. ORDNER

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	74	J. ORDNER
	0600	70	P. VANCE
	0900	72	R. REYES
	1200	73	R. REYES
	1500	74	R. REYES
	1800	75	R. REYES
	2100	74	R. REYES
	2400	73	P. VANCE

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	72	J. ONCE
	0600	71	R. REYES
	0900	72	J. ORDNER
	1200	72	R. REYES
	1500	73	R. REYES
	1800	71	R. REYES
	2100	70	R. REYES
	2400	70	J. ORDNER

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	73	P. PEREZ
	0600	65	J. GARCIA
	0900	67	J. GARCIA
	1200	73	J. GARCIA
	1500	70	E. CARTER
	1800	72	E. CARTER
	2100	70	E. CARTER
	2400	70	P. PEREZ

Notes

Date	Time	Temp.	Name (Print)
10/20/24	0300	64	P. PEREZ
	0600	65	J. GARCIA
	0900	66	J. GARCIA
	1200	69	J. GARCIA
	1500	73	E. CARTER
	1800	71	E. CARTER
	2100	70	E. CARTER
	2400	70	P. PEREZ

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUS

Housing Unit: A2

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ 90 degrees and again at 95 degrees. when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/22/18	0300	70	PETER
	0600	67	RAMOS
	0900	65	THOMAS
	1200	70	RAMOS
	1500	72	RAMOS
	1800	74	RAMOS
	2100	72	RAMOS
	2400	73	J. ORNELZ

Tuesday

Date	Time	Temp.	Name (Print)
10/22/18	0300	73	J. ORNELZ
	0600	70	RAMOS
	0900	67	THOMAS
	1200	70	RAMOS
	1500	74	RAMOS
	1800	75	M. CERVANTES
	2100	74	FACUNDO
	2400	71	J. ORNELZ

Wednesday

Date	Time	Temp.	Name (Print)
10/23/18	0300	71	J. ORNELZ
	0600	68	RAMOS
	0900	68	RAMOS
	1200	70	RAMOS
	1500	74	ROLES
	1800	75	ROLES
	2100	71	ROLES
	2400	72	VANG

Thursday

Date	Time	Temp.	Name (Print)
10/24/18	0300	71	VANG
	0600	67	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	72	ROLES
	1800	72	M. CERVANTES
	2100	71	M. CERVANTES
	2400	70	VANG

Friday

Date	Time	Temp.	Name (Print)
10/25/18	0300	70	VANG
	0600	68	M. CERVANTES
	0900	69	M. CERVANTES
	1200	69	M. CERVANTES
	1500	70	M. CERVANTES
	1800	72	M. CERVANTES
	2100	73	M. CERVANTES
	2400	70	J. ORNELZ

Saturday

Date	Time	Temp.	Name (Print)
10/26/18	0300	69	BELLO
	0600	67	LIND
	0900	67	LIND
	1200	69	LIND
	1500	70	M. CERVANTES
	1800	72	M. CERVANTES
	2100	73	M. CERVANTES
	2400	72	D. FAMAR

Notes

Date	Time	Temp.	Name (Print)
10/27/18	0300	70	O'FARRELL
	0600	69	J. UGAZ
	0900	64	THOMAS
	1200	70	THOMAS
	1500	73	CARTER
	1800	73	IBANEZ
	2100	72	IBANEZ
	2400	73	J. ORNELZ

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DVSP Housing Unit: A2

Temp. Reading Location: 1 Atr

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/27/24	0300	73	J. ORDOÑEZ
	0600	71	Francis
	0900	69	Francis
	1200	71	Cervantes
	1500	72°	Cervantes
	1800	71°	Cervantes
	2100	70°	Cervantes
	2400	71	J. ORDOÑEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/27/24	0300	71	J. ORDOÑEZ
	0600	65	Francis
	0900	64	Francis
	1200	65	Francis
	1500	72	M. JEVELAND
	1800	71	Cervantes
	2100	68	J. ORDOÑEZ
	2400	66	J. ORDOÑEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/28/24	0300	67	J. ORDOÑEZ
	0600	62	Francis
	0900	61	Francis
	1200	60	Francis
	1500	68	M. JEVELAND
	1800	69	M. JEVELAND
	2100	68	M. JEVELAND
	2400	67	J. ORDOÑEZ

Thursday

Date	Time	Temp.	Name (Print)
10/29/24	0300	66	J. ORDOÑEZ
	0600	68	Francis
	0900	69	Francis
	1200	70	ABALCAZAR
	1500	70	ABALCAZAR
	1800	70	Francis
	2100	70	M. JEVELAND
	2400	69	J. ORDOÑEZ

Friday

Date	Time	Temp.	Name (Print)
	0300	.	
	0600	.	
	0900	.	
	1200	.	
	1500	.	
	1800	.	
	2100	.	
	2400	.	

Saturday

Date	Time	Temp.	Name (Print)
	0300	.	
	0600	.	
	0900	.	
	1200	.	
	1500	.	
	1800	.	
	2100	.	
	2400	.	

Notes

---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
	0300	.	
	0600	.	
	0900	.	
	1200	.	
	1500	.	
	1800	.	
	2100	.	
	2400	.	

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PRSP Housing Unit: A3 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5946 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	70	
	0600	69	
	0900	70	P. MATEA
	1200	71	P. MATEA
	1500	72	MORENO
	1800	76	MORENO
	2100	79	MORENO
	2400	71°	S. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	71°	S. SOTO
	0600	70	R. MATEA
	0900	72	R. MATEA
	1200	74	R. MATEA
	1500	76	Rodriguez
	1800	79	Rodriguez
	2100	78	Rodriguez
	2400	79	J. SOTO

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	79	J. SOTO
	0600	75	CARDENO
	0900	75	S. ARRIAGA
	1200	77	MORENO
	1500	79	MORENO
	1800	81	MORENO
	2100	79	MORENO
	2400	79	I. PONCE

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	73	I. PONCE
	0600	72	R. VASQUEZ
	0900	74	R. VASQUEZ
	1200	75	Rodriguez
	1500	76	Rodriguez
	1800	70	Rodriguez
	2100	79	Rodriguez
	2400	78	Solorio

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	78	Solorio
	0600	74°	Clemente
	0900	76°	Clemente
	1200	76°	MELLO
	1500	76	Rodriguez
	1800	80	Clemente
	2100	78	Clemente
	2400	75	T. SOTO

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	73°	I. SOTO
	0600	74°	O'Bryan
	0900	74°	O'Bryan
	1200	74°	R. VASQUEZ
	1500	77	O'Bryan
	1800	77	O'Bryan
	2100	75	O'Bryan
	2400	73	M. PARKER

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A3 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1 2024	0300	74	M. PACHEA
	0600	74	M. Kelly
	0900	75	R. MATORA
	1200	75	R. MATORA
	1500	77	O. GONZALEZ
	1800	77	O. GONZALEZ
	2100	76	O. GONZALEZ
	2400	75	M. PACHEA

Tuesday

Date	Time	Temp.	Name (Print)
10/18 2024	0300	73	M. PACHEA
	0600	72	R. MATORA
	0900	74	O. GONZALEZ
	1200	77	O. GONZALEZ
	1500	76	A. VAREADO
	1800	79	A. VAREADO
	2100	78	A. VAREADO
	2400	73	M. PACHEA

Wednesday

Date	Time	Temp.	Name (Print)
10/9 2024	0300	73	M. PACHEA
	0600	73	R. MATORA
	0900	73	R. MATORA
	1200	77	R. MATORA
	1500	74	A. VAREADO
	1800	76	A. VAREADO
	2100	75	A. VAREADO
	2400	73	M. PACHEA

Thursday

Date	Time	Temp.	Name (Print)
10/10 2024	0300	70	M. PACHEA
	0600	70	B. VARGAS
	0900	70	B. VARGAS
	1200	71	C. CABELLO
	1500	74	R. MATORA
	1800	75	R. MATORA
	2100	75	R. MATORA
	2400	72	B. VARGAS

Friday

Date	Time	Temp.	Name (Print)
10/11 2024	0300	77	FONSECA
	0600	68	R. VASQUEZ
	0900	69	R. VASQUEZ
	1200	71	R. VASQUEZ
	1500	72	R. VASQUEZ
	1800	74	R. VASQUEZ
	2100	73	R. VASQUEZ
	2400	71	M. PACHEA

Saturday

Date	Time	Temp.	Name (Print)
10/12 2024	0300	69	M. PACHEA
	0600	69	R. MATORA
	0900	70	B. VARGAS
	1200	70	M. PACHEA
	1500	72	R. MATORA
	1800	72	O. GONZALEZ
	2100	71	O. GONZALEZ
	2400	69	M. PACHEA

Notes

Date	Time	Temp.	Name (Print)
10/13 2024	0300	68	M. PACHEA
	0600	67	R. MATORA
	0900	70	MARROQUIN
	1200	70	MARROQUIN
	1500	72	O. GONZALEZ
	1800	73	O. GONZALEZ
	2100	71	O. GONZALEZ
	2400	70	M. PACHEA

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A3

Temp. Reading Location: 2<sup>nd</sup> Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14 2021	0300	71	M. PARKER
	0600	70	R. MARRA
	0900	69	J. GARCIA
	1200	72	R. MATTOA
	1500	73	K. VINE
	1800	74	K. VINE
	2100	71	K. VINE
	2400	72	M. PARKER

Wednesday

Date	Time	Temp.	Name (Print)
10/16 2021	0300	73	M. PARKER
	0600	72	R. MARRA
	0900	73	J. PEREZ
	1200	75	J. PEREZ
	1500	77	MORENO
	1800	76	MORENO
	2100	75	MORENO
	2400	74	VANCE

Friday

Date	Time	Temp.	Name (Print)
10/18 2021	0300	69	J. PONCE
	0600	71	J. VEGA
	0900	71	J. VEGA
	1200	72	J. VEGA
	1500	73	Z. Kassabian
	1800	72	Z. Kassabian
	2100	72	Z. Kassabian
	2400	67	M. PARKER

Sunday

Date	Time	Temp.	Name (Print)
10/20 2021	0300	65	M. PARKER
	0600	65	R. MARRA
	0900	67	J. GARCIA
	1200	69	J. GARCIA
	1500	69	R. MARRA
	1800	69	J. GARCIA
	2100	69	J. GARCIA
	2400	69	M. PARKER

Tuesday

Date	Time	Temp.	Name (Print)
10/15 2021	0300	70	M. PARKER
	0600	69	R. MARRA
	0900	70	J. GARCIA
	1200	70	J. GARCIA
	1500	75	J. WILSON
	1800	78	A. DAVIS
	2100	76	J. PEREZ
	2400	73	M. PARKER

Thursday

Date	Time	Temp.	Name (Print)
10/17 2021	0300	74	W. VANCE
	0600	70	M. PARKER
	0900	70	M. PARKER
	1200	72	M. PARKER
	1500	74	M. PARKER
	1800	74	M. PARKER
	2100	73	M. PARKER
	2400	71	J. PONCE

Saturday

Date	Time	Temp.	Name (Print)
10/19 2021	0300	66	M. PARKER
	0600	66	W. MARROQUIN
	0900	67	W. MARROQUIN
	1200	69	W. MARROQUIN
	1500	72	R. ORTIZ
	1800	72	R. ORTIZ
	2100	70	R. ORTIZ
	2400	67	M. PARKER

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A/C

Temp. Reading Location: 2nd tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21 2024	0300	68	M. PLAZA
	0600	65	CORONA
	0900	70	CORONA
	1200	71	CORONA
	1500	73	R. MATOPA
	1800	74	R. MATOPA
	2100	72	R. MATOPA
	2400	70	M. PLAZA

Wednesday

Date	Time	Temp.	Name (Print)
10/23 2024	0300	68	M. PLAZA
	0600	66	M. PLAZA
	0900	66	M. PLAZA
	1200	72	R. MATOPA
	1500	73	A. RUBIO
	1800	74	A. RUBIO
	2100	73	A. RUBIO
	2400	70	VANAS

Friday

Date	Time	Temp.	Name (Print)
10/25 2024	0300	66	I. DONSE
	0600	66	J. VEGA
	0900	60	J. VEGA
	1200	69	J. VEGA
	1500	73	E. ESCOBAR
	1800	72	E. ESCOBAR
	2100	72	R. MELLO
	2400	67	A. ALMOS

Sunday

Date	Time	Temp.	Name (Print)
10/27 2024	0300	68	CORONA
	0600	68	R. MATOPA
	0900	70	R. MATOPA
	1200	70	R. MATOPA
	1500	71	R. MATOPA
	1800	73	GONZALEZ
	2100	71	GONZALEZ
	2400	70	A. ALMOS

Tuesday

Date	Time	Temp.	Name (Print)
10/22 2024	0300	68	M. PLAZA
	0600	61	R. TAYLOR
	0900	63	R. TAYLOR
	1200	69	R. TAYLOR
	1500	74	A. RUBIO
	1800	73	A. RUBIO
	2100	73	A. RUBIO
	2400	70	M. PLAZA

Thursday

Date	Time	Temp.	Name (Print)
10/24 2024	0300	70	J. HANG
	0600	70	General
	0900	70	General
	1200	70	General
	1500	71	ROBERT
	1800	72	ROBERT
	2100	72	ROBERT
	2400	69	I. DONSE

Saturday

Date	Time	Temp.	Name (Print)
10/26 2024	0300	66	M. PLAZA
	0600	65	R. MELLO
	0900	66	R. MELLO
	1200	66	R. MELLO
	1500	74	CORTES
	1800	74	CORTES
	2100	72	CORTES
	2400	69	CORTES

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A3

Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5946 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	70	A. ALMERA
2024	0600	69	R. MATEPA
	0900	69	R. MATEPA
	1200	70	R. MATEPA
	1500	71	S. SANCHEZ
	1800	70	S. SANCHEZ
	2100	70	S. SANCHEZ
	2400	68	M. PARKER

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	63	M. PARKER
2024	0600	62	R. MATEPA
	0900	62	R. MATEPA
	1200	69	R. MATEPA
	1500	69	A. RUBIO
	1800	68	A. RUBIO
	2100	67	A. RUBIO
	2400	69	J. VANCE

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/27	0300	66	M. PARKER
2024	0600	65	R. MATEPA
	0900	67	R. MATEPA
	1200	60	MONROE
	1500	69	MONROE
	1800	69	MONROE
	2100	69	MONROE
	2400	63	M. PARKER

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	70	VANCE
2024	0600	66	MONROE
	0900	68	MONROE
	1200	69	MONROE
	1500	71	RODRIGUEZ
	1800	71	RODRIGUEZ
	2100	67	RODRIGUEZ
	2400	66	M. PARKER

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: AHP

Housing Unit: A9

Temp. Reading Location: 2nd floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	71	
14	0600	70	L.THOA
	0900	70	L.THOA
	1200	71	L.THOA
	1500	74	L.THOA
	1800	73	L.THOA
	2100	70	L.THOA
	2400	71	L.THOA

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	71	A.GE
15	0600	71	C.PARK
	0900	72	L.THOA
	1200	73	L.THOA
	1500	76	L.THOA
	1800	74	L.THOA
	2100	78	L.THOA
	2400	77	S.JIMENEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	71	S.JIMENEZ
16	0600	76	L.THOA
	0900	73	L.THOA
	1200	74	L.THOA
	1500	75	L.THOA
	1800	79	LINO
	2100	77	LINO
	2400	74	E.SOTO

Friday

Date	Time	Temp.	Name (Print)
10/19	0300	74	I.PONCE
19	0600	75	B.MELLO
	0900	73	MELLO
	1200	72	MELLO
	1500	76	LINO
	1800	76	LINO
	2100	77	LINO
	2400	78	SALGADO

Sunday

Date	Time	Temp.	Name (Print)
10/21	0300	73	I.SOTO
21	0600	74	R.MELLO
	0900	75	R.MELLO
	1200	75	R.MELLO
	1500	77	LINO
	1800	77	LINO
	2100	75	LINO
	2400	79	M.PARKER

Thursday

Date	Time	Temp.	Name (Print)
10/22	0300	79	I.SOTO
22	0600	73	MELLO
	0900	75	MELLO
	1200	75	MELLO
	1500	76	LINO
	1800	77	LINO
	2100	75	LINO
	2400	75	I.PONCE

Saturday

Date	Time	Temp.	Name (Print)
10/24	0300	71	SALGADO
24	0600	71	MELLO
	0900	72	MELLO
	1200	77	MELLO
	1500	76	LINO
	1800	70	LINO
	2100	71	LINO
	2400	76	I.SOTO

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A4 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1 2024	0300	74	M. PARKER
	0600	72	R. TIEBER
	0900	73	L. LINDEN
	1200	74	L. TIEBER
	1500	76	L. TIEBER
	1800	76	L. TIEBER
	2100	76	L. TIEBER
	2400	79	M. PARKER

Tuesday

Date	Time	Temp.	Name (Print)
10/2 2024	0300	73	M. PARKER
	0600	70	L. TIEBER
	0900	70	L. TIEBER
	1200	74	L. TIEBER
	1500	75	L. TIEBER
	1800	76	L. TIEBER
	2100	79	L. TIEBER
	2400	74	M. PARKER

Wednesday

Date	Time	Temp.	Name (Print)
10/3 2024	0300	73	M. PARKER
	0600	69	M. MEZA
	0900	70	M. MEZA
	1200	72	M. MEZA
	1500	73	L. LINDEN
	1800	73	L. LINDEN
	2100	74	L. LINDEN
	2400	73	M. PARKER

Thursday

Date	Time	Temp.	Name (Print)
10/4 2024	0300	74	S. VANCE
	0600	68	R. VANCE
	0900	72	M. MEZA
	1200	77	M. MEZA
	1500	71	L. LINDEN
	1800	74	L. LINDEN
	2100	73	L. LINDEN
	2400	73	S. VANCE

Friday

Date	Time	Temp.	Name (Print)
10/12 2024	0300	70	F. DONSE
	0600	67	B. MELLO
	0900	66	M. MEZA
	1200	70	B. MELLO
	1500	72	L. LINDEN
	1800	74	L. LINDEN
	2100	73	L. LINDEN
	2400	70	M. PARKER

Saturday

Date	Time	Temp.	Name (Print)
10/13 2024	0300	68	M. PARKER
	0600	67	M. MEZA
	0900	67	M. MEZA
	1200	71	M. MEZA
	1500	72	L. LINDEN
	1800	73	S. VANCE
	2100	70	S. VANCE
	2400	69	M. PARKER

Notes

Date	Time	Temp.	Name (Print)
10/15 2024	0300	68	M. PARKER
	0600	68	B. MELLO
	0900	70	B. MELLO
	1200	72	B. MELLO
	1500	73	N. DORRIS
	1800	73	N. DORRIS
	2100	75	C. GONZALEZ
	2400	71	M. PARKER

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A4 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/14 2024	0300	70	M. PACHEA
	0600	69	L. THOM
	0900	69	L. THOM
	1200	71	L. THOM
	1500	74	A. GARCIA
	1800	73	A. GARCIA
	2100	72	A. GARCIA
	2400	70	M. PACHEA

**Tuesday**

Date	Time	Temp.	Name (Print)
10/15 2024	0300	70	M. PACHEA
	0600	70	L. THOM
	0900	70	L. THOM
	1200	74	L. THOM
	1500	74	Z. KASSABIAN
	1800	74	Z. KASSABIAN
	2100	79	Z. KASSABIAN
	2400	73	M. PACHEA

**Wednesday**

Date	Time	Temp.	Name (Print)
10/16 2024	0300	72	M. PACHEA
	0600	72	L. THOM
	0900	72	M. GARCIA
	1200	74	L. THOM
	1500	73	L. THOM
	1800	76	L. THOM
	2100	74	L. THOM
	2400	75	JANG

**Thursday**

Date	Time	Temp.	Name (Print)
10/17 2024	0300	71	JANG
	0600	67	M. Kelly
	0900	67	M. Kelly
	1200	71	A. GARCIA
	1500	74	L. THOM
	1800	75	L. THOM
	2100	73	L. THOM
	2400	71	I. PONCE

**Friday**

Date	Time	Temp.	Name (Print)
10 18	0300	70	6
	0600	70	P. mare
	0900	70	P. mare
	1200	71	P. mare
	1500	73	L. THOM
	1800	72	L. THOM
	2100	71	L. THOM
	2400	69	M. PACHEA

**Saturday**

Date	Time	Temp.	Name (Print)
10/19 2024	0300	68	M. PACHEA
	0600	67	L. THOM
	0900	65	M. GARCIA
	1200	67	M. GARCIA
	1500	71	Z. KASSABIAN
	1800	73	KASSABIAN
	2100	71	Albert
	2400	69	M. PACHEA

**Sunday**

Date	Time	Temp.	Name (Print)
10/20 2024	0300	67	M. PACHEA
	0600	66	L. THOM
	0900	65	L. THOM
	1200	70	L. THOM
	1500	71	Z. KASSABIAN
	1800	73	I. GOMEZ
	2100	71	T. BAGOR
	2400	70	M. PACHEA

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DSP Housing Unit: All

Temp. Reading Location: End tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/18	0300	69	M. PARKER
	0600	68	L. THOR
	0900	67	L. THOR
	1200	68	L. THOR
	1500	70	L. THOR
	1800	71	L. THOR
	2100	73	L. THOR
	2400	71	M. PARKER

Wednesday

Date	Time	Temp.	Name (Print)
10/23/18	0300	69	M. PARKER
	0600	67	MEZA
	0900	67	MEZA
	1200	67	MEZA
	1500	74	CINO
	1800	73	LINO
	2100	74	LINO
	2400	72	VANCO

Friday

Date	Time	Temp.	Name (Print)
10/25/18	0300	66	J. PONCE
	0600	62	J. mare
	0900	62	J. mare
	1200	65	J. mare
	1500	71	LINO
	1800	71	LINO
	2100	71	LINO
	2400	71	A. ALMERA

Sunday

Date	Time	Temp.	Name (Print)
10/27/18	0300	69	Spel
	0600	62	Almera
	0900	63	Almera
	1200	65	Almera
	1500	71	Turner
	1800	73	Turner
	2100	71	Turner
	2400	72	A. ALMERA

Tuesday

Date	Time	Temp.	Name (Print)
10/24/18	0300	68	M. PARKER
	0600	68	L. THOR
	0900	67	L. THOR
	1200	71	L. THOR
	1500	75	L. THOR
	1800	75	L. THOR
	2100	74	L. THOR
	2400	71	M. PARKER

Thursday

Date	Time	Temp.	Name (Print)
10/24/18	0300	70	VANCO
	0600	70	J. ESCOVEDO
	0900	70	J. ESCOVEDO
	1200	71	LINO
	1500	73	LINO
	1800	73	LINO
	2100	73	LINO
	2400	68	J. PONCE

Saturday

Date	Time	Temp.	Name (Print)
10/26/18	0300	69	A. ALMERA
	0600	69	J. ESCOVEDO
	0900	69	Alvaro
	1200	71	Alvaro
	1500	72	Alvaro
	1800	73	Alvaro
	2100	73	Alvaro
	2400	69	Alvaro

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVR Housing Unit: A4

Temp. Reading Location: 7th floor

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5046 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/13/14	0300	68	A. ALMIREZ
	0600	69	L. THOR
	0900	70	L. THOR
	1200	70	L. THOR
	1500	71	L. THOR
	1800	71	L. THOR
	2100	70	L. THOR
	2400	68	A. PACHEK

Tuesday

Date	Time	Temp.	Name (Print)
10/14/14	0300	67	M. PACHEK
	0600	66	L. THOR
	0900	64	L. THOR
	1200	67	L. THOR
	1500	67	L. THOR
	1800	69	A. COUCH
	2100	69	A. GOLDEN
	2400	69	M. PACHEK

Wednesday

Date	Time	Temp.	Name (Print)
10/15/14	0300	64	M. PACHEK
	0600	64	L. THOR
	0900	65	L. THOR
	1200	66	M. PACHEK
	1500	68	L. THOR
	1800	69	L. THOR
	2100	67	L. THOR
	2400	67	VANG

Thursday

Date	Time	Temp.	Name (Print)
10/16/14	0300	69	VANG
	0600	67	VASQUEZ
	0900	65	VASQUEZ
	1200	66	M. SANCHEZ
	1500	68	A. MENDOZA
	1800	68	R. DE LOOS
	2100	67	A. MENDOZA
	2400	66	VANG

Friday

Date	Time	Temp.	Name (Print)
10/17/14	0300		
	0600	68	M. SANCHEZ
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A5 Temp. Reading Location: 2nd

Immediately notify the Watch Commander at extension \_\_\_\_\_ 90 degrees and again at 95 degrees.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

when the inside air temperature reaches \_\_\_\_\_

Monday

Date	Time	Temp.	Name (Print)
9/3/14	0300	72°	M. Martinez
	0600	72	A. Gonzalez
	0900	71	J. Jordan
	1200	74	J. Jordan
	1500	74	M. Martin
	1800	77	M. Martin
	2100	76	M. Martin
	2400	71	S. Lopez

Tuesday

Date	Time	Temp.	Name (Print)
9/4/14	0300	70°	S. Lopez
	0600	71	A. Gonzalez
	0900	73	A. Gonzalez
	1200	74	A. Gonzalez
	1500	79	M. Martin
	1800	80	M. Martin
	2100	78	M. Martin
	2400	74	PEREZ L

Wednesday

Date	Time	Temp.	Name (Print)
9/5/14	0300	73	PEREZ L
	0600	73	A. Gonzalez
	0900	74	A. Gonzalez
	1200	75	A. Gonzalez
	1500	71	M. Martin
	1800	73	J. ESCOVEDO
	2100	77	J. ESCOVEDO
	2400	75	PEREZ L

Thursday

Date	Time	Temp.	Name (Print)
9/5/14	0300	74	PEREZ L
	0600	71	M. Martin
	0900	71	M. Martin
	1200	74	M. Martin
	1500	76	J. ESCOVEDO
	1800	79	J. ESCOVEDO
	2100	77	J. ESCOVEDO
	2400	75	PEREZ L

Friday

Date	Time	Temp.	Name (Print)
9/5/14	0300	74	PEREZ L
	0600	74	J. ESCOVEDO
	0900	73°	J. ESCOVEDO
	1200	74°	J. ESCOVEDO
	1500	78	J. ESCOVEDO
	1800	78	J. ESCOVEDO
	2100	77	J. ESCOVEDO
	2400	74	PEREZ L

Saturday

Date	Time	Temp.	Name (Print)
9/5/14	0300	73	PEREZ L
	0600	72	B. MELLO
	0900	71	B. MELLO
	1200	73	Ramirez
	1500	75	MELLO
	1800	77	J. ESCOVEDO
	2100	76	J. ESCOVEDO
	2400	73	J. ESCOVEDO

Notes

Date	Time	Temp.	Name (Print)
9/5/14	0300	74	J. ESCOVEDO
	0600	71	J. ESCOVEDO
	0900	72	J. ESCOVEDO
	1200	75	J. ESCOVEDO
	1500	76	B. MELLO
	1800	77	J. ESCOVEDO
	2100	77	B. MELLO
	2400	74	J. ESCOVEDO

DISTRIBUTION: Original Institution Heat Plan Coordinator.

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVW

Housing Unit: AS

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ 90 degrees and again at 95 degrees, when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
10/1	0300	72	J. O'DONEZ
	0600	72	A. Gonzalez
	0900	74	A. Gonzalez
	1200	74	A. Gonzalez
	1500	77	M. Martin
	1800	78	M. Martin
	2100	77	M. Martin
	2400	71	M. Martin

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	72	Ramirez L
	0600	72	Ramirez
	0900	74	Ramirez
	1200	74	Ramirez
	1500	75	M. Martin
	1800	76	M. Martin
	2100	75	M. Martin
	2400	73	J. O'DONEZ

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	76	Soto
	0600	70	Ramirez
	0900	71	Ramirez
	1200	72	Ramirez
	1500	73	Ramirez
	1800	74	Ramirez
	2100	75	Ramirez
	2400	71	J. O'DONEZ

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	69	Soto
	0600	67	A. Gonzalez
	0900	68	T. Aker
	1200	70	T. Aker
	1500	72	M. Martin
	1800	75	M. Martin
	2100	73	M. Martin
	2400	68	M. Martin

Tuesday

Date	Time	Temp.	Name (Print)
10/18	0300	71	J. O'DONEZ
	0600	72	A. Gonzalez
	0900	73	A. Gonzalez
	1200	74	A. Gonzalez
	1500	76	M. Martin
	1800	77	M. Martin
	2100	76	M. Martin
	2400	73	FERREZ

Thursday

Date	Time	Temp.	Name (Print)
10/20	0300	70	J. O'DONEZ
	0600	71	Ramirez
	0900	72	Ramirez
	1200	72	Ramirez
	1500	74	M. Martin
	1800	74	M. Martin
	2100	73	M. Martin
	2400	70	Soto

Saturday

Date	Time	Temp.	Name (Print)
10/22	0300	70	J. O'DONEZ
	0600	67	B. Mar
	0900	66	B. Mar
	1200	69	B. Mar
	1500	71	J. ESCOVEDO
	1800	72	J. ESCOVEDO
	2100	70	J. ESCOVEDO
	2400	69	Soto

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit A5 Temp. Reading Location: (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	68	ZUNIGA
	0600	69	A. GONZALEZ
	0900	70	A. GONZALEZ
	1200	71	A. GONZALEZ
	1500	73	M. MARTIN
	1800	73	M. MARTIN
	2100	71	M. MARTIN
	2400	71	PEREZ L

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70	PEREZ L
	0600	70	A. GONZALEZ
	0900	70	A. GONZALEZ
	1200	74	A. GONZALEZ
	1500	74	M. MARTIN
	1800	76	M. MARTIN
	2100	75	M. MARTIN
	2400	72	PEREZ L

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	71	PEREZ L
	0600	71	RAMIREZ
	0900	72	RAMIREZ
	1200	74	RAMIREZ
	1500	74	M. MARTIN
	1800	75	M. MARTIN
	2100	74	M. MARTIN
	2400	72	PEREZ L

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	PEREZ L
	0600	70	RAMIREZ
	0900	70	MARTINEZ
	1200	70	MARTINEZ
	1500	74	MATTHEWS
	1800	74	MATTHEWS
	2100	73	MATTHEWS
	2400	71	PEREZ L

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	PEREZ L
	0600	70	RAMIREZ
	0900	71	RAMIREZ
	1200	71	RAMIREZ
	1500	72	G. GONZALEZ
	1800	71	G. GONZALEZ
	2100	70	G. GONZALEZ
	2400	65	J. VANG

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	62	J. VANG
	0600	63	T. ALGER
	0900	62	A. GONZALEZ
	1200	68	A. GONZALEZ
	1500	70	M. MARTIN
	1800	71	M. MARTIN
	2100	70	M. MARTIN
	2400	65	VANG

Notes

Date	Time	Temp.	Name (Print)
10/20/24	0300	64	J. VANG
	0600	62	T. ALGER
	0900	65	A. GONZALEZ
	1200	68	A. GONZALEZ
	1500	70	M. MARTIN
	1800	69	M. MARTIN
	2100	68	M. MARTIN
	2400	64	VANG

DISTRIBUTION: Original Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PK3 P      Housing Unit: A5      Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the Inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10.21.24	0300	65	VANG
	0600	65	A. Gonzalez
	0900	63	A. Gonzalez
	1200	63	A. Gonzalez
	1500	70	M. Martin
	1800	72	M. Martin
	2100	70	M. Martin
	2400	69	L. Abello

**Tuesday**

Date	Time	Temp.	Name (Print)
10.22.24	0300	67	PEREZ L
	0600	66	A. Gonzalez
	0900	64	I. Martinez
	1200	68	I. Martinez
	1500	71	M. Martin
	1800	74	M. Martin
	2100	72	M. Martin
	2400	69	PEREZ L

**Wednesday**

Date	Time	Temp.	Name (Print)
10.23.24	0300	68	PEREZ L
	0600	69	RAMIREZ
	0900	69	X. VANG
	1200	70	RAMIREZ
	1500	73	M. Martin
	1800	74	M. Martin
	2100	73	M. Martin
	2400	69	PEREZ L

**Thursday**

Date	Time	Temp.	Name (Print)
10.24.24	0300	68	PEREZ L
	0600	69	RAMIREZ
	0900	70	RAMIREZ
	1200	71	RAMIREZ
	1500	70	M. Martin
	1800	71	M. Martin
	2100	70	M. Martin
	2400	68	J. ORdonez

**Friday**

Date	Time	Temp.	Name (Print)
10.25.24	0300	70	J. ORdonez
	0600	69	P. VANG
	0900	64	P. VANG
	1200	68	P. CHOI
	1500	71	W. MARROQUIN
	1800	72	ESCOVEDO
	2100	70	ESCOVEDO
	2400	68	SANCHEZ

**Saturday**

Date	Time	Temp.	Name (Print)
10.26.24	0300	66	SANCHEZ
	0600	66	SANCHEZ
	0900	63	B. mare
	1200	66	B. mare
	1500	69	J. ESCOVEDO
	1800	71	J. ESCOVEDO
	2100	70	J. ESCOVEDO
	2400	66	J. PONCE

**Notes**

Date	Time	Temp.	Name (Print)
10.27.24	0300	65	I. PONCE
	0600	65	T. Aguirre
	0900	64	T. Aguirre
	1200	66	T. Aguirre
	1500	70	M. Martin
	1800	71	M. Martin
	2100	70	M. Martin
	2400	67	J. ABELLO

DISTRIBUTION: Original Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: \_\_\_\_\_ Housing Unit: A5 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/25/24	0300	67	J. Abello
	0600	67	A. Gonzalez
	0900	67	Martinez
	1200	67	Martinez
	1500	69	M. Martin
	1800	69	M. Martin
	2100	68	M. Martin
	2400	66	PETER L

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	63	PETER L
	0600	64	Ramirez
	0900	65	Ramirez
	1200	66	Martinez
	1500	64	M. MARTIN
	1800	64	M. MARTIN
	2100	67	M. MARTIN
	2400	66	PETER L

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10.29.24	0300	65	PETER L
	0600	66	A. Gonzalez
	0900	66	A. Gonzalez
	1200	66	Martinez
	1500	65	M. Martin
	1800	64	C. Leon
	2100	64	C. Leon
	2400	64	PETER L

Thursday

Date	Time	Temp.	Name (Print)
10.31.24	0300	65	PETER L
	0600	65	Martinez
	0900	65	Martinez
	1200	65	Martinez
	1500	67	MART
	1800	67	MART
	2100	66	MART
	2400	65	PETER L

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
COCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSP Housing Unit: Dorm 1

Temp. Reading Location: Day room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	75	J. Salo/ J. O.
10	0600	75	A. P. I.
10	0900	75	A. P. I.
10	1200	75	A. P. I.
10	1500	75	F. S.
10	1800	76	F. S.
10	2100	76	F. S.
10	2400	77	F. S.

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	79	S. A.
10	0600	79	M. Belgrave
10	0900	79	M. Belgrave
10	1200	79	M. Belgrave
10	1500	79	S. A.
10	1800	77	S. A.
10	2100	77	S. A.
10	2400	77	S. A.

Thursday

Date	Time	Temp.	Name (Print)
10	0300	71	S. A.
10	0600	73	M. Belgrave
10	0900	74	M. Belgrave
10	1200	75	M. Belgrave
10	1500	76	M. Belgrave
10	1800	78	M. Belgrave
10	2100	78	M. Belgrave
10	2400	78	M. Belgrave

Friday

Date	Time	Temp.	Name (Print)
10	0300	76	J. A.
10	0600	75	J. A.
10	0900	75	J. A.
10	1200	76	J. A.
10	1500	77	J. A.
10	1800	77	J. A.
10	2100	77	J. A.
10	2400	77	J. A.

Saturday

Date	Time	Temp.	Name (Print)
10	0300	77	J. A.
10	0600	75	J. A.
10	0900	75	J. A.
10	1200	75	J. A.
10	1500	77	X. T.
10	1800	79	X. T.
10	2100	77	X. T.
10	2400	77	B. Almazan

Notes

Date	Time	Temp.	Name (Print)
10	0300	77	J. A.
10	0600	75	J. A.
10	0900	75	J. A.
10	1200	75	J. A.
10	1500	75	X. T.
10	1800	75	X. T.
10	2100	75	X. T.
10	2400	75	S. A.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSP Housing Unit: Dorm 1 Temp. Reading Location: Day room

Immediately notify the Watch Commander at extension 5346 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/10	0300	75	Solorio
10/10	0600	75°	Lukens
10/10	0900	75	Lukens
10/10	1200	75°	Lukens
10/10	1500	76	Fosberg
10/10	1800	76	Fosberg
10/10	2100	76	Fosberg
10/10	2400	76	Solorio

Wednesday

Date	Time	Temp.	Name (Print)
10/10	0300	74	S Jinegar
10/10	0600	75	McCall
10/10	0900	76	McCall
10/10	1200	76°	McCall
10/10	1500	77	Fosberg
10/10	1800	77	Fosberg
10/10	2100	77	Fosberg
10/10	2400	77	Athanas

Friday

Date	Time	Temp.	Name (Print)
10/10	0300	76	Ameraz
10/11	0600	77°	Lukens
10/11	0900	77°	Lukens
10/11	1200	77°	Lukens
10/11	1500	75	MEYST
10/11	1800	75	MEYST
10/11	2100	75	MEYST
10/11	2400	76	Ameraz

Sunday

Date	Time	Temp.	Name (Print)
10/10	0300	73	Ameraz
10/10	0600	70°	Lukens
10/10	0900	71°	Lukens
10/10	1200	71°	Lukens
10/10	1500	76	N. Phillips
10/10	1800	79	N. Phillips
10/10	2100	72	N. Phillips
10/10	2400	73	CHUBER

Tuesday

Date	Time	Temp.	Name (Print)
10/10	0300	76	Solorio
10/10	0600	75°	Lukens
10/10	0900	75°	Lukens
10/10	1200	76°	Lukens
10/10	1500	77	Fosberg
10/10	1800	77	Fosberg
10/10	2100	77	Fosberg
10/10	2400	76	Jinegar

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	77	Almeida
10/10	0600	78°	Diaz
10/10	0900	78°	Diaz
10/10	1200	75°	Diaz
10/10	1500	74	Diaz
10/10	1800	74	MEYST
10/10	2100	76	MEYST
10/10	2400	76	Almeida

Saturday

Date	Time	Temp.	Name (Print)
10/10	0300	73	ARAWO
10/10	0600	70°	Lukens
10/10	0900	72°	Lukens
10/10	1200	74°	Lukens
10/10	1500	73	LAW
10/10	1800	73	LAW
10/10	2100	73	LAW
10/10	2400	73	ARAWO

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSP Housing Unit: Dorm 1 Temp. Reading Location: Dayroom

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	72	CHIUBERS
	0600	71°	T. Lukens
	0900	72°	T. Lukens
14	1200	72°	T. Lukens
	1500	71°	M. Fosberg
24	1800	71°	M. Fosberg
	2100	71°	M. Fosberg
	2400	72	CHIUBERS

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	72	CHIUBERS
	0600	72	X-T-HA
	0900	72	X-T-HA
15	1200	72	X-T-HA
	1500	73	M. Fosberg
24	1800	77	M. Fosberg
	2100	78	M. Fosberg
	2400	78	Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	70	McEYST
	0600	70	M. T. EYST
	0900	70	M. T. EYST
16	1200	71	M. T. EYST
	1500	71	M. Fosberg
24	1800	71	M. Fosberg
	2100	71	M. Fosberg
	2400	72	CHIUBERS

Thursday

Date	Time	Temp.	Name (Print)
10	0300	72	CHIUBERS
	0600	68°	D. GARCIA
	0900	68°	D. GARCIA
17	1200	70	D. GARCIA
	1500	70	J. MCYST
24	1800	70	J. MCYST
	2100	70	J. MCYST
	2400	70	CHIUBERS

Friday

Date	Time	Temp.	Name (Print)
16	0300	70	CHIUBERS
	0600	68°	T. Lukens
	0900	68°	T. Lukens
18	1200	69	T. Lukens
	1500	70	J. MCYST
24	1800	70	J. MCYST
	2100	70	J. MCYST
	2400	70	REANZO

Saturday

Date	Time	Temp.	Name (Print)
10	0300	72	REANZO
	0600	68	T. Lukens
	0900	69	T. Lukens
19	1200	67	T. Lukens
	1500	67°	D. GARCIA
24	1800	68	D. GARCIA
	2100	67	D. GARCIA
	2400	67	REANZO

Notes

Date	Time	Temp.	Name (Print)
10	0300	72	REANZO
	0600	65	T. Lukens
	0900	64°	T. Lukens
20	1200	65°	T. Lukens
	1500	70	X-T-HA
	1800	70	X-T-HA
24	2100	70	X-T-HA
	2400	70	O. GARCIA

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSP Housing Unit: Dorm 1 Temp. Reading Location: Dayroom

Immediately notify the Watch Commander at extension 5346 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/10	0300	70	O Gutierrez
10/11	0600	65°	UKens
10/12	0900	66°	UKens
10/13	1200	67°	UKens
10/14	1500	69	Fusby
10/15	1800	69	Fusby
10/16	2100	61	Fusby
10/17	2400	72	DFMIS

Tuesday

Date	Time	Temp.	Name (Print)
10/10	0300	70	Pentler
10/11	0600	65°	UKens
10/12	0900	65°	UKens
10/13	1200	65°	UKens
10/14	1500	67	E. WMB
10/15	1800	67	FUNG
10/16	2100	66	FLORES
10/17	2400	70	Solano

Wednesday

Date	Time	Temp.	Name (Print)
10/10	0300	70	Solano
10/11	0600	66	Perez
10/12	0900	67	Perez
10/13	1200	67	Perez
10/14	1500	67	T. VANG
10/15	1800	68	T. VANG
10/16	2100	66	T. VANG
10/17	2400	68	T. SENCZYSZYK

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	66	T. SENCZYSZYK
10/11	0600	68	T. SENCZYSZYK
10/12	0900	67	DIAZ
10/13	1200	68	DIAZ
10/14	1500	68	T. VANG
10/15	1800	68	T. VANG
10/16	2100	61	T. VANG
10/17	2400	68	T. SENCZYSZYK

Friday

Date	Time	Temp.	Name (Print)
10/10	0300	66	T. SENCZYSZYK
10/11	0600	66	T. SENCZYSZYK
10/12	0900	67	UKens
10/13	1200	67	UKens
10/14	1500	68	FUNG
10/15	1800	67	FUNG
10/16	2100	66	FUNG
10/17	2400	68	U. CORONA

Saturday

Date	Time	Temp.	Name (Print)
10/10	0300	67	U. CORONA
10/11	0600	68	U. CORONA
10/12	0900	68	NAFTIGER
10/13	1200	68	NAFTIGER
10/14	1500	72	X. THAD
10/15	1800	72	X. THAD
10/16	2100	72	X. THAD
10/17	2400	72	ARAVITO

Notes

Date	Time	Temp.	Name (Print)
10/10	0300	71	UKens
10/11	0600	68°	UKens
10/12	0900	69°	UKens
10/13	1200	69°	UKens
10/14	1500	72	X. THAD
10/15	1800	72	X. THAD
10/16	2100	72	X. THAD
10/17	2400	71	C. BURGESS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSP Housing Unit Dorm 1

Temp. Reading Location: Dorm Room

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	71	CHILDEN
10	0600	69	NAFTIGER
10	0900	69	NAFTIGER
10	1200	71	NAFTIGER
10	1500	71	Fosberg
10	1800	71	Fosberg
10	2100	71	Fosberg
10	2400	70	CHILDEN

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	70	CHILDEN
10	0600	67	MR. Rodriguez
10	0900	67	MR. Rodriguez
10	1200	68	MR. Rodriguez
10	1500	70	Fosberg
10	1800	70	Fosberg
10	2100	70	Fosberg
10	2400	70	CHILDEN

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	70	CHILDEN
10	0600	69	MR. Rodriguez
10	0900	69	MR. Rodriguez
10	1200	70	MR. Rodriguez
10	1500	71	Fosberg
10	1800	71	Fosberg
10	2100	71	Fosberg
10	2400	71	CHILDEN

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10	0300	71	Castro
10	0600	67	Diaz
10	0900	68	Diaz
10	1200	68	Diaz
10	1500	70	Fosberg
10	1800	70	Fosberg
10	2100	70	Fosberg
10	2400	70	Amaraz

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

---



---



---



---



---



---



---

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: M-2

Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346, when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
10/13/00	0300	74	J. AMERAZ
10/13/00	0600	76	S.VANG
10/13/00	0900	76	S.VANG
10/13/00	1200	76	S.VANG
10/13/00	1500	76	X.THAO
10/13/00	1800	78	X.THAO
10/13/00	2100	74	X.THAO
10/13/00	2400	77	A.THEMO

## Tuesday

Date	Time	Temp.	Name (Print)
10/14/00	0300	76	A.THEMO
10/14/00	0600	76	S.VANG
10/14/00	0900	76	S.VANG
10/14/00	1200	76	S.VANG
10/14/00	1500	76	X.THAO
10/14/00	1800	78	X.THAO
10/14/00	2100	76	X.THAO
10/14/00	2400	76	D.GARZA

## Wednesday

Date	Time	Temp.	Name (Print)
10/15/00	0300	76	D.GARZA
10/15/00	0600	76	P.GARCIA
10/15/00	0900	76	P.GARCIA
10/15/00	1200	76	P.GARCIA
10/15/00	1500	77	P.GARCIA
10/15/00	1800	77	P.GARCIA
10/15/00	2100	77	P.GARCIA
10/15/00	2400	76	D.GARZA

## Thursday

Date	Time	Temp.	Name (Print)
10/16/00	0300	76	D.GARZA
10/16/00	0600	75	P.GARCIA
10/16/00	0900	75	P.GARCIA
10/16/00	1200	75	P.GARCIA
10/16/00	1500	77	A.Garcia
10/16/00	1800	77	A.Garcia
10/16/00	2100	77	A.Garcia
10/16/00	2400	76	D.GARZA

## Friday

Date	Time	Temp.	Name (Print)
10/17/00	0300	76	D.GARZA
10/17/00	0600	76	D.GARZA
10/17/00	0900	76	D.GARZA
10/17/00	1200	76	D.GARZA
10/17/00	1500	76	P.GARCIA
10/17/00	1800	76	P.GARCIA
10/17/00	2100	76	A.Garcia
10/17/00	2400	75	D.GARZA

## Saturday

Date	Time	Temp.	Name (Print)
10/18/00	0300	75	D.GARZA
10/18/00	0600	76	S.VANG
10/18/00	0900	76	S.VANG
10/18/00	1200	76	S.VANG
10/18/00	1500	75	D.GARZA
10/18/00	1800	75	D.GARZA
10/18/00	2100	75	D.GARZA
10/18/00	2400	75	R.P.-Z

## Notes

Date	Time	Temp.	Name (Print)
10/19/00	0300	75	P.GARCIA
10/19/00	0600	75	S.VANG
10/19/00	0900	75	S.VANG
10/19/00	1200	75	S.VANG
10/19/00	1500	76	J.Cumbaca
10/19/00	1800	76	J.Cumbaca
10/19/00	2100	74	J.Cumbaca
10/19/00	2400	77	JOTAKES

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

Attachment C  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PYSP Housing Unit: DORM 1 Temp. Reading Location: DAY Room  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 53211 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/7/24	0300	71°	E. REGALOS
	0600	71°	S. VANG
	0900	71°	S. VANG
	1200	71°	S. VANG
	1500	78	X-THER
	1800	78	X-THER
	2100	78	X-THER
	2400	79	E. ARANZO

**Tuesday**

Date	Time	Temp.	Name (Print)
10/8/24	0300	78	E. ARANZO
	0600	75	J. Kraemer
	0900	75	J. Kraemer
	1200	76	J. Kraemer
	1500	76	X-THER
	1800	76	X-THER
	2100	76	X-THER
	2400	75°	D. MARZIE

**Wednesday**

Date	Time	Temp.	Name (Print)
10/9/24	0300	75	D. GARCIA
	0600	75	D. GARCIA
	0900	75	X-THER
	1200	75	X-THER
	1500	75	A. Garcia
	1800	75	D. Garcia
	2100	75	A. Garcia
	2400	75	D. GARCIA

**Thursday**

Date	Time	Temp.	Name (Print)
10/10/24	0300	75	D. GARCIA
	0600	73	P. AGUILAR
	0900	73	P. AGUILAR
	1200	74	Garcia
	1500	74	Garcia
	1800	74	Garcia
	2100	74	Garcia
	2400	73°	D. GARCIA

**Friday**

Date	Time	Temp.	Name (Print)
10/11/24	0300	73°	A. GARCIA
	0600	74	S. VANG
	0900	74	S. VANG
	1200	74	S. VANG
	1500	74	A. Garcia
	1800	74	A. Garcia
	2100	74	A. Garcia
	2400	74	A. Garcia

**Saturday**

Date	Time	Temp.	Name (Print)
10/12/24	0300	74	A. Garcia
	0600	74	S. VANG
	0900	74	S. VANG
	1200	74	S. VANG
	1500	74	A. Garcia
	1800	74	A. Garcia
	2100	74	A. Garcia
	2400	74	A. Garcia

**Notes**

Date	Time	Temp.	Name (Print)
10/13/24	0300	72	A. Garcia
	0600	75	S. VANG
	0900	75	S. VANG
	1200	75	S. VANG
	1500	73	VILLECAS
	1800	74	VILLECAS
	2100	73	VILLECAS
	2400	73	ARANZO

DISTRIBUTION: Original; Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PSP Housing Unit: Doorm 2 Temp. Reading Location: Day Room

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>10/14/14</u>	0300	72	A.GARZA
	0600	72	S.VANZ
	0900	72	S.VANZ
	1200	72	S.VANZ
	1500	75	X.THAO
	1800	75	X.THAO
	2100	75	X.THAO
	2400	75	OLIVARES

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>10/15/14</u>	0300	71	OLIVARES
	0600	72	S.VANZ
	0900	72	S.VANZ
	1200	72	S.VANZ
	1500	75	X.THAO
	1800	75	X.THAO
	2100	75	X.THAO
	2400	74	D.GARZA

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>10/16/14</u>	0300	74	D.GARZA
	0600	74	D.GARZA
	0900	75	J.CASTROBLANCO
	1200	75	J.CASTROBLANCO
	1500	74	B.Garcia
	1800	74	B.Garcia
	2100	74	B.Garcia
	2400	74	D.GARZA

**Thursday**

Date	Time	Temp.	Name (Print)
<u>10/17/14</u>	0300	73	D.GARZA
	0600	71	P.AGUZARE
	0900	71	P.AGUZARE
	1200	71	P.AGUZARE
	1500	70	E.IBARRA
	1800	71	Garcia
	2100	71	Garcia
	2400	70	D.GARZA

**Friday**

Date	Time	Temp.	Name (Print)
<u>10/18/14</u>	0300	70	D.GARZA
	0600	72	S.VANZ
	0900	72	S.VANZ
	1200	72	S.VANZ
	1500	70	MEDINA
	1800	70	MEDINA
	2100	69	MEDINA
	2400	70	D.GARZA

**Saturday**

Date	Time	Temp.	Name (Print)
<u>10/19/14</u>	0300	70	D.GARZA
	0600	70	S.VANZ
	0900	75	S.VANZ
	1200	75	S.VANZ
	1500	70	E.IBARRA
	1800	71	E.IBARRA
	2100	71	E.IBARRA
	2400	71	E.IBARRA

**Notes**

Date	Time	Temp.	Name (Print)
<u>10/20/14</u>	0300	71	E.IBARRA
	0600	70	S.VANZ
	0900	72	S.VANZ
	1200	72	S.VANZ
	1500	69	C.Chavez
	1800	69	C.Chavez
	2100	69	C.Chavez
	2400	68	ATRANO

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**Attachment C**  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: DORM 2 Temp. Reading Location: BAY ROOM

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/21/24	0300	68	A. ALMERAZ
	0600	70	S. VANS
	0900	72	S. VANS
	1200	72	S. VANS
	1500	75	X. THAO
	1800	75	X. THAO
	2100	75	X. THAO
	2400	70	O. MARES

**Tuesday**

Date	Time	Temp.	Name (Print)
10/22/24	0300	70	O. MARES
	0600	72	S. VANS
	0900	72	S. VANS
	1200	72	S. VANS
	1500	72	X. THAO
	1800	72	X. THAO
	2100	72	X. THAO
	2400	71	O. MARES

**Wednesday**

Date	Time	Temp.	Name (Print)
10/23/24	0300	70	D. GARCIA
	0600	70	D. GARCIA
	0900	71	D. GARCIA
	1200	71	D. GARCIA
	1500	71	C. GARCIA
	1800	71	C. GARCIA
	2100	71	C. GARCIA
	2400	70	D. GARCIA

**Thursday**

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	D. GARCIA
	0600	67	P. AGUILAR
	0900	67	P. AGUILAR
	1200	68	P. AGUILAR
	1500	70	R. MEDINA
	1800	72	R. MEDINA
	2100	72	R. MEDINA
	2400	72	A. ALMERAZ

**Friday**

Date	Time	Temp.	Name (Print)
10/25/24	0300	72	A. ALMERAZ
	0600	72	S. VANS
	0900	73	S. VANS
	1200	73	S. VANS
	1500	70	A. GURMAN
	1800	72	A. GURMAN
	2100	72	A. GURMAN
	2400	70	D. GARCIA

**Saturday**

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	D. GARCIA
	0600	70	S. VANS
	0900	72	S. VANS
	1200	72	S. VANS
	1500	73	K. XIONG
	1800	75	K. XIONG
	2100	76	K. XIONG
	2400	76	A. ALMERAZ

**Notes**

Date	Time	Temp.	Name (Print)
10/27/24	0300	76	A. ALMERAZ
	0600	73	S. VANS
	0900	73	S. VANS
	1200	73	S. VANS
	1500	75	J. ROMERO
	1800	75	J. ROMERO
	2100	75	J. ROMERO
	2400	73	A. ALMERAZ

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PSP Housing Unit: Dorm 2

Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-30-21	0300	70	ARTHUR
	0600	71	CHILDEO
	0900	71	(HILLTOP)
	1200	71	(HILLTOP)
	1500	76	(HILLTOP)
	1800	76	CHILDEO
	2100	76	TOM
	2400	76	OLIVIA PER

Tuesday

Date	Time	Temp.	Name (Print)
7-5-2011	0300	70	OLIVARES
	0600	70	GIVARD
	0900	70	S. LAM
	1200	70	S. VUANG
	1500	72	X. THAO
	1800	72	X. THAO
	2100	72	X. THAO
	2400	70	D. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	70	D. GABBA
	0600	70	Natalie
	0900	70	Natalie
	1200	70	Natalie
	1500	70	J. Kramer
	1800	71	J. Kramer
	2100	71	J. Kramer
	2400	70	D. GABBA

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	70	D. CRAVEN
	0600	(28°)	NAFTZGER
	0900	73°	NAFTZGER
	1200	68°	NAFTZGER
	1500	67	CRAVEN
	1800	67	CRAVEN
	2100	67	CRAVEN
	2400	61	Over

Friday

Date	Time	Temp.	Name (Print)
11/11 24	0300	67	Pearce
	0600	78	SLANG
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

DISTRIBUTION: Original; Institution Heat Plan Coordinator

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10-1-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	70	70	70	68	68	68	Alvarez
0300									
0400									
0500	68	68	69	69	70	68	68	68	Alvarez
0600									
0700									
0800	69	68	69	70	70	68	69	69	V. ORTEGA
0900									
1000									
1100	70	70	70	70	72	69	70	69	V. ORTEGA
1200									
1300									
1400	70	70	70	72	72	72	70	70	Alvarez
1500									
1600									
1700	70	70	72	72	72	72	70	70	Alvarez
1800									
1900									
2000	70	70	72	74	72	72	70	70	Alvarez
2100									
2200									
2300	70	70	72	74	72	72	70	70	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10-2-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES								PRINTED NAME	
TIME	A	B	C	D	E	F	G	H	
0100									
0200	68	68	70	70	70	70	68	68	Alvarer
0300									
0400									
0500	68	68	70	70	70	68	68	68	Alvarer
0600									
0700									
0800	68	68	70	70	70	68	68	68	DeVille
0900									
1000									
1100	69	69	70	70	70	69	69	69	Andrade
1200									
1300									
1400	70	70	74	74	70	68	70	68	Gren
1500									
1600									
1700	70	70	74	74	70	68	70	68	Gren
1800									
1900									
2000	70	70	74	74	70	68	70	68	Gren
2100									
2200									
2300	70	70	74	74	70	68	70	68	Gren
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10-3-2024

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	74	74	70	68	70	68	Garcia
0300									
0400									
0600	70	70	74	74	70	68	70	68	Garcia
0600									
0700									
0800	68	68	68	70	72	70	68	70	A. Enriqueta
0900									
1000									
1100	70	70	70	70	68	70	70	70	A. Enriqueta
1200									
1300									
1400	70	70	74	74	70	68	70	68	Garcia
1500									
1600									
1700	70	68	74	74	70	68	70	68	Garcia
1800									
1900									
2000	70	68	74	74	70	68	70	68	Garcia
2100									
2200									
2300	70	68	74	74	70	68	70	68	Santos
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10/4/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	74	74	70	70	70	68	Salado
0300									
0400									
0500	70	70	74	74	70	70	70	68	Salado
0600									
0700									
0800	70	70	74	74	70	70	70	68	Edgar
0900									
1000									
1100	70	70	74	74	70	70	70	70	Edgar
1200									
1300									
1400	70	70	74	74	70	70	70	68	Garcia
1500									
1600									
1700	70	70	74	74	70	68	70	68	Garcia
1800									
1900									
2000	70	70	74	74	70	68	70	68	Garcia
2100									
2200									
2300	70	70	73	73	70	68	69	69	Lopez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10/5/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	I	PRINTED NAME
0100										
0200	70	66	76	76	70	64	70	68		E. F. MUSK
0300										
0400										
0500	70	66	76	76	70	64	70	68		E. F. MUSK
0600										
0700										
0800	70	68	76	76	70	64	70	68		MONToya
0900										
1000										
1100	70	68	76	76	70	64	70	68		MONToya
1200										
1300										
1400	70	68	78	76	70	64	70	68		MONToya
1500										
1600										
1700	70	68	78	76	70	64	70	68		MONToya
1800										
1900										
2000	70	68	78	76	70	64	70	68		MONToya
2100										
2200										
2300	70	68	78	76	70	64	70	68		MONToya
2400										

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10-6-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	69	78	78	72	68	70	69	E. Espinoza
0300									
0400									
0500	70	69	78	78	72	68	70	69	E. Espinoza
0600									
0700									
0800	70	68	78	78	72	68	70	68	MONToya
0900									
1000									
1100	70	68	78	78	72	68	70	68	MONToya
1200									
1300									
1400	70	70	78	78	72	68	70	68	MONToya
1500									
1600									
1700	70	70	78	78	72	68	70	68	MONToya
1800									
1900									
2000	70	70	78	78	72	68	70	68	MONToya
2100									
2200									
2300	70	70	76	76	71	69	68	68	Alvaro
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10-7-74

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	69	74	74	70	68	68	68	Alvarez
0300									
0400									
0500	70	69	74	74	70	68	68	68	Alvarez
0600									
0700									
0800	70	68	74	74	70	64	70	68	CUEVAS
0900									
1000									
1100	70	70	70	74	72	70	70	69	CUEVAS
1200									
1300									
1400	70	70	74	74	72	70	70	70	Alvarez
1500									
1600									
1700	70	70	74	74	72	72	70	70	Alvarez
1800									
1900									
2000	70	70	74	74	72	72	70	70	Alvarez
2100									
2200									
2300	70	70	74	74	72	72	70	70	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

# Pleasant Valley State Prison

## INSIDE TEMPERATURE RECORD FOR STRH

Date 10-8-24

**SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL**

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	72	72	70	68	68	68	Alvarez
0300									
0400									
0500	70	70	72	72	70	68	68	68	Alvarez
0600									
0700									
0800	68	68	70	70	70	68	68	69	Cuavas
0900									
1000									
1100	70	70	70	68	70	69	70	69	Cuavas
1200									
1300									
1400	70	70	70	69	70	69	70	69	Alvarez
1500									
1600									
1700	70	70	70	70	72	70	70	70	Alvarez
1800									
1900									
2000	70	70	70	72	72	70	70	70	Alvarez
2100									
2200									
2300	70	70	70	72	72	70	70	70	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R-Castro

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10-9-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

TIME	SECTION TEMPERATURES								PRINTED NAME
	A	B	C	D	E	F	G	H	
0100									
0200	68	68	70	70	70	68	68	68	Alvariz
0300									
0400									
0500	69	69	70	70	70	68	68	68	Alvarez
0600									
0700									
0800	68	68	72	72	70	108	70	68	Garcia
0900									
1000									
1100	69	69	72	72	70	68	70	68	Garcia
1200									
1300									
1400	69	69	72	72	70	108	70	68	Garcia
1500									
1600									
1700	70	70	74	74	70	108	70	68	Garcia
1800									
1900									
2000	70	70	74	74	70	68	70	68	Garcia
2100									
2200									
2300	70	68	74	72	70	68	70	68	PAGUERNE
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASPRO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10/10/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

TIME	SECTION TEMPERATURES								PRINTED NAME
	A	B	C	D	E	F	G	H	
0100									
0200	69	68	74	70	68	70	68	67	PAGUARNE
0300									
0400									
0500	69	68	72	70	68	70	68	67	PAGUARNE
0600									
0700									
0800	70	70	74	74	70	108	70	66	GCCR
0900									
1000									
1100	70	70	74	74	70	68	70	108	GCCR
1200									
1300									
1400	70	70	74	74	70	68	70	68	MARANO
1500									
1600									
1700	70	70	74	74	70	68	70	68	MARANO
1800									
1900									
2000	70	70	74	74	70	68	70	68	MARANO
2100									
2200									
2300	70	70	74	74	70	68	70	68	RORA
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R-CASSTRO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10/11/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	I	PRINTED NAME
0100										
0200	69	68	70	74	68	70	68	67	70	Rever
0300										
0400										
0500	69	68	70	74	65	70	68	68	70	Rever
0600										
0700										
0800	69	69	70	74	68	70	68	68	70	E-AZALTO
0900										
1000										
1100	69	68	70	74	68	70	70	68	70	E-AZALTO
1200										
1300										
1400	70	70	74	74	70	68	70	68	70	Garn
1500										
1600										
1700	69	70	74	74	70	68	70	68	70	Garn
1800										
1900										
2000	69	69	71	71	70	68	70	68	70	Garn
2100										
2200										
2300	69	69	72	70	70	68	70	68	70	Garn
2400										

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant

*L. CASTRO*

SECOND WATCH STRH LIEUTENANT PRINT

*R. ST. L.*

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10-12-2024

**SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR**

Temperature readings are to be taken every three (3) hours at the times noted in the non shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	I	PRINTED NAME
0100										
0200	69	69	72	70	70	68	70	69	69	(90/91)
0300										
0400										
0500	69	69	72	70	70	68	70	69	69	(90/91)
0600										
0700										
0800	68	68	72	70	70	68	70	68	68	MONTDA
0900										
1000										
1100	68	68	72	70	70	68	70	68	68	MONTDA
1200										
1300										
1400	68	68	72	70	70	68	70	68	68	MONTDA
1500										
1600										
1700	68	68	72	70	70	68	70	68	68	MONTDA
1800										
1900										
2000	68	68	72	70	70	68	70	68	68	MONTDA
2100										
2200										
2300	68	68	72	70	70	67	70	68	J. Morton	
2400										

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

R. H. L.

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10-13-2024

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	70	70	70	67	70	68	Morilloan
0300									
0400									
0500	66	68	70	70	70	67	70	68	Morilloan
0600									
0700									
0800	68	68	70	70	70	68	70	68	MONTOYA
0900									
1000									
1100	68	68	70	70	70	68	70	68	MONTOYA
1200									
1300									
1400	68	68	70	70	70	68	70	68	MONTOYA
1500									
1600									
1700	68	68	70	70	70	68	70	68	MONTOYA
1800									
1900									
2000	68	68	70	70	70	68	70	68	MONTOYA
2100									
2200									
2300	68	68	70	70	70	68	70	68	PALMA
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

R. H. U.

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10/14/124

**SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR**

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	70	70	70	68	70	68	PALMA
0300									
0400									
0500	68	68	70	70	70	68	70	68	PALMA
0600									
0700									
0800	68	69	70	70	70	68	70	70	V CASTRO
0900									
1000									
1100	70	70	70	70	70	68	70	70	V CASTRO
1200									
1300									
1400	70	70	70	70	70	68	70	69	ESPMUZA
1500									
1600									
1700	70	70	70	70	70	68	70	70	ESPMUZA
1800									
1900									
2000	70	70	70	70	70	68	70	70	ESPMUZA
2100									
2200									
2300	70	70	70	70	70	70	70	70	PALMA
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

8/16/124

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10/15/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	70	70	70	70	70	70	PALMA
0300									
0400									
0500	70	70	70	70	70	70	68	68	PALMA
0600									
0700									
0800	70	70	70	70	70	70	69	68	V. ORTEGA
0900									
1000									
1100	70	70	70	70	70	70	68	68	V. ORTEGA
1200									
1300									
1400	70	70	70	70	70	70	70	68	CARCERON
1500									
1600									
1700	70	70	70	70	70	70	70	68	CONCEPCION
1800									
1900									
2000	69	70	70	70	70	70	70	69	CONCEPCION
2100									
2200									
2300	70	70	70	70	70	68	70	68	PALMA
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

# Pleasant Valley State Prison

## INSIDE TEMPERATURE RECORD FOR STRH

Date 10/10/124

**SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR**

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	70	70	70	68	70	68	PALMA
0300									
0400									
0500	70	70	70	70	70	68	70	68	PALMA
0600									
0700									
0800	68	69	70	70	69	67	69	68	Garcia
0900									
1000									
1100	68	69	70	70	70	68	70	69	Garcia
1200									
1300									
1400	68	69	70	70	70	68	70	69	Garcia
1500									
1600									
1700	68	69	70	70	70	69	70	69	Garcia
1800									
1900									
2000	68	69	70	70	70	68	70	69	Garcia
2100									
2200									
2300	64	66	70	70	70	68	70	69	Salcedo
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

P. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

R. JACK

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10/17/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

TIME	SECTION TEMPERATURES								PRINTED NAME
	A	B	C	D	E	F	G	H	
0100									
0200	68	68	70	70	70	68	70	68	Salido
0300									
0400									
0500	68	68	70	70	70	68	70	68	Salido
0600									
0700									
0800	69	69	70	70	70	69	70	69	Garcia
0900									
1000									
1100	70	70	70	70	70	69	70	69	(ZCRN)
1200									
1300									
1400	69	69	70	70	70	68	70	68	Garcia
1500									
1600									
1700	69	69	70	70	70	68	70	68	Garcia
1800									
1900									
2000	69	69	70	70	70	68	70	68	Garcia
2100									
2200									
2300	68	68	69	70	70	68	68	68	TUITION
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

R. CASTRO

SECOND WATCH STRH LIEUTENANT SIGNATURE

# Pleasant Valley State Prison

## INSIDE TEMPERATURE RECORD FOR STRH

Date 10/18/64

### SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR.

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

#### S E C T I O N   T E M P E R A T U R E S

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	70	70	70	68	68	68	TREWOLD
0300									
0400									
0500	68	68	70	70	70	68	68	68	TREWOLD
0600									
0700									
0800	68	68	68	69	69	69	68	68	TRUHARS
0900									
1000									
1100	68	68	69	70	69	68	68	68	TRUHARS
1200									
1300									
1400	68	68	70	70	69	68	69	68	Garcia
1500									
1600									
1700	68	68	70	70	69	68	69	69	Garcia
1800									
1900									
2000	68	68	70	71	69	69	69	68	Garcia
2100									
2200									
2300	67	67	68	68	67	68	68	67	U. PRDWS
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

21A/4

SECOND WATCH STRH LIEUTENANT SIGNATURE

# Pleasant Valley State Prison

## INSIDE TEMPERATURE RECORD FOR STRH

Date 10-19-2024

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CENTER

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

### SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	68	70	68	70	66	70	68	MONTAIA
0300									
0400									
0500	70	68	70	68	70	66	70	68	MONTAIA
0600									
0700									
0800	70	68	70	68	70	66	70	68	MONTAIA
0900									
1000									
1100	70	68	70	68	70	66	70	68	MONTAIA
1200									
1300									
1400	70	68	70	68	70	66	70	68	MONTAIA
1500									
1600									
1700	70	68	70	68	70	66	70	68	MONTAIA
1800									
1900									
2000	70	68	70	68	70	66	70	68	MONTAIA
2100									
2200									
2300	70	68	70	68	70	66	70	68	PALMA
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

RIVAS

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10-26-2024

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	68	70	70	70	68	70	68	PALMA
0300									
0400									
0500	70	68	70	70	70	68	70	68	PALMA
0600									
0700									
0800	70	68	70	70	70	68	70	68	MONTAÑA
0900									
1000									
1100	70	68	70	70	70	68	70	68	MONTAÑA
1200									
1300									
1400	70	68	70	70	70	68	70	68	MONTAÑA
1500									
1600									
1700	70	68	70	70	70	68	70	68	MONTAÑA
1800									
1900									
2000	70	68	70	70	68	68	70	68	MONTAÑA
2100									
2200									
2300	70	68	70	70	68	68	70	68	ALVAREZ
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

R. H. C.

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10-21-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	70	70	68	66	70	68	Alvarez
0300									
0400									
0500	68	68	70	70	68	66	68	68	Alvarez
0600									
0700									
0800	69	68	70	70	68	66	68	68	V. OZTEGA
0900									
1000									
1100	68	68	67	70	68	66	68	68	V. OZTEGA
1200									
1300									
1400	70	70	70	70	68	68	70	70	Alvarez
1500									
1600									
1700	70	70	70	70	70	68	70	70	Alvarez
1800									
1900									
2000	70	70	70	70	70	68	70	70	Alvarez
2100									
2200									
2300	70	70	70	70	70	68	70	70	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

RSB

SECOND WATCH STRH LIEUTENANT SIGNATURE

# Pleasant Valley State Prison

## INSIDE TEMPERATURE RECORD FOR STRH

Date 10-22-24

**SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR**

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	68	70	68	70	70	68	Alvarez
0300									
0400									
0500	68	68	68	70	68	68	70	68	Alvarez
0600									
0700									
0800	68	68	68	68	68	68	68	68	V. ORTEGA
0900									
1000									
1100	68	68	68	68	68	68	68	68	V. ORTEGA
1200									
1300									
1400	70	70	68	70	68	68	70	70	Alvarez
1500									
1600									
1700	70	70	68	70	68	70	70	70	Alvarez
1800									
1900									
2000	70	70	68	70	68	70	70	70	Alvarez
2100									
2200									
2300	70	70	68	70	68	70	70	70	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

RJ A.D.

SECOND WATCH STRH LIEUTENANT SIGNATURE

# Pleasant Valley State Prison

## INSIDE TEMPERATURE RECORD FOR STRH

Date 10-23-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

### S E C T I O N   T E M P E R A T U R E S

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	68	70	68	70	70	68	All areas
0300									
0400									
0500	68	68	68	70	68	70	68	68	All areas
0600									
0700									
0800	70	68	70	70	70	108	70	68	Garcia
0900									
1000									
1100	70	69	70	70	70	108	70	69	Garcia
1200									
1300									
1400	69	68	70	70	69	68	70	68	Garcia
1500									
1600									
1700	70	68	70	70	69	68	70	68	Garcia
1800									
1900									
2000	70	68	70	70	69	68	69	68	Garcia
2100									
2200									
2300	70	68	70	70	69	68	69	68	Morano
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT'S SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10/24/29

**SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR**

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	68	70	68	70	70	68	MONTANO
0300									
0400									
0500	68	68	68	70	68	70	68	68	MONTANO
0600									
0700									
0800	68	68	70	70	70	68	70	68	Garcia
0900									
1000									
1100	69	69	70	70	69	69	70	69	Garcia
1200									
1300									
1400	69	69	70	70	69	69	70	69	Garcia
1500									
1600									
1700	69	69	70	70	69	68	70	68	Garcia
1800									
1900									
2000	69	69	70	70	69	68	70	69	Barn
2100									
2200									
2300	69	69	70	70	69	66	70	6A	DEVILIAN
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

R. HALL

SECOND WATCH STRH LIEUTENANT SIGNATURE

# Pleasant Valley State Prison

## INSIDE TEMPERATURE RECORD FOR STRH

Date 10/25/2024

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when a temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

### S E C T I O N   T E M P E R A T U R E S .

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	69	70	69	70	70	68	DEC/11/M
0300									
0400									
0500	69	69	69	70	69	70	70	68	DEC/11/M
0600									
0700									
0800	70	69	69	70	69	69	70	68	J-Luckett
0900									
1000									
1100	70	69	70	70	69	69	70	68	J-Luckett
1200									
1300									
1400	70	69	70	70	69	70	70	69	J-Luckett
1500									
1600									
1700	70	69	70	70	69	70	70	68	Garcia
1800									
1900									
2000	70	69	70	70	69	69	70	68	Garcia
2100									
2200									
2300	69	68	70	68	68	68	70	68	Garcia
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

# Pleasant Valley State Prison

## INSIDE TEMPERATURE RECORD FOR STRH

Date 10-26-2024

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

### SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	69	68	70	69	68	68	70	68	GRAN
0300									
0400									
0500	69	68	70	69	68	68	70	68	GRAN
0600									
0700									
0800	68	68	70	68	68	68	70	68	MONTAIA
0900									
1000									
1100	69	68	70	69	68	68	70	68	MONTAIA
1200									
1300									
1400	69	68	70	69	68	68	70	68	GRAN
1500									
1600									
1700	69	68	70	69	68	68	70	68	GRAN
1800									
1900									
2000	69	68	70	69	68	68	70	68	GRAN
2100									
2200									
2300	69	68	70	68	68	68	70	68	GRAN
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

R. CASTRO

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10-27-24

**SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR**

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	I	PRINTED NAME
0100										
0200	70	68	70	70	70	68	70	68		ESPANOLA
0300										
0400										
0500	70	68	70	70	70	68	70	68		ESPANOLA
0600										
0700										
0800	70	68	70	70	70	68	70	68		ALVARO
0900										
1000										
1100	70	68	70	70	70	70	70	70		ALVARO
1200										
1300										
1400	70	67	70	68	68	66	70	67		RAINWATER
1500										
1600										
1700	70	67	70	68	68	66	70	67		RAINWATER
1800										
1900										
2000	70	67	70	68	68	65	70	67		RAINWATER
2100										
2200										
2300	70	67	70	68	68	66	70	67		ALVARO
2400										

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

R. CASTRO

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10-28-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	68	68	68	67	68	67	Alvarez
0300									
0400									
0500	68	68	68	68	68	67	68	67	Alvarez
0600									
0700									
0800	68	68	68	68	68	66	68	66	J. CASTRO
0900									
1000									
1100	68	68	68	68	68	66	68	66	V. CASTRO
1200									
1300									
1400	70	70	70	70	68	70	70	68	Alvarez
1500									
1600									
1700	70	70	70	70	68	70	70	68	Alvarez
1800									
1900									
2000	70	70	70	70	68	68	70	68	Alvarez
2100									
2200									
2300	70	70	70	70	68	68	70	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10-29-24

**SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR**

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES:**

TIME	A	B	C	D	E	F	G	H	I	PRINTED NAME
0100										
0200	68	68	68	68	68	68	68	68		Alvarce
0300										
0400										
0500	68	68	68	68	66	66	68	66		Alvarce
0600										
0700										
0800	68	68	68	68	68	66	68	67		V. ORTEGA
0900										
1000										
1100	68	68	68	68	62	67	68	67		V. ORTEGA
1200										
1300										
1400	70	70	70	70	70	70	72	70		Alvarce
1500										
1600										
1700	70	70	70	70	70	70	72	70		Alvarce
1800										
1900										
2000	70	70	70	70	70	70	70	70		Alvarce
2100										
2200										
2300	70	70	70	70	70	70	70	70		Alvarce
2400										

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

R. CASTRO

SECOND WATCH STRH LIEUTENANT SIGNATURE

# Pleasant Valley State Prison

## INSIDE TEMPERATURE RECORD FOR STRH

Date 10-30-74

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTR

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and no shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

### SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	I	PRINTED NAME
0100										
0200	68	68	68	68	68	68	68	68	68	Alvarce
0300										
0400										
0500	68	68	68	68	68	68	68	68	68	Alvarce
0600										
0700										
0800	67	67	67	66	66	66	67	66	67	Colo A Gonzalez
0900										
1000										
1100	67	67	67	66	66	66	67	66	67	Colo A Gonzalez
1200										
1300										
1400	68	68	69	70	68	68	69	68	68	Garcia
1500										
1600										
1700	68	68	69	70	68	68	69	68	68	Garcia
1800										
1900										
2000	68	68	69	70	68	68	69	68	68	Garcia
2100										
2200										
2300	68	68	69	70	68	68	69	68	68	Garcia
2400										

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

R. CASTRO

SECOND WATCH STRH LIEUTENANT PRINT

R. CASTRO

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR ASU 1**

Date 10-31-24

SPECIFIC LOCATION OF TEMPERATURE READING R40

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the ASU 1 Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100	68°	68°	68°	68°	68°	68°	68°	68°	
0200	68°	68°	68°	68°	68°	68°	68°	68°	
0300	68°	68°	68°	68°	68°	68°	68°	68°	DEL V.14N
0400	68°	68°	68°	68°	68°	68°	68°	68°	
0500	68°	68°	68°	68°	68°	68°	68°	68°	DEL V.14N
0600	68°	68°	68°	68°	68°	68°	68°	68°	DEL V.14N
0700	68°	68°	68°	68°	68°	68°	68°	68°	
0800	68°	68°	68°	68°	67°	67°	67°	67°	A. Gonzalez
0900	68°	68°	68°	68°	67°	67°	67°	67°	
1000	68°	68°	68°	68°	67°	67°	67°	67°	
1100	68°	68°	68°	67°	67°	67°	67°	67°	A. Gonzalez
1200	68°	68°	68°	67°	67°	67°	67°	67°	A. Gonzalez
1300	68°	68°	68°	67°	67°	67°	67°	67°	
1400	67°	67°	67°	67°	67°	67°	66°	66°	A. Gonzalez
1500	67°	67°	67°	67°	67°	67°	66°	66°	
1600	67°	67°	67°	67°	67°	67°	66°	66°	
1700	70°	67°	70°	66°	68°	66°	69°	66°	J. ASHLEY
1800	70°	67°	70°	66°	68°	66°	69°	66°	J. ASHLEY
1900	70°	67°	70°	66°	68°	66°	69°	66°	
2000	70°	67°	70°	66°	68°	66°	69°	66°	J. ASHLEY
2100	70°	67°	70°	66°	68°	66°	69°	66°	
2200	70°	67°	70°	66°	68°	66°	69°	66°	
2300	70°	67°	69°	66°	67°	66°	68°	66°	J. ASHLEY
2400	70°	67°	69°	66°	67°	66°	68°	66°	

All logs need to be submitted to the **Litigation Coordinator** on the 1<sup>st</sup> day of the following month after review by the ASU 1 Captain.

L. CASERO

SECOND WATCH ASU 1 LIEUTENANT PRINT

R. WEAVER

SECOND WATCH ASU 1 LIEUTENANT SIGNATURE