

## Monthly Summary Report

Institution: SAC

### Memorandum

Date: July 7/10/2024  
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - June 2024

The following is a summary of the heat related activity for the month of June,  
at SAC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 12

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes

Number of days Stage II Alert initiated: 5

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?:Yes

5. Number of patients with heat related illness.0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

J. Lynch

Warden Name

DocuSigned by:




4DF8C06361444E7...

Warden Signature

K. Oglesby

Chief Executive Officer Name

DocuSigned by:



EA245D64FA3C4FE...

Chief Executive Officer Signature

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B1 Temp. Reading Location: Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
8/1	0300	72	STAMPER
	0600	73.2	Myles
	0900	73.6	myley
	1200	76	myley
	1500	76	Jones
	1800	74	Jones
	2100	73.2	Jones
	2400	72	Jones

**Sunday**

Date	Time	Temp.	Name (Print)
8/2	0300	72.2	Creer-hamlin
	0600	72.6	Gimon
	0900	74	Gimon
	1200	74.2	Gimon
	1500	74	manader
	1800	73.2	manader
	2100	73	manader
	2400	72	manader

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: BL Temp. Reading Location: DAYroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	71.0	<i>[Signature]</i>
	0600	71.4	Myles
	0900	72.3	Myles
	1200	72.5	Myles
	1500	74	Palomo
	1800	72	Palomo
	2100	69	Palomo
	2400	70	Jones

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	76	Stamp
	0600	76	Stamp
	0900	76	Baldur
	1200	77	Baldur
	1500	77	Palomo
	1800	78	Palomo
	2100	77	Palomo
	2400	77.2	Cas

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	77.2	Cas
	0600	77.1	Cas
	0900	77	Cas
	1200	77	Cas
	1500	77	JONES
	1800	79	JONES
	2100	82	JONES
	2400	81.2	J. JOHNSON

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	80.1	J. JOHNSON
	0600	78	Jones
	0900	78	Jones
	1200	79	Jones
	1500	79	JONES
	1800	80	JONES
	2100	71	JONES
	2400	72	Stamp

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	74.8	Stamp
	0600	74.9	Myles
	0900	75.1	Myles
	1200	75.2	Jones
	1500	75.4	JONES
	1800	82.0	JONES
	2100	71.0	JONES
	2400	72.0	Stamp

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	73.1	Stamp
	0600	73.2	Stamp
	0900	75.7	Myles
	1200	76	Myles
	1500	79	JONES
	1800	74.0	JONES
	2100	73.0	JONES
	2400	74.7	WILRIGHT

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	72.4	WILRIGHT
	0600	72.9	CAS
	0900	74.1	CAS
	1200	74.1	CAS
	1500	75.2	Jones
	1800	78.0	Jones
	2100	70.00	Jones
	2400	70.00	Stamp

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Bolsac Housing Unit: B1 Temp. Reading Location: B1 Control Booth  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
4/10	0300	74.9	Sturm	4/11	0300	73.4	Sturm	4/12	0300	78.6	Sturm	4/13	0300	71.1	Sturm	4/14	0300	72.7	Sturm	4/15	0300	72.2	Sturm
	0600	75.1	Myles		0600	72.1	Myles		0600	74.6	Myles		0600	74.0	JANSON		0600	72.2	Myles		0600	72.2	Myles
	0900	77	Myles		0900	74.0	JANSON		0900	74.1	JANSON		0900	74.1	JANSON		0900	74.1	JANSON		0900	74.1	JANSON
	1200	77.3	Myles		1200	75.4	JANSON		1200	74.7	JANSON		1200	74.7	JANSON		1200	74.7	JANSON		1200	74.7	JANSON
	1500	74.7	JANSON		1500	82	Jalome		1500	74.5	JANSON		1500	74.5	JANSON		1500	74.5	JANSON		1500	74.5	JANSON
	1800	75	Jalome		1800	82	Jalome		1800	75.4	JANSON		1800	72.9	JONES		1800	75.4	JANSON		1800	72.9	JONES
	2100	79	Jalome		2100	84	Jalome		2100	72.9	JONES		2100	72.5	Jones		2100	72.5	Jones		2100	72.5	Jones
	2400	76.1	Stamp		2400	79.	Jones		2400	72.1	Stamp		2400	72.1	Stamp		2400	72.1	Stamp		2400	72.1	Stamp
<b>Wednesday</b>																							
<b>Thursday</b>																							
<b>Friday</b>																							
<b>Saturday</b>																							
<b>Sunday</b>																							

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 51 Temp. Reading Location: IN Housing unit  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	70.9	Kay
	0600	71.1	Kay
	0900	71.5	Kay
	1200	71.8	Kay
	1500	72	Maldonado
	1800	72	Maldonado
	2100	69	Maldonado
	2400	72.1	Shawn

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	72.2	Stamp
	0600	72.2	Stamp
	0900	73.0	Timur
	1200	73.0	Timur
	1500	73.1	Spikes
	1800	72.1	Buer
	2100	72.1	Yaro
	2400	72.2	S. Yank

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	70.2	S. Yank
	0600	71.3	Yaro
	0900	70.3	Yaro
	1200	73.0	SPAWNED
	1500	73.0	JONES
	1800	73.0	JONES
	2100	73.0	JONES
	2400	72	WARD

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	72	WARD
	0600	72	WARD
	0900	72.2	JONES
	1200	73.8	Yaro
	1500	74.2	JONES
	1800	74.0	JONES
	2100	73.8	JONES
	2400	73.6	Tucker

**Friday**

Date	Time	Temp.	Name (Print)
6/21/20	0300	73.5	Tucker
	0600	73.3	Tucker
	0900	76.5	Myles
	1200	76.9	Myles
	1500	76.9	Smart
	1800	74.3	JONES
	2100	72	JONES
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/22/20	0300	72.1	CAS
	0600	72.1	CAS
	0900	76	Myles
	1200	77.5	Myles
	1500	77.1	Smart
	1800	77.0	Ten
	2100	77.1	Ten
	2400	77.1	CAS

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	72.1	CAS
	0600	72.8	Gmon
	0900	73.5	Gmon
	1200	73.6	Gmon
	1500	74.3	Hedges
	1800	74.9	Hedges
	2100	74.8	Myles
	2400	74.2	CAS

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B1 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6-24-24	0300	76.3	Myles
	0600	77.7	Myles
	0900	77.4	Myles
	1200	76.3	N. Sh. P. man
	1500	76.5	N. Sh. P. man
	1800	77.2	N. Sh. P. man
	2100	76.8	Stamp
	2400	76.8	Stamp

**Tuesday**

Date	Time	Temp.	Name (Print)
6-25-24	0300	75.4	Stamp
	0600	75.1	Stamp
	0900	76.1	P. Brown
	1200	76.7	P. Brown
	1500	78	Palomar
	1800	81	Palomar
	2100	79.8	Stamp
	2400	76.1	Stamp

**Wednesday**

Date	Time	Temp.	Name (Print)
6-26-24	0300	75.0	Stamp
	0600	75.1	Stamp
	0900	76.1	P. Brown
	1200	76.5	Baldwin
	1500	76.9	JONES
	1800	77.2	JONES
	2100	76.9	JONES
	2400	76.1	Stamp

**Thursday**

Date	Time	Temp.	Name (Print)
6-27-24	0300	75.2	Stamp
	0600	75.1	Stamp
	0900	74.1	Stamp
	1200		
	1500	72.7	Stamp
	1800	72.0	Stamp
	2100	75.1	Stamp
	2400	75.0	Stamp

**Friday**

Date	Time	Temp.	Name (Print)
6-28-24	0300	75.2	Stamp
	0600	75.2	Stamp
	0900	75.1	K. King
	1200	75.8	K. King
	1500	77.0	JONES
	1800	77.6	JONES
	2100	77.7	JONES
	2400	76.9	JONES

**Saturday**

Date	Time	Temp.	Name (Print)
6-29-24	0300	75.9	J. AIRVIN
	0600	75.1	J. AIRVIN
	0900	76.0	B. King
	1200	78.1	B. King
	1500	77.0	JONES
	1800	77.8	JONES
	2100	77.9	J. JONES
	2400	75.2	J. AIRVIN

**Sunday**

Date	Time	Temp.	Name (Print)
6-30-24	0300	75.2	Sadighi's
	0600	75.5	Gimor
	0900	76.1	Gimor
	1200	76.6	Gimor
	1500	76.2	Gimor
	1800	77.0	Gimor
	2100	77.0	Gimor
	2400	76.0	Gimor

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B2 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday					
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)		
05/27	0300	69.1	Thompson	05/28	0300	70.9	Thompson	05/29	0300	69.0	Kurean	05/30	0300	70.9	Kurean	05/31	0300	70.7	J. Thompson	06/01	0300	70.1	Thompson	06/02	0300	70.1	Thompson		
	0600	69.2	PALOMERA		0600	70.6	PALOMERA		0600	70.9	Kurean		0600	70.2	Kurean		0600	70.1	Kurean		0600	70.2	Kurean		0600	70.1	Thompson		
	0900	69.8	PALOMERA		0900	70.7	PALOMERA		0900	71.0	Kurean		0900	70.3	Kurean		0900	70.2	Kurean		0900	70.3	Kurean		0900	70.2	Kurean		
	1200	70.5	PALOMERA		1200	72.3	Kurean		1200	71.0	Kurean		1200	71.0	Kurean		1200	70.4	Kurean		1200	70.4	Kurean		1200	70.4	Kurean		
	1500	71.4	E. RANGER		1500	72.1	E. RANGER		1500	73.1	Myles		1500	73	Myles		1500	70.4	Drazen		1500	70.4	Drazen		1500	70.4	Drazen		
	1800	71.7	E. RANGER		1800	72.1	E. RANGER		1800	73.5	Myles		1800	73	Myles		1800	71	Drazen		1800	73	Myles		1800	71	Drazen		
	2100	71.6	E. RANGER		2100	72.1	Drazen		2100	73.3	Myles		2100	73	Drazen		2100	71	Drazen		2100	70.5	J. Thompson		2100	71	Drazen		
	2400	70.5	Drazen		2400	73.1	J. Thompson		2400	70.9	E. RANGER		2400	70.4	J. Thompson		2400	70.4	J. Thompson		2400	70.4	J. Thompson		2400	70.4	J. Thompson		
Wednesday				Thursday				Friday				Saturday				Sunday				Notes									
05/29	0300	69.0	Thompson	05/30	0300	70.9	E. RANGER	05/31	0300	70.7	J. Thompson	06/01	0300	70.1	Kurean	06/02	0300	70.1	Thompson										
	0600	70.0	Kurean		0600	70.9	E. RANGER		0600	71.0	Kurean		0600	70.2	Kurean		0600	70.1	Kurean										
	0900	70.0	Kurean		0900	71.0	Kurean		0900	71.0	Kurean		0900	70.3	Kurean		0900	70.2	Kurean										
	1200	71.0	Kurean		1200	71.0	Kurean		1200	71.0	Kurean		1200	70.4	Kurean		1200	70.4	Kurean										
	1500	73.1	Myles		1500	73	Myles		1500	73	Myles		1500	70.4	Myles		1500	70.4	Myles										
	1800	73.5	Myles		1800	73	Myles		1800	73.5	Myles		1800	70.4	Myles		1800	70.4	Myles										
	2100	73.3	Myles		2100	73	Myles		2100	73.3	Myles		2100	71	Drazen		2100	70.5	J. Thompson										
	2400	70.9	E. RANGER		2400	70.4	J. Thompson		2400	70.9	E. RANGER		2400	70.4	J. Thompson		2400	70.4	J. Thompson										
Friday				Saturday				Sunday				Notes																	
05/31	0300	70.7	J. Thompson	06/01	0300	70.1	Thompson	06/02	0300	70.1	Thompson																		
	0600	70.7	Kurean		0600	70.2	Kurean																						
	0900	71.0	Kurean		0900	70.3	Kurean																						
	1200	71.0	Kurean		1200	70.4	Kurean																						
	1500	70.1	Drazen		1500	70.4	Drazen																						
	1800	71.0	Drazen		1800	70.4	Drazen																						
	2100	71.0	J. Thompson		2100	70.5	Drazen																						
	2400	71.0	J. Thompson		2400	70.4	J. Thompson																						

**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B2 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/13	0300	71	Xiong
	0600	72	Palomera
	0900	72	Palomera
	1200	72	Palomera
	1500	72	Robles
	1800	72	Robles
	2100	72	Robles
	2400	72	Xiong

**Tuesday**

Date	Time	Temp.	Name (Print)
6/14	0300	72	Xiong
	0600	72	Palomera
	0900	72	Palomera
	1200	72	Palomera
	1500	75.4	E.RANGEL
	1800	76.1	E.RANGEL
	2100	76	E.RANGEL
	2400	74	Xiong

**Wednesday**

Date	Time	Temp.	Name (Print)
6/15	0300	74	Xiong
	0600	74	Kunyan
	0900	75	Kunyan
	1200	75	Kunyan
	1500	76.6	E.RANGEL
	1800	76.7	E.RANGEL
	2100	76.1	E.RANGEL
	2400	75.11	Gomez

**Thursday**

Date	Time	Temp.	Name (Print)
6/16	0300	75	Gomez
	0600	74.9	Gomez
	0900	75	Kunyan
	1200	76	Kunyan
	1500	76	THOMPSON
	1800	78.4	THOMPSON
	2100	78.6	THOMPSON
	2400	78.4	Martinez

**Friday**

Date	Time	Temp.	Name (Print)
6/17	0300	74	Kunyan
	0600	75	Kunyan
	0900	75	Kunyan
	1200	76	Kunyan
	1500	75.3	NLR
	1800	74.3	ANITA
	2100	73.1	ATHA
	2400	71.2	ESQUINA

**Saturday**

Date	Time	Temp.	Name (Print)
6/18	0300	72	ESQUINA
	0600	73	Kunyan
	0900	74	Kunyan
	1200	74	Kunyan
	1500	75	SCHUMANN
	1800	74	SCHUMANN
	2100	73	SCHUMANN
	2400	73.1	Thompson

**Sunday**

Date	Time	Temp.	Name (Print)
6/19	0300	79.0	thompson
	0600	74.1	Kunyan
	0900	74.1	Kunyan
	1200	74.1	Kunyan
	1500	74	SCHUMANN
	1800	74	SCHUMANN
	2100	73	SCHUMANN
	2400	73.9	MAL

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ESPAC Housing Unit: B2 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5389 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/10	0300	74	MAT
	0600	71	Palomera
	0900	73	Palomera
	1200	75	Palomera
	1500	75	E. RANGER
	1800	75.8	E. RANGER
	2100	75.3	E. RANGER
	2400	75.4	MAT

Tuesday			
Date	Time	Temp.	Name (Print)
6/11	0300	75.9	MAT
	0600	75.2	MAT
	0900	73	Palomera
	1200	78	Palomera
	1500	78.1	E. RANGER
	1800	78.4	E. RANGER
	2100	77.8	E. RANGER
	2400	77.5	N. AMER

Wednesday			
Date	Time	Temp.	Name (Print)
6/12	0300	77.1	N. AMER
	0600	77.0	Kunyan
	0900	77.0	Kunyan
	1200	77.0	Kunyan
	1500	78.5	E. RANGER
	1800	77.9	E. RANGER
	2100	77.3	E. RANGER
	2400	77.1	MAT

Thursday			
Date	Time	Temp.	Name (Print)
6/13	0300	76.5	E. RANGER
	0600	76.4	E. RANGER
	0900	76.8	Kunyan
	1200	77	Kunyan
	1500	78.2	Lopez
	1800	77.8	Lopez
	2100	77.5	Lopez
	2400	77.4	o

Friday			
Date	Time	Temp.	Name (Print)
6/14	0300	77.4	mat
	0600	77.7	mat
	0900	77	Kunyan
	1200	78	Kunyan
	1500	77.9	Lopez
	1800	75.3	Lopez
	2100	73.4	Lopez
	2400	73	Palomera

Saturday			
Date	Time	Temp.	Name (Print)
6/15	0300	70	Palomera
	0600	76	Palomera
	0900	73	Smith, Jr.
	1200	75	Smith, Jr.
	1500	75.6	E. RANGER
	1800	75.5	E. RANGER
	2100	75.3	E. RANGER
	2400	76	Myers

Sunday			
Date	Time	Temp.	Name (Print)
6/16	0300	76.5	Myers
	0600	74.10	Myers
	0900	75.41	E. RANGER
	1200	78	E. RANGER
	1500	75.3	STAYDOHAR
	1800	75.3	STAYDOHAR
	2100	75.1	STAYDOHAR
	2400	73.1	S. DAVIS

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B-2 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/17

Date	Time	Temp.	Name (Print)
6/17	0300	74.0	S. DAVIS
	0600	74.0	S. DAVIS
	0900	75	Palomar
	1200	74	Palomar
	1500	73.6	E. RANGER
	1800	73.4	E. RANGER
	2100	73	E. RANGER
	2400	73.2	N. AMARAL

Tuesday 6/18

Date	Time	Temp.	Name (Print)
6/18	0300	73.1	M. LAMER
	0600	71	Palomar
	0900	74	Palomar
	1200	74	Palomar
	1500	75.4	E. RANGER
	1800	74.8	E. RANGER
	2100	73.8	E. RANGER
	2400	72.8	CANADA

Wednesday 6/19

Date	Time	Temp.	Name (Print)
6/19	0300	72.8	N. AMER
	0600	73	KURGAN
	0900	73.5	KURGAN
	1200	75	KURGAN
	1500	74.3	E. RANGER
	1800	73.9	E. RANGER
	2100	73.1	E. RANGER
	2400	73.3	GOMEZ

Thursday 6/20

Date	Time	Temp.	Name (Print)
6/20	0300	73.4	GOMEZ
	0600	72.9	GOMEZ
	0900	73.1	KURGAN
	1200	74.0	KURGAN
	1500	73.0	VALLES
	1800	73	VALLES
	2100	73	RANGER
	2400	72.9	GOMEZ

Friday 6/21

Date	Time	Temp.	Name (Print)
6/21	0300	73	GOMEZ
	0600	74	KURGAN
	0900	74	KURGAN
	1200	74	KURGAN
	1500	75	JON
	1800	75	JON
	2100	74	JON
	2400	73	NIXON

Saturday 6/22

Date	Time	Temp.	Name (Print)
6/22	0300	73	N. VILLEMEYER
	0600	73.1	N. VILLEMEYER
	0900	74.5	BACCI
	1200	76.8	BACCI
	1500	80.5	F. RANGER
	1800	79.8	E. RANGER
	2100	79.2	E. RANGER
	2400	78.0	Castro, M

Sunday 6/23

Date	Time	Temp.	Name (Print)
6/23	0300	77.4	Castro, M
	0600	77.6	Castro, M
	0900	78.0	KURGAN
	1200	78.1	KURGAN
	1500	79.0	STAYDOHAR
	1800	79.5	STAYDOHAR
	2100	79.1	STAYDOHAR
	2400	79.2	PRIMER

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B7 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

"Thermometer Broken"

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	75	Dunn
	0600	74.5	Dunn
	0900	76.7	Ontiveros
	1200	79.2	Ontiveros
	1500	81.4	E. RANGER
	1800	81.1	E. RANGER
	2100	79.3	E. RANGER
	2400	78.6	N. CAMPA

Tuesday

Date	Time	Temp.	Name (Print)
	0300	77.4	N. CAMPA
	0600	77	Palomar
	0900	80	Palomar
	1200	82	Palomar
	1500	—	N. CAMPA
	1800	—	C. CAMPA
	2100	—	O. campan
	2400	—	N. CAMPA

Wednesday

Date	Time	Temp.	Name (Print)
6/24	0300	—	N. CAMPA
	0600	73	Kuram
	0900	74	Kuram
	1200	74	Kuram
	1500	79	Serrano
	1800	80	Serrano
	2100	86	Serrano
	2400	75.5	Emmick

Thursday

Date	Time	Temp.	Name (Print)
6/24	0300	76.1	TRML
	0600	76.1	TRML
	0900	76.0	Kuram
	1200	76.0	Kuram
	1500	77.0	Jole
	1800	77.0	Jole
	2100	78.0	Jole
	2400	77.2	L. Sauer

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	77	Esquerre
	0600	78	Kuram
	0900	78	Kuram
	1200	78	Kuram
	1500	79.0	A. DIAZ
	1800	78.6	A. DIAZ
	2100	78.0	A. DIAZ
	2400	71	N. RHM

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	77	Esquerre
	0600	77	Kuram
	0900	78	Kuram
	1200	78	Kuram
	1500	78	C. ARA
	1800	77	MTR
	2100	77	MTR
	2400	77	Drazen

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	77	Drazen
	0600	77.5	Kuram
	0900	77.6	Kuram
	1200	78.0	Kuram
	1500	78.9	STAY DOHAR
	1800	80.0	STAY DOHAR
	2100	80.0	STAY DOHAR
	2400	79	DRAZEN

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B3 Temp. Reading Location: A SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
5/31	0300		
	0600		
	0900		
	1200		
	1500		
	1800	77.9	Rojas
	2100	77.1	Rains
	2400	77.0	Machado

**Sunday**

Date	Time	Temp.	Name (Print)
6/2	0300	76.3	Machado
	0600	75.9	Nuth
	0900	78.1	Nuth
	1200	74.1	Nuth
	1500	78.6	Phillips
	1800	78.3	Phillips
	2100	77.6	Phillips
	2400	77.4	Hev

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/1	0300	76.4	Machado
	0600	76.0	T. MOORE
	0900	76.2	T. MOORE
	1200	77.3	T. MOORE
	1500	77.3	AVILA
	1800	77.8	AVILA
	2100	77.3	Machado
	2400	76.7	Machado

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B3

Temp. Reading Location: A SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	77.1	Her
	0600	76.2	T. MOORE
	0900	76.3	T. MOORE
	1200	76.7	T. MOORE
	1500	77.1	Phillips
	1800	77.4	Phillips
	2100	77.7	Phillips
	2400	77.1	Her

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	76.7	Her
	0600	76.8	Stone
	0900	76.9	Stone
	1200	77.7	Stone
	1500	77.9	Phillips
	1800	78.2	Phillips
	2100	78.5	Phillips
	2400	78.2	Her

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	77.9	Her
	0600	77.9	KIRSHENMAN
	0900	78.2	KIRSHENMAN
	1200	78.4	KIRSHENMAN
	1500	78.6	Phillips
	1800	78.8	Phillips
	2100	78.9	Phillips
	2400	78.9	Her

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	77.8	Her
	0600	79.0	T. MOORE
	0900	79.3	T. MOORE
	1200	79.6	T. MOORE
	1500	80.6	Phillips
	1800	80.8	Phillips
	2100	80.5	Phillips
	2400	80.5	Her

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	79.2	Her
	0600	79.7	T. MOORE
	0900	79.7	T. MOORE
	1200	80.0	T. MOORE
	1500	80.3	K. KIASKI
	1800	80.6	K. KIASKI
	2100	80.4	K. KIASKI
	2400	70.	C. Garcia

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	70.	C. Garcia
	0600	79.9	T. MOORE
	0900	79.3	T. MOORE
	1200	79.5	T. MOORE
	1500	71.2	J. THOMPSON
	1800	71.2	J. THOMPSON
	2100	71	J. THOMPSON
	2400	71.	C. Garcia

**Sunday**

Date	Time	Temp.	Name (Print)
6/9	0300	73.	C. Garcia
	0600	74.	J. WATKINS
	0900	73.1	J. NAVARRO
	1200	73.5	J. NAVARRO
	1500	73.8	Phillips
	1800	74.2	Phillips
	2100	74.1	Phillips
	2400	74.3	Her

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B3 Temp. Reading Location: A SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	78.8	Her
	0600	78.5	T. MOORE
	0900	78.7	T. MOORE
	1200	78.8	T. MOORE
	1500	78.9	Phillips
	1800	79.3	Phillips
	2100	79.2	Phillips
	2400	79.3	Her

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	79.2	Her
	0600	79.3	Her
	0900	79.4	Henry
	1200	79.5	Henry
	1500	79.6	Phillips
	1800	79.8	Phillips
	2100	81.2	Phillips
	2400	80.9	Her

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	80.4	Her
	0600	80.2	KIRSCHENMANN
	0900	80.6	KIRSCHENMANN
	1200	81.3	KIRSCHENMANN
	1500	81.9	Phillips
	1800	81.7	Phillips
	2100	81.6	Phillips
	2400	81.3	S. YANK

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	81.3	S. YANK
	0600	79.6	I. CIOFALO
	0900	79.7	I. CIOFALO
	1200	80.1	I. CIOFALO
	1500	80.4	Phillips
	1800	80.6	Phillips
	2100	80.2	Phillips
	2400	80.0	Phillips

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	79.2	Her
	0600	78.7	J. MOORE
	0900	79.9	T. MOORE
	1200	79.5	T. MOORE
	1500	72	M. Robles
	1800	71.5	M. Robles
	2100	71.0	M. Robles
	2400	70	C. Garcia

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	75	C. Garcia
	0600	78	C. Garcia
	0900	78.3	T. Moore
	1200	79.1	J. Moore
	1500	72	A. Osuna
	1800	70	A. Osuna
	2100	70	A. Osuna
	2400	77	C. Garcia

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	78.2	C. Garcia
	0600	77.4	J. MNR
	0900	77.2	J. MNR
	1200	78.1	J. MNR
	1500	78.6	Phillips
	1800	79.2	Phillips
	2100	79.5	Phillips
	2400	78.8	Her

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: B3 Housing Unit: B3 Temp. Reading Location: A SECTION  
SAC (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	78.0	Her
	0600	77.8	T. MOORE
	0900	77.9	T. MOORE
	1200	78.7	T. MOORE
	1500	78.8	D. DUNZALAN
	1800	78.7	D. DUNZALAN
	2100	78.5	D. DUNZALAN
	2400	77.9	Her

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	77.6	Her
	0600	77.4	AVANTAZA
	0900	77.7	AVANTAZA
	1200	77.9	AVANTAZA
	1500	77.8	MARTINEZ
	1800	76.5	MARTINEZ
	2100	75.0	MARTINEZ
	2400	77.8	Her

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	77.3	Her
	0600	76.8	KIRSCHENMANN
	0900	76.8	KIRSCHENMANN
	1200	77.9	KIRSCHENMANN
	1500	77.9	MARTINEZ
	1800	78.7	MARTINEZ
	2100	78.4	MARTINEZ
	2400	72.4	WILRIGHT

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	76.5	WILRIGHT
	0600	76.9	T. MOORE
	0900	75.9	T. MOORE
	1200	72.6	T. MOORE
	1500	77.6	MARTINEZ
	1800	78.7	MARTINEZ
	2100	77.7	MARTINEZ
	2400	77.7	WILRIGHT

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	78.1	Her
	0600	77.1	T. MOORE
	0900	76.8	T. MOORE
	1200	78.2	T. MOORE
	1500	77.8	A. Duarte
	1800	77.8	A. Duarte
	2100	78.6	A. Duarte
	2400	78.5	Her

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	78.8	Her
	0600	77.9	T. MOORE
	0900	78.4	T. MOORE
	1200	78.4	T. MOORE
	1500	79.4	N. Shiplman
	1800	79.6	N. Shiplman
	2100	80.2	N. Shiplman
	2400	77.6	Sadighi S

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	77.4	Sadighi S
	0600	78.0	Her
	0900	78.5	Her
	1200	79.5	Her
	1500	80.5	MARTINEZ
	1800	80.5	MARTINEZ
	2100	80.5	MARTINEZ
	2400	80.9	Her

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSR-SAC Housing Unit: B4 Temp. Reading Location: DA X Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	73.7	HILARA
	0600	73.7	HILARA
	0900	74.8	SCHUMANN
	1200	75.3	SCHUMANN
	1500	75.7	SCHUMANN
	1800	76.4	SCHUMANN
	2100	76.6	SCHUMANN
	2400	75.1	HILARA

Sunday

Date	Time	Temp.	Name (Print)
	0300	74.4	HILARA
	0600	73.5	HILARA
	0900	74.1	SCHUMANN
	1200	74.8	SCHUMANN
	1500	75.9	SCHUMANN
	1800	76.2	SCHUMANN
	2100	75.8	SCHUMANN
	2400	75.3	BELL

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B4 Temp. Reading Location: DAY ROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/3	0300	74.8	Bell	6/4	0300	74.4	Bell
	0600	74.4	SCHAUMANN		0600	74.6	E RANGER
	0900	73.9	SCHAUMANN		0900	75.4	E RANGER
	1200	75.2	SCHAUMANN		1200	76.9	E RANGER
	1500	75.2	GUERRERO		1500	77.0	THOMPSON
	1800	76.1	GUERRERO		1800	76.8	THOMPSON
	2100	75.7	GUERRERO		2100	76.8	THOMPSON
	2400	74.6	Bell		2400	75.0	HARRIS
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/5	0300	75.1	HARRIS	6/6	0300	78.0	HUNT
	0600	75.8	HARRIS		0600	77.9	A. MACIAS
	0900	76.8	E. RANGER		0900	78.2	A. MACIAS
	1200	77.5	E. RANGER		1200	79.5	A. MACIAS
	1500	78.0	THOMPSON		1500	80.2	Perrey
	1800	78.4	THOMPSON		1800	80.8	Perrey
	2100	78.0	THOMPSON		2100	80.6	Perrey
	2400	78.2	HUNT		2400	79.9	Bell
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/7	0300	78.2	Bell	6/8	0300	75.2	Bell
	0600	76.2	Hernandez		0600	76.6	SCHAUMANN
	0900	78.1	Hernandez		0900	77.0	SCHAUMANN
	1200	79.5	Hernandez		1200	77.8	SCHAUMANN
	1500	80.4	Perry		1500	78.4	W. Herrera
	1800	80.1	Perry		1800	78.9	W. Herrera
	2100	79.6	Perry		2100	78.4	W. Herrera
	2400	76.3			2400	77.8	J. JOHNSON
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
6/9	0300	77.7	J. JOHNSON				
	0600	77.1	SCHAUMANN				
	0900	77.0	SCHAUMANN				
	1200	77.2	SCHAUMANN				
	1500	78.2	A. Serrano				
	1800	78.2	A. Serrano				
	2100	79.0	A. Serrano				
	2400	77.1	Bell				

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: 84 Temp. Reading Location: DAYROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/10	0300	76.5	BELL	6/11	0300	77.1	Bell
	0600	76.5	Bell		0600	77	Fernandez
	0900	76.9	Vary		0900	78	Fernandez
	1200	77.4	Vary		1200	78	Fernandez
	1500	78.0	Vary		1500	80.1	THOMPSON
	1800	78.8	Vary		1800	80.9	THOMPSON
	2100	78.9	Vary		2100	80.1	THOMPSON
	2400	78.1	BELL		2400	80.1	HUNT
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/12	0300	79.4	HUNT	6/13	0300	78.8	HUNT
	0600	79	Gimarr		0600	78.8	NGUYEN
	0900	80	Gimarr		0900	79.2	NGUYEN
	1200	80	Gimarr		1200	78.9	NGUYEN
	1500	80.7	NGUYEN		1500	79.8	Perry
	1800	80.3	NGUYEN		1800	79.5	Perry
	2100	80.9	NGUYEN		2100	79.1	Perry
	2400	79.7	HUNT		2400	78.8	HUNT
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/14	0300	78.2	HUNT	6/15	0300	77.0	HUNT
	0600	78.2	Hernandez		0600	77.3	SCHUMAN
	0900	76.4	Hernandez		0900	77.5	SCHUMAN
	1200	77.7	Hernandez		1200	77.0	SCHUMAN
	1500	77.8	M. CAMPOS		1500	76.9	SCHUMAN
	1800	77.5	M. CAMPOS		1800	76.9	SCHUMAN
	2100	77.5	M. CAMPOS		2100	76.0	SCHUMAN
	2400	77.0	HUNT		2400	76.8	HERRERA
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
6/16	0300	76.3	HICKERT				
	0600	75.9	HICKERT				
	0900	76.4	Bennett				
	1200	77.3	Bennett				
	1500	77.5	YANG				
	1800	77.5	YANG				
	2100	77.5	YANG				
	2400	77.4	YANG				

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

**DEPARTMENT OF CORRECTIONS AND REHABILITATION**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B4 Temp. Reading Location: DAYROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	76.2	Schumann
	0600	75.0	SCHUMANN
	0900	75.5	SCHUMANN
	1200	76.2	SCHUMANN
6/17	1500	76.3	Campos
	1800	77.0	Campôs
	2100	76.0	Campos
	2400	75.9	Schumann

Wednesday 6/19/24

Date	Time	Temp.	Name (Print)
6/19	0300	74.0	Shinnelle
	0600	74.6	Mayfield
	0900	73.9	Mayfield
	1200	73.1	Mayfield
	1500	77.4	Campes
	1800	77.0	Campes
	2100	76.4	Campes
	2400	76.1	Campes

Friday

Date	Time	Temp.	Name (Print)
	0300		Sherie
	0600	74.9	Hernandez
	0900	74.9	Hernandez
	1200	74.8	Hernandez
	1500	76.2	Perry
	1800	76.8	Perry
	2100	77.3	Perry
	2400	77.1	parch

Sunday

Date	Time	Temp.	Name (Print)
	0300	78.1	CASIO
	0600	78.0	Camp
	0900	78.1	Camp
	1200	78.8	Camp
	1500	80.1	Camp
	1800	82.0	Camp
	2100	82.1	Camp
	2400	83.4	BCH

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	74.9	S. L. G.
	0600	76.2	S. L. G.
	0900	79.1	S. L. G.
	1200	77.3	Clark
6/18	1500	77.8	Campes
	1800	77.5	Campes
	2100	77.1	Campes
	2400	77.0	Campes

Thursday

Date	Time	Temp.	Name (Print)
	0300	74.1	Lam/VN
	0600	73.7	NGUYEN
	0900	73.2	NGUYEN
	1200	75.0	NGUYEN
	1500	75.7	Perry
	1800	76.1	Perry
	2100	76.4	Perry
	2400	75.9	Sue

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	76.0	Power
	0600	75.3	KUBJ
	0900	75.9	KUBJ
	1200	77.8	KUBJ
	1500	79.5	J. CUBIT
	1800	78.4	J. CUBIT
	2100	79.1	J. CUBIT
	2400	79.1	CUBI

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP SAE Housing Unit: B-4 Temp. Reading Location: "A" sec dayrom window  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	78.4	Bell
	0600	78.0	Rangel
	0900	79.4	R. Rangel
	1200	80.9	Rangel
	1500	83.1	Campos
	1800	80.7	Camp P
	2100	80.4	Campus
	2400	80.2	Bell

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	79.7	Bell
	0600	74.6	Karen J
	0900	76.6	Camps
	1200	79.9	Camps
	1500	80.7	Camps
	1800	82.7	Camps
	2100	81.9	Camps
	2400	80.7	HUNT

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	78.8	HUNT
	0600	78.7	Campos
	0900	78.9	Campos
	1200	80.1	Campos
	1500	81.9	Campos
	1800	82.2	Campos
	2100	80.9	Campos
	2400	81.7	HUNT

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	76.10	HUNT
	0600	75.9	NGUYEN
	0900	76.4	NGUYEN
	1200	78.4	NGUYEN
	1500	80.2	Perry
	1800	80.7	Perry
	2100	80.3	Perry
	2400	77.8	HUNT

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	76.6	HUNT
	0600	75.5	Hernandez
	0900	78.2	Hernandez
	1200	79.7	Hernandez
	1500	81.0	Perry
	1800	81.1	Perry
	2100	81.1	Perry
	2400	80.0	Powell

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	77.7	Powell
	0600	77.0	SCHUMANN
	0900	77.5	SCHUMANN
	1200	79.8	SCHUMANN
	1500	80.7	SCHUMANN
	1800	81.6	SCHUMANN
	2100	80.7	SCHUMANN
	2400	78.1	Powell

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	77.3	Powell
	0600	78.6	SCHUMANN
	0900	79.0	SCHUMANN
	1200	79.7	SCHUMANN
	1500	81.1	SCHUMANN
	1800	81.7	SCHUMANN
	2100	80.9	SCHUMANN
	2400	79.4	Bell

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC      Housing Unit: B 5      Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
X	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
X	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
X	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
X	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
X	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/1	0300	71	Ramirez-Padilla
	0600	72	Couza
	0900	72	Souza
	1200	71	Souza
	1500	70	A. RAMOS
	1800	69.8	A. RAMOS
	2100	70.1	A. RAMOS
	2400	70	Pamela Pangan

**Sunday**

Date	Time	Temp.	Name (Print)
6/2	0300	70.6	Ramirez-Padilla
	0600	70.7	J. Souza
	0900	71	J. Souza
	1200	71	J. Souza
	1500	72	Cisneros
	1800	72	Cisneros
	2100	71	Cisneros
	2400	70.6	r. (DA FRAZ)

**Notes**

JUNE 2024

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC      Housing Unit: B 5      Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	70.4	J. Garcia
	0600	69.1	D. Myle
	0900	69.5	D. Minh
	1200	71	D. Minh
	1500	71.6	J. Garcia
	1800	72.0	J. Garcia
	2100	71.8	J. Garcia
	2400	72	Ramirez Party

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	70	Ramirez Party
	0600	71.5	Yane
	0900	71.5	Yane
	1200	72.2	Yane
	1500	72.4	A. Cisneros
	1800	72.2	A. Cisneros
	2100	72.0	A. Cisneros
	2400	72.1	S. M.

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	72.4	S. M.
	0600	72.2	A. Cisneros
	0900	72.7	A. Cisneros
	1200	72.5	A. Cisneros
	1500	70	A. DOROFFEYEU
	1800	70	A. DOROFFEYEU
	2100	70.7	A. DOROFFEYEU
	2400	70.7	A. DOROFFEYEU

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	72.2	H. LARA
	0600	73.4	H. LARA
	0900	73.4	G. Serrata
	1200	73.2	T. Souza
	1500	74.0	A. Veach
	1800	74.0	A. Veach
	2100	74.2	A. Veach
	2400	73.9	Ramirez Party

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	73	Ramirez Party
	0600	73.1	T. Souza
	0900	74.3	T. Souza
	1200	74.3	T. Souza
	1500	74.3	A. Veach
	1800	74.3	A. Veach
	2100	74.3	A. Veach
	2400	73.2	Ramirez Party

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	71	Ramirez Party
	0600	73.6	T. Souza
	0900	73.7	G. Serrata
	1200	74.3	T. Souza
	1500	74.3	T. Souza
	1800	74.3	T. Souza
	2100	74.1	T. Souza
	2400	74	Edmundo G.

**Sunday**

Date	Time	Temp.	Name (Print)
6/9	0300	74	Romero
	0600	74.3	Santana
	0900	74.7	Santazar
	1200	75.4	Santazar
	1500	74.2	A. Cisneros
	1800	74.2	A. Cisneros
	2100	74.2	A. Cisneros
	2400	74	E. Rentero

**Notes**

JUNE 2024 6-6-24 Stage 1 deactivated 2030  
6-7-24 Stage 1 deactivated 1810

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC      Housing Unit: B 5      Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10	0300	74	Romero
	0600	74	Romero
	0900	74	Otero
	1200	74.9	Otero
	1500	74.3	A. Cisneros
	1800	74.3	A. Cisneros
	2100	74.3	A. Cisneros
	2400	74.3	Ramirez-Pantiga

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11	0300	74	Ramirez-Pantiga
	0600	74.4	YORK
	0900	74.4	YORK
	1200	74.3	YORK
	1500	74.3	A. Cisneros
	1800	74.3	A. Cisneros
	2100		A. Cisneros
	2400	74.3	Ramirez-Pantiga

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300	74	Ramirez-Pantiga
	0600	74.2	A. Cisneros
	0900	75.3	A. Cisneros
	1200	75.3	A. Cisneros
	1500	75.3	A. AMARO
	1800	75.3	A. AMARO
	2100	74.4	A. AMARO
	2400	74.2	Ramirez-Pantiga

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300	74	Ramirez-Pantiga
	0600	74.1	J. SANCHEZ
	0900	74.3	J. SANCHEZ
	1200	75.2	J. SANCHEZ
	1500	75	M. ROBLES
	1800	74	M. ROBLES
	2100	70	M. ROBLES
	2400	72	Ramirez-Pantiga

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	72.0	Ramirez-Pantiga
	0600	74.3	J. SANCHEZ
	0900	73.4	J. SANCHEZ
	1200	74.1	J. SANCHEZ
	1500	74.1	CISNEROS
	1800	73	CISNEROS
	2100	73	CISNEROS
	2400	74	Ramirez-Pantiga

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300	74.0	Ramirez-Pantiga
	0600	73.5	J. SANCHEZ
	0900	73.8	J. SANCHEZ
	1200	74.2	J. SANCHEZ
	1500	74.6	J. SANCHEZ
	1800	74.0	J. SANCHEZ
	2100	74.0	J. SANCHEZ
	2400	73.6	CAMEROON

**Sunday**

Date	Time	Temp.	Name (Print)
6/16	0300	73.1	CAMEROON
	0600	73.1	J. SANCHEZ
	0900	73.2	J. SANCHEZ
	1200	73.2	J. SANCHEZ
	1500	72.9	A. Cisneros
	1800	72.9	A. Cisneros
	2100	73	A. Cisneros
	2400	73.2	N. CAMEROON

**Notes**

JUNE 2024

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B 5 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday					
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)		
6/17	0300	73	Ramirez	6/18	0300	72	Ramirez	6/19	0300	72	Ramirez	6/20	0300	72	Ramirez	6/21	0300	72	Ramirez	6/22	0300	72	Ramirez		
	0600	73.4	Gonzales		0600	71.9	York		0600	71.5	YORK		0600	72	J. Souza		0600	71	T. Souza		0600	72.4	J. Souza		
	0900	72.7	Souza		0900	71.5	YORK		0900	72.2	A. Cisneros		0900	72	T. Souza		0900	72.4	A. Cisneros		0900	72.4	A. Cisneros		
	1200	73.4	Gonzales		1200	72.2	YORK		1200	72.2	A. Cisneros		1200	72.2	T. Souza		1200	72.2	A. Cisneros		1200	72.2	A. Cisneros		
	1500	72.1	A. Cisneros		1500	72.4	A. Cisneros		1500	72.4	A. Cisneros		1500	72.4	M. Robles		1500	72.4	A. Cisneros		1500	72.4	M. Robles		
	1800	72.1	A. Cisneros		1800	72.4	A. Cisneros		1800	72.4	A. Cisneros		1800	72.4	A. Veach		1800	72.4	A. Veach		1800	72.4	A. Veach		
	2100	72.7	A. Cisneros		2100	72.2	A. Cisneros		2100	72.2	A. Cisneros		2100	72.2	A. Veach		2100	72.2	A. Veach		2100	72.2	A. Veach		
	2400	72	Ramirez		2400	72	Ramirez		2400	72	Ramirez		2400	72.2	N. (Amber)		2400	73.1	N. (Amber)		2400	73.1	N. (Amber)		
Wednesday				Thursday				Friday				Saturday				Sunday				Notes					
6/19	0300	72	Ramirez	6/20	0300	72	Ramirez	6/21	0300	72	J. Souza	6/22	0300	72	Ramirez	6/23	0300	72.4	J. Souza		JUNE 2024				
	0600	71.5	Diaz		0600	72	J. Souza		0600	72	J. Souza		0600	72.4	J. Souza			0600	72.4	J. Souza					
	0900	71.8	Diaz		0900	72	J. Souza		0900	72	J. Souza		0900	73.5	J. Souza			0900	73.5	J. Souza					
	1200	72.0	Diaz		1200	73	T. Souza		1200	73	T. Souza		1200	74.4	T. Souza			1200	74.4	T. Souza					
	1500	72.0	A. Cisneros		1500	72.0	A. Cisneros		1500	74.5	T. Souza		1500	74.5	T. Souza			1500	74.5	T. Souza					
	1800	72.0	A. Cisneros		1800	72.0	A. Cisneros		1800	74.1	T. Souza		1800	74.1	T. Souza			1800	74.1	T. Souza					
	2100	72.0	A. Cisneros		2100	72.2	A. Cisneros		2100	73.3	T. Souza		2100	73.3	T. Souza			2100	73.3	T. Souza					
	2400	72	Ramirez		2400	72	Ramirez		2400	73.1	N. (Amber)		2400	73.1	N. (Amber)			2400	73.1	N. (Amber)					

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC      Housing Unit: B 5      Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300		
	0600	74.0	T. Lopez
	0900	74.2	T. Lopez
	1200	74.2	T. Lopez
	1500	74.2	A. Cisneros
	1800	74.2	A. Cisneros
	2100	74.0	A. Cisneros
	2400	73.2	Ramirez-Pantoya

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	73	Ramirez-Pantoya
	0600	73.6	YORK
	0900		
	1200		
	1500		A. Cisneros
	1800		A. Cisneros
	2100		A. Cisneros
	2400	73	Ramirez-Pantoya

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	73	Ramirez-Pantoya
	0600	73.4	A. Cisneros
	0900	73.9	A. Cisneros
	1200	74.3	A. Cisneros
	1500		A. Cisneros
	1800		A. Cisneros
	2100		A. Cisneros
	2400	74	Ramirez-Pantoya

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	73	Ramirez-Pantoya
	0600	73	J. Souza
	0900	74.	J. Souza
	1200	73	J. Souza
	1500	74.5	Veach
	1800	74.3	Veach
	2100	74.3	Veach
	2400		Ramirez-Pantoya

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300		Ramirez-Pantoya
	0600	74.0	J. Souza
	0900	74.2	J. Souza
	1200	74.5	J. Souza
	1500	74.5	Veach
	1800	74.3	Veach
	2100	74.3	Veach
	2400	74.5	Ramirez-Pantoya

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	74	Ramirez-Pantoya
	0600	74	J. Souza
	0900	74	J. Souza
	1200	74.1	J. Souza
	1500	74.3	J. Souza
	1800	74.0	J. Souza
	2100	74.0	J. Souza
	2400	74.1	H. Pfeiffer

**Notes**

JUNE 2024

Date	Time	Temp.	Name (Print)
6/30	0300	74	H. Pfeiffer
	0600	74	J. Souza
	0900	74.5	J. Souza
	1200	75.2	J. Souza
	1500	75.4	A. Cisneros
	1800	75.4	A. Cisneros
	2100	75.1	A. Cisneros
	2400	75.1	M. Nasco

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B4 Temp. Reading Location: Section  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

04/01/24	Date	Time	Temp.	Name (Print)
		0300	77.1	LEE
		0600	77.2	Bechthold
		0900	70.0	Bechthold
		1200	69.8	Bechthold
		1500	68.6	Phelps
		1800	67.1	Phelps
		2100	67.1	Phelps
		2400	69.2	MARINER

**Sunday**

Date	Time	Temp.	Name (Print)
04/02/24	0300	77.3	MARINER
	0600	70.2	MARINER
	0900	70.0	A. MARIAS
	1200	68.9	A. MARIAS
	1500	68.8	R. PEREZ
	1800	68.9	R. PEREZ
	2100	68.0	R. PEREZ
	2400	68.6	ULWA

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: 36 Temp. Reading Location: SECTION  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/03/2024	0300	68.6	ULIOA
	0600	68.4	ULIOA
	0900	69.7	CAMACHO
	1200	70.0	CAMACHO
	1500	70.4	SCHRAMM
	1800	70.6	SCHRAMM
	2100	68.9	SCHRAMM
	2400	69.9	AVILA PINA

Tuesday			
Date	Time	Temp.	Name (Print)
6/4/2024	0300	69.9	AVILA PINA
	0600	69.7	AVILA PINA
	0900	69.1	Otero
	1200	70.0	Otero
	1500	70.0	Phelps
	1800	69.7	Phelps
	2100	69.6	Phelps
	2400	68	Gutierrez

Wednesday			
Date	Time	Temp.	Name (Print)
6/5/2024	0300	69	Gutierrez
	0600	70.4	Convery
	0900	70.0	Convery
	1200	70.6	Convery
	1500	71.2	Phelps
	1800	70.8	Phelps
	2100	69.8	Phelps
	2400	68.7	Gutierrez

Thursday			
Date	Time	Temp.	Name (Print)
6/6/2024	0300	69.8	A. Gutierrez
	0600	73.6	A. ROBINSON
	0900	71.3	A. ROBINSON
	1200	71.3	A. ROBINSON
	1500	71.5	Phelps
	1800	69.8	Phelps
	2100	68.6	Phelps
	2400	68.9	Hartigan

Friday			
Date	Time	Temp.	Name (Print)
6/7/2024	0300	70.1	Hartigan
	0600	71.5	Bechthold
	0900	71.5	Bechthold
	1200	71.8	Bechthold
	1500	72	Phelps
	1800	72.1	Phelps
	2100	71.1	Phelps
	2400	71	AVILA PINA

Saturday			
Date	Time	Temp.	Name (Print)
6/8/2024	0300	71	AVILA PINA
	0600	71	Becord
	0900	72	Becord
	1200	71	Becord
	1500	70.1	Zouy
	1800	70.1	Zouy
	2100	70.1	Zouy
	2400	70	Ramirez

Sunday			
Date	Time	Temp.	Name (Print)
6/9/2024	0300	69.8	Ramirez
	0600	70.3	Ramirez
	0900	70.4	A. MACIAS
	1200	70.6	A. MACIAS
	1500	70.4	Perez
	1800	71.8	Perez
	2100	70.7	Perez
	2400	70.7	Hartigan

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B6 Temp. Reading Location: Section  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	70	Hannigan
	0600	76	TPH
	0900	77	TPH
	1200	77	TPH
	1500	72.9	Perez
	1800	71.6	Perez
	2100	70.6	Perez
	2400	69.9	Adams

Tuesday

Dat	Time	Temp.	Name (Print)
6/11	0300	70.1	L. Adm
	0600	71.3	Reusso
	0900	71.5	Reusso
	1200	72.2	Reusso
	1500	71.8	Phelps
	1800	71.1	Phelps
	2100	70.3	Phelps
	2400	70.3	/

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	69.2	lfr
	0600	70.6	Diaz
	0900	70.9	Diaz
	1200	71.1	Diaz
	1500	71.6	Phelps
	1800	70.6	Cherry
	2100	70.1	Phelps
	2400	73.6	WILRIGHT

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	74.2	WILDRIGHT
	0600	75.6	James
	0900	74.8	James
	1200	75	James
	1500	75.2	Phoebe
	1800	70.1	Phoebe
	2100	70.1	Phoebe
	2400	70	Phoebe

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	69.7	Tucker
	0600	69.3	Tucker
	0900	71	Shuttle
	1200	73	Shuttle
	1500	70.4	Phelps
	1800	69.6	Phelps
	2100	69.9	Phelps
	2400	68.9	Jen

Saturday

Date	Time	Temp.	Name (Print)
	0300	68.0	H. <i>Heen</i>
	0600	68.6	<i>Heen</i>
	0900	68.6	<i>Heen</i>
	1200	69.3	<i>Heen</i>
6/15	1500	69.1	Phelps
	1800	68.8	Phelps
	2100	68.9	Phelps
	2400	69.7	<i>Heen</i>

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	69.7	C. REIL
	0600	67.9	MACIAS
	0900	68.6	MACIAS
	1200	68.2	MACIAS
	1500	68.0	Perez
	1800	68.6	Perez
	2100	67.9	Perez
	2400	67.5	PELLEGRINI - H

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: B6 Temp. Reading Location: section  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/17	0300	71.5	Shaw
	0600	71.6	Xom
	0900	72	Jenks
	1200	72	Jenks
	1500	73.1	Perez
	1800	73.2	Perez
	2100	72	Perez
	2400	70.1	Shaw

Tuesday			
Date	Time	Temp.	Name (Print)
6/18	0300	70.0	Shaw
	0600	72	Jenks
	0900	72.1	Jenks
	1200	73	Jenks
	1500	73.2	Phelps
	1800	73	Phelps
	2100	72.1	Phelps
	2400	72	Shaw

Wednesday			
Date	Time	Temp.	Name (Print)
6/19	0300	70.3	Shaw
	0600	70.2	Jenks
	0900	70.2	Jenks
	1200	71	Jenks
	1500	70.2	Ramos
	1800	70	Ramos
	2100	70.2	Ramos
	2400	70	Shaw

Thursday			
Date	Time	Temp.	Name (Print)
6/20	0300	70.3	Shaw
	0600	70	Jenks
	0900	71	Jenks
	1200	71	Jenks
	1500	70.2	Phelps
	1800	70.1	Phelps
	2100	70.1	Phelps
	2400	70	Lamis

Friday			
Date	Time	Temp.	Name (Print)
6/21	0300	73.2	Lamis
	0600	73.2	Jenks
	0900	73	Jenks
	1200	73.2	Jenks
	1500	73	Phelps
	1800	70	Phelps
	2100	73.3	Phelps
	2400	73	Lamis

Saturday			
Date	Time	Temp.	Name (Print)
6/22	0300	70.3	Lamis
	0600	70.2	O. CANACITO
	0900	69.1	O. CANACITO
	1200	70.0	O. CANACITO
	1500	69.7	Zam
	1800	69.3	Zam
	2100	69.1	Zam
	2400	69	Zam

Sunday			
Date	Time	Temp.	Name (Print)
6/23	0300	69.9	Shaw
	0600	72.3	MACIAS
	0900	70.5	MACIAS
	1200	70.4	MACIAS
	1500	70.7	Perez
	1800	70.7	Perez
	2100	70.9	Perez
	2400	71	Shaw

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CPTC Housing Unit: B10 Temp. Reading Location: section  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	71.5	Shaw
	0600	71.5	Braz Xony
	0900	71.5	Braz Xony
	1200	72.1	Braz Xony
	1500	71.9	Perez
	1800	71.2	Perez
	2100	70.7	Perez
	2400	70.1	Shaw

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	70.6	Shaw
	0600	72.8	Junk
	0900	73.6	Jenkins
	1200	78.4	Junk
	1500	76.1	Phelps
	1800	70.7	Phelps
	2100	69.8	Phelps
	2400	69.9	Shaw

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	70.3	Shaw
	0600	70.2	Junk
	0900	70.1	Jenkins
	1200	69.8	Jenkins
	1500	70.2	RAMOS
	1800	70.0	RAMOS
	2100	70.2	RAMOS
	2400	70.1	Shaw

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	69.9	Shaw
	0600	70	Junk
	0900	71	Jenkins
	1200	71	Jenkins
	1500	71.4	Phelps
	1800	70.6	Phelps
	2100	70.3	Phelps
	2400	70.3	Larios

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	73.1	Larios
	0600	72.9	ULLUA
	0900	72.5	ULLUA
	1200	70.6	ULLUA
	1500	72	Phelps
	1800	72.1	Phelps
	2100	73.1	Phelps
	2400	73.1	Larios

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	68.6	Shaw
	0600	68.8	J. Hernandez
	0900	68.8	J. Hernandez
	1200	70.4	J. Hernandez
	1500	73.9	F. VALENCIA
	1800	71.9	F. VALENCIA
	2100	71	F. VALENCIA
	2400	70	Shaw

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	70	Shaw
	0600	70.6	MACIAS
	0900	71.5	MACIAS
	1200	72.4	MACIAS
	1500	71.8	Perez
	1800	72.4	Perez
	2100	73.3	Perez
	2400	73	Shaw

**Notes**

NY

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: ~~2nd SAC~~

Temp. Reading Location: 2nd

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/21	0300	73.6	Medina
	0600	73.6	Barrera
	0900	73.6	Barrera
	1200	73.6	Barrera
	1500	73.6	Lopez
	1800	73.6	Lopez
	2100	73.6	Lopez
	2400	73.6	Medina

**Tuesday**

Date	Time	Temp.	Name (Print)
5/22	0300	73.6	Medina
	0600	73.6	Barrera
	0900	73.6	Barrera
	1200	73.6	Barrera
	1500	73.5	Lopez
	1800	73.5	Lopez
	2100	73.5	Lopez
	2400	73.8	Lopez

**Wednesday**

Date	Time	Temp.	Name (Print)
5/23	0300	73.6	Lopez
	0600	73.6	Barrera
	0900	73.6	Barrera
	1200	73.6	Barrera
	1500	73.6	Velasco
	1800	73.6	Velasco
	2100	73.6	Velasco
	2400	73.6	Santiago

**Thursday**

Date	Time	Temp.	Name (Print)
5/24	0300	73.6	Santiago
	0600	73.6	Barrera
	0900	73.6	Barrera
	1200	73.6	Barrera
	1500	73.6	Velasco
	1800	73.6	Velasco
	2100	73.6	Velasco
	2400	73.6	Medina

**Friday**

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600	71.5	A. Macias
	0900	71.5	A. Macias
	1200	73.6	A. Macias
	1500	73.6	M. Lopez
	1800	73.6	M. Lopez
	2100	73.6	M. Lopez
	2400	73.6	Medina

**Saturday**

Date	Time	Temp.	Name (Print)
5/26	0300	74.6	Medina
	0600	73.6	A. Macias
	0900	73.6	A. Macias
	1200	73.6	A. Macias
	1500	73.5	Attitudes
	1800	73.6	
	2100	73.6	Medina
	2400	73.6	Medina

**Sunday**

Date	Time	Temp.	Name (Print)
5/27	0300	73.6	Medina
	0600	73.6	Barrera
	0900	73.6	Barrera
	1200	73.6	Barrera
	1500	73.6	MCCoy
	1800	73.6	MCCoy
	2100	73.6	MCCoy
	2400	73.6	Medina

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: B-7 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
5/3	0300	73.6	Mendoza	5/4	0300	73.6	Mendoza
	0600	73.6	Banuelo		0600	73.6	Banuelo
	0900	73.6	Banuelo		0900	73.6	Banuelo
	1200	73.6	Banuelo		1200	73.6	Banuelo
	1500	73.6	Banuelo		1500	73.6	Banuelo
	1800	73.6	Banuelo		1800	73.6	Banuelo
	2100	73.6	Banuelo		2100	73.6	Banuelo
	2400	73.6	Mendoza		2400	73.6	WILRIGHT
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
5/5	0300	73.6	WILRIGHT	5/6	0300	73.6	A. MACIAS
	0600	73.6	Banuelo		0600	73.6	Banuelo
	0900	73.6	Banuelo		0900	73.6	Banuelo
	1200	73.6	Banuelo		1200	73.6	Banuelo
	1500	73.6	Veach		1500	73.6	KIASKI
	1800	73.6	Veach		1800	73.6	Mendoza
	2100	73.6	Veach		2100	73.6	Mendoza
	2400	73.6	A. MACIAS		2400	73.6	Mendoza
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
5/7	0300	73.6	Mendoza	5/8	0300	73.6	Mendoza
	0600	73.6	Banuelo		0600	73.6	A. MACIAS
	0900	73.6	A. MACIAS		0900	73.6	A. MACIAS
	1200	73.6	A. MACIAS		1200	73.6	A. MACIAS
	1500	73.6	BANUELO		1500	73.6	Banuelo
	1800	73.6	BANUELO		1800	73.6	Banuelo
	2100	73.6	BANUELO		2100	73.6	Banuelo
	2400	73.6	Mendoza		2400	73.6	Mendoza
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
5/9	0300	73.6	Mendoza				
	0600	73.6	Banuelo				
	0900	73.6	Banuelo				
	1200	73.6	Banuelo				
	1500	73.6	CARACCHO				
	1800	73.6	CARACCHO				
	2100	73.6	A. D. ORTEZ				
	2400	73.6	RECALZADA				

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: B-7 Block      Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10	0300	73.6	RICHARDSON
	0600	73.6	BANUELOS
	0900	73.6	BANUELOS
	1200	73.6	BANUELOS
	1500	73.7	BALDWIN
	1800	73.7	BALDWIN
	2100	73.9	BALDWIN
	2400	74.2	TURKEY

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11	0300	74.1	TURNEY
	0600	73.6	BANUELOS
	0900	73.6	BANUELOS
	1200	73.6	BANUELOS
	1500	73.6	BALDWIN
	1800	73.7	BALDWIN
	2100	73.7	BALDWIN
	2400	73.7	S. YANK

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300	74.1	S. YANK
	0600	73.6	SCARSE
	0900	73.6	REED
	1200	73.6	REED
	1500	73.6	REYNOLDS
	1800	73.6	HODGEY
	2100	73.6	HODGEY
	2400	73.6	HARRINGTON

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300	73.6	HARRINGTON
	0600	73.6	BANUELOS
	0900	73.6	BANUELOS
	1200	73.6	BANUELOS
	1500	73.7	MCGOWAN JR
	1800	73.7	MCGOWAN JR
	2100	72.9	MCGOWAN JR
	2400	72.9	HARRINGTON

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	73.7	HARRINGTON
	0600	73.6	MACIAS
	0900	73.6	MACIAS
	1200	73.6	MACIAS
	1500	73.6	ZAVALETA
	1800	73.7	ZAVALETA
	2100	73.6	ZAVALETA
	2400	73.6	1-TCE MINGAN

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300	73.6	HARRINGTON
	0600	73.6	MACIAS
	0900	73.6	MACIAS
	1200	73.6	MACIAS
	1500	73.6	ZAVALETA
	1800	73.6	ZAVALETA
	2100	73.6	ZAVALETA
	2400	73.6	1-TCE MINGAN

**Sunday**

Date	Time	Temp.	Name (Print)
6/16	0300	73.6	FERRINGTON
	0600	73.6	FERRINGTON
	0900	73.6	BANUELOS
	1200	73.6	BANUELOS
	1500	73.6	AGUILAR EGO
	1800	73.6	AGUILAR EGO
	2100	73.6	AGUILAR EGO
	2400	73.6	AGUILAR EGO

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: B7      Temp. Reading Location: 2<sup>nd</sup> TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6. 17	0300	73.6	Medina	6. 18	0300	73.6	Wheeler
	0600	73.1	Gimon		0600	74	Fernandez
	0900	73.6	Gimon		0900	74	Fernandez
	1200	73.6	Gimon		1200	75	Wheeler
	1500	77.2	Spradlin		1500	75.1	Wheeler
	1800	77.2	Spradlin		1800	74.8	Wheeler
	2100	77.2	Spradlin		2100	73.5	Wheeler
	2400	77.2	Wheeler		2400	73.2	Wheeler
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6. 19	0300	73.2	Larios	6. 20	0300	73.6	Larios
	0600	73.6	Koib		0600	73.6	Koib
	0900	73.6	Koib		0900	73.6	Koib
	1200	73.6	Koib		1200	73.6	Koib
	1500	73.6	Veach		1500	73.6	Serrano
	1800	73.6	Veach		1800	73.6	Serrano
	2100	73.6	Veach		2100	73.6	Serrano
	2400	73.5	Larios		2400	73.6	Wheeler
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6. 21	0300	73.6	Wheeler	6. 22	0300	73.6	Wheeler
	0600	73.6	Macias		0600	73.6	Macias
	0900	73.6	Macias		0900	73.6	Macias
	1200	73.6	Macias		1200	73.6	Macias
	1500	73.6	Nguyen		1500	73.6	X
	1800	73.6	Nguyen		1800	73.6	X
	2100	73.6	Nguyen		2100	73.6	X
	2400	73.6	Wheeler		2400	73.6	Wheeler
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
6. 23	0300	73.6	Wheeler				
	0600	73.6	X				
	0900	73.6	X				
	1200	73.6	X				
	1500	73.6	X				
	1800	73.6	X				
	2100	73.6	X				
	2400	73.6	Wheeler				

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: 57 Temp. Reading Location: 2nd tier.

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/24	0300	73.6	Murphy	6/25	0300	73.6	Murphy
	0600	73	PINEDO		0600	73.6	BONNEFOND
	0900	73.4	PINEDO		0900	73.6	BONNEFOND
	1200	73	PINEDO		1200	73.6	BONNEFOND
	1500	78.2	Herrera		1500	73.6	HERRERA
	1800	78.	Herrera		1800	73.7	HERRERA
	2100	78	Herrera		2100	73.7	HERRERA
	2400	77	Herrera		2400	73.8	Larios
Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/26	0300	73.6	Murphy	6/27	0300	73.6	Larios
	0600	73.6	BONNEFOND		0600	73.6	BONNEFOND
	0900	73.6	BONNEFOND		0900	73.6	BONNEFOND
	1200	73.6	BONNEFOND		1200	73.6	BONNEFOND
	1500	73.6	Yeach		1500	73.6	Zajdel
	1800	73.6	Yeach		1800	73.6	Zajdel
	2100	73.6	Yeach		2100	73.6	Zajdel
	2400	73.6	Larios		2400	73.6	Murphy
Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/28	0300	73.6	Murphy	6/29	0300	73.6	Murphy
	0600	73.6	MACIAS		0600	73.6	MACIAS
	0900	73.6	MACIAS		0900	73.6	MACIAS
	1200	73.6	MACIAS		1200	73.6	MACIAS
	1500	73.6	EGONDO		1500	73.6	OCHOA
	1800	73.6	EGONDO		1800	73.6	OCHOA
	2100	73.7	EGONDO		2100	73.6	OCHOA
	2400	73.6	Murphy		2400	73.6	Murphy
Sunday				Notes			
Date	Time	Temp.	Name (Print)				
6/30	0300	72.6	Murphy				
	0600	73.6	BONNEFOND				
	0900	72.6	BONNEFOND				
	1200	72.6	BONNEFOND				
	1500	73.5	HERRERA				
	1800	72.6	HERRERA				
	2100	72.6	HERRERA				
	2400	72.6	MURRAY				

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC      Housing Unit: Work Center      Temp. Reading Location: Laundry  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
6/3	0300	82.9	Dennis
	0600	82.5	Dennis
	0900	79	Dennis
	1200	81	Abres
	1500	83.8	Abres
	1800	84.0	Abres
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	80.4	Dennis
	0600	78	Dennis
	0900	79	Dennis
	1200	83.3	Abres
	1500	87.4	Abres
	1800	85.1	Abres
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	84.4	Dennis
	0600	81.8	Dennis
	0900	83.3	Dennis
	1200	87.4	Abres
	1500	85.0	Abres
	1800	88.2	Abres
	2100		
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	86.4	Dennis
	0600	84.5	Dennis
	0900	75.8	Dennis
	1200	85.0	Abres
	1500	87.3	Abres
	1800	91.0	Abres
	2100		
	2400		

## Friday

Date	Time	Temp.	Name (Print)
6/7	0300	86.5	GUTIERREZ
	0600	84.5	GUTIERREZ
	0900	83.7	GUTIERREZ
	1200	84.6	Abres
	1500	81.5	Abres
	1800	88.3	Abres
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
6/8	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Sunday

Date	Time	Temp.	Name (Print)
6/9	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Notes

\* WATCH COMMANDER NOTIFIED  
 AND ADDITIONAL COOLING  
 MEASURES (ICE) WERE  
 OFFERED

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: Work Center

Temp. Reading Location: Laundry  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5809 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/10	0300	82	St. Dennis
	0600	79	St. Dennis
	0900	80	St. Dennis
	1200	81.1	Abreos
	1500	85.1	Abreos
	1800	81.8	Abreos
	2100		
2400			

#### Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	82	St. Dennis
	0600	79	St. Dennis
	0900	80.1	St. Dennis
	1200	82.4	Abreos
	1500	91.2	Abreos
	1800	89.8	Abreos
	2100		
2400			

#### Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	86.5	St. Dennis
	0600	85.3	St. Dennis
	0900	84.6	St. Dennis
	1200	86.1	Abreos
	1500	90.5	Abreos
	1800	90.7	HONES
	2100		
2400			

#### Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	87.6	St. Dennis
	0600	87.2	St. Dennis
	0900	79	St. Dennis
	1200	82.4	Abreos
	1500	87.0	Abreos
	1800	87.6	Abreos
	2100		
2400			

#### Friday

Date	Time	Temp.	Name (Print)
6/14	0300	78.3	St. Dennis
	0600	75.9	St. Dennis
	0900	76	St. Dennis
	1200	82.7	Abreos
	1500	81.4	Abreos
	1800	85.1	Abreos
	2100		
2400			

#### Saturday

Date	Time	Temp.	Name (Print)
6/15	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
2400			

#### Sunday

Date	Time	Temp.	Name (Print)
6/16	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
2400			

#### Notes

\* WATCH COMMANDER NOTIFIED  
AND ADDITIONAL COOLING  
MEASURES (ICE) WERE  
OFFERED

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: Work Center Temp. Reading Location: Laundry  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
	0300		
6/17	0600	82.2	Abreo
	0900	78.6	Abreo
	1200	80.4	Abreo
	1500	82.0	Abreo
	1800	83.8	Abreo
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
	0300	79	St Dennis
6/18	0600	76	St Dennis
	0900	76.8	St Dennis
	1200	79	Abreo
	1500	83.8	Abreo
	1800	85.9	Abreo
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	76.6	St Dennis
	0600	78.7	St Dennis
	0900	78.1	St Dennis
	1200	81.5	Abreo
	1500	85.1	Abreo
	1800	84.9	Abreo
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	79.2	St Dennis
	0600	75.2	St Dennis
	0900	76.8	St Dennis
	1200	79.7	Abreo
	1500	84.9	Abreo
	1800	83.5	Abreo
	2100		
	2400		

#### Friday

Date	Time	Temp.	Name (Print)
6/21	0300	79.2	St Dennis
	0600	75.4	St Dennis
	0900	79	St Dennis
	1200	82.6	Abreo
	1500	84.4	Abreo
	1800	86.1	Abreo
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
6/22	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
6/23	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC      Housing Unit: Work Center      Temp. Reading Location: Laundry  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/24	0300		
	0600	83.3	A. QUIROZ
	0900	83.5	A. QUIROZ
	1200	86.9	A. QUIROZ
	1500	90.5	A. QUIROZ
	1800	91.2	Abreo
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	86.9	Dennis
	0600	83.5	Dennis
	0900	81.5	Dennis
	1200	86.9	Abreos
	1500	90.5	Abreos
	1800	90.7	Abreos
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	83.3	S Dennis
	0600	81.2	S Dennis
	0900	81.3	S Dennis
	1200	82.8	Abreos
	1500	87.1	Abreos
	1800	82.8	Abreos
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	87.1	S Dennis
	0600	77.7	S Dennis
	0900	79.7	S Dennis
	1200	80.4	Abreos
	1500	85.8	Abreos
	1800	87.4	Abreos
	2100		
	2400		

#### Friday

Date	Time	Temp.	Name (Print)
6/28	0300	84.0	S Dennis
	0600	79.2	S Dennis
	0900	75.6	S Dennis
	1200	85.1	Abreos
	1500	85.8	Abreos
	1800	87.1	Abreos
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
6/29	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
6/30	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Notes

WATCH COMMANDER NOTIFIED  
AND ADDITIONAL COOLING  
MEASURES (ICE) WERE  
OFFERED

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: MK PANTRY  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600	76	ZANACORI
	0900	77	ZANACORI
6-1	1200	77	Van Weller
	1500	80.3	Van Weller
	1800	81	Van Weller
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600	75	ZANACORI
	0900	77	ZANACORI
6-2	1200	78	Van Weller
	1500	81.2	Van Weller
	1800	83.1	Van Weller
	2100		
	2400		

**Notes**

---



---



---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: MK PANTRY  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6-3	0300		
	0600	79.1	CROSS
	0900	78.1	W.MARSHALL, JR.
	1200	79.4	ALMENDROL, JR.
	1500	81.1	CROSS
	1800	82.5	CROSS
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
6-4	0300		
	0600	78.6	J. BAINS
	0900	79.7	J. BAINS
	1200	80.2	A. AMARO
	1500	84.7	A. AMARO
	1800	85.2	CROSS
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
6-5	0300		
	0600	77	ZARAGOZA
	0900	78	ZARAGOZA
	1200	82	CHICO
	1500	85	CHICO
	1800	86	CHICO
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
6-6	0300		
	0600	77	ZARAGOZA
	0900	89	ZARAGOZA
	1200	82	PRENOCHE
	1500	84	PRENOCHE
	1800	86	PRENOCHE
	2100		
	2400		

#### Friday

Date	Time	Temp.	Name (Print)
6-7	0300		
	0600	75	ZARAGOZA
	0900	78	ZARAGOZA
	1200	79	CROSS
	1500	81	CROSS
	1800	81	CROSS
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
6-8	0300		
	0600	75	ZARAGOZA
	0900	77	ZARAGOZA
	1200	78	-CROSS
	1500	82	CROSS
	1800	82	CROSS
	2100		
	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
6-9	0300		
	0600	76	ZARAGOZA
	0900	77	ZARAGOZA
	1200	83.1	Mora
	1500	82.9	Mora
	1800	82.1	Mora
	2100		
	2400		

#### Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: MK PANTRY  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Monday		Date	Time	Temp.	Name (Print)
6-10			0300		
			0600	79.8	FOGLE
			0900	81.2	FOGLE
			1200	82.3	FOGLE
			1500	83.7	FOGLE
			1800	83.9	Reuter
			2100		
			2400		

Wednesday

Date	Time	Temp.	Name (Print)
6-12	0300		
	0600	78	Zanacera
	0900	80	Zanacera
	1200	87	CHILD
	1500	88	CHILD
	1800	88	CHILD
	2100		
	2400		

Friday

Friday		Date	Time	Temp.	Name (Print)
6-14			0300	77	
			0600	77	GUTIERREZ
			0900	79	GUTIERREZ
			1200	80	GUTIERREZ
			1500	84.6	Vasquez
			1800	85.1	CROSS
			2100		
			2400		

Sunday

Sunday		Date	Time	Temp.	Name (Print)
6-16			0300		
			0600	77	Moon
			0900	80	NOON
			1200	80	PREnoon
			1500	80	PREnoon
			1800	80	PREnoon
			2100		
			2400		

Tuesday

Dat	Time	Temp.	Name (Print)
6-11	0300		
	0600	80.2	J. Bains
	0900	82	- Roger
	1200	82.4	Foggy
	1500	83.7	Foggy
	1800	84.7	Foggy
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
6-13	0300		
	0600	78	ZAHALOWA
	0900	80	ZAHALOWA
	1200	80	PROKOP
	1500	80	PROKOP
	1800	80	PROKOP
	2100		
	2400		

Saturday

Saturday		Date	Time	Temp.	Name (Print)
6-15	0300				
	0600		77		A. Carbileta
	0900		77		M. Carbileta
	1200		78		M. Carbileta
	1500		83.1		Cantrell
	1800		83.7		CROSS
	2100				
	2400				

## Notes

---

---

---

---

---

---

---

---

---

---

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: MK PANTRY  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
6-17	0300		
	0600	77.1	Fogie
	0900	79.0	Fogie
	1200	79.1	Fogie
	1500	80.9	Fogie
	1800	81.2	Fogie
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
6-19	0300		
	0600	75°	E. Coss
	0900	78.5	E. Coss
	1200	81	E. Coss
	1500	83	CHILD
	1800	84	CHILD
	2100	84	CHILD
	2400		

Friday

Date	Time	Temp.	Name (Print)
6-21	0300		
	0600	76.2	GUTIERREZ
	0900	77.3	GUTIERREZ
	1200	77.5	GUTIERREZ
	1500	81.0	ROSS
	1800	83.2	ROSS
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6-23	0300		
	0600	77	Van Weelden
	0900	77.5	Van Weelden
	1200	80	Van Weelden
	1500	89.1	Van Weelden
	1800	89.5	Van Weelden
	2100		
	2400		

Tuesday

Tuesday		Dat	Time	Temp.	Name (Print)
6-18			0300		
			0600	77.4	Abrams
			0900	79.8	Abrams
			1200	80.2	Fogle
			1500	80.3	Fogle
			1800	80.7	Fogle
			2100		
			2400		

Thursday

Date	Time	Temp.	Name (Print)
6-20	0300		
	0600	74.2	GUTIERREZ
	0900	77.3	GUTIERREZ
	1200	76.1	GUTIERREZ
	1500	80	PRINCE
	1800	81	PRINCE
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-22	0300		
	0600	83.7	Ch. 83
	0900	84.2	82.9
	1200	85.0	Van Weelde
	1500	85.5	Van Weelde
	1800	85	Van Weelde
	2100		
	2400		

## Notes

---

---

---

---

---

---

---

---

---

---

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: MK PANTRY  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6-24	0300		
	0600	82.1	Fogle
	0900	85.6	Fogle
	1200	87.3	Fogle
	1500	88.7	Fogle
	1800	88.7	Fogle
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
6-25	0300		
	0600	85.3	Bains
	0900	86.0	Bains
	1200	86.4	Fogle
	1500	87.7	Peralta
	1800	88.9	Fogle
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
6-26	0300		
	0600	82	CHILD
	0900	83	CHILD
	1200	83	CHILD
	1500	87	CHILD
	1800	88	CHILD
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
6-27	0300		
	0600	81.7	Fogle
	0900	82.4	Fogle
	1200	83	Premock
	1500	84	Premock
	1800	84	Premock
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
6-28	0300		
	0600	81.3	Fogle
	0900	82.1	Fogle
	1200	82.0	Jen Weller
	1500	89.9	Jen Weller
	1800	80	Jen Weller
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6-29	0300		
	0600	78.1	Goss
	0900	78.1	Goss
	1200	78.3	C. TIBARAH
	1500	86.4	C. TIBARAH
	1800	86.7	C. TIBARRA
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
6-30	0300		
	0600	77.7°	C. SALAS
	0900	88.1°	C. SALAS
	1200	84.2°	Hayden
	1500	84.8°	Hayden
	1800	85.0°	Hayden
	2100		
	2400		

**Notes**


---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: TOOL ROOM

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600	74	PR Mock
	0900	74	PR Mock
	1200	75	Hayden
	1500	75	Hayden
	1800	76	Hayden
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600	74	Hayden
	0900	73	Hayden
	1200	73	Gutierrez
	1500	73	Gutierrez
	1800	73	Gutierrez
	2100		
	2400		

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: TOOL ROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
6/3	0600	74	Hayden
	0900	74	Hayden
	1200	77	GUTIERREZ
	1500	77	GUTIERREZ
	1800	77.5	GUTIERREZ
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300		
	0600	74.2	Abramo
	0900	74.3	Abramo
	1200	74	GUTIERREZ
	1500	77	GUTIERREZ
	1800	77.4	GUTIERREZ
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300		
	0600	71	Fogu
	0900	72	Fogu
	1200	75	GUTIERREZ
	1500	74	GUTIERREZ
	1800	77	GUTIERREZ
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300		
	0600	74	PREMOCK
	0900	79	PREMOCK
	1200	80	GUTIERREZ
	1500	82	GUTIERREZ
	1800	82	GUTIERREZ
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300		
	0600	80	PREMOCK
	0900	79	PREMOCK
	1200	74	PREMOCK
	1500	80	PREMOCK
	1800	82	PREMOCK
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300		
	0600	75	PREMOCK
	0900	75	PREMOCK
	1200	70	Hayden
	1500	77	Hayden
	1800	77	Hayden
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
6/9	0300		
	0600	75	Hayden
	0900	75	Hayden
	1200	75	GUTIERREZ
	1500	75	GUTIERREZ
	1800	75	GUTIERREZ
	2100		
	2400		

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: TOOL ROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10	0300		
	0600	75	Hayden
	0900	74	Hayden
	1200	77	GUTIERREZ
	1500	77	GUTIERREZ
	1800	77	GUTIERREZ
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11	0300		
	0600	73	Fogle
	0900	79	Fogle
	1200	77	GUTIERREZ
	1500	77	GUTIERREZ
	1800	78	GUTIERREZ
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300		
	0600	80	PROMOKE
	0900	80	PROMOKE
	1200	80	GUTIERREZ
	1500	81	GUTIERREZ
	1800	81	GUTIERREZ
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300		
	0600	77	PROMOKE
	0900	77	PROMOKE
	1200	80	GUTIERREZ
	1500	81	GUTIERREZ
	1800	80	GUTIERREZ
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300		
	0600	75	PROMOKE
	0900	75	PROMOKE
	1200	75	PROMOKE
	1500	76	PROMOKE
	1800	76	PROMOKE
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300		
	0600	76	PROMOKE
	0900	76	PROMOKE
	1200	78	VALENTI
	1500	79	VALENTI
	1800	78	VALENTI
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
6/16	0300		
	0600	76	Hayden
	0900	76	Hayden
	1200	78	GUTIERREZ
	1500	79	GUTIERREZ
	1800	80	GUTIERREZ
	2100		
	2400		

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: TOOL ROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300		
	0600	77	Hayden
	0900	77	Hayden
	1200	78	GUTIERREZ
	1500	78	GUTIERREZ
	1800	78	GUTIERREZ
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300		
	0600	76	Foglie
	0900	79	Foglie
	1200	77	GUTIERREZ
	1500	78	GUTIERREZ
	1800	78	GUTIERREZ
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300		
	0600	75	Foglie
	0900	77	Foglie
	1200	76	GUTIERREZ
	1500	77	GUTIERREZ
	1800	77	GUTIERREZ
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300		
	0600	74.1	J. Chavez
	0900	74.3	J. Chavez
	1200	74.5	J. Chavez
	1500	75	GUTIERREZ
	1800	77	GUTIERREZ
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300		
	0600	75	Premoan
	0900	75	Premoan
	1200	76	Premoan
	1500	76	Premoan
	1800	76	Premoan
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300		
	0600	77	Premoan
	0900	77	Premoan
	1200	77	Hayden
	1500	79	Hayden
	1800	79	Hayden
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300		
	0600	79	Hayden
	0900	79	Hayden
	1200	80	GUTIERREZ
	1500	81	GUTIERREZ
	1800	81	GUTIERREZ
	2100		
	2400		

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: WORK CENTER Temp. Reading Location: TOOL ROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300		
	0600	80	Hayden
	0900	80	Hayden
	1200	81	GUTIERREZ
	1500	82	GUTIERREZ
	1800	82	GUTIERREZ
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300		
	0600	72	Fogie
	0900	72	Fogie
	1200	81	GUTIERREZ
	1500	82	GUTIERREZ
	1800	82	GUTIERREZ
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300		
	0600	74	Fogie
	0900		Fogie
	1200	79	GUTIERREZ
	1500	79	GUTIERREZ
	1800	80	GUTIERREZ
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300		
	0600	78	PRIMOCK
	0900	78	PRIMOCK
	1200	79	GUTIERREZ
	1500	80	GUTIERREZ
	1800	81	GUTIERREZ
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300		
	0600	75	PRIMOCK
	0900	75	PRIMOCK
	1200	76	PRIMOCK
	1500	78	PRIMOCK
	1800	78	PRIMOCK
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300		
	0600	76	PRIMOCK
	0900	76	PRIMOCK
	1200	76	Hayden
	1500	78	Hayden
	1800	79	Hayden
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300		
	0600	77	Hayden
	0900	78	Hayden
	1200	79	GUTIERREZ
	1500	80	GUTIERREZ
	1800	80	GUTIERREZ
	2100		
	2400		

**Notes**

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: BAKERY Temp. Reading Location: BAKERY  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300		
	0600	72.4	Eck
	0900	72.9	Eck
	1200	73.2	Eck
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300		
	0600	71.9	Eck
	0900	72.1	Eck
	1200	73.1	Eck
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300		
	0600	74.4	Eck
	0900	76.2	Eck
	1200	77.1	Eck
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300		
	0600	74.6	Eck
	0900	76.4	Eck
	1200	77.3	Eck
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300		
	0600	74.5	
	0900	76.5	
	1200	77.8	
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Notes**


---

---

---

---

---

---

---

---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: BLAIN KITCHEN Temp. Reading Location: BAKERY  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
<u>6/10</u>	0300		
	0600	72.4	Eck
	0900	73.7	Eck
	1200	74.2	Eck
	1500		
	1800		
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
<u>6/11</u>	0300		
	0600	73.1	Eck
	0900	73.4	Eck
	1200	74.3	Eck
	1500		
	1800		
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
<u>6/12</u>	0300		
	0600	75.4	Eck
	0900	75.2	Eck
	1200	76.2	Eck
	1500		
	1800		
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
<u>6/13</u>	0300		
	0600	73.1	Eck
	0900	73.1	Eck
	1200	74.0	Eck
	1500		
	1800		
	2100		
	2400		

#### Friday

Date	Time	Temp.	Name (Print)
<u>6/14</u>	0300		
	0600	71.7	Eck
	0900	71.9	Eck
	1200	72.0	Eck
	1500		
	1800		
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: MAIN KITCHEN Temp. Reading Location: BAKERY  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
<u>6/17</u>	0300		
	0600	70.4	Ech
	0900	71.1	Ech
	1200	71.3	Ech
	1500		
	1800		
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
<u>6/18</u>	0300		
	0600	72.1	Ech
	0900	72.1	Ech
	1200	72.2	Ech
	1500		
	1800		
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
<u>6/19</u>	0300		
	0600	72.1	Ech
	0900	72.1	Ech
	1200	72.2	Ech
	1500		
	1800		
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
<u>6/20</u>	0300		
	0600	72.4	Ech
	0900	72.5	Ech
	1200	72.5	Ech
	1500		
	1800		
	2100		
	2400		

#### Friday

Date	Time	Temp.	Name (Print)
<u>6/21</u>	0300		
	0600	72.4	Ech
	0900	72.6	Ech
	1200	72.7	Ech
	1500		
	1800		
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: MAIN KITCHEN Temp. Reading Location: BAKERY  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
<i>6/24</i>	0300		
	0600	75.3	Eck
	0900	75.7	Eck
	1200	77.1	Eck
	1500		
	1800		
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
<i>6/25</i>	0300		
	0600	73.1	W
	0900	72.9	W
	1200	73.4	H
	1500		
	1800		
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
<i>6/26</i>	0300		
	0600	74.1	Eck
	0900	74.3	Eck
	1200	75.0	Eck
	1500		
	1800		
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
<i>6/27</i>	0300		
	0600	72.3	Eck
	0900	72.3	Eck
	1200	72.3	Eck
	1500		
	1800		
	2100		
	2400		

#### Friday

Date	Time	Temp.	Name (Print)
<i>6/28</i>	0300		
	0600	73.0	Eck
	0900	73.6	Eck
	1200	74.1	Eck
	1500		
	1800		
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C - 1

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

#### Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	71.7	Han
	0600	70.2	Tran
	0900	70.7	Tran
	1200	72.0	Tran
	1500	72.1	Dominguez
	1800	72.0	Dominguez
	2100	70.2	Dominguez
	2400	70.1	Aulen

#### Sunday

Date	Time	Temp.	Name (Print)
6-2	0300	70.1	Aulen
	0600	70.1	Zavala
	0900	70.1	Zavala
	1200	72.3	Zavala
	1500	72.0	Powell
	1800	72.0	Powell
	2100	72.0	Powell
	2400	74.5	Shields

#### Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INS (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list may be housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: \_\_\_\_\_ Housing Unit: C-1 Temp. Reading Location: \_\_\_\_\_

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	71.0	Shirley
	0600	71.2	S. Zavala
	0900	71.2	S. Zavala
	1200	71.2	S. Zavala
	1500	70.7	J. Fernandez
	1800	72.2	J. Fernandez
	2100	72.6	J. Fernandez
	2400	72.7	Shirley

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	71.0	Shirley
	0600	71.8	S. Zavala
	0900	71.8	S. Zavala
	1200	71.4	S. Zavala
	1500	73.0	M. Lee
	1800	72.8	M. Lee
	2100	72.6	M. Lee
	2400	72.3	Shirley

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	71.9	Shirley
	0600	71.1	Xiong
	0900	72.0	Xiong
	1200	71.6	Xiong
	1500	73.5	M. Lee
	1800	73.2	M. Lee
	2100	73.2	M. Lee
	2400	73.0	Shirley

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	73.0	Shirley
	0600	71.2	O. Enciso
	0900	73.4	O. Enciso
	1200	74.1	O. Enciso
	1500	74.1	M. Lee
	1800	74.1	M. Lee
	2100	72.9	M. Lee
	2400	72.7	Shirley

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	71.8	Shirley
	0600	71.8	Zavala
	0900	71.8	Zavala
	1200	72.2	Zavala
	1500	74.1	M. Lee
	1800	73.6	M. Lee
	2100	73.2	M. Lee
	2400	73.2	Cirelli

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	73.2	Cirelli
	0600	73.0	Tran
	0900	71.4	Tran
	1200	73.2	Tran
	1500	73.6	M. Lee
	1800	73.1	M. Lee
	2100	73.0	M. Lee
	2400	72.0	Allen

**Notes**

Date	Time	Temp.	Name (Print)
6/9	0300	70.5	AUEN
	0600	70.9	Zavala
	0900	72.0	Zavala
	1200	73.2	Zavala
	1500	70	Powell
	1800	73.0	Powell
	2100	73.0	Powell
	2400	74.5	MANASGE

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: FC - 1

Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/10	0300	74.5	Munoz
	0600	72.1	Zavala
	0900	72.1	Zavala
	1200	73.7	Zavala
	1500	73.6	HILARY
	1800	73.3	HILARY

#### Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	71.9	S. Munoz
	0600	71.9	S. Zavala
	0900	71.9	S. Zavala
	1200	72.5	S. Zavala
	1500	73.0	M-Lee
	1800	73.0	M-Lee

#### Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	72.3	S. Munoz
	0600	70.9	Xiong
	0900	72.3	Xiong
	1200	73.4	Xiong
	1500	74.1	M-Lee
	1800	74.1	M-Lee

#### Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	71.0	S. Munoz
	0600	71.9	Stewart
	0900	72.6	Stewart
	1200	73.4	Stewart
	1500	74.3	M-Lee
	1800	73.9	M-Lee

#### Friday

Date	Time	Temp.	Name (Print)
6/14	0300	74.2	S. Munoz
	0600	72.3	Zavala
	0900	72.3	Zavala
	1200	72.4	Zavala
	1500	73.0	M-Lee
	1800	73.4	M-Lee

#### Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	71.4	Curnin
	0600	72.3	Zavala
	0900	72.3	Zavala
	1200	72.3	Zavala
	1500	72.9	M-Lee
	1800	73.2	M-Lee

#### Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	74.0	ALEXON
	0600	72.7	Zavala
	0900	72.7	Zavala
	1200	72.7	Zavala
	1500	73.2	HILARY
	1800	72.7	HILARY

#### Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C1 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
06/18	0300	74.3	ARRUDA
	0600	74.8	ARRUDA
	0900	74.8	Zavala
	1200	74.8	Zavala
	1500	72.0	H. LEE
	1800	71.6	HILARA
	2100	71.2	M. LEE
	2400	71.0	Gutierrez

**Tuesday**

Date	Time	Temp.	Name (Print)
06/19	0300	71.2	Gutierrez
	0600	72.0	Zavala
	0900	72.0	Zavala
	1200	72.0	Zavala
	1500	72.1	M. Lee
	1800	72.3	M. Lee
	2100	72.0	M. Lee
	2400	71.6	Gutierrez

**Wednesday**

Date	Time	Temp.	Name (Print)
06/20	0300	71.2	Gutierrez
	0600	72.5	Xiong
	0900	72.1	Xiong
	1200	72.5	Xiong
	1500	73.4	M. Lee
	1800	73.1	M. Lee
	2100	72.7	M. Lee
	2400	72.7	A. GARCIA

**Thursday**

Date	Time	Temp.	Name (Print)
06/21	0300	72.2	ALLEN
	0600	72.5	Carter
	0900	72.3	Carter
	1200	72.5	Carter
	1500	72.1	M. Lee
	1800	71.6	M. Lee
	2100	71.4	M. Lee
	2400	70.3	L. Adam

**Friday**

Date	Time	Temp.	Name (Print)
06/22	0300	72.4	Adam
	0600	72.2	Zavala
	0900	72.6	Zavala
	1200	73.2	Zavala
	1500	73.6	M. Lee
	1800	73.3	M. Lee
	2100	72.7	M. Lee
	2400	72.3	Chum

**Saturday**

Date	Time	Temp.	Name (Print)
06/23	0300	70.1	Chum
	0600	70.1	Zavala
	0900	70.0	Zavala
	1200	73.9	Zavala
	1500	74.1	M. Lee
	1800	74.1	M. Lee
	2100	73.9	M. Lee
	2400	73.1	ALLEN

**Notes**

Date	Time	Temp.	Name (Print)
06/24	0300	70.5	ALLEN
	0600	77	Salgazar
	0900	78	Salgazar
	1200	79	Salgazar
	1500	79	Powell
	1800	76.5	Powell
	2100	76.1	Powell
	2400	75.5	Thompson

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C-1 Temp. Reading Location: Between Sections A/B  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	73.9	Thompson
	0600	74.6	Thompson
	0900	75.2	Zawadka
6/24	1200	75.2	Zawadka
	1500	73.8	Fernando, J.
	1800	73.7	Fernando, J.
	2100	72.9	Fernando, J.
	2400	72.6	Thompson

Tuesday

Date	Time	Temp.	Name (Print)
	0300	72.6	Thompson
	0600	73.9	Thompson
	0900	73.2	Zawadka
6/25	1200	75.1	Zawadka
	1500	75.2	M. Lee
	1800	79.3	M. Lee
	2100	74.5	M. Lee
	2400	74.1	Thompson

Wednesday

Date	Time	Temp.	Name (Print)
	0300	73.9	Thompson
	0600	74.1	Thompson
	0900	73.5	Xiong
6/26	1200	75.3	M. Lee
	1500	75.4	M. Lee
	1800	75.9	M. Lee
	2100	95.5	M. Lee
	2400	74.7	Thompson

Thursday

Date	Time	Temp.	Name (Print)
	0300	74.1	Thompson
	0600	74.7	Thompson
	0900	74.4	Thompson
6/27	1200	74.3	Thompson
	1500	74.3	M. Lee
	1800	75.2	M. Lee
	2100	74.6	M. Lee
	2400	74.3	Thompson

Friday

Date	Time	Temp.	Name (Print)
	0300	74.1	Thompson
	0600	74.3	Thompson
	0900	74.3	Zawadka
6/28	1200	74.7	Zawadka
	1500	74.5	M. Lee
	1800	75.4	M. Lee
	2100	75.2	M. Lee
	2400	74.4	Church

Saturday

Date	Time	Temp.	Name (Print)
	0300	72.1	Church
	0600	73.4	Church
	0900	73.4	Diaz
6/29	1200	74.5	Diaz
	1500	74.7	M. Lee
	1800	74.5	M. Lee
	2100	94.3	M. Lee
	2400	73.3	AUEN

Sunday

Date	Time	Temp.	Name (Print)
	0300	70.1	AUEN
	0600	75.4	Tran
	0900	75.2	Tran
6/30	1200	75.2	Tran
	1500	76.5	HILARA
	1800	76.2	HILARA
	2100	79.2	HILARA
	2400		

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SP-SAC Housing Unit: C-3 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	73.0	Jfm

**Notes**

Date	Time	Temp.	Name (Print)
6/2	0300	72.3	
	0600	72.1	SHAGER
	0900	72.9	SHARP
	1200	72.9	SHARP
	1500	72.9	VAN
	1800	72.8	VAN
	2100	72.8	VAN
	2400	73.1	H. DREBARTH

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C-3 Temp. Reading Location: B - SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	72.7	H. ORNELAS BUCH
	0600	72.7	SHARP
	0900	73.0	SHARP
6/13	1200	73.4	SHARP
	1500	73.3	WANG
	1800	73.2	WANG
	2100	73.0	WANG
	2400	73.1	H. ORNELAS BUCH

Tuesday

Date	Time	Temp.	Name (Print)
	0300	72.5	H. ORNELAS BUCH
	0600	73.0	Ornelas
	0900	73.2	Ornelas
6/14	1200	74	Ornelas
	1500	74.3	WANG
	1800	74.3	WANG
	2100	74.0	WANG
	2400	74.1	MANASERO

Wednesday

Date	Time	Temp.	Name (Print)
	0300	74.3	MANASERO
	0600	72.0	PERRY
	0900	73	STANNOV
6/15	1200	74.1	STANNOV
	1500	74.1	VANG
	1800	74.7	VANG
	2100	74.1	VANG
	2400	74.1	MANASERO

Thursday

Date	Time	Temp.	Name (Print)
	0300	74.5	MANASERO
	0600	74.8	PERRY
	0900	74.7	PERRY
6/16	1200	75.6	PERRY
	1500	75.1	CATIA
	1800	75.1	CATIA
	2100	75.1	CATIA
	2400	76.7	H. ORNELAS BUCH

Friday

Date	Time	Temp.	Name (Print)
	0300	76.1	H. ORNELAS BUCH
	0600	76.1	VANG
	0900	75.9	VANG
6/17	1200	75.4	VANG
	1500	75.9	DIAZ
	1800	76.1	DIAZ
	2100	75.9	DIAZ
	2400	76.7	H. ORNELAS BUCH

Saturday

Date	Time	Temp.	Name (Print)
	0300	76.3	H. ORNELAS BUCH
	0600	74.8	SHARP
	0900	74.8	SHARP
6/18	1200	78.4	SHARP
	1500	75.9	DIAZ
	1800	75.6	DIAZ
	2100	74.1	H. ORNELAS BUCH
	2400	74.0	H. ORNELAS BUCH

Sunday

Date	Time	Temp.	Name (Print)
	0300	74.0	H. ORNELAS BUCH
	0600	75.6	SHARP
	0900	75.6	SHARP
6/19	1200	75.4	SHARP
	1500	75.4	VANG
	1800	75.4	VANG
	2100	75.3	VANG
	2400	75.3	VANG

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (94/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C-3 Temp. Reading Location: B Section  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300	74	Turner
6/10	0600	75.2	SHARP
	0900	75.2	SHARP
	1200	75.6	SHARP
	1500	75.2	VANH
	1800	75.2	VANH
	2100	75.0	VANH
	2400	75.2	H. OMEBUCH

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300	75.9	H. OMEBUCH
6/11	0600	75.9	X. Garcia
	0900	75.9	X. Garcia
	1200	74.1	X. Garcia
	1500	76.1	VANH
	1800	76.1	VANH
	2100	76.0	VANH
	2400	76.4	MANGASO

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300	76.5	MANGASO
	0600	75.5	Stener
	0900	75.9	Stener
	1200	76.3	Stener
	1500	76.5	VANH
	1800	76.5	VANH
	2100	76.3	VANH
	2400	76.3	H. OMEBUCH

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300	75.7	H. OMEBUCH
	0600	75.9	Stener
	0900	75.9	Stener
	1200	75.9	Stener
	1500	75.8	CATION
	1800	76.3	CATION
	2100	76.3	CATION
	2400	76.3	H. OMEBUCH

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	76.3	H. OMEBUCH
	0600	75.9	VANH
	0900	75.9	VANH
	1200	75.9	VANH
	1500	75.9	DIAZ
	1800	75.6	DIAZ
	2100	76.5	DIAZ
	2400	75.9	H. OMEBUCH

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300	75.6	H. OMEBUCH
	0600	75.3	SHARP
	0900	75.0	SHARP
	1200	74.8	SHARP
	1500	75.7	DIAZ
	1800	74.7	DIAZ
	2100	74.8	DIAZ
	2400	74.8	H. OMEBUCH

**Sunday**

Date	Time	Temp.	Name (Print)
6/16	0300	74.9	H. OMEBUCH
	0600	74.9	SHARP
	0900	74.8	SHARP
	1200	74.8	SHARP
	1500	74.7	VANH
	1800	74.7	VANH
	2100	74.4	VANH
	2400	74.7	H. OMEBUCH

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LSP Sac Housing Unit: C - 3 Temp. Reading Location: B - SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300	75.2	DRYERBUCH
CDP1	0600	75.1	SARRO
Q	0900	75.1	SARRO
	1200	74.7	SARRO
	1500	74.7	MURK
	1800	74.7	MURK
	2100	74.3	MURK
	2400	74.7	DRYERBUCH

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	70.5	RICHARDSON
	0600	72.1	HAN
	0900	77.8	HAN
	1200	77.8	HAN
	1500	73.9	MURK
	1800	73.7	MURK
	2100	73.4	MURK
	2400	74.7	Cantrell

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	74.4	Willie
	0600	73.9	Barragan
	0900	74.3	Barragan
	1200	74.8	Barragan
	1500	74.7	BARRAGAN
	1800	74.5	BARRAGAN
	2100	74.5	BARRAGAN
	2400	74.7	DRYERBUCH

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	75.2	Ramirez
	0600	74.8	J.WILLIAMS
	0900	75.3	J.WILLIAMS
	1200	75.6	J.WILLIAMS
	1500	75.4	MURK
	1800	75.1	MURK
	2100	75.2	MURK
	2400	75.2	DRYERBUCH

**Tuesday**

Date	Time	Temp.	Name (Print)
(6/18)	0300	74.8	DRYERBUCH
	0600	74.1	Ornelas
	0900	74.1	Ornelas
	1200	75.8	Ornelas
	1500	73.4	Ornelas
	1800	73.5	VARR
	2100	73.5	MURK
	2400	74.7	RICHARDSON

**Thursday**

Date	Time	Temp.	Name (Print)
(6/20)	0300	74.7	Cantrell
	0600	74.5	Cantrell
	0900	74.5	PARKER
	1200	74.5	PARKER
	1500	74.5	PARKER
	1800	74.4	MURK
	2100	74.4	MURK
	2400	74.3	Willie

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	74.5	DRYERBUCH
	0600	74.5	BARRAGAN
	0900	74.5	BARRAGAN
	1200	74.5	BARRAGAN
	1500	74.7	BARRAGAN
	1800	74.8	BARRAGAN
	2100	75.0	DRYERBUCH
	2400	74.8	RAMIREZ

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: BSP-SAC Housing Unit: C3 Temp. Reading Location: B SECTION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	75.6	H. OMIEBUCH
	0600	75.6	E. Com
	0900	74.2	E. Com
	1200	77.0	E. Com
	1500	77.0	S. WASH
	1800	77.0	S. WASH
	2100	76.8	S. WASH
	2400	76.3	MAR

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	76.6	MAR
	0600	76.6	MAR
	0900	75.6	PUNZALAN
	1200	75.6	PUNZALAN
	1500	75.6	INNA
	1800	75.6	WASH
	2100	75.6	WASH
	2400	76	MARASERO

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	76.3	MARASERO
	0600	75.8	INNA
	0900	75.9	INNA
	1200	76.1	INNA
	1500	76.1	WASH
	1800	76.1	WASH
	2100	76.0	WASH
	2400	75.8	MARASERO

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	75.4	MARASERO
	0600	75.4	INNA
	0900	75.4	INNA
	1200	75.8	INNA
	1500	75.8	CATLIN
	1800	75.8	CATLIN
	2100	75.9	H. OMIEBUCH
	2400	76.3	H. OMIEBUCH

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	76.3	H. OMIEBUCH
	0600	75.9	A. MARASERO
	0900	75.9	A. MARASERO
	1200	75.2	A. MARASERO
	1500	74.7	DIAZ
	1800	75.6	DIAZ
	2100	75.6	DIAZ
	2400	75.6	MAR

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	76.5	MAR
	0600	76.5	MAR
	0900	77.2	GIRIBAY
	1200	77.4	GIRIBAY
	1500	75.9	DIAZ
	1800	75	DIAZ
	2100	75.3	DIAZ
	2400	75.9	H. OMIEBUCH

Notes

Date	Time	Temp.	Name (Print)
6/30	0300	76	H. OMIEBUCH
	0600	72.0	G. PAYNE
	0900	76.5	G. PAYNE
	1200	76.5	G. PAYNE
	1500	76.7	S. VARGAS
	1800	76.7	S. VARGAS
	2100	76.6	S. VARGAS
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C4

Temp. Reading Location: B Section  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
1 Jun 24	0300		
	0600	73.6	Ramirez
	0900	73.8	Ramirez
	1200	74.1	Ramirez
	1500	74.3	Navarro
	1800	74.3	Navarro
	2100	74.1	Navarro
	2400	74.1	Musk

Date	Time	Temp.	Name (Print)
6/ 2/ 24	0300	73.6	Musk
	0600	74.1	Ramirez
	0900	74.3	Ramirez
	1200	74.3	Ramirez
	1500	74.2	Shaeff
	1800	74.3	Shaeff
	2100	74.3	Shaeff
	2400	74.3	Musk

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C-4 Temp. Reading Location: Control  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/3	0300	73.4	Musk
3	0600	74.5	Van
24	0900	74.7	Van
	1200	75.7	Van
	1500	75.2	Van
	1800	75.7	Navarro
	2100	74.9	Navarro
	2400	74.5	Navarro

#### Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	74.5	Musk
4	0600	74.5	Navarro
24	0900	74.5	Navarro
	1200	74.6	Navarro
	1500	74.9	Navarro
	1800	75.0	Navarro
	2100	75.2	Navarro
	2400	76.2	Musk

#### Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	74.5	Musk
5	0600	74.8	Ramirez
24	0900	74.9	Ramirez
	1200	75.9	Ramirez
	1500	75.9	Navarro
	1800	76.0	Navarro
	2100	76.1	Navarro
	2400	75.9	Musk

#### Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	75.9	Musk
6	0600	75.9	Ramirez
24	0900	75.9	Ramirez
	1200	75.9	Ramirez
	1500	80.0	I. ODEBEIDE
	1800	80.0	I. ODEBEIDE
	2100	80.0	I. ODEBEIDE
	2400	80.0	mitchell

#### Friday

Date	Time	Temp.	Name (Print)
6/7	0300	79.4	mitchell
7	0600	76.3	Ramirez
24	0900	76.5	Ramirez
	1200	77.0	Ramirez
	1500	78.0	I. ODEBEIDE
	1800	80.0	I. ODEBEIDE
	2100	80.0	I. ODEBEIDE
	2400	79.8	mitchell

#### Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	78.5	mitchell
8	0600	76.5	Ramirez
24	0900	76.5	Ramirez
	1200	76.6	Ramirez
	1500	77.0	Navarro
	1800	76.6	Navarro
	2100	77.2	Navarro
	2400	76.7	Coulter

#### Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	76.5	Coulter
9	0600	76.3	Williams
24	0900	76.3	Williams
	1200	76.3	Williams
	1500	76.5	Sharp
	1800	76.3	Sharp
	2100	76.3	Sharp
	2400	76.3	Musk

#### Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ESP-SAC Housing Unit: C-4 Temp. Reading Location: Control  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	76.3	Musk
10/24	0600	76.3	Navarro
	0900	76.5	Navarro
	1200	76.5	Navarro
	1500	76.6	Navarro
	1800	76.6	Navarro
	2100	76.6	Navarro
	2400	76.3	Musk

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	76.3	Musk
11/24	0600	76.5	Thurez
	0900	76.8	Thurez
	1200	77.0	Thurez
	1500	77.2	Navarro
	1800	77.2	Navarro
	2100	77.2	Navarro
	2400	77.1	Musk

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	77.1	Musk
12/24	0600	76.6	A. Hodges
	0900	77.1	A. Hodges
	1200	77.4	A. Hodges
	1500	77.5	Navarro
	1800	77.5	Navarro
	2100	77.5	Navarro
	2400	77.4	Musk

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	77.4	Musk
13/24	0600	77.4	A. Hodges
	0900	75.4	A. Hodges
	1200	76.1	A. Hodges
	1500	80.0	I. OGBEIDE
	1800	78.0	I. OGBEIDE
	2100	78.0	I. OGBEIDE
	2400	77.0	Mitchell

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	77.6	Mitchell
14/24	0600	76.5	Hodges
	0900	76.4	Hodges
	1200	77.7	Hodges
	1500	78.0	I. OGBEIDE
	1800	80.0	I. OGBEIDE
	2100	78.0	I. OGBEIDE
	2400	77.0	Turner

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	76.5	Turner
15/24	0600	76.1	Hodges
	0900	76.1	Hodges
	1200	76.3	Hodges
	1500	76.9	Bennett
	1800	76.6	Bennett
	2100	76.1	Bennett
	2400	76.1	Musk

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	76.1	Musk
16/24	0600	75.9	PUNZALAN
	0900	76.1	PUNZALAN
	1200	75.6	PUNZALAN
	1500	76.6	SHARP
	1800	76.1	SHARP
	2100	75.1	SHARP
	2400	75.9	Musk

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: C4 Temp. Reading Location: Control  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	75.9	Musk
17	0600	75.9	NOPS
17	0900	75.9	NOICE
17	1200	75.8	ABJSC
17	1500	75.4	Navarro
17	1800	76.3	Navarro
17	2100	76.3	Navarro
17	2400	75.6	Musk

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	75.6	Musk
18	0600	75.4	Navarro
18	0900	75.2	Navarro
18	1200	75.3	Navarro
18	1500	74.8	Fox
18	1800	74.8	Fox
18	2100	74.9	Fox
18	2400	75.1	Musk

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	75.1	Musk
19	0600	75.0	Ramirez
19	0900	74.7	Ramirez
19	1200	74.7	Ramirez
19	1500	74.2	HILARIO
19	1800	74.3	HILARIO
19	2100	74.1	HILARIO
19	2400	74.1	Musk

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	74.1	Musk
20	0600	74.5	Ramirez
20	0900	73.9	Ramirez
20	1200	74.3	Ramirez
20	1500	75.0	I.OUBEIDE
20	1800	75.2	I.OUBEIDE
20	2100	75.0	I.OUBEIDE
20	2400	75.1	Mitchell

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	74.3	Mitchell
21	0600	74.7	Ramirez
21	0900	74.5	Ramirez
21	1200	74.7	Ramirez
21	1500	74.5	I.OUBEIDE
21	1800	74.0	I.OUBEIDE
21	2100	73.0	I.OUBEIDE
21	2400	72.2	Mitchell

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	73.8	Mitchell
22	0600	75.2	Ramirez
22	0900	75.6	Ramirez
22	1200	75.2	Ramirez
22	1500	76.1	Navarro
22	1800	76.1	Navarro
22	2100	75.6	Navarro
22	2400	74.9	Musk

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	74.9	Musk
23	0600	75.4	Ramirez
23	0900	75.4	Ramirez
23	1200	75.9	Ramirez
23	1500	76.1	Navarro
23	1800	76.3	Navarro
23	2100	76.5	Navarro
23	2400	76.0	OAS

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: 24 Temp. Reading Location: Control  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	75.6	OAS
6/24	0600	72.6	Navarro
6/24	0900	75.6	Navarro
6/24	1200	75.5	Navarro
6/24	1500	75.6	Navarro
6/24	1800	76.1	Navarro
6/24	2100	76.1	Navarro
6/24	2400	75.6	J. Thompson

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	75.9	J. Thompson
6/25	0600	74.0	R. CAMARENA
6/25	0900	75.0	R. CAMARENA
6/25	1200	74.5	R. CAMARENA
6/25	1500	76.5	Navarro
6/25	1800	76.5	Navarro
6/25	2100	76.3	Navarro
6/25	2400	75.8	OAS

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	75.6	OAS
6/26	0600	76.1	Ramirez
6/26	0900	75.6	Ramirez
6/26	1200	75.6	Ramirez
6/26	1500	76.3	Navarro
6/26	1800	76.5	Navarro
6/26	2100	76.5	Navarro
6/26	2400	76.5	WACD

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	76.3	(WACD)
6/27	0600	76.3	WACD
6/27	0900	76.1	Ramirez
6/27	1200	76.1	Ramirez
6/27	1500	77.0	I-OGBEDE
6/27	1800	77.0	I-OGBEDE
6/27	2100	78.0	I-OGBEDE
6/27	2400	76.4	mitchell

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	76.4	mitchell
6/28	0600	75.6	Ramirez
6/28	0900	76.3	Ramirez
6/28	1200	77.0	Ramirez
6/28	1500	77.0	I-OGBEDE
6/28	1800	77.0	I-OGBEDE
6/28	2100	77.0	I-OGBEDE
6/28	2400	77.2	mitchell

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	76.2	mitchell
6/29	0600	76.5	Ramirez
6/29	0900	76.3	Ramirez
6/29	1200	76.3	Ramirez
6/29	1500	77.0	Navarro
6/29	1800	77.0	Navarro
6/29	2100	77.0	Navarro
6/29	2400	77.0	Navarro

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	76.2	
6/30	0600	76.3	Ramirez
6/30	0900	76.5	Ramirez
6/30	1200	76.5	Ramirez
6/30	1500	77.2	Navarro
6/30	1800	77.2	Navarro
6/30	2100	77.2	Navarro
6/30	2400	75.2	martinez

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C5 Temp. Reading Location: B Section  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/1/20	0300	75.3	Richards
	0600	73	MORRISON
	0900	76	...
	1200	77.5	J. GURVIN
	1500	77.1	J. GURVIN
	1800	77.3	J. GURVIN
	2100	77.9	V. GURVIN
	2400	78.7	...

**Sunday**

Date	Time	Temp.	Name (Print)
6/2/20	0300	76.5	...
	0600	74.1	...
	0900	69	...
	1200	73	...
	1500	78.7	J. GURVIN
	1800	77.9	J. GURVIN
	2100	77.9	J. GURVIN
	2400	77.0	L. MITCHELL

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C5 Temp. Reading Location: B section  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
4/3	0300	78.8	Mitchell
	0600	77.5	Villanueva
	0900	77.7	Villanueva
	1200	77.7	Villanueva
	1500	78.3	(D) EMMERT
	1800	78.6	(D) EMMERT
	2100	78.3	(D) EMMERT
	2400	75	Mitchell

**Tuesday**

Date	Time	Temp.	Name (Print)
4/4	0300	77.8	Mitchell
	0600	77.3	Mitchell
	0900	76.6	HIGARA
	1200	77.7	HIGARA
	1500	78.6	(D) EMMERT
	1800	79.7	(D) EMMERT
	2100	80.4	(D) EMMERT
	2400	79.1	PINSON

**Wednesday**

Date	Time	Temp.	Name (Print)
4/5	0300	76	Mitchell
	0600	78	Mitchell
	0900	78.8	Villanueva
	1200	79.5	Villanueva
	1500	80.8	(D) EMMERT
	1800	81.5	(D) EMMERT
	2100	81.5	(D) EMMERT
	2400	81.5	Mitchell

**Thursday**

Date	Time	Temp.	Name (Print)
4/6	0300	81.5	RICHARD
	0600	81.8	RICHARD
	0900	81.5	VILLANUEVA
	1200	81.7	VILLANUEVA
	1500	82.8	(D) EMMERT
	1800	83.8	(D) EMMERT
	2100	84.9	(D) EMMERT
	2400	83.8	MITCHELL

**Friday**

Date	Time	Temp.	Name (Print)
4/7	0300	83.8	Mitchell
	0600	83.0	Mitchell
	0900	81.7	VILLANUEVA
	1200	81.7	VILLANUEVA
	1500	82.8	(D) EMMERT
	1800	83.1	(D) EMMERT
	2100	84.8	(D) EMMERT
	2400	83.7	RICHARDS

**Saturday**

Date	Time	Temp.	Name (Print)
4/8	0300	83.4	RICHARDS
	0600	83	RICHARDS
	0900	83.4	ELLIS
	1200	83.7	ELLIS
	1500	83.8	J. GARRIN
	1800	84.9	J. GARRIN
	2100	83.9	J. GARRIN
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
4/9	0300		
	0600	78.1	C. SALAS
	0900	78.16	C. SALAS
	1200	78.6	C. SALAS
	1500	79.1	J. GARRIN
	1800	79.5	J. GARRIN
	2100	79.4	J. GARRIN
	2400	79.2	Mitchell

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Sac Housing Unit: CS-Corner Temp. Reading Location: B Section C, D, N, S, A, W  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10/24	0300	77	Mitchell
	0600	79.0	J. Madsen
	0900	79.3	J. Madsen
	1200	79.9	J. Madsen
	1500	80.2	W. Esment
	1800	81.9	W. Esment
	2100	81.9	W. Esment
	2400	81.5	W. Esment

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11/24	0300	81	C. Brown
	0600	79.9	J. Madsen
	0900	80.3	J. Madsen
	1200	80.6	J. Madsen
	1500	81.3	W. Esment
	1800	83.7	W. Esment
	2100	83.8	W. Esment
	2400	82.6	W. Esment

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12/24	0300	81.5	Mitchell
	0600	81.7	Mitchell
	0900	81.3	J. Madsen
	1200	81.9	J. Madsen
	1500	83.7	W. Esment
	1800	85.3	W. Esment
	2100	84.9	W. Esment
	2400	84	W. Esment

**Thursday**

Date	Time	Temp.	Name (Print)
6/13/24	0300	82.6	Mitchell
	0600	81.7	Mitchell
	0900	81.3	J. Madsen
	1200	81.9	J. Madsen
	1500	82.8	W. Esment
	1800	83.5	W. Esment
	2100	83.1	W. Esment
	2400	83	Mitchell

**Friday**

Date	Time	Temp.	Name (Print)
6/14/24	0300	82.6	Mitchell
	0600	80.2	Mitchell
	0900	78.6	J. Madsen
	1200	80.2	J. Madsen
	1500	80.6	W. Esment
	1800	81.5	W. Esment
	2100	81.3	W. Esment
	2400	81.0	W. Esment

**Saturday**

Date	Time	Temp.	Name (Print)
6/15/24	0300	79.5	Mitchell
	0600	79.5	Mitchell
	0900	79.3	Mitchell
	1200	82.1	J. Madsen
	1500	82.3	J. Madsen
	1800	79.9	J. Madsen
	2100	79.7	J. Madsen
	2400	79.5	M. Brown

**Sunday**

Date	Time	Temp.	Name (Print)
6/16/24	0300	79.7	M. Brown
	0600	79.7	M. Brown
	0900	79.7	C. Brown
	1200	79.8	C. Brown
	1500	82.3	J. Madsen
	1800	82.5	J. Madsen
	2100	82.1	J. Madsen
	2400	81.4	Mitchell

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: CS-Control Temp. Reading Location: B Panel Window  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
04/17/20	0300	76.2	Mitchell
0600	76.3	Leverette	
0900	76.3	Villaseca	
1200	76.5	Villaseca	
1500	79.2	W. Everett	
1800	79.3	W. Everett	
2100	78.8	W. Everett	
2400	78	W. Everett	

Tuesday

Date	Time	Temp.	Name (Print)
04/18/20	0300	77.5	W. Everett
0600	77.4	J. Alvarin	
0900	76.3	J. Alvarin	
1200	76.5	J. Alvarin	
1500	77.7	W. Everett	
1800	78.8	W. Everett	
2100	78.4	W. Everett	
2400	78	W. Everett	

Wednesday

Date	Time	Temp.	Name (Print)
04/19/20	0300	77.8	W. Everett
0600	77.4	J. Alvarin	
0900	76.1	J. Alvarin	
1200	76.3	J. Alvarin	
1500	77.7	W. Everett	
1800	78.3	W. Everett	
2100	78.8	W. Everett	
2400	78.2	W. Everett	

Thursday

Date	Time	Temp.	Name (Print)
04/20/20	0300	77.8	W. Everett
0600	77.2	J. Alvarin	
0900	78.9	J. Alvarin	
1200	78.5	J. Alvarin	
1500	77.4	W. Everett	
1800	78.6	W. Everett	
2100	78.6	W. Everett	
2400	78	W. Everett	

Friday

Date	Time	Temp.	Name (Print)
04/21/20	0300	77.8	W. Everett
0600	77.2	J. Alvarin	
0900	76.3	J. Alvarin	
1200	76.5	J. Alvarin	
1500	78.6	W. Everett	
1800	79.3	W. Everett	
2100	79.7	W. Everett	
2400	79.2	W. Everett	

Saturday

Date	Time	Temp.	Name (Print)
04/22/20	0300	78.8	M. Brown
0600	78.2	J. Alvarin	
0900	79.3	J. Alvarin	
1200	79.3	J. Alvarin	
1500	79.3	K. Alvarin	
1800	80.1	J. Alvarin	
2100	79.9	J. Alvarin	
2400	80.6	M. Brown	

Sunday

Date	Time	Temp.	Name (Print)
04/23/20	0300	78.3	M. Brown
0600	80.1	J. Alvarin	
0900	79.2	J. Alvarin	
1200	80.1	J. Alvarin	
1500	80.2	J. Alvarin	
1800	80.3	J. Alvarin	
2100	79.9	J. Alvarin	
2400	79.9	J. Alvarin	

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: JAC Housing Unit: C5-C4401 Temp. Reading Location: B Wonda  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-18	0300	78.5	M. BROWN
	0600	80.6	V. HUERTA
	0900	80.9	V. HUERTA
	1200	82.8	V. HUERTA
	1500	82.9	W. EPPERM
	1800	83.5	W. EPPERM
	2100	83.7	W. EPPERM
	2400	83	WARD

Tuesday

Date	Time	Temp.	Name (Print)
6-25	0300	82.8	WARD
	0600	82.9	WARD
	0900	83	R. LUCAS
	1200	83	R. LUCAS
	1500	82.8	W. EPPERM
	1800	83.5	W. EPPERM
	2100	83.1	W. EPPERM
	2400	82.8	WARD

Wednesday

Date	Time	Temp.	Name (Print)
6-26	0300	82.6	W. EPPERM
	0600	81.5	W. EPPERM
	0900	79.6	A. M. S.
	1200	81.7	A. M. S.
	1500	82.4	W. EPPERM
	1800	83.1	W. EPPERM
	2100	82.8	W. EPPERM
	2400	82.0	W. EPPERM

Thursday

Date	Time	Temp.	Name (Print)
6-27	0300	81.3	W. EPPERM
	0600	81.0	W. EPPERM
	0900	79.2	V. HUERTA
	1200	79.6	V. HUERTA
	1500	81.8	W. EPPERM
	1800	81.7	W. EPPERM
	2100	81.3	W. EPPERM
	2400	80.6	W. EPPERM

Friday

Date	Time	Temp.	Name (Print)
6-28	0300	80.0	M. BROWN
	0600	80	M. BROWN
	0900	78.8	V. HUERTA
	1200	78.9	V. HUERTA
	1500	80.6	W. EPPERM
	1800	82.4	W. EPPERM
	2100	82.2	W. EPPERM
	2400	81.2	M. BROWN

Saturday

Date	Time	Temp.	Name (Print)
6-29	0300	81	M. BROWN
	0600	80.14	M. BROWN
	0900	80.3	H. HUERTA
	1200	80.3	H. HUERTA
	1500	81.0	J. ARVIN
	1800	81.1	J. ARVIN
	2100	80.7	J. ARVIN
	2400	80.7	M. BROWN

Sunday

Date	Time	Temp.	Name (Print)
6-30	0300	80.1	M. BROWN
	0600	80.8	H. HUERTA
	0900	80.3	H. HUERTA
	1200	79.2	H. HUERTA
	1500	80.1	J. ARVIN
	1800	80.2	J. ARVIN
	2100	79.5	J. ARVIN
	2400	79.1	J. ARVIN

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT E  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER

Immediately notify the Watch Commander at extension 5309 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
JUNE 1, 2024	0300	74.3	DURNEY
	0600	74.3	DURNEY
	0900	73.4	Campbell
	1200	73.3	Campbell
	1500	73.9	YSIANO
	1800	74.3	YSIANO
	2100	74.7	YSIANO
	2400	74.3	DURNEY

**Notes**

Date	Time	Temp.	Name (Print)
JUNE 2, 2024	0300	74.5	DURNEY
	0600	74.5	DURNEY
	0900	74.5	Hurley
	1200	74.9	Hurley
	1500	75.1	Hurley
	1800	75.4	Hurley
	2100	75.0	Hurley
	2400	75.3	DURNEY

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT F  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
JUNE 3, 2024	0300	75.4	DURNEY
	0600	75.4	DURNEY
	0900	74.7	Thompson
	1200	74.7	Thompson
	1500	72	KOSS
	1800	75.2	Rutledge
	2100	75.2	Rutledge
	2400	75.1	GASTELLANO

Tuesday

Date	Time	Temp.	Name (Print)
JUNE 4, 2024	0300	75.1	GASTELLANO
	0600	75.1	GASTELLANO
	0900	74.7	Thompson
	1200	75.2	Thompson
	1500	75.3	JOHNSON
	1800	75.4	JOHNSON
	2100	75.5	JOHNSON
	2400	75.5	JOHNSON

Wednesday

Date	Time	Temp.	Name (Print)
JUNE 5, 2024	0300		
	0600	75.5	Thompson
	0900	76.3	Thompson
	1200	76.6	Thompson
	1500	76.0	JOHNSON
	1800	77.7	JOHNSON
	2100	76.1	JOHNSON
	2400	78.1	DURNEY

Thursday

Date	Time	Temp.	Name (Print)
JUNE 6, 2024	0300	78.4	DURNEY
	0600	78.4	DURNEY
	0900	78.3	Thompson
	1200	78.4	Thompson
	1500	78.8	YSIANA
	1800	78.8	YSIANA
	2100	79.5	YSIANA
	2400	79.5	DURNEY

Friday

Date	Time	Temp.	Name (Print)
JUNE 7, 2024	0300	78.6	DURNEY
	0600	78.6	DURNEY
	0900	77.7	Cantrell
	1200	78.0	Cantrell
	1500	78.8	YSIANA
	1800	79.5	YSIANA
	2100	79.5	YSIANA
	2400	78.8	J. THOMPSON

Saturday

Date	Time	Temp.	Name (Print)
JUNE 8, 2024	0300	79.2	J. THOMPSON
	0600	77.7	J. CANTRELL
	0900	77.0	Cantrell
	1200	77.4	Cantrell
	1500	78.8	YSIANA
	1800	78.8	YSIANA
	2100	79.5	YSIANA
	2400	78.3	APALU

Notes

Date	Time	Temp.	Name (Print)
JUNE 9, 2024	0300	77.2	APALU
	0600	75.1	Hurley
	0900	75.2	Hurley
	1200	76.1	Hurley
	1500	78.0	Hurley
	1800	78.1	Hurley
	2100	78.1	Hurley
	2400	78.1	DURNEY

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT F  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
JUNE 10, 2024	0300	78.3	DURANT
	0600	78.3	DURANT
	0900	77.4	Thompson
	1200	77.5	Thompson
	1500	77.7	Musgrave
	1800	78.3	Musgrave
	2100	78.4	Musgrave
	2400	78.4	MASERO

Tuesday

Date	Time	Temp.	Name (Print)
JUNE 11, 2024	0300	78.3	MASERO
	0600	77.7	Thompson
	0900	78.3	Thompson
	1200	78.4	Thompson
	1500	78.6	Johnson
	1800	78.8	Johnson
	2100	78.9	Johnson
	2400	79.5	Johnson

Wednesday

Date	Time	Temp.	Name (Print)
JUNE 12, 2024	0300	79.5	Johnson
	0600	79.3	Thompson
	0900	79.3	Thompson
	1200	79.5	Thompson
	1500	79.9	Johnson
	1800	80.2	Johnson
	2100	80.3	Johnson
	2400	80.3	DURANT

Thursday

Date	Time	Temp.	Name (Print)
JUNE 13, 2024	0300	79.5	DURANT
	0600	79.5	DURANT
	0900	79.6	Thompson
	1200	79.8	Thompson
	1500	79.9	YSLAW
	1800	79.9	YSLAW
	2100	79.7	YSLAW
	2400	79.5	DURANT

Friday

Date	Time	Temp.	Name (Print)
JUNE 14, 2024	0300	78.8	DURANT
	0600	78.8	DURANT
	0900	78.1	Cantrell
	1200	78.1	Cantrell
	1500	78.1	Kearns
	1800	78.4	Kearns
	2100	78.4	Kearns
	2400	77.9	DURANT

Saturday

Date	Time	Temp.	Name (Print)
JUNE 15, 2024	0300	77.5	DURANT
	0600	77.5	DURANT
	0900	77.4	Cantrell
	1200	77.4	Cantrell
	1500	76.1	Villarreal
	1800	78.3	Villarreal
	2100	76.3	Villarreal
	2400	78.3	DURANT

Notes

6/10/24: Stage 1 deactivated @ 1900

Date	Time	Temp.	Name (Print)
JUNE 16, 2024	0300		DURANT
	0600		DURANT
	0900	79.0	Hurley
	1200	79.1	Hurley
	1500	78.4	Hurley
	1800	78.4	Hurley
	2100	79.0	Hurley
	2400	78.1	MASERO

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT F  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
JUNE 17, 2024	0300	77.5	MARSHALA
	0600	77.4	Thompson
	0900	77.2	Thompson
	1200	77.3	Thompson
	1500	77.2	Zavala
	1800	77.4	Zavala
	2100	77.4	Zavala
	2400	77.5	CAS

**Tuesday**

Date	Time	Temp.	Name (Print)
JUNE 18, 2024	0300	77.2	CAS
	0600	77.1	CAS
	0900	75.4	Thompson
	1200	75.4	Thompson
	1500	75.4	Johnson
	1800	75.7	Johnson
	2100	75.7	Johnson
	2400	75.7	Johnson

**Wednesday**

Date	Time	Temp.	Name (Print)
JUNE 19, 2024	0300	75.2	Johnson
	0600	74.5	Thompson
	0900	74.5	Thompson
	1200	74.7	Thompson
	1500	74.7	Johnson
	1800	74.8	Johnson
	2100	74.9	Johnson
	2400	74.9	Johnson

**Thursday**

Date	Time	Temp.	Name (Print)
JUNE 20, 2024	0300	73.9	Thompson
	0600	73.9	Thompson
	0900	73.9	Thompson
	1200	73.9	Thompson
	1500	74.5	Johnson
	1800	74.5	Johnson
	2100	74.5	Johnson
	2400	74.5	Johnson

**Friday**

Date	Time	Temp.	Name (Print)
JUNE 21, 2024	0300	74.2	Hurley
	0600	73.4	Cantrell
	0900	73.5	Cantrell
	1200	73.7	Cantrell
	1500	75.2	Ysignao
	1800	75.2	Ysignao
	2100	75.2	Ysignao
	2400	75.2	Hurley

**Saturday**

Date	Time	Temp.	Name (Print)
JUNE 22, 2024	0300	74.7	Hurley
	0600	74.1	Cantrell
	0900	74.7	Cantrell
	1200	74.9	Cantrell
	1500	76.1	Ysignao
	1800	76.5	Ysignao
	2100	76.5	Ysignao
	2400	76.7	Hurley

**Notes**

Date	Time	Temp.	Name (Print)
JUNE 23, 2024	0300	75.9	Hurley
	0600	76.0	Hurley
	0900	75.9	Hurley
	1200	77.4	Hurley
	1500	78.4	Hurley
	1800	76.3	Hurley
	2100	78.	Hurley
	2400	78	Castillo

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT F  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C6 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
JUNE 24, 2024	0300	76.0	Castro
	0600	76.3	Thompson
	0900	76.3	Thompson
	1200	76.3	Thompson
	1500	76.3	RAMOS
	1800	76.10	RAMOS
	2100	76.4	RAMOS
	2400	76.4	MANASERO

**Tuesday**

Date	Time	Temp.	Name (Print)
JUNE 25, 2024	0300	76.1	MANASERO
	0600	75.9	Thompson
	0900	75.9	Thompson
	1200	75.9	Thompson
	1500	76.1	Johnson
	1800	76.2	Johnson
	2100	76.4	Johnson
	2400	76.4	Johnson

**Wednesday**

Date	Time	Temp.	Name (Print)
JUNE 26, 2024	0300	76.1	Han
	0600	75.6	Thompson
	0900	75.6	Thompson
	1200	75.9	Thompson
	1500	75.4	Johnson
	1800	75.7	Johnson
	2100	75.8	Johnson
	2400	75.8	DURANT

**Thursday**

Date	Time	Temp.	Name (Print)
JUNE 27, 2024	0300	76.6	DURANT
	0600	76.6	DURANT
	0900	74.8	Thompson
	1200	74.8	Thompson
	1500	75.4	YSIANO
	1800	75.4	YSIANO
	2100	75.4	YSIANO
	2400	75.5	DURANT

**Friday**

Date	Time	Temp.	Name (Print)
JUNE 28, 2024	0300	76.1	DURANT
	0600	76.1	DURANT
	0900	74.3	Cantrell
	1200	75.2	Cantrell
	1500	76.2	YSIANO
	1800	76.2	YSIANO
	2100	76.2	YSIANO
	2400	76.1	DURANT

**Saturday**

Date	Time	Temp.	Name (Print)
JUNE 29, 2024	0300	75.4	DURANT
	0600	75.4	DURANT
	0900	75.2	Cantrell
	1200	76.4	Cantrell
	1500	76.6	YSIANO
	1800	77.2	YSIANO
	2100	77.2	YSIANO
	2400	77.2	DURANT

**Sunday**

Date	Time	Temp.	Name (Print)
JUNE 30, 2024	0300	77.2	DURANT
	0600	77.2	DURANT
	0900	77.4	Hurley
	1200	78.3	Hurley
	1500	79.5	Hurley
	1800	79.7	Hurley
	2100	79.	Hurley
	2400	78.9	DURANT

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP SA Housing Unit: C-7 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/1	0300	77.4	mcnease
	0600	77.4	Quinn
	0900	77.7	Quinn
	1200	77.7	Quinn
	1500	77.8	Kolson
	1800	77.8	Kolson
	2100	77.7	Kolson
	2400	77.7	Brown

**Sunday**

Date	Time	Temp.	Name (Print)
6/2	0300	77.1	Brown
	0600	77.1	Carlton
	0900	77.1	Carlton
	1200	77.1	Carlton
	1500	77.1	Ward
	1800	77.1	Ward
	2100	77.3	Ward
	2400	77.3	mcnease

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C 7 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
(6/13)	0300	77.5	MANASERO
	0600	77.5	C. Hernandez
	0900	77.5	C. Hernandez
	1200	77.5	C. Hernandez
	1500	77.7	K. Olson
	1800	77.7	K. Olson
	2100	77.7	K. Olson
	2400	77.7	K. Olson

Tuesday

Date	Time	Temp.	Name (Print)
(6/14)	0300	77.7	K. Olson
	0600	77.2	QUINERO
	0900	77.4	QUINERO
	1200	77.4	QUINERO
	1500	78.3	K. Olson
	1800	78.3	K. Olson
	2100	78.3	K. Olson
	2400	78.5	Hann

Wednesday

Date	Time	Temp.	Name (Print)
(6/15)	0300	77.8	Hann
	0600	78.0	R. Villareal
	0900	78.0	R. Villareal
	1200	78.0	R. Villareal
	1500	77.1	R. Villareal
	1800	77.4	Braud
	2100	77.4	Braud
	2400	77.1	Braud

Thursday

Date	Time	Temp.	Name (Print)
(6/16)	0300	78.5	Hann
	0600	78.6	Hann
	0900	78.3	Braud
	1200	78.7	Braud
	1500	78.7	Graus
	1800	79.1	Ward
	2100	79.1	Ward
	2400	77.8	Ward

Friday

Date	Time	Temp.	Name (Print)
(6/17)	0300	77.4	Braud
	0600	77.5	C. Hernandez
	0900	77.6	C. Hernandez
	1200	78.	C. Hernandez
	1500	78.1	WARD
	1800	78.1	WARD
	2100	78.1	WARD
	2400	78.1	WARD

Saturday

Date	Time	Temp.	Name (Print)
(6/18)	0300	77.4	WARD
	0600	77.1	C. Hernandez
	0900	77.1	C. Hernandez
	1200	77.8	C. Hernandez
	1500	77.9	WARD
	1800	78.1	WARD
	2100	77.9	WARD
	2400	77.9	WARD

Sunday

Date	Time	Temp.	Name (Print)
(6/19)	0300	77.8	WARD
	0600	77.3	WARD
	0900	77.4	Cantrell
	1200	77.2	Cantrell
	1500	78.1	Cantrell
	1800	78.1	Cantrell
	2100	78.1	Cantrell
	2400	78.7	Cantrell

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SP SA Housing Unit: C-7 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10	0300	77.5	Centrey
	0600	77.5	Brown
	0900	77.5	Brown
	1200	77.1	Brown
	1500	77.1	K. Olson
	1800	77.1	K. Olson
	2100	77.4	K. Olson
	2400	77.4	K. Olson

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11	0300		K. Olson
	0600		C. Hernandez
	0900		C. Hernandez
	1200		C. Hernandez
	1500		WARD
	1800		WARD
	2100		WARD
	2400		WARD

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300	77.4	K. Olson
	0600	77.1	C. Hernandez
	0900	77.1	C. Hernandez
	1200	77.5	C. Hernandez
	1500	77.2	Brown
	1800	78.2	Brown
	2100	78.1	Brown
	2400	79.9	Brown

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300		WARD
	0600		Centrey
	0900		Centrey
	1200		Centrey
	1500		Centrey
	1800		Centrey
	2100		WARD
	2400		WARD

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	77.5	Brown
	0600	77.1	Centrey
	0900	77.1	Centrey
	1200	77.1	Centrey
	1500	77.6	WARD
	1800	77.8	WARD
	2100	77.4	WARD
	2400	77.4	WARD

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300		WARD
	0600		R. Villanueva
	0900		R. Villanueva
	1200		R. Villanueva
	1500		Brown
	1800		Brown
	2100		Brown
	2400		Brown

**Sunday**

Date	Time	Temp.	Name (Print)
6/16	0300	77.4	WARD
	0600	77.3	Centrey
	0900	77.8	Centrey
	1200	77.9	Centrey
	1500	78.2	K. Olson
	1800	77.8	K. Olson
	2100	77.7	K. Olson
	2400	77.1	K. Olson

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LSPSAC Housing Unit: C7 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	77.1	K. Wilson
	0600	77.1	C. Hernandez
	0900	77.1	C. Hernandez
	1200	77.1	C. Hernandez
	1500	77.7	Bravo
	1800	77.8	Bravo
	2100	77.4	Bravo
	2400	77.4	Ward

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	77.9	Ward
	0600	77.6	Cantrell
	0900	77.9	Cantrell
	1200	77.1	Cantrell
	1500	77.1	P. Villareal
	1800	77.8	P. Villareal
	2100	77.8	P. Villareal
	2400	77.4	Ward

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	77.1	Ward
	0600	77.4	Cantrell
	0900	77.4	Cantrell
	1200	77.4	Cantrell
	1500	77.6	Bravo
	1800	77.6	Bravo
	2100	77.4	Bravo
	2400	77.4	Ward

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	77.4	Ward
	0600	77.4	P. Hernandez
	0900	77.4	C. Hernandez
	1200	77.1	C. Hernandez
	1500	77.1	Cantrell
	1800	77.1	Cantrell
	2100	77.3	Cantrell
	2400	77.3	P. Hernandez

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	77	Ward
	0600	77.1	Ward
	0900	77.1	Ward
	1200	77.4	Ward
	1500	77.9	Rodriguez
	1800	77.1	Rodriguez
	2100	77.1	Rodriguez
	2400	78.1	Bravo

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	77.3	Ward
	0600	77.7	K. Wilson
	0900	77.3	K. Wilson
	1200	77.7	K. Wilson
	1500	77.7	Bravo
	1800	77.4	Bravo
	2100	77.6	Bravo
	2400	77.7	Bravo

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	77.1	Bravo
	0600	77.9	Cantrell
	0900	77.9	Cantrell
	1200	77.1	Cantrell
	1500	77.4	K. Wilson
	1800	77.4	K. Wilson
	2100	77.4	K. Wilson
	2400	77.1	Ward

**Notes**

ATTACHMENT G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP SAC Housing Unit: C 7 Temp. Reading Location: B section  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-24	0300	80.2	Saunders
	0600	80.2	C. Hernandez
	0900	81.7	C. Hernandez
	1200	81.7	C. Hernandez
	1500	81.3	K. Olson
	1800	81.3	K. Olson
	2100	81.3	K. Olson
	2400	81.3	K. Olson

Tuesday

Date	Time	Temp.	Name (Print)
6-25-24	0300	81.3	K. Olson
	0600	81.3	Gantrell
	0900	81.7	Gantrell
	1200	81.9	Gantrell
	1500	82.0	K. Olson
	1800	82.0	K. Olson
	2100	82.0	K. Olson
	2400	82.0	K. Olson

Wednesday

Date	Time	Temp.	Name (Print)
6-26-24	0300	82.0	Kolson
	0600	80.6	J. Brown
	0900	80.4	J. Brown
	1200	80	J. Brown
	1500	80.6	J. Brown
	1800	83.0	J. Brown
	2100	83.1	J. Brown
	2400	81.7	Hann

Thursday

Date	Time	Temp.	Name (Print)
6-27-24	0300	79.2	Hann
	0600	80.0	J. Brown
	0900	80.6	J. Brown
	1200	80.6	J. Brown
	1500	81.9	J. Brown
	1800	81.9	J. Brown
	2100	81.9	J. Brown
	2400	81.6	Hann

Friday

Date	Time	Temp.	Name (Print)
6-28-24	0300	79.9	Hann
	0600	80.1	Bravo
	0900	80.3	Bravo
	1200	80.9	Bravo
	1500	81.9	WARD
	1800	81.9	WARD
	2100	81.7	WARD
	2400	81.7	WARD

Saturday

Date	Time	Temp.	Name (Print)
6-29-24	0300	81.7	WARD
	0600	81.7	WARD
	0900	81.6	CORONADO
	1200	80.8	CORONADO
	1500	81.3	WARD
	1800	81.3	WARD
	2100	81.0	WARD
	2400	83.8	WARD

Sunday

Date	Time	Temp.	Name (Print)
6-30-24	0300	83.1	WARD
	0600	83.1	WARD
	0900	81.2	ROMALET
	1200	82.4	ROMALET
	1500	83.8	WARD
	1800	83.0	WARD
	2100	82.7	WARD
	2400	82.3	WARD

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-Sac Housing Unit: C-8 Temp. Reading Location: \_\_\_\_\_ (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
6/2	0300	74	TURNOV
	0600	74.2	NUNA
	0900	74.4	NUNA
	1200	74.4	NUNA
	1500	74	ANDRAZ
	1800	74	ANDRAZ
	2100	74	SULL
	2400	74	

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
6/1	0300	76.2	M. Herrera
	0600	76.3	F. Valencia
	0900	76.3	F. Valencia
	1200	75.3	F. Valencia
	1500	75.5	L. Diaz
	1800	75.5	L. Diaz
	2100	75.7	L. Diaz
	2400	75	Turner

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C 8 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	74	S. dle
	0600	69	SMITH
	0900	69	DAKOTA
	1200	69	D. SMITH
	1500	70	D. SMITH
	1800	74	D. SMITH
	2100	74	D. SMITH
	2400	74	S. dle

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	76	S. dle
	0600	69	D. SMITH
	0900	72	D. SMITH
	1200	73	D. SMITH
	1500	74	D. SMITH
	1800	74	ANDRADE
	2100	74	ANDRADE
	2400	74	S. dle

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	76	S. dle
	0600	75	D. SMITH
	0900	75	D. SMITH
	1200	74	D. SMITH
	1500	74	ANDRADE
	1800	74	ANDRADE
	2100	74	ANDRADE
	2400	74	S. dle

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	77	S. dle
	0600	77	ANDRADE
	0900	78	ANDRADE
	1200	78	ANDRADE
	1500	74	ANDRADE
	1800		
	2100		
	2400	75	S. dle

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	77	S. dle
	0600	78	HUR
	0900	77.4	HUR
	1200	77.1	HUR
	1500	78.4	L.DIGZ
	1800	78.9	L.DIGZ
	2100	78.8	L.DIGZ
	2400	78.0	unnam

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	78	hevera
	0600	78	Rodriguez
	0900	77	Morin
	1200	78	Morin
	1500	77.1	L.DIGZ
	1800	76.9	L.DIGZ
	2100	76.2	L.DIGZ
	2400	74	hevera

**Sunday**

Date	Time	Temp.	Name (Print)
6/9	0300	74	hevera
	0600	73.5	Rodriguez
	0900	74.8	Rodriguez
	1200	75.5	Rodriguez
	1500	75.7	JIBARRA
	1800	77.7	JIBARRA
	2100	75.7	JIBARRA
	2400	75.7	S. dle

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2021 (3418)

ATTACHMENT G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C8

Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/10/24	0300	75.7	S. YANK
	0600	75	D. SMITH
	0900	75	D. SMITH
	1200	76	D. SMITH
	1500	75	D. SMITH
	1800	75	D. SMITH
	2100	75	D. SMITH
	2400	76	Sodle

Tuesday

Date	Time	Temp.	Name (Print)
06/11/24	0300	76	Sodle
	0600	75	D. SMITH
	0900	75	D. SMITH
	1200	76	D. SMITH
	1500	75	ANDRADE
	1800	74	ANDRADE
	2100	74	ANDRADE
	2400	75	Sodle

Wednesday

Date	Time	Temp.	Name (Print)
06/12/24	0300	77	Sodle
	0600	76	D. SMITH
	0900	76	D. SMITH
	1200	76	D. SMITH
	1500	75	ANDRADE
	1800	74	ANDRADE
	2100	74	ANDRADE
	2400	75	Sodle

Thursday

Date	Time	Temp.	Name (Print)
06/13/24	0300	78	Sodle
	0600	74	ANDRADE
	0900	74	ANDRADE
	1200	74	ANDRADE
	1500	74	ANDRADE
	1800		ANDRADE
	2100		ANDRADE
	2400	77	Sodle

Friday

Date	Time	Temp.	Name (Print)
06/14/24	0300	77	Sodle
	0600	75.6	HUK
	0900	76.1	HUK
	1200	77	HUK
	1500	77.7	L.DIGZ
	1800	77.5	L.DIGZ
	2100	77.7	L.DIGZ
	2400		hernan

Saturday

Date	Time	Temp.	Name (Print)
06/15/24	0300	77	hernan
	0600	77	Marcia
	0900	76	Marcia
	1200	76	Marcia
	1500	77.1	L.DIGZ
	1800	76.8	L.DIGZ
	2100	76.8	L.DIGZ
	2400	77	hernan

Notes

Date	Time	Temp.	Name (Print)
06/16/24	0300	79.0	m hernan
	0600	75.7	RODRIGUEZ
	0900	75.7	RODRIGUEZ
	1200	75.7	RODRIGUEZ
	1500	76.1	C. Hernandez
	1800	76	C. Hernandez
	2100	76	C. Hernandez
	2400	75	Sodle

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SR Housing Unit: C8 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	75	Sodh
	0600	75	ANDRADE
	0900	74	ANDRADE
	1200	74	ANDRADE
	1500	74	ANDRADE
	1800	74	ANDRADE
	2100	74	ANDRADE
	2400	75	Sodh

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	75	Sodh
	0600	75	D. SMITH
	0900	75	D. SMITH
	1200	75	D. SMITH
	1500	74	ANDRADE
	1800	74	ANDRADE
	2100	74	ANDRADE
	2400	75	Mai

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	75	Mai
	0600	75	Mai
	0900	75	D. SMITH
	1200	75	D. SMITH
	1500	74	ANDRADE
	1800	74	ANDRADE
	2100	74	ANDRADE
	2400	74.1	S. YANK

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	74.1	S. YANK
	0600	75	D. SMITH
	0900	75	D. SMITH
	1200	75	D. SMITH
	1500	75	D. SMITH
	1800	74	D. SMITH
	2100	74	D. SMITH
	2400	74.1	S. YANK

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	74.1	S. YANK
	0600	71	HVL
	0900	74.2	HVL
	1200	74.3	HVL
	1500	75.7	L. Diaz
	1800	75.7	L. Diaz
	2100	75.9	L. Diaz
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300		
	0600	76.2	F. Santag
	0900	76.2	F. Santag
	1200	76.2	F. Santag
	1500	76.5	L. Diaz
	1800	76.6	L. Diaz
	2100	77.1	L. Diaz
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	77	ONTOA
	0600	77.1	Muniz
	0900	77.2	Muniz
	1200	77.5	Muniz
	1500	74	ANDRADE
	1800		
	2100		
	2400	77.5	Mai

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C-8 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300	77	Mai
6/24	0600	78	A. MUTH
	0900	78	D. SMITH
	1200	75	D. SMITH
	1500	75	D. SMITH
	1800	75	D. SMITH
	2100	75	D. SMITH
	2400	75.1	S. YANK

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300	75.1	S. YANK
6/25	0600	75	D. SMITH
	0900	75	D. SMITH
	1200	75	D. SMITH
	1500	74	ANDRADE
	1800	74	ANDRADE
	2100	74	ANDRADE
	2400	75.1	S. YANK

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	75.1	S. YANK
	0600	75	D. SMITH
	0900	75	D. SMITH
	1200	75	D. SMITH
	1500	77.7	H. Rodriguez
	1800	77.7	ANDRADE
	2100	77.7	ANDRADE
	2400	75.7	S. YANK

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	75.7	S. YANK
	0600	74	ANDRADE
	0900	73	ANDRADE
	1200	74	ANDRADE
	1500	75	ANDRADE
	1800	77	ANDRADE
	2100	77	ANDRADE
	2400	78.2	MAZ

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	78.0	Maz
	0600	78.0	Maz
	0900	78.1	H. Rodriguez
	1200	78.0	H. Rodriguez
	1500	78.0	L. Diaz
	1800	78.0	L. Diaz
	2100	78.2	L. Diaz
	2400	79.1	Herrera

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	79.1	Herrera
	0600	77	Maz
	0900	77	Maz
	1200	77	Maz
	1500	78.4	L. Diaz
	1800	77	L. Diaz
	2100	77	L. Diaz
	2400	76	Herrera

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	74	M. Herrera
	0600	75	Rodriguez
	0900	77	Rodriguez
	1200	78	Rodriguez
	1500	79	ANDRADE
	1800	78	ANDRADE
	2100	79	ANDRADE
	2400	74	Sadler

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: A1      Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## **Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06/01	0300	67.5	I. Garibay
	0600	68.5	<u>sc</u>
	0900	70.6	<u>z</u>
	1200	71.5	<u>z</u>
	1500	71.2	Scam
	1800	72	Scam
	2100	70.4	Scam
	2400	69.0	Abrad

Sunday

Date	Time	Temp.	Name (Print)
06/02	0300	68.3	Amy Sanders ✓
	0600	67.0	
	0900	68.0	Sarah Sanders ✓
	1200	66.2	Sarah Sanders
	1500	69.4	Cass
	1800	71.5	Scar
	2100	70.3	Scar
	2400	72	D

## Notes

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION  
 Week of June

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1 Temp. Reading Location: 2ND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
06/03	0300	72	<u>o</u>
	0600	69.0	<u>Sawles</u>
	0900	68.2	<u>Sawles</u>
	1200	69.0	<u>Sawles</u>
	1500	70	<u>Croftell</u>
	1800	68.3	<u>Gutierrez</u>
	2100	69.3	<u>Gutierrez</u>
	2400	72	<u>CHESTER</u>

**Tuesday**

Date	Time	Temp.	Name (Print)
06/04	0300	70	<u>CHESTER</u>
	0600	70	<u>CHESTER</u>
	0900	68.0	<u>Sawles</u>
	1200	70.0	<u>Sawles</u>
	1500	74	<u>Gutierrez</u>
	1800	74.2	<u>Gutierrez</u>
	2100	73.3	<u>Gutierrez</u>
	2400	71.8	<u>I. Garibay</u>

**Wednesday**

Date	Time	Temp.	Name (Print)
06/05	0300	70.6	<u>I. Garibay</u>
	0600	70.4	<u>Sawles</u>
	0900	71.1	<u>Sawles</u>
	1200	71.5	<u>Sawles</u>
	1500	72.4	<u>SCW</u>
	1800	77.2	<u>SCW</u>
	2100	75.2	<u>SCW</u>
	2400	74.7	<u>I. Garibay</u>

**Thursday**

Date	Time	Temp.	Name (Print)
06/06	0300	74.0	<u>I. Garibay</u>
	0600	73.6	<u>Sawles</u>
	0900	75.3	<u>Sawles</u>
	1200	76.0	<u>Sawles</u>
	1500	77.1	<u>SCW</u>
	1800	77.3	<u>SCW</u>
	2100	77	<u>SCW</u>
	2400	73.6	<u>I. Garibay</u>

**Friday**

Date	Time	Temp.	Name (Print)
06/07	0300	70.9	<u>I. Garibay</u>
	0600	71.3	<u>I. Garibay</u>
	0900	70.2	<u>I. Garibay</u>
	1200	71.1	<u>I. Garibay</u>
	1500	71.1	<u>SCW</u>
	1800	75.2	<u>SCW</u>
	2100	74.8	<u>SCW</u>
	2400	68.6	<u>I. Garibay</u>

**Saturday**

Date	Time	Temp.	Name (Print)
06/08	0300	66.6	<u>I. Garibay</u>
	0600	68.6	<u>I. Garibay</u>
	0900	68.7	<u>I. Garibay</u>
	1200	70.0	<u>I. Garibay</u>
	1500	72.2	<u>SCW</u>
	1800	75.1	<u>SCW</u>
	2100	72.7	<u>SCW</u>
	2400	68.4	<u>Abenda</u>

**Sunday**

Date	Time	Temp.	Name (Print)
06/09	0300	67.2	<u>Abenda</u>
	0600	70.8	<u>Sawles</u>
	0900	70.0	<u>Sawles</u>
	1200	70.2	<u>Sawles</u>
	1500	71.2	<u>SCW</u>
	1800	72.5	<u>SCW</u>
	2100	71.8	<u>SCW</u>
	2400	68.4	<u>Chester</u>

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION  
Week of SUN

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	66.5	Chester ✓
	0600	66.5	Chester ✓
	0900	69.9	Santos ✓
	1200	71.1	Santos ✓
	1500	72.3	Gutierrez ✓
	1800	73.1	Gutierrez ✓
	2100	78.1	Gutierrez ✓
	2400	78.5	Chester ✓

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	77.2	Chester ✓
	0600	76.7	Chester ✓
	0900	78.3	Santos ✓
	1200	79.1	Santos ✓
	1500	80.2	Gutierrez ✓
	1800	79.4	Gutierrez ✓
	2100	73.1	Gutierrez ✓
	2400	82.1	I. Garibay ✓

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	81.0	I. Garibay ✓
	0600	80.3	Santos ✓
	0900	80.1	Santos ✓
	1200	79.5	Santos ✓
	1500	82.6	Santos ✓
	1800	81.2	Santos ✓
	2100	77.2	Santos ✓
	2400	77.1	Garibay ✓

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	76.5	Garibay ✓
	0600	76.3	Benso ✓
	0900	72.2	Benso ✓
	1200	71.3	Benso ✓
	1500	72.6	SC ✓
	1800	72.1	SC ✓
	2100	70.4	SC ✓
	2400	70.1	I. Garibay ✓

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	69.4	I. Garibay ✓
	0600	70.0	A. LARA ✓
	0900	68.6	A. LARA ✓
	1200	71.5	A. LARA ✓
	1500	72.0	A. LARA ✓
	1800	73.7	Turner ✓
	2100	78.7	Turner ✓
	2400	76.9	I. Garibay ✓

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	73.4	I. Garibay ✓
	0600	67.5	I. SUREUSCO ✓
	0900	67.9	I. SUREUSCO ✓
	1200	69.7	I. SUREUSCO ✓
	1500	71.5	ROBINSON ✓
	1800	71.5	ROBINSON ✓
	2100	70.7	ROBINSON ✓
	2400	72.6	Turner ✓

Notes

Date	Time	Temp.	Name (Print)
6/16	0300	74.1	Turner ✓
	0600	73.6	Santos ✓
	0900	72.0	Santos ✓
	1200	71.3	Santos ✓
	1500	72.0	T STITES ✓
	1800	72.9	T STITES ✓
	2100	72.9	I. Chester ✓
	2400	74.9	I. Chester ✓

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 6-17-6-23

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	74.3	I-Chester
	0600	74.3	I-Chester
	0900	74.5	SANIES
	1200	74.5	SANIES
	1500	71.2	INMATE-Ayon
	1800	71.5	INMATE-Ayon
	2100	71.5	INMATE-Ayon
	2400	76.5	I-Chester

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	67.5	I-Chester
	0600	66.8	I-Chester
	0900	72.2	SANIES
	1200	70.2	SANIES
	1500	72.3	GUTIERREZ
	1800	73	GUTIERREZ
	2100	73.1	GUTIERREZ
	2400	73.2	R.Dunn

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	69	F.Hanlon
	0600	69	Patna
	0900	72.5	Dee Woods
	1200	70.5	Dee Woods
	1500	70.4	SC
	1800	71.5	SC
	2100	70.2	SC
	2400	69.0	SC

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	68	F.Dunn
	0600	69.3	J.BARRA
	0900	69.8	JIBARRA
	1200	69.3	JIBARRA
	1500	70.1	SC
	1800	71.8	SC
	2100	71.1	SC
	2400	70.0	WIND

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	68.6	ULWA
	0600	70.0	ULWA
	0900	70.9	J.SHEARWOOD
	1200	71.5	J.SHEARWOOD
	1500	72.3	SC
	1800	73.4	SC
	2100	71.3	SC
	2400	70.0	Gambay

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	68.3	Gambay
	0600	68.6	J.SHEARWOOD
	0900	70.6	J.SHEARWOOD
	1200	72.6	SC
	1500	78.7	SC
	1800	76.9	SC
	2100	77.8	SC
	2400	75.8	Gambay

**Notes**

Date	Time	Temp.	Name (Print)
6/23	0300	73.6	Gambay
	0600	71.5	Perry
	0900	73.3	Perry
	1200	73.5	Brow
	1500	71.9	SC
	1800	77.9	SC
	2100	76.9	SC
	2400	72.9	Chester

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of SUN 26-24/6-30

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	72.5	Chester
	0600	72.0	Chester
	0900	72.4	J. Amador
	1200	74.5	J. Amador
	1500	80.0	R. Villarreal
	1800	82.6	R. Villarreal
	2100	81.0	R. Villarreal
	2400	81.9	I. Chester

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	80.5	I. Chester
	0600	80.5	J. Chester
	0900	77.0	Garcia
	1200	80.1	Garcia
	1500	84.1	R. Villarreal
	1800	85.1	R. Villarreal
	2100	86.0	F. Ramirez
	2400	83.5	R. Ramirez

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	80.1	Fernando Reyes
	0600	79.4	Sanchez
	0900	74.6	Sanchez
	1200	74.5	Sanchez
	1500	75.4	SC
	1800	77.0	SC
	2100	76.2	SC
	2400	72.4	SC

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	70.2	Garibay
	0600	70.1	Benso
	0900	71.7	Benso
	1200	73.3	Benso
	1500	74.6	SC
	1800	75.4	SC
	2100	74.3	SC
	2400	71.1	Garibay

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	70.0	Garibay
	0600	71.0	VELASQUEZ
	0900	71.4	VELASQUEZ
	1200	74.0	VELASQUEZ
	1500	77.2	SC
	1800	79.4	SC
	2100	76.1	SC
	2400	71.6	Garibay

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	70.1	Garibay
	0600	70.1	VELASQUEZ
	0900	71.3	VELASQUEZ
	1200	72.5	VELASQUEZ
	1500	74.3	NEVADA
	1800	74.3	NEVADA
	2100	74.3	NEVADA
	2400	72.9	Garibay

**Notes**

Date	Time	Temp.	Name (Print)
6/30	0300	71.1	Garibay
	0600	70.0	Reyes
	0900	73.1	b. Reyes
	1200	73.1	b. Reyes
	1500	74.6	SC
	1800	76.3	SC
	2100	75.2	SC
	2400	73.0	Garibay

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 6/1 - 6/2 (24)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A2 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	78.5	RICHARD
	0600	78	Cox
	0900	78	Cox
	1200	78	Cox
	1500	78.6	T. MOORE
	1800	79.0	T. MOORE
	2100	78.5	T. MOORE
	2400	78.5	RICHARD

**Sunday**

Date	Time	Temp.	Name (Print)
	0300	78.3	RICHARD
	0600	78	Cox
	0900	78	Cox
	1200	78	Cox
	1500	77	S. PUGH
	1800	77.1	J. MULLER
	2100	78.3	J. MULLER
	2400	78.2	Cox

**Notes**

6/1

---



---



---



---



---



---



---



---



---

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)
Week of 6/13 - 6/19/24

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A2 Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/13	0300	74.8	Lieber
	0600	70	Cox
	0900	78	Cox
	1200	78	Cox
	1500	78	Herrera
	1800	78	Herrera
	2100	77	Herrera
	2400	78.7	Lieber

**Tuesday**

Date	Time	Temp.	Name (Print)
6/14	0300	77.8	Lieber
	0600	77	Seaton
	0900	78	Seaton
	1200	78	Seaton
	1500	79.1	Kiaski
	1800	79.5	Kiaski
	2100	79.8	Kiaski
	2400	77.8	Lieber

**Wednesday**

Date	Time	Temp.	Name (Print)
6/15	0300	78	Lieber
	0600	78	Seaton
	0900	79	Seaton
	1200	79	Seaton
	1500	78	Arando
	1800	79	Arando
	2100	80	Arando
	2400	80.3	Lieber

**Thursday**

Date	Time	Temp.	Name (Print)
6/16	0300	79.8	Lieber
	0600	80	Seaton
	0900	80	Seaton
	1200	80	Seaton
	1500	81.5	Yann
	1800	82	Yann
	2100	81.8	Yann
	2400	80.9	Deals

**Friday**

Date	Time	Temp.	Name (Print)
6/17	0300	80.5	Bacchi
	0600	80	Seaton
	0900	80	Seaton
	1200	80	Seaton
	1500	81.6	Shelusko
	1800	82.1	Shelusko
	2100	81.7	Shelusko
	2400	79.7	Chavez

**Saturday**

Date	Time	Temp.	Name (Print)
6/18	0300	79.7	Chavez
	0600	79	Seaton
	0900	79	Seaton
	1200	80	Seaton
	1500	81.0	J.Moore
	1800	81.6	J.Moore
	2100	81.8	J.Moore
	2400	81.3	Bacchi

**Sunday**

Date	Time	Temp.	Name (Print)
6/19	0300	80.9	Bacchi
	0600	80	Cox
	0900	80	Cox
	1200	80	Cox
	1500	76.8	Nar
	1800	72.7	Nar
	2100	72.7	Nar
	2400	78.9	Lieber

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 6/10 - 6/16/24

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A2 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10	0300	79.2	Lieber
	0600	79	Cox
	0900	79	Cox
	1200	79	Cox
	1500	80.1	J. SARKA
	1800	80.3	J. SARKA
	2100	80.5	J. SARKA
	2400	80.8	Lieber

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11	0300	79.9	Lieber
	0600	79	Seaton
	0900	80	Seaton
	1200	80	Seaton
	1500	77	A. RAMOS
	1800	78	A. RAMOS
	2100	77	A. RAMOS
	2400	81.5	Lieber

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300	80.8	Lieber
	0600	80	Seaton
	0900	81	Seaton
	1200	82	Seaton
	1500	82	Seaton
	1800	83	NICOLE
	2100	82	NICOLE
	2400	82.8	Lieber

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300	81.6	Lieber
	0600	81	Seaton
	0900	81	Seaton
	1200	81.8	Seaton
	1500	81.5	LARA
	1800	82.0	LARA
	2100	81.7	LARA
	2400	81.7	Bernard

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	81.6	E. BERNARD
	0600	81	Seaton
	0900	81	Seaton
	1200	81	Seaton
	1500	80.0	LARA
	1800	82.1	LARA
	2100	81.6	UWA
	2400	81.6	UWA

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300	81.5	UWA
	0600	81	Seaton
	0900	80	Seaton
	1200	81	Seaton
	1500	81.1	T. MOORE
	1800	81.3	T. MOORE
	2100	81.2	T. MOORE
	2400	80.1	J. OUBREIN

**Sunday**

Date	Time	Temp.	Name (Print)
6/16	0300	78	P. OUBREIN
	0600	80	Cox
	0900	80	Cox
	1200	80	Cox
	1500	81.1	J. NUTT
	1800	81.1	J. NUTT
	2100	80.3	J. NUTT
	2400	78.0	T. SCHMITZ

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 6/17 - 6/23/24

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A2 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/17</u>	0300	79	Liber
	0600	79	COX
	0900	79	COX
	1200	79	COX
	1500	80	MVR
	1800	78.6	MVR
	2100	77.7	J. MVR
	2400	78.2	K. WARD

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/18</u>	0300	79.8	K. WARD
	0600	79.5	K. WARD
	0900	80	Sealy
	1200	80	Sealy
	1500	80	Sealy
	1800	80	Sealy
	2100	80	Sealy
	2400	79.8	K. WARD

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/18</u>	0300	79.8	K. WARD
	0600	79.8	K. WARD
	0900	79	Sealy
	1200	78	Sealy
	1500	78	Sealy
	1800	73.2	J. MVR
	2100	72.3	J. MVR
	2400	79.7	Boggs

Thursday

Date	Time	Temp.	Name (Print)
<u>6/19</u>	0300	78.9	Boggs
	0600	78	Sealy
	0900	78	Sealy
	1200	79	Sealy
	1500	79	YAMM
	1800	79.7	YAMM
	2100	80.1	YAMM
	2400	71.00	YAMM

Friday

Date	Time	Temp.	Name (Print)
<u>6/20</u>	0300	79.7	YAMM
	0600	79	Sealy
	0900	78	Sealy
	1200	78	Sealy
	1500	80.4	LARA
	1800	82.0	LARA
	2100	81.4	LARA
	2400	81.2	Hill

Saturday

Date	Time	Temp.	Name (Print)
<u>6/21</u>	0300	80.8	HILL
	0600	79	Sealy
	0900	79	Sealy
	1200	78	Sealy
	1500	78	A. AMARO
	1800	81	A. AMARO
	2100	81	A. AMARO
	2400	81.7	Gibbs

Sunday

Date	Time	Temp.	Name (Print)
<u>6/23</u>	0300	81.2	Hill
	0600	81	Sealy
	0900	80	Sealy
	1200	80	Sealy
	1500	78.7	J. MVR
	1800	77.4	J. MVR
	2100	75.1	J. MVR
	2400	83.6	Gibbs

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 6/24 - 6/30/24

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: A2      Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>6/24</u>	0300	82.8	Lieber
	0600	82	Cox
	0900	83	Cox
	1200	83	Cox
	1500	83.7	T. MOORE
	1800	83.9	T. MOORE
	2100	83.7	T. MOORE
	2400	83.6	Lieber

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>6/25</u>	0300	82.9	Lieber
	0600	71.1	J. M. H.
	0900	80.1	J. M. H.
	1200	80.1	J. M. H.
	1500	83.1	J. M. H.
	1800	80.2	J. M. H.
	2100	80.7	J. M. H.
	2400	80.3	Lieber

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>6/26</u>	0300	79.8	Lieber
	0600	75	Seaton
	0900	75	Seaton
	1200	76	Seaton
	1500	77	Seaton
	1800	77	Seaton
	2100	76	Seaton
	2400	76	Lieber

**Thursday**

Date	Time	Temp.	Name (Print)
<u>6/27</u>	0300	75.8	Lieber
	0600	75	Seaton
	0900	76	Seaton
	1200	76	Seaton
	1500	82.8	Yann
	1800	83.3	Yann
	2100	82.7	Yann
	2400	82.0	Lieber

**Friday**

Date	Time	Temp.	Name (Print)
<u>6/28</u>	0300	81.6	Lieber
	0600	79	Seaton
	0900	80	Seaton
	1200	80	Seaton
	1500	82.2	LARA
	1800	82.9	LARA
	2100	82.8	LARA
	2400	82.5	Lieber

**Saturday**

Date	Time	Temp.	Name (Print)
<u>6/29</u>	0300	80	Seaton
	0600	81	Seaton
	0900	81	Seaton
	1200	82	Seaton
	1500	82.8	T. MOORE
	1800	83.0	T. MOORE
	2100	83.0	T. MOORE
	2400	83.2	Lieber

**Sunday**

Date	Time	Temp.	Name (Print)
<u>6/30</u>	0300	82.4	HIGL
	0600	81	Seaton
	0900	82	Seaton
	1200	82	Seaton
	1500	83	O'BRIEN
	1800	84	O'BRIEN
	2100	84.2	O'BRIEN
	2400	84.0	Lieber

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A2 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
5/27	0300	71.0	Lieber
	0600	75.5	MCHENRY
	0900	75.4	KOONIN
	1200	75.9	KOONIN
	1500	71.	Chavez
	1800	71	Chavez
	2100	71	Chavez
	2400	75.9	I. Garibay

#### Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	76.5	Banuelos
	0600	76.5	Banuelos
	0900	76	Seaton
	1200	76	Seaton
	1500	77.2	RAMOS
	1800	77.0	RAMOS
	2100	77.6	RAMOS
	2400	77.2	Ueba

#### Friday

Date	Time	Temp.	Name (Print)
5/31	0300	78.0	Brownson
	0600	78.1	Brownson
	0900	77	Seaton
	1200	77	Seaton
	1500	76	Cox
	1800	78	Cox
	2100	79	Cox
	2400	78.8	Perry

#### Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	78.3	Banuelos
	0600	78.3	Banuelos
	0900	78.3	Yaro
	1200	78.3	Yaro
	1500	78.6	Yaro
	1800	79	Yaro
	2100	78.8	Yaro
	2400	78.3	Banuelos

#### Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	75.7	I. Garibay
	0600	75.2	R. ZURITA
	0900	75.4	R. ZURITA
	1200	75.9	R. EL RODRI
	1500	76.2	N. Varg
	1800	76.9	N. Varg
	2100	76.8	N. Varg
	2400	76.5	Banuelos

#### Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	76.8	Gebel
	0600	76	Seaton
	0900	76	Seaton
	1200	77	Seaton
	1500	77.4	Yaro
	1800	78.0	Yaro
	2100	78.1	Yaro
	2400	78.1	Seaton

#### Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	78.4	Perry
	0600	78	Seaton
	0900	78	Seaton
	1200	78	Seaton
	1500	78.6	T. MOORE
	1800	79.0	T. MOORE
	2100	78.9	T. MOORE
	2400	78.7	T. MOORE

#### Notes

---



---



---



---



---



---



---



---

Week of 6/3 - 6/9

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A-3 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>6/3</u>	0300	78.5	Willie
	0600	78.0	STAYDOHAR
	0900	73.0	STAYDOHAR
	1200	74.0	STAYDOHAR
	1500	78.6	Coleman
	1800	78.9	Coleman
	2100	78.6	Coleman
	2400	73.4	A. QUIROZ

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>6/4</u>	0300	73.4	A. QUIROZ
	0600	75.3	R. ARZUZA
	0900	79.7	R. ARZUZA
	1200	74.1	R. ARZUZA
	1500	78.2	Coleman
	1800	78.9	Coleman
	2100	79.7	Coleman
	2400	73.0	Abourrabiya

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>6/5</u>	0300	72.5	Abourrabiya
	0600	70.4	MONTALBAN
	0900	79.3	MONTALBAN
	1200	79.7	MONTALBAN
	1500	80.0	Coleman
	1800	80.9	Coleman
	2100	80.7	Coleman
	2400	77.5	C. YOUNG

**Thursday**

Date	Time	Temp.	Name (Print)
<u>6/6</u>	0300	74.5	C. YOUNG
	0600	73.5	C. YOUNG
	0900	80.5	MONTALBAN
	1200	81.0	MONTALBAN
	1500	81.1	Coleman
	1800	81.5	Coleman
	2100	82.0	Coleman
	2400	76.5	C. YOUNG

**Friday**

Date	Time	Temp.	Name (Print)
<u>6/7</u>	0300	75.2	C. YOUNG
	0600	75.2	C. YOUNG
	0900	80.8	MONTALBAN
	1200	81.3	MONTALBAN
	1500	79.5	A. LARA
	1800	78.4	A. LARA
	2100	78.2	A. LARA
	2400	78.2	C. YOUNG

**Saturday**

Date	Time	Temp.	Name (Print)
<u>6/8</u>	0300	75.2	C. YOUNG
	0600	80.1	C. YOUNG
	0900	80.9	MONTALBAN
	1200	80.9	MONTALBAN
	1500	77.7	A. LARA
	1800	78.4	A. ONGTIE
	2100	78.4	R. D. VASQUEZ
	2400	75.2	C. YOUNG

**Notes**

Date	Time	Temp.	Name (Print)
<u>6/9</u>	0300	75.2	C. YOUNG
	0600	75.2	C. YOUNG
	0900	78.0	
	1200	78.0	
	1500	78.0	
	1800	78.0	
	2100	78.0	
	2400	78.0	

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)
Week of 6-10 / 6-16

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A3 Temp. Reading Location: 2nd tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10	0300	75.0	C-1
	0600	73.9	C-1
	0900	73.0	
	1200	73.	
	1500	80.4	Coleman
	1800	81.1	Coleman
	2100	81.5	Coleman
	2400	79.7	Hernandez

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11	0300	76.4	Hernandez
	0600	76.4	Hernandez
	0900	76.1	Hernandez
	1200	76.1	Hernandez
	1500	80.9	Coleman
	1800	81.5	Coleman
	2100	81.6	Coleman
	2400	77.1	Hernandez

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300	78.0	Hernandez
	0600	81.6	MONTALBAN
	0900	81.6	MONTALBAN
	1200	82.2	MONTALBAN
	1500	82.7	Coleman
	1800	82.7	Coleman
	2100	82.4	Coleman
	2400	80.1	C-1

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300	79.5	C-1
	0600	77.5	C-1
	0900	81.8	MONTALBAN
	1200	82.0	MONTALBAN
	1500	82.2	Coleman
	1800	82.0	Coleman
	2100	82.2	Coleman
	2400	80.1	C-1

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	75.0	C-1
	0600	76.0	C-1
	0900	80.7	MONTALBAN
	1200	81.5	MONTALBAN
	1500	78.6	A. LARA
	1800	78.0	A. LARA
	2100	78.2	T. MOORE
	2400	76.2	C-1

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300	75.0	
	0600	75.0	
	0900	75.3	J. Mingo
	1200	76.7	J. Mingo
	1500	77.1	A. LARA
	1800	77.5	A. LARA
	2100	77.0	A. LARA
	2400	71.1	C-1

**Sunday**

Date	Time	Temp.	Name (Print)
6/16	0300	73.5	C-1
	0600	77.5	C-1
	0900	77.2	E. Cava
	1200	75.4	E. Cava
	1500	79.8	Coleman
	1800	80.7	Coleman
	2100	80.6	Coleman
	2400	76.0	J. Flores

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 6-17/6-23

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A3 Temp. Reading Location: 2nd tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	75.1	D. Flores
	0600	75.5	STAYDOHAR
	0900	75.4	STAYDOHAR
	1200	75.2	STAYDOHAR
	1500	78.9	Coleman
	1800	79.5	Coleman
	2100	79.7	Coleman
	2400	76.8	Cuy

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	76.2	C. Y
	0600	74.2	C. Y
	0900	75	R. Coleman
	1200	76.4	R. Coleman
	1500	79.8	Coleman
	1800	79.5	Coleman
	2100	79.8	Coleman
	2400	78.5	C. Y

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	75.0	C. Y
	0600	73.2	C. Y
	0900	78.5	MONTALBAN
	1200	79.1	MONTALBAN
	1500	78.6	Coleman
	1800	79.7	Coleman
	2100	79.5	Coleman
	2400	78.5	C. Y

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	78.5	C. Y
	0600	72.5	C. Y
	0900	78.9	MONTALBAN
	1200	79.1	MONTALBAN
	1500	79.5	Coleman
	1800	76.8	Coleman
	2100	74.6	Coleman
	2400	74.5	C. Y

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	74.5	C. Y
	0600	74.5	C. Y
	0900	79.3	MONTALBAN
	1200	79.7	MONTALBAN
	1500	76.2	SCHRAMM
	1800	76.6	SCHRAMM
	2100	77.0	SCHRAMM
	2400	75.0	C. Y

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	73.9	C. Y
	0600	73.9	C. Y
	0900	79.1	MONTOLBAN
	1200	80.2	MONTOLBAN
	1500	77.0	A. LARA
	1800	77.7	A. LARA
	2100	77.7	A. LARA
	2400	78.1	C. Y

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	75.8	C. Y
	0600	75.8	C. Y
	0900	76.8	M. Lyons
	1200	77.9	M. Lyons
	1500	81.0	Coleman
	1800	81.5	Coleman
	2100	81.1	Coleman
	2400	79.5	C. Y

**Notes**

Week of 6-24/6-30

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A 3 Temp. Reading Location: B section  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6-24-14	0300	72.5	C-Y ✓
	0600	72.5	C-Y ✓
	0900	72.9	STAYDOHAR
	1200	77.1	STAYDOHAR
	1500	81.5	Coleman
	1800	81.6	Coleman
	2100	81.1	Coleman
	2400	76.4	A. QUIROZ

**Tuesday**

Date	Time	Temp.	Name (Print)
6-25	0300	77.3	A. QUIROZ
	0600	77.7	A. QUIROZ
	0900	77.7	M. LYONS
	1200	78.8	M. LYONS
	1500	82.2	Coleman
	1800	82.4	Coleman
	2100	82.2	Coleman
	2400	78.0	A. QUIROZ

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	77.8	A. QUIROZ
	0600	78.2	A. QUIROZ
	0900	81.3	MONTAUBAN
	1200	81.7	MONTAUBAN
	1500	81.6	Coleman
	1800	82.5	Coleman
	2100	82.0	Coleman
	2400	76.8	Ramirez

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	77.6	Ramirez
	0600	81.5	MONTAUBAN
	0900	81.5	MONTAUBAN
	1200	81.5	MONTAUBAN
	1500	81.1	Coleman
	1800	81.8	Coleman
	2100	81.5	Coleman
	2400	77	DURE

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	76	DURE
	0600	73	DURE
	0900	81.0	MONTAUBAN
	1200	81.5	MONTAUBAN
	1500	77.7	A. LARA
	1800	78.6	A. LARA
	2100	78.9	A. LARA
	2400	76.5	C-Y ✓

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	75.3	C-Y ✓
	0600	80.6	C-Y ✓
	0900	81.1	MONTAUBAN
	1200	81.6	MONTAUBAN
	1500	77.9	A. LARA
	1800	79.6	A. LARA
	2100	79.1	A. LARA
	2400	77.1	C-Y ✓

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	75.3	C-Y ✓
	0600	75.3	C-Y ✓
	0900	81.7	MONTAUBAN
	1200	82.2	MONTAUBAN
	1500	82.5	Coleman
	1800	82.7	Coleman
	2100	82.5	Coleman
	2400	81.3	C-Y ✓

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A4 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
5/27	0300	70.5	Holmes
	0600	70.7	RUIZ
	0900	71.3	RUIZ
	1200	71.4	RUIZ
	1500	72.5	Pelluso
	1800	73.4	Pelluso
	2100	72.5	Pelluso
	2400	71.7	Holmes

#### Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	70.8	Holmes
	0600	70.5	RUIZ
	0900	71.6	RUIZ
	1200	71.7	RUIZ
	1500	73.0	Pelluso
	1800	73.4	Pelluso
	2100	72.3	Pelluso
	2400	71.0	Holmes

#### Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	70.5	Holmes
	0600	71.4	RUIZ
	0900	72.5	RUIZ
	1200	72.5	RUIZ
	1500	72.3	Pelluso
	1800	73.0	Pelluso
	2100	72.3	Pelluso
	2400	71.2	Holmes

#### Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	72.5	Holmes
	0600	73.4	RUIZ
	0900	72.3	RUIZ
	1200	72.6	RUIZ
	1500	73.0	Pelluso
	1800	73.0	Pelluso
	2100	72.6	Pelluso
	2400	73.7	Pelluso

#### Friday

Date	Time	Temp.	Name (Print)
5/31	0300	73.7	ULUA
	0600	73.7	ULUA
	0900	73.9	ULUA
	1200	73.9	ULUA
	1500	74.4	VASQUEZ
	1800	74.6	VASQUEZ
	2100	74.8	VASQUEZ
	2400	78.4	EL BOTERO

#### Saturday

Date	Time	Temp.	Name (Print)
6/01	0300	77.9	EL BOTERO
	0600	79.5	Willie
	0900	75.3	Willie
	1200	74.5	Willie
	1500	74.3	Escalante
	1800	79.8	Escalante
	2100	78.0	Escalante
	2400	78.1	EL BOTERO

#### Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	78.5	EIBRA
	0600	74.3	Viray
	0900	74.9	Viray
	1200	74.5	Viray
	1500	74.7	Escalante
	1800	73.2	Escalante
	2100	75.3	Viray
	2400	74.1	Holmes

#### Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A4 Temp. Reading Location: 2nd tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>6/3</u>	0300	73.7	Holmes
	0600	74.2	RUIZ
	0900	74.6	RUIZ
	1200	75.0	RUIZ
	1500	75.3	Hernandez
	1800	76.1	Hernandez
	2100	75.7	Hernandez
	2400	74.1	Holmes

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6/4</u>	0300	73.5	Holmes
	0600	73	RUIZ
	0900	73.5	RUIZ
	1200	73.9	RUIZ
	1500	75.4	Vasquez
	1800	76.1	Vasquez
	2100	75.8	Vasquez
	2400	74.8	Holmes

Wednesday			
Date	Time	Temp.	Name (Print)
<u>6/5</u>	0300	74.4	Holmes
	0600	74.3	RUIZ
	0900	74.8	RUIZ
	1200	76.4	RUIZ
	1500	76.7	RUIZ
	1800	77.0	RUIZ
	2100	76.8	RUIZ
	2400	76.2	Holmes

Thursday			
Date	Time	Temp.	Name (Print)
<u>6/6</u>	0300	78.9	Holmes
	0600	78.7	me
	0900	78.5	me
	1200	78.4	me
	1500	78.00	Herrera
	1800	78.2	Herrera
	2100	78.1	Herrera
	2400	72.0	Itulmendi

Friday			
Date	Time	Temp.	Name (Print)
<u>6/6</u>	0300	76.1	Holmes
	0600	75.9	Zapata
	0900	76.8	Zapata
	1200	77.1	Zapata
	1500	77.4	Escalante
	1800	77.8	Escalante
	2100	77.5	Escalante
	2400	80.9	Elizondo

Saturday			
Date	Time	Temp.	Name (Print)
<u>6/8</u>	0300	80.4	Elizondo
	0600	80.0	B. Hale
	0900	79.3	B. Hale
	1200	79.5	B. Hale
	1500	76.7	Escalante
	1800	77.5	Escalante
	2100	78.0	Escalante
	2400	80.6	Elizondo

Sunday			
Date	Time	Temp.	Name (Print)
<u>6/9</u>	0300	70.5	Elizondo
	0600	78.7	Murphy
	0900	78.7	Murphy
	1200	78.0	Murphy
	1500	74.6	Fox
	1800	75.5	Fox
	2100	74.3	Fox
	2400	74.1	Holmes

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
DCR 2031(04/18)

DEPARTMENT OF  
Week of 6/1

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: A4

Immediately notify the Watch Commander at extension 530  
90 degrees and again at 95 degrees.

Temp. Reading Location B-54  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier)

when the inside air temper-

Date	Time	Temp.	Name (Print)
6/10	0300	73.2	Holmes
	0600	70.5	Kukral
	0900	71.1	Kukral
	1200	74.0	Kukral
	1500	74.6	Perez
	1800	75.9	Perez
	2100	74.4	Perez
	2400	75.0	Holmes

Date	Time	Temp.	Name (Print)
6/12	0300	75.5	Holmes
	0600	75.7	RUIZ
	0900	76	RUIZ
	1200	77.1	RUIZ
	1500	75.9	Perez
	1800	78.4	Perez
	2100	78.0	Perez
	2400	75.5	Holmes

Date	Time	Temp.	Name (Print)
6/14	0300	73.7	Holmes
	0600	73.9	RUIZ
	0900	74.1	RUIZ
	1200	74.4	RUIZ
	1500	75.8	ESCALANTE
	1800	76.0	ESCALANTE
	2100	76.1	ESCALANTE
	2400	70.4	ELBONI

Date	Time	Temp.	Name (Print)
6/16	0300	79.1	ELBONI
	0600	74.5	J. DODGE
	0900	73.9	J. DODGE
	1200	73.9	J. DODGE
	1500	75.9	F. VALENCIA
	1800	75.9	F. VALENCIA
	2100	75.0	F. VALENCIA
	2400	74.3	Holmes

Date	Time	Temp.	Name
6/11	300	74.4	Holmes
	600	74	RUIZ
	900	75.2	RUIZ
	1200	76	RUIZ
	1500	76.2	RUIZ
	1800	76.4	RUIZ
	2100	76.6	RUIZ
	2400	75.7	Holmes

Date	Time	Temp.	Name (Print)
6/13	00	74.8	Holmes
	300	74.4	RUIZ
	600	74.8	RUIZ
	900	74.8	RUIZ
	1200	76.1	Perez
	1500	76.8	Perez
	1800	75.9	Perez
	2100	74.3	Holmes

Date	Time	Temp.	Name (Print)
6/15	00	80	ELBONI
	300	80.2	ELBONI
	600	80.9	T. JONES
	900	79.4	T. JONES
	1200	79.1	ELBONI
	1500	75.5	ESCALANTE
	1800	75.5	ESCALANTE
	2100	75.0	ESCALANTE
	2400	79.8	ELBONI

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Week of 6-17 - 6-22

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A4 Temp. Reading Location: 13-Escalon  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	73.4	Holmes
	0600	71.0	Kubrall
	0900	71.0	Warday
	1200	72.1	Kubrall
	1500	72.1	Perez
	1800	72.8	Perez
	2100	72.6	Perez
	2400	71.2	Holmes

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	73.9	Holmes
	0600	73.2	RUIZ
	0900	73.1	RUIZ
	1200	73.9	RUIZ
	1500	72.6	Escalante
	1800	72.4	Perez
	2100	72.2	Perez
	2400	71.6	Holmes

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	74.1	Holmes
	0600	74.4	RUIZ
	0900	74.6	RUIZ
	1200	74.1	RUIZ
	1500	73.5	Perez
	1800	75.2	RUIZ
	2100	73.0	RUIZ
	2400	71.9	Holmes

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	74.1	Holmes
	0600	74.4	RUIZ
	0900	73.9	RUIZ
	1200	73.2	RUIZ
	1500	73.9	Perez
	1800	74.4	Perez
	2100	73.7	Perez
	2400	71.9	Holmes

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	74.3	Holmes
	0600	74.5	RUIZ
	0900	73.00	RUIZ
	1200	74.7	RUIZ
	1500	74.5	Escalante
	1800	76.4	Escalante
	2100	76.8	Escalante
	2400	78.8	E18TM

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	78.6	E18TM
	0600	72.3	A. LARA
	0900	73.7	A. LARA
	1200	74.4	A. LARA
	1500	74.7	Escalante
	1800	78.5	Escalante
	2100	76.0	Escalante
	2400	80.2	E18TM

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	79.9	E18TM
	0600	80.4	ARRUDA
	0900	81.1	ARRUDA
	1200	81.1	ARRUDA
	1500	77.2	RAMOS
	1800	76.2	RAMOS
	2100	75.6	Holmes
	2400	75.2	Holmes

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 6-24 - 6-30

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A4 Temp. Reading Location: Central Duct  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	75.2	Holmes
	0600	73.5	RUIZ
	0900	75.2	RUIZ
	1200	75.9	RUIZ
	1500	76.8	RUIZ
	1800	77.1	RUIZ
	2100	76.8	RUIZ
	2400	76.4	Holmes

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	76.1	Holmes
	0600	75.8	RUIZ
	0900	75.9	RUIZ
	1200	76	RUIZ
	1500	76.2	RUIZ
	1800	77.5	RUIZ
	2100	77.1	RUIZ
	2400	75.5	Holmes

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	75.0	Holmes
	0600	74.8	RUIZ
	0900	75.1	RUIZ
	1200	75.9	RUIZ
	1500	75.7	RUIZ
	1800	76.8	RUIZ
	2100	77.1	RUIZ
	2400	76.7	Holmes

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	76.2	Holmes
	0600	71.6	RUIZ
	0900	73.4	RUIZ
	1200	74	RUIZ
	1500	75.4	RUIZ
	1800	75.7	RUIZ
	2100	76.1	RUIZ
	2400	73.9	Holmes

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	73.5	Holmes
	0600	73.2	RUIZ
	0900	73.3	RUIZ
	1200	76.0	RUIZ
	1500	80.7	Escalante
	1800	81.6	Escalante
	2100	82.0	Escalante
	2400	80.7	Escalante

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300		
	0600		
	0900		
	1200		
	1500	81.4	ESCALANTE
	1800	81.7	ESCALANTE
	2100	82.1	ESCALANTE
	2400	82.1	Bacchi

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	81.6	Bacchi
	0600		
	0900		
	1200		
	1500	81.9	ESCALANTE
	1800	81.3	ESCALANTE
	2100	79.4	ESCALANTE
	2400	77.3	Holmes

**Notes**

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: AS Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	76.1	m.s
	0600	76.3	J. Thompson
	0900	76.7	J. Thompson
	1200	77.0	J. Thompson
	1500	76.5	B. Hale
	1800	77.0	B. Hale
	2100	77.2	B. Hale
	2400	75	Lee.P

**Sunday**

Date	Time	Temp.	Name (Print)
	0300	75	Lee.P
	0600	75	Farias.M
	0900	75	Farias.M.
	1200		
	1500		
	1800	77.4	Witterosa
	2100	77.7	Witterosa
	2400	77	W.P.

**Notes**

June 2024

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A - S Temp. Reading Location: 1st Section  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	76	WPA
	0600	76	WPA
	0900	76.1	Farias
	1200	76.3	Farias
	1500	76.4	Farias
	1800	76.7	FC
	2100	77.1	FC
	2400	77	WPA

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	76	MD
	0600	76	MD
	0900	76.9	J. Thompson
	1200	76.9	J. Thompson
	1500	77.6	S. O'Neill
	1800	77.6	S. O'Neill
	2100	77.8	S. O'Neill
	2400	77.4	J. Thompson

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	77.6	J. Thompson
	0600	77.4	J. Thompson
	0900	77.6	J. Thompson
	1200	77.9	J. Thompson
	1500	78.6	S. O'Neill
	1800	78.7	S. O'Neill
	2100	78.8	S. O'Neill
	2400	78	WPA

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	78	WPA
	0600	78	WPA
	0900	78.8	J. Thompson
	1200	79.2	J. Thompson
	1500	79.6	S. O'Neill
	1800	80.0	S. O'Neill
	2100	80.1	S. O'Neill
	2400		WPA

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	78	WPA
	0600	78	WPA
	0900	79.4	J. Thompson
	1200	79.7	J. Thompson
	1500	80.1	B. Hale
	1800	80.1	B. Hale
	2100	80.1	B. Hale
	2400	79.9	Mirlo

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	79.6	Mirlo
	0600	79.4	J. Thompson
	0900	79.4	J. Thompson
	1200	79.4	J. Thompson
	1500	79.7	B. Hale
	1800	79.7	B. Hale
	2100	79.4	B. Hale
	2400	79.4	Mirlo

**Sunday**

Date	Time	Temp.	Name (Print)
6/9	0300	79.4	Mirlo
	0600	73.1	Farias
	0900	73	Farias
	1200	77	Farias
	1500	79.2	Mandalas
	1800	79.4	Mandalas
	2100	79.4	Mandalas
	2400	79	WPA

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A-5 Temp. Reading Location: A-Section  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/10	0300	79	W.R.
	0600	79	L.P.
	0900	78.7	D.Baldwin
	1200	78.7	D.Baldwin
	1500	78.7	Mandalas
	1800	79.0	Mandalas
	2100	79.4	Mandalas
	2400	79	W.R.

#### Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	79	W.R.
	0600	79	L.P.
	0900	78.8	J.Thompson
	1200	79.0	J.Thompson
	1500	79.7	S.O'Neill
	1800	79.9	S.O'Neill
	2100	80.1	S.O'Neill
	2400	80	W.R.

#### Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	79	W.R.
	0600	79	L.P.
	0900	79.9	J.Thompson
	1200	80.1	J.Thompson
	1500	80.5	S.O'Neill
	1800	80.8	S.O'Neill
	2100	80.8	S.O'Neill
	2400	80	W.R.

#### Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	79	W.R.
	0600	79	L.P.
	0900	79.7	J.Thompson
	1200	79.7	J.Thompson
	1500	80.1	S.O'Neill
	1800	80.1	S.O'Neill
	2100	80.1	S.O'Neill
	2400	80	W.R.

#### Friday

Date	Time	Temp.	Name (Print)
6/14	0300	78	W.R.
	0600	78	L.P.
	0900	78.8	J.Thompson
	1200	79.2	J.Thompson
	1500	79.0	B.Hale
	1800	79.4	B.Hale
	2100	79.0	B.Hale
	2400	78.8	W.R.

#### Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	78.3	W.R.
	0600	77.9	L.P.
	0900	78.3	Poyer
	1200	78.5	B.Poyer
	1500	78.7	B.Hale
	1800	78.7	B.Hale
	2100	78.1	L.P.
	2400	78.4	W.R.

#### Notes

Date	Time	Temp.	Name (Print)
6/16	0300	72.6	H.R.
	0600	72.6	Fones
	0900	73.2	Zee
	1200	74.1	Fones
	1500	78.1	Mandalas
	1800	78.3	Mandalas
	2100	78.3	Mandalas
	2400	77.9	H.R.

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A5 Temp. Reading Location: A-Sector  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/18	0300	77.8	WILSON
	0600	77.2	SPARROW
	0900	77.2	SPARROW
	1200	77.2	SPARROW
	1500	77.4	Mandales
	1800	77.6	Mandales
	2100	77.6	Mandales
	2400	77.6	ROMERO

**Tuesday**

Date	Time	Temp.	Name (Print)
6/19	0300	77	VanWeelen
	0600	77	VanWeelen
	0900	77.3	VanWeelen
	1200	77.3	S. O'Neill
	1500	77.2	S. O'Neill
	1800	77.2	S. O'Neill
	2100	77.2	S. O'Neill
	2400	77.2	X-Garcia

**Wednesday**

Date	Time	Temp.	Name (Print)
6/20	0300	76.9	X-Garcia
	0600	76.7	J. Thompson
	0900	76.9	J. Thompson
	1200	77.2	J. Thompson
	1500	77.2	S. O'Neill
	1800	77.2	S. O'Neill
	2100	77.2	S. O'Neill
	2400	77.2	TAYLOR

**Thursday**

Date	Time	Temp.	Name (Print)
6/21	0300	77	TAYLOR
	0600	76.7	J. Thompson
	0900	76.7	J. Thompson
	1200	76.9	J. Thompson
	1500	77.0	S. O'Neill
	1800	77.2	S. O'Neill
	2100	77.2	S. O'Neill
	2400	76.9	Bacchi

**Friday**

Date	Time	Temp.	Name (Print)
6/22	0300	76.5	Bacchi
	0600	76.0	J. Thompson
	0900	76.1	J. Thompson
	1200	76.5	J. Thompson
	1500	77.2	B. Hale
	1800	77.6	B. Hale
	2100	77.2	B. Hale
	2400	77.2	Honey

**Saturday**

Date	Time	Temp.	Name (Print)
6/23	0300	77.0	Harris
	0600	77.2	J. Thompson
	0900	77.2	J. Thompson
	1200	77.2	J. Thompson
	1500	78.5	B. Hale
	1800	78.7	B. Hale
	2100	78.9	B. Hale
	2400	79.1	Lamiris

**Sunday**

Date	Time	Temp.	Name (Print)
6/24	0300	79.1	Lamiris
	0600	75	Zined
	0900	75.7	Zined
	1200	76	Zined
	1500	79.4	N. Shipman
	1800	79.1	Ur-Sidman
	2100	79.3	Ur-Sidman
	2400	79.1	Ur-Sidman

**Notes**


---

---

---

---

---

---

---

---

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)
Week of 6-24/6-30

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A6 Temp. Reading Location: A section  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	79.0	S. BROWN
	0600	79.0	S. BROWN
	0900	79.3	S. BROWN
	1200	79.4	S. BROWN
	1500	80.0	A. Chavez
	1800	79	A. Chavez
	2100	79	A. Chavez
	2400	79	MARTINEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	79	MARTINEZ
	0600	79	MARTINEZ
	0900	79.4	J. Thompson
	1200	79.7	J. Thompson
	1500	80.1	S. O'NEILL
	1800	80.6	S. O'DELL
	2100	80.3	B. Hale
	2400	80.1	MARTINEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	79.0	MARTINEZ
	0600	79.3	MARTINEZ
	0900	79.2	J. Thompson
	1200	79.4	J. Thompson
	1500	79.9	S. O'NEILL
	1800	80.3	S. O'DELL
	2100	80.1	S. O'NEILL
	2400	79.4	MARTINEZ

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	79.0	MARTINEZ
	0600	80.1	MARTINEZ
	0900	78.7	J. Thompson
	1200	79	J. Thompson
	1500	79.7	A. GUTIERREZ-AVILA
	1800	79.7	A. GUTIERREZ-AVILA
	2100	77.4	A. GUTIERREZ-AVILA
	2400	81.0	MARTINEZ

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	80.7	MARTINEZ
	0600	80.7	MARTINEZ
	0900	78.8	J. Thompson
	1200	79	J. Thompson
	1500	79.4	B. Hale
	1800	80.1	B. Hale
	2100	79.7	B. Hale
	2400	79.4	A. LARA

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	78.9	A. LARA
	0600	78.7	J. Thompson
	0900	78.7	J. Thompson
	1200	78.8	J. Thompson
	1500	79.4	B. Hale
	1800	80.1	B. Hale
	2100	79.9	B. Hale
	2400	79.7	J. WILLIAMS

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	79.9	J. WILLIAMS
	0600	78.6	Karen
	0900	80	Eric
	1200	85	Eric
	1500	80.8	J. CHAVEZ
	1800	80.9	J. CHAVEZ
	2100	80.7	J. CHAVEZ
	2400	80.5	D. HARRINGTON

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A6 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300	76.5	A. MASTAI
	0600	76.6	D. FREEMAN
	0900	76.1	D. FREEMAN
	1200	76.1	D. FREEMAN
	1500	77.9	O. ENRIQUEZ
	1800	77.7	O. ENRIQUEZ
	2100	78.1	O. ENRIQUEZ
	2400	79.8	A. MASTAI

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	78.2	A. MASTAI
	0600	76.3	D. FREEMAN
	0900	77.4	D. FREEMAN
	1200	77.7	D. FREEMAN
	1500	78.3	O. ENRIQUEZ
	1800	78.4	O. ENRIQUEZ
	2100	78.4	O. ENRIQUEZ
	2400	76.6	Chish

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	79.2	K. RUMYANTSEV
	0600	77.7	D. MCCLAMAN
	0900	76.6	D. MCCLAMAN
	1200	78.2	D. MCCLAMAN
	1500	78.4	O. ENRIQUEZ
	1800	78.6	O. ENRIQUEZ
	2100	78.8	O. ENRIQUEZ
	2400	78.1	TAYLOR

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	78.1	TAYLOR
	0600	78.3	D. MCCLAMAN
	0900	78.1	D. MCCLAMAN
	1200	78.4	O. MCCLAMAN
	1500	78.6	O. ENRIQUEZ
	1800	79.3	O. ENRIQUEZ
	2100	79.3	O. ENRIQUEZ
	2400	79.0	A. MASTAI

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	78.8	A. MASTAI
	0600	77.4	D. MCCLAMAN
	0900	78.4	D. MCCLAMAN
	1200	78.7	D. MCCLAMAN
	1500	80.6	O. ENRIQUEZ
	1800	80.8	O. ENRIQUEZ
	2100	80.6	O. ENRIQUEZ
	2400	80.4	A. MASTAI

Saturday

Date	Time	Temp.	Name (Print)
6/01	0300	78.8	A. MASTAI
	0600	78.6	D. MCCLAMAN
	0900	78.4	D. MCCLAMAN
	1200	79.4	D. MCCLAMAN
	1500	80.1	J. ALFRED
	1800	80.2	J. ALFRED
	2100	79.9	J. ALFRED
	2400	79	J. SANCHEZ

Sunday

Date	Time	Temp.	Name (Print)
6/02	0300	74	J. BARNES
	0600	71	J. BARNES
	0900	78.6	D. MCCLAMAN
	1200	79.8	D. MCCLAMAN
	1500	81	J. CHAVEZ
	1800	81	J. CHAVEZ
	2100	81	J. CHAVEZ
	2400	80.2	A. HERNANDEZ

Notes

f

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of \_\_\_\_\_

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC      Housing Unit: A4      Temp. Reading Location: \_\_\_\_\_  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/03	0300	79.7	A. Hernández
	0600	69	E. Cano
	0900	75	E. Cano
	1200	78	E. Cano
	1500	80.6	O. Enriques
	1800	80.4	O. Enriques
	2100	79.3	O. Enriques
	2400	79.3	A. Hernández

**Tuesday**

Date	Time	Temp.	Name (Print)
6/04	0300	78.8	A. Hernández
	0600	78.7	E. Cano
	0900	79.1	E. Cano
	1200	79.7	E. Cano
	1500	80.6	O. Enriques
	1800	80.4	O. Enriques
	2100	81.5	O. Enriques
	2400	74.9	A. Hernández

**Wednesday**

Date	Time	Temp.	Name (Print)
6/05	0300	79.1	A. Hernández
	0600	79.2	D. McClanahan
	0900	80	D. McClanahan
	1200	81.3	D. McClanahan
	1500	81.5	O. Enriques
	1800	84.6	O. Enriques
	2100	84.7	O. Enriques
	2400	84.0	MMA

**Thursday**

Date	Time	Temp.	Name (Print)
6/06	0300	81.0	MMA
	0600	80.8	D. McClanahan
	0900	81.6	D. McClanahan
	1200	82.8	D. McClanahan
	1500	86.2	O. Enriques
	1800	86.3	O. Enriques
	2100	85.3	O. Enriques
	2400	82.9	A. Hernández

**Friday**

Date	Time	Temp.	Name (Print)
6/07	0300	81.7	A. Hernández
	0600	80.6	D. McClanahan
	0900	82.3	D. McClanahan
	1200	84.6	D. McClanahan
	1500	84.9	O. Enriques
	1800	84.6	O. Enriques
	2100	82.8	O. Enriques
	2400	79.9	A. Hernández

**Saturday**

Date	Time	Temp.	Name (Print)
6/08	0300	78.1	Hernández, D.
	0600	76.6	Nunes
	0900	77.7	Nunes
	1200	80.0	nunes
	1500	81.9	Sánchez
	1800	81.0	Sánchez
	2100	81.0	Sánchez
	2400	81.0	Taylor

**Sunday**

Date	Time	Temp.	Name (Print)
6/09	0300	80.0	Taylor
	0600	78.8	D. McClanahan
	0900	78.1	D. McClanahan
	1200	79.8	D. McClanahan
	1500	81.4	Sánchez
	1800	81.2	Sánchez
	2100	81.0	Sánchez
	2400	80.8	Sánchez

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 6-10-16-16

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A6 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/11	0300	78.9	<u>CARLISOLA</u>
	0600	79.4	<u>E. Caw</u>
	0900	79.6	<u>E. Caw</u>
	1200	81.3	<u>E. Caw</u>
	1500	81.7	<u>O. Enriquez</u>
	1800	82.8	<u>O. Enriquez</u>
	2100	82.8	<u>O. Enriquez</u>
	2400	82.6	<u>ANASTASIO</u>

**Tuesday**

Date	Time	Temp.	Name (Print)
6/12	0300	81.0	<u>ANGUZCO</u>
	0600	78	<u>SALAZAR</u>
	0900	79.2	<u>SALAZAR</u>
	1200	79.9	<u>SALAZAR</u>
	1500	83.7	<u>O. Enriquez</u>
	1800	83.8	<u>O. Enriquez</u>
	2100	84.7	<u>O. Enriquez</u>
	2400	83.8	<u>WILRIGHT</u>

**Wednesday**

Date	Time	Temp.	Name (Print)
6/13	0300	82.9	<u>WILRIGHT</u>
	0600	82.1	<u>Carter</u>
	0900	82.5	<u>Carter</u>
	1200	82.9	<u>Carter</u>
	1500	84.0	<u>O. Enriquez</u>
	1800	84.0	<u>O. Enriquez</u>
	2100	83.1	<u>O. Enriquez</u>
	2400	82.6	<u>J. Thompson</u>

**Thursday**

Date	Time	Temp.	Name (Print)
6/14	0300	81.9	<u>J. Thompson</u>
	0600	79.5	<u>J. Barragan</u>
	0900	80.2	<u>J. Barragan</u>
	1200	82.0	<u>J. Barragan</u>
	1500	83.0	<u>O. Enriquez</u>
	1800	83.1	<u>O. Enriquez</u>
	2100	81.9	<u>O. Enriquez</u>
	2400	81.5	<u>ANASTASIO</u>

**Friday**

Date	Time	Temp.	Name (Print)
6/15	0300	81.9	<u>ANASTASIO</u>
	0600	81.9	<u>D. Barragan</u>
	0900	81.1	<u>D. Barragan</u>
	1200	82.0	<u>D. Barragan</u>
	1500	83.7	<u>O. Enriquez</u>
	1800	83.1	<u>O. Enriquez</u>
	2100	83.0	<u>O. Enriquez</u>
	2400	82.8	<u>ANASTASIO</u>

**Saturday**

Date	Time	Temp.	Name (Print)
6/16	0300	81.5	<u>ANASTASIO</u>
	0600	79.5	<u>J. Barragan</u>
	0900	80.2	<u>J. Barragan</u>
	1200	81.0	<u>J. Barragan</u>
	1500	82.1	<u>J. Barragan</u>
	1800	82.1	<u>Sanchez</u>
	2100	81.8	<u>Sanchez</u>
	2400	81.5	<u>ANASTASIO</u>

**Sunday**

Date	Time	Temp.	Name (Print)
6/17	0300	81	<u>ANASTASIO</u>
	0600	81.2	<u>D. Barragan</u>
	0900	82.1	<u>D. Barragan</u>
	1200	82	<u>D. Barragan</u>
	1500	82.0	<u>Sanchez</u>
	1800	81.7	<u>Sanchez</u>
	2100	81.2	<u>Sanchez</u>
	2400	80.7	<u>ANASTASIO</u>

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A4 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6-17	0300	74.5	Anastasio
	0600	75.0	T. Lopez
	0900	76.5	T. Lopez
	1200	76.2	T. Lopez
	1500	76.0	D. Enciso
	1800	76.2	D. Enciso
	2100	76.0	D. Enciso
	2400	76.0	Anastasio

#### Tuesday

Date	Time	Temp.	Name (Print)
6-18	0300	74.5	Anastasio
	0600	75.0	D. McClanahan
	0900	75.3	D. McClanahan
	1200	76.0	D. McClanahan
	1500	79.5	O. Enriquez
	1800	72.9	O. Enriquez
	2100	79.3	O. Enriquez
	2400	75.9	J. Thompson

#### Wednesday

Date	Time	Temp.	Name (Print)
6-19	0300	74.7	J. Thompson
	0600	75.3	D. McClanahan
	0900	75.6	D. McClanahan
	1200	78.1	D. McClanahan
	1500	78.3	O. Enriquez
	1800	78.8	O. Enriquez
	2100	78.8	O. Enriquez
	2400	78.8	C. Lopez

#### Thursday

Date	Time	Temp.	Name (Print)
6-20	0300	78.8	C. Lopez
	0600	78.6	D. McClanahan
	0900	77.4	D. McClanahan
	1200	78.8	D. McClanahan
	1500	78.2	O. Enriquez
	1800	79.9	O. Enriquez
	2100	79.5	O. Enriquez
	2400	79.3	Anastasio

#### Friday

Date	Time	Temp.	Name (Print)
6-21	0300	79.8	Anastasio
	0600	75.9	D. McClanahan
	0900	76.4	D. McClanahan
	1200	78.6	D. McClanahan
	1500	80.2	O. Enriquez
	1800	81.0	O. Enriquez
	2100	79.9	O. Enriquez
	2400	79.8	Anastasio

#### Saturday

Date	Time	Temp.	Name (Print)
6-22	0300	79.6	Anastasio
	0600	78.4	Nelson
	0900	80.2	Nelson
	1200	81.9	Nelson
	1500	82.0	Sanchez
	1800	83.2	Sanchez
	2100	82.9	Sanchez
	2400	80.9	Anastasio

#### Sunday

Date	Time	Temp.	Name (Print)
6-23	0300	80.0	Anastasio
	0600	80.0	D. McClanahan
	0900	82.4	D. McClanahan
	1200	83.0	D. McClanahan
	1500	82.7	Schramm
	1800	82.8	Schramm
	2100	82.9	Schramm
	2400	82.9	Gambay

#### Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

22  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A6 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/24/24

Date	Time	Temp.	Name (Print)
0300	82.7	Gari bay	
0600	82.7	Thao	
0900	82.7	Thao	
1200	82.9	Thao	
1500	83.1	O. Enriquez	
1800	83.5	O. Enriquez	
2100	83.5	O. Enriquez	
2400	82.9	Ramirez	

Tuesday 6/25/24

Date	Time	Temp.	Name (Print)
0300	82.8	Ramirez	
0600	82.8	Rudolphy	
0900	82.6	Rudolphy	
1200	84.0	Rudolphy	
1500	84.7	O. Enriquez	
1800	85.6	O. Enriquez	
2100	84.2	O. Enriquez	
2400	83.8	Batindor	

Wednesday 6/26/24

Date	Time	Temp.	Name (Print)
0300	81.3	Batindor	
0600	79.9	Batindor	
0900	81.5	D. McClanahan	
1200	82.8	D. McClanahan	
1500	84.7	O. Enriquez	
1800	84.6	O. Enriquez	
2100	83.1	O. Enriquez	
2400	80.6	Batindor	

Thursday 6/27/24

Date	Time	Temp.	Name (Print)
0300	77.5	Batindor	
0600	79.5	Batindor	
0900	80.4	D. McClanahan	
1200	80.2	D. McClanahan	
1500	82.9	O. Enriquez	
1800	83.5	O. Enriquez	
2100	82.9	O. Enriquez	
2400	80.6	Anastasio	

Friday 6/28/24

Date	Time	Temp.	Name (Print)
0300	78.0	Anastasio	
0600	79.7	D. McClanahan	
0900	80.6	D. McClanahan	
1200	82.0	D. McClanahan	
1500	84.6	O. Enriquez	
1800	84.6	O. Enriquez	
2100	83.8	O. Enriquez	
2400	82.0	Anastasio	

Saturday 6/29/24

Date	Time	Temp.	Name (Print)
0300	80.0	Anastasio	
0600	79.9	Ladowski	
0900	81.1	Ladowski	
1200	83.6	Ladowski	
1500	84.7	Sanchez	
1800	84.9	Sanchez	
2100	84.2	Sanchez	
2400	83.8	Anastasio	

Sunday 6/30/24

Date	Time	Temp.	Name (Print)
0300	81.8	Anastasio	
0600	81.9	D. McClanahan	
0900	83.1	D. McClanahan	
1200	84.0	D. McClanahan	
1500	85.2	Sanchez	
1800	85.6	Sanchez	
2100	85.1	Sanchez	
2400	84.8	Anastasio	

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of \_\_\_\_\_

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A7 Control Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/03	0300	71.8	Richter
	0600	71.8	ESPIRO
	0900	72.4	ESPIRO
	1200	73.0	ESPIRO
	1500	73.2	ESPIRO
	1800	74.0	ESPIRO
	2100	73.6	ESPIRO
	2400	73.2	Gaugen

**Tuesday**

Date	Time	Temp.	Name (Print)
6/04	0300	73	Gaugen
	0600	72	PADILLA
	0900	73	PADILLA
	1200	75	PADILLA
	1500	72.0	G Hernandez
	1800	73.9	C Hernandez
	2100	73.8	C Hernandez
	2400	73.4	Conner

**Wednesday**

Date	Time	Temp.	Name (Print)
6/05	0300	73.1	G. mo
	0600	75	PADILLA
	0900	75	PADILLA
	1200	75	PADILLA
	1500	72.5	Hernandez
	1800	77.7	Hernandez
	2100	75.4	Hernandez
	2400	75.6	WILRIGHT

**Thursday**

Date	Time	Temp.	Name (Print)
6/06	0300	75.6	WILRIGHT
	0600	74.5	C. Hernandez
	0900	77.5	C. Hernandez
	1200	77.9	C. Hernandez
	1500	78.1	C. Hernandez
	1800	78.5	C. Hernandez
	2100	79.0	C. Hernandez
	2400	74.5	Sadighi S

**Friday**

Date	Time	Temp.	Name (Print)
6/07	0300	73.1	Sadighi S
	0600	73.6	ESPIRO
	0900	74.0	ESPIRO
	1200	76.2	ESPIRO
	1500	78.0	ESPIRO
	1800	78.8	ESPIRO
	2100	78.0	ESPIRO
	2400	75	LEE

**Saturday**

Date	Time	Temp.	Name (Print)
6/08	0300	75	LEE
	0600	75.2	ESPIRO
	0900	75.8	ESPIRO
	1200	76.6	ESPIRO
	1500	76.5	Zaragoza
	1800	72.0	Zaragoza
	2100	71.8	Zaragoza
	2400	71.9	HARRIS

**Sunday**

Date	Time	Temp.	Name (Print)
6/09	0300	71.2	HARRIS
	0600	72.4	ESPIRO
	0900	74.4	ESPIRO
	1200	76.2	ESPIRO
	1500	77.7	CAROLINA
	1800	78.7	CAROLINA
	2100	78.1	CAROLINA
	2400	72.9	VILLANUEVA

**Notes**

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A7 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
5/27	0300	70.0	V. UWA
	0600	70.0	E. SPINO
	0900	76.6	F. SODA
	1200	71.0	E. SPINO
	1500	71.0	E. SPINO
	1800	72.0	E. SPINO
	2100	71.4	F. SODA
	2400	73	Lee

#### Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	70	Lee
	0600	71	C. Hernandez
	0900	71.7	C. Hernandez
	1200	73	C. Hernandez
	1500	74.1	C. Hernandez
	1800	73.8	C. Hernandez
	2100	73.9	C. Hernandez
	2400	73.6	Simon

#### Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	73	Giron
	0600	75.6	D. MELAS
	0900	75.6	D. MELAS
	1200	75.6	D. MELAS
	1500	72.7	C. Hernandez
	1800	72.7	C. Hernandez
	2100	71.8	C. Hernandez
	2400	71.0	M. BROWN

#### Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	71.3	M. BROWN
	0600	71.0	M. BROWN
	0900	71.7	C. Hernandez
	1200	72.0	C. Hernandez
	1500	72.0	C. Hernandez
	1800	73.6	C. Hernandez
	2100	73.2	C. Hernandez
	2400	72.5	E. UWA

#### Friday

Date	Time	Temp.	Name (Print)
5/31	0300	71.8	E. UWA
	0600	71.2	E. UWA
	0900	71.8	E. SPINO
	1200	73.0	E. SPINO
	1500	74.0	E. SPINO
	1800	74.2	E. SPINO
	2100	72.0	Lee
	2400	71.0	E. UWA

#### Saturday

Date	Time	Temp.	Name (Print)
6/01	0300	71.0	
	0600	72.0	E. SPINO
	0900	72.6	E. SPINO
	1200	73.0	E. SPINO
	1500	71.8	C. Hernandez
	1800	72.0	C. Hernandez
	2100	71.8	C. Hernandez
	2400	71.6	Bacchi

#### Sunday

Date	Time	Temp.	Name (Print)
6/02	0300	71.8	Bacchi
	0600	71.6	E. SPINO
	0900	71.8	E. SPINO
	1200	72.0	E. SPINO
	1500	71.8	C. Hernandez
	1800	71.8	C. Hernandez
	2100	71.8	Shipman
	2400	71.7	Lee

#### Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 6-10/6-16

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1 Control Temp. Reading Location: 2nd Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10	0300	72.5	Villan
	0600	69.8	Hernandez
	0900	74.3	Hernandez
	1200	72.8	Hernandez
	1500	75.4	Fernandez
	1800	75.4	Fernandez
	2100	75.0	Fernandez
	2400	75.0	Villan

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12	0300	76.0	Villan
	0600	74.7	GONZALEZ
	0900	77.5	GONZALEZ
	1200	80.4	GONZALEZ
	1500	78.0	Hernandez
	1800	79.0	Hernandez
	2100	78.8	Hernandez
	2400	75.8	Villan

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	76.2	Sadighi S
	0600	76.4	ESPINO
	0900	77.3	ESPINO
	1200	78.1	ESPINO
	1500	80.1	ESPINO
	1800	88.8	ESPINO
	2100	77.2	ESPINO
	2400	75	Vec. P

**Sunday**

Date	Time	Temp.	Name (Print)
6/16	0300	75.5	RICHARDSON
	0600	75.6	ESPINO
	0900	77.2	ESPINO
	1200	78.0	ESPINO
	1500	82.9	VASQUEZ
	1800	76.8	VASQUEZ
	2100	71.8	VASQUEZ
	2400	71.7	BANSH

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11	0300	74.0	Villan
	0600	74.7	Otero
	0900	75.6	Otero
	1200	77.2	Otero
	1500	77.5	Hernandez
	1800	77.7	Hernandez
	2100	77.7	Hernandez
	2400	77.2	Villan

**Thursday**

Date	Time	Temp.	Name (Print)
6/13	0300	75.0	Villan
	0600	75.7	Hernandez
	0900	76.6	Hernandez
	1200	77.5	Hernandez
	1500	75.4	Hernandez
	1800	76.1	Hernandez
	2100	76.6	Hernandez
	2400	75.8	Sadighi S

**Saturday**

Date	Time	Temp.	Name (Print)
6/15	0300	75	Vec. P
	0600	75	Vec. P
	0900	76.8	Vec. P
	1200	77.2	Vec. P
	1500	78.4	Vec. P
	1800	78.4	Vec. P
	2100	78.4	Vec. P
	2400	75.4	RICHARDSON

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 05-17-24 - 05-23-24

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A1 Control Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
4/17	0300	75.8	C. Banish
	0600	75.8	C. Banish
	0900	71.8	Hernandez
	1200	75.2	Hernandez
	1500	75.6	Hernandez
	1800	75.0	Hernandez
	2100	72.3	Hernandez
	2400	71.9	

**Tuesday**

Date	Time	Temp.	Name (Print)
4/18	0300	72.3	
	0600	72.5	M. PADILLA
	0900	75.6	M. PADILLA
	1200	75.6	M. PADILLA
	1500	75.3	I. CIOFALO
	1800	75.1	I. CIOFALO
	2100	74.9	I. CIOFALO
	2400	73.0	V. Villan

**Wednesday**

Date	Time	Temp.	Name (Print)
4/19	0300	71.9	Villan
	0600	75.8	
	0900	75.6	
	1200	75.4	
	1500	75.6	Hernandez
	1800	74.8	Hernandez
	2100	74.0	Hernandez
	2400	74.6	Villan

**Thursday**

Date	Time	Temp.	Name (Print)
4/20	0300	71.0	Villan
	0600	73	Silvano
	0900	73.4	Silvano
	1200	73.8	Silvano
	1500	74.7	Hernandez
	1800	73.8	Hernandez
	2100	73.8	Hernandez
	2400	71.2	Villan

**Friday**

Date	Time	Temp.	Name (Print)
4/21	0300	71.0	Villan
	0600	73.2	Brown
	0900	73.3	PINEDO
	1200	71	PINEDO
	1500	73.0	Hernandez
	1800	74.8	Hernandez
	2100	75.0	Hernandez
	2400	75.6	J. Thompson

**Saturday**

Date	Time	Temp.	Name (Print)
4/22	0300	75.6	J. Thompson
	0600	71.8	C. SALAS
	0900	75.6	B. Breyer
	1200	75.6	B. Reyes
	1500	74.8	Zindani
	1800	71.8	Zarzosa
	2100	72.5	Zarzosa
	2400	71.0	Alvarez

**Sunday**

Date	Time	Temp.	Name (Print)
4/23	0300	72.8	Hernandez
	0600	71.0	GONZALEZ
	0900	71.8	GONZALEZ
	1200	73.1	GONZALEZ
	1500	75.4	CAMACITO
	1800	75.	CAMACITO
	2100	71.	CAMACITO
	2400	79	Villan

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: A7 Control Temp. Reading Location: 2nd Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	75	Villa
	0600	71.1	GONZALEZ
	0900	73.8	GONZALEZ
	1200	79.1	GONZALEZ
	1500	80.2	Hernandez
	1800	77.9	Hernandez
	2100	78.3	Hernandez
	2400	76.0	Villa

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	75.9	Villa
	0600	71.8	GONZALEZ
	0900	74.3	GONZALEZ
	1200	76.6	GONZALEZ
	1500	77.7	Hernandez
	1800	76.6	Hernandez
	2100	77.7	Hernandez
	2400	76.3	Villa

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	76.0	Villa
	0600	78.2	PADILLA
	0900	75.6	PADILLA
	1200	75.6	PADILLA
	1500	75.4	Gutierrez
	1800	72	Gutierrez
	2100	71.8	Gutierrez
	2400	75.2	Villa

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	75.0	Villa
	0600	67.6	Hernandez
	0900	73.1	Hernandez
	1200	80.4	Hernandez
	1500	78.4	Hernandez
	1800	76.6	Hernandez
	2100	76.5	Hernandez
	2400	76.5	Saadighi

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	76.2	Sadighi
	0600	73.2	Hernandez
	0900	76.1	Hernandez
	1200	77.2	Hernandez
	1500	76.6	Hernandez
	1800	77.0	Hernandez
	2100	77.0	Hernandez
	2400	75	Villa

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	75.5	Lee
	0600	75.8	Lee
	0900	75.6	RODRIGUEZ
	1200	75.6	RODRIGUEZ
	1500	75.2	Aban
	1800	76.6	J. John
	2100	71.0	J. John
	2400	75.2	RICHARDSON

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	75.6	RICHARDSON
	0600	76.2	Hernandez
	0900	76.3	Hernandez
	1200	72.4	Hernandez
	1500	79	
	1800		
	2100		
	2400		

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of \_\_\_\_\_

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A8 Temp. Reading Location: 2ND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/1/2024	0300	73.6	A. YERBY
	0600	73.2	A. YERBY
	0900	73.2	Lee P
	1200	73.4	Lee P
	1500	74	N. CASTRO
	1800	73.4	N. CASTRO
	2100	73.4	N. CASTRO
	2400	73.1	A. YERBY

**Sunday**

Date	Time	Temp.	Name (Print)
6/2/24	0300	73.6	A. YERBY
	0600	70.0	A. YERBY
	0900	70.0	Lee
	1200	71.5	Lee
	1500	74.2	N. CASTRO
	1800	74.9	N. CASTRO
	2100	76.0	N. CASTRO
	2400	75.2	

**Notes**

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of \_\_\_\_\_

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A8 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/3/24	0300	69.7	OPR
	0600	69.3	MAKMENAS
	0900	69.3	MAKMENAS
	1200	70.4	MAKMENAS
	1500	73.8	Castro
	1800	74.0	Castro
	2100	74.9	Castro
	2400	70.4	OPR

**Tuesday**

Date	Time	Temp.	Name (Print)
5/4/24	0300	71.6	OPR
	0600	68.6	N. YERBY
	0900	69.1	N. YERBY
	1200	71.1	N. YERBY
	1500	72.0	Castro
	1800	72.4	Castro
	2100	74.6	Castro
	2400	76	EL ROSTA

**Wednesday**

Date	Time	Temp.	Name (Print)
5/5/24	0300	75.6	El Rosta
	0600	73.6	El Rosta
	0900	72	El Rosta
	1200	73.1	El Rosta
	1500	72.5	ARRUDA
	1800	72.9	ARRUDA
	2100	71.9	ARRUDA
	2400	75	Sadighi S

**Thursday**

Date	Time	Temp.	Name (Print)
5/6/24	0300	74.2	Sadighi S
	0600	73.4	Sadighi S
	0900	74.3	Sadighi S
	1200	72.5	Sadighi S
	1500	72.9	N. GUTHRIE
	1800	72.7	N. GUTHRIE
	2100	72.2	W. Cuthbert
	2400	71.5	A. YERBY

**Friday**

Date	Time	Temp.	Name (Print)
5/7/24	0300	73.9	A. YERBY
	0600	75.1	A. YERBY
	0900	72.4	Sadighi S
	1200	73.4	Sadighi S
	1500	74.6	Castro
	1800	75.0	Castro
	2100	75.9	Castro
	2400	77.2	A. YERBY

**Saturday**

Date	Time	Temp.	Name (Print)
5/8/24	0300	77.6	A. YERBY
	0600	77.2	A. YERBY
	0900	74	Lee
	1200	74	Lee
	1500	72.4	Castro
	1800	72.9	Castro
	2100		Castro
	2400	75.4	A. YERBY

**Notes**

Date	Time	Temp.	Name (Print)
5/9/24	0300	75.6	A. YERBY
	0600	76.3	A. YERBY
	0900	77.0	Lee
	1200	76.8	Lee
	1500	76.0	Castro
	1800	77.2	Castro
	2100	77.0	Castro
	2400	71.4	OPR

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 6/10/24 - 6/16/24

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A8 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10/24	0300	77.0	OPR
	0600	77.2	OPR
	0900	76.9	QUINTORD
	1200	77.2	QUINTERO
	1500	77.3	CAMARENA
	1800	77.0	Castro
	2100	77.2	Castro
	2400	77.6	OPR

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11/24	0300	77.0	OPR
	0600	68.2	N.YAHMENO
	0900	71.3	N.YAHMENO
	1200	73.5	N.YAHMENO
	1500	73.1	Castro
	1800	72.4	Castro
	2100	71.0	Castro
	2400	79.4	ERBTM

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12/24	0300	79.3	ERBTM
	0600	77.2	SADIGHIS
	0900	74.4	SADIGHIS
	1200	76.2	SADIGHIS
	1500	73.8	KIAKSI
	1800	73.3	KIAKSI
	2100	73.1	KIAKSI
	2400	74.2	SADIGHIS

**Thursday**

Date	Time	Temp.	Name (Print)
6/13/24	0300	76.2	GADDIPI
	0600	74.2	SADIGHIS
	0900	74.6	SADIGHIS
	1200	74.4	SADIGHIS
	1500	74.6	ARDEC
	1800	74.7	ARDEC
	2100	75.1	ARDEC
	2400	78.2	A.YERBY

**Friday**

Date	Time	Temp.	Name (Print)
6/14/24	0300	78.4	A.YERBY
	0600	77.2	A.YERBY
	0900	77.4	SADIGHIS
	1200	76.8	SADIGHIS
	1500	75.9	Castro, M
	1800	73.5	Castro, M
	2100	79.0	Castro, M
	2400	78.4	A.YERBY

**Saturday**

Date	Time	Temp.	Name (Print)
6/15/24	0300	79.3	A.YERBY
	0600	79.2	A.YERBY
	0900	79	
	1200	79	ICP
	1500	79.1	Castro, M
	1800	79.3	Castro, M
	2100	79.2	Castro, M
	2400	79.4	A.YERBY

**Sunday**

Date	Time	Temp.	Name (Print)
6/16/24	0300	79.4	A.YERBY
	0600	79.4	A.YERBY
	0900	79	ICP
	1200	79	ICP
	1500	79.1	Castro
	1800	79.4	Castro
	2100	79.0	Castro
	2400	79.3	OPR

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 6/17/24 - 6/23/24

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A8 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	79.3	OPR
	0600	79.4	OPR
	0900	72.2	N. YAKIMONO
	1200	72.2	N. YAKIMONO
	1500	78.8	Castro, M
	1800	79.4	Castro, M
	2100	79.6	Castro, M
	2400	79.4	OPR

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	79.4	OPR
	0600	79.4	OPR
	0900	72.2	N. YAKIMONO
	1200	72.2	N. YAKIMONO
	1500	78.0	Castro
	1800	79.2	Castro
	2100	79.4	Castro
	2400	79.4	Sadighi, S

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	79.7	Sadighi, S
	0600	78.4	Sadighi, S
	0900	72.2	Sadighi, S
	1200	72.2	Sadighi, S
	1500	72.2	B. Chacon
	1800	73.0	B. Chacon
	2100	73.1	B. Chacon
	2400	79.4	Sadighi, S

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	79.4	Sadighi, S
	0600	79.4	Sadighi, S
	0900	74.6	Sadighi, S
	1200	76.4	Sadighi, S
	1500	72.2	B. Chacon
	1800	72.2	B. Chacon
	2100	72.2	B. Chacon
	2400	79.4	A. YERBY

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	79.2	A. YERBY
	0600	79.4	A. YERBY
	0900	79.6	Sadighi, S
	1200	72.2	Sadighi, S
	1500	79.4	Castro
	1800	79.4	Castro
	2100	79.3	Castro
	2400	79.4	A. YERBY

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	79.4	A. YERBY
	0600	79.4	A. YERBY
	0900	79.4	Sadighi, S
	1200	79.6	Sadighi, S
	1500	79.8	Castro
	1800	79.9	Castro
	2100	79.8	Castro
	2400	79.0	A. YERBY

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	79.2	A. YERBY
	0600	79.4	A. YERBY
	0900	79.6	Sadighi, S
	1200	79.6	Sadighi, S
	1500	79.4	Castro
	1800	79.9	Castro
	2100	79.6	Castro
	2400	79.5	OPR

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Week of 4/24/24 - 4/30/24

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: A8 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
4/24/24	0300	79.4	ORR
	0600	72.2	YAKIMENO
	0900	72.2	YAKIMENO
	1200	72.2	YAKIMENO
	1500	76.5	Castro
	1800	79.0	Castro
	2100	79.4	Castro
	2400	79.4	ORR

**Wednesday**

Date	Time	Temp.	Name (Print)
4/26/24	0300	79.4	E. BROWN
	0600	78.6	Saalgan S.
	0900	79.4	Saalgan S.
	1200	79.4	Saalgan S.
	1500	79.2	Chacon
	1800	79.4	Chacon
	2100	79.4	Chacon
	2400	79.2	Saalgan S.

**Friday**

Date	Time	Temp.	Name (Print)
4/28/24	0300	79.4	A. YERBY
	0600	79.4	A. YERBY
	0900	79.4	Saalgan S.
	1200	79.4	Saalgan S.
	1500	79.6	Castro, M.
	1800	79.8	Castro, M.
	2100	79.4	Castro, M.
	2400	79.4	A. YERBY

**Sunday**

Date	Time	Temp.	Name (Print)
4/30/24	0300	79.4	A. YERBY
	0600	79.4	A. YERBY
	0900	76	Lee
	1200	71	Lee
	1500	83.0	Castro
	1800	82.9	Castro
	2100	79.4	Castro
	2400	78.8	ORR

**Tuesday**

Date	Time	Temp.	Name (Print)
4/25/24	0300	79.4	ORR
	0600	72.2	YAKIMENO
	0900	72.2	YAKIMENO
	1200	72.2	YAKIMENO
	1500	73.2	Castro
	1800	75.0	Castro
	2100	73.0	Castro
	2400	79.8	E. Brown

**Thursday**

Date	Time	Temp.	Name (Print)
4/27/24	0300	79.4	Gaughn S.
	0600	78.6	Gaughn S.
	0900	78.6	Gaughn S.
	1200	79.6	Gaughn S.
	1500	79.4	Chacon
	1800	79.4	Chacon
	2100	79.4	Chacon
	2400	79.4	A. YERBY

**Saturday**

Date	Time	Temp.	Name (Print)
4/29/24	0300	79.4	A. YERBY
	0600	79.4	A. YERBY
	0900	73	Lee
	1200	71	Lee
	1500	79.5	Castro, M.
	1800	79.4	Camarena, R.
	2100	79.4	A. YERBY
	2400	79.4	A. YERBY

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier), where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: STRH Temp. Reading Location: A - H  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/27	0300	71.0	AVILA
	0600	71.2	Graze
	0900	72	Akin
	1200	73	Akin
	1500	73	CHAVEZ
	1800	72	CHAVEZ
	2100	72	CHAVEZ
	2400	72	Stocket

**Wednesday**

Date	Time	Temp.	Name (Print)
5/29	0300		Wheeler
	0600	72	Akin
	0900	72	Akin
	1200	72	Akin
	1500	72.9	Mills
	1800	73.3	Mills
	2100	73.3	Mills
	2400	72.9	Mills

**Friday**

Date	Time	Temp.	Name (Print)
5/31	0300	71.7	(un)
	0600	72	Akin
	0900	73	Akin
	1200	73	Akin
	1500	70	Chacon
	1800	74	Chacon
	2100	74.3	Chacon
	2400	72	Chavez

**Sunday**

Date	Time	Temp.	Name (Print)
6/2	0300	70	AVILA
	0600	72.2	ROBNEY
	0900	72.9	ROBNEY
	1200	73.3	ROBNEY
	1500	73	CHAVEZ
	1800	72	CHAVEZ
	2100	72	CHAVEZ
	2400	72.5	AVILA

**Tuesday**

Date	Time	Temp.	Name (Print)
5/28	0300	72	Stocket
	0600	72.3	CHAVEZ
	0900	73	T.Akin
	1200	73	T.Akin
	1500	73	CHAVEZ
	1800	72	CHAVEZ
	2100	72	CHAVEZ
	2400	72	Stocket

**Thursday**

Date	Time	Temp.	Name (Print)
5/30	0300	72.3	un
	0600	72	Akin
	0900	72	Akin
	1200	72	Akin
	1500	73	CHAVEZ
	1800	73	CHAVEZ
	2100	72	CHAVEZ
	2400	72	un

**Saturday**

Date	Time	Temp.	Name (Print)
6/1	0300	72	Chavez
	0600	71.2	Robney
	0900	72.5	Robney
	1200	73.1	Robney
	1500	68.4	Chacon
	1800	68.6	Chacon
	2100	68.8	Chacon
	2400	68.8	AVILA

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: STRH Temp. Reading Location: A - H  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6-5	0300	72.3	AVICK
	0600	72	AKIN
	0900	72	AKIN
	1200	73	AKIN
	1500	72	CHAVEZ
	1800	72	CHAVEZ
	2100	73.6	CHAVEZ
	2400	71.5	SANDY

**Tuesday**

Date	Time	Temp.	Name (Print)
6-6	0300	72.3	SANDY
	0600	72	AKIN
	0900	73	AKIN
	1200	75	AKIN
	1500	73	CHAVEZ
	1800	72	CHAVEZ
	2100	72	CHAVEZ
	2400	72	CHAVEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
6-5	0300	71	TURGEON
	0600	71	AKIN
	0900	71	AKIN
	1200	71	AKIN
	1500	72	BLACK
	1800	72	BLACK
	2100	71	BLACK
	2400	71	WILRIGHT

**Thursday**

Date	Time	Temp.	Name (Print)
6-7	0300	61	WILRIGHT
	0600	71	AKIN
	0900	71	AKIN
	1200	72	AKIN
	1500	71	R. CHAVEZ
	1800	72	CHEM
	2100	72	CHEM
	2400	72	TURGEON

**Friday**

Date	Time	Temp.	Name (Print)
6-7	0300	71	TURGEON
	0600	70	AKIN
	0900	70	AKIN
	1200	70	AKIN
	1500	71	BLACK
	1800	71	BLACK
	2100	71	BLACK
	2400	70.7	WILRIGHT

**Saturday**

Date	Time	Temp.	Name (Print)
6-8	0300	69.7	WILRIGHT
	0600	68.9	MORNING
	0900	69.3	MORNING
	1200	70.2	ROBOVSKY
	1500	70	R. CHAVEZ
	1800	70	R. CHAVEZ
	2100	70	R. CHAVEZ
	2400	70	AVICK

**Notes**

Date	Time	Temp.	Name (Print)
6-9	0300	70	AVICK
	0600	70.7	MORNING
	0900	71.2	MORNING
	1200	71.3	MORNING
	1500	70.1	R. CHAVEZ
	1800	70.1	R. CHAVEZ
	2100	70.1	R. CHAVEZ
	2400	70	AVICK

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: STRH Temp. Reading Location: A-H  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	69	AVILA
10	0600	69.5	CHAVEZ
	0900	69.4	CHAVEZ
	1200	71.5	CHAVEZ
	1500	70	CHAVEZ
	1800	70	CHAVEZ
	2100	70	CHAVEZ
	2400	70	Stockel

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	66	Stockel
12	0600	66	REST
	0900	66	REST
	1200	66	REST
	1500	71.5	MILLS
	1800	71.5	MILLS
	2100	72.2	MILLS
	2400	73	Stockel

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	65	Stockel
14	0600	70	AKIN
	0900	70	AKIN
	1200	71	AKIN
	1500	71	MCGOWAN
	1800	71	MCGOWAN
	2100	71	MCGOWAN
	2400	69	Stockel

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	70.0	AVILA
16	0600	70.2	MCGOWAN
	0900	71.5	MCGOWAN
	1200	72.5	MCGOWAN
	1500	72	R. CHAVEZ
	1800	72	R. CHAVEZ
	2100	72	R. CHAVEZ
	2400	72	AVILA

Tuesday

Date	Time	Temp.	Name (Print)
6/12	0300	65	Stockel
11	0600	67	CHAVEZ
	0900	68	CHAVEZ
	1200	69	CHAVEZ
	1500	70	CHAVEZ
	1800	72	CHAVEZ
	2100	72	CHAVEZ
	2400	67	Stockel

Thursday

Date	Time	Temp.	Name (Print)
6/14	0300	67	Stockel
13	0600	71	T. Akin
	0900	71	Akin
	1200	71	Akin
	1500	71	BLACK
	1800	71	BLACK
	2100	71	BLACK
	2400	71	Stockel

Saturday

Date	Time	Temp.	Name (Print)
6/16	0300	67	Stockel
15	0600	70.7	MCGOWAN
	0900	70.4	MCGOWAN
	1200	71.5	MCGOWAN
	1500	71.5	J. TURNER
	1800	71.1	J. TURNER
	2100	70.0	J. TURNER
	2400	70.0	AVILA

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: STR H Temp. Reading Location: A - H  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	72	AVILA
	0600	71	Akin
	0900	71	Akin
	1200	72	Akin
	1500	72	R. CHAVEZ
	1800	72	R. CHAVEZ
	2100	72	R. CHAVEZ
	2400	70	Stockel ✓

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	63	Stockel ✓
	0600	71	Akin
	0900	71	Akin
	1200	72	Akin
	1500	71	R. CHAVEZ
	1800	72	R. CHAVEZ
	2100	72	R. CHAVEZ
	2400	70	Stockel ✓

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	72	Stockel ✓
	0600	72	Akin
	0900	72	Akin
	1200	73	Akin
	1500	74.3	Akin
	1800	74.2	Akin
	2100	74	Akin
	2400	72	Stockel ✓

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	64	Stockel ✓
	0600	72	Akin
	0900	72	Akin
	1200	73	Akin
	1500	73	CHAVEZ
	1800	72	CHAVEZ
	2100	72	CHAVEZ
	2400	72	Stockel ✓

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	64	Stockel ✓
	0600	72.1	Chacon
	0900	72.4	Chacon
	1200	73.6	Chacon
	1500	75.6	Chacon
	1800	75.6	Chacon
	2100	74.3	Chacon
	2400	72	Stockel ✓

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	64	Stockel ✓
	0600	73.5	newmy
	0900	75.1	newmy
	1200	75.2	newmy
	1500	75.6	Chacon
	1800	76.7	Chacon
	2100	76.5	Chacon
	2400	75.5	AVILA ✓

Notes

Date	Time	Temp.	Name (Print)
6/23	0300	75.1	AVILA
	0600	75.1	newmy
	0900	76.3	newmy
	1200	76.7	newmy
	1500	76	CHAVEZ
	1800	76	CHAVEZ
	2100	76	CHAVEZ
	2400	76	AVILA ✓

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: STR H Temp. Reading Location: A - H  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	76.1	AVILA
	0600	76.4	CHAVES
	0900	74.3	CHAVES
	1200	74.2	CHAVES
	1500	73	CHAVEZ
	1800	73	CHAVEZ
	2100	73	CHAVEZ
	2400	70	Stockel

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	65	Stockel
	0600	67	CHAVES
	0900	70	CHAVES
	1200	71	CHAVES
	1500	71	R. CHAVEZ
	1800	70	R. CHAVEZ
	2100	70	R. CHAVEZ
	2400	70	Stockel

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	66	Stockel
	0600	62	Akin
	0900	71	Akin
	1200	71	Akin
	1500	72.9	BENSON
	1800	72.9	BEVENS
	2100	72.0	BEVENS
	2400	70	Stockel

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	64	Stockel
	0600	70	Akin
	0900	71	Akin
	1200	72	Akin
	1500	71.5	Chacon
	1800	71.5	Chacon
	2100	71.5	Chacon
	2400	70	Stockel

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	70	RAMERO
	0600	69.6	ROMERO
	0900	70.0	ROMERO
	1200	72.9	ROMERO
	1500	71	CHAVEZ
	1800	70	CHAVEZ
	2100	70	CHAVEZ
	2400	70	AVILA

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	66	Stockel
	0600	70	Akin
	0900	71	Akin
	1200	71	Akin
	1500	71	CHAVEZ
	1800	70	CHAVEZ
	2100	70	CHAVEZ
	2400	70	Stockel

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300		Stockel
	0600	69.3	ROMERO
	0900	70.0	ROMERO
	1200	71.7	ROMERO
	1500	71.3	Chacon
	1800	71.3	Chacon
	2100	72.2	Chacon
	2400	71.7	ROMERO

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: CTC 2 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
5/27	0300	71.6	D. OTERO
	0600	71.6	D. Simms
	0900	71.8	D. Simms
	1200	74.3	D. Simms
	1500	74.5	J. Smith
	1800	74.5	J. Smith
	2100	74.5	J. Smith
	2400	72.9	D. Otero

#### Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	72.2	D. Otero
	0600	73.4	RE Hatchings
	0900	73.5	RE Hatchings
	1200	73.6	RE Hatchings
	1500	74.9	L. Flores
	1800	75.4	T. Marion
	2100	74.3	T. Marion
	2400	72.9	A. Rther

#### Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	72.2	D. Otero
	0600	71.8	RE Hatchings
	0900	72.7	RE Hatchings
	1200	72.8	RE Hatchings
	1500	76.0	D. Flores
	1800	76.0	T. Marion
	2100	75.4	T. Marion
	2400	74.0	D. Flores

#### Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	73.6	D. Flores
	0600	72.9	RE Hatchings
	0900	73.1	RE Hatchings
	1200	76.0	RE Hatchings
	1500	76.5	T. Marion
	1800	77.0	T. Marion
	2100	76.5	T. Marion
	2400	75.6	D. Flores

#### Friday

Date	Time	Temp.	Name (Print)
5/31	0300	74.9	A. Rther
	0600	74.3	RE Hatchings
	0900	75.2	RE Hatchings
	1200	77.0	RE Hatchings
	1500	78.0	T. Marion
	1800	78.0	T. Marion
	2100	79.2	T. Marion
	2400	78.1	J. Ahamevi

#### Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	74.9	J. Ahamevi
	0600	73.6	D. Simms
	0900	72.4	D. Simms
	1200	74.0	D. Simms
	1500	75.1	J. Jones
	1800	74.5	J. Ahamevi
	2100	74.2	J. Ahamevi
	2400	72.5	D. Otero

#### Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	72.5	D. Otero
	0600	71.8	D. Simms
	0900	71.3	F. Thao
	1200	72.4	F. Thao
	1500	74.5	B. Celciyu
	1800	74.5	B. Celciyu
	2100	73.8	D. Celciyu
	2400	72.9	D. Otero

#### Notes

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: CTC 2 Temp. Reading Location: NURSING STATION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	71.5	Otero
	0600	72.2	T. Murray
	0900	71.6	T. Murray
	1200	72.5	T. Murray
	1500	73.4	J. Garcia
	1800	73.6	J. Garcia
	2100	72.7	J. Garcia
	2400	71.5	Otero

**Wednesday**

Date	Time	Temp.	Name (Print)
6/14	0300	74.0	Otero
	0600	73.3	A. Lopez Flores
	0900	74.7	RE Hutchings
	1200	75.0	RE Hutchings
	1500	75.4	T. Murray
	1800	75.6	T. Murray
	2100	74.9	T. Murray
	2400	74.5	D. Evans

**Friday**

Date	Time	Temp.	Name (Print)
6/14	0300	73.1	IGBOKWE
	0600	71.5	IGBOKWE
	0900	72.1	RE Hutchings
	1200	72.2	RE Hutchings
	1500	73.0	T. Murray
	1800	72.5	T. Murray
	2100	71.6	J. Almarin
	2400	71.5	J. Almarin

**Sunday**

Date	Time	Temp.	Name (Print)
6/19	0300	71.3	Perry
	0600	71.1	Barron
	0900	70.7	F. Thao
	1200	71.7	F. Thao
	1500	73.6	D. Cebanya
	1800	73.8	D. Cebanya
	2100	73.3	D. Cebanya
	2400	71.3	J. Almarin

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	71.1	Otero
	0600	71.1	RE Hutchings
	0900	71.6	D. Evans
	1200	73.6	RE Hutchings
	1500	77.0	RE Hutchings
	1800	77.6	T. Murray
	2100	77.0	RE Hutchings
	2400	74.5	D. Otero

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	74.3	D. Evans
	0600	73.3	A. Lopez Flores
	0900	73.4	RE Hutchings
	1200	75.1	RE Hutchings
	1500	75.4	T. Murray
	1800	75.4	J. Almarin
	2100	74.5	J. Almarin
	2400	73.9	IGBOKWE

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	71.5	J. Almarin
	0600	71.3	D. Evans
	0900	70.6	D. Evans
	1200	71.8	D. Evans
	1500	73.4	J. Lemon
	1800	72.3	J. Almarin
	2100	71.8	J. Almarin
	2400	71.5	Perry

**Notes**

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: CTC 2 Temp. Reading Location: NURSING STATION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/10	0300	70.9	Otero
	0600	70.7	RE Hutchings
	0900	70.2	RE Hutchings
	1200	72.9	Cordova
	1500	74.9	Taylor
	1800	75.1	Jurcia
	2100	75.1	Garcia
	2400	74.2	Mirlohi

#### Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	72.9	Mirlohi
	0600	72.2	RE Hutchings
	0900	74.0	RE Hutchings
	1200	77.0	RE Hutchings
	1500	78.0	A. AMARO
	1800	79.0	A. AMARO
	2100	78.1	A. AMARO
	2400	77.8	Mirlohi

#### Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	76.0	Mirlohi
	0600	75.4	RE Hutchings
	0900	76.8	RE Hutchings
	1200	78.1	RE Hutchings
	1500	80.1	Taylor
	1800	79.4	Taylor
	2100	76.9	Taylor
	2400	74.9	ARTHUR

#### Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	74.3	D. Cerven
	0600	73.8	RE Hutchings
	0900	73.7	RE Hutchings
	1200	74.2	RE Hutchings
	1500	76.0	Taylor
	1800	76.1	Taylor
	2100	75.1	Taylor
	2400	74.2	ARTHUR

#### Friday

Date	Time	Temp.	Name (Print)
6/14	0300	72.7	ARTHUR
	0600	72.0	RE Hutchings
	0900	72.0	RE Hutchings
	1200	72.0	RE Hutchings
	1500	72.2	Taylor
	1800	71.3	Taylor
	2100	70.9	Taylor
	2400	70.8	J. Aivalani

#### Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	70.7	J. Aivalani
	0600	71	J. Cordon
	0900	71	J. Cordon
	1200	73	J. Cordon
	1500	75.1	75.05
	1800	74.9	74.9
	2100	72.9	J. Aivalani
	2400	72.7	J. Aivalani

#### Notes

---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
6/16	0300	71.6	Otero
	0600	71	J. Cordon
	0900	71	J. Cordon
	1200	73	J. Cordon
	1500	75	D. Celuyan
	1800	74+	D. Celuyan
	2100	74.5	J. Gura
	2400	74	J. Burns

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: CTC 2 Temp. Reading Location: NURSING STATION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/11	0300	71.3	J. BORG
	0600	71.8	RE Hutchings
	0900	72.0	RE Hutchings
	1200	72.0	RE Hutchings
	1500	71.8	GARIBOLDI
	1800	71.0	SPRAGUE
	2100	70.6	BARNA
	2400	70.4	Mirlohi

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	69.8	Mirlohi
	0600	69.8	RE Hutchings
	0900	69.8	RE Hutchings
	1200	70.2	RE Hutchings
	1500	70.1	T. MULROY
	1800	70.8	T. MULROY
	2100	70.0	T. MULROY
	2400	70.0	D. FLORAS

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	69.7	BERNAL
	0600	69.7	BERNAL
	0900	70.0	T. MULROY
	1200	70.0	T. MULROY
	1500	70.6	T. MULROY
	1800	70.4	T. MULROY
	2100	70.4	J. ALMAMI
	2400	70.0	J. ALMAMI

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	72.4	D. OTERO
	0600	72	E. EL GATO
	0900	72	J. SAMBURE
	1200	72	J. SAMBURE
	1500	74.2	D. Celaya
	1800	74	D. Celaya
	2100	73.3	D. Celaya
	2400	70.9	OTERO

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	70.2	Mirlohi
	0600	69.8	RE Hutchings
	0900	70.0	RE Hutchings
	1200	70.2	RE Hutchings
	1500	70.2	T. MULROY
	1800	69.7	T. MULROY
	2100	70.0	T. MULROY
	2400	69.8	Mirlohi

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	69.9	D. FLORAS
	0600	69.9	E. EL GATO
	0900	70.2	T. MULROY
	1200	70.2	T. MULROY
	1500	70.2	T. MULROY
	1800	70.4	T. MULROY
	2100	70.6	ARTHUR
	2400	70.4	ARTHUR

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	70.2	J. ANGUS
	0600	70.2	RE Hutchings
	0900	70.1	RE Hutchings
	1200	72.0	RE Hutchings
	1500	73.7	J. ALMAMI
	1800	74.0	J. ALMAMI
	2100	74.0	J. ALMAMI
	2400	72.7	D. OTERO

**Notes**

---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: CTC 2 Temp. Reading Location: NURSING STATION  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	70.9	Otero
	0600	70.9	RE Hutchings
	0900	71.1	RE Hutchings
	1200	73.1	RE Hutchings
	1500	73	J. Cordon
	1800	73.3	J. Gordon
	2100	72.0	J. Gavreton
	2400	71.8	Mirlohi

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	71.1	Mirlohi
	0600	70.9	RE Hutchings
	0900	70.4	RE Hutchings
	1200	71.7	RE Hutchings
	1500	73.3	RE Hutchings
	1800	72.5	T. Alvarado
	2100	72.1	T. Alvarado
	2400	71.6	Mirlohi

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	71.3	Mirlohi
	0600	71.3	RE Hutchings
	0900	70.9	RE Hutchings
	1200	71.5	RE Hutchings
	1500	72.0	T. Alvarado
	1800	72.2	T. Alvarado
	2100	71.0	T. Alvarado
	2400	70.9	J. Amahm

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	70.4	J. Amahm
	0600	70.4	RE Hutchings
	0900	70.4	RE Hutchings
	1200	71.1	RE Hutchings
	1500	71.1	T. Alvarado
	1800	75.1	T. Alvarado
	2100	77.0	T. Alvarado
	2400	77.4	J. Amahm

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	79.1	ARTHER
	0600	79.2	T. Alvarado
	0900	80.1	J. Amahm
	1200	81.0	J. Amahm
	1500	77.9	J. Altreo
	1800	76.7	T. Alvarado
	2100	76.7	T. Alvarado
	2400	76.4	J. Amahm

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	75.4	J. Amahm
	0600	76.1	I. Nease
	0900	76	J. Cordon
	1200	76	J. Cordon
	1500	76.5	I. Nease
	1800	76.8	I. Nease
	2100	76.7	I. Nease
	2400	77.	D. Otero

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	77.0	J. Amahm
	0600	76.9	D. Otero
	0900	76.9	C. Salazar
	1200	77.0	C. Salazar
	1500	78.0	C. Salazar
	1800	77.1	J. Gavreton
	2100	77.0	J. Gavreton
	2400	77.2	D. Otero

Notes

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
06/01/24	0100	70.7	Anderson
	0200	69.4	Anderson
	0300	68.3	Anderson
	0400	66.3	Anderson
	0500	65.0	Anderson
	0600	64.2	Johnson
	0700	68.0	Johnson
	0800	72.4	Johnson
	0900	74.6	Johnson
	1000	75.7	Johnson
	1100	79.8	Johnson
	1200	82.2	Johnson
	1300	85.1	Johnson
	1400	85.6	Ramirez
	1500	85.2	Ramirez
	1600	83.8	Ramirez
	1700	82.4	Ramirez
	1800	81.8	Ramirez
	1900	80.4	Ramirez
	2000	78.0	Ramirez
	2100	76.6	Ramirez
	2200	73.2	Anderson
	2300	73.5	Anderson
	2400	72.1	Anderson

Date	Time	Temp.	Printed Name
06/02/24	0100	71.0	Anderson
	0200	70.8	Anderson
	0300	70.1	Anderson
	0400	65.9	Anderson
	0500	66.9	Anderson
	0600	67.4	Lucco
	0700	69.2	Lucco
	0800	73.9	Lucco
	0900	74.6	Lucco
	1000	79.1	Lucco
	1100	79.8	Lucco
	1200	82.7	Lucco
	1300	84.1	Lucco
	1400	88.3	Vasquez
	1500	87.0	Vasquez
	1600	86.0	Vasquez
	1700	86.1	Vasquez
	1800	84.9	Vasquez
	1900	83.4	Vasquez
	2000	80.7	Vasquez
	2100	78.6	Vasquez
	2200	76.8	J. Barron
	2300	74.9	J. Barron
	2400	74.7	J. Barron

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

*DW*

Date	Time	Temp.	Printed Name
06/03/24	0100	74.	J. Barrios
	0200	73.6	J. Barrios
	0300	73.1	J. Barrios
	0400	72.2	J. Barrios
	0500	70.9	J. Barrios
	0600	78.1	LUCERO
	0700	71.4	LUCERO
	0800	78.1	LUCERO
	0900	72.3	LUCERO
	1000	73.4	LUCERO
	1100	76.2	LUCERO
	1200	79.5	LUCERO
	1300	81.6	LUCERO
	1400	82.4	VASQUEZ
	1500	80.6	VASQUEZ
	1600	79.8	VASQUEZ
	1700	78.9	VASQUEZ
	1800	76.4	VASQUEZ
	1900	75.0	VASQUEZ
	2000	74.2	VASQUEZ
	2100	73.0	VASQUEZ
	2200	72.2	Anderson
	2300	69.8	Anderson
	2400	108.1	Anderson

*DW*

*ACTIVATED 1235 ③*

*deactivated @ 2030 X*

Date	Time	Temp.	Printed Name
06/04/24	0100	107.4	Anderson
	0200	106.7	Anderson
	0300	106.8	Anderson
	0400	106.5	Anderson
	0500	106.3	Anderson
	0600	106.3	LUCERO
	0700	72.5	LUCERO
	0800	75.7	LUCERO
	0900	79.7	LUCERO
	1000	81.8	LUCERO
	1100	86.1	LUCERO
	1200	89.7	LUCERO
	1300	91.5	LUCERO
	1400	93.3	Robles
	1500	96.2	Robles
	1600	94.6	Robles
	1700	91.5	Robles
	1800	89.9	Robles
	1900	89.6	Robles
	2000	84.2	Robles
	2100	82.9	Robles
	2200	81.7	Robles
	2300	79.3	Anderson
	2400	78.2	Anderson

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
06/05/24	0100	77.5	Anderson
	0200	74.3	Anderson
	0300	73.8	Anderson
	0400	72.7	Anderson
	0500	72.1	Anderson
	0600	74.8	Lucero
	0700	76.4	Lucero
	0800	80.2	Lucero
	0900	84.7	Lucero
	1000	91.7	Lucero
	1100	91.7	Lucero
	1200	93.3	Lucero
	1300	94.0	Lucero
	1400	96.9	Nguyen
	1500	95.7	Nguyen
	1600	93.3	Nguyen
	1700	93.2	Nguyen
	1800	91.0	Nguyen
	1900	92.4	Nguyen
	2000	90.5	Nguyen
	2100	86.0	Nguyen
	2200	83.3	Griffith
	2300	80.7	Griffith
	2400	78.6	Griffith

Date	Time	Temp.	Printed Name
06/06/24	0100	76.6	Griffith
	0200	76.8	Griffith
	0300	75.7	Griffith
	0400	75.3	Griffith
	0500	71.8	Griffith
	0600	74.1	Lucero
	0700	77.9	Lucero
	0800	82.9	Lucero
	0900	87.2	Lucero
	1000	98.3	Lucero
	1100	98.8	Lucero
	1200	95.1	Lucero
	1300	95.8	Lucero
	1400	98.4	McArdle
	1500	95.9	Robles
	1600	92.6	Robles
	1700	91.4	Robles
	1800	90	Robles
	1900	87.8	Robles
	2000	84.3	Robles
	2100	80.2	Robles
	2200	78.2	Tucker
	2300	77.5	Tucker
	2400	76.1	Tucker

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
06/07/24	0100	71.4	Tucker
	0200	73.0	Tucker
	0300	71.6	Tucker
	0400	70.8	Tucker
	0500	69.9	Tucker
	0600	68.9	Tucker
	0700	69.8	Mow
	0800	74.6	Mow
	0900	79.1	Mow
	1000	83.9	Mow
	1100	85.4	Mow
	1200	88.2	Mow
	1300	88.7	Mow
	1400	89.2	Mow
	1500	89.6	NGUYEN
	1600	87.8	NGUYEN
	1700	87.4	NGUYEN
	1800	83.1	NGUYEN
	1900	81.4	NGUYEN
	2000	75.7	NGUYEN
	2100	73.7	NGUYEN
	2200	72.3	Anderson
	2300	70.1	Anderson
	2400	67.4	Anderson

Date	Time	Temp.	Printed Name
06/08/24	0100	65.8	Anderson
	0200	64.4	Anderson
	0300	64.1	Anderson
	0400	63.9	Anderson
	0500	63.8	Anderson
	0600	61.7	Johnson
	0700	61.1	Johnson
	0800	61.2	Johnson
	0900	72.1	Johnson
	1000	75.9	Johnson
	1100	79.3	Johnson
	1200	80.7	Johnson
	1300	81.6	Johnson
	1400	82.7	LUCERO
	1500	84.3	LUCERO
	1600	83.7	LUCERO
	1700	83.3	LUCERO
	1800	82.4	LUCERO
	1900	81.2	LUCERO
	2000	78.8	LUCERO
	2100	77.2	LUCERO
	2200	76.8	HUNT
	2300	75.6	HUNT
	2400	73.9	HUNT

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
06/09/24	0100	72.1	HUNT
	0200	70.8	HUNT
	0300	68.1	HUNT
	INITIAL HERE		
	0400	67.4	HUNT
	0500	67.1	HUNT
	0600	67.2	LUCERO
	0700	69.8	LUCERO
	0800	72.1	LUCERO
	0900	76.1	LUCERO
	1000	78.4	LUCERO
	INITIAL HERE		
	1100	82.0	LUCERO
	1200	82.4	LUCERO
	1300	83.2	LUCERO
	1400	85.1	A. AMARO
	1500	84.9	A. AMARO
	1600	84.9	A. AMARO
	1700	84.9	A. AMARO
	INITIAL HERE		
	1800	84.5	A. AMARO
	1900	84.0	A. AMARO
	2000	81.8	A. AMARO
	2100	79.3	A. AMARO
	2200	75.7	Griffith
	2300	74.5	Griffith
	2400	73.2	Griffith

Date	Time	Temp.	Printed Name
06/10/24	0100	71.9	Griffith
	0200	70.3	Gr. FGK
	0300	69.8	Gr. FGK
	INITIAL HERE		
	0400	69.2	Gr. FGK
	0500	68.0	Griffith
	0600	66.8	Griffith
	0700	69.6	Griffith
	0800	70.0	Griffith
	0900	75.5	Griffith
	1000	78.9	Griffith
	INITIAL HERE		
	1100	83.5	Gr. FGK
	1200	87.0	Gr. FGK
	1300	88.7	Gr. FGK
	1400	87.4	A. AMARO
	1500	87.6	A. AMARO
	1600	87.6	A. AMARO
	1700	89.2	A. AMARO
	INITIAL HERE		
	1800	87.2	A. AMARO
	1900	81.9	A. AMARO
	2000	82.9	A. AMARO
	2100	79.8	A. AMARO
	2200	77.3	Anderson
	2300	75.5	Anderson
	2400	74.4	Anderson

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
06/11/24	0100	73.9	Lorke
	0200	72.5	Port
	0300	70.8	Lef
	0400	70.5	Port
	0500	70.7	Anderson
	0600	70.0	Anderson
	0700	69.4	LUCERO
	0800	72.6	LUCERO
	0900	78.9	LUCERO
	1000	86.0	LUCERO
	1100	88.8	LUCERO
	1200	92.4	LUCERO
	1300	92.4	LUCERO
	1400	95.7	LUCERO
	1500	92.1	LUCERO
	1600	92.6	LUCERO
	1700	97.6	LUCERO
	1800	98.1	LUCERO
	1900	87.7	LUCERO
	2000	86.6	LUCERO
	2100	83.8	LUCERO
	2200	81.5	Anderson
	2300	81.5	Anderson
	2400	80.4	Anderson

**STAGE 1 HEAT ALERT**  
ACTIVATED @ 1136  
Deactivated AT 2015

Date	Time	Temp.	Printed Name
06/12/24	0100	79.5	Anderson
	0200	77.3	Anderson
	0300	76.2	Anderson
	0400	73.7	Anderson
	0500	73.0	Anderson
	0600	73.1	LUCERO
	0700	74.9	LUCERO
	0800	79.5	LUCERO
	0900	82.7	LUCERO
	1000	85.8	LUCERO
	1100	89.9	LUCERO
	1200	91.4	LUCERO
	1300	93.1	LUCERO
	1400	93.5	RODRIGUEZ
	1500	92.4	RODRIGUEZ
	1600	90.6	RODRIGUEZ
	1700	87.6	RODRIGUEZ
	1800	85.6	RODRIGUEZ
	1900	82.9	RODRIGUEZ
	2000	80.0	RODRIGUEZ
	2100	76.6	RODRIGUEZ
	2200	74.3	GRIFFITH
	2300	72.5	GRIFFITH
	2400	70.3	GRIFFITH

**STAGE 1 HEAT ALERT ACTIVATED @ 1120**  
Deactivated AT 1800

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
06/13/24	0100	69.2	Griffith
	0200	68.7	Griffith
	0300	66.2	Griffith
	0400	65.6	Griffith
	0500	65.1	Griffith
	0600	64.9	Griffith
	0700	68.1	Griffith
	0800	70.1	Griffith
	0900	74.4	Griffith
	1000	76.4	Griffith
	1100	80.2	Griffith
	1200	81.6	Griffith
	1300	82.7	Griffith
	1400	84.3	Shimer
	1500	83.1	Shimer
	1600	82.4	Shimer
	1700	81.1	Shimer
	1800	78.9	Shimer
	1900	78.4	Shimer
	2000	77.8	Shimer
	2100	73.0	Shung
	2200	70.8	Griffith
	2300	69.3	Griffith
	2400	68.0	Griffith

Date	Time	Temp.	Printed Name
06/14/24	0100	66.4	Griffith
	0200	65.3	Griffith
	0300	63.6	Griffith
	0400	62.9	Griffith
	0500	62.9	Johnson
	0600	63.1	Johnson
	0700	66.7	Johnson
	0800	69.4	Johnson
	0900	72.5	Johnson
	1000	76.1	Johnson
	1100	77.5	Johnson
	1200	81.6	Johnson
	1300	82.4	Johnson
	1400	83.1	Keseloff
	1500	84.2	Keseloff
	1600	82.7	Keseloff
	1700	81.9	Keseloff
	1800	81.6	Keseloff
	1900	80.4	Keseloff
	2000	76.2	Keseloff
	2100	75.2	Keseloff
	2200	73.4	Keseloff
	2300	70.1	Adam
	2400	68.3	Adam

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
06/15/24	0100	66.9	Adam
	0200	65.5	Adam
	0300	64.7	Adam
	0400	69.1	Adam
	0500	63.6	Adams
	0600	63.1	Johnson
	0700	66.5	Johnson
	0800	69.9	Johnson
	0900	73.2	Johnson
	1000	76.1	Johnson
	1100	77.5	Johnson
	1200	83.4	Johnson
	1300	84.5	Johnson
	1400	84.3	Nguyen
	1500	85.2	Nguyen
	1600	84.9	Nguyen
	1700	82.7	Nguyen
	1800	81.8	Nguyen
	1900	78.9	Nguyen
	2000	77.4	Nguyen
	2100	75.9	Nguyen
	2200	74.8	Nguyen
	2300	71.2	Baah
	2400	70.1	Baah

Date	Time	Temp.	Printed Name
06/16/24	0100	69.5	Baah
	0200	68.4	Baah
	0300	66.3	Baah
	0400	64.9	Baah
	0500	64.5	Baah
	0600	64.2	Baah
	0700	64.4	Lucero
	0800	67.2	Lucero
	0900	74.3	Lucero
	1000	77.5	Lucero
	1100	76.9	Lucero
	1200	80.	Jones
	1300	80	Jones
	1400	84	Jones
	1500	83	Jones
	1600	81.8	Jones
	1700	81.8	Jones
	1800	80.9	Jones
	1900	76.9	Jones
	2000	76.9	Jones
	2100	76.9	Jones
	2200	76.9	Jones
	2300	74.3	Andersen
	2400	73.9	Andersen

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
06/17/24	0100	72.8	Anderson
	0200	70.1	Anderson
	0300	69.4	Anderson
	0400	68.3	Anderson
	0500	67.4	Anderson
	0600	66.7	Anderson
	0700	66.9	LUCERO
	0800	70.1	LUCERO
	0900	74.2	LUCERO
	1000	76.8	LUCERO
	1100	78.6	LUCERO
	1200	81.3	LUCERO
	1300	82.0	LUCERO
	1400	83.6	SCHRAMM
	1500	83.4	SCHRAMM
	1600	82.0	SCHRAMM
	1700	79.3	SCHRAMM
	1800	78.6	SCHRAMM
	1900	78.4	SCHRAMM
	2000	75.5	SCHRAMM
	2100	73.4	SCHRAMM
	2200	71.9	Anderson
	2300	70.5	Anderson
	2400	69.8	Anderson

Date	Time	Temp.	Printed Name
06/18/24	0100	(08.7)	Anderson
	0200	67.6	Anderson
	0300	66.3	Anderson
	0400	65.6	Anderson
	0500	62.6	Anderson
	0600	62.3	G. fith
	0700	66.2	G. fith
	0800	69.2	G. fith
	0900	72.3	Griffith
	1000	77.5	Griffith
	1100	80.4	Griffith
	1200	82.7	Griffith
	1300	84.7	Griffith
	1400	83.8	Robles
	1500	83.6	Robles
	1600	82.7	Robles
	1700	82	Robles
	1800	81.6	Robles
	1900	79.7	Robles
	2000	76.8	Robles
	2100	75.3	Robles
	2200	73.5	Anderson
	2300	72.2	Anderson
	2400	70.8	Anderson

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
06/19/24	0100	68.7	AnderSON
	0200	67.4	AnderSON
	0300	66.1	Martinez
	0400	64.9	Martinez
	0500	63.8	Martinez
	0600	62.7	Henderson
	0700	68.2	Gonzales
	0800	69.4	Gonzales
	0900	69.4	Gonzales
	1000	70.2	Gonzales
	1100	72.4	Gonzales
	1200	76.5	Gonzales
	1300	84.0	Gonzales
	1400	87.7	VASQUEZ
	1500	88.1	VASQUEZ
	1600	85.4	VASQUEZ
	1700	83.6	VASQUEZ
	1800	82.2	VASQUEZ
	1900	80.4	VASQUEZ
	2000	77.5	VASQUEZ
	2100	73.4	VASQUEZ
	2200	71.9	Griffith
	2300	68.3	Griffith
	2400	67.2	Griffith

Date	Time	Temp.	Printed Name
06/20/24	0100	65.8	Gr. ffit
	0200	64.3	Griffith
	0300	63.5	Griffith
	0400	62.7	Gr. ffit
	0500	62.5	Griffith
	0600	61.5	Griffith
	0700	62.9	Gr. ffit
	0800	66.3	Gr. ffit
	0900	71.0	Griffith
	1000	77.1	Griffith
	1100	78.8	Griffith
	1200	83.8	WILLIAMS
	1300	84.9	Griffith
	1400	86.7	VASQUEZ
	1500	89.6	VASQUEZ
	1600	85.6	VASQUEZ
	1700	83.4	VASQUEZ
	1800	80.4	VASQUEZ
	1900	79.7	VASQUEZ
	2000	78.9	VASQUEZ
	2100	75.5	VASQUEZ
	2200	73.4	Gr. ffit
	2300	70.3	Griffith
	2400	69.6	Griffith

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
06/21/24	0100	67.4	Griffith
	0200	66.2	Griffith
	0300	65.3	Griffith
	INITIAL HERE		
	0400	63.8	Griffith
	0500	63.3	Griffith
	0600	62.2	Johnson
	0700	61.7	Johnson
	0800	61.0	Johnson
	0900	73.9	Johnson
	1000	79.5	Johnson
	INITIAL HERE		
	1100	81.5	Johnson
	1200	85.2	Johnson
	1300	87.9	Johnson
	1400	88.2	VASQUEZ
	1500	87.3	VASQUEZ
	1600	86.0	VASQUEZ
	1700	85.2	VASQUEZ
	INITIAL HERE		
	1800	84.7	VASQUEZ
	1900	82.5	VASQUEZ
	2000	81.5	VASQUEZ
	2100	77.0	VASQUEZ
	2200	76.2	Adams
	2300	75.3	Adams
	2400	74.0	Adams

Date	Time	Temp.	Printed Name
06/22/24	0100	72.3	Adams
	0200	70.9	Adams
	0300	70.1	Adams
	INITIAL HERE		
	0400	70.0	Adams
	0500	64.9	Adams
	0600	71.4	Johnson
	0700	71.3	Johnson
	0800	71.6	Johnson
	0900	71.4	Johnson
	1000	83.8	Johnson
	INITIAL HERE		
	1100	88.1	Johnson
	1200	91.5	Johnson
	1300	93.5	Johnson
	1400	95.3	VASQUEZ
	1500	94.8	VASQUEZ
	1600	92.8	VASQUEZ
	1700	91.9	VASQUEZ
	INITIAL HERE		
	1800	90.8	VASQUEZ
	1900	90.6	VASQUEZ
	2000	88.5	VASQUEZ
	2100	85.8	VASQUEZ
	2200	82.5	Valdez
	2300	81.3	Valdez
	2400	80.7	KING

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
06/23/24	0100	79.3	KING
	0200	78.0	KING
A	0300	77.5	KING
	0400	76.8	KING
	0500	75.3	KING
	0600	75.9	LUCERO
	0700	77.1	LUCERO
	0800	78.2	LUCERO
	0900	76.1	LUCERO
	1000	77.6	LUCERO
	1100	79.9	LUCERO
	1200	84.1	LUCERO
	1300	83.3	LUCERO
	1400	84.1	LUCERO
	1500	84.7	LUCERO
	1600	84.8	LUCERO
	1700	84.2	LUCERO
	1800	83.2	LUCERO
	1900	81.0	LUCERO
	2000	89.7	LUCERO
	2100	86.5	LUCERO
	2200	84.3	Adams
	2300	82.6	Adams
	2400	81.5	Adams

Date	Time	Temp.	Printed Name
06/24/24	0100	80.8	Adams
	0200	80.1	Adams
A	0300	78.5	Adams
	0400	77.3	Adams
	0500	76.1	Adams
	0600	76.6	LUCERO
	0700	78.2	LUCERO
	0800	81.8	LUCERO
	0900	85.8	LUCERO
	1000	87.2	LUCERO
	1100	89.4	LUCERO
	1200	90.7	LUCERO
	1300	91.2	LUCERO
	1400	92.2	RODRIGUEZ
	1500	93.3	RODRIGUEZ
	1600	91.9	RODRIGUEZ
	1700	91.5	RODRIGUEZ
	1800	90.1	RODRIGUEZ
	1900	88.1	RODRIGUEZ
	2000	86.5	RODRIGUEZ
	2100	82.7	RODRIGUEZ
	2200	80.6	Adams
	2300	78.6	Adams
	2400	77.5	Adams

STAGE 1 Heat  
 ACTIVATED @ 2055  
 DEACTIVATED @ 1118

STAGE ONE Heat Alert  
 ACTIVATED AT 1109  
 DEACTIVATED 2000

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

(P)

Date	Time	Temp.	Printed Name
06/25/24	0100	76.8	Adams
	0200	75.1	Adams
	0300	74.5	Adams
	0400	73.9	Adams
	0500	73.4	Adams
	0600	73.4	LUCERO
	0700	74.3	LUCERO
	0800	74.8	LUCERO
	0900	78.5	LUCERO
	1000	86.1	LUCERO
	1100	89.7	LUCERO
	1200	85.8	LUCERO
	1300	90.5	LUCERO
	1400	90	Robles
	1500	89.2	Robles
	1600	89.4	Robles
	1700	89.9	Robles
	1800	87.8	Robles
	1900	85	Robles
	2000	81.8	Robles
	2100	79.3	Robles
	2200	78.5	Griffith
	2300	77.7	Griffith
	2400	76.3	Griffith

(P)

Date	Time	Temp.	Printed Name
06/26/24	0100	75.2	Griffith
	0200	74.8	Griffith
	0300	73.8	Griffith
	0400	72.3	Griffith
	0500	71.0	Griffith
	0600	70.1	Cecilia
	0700	70.1	Cecilia
	0800	72.5	Cecilia
	0900	74.0	Cecilia
	1000	79.5	Cecilia
	1100	80.4	Cecilia
	1200	87.0	Cecilia
	1300	87.9	Cecilia
	1400	88.3	Cecilia
	1500	85.8	Robles
	1600	86	Robles
	1700	86.1	Robles
	1800	83.4	Robles
	1900	82	Robles
	2000	81.6	Robles
	2100	78.2	Robles
	2200	74.3	Griffith
	2300	71.9	Griffith
	2400	71.0	Griffith

STAGE 1 LEGAL ALERT  
ACTIVATED AT 1115  
DEACTIVATED AT 1800

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

*CP*

Date	Time	Temp.	Printed Name
06/27/24	0100	69.9	Griffith
	0200	68.5	Griffith
	0300	67.8	Griffith
	0400	67.1	Griffith
	0500	66.7	Griffith
	0600	65.4	LUCERO
	0700	68.3	LUCERO
	0800	71.4	LUCERO
	0900	76.1	LUCERO
	1000	78.4	LUCERO
	1100	80.4	LUCERO
	1200	82.1	LUCERO
	1300	85.2	LUCERO
	1400	85.4	Robles
	1500	85	Robles
	1600	84.4	Robles
	1700	84	Robles
	1800	83	Robles
	1900	82.5	Robles
	2000	81.1	Robles
	2100	79.8	Griffith
	2200	75.3	Griffith
	2300	73.5	Griffith
	2400	71.0	Griffith

*NK*

*Stage 1 heat alert activated at 1400*

*Deactivated at 1800*

Date	Time	Temp.	Printed Name
06/28/24	0100	70.5	Griffith
	0200	79.3	Griffith
	0300	78.9	Griffith
	0400	77.8	Griffith
	0500	79.2	Griffith
	0600	80.5	Garcia
	0700	80.9	Garcia
	0800	70.4	Garcia
	0900	79.3	Garcia
	1000	80.9	Garcia
	1100	84.2	Garcia
	1200	87.0	Garcia
	1300	90.1	Garcia
	1400	90	Robles
	1500	90	Robles
	1600	89	Robles
	1700	87.2	Robles
	1800	87	Robles
	1900	86	Robles
	2000	84	Robles
	2100	80.7	Robles
	2200	78.4	Adair
	2300	75.3	Kelvin
	2400	74.9	Adair

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-SACRAMENTO

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5309 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
06/29/24	0100	78.1	Adams
	0200	72.5	Adams
<i>11</i>	0300	71.6	Adams
	0400	71.1	Adams
	0500	69.4	Adams
	0600	69.9	Johnson
	0700	73.2	Johnson
<i>Stage 1 6/29/24</i>	0800	75.0	Johnson
	0900	81.5	Johnson
	1000	83.3	Johnson
	1100	80.7	Johnson
	1200	91.0	Johnson
	1300	91.4	Johnson
	1400	93.9	Cantrell
	1500	93.0	Cantrell
	1600	91.5	Cantrell
<i>1700 heat alert deactivated @ 1952</i>	1700	90.8	Cantrell
	1800	91.2	Cantrell
	1900	88.5	Cantrell
	2000	84.2	Cantrell
	2100	83.6	Cantrell
	2200	83.1	Martinez
	2300	81.0	Martinez
	2400	79.3	Martinez

Date	Time	Temp.	Printed Name
06/30/24	0100	78.4	Martinez
<i>11</i>	0200	77.1	Martinez
	0300	76.6	Martinez
	0400	76.3	Martinez
	0500	76.1	Martinez
	0600	75.3	Lucero
	0700	77.7	Lucero
	0800	80.9	Lucero
	0900	82.1	Lucero
	1000	86.7	Lucero
	1100	90.6	Lucero
	1200	91.9	Martinez
	1300	92.6	Martinez
	1400	96.2	A. AMARO
	1500	94.1	A. AMARO
	1600	92.8	A. AMARO
<i>1700 heat alert activated @ 1054</i>	1700	92.6	A. AMARO
	1800	91.7	A. AMARO
	1900	90.8	A. AMARO
	2000	89.0	A. AMARO
	2100	88.9	A. AMARO
	2200	84.2	C. Adams
	2300	82.9	C. Adams
	2400	82.0	K. Adams

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

**Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5/27	0300	66.4	AYENI-AARONS
	0600	66.4	AYENI-AARONS
	0900	66.9	MARYLEN
	1200	66.3	NEBONSEN
	1500	66.7	ABIGENI
	1800	67.2	Reggie
	2100	66.9	PUNZALAN
	2400	68.7	AYENI-AARONIS

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	67.2	Pegah Lopez
	0600	67.1	
	0900	66.9	L. Silver
	1200	67.1	L. Silver
	1500	67	M. SAETEURN
	1800	68	M. SAETEURN
	2100	67	M. SAETEURN
	2400	67.3	N. RUIAS

**Friday**

Date	Time	Temp.	Name (Print)
5/31	0300	68.9	CHESTER
	0600	68.9	CHESTER
	0900	69.6	PACLIBAR
	1200	69.6	PACLIBAR
	1500	69.0	BATTELIN
	1800	70.3	AGBOKWE
	2100	70.0	AGBOKWE
	2400	69.6	ATENI-AARONS

Sunday

Date	Time	Temp.	Name (Print)
6/02	0300	68.9	AYENI-AARONS
	0600	68.5	AYENI-AARONS
	0900	68.9	Paclibar
	1200	69.0	Paclibar
	1500	70.1	AYENI-AARONS
	1800	70.5	AYENI-AARONS
	2100	70.3	AYENI-AARONS
	2400	70.2	AYENI-AARONS

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	67.5	AYENI-AARONS
	0600	66.9	AYENI-AARONS
	0900	65.5	Lopez
	1200	66.6	W-SILVA
	1500	68.7	Rogel
	1800	68.5	Rogel
	2100	68.5	Rogel
	2400	68.2	Rogel

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	67.3	N Rojas
	0600	66.9	Silva
	0900	66.7	Silva
	1200	68.2	Silva
	1500	68.9	MAROSA
	1800	69.3	TG BOKWE
	2100	68.9	TG BOKWE
	2400	68.9	CHESTER

## **Saturday**

Date	Time	Temp.	Name (Print)
	0300	68.9	AYENI - AARON S
	0600	68.7	L SILVA
	0900	68.9	L SILVA
	1200	68.6	L SILVA
	1500	70.5	S. PATTERSON
	1800	70.1	I GBOKWIC
	2100	70.00	I GBOKWIC
	2400	69.1	AYENI - AARON S

## Notes

---

---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: CTC 1

Temp. Reading Location: Nursing Station  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/03	0300	70.2	AYENI-AARONS
	0600	70.0	AYENI-AARONS
	0900	70.2	SACERDAN
	1200	70.5	SACERDAN
	1500	70.3	Regal
	1800	70.2	Regal
	2100	70.	Regal
	2400	69.4	AYENI-AARONS

Tuesday

Date	Time	Temp.	Name (Print)
06/04	0300	69.1	AYENI-AARONS
	0600	68.9	AYENI-AARONS
	0900	69.8	Silva
	1200	69.7	Silva
	1500	73.9	Regal
	1800	73.8	Regal
	2100	73	Regal
	2400	72.1	Regal

Wednesday

Date	Time	Temp.	Name (Print)
06/05	0300	71.3	Regal
	0600	74.3	Pivars
	0900	74.4	Pivars
	1200	74.4	Pivars
	1500	75	Regal
	1800	75.7	Regal
	2100	75	SACERDAN
	2400	74.1	PERRY

Thursday

Date	Time	Temp.	Name (Print)
06/06	0300	73.8	PERRY
	0600	73.0	Pivars
	0900	75.7	Pivars
	1200	75.9	Pivars
	1500	76.6	Regal
	1800	76.4	REGALO
	2100	75.6	REGALO
	2400	74.5	CHESTER

Friday

Date	Time	Temp.	Name (Print)
06/07	0300	73.6	CHESTER
	0600	72.6	CHESTER
	0900	75.9	PACLIBAR
	1200	77.1	Elizarrar
	1500	78.0	Patterson
	1800	78.0	Patterson
	2100	77.1	Patterson
	2400	75.4	AYENI-AARONS

Saturday

Date	Time	Temp.	Name (Print)
06/08	0300	75.4	AYENI-AARONS
	0600	75.2	AYENI-AARONS
	0900	75.4	Paclibar
	1200	76.3	Paclibar
	1500	77.1	Patterson
	1800	77.2	Roller
	2100	77.3	Patterson
	2400	75.6	AYENI-AARONS

Sunday

Date	Time	Temp.	Name (Print)
06/09	0300	75.0	AYENI-AARONS
	0600	74.8	AYENI-AARONS
	0900	75.4	Paclibar
	1200	75.0	Paclibar
	1500	76.3	AYENI-AARONS
	1800	76.3	AYENI-AARONS
	2100	75.9	AYENI-AARONS
	2400	75.7	AYENI-AARONS

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: CTC 1 Temp. Reading Location: Living Station  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/10	0300	75.4	Ayeni-Aarons
	0600	75.2	Ayeni-Aarons
	0900	75.7	Rolyn
	1200	75.9	Rolyn
	1500	76.7	Rolyn
	1800	76.0	Rolyn
	2100	76.0	Rolyn
	2400	76.1	Ayeni-Aarons

Tuesday

Date	Time	Temp.	Name (Print)
4/11	0300	75.7	Ayeni-Aarons
	0600	75.6	Ayeni-Aarons
	0900	76.8	Rolyn
	1200	77.9	Rolyn
	1500	77.2	Regalo
	1800	77.9	Regalo
	2100	77.6	Regalo
	2400	77.3	Regalo

Wednesday

Date	Time	Temp.	Name (Print)
4/12	0300	75.7	Regalo
	0600	75.6	Rolyn
	0900	77.0	Rolyn
	1200	77.4	Rolyn
	1500	79.5	Regalo
	1800	80.1	Regalo
	2100	79.5	Regalo
	2400	73.6	Otero

Thursday

Date	Time	Temp.	Name (Print)
4/13	0300	73	Otero
	0600	77.1	Rolyn
	0900	77.7	Rolyn
	1200	74.9	Rolyn
	1500	76.8	Escobar
	1800	77.6	Escobar
	2100	76.5	Escobar
	2400	75.7	Barnes

Friday

Date	Time	Temp.	Name (Print)
4/14	0300	75.6	Barnes
	0600	75.4	Barnes
	0900	76.3	Paclibar
	1200	76.1	Paclibar
	1500	77.0	Patterson
	1800	77.0	Patterson
	2100	76.5	Patterson
	2400	75.7	Ayeni-Aarons

Saturday

Date	Time	Temp.	Name (Print)
4/15	0300	75.9	Ayeni-Aarons
	0600	75.4	Ayeni-Aarons
	0900	76.1	L.Silva
	1200	76.6	L.Paclibar
	1500	76.6	Patterson
	1800	76.6	IBARRA
	2100	76.5	IBARRA
	2400	76.1	Ayeni-Aarons

Sunday

Date	Time	Temp.	Name (Print)
4/16	0300	75.6	Ayeni-Aarons
	0600	75.4	Ayeni-Aarons
	0900	75.9	Paclibar
	1200	76.5	Paclibar
	1500	76.8	Ayeni-Aarons
	1800	76.8	Ayeni-Aarons
	2100	76.8	Ayeni-Aarons
	2400	75.9	Ayeni-Aarons

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP SAC Housing Unit: CTC - 1

Temp. Reading Location: Negley St. Bldg  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
6/18	0300	75.6	AYENI-AARONS
	0600	75.4	AYENI-AARONS
	0900	75.7	Rojas
	1200	77.0	Davis
	1500	77	A. FOX
	1800	77.6	A. FOX
	2100	75.9	REGALO
	2400	75.7	AYENI-AARONS

#### Tuesday

Date	Time	Temp.	Name (Print)
6/19	0300	75.4	AYENI-AARONS
	0600	75.0	AYENI-AARONS
	0900	75.5	Rojas
	1200	77.0	Rojas
	1500	77.2	Regal
	1800	76.8	Regal
	2100	77.2	Regal
	2400	76.6	Regal

#### Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	75	Regal
	0600	75.0	Rojas
	0900	75.2	Rojas
	1200	75.7	Villareal
	1500	77	FOX
	1800	77.2	FOX
	2100	77.5	FOX
	2400	77.2	Otero

#### Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	69	Otero
	0600	70.1	Rojas
	0900	75	Rojas
	1200	75.7	Rojas
	1500	75.4	Villareal
	1800	75.4	Villareal
	2100	75.0	Villareal
	2400	70.1	Chester

#### Friday

Date	Time	Temp.	Name (Print)
6/21	0300	76.1	Chester
	0600	76.1	Chester
	0900	75.7	Paclibar
	1200	76.5	Paclibar
	1500	76.5	Patterson
	1800	77.2	Patterson
	2100	77.5	Patterson
	2400	76.5	AYENI-AARONS

#### Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	75.7	AYENI-AARONS
	0600	75.4	AYENI-AARONS
	0900	76.6	Paclibar
	1200	77.7	Paclibar
	1500	77.9	Patterson
	1800	77.9	Nurse
	2100	78.0	Nurse
	2400	78.6	AYENI-AARONS

#### Notes

Date	Time	Temp.	Name (Print)
6/23	0300	78.3	AYENI-AARONS
	0600	78.3	AYENI-AARONS
	0900	78.4	Paclibar
	1200	78.5	Paclibar
	1500	80	Regal
	1800	80.1	Regal
	2100	80	Regal
	2400	80.2	AYENI-AARONS

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-SAC Housing Unit: CTC-1 Temp. Reading Location: Nursing Station  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5309 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/24	0300	79.7	AYENI-AARONS
	0600	79.9	AYENI-AARONS
	0900	80.2	DILLAS
	1200	82.3	DILLAS
	1500	82.5	DILLAS
	1800	82.7	DILLAS
	2100	82.7	DILLAS
	2400	81.3	AYENI-AARONS

Tuesday

Date	Time	Temp.	Name (Print)
06/25	0300	81.0	AYENI-AARONS
	0600	80.8	AYENI-AARONS
	0900	80.5	Georgina
	1200	81.0	Serrano
	1500	81.3	TGBOKWE
	1800	80.8	TGBOKWE
	2100	80.5	TGBOKWE
	2400	79.7	AYENI-AARONS

Wednesday

Date	Time	Temp.	Name (Print)
06/26	0300	79.2	AYENI-AARONS
	0600	78.6	AYENI-AARONS
	0900	78.4	DILLAS
	1200	78.5	DILLAS
	1500	78	Perez
	1800	78.5	Perez
	2100	76	SANCHEZ
	2400	75.0	MUNYER

Thursday

Date	Time	Temp.	Name (Print)
06/27	0300	76.0	Munyer
	0600	76.2	Munyer
	0900	78.0	Rosas
	1200	78.2	NOTAS
	1500	78.3	TGBOKWE
	1800	78.1	TGBOKWE
	2100	78.0	TGBOKWE
	2400		

Friday 6/28/12

Date	Time	Temp.	Name (Print)
06/28	0300	76.0	PATTERSON
	0600	76.2	PATTERSON
	0900	77.0	PATTERSON
	1200	77.0	PATTERSON
	1500	77.0	TGBOKWE
	1800	78.5	TGBOKWE
	2100	76.2	TGBOKWE
	2400	75.0	AYENI-AARONS

Saturday 6/29/12

Date	Time	Temp.	Name (Print)
06/29	0300	74.5	AYENI-AARONS
	0600	74.1	AYENI-AARONS
	0900	74.9	TGBOKWE
	1200	75.6	Pacilbar
	1500	75.6	PATTERSON
	1800	75.6	TGBOKWE
	2100	75.6	TGBOKWE
	2400	74.8	AYENI-AARONS

Sunday

Date	Time	Temp.	Name (Print)
06/30	0300	74.7	AYENI-AARONS
	0600	74.5	AYENI-AARONS
	0900	74.8	Pacilbar
	1200	75.0	Pacilbar
	1500	76	ABUSSA
	1800	74	ABUSSA
	2100	73	ABUSSA
	2400	73.0	AYENI-AARONS

Notes