Scott Unit	10 A	AM	1PM		4PM	
4/15/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	70.2	71.1	70.2	71.1
A2 Pod	69.8	70.3	70.0	70.7	70.1	70.7
A3 Pod	67.6	68.0	67.6	68.0	67.8	68.5
B1 Pod	70.1	71.1	70.4	71.4	70.7	71.6
B2 Pod	68.1	68.5	68.4	68.9	68.6	69.1
D1 pod	70.0	70.5	70.0	70.5	69.7	69.8
D2 Pod	70.8	71.6	70.7	71.1	70.4	70.9
D3 Pod	69.9	70.3	69.7	69.6	69.0	68.7
E1 Pod	67.2	66.7	67.3	67.1	67.4	67.1
E2 Pod	66.6	66.2	67.0	66.7	67.1	66.9
E3 Pod	66.3	64.0	66.8	66.6	67.2	66.9

Scott Unit	10 A	AM	1PM		4PM	
4/16/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.9	70.5	71.4	70.5	71.6
A2 Pod	70.1	70.9	70.3	71.2	70.5	71.2
A3 Pod	67.8	68.2	67.8	68.2	68.1	68.5
B1 Pod	71.0	72.3	71.2	72.3	71.4	72.3
B2 Pod	68.7	69.3	69.5	70.3	69.2	69.6
D1 pod	70.3	71.1	69.9	70.3	69.6	70.0
D2 Pod	71.2	72.1	70.6	71.2	70.6	71.1
D3 Pod	70.0	71.1	69.0	69.1	68.9	68.7
E1 Pod	67.6	67.5	68.1	68.2	67.6	67.3
E2 Pod	67.1	67.1	67.4	67.3	67.5	67.5
E3 Pod	66.3	66.0	66.6	66.7	66.6	66.4

Scott Unit	10AM		1PM		4PM	
4/17/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.5	71.4	70.2	71.1	70.2	71.1
A2 Pod	70.3	71.2	70.6	71.2	70.6	71.2
A3 Pod	67.8	68.2	67.8	68.4	67.8	68.4
B1 Pod	71.2	72.3	70.5	71.4	70.5	71.4
B2 Pod	69.5	70.3	68.9	69.1	68.9	69.1
D1 pod	69.9	70.3	69.3	69.4	69.3	69.4
D2 Pod	70.6	71.2	70.2	70.5	70.2	70.5
D3 Pod	68.9	68.7	68.3	67.8	68.3	67.8
E1 Pod	68.1	68.2	67.8	68.0	67.8	68.0
E2 Pod	67.4	67.3	67.2	66.7	67.2	66.7
E3 Pod	66.6	66.7	66.1	65.7	66.1	65.7

Scott Unit	10 A	AM	1PM		4PM	
4/18/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.7	70.2	70.9	70.1	70.7
A2 Pod	69.9	70.5	69.8	70.2	69.8	70.3
A3 Pod	67.0	67.3	67.4	67.6	67.6	67.8
B1 Pod	70.3	71.2	70.7	71.6	70.8	72.0
B2 Pod	69.2	69.8	70.1	70.7	70.1	70.9
D1 pod	69.5	69.8	69.8	70.0	69.9	70.3
D2 Pod	70.1	70.5	70.2	70.7	70.5	71.2
D3 Pod	68.2	68.2	68.6	68.5	68.0	68.0
E1 Pod	67.3	67.3	67.7	67.6	68.1	68.2
E2 Pod	67.1	66.9	67.4	67.3	67.8	67.8
E3 Pod	66.3	66.0	66.4	66.2	66.9	66.6

Scott Unit	10AM		1PM		4PM	
4/19/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	71.1	70.5	71.6	70.4	71.2
A2 Pod	69.5	70.3	69.9	70.9	70.0	70.7
A3 Pod	67.6	68.4	68.4	69.4	67.9	68.4
B1 Pod	71.0	72.3	71.6	73.0	71.3	72.5
B2 Pod	70.4	71.6	71.2	72.5	71.2	72.3
D1 pod	70.0	70.7	70.3	71.1	70.1	70.5
D2 Pod	70.8	71.8	71.0	72.0	71.0	71.8
D3 Pod	68.8	69.1	69.0	69.6	68.8	68.9
E1 Pod	68.3	68.7	68.5	68.9	68.3	68.4
E2 Pod	67.9	68.2	68.4	69.1	68.5	68.7
E3 Pod	67.3	67.8	67.7	68.4	67.7	68.0

Scott Unit	10AM		1PM		4PM	
4/20/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.7	70.0	70.7	69.9	70.5
A2 Pod	69.4	69.8	69.4	69.8	69.5	70.0
A3 Pod	67.5	68.0	69.7	68.4	68.1	68.4
B1 Pod	70.7	71.8	70.8	71.8	70.8	71.8
B2 Pod	70.2	71.1	70.4	71.2	70.4	71.2
D1 pod	69.2	69.6	69.3	69.6	69.7	70.0
D2 Pod	70.4	71.1	70.5	71.1	70.7	71.1
D3 Pod	68.7	68.7	68.1	67.8	68.1	67.8
E1 Pod	67.4	67.3	67.7	67.6	67.8	67.5
E2 Pod	67.9	68.0	68.0	68.0	68.1	67.6
E3 Pod	67.1	67.1	67.2	67.1	67.4	67.3

Scott Unit	10AM		1PM		4PM	
4/21/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.3	68.9	69.3	68.7	69.6	69.1
A2 Pod	68.2	67.3	68.1	66.9	68.4	67.3
A3 Pod	64.2	63.0	63.9	62.6	64.3	63.0
B1 Pod	67.7	66.7	67.5	66.4	67.2	65.7
B2 Pod	66.3	64.8	66.0	64.2	65.9	64.0
D1 pod	68.5	67.3	68.3	66.7	68.1	66.4
D2 Pod	68.3	66.9	68.4	66.9	68.5	66.9
D3 Pod	67.5	66.0	67.4	65.7	67.4	65.5
E1 Pod	67.8	66.6	67.4	65.7	66.6	64.6
E2 Pod	67.5	66.0	67.3	65.7	66.4	64.4
E3 Pod	68.8	67.6	68.1	66.6	67.2	65.3

Scott Unit	10AM		1PM		4PM	
4/22/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	68.6	67.6	69.0	67.1	69.3	67.8
A2 Pod	66.7	64.8	67.0	64.2	67.2	64.8
A3 Pod	62.9	61.2	65.3	62.6	63.7	60.8
B1 Pod	66.1	64.6	65.8	62.8	66.8	64.4
B2 Pod	64.2	62.2	63.9	60.8	64.8	62.1
D1 pod	67.5	65.8	67.8	65.3	68.2	66.2
D2 Pod	67.5	65.7	67.6	64.8	68.0	65.7
D3 Pod	66.3	64.2	66.3	63.3	66.5	63.7
E1 Pod	66.8	64.9	66.5	63.9	65.7	63.0
E2 Pod	66.2	63.9	65.6	62.2	65.2	62.1
E3 Pod	68.1	66.7	67.4	64.9	66.0	63.1

Scott Unit	10AM		1PM		4PM	
4/23/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	68.8	68.5	69.0	68.7	69.3	69.4
A2 Pod	67.2	66.6	67.3	66.7	67.8	67.3
A3 Pod	63.2	63.0	63.2	63.1	63.6	63.1
B1 Pod	68.6	68.0	67.9	67.3	67.7	67.1
B2 Pod	67.7	66.9	67.0	66.2	66.9	66.0
D1 pod	67.3	66.2	68.0	67.1	67.6	66.6
D2 Pod	67.2	66.2	67.7	66.9	67.2	66.2
D3 Pod	66.1	64.9	66.4	65.3	65.8	64.2
E1 Pod	66.4	65.3	66.1	64.8	65.7	64.4
E2 Pod	65.1	63.5	65.1	63.5	64.9	63.7
E3 Pod	66.3	64.9	66.1	64.9	65.7	64.4

Scott Unit	10AM		1PM		4PM	
4/24/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.8	70.5	69.9	70.5	69.8	70.3
A2 Pod	68.5	68.5	68.4	68.5	68.5	68.4
A3 Pod	64.0	64.0	64.2	64.2	64.6	64.6
B1 Pod	67.6	67.6	68.0	68.0	68.3	68.4
B2 Pod	66.1	65.8	66.8	66.7	67.2	67.3
D1 pod	67.4	66.7	67.7	67.3	68.1	67.6
D2 Pod	67.7	67.5	68.0	67.6	68.1	67.6
D3 Pod	66.1	65.1	66.3	65.5	66.1	65.3
E1 Pod	66.2	65.5	66.3	65.5	66.3	65.5
E2 Pod	65.2	64.0	65.6	64.8	65.7	65.1
E3 Pod	65.6	64.6	65.4	64.6	65.7	64.9

Scott Unit	10AM		1PM		4PM	
4/25/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.5	69.5	70.2	69.7	70.3
A2 Pod	68.8	69.3	69.0	69.6	69.2	69.6
A3 Pod	65.1	65.5	65.3	65.7	65.5	65.7
B1 Pod	68.3	68.7	68.8	69.6	68.6	69.3
B2 Pod	67.6	68.2	68.1	68.7	68.1	68.7
D1 pod	68.7	68.9	67.9	68.0	68.1	68.2
D2 Pod	69.3	70.2	68.9	69.4	69.1	69.3
D3 Pod	67.7	68.0	67.0	66.9	66.7	66.0
E1 Pod	66.5	66.0	66.5	66.2	66.6	66.2
E2 Pod	66.3	66.0	66.3	66.0	66.5	66.4
E3 Pod	65.9	65.5	66.0	65.8	66.1	65.7

Scott Unit	10AM		1PM		4PM	
4/26/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.3	69.7	70.3	69.5	70.2
A2 Pod	68.9	69.4	69.3	69.8	69.1	69.6
A3 Pod	65.7	65.8	65.8	65.8	66.1	66.4
B1 Pod	68.8	69.4	68.9	69.6	69.0	69.6
B2 Pod	68.2	68.9	68.4	69.1	68.5	69.1
D1 pod	67.9	68.0	68.0	68.2	68.2	68.4
D2 Pod	68.3	68.4	68.5	68.5	68.6	68.9
D3 Pod	65.9	65.3	65.7	65.1	66.7	66.4
E1 Pod	66.8	66.6	66.7	66.2	66.9	66.6
E2 Pod	66.8	66.6	66.7	66.6	67.0	67.1
E3 Pod	65.9	65.7	66.1	65.8	66.2	66.0

Scott Unit	10AM		1PM		4PM	
4/27/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.8	70.5	69.9	70.5
A2 Pod	69.1	69.6	69.2	69.8	69.5	70.3
A3 Pod	66.2	66.6	66.4	66.7	67.0	67.5
B1 Pod	69.4	70.3	69.7	70.7	69.7	70.7
B2 Pod	69.4	70.5	69.5	70.5	70.0	71.2
D1 pod	68.4	68.7	68.6	69.1	68.8	69.1
D2 Pod	68.4	68.7	68.5	68.9	69.0	69.6
D3 Pod	66.3	65.8	66.6	66.6	66.7	66.6
E1 Pod	67.0	67.1	67.3	67.5	67.6	67.6
E2 Pod	67.1	67.3	67.2	67.3	67.6	67.8
E3 Pod	66.6	66.6	66.8	66.9	67.0	67.1

Scott Unit	10AM		1PM		4PM	
4/28/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	70.8	72.5	70.4	71.2
A2 Pod	68.8	69.1	70.7	72.5	70.0	70.7
A3 Pod	67.4	67.8	69.3	71.1	67.4	67.6
B1 Pod	69.6	70.3	71.2	73.0	70.1	71.1
B2 Pod	69.7	70.5	71.1	72.9	70.2	71.2
D1 pod	68.6	68.9	69.7	70.9	69.1	69.6
D2 Pod	68.7	69.1	70.3	71.8	69.4	69.8
D3 Pod	66.8	66.6	68.3	69.4	67.4	67.3
E1 Pod	66.6	66.2	68.5	69.6	67.4	67.3
E2 Pod	67.1	66.9	68.4	69.6	67.7	68.0
E3 Pod	66.5	66.2	68.4	69.6	67.4	67.5

Scott Unit	10AM		1PM		4PM	
4/29/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.9	69.9	70.5	69.9	70.5
A2 Pod	69.6	70.3	69.3	69.8	69.6	70.2
A3 Pod	67.1	67.6	66.8	66.9	67.0	67.1
B1 Pod	69.0	69.4	68.8	69.1	68.9	69.3
B2 Pod	68.4	68.7	68.3	68.4	68.6	68.9
D1 pod	68.9	69.1	68.6	68.5	68.6	68.5
D2 Pod	69.5	70.2	68.8	68.9	69.0	69.1
D3 Pod	67.6	67.5	66.6	65.8	66.7	66.0
E1 Pod	66.4	65.8	66.1	65.3	66.1	65.3
E2 Pod	66.4	65.8	66.3	65.5	66.5	66.0
E3 Pod	66.8	66.2	66.7	66.0	67.1	66.7

Scott Unit	10AM		1PM		4PM	
4/30/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.3	69.9	70.3	69.9	70.2
A2 Pod	68.7	69.1	68.9	69.1	68.8	68.9
A3 Pod	66.5	66.6	66.4	66.6	66.4	66.4
B1 Pod	67.7	67.6	67.7	67.5	70.0	70.2
B2 Pod	67.5	67.5	66.9	66.7	68.9	68.9
D1 pod	68.8	69.1	68.4	68.2	68.6	68.2
D2 Pod	69.3	69.8	68.6	68.4	68.8	68.4
D3 Pod	68.1	68.2	67.0	66.0	66.7	65.5
E1 Pod	65.9	64.9	65.8	64.6	65.9	64.6
E2 Pod	65.2	64.0	65.3	64.2	65.4	64.2
E3 Pod	65.4	64.2	65.3	63.9	65.2	63.7

Scott Unit	10AM		1PM		4PM	
5/1/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.7	70.1	70.9	69.9	70.5
A2 Pod	68.6	69.3	68.8	69.3	69.1	69.8
A3 Pod	66.9	67.3	67.0	67.5	67.0	67.3
B1 Pod	69.7	70.2	69.7	70.3	69.6	70.0
B2 Pod	69.6	70.3	69.7	70.3	69.7	70.3
D1 pod	69.1	69.8	68.6	68.7	69.2	69.4
D2 Pod	69.9	70.7	69.1	69.3	69.2	69.6
D3 Pod	68.1	68.4	67.2	66.7	66.9	66.4
E1 Pod	65.7	64.8	65.7	64.9	65.8	64.9
E2 Pod	65.5	64.9	65.6	65.1	65.7	65.3
E3 Pod	65.5	64.6	65.8	65.3	65.9	65.1

Scott Unit	10AM		1PM		4PM	
5/2/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	71.2	69.9	70.5	70.0	70.7
A2 Pod	69.2	69.8	68.9	69.1	69.1	69.4
A3 Pod	67.2	67.6	66.8	66.9	66.5	66.6
B1 Pod	68.2	69.6	68.7	68.5	68.3	68.2
B2 Pod	68.8	69.4	67.9	67.8	68.0	68.0
D1 pod	68.5	68.7	68.4	68.5	68.5	68.2
D2 Pod	68.4	68.7	68.3	68.5	68.5	68.4
D3 Pod	66.3	65.8	66.7	66.2	67.0	66.2
E1 Pod	65.7	64.9	65.7	64.4	65.5	64.2
E2 Pod	65.7	65.5	65.4	64.4	65.4	64.4
E3 Pod	65.1	64.8	65.3	64.0	64.8	63.7

Scott Unit	10AM		1PM		4PM	
5/3/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.7	70.0	70.7	69.8	70.5
A2 Pod	68.8	69.3	69.2	69.6	69.2	69.6
A3 Pod	66.6	66.7	66.7	66.7	66.7	66.7
B1 Pod	68.0	68.0	68.0	68.0	68.0	67.8
B2 Pod	67.3	67.3	67.5	67.5	67.2	66.9
D1 pod	68.4	68.7	67.9	67.6	68.1	67.6
D2 Pod	68.3	68.5	68.2	68.2	68.7	68.2
D3 Pod	66.9	66.9	66.1	65.1	65.8	64.6
E1 Pod	65.4	64.2	65.3	64.4	65.2	63.9
E2 Pod	65.1	64.2	65.0	64.0	64.9	64.0
E3 Pod	64.6	63.9	65.0	64.0	64.4	63.3

Scott Unit	10AM		1PM		4PM	
5/4/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.7	70.7	71.4	70.1	70.7
A2 Pod	68.8	69.1	69.0	69.4	69.5	70.0
A3 Pod	66.3	66.4	66.7	66.9	66.7	66.7
B1 Pod	67.7	67.6	67.8	68.0	67.7	67.6
B2 Pod	66.8	66.9	67.2	67.5	67.5	67.6
D1 pod	68.0	67.6	68.0	67.6	68.1	68.0
D2 Pod	68.5	68.4	68.3	68.2	68.6	68.7
D3 Pod	66.9	66.4	65.9	64.9	66.0	64.9
E1 Pod	65.0	63.9	65.3	64.4	65.4	64.2
E2 Pod	64.9	64.0	64.9	64.2	65.2	64.4
E3 Pod	64.5	63.5	64.6	63.7	64.9	63.9

Scott Unit	10AM		1PM		4PM	
5/5/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	71.1	70.1	70.9	70.2	71.2
A2 Pod	68.9	69.6	69.0	69.6	69.3	70.0
A3 Pod	66.7	66.9	66.8	67.1	66.9	67.1
B1 Pod	67.9	68.0	68.1	68.2	67.8	68.0
B2 Pod	67.3	67.6	67.4	67.5	67.4	67.5
D1 pod	68.2	68.7	68.2	68.4	68.1	68.0
D2 Pod	68.4	68.9	68.1	68.2	67.9	68.0
D3 Pod	66.2	66.0	66.5	66.4	65.4	64.4
E1 Pod	65.1	64.0	65.1	63.9	65.1	64.0
E2 Pod	64.8	64.2	65.1	64.4	65.1	64.4
E3 Pod	64.3	63.7	64.3	63.5	64.3	63.5

Scott Unit	10AM		1PM		4PM	
5/6/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	71.2	70.2	71.2	70.2	71.1
A2 Pod	69.3	70.3	69.4	70.2	69.4	69.8
A3 Pod	66.8	67.3	67.6	68.0	67.2	67.6
B1 Pod	68.2	68.9	68.2	68.7	68.1	68.2
B2 Pod	67.5	68.2	67.6	68.0	67.4	67.5
D1 pod	67.8	68.2	67.9	68.0	68.1	68.0
D2 Pod	67.9	68.2	68.8	68.5	68.3	68.4
D3 Pod	65.5	64.8	65.4	64.6	65.6	64.6
E1 Pod	65.3	64.6	65.1	64.4	65.2	64.0
E2 Pod	65.1	64.6	65.0	64.6	65.2	64.6
E3 Pod	64.5	64.4	64.5	64.0	64.6	63.7

Scott Unit	10AM		1PM		4PM	
5/7/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.3	71.2	70.4	71.4	70.4	71.4
A2 Pod	69.8	70.5	69.7	70.7	70.1	71.1
A3 Pod	67.6	68.2	67.6	68.2	67.8	68.4
B1 Pod	68.3	68.9	68.5	69.1	68.8	69.4
B2 Pod	68.0	69.7	68.2	68.9	68.3	68.9
D1 pod	68.1	68.4	68.3	68.7	68.4	68.7
D2 Pod	68.2	68.7	68.3	68.7	68.8	69.3
D3 Pod	65.6	64.8	65.4	64.8	65.6	64.9
E1 Pod	65.9	65.5	65.6	64.9	65.5	65.8
E2 Pod	65.6	65.3	65.9	64.8	65.9	65.7
E3 Pod	66.0	65.7	65.9	65.7	66.0	65.5

Scott Unit	10AM		1PM		4PM	
5/8/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.4	71.4	70.5	71.4	70.3	71.2
A2 Pod	70.1	71.1	70.2	71.2	70.1	71.1
A3 Pod	67.9	68.5	68.1	68.7	68.4	69.3
B1 Pod	68.5	69.1	68.7	69.4	68.8	69.6
B2 Pod	68.2	68.9	68.5	69.3	68.9	70.0
D1 pod	68.3	68.7	68.6	69.3	69.6	70.3
D2 Pod	68.5	68.9	69.1	69.6	69.3	70.2
D3 Pod	65.9	65.5	66.2	66.2	67.0	67.1
E1 Pod	65.8	65.1	66.2	65.8	67.7	68.0
E2 Pod	66.3	66.0	66.5	66.4	66.6	66.6
E3 Pod	65.8	65.3	66.5	66.2	67.4	67.5

Scott Unit	10AM		1PM		4PM	
5/9/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.9	72.1	70.7	71.6	70.6	71.6
A2 Pod	70.6	71.6	70.6	71.6	70.7	71.6
A3 Pod	69.5	70.5	68.5	69.1	68.7	69.6
B1 Pod	68.9	69.6	68.6	69.4	69.1	69.8
B2 Pod	68.8	69.6	68.9	69.8	69.4	70.3
D1 pod	69.7	70.5	70.1	70.9	70.4	71.2
D2 Pod	69.5	70.5	69.3	70.2	70.0	71.1
D3 Pod	67.9	68.2	68.1	68.4	68.6	68.9
E1 Pod	67.1	67.1	67.3	67.3	67.6	67.5
E2 Pod	66.8	66.9	66.8	66.6	67.4	67.3
E3 Pod	66.9	66.9	67.0	67.1	67.3	67.6

Scott Unit	10AM		1PM		4PM	
5/10/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.6	71.4	70.3	70.7	70.3	70.7
A2 Pod	70.0	70.5	70.0	70.5	70.3	70.7
A3 Pod	67.8	68.0	67.6	67.5	67.9	68.0
B1 Pod	68.3	68.2	67.6	66.9	67.6	66.9
B2 Pod	67.7	67.6	67.5	67.1	67.4	66.9
D1 pod	69.8	70.2	69.3	69.6	68.7	68.4
D2 Pod	69.6	69.8	68.8	69.1	68.4	68.0
D3 Pod	68.3	68.2	68.2	68.2	67.8	66.9
E1 Pod	67.3	66.9	66.3	65.1	66.1	64.8
E2 Pod	66.9	66.7	66.8	66.2	66.7	65.8
E3 Pod	66.5	65.8	66.3	65.5	66.6	65.8

Scott Unit	10AM		1PM		4PM	
5/11/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.3	69.7	69.6	69.9	70.0
A2 Pod	69.0	68.7	69.1	68.7	68.9	68.7
A3 Pod	66.4	66.0	67.0	66.7	66.6	66.2
B1 Pod	66.3	65.5	66.2	64.9	66.0	64.6
B2 Pod	65.6	64.6	65.4	64.0	65.2	63.9
D1 pod	69.8	69.8	70.0	70.0	70.0	70.0
D2 Pod	69.9	69.6	70.2	70.0	70.5	70.5
D3 Pod	69.3	68.7	69.6	69.3	70.1	69.8
E1 Pod	65.0	63.3	64.7	62.8	64.8	63.0
E2 Pod	65.3	63.7	65.3	63.7	65.3	63.9
E3 Pod	65.2	63.5	65.1	63.3	65.2	63.5

Scott Unit	10AM		1PM		4PM	
5/12/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.7	70.4	71.4	70.4	71.4
A2 Pod	67.9	68.7	69.3	70.3	69.3	70.3
A3 Pod	65.9	65.7	65.9	66.0	65.9	66.0
B1 Pod	65.9	65.3	65.9	65.7	65.9	65.7
B2 Pod	64.8	64.2	65.1	64.8	65.1	64.8
D1 pod	69.9	70.3	70.2	71.1	70.2	71.1
D2 Pod	70.1	70.3	70.3	71.2	70.3	71.2
D3 Pod	69.9	70.0	70.1	70.5	70.1	70.5
E1 Pod	65.4	64.0	64.6	63.3	64.6	63.3
E2 Pod	64.9	63.9	64.9	64.4	64.9	64.4
E3 Pod	65.6	64.4	65.1	64.0	65.1	64.0

Scott Unit	10AM		1PM		4PM	
5/13/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.2	71.2	70.4	71.4	69.9	70.2
A2 Pod	69.7	70.7	69.3	70.0	68.8	68.9
A3 Pod	66.3	66.7	66.5	66.7	65.2	64.4
B1 Pod	66.9	67.3	67.0	67.1	66.3	65.5
B2 Pod	66.0	66.2	66.2	66.2	65.6	64.8
D1 pod	70.5	71.6	69.8	70.3	70.1	70.3
D2 Pod	71.2	72.3	70.4	71.1	70.5	71.1
D3 Pod	70.7	71.8	70.1	70.3	70.1	70.2
E1 Pod	65.0	64.0	64.9	63.7	64.6	63.0
E2 Pod	65.8	65.8	65.6	65.1	65.4	64.4
E3 Pod	65.2	64.8	65.2	64.8	65.2	64.8

Scott Unit	10AM		1PM		4PM	
5/14/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.2	70.0	70.3	69.8	69.6
A2 Pod	68.6	68.9	69.0	69.1	68.6	69.1
A3 Pod	61.9	61.3	62.9	62.4	63.4	62.8
B1 Pod	65.7	65.5	65.8	65.5	65.9	65.3
B2 Pod	64.5	64.0	65.0	64.8	65.3	64.4
D1 pod	69.5	69.6	68.8	68.5	68.4	68.0
D2 Pod	69.9	70.2	69.3	69.3	68.8	68.2
D3 Pod	68.9	68.7	68.3	67.6	68.1	67.3
E1 Pod	65.3	63.9	65.1	63.7	65.2	63.7
E2 Pod	64.6	63.7	65.2	64.2	65.4	64.2
E3 Pod	66.3	65.3	66.2	65.3	66.2	64.9

Scott Unit	10AM		1PM		4PM	
5/15/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.3	70.0	70.2	69.9	69.8
A2 Pod	68.5	68.5	68.6	68.4	68.7	68.2
A3 Pod	62.0	61.5	62.0	61.3	62.6	61.9
B1 Pod	65.9	65.7	65.7	65.1	65.7	64.9
B2 Pod	64.9	64.9	65.1	64.2	65.3	64.4
D1 pod	69.3	69.6	68.6	68.0	68.1	67.3
D2 Pod	70.0	70.7	68.9	68.5	68.5	67.8
D3 Pod	68.8	68.9	67.8	66.9	67.4	66.0
E1 Pod	65.1	63.9	65.0	63.5	64.9	63.3
E2 Pod	65.1	64.4	65.1	64.0	65.4	64.2
E3 Pod	65.5	64.4	66.3	65.1	65.6	64.2

Scott Unit	10AM		1PM		4PM	
5/16/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.8	70.5	69.9	70.5	69.8	70.3
A2 Pod	69.0	69.4	68.7	69.1	68.7	69.3
A3 Pod	63.0	63.0	64.1	64.0	64.1	64.0
B1 Pod	66.4	66.7	66.6	66.9	67.1	67.6
B2 Pod	65.8	65.8	66.3	66.7	66.5	66.9
D1 pod	69.4	69.8	68.4	68.4	68.9	69.3
D2 Pod	70.2	70.9	68.9	69.3	69.3	70.2
D3 Pod	69.4	69.4	68.1	67.5	68.5	68.5
E1 Pod	65.1	63.9	65.6	64.6	65.2	64.2
E2 Pod	65.2	64.8	65.3	64.9	65.7	65.7
E3 Pod	65.5	64.8	67.1	66.9	67.2	67.1

Scott Unit	10AM		1PM		4PM	
5/17/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.3	69.9	70.3	70.1	70.5
A2 Pod	68.6	68.9	68.6	68.9	68.6	68.9
A3 Pod	62.9	62.6	63.4	63.1	63.6	63.3
B1 Pod	66.3	66.2	66.4	66.4	66.5	66.4
B2 Pod	65.8	65.8	65.8	65.7	65.9	65.8
D1 pod	69.1	69.4	69.2	69.6	69.6	70.0
D2 Pod	69.5	70.0	69.9	70.5	70.1	70.7
D3 Pod	69.1	69.3	69.2	69.3	69.3	69.6
E1 Pod	65.8	64.9	65.6	64.6	65.3	64.2
E2 Pod	65.6	64.9	65.5	65.1	65.7	65.5
E3 Pod	66.3	65.7	66.7	66.0	66.8	66.4

Scott Unit	10AM		1PM		4PM	
5/18/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.9	70.1	70.9	70.1	70.7
A2 Pod	68.5	68.9	68.7	69.3	68.8	69.4
A3 Pod	62.4	62.4	63.7	64.0	64.7	64.9
B1 Pod	66.5	66.7	67.0	67.6	67.5	68.4
B2 Pod	65.9	66.2	66.9	67.8	67.2	68.0
D1 pod	69.4	70.0	68.9	69.1	68.9	69.4
D2 Pod	70.0	70.9	69.5	70.2	69.7	70.3
D3 Pod	69.3	69.8	68.7	68.9	68.5	68.5
E1 Pod	65.5	64.6	65.8	65.3	66.2	65.7
E2 Pod	65.5	65.1	65.9	65.8	66.4	66.7
E3 Pod	66.2	65.8	66.4	66.4	66.9	66.7

Scott Unit	10AM		1PM		4PM	
5/19/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.7	69.9	70.3	69.9	70.2
A2 Pod	68.8	69.1	68.8	69.1	69.0	69.1
A3 Pod	63.5	63.1	63.9	63.7	64.4	64.0
B1 Pod	67.2	67.3	67.2	67.3	67.3	67.5
B2 Pod	66.9	66.9	67.2	67.3	67.5	67.6
D1 pod	68.6	68.5	68.3	68.0	68.5	68.2
D2 Pod	69.2	69.3	68.8	68.7	68.8	68.7
D3 Pod	68.3	68.0	67.9	67.3	67.6	66.9
E1 Pod	65.7	65.1	65.4	64.0	65.7	64.6
E2 Pod	65.9	65.3	65.9	65.3	66.0	65.3
E3 Pod	65.7	64.9	65.9	65.1	66.1	65.3

Scott Unit	10AM		1PM		4PM	
5/20/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.7	69.9	70.3	69.9	70.2
A2 Pod	69.1	69.6	68.9	69.1	68.9	69.1
A3 Pod	62.6	62.6	63.8	63.7	63.7	63.3
B1 Pod	67.0	67.3	67.1	67.6	67.2	67.3
B2 Pod	66.6	66.9	67.2	67.6	67.2	67.3
D1 pod	68.9	69.1	68.9	69.1	68.5	68.2
D2 Pod	69.5	70.0	68.9	69.1	68.7	68.4
D3 Pod	68.5	68.4	68.1	67.8	68.1	67.5
E1 Pod	65.5	64.6	65.7	64.9	65.5	64.4
E2 Pod	65.4	64.8	65.5	64.9	65.7	65.1
E3 Pod	65.6	64.8	65.7	65.1	65.7	65.1

Scott Unit	10AM		1PM		4PM	
5/21/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.8	70.3	69.9	70.5	69.8	70.5
A2 Pod	68.8	69.3	68.9	69.1	68.9	69.4
A3 Pod	64.2	64.2	64.8	64.8	65.1	64.9
B1 Pod	67.5	68.2	67.4	67.8	67.7	68.2
B2 Pod	67.8	68.5	68.3	68.9	68.3	68.9
D1 pod	67.8	67.6	67.7	67.6	67.8	68.0
D2 Pod	67.7	67.8	67.9	68.0	68.2	68.4
D3 Pod	66.8	66.6	66.9	66.4	66.9	66.6
E1 Pod	65.6	64.9	65.7	64.8	65.7	64.9
E2 Pod	65.7	65.5	65.9	65.7	66.0	65.7
E3 Pod	65.7	65.1	67.8	67.6	66.4	66.2

Scott Unit	10 A	AM	1PM		4PM	
5/22/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.9	70.5	70.0	70.7
A2 Pod	68.8	69.3	68.9	69.4	69.0	69.4
A3 Pod	65.1	65.1	64.8	64.8	65.1	64.8
B1 Pod	67.8	68.2	67.8	68.2	68.1	68.7
B2 Pod	68.5	69.3	68.5	69.1	68.9	69.6
D1 pod	67.3	67.3	67.5	67.5	67.6	67.5
D2 Pod	67.5	67.6	67.5	67.6	67.4	67.3
D3 Pod	66.9	66.7	66.6	66.0	66.9	66.6
E1 Pod	65.8	65.1	65.8	64.9	65.8	64.8
E2 Pod	65.7	65.5	66.1	65.8	66.3	66.0
E3 Pod	66.1	65.8	66.1	65.7	66.3	65.8

Scott Unit	10AM		1PM		4PM	
5/23/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.3	69.9	70.3	69.8	70.2
A2 Pod	69.2	69.8	68.9	69.3	69.1	69.3
A3 Pod	65.5	65.5	65.3	65.1	65.4	64.9
B1 Pod	68.2	68.7	68.3	68.7	68.3	68.7
B2 Pod	69.0	69.8	68.9	69.6	68.9	69.3
D1 pod	67.4	67.3	67.3	67.3	67.4	67.1
D2 Pod	67.0	67.1	67.3	67.3	67.4	67.3
D3 Pod	66.8	66.6	66.8	66.6	66.8	66.2
E1 Pod	66.1	65.8	65.9	64.9	65.9	64.9
E2 Pod	66.0	65.7	66.1	65.7	66.2	65.8
E3 Pod	66.2	65.8	66.1	65.7	66.1	65.3

Scott Unit	10 A	AM	1PM		4PM	
5/24/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.3	69.7	70.3	69.6	69.8
A2 Pod	68.9	69.6	68.9	69.1	68.9	69.4
A3 Pod	65.4	65.3	65.8	65.7	65.7	65.7
B1 Pod	68.5	68.9	68.2	68.7	68.1	68.5
B2 Pod	68.8	69.6	68.6	69.3	68.7	69.4
D1 pod	67.3	67.3	67.4	67.3	67.4	67.3
D2 Pod	67.4	67.6	67.4	67.3	67.5	67.5
D3 Pod	66.8	66.6	67.0	66.6	67.0	66.6
E1 Pod	66.0	65.3	65.7	64.8	65.8	64.8
E2 Pod	65.9	65.5	66.1	65.7	66.3	65.8
E3 Pod	66.0	65.7	65.9	65.5	66.1	65.5

Scott Unit	10 A	AM	1PM		4PM	
5/25/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.5	70.3	69.9	70.5	69.8	70.2
A2 Pod	69.1	69.6	69.1	69.8	69.2	69.6
A3 Pod	65.9	66.0	66.1	66.0	66.2	65.8
B1 Pod	68.2	68.7	68.4	68.9	68.4	68.9
B2 Pod	68.5	69.3	69.4	70.3	69.3	70.2
D1 pod	67.3	67.3	67.5	67.5	67.4	67.1
D2 Pod	67.4	67.6	67.6	67.6	67.7	67.6
D3 Pod	67.2	66.9	67.0	66.6	67.2	66.6
E1 Pod	66.0	65.5	65.9	65.1	65.9	64.8
E2 Pod	65.7	65.5	65.9	65.5	66.2	65.8
E3 Pod	66.1	65.8	66.2	65.7	66.2	65.7

Scott Unit	10 A	AM	1PM		4PM	
5/26/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.3	69.7	70.3	69.7	70.3
A2 Pod	69.0	69.4	69.1	69.4	69.3	69.8
A3 Pod	65.6	65.3	65.9	65.8	66.2	66.0
B1 Pod	68.4	68.9	68.6	69.1	68.6	69.3
B2 Pod	68.9	69.6	69.1	69.8	69.7	70.5
D1 pod	67.4	67.1	67.4	67.3	67.5	67.5
D2 Pod	67.4	67.5	67.6	67.6	67.7	67.8
D3 Pod	67.7	67.6	67.0	66.6	67.0	66.6
E1 Pod	66.2	65.7	66.1	65.3	66.1	65.3
E2 Pod	65.7	65.3	66.0	65.5	66.1	65.7
E3 Pod	66.1	65.7	66.2	65.5	66.7	66.2

Scott Unit	10AM		1PM		4PM	
5/27/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.5	70.2	69.7	70.3	69.7	70.3
A2 Pod	69.3	70.0	69.2	69.6	69.3	69.8
A3 Pod	66.1	66.2	66.1	66.0	66.2	66.2
B1 Pod	68.6	69.4	68.8	69.6	68.8	69.6
B2 Pod	69.2	70.2	69.7	70.7	69.6	70.7
D1 pod	67.7	68.0	67.7	67.8	67.7	67.8
D2 Pod	68.0	68.5	67.9	68.2	67.9	68.2
D3 Pod	67.5	67.5	67.4	67.3	67.4	67.3
E1 Pod	66.2	65.5	66.1	65.3	66.0	65.1
E2 Pod	66.2	65.8	66.1	65.7	66.2	65.7
E3 Pod	66.3	66.0	66.2	65.8	66.7	66.2

Scott Unit	10 A	AM	1PM		4PM	
5/28/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.3	69.8	70.3	69.8	69.8
A2 Pod	69.1	69.6	69.0	69.1	68.9	68.9
A3 Pod	66.3	66.0	66.4	66.2	64.8	63.9
B1 Pod	69.0	69.8	68.9	69.6	68.0	67.6
B2 Pod	69.7	70.7	69.7	70.5	68.5	68.2
D1 pod	67.6	67.5	67.6	67.5	68.2	68.5
D2 Pod	68.0	68.4	67.9	68.0	68.6	69.1
D3 Pod	67.6	67.5	67.5	67.3	67.6	67.3
E1 Pod	66.3	65.7	66.3	65.3	65.7	64.2
E2 Pod	66.3	65.8	66.4	66.0	66.0	64.9
E3 Pod	66.6	66.4	66.5	65.8	66.2	65.1

Scott Unit	10AM		1PM		4PM	
5/29/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.6	70.2	69.9	70.5	69.8	70.0
A2 Pod	68.9	69.1	68.8	69.1	68.7	68.9
A3 Pod	63.7	63.5	64.9	64.6	64.6	64.0
B1 Pod	67.7	68.0	68.2	68.9	67.7	67.6
B2 Pod	67.6	67.8	68.2	68.9	67.8	67.6
D1 pod	69.5	70.3	68.7	69.1	68.0	67.6
D2 Pod	70.3	71.1	69.4	69.8	68.8	68.9
D3 Pod	69.6	70.3	68.8	68.9	68.1	67.5
E1 Pod	66.1	65.3	66.0	65.1	65.5	64.4
E2 Pod	65.3	64.6	65.8	65.5	65.7	64.9
E3 Pod	65.4	64.8	65.7	65.5	65.4	64.4

Scott Unit	10 A	AM	1PM		4PM	
5/30/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.3	69.9	70.3	69.7	70.3
A2 Pod	68.8	69.1	68.6	68.9	68.8	69.3
A3 Pod	63.9	63.7	64.2	64.0	64.9	64.9
B1 Pod	67.6	68.0	67.6	67.6	68.1	68.7
B2 Pod	67.5	68.0	67.6	67.6	68.1	68.7
D1 pod	68.0	68.0	68.1	68.2	68.2	68.5
D2 Pod	68.6	68.9	68.3	68.4	68.5	68.9
D3 Pod	68.0	68.0	68.0	67.6	67.8	68.0
E1 Pod	65.7	65.1	65.9	64.9	66.3	65.8
E2 Pod	65.2	64.6	65.3	64.6	65.7	65.5
E3 Pod	65.2	64.6	65.3	64.8	65.8	65.5

Scott Unit	10 A	AM	1PM		4PM	
5/31/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.3	70.3	70.9	70.0	70.3
A2 Pod	68.8	69.1	68.7	68.9	68.6	68.7
A3 Pod	63.8	63.1	64.1	63.7	64.5	63.9
B1 Pod	67.4	67.3	67.1	66.9	67.2	66.9
B2 Pod	66.5	66.0	66.8	66.6	66.8	66.6
D1 pod	68.6	68.9	69.3	70.2	68.5	68.4
D2 Pod	69.6	70.0	70.0	70.7	69.1	69.1
D3 Pod	68.9	68.7	69.0	69.1	68.3	67.8
E1 Pod	66.0	64.8	65.9	64.8	66.1	65.1
E2 Pod	65.4	64.4	65.4	64.6	65.4	64.4
E3 Pod	66.2	65.5	65.7	64.9	65.6	64.6

Scott Unit	10AM		1PM		4PM	
6/1/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.9	69.9	70.5	70.1	70.7
A2 Pod	69.0	69.6	68.9	69.1	69.0	69.6
A3 Pod	64.8	64.8	64.9	64.6	65.7	65.8
B1 Pod	67.8	68.5	67.7	68.0	67.9	68.5
B2 Pod	67.0	67.6	67.2	67.5	67.9	68.5
D1 pod	69.2	69.8	68.8	69.1	68.8	69.1
D2 Pod	70.1	70.9	69.8	70.3	69.6	70.2
D3 Pod	69.6	70.0	68.9	69.1	68.9	69.1
E1 Pod	66.3	66.0	66.2	65.3	66.5	66.0
E2 Pod	65.5	65.5	65.5	65.1	66.0	65.8
E3 Pod	65.7	65.7	65.7	65.5	66.1	65.8

Scott Unit	10AM		1PM		4PM	
6/2/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	71.1	70.0	70.7	69.9	70.5
A2 Pod	68.8	69.6	69.0	69.6	69.2	69.8
A3 Pod	66.1	66.4	66.8	67.1	67.1	67.3
B1 Pod	68.4	69.4	68.9	69.4	68.6	69.4
B2 Pod	68.5	69.4	68.8	69.6	69.3	70.3
D1 pod	68.9	69.6	69.0	69.6	68.9	69.4
D2 Pod	69.8	70.7	69.7	70.5	69.6	70.0
D3 Pod	69.4	69.8	69.3	69.8	69.1	69.6
E1 Pod	66.7	66.6	67.0	66.9	67.1	66.9
E2 Pod	66.4	66.7	66.6	66.9	66.9	66.9
E3 Pod	66.7	66.9	66.6	66.7	67.0	67.1

Scott Unit	10AM		1PM		4PM	
6/3/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.7	69.9	70.7	70.0	70.7
A2 Pod	69.5	70.3	69.5	70.3	69.6	70.3
A3 Pod	66.7	66.9	67.1	67.5	67.1	67.6
B1 Pod	69.3	70.5	69.2	70.3	69.4	70.3
B2 Pod	69.6	70.9	69.8	70.7	69.7	70.7
D1 pod	68.7	69.3	69.0	69.6	69.1	69.8
D2 Pod	69.4	70.2	69.3	70.0	69.4	69.8
D3 Pod	68.8	69.1	68.8	69.1	68.9	69.1
E1 Pod	67.6	67.6	67.4	67.3	67.4	67.3
E2 Pod	67.2	67.5	67.4	67.6	67.6	67.6
E3 Pod	67.2	67.5	67.5	67.6	67.5	67.5

Scott Unit	10AM		1PM		4PM	
6/4/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.6	71.4	70.6	71.4	70.0	70.5
A2 Pod	70.2	71.2	70.2	71.2	69.7	70.2
A3 Pod	65.8	65.5	65.8	65.5	66.1	65.7
B1 Pod	69.0	69.6	69.0	69.6	68.6	68.9
B2 Pod	69.3	70.5	69.3	70.5	69.1	69.6
D1 pod	68.5	68.7	68.5	68.7	68.6	68.7
D2 Pod	68.6	68.9	68.6	68.9	68.8	69.1
D3 Pod	68.5	68.7	68.5	68.7	68.2	68.2
E1 Pod	67.3	67.1	67.3	67.1	67.3	66.9
E2 Pod	67.3	67.3	67.3	67.3	67.4	67.5
E3 Pod	67.2	66.9	67.2	66.9	68.5	68.4

Scott Unit	10AM		1PM		4PM	
6/5/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	70.1	70.3	70.0	70.3
A2 Pod	68.9	69.1	68.9	69.1	68.9	68.9
A3 Pod	65.4	64.9	64.5	63.7	64.5	63.7
B1 Pod	68.4	69.1	67.3	67.3	67.5	67.5
B2 Pod	68.3	68.9	67.3	67.3	67.5	67.5
D1 pod	68.1	68.0	68.8	69.1	69.4	69.6
D2 Pod	67.9	67.8	69.1	69.6	69.9	70.3
D3 Pod	67.4	66.9	68.2	68.4	68.8	68.9
E1 Pod	67.0	66.4	66.6	66.0	67.1	66.7
E2 Pod	66.7	66.4	66.7	66.4	67.1	66.9
E3 Pod	66.9	66.6	66.3	65.3	66.6	66.0

Scott Unit	10 A	AM	1PM		4PM	
6/6/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.3	69.9	70.2	69.9	70.2
A2 Pod	68.7	68.9	68.9	69.1	68.9	69.1
A3 Pod	64.4	64.0	64.6	64.2	65.3	64.9
B1 Pod	67.5	67.5	68.2	68.7	67.7	67.8
B2 Pod	67.4	67.6	67.5	67.6	67.7	67.8
D1 pod	69.1	69.6	69.1	68.3	69.0	68.9
D2 Pod	69.6	69.8	69.5	69.6	69.5	69.6
D3 Pod	68.9	68.9	68.8	68.7	68.6	68.4
E1 Pod	66.9	66.6	66.5	65.7	66.4	65.7
E2 Pod	66.7	66.6	66.5	66.0	66.5	66.0
E3 Pod	66.3	65.8	66.3	65.7	66.3	65.7

Scott Unit	10AM		1PM		4PM	
6/7/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	70.0	70.5	69.9	70.3
A2 Pod	68.9	69.4	69.0	69.3	69.3	69.8
A3 Pod	65.6	65.3	65.9	65.8	66.6	66.6
B1 Pod	68.3	68.9	68.2	68.7	68.3	68.7
B2 Pod	68.0	68.5	68.2	68.7	68.5	68.9
D1 pod	69.6	70.0	69.5	69.8	69.5	69.8
D2 Pod	70.3	71.1	69.9	70.3	69.9	70.3
D3 Pod	69.9	70.3	69.3	69.4	69.1	69.3
E1 Pod	66.4	66.0	66.4	66.0	66.5	65.8
E2 Pod	66.5	66.4	66.8	66.7	67.0	67.1
E3 Pod	66.2	65.7	66.5	66.2	66.7	66.2

Scott Unit	10AM		1PM		4PM	
6/8/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.3	69.9	70.2	69.9	70.2
A2 Pod	68.9	69.4	68.9	69.1	69.0	69.1
A3 Pod	66.6	66.6	65.6	64.8	65.7	65.3
B1 Pod	67.6	67.6	67.6	67.5	67.6	67.5
B2 Pod	67.4	67.5	67.4	67.3	67.5	67.5
D1 pod	69.5	69.8	69.3	69.4	69.4	69.4
D2 Pod	70.0	70.5	69.7	70.0	69.9	70.2
D3 Pod	70.0	70.3	69.1	68.7	68.6	68.2
E1 Pod	65.7	64.9	65.6	64.4	65.7	64.6
E2 Pod	66.0	65.7	66.1	65.7	66.1	65.5
E3 Pod	65.7	65.1	65.7	65.1	65.7	64.9

Scott Unit	10 A	AM	1PM		4PM	
6/9/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.7	70.0	69.7	70.0
A2 Pod	68.9	69.3	68.9	69.1	68.9	69.1
A3 Pod	65.1	64.9	65.3	64.8	65.6	64.9
B1 Pod	67.5	67.8	67.4	67.3	67.4	67.3
B2 Pod	67.3	67.6	67.2	67.1	67.5	67.6
D1 pod	69.7	70.2	69.6	69.8	69.5	69.6
D2 Pod	70.3	70.9	70.1	70.3	69.9	70.2
D3 Pod	69.8	69.8	69.0	68.7	68.9	68.4
E1 Pod	65.8	64.9	65.4	64.2	65.8	64.8
E2 Pod	66.4	66.4	65.7	65.3	66.1	65.7
E3 Pod	65.4	64.8	65.3	64.6	65.5	64.8

Scott Unit	10AM		1PM		4PM	
6/10/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.3	70.5	71.2	70.8	71.6
A2 Pod	68.9	69.3	69.6	70.2	69.8	70.3
A3 Pod	65.1	64.6	64.7	64.0	64.8	64.2
B1 Pod	67.6	67.8	67.5	67.5	67.4	67.3
B2 Pod	67.3	67.6	67.3	67.3	67.4	67.3
D1 pod	69.4	69.8	69.0	68.9	69.3	69.4
D2 Pod	70.5	71.1	69.9	70.2	69.8	70.2
D3 Pod	70.1	70.5	69.3	69.3	69.1	68.7
E1 Pod	65.5	64.6	65.4	64.2	65.4	64.2
E2 Pod	65.7	65.7	65.7	65.3	66.0	65.5
E3 Pod	65.3	64.8	65.1	64.2	65.3	64.6

Scott Unit	10AM		1PM		4PM	
6/11/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.9	70.3	70.1	70.3
A2 Pod	69.3	69.8	68.8	68.9	69.0	69.1
A3 Pod	64.6	64.2	64.9	64.4	65.0	64.4
B1 Pod	67.4	67.8	67.3	67.5	67.3	67.5
B2 Pod	66.9	67.3	66.9	67.1	67.4	67.5
D1 pod	69.7	70.0	69.4	69.4	69.5	69.6
D2 Pod	71.1	72.0	70.4	70.9	70.1	70.3
D3 Pod	70.1	70.3	69.5	69.3	69.0	68.5
E1 Pod	65.3	64.4	65.5	64.4	65.4	64.0
E2 Pod	65.4	64.9	65.6	64.9	65.7	65.3
E3 Pod	64.8	64.2	65.3	64.4	65.3	64.2

Scott Unit	10AM		1PM		4PM	
6/12/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.7	70.0	70.5	70.0	70.5
A2 Pod	68.7	69.1	68.9	69.1	68.9	69.3
A3 Pod	64.3	64.0	64.9	64.4	64.8	64.4
B1 Pod	67.4	67.8	67.3	67.6	67.6	67.8
B2 Pod	67.0	67.3	67.3	67.6	67.6	67.8
D1 pod	70.4	71.2	69.6	69.8	69.6	69.8
D2 Pod	71.3	72.3	70.1	70.3	70.3	71.1
D3 Pod	70.1	70.5	69.5	69.4	69.4	69.4
E1 Pod	65.1	64.0	65.2	63.9	65.1	63.9
E2 Pod	65.3	64.8	65.4	64.8	65.2	64.6
E3 Pod	64.6	64.0	64.9	64.2	64.9	64.0

Scott Unit	10AM		1PM		4PM	
6/13/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.7	69.9	70.2	69.8	70.2
A2 Pod	68.9	69.6	68.8	68.9	68.7	68.5
A3 Pod	63.9	63.7	64.2	63.7	64.4	63.9
B1 Pod	67.8	68.4	68.1	68.9	68.0	68.5
B2 Pod	67.7	68.5	68.1	68.7	68.1	68.7
D1 pod	70.2	70.9	69.7	69.8	69.7	69.8
D2 Pod	70.8	71.6	70.9	71.6	70.5	70.9
D3 Pod	70.0	70.3	69.2	68.9	68.7	68.4
E1 Pod	65.1	64.0	65.0	63.7	65.1	63.9
E2 Pod	65.2	64.6	65.3	64.6	65.3	64.6
E3 Pod	64.6	64.0	64.5	63.7	64.8	64.0

Scott Unit	10AM		1PM		4PM	
6/14/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.7	69.9	70.2	69.9	70.2
A2 Pod	68.9	69.6	68.8	68.7	68.8	68.7
A3 Pod	63.9	63.5	64.1	63.5	64.4	63.7
B1 Pod	68.5	68.9	68.3	68.4	68.1	68.0
B2 Pod	68.6	69.3	68.2	68.4	68.4	68.5
D1 pod	69.5	69.8	69.5	69.4	69.3	69.1
D2 Pod	70.2	70.7	69.9	70.0	69.5	69.4
D3 Pod	69.6	69.8	69.0	68.9	68.7	68.2
E1 Pod	65.1	64.2	65.0	63.7	65.1	63.5
E2 Pod	65.4	64.9	65.3	64.6	65.3	64.6
E3 Pod	64.6	63.9	64.7	63.7	64.7	63.5

Scott Unit	10AM		1PM		4PM	
6/15/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.7	69.9	70.2	69.9	70.2
A2 Pod	68.6	68.9	68.6	68.5	68.7	68.5
A3 Pod	64.6	64.0	64.6	64.0	64.6	64.0
B1 Pod	68.4	68.9	68.0	68.2	67.8	68.0
B2 Pod	68.3	68.7	68.1	68.2	68.2	68.5
D1 pod	69.3	69.1	69.5	69.6	69.6	69.8
D2 Pod	71.0	71.8	70.1	70.3	69.8	70.2
D3 Pod	69.7	68.2	68.9	68.7	68.6	68.2
E1 Pod	64.7	63.5	64.7	63.3	64.9	63.9
E2 Pod	64.8	64.4	65.3	64.8	65.4	64.8
E3 Pod	64.7	63.9	64.6	63.5	65.9	64.9

Scott Unit	10AM		1PM		4PM	
6/16/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.5	69.7	69.8	70.2	70.5
A2 Pod	68.8	69.1	68.8	68.9	68.8	68.9
A3 Pod	64.3	63.9	64.6	64.0	65.5	64.0
B1 Pod	67.4	67.8	67.4	67.5	67.8	68.2
B2 Pod	68.0	68.5	68.1	68.4	68.1	68.4
D1 pod	69.8	70.0	69.3	69.4	69.4	69.4
D2 Pod	70.4	70.9	70.1	70.3	69.9	70.3
D3 Pod	70.0	70.2	69.3	69.1	68.9	68.7
E1 Pod	64.5	63.3	64.5	63.1	64.8	63.5
E2 Pod	65.4	64.8	65.1	64.4	65.9	65.5
E3 Pod	64.6	63.9	64.6	63.7	64.8	63.9

Scott Unit	10AM		1PM		4PM	
6/17/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	70.1	70.7	70.1	70.5
A2 Pod	69.3	69.8	69.0	69.4	69.2	69.6
A3 Pod	65.5	65.3	65.9	65.8	66.1	65.8
B1 Pod	68.2	68.9	68.4	69.1	68.3	68.9
B2 Pod	68.7	69.6	68.7	69.4	69.3	70.2
D1 pod	69.9	70.5	69.7	70.2	69.7	70.2
D2 Pod	70.4	71.1	70.1	70.5	70.1	70.3
D3 Pod	69.9	70.3	69.6	69.8	69.3	69.4
E1 Pod	65.1	64.2	65.3	64.4	65.3	64.2
E2 Pod	65.6	65.5	65.5	65.3	65.9	65.8
E3 Pod	64.9	64.6	65.2	64.6	65.3	64.8

Scott Unit	10AM		1PM		4PM	
6/18/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.9	70.5	69.9	70.3
A2 Pod	68.9	69.1	68.7	68.9	68.7	68.9
A3 Pod	65.4	64.9	65.7	65.5	65.7	65.3
B1 Pod	68.3	68.9	68.3	68.7	68.1	68.4
B2 Pod	68.6	69.4	68.6	69.3	68.3	68.5
D1 pod	69.8	70.2	69.5	69.8	69.3	69.4
D2 Pod	70.2	70.9	70.1	70.5	69.9	70.2
D3 Pod	69.7	70.0	69.5	69.6	69.1	68.9
E1 Pod	65.4	64.9	65.4	64.4	65.3	64.2
E2 Pod	65.6	65.3	65.9	65.7	65.9	65.5
E3 Pod	65.2	64.8	65.4	64.8	65.4	64.6

Scott Unit	10AM		1PM		4PM	
6/19/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.7	69.8	70.3	69.8	70.5
A2 Pod	68.7	68.9	68.6	68.9	68.7	69.3
A3 Pod	65.4	64.9	65.4	64.9	65.7	65.7
B1 Pod	68.2	68.9	68.1	68.5	68.3	68.9
B2 Pod	68.1	68.7	68.2	68.9	68.8	69.6
D1 pod	70.2	71.2	70.1	70.9	69.5	70.0
D2 Pod	70.8	71.8	70.6	71.4	70.0	70.7
D3 Pod	70.3	71.1	70.0	70.5	69.6	70.0
E1 Pod	65.3	64.6	65.4	64.6	65.4	64.6
E2 Pod	65.6	65.5	65.7	65.8	65.9	66.0
E3 Pod	65.3	65.1	65.4	65.1	65.4	64.9

Scott Unit	10AM		1PM		4PM	
6/20/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.7	69.9	70.5	70.1	70.7
A2 Pod	69.0	69.6	69.0	69.6	69.5	70.3
A3 Pod	65.2	64.9	66.1	66.0	66.4	66.7
B1 Pod	68.5	69.3	68.5	69.3	68.9	70.0
B2 Pod	68.5	69.3	68.6	69.4	69.2	70.3
D1 pod	69.1	69.8	68.9	69.4	69.2	69.6
D2 Pod	69.9	70.7	69.3	69.8	70.0	70.7
D3 Pod	68.9	69.4	68.5	68.4	68.4	68.4
E1 Pod	65.7	65.3	65.6	64.8	65.7	65.3
E2 Pod	65.7	65.8	65.8	65.8	65.8	65.8
E3 Pod	65.1	64.8	65.3	64.9	65.5	65.3

Scott Unit	10 A	AM	1PM		4PM	
6/21/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.2	71.2	70.5	71.6	70.5	71.1
A2 Pod	69.5	70.3	69.9	70.7	69.6	70.0
A3 Pod	67.2	67.6	67.4	67.6	67.2	67.1
B1 Pod	69.8	71.1	69.8	71.1	69.7	70.5
B2 Pod	69.9	71.1	70.2	71.4	70.2	71.2
D1 pod	69.2	69.8	69.3	69.8	69.3	69.8
D2 Pod	69.4	70.0	69.5	70.2	69.5	69.8
D3 Pod	68.5	68.9	68.7	68.9	68.5	68.4
E1 Pod	66.5	66.6	66.5	66.6	66.4	65.8
E2 Pod	66.7	66.9	66.7	66.9	66.9	66.7
E3 Pod	66.2	66.4	66.5	66.6	66.3	65.8

Scott Unit	10AM		1PM		4PM	
6/22/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.4	71.2	70.2	70.7	70.2	70.5
A2 Pod	69.5	70.2	69.4	69.6	69.4	69.6
A3 Pod	66.1	65.8	66.3	65.8	66.4	66.0
B1 Pod	68.9	69.8	69.0	69.6	69.1	69.6
B2 Pod	69.3	70.3	69.2	69.6	69.2	69.6
D1 pod	68.9	69.4	68.8	68.9	68.7	68.5
D2 Pod	69.5	70.2	69.3	69.6	69.2	69.3
D3 Pod	68.4	68.5	68.3	68.0	68.2	68.0
E1 Pod	66.0	65.1	66.1	65.1	65.9	64.9
E2 Pod	66.3	66.2	66.5	66.0	66.4	66.2
E3 Pod	66.0	65.7	66.1	65.5	66.1	65.5

Scott Unit	10AM		1PM		4PM	
6/23/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.7	70.0	70.5	70.1	70.5
A2 Pod	69.2	69.6	69.5	70.2	69.5	70.2
A3 Pod	65.9	65.7	66.3	66.0	67.0	67.1
B1 Pod	68.6	69.4	68.7	69.4	68.6	69.4
B2 Pod	68.8	69.6	69.2	70.0	69.5	70.5
D1 pod	69.6	70.2	69.2	69.6	69.5	70.0
D2 Pod	70.0	70.7	69.9	70.5	69.9	70.5
D3 Pod	69.5	69.8	68.9	68.9	68.8	68.7
E1 Pod	65.7	65.3	65.9	65.1	66.3	65.7
E2 Pod	65.9	65.8	66.1	66.0	66.3	66.2
E3 Pod	65.8	65.5	65.7	65.3	66.2	65.8

Scott Unit	10AM		1PM		4PM	
6/24/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.8	70.5	70.1	70.7	70.1	70.7
A2 Pod	69.6	70.5	69.6	70.5	69.9	70.5
A3 Pod	66.9	67.1	67.2	67.5	67.5	67.5
B1 Pod	69.3	70.5	70.2	71.1	70.7	71.1
B2 Pod	69.6	70.7	69.6	70.7	70.2	71.1
D1 pod	69.3	69.8	69.3	69.8	69.2	69.6
D2 Pod	69.9	70.5	69.6	70.2	69.7	70.3
D3 Pod	69.2	69.6	69.4	69.8	69.0	69.1
E1 Pod	66.3	65.8	66.0	65.3	66.3	65.8
E2 Pod	66.4	66.7	66.5	66.6	66.9	66.9
E3 Pod	65.9	65.8	66.3	66.0	66.4	66.4

Scott Unit	10 A	AM	1PM		4PM	
6/25/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.9	70.2	71.1	70.2	70.9
A2 Pod	69.6	70.2	69.9	70.5	69.9	70.5
A3 Pod	67.4	67.8	67.2	67.1	67.2	67.1
B1 Pod	70.6	71.6	70.6	71.8	70.5	71.6
B2 Pod	71.3	72.7	71.3	72.5	71.5	72.7
D1 pod	68.8	69.1	68.9	69.4	68.9	69.3
D2 Pod	68.7	68.9	68.7	69.1	68.6	68.9
D3 Pod	69.1	69.3	68.9	69.1	69.1	69.4
E1 Pod	66.3	66.0	66.2	65.8	66.5	66.0
E2 Pod	67.0	67.3	67.2	67.3	67.0	67.1
E3 Pod	66.3	66.0	66.8	66.9	67.0	67.1

Scott Unit	10AM		1PM		4PM	
6/26/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.2	71.1	70.0	70.5	69.9	70.2
A2 Pod	69.8	70.5	69.7	70.3	69.7	70.0
A3 Pod	67.2	67.5	67.1	67.1	66.9	66.4
B1 Pod	70.1	71.2	70.2	71.2	69.8	70.3
B2 Pod	71.0	72.1	70.9	72.1	70.8	71.6
D1 pod	68.6	68.9	68.5	68.5	68.3	68.2
D2 Pod	68.3	68.7	68.0	68.2	68.3	68.2
D3 Pod	68.7	68.9	68.6	68.9	68.4	68.2
E1 Pod	66.5	66.4	66.6	66.2	66.3	65.5
E2 Pod	67.0	67.3	67.3	67.6	67.1	67.1
E3 Pod	66.3	66.0	66.5	66.4	67.0	66.7

Scott Unit	10AM		1PM		4PM	
6/27/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.6	70.2	69.6	69.8	69.9	70.2
A2 Pod	69.2	69.4	69.3	69.6	69.3	69.6
A3 Pod	65.6	64.8	65.7	65.1	65.8	65.1
B1 Pod	69.1	69.6	69.1	69.6	69.0	69.3
B2 Pod	69.2	69.8	69.1	68.4	69.3	69.8
D1 pod	68.1	68.0	67.9	67.8	67.6	67.1
D2 Pod	67.9	68.0	67.5	67.3	67.6	67.1
D3 Pod	68.3	68.2	67.8	67.6	68.3	68.0
E1 Pod	65.8	65.1	65.9	64.9	65.8	64.8
E2 Pod	65.9	65.5	66.1	65.7	66.3	65.8
E3 Pod	65.6	64.9	65.6	64.8	65.7	65.1

Scott Unit	10AM		1PM		4PM	
6/28/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.8	70.5	69.8	70.0	69.6	69.8
A2 Pod	69.3	69.8	69.4	69.6	69.5	69.8
A3 Pod	65.4	64.9	65.7	65.1	65.9	65.5
B1 Pod	69.0	69.6	69.1	69.4	68.9	69.1
B2 Pod	69.1	69.6	69.0	69.4	69.2	69.6
D1 pod	68.0	68.2	67.7	67.5	67.8	67.5
D2 Pod	67.2	66.9	67.2	66.7	67.0	66.6
D3 Pod	67.9	68.0	67.7	67.3	67.6	66.9
E1 Pod	65.9	65.5	65.6	64.6	65.7	64.8
E2 Pod	65.9	65.8	65.7	65.3	66.1	65.8
E3 Pod	65.7	65.7	65.7	65.1	65.9	65.3

Scott Unit	10AM		1PM		4PM	
6/29/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.9	70.3	69.7	69.8
A2 Pod	68.9	69.3	69.1	69.1	69.1	69.3
A3 Pod	65.6	64.9	65.4	64.8	65.7	65.1
B1 Pod	68.7	69.6	68.6	69.3	68.5	68.7
B2 Pod	69.1	69.8	69.3	70.2	69.4	69.8
D1 pod	67.5	67.5	67.4	67.3	67.5	67.3
D2 Pod	66.8	66.6	66.5	66.0	66.6	66.2
D3 Pod	67.5	67.5	67.3	66.9	67.2	66.6
E1 Pod	65.7	65.1	65.7	64.8	65.8	64.8
E2 Pod	65.9	66.0	66.1	66.0	66.1	65.8
E3 Pod	65.6	65.1	65.7	65.3	65.8	65.1

Scott Unit	10AM		1PM		4PM	
6/30/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.8	70.3	69.8	70.3	69.8	70.2
A2 Pod	69.0	69.3	69.1	69.1	69.1	69.1
A3 Pod	65.7	65.1	65.1	64.4	65.4	64.6
B1 Pod	68.5	68.9	68.4	68.7	68.5	68.7
B2 Pod	68.8	69.3	68.7	68.9	69.0	69.4
D1 pod	67.6	67.5	67.4	67.1	67.5	67.3
D2 Pod	66.9	66.7	66.6	66.0	66.4	65.8
D3 Pod	67.5	67.3	67.4	66.7	67.2	66.6
E1 Pod	65.4	64.4	65.4	64.2	65.4	64.0
E2 Pod	65.7	65.5	65.8	65.3	66.0	65.5
E3 Pod	65.3	64.9	65.3	64.6	65.6	64.8

Scott Unit	10AM		1PM		4PM	
7/1/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.3	69.9	70.2	69.9	70.2
A2 Pod	69.1	69.6	68.9	69.1	69.1	69.3
A3 Pod	65.3	64.8	65.4	64.6	65.5	64.6
B1 Pod	68.3	68.7	68.1	68.0	68.2	68.4
B2 Pod	68.4	68.9	68.3	68.5	68.8	69.1
D1 pod	67.7	67.6	67.6	67.1	67.6	67.1
D2 Pod	67.6	67.5	67.0	66.4	66.9	66.2
D3 Pod	68.1	68.0	67.6	67.1	67.4	66.7
E1 Pod	65.6	64.8	65.4	64.2	65.4	64.0
E2 Pod	65.5	65.1	65.6	64.9	65.7	65.1
E3 Pod	65.4	64.8	65.2	64.2	65.2	64.2

Scott Unit	10AM		1PM		4PM	
7/2/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.9	70.3	69.9	70.3
A2 Pod	69.0	69.4	69.1	69.6	69.3	69.6
A3 Pod	65.2	64.8	66.0	65.5	66.1	65.7
B1 Pod	68.4	69.1	68.6	69.4	69.0	69.6
B2 Pod	68.5	69.3	69.1	69.8	69.2	69.8
D1 pod	68.0	68.0	68.7	69.1	68.5	68.5
D2 Pod	67.5	67.5	68.8	69.1	67.8	68.0
D3 Pod	68.1	68.0	68.7	68.9	68.1	68.9
E1 Pod	65.9	65.5	66.1	65.5	66.3	65.8
E2 Pod	65.7	65.8	66.0	65.8	66.6	66.7
E3 Pod	66.2	65.8	66.2	65.8	66.6	66.4

Scott Unit	10AM		1PM		4PM	
7/3/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.9	70.2	69.9	70.2
A2 Pod	69.0	69.1	69.0	68.9	69.1	69.1
A3 Pod	65.7	65.7	65.9	64.9	65.7	64.9
B1 Pod	68.9	69.4	68.5	68.4	68.8	68.9
B2 Pod	69.0	69.6	68.6	68.7	68.6	68.9
D1 pod	68.1	68.0	67.9	67.5	68.0	67.6
D2 Pod	67.3	67.1	67.0	66.2	67.0	66.2
D3 Pod	68.3	68.0	67.6	66.7	67.5	66.7
E1 Pod	66.1	65.3	65.8	64.4	65.8	64.6
E2 Pod	66.3	65.8	66.1	65.3	66.1	65.3
E3 Pod	66.1	65.5	65.8	64.8	66.3	65.7

Scott Unit	10AM		1PM		4PM	
7/4/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.2	69.8	70.2	69.9	70.2
A2 Pod	69.0	69.1	69.2	69.3	69.1	69.1
A3 Pod	65.3	64.6	65.3	64.6	65.3	64.4
B1 Pod	68.2	68.7	68.1	68.2	68.1	68.2
B2 Pod	68.0	68.4	67.9	68.0	68.2	68.4
D1 pod	68.1	68.2	67.6	67.1	67.6	67.1
D2 Pod	67.0	66.6	66.7	65.8	67.1	66.6
D3 Pod	68.1	67.6	67.7	67.1	68.0	67.3
E1 Pod	65.6	64.6	65.4	64.0	65.4	64.0
E2 Pod	65.4	64.8	65.5	64.8	65.8	65.1
E3 Pod	65.5	64.9	65.5	64.8	65.8	65.1

Scott Unit	10AM		1PM		4PM	
7/5/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.9	70.3	69.9	70.2
A2 Pod	69.0	69.3	69.3	69.8	69.1	69.1
A3 Pod	65.5	64.6	65.7	65.3	65.7	65.3
B1 Pod	67.9	68.2	68.4	68.9	68.1	68.0
B2 Pod	67.6	67.8	68.1	68.5	67.8	67.8
D1 pod	68.1	68.0	68.0	68.0	67.9	67.5
D2 Pod	67.2	66.7	67.1	66.9	66.7	65.8
D3 Pod	68.6	68.4	68.3	68.0	67.6	66.7
E1 Pod	65.2	64.0	65.7	65.1	65.3	64.0
E2 Pod	65.4	64.8	65.7	65.7	65.4	64.4
E3 Pod	65.0	64.6	65.6	65.3	65.3	64.4

Scott Unit	10AM		1PM		4PM	
7/6/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.8	70.5	69.9	70.3	69.7	70.0
A2 Pod	69.1	69.3	69.0	69.1	68.9	69.1
A3 Pod	65.6	64.6	65.5	64.8	65.2	64.4
B1 Pod	68.0	68.4	68.1	68.2	67.8	67.8
B2 Pod	67.6	68.0	67.9	68.2	67.5	67.5
D1 pod	68.3	68.4	67.9	67.6	67.6	67.1
D2 Pod	67.6	67.5	67.2	66.7	66.6	66.0
D3 Pod	68.3	68.2	68.1	68.2	67.7	67.1
E1 Pod	65.3	64.6	65.2	64.0	65.2	63.9
E2 Pod	65.1	64.6	65.1	64.6	65.1	64.4
E3 Pod	65.1	64.8	65.3	64.8	65.1	64.2

Scott Unit	10AM		1PM		4PM	
7/7/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.8	70.3	69.5	70.0	69.7	70.3
A2 Pod	68.8	69.1	68.7	68.9	68.7	69.1
A3 Pod	64.3	63.9	64.3	63.9	64.3	63.7
B1 Pod	67.3	67.6	67.4	67.3	67.4	67.3
B2 Pod	66.8	66.9	66.7	66.6	66.9	66.7
D1 pod	68.7	68.9	67.7	67.5	68.5	68.4
D2 Pod	68.1	67.8	67.2	66.6	67.7	67.5
D3 Pod	69.4	69.4	68.2	67.8	68.5	68.2
E1 Pod	64.7	63.7	64.7	63.5	64.8	63.7
E2 Pod	64.3	63.7	64.1	63.5	64.5	63.9
E3 Pod	64.4	64.0	64.3	63.9	64.5	64.0

Scott Unit	10AM		1PM		4PM	
7/8/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.8	72.3	71.0	72.5	71.2	72.7
A2 Pod	69.4	70.5	69.6	70.7	69.9	71.1
A3 Pod	66.3	66.7	67.2	68.0	67.8	68.9
B1 Pod	69.3	70.7	69.6	71.1	69.7	71.4
B2 Pod	68.2	69.3	68.8	70.0	69.0	70.3
D1 pod	68.6	69.4	69.7	71.1	69.5	70.7
D2 Pod	67.8	68.4	68.3	68.9	68.6	69.6
D3 Pod	68.8	69.8	69.2	70.3	69.5	70.7
E1 Pod	66.8	67.8	67.9	69.4	67.3	68.7
E2 Pod	65.4	65.8	65.9	66.7	66.4	67.5
E3 Pod	66.0	66.9	67.0	68.4	66.9	68.0

Scott Unit	10AM		1PM		4PM	
7/9/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	71.2	72.3	72.1	74.1	72.3	73.6
A2 Pod	70.0	71.1	71.2	72.9	71.6	72.9
A3 Pod	67.0	67.3	68.7	69.8	69.0	69.8
B1 Pod	67.5	67.8	68.6	70.2	69.1	70.3
B2 Pod	67.4	67.8	69.0	70.3	69.2	70.3
D1 pod	67.8	67.6	68.5	69.3	69.0	69.6
D2 Pod	67.1	66.9	68.2	69.3	68.8	69.6
D3 Pod	68.5	68.4	68.6	69.4	69.2	69.6
E1 Pod	64.8	63.9	66.0	66.6	66.6	66.9
E2 Pod	64.8	64.6	66.1	66.9	66.7	67.3
E3 Pod	64.8	64.8	66.2	66.9	67.1	68.0

Scott Unit	10AM		1PM		4PM	
7/10/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	72.3	73.6	72.1	73.4	72.1	72.7
A2 Pod	71.9	73.2	71.6	72.5	71.9	72.3
A3 Pod	68.5	68.9	68.9	69.6	68.7	68.9
B1 Pod	68.2	68.9	68.3	68.9	68.1	68.2
B2 Pod	68.5	69.1	68.7	69.3	68.4	68.4
D1 pod	68.5	68.5	68.2	68.2	68.1	67.6
D2 Pod	68.2	68.5	67.7	67.5	67.6	66.9
D3 Pod	68.6	68.7	68.1	67.8	67.8	67.1
E1 Pod	65.5	64.8	65.7	64.9	65.6	64.4
E2 Pod	65.1	64.9	65.1	64.6	64.7	63.9
E3 Pod	65.5	65.7	65.6	65.3	65.4	64.4

Scott Unit	10AM		1PM		4PM	
7/11/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	71.3	72.3	71.2	72.1	70.9	71.8
A2 Pod	70.8	71.6	70.8	71.6	70.5	71.1
A3 Pod	67.9	68.0	67.5	67.5	67.3	67.3
B1 Pod	69.3	70.5	69.1	70.2	68.9	69.6
B2 Pod	69.1	70.0	69.6	70.5	69.1	69.6
D1 pod	68.8	69.3	68.9	69.1	69.3	70.3
D2 Pod	68.6	69.1	68.6	68.9	69.1	69.8
D3 Pod	69.6	70.2	69.3	69.6	69.4	70.0
E1 Pod	65.6	64.4	66.6	66.4	66.3	65.7
E2 Pod	65.8	65.7	66.1	66.0	66.2	65.8
E3 Pod	66.1	66.2	66.3	66.2	66.1	65.7

Scott Unit	10AM		1PM		4PM	
7/12/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.2	71.1	70.1	70.5	70.0	70.5
A2 Pod	69.6	70.3	69.4	69.6	69.4	69.6
A3 Pod	67.0	67.1	66.9	66.7	66.6	66.2
B1 Pod	69.3	70.5	68.9	69.4	68.4	68.9
B2 Pod	69.2	70.2	68.9	69.4	68.6	69.3
D1 pod	70.2	71.4	69.0	69.4	70.4	71.4
D2 Pod	70.8	72.1	68.9	69.4	70.6	71.4
D3 Pod	71.0	72.1	69.8	70.0	70.8	71.8
E1 Pod	66.7	66.4	66.5	66.0	66.2	65.7
E2 Pod	66.3	66.4	66.3	66.0	66.3	66.0
E3 Pod	66.1	66.2	66.0	65.5	65.8	65.3

Scott Unit	10AM		1PM		4PM	
7/13/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.9	70.5	69.7	70.2
A2 Pod	69.1	69.6	69.2	69.6	69.1	69.6
A3 Pod	66.6	66.2	66.5	66.4	65.9	65.3
B1 Pod	68.6	69.4	68.9	69.8	68.3	68.7
B2 Pod	68.5	68.9	69.1	69.8	68.6	68.9
D1 pod	70.3	71.1	69.8	70.5	69.0	69.1
D2 Pod	70.8	71.8	70.1	70.5	68.9	68.7
D3 Pod	71.3	72.3	70.9	71.8	69.6	69.4
E1 Pod	66.5	66.0	66.4	66.2	66.1	65.3
E2 Pod	66.1	66.0	66.3	66.4	66.1	65.7
E3 Pod	65.6	65.3	65.9	65.8	65.7	65.3

Scott Unit	10AM		1PM		4PM	
7/14/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.9	70.3	69.9	70.3
A2 Pod	68.8	69.1	68.7	68.9	68.6	68.7
A3 Pod	64.5	64.0	64.5	63.9	65.0	64.2
B1 Pod	67.8	68.4	67.9	68.2	67.8	67.8
B2 Pod	67.3	67.6	67.6	67.6	67.7	68.0
D1 pod	70.4	71.4	69.1	69.3	69.2	69.4
D2 Pod	70.4	71.4	69.0	68.9	69.1	69.4
D3 Pod	71.0	72.0	69.7	69.6	69.6	70.0
E1 Pod	65.1	64.0	65.0	64.0	65.1	63.9
E2 Pod	65.1	64.8	65.1	64.6	65.2	64.8
E3 Pod	65.7	65.3	64.4	63.7	64.5	63.9

Scott Unit	10AM		1PM		4PM	
7/15/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.9	70.3	69.8	70.3
A2 Pod	68.6	68.9	68.6	68.9	68.7	68.7
A3 Pod	64.7	64.2	65.0	64.4	64.9	64.2
B1 Pod	67.8	68.5	67.5	67.6	67.8	68.0
B2 Pod	67.6	68.0	67.5	67.6	67.7	68.0
D1 pod	70.3	71.2	68.9	69.1	68.7	68.5
D2 Pod	70.5	71.6	68.6	68.4	68.3	68.0
D3 Pod	70.9	72.0	69.2	69.1	69.0	68.7
E1 Pod	65.2	64.6	65.1	64.4	65.1	64.0
E2 Pod	64.8	64.8	65.0	64.8	65.2	64.8
E3 Pod	63.9	63.7	64.1	63.9	64.2	63.7

Scott Unit	10AM		1PM		4PM	
7/16/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.9	70.3	70.1	70.7
A2 Pod	68.9	69.4	68.7	68.9	69.0	69.4
A3 Pod	64.4	64.0	64.7	64.0	65.8	65.7
B1 Pod	67.8	68.0	67.8	68.2	68.2	68.9
B2 Pod	67.4	67.8	67.6	67.6	68.3	68.9
D1 pod	70.3	71.2	69.3	69.6	69.0	69.3
D2 Pod	70.1	70.9	69.2	69.3	68.7	68.9
D3 Pod	70.8	72.0	69.9	70.3	69.3	69.8
E1 Pod	65.2	64.4	65.4	64.4	65.8	65.3
E2 Pod	65.3	65.1	65.2	64.8	65.7	65.8
E3 Pod	63.9	63.5	64.2	63.7	64.8	64.8

Scott Unit	10AM		1PM		4PM	
7/17/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	71.1	70.0	70.7	69.9	70.2
A2 Pod	69.3	70.0	69.3	69.8	68.9	69.1
A3 Pod	67.0	67.3	66.6	66.2	66.1	65.3
B1 Pod	68.9	70.2	68.9	70.2	68.1	68.2
B2 Pod	69.3	70.5	69.1	69.6	68.8	69.1
D1 pod	70.0	70.7	68.9	69.1	68.9	68.7
D2 Pod	69.6	70.3	68.9	68.7	67.9	67.5
D3 Pod	70.8	71.8	69.6	69.8	68.9	68.7
E1 Pod	66.5	66.6	66.4	65.8	66.3	65.5
E2 Pod	66.6	66.9	66.5	66.2	66.4	66.0
E3 Pod	64.9	64.8	65.4	64.9	71.2	71.4

Scott Unit	10AM		1PM		4PM	
7/18/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.2	69.9	70.3	69.9	70.2
A2 Pod	68.8	69.3	68.8	69.1	68.7	68.9
A3 Pod	64.7	63.9	64.3	63.5	64.6	63.7
B1 Pod	67.6	67.5	67.4	67.5	67.5	67.6
B2 Pod	67.2	67.3	67.1	67.3	67.5	67.6
D1 pod	70.3	71.1	70.5	71.2	70.4	71.1
D2 Pod	70.1	70.5	69.9	70.3	70.1	70.3
D3 Pod	71.0	71.8	70.9	71.8	71.2	72.0
E1 Pod	65.6	64.4	65.3	64.0	65.4	64.0
E2 Pod	64.9	64.2	64.5	63.5	65.1	64.2
E3 Pod	64.1	63.3	64.0	63.1	64.2	63.3

Scott Unit	10AM		1PM		4PM	
7/19/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.9	70.5	69.9	70.5
A2 Pod	68.5	68.5	68.5	68.7	68.6	68.9
A3 Pod	64.6	63.7	64.5	64.2	65.4	65.1
B1 Pod	67.4	67.6	67.8	68.0	67.5	67.5
B2 Pod	67.6	68.0	67.7	68.2	67.7	67.8
D1 pod	70.0	70.3	70.7	72.0	69.5	69.8
D2 Pod	69.6	69.4	70.3	71.1	68.5	68.7
D3 Pod	71.2	71.4	71.6	72.5	70.4	70.9
E1 Pod	64.9	64.0	65.0	63.9	65.2	64.0
E2 Pod	64.2	63.5	64.6	64.0	64.6	64.0
E3 Pod	63.7	63.1	63.8	63.5	64.1	63.7

Scott Unit	10AM		1PM		4PM	
7/20/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	69.9	70.3	69.9	70.2
A2 Pod	68.5	68.7	68.6	68.7	68.6	68.7
A3 Pod	66.3	66.2	66.0	65.5	66.1	65.5
B1 Pod	67.3	67.5	67.2	67.1	67.4	67.3
B2 Pod	67.0	67.1	67.2	67.3	67.4	67.3
D1 pod	70.6	71.4	70.6	71.4	70.4	71.1
D2 Pod	70.1	70.7	70.0	70.5	69.6	69.6
D3 Pod	71.7	72.5	71.3	72.0	70.7	71.4
E1 Pod	64.9	63.7	64.9	63.5	64.9	63.7
E2 Pod	64.0	63.5	64.3	63.7	64.2	63.5
E3 Pod	63.4	63.0	64.5	63.5	64.9	63.7

Scott Unit	10AM		1PM		4PM	
7/21/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.5	69.9	70.3	70.0	70.5
A2 Pod	69.0	69.6	69.0	69.3	69.7	70.2
A3 Pod	66.7	66.6	66.6	66.4	66.9	66.6
B1 Pod	67.4	67.5	67.6	67.6	67.8	67.8
B2 Pod	67.4	67.8	67.5	67.6	67.7	68.0
D1 pod	70.8	72.0	69.1	68.9	69.0	68.9
D2 Pod	70.6	71.4	68.6	68.2	68.6	68.2
D3 Pod	71.7	72.7	70.2	70.3	69.5	69.4
E1 Pod	65.0	64.2	65.2	64.0	65.2	64.0
E2 Pod	64.6	64.4	64.6	64.2	65.1	64.6
E3 Pod	63.8	63.5	63.8	63.1	64.1	63.7

Scott Unit	10AM		1PM		4PM	
7/22/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.8	70.5	69.9	70.5	69.8	70.3
A2 Pod	69.4	70.0	69.2	69.6	69.5	70.0
A3 Pod	66.7	66.7	66.8	66.7	66.7	66.7
B1 Pod	67.5	67.8	67.4	67.5	67.6	67.5
B2 Pod	67.3	67.8	67.3	67.6	67.5	67.5
D1 pod	70.4	71.4	69.6	70.5	69.2	69.3
D2 Pod	70.1	70.7	69.3	70.0	68.5	68.2
D3 Pod	71.3	72.5	70.5	71.4	70.5	71.4
E1 Pod	65.1	64.2	65.1	63.9	65.2	64.0
E2 Pod	64.5	64.2	64.8	64.4	64.8	64.4
E3 Pod	64.1	64.0	63.9	63.5	64.3	63.9

Scott Unit	10AM		1PM		4PM	
7/23/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.3	69.8	70.5	69.8	70.3
A2 Pod	69.1	69.6	69.1	69.6	69.0	69.3
A3 Pod	66.9	67.1	67.0	66.9	67.1	67.1
B1 Pod	68.1	68.5	68.1	68.4	68.0	68.0
B2 Pod	68.3	68.7	68.3	68.7	68.1	68.2
D1 pod	70.3	71.2	69.3	69.6	69.6	70.5
D2 Pod	70.1	70.9	69.0	68.9	69.3	69.8
D3 Pod	71.2	69.8	70.5	70.9	70.4	71.2
E1 Pod	65.3	64.4	65.3	64.2	65.3	64.2
E2 Pod	65.1	64.8	65.2	64.6	65.1	64.4
E3 Pod	64.6	64.2	64.5	64.0	64.6	63.9

Scott Unit	10AM		1PM		4PM	
7/24/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.3	69.7	70.3	69.4	69.8
A2 Pod	69.1	69.4	68.9	69.1	69.0	69.4
A3 Pod	66.7	66.6	66.7	66.6	67.0	67.1
B1 Pod	67.4	67.8	67.4	67.5	67.6	68.0
B2 Pod	67.1	67.6	67.0	67.1	67.7	68.2
D1 pod	70.0	71.1	69.8	70.5	69.5	70.3
D2 Pod	69.6	70.5	69.7	70.5	69.4	70.0
D3 Pod	70.6	71.4	70.6	71.6	69.7	70.3
E1 Pod	64.7	63.9	64.9	63.9	65.3	64.4
E2 Pod	64.2	63.9	63.8	63.3	64.7	64.6
E3 Pod	63.3	63.0	63.5	63.3	64.0	63.9

Scott Unit	10AM		1PM		4PM	
7/25/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.2	71.1	70.2	71.1	70.4	71.2
A2 Pod	69.1	69.6	69.2	69.6	69.4	69.8
A3 Pod	67.0	67.1	65.9	65.7	65.6	65.1
B1 Pod	67.3	67.5	67.2	67.1	67.0	66.9
B2 Pod	73.7	75.0	66.5	66.4	66.4	66.4
D1 pod	69.8	70.5	70.1	70.7	70.0	70.7
D2 Pod	69.4	69.8	69.3	69.8	69.5	70.0
D3 Pod	70.3	71.1	70.4	71.2	70.8	71.8
E1 Pod	65.0	64.2	64.8	63.9	64.9	63.9
E2 Pod	64.5	64.0	64.2	63.9	64.2	63.9
E3 Pod	64.5	63.9	64.8	64.2	64.9	64.2

Scott Unit	10AM		1PM		4PM	
7/26/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.5	69.9	70.5	69.8	70.5
A2 Pod	68.8	69.3	68.9	69.6	69.0	69.4
A3 Pod	65.7	65.7	65.8	65.7	66.0	65.7
B1 Pod	67.1	67.6	67.2	67.5	67.3	67.6
B2 Pod	66.5	66.7	66.6	66.9	66.8	66.9
D1 pod	69.7	70.5	69.9	70.7	70.1	70.9
D2 Pod	69.3	70.0	69.5	70.3	70.0	70.9
D3 Pod	70.5	71.2	70.5	71.6	70.5	71.2
E1 Pod	66.2	66.4	65.1	64.6	65.3	64.4
E2 Pod	65.1	65.3	64.5	64.2	64.6	64.2
E3 Pod	65.9	66.4	64.9	64.4	65.2	64.6

Scott Unit	10AM		1PM		4PM	
7/27/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.7	69.9	70.7	69.9	70.7
A2 Pod	68.7	69.1	68.7	69.1	68.7	69.1
A3 Pod	65.9	65.8	65.9	65.7	66.0	65.7
B1 Pod	67.2	67.6	67.1	67.5	67.1	67.5
B2 Pod	66.4	66.7	66.3	66.4	66.3	66.2
D1 pod	69.8	70.5	69.9	70.7	69.9	70.7
D2 Pod	70.0	70.9	69.4	70.0	69.4	70.0
D3 Pod	70.1	70.9	70.0	70.7	69.9	70.5
E1 Pod	65.0	64.2	64.9	64.0	64.8	64.0
E2 Pod	64.2	64.0	64.2	64.0	64.4	64.2
E3 Pod	64.0	63.7	64.1	63.7	64.5	64.0

Scott Unit	10AM		1PM		4PM	
7/28/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.7	70.0	70.9	69.9	70.7
A2 Pod	68.7	69.3	68.8	69.4	68.9	69.6
A3 Pod	66.0	65.7	65.9	65.8	66.4	66.6
B1 Pod	67.2	67.6	67.6	68.2	67.9	68.5
B2 Pod	66.4	66.7	66.9	67.6	67.4	68.0
D1 pod	69.8	70.7	69.1	69.6	68.9	69.4
D2 Pod	69.4	70.0	68.4	68.5	68.5	68.5
D3 Pod	70.3	71.2	69.5	69.8	69.0	69.3
E1 Pod	64.9	64.2	65.0	64.4	65.3	64.9
E2 Pod	64.0	63.9	64.2	64.2	64.8	64.8
E3 Pod	63.8	63.5	64.2	64.2	64.7	64.6

Scott Unit	10AM		1PM		4PM	
7/29/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.9	70.1	70.7	70.2	71.1
A2 Pod	69.4	70.0	69.1	69.6	69.0	69.4
A3 Pod	66.8	66.9	66.9	67.1	66.9	67.1
B1 Pod	68.0	68.7	68.4	68.9	68.2	68.7
B2 Pod	67.8	68.5	67.5	68.0	67.7	68.0
D1 pod	68.9	69.4	68.6	68.9	68.5	68.4
D2 Pod	68.5	68.4	67.9	67.6	67.6	67.1
D3 Pod	69.1	69.4	68.6	68.7	68.3	68.2
E1 Pod	65.4	64.9	65.3	64.6	65.4	64.6
E2 Pod	64.9	65.1	65.1	65.1	65.2	64.9
E3 Pod	64.4	64.6	64.3	64.2	64.4	64.0

Scott Unit	10AM		1PM		4PM	
7/30/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.3	71.1	70.1	70.7	70.1	70.5
A2 Pod	69.0	69.6	69.2	69.6	69.1	69.3
A3 Pod	66.9	67.1	67.1	67.3	67.0	66.9
B1 Pod	68.0	68.5	68.0	68.7	68.0	68.2
B2 Pod	67.6	68.2	67.8	68.0	68.0	68.2
D1 pod	69.2	69.8	68.5	68.7	68.6	68.7
D2 Pod	68.4	68.5	68.1	68.0	67.2	66.7
D3 Pod	69.4	69.8	68.3	68.2	67.8	67.5
E1 Pod	65.1	64.2	65.7	65.1	65.4	64.4
E2 Pod	64.7	64.6	64.6	64.4	65.0	64.6
E3 Pod	64.6	64.6	64.5	64.4	64.6	64.2

Scott Unit	10AM		1PM		4PM	
7/31/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.7	69.9	70.5	70.1	70.5
A2 Pod	69.8	70.3	69.5	70.0	69.4	69.6
A3 Pod	67.2	67.3	67.2	67.1	67.1	67.1
B1 Pod	68.1	68.7	68.1	68.7	68.1	68.2
B2 Pod	68.0	68.7	68.5	68.9	68.3	68.5
D1 pod	69.1	69.8	68.4	68.5	68.3	68.2
D2 Pod	68.5	68.5	67.7	67.5	67.4	66.9
D3 Pod	69.0	69.8	68.1	67.8	67.8	67.6
E1 Pod	65.3	64.8	65.2	64.2	65.4	64.2
E2 Pod	65.0	64.9	64.9	64.4	65.2	64.6
E3 Pod	64.5	64.4	64.6	64.4	64.7	64.2

Scott Unit	10AM		1PM		4PM	
8/1/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.7	70.1	70.5	70.2	70.9
A2 Pod	69.1	69.4	69.0	69.3	69.0	69.3
A3 Pod	67.6	67.5	67.5	67.5	67.5	67.5
B1 Pod	68.0	68.2	68.0	68.2	68.2	68.7
B2 Pod	67.7	68.0	68.1	68.4	68.4	68.9
D1 pod	69.1	69.6	68.4	68.4	68.3	68.2
D2 Pod	68.5	68.9	67.7	67.3	67.1	66.7
D3 Pod	69.3	69.8	68.4	68.4	68.0	67.8
E1 Pod	65.2	64.2	65.4	64.4	65.4	64.4
E2 Pod	64.8	64.4	65.0	64.6	64.8	64.4
E3 Pod	64.3	64.0	64.5	64.0	64.8	64.4

Scott Unit	10AM		1PM		4PM	
8/2/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.7	70.1	70.5	70.4	71.2
A2 Pod	69.2	69.8	69.4	69.8	69.9	70.5
A3 Pod	67.7	68.0	67.7	67.6	68.6	68.9
B1 Pod	68.2	68.9	68.1	68.4	68.2	68.7
B2 Pod	68.1	68.5	68.4	68.9	68.7	68.9
D1 pod	68.8	69.1	68.2	68.2	68.3	68.2
D2 Pod	68.5	68.5	67.8	67.8	67.5	67.1
D3 Pod	69.3	69.8	68.4	68.4	68.1	67.6
E1 Pod	65.7	65.5	65.4	64.4	65.6	64.6
E2 Pod	65.2	64.9	65.7	65.5	65.4	64.8
E3 Pod	64.8	64.8	65.7	65.3	66.3	65.8

Scott Unit	10AM		1PM		4PM	
8/3/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.7	71.4	70.6	71.2	70.7	71.2
A2 Pod	70.2	71.1	70.1	70.5	70.1	70.5
A3 Pod	67.5	67.5	67.6	67.5	67.6	67.5
B1 Pod	68.4	68.9	68.4	68.9	68.4	68.9
B2 Pod	68.5	68.9	68.6	69.1	68.9	69.4
D1 pod	68.7	69.1	68.1	68.0	68.2	68.2
D2 Pod	68.4	68.5	67.5	67.1	67.5	67.1
D3 Pod	69.9	70.3	68.5	68.2	68.2	68.0
E1 Pod	65.4	64.4	65.6	64.6	65.7	64.8
E2 Pod	69.2	70.3	65.3	64.8	65.9	65.5
E3 Pod	65.0	64.8	65.8	65.3	66.3	65.8

Scott Unit	10AM		1PM		4PM	
8/4/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.2	70.9	70.2	70.7	70.1	70.3
A2 Pod	69.5	69.8	69.6	70.2	69.5	69.8
A3 Pod	67.1	66.9	70.1	70.3	67.3	67.1
B1 Pod	68.1	68.2	68.2	68.7	68.3	68.5
B2 Pod	68.2	68.4	68.7	69.1	68.9	69.1
D1 pod	69.3	70.2	68.5	68.4	68.5	68.2
D2 Pod	68.9	69.6	67.7	67.5	67.8	67.5
D3 Pod	69.7	70.3	68.9	68.9	68.6	68.4
E1 Pod	65.4	64.0	65.7	64.8	65.8	64.8
E2 Pod	64.9	64.4	65.2	64.6	65.3	64.8
E3 Pod	64.9	64.2	65.2	64.6	65.2	64.4

Scott Unit	10AM		1PM		4PM	
8/5/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.7	70.2	70.7	69.9	70.2
A2 Pod	69.3	69.8	69.3	69.6	69.4	69.4
A3 Pod	67.2	67.1	67.2	67.0	67.4	67.1
B1 Pod	68.4	69.1	72.1	72.7	68.5	68.5
B2 Pod	68.6	69.3	68.6	68.9	68.9	69.1
D1 pod	68.2	68.4	68.1	68.0	68.0	67.6
D2 Pod	67.4	67.1	67.0	66.4	67.0	66.2
D3 Pod	68.8	68.9	68.3	68.2	68.1	67.5
E1 Pod	65.9	65.7	65.7	64.8	65.7	64.8
E2 Pod	64.9	64.4	64.8	64.2	65.1	64.2
E3 Pod	65.1	64.8	65.1	64.4	65.3	64.4

Scott Unit	10AM		1PM		4PM	
8/6/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.2	70.9	70.2	70.7	70.1	70.3
A2 Pod	69.6	70.3	69.6	70.0	69.7	69.8
A3 Pod	68.1	68.2	68.1	68.0	68.2	68.2
B1 Pod	68.8	69.3	68.9	69.4	68.8	69.1
B2 Pod	69.2	69.8	69.3	69.8	69.4	69.8
D1 pod	68.7	68.9	68.3	68.2	68.2	68.0
D2 Pod	67.9	67.8	67.2	66.6	67.2	66.6
D3 Pod	69.3	69.6	68.6	68.4	68.2	67.8
E1 Pod	66.2	65.7	66.5	65.7	66.3	65.3
E2 Pod	65.9	65.7	66.1	65.7	66.2	65.8
E3 Pod	65.7	65.3	65.6	64.8	65.7	65.1

Scott Unit	10AM		1PM		4PM	
8/7/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.7	69.9	70.3	70.1	70.5
A2 Pod	70.0	70.7	69.6	70.2	69.7	70.0
A3 Pod	68.1	68.2	68.1	68.0	68.0	67.8
B1 Pod	68.9	69.6	69.3	70.0	69.0	69.3
B2 Pod	68.9	69.6	69.3	70.0	69.3	69.8
D1 pod	69.4	70.3	68.5	68.5	68.3	68.0
D2 Pod	69.2	69.8	68.3	68.2	67.8	67.5
D3 Pod	69.9	70.7	68.8	68.9	68.3	68.0
E1 Pod	66.2	65.7	66.3	65.7	66.1	65.1
E2 Pod	65.4	64.9	65.9	65.7	66.3	65.8
E3 Pod	65.2	64.9	65.3	64.8	65.4	64.6

Scott Unit	10AM		1PM		4PM	
8/8/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.7	70.0	70.5	69.9	70.2
A2 Pod	70.0	70.7	69.5	69.8	69.7	69.8
A3 Pod	67.9	68.0	68.1	68.0	68.0	67.8
B1 Pod	69.1	70.0	69.4	70.0	69.1	69.8
B2 Pod	69.1	69.6	69.3	70.0	69.3	69.8
D1 pod	69.2	69.6	68.5	68.4	68.3	68.0
D2 Pod	68.8	69.1	67.9	67.6	67.6	66.9
D3 Pod	69.8	70.5	68.5	68.2	68.3	67.8
E1 Pod	66.1	65.7	66.1	65.4	66.1	65.1
E2 Pod	65.6	65.3	65.9	65.5	66.0	65.3
E3 Pod	65.1	64.8	65.2	64.6	65.4	64.6

Scott Unit	10AM		1PM		4PM	
8/9/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.7	70.1	70.5	70.1	70.5
A2 Pod	69.6	70.0	69.9	70.3	69.9	70.3
A3 Pod	68.0	68.0	67.9	68.0	67.9	67.8
B1 Pod	69.2	69.8	69.4	70.0	69.5	70.3
B2 Pod	69.3	70.2	69.7	70.5	69.8	70.5
D1 pod	69.7	70.7	68.5	68.4	68.5	68.4
D2 Pod	69.3	70.2	67.9	67.6	67.8	67.5
D3 Pod	64.9	64.6	68.7	68.7	68.4	68.2
E1 Pod	66.4	65.8	66.3	65.5	66.3	65.5
E2 Pod	65.7	65.5	65.9	65.5	66.1	65.7
E3 Pod	64.9	64.6	65.2	64.6	65.5	64.9

Scott Unit	10AM		1PM		4PM	
8/10/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.7	69.9	70.3	69.9	70.3
A2 Pod	69.2	69.4	69.5	69.8	69.4	69.6
A3 Pod	67.6	67.5	67.7	67.5	67.7	67.5
B1 Pod	69.3	70.0	69.2	69.6	69.2	69.6
B2 Pod	69.0	69.6	69.2	69.6	69.5	70.0
D1 pod	69.8	70.7	68.6	68.7	68.3	68.0
D2 Pod	69.4	69.8	68.2	68.0	67.9	67.6
D3 Pod	70.1	70.7	68.9	68.9	68.7	68.4
E1 Pod	66.1	65.3	73.7	73.9	66.1	65.1
E2 Pod	65.6	64.9	65.6	64.9	65.8	65.1
E3 Pod	65.6	64.9	65.9	65.1	66.4	65.7

Scott Unit	10AM		1PM		4PM	
8/11/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.5	70.0	70.5	70.0	70.5
A2 Pod	69.2	69.6	69.3	69.8	69.4	69.6
A3 Pod	67.4	67.3	67.4	67.1	67.6	67.3
B1 Pod	68.5	68.9	68.5	68.7	68.6	68.9
B2 Pod	68.5	68.7	68.9	69.1	69.2	69.6
D1 pod	68.6	68.7	68.2	68.2	68.2	68.0
D2 Pod	67.7	67.3	67.5	67.1	67.5	67.1
D3 Pod	69.0	69.1	68.5	68.2	68.5	68.2
E1 Pod	65.9	65.1	65.7	64.8	66.0	64.9
E2 Pod	65.1	64.6	65.6	64.9	65.4	64.6
E3 Pod	64.6	64.0	64.8	64.2	65.0	64.4

Scott Unit	10AM		1PM		4PM	
8/12/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.7	70.2	70.9	70.1	70.5
A2 Pod	69.1	69.6	69.2	69.6	69.3	69.8
A3 Pod	67.4	67.3	67.7	67.6	67.8	67.5
B1 Pod	68.8	69.6	68.8	69.4	69.1	69.8
B2 Pod	68.9	69.8	69.1	69.8	69.5	70.3
D1 pod	68.8	69.3	68.3	68.2	68.2	68.2
D2 Pod	68.1	68.2	67.7	67.5	67.4	67.1
D3 Pod	69.3	69.8	68.5	68.2	68.5	68.2
E1 Pod	65.8	65.1	66.1	65.3	66.0	64.9
E2 Pod	65.3	64.9	65.9	65.7	66.0	65.7
E3 Pod	64.7	64.4	65.3	64.6	65.8	65.3

Scott Unit	10AM		1PM		4PM	
8/13/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.2	71.1	70.1	70.5	70.1	70.5
A2 Pod	69.5	70.3	69.4	69.8	69.7	70.2
A3 Pod	67.4	67.3	67.4	67.3	67.6	67.3
B1 Pod	69.2	70.0	69.3	70.2	69.3	70.0
B2 Pod	69.1	69.8	69.4	70.0	69.5	70.2
D1 pod	69.4	70.3	69.5	70.5	69.5	70.5
D2 Pod	67.4	67.1	67.9	67.8	67.7	67.5
D3 Pod	70.1	71.1	68.8	68.7	68.6	68.4
E1 Pod	65.9	65.3	66.4	65.7	66.3	65.5
E2 Pod	65.7	65.7	65.6	65.1	65.9	65.5
E3 Pod	65.1	64.8	65.3	64.6	65.3	64.8

Scott Unit	10 A	AM	1PM		4PM	
8/14/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.7	70.2	71.1	70.2	70.9
A2 Pod	69.9	70.5	70.0	70.5	70.0	70.5
A3 Pod	67.0	66.9	67.3	66.9	67.4	67.3
B1 Pod	69.1	70.2	69.3	70.2	69.2	69.8
B2 Pod	69.3	70.2	69.7	70.5	69.8	70.7
D1 pod	69.5	70.5	69.5	70.5	68.5	68.4
D2 Pod	68.9	69.3	68.1	67.8	67.7	67.5
D3 Pod	70.0	70.7	70.1	70.7	68.7	68.7
E1 Pod	66.6	66.4	66.9	66.4	66.9	66.4
E2 Pod	66.0	65.8	66.1	65.8	66.2	65.8
E3 Pod	65.7	65.7	66.0	65.8	66.2	65.8

Scott Unit	10 A	AM	1PM		4PM	
8/15/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	71.4	72.7	71.4	72.3	71.7	72.7
A2 Pod	71.0	72.3	70.9	72.0	71.3	72.3
A3 Pod	68.8	69.4	68.8	69.1	68.8	69.1
B1 Pod	69.8	70.5	69.4	69.8	69.5	70.3
B2 Pod	70.0	70.9	69.7	70.3	70.0	70.7
D1 pod	69.2	69.8	68.2	68.2	68.2	68.2
D2 Pod	67.9	68.0	67.5	67.1	67.3	67.1
D3 Pod	69.2	69.6	68.3	68.0	68.1	67.6
E1 Pod	67.0	66.7	67.0	66.2	67.0	66.2
E2 Pod	66.8	67.1	66.7	66.4	66.7	66.2
E3 Pod	66.9	66.7	66.6	66.2	66.6	66.2

Scott Unit	10 A	AM	1PM		4PM	
8/16/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	72.4	73.8	72.6	73.8	72.6	73.6
A2 Pod	71.3	72.3	71.8	72.7	71.7	72.5
A3 Pod	69.1	69.6	68.8	69.1	69.3	69.1
B1 Pod	69.3	70.2	69.4	70.2	69.7	70.5
B2 Pod	69.1	69.8	69.5	70.2	69.7	70.3
D1 pod	68.2	68.2	70.6	71.4	67.7	67.5
D2 Pod	67.3	67.3	67.0	66.6	67.0	66.6
D3 Pod	68.0	67.6	67.6	67.1	67.6	67.1
E1 Pod	66.5	66.0	66.7	66.0	67.0	66.4
E2 Pod	66.3	66.0	66.3	65.8	66.3	65.8
E3 Pod	65.7	65.5	65.9	65.3	66.1	65.5

Scott Unit	10AM		1PM		4PM	
8/17/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	72.7	74.1	72.3	72.7	72.6	73.2
A2 Pod	71.7	72.7	71.0	71.8	71.5	72.3
A3 Pod	68.6	68.9	70.5	71.2	69.9	70.3
B1 Pod	69.3	70.2	69.3	70.0	69.3	69.8
B2 Pod	68.6	69.3	69.3	70.0	69.5	70.0
D1 pod	67.7	67.8	67.3	66.9	67.3	66.9
D2 Pod	67.3	67.3	67.0	66.6	67.0	66.6
D3 Pod	67.7	67.5	67.3	66.9	67.3	66.7
E1 Pod	66.5	65.8	66.3	65.5	66.5	65.5
E2 Pod	65.7	65.5	66.0	65.5	66.0	65.5
E3 Pod	65.4	64.8	65.6	64.8	65.7	65.1

Scott Unit	10 A	AM	1PM		4PM	
8/18/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	72.8	74.1	73.0	73.9	72.6	73.2
A2 Pod	71.8	72.9	72.0	72.9	72.0	72.9
A3 Pod	69.2	69.6	69.9	69.6	69.9	70.3
B1 Pod	69.5	70.5	69.4	69.8	69.3	69.8
B2 Pod	68.9	69.4	69.1	69.4	69.3	69.8
D1 pod	67.7	67.6	67.6	67.1	67.5	67.1
D2 Pod	67.2	67.1	67.1	66.7	67.1	66.7
D3 Pod	67.8	68.0	67.5	67.1	67.5	66.9
E1 Pod	66.7	66.4	66.5	65.5	66.5	65.5
E2 Pod	65.8	65.5	65.8	65.3	66.1	65.5
E3 Pod	65.4	64.9	65.5	64.8	65.6	64.6

Scott Unit	10AM		1PM		4PM	
8/19/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	72.6	71.8	72.7	73.6	73.0	73.6
A2 Pod	71.9	72.9	72.0	72.7	72.0	72.5
A3 Pod	69.6	70.0	69.6	70.0	69.7	69.8
B1 Pod	68.6	69.4	68.7	69.1	68.7	69.1
B2 Pod	68.7	69.4	68.8	69.1	69.1	69.1
D1 pod	67.9	68.0	67.6	67.1	67.7	67.3
D2 Pod	67.5	67.5	67.2	66.6	67.0	66.4
D3 Pod	72.4	73.2	67.9	67.5	67.9	67.5
E1 Pod	66.5	66.0	66.4	65.5	66.4	65.5
E2 Pod	65.7	65.3	65.7	65.1	65.8	64.9
E3 Pod	65.2	64.8	65.3	64.6	65.4	64.4

Scott Unit	10 A	AM	1PM		4PM	
8/20/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	72.8	73.6	72.5	73.0	72.4	72.9
A2 Pod	71.3	72.1	71.3	72.0	71.6	71.8
A3 Pod	68.0	67.6	67.5	67.1	66.8	66.0
B1 Pod	69.2	70.0	68.9	69.6	69.2	69.6
B2 Pod	68.8	69.4	69.0	69.4	69.1	69.4
D1 pod	67.7	67.6	67.6	67.3	67.6	66.9
D2 Pod	67.4	67.3	66.7	66.0	67.0	66.2
D3 Pod	68.8	69.1	68.2	68.2	68.1	67.8
E1 Pod	66.4	66.0	66.4	65.7	66.4	65.3
E2 Pod	65.5	64.9	65.6	64.9	65.9	65.1
E3 Pod	65.0	64.6	65.2	64.6	65.4	64.4

Scott Unit	10AM		1PM		4PM	
8/21/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	71.8	72.5	71.9	72.5	71.8	72.5
A2 Pod	70.7	71.1	70.6	71.1	70.8	71.4
A3 Pod	66.6	66.0	66.7	66.0	66.2	65.7
B1 Pod	68.9	69.6	68.9	69.6	69.0	69.4
B2 Pod	68.8	69.1	68.9	69.4	69.3	69.8
D1 pod	67.6	67.3	67.7	67.5	67.6	67.1
D2 Pod	67.6	67.3	67.3	66.9	67.1	66.7
D3 Pod	68.5	68.4	67.9	67.6	67.9	67.5
E1 Pod	66.3	65.7	66.4	65.5	66.5	65.5
E2 Pod	65.6	64.8	66.1	65.5	65.6	64.8
E3 Pod	65.0	64.6	65.3	64.8	65.5	64.8

Scott Unit	10AM		1PM		4PM	
8/22/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	71.7	72.7	71.7	72.5	71.7	72.3
A2 Pod	70.3	71.1	70.4	71.1	70.5	71.1
A3 Pod	65.7	65.3	65.9	65.3	65.8	65.1
B1 Pod	69.2	70.2	69.4	70.2	69.5	70.3
B2 Pod	69.5	70.3	69.6	70.2	69.8	70.3
D1 pod	67.7	67.8	67.8	67.5	67.6	67.3
D2 Pod	67.2	67.1	67.1	66.7	67.0	66.6
D3 Pod	68.4	68.5	68.1	68.0	68.2	68.2
E1 Pod	66.4	66.0	66.5	65.7	66.3	65.3
E2 Pod	65.9	65.8	65.9	65.5	66.1	65.7
E3 Pod	65.6	65.3	65.8	65.5	66.0	65.5

Scott Unit	10 A	AM	1PM		4PM	
8/23/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	71.5	72.5	71.5	72.5	71.4	72.1
A2 Pod	70.1	70.5	70.2	70.7	70.3	70.5
A3 Pod	65.4	64.8	65.4	64.8	65.4	64.6
B1 Pod	69.3	70.3	69.3	70.0	69.3	69.8
B2 Pod	69.2	69.8	69.4	70.0	69.3	69.8
D1 pod	67.7	67.6	67.4	67.1	67.4	67.1
D2 Pod	67.2	66.9	66.9	66.6	66.9	66.4
D3 Pod	68.1	68.2	67.6	67.5	67.3	66.9
E1 Pod	66.3	65.8	66.4	65.7	66.5	65.5
E2 Pod	65.8	65.5	66.1	65.7	66.6	66.2
E3 Pod	65.6	65.1	65.9	65.7	66.0	65.5

Scott Unit	10AM		1PM		4PM	
8/24/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	71.0	72.0	71.1	71.8	71.1	71.6
A2 Pod	69.7	70.2	69.7	70.0	69.7	69.8
A3 Pod	65.3	64.8	65.3	64.6	65.0	64.2
B1 Pod	68.7	69.3	69.0	69.6	68.5	68.4
B2 Pod	68.2	68.5	68.6	68.9	68.4	68.4
D1 pod	68.6	68.9	67.7	67.5	67.5	66.9
D2 Pod	68.2	68.2	67.1	66.6	67.0	66.2
D3 Pod	68.9	69.1	67.8	67.3	67.9	67.3
E1 Pod	65.9	64.9	66.0	64.8	66.0	64.6
E2 Pod	65.3	64.8	65.5	64.8	65.7	64.9
E3 Pod	65.4	64.9	65.3	64.6	65.3	64.2

Scott Unit	10AM		1PM		4PM	
8/25/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.8	71.8	70.9	71.6	70.9	71.4
A2 Pod	69.4	69.6	69.4	69.4	69.5	69.4
A3 Pod	64.8	64.4	64.9	64.0	64.7	63.9
B1 Pod	68.1	68.2	68.1	68.0	68.1	67.8
B2 Pod	67.7	67.8	67.8	67.8	67.8	67.6
D1 pod	68.6	68.9	67.7	67.3	67.4	66.6
D2 Pod	68.3	68.4	66.9	65.8	66.7	65.7
D3 Pod	68.9	69.4	67.6	66.7	67.7	67.1
E1 Pod	66.0	64.9	66.0	64.6	65.9	64.4
E2 Pod	64.9	64.2	65.0	64.0	65.3	64.2
E3 Pod	64.8	64.2	64.8	63.9	65.0	63.9

Scott Unit	10AM		1PM		4PM	
8/26/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.8	71.6	70.7	71.2	70.8	71.4
A2 Pod	69.5	70.0	69.3	69.6	69.3	69.6
A3 Pod	65.0	64.4	65.5	64.4	65.6	64.8
B1 Pod	67.9	68.2	67.8	68.0	67.9	68.0
B2 Pod	67.4	67.5	67.6	67.5	67.7	67.8
D1 pod	69.1	69.6	68.7	69.3	67.6	67.1
D2 Pod	68.3	68.7	68.3	68.7	67.0	66.4
D3 Pod	69.2	69.8	68.7	69.8	67.8	67.3
E1 Pod	66.0	65.3	66.5	66.0	66.3	65.3
E2 Pod	64.9	64.2	65.8	65.5	65.5	64.8
E3 Pod	64.7	64.2	65.8	65.5	65.4	64.6

Scott Unit	10AM		1PM		4PM	
8/27/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.9	72.0	70.8	71.6	70.7	71.6
A2 Pod	69.2	69.6	69.1	69.4	69.3	69.8
A3 Pod	65.2	64.8	65.7	65.3	65.8	65.3
B1 Pod	68.0	68.7	67.8	68.0	67.9	68.4
B2 Pod	67.3	67.8	67.2	67.3	67.5	67.8
D1 pod	67.7	67.6	67.3	67.1	67.7	67.5
D2 Pod	66.8	66.6	66.7	66.0	66.4	65.8
D3 Pod	67.8	67.3	67.6	67.1	67.8	67.6
E1 Pod	66.1	65.5	65.7	64.8	65.7	64.8
E2 Pod	64.8	64.4	64.3	63.7	64.9	64.2
E3 Pod	64.7	64.2	64.7	64.2	64.9	64.6

Scott Unit	10AM		1PM		4PM	
8/28/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.6	71.4	70.6	71.2	70.7	71.2
A2 Pod	69.0	69.4	69.2	69.4	69.4	69.8
A3 Pod	65.8	65.3	65.5	64.9	65.6	64.9
B1 Pod	67.9	68.4	68.1	68.4	68.4	68.9
B2 Pod	67.1	67.5	67.5	67.6	67.8	68.5
D1 pod	68.1	68.2	67.4	67.1	67.4	67.3
D2 Pod	67.0	66.7	66.8	66.4	66.5	66.0
D3 Pod	68.4	68.5	67.5	67.1	67.2	66.7
E1 Pod	65.7	65.1	65.7	64.8	65.8	64.9
E2 Pod	64.7	64.2	64.8	64.4	64.8	64.4
E3 Pod	69.1	70.3	65.5	64.8	65.9	65.5

Scott Unit	10AM		1PM		4PM	
8/29/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.7	71.4	70.8	71.8	70.6	71.2
A2 Pod	69.3	70.0	69.1	69.6	69.3	69.8
A3 Pod	65.8	65.5	66.1	65.7	66.1	65.7
B1 Pod	68.6	69.6	68.3	68.7	68.3	68.7
B2 Pod	67.9	68.5	67.7	68.0	67.7	68.0
D1 pod	68.3	68.5	67.6	67.5	67.4	67.1
D2 Pod	67.7	67.8	67.7	67.8	66.9	66.6
D3 Pod	68.2	68.5	67.5	67.3	67.7	67.5
E1 Pod	65.8	65.3	65.9	65.1	65.7	64.8
E2 Pod	64.8	64.8	64.8	64.6	64.8	64.2
E3 Pod	64.8	64.8	64.8	64.6	64.7	64.2

Scott Unit	10AM		1PM		4PM	
8/30/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.8	71.8	71.0	71.8	70.9	71.8
A2 Pod	69.3	69.8	69.3	69.8	69.3	69.6
A3 Pod	65.0	64.6	65.0	64.6	64.9	64.6
B1 Pod	68.1	68.5	68.0	68.4	68.1	68.4
B2 Pod	67.2	67.5	67.2	67.5	67.4	67.5
D1 pod	68.8	69.3	67.9	67.8	67.8	67.8
D2 Pod	68.2	68.7	67.0	66.6	67.0	66.6
D3 Pod	69.1	69.6	68.2	68.2	68.1	67.8
E1 Pod	65.7	65.1	65.8	64.8	65.6	64.4
E2 Pod	64.7	64.2	64.6	64.2	64.6	64.0
E3 Pod	64.4	63.9	64.5	64.0	64.5	64.0

Scott Unit	10AM		1PM		4PM	
8/31/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.6	71.4	70.6	71.2	71.1	72.0
A2 Pod	68.9	69.4	69.0	69.4	69.0	69.3
A3 Pod	64.8	64.6	65.1	64.8	64.9	64.4
B1 Pod	67.7	68.0	68.0	68.7	68.0	68.5
B2 Pod	67.0	67.1	67.2	67.5	67.3	67.5
D1 pod	68.1	68.2	67.6	67.3	67.4	66.9
D2 Pod	67.6	67.5	66.9	66.6	66.4	65.7
D3 Pod	69.1	69.3	67.6	67.3	67.2	66.6
E1 Pod	65.2	64.2	65.5	64.6	65.4	64.2
E2 Pod	64.3	64.0	64.2	63.7	64.4	64.0
E3 Pod	63.9	63.7	64.0	63.7	64.2	63.7

Scott Unit	10AM		1PM		4PM	
9/1/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	71.0	72.0	71.0	72.0	70.8	71.6
A2 Pod	68.8	69.1	68.8	69.1	68.9	69.4
A3 Pod	64.9	64.6	65.1	64.8	65.0	64.8
B1 Pod	67.8	68.2	67.9	68.4	68.0	68.5
B2 Pod	67.1	67.6	67.1	67.5	67.4	67.6
D1 pod	68.2	68.5	67.4	67.3	67.4	67.1
D2 Pod	67.4	67.3	66.8	66.4	66.5	65.8
D3 Pod	68.4	68.7	67.6	67.3	67.4	67.1
E1 Pod	65.2	64.4	65.2	64.2	65.4	64.2
E2 Pod	64.2	64.0	64.2	64.0	64.3	64.0
E3 Pod	63.9	63.7	64.1	63.9	64.3	64.0

Scott Unit	10AM		1PM		4PM	
9/2/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.8	71.8	70.9	71.8	70.9	71.8
A2 Pod	68.6	68.9	68.6	68.9	68.9	68.9
A3 Pod	65.9	65.8	65.7	65.5	65.7	65.5
B1 Pod	67.8	68.0	67.9	68.4	68.0	68.2
B2 Pod	67.0	67.3	67.2	67.5	67.3	67.5
D1 pod	67.9	68.2	67.6	67.3	67.4	66.9
D2 Pod	67.3	67.6	66.9	66.4	66.3	65.7
D3 Pod	67.8	68.2	67.5	67.3	67.2	66.7
E1 Pod	65.2	64.4	65.3	64.4	65.5	64.4
E2 Pod	64.3	64.0	64.3	63.9	64.5	64.0
E3 Pod	64.2	64.0	64.1	63.7	64.3	63.9

Scott Unit	10AM		1PM		4PM	
9/3/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.8	71.8	70.8	71.6	70.7	71.6
A2 Pod	68.8	69.1	68.6	68.9	68.6	68.9
A3 Pod	65.4	64.8	66.1	65.7	66.2	65.8
B1 Pod	67.6	67.8	68.0	68.4	68.2	68.7
B2 Pod	67.2	67.5	67.4	67.6	67.6	67.8
D1 pod	68.6	69.3	67.2	66.7	67.2	66.9
D2 Pod	70.5	71.6	66.7	66.0	66.5	66.0
D3 Pod	68.6	69.1	67.6	67.3	67.4	67.1
E1 Pod	65.2	64.4	65.1	64.0	65.4	64.2
E2 Pod	64.4	64.2	64.3	63.9	64.5	64.2
E3 Pod	63.8	63.5	64.3	64.0	64.5	64.4

Scott Unit	10AM		1PM		4PM	
9/4/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.7	71.4	70.6	71.4	70.7	71.6
A2 Pod	68.5	68.9	68.8	69.3	68.8	69.1
A3 Pod	65.9	65.5	65.9	65.5	65.8	65.3
B1 Pod	67.7	68.0	67.9	68.5	67.9	68.4
B2 Pod	67.1	67.5	67.4	67.8	67.6	67.8
D1 pod	68.3	68.9	67.9	68.0	67.6	67.3
D2 Pod	67.8	68.2	67.1	66.9	66.8	66.4
D3 Pod	68.6	69.3	68.2	68.2	67.8	67.5
E1 Pod	65.2	64.4	65.4	64.4	65.4	64.2
E2 Pod	64.2	64.0	64.3	64.0	64.6	64.0
E3 Pod	64.6	64.2	65.1	64.9	65.8	65.5

Scott Unit	10AM		1PM		4PM	
9/5/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.5	71.2	70.7	71.8	70.8	71.8
A2 Pod	69.0	69.4	69.1	69.6	69.4	69.8
A3 Pod	65.8	65.5	65.9	65.5	65.8	65.3
B1 Pod	67.9	68.5	67.9	68.4	67.9	68.4
B2 Pod	67.2	67.6	67.3	67.6	67.6	67.8
D1 pod	67.5	67.5	67.0	66.7	67.2	66.9
D2 Pod	66.7	66.2	66.7	66.2	66.1	65.5
D3 Pod	67.7	67.5	67.2	66.7	67.0	66.4
E1 Pod	65.3	64.4	65.2	64.2	65.3	64.2
E2 Pod	64.3	63.9	64.8	64.2	64.8	64.4
E3 Pod	65.1	64.8	65.1	64.6	65.7	65.3

Scott Unit	10AM		1PM		4PM	
9/6/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.4	71.2	70.5	71.1	70.4	71.1
A2 Pod	69.1	69.3	68.7	69.1	68.8	69.1
A3 Pod	65.2	64.4	65.3	64.6	65.7	65.1
B1 Pod	68.8	68.9	69.2	69.3	69.3	69.8
B2 Pod	67.9	68.0	68.2	68.2	68.5	68.9
D1 pod	66.9	66.7	66.8	66.6	66.6	66.0
D2 Pod	66.3	65.8	65.8	65.8	65.7	65.1
D3 Pod	67.1	66.7	66.5	65.8	66.9	66.4
E1 Pod	65.2	64.4	64.8	63.9	65.3	64.2
E2 Pod	64.1	63.7	64.4	63.9	64.7	64.2
E3 Pod	65.1	64.6	65.1	64.6	65.5	64.9

Scott Unit	10AM		1PM		4PM	
9/7/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.3	70.0	70.3	69.9	70.0
A2 Pod	67.8	69.1	67.7	67.3	67.9	67.3
A3 Pod	63.0	62.4	63.1	62.4	63.1	62.4
B1 Pod	67.5	67.3	67.5	67.3	67.4	66.9
B2 Pod	66.3	65.8	66.4	66.0	66.6	66.0
D1 pod	67.7	67.5	66.8	66.0	66.3	66.0
D2 Pod	66.9	66.6	65.7	64.6	65.3	63.9
D3 Pod	68.0	67.8	66.6	67.8	66.5	65.5
E1 Pod	64.5	63.3	64.5	63.1	64.6	63.1
E2 Pod	62.8	62.1	63.2	62.6	63.0	62.1
E3 Pod	63.4	62.8	63.2	62.4	63.7	62.6

Scott Unit	10AM		1PM		4PM	
9/8/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.5	69.4	69.5	69.4	69.5	69.3
A2 Pod	67.4	66.4	67.3	66.4	67.4	66.6
A3 Pod	61.7	61.0	61.7	60.8	61.8	61.0
B1 Pod	66.7	65.8	66.4	65.5	66.5	65.5
B2 Pod	64.9	63.7	64.9	63.7	65.2	64.0
D1 pod	67.7	66.7	67.9	66.7	67.7	66.7
D2 Pod	67.0	65.7	67.1	65.8	67.1	66.2
D3 Pod	67.3	66.4	67.5	66.4	67.5	66.6
E1 Pod	63.7	62.2	63.7	61.9	63.9	62.2
E2 Pod	62.1	61.0	61.8	60.6	62.2	61.2
E3 Pod	63.1	61.9	62.4	61.2	62.7	61.5

Scott Unit	10AM		1PM		4PM	
9/9/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.0	68.5	68.9	68.7	69.0	68.9
A2 Pod	67.0	66.0	67.0	66.2	67.1	66.7
A3 Pod	61.3	60.4	62.2	61.5	62.6	62.1
B1 Pod	65.9	64.8	66.2	65.3	66.5	66.2
B2 Pod	64.1	63.0	64.9	64.0	65.4	64.8
D1 pod	67.9	66.7	68.1	67.3	67.3	66.6
D2 Pod	67.5	66.2	67.8	66.7	66.8	66.0
D3 Pod	68.1	67.1	68.2	67.5	67.5	66.7
E1 Pod	63.2	61.7	64.9	63.7	64.6	63.7
E2 Pod	61.3	60.3	63.0	62.4	63.0	62.6
E3 Pod	61.8	60.8	63.3	62.4	63.3	62.8

Scott Unit	10AM		1PM		4PM	
9/10/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.3	69.7	70.3	69.9	70.5
A2 Pod	67.6	67.5	67.7	67.8	68.0	68.2
A3 Pod	63.0	62.8	63.3	63.1	63.5	63.5
B1 Pod	66.8	66.7	67.2	67.6	67.6	68.2
B2 Pod	65.6	65.1	66.3	66.4	66.8	67.5
D1 pod	68.6	68.5	68.3	68.2	68.6	69.3
D2 Pod	68.3	68.2	67.7	67.5	68.3	68.7
D3 Pod	68.6	68.5	68.6	68.5	68.9	69.6
E1 Pod	64.5	63.7	65.0	64.4	65.0	64.4
E2 Pod	63.0	62.6	63.6	63.5	63.9	63.9
E3 Pod	63.5	63.0	64.2	64.0	64.5	64.4

Scott Unit	10AM		1PM		4PM	
9/11/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.6	70.5	69.6	70.5	69.9	70.5
A2 Pod	68.1	68.4	68.2	68.7	68.5	68.9
A3 Pod	64.8	64.6	65.1	64.6	65.3	64.9
B1 Pod	68.1	68.9	68.1	68.7	68.3	68.9
B2 Pod	67.2	67.6	67.2	67.6	67.7	68.4
D1 pod	67.6	67.5	67.4	67.3	67.5	67.5
D2 Pod	67.0	66.9	67.1	67.1	67.0	67.1
D3 Pod	68.1	68.2	67.9	68.0	67.9	68.0
E1 Pod	65.4	64.9	65.4	64.8	65.7	65.3
E2 Pod	64.6	64.6	64.6	64.6	65.0	65.1
E3 Pod	64.6	64.4	64.8	64.8	65.3	65.5

Scott Unit	10AM		1PM		4PM	
9/12/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.7	69.9	70.5	69.9	70.3
A2 Pod	68.2	68.7	68.3	68.5	68.6	68.9
A3 Pod	65.0	64.8	65.3	64.9	65.4	64.8
B1 Pod	68.1	68.7	68.3	68.7	68.2	68.7
B2 Pod	67.4	67.8	67.6	67.8	67.7	68.0
D1 pod	67.6	67.5	67.4	67.3	67.4	67.1
D2 Pod	67.2	67.1	66.9	66.7	66.9	66.7
D3 Pod	68.0	68.2	67.6	67.5	67.2	66.7
E1 Pod	65.5	64.9	65.7	65.1	65.7	64.9
E2 Pod	64.6	64.6	64.9	64.6	65.1	64.6
E3 Pod	64.8	64.8	64.9	64.6	65.0	64.6

Scott Unit	10AM		1PM		4PM	
9/13/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.5	70.1	70.7	70.2	71.1
A2 Pod	68.3	68.5	68.6	68.9	68.8	69.1
A3 Pod	64.8	64.4	65.5	65.1	66.1	65.7
B1 Pod	68.2	69.1	68.4	69.3	68.8	69.6
B2 Pod	67.2	67.6	67.9	68.5	68.3	68.9
D1 pod	67.7	67.6	67.9	68.0	67.8	67.6
D2 Pod	67.5	67.5	67.3	67.3	67.4	67.3
D3 Pod	68.5	68.7	68.0	68.0	68.1	68.2
E1 Pod	65.5	64.9	65.7	65.3	65.9	65.5
E2 Pod	64.7	64.4	64.9	64.8	65.6	65.5
E3 Pod	64.5	64.2	65.1	64.9	65.7	65.8

Scott Unit	10AM		1PM		4PM	
9/14/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.6	71.6	70.4	71.2	70.4	71.2
A2 Pod	69.0	69.6	69.1	69.4	69.4	69.8
A3 Pod	66.2	66.0	66.5	66.2	66.0	65.5
B1 Pod	69.4	70.5	69.5	70.5	69.7	70.7
B2 Pod	69.0	70.0	69.2	69.8	69.5	70.3
D1 pod	67.6	67.8	67.5	67.5	67.6	67.5
D2 Pod	66.9	67.1	67.0	67.1	67.2	67.1
D3 Pod	67.9	68.4	67.6	67.5	67.7	67.8
E1 Pod	66.3	66.2	66.4	66.5	66.6	66.2
E2 Pod	65.8	65.8	66.1	66.0	66.7	66.6
E3 Pod	66.0	66.2	66.1	66.0	66.5	66.6

Scott Unit	10AM		1PM		4PM	
9/15/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.6	71.6	70.5	71.4	70.4	71.2
A2 Pod	69.1	69.8	69.2	69.6	69.4	69.8
A3 Pod	65.5	65.3	65.6	65.1	65.7	65.5
B1 Pod	69.6	70.9	69.7	70.7	69.9	70.9
B2 Pod	69.4	70.3	69.6	70.5	69.9	70.7
D1 pod	67.4	67.6	67.4	67.3	67.4	67.3
D2 Pod	66.7	66.7	66.7	66.6	67.0	66.9
D3 Pod	67.9	68.5	67.8	67.8	67.7	67.8
E1 Pod	66.7	66.6	66.8	66.6	67.0	66.7
E2 Pod	66.1	66.2	66.2	66.0	66.7	66.6
E3 Pod	66.7	66.9	66.3	66.0	66.8	66.7

Scott Unit	10AM		1PM		4PM	
9/16/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.7	71.4	70.8	71.8	70.9	71.8
A2 Pod	69.2	69.6	69.7	70.3	70.0	70.7
A3 Pod	65.8	65.5	66.1	65.8	66.0	65.5
B1 Pod	70.0	71.4	70.2	71.4	70.1	71.1
B2 Pod	69.5	70.5	70.0	71.2	70.0	70.9
D1 pod	67.1	67.3	67.6	67.6	67.4	67.5
D2 Pod	66.6	66.7	66.9	66.7	67.1	67.1
D3 Pod	67.5	68.0	67.6	67.8	67.6	67.5
E1 Pod	67.0	67.1	67.1	67.1	67.1	66.9
E2 Pod	66.4	66.7	66.8	67.1	67.0	67.1
E3 Pod	66.4	66.7	67.1	67.5	67.1	67.3

Scott Unit	10AM		1PM		4PM	
9/17/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.6	71.4	70.4	71.1	70.5	71.1
A2 Pod	69.1	69.6	69.4	69.8	69.5	69.8
A3 Pod	66.1	65.8	65.9	65.5	66.5	66.0
B1 Pod	69.9	70.9	70.0	71.1	69.9	70.5
B2 Pod	69.5	70.3	69.7	70.5	69.7	70.3
D1 pod	67.2	67.1	67.3	67.3	67.3	67.1
D2 Pod	66.5	66.2	66.6	66.4	66.7	66.0
D3 Pod	67.5	67.5	67.4	67.3	67.6	67.3
E1 Pod	66.4	66.0	67.2	66.7	67.0	66.4
E2 Pod	66.2	66.0	66.5	66.4	66.5	66.0
E3 Pod	66.2	66.0	66.5	66.2	66.8	66.6

Scott Unit	10AM		1PM		4PM	
9/18/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.6	71.4	70.5	71.2	70.5	71.1
A2 Pod	68.7	69.1	68.9	69.1	69.1	69.3
A3 Pod	65.6	65.1	65.9	65.5	65.6	64.8
B1 Pod	69.3	70.2	69.3	70.2	69.0	69.1
B2 Pod	68.8	69.3	68.8	69.1	68.8	68.9
D1 pod	67.4	67.3	67.2	66.7	67.1	66.6
D2 Pod	67.0	66.9	66.7	66.0	66.6	65.8
D3 Pod	68.2	68.5	67.6	67.3	67.3	66.7
E1 Pod	65.9	65.3	66.3	65.3	66.2	65.1
E2 Pod	65.2	64.8	65.5	64.8	65.5	64.6
E3 Pod	65.6	65.3	65.5	64.8	65.7	64.9

Scott Unit	10AM		1PM		4PM	
9/19/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.4	71.2	70.4	71.1	70.6	71.1
A2 Pod	68.9	69.1	68.8	68.9	69.1	69.1
A3 Pod	65.8	65.5	65.9	65.5	65.9	65.3
B1 Pod	69.1	69.8	69.3	70.0	69.5	70.0
B2 Pod	68.6	69.3	68.7	69.1	68.8	68.9
D1 pod	67.1	67.1	67.0	66.6	66.8	66.2
D2 Pod	66.3	65.8	66.2	65.3	66.2	65.3
D3 Pod	67.4	67.3	67.1	66.7	66.8	66.2
E1 Pod	66.0	65.3	65.9	64.9	66.1	65.1
E2 Pod	65.1	64.9	65.2	64.6	65.4	64.6
E3 Pod	66.1	65.7	66.7	66.0	66.6	66.0

Scott Unit	10AM		1PM		4PM	
9/20/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.3	71.1	70.4	71.1	70.3	70.5
A2 Pod	68.9	69.1	68.9	69.1	69.1	69.1
A3 Pod	65.7	65.5	65.7	65.3	65.7	65.1
B1 Pod	69.2	70.2	69.3	69.8	69.2	69.6
B2 Pod	68.6	69.3	68.7	68.9	68.7	68.9
D1 pod	66.9	66.6	66.8	66.4	66.9	66.2
D2 Pod	66.0	65.5	65.9	65.1	66.0	64.9
D3 Pod	67.6	67.5	66.8	66.4	66.8	66.0
E1 Pod	66.1	65.5	65.9	64.9	65.9	64.8
E2 Pod	65.7	65.7	65.3	64.8	65.4	64.4
E3 Pod	65.4	64.9	65.5	64.8	65.7	64.8

Scott Unit	10AM		1PM		4PM	
9/21/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.4	71.2	70.4	71.1	70.5	71.1
A2 Pod	68.9	69.4	69.0	69.1	69.3	69.6
A3 Pod	65.8	65.5	66.1	65.7	66.1	65.5
B1 Pod	69.2	69.8	68.6	69.1	68.6	68.7
B2 Pod	68.4	68.9	68.5	68.5	68.5	68.4
D1 pod	67.4	67.3	67.1	66.7	67.0	66.2
D2 Pod	67.0	66.9	66.6	66.0	66.5	65.7
D3 Pod	67.9	68.0	67.5	67.1	67.7	67.3
E1 Pod	65.9	65.3	65.9	64.9	65.8	64.6
E2 Pod	65.0	64.6	65.1	64.2	65.4	64.4
E3 Pod	66.0	65.5	66.1	65.3	66.5	65.5

Scott Unit	10AM		1PM		4PM	
9/22/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.3	71.1	70.2	70.7	70.5	70.9
A2 Pod	68.9	69.3	68.9	68.9	69.0	69.1
A3 Pod	65.5	65.1	65.8	65.3	65.6	64.8
B1 Pod	68.5	68.9	68.5	68.7	68.6	68.9
B2 Pod	68.2	68.7	68.1	68.2	68.3	68.2
D1 pod	67.3	67.3	66.9	66.4	66.9	66.2
D2 Pod	66.4	66.0	66.0	65.1	66.0	64.9
D3 Pod	67.3	67.1	67.0	66.4	67.0	66.2
E1 Pod	65.8	64.9	65.8	64.6	65.7	64.6
E2 Pod	65.4	64.9	64.9	64.0	65.2	64.2
E3 Pod	66.1	65.5	65.9	65.1	66.3	65.5

Scott Unit	10AM		1PM		4PM	
9/23/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.3	71.1	70.4	71.1	70.5	71.1
A2 Pod	68.8	69.1	68.9	69.3	69.0	69.1
A3 Pod	65.5	65.1	65.6	65.1	65.6	65.3
B1 Pod	69.0	69.8	69.0	69.6	69.1	69.6
B2 Pod	68.1	68.5	68.5	68.9	68.7	68.9
D1 pod	67.3	67.3	67.4	67.3	67.2	66.7
D2 Pod	66.9	66.6	66.9	66.6	66.5	65.8
D3 Pod	67.8	67.6	67.7	67.6	67.4	67.6
E1 Pod	65.4	64.6	66.0	65.3	66.2	65.3
E2 Pod	64.8	64.6	65.0	64.8	65.2	64.6
E3 Pod	65.2	64.8	65.7	65.5	65.9	65.5

Scott Unit	10AM		1PM		4PM	
9/24/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.4	71.2	70.5	71.1	70.4	70.9
A2 Pod	68.7	69.1	69.0	69.1	69.0	69.1
A3 Pod	65.7	65.5	66.1	65.7	65.7	65.3
B1 Pod	69.4	70.3	69.1	69.8	69.2	69.6
B2 Pod	68.3	68.7	68.5	68.7	68.5	68.5
D1 pod	67.2	67.1	66.9	66.7	67.0	66.4
D2 Pod	66.8	66.7	66.1	65.7	66.0	65.1
D3 Pod	67.2	67.1	66.8	66.6	67.0	66.4
E1 Pod	65.9	65.5	66.0	64.9	66.0	64.8
E2 Pod	65.0	64.8	64.9	64.4	65.3	64.6
E3 Pod	65.6	65.1	66.0	65.5	66.0	65.1

Scott Unit	10AM		1PM		4PM	
9/25/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.4	71.2	70.5	71.4	70.2	70.9
A2 Pod	68.9	69.3	68.9	69.3	69.0	69.1
A3 Pod	65.5	65.1	65.4	64.9	65.7	65.3
B1 Pod	69.1	69.6	68.9	69.4	69.0	69.4
B2 Pod	68.2	68.7	68.1	68.2	68.2	68.5
D1 pod	66.9	66.6	66.8	66.4	66.8	66.4
D2 Pod	66.2	65.8	65.6	64.8	65.7	65.1
D3 Pod	67.2	67.3	66.9	66.7	66.9	66.4
E1 Pod	65.7	65.3	65.8	65.1	67.0	67.1
E2 Pod	64.9	64.6	64.9	64.4	66.1	66.0
E3 Pod	65.8	65.5	66.1	65.7	67.2	67.5

Scott Unit	10AM		1PM		4PM	
9/26/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.1	70.3	70.1	70.3	70.6	70.9
A2 Pod	68.3	68.2	68.5	68.2	68.9	68.7
A3 Pod	64.9	64.4	65.5	64.6	65.5	64.6
B1 Pod	68.0	67.8	67.8	67.3	67.8	67.3
B2 Pod	66.5	65.8	66.8	66.0	66.3	65.1
D1 pod	66.8	66.0	66.5	65.3	66.3	64.9
D2 Pod	66.3	65.7	65.8	64.4	65.4	63.7
D3 Pod	66.9	66.4	66.4	65.3	66.1	64.8
E1 Pod	65.2	64.0	65.3	63.7	65.1	63.5
E2 Pod	64.2	63.1	64.1	63.0	64.2	62.8
E3 Pod	65.4	64.4	65.9	64.9	65.4	63.9

Scott Unit	10AM		1PM		4PM	
9/27/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.6	70.9	70.6	70.9	70.7	71.1
A2 Pod	68.5	68.2	68.5	68.2	68.8	68.2
A3 Pod	64.4	63.7	64.2	63.0	64.2	63.0
B1 Pod	66.8	66.4	67.0	66.4	66.8	65.8
B2 Pod	64.6	63.7	64.8	63.9	65.0	63.7
D1 pod	67.6	66.7	67.2	67.1	66.6	65.8
D2 Pod	67.0	66.0	66.4	65.1	65.7	64.0
D3 Pod	67.6	66.7	67.0	65.8	66.5	65.1
E1 Pod	64.6	63.0	64.6	63.0	64.7	62.8
E2 Pod	63.0	62.1	63.1	61.9	63.5	62.2
E3 Pod	64.6	63.5	64.7	63.1	65.1	63.3

Scott Unit	10AM		1PM		4PM	
9/28/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.4	70.9	70.5	70.7	70.7	70.5
A2 Pod	68.5	68.0	68.7	68.2	68.9	68.5
A3 Pod	64.2	63.5	64.4	63.3	64.6	63.1
B1 Pod	66.3	65.8	66.3	65.3	66.6	65.8
B2 Pod	65.0	63.7	64.5	63.3	64.6	63.3
D1 pod	68.1	67.5	67.0	65.7	66.7	65.1
D2 Pod	67.2	66.2	66.3	64.8	66.0	64.2
D3 Pod	67.0	66.0	66.9	65.7	66.2	64.6
E1 Pod	64.1	62.6	64.2	62.4	64.4	62.6
E2 Pod	62.5	61.5	62.8	61.7	63.0	61.7
E3 Pod	64.5	63.1	65.0	63.5	65.4	63.7

Scott Unit	10AM		1PM		4PM	
9/29/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.2	70.3	70.4	70.5	70.6	70.3
A2 Pod	68.5	68.0	68.6	68.0	68.6	68.0
A3 Pod	63.9	63.1	64.1	62.8	64.4	62.8
B1 Pod	65.5	64.4	65.7	64.4	65.7	64.4
B2 Pod	63.9	63.0	64.0	62.8	64.2	62.8
D1 pod	67.6	66.6	67.9	66.7	66.8	65.3
D2 Pod	67.2	64.2	67.2	65.7	66.1	64.4
D3 Pod	67.5	66.6	67.6	66.4	66.8	65.3
E1 Pod	64.4	62.6	63.9	62.4	64.0	62.2
E2 Pod	62.2	61.2	62.4	61.2	62.6	61.2
E3 Pod	64.2	63.1	64.4	63.0	64.5	62.8

Scott Unit	10AM		1PM		4PM	
9/30/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.6	71.1	70.7	71.1	70.8	71.2
A2 Pod	68.6	68.7	69.0	68.9	68.9	68.7
A3 Pod	64.8	64.4	64.9	64.2	65.0	64.0
B1 Pod	66.0	65.5	66.3	65.8	66.3	65.8
B2 Pod	64.2	63.9	64.8	64.4	64.9	64.2
D1 pod	68.0	67.8	67.1	66.6	67.2	66.4
D2 Pod	67.5	67.5	66.6	65.8	66.3	65.1
D3 Pod	67.9	67.6	67.3	66.7	67.1	66.2
E1 Pod	63.8	62.4	64.6	64.0	64.5	63.1
E2 Pod	62.8	61.9	63.3	62.8	63.7	62.8
E3 Pod	64.6	63.7	64.9	64.0	64.6	63.5

Scott Unit	10AM		1PM		4PM	
10/1/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.5	71.2	70.2	70.5	70.1	70.2
A2 Pod	75.1	76.8	68.5	68.2	68.4	68.2
A3 Pod	64.8	64.2	65.3	64.8	64.5	63.7
B1 Pod	66.5	66.7	67.0	66.9	67.4	67.1
B2 Pod	64.8	64.8	65.3	64.8	65.3	64.6
D1 pod	67.6	67.1	67.0	66.2	66.8	65.8
D2 Pod	67.4	67.1	66.6	65.8	66.5	65.3
D3 Pod	68.4	68.4	67.3	66.7	66.9	65.8
E1 Pod	64.8	64.0	65.1	63.9	64.9	63.5
E2 Pod	63.5	63.5	63.7	63.1	63.4	62.4
E3 Pod	64.6	64.4	65.0	64.2	65.3	64.0

Scott Unit	10AM		1PM		4PM	
10/2/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.3	69.8	69.8	70.2	70.3
A2 Pod	68.0	67.8	68.1	67.8	68.2	68.0
A3 Pod	64.2	63.9	64.2	63.5	64.3	63.5
B1 Pod	66.8	66.9	67.4	67.3	67.6	67.3
B2 Pod	65.5	64.6	66.1	65.5	66.2	65.3
D1 pod	67.9	67.6	67.3	66.6	66.8	65.8
D2 Pod	67.5	66.9	66.5	65.5	66.1	64.9
D3 Pod	68.1	67.6	67.3	66.6	67.1	66.2
E1 Pod	65.1	63.9	65.4	64.0	65.1	63.9
E2 Pod	63.5	63.1	63.8	63.0	63.7	62.8
E3 Pod	64.5	63.9	65.2	64.2	64.8	63.7

Scott Unit	10AM		1PM		4PM	
10/3/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.0	70.5	70.1	70.3	69.9	70.0
A2 Pod	68.3	68.2	68.1	67.8	68.1	67.6
A3 Pod	63.9	63.5	64.2	63.7	63.7	62.8
B1 Pod	68.1	68.2	68.1	68.0	68.3	68.0
B2 Pod	65.9	65.7	66.4	66.0	66.4	65.7
D1 pod	68.3	68.4	67.0	66.0	66.9	65.7
D2 Pod	68.1	68.2	66.6	65.7	66.3	64.9
D3 Pod	68.5	68.5	67.5	66.7	67.2	66.0
E1 Pod	65.3	64.6	65.4	64.0	65.2	63.7
E2 Pod	63.9	63.7	64.1	63.1	63.9	62.8
E3 Pod	64.5	63.9	64.6	63.7	64.8	63.5

Scott Unit	10AM		1PM		4PM	
10/4/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.8	70.3	70.1	70.3	70.4	71.2
A2 Pod	67.9	68.0	68.0	68.2	68.5	68.7
A3 Pod	63.7	62.8	64.6	64.4	65.6	65.1
B1 Pod	68.2	68.7	68.5	68.9	68.5	69.1
B2 Pod	66.4	66.6	67.1	67.5	67.8	68.2
D1 pod	68.4	68.5	67.6	68.5	68.0	68.0
D2 Pod	68.3	68.5	67.6	67.3	67.1	66.9
D3 Pod	68.6	68.9	67.9	67.8	67.6	67.3
E1 Pod	65.4	64.8	65.5	64.8	65.7	65.1
E2 Pod	64.3	64.0	64.2	63.7	64.9	64.6
E3 Pod	65.8	65.1	65.7	65.3	65.9	65.7

Scott Unit	10AM		1PM		4PM	
10/5/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	70.3	71.1	70.1	70.5	70.1	70.5
A2 Pod	68.3	68.4	68.5	68.5	68.6	68.9
A3 Pod	65.4	64.9	65.5	64.9	65.5	64.9
B1 Pod	68.6	69.4	68.6	69.3	68.8	69.3
B2 Pod	67.8	68.5	67.8	68.2	68.1	68.4
D1 pod	67.2	66.7	67.1	66.7	67.1	66.7
D2 Pod	66.8	66.6	66.7	66.0	66.2	65.8
D3 Pod	67.6	67.3	67.2	66.7	67.1	66.7
E1 Pod	65.9	65.3	66.1	65.3	66.3	65.7
E2 Pod	64.9	64.8	64.9	64.4	64.9	64.2
E3 Pod	66.0	65.7	66.7	66.2	66.7	66.0

Scott Unit	10AM		1PM		4PM	
10/6/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.7	70.3	69.9	70.3	69.9	70.2
A2 Pod	68.2	68.4	68.3	68.2	68.6	68.5
A3 Pod	64.9	64.4	64.6	64.0	65.0	64.2
B1 Pod	68.3	68.7	68.4	68.9	68.3	68.4
B2 Pod	67.6	67.6	67.6	67.5	67.7	67.5
D1 pod	67.0	66.6	67.0	66.4	66.8	66.0
D2 Pod	66.3	65.8	66.3	65.5	66.1	65.1
D3 Pod	67.3	67.3	66.8	66.2	66.8	66.0
E1 Pod	65.9	65.5	66.1	65.3	66.3	65.3
E2 Pod	64.8	64.4	64.9	64.2	65.1	64.2
E3 Pod	66.3	65.8	66.3	65.7	66.5	65.5

Scott Unit	10AM		1PM		4PM	
10/7/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.5	69.6	69.9	70.2	69.8	69.6
A2 Pod	67.9	67.6	68.3	68.0	68.3	67.8
A3 Pod	64.2	63.5	64.6	63.9	64.3	63.3
B1 Pod	67.3	67.3	67.7	67.6	67.7	67.3
B2 Pod	66.7	66.2	66.7	66.0	66.5	65.5
D1 pod	68.1	67.8	67.0	66.0	66.9	66.0
D2 Pod	67.6	67.1	67.1	66.4	66.3	64.9
D3 Pod	68.2	68.2	67.3	66.7	67.3	66.7
E1 Pod	65.7	64.9	65.8	64.6	65.7	64.2
E2 Pod	65.1	64.4	65.2	64.2	65.3	64.0
E3 Pod	66.5	65.7	67.4	66.4	67.7	66.6

Scott Unit	10AM		1PM		4PM	
10/8/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.5	69.4	69.3	68.9	69.5	68.9
A2 Pod	68.3	67.6	68.1	67.1	68.0	66.7
A3 Pod	63.9	63.0	63.4	62.1	63.4	61.7
B1 Pod	66.8	66.2	66.6	65.5	66.3	64.6
B2 Pod	65.0	63.7	64.8	63.3	64.7	62.8
D1 pod	67.1	66.0	67.3	66.0	66.5	64.6
D2 Pod	67.0	65.8	67.1	65.7	66.1	64.0
D3 Pod	67.2	66.0	67.2	65.7	66.5	64.6
E1 Pod	65.1	63.7	65.1	63.5	64.9	63.0
E2 Pod	63.9	62.6	65.0	64.4	63.6	62.2
E3 Pod	65.5	64.0	65.5	63.7	65.3	63.0

Scott Unit	10AM		1PM		4PM	
10/9/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	68.8	68.0	68.9	67.5	69.0	67.5
A2 Pod	67.0	65.7	67.2	65.3	67.2	65.1
A3 Pod	62.0	60.6	62.3	60.1	62.5	60.1
B1 Pod	65.7	64.9	65.6	63.5	65.7	63.3
B2 Pod	63.2	61.9	63.2	61.2	63.5	61.2
D1 pod	66.7	64.9	66.7	64.4	66.5	64.2
D2 Pod	66.3	64.2	66.2	63.9	65.9	63.5
D3 Pod	66.5	64.8	66.4	64.4	66.2	64.0
E1 Pod	63.7	62.4	63.5	61.5	63.4	61.2
E2 Pod	62.0	60.6	61.8	59.9	61.9	60.1
E3 Pod	63.6	61.9	63.5	61.3	63.5	61.0

Scott Unit	10AM		1PM		4PM	
10/10/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.0	68.9	68.9	67.8	68.9	67.6
A2 Pod	67.0	66.0	67.2	65.7	67.3	65.5
A3 Pod	62.5	61.9	62.5	60.8	62.5	60.3
B1 Pod	65.6	64.6	65.7	64.2	65.7	63.7
B2 Pod	63.6	62.8	63.4	62.6	63.7	62.1
D1 pod	66.8	65.8	66.8	65.3	65.7	63.3
D2 Pod	65.9	64.2	66.1	64.0	64.9	62.2
D3 Pod	66.3	64.9	66.2	64.2	65.3	63.1
E1 Pod	63.0	61.9	63.2	61.9	63.0	61.2
E2 Pod	61.1	60.1	61.2	59.9	61.4	59.7
E3 Pod	62.7	61.3	62.9	61.2	63.2	61.2

Scott Unit	10AM		1PM		4PM	
10/11/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	68.6	68.4	68.9	68.7	68.9	68.7
A2 Pod	67.0	66.4	67.1	66.4	67.4	66.4
A3 Pod	62.5	62.1	62.6	62.1	62.7	61.7
B1 Pod	65.5	64.6	65.6	64.4	65.9	64.8
B2 Pod	63.2	62.4	63.5	62.6	63.6	62.4
D1 pod	66.3	65.1	65.9	64.2	65.5	63.9
D2 Pod	65.5	64.4	65.1	63.5	64.5	62.8
D3 Pod	66.1	65.1	65.7	64.2	65.4	63.7
E1 Pod	62.5	61.2	62.6	61.3	62.7	61.3
E2 Pod	60.9	60.3	61.2	60.4	61.2	60.3
E3 Pod	62.9	61.9	63.1	61.7	63.0	61.7

Scott Unit	10AM		1PM		4PM	
10/12/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	68.9	69.1	69.0	69.1	69.2	69.1
A2 Pod	67.3	67.3	67.4	67.1	67.6	67.1
A3 Pod	62.6	62.6	62.8	62.6	62.7	62.2
B1 Pod	65.9	65.7	66.1	65.7	66.3	65.7
B2 Pod	63.9	63.9	64.4	64.0	64.4	64.0
D1 pod	66.4	66.2	65.8	64.8	65.7	64.6
D2 Pod	65.7	65.3	64.9	63.7	64.7	63.3
D3 Pod	66.8	66.9	65.8	64.9	65.6	64.9
E1 Pod	62.8	61.7	63.0	62.1	62.9	61.7
E2 Pod	61.2	61.0	61.4	61.2	61.7	61.2
E3 Pod	62.6	62.1	62.4	61.7	62.3	61.5

Scott Unit	10AM		1PM		4PM	
10/13/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.4	69.8	69.5	69.8	69.6	69.6
A2 Pod	67.4	67.3	67.4	67.3	67.6	67.3
A3 Pod	62.9	62.8	63.0	62.8	63.1	62.6
B1 Pod	66.4	66.6	66.7	66.7	66.8	66.6
B2 Pod	64.8	64.8	65.0	64.8	65.3	64.8
D1 pod	66.4	66.2	65.9	64.9	65.9	64.8
D2 Pod	65.7	65.3	64.8	63.9	65.0	63.9
D3 Pod	66.7	66.4	66.0	65.3	66.2	65.3
E1 Pod	63.5	63.0	63.3	62.4	63.4	62.4
E2 Pod	62.0	61.5	62.4	61.9	63.0	62.2
E3 Pod	63.5	63.0	63.9	63.1	64.2	63.1

Scott Unit	10AM		1PM		4PM	
10/14/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.6	70.3	69.9	70.3	69.9	69.6
A2 Pod	67.4	67.3	67.6	67.5	67.9	66.9
A3 Pod	63.3	63.1	63.7	63.1	63.5	62.2
B1 Pod	66.8	67.1	67.3	67.6	67.3	67.6
B2 Pod	65.1	64.9	66.0	65.8	66.3	64.9
D1 pod	66.4	66.0	66.0	65.1	66.1	64.8
D2 Pod	65.8	65.3	65.4	64.6	65.5	64.0
D3 Pod	67.1	67.1	66.6	66.2	66.1	64.8
E1 Pod	63.7	63.1	64.1	63.3	64.0	62.6
E2 Pod	62.4	62.1	63.2	62.8	63.2	62.1
E3 Pod	64.2	63.5	64.8	64.0	64.8	63.3

Scott Unit	10AM		1PM		4PM	
10/15/2024	Temp	Index	Temp	Index	Temp	Index
A1 Pod	69.9	70.3	69.9	70.2	70.0	70.0
A2 Pod	68.3	68.4	68.7	68.4	68.7	68.0
A3 Pod	64.2	63.9	64.6	63.9	64.6	63.3
B1 Pod	67.9	68.5	67.9	68.0	68.4	68.0
B2 Pod	66.7	66.7	67.0	66.6	67.4	66.6
D1 pod	66.8	66.6	66.3	65.7	66.3	65.1
D2 Pod	66.3	65.8	66.1	65.1	65.7	64.4
D3 Pod	67.7	68.0	67.3	67.1	67.2	66.4
E1 Pod	64.6	64.2	64.9	63.9	64.7	63.3
E2 Pod	63.6	63.3	64.1	63.5	63.8	62.6
E3 Pod	64.5	63.9	65.1	64.0	65.2	63.7