

Monthly Summary Report

Institution: PBSP

Memorandum

Date: October 1, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - MONTHLY SUMMARY REPORT

The following is a summary of the heat related activity for the month of September 2024,
at PBSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? No

Number of days Stage I Alert initiated: 0

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated by the pharmacy. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Stephen Smith

Warden Name

DocuSigned by:



69DDE17E5C1A4CE

Warden Signature

Katie Minor

Chief Executive Officer Name

DocuSigned by:



4B7B7A6C23E0476

Chief Executive Officer Signature

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

9/29/24

Date	Time	Temp.	Printed Name
	0100	51	
	0200	50	
	0300	50	
	0400	50	
	0500	50	
	0600	50	
	0700	50	
	0800	50	
	0900	50	
	1000	54	
	1100	60	
	1200	60	
	1300	60	
	1400	60	
	1500	60	
	1600	60	
	1700	60	
	1800	59	
	1900	58	N. Watson
	2000	56	
	2100	54	
	2200	53	J. McCovey
	2300	53	
	2400	53	

9/30/24

Date	Time	Temp.	Printed Name
	0100	49	
	0200	49	
	0300	48	
	0400	47	
	0500	47	
	0600	44	
	0700	50	
	0800	60	
	0900	60	
	1000	62	
	1100	63	(40)
	1200	64	
	1300	64	
	1400	65	
	1500	68	
	1600	68	
	1700	68	65
	1800	60	
	1900	58	
	2000	58	
	2100	56	
	2200	55	
	2300	54	
	2400	53	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/27	0100	50	
	0200	50	
	0300	50	L. CONTRERAS
	0400	50	
	0500	50	
	0600	48	
	0700	48	
	0800	48	
	0900	54	
	1000	58	M. Johnson
	1100	58	
	1200	62	
	1300	64	
	1400		
	1500	62	
	1600	62	
	1700	62	
	1800	61	V. Oliver
	1900	58	
	2000	55	
	2100	53	
	2200	53	B. Byans
	2300	53	
	2400	52	

Date	Time	Temp.	Printed Name
9/28/25	0100	51	
	0200	51	
	0300	50	B. BYANS
	0400	50	
	0500	50	
	0600	50	
	0700	50	
	0800	49	
	0900	49	
	1000	50	
	1100	53	T. COOK
	1200	53	
	1300	53	
	1400	53	
	1500	52	
	1600	55	
	1700	57	
	1800	55	M. Malfavon
	1900	52	
	2000	51	
	2100	50	
	2200	52	
	2300	52	J. McCovey
	2400	51	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-25-24	0100	52	
	0200	52	
	0300	51	D-60
	0400	51	
	0500	50	
	0600	50	
	0700	50	
	0800	50	
	0900	51	
	1000	51	M-ELWY
	1100	52	
	1200	53	
	1300	55	
	1400	59	
	1500	59	
	1600	59	
	1700	59	
	1800	54	D-65
	1900	53	
	2000	53	
	2100	53	FLO-10
	2200	53	
	2300	53	
	2400	53	

Date	Time	Temp.	Printed Name
9-26-24	0100	52	
	0200	51	FLO-YD
	0300	50	
	0400	50	
	0500	50	
	0600	50	
	0700	50	
	0800	50	
	0900	50	
	1000	54	M-ELWY
	1100	54	
	1200	62	
	1300	62	
	1400	62	
	1500	62	
	1600	62	
	1700	60	
	1800	60	
	1900	55	
	2000	55	
	2100	50	
	2200	50	
	2300	50	E-COUNT-A
	2400	50	E-COUNT-B

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/23/24	0100	52	
	0200	52	
	0300	51	
	0400	50	g.mccarthy
	0500	50	
	0600	50	
	0700	51	
	0800	54	
	0900	56	
	1000	61	ms.johnson
	1100	67	
	1200	67	
	1300	67	
	1400	67	
	1500	67	
	1600	67	
	1700	67	
	1800	67	D:05
	1900	67	
	2000	60	
	2100	60	10-10
	2200	59	
	2300	58	
	2400	57	

Date	Time	Temp.	Printed Name
9/24/24	0100	56	
	0200	55	
	0300	55	
	0400	55	
	0500	55	
	0600	53	
	0700	54	
	0800	55	
	0900	55	
	1000	63	vnj.sullivan
	1100	63	
	1200	63	
	1300	63	
	1400	63	
	1500	63	
	1600	63	
	1700	63	
	1800	63	D:05
	1900	60	
	2000	57	
	2100	56	
	2200	54	
	2300	53	D:05
	2400	52	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-21-24	0100	52	
	0200	52	
	0300	52	
	0400	52	X 50
	0500	52	
	0600	53	
	0700	53	
	0800	56	
	0900	57	
	1000	60	MCCASLAND
	1100	63	
	1200	64	
	1300	65	
	1400	66	
	1500	62	
	1600	62	
	1700	64	
	1800	62	
	1900	61	MALFAVON
	2000	57	
	2100	55	
	2200	54	
	2300	53	J. McClevey
	2400	53	

Date	Time	Temp.	Printed Name
9-22-24	0100	51	
	0200	50	
	0300	50	
	0400	50	
	0500	50	
	0600	50	
	0700	50	
	0800	52	
	0900	54	
	1000	58	
	1100	62	
	1200	63	
	1300	63	
	1400	63	
	1500	63	
	1600	63	
	1700	63	
	1800	63	
	1900	61	
	2000	57	D. a.s
	2100	54	
	2200	54	
	2300	53	
	2400	53	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-19-24			
	0100	53	
	0200	52	
	0300	51	Royd
	0400	51	
	0500	51	
	0600	51	
	0700	50	
	0800	50	
	0900	50	
	1000	52	
	1100	56	M. Soto
	1200	60	
	1300	60	
	1400	60	
	1500	60	
	1600	60	
	1700	60	
	1800	60	
	1900	58	
	2000	58	
	2100	54	
	2200	50	
	2300	50	
	2400	50	

Date	Time	Temp.	Printed Name
9-20-24			
	0100	50	
	0200	50	
	0300	50	
	0400	50	
	0500	50	
	0600	50	
	0700	50	
	0800	50	
	0900	58	
	1000	58	
	1100	63	
	1200	63	
	1300	63	
	1400	63	
	1500	64	
	1600	62	
	1700	60	
	1800	60	
	1900	60	
	2000	57	X
	2100	55	
	2200	53	
	2300	53	
	2400	52	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-17-2024	0100	53	
	0200	52	
	0300	52	D 10/10
	0400	52	
	0500	52	
	0600	52	
	0700	52	
	0800	53	
	0900	53	
	1000	55	T 10/10
	1100	59	
	1200	59	
	1300	59	
	1400	59	
	1500	59	
	1600	58	
	1700	57	
	1800	56	D 10/10
	1900	56	D 10/10
	2000	56	
	2100	56	
	2200	55	D 10/10
	2300	55	D 10/10
	2400	55	

Date	Time	Temp.	Printed Name
9-18-2024	0100	55	
	0200	55	
	0300	55	D 10/10
	0400	54	
	0500	53	
	0600	53	
	0700	51	
	0800	52	
	0900	54	
	1000	60	M 10/10
	1100	63	
	1200	63	M 10/10
	1300	63	
	1400	62	
	1500	62	
	1600	62	
	1700	62	
	1800	62	
	1900	62	D 10/10
	2000	60	
	2100	54	
	2200	54	
	2300	54	
	2400	53	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/15/24	0100	56	
	0200	56	
	0300	56	
	0400	55	
	0500	55	
	0600	55	
	0700	53	
	0800	55	
	0900	55	
	1000	57	A. ELLIS
	1100	59	
	1200	60	
	1300	59	
	1400	59	
	1500	58	
	1600	58	
	1700	58	
	1800	58	D. O'H
	1900	56	
	2000	56	
	2100	56	
	2200	56	
	2300	54	
	2400	53	

Date	Time	Temp.	Printed Name
9/14/24	0100	52	
	0200	52	
	0300	52	
	0400	53	
	0500	53	
	0600	53	
	0700	51	
	0800	52	
	0900	55	
	1000	55	
	1100	57	
	1200	60	
	1300	60	
	1400	58	
	1500	59	
	1600	58	
	1700	60	
	1800	61	
	1900	60	
	2000	55	
	2100	55	
	2200	55	
	2300	54	
	2400	53	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

9/13-24/

Date	Time	Temp.	Printed Name
	0100	50	
	0200	50	
	0300	50	b/cont pf AS
	0400	50	
	0500	50	
	0600	50	
	0700	50	
	0800	59	
	0900	61	
	1000	61	Baugh
	1100	61	
	1200	61	
	1300	61	
	1400	61	
	1500	61	
	1600	61	
	1700	61	
	1800	66	A. New
	1900	58	
	2000	56	
	2100	55	F/10/10
	2200	55	
	2300	54	
	2400	53	

9/14/24

Date	Time	Temp.	Printed Name
	0100	52	
	0200	52	
	0300	52	F/10/10
	0400	52	
	0500	52	
	0600	52	
	0700	52	
	0800	52	
	0900	52	
	1000	55	
	1100	57	
	1200	59	
	1300	60	
	1400	60	
	1500	60	
	1600	61	
	1700	58	
	1800	58	
	1900	57	
	2000	57	
	2100	56	
	2200	57	
	2300	57	
	2400	57	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension: 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-11-24	0100	54	
	0200	53	
	0300	53	D-05
	0400	53	
	0500	53	
	0600	54	
	0700	53	
	0800	53	
	0900	54	
	1000	57	DAVYK
	1100	59	
	1200	59	
	1300	60	
	1400	62	
	1500	63	
	1600	64	
	1700	64	
	1800	64	D-05
	1900	64	
	2000	60	
	2100	58	10/10
	2200	58	
	2300	57	
	2400	55	

Date	Time	Temp.	Printed Name
9-12-24	0100	54	
	0200	52	10/10
	0300	52	
	0400	52	
	0500	52	
	0600	52	
	0700	52	
	0800	53	
	0900	55	
	1000	60	DAVYK
	1100	60	DAVYK
	1200	60	
	1300	60	
	1400	60	
	1500	60	
	1600	60	
	1700	60	
	1800	60	
	1900	55	C (DAVYK)
	2000	55	C (DAVYK)
	2100	55	C (DAVYK)
	2200	55	C (DAVYK)
	2300	55	C (DAVYK)
	2400	55	C (DAVYK)

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/9/24	0100	53	
	0200	53	
	0300	52	
	0400	52	J. McCovey
	0500	52	
	0600	50	
	0700	50	
	0800	50	
	0900	54	
	1000	58	
	1100	62	Rough
	1200	64	
	1300	64	
	1400	64	
	1500	64	
	1600	64	
	1700	64	
	1800	64	D. UY
	1900	60	
	2000	55	
	2100	54	CLOTH
	2200	54	
	2300	53	
	2400	52	

Date	Time	Temp.	Printed Name
9-10-24	0100	52	
	0200	52	
	0300	52	
	0400	52	
	0500	52	
	0600	52	
	0700	52	
	0800	52	
	0900	53	
	1000	53	
	1100	59	Rough
	1200	59	
	1300	59	
	1400	60	
	1500	60	
	1600	60	
	1700	57	
	1800	58	
	1900	57	D. UY
	2000	57	
	2100	55	
	2200	54	
	2300	54	D. UY
	2400	54	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
A-7-24	0100	55	
	0200	55	
	0300	55	
	0400	55	
	0500	55	
	0600	55	
	0700	55	
	0800	55	
	0900	55	
	1000	58	
	1100	60	A. H. US
	1200	60	
	1300	61	
	1400	61	
	1500	62	
	1600	62	
	1700	62	
	1800	60	A. H. US
	1900	58	
	2000	55	
	2100	55	F. O. Y. U.
	2200	56	
	2300	55	
	2400	55	

Date	Time	Temp.	Printed Name
A-8-24	0100	55	
	0200	55	
	0300	55	
	0400	55	
	0500	55	
	0600	55	
	0700	55	
	0800	54	
	0900	54	
	1000	55	
	1100	58	
	1200	60	M. Lawton
	1300	60	
	1400	61	
	1500	62	
	1600	62	
	1700	62	
	1800	62	
	1900	58	
	2000	55	D. us
	2100	55	
	2200	55	
	2300	54	J. McConvey
	2400	53	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-5-24	0100	57	
	0200	56	
	0300	55	510-10
	0400	54	
	0500	53	
	0600	53	
	0700	53	
	0800	53	F10-10
	0900	58	
	1000	60	9
	1100	62	h
	1200	64	
	1300	64	
	1400	64	
	1500	64	
	1600	66	100-10
	1700	65	
	1800	63	
	1900	60	100-10
	2000	60	
	2100	55	
	2200	55	100-10
	2300	55	
	2400	55	

Date	Time	Temp.	Printed Name
9-6-24	0100	52	
	0200	52	
	0300	52	
	0400	52	E10-10
	0500	51	
	0600	51	
	0700	52	
	0800	54	
	0900	56	
	1000	58	
	1100	61	
	1200	62	
	1300	62	
	1400	60	
	1500	60	
	1600	58	
	1700	58	
	1800	57	
	1900	57	100-10
	2000	55	
	2100	55	
	2200	55	F10-10
	2300	55	
	2400	55	

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment G
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-3-2024	0100	50	
	0200	50	
	0300	50	Floyd
	0400	50	
	0500	50	
	0600	50	
	0700	54	
	0800	56	
	0900	59	
	1000	60	Baugh
	1100	62	
	1200	65	
	1300	63	
	1400	64	
	1500	64	
	1600	64	
	1700	64	
	1800	64	0:05
	1900	64	0:05
	2000	60	
	2100	59	
	2200	56	
	2300	55	0:05
	2400	55	

Date	Time	Temp.	Printed Name
9-4-2024	0100	54	
	0200	54	
	0300	54	Dia
	0400	53	
	0500	54	
	0600	54	
	0700	57	
	0800	60	
	0900	60	
	1000	65	
	1100	63	
	1200	63	
	1300	63	
	1400	66	
	1500	66	
	1600	66	
	1700	66	
	1800	66	0:05
	1900	66	0:05
	2000	64	
	2100	61	0:05
	2200	60	0:05
	2300	59	
	2400	58	

INSTITUTION: PELICAN BAY STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-1-24	0100	51	
	0200	51	
	0300	50	
	0400	50	Cver Thomas
	0500	50	
	0600	50	
	0700	50	
	0800	50	
	0900	52	
	1000	54	K. Elvins
	1100	55	
	1200	57	
	1300	59	
	1400	58	
	1500	58	
	1600	58	
	1700	58	
	1800	58	D-6
	1900	58	
	2000	54	
	2100	53	
	2200	52	
	2300	52	Ochoa
	2400	50	

Date	Time	Temp.	Printed Name
9-2-24	0100	50	
	0200	49	
	0300	49	
	0400	49	
	0500	50	
	0600	50	
	0700	50	
	0800	55	
	0900	57	
	1000	60	Baugh
	1100	61	
	1200	61	
	1300	60	
	1400	61	
	1500	61	
	1600	61	
	1700	61	
	1800	61	
	1900	57	D-6
	2000	55	
	2100	53	
	2200	53	
	2300	52	
	2400	51	

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: INF/CTC Temp. Reading Location: OFFICER STATION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	70	T. GAINES
	0600	70	PALAFox
	0900	70	PALAFox
	1200	70	PALAFox
	1500	70	CARNET
	1800	70	CARNET
	2100	70	GARNET
	2400	70	WEISS

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	70	WEISS
	0600	70	PALAFox
	0900	70	PALAFox
	1200	70	PALAFox
	1500	70	Kleespies
	1800	70	Kleespies
	2100	70	Kleespies
	2400	70	Kleespies

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	70	Kleespies
	0600	70	Contreras
	0900	70	Contreras
	1200	70	Contreras
	1500	70	M. Granger
	1800	70	M. Granger
	2100	70	M. Granger
	2400	70	Kleespies

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	70	Kleespies
	0600	70	P. Polystein
	0900	70	P. Polystein
	1200	70	P. Polystein
	1500	70	M. Granger
	1800	70	M. Granger
	2100	70	Kleespies
	2400	69	Luera

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	69	Luera
	0600	70	Contreras
	0900	70	Contreras
	1200	70	Contreras
	1500	69	Luera
	1800	69	Luera
	2100	69	Luera
	2400	69	Luera

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	69	Luera
	0600	70	HENRY
	0900	70	HENRY
	1200	70	HENRY
	1500	69	Luera
	1800	69	Luera
	2100	69	Luera
	2400	70	ESTRADA

Notes

Date	Time	Temp.	Name (Print)
9/29/24	0300	69	ESTRADA
	0600	70	HENRY
	0900	70	HENRY
	1200	70	HENRY
	1500	70	THORPE
	1800	70	THORPE
	2100	70	THORPE
	2400	70	T. GAINES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBP Housing Unit: CTC Temp. Reading Location: Officer Station
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
12-09-09	0300	70	T. GRANES
	0600	70	MAGNUSEN
	0900	70	MAGNUSEN
	1200	71	MAGNUSEN
	1500	71	C THORPE
	1800	71	C THORPE
	2100	71	C THORPE
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
09-03-24	0300	70	R ONCE
	0600	70	PALAFOT
	0900	70	PALAFOT
	1200	70	PALAFOT
	1500	70	CTHORPE
	1800	70	CTHORPE
	2100	70	CTHORPE
	2400	70	E Kleespies

Wednesday

Date	Time	Temp.	Name (Print)
09-04-09	0300	70	E Kleespies
	0600	70	Contreras
	0900	70	Contreras
	1200	71	Contreras
	1500	71	E Kleespies
	1800	71	E Kleespies
	2100	70	E Kleespies
	2400	70	E Kleespies

Thursday

Date	Time	Temp.	Name (Print)
09-05-24	0300	70	E Kleespies
	0600	70	Contreras
	0900	70	Contreras
	1200	70	Contreras
	1500	71	E Kleespies
	1800	70	E Kleespies
	2100	70	E Kleespies
	2400	69	Lunera

Friday

Date	Time	Temp.	Name (Print)
09-06-09	0300	69	Lunera
	0600	70	Contreras
	0900	71	Contreras
	1200	71	Contreras
	1500	71	Lunera
	1800	71	Lunera
	2100	70	Lunera
	2400	70	Lunera

Saturday

Date	Time	Temp.	Name (Print)
09-07-24	0300	70	Lunera
	0600	72	HENRY
	0900	70	V Ford
	1200	70	V Ford
	1500	69	Lunera
	1800	69	Lunera
	2100	69	Lunera
	2400	69	Lunera

Notes

Date	Time	Temp.	Name (Print)
09-24-09	0300	69	Lunera
	0600	70	V Ford
	0900	70	V Ford
	1200	70	V Ford
	1500	70	C THORPE
	1800	70	C THORPE
	2100	70	C THORPE
	2400	70	A. GARNES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CFC Temp. Reading Location: officer Station
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	70	R. O'Neill
	0600	70	A. Arias
	0900	70	A. Arias
	1200	70	A. Arias
	1500	70	THORPE
	1800	70	THORPE
	2100	70	THORPE
	2400	70	Flores

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	70	Flores
	0600	70	A. Arias
	0900	70	A. Arias
	1200	70	A. Arias
	1500	70	Baker
	1800	70	Ercel
	2100	70	C THORPE
	2400	70	Weiss

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	70	Weiss
	0600	70	A. Arias
	0900	70	A. Arias
	1200	70	A. Arias
	1500	71	E Kleespies
	1800	71	E Kleespies
	2100	70	E Kleespies
	2400	70	E Kleespies

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	70	E Kleespies
	0600	70	T. NGUYEN
	0900	70	T. NGUYEN
	1200	70	T. NGUYEN
	1500	70	E Kleespies
	1800	70	E Kleespies
	2100	70	E Kleespies
	2400	69	Zunamor

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	69	Luenora
	0600	71	A. Arias
	0900	70	A. Arias
	1200	70	A. Arias
	1500	70	Luenora
	1800	70	Luenora
	2100	70	Luenora
	2400	69	Luenora

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	69	Luenora
	0600	70	V Ford
	0900	70	V Ford
	1200	70	V Ford
	1500	70	Luenora
	1800	70	Luenora
	2100	70	Luenora
	2400	70	E STRADA

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	70	ESTRADA
	0600	70	V Ford
	0900	70	V Ford
	1200	70	V Ford
	1500	70	C THORPE
	1800	70	C THORPE
	2100	70	C THORPE
	2400	70	O'Neill

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTC Temp. Reading Location: OFFICER'S STATION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	70	Reyes
	0600	70	R. Schmidt
	0900	70	R. Schmidt
	1200	70	R. Schmidt
	1500	70	Baker
	1800	70	Etzel
	2100	70	Thorpe
	2400	70	Weiss

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70	Weiss
	0600	70	Contreras
	0900	70	Contreras
	1200	70	Contreras
	1500	70	Kleespies
	1800	70	Kleespies
	2100	70	Kleespies
	2400	70	Kleespies

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	69	Luenra
	0600	69	R. Schmidt
	0900	70	R. Schmidt
	1200	70	R. Schmidt
	1500	69	Luenra
	1800	69	Luenra
	2100	69	Luenra
	2400	69	Luenra

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	69	Luenra
	0600	70	V Ford
	0900	70	V Ford
	1200	70	V Ford
	1500	70	Etzel
	1800	70	Etzel
	2100	70	Etzel
	2400	70	Reyes

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	70	Weiss
	0600	76	Carlson
	0900	71	Carlson
	1200	71	Carlson
	1500	70	Etzel
	1800	70	Etzel
	2100	70	Etzel
	2400	70	Weiss

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	Kleespies
	0600	70	Cartagena
	0900	70	Cartagena
	1200	70	Cartagena
	1500	70	C. Cartagena
	1800	70	C. Cartagena
	2100	70	C. Cartagena
	2400	69	Luenra

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	69	Luenra
	0600	70	V Ford
	0900	70	V Ford
	1200	70	V Ford
	1500	69	Luenra
	1800	69	Luenra
	2100	69	Luenra
	2400	69	Luenra

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/2024	300	70	S. Chang
	600	70	T. CAMPBELL
	900	70	T. CAMPBELL
	1200	70	T. CAMPBELL
	1500	70	Vanbinder
	1800	70	Vanbinder
	2100	70	Vanbinder
	2400	70	M. Edwards

Tuesday

Date	Time	Temp.	Name (Print)
9/17/2024	300	70	M. Edwards
	600	70	G. OCHOA
	900	71	G. OCHOA
	1200	70	G. OCHOA
	1500	70	Vanbinder
	1800	70	Vanbinder
	2100	70	Vanbinder
	2400	70	L. McAlexander

Wednesday

Date	Time	Temp.	Name (Print)
9/18/2024	300	70	L. McAlexander
	600	70	T. CAMPBELL
	900	70	T. CAMPBELL
	1200	70	T. CAMPBELL
	1500	70	Carlson
	1800	70	Carlson
	2100	70	Carlson
	2400	70	Carrillo

Thursday

Date	Time	Temp.	Name (Print)
9/19/2024	300	70	Carrillo
	600	70	LOPEZ
	900	70	LOPEZ
	1200	70	LOPEZ
	1500	70	LEE
	1800	70	LEE
	2100	70	LEE
	2400	68	Hawkins

Friday

Date	Time	Temp.	Name (Print)
9/20/2024	300	68	Hawkins
	600	70	Becker
	900	70	Becker
	1200	70	Becker
	1500	70	CEBALLOS
	1800	70	CEBALLOS
	2100	70	CEBALLOS
	2400	68	SATOS

Saturday

Date	Time	Temp.	Name (Print)
9/21/2024	300	68	SATOS
	600	70	Becker
	900	70	Becker
	1200	70	Becker
	1500	70	Greenough
	1800	70	Greenough
	2100	70	Greenough
	2400	70	S. Chang

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/22/2024	300	70	S. Chang	
	600	70	T. CAMPBELL	
	900	70	T. CAMPBELL	
	1200	70	T. CAMPBELL	
	1500	70	Granlund	
	1800	70	Granlund	
	2100	70	Granlund	
	2400	70	S. Chang	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/2024	300	71	A. Vachais
	600	71	M. OCHOA
	900	72	M. OCHOA
	1200	72	M. OCHOA
	1500	71	L. MACIEL
	1800	71	L. MACIEL
	2100	71	L. MACIEL
	2400	70	A. Vachais

Tuesday

Date	Time	Temp.	Name (Print)
9/17/2024	300	69	A. Vachais
	600	70	NELSON
	900	70	NELSON
	1200	70	NELSON
	1500	70	MACIEL
	1800	70	MACIEL
	2100	70	MACIEL
	2400	71	Vachais

Wednesday

Date	Time	Temp.	Name (Print)
9/18/2024	300	70	Vachais
	600	71	SOTO
	900	71	SOTO
	1200	72	SOTO
	1500	71	MACIEL
	1800	71	MACIEL
	2100	70	MACIEL
	2400	71	Warden

Thursday

Date	Time	Temp.	Name (Print)
9/19/2024	300	71	Warden
	600	70	Stincher
	900	71	Stincher
	1200	71	Stincher
	1500	72	Schum
	1800	72	Schum
	2100	72	Kawellson
	2400	72	Warden

Friday

Date	Time	Temp.	Name (Print)
9/20/2024	300	72	Warden
	600	71	Stincher
	900	71	Stincher
	1200	72	Stincher
	1500	72	Secor
	1800	72	Secor
	2100	71	Secor
	2400	72	Vachais

Saturday

Date	Time	Temp.	Name (Print)
9/21/2024	300	71	Vachais
	600	72	Secor
	900	72	Secor
	1200	72	Secor
	1500	71	J. CEBALLOS
	1800	71	J. CEBALLOS
	2100	71	J. CEBALLOS
	2400	72	Vachais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/22/2024	300	71	Vachais	
	600	71	G. OCHOA	
	900	72	G. OCHOA	
	1200	72	G. OCHOA	
	1500	72	L. MACIEL	
	1800	70	L. MACIEL	
	2100	70	L. MACIEL	
	2400	71	Vachais	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/2024	300	70	A. Vacañas
	600	74	SOTO
	900	74	SOTO
	1200	74	SOTO
	1500	74	Hamm
	1800	73	Hamm
	2100	73	Hamm
	2400	72	A. Vacañas

Tuesday

Date	Time	Temp.	Name (Print)
9/17/2024	300	71	A. Vacañas
	600	74	Callejas
	900	74	Callejas
	1200	74	Callejas
	1500	73	SOTO
	1800	73	SOTO
	2100	72	SOTO
	2400	71	Vacañas

Wednesday

Date	Time	Temp.	Name (Print)
9/18/2024	300	71	Vacañas
	600	71	VALENZUELA, K.
	900	72	VALENZUELA, K.
	1200	72	VALENZUELA, K.
	1500	73	H. Gutierrez
	1800	73	H. Gutierrez
	2100	73	H. Gutierrez
	2400	73	Warden

Thursday

Date	Time	Temp.	Name (Print)
9/19/2024	300	73	Warden
	600	73	Rivas
	900	73	Rivas
	1200	73	Rivas
	1500	70	Gutierrez
	1800	70	Gutierrez
	2100	70	Gutierrez
	2400	72	Warden

Friday

Date	Time	Temp.	Name (Print)
9/20/2024	300	72	Warden
	600	70	OTREMBA
	900	71	OTREMBA
	1200	72	OTREMBA
	1500	73	H. Gutierrez
	1800	73	H. Gutierrez
	2100	73	H. Gutierrez
	2400	72	Vacañas

Saturday

Date	Time	Temp.	Name (Print)
9/21/2024	300	71	Vacañas
	600	70	MARIN
	900	70	MARIN
	1200	70	MARIN
	1500	70	Chittick
	1800	71	Chittick
	2100	71	Chittick
	2400	72	Vacañas

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/22/2024	300	70	Vacañas	
	600	71	Reynolds	
	900	72	OTREMBA	
	1200	72	OTREMBA	
	1500	72	Carrillo	
	1800	71	Carrillo	
	2100	71	Vacañas	
	2400	71	Vacañas	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/2024	300	74	Lapowski
	600	74	John
	900	74	John
	1200	74	Dog
	1500	74	Lewis
	1800	74	Lewis
	2100	74	Lewis
	2400	75	Gonzales

Wednesday

Date	Time	Temp.	Name (Print)
9/18/2024	300	76	Gonzales
	600	75	John
	900	75	John
	1200	75	John
	1500	75	Lewis
	1800	74	Lewis
	2100	74	Lewis
	2400	75	Gonzales

Friday

Date	Time	Temp.	Name (Print)
9/20/2024	300	75	Gonzales
	600	75	R. Ross
	900	75	R. Ross
	1200	75	R. Ross
	1500	74	M. Gonzalez
	1800	74	M. Gonzalez
	2100	74	M. Gonzalez
	2400	75	H. Hernandez

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/22/2024	300	72	Cesar	
	600	72	Bern	
	900	74	Dick	
	1200	74	Dog	
	1500	75	Lewis	
	1800	75	Lewis	
	2100	74	Lewis	
	2400	74	Carmillo	

Tuesday

Date	Time	Temp.	Name (Print)
9/17/2024	300	75	Gonzales
	600	76	John
	900	76	John
	1200	76	Dick
	1500	76	Lewis
	1800	76	Lewis
	2100	76	Lewis
	2400	76	Gonzales

Thursday

Date	Time	Temp.	Name (Print)
9/19/2024	300	75	Gonzales
	600	75	R. Ross
	900	74	R. Ross
	1200	75	R. Ross
	1500	75	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	75	Gonzales

Saturday

Date	Time	Temp.	Name (Print)
9/21/2024	300	74	H. Hernandez
	600	74	Ortiz
	900	74	Ortiz
	1200	74	Ortiz
	1500	73	Ortiz
	1800	74	Ortiz
	2100	73	Ortiz
	2400	72	Ortiz

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/2024	300	76	GODINIS
	600	76	MUSSE
	900	75	MUSSE
	1200	75	MUSSE
	1500	75	V CHANG
	1800	75	V CHANG
	2100	75	V CHANG
	2400	76	GODINIS

Tuesday

Date	Time	Temp.	Name (Print)
9/17/2024	300	77	GODINIS
	600	77	MUSSE
	900	77	MUSSE
	1200	77	MUSSE
	1500	77	SPAT
	1800	77	SPAT
	2100	77	SPAT
	2400	77	GODINIS

Wednesday

Date	Time	Temp.	Name (Print)
9/18/2024	300	77	GODINIS
	600	77	XIONG
	900	76	XIONG
	1200	76	XIONG
	1500	76	SPAT
	1800	77	SPAT
	2100	77	SPAT
	2400	77	GODINIS

Date	Time	Temp.	Name (Print)
9/19/2024	300	77	GODINIS
	600	76	MUSSE
	900	77	MUSSE
	1200	77	MUSSE
	1500	77	SPAT
	1800	76	SPAT
	2100	76	SPAT
	2400	76	GODINIS

Thursday

Date	Time	Temp.	Name (Print)
9/20/2024	300	78	GODINIS
	600	77	MUSSE
	900	77	MUSSE
	1200	77	MUSSE
	1500	75	HOOD
	1800	75	HOOD
	2100	75	HOOD
	2400	71°	GODINIS

Saturday

Date	Time	Temp.	Name (Print)
9/21/2024	300	75	CARRILLO
	600	75	MUSSE
	900	75	MUSSE
	1200	75	MUSSE
	1500	76	HOOD
	1800	76	HOOD
	2100	76	HOOD
	2400	74	CARRILLO

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/22/2024	300	74	Carroll	
	600	74	Musser	
	900	74	Musser	
	1200	75	Musser	
	1500	75	Gonzalez	
	1800	77	Gonzalez	
	2100	70	Gonzalez	
	2400	75	Carrillo	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/2024	300	74	G. COOK
	600	74	WALLACE
	900	74	WALLACE
	1200	74	WALLACE
	1500	74	J. DENICHAFF
	1800	74	J. DENICHAFF
	2100	74	Z. DAVIEROOTS
	2400	74	S. CHANG

Tuesday

Date	Time	Temp.	Name (Print)
9/17/2024	300	74	S. CHANG
	600	74	T. NGUYEN
	900	74	Hamm
	1200	73	Hamm
	1500	73	Gronlund
	1800	73	Gronlund
	2100	73	Gronlund
	2400	73	F. MENDEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/18/2024	300	74	F. MENDEZ
	600	74	T. NGUYEN
	900	74	T. NGUYEN
	1200	74	T. NGUYEN
	1500	73	LOR
	1800	73	LOR
	2100	73	LOR
	2400	74	F. MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
9/19/2024	300	74	F. MENDEZ
	600	74	T. NGUYEN
	900	74	T. NGUYEN
	1200	74	T. NGUYEN
	1500	73	LOR
	1800	73	LOR
	2100	73	LOR
	2400	74	F. MENDEZ

Saturday

Date	Time	Temp.	Name (Print)
9/21/2024	300	73	T. NGUYEN
	600	73	G. CASTILLO
	900	73	G. CASTILLO
	1200	73	G. CASTILLO
	1500	73	APR
	1800	72	APR
	2100	71	WEBC
	2400	72	SPRADIN

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/22/2024	300	73	SPRADIN	
	600	73	WALLACE	
	900	75	WALLACE	
	1200	75	WALLACE	
	1500	74	SS	
	1800	74	SS	
	2100	73	SS	
	2400	73	G. DEZ	

From May 1st through October 31st, the w~~atch commander~~ shall designate staff to be responsible to monitor non-air-conditioned housing units where staff on the heat risk list may be housed. (Note: All when the air conditioner is malfunctioning.)

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/2024	300	74	<u>Gordon</u>
	600	75	<u>Lawrence</u>
	900	75	<u>Lawrence</u>
	1200	75	<u>Lawrence</u>
	1500	74	<u>Winkelmann</u>
	1800	74	<u>Winkelmann</u>
	2100	74	<u>Winkelmann</u>
	2400	74	<u>S. Chang</u>

Tuesday

Date	Time	Temp.	Name (Print)
9/17/2024	300	74	<u>S. Chang</u>
	600	75	<u>Lawrence</u>
	900	75	<u>Lawrence</u>
	1200	75	<u>Lawrence</u>
	1500	75	<u>Winkelmann</u>
	1800	75	<u>Winkelmann</u>
	2100	75	<u>Winkelmann</u>
	2400	75	<u>F. MENDEZ</u>

Wednesday

Date	Time	Temp.	Name (Print)
9/18/2024	300	74	<u>F. MENDEZ</u>
	600	74	<u>H. Percy</u>
	900	74	<u>H. Percy</u>
	1200	75	<u>H. Percy</u>
	1500	74	<u>Winkelmann</u>
	1800	74	<u>Winkelmann</u>
	2100	74	<u>Winkelmann</u>
	2400	74	<u>F. MENDEZ</u>

Thursday

Date	Time	Temp.	Name (Print)
9/19/2024	300	74	<u>F. Mendez</u>
	600	74	<u>H. Percy</u>
	900	75	<u>H. Percy</u>
	1200	75	<u>H. Percy</u>
	1500	74	<u>Warden</u>
	1800	74	<u>Warden</u>
	2100	74	<u>Warden</u>
	2400	74	<u>F. MENDEZ</u>

Friday

Date	Time	Temp.	Name (Print)
9/20/2024	300	74	<u>F. MENDEZ</u>
	600	75	<u>Lawrence</u>
	900	75	<u>Lawrence</u>
	1200	75	<u>Lawrence</u>
	1500	74	<u>Warden</u>
	1800	74	<u>Warden</u>
	2100	74	<u>Warden</u>
	2400	74	<u>Spradlin</u>

Saturday

Date	Time	Temp.	Name (Print)
9/21/2024	300	74	<u>Spradlin</u>
	600	75	<u>Lawrence</u>
	900	75	<u>Lawrence</u>
	1200	75	<u>Lawrence</u>
	1500	77	<u>G. Gail</u>
	1800	74	<u>G. Gail</u>
	2100	74	<u>G. Gail</u>
	2400	74	<u>Spradlin</u>

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/22/2024	300	74	<u>Spradlin</u>	
	600	75	<u>Lawrence</u>	
	900	75	<u>Lawrence</u>	
	1200	75	<u>Lawrence</u>	
	1500	75	<u>Gordon</u>	
	1800	75	<u>Gordon</u>	
	2100	74	<u>Gordon</u>	
	2400	74	<u>Gordon</u>	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

SEP 09 2024

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/2024	300	70	S. Chang
	600	70	C. MAOIEI
	900	70	C. MAOIEI
	1200	70	C. MAOIEI
	1500	70	C. melvin
	1800	70	C. melvin
	2100	70	C. melvin
	2400	70	F. HARVEY

Tuesday

Date	Time	Temp.	Name (Print)
9/3/2024	300	70	F. HARVEY
	600	70	R. HULL
	900	70	R. HULL
	1200	70	R. HULL
	1500	70	J. Vumbida
	1800	70	J. Vumbida
	2100	70	J. Vumbida
	2400	70	J. FIO

Wednesday

Date	Time	Temp.	Name (Print)
9/4/2024	300	70	J. FIO
	600	70	R. HULL
	900	70	R. HULL
	1200	70	R. HULL
	1500	70	J. Vumbida
	1800	70	J. Vumbida
	2100	70	J. Vumbida
	2400	70	F. HARVEY

Thursday

Date	Time	Temp.	Name (Print)
9/5/2024	300	70	F. HARVEY
	600	70	B. WRIGHT
	900	70	B. WRIGHT
	1200	70	B. WRIGHT
	1500	70	K. LEE
	1800	70	K. LEE
	2100	70	K. LEE
	2400	70	H. MANDANO

Friday

Date	Time	Temp.	Name (Print)
9/6/2024	300	70	H. MANDANO
	600	70	V. BECKER
	900	70	V. BECKER
	1200	70	V. BECKER
	1500	70	Melvin
	1800	70	Melvin
	2100	70	Melvin
	2400	70	F. HARVEY

Saturday

Date	Time	Temp.	Name (Print)
9/7/2024	300	70	F. HARVEY
	600	70	Oceka
	900	70	Oceka
	1200	70	Oceka
	1500	70	C. melvin
	1800	70	C. melvin
	2100	70	C. melvin
	2400	70	S. Chang

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/8/2024	300	70	S. Chang	
	600	70	MAOIEI	
	900	70	MAOIEI	
	1200	71	MAOIEI	
	1500	70	C. melvin	
	1800	70	C. melvin	
	2100	70	C. melvin	
	2400	70	S. Chang	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

SEP 09 2024

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/2024	300	70	A. Vaca
	600	70	T. Lo
	900	70	T. Lo
	1200	70	T. Lo
	1500	72	Korb
	1800	72	Korb
	2100	72	Korb
	2400	71	Vaca

Tuesday

Date	Time	Temp.	Name (Print)
9/3/2024	300	72	Vaca
	600	72	Lo
	900	72	Lo
	1200	74	Lo
	1500	74	Korb
	1800	74	Korb
	2100	72	Korb
	2400	71	Vaca

Wednesday

Date	Time	Temp.	Name (Print)
9/4/2024	300	70	Vaca
	600	70	Lo
	900	70	Soto
	1200	70	Soto
	1500	70	Ramirez
	1800	70	Ramirez
	2100	70	Ramirez
	2400	71	R. O'Neill

Friday

Date	Time	Temp.	Name (Print)
9/6/2024	300	71	Warden
	600	71	Lo
	900	71	Lo
	1200	71	Lo
	1500	72	Scalera
	1800	71	Scalera
	2100	71	Scalera
	2400	72	Vaca

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/8/2024	300	70	Vaca	
	600	70	G. Ochoa	
	900	71	G. Ochoa	
	1200	71	G. Ochoa	
	1500	71	Maciel	
	1800	70	Maciel	
	2100	70	Maciel	
	2400	72	A. Vaca	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

SEP 09 2024

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/2024	300	70	Vadnais
	600	75	Sofia
	900	75	Sofia
	1200	75	Sofia
	1500	75	Gronlund
	1800	75	Gronlund
	2100	75	Gronlund
	2400	73	A. V. -vans

Tuesday

Date	Time	Temp.	Name (Print)
9/3/2024	300	72	A. V. -vans
	600	72	Xiong
	900	72	Leach
	1200	72	Leach
	1500	73	Soto
	1800	72	Soto
	2100	72	Soto
	2400	71	Vadnais

Wednesday

Date	Time	Temp.	Name (Print)
9/4/2024	300	70	Vadnais
	600	73	Leach
	900	73	Leach
	1200	73	Leach
	1500	74	H. Gutierrez
	1800	74	H. Gutierrez
	2100	73	H. Gutierrez
	2400	73	R. O'Neill

Thursday

Date	Time	Temp.	Name (Print)
9/5/2024	300	72	R. O'Neill
	600	72	C. Contreras
	900	72	C. Contreras
	1200	72	C. Contreras
	1500	75	H. Gutierrez
	1800	75	H. Gutierrez
	2100	74	H. Gutierrez
	2400	75	K. Oden

Friday

Date	Time	Temp.	Name (Print)
9/6/2024	300	72	R. O'Neill
	600	75	Sabir
	900	75	Sabir
	1200	75	Sabir
	1500	73	H. Gutierrez
	1800	73	H. Gutierrez
	2100	73	H. Gutierrez
	2400	75	Wrobel

Saturday

Date	Time	Temp.	Name (Print)
9/7/2024	300	73	Vadnais
	600	74	Hernandez
	900	76	Hernandez
	1200	77	Hernandez
	1500	77	Lee
	1800	76	Lee
	2100	74	Lee
	2400	74	Vadnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/8/2024	300	72	Vadnais	
	600	72	OTREMBA	
	900	73	OTREMBA	
	1200	73	OTREMBA	
	1500	70	Chiffach	
	1800	70	Chiffach	
	2100	70	Chiffach	
	2400	71	Vadnais	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

SEP 09 2024

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/2024	300	72	Carroll
	600	72	Burr
	900	72	Burr
	1200	72	Burr
	1500	74	Lewis
	1800	74	Lewis
	2100	74	Lewis
	2400	74	Giddings

Tuesday

Date	Time	Temp.	Name (Print)
9/3/2024	300	74	Lewis
	600	74	Burr
	900	74	Burr
	1200	74	Burr
	1500	74	Lewis
	1800	74	Lewis
	2100	74	Lewis
	2400	74	Giddings

Wednesday

Date	Time	Temp.	Name (Print)
9/4/2024	300	74	Giddings
	600	73	Burr
	900	74	Burr
	1200	74	Burr
	1500	74	Lewis
	1800	74	Lewis
	2100	72	Lewis
	2400	73	Giddings

Thursday

Date	Time	Temp.	Name (Print)
9/5/2024	300	74	Giddings
	600	75	Esparraga
	900	75	Esparraga
	1200	75	Esparraga
	1500	75	Lewis
	1800	74	Lewis
	2100	74	Lewis
	2400	74	Esparraga

Friday

Date	Time	Temp.	Name (Print)
9/6/2024	300	74	Esparraga
	600	74	Louie
	900	74	Louie
	1200	74	Louie
	1500	74	Perry
	1800	74	Perry
	2100	74	Perry
	2400	74	Warden

Saturday

Date	Time	Temp.	Name (Print)
9/7/2024	300	74	Warden
	600	74	Burr
	900	74	Burr
	1200	74	Burr
	1500	74	Burr
	1800	74	Burr
	2100	74	Burr
	2400	74	Burr

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/8/2024	300	74	Carroll	
	600	74	Burr	
	900	74	Burr	
	1200	74	Burr	
	1500	74	Burr	
	1800	74	Lewis	
	2100	74	Lewis	
	2400	74	Giddings	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

SEP 09 2024

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/2024	300	73	Carmillo
	600	72	Musser
	900	72	Musser
	1200	73	Musser
	1500	74	Catalano
	1800	75	Catalano
	2100	75	Catalano
	2400	75	Goddard

Wednesday

Date	Time	Temp.	Name (Print)
9/4/2024	300	78	Goddard
	600	74	Musser
	900	74	Musser
	1200	75	Musser
	1500	75	Hamm
	1800	75	Hamm
	2100	74	Hamm
	2400	74	Goddard

Friday

Date	Time	Temp.	Name (Print)
9/6/2024	300	76	ESPARZA
	600	77	Secor
	900	77	Secor
	1200	77	Secor
	1500	77	Becky
	1800	77	Becky
	2100	77	Becky
	2400	77	Becky

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/8/2024	300	75	George	
	600	75	Musser	
	900	75	Musser	
	1200	74	Musser	
	1500	74	Zamudio	
	1800	74	Zamudio	
	2100	74	Zamudio	
	2400	74	Goddard	

Tuesday

Date	Time	Temp.	Name (Print)
9/3/2024	300	75	Goddard
	600	74	Musser
	900	74	Musser
	1200	74	Musser
	1500	74	SP
	1800	74	SP
	2100	74	SP
	2400	74	Goddard

Thursday

Date	Time	Temp.	Name (Print)
9/5/2024	300	75	Goddard
	600	77	Secor
	900	77	Secor
	1200	77	Secor
	1500	77	Whites
	1800	77	Whites
	2100	77	Whites
	2400	77	ESPARZA

Saturday

Date	Time	Temp.	Name (Print)
9/7/2024	300	77	George
	600	76	Musser
	900	75	Musser
	1200	75	Musser
	1500	75	HP
	1800	75	HP
	2100	75	HP
	2400	75	George

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

SEP 09 2024

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/2024	300	74	GUDER
	600	72	WALLACE
	900	72	WALLACE
	1200	74	WALLACE
	1500	73	—S-S—
	1800	73	—S-S—
	2100	73	—S-S—
	2400	74	S. CHANG

Wednesday

Date	Time	Temp.	Name (Print)
9/4/2024	300	72	F. MENDEZ
	600	72	C. MOUA
	900	72	C. MOUA
	1200	74	C. MOUA
	1500	73	LOR
	1800	73	LOR
	2100	73	LOR
	2400	72	F. MENDEZ

Friday

Date	Time	Temp.	Name (Print)
9/6/2024	300	73	R. O'NEILL
	600	73	C. MOUA
	900	73	C. MOUA
	1200	73	C. MOUA
	1500	73	S. WEBER
	1800	71	S. WEBER
	2100	71	S. WEBER
	2400	71	SPRNDLH

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/8/2024	300	71	SPRNDLH	
	600	72	WALLACE	
	900	72	WALLACE	
	1200	72	WALLACE	
	1500	72	JENSON	
	1800	72	JENSON	
	2100	72	JENSON	
	2400	72	GUDER	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

SEP. 09 2024

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/2024	300	74	GLODER
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	74	Winkelmann
	1800	74	Winkelmann
	2100	74	Winkelmann
	2400	74	S. Chang

Tuesday

Date	Time	Temp.	Name (Print)
9/3/2024	300	74	S. Chang
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	74	Winkelmann
	1800	74	Winkelmann
	2100	74	Winkelmann
	2400	73	F. MENDEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/4/2024	300	73	F. MENDEZ
	600	72	LOUIE
	900	72	LOUIE
	1200	74	LOUIE
	1500	74	Winkelmann
	1800	75	Winkelmann
	2100	75	Winkelmann
	2400	74	F. MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
9/5/2024	300	74	F. MENDEZ
	600	74	PRADO
	900	74	PRADO
	1200	74	PRADO
	1500	74	Warden
	1800	74	Warden
	2100	74	#
	2400	73	LOUIE

Saturday

Date	Time	Temp.	Name (Print)
9/7/2024	300	74	SPRADLICH
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	J. GARCIA
	1800	75	J. GARCIA
	2100	74	J. GARCIA
	2400	74	SPRADLICH

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/8/2024	300	74	SPRADLICH	
	600	75	Lawrence	
	900	75	Lawrence	
	1200	75	Lawrence	
	1500	75	GLODER	
	1800	75	GLODER	
	2100	74	GLODER	
	2400	74	GLODER	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/2024	300	74	S. Chang
	600	74	C. MACIEI
	900	73	C. MACIEI
	1200	73	C. MACIEI
	1500	73	C. Melvin
	1800	73	C. Melvin
	2100	73	C. Melvin
	2400	72	Fidmazy

Tuesday

Date	Time	Temp.	Name (Print)
9/10/2024	300	70	K. Gildner
	600	70	G. OCHOA
	900	70	G. OCHOA
	1200	71	G. OCHOA
	1500	71	VanGilder
	1800	71	VanGilder
	2100	71	VanGilder
	2400	71	Hambly

SEP 17 2024

Wednesday

Date	Time	Temp.	Name (Print)
9/11/2024	300	70	Hambly
	600	70	MACIEI
	900	70	MACIEI
	1200	70	MACIEI
	1500	70	Ronaldson
	1800	70	Ronaldson
	2100	70	Ronaldson
	2400	70	Singh

Thursday

Date	Time	Temp.	Name (Print)
9/12/2024	300	70	Singh
	600	70	MACIEI
	900	71	MACIEI
	1200	72	MACIEI
	1500	70	LEE
	1800	70	LEE
	2100	70	LEE
	2400	70	LEE

Saturday

Date	Time	Temp.	Name (Print)
9/14/2024	300	70	Baker
	600	70	Baker
	900	71	Baker
	1200	72	Baker
	1500	70	Greenough
	1800	70	Greenough
	2100	70	Greenough
	2400	70	S. Chang

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/15/2024	300	70	S. Chang	9/12, 2400 and 9/13, 0300 Temp were not completed due to Unit off
	600	70	MACIEI	Officer RADM1 to SCIT
	900	70	MACIEI	
	1200	70	MACIEI	
	1500	70	Bekay	
	1800	70	Bekay	
	2100	70	Bekay	
	2400	70	S. Chang	

SEP 17 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/2024	300	71	Vadnars
	600	71	60
	900	71	60
	1200	71	60
	1500	71	MACHEI
	1800	70	MACHEI
	2100	70	MACHEI
	2400	71	Vadnars

Tuesday

Date	Time	Temp.	Name (Print)
9/10/2024	300	70	Vadnars
	600	71	SATO
	900	71	SATO
	1200	70	SATO
	1500	70	MACHEI
	1800	70	MACHEI
	2100	70	MACHEI
	2400	71	Vadnars

SEP 17 2024

Wednesday

Date	Time	Temp.	Name (Print)
9/11/2024	300	69	Vadnars
	600	69	60
	900	70	60
	1200	70	60
	1500	70	MACHEI
	1800	70	MACHEI
	2100	70	MACHEI
	2400	70	Vadnars

Thursday

Date	Time	Temp.	Name (Print)
9/12/2024	300	70	Worden
	600	70	Sabir
	900	72	Sabir
	1200	72	Sabir
	1500	72	Randerson
	1800	71	Randerson
	2100	71	Randerson
	2400	71	Worden

Saturday

Date	Time	Temp.	Name (Print)
9/14/2024	300	70	A. Perez
	600	70	K. VALENZUELA
	900	69	K. VALENZUELA
	1200	70	R. REYNOLDS
	1500	70	RIVERA
	1800	70	RIVERA
	2100	70	RIVERA
	2400	70	CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
9/13/2024	300	71	Worden
	600	71	70
	900	71	60
	1200	72	60
	1500	72	SCHAUER
	1800	72	SCHAUER
	2100	71	SCHAUER
	2400	71	A. Perez

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/15/2024	300	70	O'BRYANT	
	600	71	G. OCHOA	
	900	71	G. OCHOA	
	1200	72	G. OCHOA	
	1500	71	L. MACHEI	
	1800	70	L. MACHEI	
	2100	70	L. MACHEI	
	2400	71	A. Vadnars	

SEP 17 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/2024	300	70	Vadnais
	600	75	Soren
	900	75	Soren
	1200	75	Soren
	1500	75	Gronlund
	1800	75	Gronlund
	2100	75	Gronlund
	2400	72	Vadnais

Tuesday

Date	Time	Temp.	Name (Print)
9/10/2024	300	71	Vadnais
	600	75	Soren
	900	75	Soren
	1200	75	Soren
	1500	75	Soren
	1800	74	Soren
	2100	73	Soren
	2400	71	Vadnais

SEP 17 2024

Wednesday

Date	Time	Temp.	Name (Print)
9/11/2024	300	69	R. Vadnais
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	71	H. Gutierrez
	1800	71	H. Gutierrez
	2100	71	H. Gutierrez
	2400	71	K. Warden

Thursday

Date	Time	Temp.	Name (Print)
9/12/2024	300	71	R. Warden
	600	72	Contreras
	900	72	Contreras
	1200	72	Contreras
	1500	73	H. Gutierrez
	1800	73	H. Gutierrez
	2100	73	H. Gutierrez
	2400	73	K. Warden

Friday

Date	Time	Temp.	Name (Print)
9/13/2024	300	71	R. Warden
	600	71	Contreras
	900	72	Contreras
	1200	72	Contreras
	1500	74	H. Gutierrez
	1800	74	H. Gutierrez
	2100	73	H. Gutierrez
	2400	73	A. Pena

Saturday

Date	Time	Temp.	Name (Print)
9/14/2024	300	73	A. Pena
	600	70	Contreras
	900	70	Contreras
	1200	70	Contreras
	1500	73	Chittick
	1800	70	Chittick
	2100	71	Chittick
	2400	70	Chittick

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/15/2024	300	70	C. Larson	
	600	70	Contreras	
	900	78	Contreras	
	1200	70	Contreras	
	1500	71	D. Larson	
	1800	71	D. Larson	
	2100	71	D. Larson	
	2400	71	A. Vadnais	

SEP 17 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/2024	300	74	GODDINGS
	600	74	BURR
	900	74	BURR
	1200	74	BURR
	1500	74	Lewis
	1800	74	Lewis
	2100	74	Lewis
	2400	74	GODDINGS

Tuesday

Date	Time	Temp.	Name (Print)
9/10/2024	300	74	GODDINGS
	600	74	OVIATT
	900	74	OVIATT
	1200	74	OVIATT
	1500	74	Lewis
	1800	74	Lewis
	2100	72	Lewis
	2400	74	GODDINGS

Wednesday

Date	Time	Temp.	Name (Print)
9/11/2024	300	75	GODDINGS
	600	74	OVIATT
	900	74	OVIATT
	1200	74	OVIATT
	1500	74	Lewis
	1800	74	Lewis
	2100	74	Lewis
	2400	74	GODDINGS

Thursday

Date	Time	Temp.	Name (Print)
9/12/2024	300	75	GODDINGS
	600	75	R. ROSS
	900	78	R. ROSS
	1200	78	R. ROSS
	1500	78	Lewis
	1800	78	Lewis
	2100	78	Lewis
	2400	78	GODDINGS

Friday

Date	Time	Temp.	Name (Print)
9/13/2024	300	78	GODDINGS
	600	79	R. ROSS
	900	79	R. ROSS
	1200	78	R. ROSS
	1500	78	N. Rodriguez
	1800	76	N. Rodriguez
	2100	73	N. Rodriguez
	2400	76	Worden

Saturday

Date	Time	Temp.	Name (Print)
9/14/2024	300	76	Worden
	600	76	BURR
	900	76	DYER
	1200	76	DYER
	1500	76	Perry
	1800	76	AM
	2100	76	AM
	2400	75	GEORGE

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/15/2024	300	75	BURR	
	600	76	BURR	
	900	76	BURR	
	1200	76	BURR	
	1500	76	Lewis	
	1800	76	Lewis	
	2100	76	Lewis	
	2400	76	GODDINGS	

SEP. 17 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/2024	300	74	GIDDINGS
	600	74	MUGGER
	900	73	MUGGER
	1200	73	MUGGER
	1500	75	HERRERA
	1800	71	HERNANDEZ
	2100	71	HERNANDEZ
	2400	72	GIDDINGS

Tuesday

Date	Time	Temp.	Name (Print)
9/10/2024	300	73	GIDDINGS
	600	73	MUGGER
	900	73	MUGGER
	1200	72	MUGGER
	1500	72	SECY
	1800	73	STAN
	2100	73	STAN
	2400	74	GIDDINGS

Wednesday

Date	Time	Temp.	Name (Print)
9/11/2024	300	74	GIDDINGS
	600	74	MUGGER
	900	74	MUGGER
	1200	73	MUGGER
	1500	73	Hamm
	1800	73	Hamm
	2100	73	Hamm
	2400	74	GIDDINGS

Thursday

Date	Time	Temp.	Name (Print)
9/12/2024	300	75	GIDDINGS
	600	80	SECY
	900	80	SECY
	1200	80	SECY
	1500	80	SECY
	1800	80	STONE
	2100	80	STONE
	2400	80	GIDDINGS

Friday

Date	Time	Temp.	Name (Print)
9/13/2024	300	80	GIDDINGS
	600	80	UR
	900	80	UR
	1200	75	UR
	1500	75	UR
	1800	75	UR
	2100	75	UR
	2400	78	WORREN

Saturday

Date	Time	Temp.	Name (Print)
9/14/2024	300	72	WORREN
	600	73	MUGGER
	900	73	MUGGER
	1200	72	MUGGER
	1500	73	HEAT
	1800	73	HEAT
	2100	72	HEAT
	2400	71	CORCORAN

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/15/2024	300	71	Corcoran	
	600	71	MUGGER	
	900	71	MUGGER	
	1200	71	MUGGER	
	1500	70	Thompson	
	1800	70	Thompson	
	2100	70	Thompson	
	2400	72	GIDDINGS	

SEP 17 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/2024	300	74	Gluce
	600	72	WANATO
	900	74	WANATO
	1200	74	WANATO
	1500	75	—S-S—
	1800	75	—S-S—
	2100	74	—S-S—
	2400	74	S. Chang

Tuesday

Date	Time	Temp.	Name (Print)
9/10/2024	300	74	S. Chang
	600	73	C. MOUA
	900	73	C. MOUA
	1200	73	C. MOUA
	1500	75	Gronlund
	1800	75	Gronlund
	2100	75	Gronlund
	2400	74	F. MENDEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/11/2024	300	74	F. MENDEZ
	600	73	C. MOUA
	900	73	C. MOUA
	1200	73	C. MOUA
	1500	73	X. LOR
	1800	73	X. LOR
	2100	73	X. LOR
	2400	72	F. MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
9/12/2024	300	72	F. MENDEZ
	600	72	C. MOUA
	900	72	C. MOUA
	1200	73	C. MOUA
	1500	72	X. LOR
	1800	72	X. LOR
	2100	72	X. LOR
	2400	73	F. MENDEZ

Friday

Date	Time	Temp.	Name (Print)
9/13/2024	300	73	F. MENDEZ
	600	73	C. MOUA
	900	73	C. MOUA
	1200	73	C. MOUA
	1500	73	S. Weber
	1800	72	S. Weber
	2100	72	S. Weber
	2400	72	Spradlin

Saturday

Date	Time	Temp.	Name (Print)
9/14/2024	300	72	Spradlin
	600	72	C. MOUA
	900	72	C. MOUA
	1200	73	C. MOUA
	1500	72	X. LOR
	1800	72	X. LOR
	2100	72	X. LOR
	2400	73	Spradlin

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/15/2024	300	73	Spradlin	
	600	73	K. unenwaa	
	900	73	WANATO	
	1200	73	WANATO	
	1500	72	LOR	
	1800	72	LOR	
	2100	72	LOR	
	2400	72	Gluce	

SEP 17 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/2024	300	75	George
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	Winkelmann
	1800	75	Winkelmann
	2100	74	Winkelmann
	2400	75	S. Chang

Tuesday

Date	Time	Temp.	Name (Print)
9/10/2024	300	75	S. Chang
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	Winkelmann
	1800	74	Winkelmann
	2100	74	Winkelmann
	2400	74	F. MENDEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/11/2024	300	74	F. MENDEZ
	600	74	H. Percy
	900	74	H. Percy
	1200	75	H. Percy
	1500	74	Winkelmann
	1800	74	Winkelmann
	2100	73	Winkelmann
	2400	72	F. MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
9/12/2024	300	72	F. MENDEZ
	600	73	H. Percy
	900	72	H. Percy
	1200	73	H. Percy
	1500	72	Warden
	1800	72	Warden
	2100	72	Warden
	2400	72	F. MENDEZ

Friday

Date	Time	Temp.	Name (Print)
9/13/2024	300	72	F. MENDEZ
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	Warden
	1800	75	Warden
	2100	75	Warden
	2400	75	Sprattlin

Saturday

Date	Time	Temp.	Name (Print)
9/14/2024	300	75	Sprattlin
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	George
	1800	75	George
	2100	75	George
	2400	75	Sprattlin

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/15/2024	300	75	Sprattlin	
	600	75	Lawrence	
	900	75	Lawrence	
	1200	75	Lawrence	
	1500	75	George	
	1800	75	George	
	2100	75	George	
	2400	74	George	

SEP 17 2024

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: A-1 Temp. Reading Location: Day Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
9/29/24	0300	69	CHANG
	0600	70	O'Bryan
	0900	70	O'Bryan
	1200	70	O'Bryan
	1500	70	GRONLUND
	1800	70	GRONLUND
	2100	70	GRONLUND
	2400	70	CHANG

Notes

OCT 01 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/2024	300	70	S. Chang
	600	70	L. MACIEI
	900	72	L. MACIEI
	1200	72	L. MACIEI
	1500	72	Gronlund
	1800	72	Gronlund
	2100	72	Gronlund
	2400	70	Floor

Tuesday

Date	Time	Temp.	Name (Print)
9/24/2024	300	70	R. HAMBY
	600	70	R. HAMBY
	900	70	R. HAMBY
	1200	70	R. HAMBY
	1500	70	MCG
	1800	70	MCC
	2100	70	MCC
	2400	70	F. HAMBY

Wednesday

Date	Time	Temp.	Name (Print)
9/25/2024	300	70	F. HAMBY
	600	70	R. HAMBY
	900	70	R. HAMBY
	1200	70	R. HAMBY
	1500	70	KAST
	1800	70	KAST
	2100	70	KAST
	2400	70	F. HAMBY

Thursday

Date	Time	Temp.	Name (Print)
9/26/2024	300	70	F. HAMBY
	600	70	R. HAMBY
	900	70	R. HAMBY
	1200	70	R. HAMBY
	1500	70	K. LEE
	1800	70	K. LEE
	2100	70	K. LEE
	2400	69	F. HAMBY

Friday

Date	Time	Temp.	Name (Print)
9/27/2024	300	69	F. HAMBY
	600	70	Becker
	900	70	Becker
	1200	70	Becker
	1500	70	Melvin
	1800	70	Melvin
	2100	70	Melvin
	2400	70	F. HAMBY

Saturday

Date	Time	Temp.	Name (Print)
9/28/2024	300	70	F. HAMBY
	600	70	V. Becker
	900	70	V. Becker
	1200	70	V. Becker
	1500	70	C. Melvin
	1800	70	C. Melvin
	2100	70	C. Melvin
	2400	70	S. Chang

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/29/2024	300	70	S. Chang	
	600	70	R. HAMBY	
	900	70	R. HAMBY	
	1200	70	R. HAMBY	
	1500	70	L. Melvin	
	1800	70	L. Melvin	
	2100	70	L. Melvin	
	2400	70	S. Chang	OCT 01 2024

CALIFORNIA
TEMPERATURE RECORD
031 (04/18)

May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday <u>9/23/24</u>				Tuesday <u>9/24/24</u>				Wednesday <u>9/25/24</u>				Thursday <u>9/26/24</u>				Friday <u>9/27/24</u>				Saturday <u>9/28/24</u>				Sunday <u>9/29/24</u>			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
9/23/2024	300	70	Vachnais	9/24/2024	300	70	Vachnais	9/25/2024	300	70	Vachnais	9/26/2024	300	71	Rawden	9/27/2024	300	70	Chandler	9/28/2024	300	70	Vachnais	9/29/2024	300	70	Vachnais
	600	71	Tincher		600	70	Tincher		600	71	Tincher		600	71	Tincher		600	70	MCC		600	70	MCC				
	900	71	Tincher		900	71	Tincher		900	70	Tincher		900	70	Tincher		900	70	McC		900	70	McC				
	1200	70	Tincher		1200	71	Tincher		1200	70	Tincher		1200	70	Tincher		1200	70	McC		1200	70	McC				
	1500	70	MACREL		1500	71	Garcia		1500	70	MACREL		1500	70	MACREL		1500	70	Garcia		1500	70	Garcia				
	1800	70	MACREL		1800	71	Garcia		1800	70	MACREL		1800	71	Garcia		1800	70	Garcia		1800	70	Garcia				
	2100	70	MACREL		2100	70	Vachnais		2100	71	Vachnais		2100	70	Vachnais		2100	70	Vachnais		2100	70	Vachnais				
	2400	71	Vachnais		2400	71	Vachnais		2400	71	Vachnais		2400	70	Vachnais		2400	70	Vachnais		2400	70	Vachnais				
9/25/2024	300	70	Vachnais	9/26/2024	300	71	Rawden	9/27/2024	300	70	Chandler	9/28/2024	300	70	Vachnais	9/29/2024	300	70	Vachnais								
	600	71	Tincher		600	71	Tincher		600	70	Tincher		600	70	Tincher		600	70	Tincher		600	70	Tincher				
	900	71	Tincher		900	70	Tincher		900	70	Tincher		900	70	Tincher		900	70	Tincher		900	70	Tincher				
	1200	70	Tincher		1200	70	Tincher		1200	70	Tincher		1200	70	Tincher		1200	70	Tincher		1200	70	Tincher				
	1500	70	R.4.M		1500	70	Rawden		1500	70	Rawden		1500	70	Rawden		1500	70	Rawden		1500	70	Rawden				
	1800	70	R.4.M		1800	70	Rawden		1800	70	Rawden		1800	70	Rawden		1800	70	Rawden		1800	70	Rawden				
	2100	70	R.4.M		2100	70	Rawden		2100	70	Rawden		2100	70	Rawden		2100	70	Rawden		2100	70	Rawden				
	2400	71	Rawden		2400	70	Rawden		2400	70	Rawden		2400	70	Rawden		2400	70	Rawden		2400	70	Rawden				
9/27/2024	300	70	Chandler	9/28/2024	300	70	Vachnais	9/29/2024	300	70	Vachnais																
	600	71	Tincher		600	70	Tincher		600	70	Tincher		600	70	Tincher		600	70	Tincher		600	70	Tincher				
	900	71	Tincher		900	70	Tincher		900	70	Tincher		900	70	Tincher		900	70	Tincher		900	70	Tincher				
	1200	70	Tincher		1200	70	Tincher		1200	70	Tincher		1200	70	Tincher		1200	70	Tincher		1200	70	Tincher				
	1500	70	Rawden		1500	70	Rawden		1500	70	Rawden		1500	70	Rawden		1500	70	Rawden		1500	70	Rawden				
	1800	70	Becker		1800	70	Becker		1800	70	Becker		1800	70	Becker		1800	70	Becker		1800	70	Becker				
	2100	70	Becker		2100	70	Becker		2100	70	Becker		2100	70	Becker		2100	70	Becker		2100	70	Becker				
	2400	71	Vachnais		2400	71	Vachnais		2400	71	Vachnais		2400	71	Vachnais		2400	71	Vachnais		2400	71	Vachnais				
9/28/2024	300	70	Vachnais	9/29/2024	300	70	Vachnais																				
	600	70	MCC		600	70	MCC		600	70	MCC		600	70	MCC		600	70	MCC		600	70	MCC				
	900	70	MCC		900	70	MCC		900	70	MCC		900	70	MCC		900	70	MCC		900	70	MCC				
	1200	70	MCC		1200	70	MCC		1200	70	MCC		1200	70	MCC		1200	70	MCC		1200	70	MCC				
	1500	70	O.Thompson		1500	70	O.Thompson		1500	70	O.Thompson		1500	70	O.Thompson		1500	70	O.Thompson		1500	70	O.Thompson				
	1800	70	O.Thompson		1800	70	O.Thompson		1800	70	O.Thompson		1800	70	O.Thompson		1800	70	O.Thompson		1800	70	O.Thompson				
	2100	70	O.Thompson		2100	70	O.Thompson		2100	70	O.Thompson		2100	70	O.Thompson		2100	70	O.Thompson		2100	70	O.Thompson				
	2400	71	Vachnais		2400	71	Vachnais		2400	71	Vachnais		2400	71	Vachnais		2400	71	Vachnais		2400	71	Vachnais				
9/29/2024	300	70	Vachnais																								
	600	70	OCT 01 2024																								

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/2024	300	71	Vachas
	600	73	Soto
	900	73	Soto
	1200	73	Soto
	1500	73	Homan
	1800	73	Homan
	2100	72	Homan
	2400	71	Vachas

Tuesday

Date	Time	Temp.	Name (Print)
9/24/2024	300	70	Vachas
	600	70	Vachas
	900	70	Vachas
	1200	70	
	1500	73	Soto
	1800	74	Soto
	2100	74	Soto
	2400	71	Vachas

Wednesday

Date	Time	Temp.	Name (Print)
9/25/2024	300	70	Vachas
	600	72	F. Soto
	900	71	F. Soto
	1200	71	F. Soto
	1500	72	H. Gutierrez
	1800	72	H. Gutierrez
	2100	72	H. Gutierrez
	2400	72	Murd

Thursday

Date	Time	Temp.	Name (Print)
9/26/2024	300	72	Chock
	600	72	C. Contreras
	900	72	C. Contreras
	1200	72	C. Contreras
	1500	72	C. Contreras
	1800	72	C. Contreras
	2100	72	C. Contreras
	2400	72	Murd

Friday

Date	Time	Temp.	Name (Print)
9/27/2024	300	72	Murd
	600	72	C. Contreras
	900	72	C. Contreras
	1200	72	C. Contreras
	1500	73	H. Gutierrez
	1800	73	H. Gutierrez
	2100	72	H. Gutierrez
	2400	71	Vachas

Saturday

Date	Time	Temp.	Name (Print)
9/28/2024	300	70	Vachas
	600	70	Murd
	900	70	Murd
	1200	70	Murd
	1500	72	Chitlock
	1800	72	Chitlock
	2100	70	Chitlock
	2400	71	Vachas

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/29/2024	300	70	Vachas	
	600	71	Contreras	
	900	72	Contreras	
	1200	72	C. Contreras	
	1500	72	Chitlock	OCT 01 2024
	1800	72	Chitlock	
	2100	70	Chitlock	
	2400	70	Vachas	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/2024	300	75	Carriollo
	600	76	Ram
	900	76	Burr
	1200	76	Burr
	1500	76	Lewis
	1800	76	Lewis
	2100	75	Lewis
	2400	76	Gordons

Tuesday

Date	Time	Temp.	Name (Print)
9/24/2024	300	76	Gordons
	600	76	Quinton
	900	75	Quinton
	1200	75	Quinton
	1500	76	Lewis
	1800	76	Lewis
	2100	76	Lewis
	2400	76	Gordons

Wednesday

Date	Time	Temp.	Name (Print)
9/25/2024	300	76	Gordons
	600	75	Quinton
	900	76	Quinton
	1200	76	Quinton
	1500	76	Quinton
	1800	76	Lewis
	2100	76	Lewis
	2400	76	Gordons

Thursday

Date	Time	Temp.	Name (Print)
9/26/2024	300	76	Gordons
	600	75	R. Ross
	900	75	R. Ross
	1200	76	R. Ross
	1500	76	Lewis
	1800	75	Lewis
	2100	75	Lewis
	2400	76	Gordons

Friday

Date	Time	Temp.	Name (Print)
9/27/2024	300	77	Gordons
	600	76	R. Ross
	900	75	R. Ross
	1200	75	R. Ross
	1500	75	SS
	1800	75	SS
	2100	75	SS
	2400	75	Murphy

Saturday

Date	Time	Temp.	Name (Print)
9/28/2024	300	75	Gordons
	600	76	Ram
	900	76	Ram
	1200	76	Ram
	1500	76	Ram
	1800	76	Ram
	2100	76	Ram
	2400	75	Gordons

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/29/2024	300	75	Gordons	
	600	76	Ram	
	900	76	Ram	
	1200	76	Ram	
	1500	76	Lewis	
	1800	75	Lewis	
	2100	75	Lewis	
	2400	75	Gandara	

OCT 01 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/2024	300	74	Carrillo
	600	74	Musser
	900	74	Musser
	1200	75	Musser
	1500	75	Williams
	1800	75	Williams
	2100	75	Williams
	2400	75	Groodins

Tuesday

Date	Time	Temp.	Name (Print)
9/24/2024	300	76	Groodins
	600	76	Musser
	900	75	Musser
	1200	75	Musser
	1500	75	Servin
	1800	75	Servin
	2100	75	Servin
	2400	75	Groodins

Wednesday

Date	Time	Temp.	Name (Print)
9/25/2024	300	76	Groodins
	600	76	Musser
	900	75	Musser
	1200	75	Musser
	1500	75	LSALS
	1800	75	LSALS
	2100	74	LSALS
	2400	77	Groodins

Thursday

Date	Time	Temp.	Name (Print)
9/26/2024	300	78	Groodins
	600	78	Secor
	900	79	Secor
	1200	79	Secor
	1500	76	S. Chang
	1800	78	S. Chang
	2100	76	S. Chang
	2400	78	Groodins

Friday

Date	Time	Temp.	Name (Print)
9/27/2024	300	79	Groodins
	600	78	Secor
	900	78	Secor
	1200	79	Secor
	1500	78	Thompson
	1800	78	Thompson
	2100	77	Thompson
	2400	78	Ruizde

Saturday

Date	Time	Temp.	Name (Print)
9/28/2024	300	77	Moore
	600	77	Musser
	900	76	Musser
	1200	76	Musser
	1500	75	J. Flores
	1800	75	J. Flores
	2100	76	J. Flores
	2400	75	Guoer

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/29/2024	300	75	Groodins	
	600	73	Landon	
	900	73	Landon	
	1200	73	Landon	
	1500	74	Pereira	
	1800	74	Pereira	
	2100	76	Pereira	
	2400	75	Groodins	OCT 01 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/2024	300	74	Groer
	600	74	WALLACE
	900	75	WALLACE
	1200	75	WALLACE
	1500	75	J-S
	1800	75	J-S
	2100	75	J-S
	2400	74	S. Chang

Tuesday

Date	Time	Temp.	Name (Print)
9/24/2024	300	74	S. Chang
	600	74	C. MOUA
	900	74	C. MOUA
	1200	74	C. MOUA
	1500	74	Williams
	1800	74	Williams
	2100	73	Williams
	2400	73	F. MENDEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/25/2024	300	73	F. MENDEZ
	600	73	C. MOUA
	900	73	C. MOUA
	1200	73	C. MOUA
	1500	73	Carmona
	1800	74	Carmona
	2100	74	Carmona
	2400	73	F. MENDEZ

Thursday

Date	Time	Temp.	Name (Print)
9/26/2024	300	73	F. MENDEZ
	600	73	C. MOUA
	900	73	C. MOUA
	1200	73	C. MOUA
	1500	73	A. Ponce
	1800	73	A. Ponce
	2100	73	A. Ponce
	2400	73	F. MENDEZ

Friday

Date	Time	Temp.	Name (Print)
9/27/2024	300	73	F. MENDEZ
	600	73	C. MOUA
	900	73	C. MOUA
	1200	73	C. MOUA
	1500	74	Lawrence
	1800	74	Lawrence
	2100	74	Lawrence
	2400	74	Spradlin

Saturday

Date	Time	Temp.	Name (Print)
9/28/2024	300	73	Spradlin
	600	73	C. MOUA
	900	73	C. MOUA
	1200	73	C. MOUA
	1500	73	Groer
	1800	73	Groer
	2100	73	Groer
	2400	Closed	

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/29/2024	300			Closed 9-28-24 @ 2200
	600			
	900			
	1200			
	1500			
	1800			
	2100			
	2400			

OCT 01 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/2024	300	74	Gelder
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	Gelder
	1800	75	Gelder
	2100	75	Gelder
	2400	75	S. Chang

Tuesday

Date	Time	Temp.	Name (Print)
9/24/2024	300	75	S. Chang
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	75	Winkelmann
	1800	75	Winkelmann
	2100	74	Winkelmann
	2400	74	F. Mendez

Wednesday

Date	Time	Temp.	Name (Print)
9/25/2024	300	74	F. Mendez
	600	74	Martinez
	900	74	Martinez
	1200	73	Martinez
	1500	74	Winkelmann
	1800	74	Winkelmann
	2100	74	Winkelmann
	2400	73	F. Mendez

Thursday

Date	Time	Temp.	Name (Print)
9/26/2024	300	73	F. Mendez
	600	72	N. Cuffman
	900	72	N. Cuffman
	1200	73	Ubez
	1500	73	K. Warden
	1800	73	K. Warden
	2100	73	K. Warden
	2400	73	F. Mendez

Friday

Date	Time	Temp.	Name (Print)
9/27/2024	300	73	F. Mendez
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	74	Warden
	1800	74	Warden
	2100	74	Warden
	2400	74	

Saturday

Date	Time	Temp.	Name (Print)
9/28/2024	300	75	C. T.
	600	75	Lawrence
	900	75	Lawrence
	1200	75	Lawrence
	1500	74	Garcia
	1800	74	Garcia
	2100	74	Garcia
	2400	Closed	2200

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
9/29/2024	300			Closed 9-28-24 @ 2200
	600			
	900			
	1200			
	1500			
	1800			
	2100			
	2400			

OCT 01 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1 Temp. Reading Location: SECOND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 2024			
Date	Time	Temp.	Name (Print)
9-2-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	71	E. Vadratz
	1800	71	E. Vadratz
	2100	72	E. Vadratz
	2400	70	NELSON

Wednesday 2024			
Date	Time	Temp.	Name (Print)
9-4-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	72	C. Bellinger
	1800	71	C. Bellinger
	2100	71	C. Bellinger
	2400	70	NELSON

Friday 2024			
Date	Time	Temp.	Name (Print)
9-6-24	0300	70	NELSON
	0600	70	J. Camillo
	0900	71	J. Camillo
	1200	72	J. Camillo
	1500	72	E. Romero
	1800	72	E. Romero
	2100	70	E. Romero
	2400	70	Haug, J.

Sunday 2024			
Date	Time	Temp.	Name (Print)
9-8-24	0300	70	W. BLACK
	0600	73	C. Ruvaleca
	0900	72	C. Ruvaleca
	1200	72	C. Ruvaleca
	1500	72	E. Romero
	1800	72	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

Tuesday 2024			
Date	Time	Temp.	Name (Print)
9-7-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	70	E. Vadratz
	1800	70	E. Vadratz
	2100	71	E. Vadratz
	2400	70	NELSON

Thursday 2024			
Date	Time	Temp.	Name (Print)
9-5-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	72	C. Bellinger
	1800	72	C. Bellinger
	2100	71	C. Bellinger
	2400	70	NELSON

Saturday 2024			
Date	Time	Temp.	Name (Print)
9-7-24	0300	70	Haug, J.
	0600	72	LANDIN
	0900	70	E. Romero
	1200	72	E. Romero
	1500	72	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	W. BLACK

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-2 Temp. Reading Location: A,B,C UPPER TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday / 2021			
Date	Time	Temp.	Name (Print)
9/2	0300	70	MARTINEZ
	0600	70	Nava
	0900	70	Nava
	1200	71	Navy
	1500	71	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	PALAFIT

Wednesday / 2021			
Date	Time	Temp.	Name (Print)
9/2	0300	70	MARTINEZ
	0600	72	XCONC
	0900	72	XCONC
	1200	72	XCONC
	1500	73	Worth
	1800	73	Worth
	2100	72	Worth
	2400	72	Singh

Friday / 2021			
Date	Time	Temp.	Name (Print)
9/2	0300	70	Haug, T.
	0600	72	Schen
	0900	72	Schen
	1200	72	Schen
	1500	73	Worth
	1800	72	Worth
	2100	72	Worth
	2400	70	MARTINEZ

Sunday / 2021			
Date	Time	Temp.	Name (Print)
9/18	0300	70	MARTINEZ
	0600	70	Gronlund
	0900	70	Gronlund
	1200	70	Gronlund
	1500	71	E. Vadnais
	1800	70	E. Vadnais
	2100	71	E. Vadnais
	2400	70	GANDARA

Tuesday / 2021			
Date	Time	Temp.	Name (Print)
9/3	0300	70	PACIFICO
	0600	70	Nava
	0900	70	Nava
	1200	71	Nava
	1500	71	Worth
	1800	71	Worth
	2100	70	Worth
	2400	70	MARTINEZ

Thursday / 2021			
Date	Time	Temp.	Name (Print)
9/24	0300	72	Singh
	0600	72	Schen
	0900	74	Schen
	1200	74	Schen
	1500	73	Worth
	1800	73	Worth
	2100	72	Worth
	2400	71	Haug, T.

Saturday / 2021			
Date	Time	Temp.	Name (Print)
9/24	0300	70	MARTINEZ
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	71	E. Vadnais
	1800	70	E. Vadnais
	2100	70	E. Vadnais
	2400	70	MARTINEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PRSP Housing Unit: B4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
9/2	0300	72	C. LESLEY
	0600	72	LANDIN
	0900	72	LANDIN
	1200	72	LANDIN
	1500	72	LITTLE
	1800	71	LITTLE
	2100	71	LITTLE
	2400	71	S. FLORES

9-2-24

Date	Time	Temp.	Name (Print)
9/2	0300	70	J. Flores
	0600	70	J. Flores
	0900	70	B. DIAZ
	1200	72	B. DIAZ
	1500	73	C. SturDevant
	1800	72	C. SturDevant
	2100	70	C. SturDevant
	2400	70	SLAW

9-2-24

Date	Time	Temp.	Name (Print)
9/4	0300	70	E. Scott
	0600	70	D. BECKER
	0900	72	D. BECKER
	1200	72	D. BECKER
	1500	72	D. BECKER
	1800	73	D. BECKER
	2100	72	D. BECKER
	2400	72	E. Scott

9-4-24

Date	Time	Temp.	Name (Print)
9/5	0300	72	Z. Scott
	0600	72	B. DIAZ
	0900	75	B. DIAZ
	1200	75	B. DIAZ
	1500	75	A. LITTLE
	1800	75	A. LITTLE
	2100	71	A. LITTLE
	2400	74	E. Scott

9-5-24

Date	Time	Temp.	Name (Print)
9/6	0300	74	E. Scott
	0600	70	B. DIAZ
	0900	75	B. DIAZ
	1200	75	B. DIAZ
	1500	75	A. LITTLE
	1800	71	A. LITTLE
	2100	73	A. LITTLE
	2400	72	E. Scott

9-6-24

Date	Time	Temp.	Name (Print)
9/7	0300	72	E. Scott
	0600	72	Reynoso
	0900	72	Reynoso
	1200	72	Reynoso
	1500	72	LITTLE
	1800	72	LITTLE
	2100	71	LITTLE
	2400	71	SLAW

9-7-24

Date	Time	Temp.	Name (Print)
9/8	0300	71	SCOTT
	0600	72	REYNOSO
	0900	72	REYNOSO
	1200	72	REYNOSO
	1500	72	LITTLE
	1800	73	LITTLE
	2100	72	LITTLE
	2400	72	C. LESLEY

9-8-24

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	70	GARRISON
	0600	70	D. LEON
	0900	72	D. LEON
	1200	74	D. LEON
	1500	72	G. GILL
	1800	72	G. GILL
	2100	71	G. GILL
	2400	70	GARRISON

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	69	GARRISON
	0600	70	D. LEON
	0900	72	D. LEON
	1200	74	D. LEON
	1500	75	Maurice
	1800	74	Maurice
	2100	74	Maurice
	2400	73	GARRISON

Wednesday

Date	Time	Temp.	Name (Print)
9/24	0300	72	GARRISON
	0600	72	D. LEON
	0900	74	D. LEON
	1200	76	D. LEON
	1500	76	Mervin
	1800	75	Mervin
	2100	75	Mervin
	2400	75	RIOS

Thursday

Date	Time	Temp.	Name (Print)
9/24	0300	74	RIOS
	0600	74	RIOS
	0900	75	D. LEON
	1200	76	D. LEON
	1500	76	Carmena
	1800	76	Carmena
	2100	77	Carmena
	2400	77	MCCASLAND

Friday

Date	Time	Temp.	Name (Print)
9/24	0300	76	MCCASLAND
	0600	74	Valdovinos
	0900	72	Valdovinos
	1200	75	Mervin
	1500	76	Mervin
	1800	75	Mervin
	2100	74	Mervin
	2400	73	SGUTT

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	73	SGUTT
	0600	73	Valdovinos
	0900	72	Valdovinos
	1200	72	Valdovinos
	1500	72	Becker
	1800	73	Becker
	2100	72	Becker
	2400	73	RIOS

Sunday

Date	Time	Temp.	Name (Print)
9/24	0300	75	RIOS
	0600	75	RIOS
	0900	75	D. LEON
	1200	76	D. LEON
	1500	77	D. BECKER
	1800	71	D. BECKER
	2100	70	D. BECKER
	2400	69	GARRISON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 5555 Temp. Reading Location: 2nd tier
B6 (e.g., 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	70	A. MELENDEZ	
0600	70	M. Valdovinos	
0900	70	M. Valdovinos	
1200	70	M. Valdovinos	
1500	70	Weltz	
1800	71	Weltz	
2100	70	Weltz	
2400	70		

9-2-24

Wednesday

Date	Time	Temp.	Name (Print)
0300	70	Solano	
0600	70	L. Mora	
0900	71	L. Mora	
1200	71	L. Mora	
1500	71	B. Weltz	
1800	70	B. Weltz	
2100	71	B. Weltz	
2400	70	Solano	

9-4-24

Friday

Date	Time	Temp.	Name (Print)
0300	70	Hawkins	
0600	70	L. Mora	
0900	70	L. Mora	
1200	70	L. Mora	
1500	70	J. Subjach	
1800	70	J. Subjach	
2100	70	J. Subjach	
2400	70	C. Cartagena	

9-6-24

Sunday

Date	Time	Temp.	Name (Print)
0300	70	A. MELENDEZ	
0600	72	Valdovino	
0900	72	Valdovino	
1200	72	Valdovino	
1500	71	Weltz	
1800	70	Weltz	
2100	71	Weltz	
2400	71	A. MELENDEZ	

9-8-24

Tuesday

Date	Time	Temp.	Name (Print)
0300	70	Eden	
0600	70	L. Mora	
0900	71	L. Mora	
1200	72	L. Mora	
1500	71	B. Weltz	
1800	70	B. Weltz	
2100	71	B. Weltz	
2400	70	Eden	

9-3-24

Thursday

Date	Time	Temp.	Name (Print)
0300	70	Solano	
0600	70	L. Mora	
0900	71	L. Mora	
1200	71	L. Mora	
1500	71	E. Solis-Garcia	
1800	72	J. Subjach	
2100	71	J. Subjach	
2400	70	Hawkins	

9-5-24

Saturday

Date	Time	Temp.	Name (Print)
0300	70	CHANG	
0600	70	CHANG	
0900	70	L. Mora	
1200	70	L. Mora	
1500	70	L. Mora	
1800	70	C. CARTAGENA	
2100	70	C. CARTAGENA	
2400	71	A. MELENDEZ	

9-7-24

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B7 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5585 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	70	Chittack
	0600	71	Retrooso
	0900	71	Retrooso
	1200	71	Retrooso
	1500	71	Amudio
	1800	71	Zamudio
	2100	71	Zamudio
	2400	71	067261

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	70°	MANZANO
	0600	73	Lunsford
	0900	73	Lunsford
	1200	73	Lunsford
	1500	73	Zamudio
	1800	73	Zamudio
	2100	73	Zamudio
	2400	73	Joan

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	70	G. Pipe
	0600	73	Lunsford
	0900	73	Lunsford
	1200	73	Lunsford
	1500	71	E. Vachas
	1800	71	E. Vachas
	2100	70	E. Vachas
	2400	70	G. Pipe

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	71	G. Pipe
	0600	72	D. Lunsford
	0900	73	Lunsford
	1200	73	D. Lunsford
	1500	74	A. MASTERS
	1800	73	A. MASTERS
	2100	72	A. MASTERS
	2400	70	Chittack

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	70	067261
	0600	70	Valentine
	0900	70	Valentine
	1200	70	Valentine
	1500	70	Zamudio
	1800	70	Zamudio
	2100	70	Zamudio
	2400	70	Zamudio

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	73	1632
	0600	73	Lunsford
	0900	73	Lunsford
	1200	71	Lunsford
	1500	73	Zamudio
	1800	73	Zamudio
	2100	73	Zamudio
	2400	70	G. Pipe

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	70	G. Pipe
	0600	72	Lunsford
	0900	72	Lunsford
	1200	72	Lunsford
	1500	73	M. Gonzalez
	1800	75	M. Gonzalez
	2100	75	M. Gonzalez
	2400	71	G. Pipe

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-8 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9/2/24

Date	Time	Temp.	Name (Print)
	0300	72	Haug, J.
	0600	72	A.GASTELUM
	0900	73	A.GASTELUM
	1200	74	A.GASTELUM
	1500	73	A.GASTELUM
	1800	73	GASTELUM
	2100	72	GASTELUM
	2400	72	Wesley

Wednesday 9/4/24

Date	Time	Temp.	Name (Print)
	0300	70	Hawkins
	0600	76	Careen
	0900	72	Careen
	1200	73	Careen
	1500	77	Braun
	1800	76	Braun
	2100	78	Braun
	2400	72	Hawkins

Friday 9/6/24

Date	Time	Temp.	Name (Print)
	0300	72	H.Gutierrez
	0600	72	T.Soback
	0900	72	T.Soback
	1200	72	T.Soback
	1500	72	D.Braun
	1800	72	D.Braun
	2100	72	D.Braun
	2400	72	H.Gutierrez

Sunday 9/8/24

Date	Time	Temp.	Name (Print)
	0300	72	Sob
	0600	73	A.GASTELUM
	0900	73	GASTELUM
	1200	73	GASTELUM
	1500	73	Cruz
	1800	73	Cruz
	2100	72	Cruz
	2400	71	Haug, J.

Tuesday 9/3/24

Date	Time	Temp.	Name (Print)
	0300	71	L.GASTELUM
	0600	72	Rivas
	0900	72	Rivas
	1200	72	Links
	1500	77	Braun
	1800	75	Braun
	2100	72	Braun
	2400	72	Hawkins

Thursday 9/5/24

Date	Time	Temp.	Name (Print)
	0300	70	Hawkins
	0600	70	C.GIL
	0900	72	C.GIL
	1200	73	C.GIL
	1500	73	Braun
	1800	73	Braun
	2100	72	Braun
	2400	72	H.Gutierrez

Saturday 9/7/24

Date	Time	Temp.	Name (Print)
	0300	72	H.Gutierrez
	0600	72	T.Soback
	0900	72	T.Soback
	1200	72	T.Soback
	1500	72	Braun
	1800	72	Braun
	2100	72	Braun
	2400	72	Sosa

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1

Temp. Reading Location: SECOND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

2024

Date	Time	Temp.	Name (Print)
9-9-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	72	E. Valenz
	1800	71	E. Valenz
	2100	71	E. Valenz
	2400	70	NELSON

Wednesday

2024

Date	Time	Temp.	Name (Print)
9-11-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	71	C. Bellinger
	1800	71	C. Bellinger
	2100	71	C. Bellinger
	2400	70	NELSON

Friday

2024

Date	Time	Temp.	Name (Print)
9-13-24	0300	70	NELSON
	0600	70	LARSON
	0900	70	LARSON
	1200	70	LARSON
	1500	72	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	Hoag, J.

Sunday

2024

Date	Time	Temp.	Name (Print)
9-15-24	0300	71	Thomas
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	70	J. Johnson
	1500	72	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

Tuesday

2024

Date	Time	Temp.	Name (Print)
9-15-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	71	E. Valenz
	1800	71	E. Valenz
	2100	70	E. Valenz
	2400	70	NELSON

Thursday

2024

Date	Time	Temp.	Name (Print)
9-17-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	71	J. Johnson
	1500	72	C. Bellinger
	1800	71	C. Bellinger
	2100	71	C. Bellinger
	2400	70	NELSON

Saturday

2024

Date	Time	Temp.	Name (Print)
9-14-24	0300	70	Hoag, J.
	0600	71	J. Carrillo
	0900	71	J. Carrillo
	1200	72	J. Carrillo
	1500	73	M. Gonzalez
	1800	71	M. Gonzalez
	2100	71	M. Gonzalez
	2400	71	Thomas

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-2 Temp. Reading Location: A,B,C UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday / 2021			
Date	Time	Temp.	Name (Print)
9/14	0300	70	GANDARA
	0600	70	Nava
	0900	69	Nava
	1200	70	Nava
	1500	72	Worth
	1800	72	Worth
	2100	71	Worth
	2400	70	MARTINEZ

Tuesday / 2021			
Date	Time	Temp.	Name (Print)
9/10	0300	70	MARTINEZ
	0600	70	Nava
	0900	70	Nava
	1200	71	Nava
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	MARTINEZ

Wednesday / 2021			
Date	Time	Temp.	Name (Print)
9/11	0300	70	MARTINEZ
	0600	70	Schan
	0900	70	Schan
	1200	72	Schan
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	RICKS

Thursday / 2021			
Date	Time	Temp.	Name (Print)
9/12	0300	69	RICKS
	0600	69	RICKS
	0900	72	Schan
	1200	72	Schan
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Haug, R.

Friday / 2021			
Date	Time	Temp.	Name (Print)
9/13	0300	69 70	Haug, R.
	0600	69	RICKS Schan
	0900	70	Schan
	1200	72	Schan
	1500	72	Worth
	1800	71	Worth
	2100	70	Worth
	2400	70	MARTINEZ

Saturday / 2021			
Date	Time	Temp.	Name (Print)
9/14	0300	70	MARTINEZ
	0600	70	Schan
	0900	72	Schan
	1200	72	Schan
	1500	73	Perez
	1800	72	Perez
	2100	72	Perez
	2400	70	MARTINEZ

Sunday / 2021			
Date	Time	Temp.	Name (Print)
9/15	0300	70	MARTINEZ
	0600	70	Gronlund
	0900	70	Gronlund
	1200	70	Gronlund
	1500	71	E. Vadasz
	1800	70	E. Vadasz
	2100	70	E. Vadasz
	2400	70	MARTINEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B4 Temp. Reading Location: 2nd TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	73	C. LESLEY
9	0600	75	B. DIAZ
9	0900	75	B. DIAZ
9	1200	75	B. DIAZ
9	1500	75	L. LITTLE
24	1800	74	L. LITTLE
24	2100	73	L. LITTLE
24	2400	73	C. Lesley

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	73	C. Lesley
9	0600	75	B. Diaz
9	0900	72	B. Diaz
10	1200	72	M. Diaz
10	1500	72	D. Becker
10	1800	71	D. Becker
24	2100	70	D. Becker
24	2400	70	E. Scott

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	70	E. Scott
9	0600	72	B. Diaz
9	0900	72	B. Diaz
11	1200	73	B. Diaz
24	1500	73	D. Becker
24	1800	72	D. Becker
24	2100	72	D. Becker
24	2400	72	E. Scott

Thursday

Date	Time	Temp.	Name (Print)
9	0300	72	E. Scott
9	0600	72	B. Diaz
12	0900	72	B. Diaz
24	1200	72	B. Diaz
24	1500	73	A. Little
24	1800	72	A. Little
24	2100	71	A. Little
24	2400	71	E. Scott

Friday

Date	Time	Temp.	Name (Print)
9	0300	71	C. Scott
9	0600	71	REYNOSO
9	0900	71	REYNOSO
13	1200	71	REYNOSO
13	1500	73	L. Little
14	1800	72	L. Little
14	2100	71	L. Little
14	2400	71	CAVAZOS

Saturday

Date	Time	Temp.	Name (Print)
9	0300	71	CAVAZOS
9	0600	72	REYNOSO
14	0900	72	REYNOSO
14	1200	72	REYNOSO
14	1500	72	L. Little
24	1800	72	L. Little
24	2100	71	L. Little
24	2400	71	SCHWARTZ

Notes

Date	Time	Temp.	Name (Print)
9	0300	71	SCHWARTZ
9	0600	71	REYNOSO
9	0900	71	REYNOSO
15	1200	71	REYNOSO
15	1500	71	L. Little
24	1800	70	L. Little
24	2100	70	L. Little
24	2400	70	C. Lesley

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	69	GARRISON
9/9/24	0600	69	D. LEON
9/9/24	0900	74	D. LEON
9/9/24	1200	74	D. LEON
9/9/24	1500	72	Becker
9/9/24	1800	71	Becker
9/9/24	2100	70	Becker
9/9/24	2400	69	GARRISON

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	69	GARRISON
9/11/24	0600	69	D. LEON
9/11/24	0900	71	D. LEON
9/11/24	1200	74	D. LEON
9/11/24	1500	75	A. Merano
9/11/24	1800	75	A. Merano
9/11/24	2100	74	A. Merano
9/11/24	2400	74	RIOS

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	74	SCHWARTZ
9/13/24	0600	75	Valdovinos
9/13/24	0900	72	Valdovinos
9/13/24	1200	72	Valdovinos
9/13/24	1500	74	A. Merano
9/13/24	1800	73	A. Merano
9/13/24	2100	73	A. Merano
9/13/24	2400	73	SCHWARTZ

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	74	R. CAVAZOS
9/15/24	0600	74	D. LEON
9/15/24	0900	75	D. LEON
9/15/24	1200	76	D. LEON
9/15/24	1500	77	D. Becker
9/15/24	1800	76	M. GONZALEZ
9/15/24	2100	75	M. GONZALEZ
9/15/24	2400	75	J. GARRISON

Tuesday

Date	Time	Temp.	Name (Print)
9/16/24	0300	69	GARRISON
9/16/24	0600	69	D. LEON
9/16/24	0900	70	D. LEON
9/16/24	1200	73	D. LEON
9/16/24	1500	74	A. Merano
9/16/24	1800	75	A. Merano
9/16/24	2100	72	A. Merano
9/16/24	2400	69	GARRISON

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	74	RIOS
9/12/24	0600	74	RIOS
9/12/24	0900	75	D. LEON
9/12/24	1200	77	D. LEON
9/12/24	1500	77	Merano
9/12/24	1800	76	Merano
9/12/24	2100	75	Merano
9/12/24	2400	79	SCHWARTZ

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	73	SCHWARTZ
9/14/24	0600	72	Valdovinos
9/14/24	0900	72	Valdovinos
9/14/24	1200	72	Valdovinos
9/14/24	1500	75	Merano
9/14/24	1800	74	Merano
9/14/24	2100	74	Merano
9/14/24	2400	74	Z. CAVAZOS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

OP 1014, Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSF Housing Unit B6

Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-9-24	0300	71	A. MELONOREZ
	0600	71	Valdovinos
	0900	71	Valdovinos
	1200	72	Valdovinos
	1500	71	Weber
	1800	71	Weber
	2100	71	Weber
	2400	70	Schaeff

Tuesday

Date	Time	Temp.	Name (Print)
9-10-24	0300	70	Schaeff
	0600	70	L. Mora
	0900	70	L. Mora
	1200	70	L. Mora
	1500	70	Weber
	1800	70	Weber
	2100	71	Weber
	2400	70	Schaeff

Wednesday

Date	Time	Temp.	Name (Print)
9-11-24	0300	70	Schaeff
	0600	70	L. Mora
	0900	70	L. Mora
	1200	70	L. Mora
	1500	71	Weber
	1800	70	Weber
	2100	71	Weber
	2400	70	Schaeff

Thursday

Date	Time	Temp.	Name (Print)
9-12-24	0300	70	Schaeff
	0600	70	L. Mora
	0900	70	L. Mora
	1200	70	L. Mora
	1500	70	Weber
	1800	71	Novak
	2100	70	Novak
	2400	70	Schaeff

Friday

Date	Time	Temp.	Name (Print)
9-13-24	0300	70	Schaeff
	0600	70	L. Mora
	0900	70	L. Mora
	1200	70	L. Mora
	1500	70	=Sobieck
	1800	70	=Sobieck
	2100	70	=Sobieck
	2400	70	H. Elling

Saturday

Date	Time	Temp.	Name (Print)
9-14-24	0300	70	
	0600	70	Weber
	0900	71	Weber
	1200	70	Weber
	1500	70	Weber
	1800	70	Weber
	2100	70	Weber
	2400	70	KELLEY

Notes

Date	Time	Temp.	Name (Print)
9-15-24	0300	69	KELLEY
	0600	70	Valdovinos
	0900	70	Valdovinos
	1200	70	Valdovinos
	1500	70	Weber
	1800	71	Weber
	2100	70	Weber
	2400	70	KELLEY

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B7

Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5565 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	70	Chittach
	0600	72	Reynoso
	0900	72	Reynoso
	1200	72	Reynoso
	1500	75	Gonzalez
	1800	74	Gonzalez
	2100	75	Gonzalez
	2400	70	Chittach

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	75	MCCASLAND
	0600	72	D Lunsford
	0900	73	Lunsford
	1200	73	Lunsford
	1500	72	Nava
	1800	71	Nava
	2100	71	Nava
	2400	70	G. Price

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	70	G. Price
	0600	71	D Lunsford
	0900	72	D Lunsford
	1200	73	D Lunsford
	1500	75	M. Gonzalez
	1800	76	M. Gonzalez
	2100	75	M. Gonzalez
	2400	70	G. Price

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	70	G. Price
	0600	71	D Lunsford
	0900	72	D Lunsford
	1200	73	D Lunsford
	1500	73	A. MASTERS
	1800	72	A. MASTERS
	2100	73	A. MASTERS
	2400	70	Chittach

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	76	Chittach
	0600	71	Valdivino
	0900	71	Valdivino
	1200	71	Valdivino
	1500	70	None
	1800	70	None
	2100	72	None
	2400	75	MCCASLAND

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	70	G. Price
	0600	71	D Lunsford
	0900	71	D Lunsford
	1200	73	D Lunsford
	1500	73	Rivas
	1800	73	Rivas
	2100	70	Rivas
	2400	70	G. Price

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	70	G. Price
	0600	71	D Lunsford
	0900	72	D Lunsford
	1200	73	D Lunsford
	1500	73	J. Subtack
	1800	73	J. Subtack
	2100	72	J. Subtack
	2400	70	G. Price

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-8 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9/9/24

Date	Time	Temp.	Name (Print)
	0300	70	Haag, T
	0600	72	A. GASTELUM
	0900	73	A. GASTELUM
	1200	73	A. GASTELUM
	1500	73	A. GASTELUM
	1800	73	A. GASTELUM
	2100	72	A. GASTELUM
	2400	72	Singh

Wednesday 9/11/24

Date	Time	Temp.	Name (Print)
	0300	70	M. Blaisdell
	0600	73	Abramathy
	0900	71	Abramathy
	1200	73	Abramathy
	1500	73	Braun
	1800	73	Braun
	2100	73	Braun
	2400	72	M. Blaisdell

Friday 9/13/24

Date	Time	Temp.	Name (Print)
	0300	73	H. Gutierrez
	0600	73	T. Subjackson
	0900	73	T. Subjackson
	1200	73	T. Subjackson
	1500	73	Braun
	1800	73	Braun
	2100	73	Braun
	2400	74	H. Gutierrez

Sunday 9/15/24

Date	Time	Temp.	Name (Print)
	0300	72	Singh
	0600	73	A. GASTELUM
	0900	72	A. Gastelum
	1200	72	A. Gastelum
	1500	73	W. CRUZ
	1800	73	W. CRUZ
	2100	72	W. CRUZ
	2400	71	Haag, T

Tuesday 9/10/24

Date	Time	Temp.	Name (Print)
	0300	72	Singh
	0600	72	A. GASTELUM
	0900	73	A. GASTELUM
	1200	73	A. GASTELUM
	1500	73	Braun
	1800	73	Braun
	2100	73	Braun
	2400	72	Blaisdell

Thursday 9/12/24

Date	Time	Temp.	Name (Print)
	0300	70	M. Blaisdell
	0600	72	Abramathy
	0900	72	Abramathy
	1200	73	Abramathy
	1500	73	Braun
	1800	73	Braun
	2100	73	Braun
	2400	73	H. Gutierrez

Saturday 9/14/24

Date	Time	Temp.	Name (Print)
	0300	74	H. Gutierrez
	0600	73	BRAUN Subject
	0900	73	Subj
	1200	73	Subj
	1500	73	Braun
	1800	73	Braun
	2100	73	Braun
	2400	73	Seo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1 Temp. Reading Location: SECOND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 2024			
Date	Time	Temp.	Name (Print)
9-16-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	71	J. Johnson
	1500	70	E. Vadhais
	1800	71	E. Vadhais
	2100	70	E. Vadhais
	2400	70	NELSON

Tuesday 2024			
Date	Time	Temp.	Name (Print)
9-17-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. Vadhais
	1800	70	E. Vadhais
	2100	70	E. Vadhais
	2400	70	NELSON

Wednesday 2024			
Date	Time	Temp.	Name (Print)
9-18-24	0300	70	NELSON
	0600	70	Bellings
	0900	70	Bellings
	1200	70	Bellings
	1500	70	Bellings
	1800	70	Bellings
	2100	70	Bellings
	2400	70	NELSON

Thursday 2024			
Date	Time	Temp.	Name (Print)
9-19-24	0300	70	NELSON
	0600	70	XIONG
	0900	72	XIONG
	1200	72	XIONG
	1500	72	(Bellings)
	1800	71	Bellings
	2100	70	Bellings
	2400	70	NELSON

Friday 2024			
Date	Time.	Temp.	Name (Print)
9-20-24	0300	70	NELSON
	0600	70	J. Carrillo
	0900	71	J. Carrillo
	1200	71	J. Carrillo
	1500	72	E. Romero
	1800	72	E. Romero
	2100	70	E. Romero
	2400	70	Haegi

Saturday 2024			
Date	Time	Temp.	Name (Print)
9-21-24	0300	70	Haegi
	0600	70	W. CRUZ
	0900	70	W. CRUZ
	1200	71	W. CRUZ
	1500	72	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	Haegi

Sunday 2024			
Date	Time	Temp.	Name (Print)
9-22-24	0300	70	Haegi
	0600	71	Ruvilca
	0900	72	Ruvilca
	1200	72	Ruvilca
	1500	72	E. Romero
	1800	72	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-2 Temp. Reading Location: A,B,C UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		/	/2021
Date	Time	Temp.	Name (Print)
9/16	0300	70	Gonzalez
	0600	76	LANDIN
	0900	77	LANDIN
	1200	72	LANDIN
	1500	72	Gonzalez
	1800	75	Gonzalez
	2100	71	Gonzalez
	2400	70	Kingman

Tuesday		/	2021
Date	Time	Temp.	Name (Print)
9/17	0300	70	KARPINSKI
	0600	70	Navy
	0900	71	Navy
	1200	70	Navy
	1500	72	Gonzalez
	1800	72	Gonzalez
	2100	70	Gonzalez
	2400	70	KARPINSKI

Wednesday		/	1/2021
Date	Time	Temp.	Name (Print)
9/18	0300	30	Martinez
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Ward Jr
	1800	71	Ward
	2100	70	Ward Jr
	2400	70	Hagan

Thursday		/	1/2021
Date	Time	Temp.	Name (Print)
9/19	0300	70	Hegar
	0600	70	Schen
	0900	70	Schen
	1200	72	Schen
	1500	72	N.VANG
	1800	72	N. Vang
	2100	72	n.vang
	2400	70	Hegar, I.

Friday / 2021			
Date	Time	Temp.	Name (Print)
<i>9/20</i>	0300	70	<i>Haegst,</i>
	0600	70	<i>Schau</i>
	0900	72	<i>Schen</i>
	1200	72	<i>Schen</i>
	1500	71	<i>Worsh</i>
	1800	72	<i>Worsh</i>
	2100	71	<i>Worsh</i>
	2400	70	<i>Worsh</i>

Saturday		/	1/2021
Date	Time	Temp.	Name (Print)
9/21	0300	70	Moriniec
	0600	70	Schen
	0900	70	Schen
	1200	72	Schen
	1500	72	Vadnais
	1800	71	Vadnais
	2100	71	Vadnais
	2400	70	Moriniec

Sunday		/	/2021
Date	Time	Temp.	Name (Print)
9/22	0300	70	Karen Johnson
	0600	70	Gronlund
	0900	70	Gronlund
	1200	70	Gronlund
	1500	77	Vadnais
	1800	77	Vadnais
	2100	77	Vadnais
	2400	70	Martinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B4 Temp. Reading Location: 2nd tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/18	0300	72	C. LESLEY
	0600	74	B. DIAZ
	0900	74	B. DIAZ
	1200	74	B. DIAZ
	1500	74	A. LITTLE
	1800	73	A. LITTLE
	2100	73	A. LITTLE
	2400	72	C. LESLEY

Tuesday

Date	Time	Temp.	Name (Print)
9/19	0300	72	C. LESLEY
	0600	72	B. DIAZ
	0900	74	B. DIAZ
	1200	74	B. DIAZ
	1500	74	Becker
	1800	74	Becker
	2100	71	Becker
	2400	71	EDWY

Wednesday

Date	Time	Temp.	Name (Print)
9/20	0300	71	E. SAWYER
	0600	75	B. DIAZ
	0900	75	B. DIAZ
	1200	75	B. DIAZ
	1500	74	Becker
	1800	72	Becker
	2100	71	Becker
	2400	71	Sawyer

Thursday

Date	Time	Temp.	Name (Print)
9/21	0300	71	Sawyer
	0600	71	B. DIAZ
	0900	74	B. DIAZ
	1200	74	B. DIAZ
	1500	74	A. LITTLE
	1800	73	A. LITTLE
	2100	72	A. LITTLE
	2400	72	E. SAWYER

Friday

Date	Time	Temp.	Name (Print)
9/22	0300	72	E. SAWYER
	0600	72	B. DIAZ
	0900	74	B. DIAZ
	1200	75	B. DIAZ
	1500	75	A. LITTLE
	1800	74	A. LITTLE
	2100	73	A. LITTLE
	2400	73	C. PERIN

Saturday

Date	Time	Temp.	Name (Print)
9/23	0300	73	C. PERIN
	0600	72	REMOZO
	0900	72	REMOZO
	1200	73	REMOZO
	1500	73	A. LITTLE
	1800	72	A. LITTLE
	2100	71	A. LITTLE
	2400	71	SCHWARTZ

Notes

Date	Time	Temp.	Name (Print)
9/24	0300	71	SCHWARTZ
	0600	71	REMOZO
	0900	71	REMOZO
	1200	71	REMOZO
	1500	71	A. LITTLE
	1800	70	A. LITTLE
	2100	71	A. LITTLE
	2400	72	C. LESLEY

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-16-24	0300	73	GARRISON
	0600	74	D. LEON
	0900	76	D. LEON
	1200	76	D. LEON
	1500	75	D. Becker
	1800	72	D. Becker
	2100	71	D. Becker
	2400	69	GARRISON

Tuesday

Date	Time	Temp.	Name (Print)
9-17-24	0300	69	GARRISON
	0600	69	D. LEON
	0900	70	D. LEON
	1200	74	D. LEON
	1500	75	A. Merencio
	1800	73	A. Merencio
	2100	72	A. Merencio
	2400	69	GARRISON

Wednesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	69	GARRISON
	0600	69	D. LEON
	0900	73	D. LEON
	1200	75	D. LEON
	1500	75	A. Merencio
	1800	75	A. Merencio
	2100	74	A. Merencio
	2400	74	RIOS

Thursday

Date	Time	Temp.	Name (Print)
9-19-24	0300	74	RIOS
	0600	74	RIOS
	0900	76	D. LEON
	1200		D. LEON
	1500	75	Merencio
	1800	75	Merencio
	2100	74	Merencio
	2400	73	SCHUTZ

Friday

Date	Time	Temp.	Name (Print)
9-20-24	0300	73	SCHUTZ
	0600	73	Valdovinos
	0900	72	Valdovinos
	1200	72	Valdovinos
	1500	73	Merencio
	1800	74	Merencio
	2100	73	Merencio
	2400	73	SCHUTZ

Saturday

Date	Time	Temp.	Name (Print)
9-21-24	0300	73	SCHUTZ
	0600	72	Valdovinos
	0900	72	Valdovinos
	1200	72	Valdovinos
	1500	73	Merencio
	1800	74	Merencio
	2100	73	Merencio
	2400	73	RIOS

Notes

Date	Time	Temp.	Name (Print)
9-22-24	0300	74	RIOS
	0600	74	RIOS
	0900	76	D. LEON
	1200	76	D. LEON
	1500	75	D. Becker
	1800	73	D. Becker
	2100	72	D. Becker
	2400	72	J. Hernandez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B6

Temp. Reading Location: A SECTION

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	70	Keeley
	0600	70	Valdovinos
	0900	70	Valdovinos
	1200	70	Barker
	1500	70	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	70	Schaefer

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	70	Schaefer
	0600	69	A. Hernandez
	0900	69	A. Hernandez
	1200	69	A. Hernandez
	1500	70	Weltz
	1800	70	Weltz
	2100	70	Weltz
	2400	70	Schaefer

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70	Schaefer
	0600	70	H. Hernandez
	0900	71	H. Hernandez
	1200	71	H. Hernandez
	1500	70	Weltz
	1800	70	Weltz
	2100	70	Weltz
	2400	70	Hernandez

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70	Schaefer
	0600	70	H. Hernandez
	0900	70	H. Hernandez
	1200	71	H. Hernandez
	1500	75	F. Subrahmanian
	1800	73	F. Subrahmanian
	2100	73	F. Subrahmanian
	2400	71	

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	69	Keeley
	0600	70	Valdovinos
	0900	70	Valdovinos
	1200	70	Valdovinos
	1500	70	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	70	Candela

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	Pena
	0600	70	C. GIL
	0900	71	C. GIL
	1200	72	C. GIL
	1500	72	A. Pena
	1800	72	A. Pena
	2100	71	A. Pena
	2400	70	Schaefer

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70	
	0600	70	Hernandez
	0900	70	H. Hernandez
	1200	75	H. Hernandez
	1500	70	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	70	Keeley

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSO

Housing Unit: 87

Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70	Chittock
	0600	71	REYNOSO
	0900	71	REYNOSO
	1200	71	REYNOSO
	1500	71	ZAMUDIO
	1800	71	ZAMUDIO
	2100	71	ZAMUDIO
	2400	72	Chittock

Wednesday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	G-PAGE
	0600	71	D. Cunford
	0900	72	D. Cunford
	1200	73	D. Cunford
	1500	73	ZAMUDIO
	1800	73	ZAMUDIO
	2100	73	ZAMUDIO
	2400	70	G-PAGE

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70	G-PAGE
	0600	70	D. Cunford
	0900	71	D. Cunford
	1200	72	D. Cunford
	1500	72	ZAMUDIO
	1800	72	ZAMUDIO
	2100	72	ZAMUDIO
	2400	70	G-PAGE

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	70	G-PAGE
	0600	72	D. Cunford
	0900	72	D. Cunford
	1200	73	D. Cunford
	1500	73	C. Madayat
	1800	72	C. Madayat
	2100	72	C. Madayat
	2400	72	C. Madayat

Tuesday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70	Chittock
	0600	70	Vallarino
	0900	70	Vallarino
	1200	70	Vallarino
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G-PAGE

Thursday

Date	Time	Temp.	Name (Print)
9/23/24	0300	70	G-PAGE
	0600	70	D. Cunford
	0900	72	D. Cunford
	1200	73	D. Cunford
	1500	73	ZAMUDIO
	1800	73	ZAMUDIO
	2100	73	ZAMUDIO
	2400	70	G-PAGE

Saturday

Date	Time	Temp.	Name (Print)
9/25/24	0300	70	G-PAGE
	0600	72	D. Cunford
	0900	72	D. Cunford
	1200	72	T. Sutack
	1500	72	T. Sutack
	1800	72	T. Sutack
	2100	70	G-PAGE
	2400	70	G-PAGE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B8 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		9/16/24	
Date	Time	Temp.	Name (Print)
	0300	71	BRUNO T
	0600	72	GASTELUM
	0900	72	GASTELUM
	1200	73	GASTELUM
	1500	73	GASTELUM
	1800	73	GASTELUM
	2100	72	GASTELUM
	2400	70	BLADDERWEE

Wednesday		9/18/24	
Date	Time	Temp.	Name (Print)
	0300	72	K. McCasland
	0600	69	Aberathy
	0900	69	Aberathy
	1200	71	Aberathy
	1500	72	Braun
	1800	72	Braun
	2100	72	Braun
	2400	71	Hartung

Friday		9/20/24	
Date	Time	Temp.	Name (Print)
	0300	72	H. Gutierrez
	0600	72	J. Subinach
	0900	72	J. Subinach
	1200	72	J. Subinach
	1500	72	J. Subinach
	1800	72	Brown
	2100	72	Brown
	2400	73	H. Gutierrez

Sunday		9/22/24	
Date	Time	Temp.	Name (Print)
9/22/24	0300	72	C. d. leucanthemoides
	0600	72	A. GASTELUM
	0900	72	A. GASTELUM
	1200	73	A. GASTELUM
	1500	73	W. CRUT
	1800	73	W. CRUT
	2100	72	W. CRUT
	2400	71	Hausnit

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Dat	Time	Temp.	Name (Print)
	0300	70	D. Braun
	0600	70	J. Xiong
	0900	71	J. Xiong
	1200	71	J. Xiong
	1500	71	D. Braun
	1800	72	D. Braun
	2100	72	D. Braun
	2400	72	R. MCCARTHY

Date	Time	Temp.	Name (Print)
	0300	70	Hawkins
	0600	68	Abernathy
	0900	68	Abernathy
	1200	70	Abernathy
	1500	70	Brown
	1800	70	Brown
	2100	70	Brown
	2400	72	H. Gutierrez

Saturday		9/21/24	
Date	Time	Temp.	Name (Print)
	0300	73	H. Gutierrez
	0600	72	J. Subjek
	0900	72	J. Subjek
	1200	73	J. Subjek
	1500	73	V. Garcia
	1800	73	V. Garcia
	2100	73	V. Garcia
	2400	72	C. Rodriguez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1

Temp. Reading Location: SECOND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-23-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	72	J. Johnson
	1500	70	A. LABRADA
	1800	71	A. LABRADA
	2100	70	A. LABRADA
	2400	70	NELSON

Tuesday

Date	Time	Temp.	Name (Print)
9-24-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	72	J. Johnson
	1200	72	J. Johnson
	1500	70	E. Vadhais
	1800	71	E. Vadhais
	2100	71	E. Vadhais
	2400	70	NELSON

Wednesday

Date	Time	Temp.	Name (Print)
9-25-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	71	J. Johnson
	1500	71	C. Bellinger
	1800	71	C. Bellinger
	2100	71	C. Bellinger
	2400	70	NELSON

Thursday

Date	Time	Temp.	Name (Print)
9-26-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	71	J. Johnson
	1500	72	C. Bellinger
	1800	71	C. Bellinger
	2100	71	C. Bellinger
	2400	70	NELSON

Friday

Date	Time	Temp.	Name (Print)
9-27-24	0300	70	NELSON
	0600	70	J. Carrillo
	0900	71	J. Carrillo
	1200	71	J. Carrillo
	1500	72	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	Haug, J.

Saturday

Date	Time	Temp.	Name (Print)
9-28-24	0300	70	Haug, J.
	0600	70	J. Carrillo
	0900	71	J. Carrillo
	1200	71	J. Carrillo
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	W. BLACK

Notes

Date	Time	Temp.	Name (Print)
9-29-24	0300	70	W. BLACK
	0600	70	J. Johnson
	0900	71	J. Johnson
	1200	71	J. Johnson
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-2

Temp. Reading Location: A,B,C UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9/23/2021

Date	Time	Temp.	Name (Print)
9/23	0300	70	MARTINEZ
	0600	70	Nova
	0900	70	Nova
	1200	71	Nova
	1500	71	E. Vadhais
	1800	71	E. Vadhais
	2100	70	E. Vadhais
	2400	70	PALAFIX

Tuesday 9/24/2021

Date	Time	Temp.	Name (Print)
	0300	70	PALAFIX
	0600	71	Garnica
	0900	72	Garnica
	1200	72	Garnica
	1500	71	E. Vadhais
	1800	70	E. Vadhais
	2100	70	E. Vadhais
	2400	70	PALAFIX

Wednesday 9/25/2021

Date	Time	Temp.	Name (Print)
9/25	0300	70	PALAFIX
	0600	70	Schm
	0900	70	Schm
	1200	70	Schm
	1500	71	Scott
	1800	71	Scott
	2100	71	Scott
	2400	70	T. HAGS

Thursday 9/26/2021

Date	Time	Temp.	Name (Print)
9/26	0300	70	T. HAGS
	0600	70	Schm
	0900	70	Schm
	1200	70	Schm
	1500	70	Scott
	1800	70	Scott
	2100	70	Scott
	2400	70	T. HAGS

Friday / 2021

Date	Time	Temp.	Name (Print)
9/27	0300	70	T. HAGS
	0600	70	Schm
	0900	70	Schm
	1200	70	Schm
	1500	70	E. Vadhais
	1800	70	E. Vadhais
	2100	70	E. Vadhais
	2400	70	MARTINEZ

Saturday / 2021

Date	Time	Temp.	Name (Print)
9/28	0300	70	MARTINEZ
	0600	70	Schm
	0900	70	Schm
	1200	70	Schm
	1500	71	E. Vadhais
	1800	70	E. Vadhais
	2100	70	E. Vadhais
	2400	70	MARTINEZ

Sunday / 2021

Date	Time	Temp.	Name (Print)
9/29	0300	70	MARTINEZ
	0600	70	Granlund
	0900	70	Granlund
	1200	70	Granlund
	1500	71	E. Vadhais
	1800	70	E. Vadhais
	2100	70	E. Vadhais
	2400	70	MARTINEZ

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B4 Temp. Reading Location: 2nd floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	72	L. LESLEY
	0600	73	B. DIAZ
	0900	74	B. DIAZ
	1200	74	B. DIAZ
	1500	74	B. DIAZ
	1800	73	D. BECKER
	2100	72	D. BECKER
	2400	72	E. Scott C. LESLEY

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	72	E Scoggins
	0600	72	B. Diaz
	0900	75	M. Diaz
	1200	75	M. Diaz
	1500	72	D Becker
	1800	71	D Becker
	2100	70	D Becker
	2400	70	E Scoggins

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	70	E Soto
	0600	70	B DIAZ
	0900	70	B DIAZ
	1200	70	B. DIAZ
	1500	70	A Little
	1800	70	A Little
	2100	70	A Little
	2400	70	E Soto

Sunday

Date	Time	Temp.	Name (Print)
9/29/84	0300	70	Schwarz
	0600	70	Reynoso
	0900	70	Reynoso
	1200	70	Reynoso
	1500	70	A. Little
	1800	71	A. Little
	2100	70	A. Little
	2400	70	J. Lesley

Tuesday

Dat	Time	Temp.	Name (Print)
9/24	0300	72	C. LESLEY
	0600	74	B. DIAZ
	0900	74	B. DIAZ
	1200	75	B. DIAZ
	1500	74	D. Becker
	1800	73	D. Becker
	2100	73	D. Becker
	2400	72	E. SAWYER

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	70	E. SWAN
	0600	72	B. DIAZ
	0900	72	B. DIAZ
	1200	72	B. DIAZ
	1500	72	A. LITTLER
	1800	71	A. LITTLER
	2100	70	A. LITTLER
	2400	70	E. SWAN

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	70	E. Sury
	0600	71	Reynoso
	0900	71	Reynoso
	1200	71	Reynoso
	1500	71	A. Little
	1800	71	A. Little
	2100	70	A. Little
	2400	70	S. Gulyas

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-23-24	0300	72	J. Hernandez
	0600	72	D. LEON
	0900	74	D. LEON
	1200	76	D. LEON
	1500	76	D. BECKER
	1800	73	D. BECKER
	2100	72	D. BECKER
	2400	72	Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
9-24-24	0300	72	Hernandez
	0600	72	D. LEON
	0900	74	D. LEON
	1200	76	D. LEON
	1500	74	Meroncio
	1800	74	Meroncio
	2100	73	Meroncio
	2400	72	Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
9-25-24	0300	72	Hernandez
	0600	72	D. LEON
	0900	74	D. LEON
	1200	76	D. LEON
	1500	75	Meroncio
	1800	74	Meroncio
	2100	73	Meroncio
	2400	72	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
9-26-24	0300	72	Hernandez
	0600	72	D. LEON
	0900	74	D. LEON
	1200	75	D. LEON
	1500	75	Meroncio
	1800	74	Meroncio
	2100	74	Meroncio
	2400	74	CAVAZOS

Friday

Date	Time	Temp.	Name (Print)
9-27-24	0300	73	CAVAZOS
	0600	72	Valdovino
	0900	72	Valdovino
	1200	72	Valdovino
	1500	73	Meroncio
	1800	73	Meroncio
	2100	72	Meroncio
	2400	72	STAUTZ

Saturday

Date	Time	Temp.	Name (Print)
9-28-24	0300	72	SCOTT
	0600	72	CANDIN
	0900	72	(INDIA)
	1200	75	CANDIN
	1500	74	Meroncio
	1800	74	Meroncio
	2100	73	Meroncio
	2400	72	Hernandez

Notes

Date	Time	Temp.	Name (Print)
9-28-24	0300	72	Hernandez
	0600	72	D. LEON
	0900	72	D. LEON
	1200	76	D. LEON
	1500	76	M. Hernandez
	1800	76	PAUL
	2100	74	PAUL
	2400	74	GARRETTSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/18)

OP 1014, Attachment H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit B6

Temp. Reading Location: Ind Tiers

(e.g. 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	71	Candela
	0600	70	Valdovinos
	0900	70	Valdovinos
	1200	70	Valdovinos
	1500	70	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	70	Weltz

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	70	Silva
	0600	70	Carrillo
	0900	72	Carrillo
	1200	72	Carrillo
	1500	71	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	70	Edgar

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	70	Silva
	0600	70	Sanchez
	0900	70	Sanchez
	1200	70	Sanchez
	1500	70	J. Suback
	1800	70	J. Suback
	2100	70	J. Suback
	2400	70	Silva

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	70	A. MELENDOZ
	0600	70	Valdovinos
	0900	70	Valdovinos
	1200	70	Valdovinos
	1500	70	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	70	A. MELENDOZ

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	70	Silva
	0600	72	Carrillo
	0900	71	Carrillo
	1200	71	Carrillo
	1500	73	StarDevant
	1800	73	StarDevant
	2100	73	StarDevant
	2400	70	Edgar

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	70	Silva
	0600	71	Reynoso
	0900	71	Reynoso
	1200	71	Reynoso
	1500	71	J. Suback
	1800	71	J. Suback
	2100	70	J. Suback
	2400	70	J. Suback

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	70	Silva
	0600	70	M. Rodriguez
	0900	70	M. Rodriguez
	1200	72	M. Rodriguez
	1500	71	Weltz
	1800	70	Weltz
	2100	71	Weltz
	2400	71	A. Melendez

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B7 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	72	C. Madras
	0600	71	Reynoso
	0900	71	Reynoso
	1200	71	Reynoso
	1500	71	ZAMUDIO
	1800	71	ZAMUDIO
	2100	71	ZAMUDIO
	2400	72	Singh

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	71	Singh
	0600	71	Valdovinos
	0900	71	Valdovinos
	1200	71	Valdovinos
	1500	71	ZAMUDIO
	1800	71	ZAMUDIO
	2100	71	ZAMUDIO
	2400	70	J. Flores

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	70	J. Flores
	0600	70	J. Flores
	0900	71	D. Lunsford
	1200	73	D. Lunsford
	1500	73	ZAMUDIO
	1800	73	ZAMUDIO
	2100	71	ZAMUDIO
	2400	73	MCCASLAND

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	73	MCCASLAND
	0600	73	D. Lunsford
	0900	73	D. Lunsford
	1200	73	D. Lunsford
	1500	73	ZAMUDIO
	1800	73	ZAMUDIO
	2100	73	ZAMUDIO
	2400	70	G. RPE

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	70	G. RPE
	0600	71	D. Lunsford
	0900	73	D. Lunsford
	1200	73	D. Lunsford
	1500	73	ZAMUDIO
	1800	73	ZAMUDIO
	2100	71	ZAMUDIO
	2400	70	G. RPE

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	70	G. RPE
	0600	72	D. Lunsford
	0900	73	D. Lunsford
	1200	73	D. Lunsford
	1500	72	Subjack
	1800	72	Subjack
	2100	71	Subjack
	2400	70	G. RPE

Notes

Date	Time	Temp.	Name (Print)
9/29/24	0300	70	G. RPE
	0600	71	D. Lunsford
	0900	71	D. Lunsford
	1200	72	D. Lunsford
	1500	73	G. RPE
	1800	72	G. RPE
	2100	72	G. RPE
	2400	70	Chittick

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-8 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 2024

Date	Time	Temp.	Name (Print)
<u>9/23</u>	0300	71	Haag, T.
	0600	72	GASTELUM
	0900	72	GASTELUM
	1200	73	GASTELUM
	1500	73	GASTELUM
	1800	73	GASTELUM
	2100	72	GASTELUM
	2400	71	Haag, T.

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/25</u>	0300	75	Medrano
	0600	75	Medrano
	0900	72	Callegos
	1200	73	Callegos
	1500	74	BLAKESLEE
	1800	74	BLAKESLEE
	2100	74	BLAKESLEE
	2400	73	S.Mccovey

Friday

Date	Time	Temp.	Name (Print)
<u>9/27</u>	0300	72	H.Gutierrez
	0600	73	R.Saback
	0900	74	T.Saback
	1200	74	T.Saback
	1500	75	E.FARIAS
	1800	73	R.FARIAS
	2100	79	E.FARIAS
	2400	73	H.Gutierrez

Sunday

Date	Time	Temp.	Name (Print)
<u>9/29</u>	0300	73	C.Scar
	0600	73	A.GASTELUM
	0900	74	GASTELUM
	1200	74	GASTELUM
	1500	73	W.CRUZ
	1800	73	W.CRUZ
	2100	72	W.CRUZ
	2400	72	Haag, T.

Tuesday

Date	Time	Temp.	Name (Print)
<u>9/24</u>	0300	71	Haag, T.
	0600	71	GASTELUM
	0900	72	GASTELUM
	1200	73	GASTELUM
	1500	72	W.CRUZ
	1800	72	W.CRUZ
	2100	72	W.CRUZ
	2400	75	Medrano

Thursday

Date	Time	Temp.	Name (Print)
<u>9/26</u>	0300	71	S.Mccovey
	0600	71	S.Mccovey
	0900	74	Abramethy
	1200	68	Abramethy
	1500	72	BLAKESLEE
	1800	73	BLAKESLEE
	2100	72	BLAKESLEE
	2400	72	H.Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
<u>9/28</u>	0300	73	H.Gutierrez
	0600	73	Z.Saback
	0900	75	Z.Saback
	1200	73	Z.Saback
	1500	73	Braun
	1800	73	Braun
	2100	73	Braun
	2400	73	CSW

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PISP Housing Unit: D-1 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/2/18</u>	0300	70	Jaget, I.
	0600	70	J. Morris
	0900	70	J. Morris
	1200	72	J. Morris
	1500	72	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	Jaget, I.

Tuesday

Date	Time	Temp.	Name (Print)
<u>9/3/18</u>	0300	70	Jaget, I.
	0600	70	W. BLACK
	0900	70	W. BLACK
	1200	70	W. BLACK
	1500	70	B. Williams
	1800	70	B. Williams
	2100	69	B. Williams
	2400	70	Jaget, I.

Wednesday

Date	Time	Temp.	Name (Print)
<u>9/4/18</u>	0300	71	Jaget, I.
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	72	ESPARZA
	1800	72	ESPARZA
	2100	72	ESPARZA
	2400	72	VINCENT, M.

Thursday

Date	Time	Temp.	Name (Print)
<u>9/5/18</u>	0300	72	Jaget, I.
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	72	C. CONTRERA
	1800	71	C. CONTRERA
	2100	71	C. CONTRERA
	2400	70	C. M. BAKER

Friday

Date	Time	Temp.	Name (Print)
<u>9/7/18</u>	0300	70	L. M. BAKER
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	72	W. BLACK
	1800	72	W. BLACK
	2100	71	W. BLACK
	2400	72	Jaget, I.

Saturday

Date	Time	Temp.	Name (Print)
<u>9/8/18</u>	0300	72	Jaget, I.
	0600	71	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	72	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	72	Jaget, I.

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Chapman cpt.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 12 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9/2/24

Date	Time	Temp.	Name (Print)
9/2/24	0300	74	R. O'Neil
	0600	74	H. Stephens
	0900	71	H. Stephens
	1200	73	H. Stephens
	1500	73	A. Ochoa
	1800	74	A. Ochoa
	2100	73	A. Ochoa
	2400	74	SERVIN

Wednesday 9/4/24

Date	Time	Temp.	Name (Print)
9/4/24	0300	74	SERVIN
	0600	74	W. BLACK
	0900	73	W. BLACK
	1200	73	W. BLACK
	1500	75	Candela
	1800	74	Candela
	2100	73	Candela
	2400	73	Carmone

Friday 9/6/24

Date	Time	Temp.	Name (Print)
9/6/24	0300	71	Carmone
	0600	76 A	Rodriguez
	0900	76 B	Rodriguez
	1200	75 C	Rodriguez
	1500	75	ESPOL
	1800	75	ESPOL
	2100	75	ESPOL
	2400	75	A. Pine

Sunday 9/8/24

Date	Time	Temp.	Name (Print)
9/8/24	0300	75	Carmone
	0600	75	B. L. L.
	0900	75	B. L. L.
	1200	75	B. L. L.
	1500	75	A. Ochoa
	1800	74	A. Ochoa
	2100	74	A. Ochoa
	2400	75	SERVIN

Tuesday 9/3/24

Date	Time	Temp.	Name (Print)
9/3/24	0300	74	SERVIN
	0600	74	H. Stephens
	0900	74	H. Stephens
	1200	74	H. Stephens
	1500	73	C. Lesley
	1800	73	C. Lesley
	2100	72	C. Lesley
	2400	74	SERVIN

Thursday 9/5/24

Date	Time	Temp.	Name (Print)
9/5/24	0300	74	Carmone
	0600	74	M. LOISEAU
	0900	75	M. LOISEAU
	1200	75	M. LOISEAU
	1500	75	Zefeh
	1800	75	Zefeh
	2100	75	Zefeh
	2400	75	Carmone

Saturday 9/7/24

Date	Time	Temp.	Name (Print)
9/7/24	0300	74	A. Pine
	0600	75	Zefeh
	0900	75	Zefeh
	1200	75	Zefeh
	1500	75	Zefeh
	1800	75	Zefeh
	2100	75	Zefeh
	2400	75	Carmone

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-3 Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/2/2024	0300	73	Oniel
	0600	73	B. Howe
	0900	74	B. Howe
	1200	73	B. Howe
	1500	74	Candela
	1800	74	Candela
	2100	73	Candela
	2400	75	SERVIN

Tuesday			
Date	Time	Temp.	Name (Print)
9/3/24	0300	74	SERVIN
	0600	73	LEVEQUE
	0900	73	LEVEQUE
	1200	73	LEVEQUE
	1500	74	Candela
	1800	73	Candela
	2100	73	Candela
	2400	75	SERVIN

Wednesday			
Date	Time	Temp.	Name (Print)
9/4/24	0300	75	SERVIN
	0600	75	Rodriguez
	0900	76	Rodriguez
	1200	76	Rodriguez
	1500	80	Gibbons
	1800	78	Gibbons
	2100	76	Gibbons
	2400	76	Carmona

Thursday			
Date	Time	Temp.	Name (Print)
9/5/24	0300	75	Carmona
	0600	75	Rodriguez
	0900	76	Rodriguez
	1200	78	Rodriguez
	1500	77	Stevenson
	1800	77	Stevenson
	2100	77	Stevenson
	2400	77	Carmona

Friday			
Date	Time	Temp.	Name (Print)
9/6/24	0300	77	Carmona
	0600	77	Sabir
	0900	77	Sabir
	1200	78	Sabir
	1500	76	Gibbons
	1800	76	Gibbons
	2100	76	Gibbons
	2400	76	A. Pena

Saturday			
Date	Time	Temp.	Name (Print)
9/7/24	0300	75	A. Pena
	0600	76	R. Reynolds
	0900	75	R. Reynolds
	1200	74	R. Reynolds
	1500	76	Gibbons
	1800	76	Gibbons
	2100	76	Gibbons
	2400	76	Carmona

Sunday			
Date	Time	Temp.	Name (Print)
9/8/24	0300	74	Carmona
	0600	72	F. Gomes
	0900	72	F. Gomes
	1200	71	F. Gomes
	1500	73	A. Carter
	1800	73	R. Carter
	2100	73	R. Carter
	2400	74	SERVIN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-4 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5365 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	75	Layfield
	0600	75	Devereux
	0900	74	Devereux
	1200	74	O'Connell
	1500	74	Magnson
	1800	74	Magnson
	2100	72	Magnson
	2400	75	Layfield

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	75	Layfield
	0600	75	Layfield
	0900	75	Layfield
	1200	75	Layfield
	1500	75	Magnson
	1800	75	Magnson
	2100	73	Magnson
	2400	75	Layfield

Wednesday

Date	Time	Temp.	Name (Print)
9/24	0300	75	Layfield
	0600	76	Carsen
	0900	77	Carsen
	1200	77	Carsen
	1500	75	Hansford
	1800	75	Hansford
	2100	75	Hansford
	2400	76	K. McNaught

Thursday

Date	Time	Temp.	Name (Print)
9/24	0300	75	K. McNaught
	0600	76	Carsen
	0900	77	Carsen
	1200	78	Carsen
	1500	76	Hansford
	1800	76	Hansford
	2100	76	Hansford
	2400	77	Hagel

Friday

Date	Time	Temp.	Name (Print)
9/24	0300	72	McKee
	0600	75	Carsen
	0900	76	Carsen
	1200	76	Carsen
	1500	75	Hansford
	1800	75	Hansford
	2100	75	Hansford
	2400	75	Layfield

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	75	Layfield
	0600	75	Carsen
	0900	76	Carsen
	1200	76	Carsen
	1500	76	Hagel
	1800	75	Hagel
	2100	75	Hagel
	2400	75	Layfield

Sunday

Date	Time	Temp.	Name (Print)
9/24	0300	72	Layfield
	0600	75	Remoldos
	0900	73	Remoldos
	1200	72	Remoldos
	1500	72	Hagel
	1800	72	Hagel
	2100	71	Hagel
	2400	75	Layfield

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-5

Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-2-24	0300	71	Fior
	0600	71	Fior
	0900	72	CORROS
	1200	73	CERRO S
	1500	74	Kich
	1800	75	Ricks
	2100	72	Ricks
	2400	72	BARRAGAN

Wednesday

Date	Time	Temp.	Name (Print)
9-4-24	0300	74	A. Arias
	0600	74	K. SHEDD
	0900	74	K. SHEDD
	1200	75	K. SHEDD
	1500	78	RICKS
	1800	79	RICKS
	2100	74	RICKS
	2400	76	A. Arias

Friday

Date	Time	Temp.	Name (Print)
9-6-24	0300	76	A. Arias
	0600	76	K. SHEDD
	0900	76	K. SHEDD
	1200	76	K. SHEDD
	1500	75	WAGNER
	1800	75	WAGNER
	2100	74	WAGNER
	2400	76	A. Arias

Sunday

Date	Time	Temp.	Name (Print)
9-5-24	0300	74	A. Arias
	0600	74	Woods
	0900	74	Woods
	1200	74	Woods
	1500	76	RICKS
	1800	77	RICKS
	2100	72	RICKS
	2400	71	CHAM

Tuesday

Date	Time	Temp.	Name (Print)
9-5-24	0300	72	BARRAGAN
	0600	72	BROZ
	0900	72	BROZ
	1200	72	BROZ
	1500	74	Kicks
	1800	73	Kicks
	2100	73	Kicks
	2400	74	A. Arias

Thursday

Date	Time	Temp.	Name (Print)
9-5-24	0300	76	A. Arias
	0600	76	K. SHEDD
	0900	76	K. SHEDD
	1200	76	K. SHEDD
	1500	78	RICKS
	1800	77	RICKS
	2100	74	RICKS
	2400	76	A. Arias

Saturday

Date	Time	Temp.	Name (Print)
9-1-24	0300	76	A. Arias
	0600	76	Woods
	0900	74	Woods
	1200	74	Woods
	1500	74	WAGNER
	1800	74	WAGNER
	2100	74	WAGNER
	2400	74	A. Arias

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-6 Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	75	BARNARD
	0600	75	R. ROBINSON
	0900	75	R. ROBINSON
	1200	75	R. ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	75	WAGNER
	2400	76	SOLSBY

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	76	SABIR
	0600	76	R. ROBINSON
	0900	76	R. ROBINSON
	1200	76	R. ROBINSON
	1500	77	D. Higareda
	1800	76	D. Higareda
	2100	76	D. Higareda
	2400	77	SABIR

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	77	Sabir
	0600	76	R. Robinson
	0900	76	R. Robinson
	1200	76	R. Robinson
	1500	76	Bogoly
	1800	76	Bogoly
	2100	76	Bogoly
	2400	75	Sabir

Thursday

Date	Time	Temp.	Name (Print)
9/15/24	0300	75	Sabir
	0600	75	Robinson
	0900	75	Robinson
	1200	75	Robinson
	1500	75	Begley
	1800	75	Begley
	2100	75	Begley
	2400	77	Sabir

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	77	SABIR
	0600	77	BRANION
	0900	77	BRANION
	1200	78	BRANION
	1500	78	BANTISTA
	1800	78	BANTISTA
	2100	77	BANTISTA
	2400	78	SABIR

Saturday

Date	Time	Temp.	Name (Print)
9/12/9	0300	78	SABRY
	0600	76	BRANION
	0900	76	BRANION
	1200	78	BRANION
	1500	78	BAUTISTA
	1800	78	BAUTISTA
	2100	77	BAUTISTA
	2400	77	BRAHMAN

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	77	BARBERIAN
	0600	78	R. ROBINSON
	0900	78	R. ROBINSON
	1200	78	R. ROBINSON
	1500	77	G. GIT
	1800	78	G. GIT
	2100	78	G. GIT
	2400	77	BARBERIAN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/1	0300	75	Abernathy
	0600	75	Branson
	0900	75	Branson
	1200	76	Branson
	1500	75	Cessary
	1800	79	Castor
	2100	74	Castor
	2400	74	Abernathy

Tuesday			
Date	Time	Temp.	Name (Print)
9/3	0300	74	Abernathy
	0600	74	A. Rivera
	0900	75	A. Rivera
	1200	75	A. Rivera
	1500	75	Wagner
	1800	75	Wagner
	2100	75	Wagner
	2400	75	Abernathy

Wednesday			
Date	Time	Temp.	Name (Print)
9/4	0300	75	Abernathy
	0600	75	Vadnais
	0900	76	Vadnais
	1200	77	Vadnais
	1500	72	V. McNaull
	1800	77	V. McNaull
	2100	77	V. McNaull
	2400	77	Abernathy

Thursday			
Date	Time	Temp.	Name (Print)
9/5	0300	77	Abernathy
	0600	77	W. Black
	0900	78	W. Black
	1200	78	W. Black
	1500	78	L. McNeil
	1800	77	L. McNeil
	2100	77	L. McNeil
	2400	76	Borreson

Friday			
Date	Time	Temp.	Name (Print)
9/6	0300	76	Barber
	0600	76	Barber
	0900	77	Barber
	1200	77	Barber
	1500	76	Cham
	1800	76	Cham
	2100	76	Cham
	2400	76	Barber

Sunday			
Date	Time	Temp.	Name (Print)
9/8	0300	75	Abernathy
	0600	78	Branson
	0900	78	Branson
	1200	78	Branson
	1500	76	Cham
	1800	76	Cham
	2100	76	Cham
	2400	76	Abernathy

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: 2nd tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/12	0300	75	Abernathy
	0600	75	Charles
	0900	76	Charles
	1200	76	Charles
	1500	77	Thomas
	1800	77	Thomas
	2100	77	Thomas
	2400	76	Abernathy

Tuesday			
Date	Time	Temp.	Name (Print)
9/13	0300	75	Abernathy
	0600	76	Brannion
	0900	76	Brannion
	1200	76	Brannion
	1500	76	Thomas
	1800	76	Thomas
	2100	76	Thomas
	2400	76	Abernathy

Wednesday			
Date	Time	Temp.	Name (Print)
9/14	0300	75	Abernathy
	0600	75	Stephens
	0900	76	Stephens
	1200	77	Stephens
	1500	78	C. Hamilton
	1800	78	C. Hamilton
	2100	77	C. Hamilton
	2400	77	Abernathy

Thursday			
Date	Time	Temp.	Name (Print)
9/15	0300	77	Abernathy
	0600	77	Charles
	0900	77	Charles
	1200	77	Charles
	1500	77	C. Hamilton
	1800	77	C. Hamilton
	2100	76	C. Hamilton
	2400	76	Abernathy

Friday			
Date	Time	Temp.	Name (Print)
9/16/24	0300	76	Barnason
	0600	76	Barnason
	0900	76	Barnason
	1200	76	Barnason
	1500	77	C. Hamilton
	1800	77	C. Hamilton
	2100	76	C. Hamilton
	2400	76	Barnason

Saturday			
Date	Time	Temp.	Name (Print)
9/17/24	0300	76	Barnason
	0600	76	Cain
	0900	74	Cain
	1200	76	Charles
	1500	75	Lussery
	1800	76	Lussery
	2100	74	Lussery
	2400	76	Abernathy

Sunday			
Date	Time	Temp.	Name (Print)
9/18	0300	76	Abernathy
	0600	76	Charles
	0900	76	Charles
	1200	76	Charles
	1500	75	Lussery
	1800	74	Lussery
	2100	74	Lussery
	2400	74	Abernathy

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 9 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24/24	0300	76	B. BRABAW
	0600	75	P. BARNES
	0900	75	P. BARNES
	1200	76	P. Barnes
	1500	75	H. STEPHENS
	1800	76	H. Stephens
	2100	74	H. Stephens
	2400	76	SABRY

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	76	SABRY
	0600	76	P. BARNES
	0900	76	P. BARNES
	1200	77	P. Barnes
	1500	78	H. STEPHENS
	1800	75	H. STEPHENS
	2100	75	H. STEPHENS
	2400	76	SABRY

Wednesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	76	SABRY
	0600	76	P. BARNES
	0900	77	P. BARNES
	1200	77	P. BARNES
	1500	78	SABRY
	1800	77	P. BARNES
	2100	76	P. BARNES
	2400	75	SABRY

Thursday

Date	Time	Temp.	Name (Print)
9/24/24	0300	75	SABRY
	0600	75	BROZ
	0900	75	BROZ
	1200	75	BROZ
	1500	75	OCHOA
	1800	75	OCHOA
	2100	76	OCHOA
	2400	77	SABRY

Friday

Date	Time	Temp.	Name (Print)
9/24/24	0300	77	SABRY
	0600	76	STEVENS
	0900	76	STEVENS
	1200	75	STEVENS
	1500	74	USERY
	1800	74	USERY
	2100	73	USERY
	2400	77	SABRY

Saturday

Date	Time	Temp.	Name (Print)
9/24/24	0300	72	SABRY
	0600	75	GILES
	0900	75	GILES
	1200	74	GILES
	1500	75	BLK
	1800	75	BLK
	2100	75	BLK
	2400	75	BABY

Notes

Date	Time	Temp.	Name (Print)
9/24/24	0300	75	BABY
	0600	75	P. BARNES
	0900	75	P. BARNES
	1200	76	P. BARNES
	1500	76	BLK
	1800	75	BLK
	2100	75	BLK
	2400	75	BABY

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D 10 Temp. Reading Location: WALL SEC A-F
2nd 7/16
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2 24	0300	76	J. FIOR
	0600	76	J. FIOR
	0900	71	Mitchell
	1200	71	MCEAN
	1500	71	BROZ
	1800	71	BROZ
	2100	71	BROZ
	2400	71	BARRAGAN

Wednesday

Date	Time	Temp.	Name (Print)
9/4 24	0300	74	A. Arias
	0600	73	Mitchell
	0900	75	Mitchell
	1200	71	Mitchell
	1500	75	BROZ
	1800	75	BROZ
	2100	75	BROZ
	2400	75	A. Arias

Friday

Date	Time	Temp.	Name (Print)
9/6 24	0300	76	A. Arias
	0600	78	Mitchell
	0900	78	Mitchell
	1200	75	Mitchell
	1500	75	Stevenson
	1800	76	Stevenson
	2100	76	Stevenson
	2400	76	A. Arias

Sunday

Date	Time	Temp.	Name (Print)
9/8/24	0300	74	A. Arias
	0600	74	O'Connell
	0900	75	O'Connell
	1200	74	O'Connell
	1500	74	IVES
	1800	74	IVES
	2100	73	IVES
	2400	74	BARBER

Tuesday

Date	Time	Temp.	Name (Print)
9/3 24	0300	71	BARRAGAN
	0600	72	MITCHELL
	0900	74	MITCHELL
	1200	74	Mitchell
	1500	71	BROZ
	1800	74	BROZ
	2100	74	BROZ
	2400	74	A. Arias

Thursday

Date	Time	Temp.	Name (Print)
9/5 24	0300	76	A. Arias
	0600	76	Mitchell
	0900	78	Mitchell
	1200	75	Mitchell
	1500	75	BROZ
	1800	75	BROZ
	2100	75	BROZ
	2400	76	A. Arias

Saturday

Date	Time	Temp.	Name (Print)
9/7 24	0300	76	A. Arias
	0600	76	Rodriguez
	0900	75	Rodriguez
	1200	75	Rodriguez
	1500	76	DeSantis
	1800	74	DeSantis
	2100	72	DeSantis
	2400	74	A. Arias

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-1 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/94	0300	70	Loyd
	0600	70	J. Nichols
	0900	70	J. Nichols
	1200	70	J. Nichols
	1500	72	GRUNDY H.
	1800	72	GRUNDY H.
	2100	70	GRUNDY H.
	2400	70	Loyd

Tuesday

Dat	Time	Temp.	Name (Print)
9/24	0300	70	Loyd, L.
	0600	72	J. Nichols
	0900	70	J. Nichols
	1200	70	J. Nichols
	1500	72	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	72	Loyd, L.

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	72	Loyd/Lind
	0600	72	Stevenson
	0900	72	Stevenson
	1200	72	Stevenson
	1500	72	ESPARZA
	1800	72	ESPARZA
	2100	72	ESPARZA
	2400	72	V. McMillough

Thursday

Date	Time	Temp.	Name (Print)
9/12/21	0300	72	V. Mcfullough
	0600	72	UCIFL
	0900	72	UCIFL
	1200	72	UCIFL
	1500	72	V Ford
	1800	71	V Ford
	2100	71	V Ford
	2400	71	V. Mcfullough

Friday

Date	Time	Temp.	Name (Printy)
9/13/21	0300	71	V.McNay
	0600	71	C.moreno
	0900	72	C.moreno
	1200	72	moreno
	1500	74	W.BLAZK
	1800	73	W.BLAZK
	2100	73	W.BLAZK
	2400	72	Perryton

Saturday

Date	Time	Temp.	Name (Print)
9/11/21	0300	72	Larson
	0600	71	Larson
	0900	71	Larson
	1200	72	Larson
	1500	72	Grundy
	1800	72	Grundy H
	2100	70	Grundy & W Black
	2400	72	Larson

Sunday

Date	Time	Temp.	Name (Print)
10/19/21	0300	71	Layher
	0600	70	Sanchez
	0900	70	Sanchez
	1200	70	Sanchez
	1500	72	GRUNDY H.
	1800	72	GRUNDY H.
	2100	71	GRUNDY H.
	2400	72	GANDARIA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D2 Temp. Reading Location: 2ND TIER

Immediately notify the Watch Commander at extension 5555 (e.g., 1st tier, 2nd tier, 3rd tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	75	SERVIN	
0600	76	H. Stephens	
0900	75	H. Stephens	
1200	75	H. Stephens	
1500	74	M. OCHOA	
1800	75	M. OCHOA	
2100	75	M. OCHOA	
2400	75	SERVIN	

Wednesday

Date	Time	Temp.	Name (Print)
0300	73	SERVIN	
0600	72	H. Stephens	
0900	73	H. Stephens	
1200	71	H. Stephens	
1500	72	Candela	
1800	72	Candela	
2100	71	Candela	
2400	72	ESPARZA	

Friday

Date	Time	Temp.	Name (Print)
0300	74	K. Carson	
0600	78	K. Carson	
0900	78	K. Carson	
1200	74	K. Carson	
1500	74	Zeph	
1800	74	Zeph	
2100	74	Zeph	
2400	74	V. McWhorter	

Sunday

Date	Time	Temp.	Name (Print)
0300	74	(SAMI)	
0600	74	12. bkt	
0900	74	12. bkt	
1200	75	12. bkt	
1500	76	M. OCHOA	
1800	75	M. OCHOA	
2100	75	M. OCHOA	
2400	73	USSRY	

Tuesday

Date	Time	Temp.	Name (Print)
0300	74	SERVIN	
0600	75	H. Stephens	
0900	74	H. Stephens	
1200	74	H. Stephens	
1500	73	C. Lesley	
1800	73	C. Lesley	
2100	73	C. Lesley	
2400	74	SERVIN	

Thursday

Date	Time	Temp.	Name (Print)
0300	74	ESPARZA	
0600	74	M. Loiselle	
0900	74	M. Loiselle	
1200	74	J. Brewer	
1500	74	Zeph	
1800	74	Zeph	
2100	74	Zeph	
2400	74	E. Ochoa	

Saturday

Date	Time	Temp.	Name (Print)
0300	74	V. McWhorter	
0600	74	12. bkt	
0900	74	12. bkt	
1200	73	12. bkt	
1500	75	Zeph	
1800	74	Zeph	
2100	74	Zeph	
2400	73	6MM	

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D3 Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	73	SERVIN
	0600	73	SARVELA
	0900	72	A. RUECK
	1200	73	A. RUECK
	1500	73	M. LARSEN
	1800	72	M. LARSEN
	2100	70	M. LARSEN
	2400	73	SERVIN

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	72	SERVIN
	0600	72	J. Hernandez
	0900	73	J. Hernandez
	1200	75	J. Hernandez
	1500	76	Gibbons
	1800	76	Gibbons
	2100	76	Gibbons
	2400	76	ESPARZA

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	74	B. HOWE
	0600	74	B. Howe
	0900	75	B. Howe
	1200	76	B. Howe
	1500	75	B. Howe
	1800	75	B. Howe
	2100	74	B. Howe
	2400	74	V. McMillough

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	74	B. HOWE
	0600	75	B. Howe
	0900	75	B. Howe
	1200	75	B. Howe
	1500	75	B. Howe
	1800	75	B. Howe
	2100	75	B. Howe
	2400	73	M. Ussery

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	73	SERVIN
	0600	73	LEVEQUE
	0900	73	LEVEQUE
	1200	73	LEVEQUE
	1500	74	Candela
	1800	74	Candela
	2100	72	Candela
	2400	73	SERVIN

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	74	ESPARZA
	0600	74	Hernandez
	0900	75	Hernandez
	1200	76	Hernandez
	1500	76	Gibbons
	1800	76	Gibbons
	2100	74	Gibbons
	2400	74	E. Ochoa

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	74	V. McMillough
	0600	75	B. Howe
	0900	75	B. Howe
	1200	75	B. Howe
	1500	73	B. Howe
	1800	73	B. Howe
	2100	73	B. Howe
	2400	74	B. Howe

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-4 Temp. Reading Location: D 4 2nd TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-9-24	0300	75	Layfield
	0600	74 F	Stephens
	0900	75 E	Stephens
	1200	75 E	Stephens
	1500	75	Hansford
	1800	75	Hansford
	2100	75	Hansford
	2400	75	Layfield

Tuesday

Date	Time	Temp.	Name (Print)
9 - 10 - 24	0300	75	Layfield
	0600	75 F	Stephens
	0900	75 E	Stephens
	1200	76 F	Stephens
	1500	75	Hansford
	1800	75	Hansford
	2100	75	Hansford
	2400	75	Layfield

Wednesday

Date	Time	Temp.	Name (Print)
9 - 11 - 24	0300	75	Layfield
	0600	74	CARSEN
	0900	75	CARSEN
	1200	75	CARSEN
	1500	74	Hansford
	1800	74	Hansford
	2100	74	Hansford
	2400	74	V. McMillan

Thursday

Date	Time	Temp.	Name (Print)
9 - 12 - 24	0300	74	V. McMillan
	0600	74	CARSEN
	0900	75	CARSEN
	1200	75	CARSEN
	1500	75	Summer
	1800	75	Summer
	2100	75	Summer
	2400	75	V. McMillan

Friday

Date	Time	Temp.	Name (Print)
9 - 13 - 24	0300	75	V. McMillan
	0600	75	CARSEN
	0900	74	CARSEN
	1200	75	CARSEN
	1500	75	Flock
	1800	75	Flock
	2100	75	Flock
	2400	75	Layfield

Saturday

Date	Time	Temp.	Name (Print)
9 - 14 - 24	0300	75	Layfield
	0600	75	CARSEN
	0900	75	CARSEN
	1200	76	CARSEN
	1500	75	W. Black
	1800	74	W. Black
	2100	74	W. Black
	2400	74	Layfield

Notes

Chapman

Date	Time	Temp.	Name (Print)
9 - 15 - 24	0300	74	Layfield
	0600	74	CARSEN
	0900	75	CARSEN
	1200	76	CARSEN
	1500	75	Candela
	1800	74	Candela
	2100	74	Candela
	2400	74	GANDARA

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MSP Housing Unit: 15 Temp. Reading Location: 2nd YIFK
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/14/24	0300	79	GANN
0600	74	Cerro's	
0900	73	Cerro's	
1200	74	Cerro's	
1500	75	Dicks	
1800	74	Ricks	
2100	71	Ricks	
2400	71	BARNABAN	

Tuesday

Date	Time	Temp.	Name (Print)
9/14/24	0300	71	BARNABAN
0600	73	Vadnais	
0900	74	Vadnais	
1200	76	Vadnais	
1500	78	Ricks	
1800	76	Ricks	
2100	72	Ricks	
2400	71	D. Parks	

Wednesday

Date	Time	Temp.	Name (Print)
9/14/24	0300	72	D. Parks
0600	72	K. SHEDD	
0900	73	K. SHEDD	
1200	73	K. SHEDD	
1500	75	Ricks	
1800	74	Ricks	
2100	71	Ricks	
2400	70	D. Parks	

Thursday

Date	Time	Temp.	Name (Print)
9/14/24	0300	70	D. Parks
0600	70	K. SHEDD	
0900	71	K. SHEDD	
1200	74	K. SHEDD	
1500	76	Ricks	
1800	74	Ricks	
2100	73	Ricks	
2400	71	D. Parks	

Friday

Date	Time	Temp.	Name (Print)
9/14/24	0300	71	D. Parks
0600	71	K. SHEDD	
0900	73	K. SHEDD	
1200	75	K. SHEDD	
1500	75	WAGNER	
1800	75	WAGNER	
2100	73	WAGNER	
2400	73	D. Parks	

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	72	D. Parks
0600	73	Woods	
0900	72	Woods	
1200	74	Woods	
1500	74	WAGNER	
1800	74	WAGNER	
2100	73	WAGNER	
2400	71	D. Parks	

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-6 Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/9/24	0300	76	BARRAGAN
	0600	75	R.ROBINSON
	0900	75	R.ROBINSON
	1200	75	R.ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	75	WAGNER
	2400	75	SABIR

Tuesday			
Date	Time	Temp.	Name (Print)
9/10/24	0300	75	SABIR
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	76	CARTAGENA
	1800	76	CARTAGENA
	2100	75	CARTAGENA
	2400	77	SABIR

Wednesday			
Date	Time	Temp.	Name (Print)
9/11/24	0300	77	SABIR
	0600	76	ROBINSON
	0900	76	ROBINSON
	1200	76	ROBINSON
	1500	75	Boggs
	1800	75	Boggs
	2100	75	Boggs
	2400	75	SABIR

Thursday			
Date	Time	Temp.	Name (Print)
9/12/24	0300	75	SABIR
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	Boggs
	1800	75	Boggs
	2100	75	Boggs
	2400	76	SABIR

Friday			
Date	Time	Temp.	Name (Print)
9/13/24	0300	76	SABIR
	0600	74	STEVENS
	0900	74	STEVENS
	1200	75	STEVENS
	1500	77	BAUTISTA
	1800	77	BAUTISTA
	2100	77	BAUTISTA
	2400	76	SABIR

Saturday			
Date	Time	Temp.	Name (Print)
9/14/24	0300	76	SABIR
	0600	76	BELANIS
	0900	75	BELANIS
	1200	75	BELANIS
	1500	76	BAUTISTA
	1800	76	BAUTISTA
	2100	76	BAUTISTA
	2400	76	BARRAGAN

Sunday			
Date	Time	Temp.	Name (Print)
9/15/24	0300	76	BARRAGAN
	0600	76	R.ROBINSON
	0900	76	R.ROBINSON
	1200	76	R.ROBINSON
	1500	76	WAGNER
	1800	75	WAGNER
	2100	75	WAGNER
	2400	75	BARRAGAN

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	75	Abernathy
	0600	76	Branion
	0900	77	Branion
	1200	77	Branion
	1500	77	Cessney
	1800	74	Cessney
	2100	74	Cessney
	2400	75	Abernathy

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	75	Abernathy
	0600	75	Abernathy
	0900	77	Abernathy
	1200	78	Abernathy
	1500	78	WAGNER
	1800	76	WAGNER
	2100	76	WAGNER
	2400	75	Abernathy

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	75	Abernathy
	0600	75	Abernathy
	0900	76	Abernathy
	1200	76	Abernathy
	1500	75	V. Miller
	1800	75	V. Miller
	2100	75	V. Miller
	2400	75	Abernathy

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	75	Abernathy
	0600	75	Abernathy
	0900	76	Abernathy
	1200	76	Abernathy
	1500	76	V. Miller
	1800	76	V. Miller
	2100	76	V. Miller
	2400	76	Barnas

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	75	Barnas
	0600	75	Abernathy
	0900	76	Abernathy
	1200	76	Abernathy
	1500	76	CGAN
	1800	76	CGAN
	2100	76	CGAN
	2400	76	Barnas

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	76	BARNAS
	0600	75	Abernathy
	0900	76	Abernathy
	1200	77	Abernathy
	1500	76	CGAN
	1800	76	CGAN
	2100	75	CGAN
	2400	75	C. Madrigal

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/11/20	0300	74	Abernathy
	0600	74	J.DANE
	0900	74	J.DANE
	1200	74	J.DANE
	1500	77	C. Hamilton
	1800	77	C. Hamilton
	2100	76	C. Hamilton
	2400	76	Abernathy

Wednesday

Date	Time	Temp.	Name (Print)
9/11/20	0300	75	Abernathy
	0600	75	Stephens
	0900	75	Stephens
	1200	76	Stephens
	1500	76	C. Hamilton
	1800	76	C. Hamilton
	2100	75	C. Hamilton
	2400	75	Abernathy

Friday

Date	Time	Temp.	Name (Print)
9/13/20	0300	75	BARNABAN
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	Thomas
	1800	75	Thomas
	2100	75	Thomas
	2400	75	BARNABAN

Sunday

Date	Time	Temp.	Name (Print)
9/15/20	0300	73	C. Madrigal
	0600	73	CAILE
	0900	74	CAILE
	1200	74	CAILE
	1500	74	LESSER
	1800	73	LESSER
	2100	73	LESSER
	2400	73	Abernathy

Tuesday

Date	Time	Temp.	Name (Print)
9/10/20	0300	74	Abernathy
	0600	78	BRANION
	0900	78	BRANION
	1200	78	BRANION
	1500	78	C. Hamilton
	1800	76	C. Hamilton
	2100	76	P. Hamilton
	2400	76	Abernathy

Thursday

Date	Time	Temp.	Name (Print)
9/12/20	0300	75	Abernathy
	0600	75	W.BRACK
	0900	76	W.BRACK
	1200	76	W.BRACK
	1500	75	Thomas
	1800	75	Thomas
	2100	75	Thomas
	2400	75	BARRAGAN

Saturday

Date	Time	Temp.	Name (Print)
9/14/20	0300	75	BARNABAN
	0600	76	CAILE
	0900	75	CAILE
	1200	78	CAILE
	1500	74	LESSER
	1800	73	LESSER
	2100	73	LESSER
	2400	73	Madrigal

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/19/24	0300	75	Sabir
9/19/24	0600	75	P. Barnes
9/19/24	0900	75	P. Barnes
9/19/24	1200	76	P. Barnes
9/19/24	1500	76	E. C. L.
9/19/24	1800	76	E. C. L.
9/19/24	2100	75	B. L.
9/19/24	2400	75	Sabir

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	75	Sabir
9/10/24	0600	75	P. Barnes
9/10/24	0900	75	P. Barnes
9/10/24	1200	76	P. Barnes
9/10/24	1500	78	H. Stephens
9/10/24	1800	75	H. Stephens
9/10/24	2100	75	H. Stephens
9/10/24	2400	77	Sabir

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	77	Sabir
9/11/24	0600	76	P. Barnes
9/11/24	0900	76	P. Barnes
9/11/24	1200	77	P. Barnes
9/11/24	1500	78	H. Stephens
9/11/24	1800	77	H. Stephens
9/11/24	2100	76	H. Stephens
9/11/24	2400	75	Sabir

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	75	Sabir
9/12/24	0600	75	B. O'Dowd
9/12/24	0900	75	B. O'Dowd
9/12/24	1200	75	B. O'Dowd
9/12/24	1500	75	B. O'Dowd
9/12/24	1800	76	E. Olson
9/12/24	2100	75	E. Olson
9/12/24	2400	76	Sabir

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	76	Sabir
9/13/24	0600	75	Vadnais
9/13/24	0900	76	Vadnais
9/13/24	1200	77	Vadnais
9/13/24	1500	77	USSCIV
9/13/24	1800	75	USSCIV
9/13/24	2100	74	USSCIV
9/13/24	2400	75	Sabir

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	75	Sabir
9/14/24	0600	75	P. Barnes
9/14/24	0900	75	P. Barnes
9/14/24	1200	76	P. Barnes
9/14/24	1500	76	E. C. L.
9/14/24	1800	75	E. C. L.
9/14/24	2100	75	E. C. L.
9/14/24	2400	75	B. O'Dowd

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	75	P. Barnes
9/15/24	0600	75	P. Barnes
9/15/24	0900	75	P. Barnes
9/15/24	1200	76	P. Barnes
9/15/24	1500	76	E. C. L.
9/15/24	1800	76	E. C. L.
9/15/24	2100	75	E. C. L.
9/15/24	2400	75	Sabir

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MSP Housing Unit: 010 Temp. Reading Location: 240D
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	74	Chapman
	0600	74	ORIGEL
	0900	76	ORIGEL
	1200	76	ORIGEL
	1500	76	BROZ
	1800	76	BROZ
	2100	76	BROZ
	2400	75	BANIBAN

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	75	BANIBAN
	0600	76	M.TELIN
	0900	72	M.TELIN
	1200	68	M.TELIN
	1500	68	BROZ
	1800	68	BROZ
	2100	68	BROZ
	2400	69	D.Parks

Wednesday

Date	Time	Temp.	Name (Print)
9/24	0300	70	D.Parks
	0600	68	M.TELIN
	0900	75	M.TELIN
	1200	74	M.TELIN
	1500	74	BROZ
	1800	74	BROZ
	2100	74	BROZ
	2400	70	D.Parks

Thursday

Date	Time	Temp.	Name (Print)
9/24	0300	70	D.Parks
	0600	65	M.TELIN
	0900	74	M.TELIN
	1200	72	M.TELIN
	1500	72	BROZ
	1800	72	BROZ
	2100	72	BROZ
	2400	71	D.Parks

Friday

Date	Time	Temp.	Name (Print)
9/24	0300	71	D.Parks
	0600	71	M.TELIN
	0900	74	M.TELIN
	1200	74	M.TELIN
	1500	76	STEVENS
	1800	75	STEVENS
	2100	75	STEVENS
	2400	73	D.Parks

Saturday

Date	Time	Temp.	Name (Print)
9/24	0300	72	D.Parks
	0600	77	K.CARSON
	0900	70	H.CARSON
	1200	72	K.CARSON
	1500	72	Deethylic
	1800	72	Deethylic
	2100	70	Deethylic
	2400	70	D.Parks

Notes

Chapman

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: D - 1 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	74	GANDARA
	0600	72	J. MICHAS
	0900	72	J. MICHAS
	1200	72	J. MICHAS
	1500	73	GRUNDY H.
	1800	73	GRUNDY H.
	2100	71	GRUNDY H.
	2400	72	Togher

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	72	Togher
	0600	73	J. DANG
	0900	73	J. DANG
	1200	73	J. DANG
	1500	73	GRUNDY H.
	1800	73	GRUNDY H.
	2100	71	GRUNDY H.
	2400	72	Togher

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	73	Togher
	0600	70	Hendrix
	0900	71	Hendrix
	1200	71	Hendrix
	1500	72	ESPARZA
	1800	72	ESPARZA
	2100	72	ESPARZA
	2400	72	V. McWayne

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	70	V. McWayne
	0600	70	Hendrix
	0900	70	Hendrix
	1200	71	Hendrix
	1500	72	GRUNDY H.
	1800	72	GRUNDY H.
	2100	72	GRUNDY H.
	2400	72	Togher

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	72	Togher
	0600	70	Hendrix
	0900	70	Hendrix
	1200	71	Hendrix
	1500	72	GRUNDY H.
	1800	72	GRUNDY H.
	2100	72	GRUNDY H.
	2400	72	Togher

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	70	V. McWayne
	0600	70	Hendrix
	0900	70	Hendrix
	1200	71	Hendrix
	1500	71	CONTRERAS
	1800	70	CONTRERAS
	2100	70	CONTRERAS
	2400	70	V. McWayne

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	72	Togher
	0600	71	
	0900	71	
	1200	71	
	1500	75	GRUNDY H.
	1800	75	GRUNDY H.
	2100	73	GRUNDY H.
	2400	72	Togher

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D2 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4 / 16	0300	73	M. Ussery
	0600	73	Lopez
	0900	73	Lopez
	1200	73	Lopez
	1500	74	M. Ochoa
	1800	73	M. Ochoa
	2100	73	M. Ochoa
	2400	73	Servin

Wednesday

Date	Time	Temp.	Name (Print)
4 / 18	0300	70	Servin
	0600	71	H. Stephens
	0900	70	H. Stephens
	1200	70	H. Stephens
	1500	72	Candela
	1800	71	Candela
	2100	71	Candela
	2400	70	E. Ochoa

Friday

Date	Time	Temp.	Name (Print)
4 / 20	0300	73	Ram
	0600	73	Rodriguez
	0900	74	Rodriguez
	1200	75	Rodriguez
	1500	75	Zeta
	1800	74	Zeta
	2100	74	Zeta
	2400	74	Ram

Sunday

Date	Time	Temp.	Name (Print)
4 / 22	0300	74	V. McMillan
	0600	74	B. Hart
	0900	75	B. Hart
	1200	75	B. Hart
	1500	75	M. Ochoa
	1800	75	M. Ochoa
	2100	75	M. Ochoa
	2400	73	Ussery

Tuesday

Date	Time	Temp.	Name (Print)
4 / 24	0300	73	Servin
	0600	72	Stephens
	0900	70	H. Stephens
	1200	70	H. Stephens
	1500	71	C. Lesley
	1800	71	C. Lesley
	2100	70	C. Lesley
	2400	70	Servin

Thursday

Date	Time	Temp.	Name (Print)
4 / 26	0300	70	E. Ochoa
	0600	70	E. Ochoa
	0900	70	M. Loiselle
	1200	71	M. Loiselle
	1500	72	Zeta
	1800	72	Zeta
	2100	73	Zeta
	2400	73	Pen

Saturday

Date	Time	Temp.	Name (Print)
4 / 28	0300	74	V. McMillan
	0600	73	B. Hart
	0900	74	B. Hart
	1200	75	B. Hart
	1500	75	Zeta
	1800	74	Zeta
	2100	74	Zeta
	2400	74	OBAM

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/14	0300	73	M. LESSER
0600	75	B. Howe	
0900	75	B. Howe	
1200	75	B. Howe	
1500	76	Candela	
1800	74	Candela	
2100	74	Candela	
2400	72	SERVIN	

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	70	SERVIN
0600	74	Rodriguez	
0900	75	Rodriguez	
1200	75	Rodriguez	
1500	76	Gibbons	
1800	76	Gibbons	
2100	74	Gibbons	
2400	73	E.Cham	

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	74	Pera
0600	73	B. Howe	
0900	74	B. Howe	
1200	75	B. Howe	
1500	75	B. Cope	
1800	75	B. Cope	
2100	75	B. Cope	
2400	75	V. McAllister	

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	74	Cham
0600	74	B. Howe	
0900	74	B. Howe	
1200	74	B. Howe	
1500	74	B. Cope	
1800	74	B. Cope	
2100	73	B. Cope	
2400	73	Tussery	

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	72	SERVIN
0600	74	Sprecher	
0900	74	Sprecher	
1200	74	Sprecher	
1500	75	Candela	
1800	74	Candela	
2100	73	Candela	
2400	70	SERVIN	

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	73	E.Ochoa
0600	73	E.Ochoa	
0900	75	Rodriguez	
1200	75	Rodriguez	
1500	76	Gibbons	
1800	74	Gibbons	
2100	74	Gibbons	
2400	74	Pera	

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	75	V. McAllister
0600	74	B. Howe	
0900	75	B. Howe	
1200	75	air	
1500	75	Rivera	
1800	74	Rivera	
2100	74	Rivera	
2400	74	Gibbons	

Notes

Chapman

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSO Housing Unit: D-4 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	73	Gandy
	0600	73	Stephens
	0900	74	Stephens
	1200	75	Stephens
	1500	75	Hansford
	1800	74	Hansford
	2100	74	Hansford
	2400	74	Layfield

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	75	Layfield
	0600	74	CARSEN
	0900	75	CARSEN
	1200	75	CARSEN
	1500	75	G. Ramer
	1800	75	S. Sanner
	2100	75	S. Sanner
	2400	75	V. McNaugh

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	75	V. McNaugh
	0600	74	CARSEN
	0900	75	CARSEN
	1200	75	CARSEN
	1500	75	Magnson
	1800	75	Magnson
	2100	75	Magnson
	2400	75	Layfield

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	75	Layfield
	0600	74	CARSEN
	0900	75	CARSEN
	1200	76	CARSEN
	1500	76	Candela
	1800	75	Candela
	2100	74	Candela
	2400	74	Layfield

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	74	Layfield
	0600	74	Stephens
	0900	74	Stephens
	1200	73	Stephens
	1500	74	Hansford
	1800	74	Hansford
	2100	73	Hansford
	2400	75	Layfield

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	75	V. McNaugh
	0600	74	CARSEN
	0900	75	CARSEN
	1200	76	CARSEN
	1500	76	Magnson
	1800	76	Magnson
	2100	75	Magnson
	2400	75	V. McNaugh

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	75	Layfield
	0600	74	CARSEN
	0900	75	CARSEN
	1200	76	CARSEN
	1500	76	Candela
	1800	76	Candela
	2100	76	Candela
	2400	75	Layfield

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MSSP Housing Unit: 5 Temp. Reading Location: 240
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	74	CEAM
	0600	74	CERROS
	0900	75	CERROS
	1200	75	CERROS
	1500	75	Hernandez
	1800	74	Hernandez
	2100	74	Hernandez
	2400	74	BARRAGAN

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	72	D. Parks
	0600	72	K. SHEDD
	0900	73	K. SHEDD
	1200	74	K. SHEDD
	1500	75	Hernandez
	1800	74	Hernandez
	2100	74	Hernandez
	2400	72	D. Parks

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	72	D. Parks
	0600	72	K. SHEDD
	0900	74	K. SHEDD
	1200	74	K. SHEDD
	1500	74	WAGNER
	1800	74	WAGNER
	2100	74	WAGNER
	2400	74	D. Parks

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	72	D. Parks
	0600	72	CEAM
	0900	72	CERROS
	1200	72	CERROS
	1500	74	J. Hernandez
	1800	73	J. Hernandez
	2100	73	J. Hernandez
	2400	74	CEAM

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	74	BARRAGAN
	0600	74	CERROS
	0900	75	CERROS
	1200	76	CERROS
	1500	76	Hernandez
	1800	75	Hernandez
	2100	74	Hernandez
	2400	72	D. Parks

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	72	D. Parks
	0600	72	K. SHEDD
	0900	73	K. SHEDD
	1200	75	K. SHEDD
	1500	72	J. Hernandez
	1800	74	J. Hernandez
	2100	74	J. Hernandez
	2400	72	D. Parks

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	73	D. Parks
	0600	73	CEAM
	0900	70	CEAM
	1200	71	CEAM
	1500	75	WAGNER
	1800	75	WAGNER
	2100	73	WAGNER
	2400	72	D. Parks

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBS Housing Unit: D-6 Temp. Reading Location: 1st TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	75	BARNARD
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	74	WAGNER
	2400	73	SABR

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	73	SABR
	0600	74	R. ROBINSON
	0900	74	R. ROBINSON
	1200	74	R. ROBINSON
	1500	75	SERVIN
	1800	74	SERVIN
	2100	72	SERVIN
	2400	73	SABR

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	73	SABR
	0600	73	SABR
	0900	74	R. ROBINSON
	1200	74	R. ROBINSON
	1500	75	BAGLEY
	1800	75	BAGLEY
	2100	75	BAGLEY
	2400	75	SABR

Thursday

Date	Time	Temp.	Name (Print)
9-19-24	0300	75	SABR
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	BAGLEY
	1800	75	BAGLEY
	2100	76	BAGLEY
	2400	76	SABR

Friday

Date	Time	Temp.	Name (Print)
9-20-24	0300	76	SABR
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	76	BAUTISTA
	1800	75	BAUTISTA
	2100	75	BAUTISTA
	2400	73	CARRILLO

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	74	CARRILLO
	0600	73	BARNARD
	0900	74	BARNARD
	1200	74	BARNARD
	1500	73	BAUTISTA
	1800	73	BAUTISTA
	2100	73	BAUTISTA
	2400	73	ROBINSON

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	73	BRANNAGAN
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	WAGNER
	1800	75	WAGNER
	2100	73	WAGNER
	2400	73	BRANNAGAN

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 7 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/16	0300	75	Abernathy
	0600	75	W BLACK
	0900	75	W BLACK
	1200	75	W BLACK
	1500	74	M. LESSER
	1800	74	M. LESSER
	2100	73	M. LESSER
	2400	73	Abernathy

Tuesday			
Date	Time	Temp.	Name (Print)
9/17	0300	73	Abernathy
	0600	75	ANND
	0900	76	ANND
	1200	76	ANND
	1500	75	WAGNER
	1800	75	WAGNER
	2100	74	WAGNER
	2400	74	Abernathy

Wednesday			
Date	Time	Temp.	Name (Print)
9/18	0300	73	Abernathy
	0600	73	ANND
	0900	75	ANND
	1200	77	ANND
	1500	77	V. McLELLAN
	1800	77	V. McLELLAN
	2100	77	V. McLELLAN
	2400	75	Abernathy

Thursday			
Date	Time	Temp.	Name (Print)
9/19	0300	75	Abernathy
	0600	73	ANND
	0900	75	ANND
	1200	77	ANND
	1500	77	V. McLELLAN
	1800	77	V. McLELLAN
	2100	77	V. McLELLAN
	2400	77	ANND

Friday			
Date	Time	Temp.	Name (Print)
9/20	0300	77	13 ASIAN
	0600	74	ANND
	0900	75	ANND
	1200	77	ANND
	1500	76	CHAM
	1800	75	CHAM
	2100	75	CHAM
	2400	75	13 ASIAN

Saturday			
Date	Time	Temp.	Name (Print)
9/21	0300	76	13 ASIAN
	0600	78	ANND
	0900	77	ANND
	1200	77	ANND
	1500	76	CHAM
	1800	76	CHAM
	2100	75	CHAM
	2400	75	Abernathy

Sunday			
Date	Time	Temp.	Name (Print)
9/22	0300	75	Abernathy
	0600	75	BRANION
	0900	76	BRANION
	1200	76	BRANION
	1500	75	CHAM
	1800	75	CHAM
	2100	75	CHAM
	2400	75	Abernathy

Notes

Chapman

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 8

Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	75	Abernathy
	0600	75	J. DANG
	0900	74	J. DANG
	1200	74	J. DANG
	1500	74	L. Thomas
	1800	74	L. Thomas
	2100	74	L. Thomas
	2400	74	Abernathy

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	74	Abernathy
	0600	74	Vadnais
	0900	75	Vadnais
	1200	76	Vadnais
	1500	76	Thomas
	1800	76	Thomas
	2100	76	Thomas
	2400	75	Abernathy

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	75	Abernathy
	0600	75	Stephens
	0900	75	Stephens
	1200	74	Stephens
	1500	76	C. Hamilton
	1800	75	C. Hamilton
	2100	75	C. Hamilton
	2400	75	Abernathy

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	75	Abernathy
	0600	75	CAGLE
	0900	75	CAGLE
	1200	76	CAGLE
	1500	75	C. Hamilton
	1800	75	C. Hamilton
	2100	74	C. Hamilton
	2400	74	Baldwin

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	74	Baldwin
	0600	76	CAGLE
	0900	75	CAGLE
	1200	75	CAGLE
	1500	75	C. Hamilton
	1800	75	C. Hamilton
	2100	74	C. Hamilton
	2400	74	Baldwin

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	74	Baldwin
	0600	75	CAGLE
	0900	75	CAGLE
	1200	75	CAGLE
	1500	75	LESSER
	1800	74	LESSER
	2100	74	LESSER
	2400	74	Abernathy

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	74	Abernathy
	0600	74	CAGLE
	0900	75	CAGLE
	1200	75	CAGLE
	1500	75	LESSER
	1800	74	LESSER
	2100	74	LESSER
	2400	74	Abernathy

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	75	BARNES
	0600	75	P. Barnes
	0900	75	P. Barnes
	1200	76	P. Barnes
	1500	76	P. Barnes
	1800	76	P. Barnes
	2100	75	P. Barnes
	2400	73	Sabir

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	73	sabir
	0600	73	P. Barnes
	0900	74	P. Barnes
	1200	75	P. Barnes
	1500	77	H. Stephens
	1800	77	H. Stephens
	2100	75	H. Stephens
	2400	73	J. Flores

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	73	J. Flores
	0600	73	J. Flores
	0900	74	P. Barnes
	1200	75	P. Barnes
	1500	77	H. Stephens
	1800	77	H. Stephens
	2100	74	H. Stephens
	2400	75	Sabir

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	75	sabir
	0600	75	BROZ
	0900	75	BROZ
	1200	75	BROZ
	1500	75	E. Ochoa
	1800	75	E. Ochoa
	2100	75	E. Ochoa
	2400	76	sabir

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	76	sabir
	0600	76	Vadnais
	0900	76	Vadnais
	1200	77	Vadnais
	1500	76	Ussery
	1800	75	Ussery
	2100	75	Ussery
	2400	75	Carrillo

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	74	Carrillo
	0600	74	P. Barnes
	0900	74	P. Barnes
	1200	75	P. Barnes
	1500	75	BROZ
	1800	75	BROZ
	2100	75	BROZ
	2400	75	BROZ

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	75	BARNES
	0600	75	P. Barnes
	0900	75	P. Barnes
	1200	76	P. Barnes
	1500	76	BROZ
	1800	75	BROZ
	2100	75	BROZ
	2400	75	BARNES

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSF

Housing Unit: 10

Temp. Reading Location: 2nd

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	74	Cham
	0600	70	Mitchell
	0900	76	Mitchell
	1200	75	Mitchell
	1500	75	Broz
	1800	75	Broz
	2100	75	Broz
	2400	75	BANAGAN

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	75	BANAGAN
	0600	71	Mitchell
	0900	74	Mitchell
	1200	74	Mitchell
	1500	74	IVES
	1800	74	IVES
	2100	73	IVES
	2400	72	D.Parks

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	72	D.Parks
	0600	75	Mitchell
	0900	70	Mitchell
	1200	71	Mitchell
	1500	73	IVES
	1800	73	IVES
	2100	72	IVES
	2400	72	D.Parks

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	72	D.Parks
	0600	68	Mitchell
	0900	65	Mitchell
	1200	72	Mitchell
	1500	73	Lawrence
	1800	73	Lawrence
	2100	73	Lawrence
	2400	73	D.Parks

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	70	D.Parks
	0600	70	Rodriguez
	0900	76	Rodriguez
	1200	73	Rodriguez
	1500	74	IVES
	1800	74	IVES
	2100	73	IVES
	2400	71	Cham

Thursday

Date	Time	Temp.	Name (Print)
9/24/24	0300	72	D.Parks
	0600	72	Mitchell
	0900	70	Mitchell
	1200	72	Mitchell
	1500	72	Broz
	1800	72	Broz
	2100	72	Broz
	2400	72	D.Parks

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	73	D.Parks
	0600	70	Rodriguez
	0900	76	Rodriguez
	1200	70	Rodriguez
	1500	72	D.Parks
	1800	72	D.Parks
	2100	70	D.Parks
	2400	70	D.Parks

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: P3SP Housing Unit: D1 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/21	0300	72	Loyola
	0600	70	J. NICHOLS
	0900	70	J. NICHOLS
	1200	72	J. NICHOLS
	1500	76	GRUNDY, H.
	1800	76	GRUNDY, H.
	2100	73	GRUNDY, H.
	2400	72	Loyola

Tuesday

Date	Time	Temp.	Name (Print)
9/24/21	0300	72	Loyola
	0600	72	Zola
	0900	73	Zola
	1200	73	Zola
	1500	74	GRUNDY, H.
	1800	74	GRUNDY, H.
	2100	72	GRUNDY, H.
	2400	72	Loyola

Wednesday

Date	Time	Temp.	Name (Print)
9/25/21	0300	72	Loyola
	0600	71	
	0900	71	
	1200	71	Honda
	1500	71	ESPARZA
	1800	72	ESPARZA
	2100	72	ESPARZA
	2400	73	I. Mercado

Thursday

Date	Time	Temp.	Name (Print)
9/26/21	0300	74	I. Mercado
	0600	75	I. Mercado
	0900	71	Honda
	1200	71	Honda
	1500	71	
	1800	71	
	2100	71	
	2400	71	V. McMillion

Friday

Date	Time	Temp.	Name (Print)
9/27/21	0300	71	J. McC. Mayt
	0600	71	Honda
	0900	71	Honda
	1200	71	Honda
	1500	71	Honda
	1800	71	Honda
	2100	71	Honda
	2400	71	Honda

Saturday

Date	Time	Temp.	Name (Print)
9/28/21	0300	71	Loyola
	0600	71	Honda
	0900	71	Honda
	1200	71	Honda
	1500	74	GRUNDY, H.
	1800	74	GRUNDY, H.
	2100	73	GRUNDY, H.
	2400	72	Loyola

Sunday

Date	Time	Temp.	Name (Print)
9/29/21	0300	72	Loyola
	0600	71	Honda
	0900	71	Honda
	1200	71	Honda
	1500	75	GRUNDY, H.
	1800	75	GRUNDY, H.
	2100	72	GRUNDY, H.
	2400	72	Loyola

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: D2 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/23	0300	73	ASSCRV
23	0600	74	H. STEPHENS
23	0900	74	H. STEPHENS
23	1200	75	H. STEPHENS
23	1500	75	M. OCHOA
23	1800	73	M. OCHOA
23	2100	73	M. OCHOA
23	2400	72	SERVIN

Wednesday

Date	Time	Temp.	Name (Print)
4/25	0300	72	SERVIN
25	0600	73	SABIR
25	0900	73	SABIR
25	1200	75	SABIR
25	1500	73	Candela
25	1800	73	Candela
25	2100	72	Candela
25	2400	74	Carmoma

Friday

Date	Time	Temp.	Name (Print)
4/27	0300	74	Carmoma
27	0600	74	Rodriguez
27	0900	74	Rodriguez
27	1200	74	Rodriguez
27	1500	74	Rodriguez
27	1800	74	Rodriguez
27	2100	74	Rodriguez
27	2400	74	VILLELLA

Sunday

Date	Time	Temp.	Name (Print)
4/29	0300	74	CHAM
29	0600	74	CHAM
29	0900	75	CHAM
29	1200	76	CHAM
29	1500	74	M. OCHOA
29	1800	70	M. OCHOA
29	2100	72	M. OCHOA
29	2400	74	ASSCRV

Tuesday

Date	Time	Temp.	Name (Print)
4/26	0300	72	SERVIN
26	0600	72	H. STEPHENS
26	0900	75	H. STEPHENS
26	1200	73	H. STEPHENS
26	1500	73	C. LESLEY
26	1800	73	C. LESLEY
26	2100	72	C. LESLEY
26	2400	72	SERVIN

Thursday

Date	Time	Temp.	Name (Print)
4/24	0300	74	Carmoma
24	0600	74	J. DANE
24	0900	72	J. DANE
24	1200	73	J. DANE
24	1500	73	ZEFER
24	1800	73	ZEFER
24	2100	74	ZEFER
24	2400	74	Carmoma

Saturday

Date	Time	Temp.	Name (Print)
4/28	0300	74	VALLELLA
28	0600	74	VALLELLA
28	0900	75	VALLELLA
28	1200	75	VALLELLA
28	1500	75	VALLELLA
28	1800	74	VALLELLA
28	2100	74	VALLELLA
28	2400	74	VALLELLA

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	73	Ussery
9/23	0600	75	B. Howe
9/23	0900	75	B. Howe
9/23	1200	75	B. Howe
9/23	1500	76	Candela
9/23	1800	76	Candela
9/23	2100	75	Candela
9/23	2400	73	SERVIN

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	73	SERVIN
9/24	0600	75	B. Howe
9/24	0900	75	B. Howe
9/24	1200	75	B. Howe
9/24	1500	75	Candela
9/24	1800	74	Candela
9/24	2100	74	Candela
9/24	2400	73	SERVIN

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	72	SERVIN
9/25	0600	76	Rodriguez
9/25	0900	74	Rodriguez
9/25	1200	74	Rodriguez
9/25	1500	76	Gibbons
9/25	1800	74	Gibbons
9/25	2100	74	Gibbons
9/25	2400	74	Carmona

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	74	Carmona
9/26	0600	74	Rodriguez
9/26	0900	75	Rodriguez
9/26	1200	75	Rodriguez
9/26	1500	76	Gibbons
9/26	1800	76	Gibbons
9/26	2100	74	Gibbons
9/26	2400	74	Carmona

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	74	Carmona
9/27	0600	75	B. Howe
9/27	0900	75	B. Howe
9/27	1200	75	B. Howe
9/27	1500	74	B. Cint
9/27	1800	74	B. Cint
9/27	2100	74	B. Cint
9/27	2400	74	V. McMillan

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	74	V. McMillan
9/28	0600	74	Sprecher
9/28	0900	74	Sprecher
9/28	1200	74	Sprecher
9/28	1500	74	Gibbons
9/28	1800	74	Gibbons
9/28	2100	74	Gibbons
9/28	2400	74	Carmona

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	74	Carmona
9/29	0600	74	B. Howe
9/29	0900	74	B. Howe
9/29	1200	74	B. Howe
9/29	1500	74	N. White
9/29	1800	74	N. White
9/29	2100	74	N. White
9/29	2400	74	Ussery

Notes

Chapman

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D4

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	72	Layhead
	0600	70	A. Stephens
	0900	71	A. Stephens
	1200	71	A. Stephens
	1500	74	SERVIN
	1800	75	SERVIN
	2100	73	SERVIN
	2400	72	Layhead

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	72	Layhead
	0600	72	A. Stephens
	0900	73	A. Stephens
	1200	73	A. Stephens
	1500	73	M. White
	1800	73	M. White
	2100	73	M. White
	2400	72	Layhead

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	75	Layhead
	0600	75	C. Hansen
	0900	76	C. Hansen
	1200	77	C. Hansen
	1500	77	M. Gauson
	1800	77	M. Gauson
	2100	75	M. Gauson
	2400	75	I. Mercado

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	76	I. Mercado
	0600	76	I. Mercado
	0900	76	C. Hansen
	1200	76	C. Hansen
	1500	76	S. Summer
	1800	76	S. Summer
	2100	75	S. Summer
	2400	75	V. McMillay

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	76	I. Mercado
	0600	74	C. Hansen
	0900	75	C. Hansen
	1200	75	C. Hansen
	1500	74	L. Oeffert
	1800	73	L. Oeffert
	2100	73	L. Oeffert
	2400	73	V. McMillay

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	73	V. McMillay
	0600	71	C. Hansen
	0900	75	C. Hansen
	1200	75	C. Hansen
	1500	74	Candice
	1800	74	Candice
	2100	73	Candice
	2400	72	Layhead

Notes

Chapman

Date	Time	Temp.	Name (Print)
9/29-30	0300	72	Layhead
	0600	73	C. Hansen
	0900	74	C. Hansen
	1200	75	C. Hansen
	1500	73	Summer
	1800	72	Summer
	2100	71	Summer
	2400	75	Layhead

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: 105

Temp. Reading Location: 2nd

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	74	CERRAN
9/23/24	0600	74	CERROS
9/23/24	0900	75	CERROS
9/23/24	1200	75	CERROS
9/23/24	1500	83	RICKS
9/23/24	1800	80	RICKS
9/23/24	2100	79	RICKS
9/23/24	2400	79	BARNAGAN

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	78	BARNAGAN
9/24/24	0600	79	J.DANG
9/24/24	0900	81	J.DANG
9/24/24	1200	83	J.DANG
9/24/24	1500	85	KICKS
9/24/24	1800	82	RICKS
9/24/24	2100	80	RICKS
9/24/24	2400	74	D.Parks

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	74	D.Parks
9/25/24	0600	74	K.SHEED
9/25/24	0900	74	K.SHEED
9/25/24	1200	76	K.SHEED
9/25/24	1500	80	RICKS
9/25/24	1800	76	RICKS
9/25/24	2100	75	RICKS
9/25/24	2400	74	D.Parks

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	74	D.Parks
9/26/24	0600	74	K.SHEED
9/26/24	0900	74	K.SHEED
9/26/24	1200	74	K.SHEED
9/26/24	1500	78	RICKS
9/26/24	1800	76	RICKS
9/26/24	2100	73	RICKS
9/26/24	2400	74	D.Parks

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	74	D.Parks
9/27/24	0600	74	K.SHEED
9/27/24	0900	75	K.SHEED
9/27/24	1200	77	K.SHEED
9/27/24	1500	76	WAGNER
9/27/24	1800	75	WAGNER
9/27/24	2100	74	WAGNER
9/27/24	2400	72	D.Parks

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	72	D.Parks
9/28/24	0600	70	CUDOODS
9/28/24	0900	72	CUDOODS
9/28/24	1200	78	CUDOODS
9/28/24	1500	75	WAGNER
9/28/24	1800	74	WAGNER
9/28/24	2100	73	WAGNER
9/28/24	2400	72	D.Parks

Notes

Chapman

Date	Time	Temp.	Name (Print)
9/29/24	0300	72	D.Parks
9/29/24	0600	70	CUDOODS
9/29/24	0900	70	CUDOODS
9/29/24	1200	72	CUDOODS
9/29/24	1500	75	RICKS
9/29/24	1800	74	CERRAN
9/29/24	2100	74	CERRAN
9/29/24	2400	74	CERRAN

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D - 6 Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	73	WAGNER
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	78	WAGNER
	1800	78	WAGNER
	2100	78	WAGNER
	2400	73	R. O'Neil

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	75	Sabir
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	McGraw
	1800	75	Bogley
	2100	75	Bogley
	2400	75	Sabir

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	73	R. O'Neil
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	Adams
	1800	75	Adams
	2100	75	Adams
	2400	75	Sabir

Thursday

Date	Time	Temp.	Name (Print)
9.26.24	0300	75	Sabir
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	Bogley
	1800	75	Bogley
	2100	75	Bogley
	2400	75	Sabir

Friday

Date	Time	Temp.	Name (Print)
9/27. 28	0300	75	Sabir
	0600	75	ROBINSON
	0900	75	ROBINSON
	1200	75	ROBINSON
	1500	75	BAUTISTA
	1800	75	BAUTISTA
	2100	75	BAUTISTA
	2400	75	Sabir

Saturday

Date	Time	Temp.	Name (Print)
9.28.24	0300	75	Sabir
	0600	77	R. ROBINSON
	0900	77	R. ROBINSON
	1200	77	R. ROBINSON
	1500	77	BAUTISTA
	1800	77	BAUTISTA
	2100	77	BAUTISTA
	2400	77	BAUTISTA

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	77	WAGNER
	0600	76	ROBINSON
	0900	76	ROBINSON
	1200	76	ROBINSON
	1500	76	WAGNER
	1800	76	WAGNER
	2100	75	WAGNER
	2400	75	WAGNER

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/13	0300	75	Abernathy
	0600	75	Branion
	0900	75	Branion
	1200	75	Branion
	1500	76	Ussery
	1800	75	Ussery
	2100	79	Ussery
	2400	75	Abernathy
Tuesday			
Date	Time	Temp.	Name (Print)
9/14	0300	75	Abernathy
	0600	75	Annead
	0900	76	Annead
	1200	78	Annead
	1500	78	Wagner
	1800	77	Wagner
	2100	76	Wagner
	2400	76	Abernathy
Wednesday			
Date	Time	Temp.	Name (Print)
9/15	0300	76	Abernathy
	0600	75	Annead
	0900	76	Annead
	1200	77	Annead
	1500	77	V. Miller
	1800	77	V. Miller
	2100	76	V. Miller
	2400	75	Abernathy
Thursday			
Date	Time	Temp.	Name (Print)
9/16	0300	75	Abernathy
	0600	75	Annead
	0900	76	Annead
	1200	77	Annead
	1500	77	V. Miller
	1800	77	V. Miller
	2100	77	V. Miller
	2400	77	Barroso
Friday			
Date	Time	Temp.	Name (Print)
9/17	0300	77	Barroso
	0600	75	Annead
	0900	76	Annead
	1200	77	Annead
	1500	77	J. CEBALLOS
	1800	77	J. CEBALLOS
	2100	76	J. CEBALLOS
	2400	76	Barroso
Saturday			
Date	Time	Temp.	Name (Print)
9/18	0300	76	Barroso
	0600	75	Annead
	0900	76	Annead
	1200	78	Annead
	1500	76	CBAM
	1800	75	CBAM
	2100	74	CBAM
	2400	74	Abernathy
Notes			
<u>Chapmas</u>			

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23 24	0300	74	Abernathy
	0600	74	J. DANE
	0900	74	J. DANE
	1200	74	S. DANE
	1500	74	Thomas
	1800	74	Thomas
	2100	74	Thomas
	2400	74	Abernathy

Wednesday

Date	Time	Temp.	Name (Print)
9/25 26	0300	75	Abernathy
	0600	75	J. Stephens
	0900	75	J. Stephens
	1200	70	J. Stephens
	1500	76	C. Hamilton
	1800	76	C. Hamilton
	2100	76	C. Hamilton
	2400	75	Abernathy

Friday

Date	Time	Temp.	Name (Print)
9/27/28	0300	75	Barendam
	0600	75	Cagle
	0900	75	Cagle
	1200	75	Cagle
	1500	75	Cagle
	1800	75	Cagle
	2100	75	Cagle
	2400	75	Barendam

Sunday

Date	Time	Temp.	Name (Print)
9/24 25	0300	74	Abernathy
	0600	74	Cagle
	0900	75	Cagle
	1200	75	Cagle
	1500	75	CSSCRV
	1800	74	CSSCRV
	2100	74	CSSCRV
	2400	74	Abernathy

Tuesday

Date	Time	Temp.	Name (Print)
9/24 25	0300	74	Abernathy
	0600	75	BRANION
	0900	75	BRANION
	1200	75	BRANION
	1500	75	Thomas
	1800	75	Thomas
	2100	75	Thomas
	2400	75	Abernathy

Thursday

Date	Time	Temp.	Name (Print)
9/26 27	0300	75	Abernathy
	0600	75	Vadraiz
	0900	76	Vadraiz
	1200	77	Vadraiz
	1500	77	C. Hamilton
	1800	76	C. Hamilton
	2100	75	C. Hamilton
	2400	75	BRANION

Saturday

Date	Time	Temp.	Name (Print)
9/26 27	0300	75	Barendam
	0600	75	Cagle
	0900	75	Cagle
	1200	75	Cagle
	1500	75	CSSCRV
	1800	74	CSSCRV
	2100	74	CSSCRV
	2400	74	Abernathy

Notes

Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBS Housing Unit: D-9 Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>09/23</u>	0300	75	MAGNUSEN
	0600	75	Vadnais
	0900	76	Vadnais
	1200	77	Vadnais
	1500	77	MAGNUSEN
	1800	77	MAGNUSEN
	2100	75	MAGNUSEN
	2400	73	R. O'Neill

Tuesday			
Date	Time	Temp.	Name (Print)
<u>09/24</u>	0300	75	SABIR
	0600	75	P. Barnes
	0900	75	B. O'Neill
	1200	75	B. O'Neill
	1500	75	H. Stephens
	1800	74	H. Stephens
	2100	74	H. Stephens
	2400	75	SABIR

Wednesday			
Date	Time	Temp.	Name (Print)
<u>09/25</u>	0300	73	R. O'Neill
	0600	75	Vadnais
	0900	76	Vadnais
	1200	77	Vadnais
	1500	79	H. Stephens
	1800	79	H. Stephens
	2100	79	H. Stephens
	2400	75	SABIR

Thursday			
Date	Time	Temp.	Name (Print)
<u>09/26</u>	0300	75	SABIR
	0600	75	B. O'Neill
	0900	75	B. O'Neill
	1200	75	B. O'Neill
	1500	75	E. O'Hearn
	1800	75	E. O'Hearn
	2100	75	E. O'Hearn
	2400	75	SABIR

Friday			
Date	Time	Temp.	Name (Print)
<u>09/27</u>	0300	75	ad hr.
	0600	75	Vadnais
	0900	76	Vadnais
	1200	76	Vadnais
	1500	76	CESSERY
	1800	75	CESSERY
	2100	75	CESSERY
	2400	75	SABIR

Saturday			
Date	Time	Temp.	Name (Print)
<u>09/28</u>	0300	75	SABIR
	0600	75	P. Barnes
	0900	75	P. Barnes
	1200	76	P. Barnes
	1500	76	ad hr.
	1800	75	ad hr.
	2100	75	ad hr.
	2400	75	ad hr.

Sunday			
Date	Time	Temp.	Name (Print)
<u>09/29</u>	0300	75	P. Barnes
	0600	75	P. Barnes
	0900	75	P. Barnes
	1200	76	P. Barnes
	1500	76	ad hr.
	1800	76	ad hr.
	2100	75	ad hr.
	2400	75	P. Barnes

Notes
Chapman

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: D10

Temp. Reading Location:

2nd TFL

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	74	<u>6AM</u>
	0600	71	<u>Mitchell</u>
	0900	75	<u>Mitchell</u>
	1200	75	<u>Broz</u>
	1500	75	<u>Broz</u>
	1800	75	<u>Broz</u>
	2100	75	<u>Broz</u>
	2400	75	<u>Barnes</u>

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	75	<u>Barnes</u>
	0600	71	<u>Mitchell</u>
	0900	70	<u>Mitchell</u>
	1200	74	<u>Mitchell</u>
	1500	74	<u>Broz</u>
	1800	74	<u>Broz</u>
	2100	74	<u>Broz</u>
	2400	74	<u>D. Parks</u>

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	74	<u>D. Parks</u>
	0600	74	<u>Mitchell</u>
	0900	76	<u>Mitchell</u>
	1200	74	<u>Mitchell</u>
	1500	77	<u>Broz</u>
	1800	77	<u>Broz</u>
	2100	77	<u>Broz</u>
	2400	75	<u>D. Parks</u>

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	74	<u>D. Parks</u>
	0600	75	<u>Mitchell</u>
	0900	75	<u>Mitchell</u>
	1200	75	<u>Brewer</u>
	1500	75	<u>Darling</u>
	1800	77	<u>Darling</u>
	2100	73	<u>Darling</u>
	2400	72	<u>D. Parks</u>

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	72	<u>D. Parks</u>
	0600	72	<u>Rodriguez</u>
	0900	74	<u>Rodriguez</u>
	1200	74	<u>Rodriguez</u>
	1500	74	<u>Ives</u>
	1800	74	<u>Ives</u>
	2100	73	<u>Ives</u>
	2400	74	<u>Gunn</u>

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	75	<u>Barnes</u>
	0600	71	<u>Mitchell</u>
	0900	70	<u>Mitchell</u>
	1200	75	<u>Mitchell</u>
	1500	75	<u>Broz</u>
	1800	75	<u>Broz</u>
	2100	75	<u>Broz</u>
	2400	75	<u>D. Parks</u>

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	74	<u>D. Parks</u>
	0600	77	<u>Mitchell</u>
	0900	75	<u>Mitchell</u>
	1200	75	<u>Mitchell</u>
	1500	75	<u>Broz</u>
	1800	75	<u>Broz</u>
	2100	75	<u>Broz</u>
	2400	75	<u>D. Parks</u>

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	72	<u>D. Parks</u>
	0600	72	<u>Rodriguez</u>
	0900	74	<u>Rodriguez</u>
	1200	74	<u>Rodriguez</u>
	1500	74	<u>Dennis</u>
	1800	73	<u>Dennis</u>
	2100	72	<u>Dennis</u>
	2400	72	<u>D. Parks</u>

Notes

Chapman

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: MSF-B Dorm Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	71	C. Mcdonald
	0600	71	C. McDonald
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	S. TRAIN

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	71	J. Reichlin
	2100	70	J. Reichlin
	2400	70	S. TRAIN

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. REICHLIN
	1200	70	J. REICHLIN
	1500	71	J. FOIST
	1800	74	J. FOIST
	2100	73	J. FOIST
	2400	70	S. TRAIN

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. FOIST
	1200	70	J. FOIST
	1500	70	J. FOIST
	1800	70	J. FOIST
	2100	70	J. FOIST
	2400	70	S. TRAIN

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. FOIST
	1200	70	J. FOIST
	1500	70	J. FOIST
	1800	70	J. FOIST
	2100	70	J. FOIST
	2400	70	J. NGUYEN

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300	70	J. TRAIN
	0600	71	J. DENICHOLAS
	0900	71	J. DENICHOLAS
	1200	71	J. DENICHOLAS
	1500	71	A. ROBB
	1800	71	A. ROBB
	2100	71	A. ROBB
	2400	70	J. NGUYEN

DAY

Date	Time	Temp.	Name (Print)	NOTES:
9/8/24	0300	70	Done 4	
	0600	71	J. DENICHOLAS	
	0900	71	J. DENICHOLAS	
	1200	71	J. DENICHOLAS	
	1500	72	Mellinger	
	1800	71	Mellinger	
	2100	71	Mellinger	
	2400	70	S. TRAIN	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: _____ MSF-8 Dorm _____ Temp. Reading Location: 2nd TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/02/24	0300	73	E. CARRERA
	0600	72	J. DENICHO CAS
	0900	72	J. DENICHO CAS
	1200	72	J. DENICHO CAS
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

Tuesday

Date	Time	Temp.	Name (Print)
09/03/24	0300	73	E. CARRERA
	0600	72	J. DENICHO CAS
	0900	72	J. DENICHO CAS
	1200	72	J. DENICHO CAS
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

Wednesday

Date	Time	Temp.	Name (Print)
09/04/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	75	Coupe
	1800	75	Coupe
	2100	76	Coupe
	2400	75	E. OCTHOA

Thursday

Date	Time	Temp.	Name (Print)
09/05/24	0300	74	E. OCTHOA
	0600	74	P. CHAPA
	0900	74	P. CHAPA
	1200	74	P. CHAPA
	1500	74	P. CHAPA
	1800	73	P. CHAPA
	2100	73	P. CHAPA
	2400	73	E. OCTHOA

Friday

Date	Time	Temp.	Name (Print)
09/06/24	0300	73	E. OCTHOA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	75	J. RAMIREZ
	1800	75	J. RAMIREZ
	2100	75	J. RAMIREZ
	2400	73	E. CARRERA

Saturday

Date	Time	Temp.	Name (Print)
09/07/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	74	B. MELLINGER
	1800	72	B. MELLINGER
	2100	72	B. MELLINGER
	2400	73	J. RAMIREZ

DAY

Date	Time	Temp.	Name (Print)	NOTES:
09/08/24	0300	73	J. RAMIREZ	
	0600	73	Coupe	
	0900	74	Coupe	
	1200	74	Coupe	
	1500	74	Coupe	
	1800	73	Coupe	
	2100	73	Coupe	
	2400	73	E. CARRERA	

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: _____ MSF-Dorm _____ Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/09/24	0300	73	E. CARRERA
	0600	72	J. DENICHOLAS
	0900	72	J. DENICHOLAS
	1200	72	J. DENICHOLAS
	1500	76	Z. Calhoun
	1800	76	Z. Calhoun
	2100	76	Z. Calhoun
	2400	70	R. O'Neill

Tuesday

Date	Time	Temp.	Name (Print)
09/10/24	0300	70	R. O'Neill
	0600	71	J. DENICHOLAS
	0900	71	J. DENICHOLAS
	1200	71	J. DENICHOLAS
	1500	72	Coupe
	1800	72	Coupe
	2100	72	Coupe
	2400	72	Singh

Wednesday

Date	Time	Temp.	Name (Print)
09/11/24	0300	71	Singh
	0600	72	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	74	Coupe
	1800	74	Coupe
	2100	74	Coupe
	2400	72	Xlong

Thursday

Date	Time	Temp.	Name (Print)
09/12/24	0300	72	Xlong
	0600	72	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	74	P. CHAPA
	1800	73	P. CHAPA
	2100	73	P. CHAPA
	2400	73	ESPARZA

Friday

Date	Time	Temp.	Name (Print)
09/13/24	0300	72	ESPARZA
	0600	72	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	75	J. Ramirez
	1800	75	J. Ramirez
	2100	75	J. Ramirez
	2400	74	N. Hamon

Saturday

Date	Time	Temp.	Name (Print)
09/14/24	0300	72	N. Hamon
	0600	72	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	75	J. Ramirez
	1800	75	J. Ramirez
	2100	75	J. Ramirez
	2400	75	J. Ramirez

DAY

Date	Time	Temp.	Name (Print)	NOTES:
09/15/24	0300	75	J. Ramirez	
	0600	73	Coupe	
	0900	73	Coupe	
	1200	74	Coupe	
	1500	74	Coupe	
	1800	75	Coupe	
	2100	74	Coupe	
	2400	73	E. CARRERA	

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: _____ MSF-B-Dorm _____ Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	70	S TRAIN
	0600	70	S TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	S TRAIN

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	70	S TRAIN
	0600	70	S TRAIN
	0900	70	J. Reichlin
	1200	69	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	S TRAIN

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	70	S TRAIN
	0600	70	S TRAIN
	0900	69	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Faust
	1800	70	S. Facci
	2100	70	S. Facci
	2400	70	S TRAIN

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	70	S TRAIN
	0600	70	S TRAIN
	0900	70	J. Faust
	1200	70	J. Faust
	1500	70	J. Faust
	1800	70	J. Faust
	2100	70	J. Faust
	2400	70	S TRAIN

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	70	S TRAIN
	0600	70	S TRAIN
	0900	70	J. Faust
	1200	70	J. Faust
	1500	70	O. Thompson
	1800	70	O. Thompson
	2100	70	O. Thompson
	2400	70	E. Garcia

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	70	E. Ochoa
	0600	70	E. Ochoa
	0900	71	J. DANICHOLAS
	1200	71	J. DANICHOLAS
	1500	71	A. REEVES
	1800	71	A. REEVES
	2100	71	A. REEVES
	2400	70	E. Ochoa

DAY

Date	Time	Temp.	Name (Print)	NOTES:
9/15/24	0300	70	E. Ochoa	
	0600	70	E. Ochoa	
	0900	71	J. DANICHOLAS	
	1200	71	J. DANICHOLAS	
	1500	70	J. Ramirez	
	1800	70	J. Ramirez	
	2100	70	J. Ramirez	
	2400	70	S TRAIN	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: _____ MSF-B Dorm _____ Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	70	S TRAIN
	0600	70	S TRAIN
	0900	70	J Reichlin
	1200	70	J Reichlin
	1500	70	J Reichlin
	1800	70	J Reichlin
	2100	70	J Reichlin
	2400	70	S TRAIN

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	70	S TRAIN
	0600	70	S TRAIN
	0900	70	J Reichlin
	1200	70	J Reichlin
	1500	70	J Reichlin
	1800	70	J Reichlin
	2100	70	J Reichlin
	2400	70	S TRAIN

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	70	S TRAIN
	0600	70	S TRAIN
	0900	70	B THAO
	1200	70	B THAO
	1500	70	J Faest
	1800	70	J Faest
	2100	70	J Faest
	2400	70	S TRAIN

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	S TRAIN
	0600	70	S TRAIN
	0900	70	J Faest
	1200	70	J Faest
	1500	70	J Faest
	1800	70	J Faest
	2100	70	J Faest
	2400	70	S TRAIN

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70	S TRAIN
	0600	70	S TRAIN
	0900	70	J Faest
	1200	70	J Faest
	1500	70	J Faest
	1800	70	J Faest
	2100	70	J Faest
	2400	70	A Pena

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	70	A Pena
	0600	70	J DENICHOCA
	0900	70	J DENICHOCA
	1200	70	J DENICHOCA
	1500	70	A RODRIGUEZ
	1800	70	A RODRIGUEZ
	2100	70	A RODRIGUEZ
	2400	70	A Pena

DAY

Date	Time	Temp.	Name (Print)	NOTES:
9/22/24	0300	70	A Pena	
	0600	71	J DENICHOCA	
	0900	71	J DENICHOCA	
	1200	71	J DENICHOCA	
	1500	73	J RAMIREZ	
	1800	73	J RAMIREZ	
	2100	73	J RAMIREZ	
	2400	70	S TRAIN	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: _____ MSF-**B** Dorm _____ Temp. Reading Location: **2nd TIER**
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	73	E. CARRERA
	0600	72	J. DENICHOCA
	0900	72	J. DENICHOCA
	1200	72	J. DENICHOCA
	1500	72	J. DENICHOCA
	1800	73	Couple
	2100	72	Couple
	2400	73	E. CARRERA

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	73	E. CARRERA
	0600	72	J. DENICHOCA
	0900	72	J. DENICHOCA
	1200	72	J. DENICHOCA
	1500	73	Couple
	1800	72	Couple
	2100	72	Couple
	2400	73	E. CARRERA

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	74	Couple
	1800	74	Couple
	2100	73	Couple
	2400	73	XIONG

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	73	XIONG
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	74	P. CHAPA
	1800	73	P. CHAPA
	2100	73	J. CHAPA
	2400	72	Carrillo

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	73	Carrillo
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	75	J. Ramirez
	1800	75	J. Ramirez
	2100	75	J. Ramirez
	2400	73	E. CARRERA

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	75	J. Ramirez
	1800	75	J. Ramirez
	2100	75	J. Ramirez
	2400	75	E. CARRERA

DAY

Date	Time	Temp.	Name (Print)	NOTES:
9/22/24	0300	73	E. CARRERA	
	0600	73	Couple	
	0900	73	Couple	
	1200	74	Couple	
	1500	74	Couple	
	1800	74	Couple	
	2100	73	Couple	
	2400	74	E. CARRERA	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: _____ MSF-B Dorm _____ Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/23/24	0300	73	E. CARRERA
	0600	72	J. DENICOLA
	0900	72	J. DENICOLA
	1200	72	J. DENICOLA
	1500	74	Coupe
	1800	75	Coupe
	2100	74	Coupe
	2400	73	E. CARRERA

Tuesday

Date	Time	Temp.	Name (Print)
09/24/24	0300	73	E. CARRERA
	0600	73	J. DENICOLA
	0900	73	J. DENICOLA
	1200	74	J. DENICOLA
	1500	76	Coupe
	1800	77	Coupe
	2100	75	Coupe
	2400	73	E. CARRERA

Wednesday

Date	Time	Temp.	Name (Print)
09/25/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	74	Coupe
	1800	74	Coupe
	2100	74	Coupe
	2400	74	XIONG

Thursday

Date	Time	Temp.	Name (Print)
09/26/24	0300	74	XIONG
	0600	74	P. CHAPA
	0900	74	P. CHAPA
	1200	73	P. CHAPA
	1500	73	P. CHAPA
	1800	73	P. CHAPA
	2100	73	P. CHAPA
	2400	74	P. O'NEILL

Friday

Date	Time	Temp.	Name (Print)
09/27/24	0300	73	P. O'NEILL
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	75	J. RAMIREZ
	1800	75	J. RAMIREZ
	2100	75	J. RAMIREZ
	2400	73	E. CARRERA

Saturday

Date	Time	Temp.	Name (Print)
09/28/24	0300	73	P. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	75	J. RAMIREZ
	1800	75	J. RAMIREZ
	2100	75	J. RAMIREZ
	2400	73	E. CARRERA

DAY

Date	Time	Temp.	Name (Print)	NOTES:
09/29/24	0300	73	E. CARRERA	
	0600	73	Coupe	
	0900	73	Coupe	
	1200	74	Coupe	
	1500	74	Coupe	
	1800	74	Coupe	
	2100	74	Coupe	
	2400	73	E. CARRERA	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP _____ Housing Unit: _____ MSF-B Dorm _____ Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	70	S.TRAIN
	0600	70	S.TRAIN
	0900	70	SENOR
	1200	70	SENOR
	1500	70	SENOR
	1800	70	SENOR
	2100	70	SENOR
	2400	70	S.TRAIN

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	70	S.TRAIN
	0600	70	S.TRAIN
	0900	70	SENOR
	1200	72	SENOR
	1500	75	SENOR
	1800	75	SENOR
	2100	72	SENOR
	2400	70	S.TRAIN

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	70	S.TRAIN
	0600	70	S.TRAIN
	0900	68	SENOR
	1200	70	SENOR
	1500	70	J.Faust
	1800	70	J.Faust
	2100	70	J.Faust
	2400	70	S.TRAIN

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	70	S.TRAIN
	0600	70	S.TRAIN
	0900	70	J.Faust
	1200	70	J.Faust
	1500	70	J.Faust
	1800	70	J.Faust
	2100	70	J.Faust
	2400	70	ESPARZA

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	70	ESPARZA
	0600	70	J.Faust
	0900	70	J.Faust
	1200	70	J.Faust
	1500	71	J.Faust
	1800	71	J.Faust
	2100	70	J.Faust
	2400	70	A.Perry

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	70	A.Perry
	0600	70	Sanchez
	0900	70	Sanchez
	1200	70	Sanchez
	1500	70	Reeve
	1800	70	Reeve
	2100	70	Reeve
	2400	70	J.Ramirez

DAY

Date	Time	Temp.	Name (Print)	NOTES:
9/29/24	0300	70	J.Ramirez	
	0600	70	Sanchez	
	0900	70	Sanchez	
	1200	70	Sanchez	
	1500	70	✓120mins	
	1800	70	J.Ramirez	
	2100	70	J.Ramirez	
	2400	70	S.TRAIN	

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: TBSP

Housing Unit: RHU

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9	0300	71 D	Calthan
9	0600	70	C. GIL
9	0900	70	C. GIL
2	1200	71	C. GIL
2	1500	72 A	Perreault A
24	1800	68 B	Perreault B
24	2100	71 C	Perreault C
24	2400	73 D	Perreault D

Wednesday

Date	Time	Temp.	Name (Print)
9	0300	72 D	Perreault A
9	0600	70	CAANIS
4	0900	74	CAANIS
4	1200	72	CAANIS
24	1500	73 F	Perreault
24	1800	69 B	Perreault
24	2100	69 H	Perreault
24	2400	72 A	Perreault A

Friday

Date	Time	Temp.	Name (Print)
9	0300	70 H	M Perreault
9	0600	73	CAANIS
6	0900	72	CAANIS
6	1200	70	CAANIS
24	1500	72 A	M Perreault
24	1800	70 B	M Perreault
24	2100	72 C	M Perreault
24	2400	70 H	M Perreault

Sunday

Date	Time	Temp.	Name (Print)
9-1-18	0300	70	CALHOON
9-1-18	0600	70	GIL
9-1-18	0900	70	GIL
9-1-18	1200	72	GIL
9-1-18	1500	72	SANCHEZ
9-1-18	1800	72	SANCHEZ
9-1-18	2100	72	SANCHEZ
9-1-18	2400	72	MEDRANO

Tuesday

Date	Time	Temp.	Name (Print)
9	0300	70 B	Perreault A
9	0600	72	F. X. DONO
9	0900	72	F. X. DONO
3	1200	71	F. X. DONO
24	1500	72	C. BELMIO
24	1800	70	C. BELMIO
24	2100	70	C. BELMIO
24	2400	70 C	Perreault A

Thursday

Date	Time	Temp.	Name (Print)
9	0300	70 B	Perreault A
9	0600	72	CAANIS
9	0900	70	CAANIS
5	1200	71	CAANIS
24	1500	72	M Perreault
24	1800	70 D	M Perreault
24	2100	70 E	M Perreault
24	2400	68 F	M Perreault

Saturday

Date	Time	Temp.	Name (Print)
9	0300	68 G	M Perreault
9	0600	72	CABRERA
9	0900	72	CABRERA
7	1200	72	CABRERA
24	1500	68	S. Jenkins
24	1800	68	S. Jenkins
24	2100	68	S. Jenkins
24	2400	68	CALHOON

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: RHU

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/14/24	0300	71	C. Garnica
	0600	73	CALANIS
	0900	70	CALANIS
	1200	72	CALANIS
	1500	70	T. Vang
	1800	70	T. Vang
	2100	70	T. Vang
	2400	70	A. Arias

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	72	Arias
	0600	73	CALANIS
	0900	70	CALANIS
	1200	71	CALANIS
	1500	70	T. Vang
	1800	70	T. Vang
	2100	70	T. Vang
	2400	70	A. Arias

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70	A. Arias
	0600	70	Sanchez
	0900	70	Sanchez
	1200	71	Sanchez
	1500	70	T. Vang
	1800	70	T. Vang
	2100	70	T. Vang
	2400	70	A. Arias

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	68	SALAS
	0600	72	CROMWELL
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	S. Jenkins
	1800	68	S. Jenkins
	2100	68	S. Jenkins
	2400	70	Onci

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	70	A. Arias
	0600	73	CALANIS
	0900	70	CALANIS
	1200	70	CALANIS
	1500	70	T. Vang
	1800	70	T. Vang
	2100	70	T. Vang
	2400	70	A. Arias

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	A. Arias
	0600	73	CALANIS
	0900	73	CROMWELL
	1200	73	CROMWELL
	1500	70	T. Vang
	1800	70	T. Vang
	2100	70	T. Vang
	2400	72	A. Arias

Saturday

Date	Time	Temp.	Name (Print)
9/24/24	0300	70	I. Arias
	0600	72	CABRERA
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	S. Jenkins
	1800	72	S. Jenkins
	2100	72	S. Jenkins
	2400	68	SALAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT H
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: RHU

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	71	C.Garnica
	0600	73	CALANIS
	0900	70	CALANIS
	1200	72	CALANIS
	1500	70	T. Vang
	1800	70	T. Vang
	2100	70	T. Vang
	2400	70	A. Arias

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	72	Arias
	0600	73	CALANIS
	0900	70	CALANIS
	1200	71	CALANIS
	1500	70	T. Vang
	1800	70	T. Vang
	2100	70	T. Vang
	2400	70	A. Arias

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70	A. Arias
	0600	70	Sanchez
	0900	70	Sanchez
	1200	71	Sanchez
	1500	70	T. Vang
	1800	70	T. Vang
	2100	70	T. Vang
	2400	70	A. Arias

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	68	SALAS
	0600	72	CHOREM
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	S. Jenkins
	1800	68	S. Jenkins
	2100	68	S. Jenkins
	2400	70	Onci

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	70	A. Arias
	0600	73	CALANIS
	0900	70	CALANIS
	1200	70	CALANIS
	1500	70	T. Vang
	1800	70	T. Vang
	2100	70	T. Vang
	2400	70	A. Arias

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	70	A. Arias
	0600	73	CALANIS
	0900	73	CROMWELL
	1200	73	CROMWELL
	1500	70	T. Vang
	1800	70	T. Vang
	2100	70	T. Vang
	2400	72	A. Arias

Saturday

Date	Time	Temp.	Name (Print)
9/24/24	0300	70	I. Arias
	0600	72	CABRERA
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	S. Jenkins
	1800	72	S. Jenkins
	2100	72	S. Jenkins
	2400	68	SALAS

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: RHU

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	71	Open
	0600	73	Giles
	0900	72	Giles
	1200	73	Giles
	1500	72	Giles
	1800	72	T. Vang
	2100	72	T. Vang
	2400	72	T. Vang

Wednesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	72	Giles
	0600	72	Giles
	0900	73	Giles
	1200	72	Giles
	1500	72	T. Vang
	1800	72	T. Vang
	2100	72	T. Vang
	2400	72	Giles

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	72	Giles
	0600	72	Giles/Giles
	0900	73	Giles
	1200	73	Giles
	1500	72	T. Vang
	1800	72	T. Vang
	2100	72	T. Vang
	2400	72	Giles

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	71	H. MANGANO
	0600	72	CABREZA
	0900	72	CABREZA
	1200	72	CABREZA
	1500	72	T. VASQUEZ
	1800	72	T. VASQUEZ
	2100	72	T. VASQUEZ
	2400	72	PERALTA

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	72	Giles
	0600	73	Giles/Giles
	0900	73	T. Vang
	1200	72	T. Vang
	1500	72	T. Vang
	1800	72	T. Vang
	2100	72	T. Vang
	2400	72	Giles

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	72	Giles
	0600	72	Giles/Giles
	0900	72	T. Vang
	1200	72	T. Vang
	1500	72	T. Vang
	1800	72	T. Vang
	2100	72	T. Vang
	2400	72	Giles

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	72	Giles
	0600	72	CABREZA
	0900	72	CABREZA
	1200	72	CABREZA
	1500	72	S. Jenkins
	1800	72	S. Jenkins
	2100	72	S. Jenkins
	2400	70	H. MANGANO

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: RHU

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/1 24	0300	70	Medrano
	0600	70	C. Alanis
	0900	73	C. Alanis
	1200	72	C. Alanis
	1500	73	Higareda
	1800	72	Higareda
	2100	70	Higareda
	2400	71 C	Porraine FA

Wednesday

Date	Time	Temp.	Name (Print)
9/1 24	0300	72 D	Porraine FA
	0600	70	C. Alanis
	0900	73	C. Alanis
	1200	72	C. Alanis
	1500	71 A	M. Porraine
	1800	69 B	M. Porraine
	2100	70 H	M. Porraine
	2400	71 A	M. Porraine FA

Friday

Date	Time	Temp.	Name (Print)
9/1 24	0300	66 G	M. Porraine
	0600	69	S. Chang
	0900	72	S. Chang
	1200	70	S. Chang
	1500	67 G	M. Porraine
	1800	70 H	M. Porraine
	2100	72 A	M. Porraine
	2400	69 B	M. Porraine

Sunday

Date	Time	Temp.	Name (Print)
9/1 24	0300	70	H. MANZANO
	0600	72	CABRENT
	0900	72 CABRENT	CABRENT
	1200	72	CABRENT
	1500	72	JENKINS
	1800	72	JENKINS
	2100	72	JENKINS
	2400	72	C. Garnier

Tuesday

Date	Time	Temp.	Name (Print)
9/1 24	0300	73 D	Porraine FA
	0600	70	C. Alanis
	0900	72	C. Alanis
	1200	73	C. Alanis
	1500	72	N. Grass
	1800	74	N. Grass
	2100	69	N. Grass
	2400	71 C	Porraine FA

Thursday

Date	Time	Temp.	Name (Print)
9/1 24	0300	71 C	Porraine FA
	0600	73	C. Alanis
	0900	70	C. Alanis
	1200	71	C. Alanis
	1500	71 C	M. Porraine
	1800	73 Q	M. Porraine
	2100	70 E	M. Porraine
	2400	68 F	M. Porraine

Saturday

Date	Time	Temp.	Name (Print)
9/1 24	0300	71 C	M. Porraine
	0600	72	CABRENT
	0900	72	CABRENT
	1200	72	CABRENT
	1500	70	S. Jenkins
	1800	70	S. Jenkins
	2100	70	S. Jenkins
	2400	70	H. MANZANO

Notes