

Monthly Summary Report

Institution: CRC

Memorandum

Date: July 8, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CRC

The following is a summary of the heat related activity for the month of June,
at CRC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 7

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes

Number of days Stage II Alert initiated: 12

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? Yes

Number of days Stage III Alert initiated: 4

4. Weekly list of heat risk patients archived?:Yes

5. Number of patients with heat related illness.0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

GLEN E. PRATT

Warden Name

DocuSigned by:



2E3604839B5141A...

Warden Signature

Latrese Armstrong

Chief Executive Officer Name

DocuSigned by:



753D861C9368A45F...

Chief Executive Officer Signature

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From 45078 through 45107, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300	71	Rogue
	0600	70	J. Negrete
	0900	70	J. Negrete
	1200	70	J. Negrete
	1500	71	J. S. V. DANCE
	1800	71	J. S. V. DANCE
	2100	71	J. S. V. DANCE
	2400	70	z

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300	70	(b)ar
	0600	70	A. VILLANUEVA
	0900	71	A. VILLANUEVA
	1200	71	A. VILLANUEVA
	1500	70	J. Montre
	1800	70	J. Montre
	2100	70	J. Montre
	2400	73	lope

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 306, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 3, 2024	0300	70	R LOPEZ
	0600	70	Gomez
	0900	70	Gomez
	1200	70	Gomez
	1500	72	J. SILVA PONCE
	1800	72	J. SILVA PONCE
	2100	72	J. SILVA PONCE
	2400	71	CARLOS MASE

Wednesday			
Date	Time	Temp.	Name(Print)
June 5, 2024	0300	74	R VAZQUEZ
	0600	74	Gomez
	0900	74	Gomez
	1200	74	Gomez
	1500	74	J. SILVA PONCE
	1800	74	J. SILVA PONCE
	2100	74	J. SILVA PONCE
	2400	78	R VAZQUEZ

Friday			
Date	Time	Temp.	Name(Print)
June 7, 2024	0300	75	BERNARDINO
	0600	73	CROSS
	0900	75	CROSS
	1200	80	CROSS
	1500	79	Hernandez
	1800	78	Alvarado
	2100	75	Alvarado
	2400	76	J. DIAZ

Sunday			
Date	Time	Temp.	Name(Print)
June 9, 2024	0300	70	J. DUARTE
	0600	71	Gomez
	0900	71	Gomez
	1200	72	Gomez
	1500	75	Negrón
	1800	74	Negrón
	2100	72	Neal
	2400	72	NEAL

Tuesday			
Date	Time	Temp.	Name(Print)
June 4, 2024	0300	70	CARLOS MASE
	0600	70	Gomez
	0900	70	Gomez
	1200	71	Gomez
	1500	72	J. SILVA PONCE
	1800	72	J. SILVA PONCE
	2100	72	J. SILVA PONCE
	2400	78	R VAZQUEZ

Thursday			
Date	Time	Temp.	Name(Print)
June 6, 2024	0300	73	R VAZQUEZ
	0600	75	D. COSS
	0900	81	D. COSS
	1200	81	D. COSS
	1500	82	J. SILVA PONCE
	1800	82	J. SILVA PONCE
	2100	82	J. SILVA PONCE
	2400	79	BERNARDINO

Saturday			
Date	Time	Temp.	Name(Print)
June 8, 2024	0300	70	J. DUARTE
	0600	71	Gomez
	0900	71	Gomez
	1200	72	Gomez
	1500	72	J. MARTINEZ
	1800	75	J. MARTINEZ
	2100	73	J. MARTINEZ
	2400	71	ROYAL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

83

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 302 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/10/2024

Date	Time	Temp.	Name (Print)
6/10/24	0300	70	R. Lopez
	0600	70	S. GONZALEZ
	0900	71	S. GONZALEZ
	1200	72	S. GONZALEZ
	1500	79	ALVAREZ
	1800	75	ALVAREZ
	2100	74	ALVAREZ
	2400	70	ALVAREZ

Wednesday 6/12/2024

Date	Time	Temp.	Name (Print)
6/12/24	0300	70	MIRANDA
	0600	72	ALVAREZ
	0900	74	ALVAREZ
	1200	78	ALVAREZ
	1500	80	Neville
	1800	50	Neville
	2100	78	Neville
	2400	78	R. VAZQUEZ

Friday 6/14/2024

Date	Time	Temp.	Name (Print)
6/14/24	0300	73	R. VAZQUEZ
	0600	73	D. COSS
	0900	75	D. COSS
	1200	78	D. COSS
	1500	80	ALVAREZ
	1800	75	ALVAREZ
	2100	73	ALVAREZ
	2400	78	R. VAZQUEZ

Sunday 6/16/2024

Date	Time	Temp.	Name (Print)
6/16/24	0300	78	R. Shaw
	0600	80	J. MARTINEZ
	0900	80	J. MARTINEZ
	1200	83	J. Martinez
	1500	86	ALVAREZ
	1800	84	ALVAREZ
	2100	81	ALVAREZ
	2400	80	ALVAREZ

Tuesday 6/11/2024

Date	Time	Temp.	Name (Print)
6/11/24	0300	70	HECERDO
	0600	70	HECERDO
	0900	71	HECERDO
	1200	72	HECERDO
	1500	71	A. Arevaldo
	1800	71	A. Arevaldo
	2100	71	A. Arevaldo
	2400	70	MIRANDA

Thursday 6/13/2024

Date	Time	Temp.	Name (Print)
6/13/24	0300	74	R. VAZQUEZ
	0600	74	D. COSS
	0900	74	D. COSS
	1200	78	D. COSS
	1500	80	MORALES
	1800	80	MORALES
	2100	80	MORALES
	2400	74	R. VAZQUEZ

Saturday 6/15/2024

Date	Time	Temp.	Name (Print)
6/15/24	0300	78	R. VAZQUEZ
	0600	78	S. GONZALEZ
	0900	78	S. GONZALEZ
	1200	82	S. GONZALEZ
	1500	80	R. SHAW
	1800	80	R. SHAW
	2100	80	R. SHAW
	2400	79	R. SHAW

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 302 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 6/17/2024

Date	Time	Temp.	Name (Print)
J 6-17-24	0300	70	R.VAZQUEZ
	0600	70	S.GONZALEZ
	0900	70	S.GONZALEZ
	1200	70	S.GONZALEZ
	1500	71	J.SILVA PONCE
	1800	71	J.SILVA PONCE
	2100	72	J.SILVA PONCE
	2400	78	R.VAZQUEZ

Wednesday 6/19/2024

Date	Time	Temp.	Name (Print)
W 6-19-24	0300	74	R.VAZQUEZ
	0600	71	V.ARCOS
	0900	73	V.ARCOS
	1200	74	V.ARCOS
	1500	81	J.SILVA PONCE
	1800	82	J.SILVA PONCE
	2100	82	J.SILVA PONCE
	2400	78	R.VAZQUEZ

Friday 6/21/2024

Date	Time	Temp.	Name (Print)
F 6-21-24	0300	74	R.VAZQUEZ
	0600	72	M.BROWN
	0900	74	M.BROWN
	1200	77	M.BROWN
	1500	79	A.ZUNIGA
	1800	75	A.ZUNIGA
	2100	74	A.ZUNIGA
	2400	80	R.VAZQUEZ

Sunday 6/23/2024

Date	Time	Temp.	Name (Print)
S 6-23-24	0300	77	S.GONZALEZ
	0600	77	S.GONZALEZ
	0900	80	S.GONZALEZ
	1200	85	S.GONZALEZ
	1500	93	J.SILVA PONCE
	1800	92	J.SILVA PONCE
	2100	90	J.SILVA PONCE
	2400	82	S.GONZALEZ

Tuesday 6/18/2024

Date	Time	Temp.	Name (Print)
T 6-18-24	0300	74	R.VAZQUEZ
	0600	76	S.GONZALEZ
	0900	70	S.GONZALEZ
	1200	70	S.GONZALEZ
	1500	81	J.SILVA PONCE
	1800	82	J.SILVA PONCE
	2100	82	J.SILVA PONCE
	2400	78	R.VAZQUEZ

Thursday 6/20/2024

Date	Time	Temp.	Name (Print)
T 6-20-24	0300	75	R.VAZQUEZ
	0600	77	D.COSS
	0900	78	D.COSS
	1200	80	D.COSS
	1500	82	J.SILVA PONCE
	1800	81	J.SILVA PONCE
	2100	81	J.SILVA PONCE
	2400	77	R.VAZQUEZ

Saturday 6/22/2024

Date	Time	Temp.	Name (Print)
S 6-22-24	0300	80	R.VAZQUEZ
	0600	74	A.GUTIERREZ
	0900	80	A.GUTIERREZ
	1200	81	A.GUTIERREZ
	1500	82	J.MARINER
	1800	82	J.MARINER
	2100	85	J.MARINER
	2400	80	J.MARINER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CXC Housing Unit: 302 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-24-24	0300	76	R.VAZQUEZ
	0600	72	S.GONZALEZ
	0900	74	S.GONZALEZ
	1200	82	S.GONZALEZ
	1500	92	J.SILVA PONCE
	1800	92	J.SILVA PONCE
	2100	91	J.SILVA PONCE
	2400	81	R.VAZQUEZ

Tuesday

Date	Time	Temp.	Name (Print)
06-25-24	0300	80	R.VAZQUEZ
	0600	76	S.GONZALEZ
	0900	80	S.GONZALEZ
	1200	87	S.GONZALEZ
	1500	90	J.SILVA PONCE
	1800	90	J.SILVA PONCE
	2100	88	J.SILVA PONCE
	2400	80	Pachew

Wednesday

Date	Time	Temp.	Name (Print)
06-26-24	0300	78	Pachew
	0600	76	S.GONZALEZ
	0900	77	S.GONZALEZ
	1200	80	S.GONZALEZ
	1500	88	J.SILVA PONCE
	1800	88	J.SILVA PONCE
	2100	82	J.SILVA PONCE
	2400	81	R.VAZQUEZ

Thursday

Date	Time	Temp.	Name (Print)
06-27-24	0300	78	R.VAZQUEZ
	0600	78	M.VAZQUEZ
	0900	78	M.VAZQUEZ
	1200	78	M.Vazquez
	1500	79	Hardie
	1800	79	Hardie
	2100	81	Hardie
	2400	80	R.VAZQUEZ

Friday

Date	Time	Temp.	Name (Print)
06-28-24	0300	78	R.VAZQUEZ
	0600	76	ALVAREZ
	0900	80	ALVAREZ
	1200	84	ALVAREZ
	1500	85	ALVAREZ
	1800	85	ALVAREZ
	2100	84	ALVAREZ
	2400	81	R.VAZQUEZ

Saturday

Date	Time	Temp.	Name (Print)
06-29-24	0300	78	R.VAZQUEZ
	0600	74	W
	0900	70	W
	1200	81	CR
	1500	82	CR
	1800	90	M.Nevy
	2100	87	M.Nevy
	2400	82	Nevy

Sunday

Date	Time	Temp.	Name (Print)
06-30-24	0300	77	Kyle
	0600	78	KIES
	0900	78	KIES
	1200	80	KIES
	1500	91	M.VAZQUEZ
	1800	91	M.VAZQUEZ
	2100	90	M.VAZQUEZ
	2400	86	Z.Z

Notes

6/25/24 - STAGE 1 ACTIVATED AT 1200 HRS
6/25/24 - STAGE 1 DEACTIVATED AT 1530

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 306, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45444 through 45473, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300	72	72
	0600	72	R. GARCIA
	0900	73	R. GARCIA
	1200	73	R. GARCIA
	1500	73	L. RON
	1800	73	L. RON
	2100	73	L. RON
	2400	72	72

Sunday

Date	Time	Temp.	Name(Print)
	0300	72	72
	0600	73	R. GARCIA
	0900	73	R. GARCIA
	1200	74	R. GARCIA
	1500	70	MILLER
	1800	70	MILLER
	2100	70	MILLER
	2400	69	B. PRAGER

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, CHU.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 3, 2024	0300	69	B.PFISTER
	0600	66	Nageo
	0900	68	Nageo
	1200	70	Nageo
	1500	72	Melendez
	1800	70	Melendez
	2100	71	Melendez
	2400	69	B.PFISTER

Tuesday			
Date	Time	Temp.	Name(Print)
June 4, 2024	0300	67	B.PFISTER
	0600	70	C.DELATORRE
	0900	70	C.DELATORRE
	1200	70	C.DELATORRE
	1500	75	E.MELLENDEZ
	1800	77	E.MELLENDEZ
	2100	77	E.MELLENDEZ
	2400	71	B.PFISTER

Wednesday			
Date	Time	Temp.	Name(Print)
June 5, 2024	0300	68	B.PFISTER
	0600	68	Jones
	0900	76	Jones
	1200	73	Nageo
	1500	77	Ave
	1800	75	Ave
	2100	77	Ave
	2400	77	B.PFISTER

Thursday			
Date	Time	Temp.	Name(Print)
June 6, 2024	0300	69	B.PFISTER
	0600	70	R.GARCIA
	0900	73	R.GARCIA
	1200	75	R.GARCIA
	1500	75	R.DELGADO
	1800	77	R.DELGADO
	2100	78	R.DELGADO
	2400	73	B.PFISTER

Friday			
Date	Time	Temp.	Name(Print)
June 7, 2024	0300	70	B.PFISTER
	0600	71	R.GARCIA
	0900	72	R.GARCIA
	1200	77	R.GARCIA
	1500	73	R.DELGADO
	1800	73	R.DELGADO
	2100	73	R.DELGADO
	2400	72	R.GARCIA

Saturday			
Date	Time	Temp.	Name(Print)
June 8, 2024	0300	70	R.GARCIA
	0600	70	R.GARCIA
	0900	71	R.GARCIA
	1200	72	R.GARCIA
	1500	74	R.DELGADO
	1800	74	R.DELGADO
	2100	70	R.DELGADO
	2400	70	R.GARCIA

Sunday			
Date	Time	Temp.	Name(Print)
June 9, 2024	0300	70	
	0600	70	R.GARCIA
	0900	71	R.GARCIA
	1200	72	R.GARCIA
	1500	71	M.Ramirez
	1800	71	M.Ramirez
	2100	70	M.Ramirez
	2400	69	B.PFISTER

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 10, 2024	0300	68	B.PFISTER
	0600	74°	C.DELATORRE
	0900	75°	C.DELATORRE
	1200	75°	C.DELATORRE
	1500	79	M.J.
	1800	74	M.J.
	2100	75	M.J.
	2400	74	B.PFISTER

Wednesday			
Date	Time	Temp.	Name(Print)
June 12, 2024	0300	68	B.PFISTER
	0600	68	F.Negao
	0900	68	F.Negao
	1200	72	F.Negao
	1500	78	R.Shaw
	1800	78	R.Shaw
	2100	78	R.Shaw
	2400	74	B.PFISTER

Friday			
Date	Time	Temp.	Name(Print)
June 14, 2024	0300	68	D.Quiroa
	0600	68	R.Garcia
	0900	73	R.Garcia
	1200	78	R.Garcia
	1500	78	R.Delgado
	1800	77	R.Delgado
	2100	74	R.Delgado
	2400	74	R.Shaw

Sunday			
Date	Time	Temp.	Name(Print)
June 16, 2024	0300	78	DC
	0600	75	DC
	0900	78	DC
	1200	76	DC
	1500	76	M.R.
	1800	78	M.R.
	2100	77	M.R.
	2400	77	B.PFISTER

Tuesday			
Date	Time	Temp.	Name(Print)
June 11, 2024	0300	68	B.PFISTER
	0600	72	C.DELATORRE
	0900	72	C.DELATORRE
	1200	72	C.DELATORRE
	1500	73	Neyle
	1800	72	Neyle
	2100	72	Neyle
	2400	70	B.PFISTER

Thursday			
Date	Time	Temp.	Name(Print)
June 13, 2024	0300	70	B.PFISTER
	0600	70	R.Garcia
	0900	70	R.Garcia
	1200	72	R.Garcia
	1500	72	R.Delgado
	1800	73	R.Delgado
	2100	71	R.Delgado
	2400	70	Quinton

Saturday			
Date	Time	Temp.	Name(Print)
June 15, 2024	0300	71	R.Shaw
	0600	73	A.Ramirez
	0900	73	A.Ramirez
	1200	70	A.Ramirez
	1500	80	D.Coss
	1800	82	D.Coss
	2100	82	D.Coss
	2400	82	AD

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 17, 2024	0300	71	B.PFISTER
	0600	70	Rogers
	0900	70	Rogers
	1200	70	Rogers
	1500	71	
	1800	70	
	2100	70	
	2400	70	B.PFISTER

Wednesday			
Date	Time	Temp.	Name(Print)
June 19, 2024	0300	68	B.PFISTER
	0600	68	Nagao
	0900	68	Nagao
	1200	70	Nagao
	1500	73	R.MARTINEZ
	1800	73	R.MARTINEZ
	2100	69	R.MARTINEZ
	2400	69	PENF

Friday			
Date	Time	Temp.	Name(Print)
June 21, 2024	0300	75	B.PFISTER
	0600	76	R.GARCIA
	0900	78	R.GARCIA
	1200	80	R.GARCIA
	1500	80	R.DELMONDO
	1800	80	R.DELMONDO
	2100	76	R.DELMONDO
	2400	76	72

Sunday			
Date	Time	Temp.	Name(Print)
June 23, 2024	0300	76	72
	0600	79	R.GARCIA
	0900	80	R.GARCIA
	1200	82	R.GARCIA
	1500	90	M.Brown
	1800	87	
	2100	85	R.R.
	2400	87	B.PFISTER

Tuesday			
Date	Time	Temp.	Name(Print)
June 18, 2024	0300	68	B.PFISTER
	0600	71	C.VICARRO
	0900	74	C.DELATORRE
	1200	74	C.DELATORRE
	1500	76	R.MARTINEZ
	1800	75	R.MARTINEZ
	2100	71	R.MARTINEZ
	2400	70	S.PARKER

Thursday			
Date	Time	Temp.	Name(Print)
June 20, 2024	0300	68	PENF
	0600	70	R.GARCIA
	0900	74	R.GARCIA
	1200	80	R.GARCIA
	1500	80	Hardy
	1800	80	Hardy
	2100	81	Hardy
	2400	79	B.PFISTER

Saturday			
Date	Time	Temp.	Name(Print)
June 22, 2024	0300	72	72
	0600	72	R.GARCIA
	0900	79	R.GARCIA
	1200	82	R.GARCIA
	1500	85	R.DELMONDO
	1800	85	R.DELMONDO
	2100	80	R.DELMONDO
	2400	80	RZ

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
 304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 24, 2024	0300	80	B.PFISTER
	0600	75	C.DELATORRE
	0900	75	C.DELATORRE
	1200	76	C.DELATORRE
	1500	88	R.Shaw
	1800	88	R.Shaw
	2100	84	R.Shaw
	2400	81	B.PFISTER

Wednesday

Date	Time	Temp.	Name(Print)
June 26, 2024	0300	78	B.PFISTER
	0600	74	M.Garcia
	0900	79	M.Garcia
	1200	80	M.Garcia
	1500	88	R.MARTINEZ
	1800	82	R.MARTINEZ
	2100	80	R.MARTINEZ
	2400	78	B.PFISTER

Friday

Date	Time	Temp.	Name(Print)
June 28, 2024	0300	74	A.Bradford
	0600	72	R.GARCIA
	0900	76	R.GARCIA
	1200	80	R.GARCIA
	1500	83	R.DELGADO
	1800	81	R.DELGADO
	2100	77	R.DELGADO
	2400	78	M.West

Sunday

Date	Time	Temp.	Name(Print)
June 30, 2024	0300	78	
	0600	79	R.GARCIA
	0900	80	R.GARCIA
	1200	81	R.GARCIA
	1500	90	M.West
	1800	88	M.West
	2100	86	M.West
	2400	78	B.Garcia

Tuesday

Date	Time	Temp.	Name(Print)
June 25, 2024	0300	79	B.PFISTER
	0600	79	C.DELATORRE
	0900	82	C.PE.CATREE
	1200	82	C.DELATORRE
	1500	88	R.MARTINEZ
	1800	87	R.MARTINEZ
	2100	82	R.MARTINEZ
	2400	80	B.PFISTER

Thursday

Date	Time	Temp.	Name(Print)
June 27, 2024	0300	75	B.PFISTER
	0600	75	R.GARCIA
	0900	77	R.GARCIA
	1200	80	R.GARCIA
	1500	80	R.DELGADO
	1800	78	R.DELGADO
	2100	78	R.DELGADO
	2400	78	A.Bradford

Saturday

Date	Time	Temp.	Name(Print)
June 29, 2024	0300	78	M.West
	0600	70	R.GARCIA
	0900	73	R.GARCIA
	1200	76	R.GARCIA
	1500	83	R.DELGADO
	1800	83	R.NELLARDO
	2100	80	R.DELGADO
	2400	78	222

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45444 through 45473, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300	65°	E. MELENDEZ
	0600	67	M
	0900	61	M
	1200	66	M
	1500	70	3
	1800	72	D
	2100	73	D
	2400	72	E. MELENDEZ

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300	67°	E. MELENDEZ
	0600	61	R DELLAZO
	0900	63	R. DELLAZO
	1200	65	R. DELLAZO
	1500	69	WILLIAMS
	1800	70	WILLIAMS
	2100	68	WILLIAMS
	2400	67°	E. MELENDEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

June 2, 2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 304 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	65	Smith
	0600	65	Smith
	0900	65	M. Ramirez
	1200	70	M. Ramirez
	1500	70	Coffey
	1800	70	Coffey
	2100	70	Coffey
	2400	70	M. Adkins

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	70	M. Adkins
	0600	70	X
	0900	70	X
	1200	72	X
	1500	80	R. Gonzalez
	1800	80	R. Gonzalez
	2100	80	R. Gonzalez
	2400	76°	E. MELENDEZ

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	72°	E. MELENDEZ
	0600	72	R. DELGADO
	0900	75	R. DELGADO
	1200	75	R. DELGADO
	1500	78	Amaral
	1800	75	Amaral
	2100	73	Amaral
	2400	74°	E. MELENDEZ

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	70°	E. MELENDEZ
	0600	70	R. DELGADO
	0900	73	R. DELGADO
	1200	78	R. DELGADO
	1500	80	Mechanician
	1800	80	Mechanician
	2100	78	Mechanician
	2400	78°	E. MELENDEZ

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	72°	E. MELENDEZ
	0600	72	N. Nichols
	0900	72	N. Nichols
	1200	73	N. Nichols
	1500	75°	E. MELENDEZ
	1800	77°	E. MELENDEZ
	2100	77°	E. MELENDEZ
	2400	77°	E. MELENDEZ

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	72°	E. MELENDEZ
	0600	72	R. DELGADO
	0900	72	R. DELGADO
	1200	72	R. DELGADO
	1500	72	R. M. Vazquez
	1800	72	R. M. Vazquez
	2100	74	R. M. Vazquez
	2400	72°	E. MELENDEZ

Notes

Date	Time	Temp.	Name (Print)
6-9-24	0300	72°	E. MELENDEZ
	0600	72	Quiñonez
	0900	72	Quiñonez
	1200	72	Quiñonez
	1500	76	Bentley
	1800	76	Bentley
	2100	76	Bentley
	2400	74	J. Scott

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU**

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304

Temp. Reading Location: _____ Dorm 304

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees. — when the inside air temperature reaches

Monday			
Date	Time	Temp.	Name(Print)
June 10, 2024	0300	73	J Scott
	0600	73	Murphy
	0900	75	AA
	1200	76	AA
	1500	74	C Smith
	1800	71	C Scott
	2100	69	C Ochoa
	2400	77	Larson

Tuesday			
Date	Time	Temp.	Name(Print)
June 11, 2024	0300	70	Wawan
	0600	70	Mra
	0900	70	Mra
	1200	70	Mra
	1500	73°	Gosia
	1800	70°	Gosia
	2100	69°	Gosia
	2400	69°	Gosia

Wednesday			
Date	Time	Temp.	Name(Print)
June 12, 2024	0300	69°	GOMBOA
	0600	69°	P. DELANDS
	0900	73°	P. DELAMAR
	1200	75°	P. DELAMAR
	1500	76°	GOMBOA
	1800	75°	GOMBOA
	2100	74°	GOMBOA
	2400	79°	E. MELENDEZ

Thursday			
Date	Time	Temp.	Name(Print)
June 13, 2024	0300	69°	E. MELENDEZ
	0600	69°	E. MELENDEZ
	0900	70°	E. MELENDEZ
	1200	70°	E. MELENDEZ
	1500	73°	G. OUNAS
	1800	73°	G. OUNAS
	2100	70°	G. OUNAS
	2400	70°	E. MELENDEZ

Friday			
Date	Time	Temp.	Name(Print)
June 14, 2024	0300	68°	E. MELENDEZ
	0600	68	R. DELAHO
	0900	70	R. DE LA HO
	1200	73	R. DELAHO
	1500	76°	R. DELAHO G
	1800	74°	GARIBAY
	2100	70°	S. VASQUEZ
	2400	80°	E. MELENDEZ

Saturday			
Date	Time	Temp.	Name(Print)
June 15, 2024	0300	75°	E. MELENDERZ
	0600	75°	R. DELANO
	0900	80	R. DELANO
	1200	84	R. DELANO
	1500	88	R. BONTE
	1800	90°	R. BONTE
	2100	88°	R. BONTE
	2400	80°	E. MELENDERZ

Notes

98 INVESTIGATION 6/5/2024 @ 11:08

Sunday

Date	Time	Temp.	Name(Print)
June 16, 2024	0300	78°	E. MELENDEZ
	0600	79	MARSH
	0900	76	MARSH
	1200	76	R. Show
	1500	80	R. Show
	1800	78	R. Show
	2100	78	R. Show
	2400	76	Sunset

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 17, 2024	0300	70	SARAH
	0600	70	M. Y.
	0900	73	M. Y.
	1200	76	M. Y.
	1500	76°	C. GUNN
	1800	71°	G. GUNN
	2100	70°	C. GUNN
	2400	72°	N. JORDAN

Wednesday			
Date	Time	Temp.	Name(Print)
June 19, 2024	0300	70°	E. MELENDEZ
	0600	69°	GUNN
	0900	71°	GUNN
	1200	73°	GUNN
	1500	76°	GUNN
	1800	71°	GUNN
	2100	69°	GUNN
	2400	69°	E. MELENDEZ

Friday			
Date	Time	Temp.	Name(Print)
June 21, 2024	0300	70°	E. MELENDEZ
	0600	70	R. DELCADO
	0900	76	R. DELCADO
	1200	78	R. DELCADO
	1500	78°	GUNN
	1800	70°	GUNN
	2100	73°	GUNN
	2400	80°	E. MELENDEZ

Sunday			
Date	Time	Temp.	Name(Print)
June 23, 2024	0300	80°	E. MELENDEZ
	0600	80	M. Y.
	0900	81	M. Y.
	1200	81	M. Y.
	1500	92	J. MARTINEZ
	1800	92	J. MARTINEZ
	2100	89	J. MARTINEZ
	2400	82	DR. Y.

Tuesday

Date	Time	Temp.	Name(Print)
June 18, 2024	0300	69°	N. JORDAN
	0600	69	N. JORDAN
	0900	72	M. Y.
	1200	72	M. Y.
	1500	74°	C. GUNN
	1800	70°	G. GUNN
	2100	68°	C. GUNN
	2400	72°	E. MELENDEZ

Thursday

Date	Time	Temp.	Name(Print)
June 20, 2024	0300	69°	E. MELENDEZ
	0600	69	J. SANCHEZ
	0900	70°	J. SANCHEZ
	1200	73°	J. SANCHEZ
	1500	74	GUNN
	1800	75	GUNN
	2100	73	GUNN
	2400	70°	E. MELENDEZ

Saturday

Date	Time	Temp.	Name(Print)
June 22, 2024	0300	80°	E. MELENDEZ
	0600	75	R. DELCADO
	0900	80	R. DELCADO
	1200	83	R. DELCADO
	1500	90	R. MARTINEZ
	1800	91	R. MARTINEZ
	2100	89	R. MARTINEZ
	2400	89°	E. MELENDEZ

Notes:

©10/26/23/24 15° Stage Heat Alert
©12/19 6/23/24 90° inside

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	77°	A. Bradford
	0600	73°	C. O'Neal
	0900	78°	G. O'Neal
	1200	86°	G. O'Neal
	1500	89°	G. O'Neal
	1800	89°	G. O'Neal
	2100	89°	C. O'Neal
	2400	82	A. Bradford

Wednesday			
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	78	G. Romero
	0600	78	R. VAZQUEZ
	0900	75	R. VAZQUEZ
	1200	80	R. VAZQUEZ
	1500	83°	C. O'Neal
	1800	83°	G. O'Neal
	2100	76°	C. O'Neal
	2400	80°	E. MELENDEZ

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	73°	E. MELENDEZ
	0600	73	R. DELCADO
	0900	77	R. DELCADO
	1200	82	R. DELCADO
	1500	83	M. Martinez
	1800	84	M. Martinez
	2100	86	M. Martinez
	2400	75°	E. MELENDEZ

Sunday			
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	75°	E. MELENDEZ
	0600	78	M. Martinez
	0900	80	M. Martinez
	1200	81	M. Martinez
	1500	88	R. MARTINEZ
	1800	81	R. MARTINEZ
	2100	88	R. MARTINEZ
	2400	86	B. PFEISER

Tuesday			
Date	Time	Temp.	Name(Print)
June 25, 2024	0300	80	A. Bradford
	0600	82	M. ROMA
	0900	84	M. ROMA
	1200	88	M. ROMA
	1500	88°	G. O'NEAL
	1800	87°	G. O'NEAL
	2100	83°	C. O'NEAL
	2400	80	G. ROMERO

Thursday			
Date	Time	Temp.	Name(Print)
June 27, 2024	0300	75°	E. MELENDEZ
	0600	72	S. SERATO
	0900	76	S. SERATO
	1200	80	S. SERATO
	1500	82	S. SERATO
	1800	82	S. SERATO
	2100	80	S. SERATO
	2400	80°	E. MELENDEZ

Saturday			
Date	Time	Temp.	Name(Print)
June 29, 2024	0300	75°	E. MELENDEZ
	0600	76	M. Martinez
	0900	78	M. Martinez
	1200	79	M. Martinez
	1500	81	R. MARTINEZ
	1800	85	R. MARTINEZ
	2100	83	R. MARTINEZ
	2400	80°	E. MELENDEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

DESIGNATED HEAT DORMS: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409 - OHU

From 45444 through 45473, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0900		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
June 1, 2024	0300	72	J. Scott
	0600	72	M. Perez
	0900	73	M. Perez
	1200	74	M. Perez
	1500	75	T. Edwards
	1800	79	T. Edwards
	2100	75	T. Edwards
	2400	72	AU16

Notes

Sunday		Date	Time	Temp.	Name(Print)
June 2, 2024			0300	70	AVILA
			0600	70	JR. DELLA AVILA
			0900	71	JR. DELLA AVILA
			1200	72	SIMPSON
			1500	72	SMITH
			1800	72	SMITH
			2100	71	SMITH
			2400	72	AVILA

DISTRIBUTION: Original Institution ADA Coordinator

PL/480

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, DHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 3, 2024	0300	70	AUILLA
	0600	70	M. MUNIZ
	0900	71	M. MUNIZ
	1200	71	M. MUNIZ
	1500	70	A. BARRERA
	1800	68	A. BARRERA
	2100	67	A. BARRERA
	2400	74	AUILLA

Tuesday			
Date	Time	Temp.	Name(Print)
June 4, 2024	0300	70	AUILLA
	0600	72	M. MUNIZ
	0900	74	M. MUNIZ
	1200	75	M. MUNIZ
	1500	80	AUILLA
	1800	79	AUILLA
	2100	78	AUILLA
	2400	78	AUILLA

Wednesday			
Date	Time	Temp.	Name(Print)
June 5, 2024	0300	71	AUILLA
	0600	71	M. MUNIZ
	0900	72	M. MUNIZ
	1200	74	M. MUNIZ
	1500	76	R. CRESPI
	1800	77	R. CRESPI
	2100	78	R. CRESPI
	2400	72	AUILLA

Thursday			
Date	Time	Temp.	Name(Print)
June 6, 2024	0300	70	AUILLA
	0600	71	M. MUNIZ
	0900	73	M. MUNIZ
	1200	74	M. MUNIZ
	1500	76	R. CRESPI
	1800	78	R. CRESPI
	2100	79	R. CRESPI
	2400	72	AUILLA

Friday			
Date	Time	Temp.	Name(Print)
June 7, 2024	0300	70	A. BARRERA
	0600	71	M. MUNIZ
	0900	72	M. MUNIZ
	1200	74	M. MUNIZ
	1500	78	MORALES
	1800	78	MORALES
	2100	74	MORALES
	2400	71	MUNIZ

Saturday			
Date	Time	Temp.	Name(Print)
June 8, 2024	0300	70	F. CRESPI
	0600	70	M. MUNIZ
	0900	72	M. MUNIZ
	1200	73	M. MUNIZ
	1500	76	LEON
	1800	75	LEON
	2100	74	LEON
	2400	75	R. CRESPI

Sunday			
Date	Time	Temp.	Name(Print)
June 9, 2024	0300	75	R. CRESPI
	0600	73	M. MUNIZ
	0900	74	M. MUNIZ
	1200	75	M. MUNIZ
	1500	78	BARRERA
	1800	77	BARRERA
	2100	75	BARRERA
	2400	75	AUILLA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
 304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 10, 2024	0300	70	Auria
	0600	70	M. Munoz
	0900	70	M. Munoz
	1200	71	M. Munoz
	1500	72	Cabriera
	1800	72	Cabriera
	2100	70	Cabriera
	2400	70	Auria

Wednesday

Date	Time	Temp.	Name(Print)
June 12, 2024	0300	70	Auria
	0600	70	M. Munoz
	0900	71	M. Munoz
	1200	73	M. Munoz
	1500	76	Cabriera
	1800	74	Cabriera
	2100	72	Cabriera
	2400	72	Auria

Friday

Date	Time	Temp.	Name(Print)
June 14, 2024	0300	72	D. Mercado
	0600	72	M. Munoz
	0900	73	M. Munoz
	1200	75	M. Munoz
	1500	80	T. Edwards
	1800	83	T. Edwards
	2100	83	T. Edwards
	2400	74	D. Mercado

Sunday

Date	Time	Temp.	Name(Print)
June 16, 2024	0300	72	B. Martinez
	0600	72	F. Ochoa
	0900	72	F. Ochoa
	1200	72	F. Ochoa
	1500	85	T. Edwards
	1800	81	T. Edwards
	2100	79	T. Edwards
	2400	78	L. Lopez

Tuesday

Date	Time	Temp.	Name(Print)
June 11, 2024	0300	69	Auria
	0600	70	M. Munoz
	0900	74	M. Munoz
	1200	74	M. Munoz
	1500	76	Cabriera
	1800	76	Cabriera
	2100	72	Cabriera
	2400	72	Auria

Thursday

Date	Time	Temp.	Name(Print)
June 13, 2024	0300	70	Auria
	0600	71	M. Munoz
	0900	73	M. Munoz
	1200	75	M. Munoz
	1500	76	T. Edwards
	1800	75	T. Edwards
	2100	74	T. Edwards
	2400	72	D. Mercado

Saturday

Date	Time	Temp.	Name(Print)
June 15, 2024	0300	72	D. Mercado
	0600	70	D. Mercado
	0900	74	D. Mercado
	1200	78	D. Mercado
	1500	88	L. Lopez
	1800	87	L. Lopez
	2100	87	L. Lopez
	2400	74	A. Gutierrez

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 306, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 17, 2024	0300	70	AUVA
	0600	73	D. Garcia
	0900	73	D. Garcia
	1200	73	D. Garcia
	1500	74	Garcia
	1800	74	Garcia
	2100	72	Garcia
	2400	72	AUVA

Tuesday

Date	Time	Temp.	Name(Print)
June 18, 2024	0300	70	AUVA
	0600	68	M. M. M.
	0900	67	M. M. M.
	1200	72	MUNIZ
	1500	70	CABRERA
	1800	74	CABRERA
	2100	72	CABRERA
	2400	72	AUVA

Wednesday

Date	Time	Temp.	Name(Print)
June 19, 2024	0300	70	AUVA
	0600	68	Rodriguez
	0900	70	Rodriguez
	1200	72	Rodriguez
	1500	74	Rodriguez
	1800	76	Rodriguez
	2100	74	Rodriguez
	2400	72	MUNIZ

Thursday

Date	Time	Temp.	Name(Print)
June 20, 2024	0300	72	MUNIZ
	0600	72	MUNIZ
	0900	73	MUNIZ
	1200	75	MUNIZ
	1500	73	EDWARD
	1800	77	EDWARD
	2100	75	EDWARD
	2400	72	A. VILLA

Friday

Date	Time	Temp.	Name(Print)
June 21, 2024	0300	70	A. VILLA
	0600	70	M. Muniz
	0900	72	M. Muniz
	1200	75	M. Muniz
	1500	81	T. Edwards
	1800	89	T. Edwards
	2100	88	T. Edwards
	2400	78	D. Hernandez

Saturday

Date	Time	Temp.	Name(Print)
June 22, 2024	0300	74	D. Hernandez
	0600	75	M. Muniz
	0900	76	M. Muniz
	1200	78	M. Muniz
	1500	90	T. Edwards
	1800	93	T. Edwards
	2100	90	T. Edwards
	2400	88	AUVA

Notes

Date	Time	Temp.	Name(Print)
June 23, 2024	0300	85	AUVA
	0600	83	M. Muniz
	0900	85	M. Muniz
	1200	88	M. Muniz
	1500	90	T. EDON
	1800	85	T. EDON
	2100	90	T. EDON
	2400	80	AUVA

DISTRIBUTION: Original: Institution ADA Coordinator

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	78	Auria
	0600	78	P. Baran
	0900	78	P. Baran
	1200	83	P. Baran
	1500	88	Gabriela
	1800	88	Gabriela
	2100	80	Gabriela
	2400	88	Auria

Tuesday			
Date	Time	Temp.	Name(Print)
June 25, 2024	0300	82	Auria
	0600	83	M. M. 23
	0900	85	M. M. 23
	1200	87	M. M. 23
	1500	88	Gabriela
	1800	86	Gabriela
	2100	84	Gabriela
	2400	82	Auria

Wednesday			
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	76	Auria
	0600	77	M. M. 23
	0900	80	M. M. 23
	1200	84	M. M. 23
	1500	85	T. Edwards
	1800	87	T. Edwards
	2100	85	T. Edwards
	2400	82	M. M. 23

Thursday			
Date	Time	Temp.	Name(Print)
June 27, 2024	0300	82	M. M. 23
	0600	82	M. M. 23
	0900	83	M. M. 23
	1200	84	M. M. 23
	1500	89	M. M. 23
	1800	89	M. M. 23
	2100	87	M. M. 23
	2400	78	A. Diaz

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	70	A. Diaz
	0600	74	M. M. 23
	0900	76	M. M. 23
	1200	79	M. M. 23
	1500	81	T. Edwards
	1800	81	T. Edwards
	2100	75	T. Edwards
	2400	73	Durante

Saturday			
Date	Time	Temp.	Name(Print)
June 29, 2024	0300	70	Durante
	0600	72	M. M. 23
	0900	73	M. M. 23
	1200	77	M. M. 23
	1500	84	T. Edwards
	1800	88	T. Edwards
	2100	80	T. Edwards
	2400	78	Auria

Sunday			
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	76	Auria
	0600	77	M. M. 23
	0900	78	M. M. 23
	1200	81	M. M. 23
	1500	91	T. Edwards
	1800	80	T. Edwards
	2100	82	T. Edwards
	2400	80	J. Scott

DISTRIBUTION: Original: Institution ADA Coordinator

Notes
1629 - Stage II 90° Watch notified

DESIGNATED HEAT DORMS: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45444 through 45473, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300	67	THORNTON
	0600	66	THORNTON
	0900	70°	TAPIA
	1200	71°	TAPIA
	1500	71	KIES
	1800	71	KIES
	2100	71	KIES
	2400	70	DAWSON

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300	68	BERKINBURN
	0600	69°	TAPIA
	0900	70°	TAPIA
	1200	70°	TAPIA
	1500	73	CHILL
	1800	74	CHILL
	2100	71	CHILL
	2400	70	J. THOMAS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
 304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 3, 2024	0300	70	DANSON
	0600	66	Gabriela
	0900	68	Gabriela
	1200	68	Gabriela
	1500	70	Nagao
	1800	70	Nagao
	2100	70	Nagao
	2400	70	BEAUCHAMP

Wednesday			
Date	Time	Temp.	Name(Print)
June 5, 2024	0300	70	BEAUCHAMP
	0600	70°	TAPIA
	0900	70°	TAPIA
	1200	78°	TAPIA
	1500	75	Nagao
	1800	75	Nagao
	2100	76	Nagao
	2400	74	BEAUCHAMP

Friday			
Date	Time	Temp.	Name(Print)
June 7, 2024	0300	74	BEAUCHAMP
	0600	72°	TAPIA
	0900	72°	TAPIA
	1200	76	CHILL
	1500	74	CHILL
	1800	73	CHILL
	2100	74	CHILL
	2400	71	BEAUCHAMP

Sunday			
Date	Time	Temp.	Name(Print)
June 9, 2024	0300	71	MERCADO
	0600	70	S. GONZALEZ
	0900	70	S. GONZALEZ
	1200	71	S. GONZALEZ
	1500	70	KIES
	1800	80	KIES
	2100	80	KIES
	2400	74	Villa

Tuesday			
Date	Time	Temp.	Name(Print)
June 4, 2024	0300	79	BEAUCHAMP
	0600	66	Gabriela
	0900	68	Gabriela
	1200	72	Gabriela
	1500	74	Nagao
	1800	74	Nagao
	2100	74	Nagao
	2400	72	BEAUCHAMP

Thursday			
Date	Time	Temp.	Name(Print)
June 6, 2024	0300	70	BEAUCHAMP
	0600	70°	TAPIA
	0900	72°	TAPIA
	1200	80°	TAPIA
	1500	81	R. GARCIA
	1800	82	R. GARCIA
	2100	80	R. GARCIA
	2400	77	BEAUCHAMP

Saturday			
Date	Time	Temp.	Name(Print)
June 8, 2024	0300	70	BEAUCHAMP
	0600	70	KIES
	0900	70	KIES
	1200	73	KIES
	1500	76	CHILL
	1800	75	CHILL
	2100	73	CHILL
	2400	73	MERCADO

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 10, 2024	0300	70	VILLA
	0600	68	Gabriela
	0900	68	Gabriela
	1200	72	Gabriela
	1500	72	Nagao
	1800	72	Nagao
	2100	72	Nagao
	2400	70	BEAUCHAMP

Wednesday			
Date	Time	Temp.	Name(Print)
June 12, 2024	0300	70	BEAUCHAMP
	0600	70	Render
	0900	70	Render
	1200	70	Render
	1500	76	Nagao
	1800	74	Nagao
	2100	72	Nagao
	2400	71	BEAUCHAMP

Friday			
Date	Time	Temp.	Name(Print)
June 14, 2024	0300	71	BEAUCHAMP
	0600	71	MORRISON
	0900	71	J. Cervantes
	1200	71	J. Cervantes
	1500	76	Ball
	1800	76	Ball
	2100	74	Ball
	2400	73	BEAUCHAMP

Sunday			
Date	Time	Temp.	Name(Print)
June 16, 2024	0300	72	Morgan
	0600	72	R. MORGAN
	0900	72	R. MORGAN
	1200	74	R. MORGAN
	1500	80	Roberto
	1800	74	Roberto
	2100	77	Roberto
	2400	75	Roberto

Tuesday

Date	Time	Temp.	Name(Print)
June 11, 2024	0300	69	BEAUCHAMP
	0600	66	Gabriela
	0900	68	Gabriela
	1200	72	Gabriela
	1500	74	Nagao
	1800	74	Nagao
	2100	72	Nagao
	2400	70	BEAUCHAMP

Thursday

Date	Time	Temp.	Name(Print)
June 13, 2024	0300	70	BEAUCHAMP
	0600	70	J. ELIAS
	0900	72	J. ELIAS
	1200	78	J. ELIAS
	1500	79	R. GARCIA
	1800	78	R. GARCIA
	2100	79	R. GARCIA
	2400	73	BEAUCHAMP

Saturday

Date	Time	Temp.	Name(Print)
June 15, 2024	0300	70	BEAUCHAMP
	0600	71	Hernandez
	0900	71	Hernandez
	1200	70	Hernandez
	1500	76	Ball
	1800	74	Ball
	2100	73	Ball
	2400	72	Ball

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

X

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension
90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 17, 2024	0300	73	<i>Mal</i>
	0600	68	<i>Cabreia</i>
	0900	70	<i>Cabreia</i>
	1200	72	<i>Cabreia</i>
	1500	74	<i>Negro</i>
	1800	72	<i>Rinier</i>
	2100	72	<i>Ronche</i>
	2400	70	<i>BEAUCAMP</i>

Wednesday

Date	Time	Temp.	Name(Print)
June 19, 2024	0300	69	<i>BEAUCAMP</i>
	0600	70°	<i>TAPIA</i>
	0900	70°	<i>TAPIA</i>
	1200	70°	<i>TAPIA</i>
	1500	72	<i>Negro</i>
	1800	74	<i>Negro</i>
	2100	74	<i>Negro</i>
	2400	71	<i>BEAUCAMP</i>

Friday

Date	Time	Temp.	Name(Print)
June 21, 2024	0300	71	<i>BEAUCAMP</i>
	0600	70°	<i>TAPIA</i>
	0900	70°	<i>TAPIA</i>
	1200	70°	<i>TAPIA</i>
	1500	71	<i>TAPIA</i>
	1800	75	<i>TAPIA</i>
	2100	73	<i>TAPIA</i>
	2400	73	<i>BEAUCAMP</i>

Sunday

Date	Time	Temp.	Name(Print)
June 23, 2024	0300	71	<i>JORDAN A</i>
	0600	70°	<i>TAPIA</i>
	0900	70°	<i>TAPIA</i>
	1200	86°	<i>TAPIA</i>
	1500	90	<i>LIEBES</i>
	1800	90	<i>LIEBES</i>
	2100	88	<i>LIEBES</i>
	2400	85	<i>M-KNUDSEN</i>

Tuesday

Date	Time	Temp.	Name(Print)
June 18, 2024	0300	70	<i>BEAUCAMP</i>
	0600	68	<i>Cabreia</i>
	0900	70	<i>Cabreia</i>
	1200	74	<i>Cabreia</i>
	1500	74	<i>Negro</i>
	1800	74	<i>Negro</i>
	2100	74	<i>Negro</i>
	2400	71	<i>BEAUCAMP</i>

Thursday

Date	Time	Temp.	Name(Print)
June 20, 2024	0300	69	<i>BEAUCAMP</i>
	0600	70°	<i>TAPIA</i>
	0900	70°	<i>TAPIA</i>
	1200	72°	<i>TAPIA</i>
	1500	74	<i>R. GARCIA</i>
	1800	76	<i>R. GARCIA</i>
	2100	78	<i>R. GARCIA</i>
	2400	75	<i>BEAUCAMP</i>

Saturday

Date	Time	Temp.	Name(Print)
June 22, 2024	0300	71	<i>BEAUCAMP</i>
	0600	70°	<i>TAPIA</i>
	0900	76°	<i>TAPIA</i>
	1200	86°	<i>TAPIA</i>
	1500	96	<i>M. EVANS</i>
	1800	91	<i>M. EVANS</i>
	2100	84	<i>M. EVANS</i>
	2400	88	<i>M. EVANS</i>

Notes

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	80	M KNUDSEN
	0600	76	Cabrona
	0900	80	Cabrona
	1200	82	Cabrona
	1500	82	Nigro
	1800	79	Nigro
	2100	78	Nigro
	2400	79	BEAUMAUP

Wednesday			
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	72	BEAUMAUP
	0600	77°	TAPIA
	0900	77°	TAPIA
	1200	79°	TAPIA
	1500	81	Nigro
	1800	81	Nigro
	2100	81	Nigro
	2400	88	BEAUMAUP

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	75	BEAUMAUP
	0600	76°	TAPIA
	0900	77°	TAPIA
	1200	80°	TAPIA
	1500	81	GILL
	1800	80	GILL
	2100	82	GILL
	2400	79	BEAUMAUP

Sunday			
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	75	D MERCADO
	0600	77°	TAPIA
	0900	77°	TAPIA
	1200	80°	TAPIA
	1500	80	KES
	1800	81	KES
	2100	79	KES
	2400	78	VILLA

Tuesday			
Date	Time	Temp.	Name(Print)
June 25, 2024	0300	73	BEAUMAUP
	0600	70	Cabrona
	0900	76	Cabrona
	1200	82	Cabrona
	1500	84	Nigro
	1800	84	Nigro
	2100	82	Nigro
	2400	78	BEAUMAUP

Thursday			
Date	Time	Temp.	Name(Print)
June 27, 2024	0300	72	BEAUMAUP
	0600	76°	TAPIA
	0900	76°	TAPIA
	1200	78°	TAPIA
	1500	79	R. GARCIA
	1800	79	R. GARCIA
	2100	80	R. LARIBEL
	2400	76	BEAUMAUP

Saturday			
Date	Time	Temp.	Name(Print)
June 29, 2024	0300	77	BEAUMAUP
	0600	72	Zamora
	0900	70	Zamora
	1200	76	Zamora
	1500	80	GILL
	1800	83	GILL
	2100	79	GILL
	2400	79	D. MERCADO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 307 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
4/20/20	0300	67	J. Thomas
	0600	67	J. Edwards
	0900	69	J. Edwards
	1200	70	J. Edwards
	1500	75	M. Brown
	1800	75	M. Brown
	2100	73	M. Brown
	2400	70	J. Thomas

Sunday

Date	Time	Temp.	Name (Print)
4/20/20	0300	67	J. Thomas
	0600	60	A. B. C. L. L. L. L.
	0900	67	A. B. C. L. L. L. L.
	1200	67	A. B. C. L. L. L. L.
	1500	70	A. B. C. L. L. L. L.
	1800	71	A. B. C. L. L. L. L.
	2100	69	P. P. P. P. P. P.
	2400	64	J. Thomas

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 307 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/03/2024	0300	67	J. HARRIS
	0600	62	A. BAKKUM
	0900	64	A. BAKKUM
	1200	68	A. BAKKUM
	1500	72	P. PEREZ
	1800	72	P. PEREZ
	2100	72	P. PEREZ
	2400	70	VILLA

Tuesday

Date	Time	Temp.	Name (Print)
06/04/2024	0300	68	VILLA
	0600	66	A. BAKKUM
	0900	66	A. BAKKUM
	1200	72	A. BAKKUM
	1500	78	R. GOMEZ
	1800	76	R. GOMEZ
	2100	76	R. GOMEZ
	2400	71	VILLA

Wednesday

Date	Time	Temp.	Name (Print)
06/05/2024	0300	70	VILLA
	0600	68	A. BAKKUM
	0900	70	A. BAKKUM
	1200	76	A. BAKKUM
	1500	81	R. GOMEZ
	1800	78	R. GOMEZ
	2100	77	R. GOMEZ
	2400	72	J. HARRIS

Thursday

Date	Time	Temp.	Name (Print)
06/06/2024	0300	70	J. HARRIS
	0600	72	A. BAKKUM
	0900	76	A. BAKKUM
	1200	82	A. BAKKUM
	1500	82	R. GOMEZ
	1800	80	R. GOMEZ
	2100	78	R. GOMEZ
	2400	75	J. HARRIS

Friday

Date	Time	Temp.	Name (Print)
06/07/2024	0300	70	J. HARRIS
	0600	70	M. BROWN
	0900	72	M. BROWN
	1200	70	M. BROWN
	1500	81	M. BROWN
	1800	81	M. BROWN
	2100	78	M. BROWN
	2400	74	J. HARRIS

Saturday

Date	Time	Temp.	Name (Print)
06/08/2024	0300	68	J. HARRIS
	0600	68	R. ROJAS
	0900	70	R. ROJAS
	1200	72	R. ROJAS
	1500	87	M. BROWN
	1800	87	M. BROWN
	2100	79	M. BROWN
	2400	73	Z. LEE

Sunday

Date	Time	Temp.	Name (Print)
06/09/2024	0300	72	J. HARRIS
	0600	70	M. KNUDSEN
	0900	70	M. KNUDSEN
	1200	70	M. KNUDSEN
	1500	75	Z. LEE
	1800	78	Z. LEE
	2100	75	Z. LEE
	2400	75	M. KNUDSEN

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 307 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	65	M. KNUDSEN
	0600	70	K. Amor201a
	0900	70	K. Amor201a
	1200	72	K. Amor201a
	1500	80	PEREZ
	1800	78	PEREZ
	2100	76	PEREZ
	2400	70	VILLA

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	60°	VILLA
	0600	69	Garcia
	0900	70	Garcia
	1200	74	Garcia
	1500	74	D.Garcia
	1800	74	D.Garcia
	2100	72	D.Garcia
	2400	70	VILLA

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	67	VILLA
	0600	65	Garcia
	0900	65	Garcia
	1200	77	Garcia
	1500	74	R.GOMEZ
	1800	70	R.GOMEZ
	2100	78	R.GOMEZ
	2400	78	Sanchez

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	76	Sanchez
	0600	70	MORALEZ
	0900	70	MORALEZ
	1200	74	MORALEZ
	1500	78°	R. BECERRA
	1800	80°	R. BECERRA
	2100	79°	R. BECERRA
	2400	79	Mechristian

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	70	Mechristian
	0600	69	T.Edwards
	0900	70	T.Edwards
	1200	75	T.Edwards
	1500	81	M.Brown
	1800	82	M.Brown
	2100	79	M.Brown
	2400	78	Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	75	Rodriguez
	0600	71	T.Edwards
	0900	71	T.Edwards
	1200	80	T.Edwards
	1500	87	M.Brown
	1800	81	M.Brown
	2100	80	M.Brown
	2400	80	G.Romero

Notes

Date	Time	Temp.	Name (Print)
6/16/24	0300	70	G.Romero
	0600	70	S.Brown
	0900	72	S.Brown
	1200	76	S.Brown
	1500	77	S.Brown
	1800	78	S.Brown
	2100	76	S.Brown
	2400	70	S.Brown

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 307 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/21	0300	76	R. SHAW
	0600	70	N. CERVANTES
	0900	70	N. CERVANTES
	1200	70	N. CERVANTES
	1500	80	P. PEREZ
	1800	78	P. PEREZ
	2100	76	P. PEREZ
	2400	71	VILLA

Wednesday

Date	Time	Temp.	Name (Print)
6/19/21	0300	70	VILLA
	0600	70	M. PARKER
	0900	71	M. PARKER
	1200	75	M. PARKER
	1500	79	P. GOMEZ
	1800	78	P. GOMEZ
	2100	76	P. GOMEZ
	2400	72	P. GOMEZ

Friday

Date	Time	Temp.	Name (Print)
6/21/21	0300	72	M. BROWN
	0600	69	T. EDWARDS
	0900	71	T. EDWARDS
	1200	73	T. EDWARDS
	1500	80	M. BROWN
	1800	82	M. BROWN
	2100	79	M. BROWN
	2400	77	T. EDWARDS

Sunday

Date	Time	Temp.	Name (Print)
6/23/21	0300	70	P. FENNA
	0600	74	H. HANSEN
	0900	78	H. HANSEN
	1200	86	H. HANSEN
	1500	90	R. TIBBETTS
	1800	90	R. TIBBETTS
	2100	80	R. TIBBETTS
	2400		R. SHAW

Tuesday

Date	Time	Temp.	Name (Print)
6/18/21	0300	70	VILLA
	0600	70	CERVANTES
	0900	72	CERVANTES
	1200	75	CERVANTES
	1500	79	R. GOMEZ
	1800	79	R. GOMEZ
	2100	78	R. GOMEZ
	2400	72	VILLA

Thursday

Date	Time	Temp.	Name (Print)
6/20/21	0300	72	JACKIE
	0600	72	CERVANTES
	0900	74	CERVANTES
	1200	75	CERVANTES
	1500	81	P. GOMEZ
	1800	80	P. GOMEZ
	2100	90	P. GOMEZ
	2400	72	G. BONZAIER

Saturday

Date	Time	Temp.	Name (Print)
6/22/21	0300	78	T. HOWARD
	0600	70	T. EDWARDS
	0900	71	T. EDWARDS
	1200	80	T. EDWARDS
	1500	91	M. BROWN
	1800	91	M. BROWN
	2100	82	M. BROWN
	2400	92	P. FENNA

Notes

- 6/22/21 1:30 STAGE II notified watch
- 6/23/21 AT 12:51 STAGE II NOTIFIED URGENT 6/23/21 1:30 STAGE III NOTIFIED SGT

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 301 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6-24-18	0300	74	B. SHAW
	0600	74	B. SHAW
	0900	77	NUGO
	1200	75	NUGO
	1500	88	PETER
	1800	88	PETER
	2100	89	PETER
	2400	85	VILLA

Tuesday			
Date	Time	Temp.	Name (Print)
6-25-18	0300	72	VILLA
	0600	72	Bradford
	0900	71	B. Bradford
	1200	81	A. GARCIA
	1500	90	R. Gomez
	1800	89	R. Gomez
	2100	87	R. Gomez
	2400	80	VILLA

Wednesday			
Date	Time	Temp.	Name (Print)
6-26-18	0300	70	VILLA
	0600	76	Jones
	0900	76	Jones
	1200	83	A. GARCIA
	1500	90	R. Gomez
	1800	90	R. Gomez
	2100	89	R. Gomez
	2400	89	CHESTER

Thursday			
Date	Time	Temp.	Name (Print)
6-27-18	0300	78	VILLA
	0600	68	A. GARCIA
	0900	74	A. GARCIA
	1200	82	R. GARCIA
	1500	89	R. Gomez
	1800	89	R. Gomez
	2100	80	R. Gomez
	2400	70	QUARTE

Friday			
Date	Time	Temp.	Name (Print)
6-28-18	0300	70	QUARTE
	0600	70	T. Edwards
	0900	70	T. Edwards
	1200	80	T. Edwards
	1500	86	T. Edwards
	1800	87	M. Brown
	2100	87	M. Brown
	2400	80	J. JIMENEZ

Saturday			
Date	Time	Temp.	Name (Print)
6-29-18	0300	80	J. JIMENEZ
	0600	67	T. Edwards
	0900	69	T. Edwards
	1200	75	T. Edwards
	1500	88	M. Brown
	1800	88	M. Brown
	2100	82	M. Brown
	2400	70	A. Moreno

Sunday			
Date	Time	Temp.	Name (Print)
6-30-18	0300	70	A. Moreno
	0600	68	A. GARCIA
	0900	74	A. GARCIA
	1200	80	A. GARCIA
	1500	88	LIMA
	1800	88	LIMA
	2100	85	LIMA
	2400	80	PEMA

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Notes

**DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU**

From 45444 through 45473, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

90 degrees and again at 95 degrees.			
Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name(Print)
June 2, 2024	0300	68	CM
	0600	66	E. Cabriera
	0900	66	E. Cabriera
	1200	70	E. Cabriera
	1500	72	Gordon
	1800	72	Gordon
	2100	72	Gordon
	2400	72	C SANDOVAL

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
June 1, 2024	0300	70	QUARTE
	0600	70	CEJA
	0900	71	CEJA
	1200	71	CEJA
	1500	70	HERNANDEZ AM
	1800	74	HERNANDEZ AM
	2100	71	HERNANDEZ AM
	2400	70	CARMELO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403; 404, 405,
406, 407, 408, 409, OHU.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension — when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 3, 2024	0300	70	C SANDOVAL
	0600	70	V. MARTINEZ
	0900	70	V. MARTINEZ
	1200	71	V. MARTINEZ
	1500	72	R. MARTINEZ
	1800	71	R. MARTINEZ
	2100	71	R. MARTINEZ
	2400	72	C SANDOVAL

Wednesday			
Date	Time	Temp.	Name(Print)
June 5, 2024	0300	74	C SANDOVAL
	0600	72	Romero
	0900	74	Romero
	1200	75	Romero
	1500	78	R. MARTINEZ
	1800	78	R. MARTINEZ
	2100	73	R. MARTINEZ
	2400	76	C SANDOVAL

Friday			
Date	Time	Temp.	Name(Print)
June 7, 2024	0300	74	C SANDOVAL
	0600	72	Romero
	0900	72	Romero
	1200	75	Romero
	1500	79	GRADY
	1800	79	GRADY
	2100	78	GRADY
	2400	78	GRADY

Sunday			
Date	Time	Temp.	Name(Print)
June 9, 2024	0300	79	GRADY
	0600	87	J. ROBBINS
	0900	70	J. ROBBINS
	1200	70	J. ROBBINS
	1500	74	L. COV
	1800	75	L. COV
	2100	79	L. COV
	2400	79	C SANDOVAL

Tuesday			
Date	Time	Temp.	Name(Print)
June 4, 2024	0300	70	C SANDOVAL
	0600	70°	S. Lockley
	0900	70°	S. Lockley
	1200	72°	S. Lockley
	1500	74	R. MARTINEZ
	1800	72	R. MARTINEZ
	2100	70	R. MARTINEZ
	2400	74	C SANDOVAL

Thursday			
Date	Time	Temp.	Name(Print)
June 6, 2024	0300	76	C SANDOVAL
	0600	73	C SANDOVAL
	0900	74	C SANDOVAL
	1200	78	C SANDOVAL
	1500	81	A. AGUILAR
	1800	80	A. AGUILAR
	2100	78	A. AGUILAR
	2400	76	C SANDOVAL

Saturday			
Date	Time	Temp.	Name(Print)
June 8, 2024	0300	76	D. JIM
	0600	75	K. RICHARDSON
	0900	76	K. RICHARDSON
	1200	76	K. RICHARDSON
	1500	80	R. MARTINEZ
	1800	80	R. MARTINEZ
	2100	79	R. MARTINEZ
	2400	76	C. MURDO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 10, 2024	0300	72	C SANJAVAC
	0600	72	V. MARTINEZ
	0900	72	V. MARTINEZ
	1200	72	V. MARTINEZ
	1500	77	R. MARTINEZ
	1800	75	R. MARTINEZ
	2100	73	R. MARTINEZ
	2400	72	M. KNUSEN

Wednesday

Date	Time	Temp.	Name(Print)
June 12, 2024	0300	72	C SANJAVAC
	0600	72	C SANJAVAC
	0900	74	C SANJAVAC
	1200	76	C SANJAVAC
	1500	77	R. MARTINEZ
	1800	80	R. MARTINEZ
	2100	73	R. MARTINEZ
	2400	79	C SANJAVAC

Friday

Date	Time	Temp.	Name(Print)
June 14, 2024	0300	72	C SANJAVAC
	0600	70	C SANJAVAC
	0900	70	C SANJAVAC
	1200	74	C SANJAVAC
	1500	82	S GRADY
	1800	82	S GRADY
	2100	81	S GRADY
	2400	70	S GRADY

Sunday

Date	Time	Temp.	Name(Print)
June 16, 2024	0300	71	M. GARNER
	0600	72°	GONZALEZ
	0900	74°	GONZALEZ
	1200	76°	GONZALEZ
	1500	77	M. GARNER
	1800	78	M. GARNER
	2100	74	M. GARNER
	2400	74	C SANJAVAC

Tuesday

Date	Time	Temp.	Name(Print)
June 11, 2024	0300	72	M. KNUSEN
	0600	72	CERVANTES
	0900	74	CERVANTES
	1200	76	CERVANTES
	1500	78	R. MARTINEZ
	1800	80	R. MARTINEZ
	2100	72	R. MARTINEZ
	2400	72	C SANJAVAC

Thursday

Date	Time	Temp.	Name(Print)
June 13, 2024	0300	76	C SANJAVAC
	0600	72	L BELCHER
	0900	72	L BELCHER
	1200	76	L BELCHER
	1500	79°	A. AGUIRRE
	1800	78°	A. AGUIRRE
	2100	78°	A. AGUIRRE
	2400	74	C SANJAVAC

Saturday

Date	Time	Temp.	Name(Print)
June 15, 2024	0300	72	MM
	0600	72	S BROOKS
	0900	72	S BROOKS
	1200	78	S BROOKS
	1500	85	WHITEN
	1800	84	WHITEN
	2100	73	WHITEN
	2400	76	M. VARGAS JR.

Notes

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, CHU

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 17, 2024	0300	72	C SANDOVAL
	0600	77	Chambers
	0900	70	MARTIN
	1200	76	MARTIN
	1500	80	F. GARCIA
	1800	80	F. GARCIA
	2100	78	F. GARCIA
	2400	79	C SANDOVAL

Wednesday			
Date	Time	Temp.	Name(Print)
June 19, 2024	0300	72	C SANDOVAL
	0600	70	C SANDOVAL
	0900	70	C SANDOVAL
	1200	76	C SANDOVAL
	1500	80	F. GARCIA
	1800	78	F. GARCIA
	2100	78	F. GARCIA
	2400	79	C SANDOVAL

Friday			
Date	Time	Temp.	Name(Print)
June 21, 2024	0300	78	PENNA
	0600	78	Darrow
	0900	78	Darrow
	1200	79	Darrow
	1500	84	GRADY
	1800	82	GRADY
	2100	80	GRADY
	2400	78	F. GARCIA

Sunday			
Date	Time	Temp.	Name(Print)
June 23, 2024	0300	70	BERNARDINE
	0600	76	CABRERA
	0900	78	CABRERA
	1200	84	CABRERA
	1500	88	F. GARCIA
	1800	90	F. GARCIA
	2100	86	F. GARCIA
	2400	80	C SANDOVAL

Tuesday			
Date	Time	Temp.	Name(Print)
June 18, 2024	0300	72	C SANDOVAL
	0600	70	C SANDOVAL
	0900	72	C SANDOVAL
	1200	76	C SANDOVAL
	1500	80	F. GARCIA
	1800	80	F. GARCIA
	2100	78	F. GARCIA
	2400	74	C SANDOVAL

Thursday			
Date	Time	Temp.	Name(Print)
June 20, 2024	0300	72	C SANDOVAL
	0600	72	L BELCHER
	0900	72	L BELCHER
	1200	76	L BELCHER
	1500	81	A. AGUILAR
	1800	79	A. AGUILAR
	2100	79	A. AGUILAR
	2400	78	C PENNA

Saturday			
Date	Time	Temp.	Name(Print)
June 22, 2024	0300	78	P. GARCIA
	0600	74	HANSEN
	0900	76	HANSEN
	1200	80	HANSEN
	1500	91°	A. AGUILAR
	1800	91°	A. AGUILAR
	2100	91°	A. AGUILAR
	2400	81	BERANASKE

Notes

6/22/24 3/w STAGE 2 @ 1430 HRS
 6/22/24 OFF STAGE 7 @ 2210
 6/23/24 3/w Stage 2 @ 1450
 6/23/24 condition 2 stage 2 @ 2000

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	80	C SANDOVAL
	0600	80	C EJEA
	0900	80	C EJEA
	1200	81	C EJEA
	1500	88	F GOMEZ
	1800	88	F GOMEZ
	2100	89	F GOMEZ
	2400	85	C SANDOVAL

Wednesday			
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	80	C SANDOVAL
	0600	77	C SANDOVAL
	0900	79	C SANDOVAL
	1200	82	C SANDOVAL
	1500	87°	A AGUILAR
	1800	84°	A AGUILAR
	2100	82°	A AGUILAR
	2400	80	C SANDOVAL

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	80	C SANDOVAL
	0600	85	O RICHARDSON
	0900	88	RICHARDSON
	1200	88	RICHARDSON
	1500	82	S GRADY
	1800	80	S GRADY
	2100	80	S GRADY
	2400	80	RIVAS

Sunday			
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	78	FENF
	0600	70	J MARTINOL
	0900	78	F GOMEZ
	1200	78	F GOMEZ
	1500	90	F GOMEZ
	1800	92	F GOMEZ
	2100	86	F GOMEZ
	2400	86	C SANDOVAL

Tuesday			
Date	Time	Temp.	Name(Print)
June 25, 2024	0300	80	C SANDOVAL
	0600	80	C SANDOVAL
	0900	80	C SANDOVAL
	1200	86	C SANDOVAL
	1500	88	F GOMEZ
	1800	88	F GOMEZ
	2100	84	F GOMEZ
	2400	82	C SANDOVAL

Thursday			
Date	Time	Temp.	Name(Print)
June 27, 2024	0300	78	C SANDOVAL
	0600	72	S GOYTE
	0900	72	S GOYTE
	1200	80	S GOYTE
	1500	89°	TAPIA
	1800	89°	TAPIA
	2100	88°	TAPIA
	2400	82	C SANDOVAL

Saturday			
Date	Time	Temp.	Name(Print)
June 29, 2024	0300	77	RIVAS
	0600	70	ORGAN
	0900	74	ORGAN
	1200	80	ORGAN
	1500	80	BROWN
	1800	80	BROWN
	2100	80	BROWN
	2400	78	CPENDA

Notes
6-30-24 stage 2 90 c 15°
6-30-24 deadlocking @ 1950

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 205, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45444 through 45473, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300	70	AU
	0600	73	RUEVIA
	0900	72	RUEVIA
	1200	73	RUEVIA
	1500	74	PEKEZ
	1800	76	PEKEZ
	2100	76	PEKEZ
	2400	74	AU

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300	70	AU
	0600	71	RUEVIA
	0900	71	RUEVIA
	1200	71	RIVERA
	1500	74	TAPIA
	1800	79	TAPIA
	2100	78	TAPIA
	2400	74	AU

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 3, 2024	0300	71	A. [Signature]
	0600	73	RIVELIN
	0900	71	RIVELIN
	1200	72	RIVELIN
	1500	73	CEJO
	1800	72	CEJO
	2100	71	CEJO
	2400	70	E. [Signature]

Wednesday

Date	Time	Temp.	Name(Print)
June 5, 2024	0300	70	M. [Signature]
	0600	70	V. MARTINEZ
	0900	70	V. MARTINEZ
	1200	70	V. MARTINEZ
	1500	76	Morgan
	1800	76	Morgan
	2100	74	Morgan
	2400	74	T. Howard

Friday

Date	Time	Temp.	Name(Print)
June 7, 2024	0300	70	E. [Signature]
	0600	72	RIVELIN
	0900	71	RIVELIN
	1200	72	RIVELIN
	1500	73	Morgan
	1800	73	Morgan
	2100	74	Morgan
	2400	72	A. [Signature]

Sunday

Date	Time	Temp.	Name(Print)
June 9, 2024	0300	72	A. [Signature]
	0600	72	RIVELIN
	0900	70	RIVELIN
	1200	69	RIVELIN
	1500	72	Carroll
	1800	74	Carroll
	2100	74	Carroll
	2400	74	A. [Signature]

Tuesday

Date	Time	Temp.	Name(Print)
June 4, 2024	0300	70	E. [Signature]
	0600	70	V. MARTINEZ
	0900	70	V. MARTINEZ
	1200	70	V. MARTINEZ
	1500	73	CEJO
	1800	72	CEJO
	2100	71	CEJO
	2400	70	M. [Signature]

Thursday

Date	Time	Temp.	Name(Print)
June 6, 2024	0300	74	T. Howard
	0600	74	CEJA
	0900	75	CEJA
	1200	78	CEJA
	1500	78	Morgan
	1800	76	Morgan
	2100	74	Morgan
	2400	70	(unclear)

Saturday

Date	Time	Temp.	Name(Print)
June 8, 2024	0300	72	A. [Signature]
	0600	72	RIVELIN
	0900	70	RIVELIN
	1200	71	RIVELIN
	1500	80	S. GRADY
	1800	79	S. GRADY
	2100	77	S. GRADY
	2400	77	A. [Signature]

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 10, 2024	0300	71	All
	0600	74	RIVERA
	0900	73	RIVERA
	1200	73	RIVERA
	1500	74	CES
	1800	73	CES
	2100	72	CES
	2400	70	E.Guano

Wednesday			
Date	Time	Temp.	Name(Print)
June 12, 2024	0300	70	Or
	0600	70	CD
	0900	72	W
	1200	72	W
	1500	75	Morano
	1800	75	Morano
	2100	72	CD
	2400	70	G

Friday			
Date	Time	Temp.	Name(Print)
June 14, 2024	0300	70	E.Guano
	0600	71	RIVERA
	0900	71	RIVERA
	1200	72	RIVERA
	1500	74	Morano
	1800	79	Morano
	2100	79	Morano
	2400	79	All

Sunday			
Date	Time	Temp.	Name(Print)
June 16, 2024	0300	73	K. Allen
	0600	76	RIVERA
	0900	74	RIVERA
	1200	75	RIVERA
	1500	84	S. GRADY
	1800	83	S. GRADY
	2100	80	S. GRADY
	2400	78	All

Tuesday			
Date	Time	Temp.	Name(Print)
June 11, 2024	0300	70	E.Guano
	0600	70	V. MARTINEZ
	0900	72	MARTINEZ
	1200	72	MARTINEZ
	1500	23	Cecy
	1800	72	Cecy
	2100	70	Cecy
	2400	70	G

Thursday			
Date	Time	Temp.	Name(Print)
June 13, 2024	0300	70	Or
	0600	70	CEJA
	0900	75	CEJA
	1200	77	CEJA
	1500	72	Morano
	1800	75	Morano
	2100	70	Morano
	2400	70	E.Guano

Saturday			
Date	Time	Temp.	Name(Print)
June 15, 2024	0300	76	All
	0600	72	CEJA
	0900	75	CEJA
	1200	78	CEJA
	1500	70	GRADY
	1800	80	GRADY
	2100	80	GRADY
	2400	78	All

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS -102, 103, 109, 111, 201, 202, 203, 206, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday

Date	Time	Temp.	Name(Print)
June 17, 2024	0300	72	All
	0600	74	RIVENAS
	0900	74	RIVERA
	1200	76	RIVENAS
	1500	77	CEJA
	1800	74	CEJA
	2100	75	CEJA
	2400	70	Guzman

Wednesday

Date	Time	Temp.	Name(Print)
June 19, 2024	0300	70	DR
	0600	75	DR
	0900	75	MARTIN
	1200	75	MARTIN
	1500	75	Martino
	1800	75	Martino
	2100	72	Martino
	2400	72	

Friday

Date	Time	Temp.	Name(Print)
June 21, 2024	0300	70	Eugenio
	0600	73	RIVENAS
	0900	72	RIVERA
	1200	72	DR
	1500	79	KELLIAN
	1800	82	KELLIAN
	2100	82	KELLIAN
	2400	80	All

Sunday

Date	Time	Temp.	Name(Print)
June 23, 2024	0300	78	All
	0600	78	BRAGDON
	0900	80	BRAGDON
	1200	86	BRAGDON
	1500	85	LORON
	1800	83	LORON
	2100	87	LORON
	2400	80	All

Tuesday

Date	Time	Temp.	Name(Print)
June 18, 2024	0300	70	Guzman
	0600	74	V. MARTIN
	0900	74	V. MARTIN
	1200	75	V. MARTIN
	1500	73	CEJA
	1800	74	CEJA
	2100	79	CEJA
	2400	73	CEJA

Thursday

Date	Time	Temp.	Name(Print)
June 20, 2024	0300	71	DR
	0600	71	DR
	0900	71	CEJA
	1200	78	CEJA
	1500	79	Morales
	1800	80	to Moran
	2100	75	Morales
	2400	70	E. Yean

Saturday

Date	Time	Temp.	Name(Print)
June 22, 2024	0300	78	All
	0600	76	RIVENAS
	0900	80	RIVENAS
	1200	83	RIVENAS
	1500	89	GRADY
	1800	87	GRADY
	2100	87	GRADY
	2400	80	All

Notes

6/21/24 Dorm received ice at 300 hr

DISTRIBUTION: Original: Institution ADA Coordinator

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 24, 2024	0300	80	AHL
	0600	81	RIVIERA
	0900	80	RIVIERA
	1200	82	RIVIERA
	1500	85	AVICA
	1800	87	AVICA
	2100	88	AVICA
	2400	86	AVICA

Tuesday

Date	Time	Temp.	Name(Print)
June 25, 2024	0300	76	Bachman
	0600	78	
	0900	78	
	1200	80	
	1500	85	MORGEN
	1800	87	MORGEN
	2100	84	MORGEN
	2400	83	b

Wednesday

Date	Time	Temp.	Name(Print)
June 26, 2024	0300	83	b
	0600	84	
	0900	80	
	1200	80	
	1500	86	MORGEN
	1800	87	MORGEN
	2100	87	MORGEN
	2400	87	b

Thursday

Date	Time	Temp.	Name(Print)
June 27, 2024	0300	81	
	0600	81	
	0900	82	CEJA
	1200	82	CEJA
	1500	86	MORGEN
	1800	85	MORGEN
	2100	83	MORGEN
	2400	79	E.GARCIA

Friday

Date	Time	Temp.	Name(Print)
June 28, 2024	0300	70	E.GARCIA
	0600	76	RIVIERA
	0900	75	RIVIERA
	1200	80	RIVIERA
	1500	84	MORGEN
	1800	85	MORGEN
	2100	87	MORGEN
	2400	80	AHL

Saturday

Date	Time	Temp.	Name(Print)
June 29, 2024	0300	75	AHL
	0600	72	RIVIERA
	0900	71	RIVIERA
	1200	74	RIVIERA
	1500	85	GRADY
	1800	82	GRADY
	2100	82	GRADY
	2400	80	AHL

Notes

1223 STAGE 1
6/30 STAGE 1 1131

Sunday

Date	Time	Temp.	Name(Print)
June 30, 2024	0300	78	AHL
	0600	77	RIVIERA
	0900	80	RIVIERA
	1200	81	RIVIERA
	1500	80	PETZEL
	1800	82	PETZEL
	2100	88	PETZEL
	2400	84	AHL

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: 310
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
June 1, 2024	0300	77	B COX
	0600	77	R Dominguez
	0900	72	R Dominguez
	1200	73	R Dominguez
	1500	79	Gutierrez
	1800	80	Gutierrez
	2100	79	Gutierrez
	2400	77	B COX

Sunday

Date	Time	Temp.	Name (Print)
June 2, 2024	0300	72	B COX
	0600	70	R DELGADO
	0900	71	R DELGADO
	1200	72	R DELGADO
	1500	79	Gutierrez
	1800	79	Gutierrez
	2100	79	Gutierrez
	2400	77	B COX

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 3, 2024	0300	75	J. Scott
	0600	70	HILL
	0900	71	HILL
	1200	72	HILL
	1500	74	VILLA
	1800	74	VILLA
	2100	72	VILLA
	2400	72	B. Cox

Wednesday			
Date	Time	Temp.	Name(Print)
June 5, 2024	0300	73	B. Cox
	0600	72	HILL
	0900	74	HILL
	1200	76	HILL
	1500	80	Gutierrez
	1800	79	Gutierrez
	2100	80	Gutierrez
	2400	78	B. Cox

Friday			
Date	Time	Temp.	Name(Print)
June 7, 2024	0300	76	Mechristian
	0600	73	HILL
	0900	74	HILL
	1200	77	HILL
	1500	80	Gutierrez
	1800	79	Gutierrez
	2100	76	Gutierrez
	2400	78	J. Davis

Sunday			
Date	Time	Temp.	Name(Print)
June 9, 2024	0300	72	B. Cox
	0600	72	R. DELCANTO
	0900	72	R. DELCANTO
	1200	73	R. DELCANTO
	1500	79	A. Gutierrez
	1800	79	A. Gutierrez
	2100	79	F. Gutierrez
	2400	77	B. Cox

Tuesday			
Date	Time	Temp.	Name(Print)
June 4, 2024	0300	71	B. Cox
	0600	70	HILL
	0900	71	HILL
	1200	72	HILL
	1500	75	VILLA
	1800	75	VILLA
	2100	73	VILLA
	2400	73	B. Cox

Thursday			
Date	Time	Temp.	Name(Print)
June 6, 2024	0300	76	B. Cox
	0600	71	HILL
	0900	73	HILL
	1200	75	HILL
	1500	79	Gutierrez
	1800	70	Gutierrez
	2100	79	Gutierrez
	2400	78	Mechristian

Saturday			
Date	Time	Temp.	Name(Print)
June 8, 2024	0300	78	J. Davis
	0600	70	Rodriguez
	0900	72	Rodriguez
	1200	72	Rodriguez
	1500	79	Gutierrez
	1800	79	Gutierrez
	2100	79	Gutierrez
	2400	77	B. Cox

Notes

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 10, 2024	0300	71	B.Cox
	0600	70	HILL
	0900	71	HILL
	1200	73	HILL
	1500	75	VILLA
	1800	74	VILLA
	2100	72	VILLA
	2400	72	

Wednesday			
Date	Time	Temp.	Name(Print)
June 12, 2024	0300	71	B.Cox
	0600	70	HILL
	0900	72	HILL
	1200	74	HILL
	1500	81	Gutierrez
	1800	81	Gutierrez
	2100	80	Gutierrez
	2400	77	B.Cox

Friday			
Date	Time	Temp.	Name(Print)
June 14, 2024	0300	77	Esquivel
	0600	70	HILL
	0900	71	HILL
	1200	73	HILL
	1500	81	Gutierrez
	1800	80	Gutierrez
	2100	80	Gutierrez
	2400	76	Esquivel

Sunday			
Date	Time	Temp.	Name(Print)
June 16, 2024	0300	81	SMITH
	0600	72	MORALES
	0900	78	MORALES
	1200	80	MORALES
	1500	82	Gutierrez
	1800	81	Gutierrez
	2100	80	Gutierrez
	2400	80	B.Cox

Tuesday			
Date	Time	Temp.	Name(Print)
June 11, 2024	0300	71	B.Cox
	0600	70	HILL
	0900	72	HILL
	1200	75	HILL
	1500	70	VILLA
	1800	75	VILLA
	2100	74	VILLA
	2400	72	B.Cox

Thursday			
Date	Time	Temp.	Name(Print)
June 13, 2024	0300	73	B.Cox
	0600	71	HILL
	0900	73	HILL
	1200	75	HILL
	1500	80	Gutierrez
	1800	80	Gutierrez
	2100	80	Gutierrez
	2400	78	Esquivel

Saturday			
Date	Time	Temp.	Name(Print)
June 15, 2024	0300	74	Esquivel
	0600	74	A. Arevalo
	0900	74	A. Arevalo
	1200	74	A. Arevalo
	1500	80	Gutierrez
	1800	80	Gutierrez
	2100	81	Gutierrez
	2400	81	Smith

Notes

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 17, 2024	0300	74	B. COX
	0600	70	HILL
	0900	71	HILL
	1200	74	HILL
	1500	75	VILLA
	1800	74	VILLA
	2100	72	VILLA
	2400	72	B. COX

Wednesday

Date	Time	Temp.	Name(Print)
June 19, 2024	0300	72	B. COX
	0600	69	HILL
	0900	70	HILL
	1200	71	HILL
	1500	78	AVILA
	1800	78	AVILA
	2100	79	AVILA
	2400	78	B. COX

Friday

Date	Time	Temp.	Name(Print)
June 21, 2024	0300	70	ESQUIBEL
	0600	70	HILL
	0900	73	HILL
	1200	76	HILL
	1500	77	SUTTERYER
	1800	85	SUTTERYER
	2100	81	SUTTERYER
	2400	80	ESQUIBEL

Sunday

Date	Time	Temp.	Name(Print)
June 23, 2024	0300	84	B. COX
	0600	82	J. WATKINSON
	0900	82	J. WATKINSON
	1200	86	J. WATKINSON
	1500	85	S. GONZALEZ
	1800	92	S. GONZALEZ
	2100	92	S. GONZALEZ
	2400	81	B. COX

Tuesday

Date	Time	Temp.	Name(Print)
June 18, 2024	0300	76	B. COX
	0600	71	HILL
	0900	73	HILL
	1200	74	HILL
	1500	78	VILLA
	1800	77	VILLA
	2100	75	VILLA
	2400	74	B. COX

Thursday

Date	Time	Temp.	Name(Print)
June 20, 2024	0300	72	B. COX
	0600	70	HILL
	0900	72	HILL
	1200	75	HILL
	1500	71	SUTTERYER
	1800	81	SUTTERYER
	2100	80	SUTTERYER
	2400	80	ESQUIBEL

Saturday

Date	Time	Temp.	Name(Print)
June 22, 2024	0300	75	ESQUIBEL
	0600	76	SANCHEZ
	0900	77	SANCHEZ
	1200	80	SANCHEZ
	1500	75	SUTTERYER
	1800	78	SUTTERYER
	2100	71	SUTTERYER
	2400	88	B. COX

Notes

6/23/24 - 1500 - ICE DELIVERED

6/23/24 - 1945 STAGE 1 DEACTIVATED

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409; OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	79	B.Cox
	0600	78	HILL
	0900	82	HILL
	1200	85	HILL
	1500	89	VILLA
	1800	91	VILLA
	2100	88	VILLA
	2400	80	B.Cox

Wednesday			
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	79	B.Cox
	0600	77	HILL
	0900	78	HILL
	1200	79	HILL
	1500	81	MARIE
	1800	85	GUTIERREZ
	2100	89	GUTIERREZ
	2400	79	B.Cox

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	75	ESQUIBEL
	0600	76	M.BROWN
	0900	79	M.BROWN
	1200	88	M.BROWN
	1500	89	GUTIERREZ
	1800	89	GUTIERREZ
	2100	87	GUTIERREZ
	2400	70	ESQUIBEL

Sunday			
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	76	B.Cox
	0600	72	BRAGADO
	0900	76	BRAGADO
	1200	86	BRAGADO
	1500	89	GUTIERREZ
	1800	85	GUTIERREZ
	2100	87	GUTIERREZ
	2400	84	B.Cox

Tuesday			
Date	Time	Temp.	Name(Print)
June 25, 2024	0300	80	B.Cox
	0600	78	HILL
	0900	81	HILL
	1200	83	HILL
	1500	88	VILLA
	1800	80	VILLA
	2100	80	VILLA
	2400	80	B.Cox

Thursday			
Date	Time	Temp.	Name(Print)
June 27, 2024	0300	76	B.Cox
	0600	75	HILL
	0900	76	HILL
	1200	78	HILL
	1500	90	GUTIERREZ
	1800	90	GUTIERREZ
	2100	81	GUTIERREZ
	2400	79	ESQUIBEL

Saturday			
Date	Time	Temp.	Name(Print)
June 29, 2024	0300	70	ESQUIBEL
	0600	70	CEBALLOS
	0900	74	CEBALLOS
	1200	79	CEBALLOS
	1500	84	GUTIERREZ
	1800	85	GUTIERREZ
	2100	81	GUTIERREZ
	2400	70	B.Cox

Notes

10/24 - Stage II @ 1530 HRS. Activated

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU.

From 45444 through 45473, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300	72	E. Gubel
	0600	70	M. Rodriguez
	0900	70	M. Rodriguez
	1200	71	M. Rodriguez
	1500	71	Lopez
	1800	71	Lopez
	2100	71	Lopez
	2400	70	K. Morgan

June 2, 2024

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300	72	S. Brooks
	0600	70	R. Rodas
	0900	70	R. Rodas
	1200	70	R. Rodas
	1500	74	C. Williams
	1800	70	John
	2100	70	John
	2400	70	Escobar

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 3, 2024	0300	70	K MORGAN
	0600	70	G Clark
	0900	70	G Clark
	1200	70	G Clark
	1500	70	G Clark
	1800	72	G Clark
	2100	73	G Clark
	2400	72	S Brooks

Tuesday			
Date	Time	Temp.	Name(Print)
June 4, 2024	0300	72	S Brooks
	0600	72	RICHARDSON
	0900	72	RICHARDSON
	1200	74	RICHARDSON
	1500	74	RICHARDSON
	1800	74	RICHARDSON
	2100	74	RICHARDSON
	2400	76	S Brooks

Wednesday			
Date	Time	Temp.	Name(Print)
June 5, 2024	0300	74	S Brooks
	0600	74	Hardie
	0900	74	Hardie
	1200	77	Hardie
	1500	78	RICHARDSON
	1800	77	RICHARDSON
	2100	78	RICHARDSON
	2400	78	S Brooks

Thursday			
Date	Time	Temp.	Name(Print)
June 6, 2024	0300	70	S Brooks
	0600	70	Hardie
	0900	74	Hardie
	1200	77	Hardie
	1500	77	S Brooks
	1800	78	RICHARDSON
	2100	78	RICHARDSON
	2400	78	S Brooks

Friday			
Date	Time	Temp.	Name(Print)
June 7, 2024	0300	78	S Brooks
	0600	78	Morales
	0900	80	Morales
	1200	80	Morales
	1500	78	A. Morris
	1800	78	A. Morris
	2100	74	A. Morris
	2400	74	S Brooks

Saturday			
Date	Time	Temp.	Name(Print)
June 8, 2024	0300	74	S Brooks
	0600	72	Zamora
	0900	72	Zamora
	1200	74	Zamora
	1500	78	Zamora
	1800	75	b m
	2100	75	b m
	2400	78	L PEREZ

Sunday			
Date	Time	Temp.	Name(Print)
June 9, 2024	0300	70	C. Pena
	0600	70	Rodriguez
	0900	70	Rodriguez
	1200	71	Rodriguez
	1500	74	A. MUNIZ
	1800	74	A. MUNIZ
	2100	70	A. MUNIZ
	2400	70	K. MORGAN

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 10, 2024	0300	72	K. MORGAN
	0600	72°	R. Gomez
	0900	72°	R. Gomez
	1200	73°	R. Gomez
	1500	74	R. Gomez
	1800	74	Gordon
	2100	74	Gordon
	2400	74	S. Brooks

Tuesday

Date	Time	Temp.	Name(Print)
June 11, 2024	0300	72	S. Brooks
	0600	72°	R. Gomez
	0900	72°	R. Gomez
	1200	73°	R. Gomez
	1500	74	R. Gomez
	1800	74	R. Hardie
	2100	74	R. Hardie
	2400	75	R. Hardie

Wednesday

Date	Time	Temp.	Name(Print)
June 12, 2024	0300	76	Hardie
	0600	74	Hardie
	0900	74	Hardie
	1200	77	Hardie
	1500	77	B. R.
	1800	77	B. R.
	2100	77	B. R.
	2400	74	A. Smith

Thursday

Date	Time	Temp.	Name(Print)
June 13, 2024	0300	76	A. Alvarez
	0600	74	Hardie
	0900	74	Hardie
	1200	77	Hardie
	1500	77	A. Alvarez
	1800	77	A. Alvarez
	2100	77	A. Alvarez
	2400	76	A. Alvarez

Friday

Date	Time	Temp.	Name(Print)
June 14, 2024	0300	76	A. Alvarez
	0600	76	Hardie
	0900	76	Hardie
	1200	76	Hardie
	1500	76	A. Alvarez
	1800	76	A. Alvarez
	2100	80	A. Alvarez
	2400	80	S. Brooks

Saturday

Date	Time	Temp.	Name(Print)
June 15, 2024	0300	78	S. Brooks
	0600	76	Hardie
	0900	76	Hardie
	1200	79	Hardie
	1500	88	A. Alvarez
	1800	85	A. Alvarez
	2100	84	A. Alvarez
	2400	80	A. Alvarez

Notes

Date	Time	Temp.	Name(Print)
June 16, 2024	0300	80	Parker
	0600	79	Concepcion
	0900	76	Rodriguez
	1200	76	Rodriguez
	1500	78	A. Alvarez
	1800	78	A. Alvarez
	2100	78	A. Alvarez
	2400	76	K. Morgan

DISTRIBUTION: Original: Institution ADA Coordinator

SJ 3617

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 17, 2024	0300	74	K. Morgan
	0600	74	G. Cerdia
	0900	72	G. Cerdia
	1200	74	G. Cerdia
	1500	76	G. Cerdia
	1800	76	G. Cerdia
	2100	76	G. Cerdia
	2400	76	S. Brooks

Tuesday

Date	Time	Temp.	Name(Print)
June 18, 2024	0300	72	S. Brooks
	0600	72	F. Richardson
	0900	72	F. Richardson
	1200	72	F. Richardson
	1500	76	F. Richardson
	1800	76	F. Richardson
	2100	76	F. Richardson
	2400	74	S. Brooks

Wednesday

Date	Time	Temp.	Name(Print)
June 19, 2024	0300	72	S. Brooks
	0600	72	Hardy
	0900	75	Hardy
	1200	76	Hardy
	1500	77	Hardy
	1800	77	F. Richardson
	2100	77	F. Richardson
	2400	76	S. Brooks

Thursday

Date	Time	Temp.	Name(Print)
June 20, 2024	0300	72	S. Brooks
	0600	72	Hardy
	0900	72	Hardy
	1200	76	Hardy
	1500	76	F. Richardson
	1800	76	F. Richardson
	2100	76	F. Richardson
	2400	76	S. Brooks

Friday

Date	Time	Temp.	Name(Print)
June 21, 2024	0300	76	S. Brooks
	0600	76	Hardy
	0900	76	Hardy
	1200	77	Hardy
	1500	82	L. Garcia
	1800	82	L. Garcia
	2100	82	L. Garcia
	2400	80	S. Brooks

Saturday

Date	Time	Temp.	Name(Print)
June 22, 2024	0300	78	S. Brooks
	0600	78	Hardy
	0900	78	Hardy
	1200	79	Hardy
	1500	80	L. Garcia
	1800	82	L. Garcia
	2100	82	L. Garcia
	2400	78	S. Brooks

Notes

Date	Time	Temp.	Name(Print)
June 23, 2024	0300	78	Sanson
	0600	76	R. Rivera
	0900	80	R. Rivera
	1200	80	F. Richardson
	1500	80	F. Richardson
	1800	80	F. Richardson
	2100	78	F. Richardson
	2400	78	K. Morgan

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 24, 2024	0300	80	K MORGAN
	0600	80	G An
	0900	79	G Corde
	1200	80	G End
	1500	80	G End
	1800	82	G Ur
	2100	81	G An
	2400	82	S Brooks

Wednesday

Date	Time	Temp.	Name(Print)
June 26, 2024	0300	76	S Brooks
	0600	77	Hardge
	0900	77	Hardge
	1200	80	Hardge
	1500	81	Hardge
	1800	81	Richardson
	2100	81	Richardson
	2400	81	Pilene

Friday

Date	Time	Temp.	Name(Print)
June 28, 2024	0300	78	S Brooks
	0600	78	Hardge
	0900	78	Hardge
	1200	75	Hardge
	1500	84	W. PORLAL
	1800	80	W. PORLAL
	2100	80	W. PORLAL
	2400	80	W. PORLAL

Sunday

Date	Time	Temp.	Name(Print)
June 30, 2024	0300	80	M. Leon
	0600	70	Rodriguez
	0900	74	Rodriguez
	1200	88	S. DeMarsan
	1500	88	T. Richardson
	1800	86	A. P. Lopez
	2100	84	A. P. Lopez
	2400	80	K. MORGAN

Tuesday

Date	Time	Temp.	Name(Print)
June 25, 2024	0300	80	S Brooks
	0600	81	B Old
	0900	80	B All
	1200	83	B Lele
	1500	89	M L
	1800	87	M LM
	2100	84	M M
	2400	80	S Brooks

Thursday

Date	Time	Temp.	Name(Print)
June 27, 2024	0300	78	S Brooks
	0600	74	Hardge
	0900	74	Hardge
	1200	78	Hardge
	1500	80°	T. AFOLLA
	1800	82°	T. AFOLLA
	2100	80°	T. AFOLLA
	2400	80	S Brooks

Saturday

Date	Time	Temp.	Name(Print)
June 29, 2024	0300	78	H. L.
	0600	78	Hardge
	0900	78	Hardge
	1200	77	Hardge
	1500	80	M. L.
	1800	85	M. L.
	2100	80	M. L.
	2400	80	M. L.

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45444 through 45473, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300	76	JCEMICEROS
	0600	74	M Godinez
	0900	74	M Godinez
	1200	73	M Godinez
	1500	72	GRADY
	1800	72	GRADY
	2100	70	GRADY
	2400	68	JCEMICEROS

June 2, 2024

2339
DISTRIBUTION: Original: Institution ADA Coordinator**Tuesday**

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300	78	JCEMICEROS
	0600	70	R MEJIA
	0900	78	R MEJIA
	1200	78	R MEJIA
	1500	77	R. Sinson
	1800	77	R. Sinson
	2100	77	R. Sinson
	2400	76	JCEMICEROS

Notes 2339

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 3, 2024	0300	68	JCENICEROS
	0600	68	Rendier
	0900	70	Rendier
	1200	70	Rendier
	1500	69	LCP
	1800	71	LCP
	2100	72	LCP
	2400	76	JCENICEROS

Wednesday 2359

Date	Time	Temp.	Name(Print)
June 5, 2024	0300	78	JCENICEROS
	0600	78	DIANOLLES
	0900	690	DIANOLLES
	1200	790	DIANOLLES
	1500	80	BERNARDINO
	1800	81	BERNARDINO
	2100	79	BERNARDINO
	2400	76	K. MORGAN

Friday

Date	Time	Temp.	Name(Print)
June 7, 2024	0300	70	K. MORGAN
	0600	70	6.6m
	0900	70	6.6m
	1200	72	6.6m
	1500	77	BERNARDINO
	1800	79	BERNARDINO
	2100	75	BERNARDINO
	2400	72	JCENICEROS

Sunday 2359

Date	Time	Temp.	Name(Print)
June 9, 2024	0300	74	JCENICEROS
	0600	74	JCENICEROS
	0900	73	JCENICEROS
	1200	75	JCENICEROS
	1500	74	CHALLEGUA
	1800	76	CHALLEGUA
	2100	78	CHALLEGUA
	2400	79	JCENICEROS

Tuesday

Date	Time	Temp.	Name(Print)
June 4, 2024	0300	70	JCENICEROS
	0600	70	S. BROOKS
	0900	70	S. BROOKS
	1200	70	S. BROOKS
	1500	79	BERNARDINO
	1800	79	BERNARDINO
	2100	79	BERNARDINO
	2400	77	JCENICEROS

Thursday 2359

Date	Time	Temp.	Name(Print)
June 6, 2024	0300	70	K. MORGAN
	0600	70	DEAVENARD
	0900	73	DEAVENARD
	1200	79	DEAVENARD
	1500	77	BERNARDINO
	1800	81	BERNARDINO
	2100	79	BERNARDINO
	2400	78	K. MORGAN

Saturday

Date	Time	Temp.	Name(Print)
June 8, 2024	0300	72	JCENICEROS
	0600	72	JCENICEROS
	0900	74	JCENICEROS
	1200	74	JCENICEROS
	1500	74	CHALLEGUA
	1800	74	CHALLEGUA
	2100	74	CHALLEGUA
	2400	74	JCENICEROS

Notes 2359

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 10, 2024	0300	71	J.CENICEROS
	0600	70	J. CENICEROS
	0900	70	J. CENICEROS
	1200	74	A. TORRES
	1500	79	LEO
	1800	79	LEO
	2100	79	LEO
	2400	78	J.CENICEROS

Wednesday 2359

Date	Time	Temp.	Name(Print)
June 12, 2024	0300	76	J.CENICEROS
	0600	75	A.II
	0900	75	A.II
	1200	72	A.II
	1500	76	S.RODRIGUEZ
	1800	80	R. PARAMO
	2100	79	R. PARAMO
	2400	72	K. MORGAN

Friday

Date	Time	Temp.	Name(Print)
June 14, 2024	0300	70	K. MORGAN
	0600	70	M. BOWN
	0900	71	M. BOWN
	1200	74	M. BOWN
	1500	77	LEO
	1800	72	LEO
	2100	72	LEO
	2400	72	J.CENICEROS

Sunday 2359

Date	Time	Temp.	Name(Print)
June 16, 2024	0300	78	J.CENICEROS
	0600	80	J.CENICEROS
	0900	82	J.CENICEROS
	1200	82	J.CENICEROS
	1500	82	Rodriguez
	1800	82	Rodriguez
	2100	80	Rodriguez
	2400	79	J.CENICEROS

2359 DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name(Print)
June 11, 2024	0300	72	J.CENICEROS
	0600	70	T. VILLELA'S
	0900	72	T. VILLELA'S
	1200	72	T. VILLELA'S
	1500	74	N. LEON
	1800	76	N. LEON
	2100	76	N. LEON
	2400	75	J.CENICEROS

Thursday 2359

Date	Time	Temp.	Name(Print)
June 13, 2024	0300	70	K. MORGAN
	0600	70	A.II
	0900	72	A.II
	1200	76	A.II
	1500	78	N. LEON
	1800	77	N. LEON
	2100	77	N. LEON
	2400	72	K. MORGAN

Saturday

Date	Time	Temp.	Name(Print)
June 15, 2024	0300	72	J.CENICEROS
	0600	72	K. MORGAN
	0900	73	M. BOWN
	1200	76	M. BOWN
	1500	78	Rodriguez
	1800	80	Rodriguez
	2100	80	Rodriguez
	2400	78	J.CENICEROS

Notes 2359

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 17, 2024	0300	79	J.C. MELCHOR
	0600	75	J. MELCHOR
	0900	76	J. MELCHOR
	1200	76	J. MELCHOR
	1500	74	J. MELCHOR
	1800	76	J. MELCHOR
	2100	74	J. MELCHOR
	2400	76	J. MELCHOR

Wednesday			
Date	Time	Temp.	Name(Print)
June 19, 2024	0300	77	J. C. MELCHOR
	0600	70	BERNARDINO
	0900	70	BERNARDINO
	1200	74	BERNARDINO
	1500	80	BERNARDINO
	1800	82	BERNARDINO
	2100	79	BERNARDINO
	2400	74	K. MORGAN

Friday			
Date	Time	Temp.	Name(Print)
June 21, 2024	0300	70	K. MORGAN
	0600	70	G. Cordero
	0900	72	G. Cordero
	1200	72	G. Cordero
	1500	82	BERNARDINO, S.
	1800	85	BERNARDINO
	2100	80	BERNARDINO
	2400	80	J. C. MELCHOR

Sunday			
Date	Time	Temp.	Name(Print)
June 23, 2024	0300	82	J. C. MELCHOR
	0600	78	BERNARDINO
	0900	80	BERNARDINO
	1200	84	BERNARDINO
	1500	86	BERNARDINO
	1800	86	BERNARDINO
	2100	86	BERNARDINO
	2400	84	J. C. MELCHOR

Tuesday			
Date	Time	Temp.	Name(Print)
June 18, 2024	0300	74	J. C. MELCHOR
	0600	72	I. VILLECAS
	0900	72	I. VILLECAS
	1200	74	I. VILLECAS
	1500	77	BERNARDINO
	1800	79	BERNARDINO
	2100	78	BERNARDINO
	2400	77	J. C. MELCHOR

Thursday			
Date	Time	Temp.	Name(Print)
June 20, 2024	0300	70	K. MORGAN
	0600	71	L. XIANG
	0900	69	L. XIANG
	1200	71	L. XIANG
	1500	80	BERNARDINO
	1800	81	BERNARDINO
	2100	80	BERNARDINO
	2400	76	K. MORGAN

Saturday			
Date	Time	Temp.	Name(Print)
June 22, 2024	0300	78	J. C. MELCHOR
	0600	76	J. C. MELCHOR
	0900	78	J. C. MELCHOR
	1200	82	J. C. MELCHOR
	1500	82	E. JANG
	1800	84	E. JANG
	2100	84	E. JANG
	2400	84	J. C. MELCHOR

Notes 2359

DISTRIBUTION: Original: Institution ADA Coordinator

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	80	J.C. MORALES
	0600	70	J. CHAVEZ
	0900	70	J. CHAVEZ
	1200	80	D. GARCIA
	1500	89	GARY
	1800	86	GARY
	2100	81	GARY
	2400	80	J.C. MORALES

Wednesday			
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	80	J.C. MORALES
	0600	70	J. CHAVEZ
	0900	77	J. CHAVEZ
	1200	80	J. CHAVEZ
	1500	85	BERNARDINO, J.
	1800	86	BERNARDINO, J.
	2100	80	BERNARDINO, J.
	2400	78	K. MORGAN

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	78	K. MORGAN
	0600	79	G. GARCIA
	0900	70	G. GARCIA
	1200	81	G. GARCIA
	1500	80	E. SANCHEZ
	1800	89	E. SANCHEZ
	2100	86	E. SANCHEZ
	2400	82	J.C. MORALES

Sunday			
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	78	J.C. MORALES
	0600	70	J. CHAVEZ
	0900	70	J. CHAVEZ
	1200	80	J. CHAVEZ
	1500	86	ALVAREZ
	1800	89	ALVAREZ
	2100	85	ALVAREZ
	2400	82	J.C. MORALES

2359 DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday			
Date	Time	Temp.	Name(Print)
June 25, 2024	0300	80	J.C. MORALES
	0600	78	J. CHAVEZ
	0900	80	J. CHAVEZ
	1200	80	J. CHAVEZ
	1500	88	BERNARDINO, J.
	1800	89	BERNARDINO, J.
	2100	81	BERNARDINO, J.
	2400	80	J.C. MORALES

Thursday			
Date	Time	Temp.	Name(Print)
June 27, 2024	0300	72	K. MORGAN
	0600	72	J. CHAVEZ
	0900	72	J. CHAVEZ, J.
	1200	79	J. CHAVEZ, J.
	1500	85	BERNARDINO, J.
	1800	86	BERNARDINO, J.
	2100	80	BERNARDINO, J.
	2400	80	K. MORGAN

Saturday			
Date	Time	Temp.	Name(Print)
June 29, 2024	0300	80	J.C. MORALES
	0600	76°	R. RAMOS
	0900	77°	R. RAMOS
	1200	80°	R. RAMOS
	1500	88	E. SANCHEZ
	1800	88	E. SANCHEZ
	2100	80	E. SANCHEZ
	2400	80	J.C. MORALES

Notes 2359

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
 304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
 406, 407, 408, 409, OHU

From 45444 through 45473, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300	70	S. Larey
	0600	70	WHITCH
	0900	70	WHITCH
	1200	70	WHITCH
	1500	70	
	1800	71	
	2100	70	
	2400	70	C. Sison

Sunday

Date	Time	Temp.	Name(Print)
	0300	70	S. Sison
	0600	70	Stevens
	0900	70	Stevens
	1200	70	Stevens
	1500	70	650
	1800	71	650
	2100	70	650
	2400	70	S. Larey

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 3, 2024	0300	70°	S. Leckey
	0600	70°	PEPER
	0900	72°	PEPER
	1200	72°	PEPER
	1500	72°	J.CARNEVA
	1800	72°	J.CARNEVA
	2100	70°	J.CARNEVA
	2400	70°	S. Leckey

Wednesday			
Date	Time	Temp.	Name(Print)
June 5, 2024	0300	70°	S. Leckey
	0600	70°	A. TRES
	0900	72°	A. TRES
	1200	74°	A. TRES
	1500	70°	J.CARNEVA
	1800	78°	J.CARNEVA
	2100	72°	J.CARNEVA
	2400	71°	S. Leckey

Friday			
Date	Time	Temp.	Name(Print)
June 7, 2024	0300	76°	K. MORGAN
	0600	73°	WHITCH
	0900	74°	WHITCH
	1200	76°	WHITCH
	1500	77°	WHITCH
	1800	77°	WHITCH
	2100	76°	WHITCH
	2400	72°	K. MORGAN

Sunday			
Date	Time	Temp.	Name(Print)
June 9, 2024	0300	70°	K. MORGAN
	0600	70°	PEPER
	0900	70°	PEPER
	1200	70°	PEPER
	1500	72°	LEO
	1800	72°	LEO
	2100	71°	LEO
	2400	71°	S. Leckey

Tuesday			
Date	Time	Temp.	Name(Print)
June 4, 2024	0300	70°	S. Leckey
	0600	70°	J.CARNEVA
	0900	74°	J.CARNEVA
	1200	74°	J.CARNEVA
	1500	78°	J.CARNEVA
	1800	70°	J.CARNEVA
	2100	70°	J.CARNEVA
	2400	72°	S. Leckey

Thursday			
Date	Time	Temp.	Name(Print)
June 6, 2024	0300	70°	S. Leckey
	0600	70°	WHITCH
	0900	73°	WHITCH
	1200	76°	WHITCH
	1500	78°	WHITCH
	1800	78°	WHITCH
	2100	78°	WHITCH
	2400	77°	Romero

Saturday			
Date	Time	Temp.	Name(Print)
June 8, 2024	0300		K. MORGAN
	0600	78°	WHITCH
	0900	78°	WHITCH
	1200	76°	WHITCH
	1500	72°	LEO
	1800	73°	LEO
	2100	71°	LEO
	2400	70°	K. MORGAN

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 10, 2024	0300	71°	S. Lashay
	0600	70°	PEREZ
	0900	72°	PEREZ
	1200	74°	PEREZ
	1500	74	CHARNEA
	1800	74	CHARNEA
	2100	74	CHARNEA
	2400	78	S. Lashay

Wednesday			
Date	Time	Temp.	Name(Print)
June 12, 2024	0300	70°	S. Lashay
	0600	70°	S. Lashay
	0900	70°	S. Lashay
	1200	71°	S. Lashay
	1500	80	CHARNEA
	1800	80	CHARNEA
	2100	78	CHARNEA
	2400	75°	S. Lashay

Friday			
Date	Time	Temp.	Name(Print)
June 14, 2024	0300	71°	S. Lashay
	0600	71	LEON
	0900	73°	LEON
	1200	73°	LEON
	1500	78	CHARNEA
	1800	78	CHARNEA
	2100	76	CHARNEA
	2400	74	K. MORGAN

Sunday			
Date	Time	Temp.	Name(Print)
June 16, 2024	0300	70	K. MORGAN
	0600	72°	PEREZ
	0900	74°	PEREZ
	1200	78°	PEREZ
	1500	80	LEO
	1800	79	LEO
	2100	79	LEO
	2400	78	GARCIA

Tuesday			
Date	Time	Temp.	Name(Print)
June 11, 2024	0300	70	S. Lashay
	0600	70	CHARNEA
	0900	70	CHARNEA
	1200	70	CHARNEA
	1500	70	CHARNEA
	1800	72	CHARNEA
	2100	72	CHARNEA
	2400	71°	S. Lashay

Thursday			
Date	Time	Temp.	Name(Print)
June 13, 2024	0300	72	S. Lashay
	0600	72	WATSON
	0900	72	WATSON
	1200	73	WATSON
	1500	74	WATSON
	1800	73	WATSON
	2100	72	WATSON
	2400	70	S. Lashay

Saturday			
Date	Time	Temp.	Name(Print)
June 15, 2024	0300	70	K. MORGAN
	0600	70	WATSON
	0900	75	WATSON
	1200	70	WATSON
	1500	80	LEO
	1800	80	LEO
	2100	80	LEO
	2400	78	K. MORGAN

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	73°	S. Larkay
	0600	84°	PENL
	0900	84°	PENL
	1200	86°	PENL
	1500	88°	R. Gomez
	1800	88°	A. CERVANTES
	2100	82°	A. CERVANTES
	2400	83°	S. Larkay

Wednesday			
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	70°	S. Larkay
	0600	70°	WHITCH
	0900	78°	WHITCH
	1200	79°	WHITCH
	1500	83°	COST
	1800	86°	COST
	2100	80°	COST
	2400	77°	S. Larkay

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	73°	PENL
	0600	78°	WHITCH
	0900	73°	WHITCH
	1200	77°	WHITCH
	1500	81°	WHITCH
	1800	80°	WHITCH
	2100	77°	WHITCH
	2400	76°	K. MORGAN

Sunday			
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	70°	K. MORGAN
	0600	70°	PENL
	0900	73°	PENL
	1200	77°	PENL
	1500	82°	WHITCH
	1800	81°	WHITCH
	2100	80°	WHITCH
	2400	80°	AGAKWURU

Tuesday			
Date	Time	Temp.	Name(Print)
June 25, 2024	0300	70°	S. Larkay
	0600	73°	WHITCH
	0900	74°	WHITCH
	1200	80°	WHITCH
	1500	86°	R. SHAW
	1800	88°	R. SHAW
	2100	88°	R. SHAW
	2400	87°	S. Larkay

Thursday			
Date	Time	Temp.	Name(Print)
June 27, 2024	0300	70°	S. Larkay
	0600	70°	WHITCH
	0900	73°	WHITCH
	1200	79°	WHITCH
	1500	85°	WHITCH
	1800	82°	WHITCH
	2100	80°	WHITCH
	2400	80°	PENL

Saturday			
Date	Time	Temp.	Name(Print)
June 29, 2024	0300	70°	K. MORGAN
	0600	70°	WHITCH
	0900	71°	WHITCH
	1200	74°	WHITCH
	1500	80°	LOCKUP
	1800	85°	LOCKUP
	2100	80°	LOCKUP
	2400	74°	K. MORGAN

Notes

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 17, 2024	0300	76	CARBONSO
	0600	70	PEKEZ
	0900	70	PEKEZ
	1200	74	PEKEZ
	1500	74	CABRERA
	1800	74	CABRERA
	2100	72	CABRERA
	2400	72	S. L. Leary

Wednesday

Date	Time	Temp.	Name(Print)
June 19, 2024	0300	71°	S. Leary
	0600	70	WHITE
	0900	73	WHITE
	1200	75	WHITE
	1500	77	Kearns
	1800	80	KEPNER
	2100	80	KEPNER
	2400	79°	S. Leary

Friday

Date	Time	Temp.	Name(Print)
June 21, 2024	0300	74°	S. Leary
	0600	65	WHITE
	0900	67	WHITE
	1200	70	WHITE
	1500	80	WHITE
	1800	82	WHITE
	2100	80	WHITE
	2400	78	K. MORGAN

Sunday

Date	Time	Temp.	Name(Print)
June 23, 2024	0300	76	K. MORGAN
	0600	76	PEKEZ
	0900	80	PEKEZ
	1200	88°	PEKEZ
	1500	90	Rodriques
	1800	90	Rodriques
	2100	80	Rodriques
	2400	87°	S. Leary

Tuesday

Date	Time	Temp.	Name(Print)
June 18, 2024	0300	71°	S. Leary
	0600	70	CABRERA
	0900	70	CABRERA
	1200	72	CABRERA
	1500	70	CABRERA
	1800	74	CABRERA
	2100	74	CABRERA
	2400	73	S. Leary

Thursday

Date	Time	Temp.	Name(Print)
June 20, 2024	0300	74°	S. Leary
	0600	75	WHITE
	0900	77	WHITE
	1200	78	WHITE
	1500	79	WHITE
	1800	80	WHITE
	2100	79	WHITE
	2400	77°	S. Leary

Saturday

Date	Time	Temp.	Name(Print)
June 22, 2024	0300	72	K. MORGAN
	0600	74	WHITE
	0900	76	WHITE
	1200	79	WHITE
	1500	82	Kephart
	1800	85	Kephart
	2100	82	Kephart
	2400	80	K. MORGAN

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 401

Temp. Reading Location: Building 3rd Floor

(e.g., 1st tier, 2nd tier; 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
6/1/2024	0300	73	Mosso
	0600	72	Barley
	0900	70	Barley
	1200	70	Barley
	1500	70	Barley
	1800	71	Barley
	2100	70	Barley
	2400	73	ENC150

Sunday

Date	Time	Temp	Name (Print)
6/2/2024	0300	73	ENC150
	0600	73	Darrow
	0900	74	Darrow
	1200	75	Darrow
	1500	74	Eug
	1800	74	Eug
	2100	74	Eug
	2400	73	ENC180

Notes

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 401

Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	0300	72	ENCL. 80
	0600	72	Darrow
	0900	73	Darrow
	1200	75	Darrow
	1500	75	TC
	1800	75	TC
	2100	75	TC
	2400	73	M. KAROLIN

Tuesday

Tuesday			
Date	Time	Temp	Name (Print)
6/4/2024	0300	73	M. KUNSEN
	0600	72	Darrow
	0900	75	Darrow
	1200	77	Darrow
	1500	78	PER
	1800	78	PER
	2100	78	PER
	2400	75	J. Gonzalez

Wednesday

Date	Time	Temp	Name (Print)
6/5/2024	0300	75	J. Gonzalez
	0600	75	Darrow
	0900	76	Darrow
	1200	78	Darrow
	1500	80	Fay
	1800	79	Fay
	2100	78	Fay
	2400	79	J. Gonzalez

Thursday

Thursday			
Date	Time	Temp	Name (Print)
6/6/2024	0300	79	J. Gonzalez
	0600	79	Darrow
	0900	79	Darrow
	1200	79	Darrow
	1500	80	Terry
	1800	80	Terry
	2100	80	Terry
	2400	79	J. Gonzalez

Friday

Date	Time	Temp	Name (Print)
6/7/2024	0300	79	J. Gonzalez
	0600	79	C Bailey
	0900	74	C Bailey
	1200	74	C Bailey
	1500	76	R. Arredondo
	1800	78	M. Hernandez
	2100	80	A. Andres
	2400	78	J. Gonzalez

Saturday

Saturday		Date	Time	Temp	Name (Print)
6/8/2024	0300			78	J. CONZAN CC
	0600			79	ELOUAN
	0900			75	ELOUAN
	1200			76	ELOUAN
	1500			79	A. RODRIGUEZ
	1800			80	A. RODRIGUEZ
	2100			80	A. RODRIGUEZ
	2400			76	A. RODRIGUEZ

Sunday

Date	Time	Temp	Name (Print)
6/9/2024	0300	76	EN perso
	0600	76	Darrow
	0900	76	Darrow
	1200	77	Darrow
	1500	75	Gordon
	1800	75	Gordon
	2100	75	Gordon
	2400	76	EN perso

Notes

Designated Heat Doms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: **DORM 401**

Temp. Reading Location: **Building 3rd Floor**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/10/2024	0300	76	ENCI SO
	0600	75	Darrow
	0900	75	Darrow
	1200	77	Darrow
	1500	78	W. D. DAVIS
	1800	72	W. D. DAVIS
	2100	74	W. D. DAVIS
	2400	75	Fay

Tuesday

Date	Time	Temp	Name (Print)
6/11/2024	0300	75	FJ
	0600	75	Darren
	0900	76	Darrow
	1200	77	Darrow
	1500	78	FJ
	1800	78	FJ
	2100	78	FJ
	2400	76	Gonzalez

Wednesday

Date	Time	Temp	Name (Print)
6/12/2024	0300	76	J. Bonn 102
	0600	76	Darrow
	0900	76	Darrow
	1200	75	Darrow
	1500	82	J. Bonn
	1800	80	Kay
	2100	80	Kay
	2400	78	J. Bonn 102

Thursday

Date	Time	Temp	Name (Print)
6/13/2024	0300	78	J-Gonzalez
	0600	78	Darrow
	0900	78	Darrow
	1200	79	Darrow
	1500	79	J-Gonzalez
	1800	79	J-Gonzalez
	2100	79	J-Gonzalez
	2400	79	J-Gonzalez

Friday

Date	Time	Temp	Name (Print)
6/14/2024	0300	79	J. Gonzalez
	0600	76	C. Bailey
	0900	74	C. Bailey
	1200	74	C. Bailey
	1500	80	A. Hernandez
	1800	80	R. Am. J. Lee
	2100	80	R. Kach
	2400	80	J. Gonzalez

Saturday

Saturday		Date	Time	Temp	Name (Print)
6/15/2024			0300	80	J-Gonzalez
			0600	80	C-Bailey
			0900	80	C-Bailey
			1200	80	C-Bailey
			1500	81	J-Wilson
			1800	81	A-Alvarez
			2100	81	A-Kwiatko
			2400	80	J-Thorn

Sunday

Date	Time	Temp	Name (Print)
6/16/2024	0300	80	J. HUEY
	0600	79	Darrow
	0900	79	Darrow
	1200	80	Darrow
	1500	80	Fay
	1800	80	Fay
	2100	80	Fay
	2400	80	ENCLOS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 401Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/17/2024	0300	78	<u>Enciso</u>
	0600	78	<u>Darrow</u>
	0900	78	<u>Darrow</u>
	1200	79	<u>Darrow</u>
	1500	78	<u>Fay</u>
	1800	78	<u>Fay</u>
	2100	78	<u>Fay</u>
	2400	78	<u>Fay</u>

Tuesday

Date	Time	Temp	Name (Print)
6/18/2024	0300	76	<u>Fay</u>
	0600	76	<u>Darrow</u>
	0900	76	<u>Darrow</u>
	1200	77	<u>Darrow</u>
	1500	80	<u>Fay</u>
	1800	80	<u>Fay</u>
	2100	80	<u>Fay</u>
	2400	78	<u>J. Gonzalez</u>

Wednesday

Date	Time	Temp	Name (Print)
6/19/2024	0300	78	<u>J. Gonzalez</u>
	0600	78	<u>Darrow</u>
	0900	78	<u>Darrow</u>
	1200	79	<u>Darrow</u>
	1500	79°F	<u>G. Robles</u>
	1800	80°F	<u>G. Robles</u>
	2100	80°F	<u>G. Robles</u>
	2400	78	<u>J. Gonzalez</u>

Thursday

Date	Time	Temp	Name (Print)
6/20/2024	0300	78	<u>J. Gonzalez</u>
	0600	78	<u>Darrow</u>
	0900	79	<u>Darrow</u>
	1200	79	<u>Darrow</u>
	1500	79	<u>J. Gonzalez</u>
	1800	79	<u>J. Gonzalez</u>
	2100	79	<u>J. Gonzalez</u>
	2400	75	<u>J. Gonzalez</u>

Friday

Date	Time	Temp	Name (Print)
6/21/2024	0300	75	<u>J. Gonzalez</u>
	0600	78	<u>R. Baile</u>
	0900	78	<u>R. Baile</u>
	1200	78	<u>R. Baile</u>
	1500	80	<u>A. Ando</u>
	1800	80	<u>A. Ando</u>
	2100	80	<u>R. Baile</u>
	2400	81	<u>D. C.</u>

Saturday

Date	Time	Temp	Name (Print)
6/22/2024	0300	80	<u>R. C.</u>
	0600	80	<u>C. Bailey</u>
	0900	80	<u>C. Bailey</u>
	1200	82	<u>C. Bailey</u>
	1500	85	<u>A. Ando</u>
	1800	85	<u>A. Ando</u>
	2100	85	<u>A. Ando</u>
	2400	86	<u>C. Bailey</u>

Sunday

Date	Time	Temp	Name (Print)
6/23/2024	0300	84	<u>Enciso</u>
	0600	80	<u>Darrow</u>
	0900	80	<u>Darrow</u>
	1200	82	<u>Darrow</u>
	1500	89	<u>C. Bailey</u>
	1800	91	<u>C. Bailey</u>
	2100	90	<u>C. Bailey</u>
	2400	89	<u>C. Bailey</u>

Notes

- 1911 cell watch to let them know when we are at Stage II in the dorm

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 401Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/24/2024	0300	80	ENCISO
	0600	82	Darrow
	0900	82	Darrow
	1200	83	Darrow
	1500	90	Ferry
	1800	88	Ferry
	2100	88	Ferry
	2400	88	Ferry

Tuesday

Date	Time	Temp	Name (Print)
6/25/2024	0300	82	Ferry
	0600	82	Darrow
	0900	82	Darrow
	1200	83	Darrow
	1500	84	Ferry
	1800	86	Ferry
	2100	84	Ferry
	2400	84	Wilson

Wednesday

Date	Time	Temp	Name (Print)
6/26/2024	0300	80	Wilson
	0600	80	Darrow
	0900	80	Darrow
	1200	81	Darrow
	1500	82°	R. BECERRA
	1800	85°	R. BECERRA
	2100	82°	R. BECERRA
	2400	80	Bedford

Thursday

Date	Time	Temp	Name (Print)
6/27/2024	0300	78	Bedford
	0600	78	Darrow
	0900	79	Darrow
	1200	79	Darrow
	1500	78	J. GONZALEZ
	1800	80	J. GONZALEZ
	2100	81	J. GONZALEZ
	2400	78	J. GONZALEZ

Friday

Date	Time	Temp	Name (Print)
6/28/2024	0300	78	J. GONZALEZ
	0600	74°	S. CLEMENTS
	0900	75°	S. CLEMENTS
	1200	74°	S. CLEMENTS
	1500	78°	A. Aviles
	1800	86°	A. Aviles
	2100	78°	A. Aviles
	2400	78°	J. Gonzalez

Saturday

Date	Time	Temp	Name (Print)
6/29/2024	0300	78°	J. Gonzalez
	0600	80	Bailey
	0900	76	Bailey
	1200	79	Bailey
	1500	79	Bailey
	1800	81	Say
	2100	81	Say
	2400	81	ENCISO

Notes

The 6/24/2024 = 90° inside dorm 401/402 Watch notify

Date	Time	Temp	Name (Print)
6/30/2024	0300	78	ENCISO
	0600	78	Darrow
	0900	80	Darrow
	1200	80	Darrow
	1500	82	Ferry
	1800	82	Ferry
	2100	84	Ferry
	2400	84	J. Avey

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. [Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning].

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC/NORCO**Housing Unit: **DORM 402**Temp. Reading Location: **Building 3rd Floor**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension **4311** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
6/1/2024	0300	73	BERBERICH
	0600	72	Reed
	0900	72	Reed
	1200	72	Reed
	1500	78	Reed
	1800	78	Reed
	2100	70	Reed
	2400	73	BERBERICH

Sunday

Date	Time	Temp	Name (Print)
6/2/2024	0300	73	BERBERICH
	0600	71	Reed
	0900	71	R. Chacon
	1200	73	R. Chacon
	1500	74	R. Chacon
	1800	74	R. Chacon
	2100	77	R. Chacon
	2400	73	BERBERICH

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC/NORCO**

Housing Unit: **DORM 402**

Temp. Reading Location: **Building 3rd Floor**
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension **4311** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/3/2024	0300	73	BERRERICH
	0600	72	A. TORRES
	0900	73	A. TORRES
	1200	75	A. TORRES
	1500	75	R. CHACON
	1800	75	R. CHACON
	2100	74	R. CHACON
	2400	74	Chagolla

Tuesday

Date	Time	Temp	Name (Print)
6/4/2024	0300	73	Chagolla
	0600	74	ONATE
	0900	73	ONATE
	1200	75	ONATE
	1500	76	S. SANCHEZ
	1800	77	S. SANCHEZ
	2100	77	S. SANCHEZ
	2400	77	Chagolla

Wednesday

Date	Time	Temp	Name (Print)
6/5/2024	0300	74	Chagolla
	0600	76	L. CERVANTES
	0900	77	L. CERVANTES
	1200	78	L. CERVANTES
	1500	78	COCOS
	1800	75	COCOS
	2100	78	COCOS
	2400	79	SILVAS

Thursday

Date	Time	Temp	Name (Print)
6/6/2024	0300	79	SILVAS
	0600	79	BOTELLO
	0900	79	BOTELLO
	1200	79	BOTELLO
	1500	80	COLVRS
	1800	80	COLVRS
	2100	80	COLVRS
	2400	80	R. SANCHEZ

Friday

Date	Time	Temp	Name (Print)
6/7/2024	0300	79	R. SANCHEZ
	0600	79	BOTELLO
	0900	79	BOTELLO
	1200	79	BOTELLO
	1500	79	COLVRS
	1800	80	COLVRS
	2100	80	COLVRS
	2400	78	BERRERICH

Saturday

Date	Time	Temp	Name (Print)
6/8/2024	0300	78	BERRERICH
	0600	78	JLN
	0900	78	JLN
	1200	78	JLN
	1500	79	COLVRS
	1800	80	COLVRS
	2100	80	COLVRS
	2400	76	BERRERICH

Sunday

Date	Time	Temp	Name (Print)
6/9/2024	0300	78	BERRERICH
	0600	75	
	0900	75	
	1200	75	
	1500	75	COLVRS
	1800	75	COLVRS
	2100	75	COLVRS
	2400	76	BERRERICH

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Doms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: **DORM 402**

Temp. Reading Location: Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/10/2024	0300	76°	BERBERICH
	0600	75	
	0900	75	
	1200	74	
	1500	78	Coures
	1800	78	Coures
	2100	74	Coures
	2400	74	Chagolla

Tuesday

Date	Time	Temp	Name (Print)
6/11/2024	0300	72	Chegella
	0600	72	By
	0900	72	DR
	1200	73	DR
	1500	76	S. DARR
	1800	76	S. DARR
	2100	78	S. DARR
	2400	74	Chegella

Wednesday

Date	Time	Temp	Name (Print)
6/12/2024	0300	75	Chapolla
	0600	78	Chapolla
	0900	79	Chapolla
	1200	75	Chapolla
	1500	76	CECQ
	1800	75	CECQ
	2100	75	CECQ
	2400	78	SILVA

Thursday

Date	Time	Temp	Name (Print)
6/13/2024	0300	78	MR. VARGAS
	0600	78	Espinoza
	0900	78	Espinoza
	1200	78	ESPINOZA
	1500	78	J. DIAZ
	1800	79	J. DIAZ
	2100	79	DIAZ
	2400	79	SILVIA

Friday

Date	Time	Temp	Name (Print)
6/14/2024	0300	79	SILVAS
	0600	76	Nava
	0900	76	Nava
	1200	76	Nava
	1500	80	Colby
	1800	80	Colby
	2100	80	Colby
	2400	80°	BERBERIAT

Saturday

Date	Time	Temp	Name (Print)
6/15/2024	0300	80°	BERBERICH
	0600	83	CLY
	0900	81	CLY
	1200	87	CLY
	1500	81	COTTRAL
	1800	81	COTTRAL
	2100	81	COTTRAL
	2400	80°	BERBERICH

Sunday

Date	Time	Temp	Name (Print)
6/16/2024	0300	80°	BERBERICH
	0600	81	
	0900	81	BG
	1200	81	B
	1500	81	BERBERICH
	1800	81	EVERCUT
	2100	81	EVERCUT
	2400	80°	BERBERICH

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 402Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/17/2024	0300	78°	BERBERICH
	0600	78	JIM
	0900	79	SIR
	1200	80	SIR
	1500	78	COLVRS
	1800	78	COLVRS
	2100	78	COLVRS
	2400	76	Chagolla

Tuesday

Date	Time	Temp	Name (Print)
6/18/2024	0300	76	Chagolla
	0600	76	
	0900	77	
	1200	78	
	1500	79	S.OMAR
	1800	78	S.OMAR
	2100	78	S.OMAR
	2400	76	Chagolla

Wednesday

Date	Time	Temp	Name (Print)
6/19/2024	0300	76	Chagolla
	0600	76	
	0900	78	
	1200	77	
	1500	78	QUINONEZ
	1800	80	QUINONEZ
	2100	80	QUINONEZ
	2400	78	

Thursday

Date	Time	Temp	Name (Print)
6/20/2024	0300	78	SILVAS
	0600	75	Rosa
	0900	77	
	1200	77	Rosa
	1500	79	DIRE
	1800	79	DIRE
	2100	79	DIRE
	2400	75	SILVAS

Friday

Date	Time	Temp	Name (Print)
6/21/2024	0300	75	SILVAS
	0600	74	ROTELLA
	0900	77	ROTELLA
	1200	77	ROTELLA
	1500	80	COLVRS
	1800	80	COLVRS
	2100	80	COLVRS
	2400	81°	BERBERICH

Saturday

Date	Time	Temp	Name (Print)
6/22/2024	0300	80°	BERBERICH
	0600	80°	JACOB
	0900	80	JACOB
	1200	80	JACOB
	1500	83	CBailey
	1800	85	CBailey
	2100	85	CBailey
	2400	86°	BERBERICH

Sunday

Date	Time	Temp	Name (Print)
6/23/2024	0300	80	BERBERICH
	0600	80	ENCISO
	0900	82	ENCISO
	1200	80	ENCISO
	1500	86	EVANS
	1800	80	EVANS
	2100	89	EVANS
	2400	88°	BERBERICH

Notes

6/23 - STAGE II ACTIVATED 1911
6/23 - 1945 STAGE I DEACTIVATED

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 402

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/24/2024	0300	86	BERRERICH
	0600	82	
	0900	82	
	1200	83	Ryee
	1500	90	COLTRAS
	1800	88	COLTRAS
	2100	88	COLTRAS
	2400	86	Chagolla

Tuesday

Date	Time	Temp	Name (Print)
6/25/2024	0300	84	Chagolla
	0600	82	(Le)
	0900	81	Ryee
	1200	82	Ryee
	1500	83	S. BROWN
	1800	85	S. BROWN
	2100	84	S. BROWN
	2400	80	Chagolla

Wednesday

Date	Time	Temp	Name (Print)
6/26/2024	0300	80	Chagolla
	0600	80	(Le)
	0900	80	Ryee
	1200	81	Ryee
	1500	82°F	G. ROBLES
	1800	85°F	G. ROBLES
	2100	82°F	G. ROBLES
	2400	80	Machris Plan

Thursday

Date	Time	Temp	Name (Print)
6/27/2024	0300	78	Machris Plan
	0600	78	ROBLES
	0900	78	BOTELLO
	1200	80	BOTELLO
	1500	79	COLTRAS
	1800	80	COLTRAS
	2100	81	COLTRAS
	2400	78	SILVAS

Friday

Date	Time	Temp	Name (Print)
6/28/2024	0300	78	SILVAS
	0600	78	BOTELLO
	0900	78	BOTELLO
	1200	78	BOTELLO
	1500	78	COLTRAS
	1800	80	COLTRAS
	2100	78	COLTRAS
	2400	78	BERRERICH

Saturday

Date	Time	Temp	Name (Print)
6/29/2024	0300	78	BERRERICH
	0600	78	(Le)
	0900	78	J. M.
	1200	80	
	1500	80	COLTRAS
	1800	81	COLTRAS
	2100	81	COLTRAS
	2400	81	BERRERICH

Sunday

Date	Time	Temp	Name (Print)
6/30/2024	0300	78	BERRERICH
	0600	79	
	0900	81	
	1200	81	
	1500	82	COLTRAS
	1800	82	COLTRAS
	2100	84	COLTRAS
	2400	84	JONES

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility – DELTA Temp. Reading Location: Dorm - 403
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	70	A.Torres
	0600	69	Everett
	0900	69	Everett
	1200	69	Everett
	1500	70	NIESEN
	1800	70	NIESEN
	2100	70	NIESEN
	2400	70	A.Torres

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	70	A.Torres
	0600	68	Bailey
	0900	68	Bailey
	1200	68	Bailey
	1500	69	Kefaliansos
	1800	69	Kefaliansos
	2100	69	Kefaliansos
	2400	70	A.Torres

Notes

Designated Heat Doms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 403

Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/3/2024	0300	70	A. TORRES
	0600	69	F. Ochoa
	0900	69	F. Ochoa
	1200	69	F. Ochoa
	1500	70	A. TORRES
	1800	70	A. TORRES
	2100	70	A. TORRES
	2400	70	A. TORRES

Tuesday

Date	Time	Temp	Name (Print)
6/4/2024	0300	70	A. THOMAS
	0600	70	A. THOMAS
	0900	70	A. THOMAS
	1200	70	A. THOMAS
	1500	70	A. THOMAS
	1800	70	A. THOMAS
	2100	70	A. THOMAS
	2400	70	A. THOMAS

Wednesday

Date	Time	Temp	Name (Print)
6/5/2024	0300	70	A. Young
	0600	70	A. Young
	0900	78	VPA
	1200	78	VEW
	1500	79	NIEISER
	1800	75	NIEISER
	2100	74	NIEISER
	2400	74	Teacher

Thursday

Date	Time	Temp	Name (Print)
6/6/2024	0300	74	Ronnie
	0600	72	DETA
	0900	74	Tom
	1200	74	DETA
	1500	74	NICSSA
	1800	76	NICSSA
	2100	75	NICSSA
	2400	74	TLC 4000

Friday

Date	Time	Temp	Name (Print)
6/7/2024	0300	74	T. Howard
	0600	70	Vera
	0900	77	J. LA
	1200	77	J. ED
	1500	74	V. MARTINEZ
	1800	74	V. MARTINEZ
	2100	74	V. MARTINEZ
	2400	73	Amber

Saturday

Date	Time	Temp	Name (Print)
6/8/2024	0300	73	A. DIAZ
	0600	73	A. DIAZ
	0900	70	A. DIAZ
	1200	78	A. DIAZ
	1500	78	NIESEN
	1800	73	NIESEN
	2100	73	NIESEN
	2400	70	A. DIAZ

Sunday

Date	Time	Temp	Name (Print)
6/9/2024	0300	70	A. Torres
	0600	70	A. torres
	0900	70	C. Bailey
	1200	70	C. Bailey
	1500	70	Kefalios
	1800	70	Kefalios
	2100	70	Kefalios
	2400	70	70

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403Temp. Reading Location: Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/10/2024	0300	70	TORRES
	0600	70	F. Ochoa
	0900	70	F. Ochoa
	1200	70	F. Ochoa
	1500	70	Ocasio
	1800	70	Perez
	2100	70	John
	2400	70	A. Torres

Tuesday

Date	Time	Temp	Name (Print)
6/11/2024	0300	70	A. Torres
	0600	70	A. Torres
	0900	70	KO
	1200	70	KO
	1500	71	KO
	1800	72	KO
	2100	72	KO
	2400	72	KO

Wednesday

Date	Time	Temp	Name (Print)
6/12/2024	0300	70	Abrams
	0600	70	LEN
	0900	70	LEN
	1200	70	LEN
	1500	70	Oguro
	1800	70	Oguro
	2100	70	Oguro
	2400	74	A. Torres

Thursday

Date	Time	Temp	Name (Print)
6/13/2024	0300	72	KRAGLE
	0600	72	VIA
	0900	72	VIA
	1200	72	VIA
	1500	72	NIELSEN
	1800	72	NIELSEN
	2100	70	NIELSEN
	2400	74	KRAGLE

Friday

Date	Time	Temp	Name (Print)
6/14/2024	0300	72	KRAGLE
	0600	71	VIA
	0900	72	VIA
	1200	72	VIA
	1500	72	NIELSEN
	1800	72	NIELSEN
	2100	72	NIELSEN
	2400	72	A. Torres

Saturday

Date	Time	Temp	Name (Print)
6/15/2024	0300	70	A. Torres
	0600	70	A. Torres
	0900	72	VIA
	1200	75	VIA
	1500	74	NIELSEN
	1800	74	NIELSEN
	2100	74	NIELSEN
	2400	78	A. Torres

Sunday

Date	Time	Temp	Name (Print)
6/16/2024	0300	76	A. Torres
	0600	76	A. Torres
	0900	72	Bailey
	1200	72	Bailey
	1500	79	Kefalianos
	1800	78	Kefalianos
	2100	78	Kefalianos
	2400	76	A. Torres

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403Temp. Reading Location: Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/17/2024	0300	69	A. Torres
	0600	70	F. Ochoa
	0900	70	F. Ochoa
	1200	70	F. Ochoa
	1500	75	A. Adams
	1800	75	A. Adams
	2100	72	A. Adams
	2400	72	A. Adams

Tuesday

Date	Time	Temp	Name (Print)
6/18/2024	0300	77	A. Torres
	0600	77	A. Torres
	0900	68	V. Vaz
	1200	70	V. Vaz
	1500	75	K. Es
	1800	80	K. Es
	2100	80	K. Es
	2400	76	A. Torres

Wednesday

Date	Time	Temp	Name (Print)
6/19/2024	0300	74	A. Torres
	0600	75	CASTRO
	0900	75	CASTRO
	1200	75	CASTRO
	1500	79	NIELSEN
	1800	74	NIELSEN
	2100	74	NIELSEN
	2400	72	T. Howard

Thursday

Date	Time	Temp	Name (Print)
6/20/2024	0300	70	A. Howard
	0600	70	V. Vaz
	0900	70	V. Vaz
	1200	70	V. Vaz
	1500	70	NIELSEN
	1800	73	NIELSEN
	2100	70	NIELSEN
	2400	70	M. KNUDSEN

Friday

Date	Time	Temp	Name (Print)
6/21/2024	0300	70	M. KNUDSEN
	0600	78	A. Torres
	0900	78	A. Torres
	1200	72	A. Torres
	1500	72	NIELSEN
	1800	72	NIELSEN
	2100	72	M. KNUDSEN
	2400	78	A. Torres

Saturday

Date	Time	Temp	Name (Print)
6/22/2024	0300	80	A. Torres
	0600	78	A. Torres
	0900	78	Nova
	1200	80	Nova
	1500	85	NIELSEN
	1800	85	NIELSEN
	2100	85	NIELSEN
	2400	84	A. Torres

Sunday

Date	Time	Temp	Name (Print)
6/23/2024	0300	82	A. Torres
	0600	82	A. Torres
	0900	88	C. Bailey
	1200	92	C. Bailey
	1500	90	Kefalaianos
	1800	90	Kefalaianos
	2100	94	Kefalaianos
	2400	84	S. Rommel

Notes

- 1222 Stage II activated cooling
The watch down got ice water.
- 1217 Stage I activated

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/24/2024	0300	82	Spaniel
	0600	82	Spaniel
	0900	82	T.Ochoa
	1200	80	T.Ochoa
	1500	85	Oquendo
	1800	83	Oquendo
	2100	82	Oquendo
	2400	81	S.Brown

Tuesday

Date	Time	Temp	Name (Print)
6/25/2024	0300	81	S.Brown
	0600	80	T.Ochoa
	0900	81	T.Ochoa
	1200	80	T.Ochoa
	1500	80	Oquendo
	1800	80	Oquendo
	2100	80	Oquendo
	2400	81	S.Brown

Wednesday

Date	Time	Temp	Name (Print)
6/26/2024	0300	81	S.Brown
	0600	80	T.Ochoa
	0900	80	T.Ochoa
	1200	80	T.Ochoa
	1500	80	NIEISEN
	1800	80	NIEISEN
	2100	80	NIEISEN
	2400	78	T.Howard

Thursday

Date	Time	Temp	Name (Print)
6/27/2024	0300	75	T.Howard
	0600	76	T.Ochoa
	0900	78	T.Ochoa
	1200	78	T.Ochoa
	1500	75	NIEISEN
	1800	75	NIEISEN
	2100	75	NIEISEN
	2400	75	T.Howard

Friday

Date	Time	Temp	Name (Print)
6/28/2024	0300	75	T.Howard
	0600	76	T.Ochoa
	0900	78	T.Ochoa
	1200	78	T.Ochoa
	1500	80	NIEISEN
	1800	80	NIEISEN
	2100	80	NIEISEN
	2400	70	Spaniel

Saturday

Date	Time	Temp	Name (Print)
6/29/2024	0300	70	Spaniel
	0600	78	Spaniel
	0900	78	T.Ochoa
	1200	78	T.Ochoa
	1500	79	NIEISEN
	1800	77	NIEISEN
	2100	79	NIEISEN
	2400	78	Spaniel

Sunday

Date	Time	Temp	Name (Print)
6/30/2024	0300	72	Spaniel
	0600	72	Spaniel
	0900	78	Spaniel
	1200	78	Spaniel
	1500	78	Kefaligianos
	1800	78	Kefaligianos
	2100	79	Kefaligianos
	2400	78	Spaniel

Notes

6.25.24 STAGE 7 UHT ACTIVATED 1225 hrs

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Doms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 404

Temp. Reading Location: Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Monday		Date	Time	Temp	Name (Print)
	0300				
	0600				
	0900				
	1200				
	1500				
	1800				
	2100				
	2400				

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
6/1/2024	0300	70	K RACE
	0600	69	A Lay
	0900	69	A Lay
	1200	69	A Lay
	1500	70	ESQI bch
	1800	70	ESQI bch
	2100	70	ESQI bch
	2400	70	RACE

Sunday

Date	Time	Temp	Name (Print)
6/2/2024	0300	70	RAGLE
	0600	65	Gordon
	0900	68	Gordon
	1200	68	Gordon
	1500	68	VINING
	1800	68	Vining
	2100	68	Vining
	2400	70	Leigh Van

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404

Temp. Reading Location:

Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.).

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/3/2024	0300	69	<i>[Signature]</i>
	0600	69	<i>Adermaga</i>
	0900	69	<i>Adermaga</i>
	1200	70	<i>Adermaga</i>
	1500	70	<i>Vivona</i>
	1800	70	<i>Vivona</i>
	2100	70	<i>Vivona</i>
	2400	70	<i>Celis</i>

Tuesday

Date	Time	Temp	Name (Print)
6/4/2024	0300	70	<i>Celis</i>
	0600	70	<i>CASTRO</i>
	0900	72	<i>CASTRO</i>
	1200	72	<i>CASTRO</i>
	1500	71	<i>Castro</i>
	1800	70	<i>Castro</i>
	2100	70	<i>Castro</i>
	2400	70	<i>Castro</i>

Wednesday

Date	Time	Temp	Name (Print)
6/5/2024	0300	70	<i>[Signature]</i>
	0600	70	<i>B. DELGADO</i>
	0900	69	<i>B. DELGADO</i>
	1200	69	<i>B. DELGADO</i>
	1500	72	<i>[Signature]</i>
	1800	75	<i>[Signature]</i>
	2100	75	<i>[Signature]</i>
	2400	74	<i>Worrell</i>

Thursday

Date	Time	Temp	Name (Print)
6/6/2024	0300	74	<i>Andrew</i>
	0600	75	<i>Andrew</i>
	0900	72	<i>R</i>
	1200	70	<i>R</i>
	1500	76	<i>R</i>
	1800	76	<i>R</i>
	2100	75	<i>R</i>
	2400	73	<i>T. Howard</i>

Friday

Date	Time	Temp	Name (Print)
6/7/2024	0300	74	<i>P. DELGADO</i>
	0600	75	<i>P. DELGADO</i>
	0900	76	<i>P. DELGADO</i>
	1200	77	<i>P. DELGADO</i>
	1500	74	<i>Obrien</i>
	1800	74	<i>Obrien</i>
	2100	74	<i>Obrien</i>
	2400	73	<i>[Signature]</i>

Saturday

Date	Time	Temp	Name (Print)
6/8/2024	0300	73	<i>J. Haskins</i>
	0600	72	<i>S. Brooks</i>
	0900	72	<i>S. Brooks</i>
	1200	72	<i>S. Brooks</i>
	1500	71	<i>R</i>
	1800	71	<i>R</i>
	2100	73	<i>R</i>
	2400	70	<i>Smith</i>

Notes

Date	Time	Temp	Name (Print)
6/9/2024	0300	70	<i>Santos</i>
	0600	70	<i>Gordon</i>
	0900	70	<i>Gordon</i>
	1200	70	<i>Gordon</i>
	1500	70	<i>Gordon</i>
	1800	70	<i>Gordon</i>
	2100	70	<i>Gordon</i>
	2400	70	<i>Santos</i>

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 404

Temp. Reading Location: Building 2nd Floor
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/10/2024	0300	70	oronez
	0600	70	Nava
	0900	70	Ward
	1200	70	Nava
	1500	70	WONG
	1800	70	WONG
	2100	70	WONG
	2400	70	WONG

Tuesday

Date	Time	Temp	Name (Print)
6/11/2024	0300	70	70
	0600	70	R. BONTE
	0900	70	R. BONTE
	1200	70	R. BONTE
	1500	70	
	1800	70	
	2100	70	
	2400	70	CCR

Wednesday

Date	Time	Temp	Name (Print)
6/12/2024	0300	70	ECCS
	0600	70	ECCS
	0900	70	ECCS
	1200	70	ECCS
	1500	70	ECCS
	1800	70	ECCS
	2100	70	ECCS
	2400	70	Moran

Thursday

Date	Time	Temp	Name (Print)
6/13/2024	0300	73	WORSHAM
	0600	72	WESTA
	0900	72	WESTA
	1200	72	WESTA
	1500	73	ESQUILBEL
	1800	74	ESQUILBEL
	2100	74	ESQUILBEL
	2400	72	WORSHAM

Friday

Date	Time	Temp	Name (Print)
6/14/2024	0300	72	WORSHAM
	0600	70	Reagan
	0900	71	Reagan
	1200	73	Reagan
	1500	72	Reagan
	1800	72	Reagan
	2100	72	Reagan
	2400	70	K RABIE

Saturday

Date	Time	Temp	Name (Print)
6/15/2024	0300	74	K RABIE
	0600	74	ALAY
	0900	74	ALAY
	1200	74	ALAY
	1500	80	ESQUILBEL
	1800	80	ESQUILBEL
	2100	80	ESQUILBEL
	2400	78	K RABIE

Sunday

Date	Time	Temp	Name (Print)
6/16/2024	0300	76	K RABIE
	0600	76	Moran
	0900	72	Garcia
	1200	72	Garcia
	1500	79	WONG
	1800	78	WONG
	2100	78	WONG
	2400	78	TOPPER

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404Temp, Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/17/2024	0300	70	<u>C</u>
	0600	70	<u>Ade</u>
	0900	70	<u>Ade</u>
	1200	70	<u>Ade</u>
	1500	75	<u>CHONG</u>
	1800	75	<u>CHONG</u>
	2100	72	<u>CHONG</u>
	2400	72	<u>CHONG</u>

Tuesday

Date	Time	Temp	Name (Print)
6/18/2024	0300	71	<u>CEC</u>
	0600	70	<u>Ricardo</u>
	0900	72	<u>Ricardo</u>
	1200	72	<u>Ricardo</u>
	1500	72	<u>Esgubel</u>
	1800	74	<u>Esgubel</u>
	2100	74	<u>Esgubel</u>
	2400	76	<u>Brodford</u>

Wednesday

Date	Time	Temp	Name (Print)
6/19/2024	0300	74	<u>Brodford</u>
	0600	70	<u>Ricardo</u>
	0900	70	<u>Ricardo</u>
	1200	72	<u>Ricardo</u>
	1500	76	<u>Esgubel</u>
	1800	76	<u>Esgubel</u>
	2100	74	<u>Esgubel</u>
	2400	72	<u>Morgan</u>

Thursday

Date	Time	Temp	Name (Print)
6/20/2024	0300	72	<u>Morgan</u>
	0600	72	<u>Ricardo</u>
	0900	74	<u>Ricardo</u>
	1200	76	<u>Ricardo</u>
	1500	70	<u>Esgubel</u>
	1800	70	<u>Esgubel</u>
	2100	70	<u>Esgubel</u>
	2400	70	<u>Morgan</u>

Friday

Date	Time	Temp	Name (Print)
6/21/2024	0300	70	<u>Morgan</u>
	0600	70	<u>Nava</u>
	0900	70	<u>Nava</u>
	1200	72	<u>Nava</u>
	1500	78	<u>Desquibel</u>
	1800	78	<u>Desquibel</u>
	2100	78	<u>Desquibel</u>
	2400	77	<u>Morgan</u>

Saturday

Date	Time	Temp	Name (Print)
6/22/2024	0300	77	<u>Ward</u>
	0600	70	<u>PEVIA</u>
	0900	78	<u>A. Hernandez</u>
	1200	80	<u>A. Hernandez</u>
	1500	75	<u>A. Hernandez</u>
	1800	75	<u>A. Hernandez</u>
	2100	75	<u>A. Hernandez</u>
	2400	77	<u>T. Hustedt</u>

Sunday

Date	Time	Temp	Name (Print)
6/23/2024	0300	82	<u>T. Hustedt</u>
	0600	80	<u>Gordon</u>
	0900	87	<u>Gordon</u>
	1200	92	<u>Gordon</u>
	1500	90	<u>Gordon</u>
	1800	90	<u>Gordon</u>
	2100	84	<u>Gordon</u>
	2400	82	<u>Morgan</u>

Notes

Stage 1 @ 1019
Stage 2 @ 1222

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404Temp. Reading Location: Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/24/2024	0300	82	R. Moh
	0600	80	R. Moh
	0900	80	R. Moh
	1200	80	R. Moh
	1500	83	Adams
	1800	83	Adams
	2100	82	Adams
	2400	81	I. Fernandez

Tuesday

Date	Time	Temp	Name (Print)
6/25/2024	0300	79	I. Fernandez
	0600	78	R. Moh
	0900	78	R. Moh
	1200	80	R. Moh
	1500	80	Adams
	1800	80	Adams
	2100	80	Adams
	2400	81	Bradford

Wednesday

Date	Time	Temp	Name (Print)
6/26/2024	0300	80	Bradford
	0600	78	Preston
	0900	81	Preston
	1200	83	Preston
	1500	80	BR
	1800	80	BR
	2100	80	BR
	2400	80	Bernardino

Thursday

Date	Time	Temp	Name (Print)
6/27/2024	0300	75	Bernardino
	0600	76	R. Moh
	0900	80	Preston
	1200	82	Preston
	1500	82	Esquivel
	1800	80	Esquivel
	2100	80	Esquivel
	2400	80	Rivers

Friday

Date	Time	Temp	Name (Print)
6/28/2024	0300	70	T. Bailey
	0600	78	R. Moh
	0900	78	T. Bailey
	1200	78	R. Davis
	1500	80	Esquivel
	1800	80	Esquivel
	2100	80	Esquivel
	2400	70	T. Bailey

Sunday

Date	Time	Temp	Name (Print)
6/30/2024	0300	72	T. Bailey
	0600	72	Gordon
	0900	78	Gordon
	1200	78	Gordon
	1500	80	Gordon
	1800	78	Gordon
	2100	78	Gordon
	2400	78	S. Morris

Saturday

Date	Time	Temp	Name (Print)
6/29/2024	0300	70	T. Bailey
	0600	70	Alan
	0900	74	Alan
	1200	76	Alan
	1500	79	Adams
	1800	79	Adams
	2100	79	Adams
	2400	78	T. Bailey

Notes

Stage

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
ATTACHMENT D

Designated Heat Doms: 102,103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC/NORCO**Housing Unit: **DORM 405**Temp. Reading Location: **Building 3rd Floor**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

6/1/2024	Date	Time	Temp	Name (Print)
		0300	71	Kefalianos
		0600	70	RERBERICH
		0900	70	BERBERICH
		1200	70	BERBERICH
		1500	70	Iacono
		1800	70	Iacono
		2100	70	Iacono
		2400	71	Kefalianos

Sunday

Date	Time	Temp	Name (Print)
	0300	71	Kefalianos
	0600	71	BERBERICH
	0900	71	BERBERICH
	1200	71	BERBERICH
	1500	71	F.Ochoa
	1800	71	F.Behar
	2100	71	F.Ochoa
	2400	70	C-N-F

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
ATTACHMENT D
 Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 405

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/3/2024	0300	70	L. Nik
	0600	70	C. gagella
	0900	70	E. gagella
	1200	71	F. Ochoa
	1500	71	F. Ochoa
	1800	71	F. Ochoa
	2100	71	F. Ochoa
	2400	71	T. Ayar

Tuesday

Date	Time	Temp	Name (Print)
6/4/2024	0300	71	T. Ayar
	0600	71	C. gagella
	0900	72	C. gagella
	1200	72	C. gagella
	1500	72	F. Ochoa
	1800	72	F. Ochoa
	2100	72	F. Ochoa
	2400	72	T. Ayar

Wednesday

Date	Time	Temp	Name (Print)
6/5/2024	0300	72	T. Ayar
	0600	72	C. gagella
	0900	72	C. gagella
	1200	72	C. gagella
	1500	76	F. Ochoa
	1800	76	F. Ochoa
	2100	78	F. Ochoa
	2400	78	Open

Thursday

Date	Time	Temp	Name (Print)
6/6/2024	0300	78	B. SAWYER
	0600	74	C. Bailey
	0900	74	C. Bailey
	1200	74	C. Bailey
	1500	78	C. Bailey
	1800	78	C. Bailey
	2100	78	C. Bailey
	2400	76	M. Adesun

Friday

Date	Time	Temp	Name (Print)
6/7/2024	0300	76	M. Adesun
	0600	76	N. Nielsen
	0900	76	N. Nielsen
	1200	77	N. Nielsen
	1500	78	S. Adams
	1800	78	S. Adams
	2100	78	S. Adams
	2400	76	D. Zunne

Saturday

Date	Time	Temp	Name (Print)
6/8/2024	0300	76	D. Zunne
	0600	72	J. BERBERICH
	0900	72	J. BERBERICH
	1200	72	J. BERBERICH
	1500	70	G. RODRIGUEZ
	1800	72	G. RODRIGUEZ
	2100	72	G. RODRIGUEZ
	2400	71	M. Adesun

Sunday

Date	Time	Temp	Name (Print)
6/9/2024	0300	70	M. Adesun
	0600	72	J. BERBERICH
	0900	72	J. BERBERICH
	1200	71	J. BERBERICH
	1500	72	C. Bailey
	1800	70	C. Bailey
	2100	70	C. Bailey
	2400	69	Kefalians

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Doms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 405

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/10/2024	0300	69	Kefaliansos
	0600	69	Kefaliansos
	0900	70	Chagolla
	1200	72	Chagolla
	1500	72	F.Ochoa
	1800	75	F.Ochoa
	2100	75	F.Ochoa
	2400	75	T.Arcene

Tuesday

Date	Time	Temp	Name (Print)
6/11/2024	0300	75	T.Arcene
	0600	75	Chagolla
	0900	74	Chagolla
	1200	74	Chagolla
	1500	72	F.Ochoa
	1800	72	F.Ochoa
	2100	72	F.Ochoa
	2400	72	T.Arcene

Wednesday

Date	Time	Temp	Name (Print)
6/12/2024	0300	72	Chagolla
	0600	74	Chagolla
	0900	74	Chagolla
	1200	74	Chagolla
	1500	78	F.Ochoa
	1800	76	F.Ochoa
	2100	79	F.Ochoa
	2400	79	Chagolla

Thursday

Date	Time	Temp	Name (Print)
6/13/2024	0300	76	Bailey
	0600	74	Bailey
	0900	74	Bailey
	1200	74	Bailey
	1500	78	Bailey
	1800	78	Bailey
	2100	78	Bailey
	2400	77	Bailey

Friday

Date	Time	Temp	Name (Print)
6/14/2024	0300	76	MESNA
	0600	74	Placencia
	0900	74	Placencia
	1200	74	Placencia
	1500	79	Ainsle
	1800	70	Ainsle
	2100	70	Ainsle
	2400	78	Kefaliansos

Saturday

Date	Time	Temp	Name (Print)
6/15/2024	0300	77	Kefaliansos
	0600	76	Kefaliansos
	0900	75	BERBERICH
	1200	76	BERBERICH
	1500	79	GARY
	1800	80	GARY
	2100	79	GARY
	2400	79	Kefaliansos

Sunday

Date	Time	Temp	Name (Print)
6/16/2024	0300	78	Kefaliansos
	0600	77	Kefaliansos
	0900	73	BERBERICH
	1200	74	BERBERICH
	1500	74	F.Ochoa
	1800	70	F.Ochoa
	2100	79	F.Ochoa
	2400	78	Kefaliansos

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 405Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/17/2024	0300	78	Kefaliansos
	0600	77	Kefaliansos
	0900	76	Chagolla
	1200	76	Chagolla
	1500	72	F.Ochoa
	1800	72	F.Ochoa
	2100	72	F.Ochoa
	2400	72	T.Abarca

Tuesday

Date	Time	Temp	Name (Print)
6/18/2024	0300	72	T.Abarca
	0600	74	Chagolla
	0900	74	Chagolla
	1200	74	Chagolla
	1500	75	F.Ochoa
	1800	75	F.Ochoa
	2100	75	F.Ochoa
	2400	75	T.Abarca

Wednesday

Date	Time	Temp	Name (Print)
6/19/2024	0300	74	Hernandez
	0600	74	Chagolla
	0900	74	Chagolla
	1200	74	Chagolla
	1500	74	Barker
	1800	74	Bailey
	2100	75	Bailey
	2400	74	Briscoe

Thursday

Date	Time	Temp	Name (Print)
6/20/2024	0300	72	Briscoe
	0600	74	CBailey
	0900	72	Bailey
	1200	74	OBailey
	1500	74	CBailey
	1800	74	CBailey
	2100	74	CBailey
	2400	74	MFCIII

Friday

Date	Time	Temp	Name (Print)
6/21/2024	0300	79	MFCIII
	0600	72	Piacecnica
	0900	74	Piacecnica
	1200	75	Piacecnica
	1500	79	Amale
	1800	79	Amale
	2100	80	Amale
	2400	77	Kefaliansos

Saturday

Date	Time	Temp	Name (Print)
6/22/2024	0300	78	Kefaliansos
	0600	77	Kefaliansos
	0900	77	BERBERICH
	1200	79	BERBERICH
	1500	82	BERBERICH
	1800	83	BERBERICH
	2100	83	BERBERICH
	2400	80	Kefaliansos

Sunday

Date	Time	Temp	Name (Print)
6/23/2024	0300	79	Kefaliansos
	0600	78	Kefaliansos
	0900	77	BERBERICH
	1200	79	BERBERICH
	1500	81	F.Ochoa
	1800	81	F.Ochoa
	2100	81	F.Ochoa
	2400	80	Kefaliansos

Notes

Designated Heat Dorms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 405

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Monday			
Date	Time	Temp	Name (Print)
6/24/2024	0300	79	Kefatiqas
	0600	78	Kefatiqas
	0900	78	Chagella
	1200	72	Chagella
	1500	80	F. Ochoa
	1800	80	F. Ochoa
	2100	80	F. Ochoa
	2400	60	T. Adraza

Tuesday

Date	Time	Temp	Name (Print)
6/25/2024	0300	80	T. Adee
	0600	76	Chagolla
	0900	73	Chagolla
	1200	79	Chagolla
	1500	80	S. Chagolla
	1800	80	T. Adee
	2100	80	Ramya
	2400	80	T. Adee

Wednesday

Date	Time	Temp	Name (Print)
6/26/2024	0300	79	F. A. Ochoa
	0600	74	Chagolla
	0900	74	Chagolla
	1200	75	Chagolla
	1500	78	F. Ochoa
	1800	78	F. Ochoa
	2100	78	F. Ochoa
	2400	78	A. B. M. 3 loc

Thursday

Date	Time	Temp	Name (Print)
6/27/2024	0300	78	A. Bailey
	0600	74	Bailey
	0900	74	Bailey
	1200	74	Bailey
	1500	78	Bailey
	1800	78	Bailey
	2100	70	Bailey
	2400	76	NEISKA

Friday

Date	Time	Temp	Name (Print)
6/28/2024 6/9	0300	72	MICHAEL
	0600	72	R. GONZALEZ
	0900	72	R. GONZALEZ
	1200	74	R. GONZALEZ
	1500	78	JIMMY
	1800	78	JIMMY
	2100	79	JIMMY
	2400	78	Kefalians

Saturday

Date	Time	Temp	Name (Print)
6/29/2024	0300	78	Kefalianos
	0600	77	Kefalianos
	0900	74	BERBERICH
	1200	73	BERBERICH
	1500	76	clay
	1800	78	clay
	2100	78	Kefalianos
	2400	77	Kefalianos

Sunday

Date	Time	Temp	Name (Print)
6/30/2024	0300	77	Kefalios
	0600	77	Kefalios
	0900	76	BERBERICH
	1200	75	BERBERICH
	1500	78	F.Ochoa
	1800	78	F.Ochoa
	2100	80	F.Ochoa
	2400	79	Kefalios

Notes

Designated Heat Dorms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 406

Temp. Reading Location: Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
6/1/2024	0300	78	A. B. Reyes
	0600	78	D. Reyes
	0900	78	D. Reyes
	1200	78	D. Reyes
	1500	76	A. Reyes
	1800	76	A. Reyes
	2100	76	A. Reyes
	2400	70	J. MARTELLA

Sunday

Date	Time	Temp	Name (Print)
6/2/2024	0300	77	JMARK121
	0600	76	CAWOR
	0900	78	CAWOR L
	1200	78	CAWOR L
	1500	76	SIDMAR
	1800	76	SIDMAR
	2100	78	SIDMAR
	2400	77	D. J. G.

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/2024	0300	78	A-Rosas
	0600	79	R.Gomez
	0900	79	R.Gomez
	1200	78	R.Gomez
	1500	78	S.Espinosa
	1800	78	S.Espinosa
	2100	78	S.Espinosa
	2400	78	A-Rosas

Tuesday

Date	Time	Temp.	Name (Print)
6/4/2024	0300	78	A-Rosas
	0600	79	R.Gomez
	0900	79	R.Gomez
	1200	78	R.Gomez
	1500	78	R.Gomez
	1800	79	Gordon
	2100	78	Gordon
	2400	78	A-Rosas

Wednesday

Date	Time	Temp.	Name (Print)
6/5/2024	0300	78	A-Rosas
	0600	76	J.A.Martinez
	0900	78	J.A.Martinez
	1200	78	J.A.Martinez
	1500	80	S.Espinosa
	1800	80	S.Espinosa
	2100	80	S.Espinosa
	2400	78	A-Rosas

Thursday

Date	Time	Temp.	Name (Print)
6/6/2024	0300	78	A-Rosas
	0600	76	J.A.Martinez
	0900	78	J.A.Martinez
	1200	80	J.A.Martinez
	1500	80	A-Castro
	1800	79	A-Castro
	2100	78	A-Castro
	2400	78	A-Rosas

Friday

Date	Time	Temp.	Name (Print)
6/7/2024	0300	78	A-Rosas
	0600	79	M.Brown
	0900	80	M.Brown
	1200	80	M.Brown
	1500	82	J.Wood
	1800	82	J.Wood
	2100	80	J.Wood
	2400	78	A-Rosas

Saturday

Date	Time	Temp.	Name (Print)
6/8/2024	0300	78	A-Rosas
	0600	78	M.Brown
	0900	79	M.Brown
	1200	81	M.Brown
	1500	83	A-Ortiz
	1800	83	A-Ortiz
	2100	83	A-Ortiz
	2400	80	S.Jimenez

Notes

Date	Time	Temp.	Name (Print)
6/9/2024	0300	78	S.Jimenez
	0600	78	M.Brown
	0900	79	M.Brown
	1200	79	M.Brown
	1500	79	S.Jimenez
	1800	79	S.Jimenez
	2100	77	S.Jimenez
	2400	80	M.Brown

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406

Temp. Reading Location:

Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/10/2024	0300	80	Nava
	0600	70	S. CEJA
	0900	70	S. CEJA
	1200	71	S. CEJA
	1500	75	S. ORNAR
	1800	79	S. ORNAR
	2100	79	S. ORNAR
	2400	79	A. TORRES

Tuesday

Date	Time	Temp	Name (Print)
6/11/2024	0300	79	A. TORRES
	0600	75	CEJA A
	0900	76	CEJA
	1200	77	CEJA
	1500	78	C. CHACON
	1800	78	C. CHACON
	2100	77	C. CHACON
	2400	78	A. TORRES

Wednesday

Date	Time	Temp	Name (Print)
6/12/2024	0300	78	A. TORRES
	0600	78	D. CREEGHTON
	0900	78	D. CREEGHTON
	1200	80	D. CREEGHTON
	1500	80	D. PASCUAL
	1800	79	D. VASQUEZ
	2100	79	Rosa Lee
	2400	70	RENA

Thursday

Date	Time	Temp	Name (Print)
6/13/2024	0300	80	RENA
	0600	80	J. REED
	0900	78	A. TORRES
	1200	78	A. TORRES
	1500	78	R. CHACON
	1800	78	R. CHACON
	2100	77	R. CHACON
	2400	78	A. TORRES

Friday

Date	Time	Temp	Name (Print)
6/14/2024	0300	78	A. TORRES
	0600	78	Darrow
	0900	78	Darrow
	1200	79	Darrow
	1500	79	R. CHACON
	1800	79	R. CHACON
	2100	78	R. CHACON
	2400	78	A. ROJAS

Saturday

Date	Time	Temp	Name (Print)
6/15/2024	0300	78	A. ROJAS
	0600	78	Brenda
	0900	78	Brenda
	1200	80	Brenda
	1500	80	Brenda
	1800	82	Brenda
	2100	82	Brenda
	2400	80	Bailey

Sunday

Date	Time	Temp	Name (Print)
6/16/2024	0300	80	Bailey
	0600	78	J. ANDRADE
	0900	78	J. ANDRADE
	1200	78	J. ANDRADE
	1500	79	S. ORNAR
	1800	80	S. ORNAR
	2100	80	S. ORNAR
	2400	80	Nava

Notes

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 406

Temp. Reading Location:

Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/17/2024	0300	80	Naya
	0600	80	Pineda
	0900	80	Pineda
	1200	82	Pineda
	1500	81	S. DORN
	1800	80	S. DORN
	2100	79	S. DORN
	2400	78	A. ROSAS

Tuesday

Date	Time	Temp	Name (Print)
6/18/2024	0300	78	A. DUARTE
	0600	78	A. CASTRO
	0900	78	A. CASTRO
	1200	78	A. CASTRO
	1500	78	R. CHACON
	1800	78	R. CHACON
	2100	78	R. CHACON
	2400	78	A. DUARTE

Wednesday

Date	Time	Temp	Name (Print)
6/19/2024	0300	78	A. Roske
	0600	78	R. Gonzalez
	0900	78	R. Gonzalez
	1200	78	R. Gonzalez
	1500	78	R. Gonzalez
	1800	78	R. CHACON
	2100	77	R. CHACON
	2400	77	A. Roske

Thursday

Date	Time	Temp	Name (Print)
6/20/2024	0300	77	A. Rojas
	0600	77	J.A. Martinez
	0900	78	J.A. Martinez
	1200	78	J.A. Martinez
	1500	78	R. CHACON
	1800	79	R. CHACON
	2100	78	R. CHACON
	2400	78	A. Rojas

Friday

Date	Time	Temp	Name (Print)
6/21/2024	0300	78	A. Rogers
	0600	78	I. Pineda
	0900	80	I. Pineda
	1200	80	I. Pineda
	1500	82	Isaura
	1800	84	Isaura
	2100	83	R. Chacon
	2400	80	A. Rogers

Saturday

Date	Time	Temp	Name (Print)
6/22/2024	0300	80	A. ROSAS
	0600	80	Pineda
	0900	80	Pineda
	1200	82	Pineda
	1500	85	Anastacio
	1800	84	Anastacio
	2100	84	Anastacio
	2400	84	A. MORENO

Sunday

Date	Time	Temp	Name (Print)
6/23/2024	0300	84	A. New
	0600	89	I. Pineda
	0900	86	I. Pineda
	1200	88	I. Pineda
	1500	89	S. Oroniz
	1800	89	S. Oroniz
	2100	89	S. Oroniz
	2400	89	Van

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406

Temp. Reading Location:

Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/24/2024	0300	84	Vava
	0600	84	I. Pineck
	0900	84	I. Pineck
	1200	84	I. Pineck
	1500	86	S. domm
	1800	88	S. domm
	2100	84	S. domm
	2400	84	A. Rosas

Tuesday

Date	Time	Temp	Name (Print)
6/25/2024	0300	72	A. Rosas
	0600	82	I. Pineck
	0900	82	I. Pineck
	1200	84	I. Pineck
	1500	84	R. CHACON
	1800	84	R. CHACON
	2100	84	R. CHACON
	2400	82	A. Rosas

Wednesday

Date	Time	Temp	Name (Print)
6/26/2024	0300	82	A. Rosas
	0600	82	S. Brooks
	0900	82	S. Brooks
	1200	83	J.A. Martinez
	1500	84	R. CHACON
	1800	87	R. CHACON
	2100	81	R. CHACON
	2400	82	A. Rosas

Thursday

Date	Time	Temp	Name (Print)
6/27/2024	0300	82	A. Rosas
	0600	82	J. Martinez
	0900	82	J. Martinez
	1200	82	J. Martinez
	1500	83	R. CHACON
	1800	82	R. CHACON
	2100	82	R. CHACON
	2400	82	A. Rosas

Friday

Date	Time	Temp	Name (Print)
6/28/2024	0300	82	A. Rosas
	0600	82	I. Pineck
	0900	82	I. Pineck
	1200	82	I. Pineck
	1500	82	R. Chacon
	1800	82	R. Chacon
	2100	82	R. Chacon
	2400	82	A. Rosas

Saturday

Date	Time	Temp	Name (Print)
6/29/2024	0300	82	A. Rosas
	0600	82	I. Pineck
	0900	82	I. Pineck
	1200	82	I. Pineck
	1500	83	A. Rosas
	1800	83	A. Rosas
	2100	84	A. Rosas
	2400	82	A. Rosas

Sunday

Date	Time	Temp	Name (Print)
6/30/2024	0300	80	MARTIN
	0600	80	I. Pineck
	0900	82	I. Pineck
	1200	84	I. Pineck
	1500	86	R. Chacon
	1800	86	R. Chacon
	2100	86	R. Chacon
	2400	88	Nina

Notes

6-25-74 Stage 1 deactivated 100hrs
 6/27/2024 Stage 1 deactivated @ 195

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 407 Temp. Reading Location: Building
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/29	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/21 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203; 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,

OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 407

Temp. Reading Location:

Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/3/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
6/4/2024	0300		
	0600		
	0900		
	1200		
	1500	70	L R. Ho
	1800	70	L R. Ho
	2100	70	L R. Ho
	2400	68	TICLOSON

Wednesday

Date	Time	Temp	Name (Print)
6/5/2024	0300	68	TICLOSON
	0600	68	R. CHACON
	0900	70	R. CHACON
	1200	71	R. CHACON
	1500	71°F	G. ROBLES
	1800	71°F	G. ROBLES
	2100	70°F	G. ROBLES
	2400	70	TICLOSON

Thursday

Date	Time	Temp	Name (Print)
6/6/2024	0300	68	TICLOSON
	0600	68	BELCHER
	0900	70	BELCHER
	1200	70	BELCHER
	1500	70	WOODS
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
6/7/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
6/8/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
6/9/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Cole Housing Unit: L107 Temp. Reading Location: Building
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<i>6/10/24</i>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
<i>6/11</i>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
<i>6/12</i>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
<i>6/13</i>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
<i>6/14</i>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
<i>6/15</i>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
<i>6/16</i>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 407 Temp. Reading Location: By Dryer
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
6/17/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
6/16	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
6/19	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
6/20	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
6/21	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
6/22	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
6/23	0300		
	0600		X
	0900		X
	1200		X
	1500		X
	1800		X
	2100		X
	2400		X

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CNE Housing Unit: 407 Temp. Reading Location: BuIDinly
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
6/24/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday		Date	Time	Temp.	Name (Print)
6/25	0300				
	0600				
	0900				
	1200				
	1500				
	1800				
	2100				
	2400				

Date	Time	Temp.	Name (Print)
6/26	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
6/27	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
6/26	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
6/29	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102,103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC/NORCO**Housing Unit: **DORM 408**Temp. Reading Location: **Building Single Floor**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
6/1/2024	0300	72	NAVARRO
	0600	72	J. Leon And
	0900	72	J. Leon And
	1200	72	J. Leon And
	1500	75	A. Johnson
	1800	74	A. Johnson
	2100	72	A. Johnson
	2400	72	NAVARRO

Sunday

Date	Time	Temp	Name (Print)
6/2/2024	0300	72	NAVARRO
	0600	72	EUNOM
	0900	72	FLORES
	1200	72	Emergent
	1500	72	A. Johnson
	1800	72	A. Johnson
	2100	72	A. Johnson
	2400	72	OPERA

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. [Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning].

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/3/2024	0300	70	C. FENE
	0600	70	C. GIGENA
	0900	70	C. GIGENA
	1200	70	C. GIGENA
	1500	79	A. Johnson
	1800	79	A. Johnson
	2100	79	A. Johnson
	2400	70	J. HUEY

Tuesday

Date	Time	Temp	Name (Print)
6/4/2024	0300	70	J. Avey
	0600	72	J. Leonارد
	0900	72	J. Leonارد
	1200	72	J. Leonارد
	1500	79	A. Johnson
	1800	79	A. Johnson
	2100	79	A. Johnson
	2400	71	THOMAS

Wednesday

Date	Time	Temp	Name (Print)
6/5/2024	0300	71	J. HUEY
	0600	72	J. Leonارد
	0900	72	J. Leonارد
	1200	72	Roman
	1500	79	A. Johnson
	1800	79	A. Johnson
	2100	79	A. Johnson
	2400	72	LEWIS

Thursday

Date	Time	Temp	Name (Print)
6/6/2024	0300	71	SANTO
	0600	72	Gigante
	0900	73	CRISTOBAL
	1200	73	CRISTOBAL
	1500	74	D. JONES
	1800	74	D. JONES
	2100	72	D. JONES
	2400	72	NAVARRO

Friday

Date	Time	Temp	Name (Print)
6/7/2024	0300	70	NAVARRO
	0600	70	S. Brooks
	0900	70	S. Brooks
	1200	70	S. Brooks
	1500	74	D. JONES
	1800	74	D. JONES
	2100	72	D. JONES
	2400	71	NAVARRO

Saturday

Date	Time	Temp	Name (Print)
6/8/2024	0300	70	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	SMITH
	1800	72	SMITH
	2100	72	SMITH
	2400	70	NAVARRO

Sunday

Date	Time	Temp	Name (Print)
6/9/2024	0300	70	NAVARRO
	0600	70	WITHERS
	0900	71	WITHERS
	1200	72	WITHERS
	1500	72	A. Johnson
	1800	72	A. Johnson
	2100	70	A. Johnson
	2400	70	NAVARRO

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102,103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408

Temp. Reading Location:

Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/10/2024	0300	70	Rives
	0600	70	GIGENA
	0900	70	GIGENA
	1200	70	GIGENA
	1500	70	A. Johnson
	1800	70	A. Johnson
	2100	70	A. Johnson
	2400	70	Rives

Tuesday

Date	Time	Temp	Name (Print)
6/11/2024	0300	69	Rives
	0600	70	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	A. Johnson
	1800	70	A. Johnson
	2100	70	A. Johnson
	2400	70	KRAILE

Wednesday

Date	Time	Temp	Name (Print)
6/12/2024	0300	70	KRAILE
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	A. Johnson
	1800	72	A. Johnson
	2100	72	A. Johnson
	2400	70	NAVARRO

Thursday

Date	Time	Temp	Name (Print)
6/13/2024	0300	70	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	74	D. JUNIOR
	1800	74	D. JUNIOR
	2100	72	D. JUNIOR
	2400	71	RIVES

Friday

Date	Time	Temp	Name (Print)
6/14/2024	0300	69	RIVES
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	74	D. JUNIOR
	1800	74	D. JUNIOR
	2100	72	D. JUNIOR
	2400	70	NAVARRO

Saturday

Date	Time	Temp	Name (Print)
6/15/2024	0300	70	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	EVERSON
	1800	72	EVERSON
	2100	72	EVERSON
	2400	70	NAVARRO

Sunday

Date	Time	Temp	Name (Print)
6/16/2024	0300	70	NAVARRO
	0600	72	C. REIX
	0900	74	C. REIX
	1200	74	C. REIX
	1500	72	A. Johnson
	1800	70	A. Johnson
	2100	70	A. Johnson
	2400	71	RIVES

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408

Temp. Reading Location:

Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/17/2024	0300	71	Rives
	0600	70°	J. Martinez
	0900	70°	J. Martinez
	1200	70°	J. Martinez
	1500	71	A. Johnson
	1800	71	A. Johnson
	2100	70	A. Johnson
	2400	70	M. Knudsen

Tuesday

Date	Time	Temp	Name (Print)
6/18/2024	0300	70	M. Knudsen
	0600	72	J. Leonard
	0900	72	J. Leonard
	1200	72	J. Leonard
	1500	72	A. Johnson
	1800	72	A. Johnson
	2100	70	A. Johnson
	2400	70	K. Rager

Wednesday

Date	Time	Temp	Name (Print)
6/19/2024	0300	70	K. Rager
	0600	72	J. Leonard
	0900	72	J. Leonard
	1200	72	J. Leonard
	1500	72	A. Johnson
	1800	72	A. Johnson
	2100	70	A. Johnson
	2400	70	Nava

Thursday

Date	Time	Temp	Name (Print)
6/20/2024	0300	70	Nava
	0600	72	J. Leonard
	0900	72	J. Leonard
	1200	72	J. Leonard
	1500	74	D. Juanne
	1800	74	D. Juanne
	2100	72	D. Juanne
	2400	70	NAVARRO

Friday

Date	Time	Temp	Name (Print)
6/21/2024	0300	70	NAVARRO
	0600	72	J. Leonard
	0900	72	J. Leonard
	1200	72	J. Leonard
	1500	74	D. Juanne
	1800	74	D. Juanne
	2100	72	D. Juanne
	2400	70	NAVARRO

Saturday

Date	Time	Temp	Name (Print)
6/22/2024	0300	70	NAVARRO
	0600	72	J. Leonard
	0900	72	J. Leonard
	1200	72	J. Leonard
	1500	74	A. Johnson
	1800	74	A. Johnson
	2100	72	A. Johnson
	2400	71	NAVARRO

Sunday

Date	Time	Temp	Name (Print)
6/23/2024	0300	71	NAVARRO
	0600	71	Winters
	0900	70	Winters
	1200	71	Winters
	1500	72	A. Johnson
	1800	72	A. Johnson
	2100	72	A. Johnson
	2400	72	Rives

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/24/2024	0300	72	Rivers
	0600	72	GIGENA
	0900	70	GIGENA
	1200	72	GIGENA
	1500	74	A. Johnson
	1800	70	A. Johnson
	2100	74	A. Johnson
	2400	72	N. Jordan

Tuesday

Date	Time	Temp	Name (Print)
6/25/2024	0300	74	N. Jordan
	0600	70	R. Gonzalez
	0900	70	R. Gonzalez
	1200	75	R. Gonzalez
	1500	78	A. Johnson
	1800	78	A. Johnson
	2100	78	A. Johnson
	2400	78	F. Carlos

Wednesday

Date	Time	Temp	Name (Print)
6/26/2024	0300	72	F. Carlos
	0600	72	F. Carlos
	0900	70	J. Leonard
	1200	78	J. Leonard
	1500	76	A. Johnson
	1800	74	A. Johnson
	2100	76	A. Johnson
	2400	76	Navy

Thursday

Date	Time	Temp	Name (Print)
6/27/2024	0300	74	Navy
	0600	76	J. Leonard
	0900	78	J. Leonard
	1200	76	J. Leonard
	1500	78	D. Dunn
	1800	76	D. Dunn
	2100	76	D. Dunn
	2400	73	M. Castleberry

Friday

Date	Time	Temp	Name (Print)
6/28/2024	0300	72	M. Castleberry
	0600	72	J. Leonard
	0900	74	J. Leonard
	1200	74	J. Leonard
	1500	78	D. Dunn
	1800	76	D. Dunn
	2100	76	D. Dunn
	2400	73	NAVARRO

Saturday

Date	Time	Temp	Name (Print)
6/29/2024	0300	73	NAVARRO
	0600	74	J. Leonard
	0900	77	J. Leonard
	1200	78	J. Leonard
	1500	78	A. Johnson
	1800	76	A. Johnson
	2100	78	A. Johnson
	2400	76	M. NAVARRO

Sunday

Date	Time	Temp	Name (Print)
6/30/2024	0300	75	NAVARRO
	0600	71	WITHERS
	0900	70	WITHERS
	1200	70	WITHERS
	1500	78	A. Johnson
	1800	78	A. Johnson
	2100	71	A. Johnson
	2400	74	NAVARRO

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Designated Heat Dorms: 102,103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 409Temp. Reading Location: Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300	69	J. MARTIN
	0600	69	Aimale
	0900	69	Aimale
	1200	69	Aimale
	1500	69	Ward
	1800	69	Ward
	2100	69	Ward
	2400	69	Ward

Sunday

Date	Time	Temp	Name (Print)
	0300	69	Taylor
	0600	69	Aimale
	0900	69	Aimale
	1200	69	Aimale
	1500	70	Aaron
	1800	70	Taylor
	2100	70	Aimale
	2400	70	Natalia

Notes

409

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102,103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 409

Temp. Reading Location:

Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/3/2024	0300	72	Morales
	0600	72	Vuong
	0900	72	Vuong
	1200	71	Vuong
	1500	73	Vuong
	1800	72	Vuong
	2100	72	Vuong
	2400	72	Morales

Tuesday

Date	Time	Temp	Name (Print)
6/4/2024	0300	71	Morales
	0600	71	R. CHACON
	0900	73	R. CHACON
	1200	73	R. CHACON
	1500	73	Along
	1800	72	Along
	2100	72	Along
	2400	72	Morales

Wednesday

Date	Time	Temp	Name (Print)
6/5/2024	0300	72	Morales
	0600	72	R. BRAEDON
	0900	73	R. BRAEDON
	1200	74	R. BRAEDON
	1500	72	Aebachvuni
	1800	72	Aebachvuni
	2100	72	Aebachvuni
	2400	72	Morales

Thursday

Date	Time	Temp	Name (Print)
6/6/2024	0300	71	Morales
	0600	72	M. W
	0900	72	HUN
	1200	71	HUN
	1500	70	S. ESPINOSA
	1800	70	S. ESPINOSA
	2100	70	S. ESPINOSA
	2400	70	Trotson

Friday

Date	Time	Temp	Name (Print)
6/7/2024	0300	70	Trotson
	0600	69	SAnt
	0900	69	SAnt
	1200	69	SAnt
	1500	71	D. GARY
	1800	70	D. GARY
	2100	69	P. GARY
	2400	69	Nash

Saturday

Date	Time	Temp	Name (Print)
6/8/2024	0300	68	Nava
	0600	68	Amie
	0900	68	Amie
	1200	68	Amie
	1500	68	ECCOTT
	1800	68	ECCOTT
	2100	68	ECCOTT
	2400	72	Morales

Sunday

Date	Time	Temp	Name (Print)
6/9/2024	0300	71	Morales
	0600	70	Amie
	0900	70	Amie
	1200	70	Amie
	1500	71	Locket
	1800	70	Locket
	2100	72	Locket
	2400	72	Morales

Notes

409

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 409Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/10/2024	0300	71	Chavez
	0600	71	Chavez
	0900	72	Chavez
	1200	71	Chavez
	1500	71	Castro
	1800	70	Castro
	2100	70	Castro
	2400	72	Chavez

Tuesday

Date	Time	Temp	Name (Print)
6/11/2024	0300	71	Chavez
	0600	71	R. Chacon
	0900	71	R. Chacon
	1200	71	R. Chacon
	1500	71	Chavez
	1800	71	Chavez
	2100	70	Chavez
	2400	72	Chavez

Wednesday

Date	Time	Temp	Name (Print)
6/12/2024	0300	71	Chavez
	0600	70	B. Cox
	0900	70	B. Cox
	1200	71	B. Cox
	1500	73	J. Tice
	1800	75	J. Tice
	2100	73	J. Tice
	2400	72	Chavez

Thursday

Date	Time	Temp	Name (Print)
6/13/2024	0300	71	Chavez
	0600	72	W. Flores
	0900	72	W. Flores
	1200	72	W. Flores
	1500	72	J. Tice
	1800	74	J. Tice
	2100	70	J. Tice
	2400	70	Nava

Friday

Date	Time	Temp	Name (Print)
6/14/2024	0300	68	Nava
	0600	68	Nava
	0900	68	Nava
	1200	70	A. Jones
	1500	70	J. Tice
	1800	72	S. Brooks
	2100	72	J. Tice
	2400	72	M. Jordan

Saturday

Date	Time	Temp	Name (Print)
6/15/2024	0300	70	M. Jordan
	0600	70	M. Jordan
	0900	70	A. Jones
	1200	70	A. Jones
	1500	74	J. Tice
	1800	74	J. Tice
	2100	72	S. Brooks
	2400	68	J. Tice

Sunday

Date	Time	Temp	Name (Print)
6/16/2024	0300	68	J. Tice
	0600	68	J. Tice
	0900	69	A. Jones
	1200	70	A. Jones
	1500	72	S. Brooks
	1800	72	S. Brooks
	2100	72	S. Brooks
	2400	71	J. Tice

Notes

409

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Designated Heat Dorms: 102,103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 409

Temp. Reading Location:

Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/17/2024	0300	71	OMARALIS
	0600	72	CYRUS
	0900	71	CHACON
	1200	71	CHACON
	1500	72	WILSON
	1800	71	WILSON
	2100	72	WILSON
	2400	72	OMARALIS

Tuesday

Date	Time	Temp	Name (Print)
6/18/2024	0300	71	OMARALIS
	0600	71	RICHARD
	0900	72	R. CHACON
	1200	72	R. CHACON
	1500	72	CYRUS
	1800	70	CYRUS
	2100	79	CHACON
	2400	72	OMARALIS

Wednesday

Date	Time	Temp	Name (Print)
6/19/2024	0300	71	OMARALIS
	0600	71	WITHERS
	0900	72	WITHERS
	1200	72	WITHERS
	1500	71	J. TOME
	1800	74	J. TOME
	2100	74	OMARALIS
	2400	72	OMARALIS

Thursday

Date	Time	Temp	Name (Print)
6/20/2024	0300	71	OMARALIS
	0600	71	WITHERS
	0900	72	WITHERS
	1200	73	WITHERS
	1500	75	J. TOME
	1800	73	J. TOME
	2100	74	J. TOME
	2400	70	NAVA

Friday

Date	Time	Temp	Name (Print)
6/21/2024	0300	68	NAVA
	0600	70	ANSEL
	0900	70	ANSEL
	1200	70	ANSEL
	1500	71	WILSON
	1800	72	WILSON
	2100	70	WILSON
	2400	70	NAVA

Saturday

Date	Time	Temp	Name (Print)
6/22/2024	0300	70	NAVA
	0600	70	ARMEL
	0900	70	ARMEL
	1200	73	ARMEL
	1500	73	TORRES A
	1800	72	TORRES S
	2100	72	TORRES S
	2400	72	J. DAVIS

Sunday

Date	Time	Temp	Name (Print)
6/23/2024	0300	70	J. DAVIS
	0600	70	ARMEL
	0900	72	ARMEL
	1200	72	ARMEL
	1500	72	TORRES S
	1800	73	TORRES A
	2100	72	TORRES A
	2400	72	ARMEL

Notes

409

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 409

Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/24/2024	0300	72	Olivares
	0600	72	C. VUAG
	0900	73	M. Wong
	1200	72	W. Morris
	1500	72	J. T. Chey
	1800	72	J. T. Chey
	2100	72	J. T. Chey
	2400	72	Ronkay

Tuesday

Date	Time	Temp	Name (Print)
6/25/2024	0300	72	R. CHACON
	0600	71	R. CHACON
	0900	72	R. CHACON
	1200	72	R. CHACON
	1500	72	C. VUAG
	1800	71	C. VUAG
	2100	71	Olivares
	2400	72	Olivares

Wednesday

Date	Time	Temp	Name (Print)
6/26/2024	0300	72	Olivares
	0600	71	W. THIES
	0900	71	N. THIES
	1200	72	W. THIES
	1500	71	J. T. Chey
	1800	76	J. T. Chey
	2100	74	J. T. Chey
	2400	72	Olivares

Thursday

Date	Time	Temp	Name (Print)
6/27/2024	0300	71	Olivares
	0600	71	W. THIES
	0900	72	W. THIES
	1200	72	W. THIES
	1500	74	J. T. Chey
	1800	76	J. T. Chey
	2100	76	J. T. Chey
	2400	73	MARTINS

Friday

Date	Time	Temp	Name (Print)
6/28/2024	0300	72	J. T. Chey
	0600	72	A. M. S.
	0900	72	A. M. S.
	1200	72	A. M. S.
	1500	76	S. ESPINOZA
	1800	76	S. ESPINOZA
	2100	74	S. ESPINOZA
	2400	70	Zamora

Saturday

Date	Time	Temp	Name (Print)
6/29/2024	0300	70	Zamora
	0600	71	A. M. S.
	0900	72	A. M. S.
	1200	72	A. M. S.
	1500	70	S. ESPINOZA
	1800	70	S. ESPINOZA
	2100	70	S. ESPINOZA
	2400	72	Olivares

Notes

6-25-24 UHT stage @ 1225

Date	Time	Temp	Name (Print)
6/30/2024	0300	72	Olivares
	0600	72	A. M. S.
	0900	72	A. M. S.
	1200	72	A. M. S.
	1500	72	E. VUAG
	1800	72	E. VUAG
	2100	72	E. VUAG
	2400	72	Olivares

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 410 Temp. Reading Location: Building
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/20	0300		
6/1/20	0600		
6/1/20	0900		
6/1/20	1200		
6/1/20	1500		
6/1/20	1800		
6/1/20	2100		
6/1/20	2400		

Notes

Date	Time	Temp.	Name (Print)
6/2/20	0300		
6/2/20	0600		
6/2/20	0900		
6/2/20	1200		
6/2/20	1500		
6/2/20	1800		
6/2/20	2100		
6/2/20	2400		

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Doms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 410

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp	Name (Print)
6/3/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		
			VACANT

Tuesday			
Date	Time	Temp	Name (Print)
6/4/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		
			VACANT

Wednesday			
Date	Time	Temp	Name (Print)
6/5/2024	0300		
	0600		
	0900		
	1200		<u>VACANT</u>
	1500	76	HANSEN
	1800	76	HANSEN
	2100	74	HANSEN
	2400	72	M. Castleberry

Thursday			
Date	Time	Temp	Name (Print)
6/6/2024	0300	72	M. Castleberry
	0600	73	Hernandez, R.
	0900	73	Hernandez, R.
	1200	73	Hernandez, R.
	1500	74	L. R. Ho
	1800	76	L. R. Ho
	2100	76	L. R. Ho
	2400	74	M. Castleberry

Friday			
Date	Time	Temp	Name (Print)
6/7/2024	0300	74	M. Castleberry
	0600	74	L BELCHER
	0900	74	L BELCHER
	1200	74	L BELCHER
	1500	81	Walterschmidt
	1800	73	Walterschmidt
	2100	72	Walterschmidt
	2400	71	PYSAKA

Saturday			
Date	Time	Temp	Name (Print)
6/8/2024	0300	72	BASAC
	0600	72	GEMUTSCH
	0900	74	GEMUTSCH
	1200	75	GEMUTSCH
	1500	76	WALTERSCHEID
	1800	79	WALTERSCHEID
	2100	72	WALTERSCHEID
	2400	72	ABASAC

Sunday

Date	Time	Temp	Name (Print)
6/9/2024	0300	72	A. Hernandez
	0600	73	J. Huey
	0900	72	C. Morales
	1200	72	C. Morales
	1500	74	J. Huey
	1800	72	J. Huey
	2100	72	J. Huey
	2400	72	A. Hernandez

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _____ Housing Unit: _____ Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Monday			
Date	Time	Temp.	Name (Print)
6/10/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
6/11	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
6/13	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
5/15	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
6/16	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

~~VACATION~~

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 410 Temp. Reading Location: BuI DInG
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/17/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
6/1/18	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
6/19	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
7/20	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
6/21	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
6/22	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 410

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
<u>6/24/2024</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
<u>6/25/2024</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
<u>6/26/2024</u>	0300		
	0600		
	0900		
	1200		
	1500	82	C. VILLAS
	1800	80	C. VILLAS
	2100	78	C. VILLAS
	2400	76	B. Ganzeler

Thursday

Date	Time	Temp	Name (Print)
<u>6/27/2024</u>	0300	75	
	0600	75	
	0900	78	
	1200	77	
	1500	79	
	1800	80	
	2100	80	
	2400	79°	S. CLEMENTS

Friday

Date	Time	Temp	Name (Print)
<u>6/28/2024</u>	0300	76°	S. CLEMENTS
	0600	76	D. Chambers
	0900	80	D. Chambers
	1200	80	D. Chambers
	1500	84	R. BAPTISTE
	1800	84	R. BAPTISTE
	2100	86	R. BAPTISTE
	2400	80	B. SANCHEZ

Saturday

Date	Time	Temp	Name (Print)
<u>6/29/2024</u>	0300	80	B. SANCHEZ
	0600	80	Darrow
	0900	80	Darrow
	1200	80	Darrow
	1500	82	Darrow
	1800	81	Darrow
	2100	78	Darrow
	2400	78	B. SANCHEZ

Sunday

Date	Time	Temp	Name (Print)
<u>6/30/2024</u>	0300	74	B. SANCHEZ
	0600	74	R. SANCHEZ
	0900	75	R. SANCHEZ
	1200	75	R. SANCHEZ
	1500	81	W. HARSH
	1800	82	W. HARSH
	2100	82	W. HARSH
	2400	82	T. TAN

Notes

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 01, 2024	0100	59	B.BELTRAN
	0200	59	B.BELTRAN
	0300	59	B.BELTRAN
	0400	58	B.BELTRAN
	0500	58	B.BELTRAN
	0600	57	L BELCHER
	0700	58	L BELCHER
	0800	59	L BELCHER
	0900	61	L BELCHER
	1000	63	L BELCHER
	1100	65	L BELCHER
	1200	70	L BELCHER
	1300	71	L BELCHER
	1400	77	J.JOHNSTON
	1500	78	JOHNSTON
	1600	76	JOHNSTON
	1700	73	JOHNSTON
	1800	70	JOHNSTON
	1900	70	JOHNSTON
	2000	64	JOHNSTON
	2100	60	JOHNSTON
	2200	58	ROARRILLO
	2300	58	ROARRILLO
	2400	58	ROARRILLO

Date	Time	Temp.	Printed Name
JUNE 02, 2024	0100	58	ROARRILLO
	0200	57	ROARRILLO
	0300	57	ROARRILLO
	0400	57	ROARRILLO
	0500	57	ROARRILLO
	0600	57	A. Kennedy
	0700	58	A. Kennedy
	0800	60	A. Kennedy
	0900	63	A. Kennedy
	1000	65	A. Kennedy
	1100	66	A. Kennedy
	1200	68	A. Kennedy
	1300	71	A. Kennedy
	1400	71	A. Kennedy
	1500	71	A. Kennedy
	1600	71	A. Kennedy
	1700	75	A. Kennedy
	1800	72	A. Kennedy
	1900	67	A. Kennedy
	2000	61	A. Kennedy
	2100	61	A. Kennedy
	2200	60	ROARRILLO
	2300	60	ROARRILLO
	2400	60	ROARRILLO

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 05, 2024 Mon.	0100	60	RCARRILLO
	0200	59	RCARRILLO
	0300	59	RCARRILLO
	0400	59	RCARRILLO
	0500	59	RCARRILLO
	0600	59	A. Kennedy
	0700	59	A. Kennedy
	0800	59	A. Kennedy
	0900	60	A. Kennedy
	1000	61	A. Kennedy
	1100	63	A. Kennedy
	1200	66	A. Kennedy
	1300	68	A. Kennedy
	1400	70	C. BRAYSHAW
	1500	76	C. BRAYSHAW
	1600	75	C. BRAYSHAW
	1700	72	C. BRAYSHAW
	1800	70	C. BRAYSHAW
	1900	69	C. BRAYSHAW
	2000	64	C. BRAYSHAW
	2100	62	C. BRAYSHAW
	2200	61	RCARRILLO
	2300	61	RCARRILLO
	2400	61	RCARRILLO

Date	Time	Temp.	Printed Name
JUNE 04, 2024 Tues.	0100	60	RCARRILLO
	0200	58	RCARRILLO
	0300	57	RCARRILLO
	0400	57	RCARRILLO
	0500	57	RCARRILLO
	0600	58	RCARRILLO
	0700	60	RCARRILLO
	0800	61	RCARRILLO
	0900	64	RCARRILLO
	1000	67	RCARRILLO
	1100	70	RCARRILLO
	1200	73	RCARRILLO
	1300	80	RCARRILLO
	1400	81	J. ALVILLAR
	1500	82	J. ALVILLAR
	1600	82	J. ALVILLAR
	1700	83	J. ALVILLAR
	1800	80	J. ALVILLAR
	1900	75	J. ALVILLAR
	2000	69	J. ALVILLAR
	2100	66	L. JOHNSTON
	2200	64	L. JOHNSTON
	2300	62	L. JOHNSTON
	2400	62	L. JOHNSTON

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: _____

TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
Wednesday 5 June 2014	0100	60	JOHNSTON
	0200	60	JOHNSTON
	0300	59	JOHNSTON
	0400	58	L.JOHNSTON
	0500	58	JOHNSTON
	0600	58	JOHNSTON
	0700	60	JOHNSTON
	0800	65	JOHNSTON
	0900	69	JOHNSTON
	1000	74	JOHNSTON
	1100	78	JOHNSTON
	1200	79	JOHNSTON
	1300	81	JOHNSTON
	1400	83	L.JOHNSTON
	1500	85	Romero
	1600	84	Romero
	1700	86	Romero
	1800	82	Romero
	1900	82	Romero
	2000	79	ROMERO
	2100	69	Romero
	2200	64	BELCHER
	2300	62	BELCHER
	2400	61	BELCHER

Date	Time	Temp.	Printed Name
Thursday 6 June 2014	0100	59	BELCHER
	0200	60	BELCHER
	0300	59	BELCHER
	0400	59	BELCHER
	0500	59	BELCHER
	0600	60	L.JOHNSTON
	0700	65	JOHNSTON
	0800	68	JOHNSTON
	0900	71	JOHNSTON
	1000	75	JOHNSTON
	1100	78	JOHNSTON
	1200	82	JOHNSTON
	1300	82	JOHNSTON
	1400	82	E CORRIATES
	1500	80	CORRIATES
	1600	81	CORRIATES
	1700	82	CORRIATES
	1800	79	CORRIATES
	1900	77	CORRIATES
	2000	73	CORRIATES
	2100	69	CORRIATES
	2200	66	BELCHER
	2300	63	BELCHER
	2400	60	BELCHER

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 07, 2024	0100	60	BELCHER
	0200	59	BELCHER
	0300	59	BELCHER
	0400	60	BELCHER
	0500	60	BELCHER
	0600	61	L. JOHNSTON
	0700	61	JOHNSTON
	0800	62	JOHNSTON
	0900	64	JOHNSTON
	1000	68	JOHNSTON
	1100	72	JOHNSTON
	1200	73	JOHNSTON
	1300	78	JOHNSTON
	1400	79	CERVANTES
	1500	80	CERVANTES
	1600	78	CERVANTES
	1700	79	CERVANTES
	1800	76	CERVANTES
	1900	73	CERVANTES
	2000	65	CERVANTES
	2100	62	CERVANTES
	2200	62	RCARRILLO
	2300	62	RCARRILLO
	2400	62	RCARRILLO

Date	Time	Temp.	Printed Name
JUNE 08, 2024	0100	62	RCARRILLO
	0200	61	RCARRILLO
	0300	61	RCARRILLO
	0400	61	RCARRILLO
	0500	61	RCARRILLO
	0600	61	L. JOHNSTON
	0700	62	JOHNSTON
	0800	64	JOHNSTON
	0900	65	JOHNSTON
	1000	67	JOHNSTON
	1100	68	JOHNSTON
	1200	70	JOHNSTON
	1300	73	JOHNSTON
	1400	77	CERVANTES
	1500	77	CERVANTES
	1600	78	CERVANTES
	1700	80	CERVANTES
	1800	80	CERVANTES
	1900	77	CERVANTES
	2000	66	CERVANTES
	2100	62	CERVANTES
	2200	61	RCARRILLO
	2300	61	RCARRILLO
	2400	61	RCARRILLO

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION:

CRC/tower 5

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER 54311

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 09, 2024 Sun.	0100	60	RCARRILLO
	0200	60	RCARRILLO
	0300	60	RCARRILLO
	0400	60	RCARRILLO
	0500	60	RCARRILLO
	0600	60	A. Kennedy
	0700	60	A. Kennedy
	0800	62	A. Kennedy
	0900	66	A. Kennedy
	1000	70	A. Kennedy
	1100	70	A. Kennedy
	1200	72	A. Kennedy
	1300	74	A. Kennedy
	1400	75	C. BRAYSHAW
	1500	78	C. BRAYSHAW
	1600	77	C. BRAYSHAW
	1700	80	C. BRAYSHAW
	1800	79	C. BRAYSHAW
	1900	76	C. BRAYSHAW
	2000	67	C. BRAYSHAW
	2100	64	C. BRAYSHAW
	2200	62	RCARRILLO
	2300	61	RCARRILLO
	2400	61	RCARRILLO

Date	Time	Temp.	Printed Name
JUNE 10, 2024 Mon.	0100	61	RCARRILLO
	0200	60	RCARRILLO
	0300	60	RCARRILLO
	0400	60	RCARRILLO
	0500	60	RCARRILLO
	0600	60	A. Kennedy
	0700	60	A. Kennedy
	0800	61	A. Kennedy
	0900	64	A. Kennedy
	1000	66	A. Kennedy
	1100	69	A. Kennedy
	1200	74	A. Kennedy
	1300	77	A. Kennedy
	1400	80	C. BRAYSHAW
	1500	81	C. BRAYSHAW
	1600	81	C. BRAYSHAW
	1700	82	C. BRAYSHAW
	1800	79	C. BRAYSHAW
	1900	74	C. BRAYSHAW
	2000	68	C. BRAYSHAW
	2100	66	C. BRAYSHAW
	2200	63	RCARRILLO
	2300	63	RCARRILLO
	2400	63	RCARRILLO

CRC

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUN 11-2024	0100	62	RCARRILLO
	0200	60	RCARRILLO
	0300	58	RCARRILLO
	0400	58	RCARRILLO
	0500	58	RCARRILLO
	0600	59	RCARRILLO
	0700	60	RCARRILLO
	0800	62	RCARRILLO
	0900	64	RCARRILLO
	1000	68	RCARRILLO
	1100	71	RCARRILLO
	1200	75	RCARRILLO
	1300	77	RCARRILLO
	1400	78	CERVANTES
	1500	78	CERVANTES
	1600	76	CERVANTES
	1700	78	CERVANTES
	1800	77	CERVANTES
	1900	71	CERVANTES
	2000	65	CERVANTES
	2100	62	CERVANTES
	2200	62	L.JOHNSTON
	2300	61	JOHNSTON
	2400	60	JOHNSTON

Date	Time	Temp.	Printed Name
JUL 12-2024	0100	60	JOHNSTON
	0200	60	JOHNSTON
	0300	60	JOHNSTON
	0400	61	JOHNSTON
	0500	62	JOHNSTON
	0600	63	JOHNSTON
	0700	63	JOHNSTON
	0800	64	JOHNSTON
	0900	70	JOHNSTON
	1000	70	JOHNSTON
	1100	72	JOHNSTON
	1200	76	JOHNSTON
	1300	82	L.JOHNSTON
	1400	86	CERVANTES
	1500	86	CERVANTES
	1600	84	CERVANTES
	1700	85	CERVANTES
	1800	84	CERVANTES
	1900	71	CERVANTES
	2000	69	CERVANTES
	2100	67	CERVANTES
	2200	64	BELCHER
	2300	62	BELCHER
	2400	60	BELCHER

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 13, 2024	0100	59	BELCHER
	0200	58	BELCHER
	0300	58	BELCHER
	0400	59	BELCHER
	0500	59	BELCHER
	0600	59	L.JOHNSTON
	0700	60	JOHNSTON
	0800	62	JOHNSTON
	0900	67	JOHNSTON
	1000	68	JOHNSTON
	1100	73	JOHNSTON
	1200	76	JOHNSTON
	1300	79	JOHNSTON
	1400	79	JOHNSTON
	1500	82	CERVANTES
	1600	80	CERVANTES
	1700	82	CERVANTES
	1800	82	CERVANTES
	1900	78	CERVANTES
	2000	69	CERVANTES
	2100	65	CERVANTES
	2200	64	AWAN
	2300	64	AWAN
	2400	59	AWAN

Date	Time	Temp.	Printed Name
JUNE 14, 2024	0100	57	AWAN
	0200	57	AWAN
	0300	57	AWAN
	0400	57	AWAN
	0500	57	AWAN
	0600	57	L.JOHNSTON
	0700	59	JOHNSTON
	0800	64	JOHNSTON
	0900	68	JOHNSTON
	1000	72	JOHNSTON
	1100	75	JOHNSTON
	1200	80	JOHNSTON
	1300	83	JOHNSTON
	1400	86	JOHNSTON
	1500	85	CERVANTES
	1600	84	CERVANTES
	1700	85	CERVANTES
	1800	85	CERVANTES
	1900	84	CERVANTES
	2000	74	CERVANTES
	2100	71	CERVANTES
	2200	69	RSARIL
	2300	69	RSARIL
	2400	68	RSARIL

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
June 15, 2024	0100	66	RCARRILLO
	0200	64	RCARRILLO
	0300	63	RCARRILLO
	0400	63	RCARRILLO
	0500	61	RCARRILLO
	0600	61	L. JOHNSTON
	0700	68	JOHNSTON
	0800	70	JOHNSTON
	0900	75	JOHNSTON
	1000	80	JOHNSTON
	1100	82	JOHNSTON
	1200	85	JOHNSTON
	1300	88	JOHNSTON
	1400	88	CERVANTES
	1500	87	CERVANTES
	1600	86	CERVANTES
	1700	90	CERVANTES
	1800	89	CERVANTES
	1900	84	CERVANTES
	2000	75	CERVANTES
	2100	71	CERVANTES
	2200	70	RCARRILLO
	2300	70	RCARRILLO
	2400	69	RCARRILLO

Date	Time	Temp.	Printed Name
June 15, 2024	0100	66	RCARRILLO
	0200	64	RCARRILLO
	0300	61	RCARRILLO
	0400	60	RCARRILLO
	0500	60	RCARRILLO
	0600	60	A. Kennedy
	0700	62	A. Kennedy
	0800	65	A. Kennedy
	0900	69	A. Kennedy
	1000	75	A. Kennedy
	1100	77	A. Kennedy
	1200	80	A. Kennedy
	1300	81	A. Kennedy
	1400	83	C. BRAYSON
	1500	83	C. BRAYSON
	1600	80	C. BRAYSON
	1700	81	C. BRAYSON
	1800	79	C. BRAYSON
	1900	75	C. BRAYSON
	2000	68	C. BRAYSON
	2100	66	C. BRAYSON
	2200	68	RCARRILLO
	2300	66	RCARRILLO
	2400	65	RCARRILLO

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4361 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
May 17, 2024	0100	63	RCARRILLO
	0200	61	RCARRILLO
	0300	60	RCARRILLO
	0400	59	RCARRILLO
	0500	59	RCARRILLO
	0600	59	A. Kennedy
	0700	60	A. Kennedy
	0800	62	A. Kennedy
	0900	63	A. Kennedy
	1000	65	A. Kennedy
	1100	68	A. Kennedy
	1200	69	A. Kennedy
	1300	71	A. Kennedy
	1400	75	C. BRAYSHAW
	1500	75	C. BRAYSHAW
	1600	76	C. BRAYSHAW
	1700	76	C. BRAYSHAW
	1800	77	C. BRAYSHAW
	1900	72	C. BRAYSHAW
	2000	65	C. BRAYSHAW
	2100	64	C. BRAYSHAW
	2200	64	RCARRILLO
	2300	64	RCARRILLO
	2400	63	RCARRILLO

Date	Time	Temp.	Printed Name
May 18, 2024	0100	62	RCARRILLO
	0200	62	RCARRILLO
	0300	61	RCARRILLO
	0400	61	RCARRILLO
	0500	60	RCARRILLO
	0600	60	RCARRILLO
	0700	63	RCARRILLO
	0800	66	RCARRILLO
	0900	68	RCARRILLO
	1000	71	RCARRILLO
	1100	72	RCARRILLO
	1200	75	RCARRILLO
	1300	76	RCARRILLO
	1400	80	CERVANTES
	1500	81	CERVANTES
	1600	80	CERVANTES
	1700	77	CERVANTES
	1800	74	CERVANTES
	1900	72	CERVANTES
	2000	66	CERVANTES
	2100	63	CERVANTES
	2200	62	L. JOHNSTON
	2300	60	JOHNSTON
	2400	59	JOHNSTON

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: To exterior

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
Wednesday June 24	0100	58	JOHNSTON
	0200	58	JOHNSTON
	0300	57	JOHNSTON
	0400	57	JOHNSTON
	0500	58	JOHNSTON
	0600	58	JOHNSTON
	0700	60	JOHNSTON
	0800	61	JOHNSTON
	0900	64	JOHNSTON
	1000	68	JOHNSTON
	1100	70	JOHNSTON
	1200	76	JOHNSTON
	1300	80	L.JOHNSTON
	1400	79	CERVANTES
	1500	77	CERVANTES
	1600	76	CERVANTES
	1700	79	CERVANTES
	1800	76	CERVANTES
	1900	73	CERVANTES
	2000	67	CERVANTES
	2100	64	BELCHER
	2200	63	BELCHER
	2300	62	BELCHER
	2400	61	BELCHER

Date	Time	Temp.	Printed Name
Thursday June 25	0100	60	BELCHER
	0200	59	BELCHER
	0300	58	BELCHER
	0400	58	BELCHER
	0500	58	BELCHER
	0600	57	JOHNSTON
	0700	60	JOHNSTON
	0800	63	JOHNSTON
	0900	67	JOHNSEN
	1000	72	JOHNSTON
	1100	76	JOHNSTON
	1200	79	JOHNSTON
	1300	80	JOHNSTON
	1400	83	L.JOHNSTON
	1500	83	CERVANTES
	1600	83	CERVANTES
	1700	86	CERVANTES
	1800	83	CERVANTES
	1900	79	CERVANTES
	2000	72	CERVANTES
	2100	68	BELCHER
	2200	66	BELCHER
	2300	64	BELCHER
	2400	63	BELCHER

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: T-5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 21, 2024	0100	62	BELCHER
	0200	61	BELCHER
	0300	60	BELCHER
	0400	59	BELCHER
	0500	59	BELCHER
	0600	63	L.JOHNSON
	0700	68	JOHNSON
	0800	68	Johnston
	0900	72	Johnston
	1000	75	Johnston
	1100	80	Johnston
	1200	82	Johnston
	1300	87	L.JOHNSON
	1400	88	CERVANTES
	1500	88	CERVANTES
	1600	85	CERVANTES
	1700	89	CERVANTES
	1800	87	CERVANTES
	1900	85	CERVANTES
	2000	77	CERVANTES
	2100	74	CERVANTES
	2200	72	RCARRILLO
	2300	70	RCARRILLO
	2400	70	RCARRILLO

90° @ 1730

Date	Time	Temp.	Printed Name
JUNE 22, 2024	0100	68	RCARRILLO
	0200	65	RCARRILLO
	0300	64	RCARRILLO
	0400	62	RCARRILLO
	0500	62	RCARRILLO
	0600	63	L.JOHNSON
	0700	65	JOHNSON
	0800	68	JOHNSON
	0900	72	JOHNSON
	1000	78	JOHNSON
	1100	86	JOHNSON
	1200	92	JOHNSON
	1300	94	L.JOHNSON
	1400	97	JOHNSON
	1500	98	D.REEDY
	1600	96	D.REEDY
	1700	92	D.REEDY
	1800	93	D.REEDY
	1900	91	D.REEDY
	2000	82	D.REEDY
	2100	80	D.REEDY
	2200	78	RCARRILLO
	2300	77	RCARRILLO
	2400	77	RCARRILLO

92° @ 1242 - ACTIVATED
UHT Stage 1 UHT.
D@97° @ 1325 - ACTIVATED ONLY
IN THE DOOR RM 90°/95°.

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 23, 2024 Sun.	0100	74	ROARRILLO
	0200	72	ROARRILLO
	0300	71	ROARRILLO
	0400	70	ROARRILLO
	0500	69	ROARRILLO
	0600	69	A. Kennedy
	0700	77	A. Kennedy
	0800	83	A. Kennedy
	0900	86	A. Kennedy
	1000	88	A. Kennedy
	1100	93	A. Kennedy
	1200	95	A. Kennedy
	1300	94	A. Kennedy
	1400	94	A. Kennedy
	1500	93	A. Kennedy
	1600	92	A. Kennedy
	1700	93	A. Kennedy
	1800	90	A. Kennedy
	1900	88	A. Kennedy
	2000	80	A. Kennedy
	2100	79	A. Kennedy
	2200	77	ROARRILLO
	2300	76	ROARRILLO
	2400	74	ROARRILLO

Stage 1 UHT @ 1019 HRS

Stage 1 UHT Deactivated @ 1945 HRS

Date	Time	Temp.	Printed Name
JUNE 24, 2024 Mon.	0100	72	ROARRILLO
	0200	71	ROARRILLO
	0300	71	ROARRILLO
	0400	69	ROARRILLO
	0500	68	ROARRILLO
	0600	69	A. Kennedy
	0700	80	A. Kennedy
	0800	80	A. Kennedy
	0900	82	A. Kennedy
	1000	88	A. Kennedy
	1100	89	A. Kennedy
	1200	91	A. Kennedy
	1300	93	A. Kennedy
	1400	94	C. BRAYSHAW
	1500	92	C. BRAYSHAW
	1600	90	C. BRAYSHAW
	1700	92	C. BRAYSHAW
	1800	92	C. BRAYSHAW
	1900	87	C. BRAYSHAW
	2000	81	C. BRAYSHAW
	2100	78	C. BRAYSHAW
	2200	75	L. JOHNSTON
	2300	74	JOHNSTON
	2400	73	JOHNSEN

Stage 1 UHT activated 1145 HRS
1925 DEACTIVATED UHT
STAGE 1

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER A5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
1223	0100	72	L.JOHNSTON
1223	0200	70	JOHNSTON
1223	0300	68	JOHNSTON
1223	0400	67	JOHNSTON
1223	0500	65	JOHNSTON
1223	0600	67	JOHNSTON
1223	0700	71	JOHNSTON
1223	0800	73	JOHNSTON
1223	0900	74	JOHNSTON
1223	1000	80	JOHNSTON
1223	1100	85	JOHNSTON
1223	1200	89	JOHNSTON
1223	1300	91	JOHNSTON
1223	1400	88	CERVANTES
1223	1500	88	CERVANTES
1223	1600	86	CERVANTES
1223	1700	87	CERVANTES
1223	1800	85	CERVANTES
1223	1900	83	CERVANTES
1223	2000	75	CERVANTES
1223	2100	73	CERVANTES
1223	2200	71	L.JOHNSTON
1223	2300	70	JOHNSTON
1223	2400	69	JOHNSTON

Date	Time	Temp.	Printed Name
1223	0100	68	JOHNSTON
1223	0200	68	JOHNSTON
1223	0300	67	JOHNSTON
1223	0400	66	JOHNSTON
1223	0500	65	JOHNSTON
1223	0600	63	JOHNSTON
1223	0700	68	JOHNSTON
1223	0800	69	JOHNSTON
1223	0900	73	JOHNSTON
1223	1000	76	JOHNSTON
1223	1100	80	JOHNSTON
1223	1200	85	JOHNSTON
1223	1300	88	L.JOHNSTON
1223	1400	84	CERVANTES
1223	1500	87	CERVANTES
1223	1600	85	CERVANTES
1223	1700	85	CERVANTES
1223	1800	84	CERVANTES
1223	1900	82	CERVANTES
1223	2000	75	CERVANTES
1223	2100	70	CERVANTES
1223	2200	67	BELCHER
1223	2300	65	BELCHER
1223	2400	64	BELCHER

* UHT STAGE 1 ACTIVATED @ 1223 HRS

* STAGE 1 DEACTIVATED @ 1600

* UHT STAGE 1 ACTIVATED @

* Stage 1 UHT DEACTIVATED @
— HRS.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 27, 2024	0100	64	BELCHER
	0200	63	BELCHER
	0300	63	BELCHER
	0400	62	BELCHER
	0500	62	BELCHER
	0600	62	L. JOHNSON
	0700	64	JOHNSON
	0800	68	JOHNSON
	0900	71	JOHNSON
	1000	74	JOHNSON
	1100	79	JOHNSON
	1200	85	JOHNSON
	1300	85	L. JOHNSON
	1400	86	CERVANTES
	1500	87	CERVANTES
	1600	86	CERVANTES
	1700	86	CERVANTES
	1800	82	CERVANTES
	1900	79	CERVANTES
	2000	76	CERVANTES
	2100	71	CERVANTES
	2200	70	BELCHER
	2300	69	BELCHER
	2400	68	BELCHER

Date	Time	Temp.	Printed Name
JUNE 28, 2024	0100	64	BELCHER
	0200	64	BELCHER
	0300	63	BELCHER
	0400	62	BELCHER
	0500	61	BELCHER
	0600	63	JOHNSON
	0700	68	JOHNSON
	0800	72	JOHNSON
	0900	75	JOHNSON
	1000	77	JOHNSON
	1100	80	JOHNSON
	1200	83	JOHNSON
	1300	87	L. JOHNSTON
	1400	87	CERVANTES
	1500	86	CERVANTES
	1600	83	CERVANTES
	1700	86	CERVANTES
	1800	83	CERVANTES
	1900	81	CERVANTES
	2000	73	CERVANTES
	2100	67	RODRILLO
	2200	66	RODRILLO
	2300	66	RODRILLO
	2400	65	RODRILLO

INSTITUTION: _____

CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JUNE 29, 2024 SAT	0100	64	RCARRILLO
	0200	62	RCARRILLO
	0300	60	RCARRILLO
	0400	60	RCARRILLO
	0500	59	RCARRILLO
	0600	59	L.JOHNSTON
	0700	62	JOHNSTON
	0800	65	JOHNSTON
	0900	71	JOHNSTON
	1000	78	JOHNSTON
	1100	80	JOHNSTON
	1200	86	JOHNSTON
	1300	88	L.JOHNSTON
	1400	90	CERVANTES
	1500	90	CERVANTES
	1600	90	CERVANTES
	1700	91	CERVANTES
	1800	90	CERVANTES
	1900	86	CERVANTES
	2000	78	CERVANTES
	2100	73	CERVANTES
	2200	71	RCARRILLO
	2300	71	RCARRILLO
	2400	70	RCARRILLO

90 = D 1400

Date	Time	Temp.	Printed Name
JUNE 30, 2024 SUN	0100	65	RCARRILLO
	0200	63	RCARRILLO
	0300	61	RCARRILLO
	0400	60	RCARRILLO
	0500	60	RCARRILLO
	0600	60	A. Kennedy
	0700	65	A. Kennedy
	0800	72	A. Kennedy
	0900	78	A. Kennedy
	1000	82	A. Kennedy
	1100	88	A. Kennedy
	1200	91	A. Kennedy
	1300	93	A. Kennedy
	1400	94	C. BRAYSHAW
	1500	95	C. BRAYSHAW
	1600	94	C. BRAYSHAW
	1700	94	C. BRAYSHAW
	1800	94	C. BRAYSHAW
	1900	90	C. BRAYSHAW
	2000	80	C. BRAYSHAW
	2100	75	C. BRAYSHAW
	2200	74	RCARRILLO
	2300	73	RCARRILLO
	2400	73	RCARRILLO

Stage 1 UHT activated @ 1131 HR

STAGE 1 UHT DEACTIVATED @ 195,

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

JCCR 2001 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 103, 109, 106, 111, 701, 202, 70, 200, 711
 604, 300, 011, 012, 019, 001, 007, 003, 004
 103, 107, 109, 108, 004

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM: 201
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	74	Diaz
	0600	74	Woods
	0900	74	Woods
	1200	74	Jobs
	1500	73	Armen
	1800	74	Amador
	2100	75	Armen
	2400	74	Diaz

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	74	Diaz
	0600	76	J. Turner
	0900	70	J. Turner
	1200	70	J. Turner
	1500	70	J. Lyons
	1800	70	J. Lyons
	2100	70	J. Lyons
	2400	70	J. Lyons

Notes

DISTRIBUTION: Original Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS - 102, 103, 109, 111, 201, 202, 203, 208,
304, 309, 311, 312, 313, 401, 402, 403,
404, 407, 409, 410, CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM: 201
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	68	Jones
	0600	70	J. Jones
	0900	73	J. Jones
	1200	76	J. Jones
	1500	81	J. Lyons
	1800	77	J. Lyons
	2100	71	J. Lyons
	2400	70	Jones

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	68	Jones
	0600	70	M. Jones
	0900	74	M. Jones
	1200	79	M. Jones
	1500	79	L. Lyons
	1800	76	L. Lyons
	2100	72	L. Lyons
	2400	70	Jones

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	69	Jones
	0600	68	E. Diaz
	0900	70	E. Diaz
	1200	72	E. Diaz
	1500	77	L. Lyons
	1800	75	L. Lyons
	2100	70	L. Lyons
	2400	70	Jones

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	69	Jones
	0600	70	E. Diaz
	0900	72	E. Diaz
	1200	73	E. Diaz
	1500	79	B. Lomeli
	1800	75	B. Lomeli
	2100	71	B. Lomeli
	2400	70	Jones

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	70	Jones
	0600	70	Pecher
	0900	73	Pecher
	1200	77	Pecher
	1500	80	B. Lomeli
	1800	78	B. Lomeli
	2100	73	B. Lomeli
	2400	71	Dias

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	70	Dias
	0600	71	DohBock
	0900	74	DohBock
	1200	75	DohBock
	1500	81	DohBock
	1800	76	DohBock
	2100	72	DohBock
	2400	70	Dias

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	70	Dias
	0600	71	L. Lyons
	0900	73	L. Lyons
	1200	74	L. Lyons
	1500	82	L. Lyons
	1800	78	L. Lyons
	2100	72	L. Lyons
	2400	70	Jones

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
JOCR 2001 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 109, 111, 201, 202, 203, 206, 210, 214
104, 300, 311, 312, 313, 401, 402, 403, 404
405, 407, 408, 409, 410

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM: 201

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	72	A. Armitage
	0600	71	A. Armitage
	0900	71	A. Armitage
	1200	72	J. Lyons
	1500	76	J. Lyons
	1800	78	J. Lyons
	2100	78	J. Lyons
	2400	77	J. Lyons

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	71	J. Lyons
	0600	70	G. Gray
	0900	70	G. Gray
	1200	72	G. Gray
	1500	80	J. Lyons
	1800	80	J. Lyons
	2100	78	J. Lyons
	2400	77	J. Lyons

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	70	J. Lyons
	0600	70	A. Armitage
	0900	70	A. Armitage
	1200	75	A. Armitage
	1500	80	J. Lyons
	1800	82	J. Lyons
	2100	82	J. Lyons
	2400	77	J. Lyons

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	67	J. Lyons
	0600	65°	E. Rios
	0900	67°	E. Rios
	1200	70°	E. Rios
	1500	78	B. Domonell
	1800	80	B. Domonell
	2100	80	B. Domonell
	2400	79	B. Domonell

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	71	J. Lyons
	0600	70	J. Lyons
	0900	70	J. Lyons
	1200	78	J. Lyons
	1500	78	J. Lyons
	1800	80	J. Lyons
	2100	80	J. Lyons
	2400	78	D. Diaz

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	76	D. Diaz
	0600	76	N. Nease
	0900	78	N. Nease
	1200	80	N. Nease
	1500	82	A. Hernandez
	1800	88	A. Hernandez
	2100	83	A. Hernandez
	2400	80	L. McCay

Notes

Date	Time	Temp.	Name (Print)
6-16-24	0300	76	L. McCay
	0600	78	C. Rios
	0900	78	C. Rios
	1200	79	C. Rios
	1500	81	R. Sanchez
	1800	80	R. Sanchez
	2100	80	R. Sanchez
	2400	79	R. Sanchez

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 201
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 17, 2024	0300	67	JAN
	0600	70	J. TANOR, R
	0900	70	J. TANOR,
	1200	70	J. TANOR,
	1500	70	PEARY, L
	1800	72	PEARY, L
	2100	71	PEARY, L
	2400	70	JAN

Wednesday

Date	Time	Temp.	Name(Print)
June 19, 2024	0300	67	JOB
	0600	65°	E(R)OB
	0900	69°	E(R)OB
	1200	74	E(R)OB
	1500	80	J-LYONS
	1800	80	J-LYONS
	2100	80	J-LYONS
	2400	78	JOB

Friday

Date	Time	Temp.	Name(Print)
June 21, 2024	0300	71	JOB
	0600	71	RODRIGUEZ
	0900	71	RODRIGUEZ
	1200	80	RODRIGUEZ
	1500	80	ARROYO
	1800	80	ARROYO
	2100	80	ARROYO
	2400	78	DI'92

Sunday

Date	Time	Temp.	Name(Print)
June 23, 2024	0300	84	DI'92
	0600	80°	J MARSHAL
	0900	82°	J MARSHAL
	1200	95°	J WALTER
	1500	90	J-LYNS
	1800	92	J-LYONS
	2100	92	J-LYONS
	2400	88	JOB

Tuesday

Date	Time	Temp.	Name(Print)
June 18, 2024	0300	70	JOB
	0600	70	J-TANOR
	0900	70	J-TANOR
	1200	78	J-TANOR
	1500	80	J-LYONS
	1800	80	J-LYONS
	2100	80	J-LYONS
	2400	68	JOB

Thursday

Date	Time	Temp.	Name(Print)
June 20, 2024	0300	77	JOB
	0600	70°	E(R)OB
	0900	70°	E(R)OB
	1200	71°	E(R)OB
	1500	70	J-LYONS
	1800	80	J-LYONS
	2100	80	J-LYONS
	2400	71	JOB

Saturday

Date	Time	Temp.	Name(Print)
June 22, 2024	0300	76	DI'92
	0600	74	RODRIGUEZ
	0900	76	RODRIGUEZ
	1200	80	RODRIGUEZ
	1500	90	ARMONDE
	1800	91	ARMONDE
	2100	89	ARMONDE
	2400	86	DI'92

Notes

6/22/24 1508 notified watch

6/23/24 1400 Stage II - Notified watch

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC

Housing Unit: Facility B

Temp Reading Location: Dorm 201

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 24, 2024	0300	73	<i>[Signature]</i>
	0600	74	BRADON
	0900	78	BRADON
	1200	86	BRADON
	1500	90	J-LYONS
	1800	90	J-LYONS
	2100	90	J-LYONS
	2400	80	JOS

Wednesday

Date	Time	Temp.	Name(Print)
June 26, 2024	0300	73	JWY
	0600	69°	E-Ross
	0900	70°	E-Ross
	1200	73°	E-Ross
	1500	80	AHL
	1800	82	AHL
	2100	80	AHL
	2400	77	JOS

Friday

Date	Time	Temp.	Name(Print)
June 28, 2024	0300	75	JWY
	0600	73	J-Tanner
	0900	75	J-Tanner
	1200	80	J-Tanner
	1500	82	B-LMELL
	1800	82	B-LMELL
	2100	82	B-LMELL
	2400	80	DIAZ

Sunday

Date	Time	Temp.	Name(Print)
June 30, 2024	0300	78	DIAZ
	0600	70	J-Tanner
	0900	75	J-Tanner
	1200	81	J-Tanner
	1500	81	J-Jeys
	1800	88	SJL
	2100	88	SJL
	2400	88	SJL

Tuesday

Date	Time	Temp.	Name(Print)
June 25, 2024	0300	78	JOS
	0600	78	J-Tanner
	0900	79	J-Tanner
	1200	82	J-Tanner
	1500	88	J-LYONS
	1800	88	J-LYONS
	2100	88	J-LYONS
	2400	73	JOS JONES

Thursday

Date	Time	Temp.	Name(Print)
June 27, 2024	0300	77	
	0600	70°	E-Ross
	0900	71°	E-Ross
	1200	74°	E-Ross
	1500	76°	E-Ross
	1800	85°	E-Ross
	2100	82°	E-Ross
	2400	77	JWY

Saturday

Date	Time	Temp.	Name(Print)
June 29, 2024	0300	78	DIAZ
	0600	79	J-Tanner
	0900	78	J-Tanner
	1200	80	J-Tanner
	1500	82	ARMENDARIZ
	1800	88	ARMENDARIZ
	2100	83	ARMENDARIZ
	2400	80	DIAZ

Notes

STATE OF CALIFORNIA
SIDE TEMPERATURE RECORD
CR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 109, 111, 201, 202, 203, 205, 214,
304, 305, 011, 012, 013, 014, 015, 016, 017, 018, 019, 020, 021,
022, 023, 024, 025, CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY 202 Temp. Reading Location: DORM - 202
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/01/24	0300	60	Morales
	0600	66	Ramos
	0900	64	Eliz
	1200	64	Eliz
	1500	66	Clement
	1800	69	Barnell
	2100	69	Clement
	2400	69	A-mandur

Notes

Date	Time	Temp.	Name (Print)
6/01/24	0300	69	Angeles
	0600	68	Lamont
	0900	68	Lamont
	1200	68	Lamont
	1500	69	Barnell
	1800	69	Barnell
	2100	69	Barnell
	2400	69	Noreen

DISTRIBUTION: Original in institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COOR 2011 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat/risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY B Temp. Reading Location: DORM: 202
(e.g., 1st flr, 2nd flr, 3rd flr, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Mohdav

Date	Time	Temp.	Name (Print)
6-3-22	0300	70	Morenno
	0600	68	Morenno
	0900	71	Americana
	1200	79	Americana
	1500	77	Mustard
	1800	74	Mustard
	2100	71	Mustard
	2400	70	Daria

Wednesday

Date	Time	Temp.	Name (Print)
6-5-23	0800	66	Lyons
	0600	69	Amerola
	0900	71	Amerola
	1200	79	Amerola
	1500	77	Custard
	1800	75	Custard
	2100	70	Custard
	2100	70	Custard

Endev

Date	Time	Temp.	Name (Print)
6-7-24	10300	70	Clements
	0600	69	EROS
	0900	70°	EROS
	1200	72°	EROS
	1500	79	ARMENDARIZ
	1800	75	ARMENDARIZ
	2100	71	ARMENDARIZ
	2400	68	ARMENDARIZ

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	69	A. Amerazar
	0600	72	K. Amer2024
	0900	77	R. Amer2024
	1200	81	R. AMer2024
	1500	80	B. Lomeli
	1800	76	B. Lomeli
	2100	71	B. Lomeli
	2400	70	B. Lomeli

Tuesday

Date	Time	Temp.	Name (Print)
6-4-29	0300	70	Dorcha
	0600	70	Amerola
	0900	73	Amerola
	1200	78	Amerola
	1600	78	Custard
	1800	74	Custard
	2100	70	Custard
	2400	78	LYONS

Thursday

Date	Time	Temp.	Name (Print)
6-6-29	0300	67	Custard
	0600	65	Americana
	0900	70	Americana
	1200	77	Americana
	1500	79	Custard
	1800	75	Custard
	2100	72	Custard
	2400	70	Clementine

Saturday

Date	Time	Temp.	Name (Print)
6-8-22	0300	68	HERREZA
	0600	70°	ERRO
	0900	71°	ERRO
	1200	73°	ERRO
	1600	80	BLOMELI
	1800	78	BLOMELI
	2100	71	BLOMELI
	2400	69	APARICIO ISZ

Notes

**STATE OF CALIFORNIA
SIDE TEMPERATURE RECORD
SCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 100, 111, 201, 202, 203, 206, 214
304, 306, 311, 312, 313, 401, 402, 403, 404
406, 407, 409, 408, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the health risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY 13 Temp. Reading Location: DORM - 202
(e.g. 1st flr, 2nd flr, 3rd flr, etc.)

Immediately notify the Watch Commander at extension 4311 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/19	0300	72	M. LACNA
	0600	70	J. AM. T.
	0900	70	J. AM. T.
	1200	70	J. AM. T.
	1500	75	GASTARD
	1800	79	GASTARD
	2100	76	GASTARD
	2400	73	M. LACNA

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	70	M. RANNA
	0600	70	D. COSS
	0900	72	D. COSS
	1200	75	D. COSS
	1500	75	CUSTARD
	1800	75	CUSTARD
	2100	73	CUSTARD
	2400	72	TONS

6/11/24

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	70	JONES
	0600	70	JOHNSON
	0900	70	J. ANDRE
	1200	78	J. ANDRE
	1500	79	GUSTAVO
	1800	80	GUSTAVO
	2100	80	GUSTAVO
	2400	79	GUSTAVO

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	70	CUSTARD
	0600	70	1. Meng
	0900	70	1. Meng
	1200	77	1. Meng
	1500	78	CUSTARD
	1800	79	CUSTARD
	2100	7	CUSTARD
	2400	75	Armen

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	70°	Amendair
	0600	69°	E. Ross
	0900	69°	E. Ross
	1200	70°	E. Ross
	1500	80°	Amendair
	1800	80°	Ronale
	2100	80°	Ronale
	2400	75°	TOPPS A

Saturday

Date	Time	Temp.	Name (Print)
6/15/19	0300	73	TORRES A
	0600	70°	EGUEROS
	0900	73°	ELIAS J
	1200	75°	ELIAS J
	1500	80	ESCARPENI
	1800	88	KELLYN
	2100	80	BURGESS
	2400	80	ARMADA

Suspension

Sunday			
Date	Time	Temp.	Name (Print)
6/1/24	0300	75	Armandorin
	0600	75	J. Lyons
	0900	78	J. Lyons
	1200	78	J. Lyons
	1500	80	BLUMMUS
	1800	80	BLUMMUS
	2100	76	BLUMMUS
	2400	74	n. Reina

Notes

DISTRIBUTION: Original/Mail to ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

Temp Reading Location: Dorm 202

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 17, 2024	0300	72	M. Roca
	0600	70	Nava
	0900	68	Nava
	1200	70	Nava
	1500	72	GUSTARO
	1800	74	GUSTARO
	2100	74	GUSTARO
	2400	72	M. Roca

Wednesday

Date	Time	Temp.	Name(Print)
June 19, 2024	0300	76	J. Lyons
	0600	70	J. Amaro
	0900	69	J. Amaro
	1200	75	GUSTARO
	1500	79	GUSTARO
	1800	74	GUSTARO
	2100	71	GUSTARO
	2400	70	GUSTARO

Friday

Date	Time	Temp.	Name(Print)
June 21, 2024	0300	75	M. Vey
	0600	69°	E. Ros
	0900	70°	E. Ros
	1200	71°	E. Ros
	1500	81	Amerencia
	1800	85	Armonde
	2100	80	Armonde
	2400	78	RENA

Sunday

Date	Time	Temp.	Name(Print)
June 23, 2024	0300	79	Pachu
	0600	80	J. Amaro
	0900	80	J. Amaro
	1200	87	J. Amaro
	1500	70	O. Sing
	1800	70	O. Sing
	2100	84	O. Sing
	2400	80	M. Roca

Tuesday

Date	Time	Temp.	Name(Print)
June 18, 2024	0300	70	M. Roca
	0600	70	K. Es
	0900	70	K. Es
	1200	70	K. Es
	1500	76	GUSTARO
	1800	80	GUSTARO
	2100	80	GUSTARO
	2400	76	J. Lyons

Thursday

Date	Time	Temp.	Name(Print)
June 20, 2024	0300	70	GUSTARO
	0600	70	J. Amaro
	0900	70	J. Amaro
	1200	74	J. Amaro
	1500	76	GUSTARO
	1800	79	GUSTARO
	2100	79	GUSTARO
	2400	75	M. Vey

Saturday

Date	Time	Temp.	Name(Print)
June 22, 2024	0300	70	OPENA
	0600	69°	E. Ros
	0900	70°	E. Ros
	1200	78°	E. Ros
	1500	90°	LOCKETT
	1800	90°	LOCKETT
	2100	88	LOCKETT
	2400	80	Pachu

Notes

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 202
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	77	M. RENA
	0600	78	J. GARNET
	0900	80	J. AMY
	1200	88	J. BRENDA
	1500	89	GUSTAVO
	1800	89	GUSTAVO
	2100	83	GUSTAVO
	2400	80	M. RENA

Wednesday		Date	Time	Temp.	Name(Print)
June 26, 2024	0300		80	T-LEON'S	
	0600		80	T-LEON'S	
	0900		80	T-LEON'S	
	1200		80	T-LEON'S	
	1500		82	CUSTARD	
	1800		82	CUSTARD	
	2100		80	CUSTARD	
	2400		78	CUSTARD	

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	76	Patricia
	0600	71°	E(Ros)
	0900	73°	E(Kris)
	1200	77°	E(Ros)
	1500	81	Amberlee
	1800	81	Amberlee
	2100	80	Amberlee-2
	2400	71	A. Moreno

Sunday		Date	Time	Temp.	Name(Print)
June 30, 2024	0300	78			Ann Arbor
	0600	71			Temperatures
	0900	74			1. April
	1200	84			6 June
	1500	89			B. Limerick
	1800	90			B. Limerick
	2100	89			B. Limerick
	2400	80			May 1st

Tuesday		Date	Time	Temp.	Name(Print)
June 25, 2024	0300	77	Mr. RACNA		
	0600	72	J. Anenya		
	0900	74	J. Anenya		
	1200	80	J. Anenya		
	1500	85	GUSTARD		
	1800	83	GUSTARD		
	2100	81	GUSTARD		
	2400	80	J. Lyons		

Thursday		Date	Time	Temp.	Name(Print)
June 27, 2024		0300	71	CUSTOM	
		0600	72	J. Smith	
		0900	72	J. Smith	
		1200	80	J. Smith	
		1500	84	J. ROBBINS	
		1800	85	J. ROBBINS	
		2100	83	J. ROBBINS	
		2400	78	J. HUB	

Saturday		Date	Time	Temp.	Name(Print)
June 29, 2024	0300	71	A. Morena		
	0600	65	E. Rios		
	0900	69°	E. Rios		
	1200	72°	E. Rios		
	1500	80	B. LOMANI		
	1800	81	B. LOMANI		
	2100	80	B. LOMANI		
	2400	80	A. Morena		

Notes

DISTRIBUTION: Original: Institution ~~and~~ Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: B-203 Temp. Reading Location: Dorm - 203
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	60	Debra
	0600	72	Patricia
	0900	72	Belinda
	1200	74	Patricia
	1500	80	Sandra
	1800	80	Sandra
	2100	80	Sandra
	2400	80	Sandra

Sunday

Date	Time	Temp.	Name (Print)
6/2/2011	0300	78	Kathy
	0600	78	ECCS
	0900	75°	ECCS
	1200	78°	J. Malley-Brown
	1500	71	Tina
	1800	71	Tina
	2100	71	Tina
	2400	70	F. Brown

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 109, 111, 201, 202, 203, 209,
301, 311, 312, 301, 402, 403,
404, 405, 406, 407

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ORC Housing Unit: FACILITY Temp. Reading Location: DORM: 203
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	70	Sonsen
	0600	70	Jungwalt
	0900	74	Sandoval
	1200	74	Sandoval
	1500	78	Darrow
	1800	72	Darrow
	2100	70	Darrow
	2400	70	Gutierrez

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	72	Gordon
	0600	77	Ramirez
	0900	79	Ramirez
	1200	80	Ramirez
	1500	78	James
	1800	74	Gomez
	2100	70	Gomez
	2400	69	Bradford

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	67	Bradford
	0600	71	James
	0900	74	Ramirez
	1200	81	Ramirez
	1500	83	Sanchez
	1800	80	Sanchez
	2100	72	Sanchez
	2400	70	Perez

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	65	Perez
	0600	68	R. SANCHEZ
	0900	71	R. SANCHEZ
	1200	78	R. SANCHEZ
	1500	77	Sanchez
	1800	75	Sanchez
	2100	73	Sanchez
	2400	71	R. Sanchez

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	70	R. SANCHEZ
	0600	68	R. SANCHEZ
	0900	71	R. SANCHEZ
	1200	75	R. SANCHEZ
	1500	79	Sanchez
	1800	75	Sanchez
	2100	72	Sanchez
	2400	70	Bradford

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	70	Bradford
	0600	77	Ramirez
	0900	79	Ramirez
	1200	81	Ramirez
	1500	82	Sanchez
	1800	76	Sanchez
	2100	71	Sanchez
	2400	68	Fent

Notes

Date	Time	Temp.	Name (Print)
6-9-24	0300	68	Teal
	0600	70	C. Diaz
	0900	75	C. Diaz
	1200	80	C. Diaz
	1500	80	Teal
	1800	77	Teal
	2100	72	Teal
	2400	69	D. Shaw

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 109, 111, 201, 202, 203, 214
204, 206, 211, 312, 313, 401, 402, 403, 404
406, 407, 408, 409, 410

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- 13 Temp. Reading Location: DORM- 203
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	71	A. PEREZ
	0600	70	RAMIREZ
	0900	70	RAMIREZ
	1200	70	RAMIREZ
	1500	75	S. GRADY
	1800	79	S. GRADY
	2100	76	S. GRADY
	2400	73	F. LIMA

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	71	J. SILENT
	0600	72	RAMIREZ
	0900	71	RAMIREZ
	1200	74	RAMIREZ
	1500	80	J. SILENT
	1800	80	J. SILENT
	2100	80	J. SILENT
	2400	78	M. RACE

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	73	M. ROCK
	0600	76	RAMIREZ
	0900	74	RAMIREZ
	1200	80	RAMIREZ
	1500	86	S. GRADY
	1800	86	S. GRADY
	2100	84	S. GRADY
	2400	80	A. PEREZ

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	75	A. PEREZ
	0600	74	RAMIREZ
	0900	76	RAMIREZ
	1200	80	D. GARY
	1500	82	Megchristian
	1800	83	Megchristian
	2100	80	Megchristian
	2400	74	T. LIMA

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	71	T. LIMA
	0600	72	RAMIREZ
	0900	74	RAMIREZ
	1200	80	RAMIREZ
	1500	89	D. GARY
	1800	90	D. GARY
	2100	90	D. GARY
	2400	80	T. LIMA

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	76	T. LIMA
	0600	78	RAMIREZ
	0900	74	RAMIREZ
	1200	87	RAMIREZ
	1500	92	S. SMITH
	1800	90	S. SMITH
	2100	88	S. SMITH
	2400	85	T. LIMA

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	81	T. LIMA
	0600	74°	E. KELLY
	0900	74°	E. KELLY
	1200	76°	E. KELLY
	1500	81°	S. SMITH
	1800	90	S. SMITH
	2100	87	S. SMITH
	2400	89	Perez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 203
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 17, 2024	0300	81	A. Ruz
	0600	71	Sandrine
	0900	71	Sandrine
	1200	73	SANDRA
	1500	80	A. ortiz
	1800	80	A. ortiz
	2100	81	A. ortiz
	2400	80	Riaz

Wednesday			
Date	Time	Temp.	Name(Print)
June 19, 2024	0300	74	M. ROCNA
	0600	72	RAMIREZ
	0900	72	RAMIREZ
	1200	80	Ramirez
	1500	80	R. Shaw
	1800	80	R. Shaw
	2100	80	R. Shaw
	2400	80	A. Ruz

Friday			
Date	Time	Temp.	Name(Print)
June 21, 2024	0300	75	Saragih
	0600	78	RAMIREZ
	0900	82	RAMIREZ
	1200	85	RAMIREZ
	1500	80	R. BONTE
	1800	93	R. BONTE
	2100	94	R. BONTE
	2400	90	T. Hall

Sunday			
Date	Time	Temp.	Name(Print)
June 23, 2024	0300	85	T. Hall
	0600	82	H.GARCIA
	0900	86	H.GARCIA
	1200	91	H.GARCIA
	1500	97	T. Hall
	1800	99	T. Hall
	2100	90	T. Hall
	2400	89	T. Hall

Tuesday			
Date	Time	Temp.	Name(Print)
June 18, 2024	0300	74	over
	0600	72	RAMIREZ
	0900	70	RAMIREZ
	1200	80	RAMIREZ
	1500	84	Reay, L
	1800	80	Reay, L
	2100	79	Reay, L
	2400	78	M. ROCNA

Thursday			
Date	Time	Temp.	Name(Print)
June 20, 2024	0300	78	A. Ruz
	0600	74	RAMIREZ
	0900	72	RAMIREZ
	1200	80	RAMIREZ
	1500	88	Saragih
	1800	88	Saragih
	2100	82	Saragih
	2400	80	Saragih

Saturday			
Date	Time	Temp.	Name(Print)
June 22, 2024	0300	85	T. Hall
	0600	80	RAMIREZ
	0900	84	RAMIREZ
	1200	87	RAMIREZ
	1500	95	ALVAREZ
	1800	95	ALVAREZ
	2100	95	ALVAREZ
	2400	90	T. Hall

Notes

6-22-24 1202 STAGE 1
STAGE 2 90° @ 1345
Stage -3 95 at 1500 hrs. Ice received 1505hrs

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 203 Temp. Reading Location: Dorm
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/24	0300	82	A. Perez
	0600	80	S. Munoz
	0900	80	S. Andrade
	1200	89	S. Martinez
	1500	91	G. Gamez
	1800	91	G. Gamez
	2100	92	G. Gamez
	2400	88	G. Gamez

Wednesday

Date	Time	Temp.	Name (Print)
4/26	0300	84	M. Lopez
	0600	80	R. Lopez
	0900	78	R. Lopez
	1200	85	R. Lopez
	1500	83	S. Saenz
	1800	89	S. Saenz
	2100	89	S. Saenz
	2400	86	J. Perez

Friday

Date	Time	Temp.	Name (Print)
4/28	0300	82	S. Saenz
	0600	80	S. Martinez
	0900	84	R. Martinez
	1200	83	R. Martinez
	1500	87	S. Saenz
	1800	87	S. Saenz
	2100	84	S. Saenz
	2400	80	B. Bradford

Sunday

Date	Time	Temp.	Name (Print)
4/30	0300	78	J. Lopez
	0600	80	R. Lopez
	0900	85	R. Lopez
	1200	80	J. Lopez
	1500	85	R. Lopez
	1800	87	R. Lopez
	2100	88	R. Lopez
	2400	88	W. O'Dell

Tuesday

Date	Time	Temp.	Name (Print)
4/25	0300	84	M. Lopez
	0600	82	M. Lopez
	0900	84	M. Lopez
	1200	87	M. Lopez
	1500	92	G. Gamez
	1800	92	G. Gamez
	2100	90	G. Gamez
	2400	87	M. Lopez

Thursday

Date	Time	Temp.	Name (Print)
4/27	0300	85	J. Lopez
	0600	80	R. Martinez
	0900	80	R. Martinez
	1200	85	R. Martinez
	1500	83	S. Saenz
	1800	88	S. Saenz
	2100	86	S. Saenz
	2400	82	S. Saenz

Saturday

Date	Time	Temp.	Name (Print)
4/29	0300	75	B. Bradford
	0600	80	R. Martinez
	0900	82	R. Martinez
	1200	87	R. Martinez
	1500	88	S. Saenz
	1800	89	S. Saenz
	2100	87	S. Saenz
	2400	82	T. Hill

Notes

DISTRIBUTION: Original Institution Heat Plan Coordinator

6874

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS • 102, 103, 106, 111, 201, 202, 203, 200,
304, 309, 311, 312, 313, 401, 402, 403,
406, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY: B Temp. Reading Location: DORM: 204
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
9/11/11	0300	71	Rogue
	0600	71	M-Brown
	0900	72	M-Brown
	1200	74	M-Brown
	1500	72	GAMEZ
	1800	75	GAMEZ
	2100	72	GAMEZ
	2400	72	PCYR02

Sunday

Date	Time	Temp.	Name (Print)
6-2-11	0300	71	PERET
	0600	71	ALAY
	0900	71	ALAY
	1200	73	ALAY
	1500	74	MARQUEZ
	1800	76	MARQUEZ
	2100	76	MARQUEZ
	2400	74	PERET

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
JDGR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM: 204
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4811 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/15/24	0300	74	SMITH
	0600	74	SMITH
	0900	73	ZAVALA
	1200	76	ZAVALE
	1500	77	MARQUEZ
	1800	76	MARQUEZ
	2100	76	MARQUEZ
	2400	75	A. Bradford

Tuesday			
Date	Time	Temp.	Name (Print)
6/15/24	0300	75	A. Bradford
	0600	74	D. Carroll
	0900	73	S. Martinez
	1200	74	S. Martinez
	1500	77	MARQUEZ
	1800	77	MARQUEZ
	2100	76	MARQUEZ
	2400	78	A. Bradford

Wednesday			
Date	Time	Temp.	Name (Print)
6/15/24	0300	77	A. Bradford
	0600	76	ZAVALEZ
	0900	76	ZAVALEZ
	1200	78	MARQUEZ
	1500	78	MARQUEZ
	1800	80	MARQUEZ
	2100	79	MARQUEZ
	2400	77	ESPINOZA

Thursday			
Date	Time	Temp.	Name (Print)
6/15/24	0300	78	S. ESPINOZA
	0600	68	ROPER
	0900	70	ROPER
	1200	70	ROPER
	1500	74	MARQUEZ
	1800	78	MARQUEZ
	2100	78	MARQUEZ
	2400	74	ROPER

Friday			
Date	Time	Temp.	Name (Print)
6/15/24	0300	72	ROPER
	0600	73	ZAVALEZ
	0900	75	ZAVALEZ
	1200	77	ZAVALEZ
	1500	80	MORALES
	1800	84	MORALES
	2100	80	MORALES
	2400	76	PEMA

Saturday			
Date	Time	Temp.	Name (Print)
6/15/24	0300	72	PEMA
	0600	72	D. WOODS
	0900	74	D. WOODS
	1200	78	D. WOODS
	1500	78	ANNARD
	1800	78	ANNARD
	2100	77	ANNARD
	2400	80	ANNARD

Sunday			
Date	Time	Temp.	Name (Print)
6/16/24	0300	74	A. WOODS
	0600	74	ZAVALEZ
	0900	77	ZAVALEZ
	1200	77	ZAVALEZ
	1500	81	MARQUEZ
	1800	80	MARQUEZ
	2100	78	MARQUEZ
	2400	76	M. PEREZ

Notes

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air.

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution CRC Housing Unit Facility B Temp Reading Location Dorm 204
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 17, 2024	0300	74	BR. PEREZ
	0600	74	B. ZAVALE
	0900	74	B. ZAVALE
	1200	77	R. LOUPE
	1500	79	MARQUEZ
	1800	74	MARQUEZ
	2100	76	MARQUEZ
	2400	74	PEREZ

Wednesday			
Date	Time	Temp.	Name(Print)
June 19, 2024	0300	71	PEREZ
	0600	71	Lopez
	0900	72	Lopez
	1200	72	Lopez
	1500	78	MARQUEZ
	1800	79	MARQUEZ
	2100	75	MARQUEZ
	2400	73	PEREZ

Friday			
Date	Time	Temp.	Name(Print)
June 21, 2024	0300	71	PEREZ
	0600	73	B. ZAVALE
	0900	74	B. ZAVALE
	1200	77	B. ZAVALE
	1500	82	M. EVENS
	1800	89	M. EVENS
	2100	81	M. EVENS
	2400	70	Lopez

Sunday			
Date	Time	Temp.	Name(Print)
June 23, 2024	0300	74	PEREZ
	0600	74	Chambers
	0900	77	ZAVALE
	1200	XO	ZAVALE
	1500	89	MARQUEZ
	1800	92	MARQUEZ
	2100	88	MARQUEZ
	2400	70	MARQUEZ

Tuesday

Date	Time	Temp.	Name(Print)
June 18, 2024	0300	72	PEREZ
	0600	74	ZAVALE
	0900	75	ZAVALE
	1200	73	ZAVALE
	1500	77	MARQUEZ
	1800	78	MARQUEZ
	2100	73	MARQUEZ
	2400	72	PEREZ

Thursday

Date	Time	Temp.	Name(Print)
June 20, 2024	0300	72	PEREZ
	0600	69	Lopez
	0900	69	Lopez
	1200	71	Lopez
	1500	80	MARQUEZ
	1800	80	MARQUEZ
	2100	79	MARQUEZ
	2400	74	Lopez

Saturday

Date	Time	Temp.	Name(Print)
June 22, 2024	0300	72	Lopez
	0600	75	ZAVALE
	0900	76	ZAVALE
	1200	80	ZAVALE
	1500	89	Lopez
	1800	89	Lopez
	2100	88	Lopez
	2400	86	PEREZ

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

 Temp Reading Location: Dorm 204
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	73	Perez
	0600	74	ZAVALA
	0900	79	ZAVALA
	1200	81	ZAVALA
	1500	89	MARQUEZ
	1800	89	MARQUEZ
	2100	82	MARQUEZ
	2400	80	M. Perez

Wednesday			
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	74	Perez
	0600	74	ZAVALA
	0900	74	ZAVALA
	1200	80	ZAVALA
	1500	89	MARQUEZ
	1800	85	MARQUEZ
	2100	81	MARQUEZ
	2400	79	Perez

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	71	Rogel
	0600	71	ZAVALA
	0900	71	ZAVALA
	1200	75	ZAVALA
	1500	82	GAMEZ
	1800	88	GAMEZ
	2100	80	GAMEZ
	2400	74	Rogel

Sunday			
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	74	M. Perez
	0600	69	A. Lay
	0900	71	A. Lay
	1200	76	A. Lay
	1500	87°	A. Aguilar
	1800	84°	A. Aguilar
	2100	82°	A. Aguilar
	2400	80	M. Perez

Tuesday			
Date	Time	Temp.	Name(Print)
June 25, 2024	0300	74	Perez
	0600	76	ZAVALA
	0900	79	ZAVALA
	1200	80	ZAVALA
	1500	89	MARQUEZ
	1800	88	MARQUEZ
	2100	81	MARQUEZ
	2400	79	Perez

Thursday			
Date	Time	Temp.	Name(Print)
June 27, 2024	0300	74	Perez
	0600	74	Lopez
	0900	79	Lopez
	1200	80	Lopez
	1500	88	MARQUEZ
	1800	88	MARQUEZ
	2100	80	MARQUEZ
	2400	75	Rogel

Saturday			
Date	Time	Temp.	Name(Print)
June 29, 2024	0300	70	Rogel
	0600	68	ZAVALA
	0900	72	ZAVALA
	1200	75	ZAVALA
	1500	89	Negril
	1800	89	Negril
	2100	87	Negril
	2400	80	M. Perez

Notes

6/30/24 ICE DELIVERED @ 1530 HRS

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
ODOR 2001 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 108, 111, 201, 202, 203, 208, 211,
209, 308, 311, 312, 313, 401, 402, 403, 401,
406, 407, 408, 409, 400, 400

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY: Temp, Reading Location: DORM: 205
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/1/29	0300	63	TOPPS A
	0600	65	TOPPS A.
	0900	62	Ashley
	1200	62	Darren
	1500	75	SHAW
	1800	75	SHAW
	2100	70	Shaw
	2400	67	Alexis

Wednesday

Date	Time	Temp.	Name (Print)
6/3/29	0300	62	J. SANTOS
	0600	61	J. SANTOS
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
6/2/29	0300	62	A. Perez
	0600	62	A. Perez
	0900	62	A. Perez
	1200	65	A. Perez
	1500	69	GOMEZ
	1800	74	GOMEZ
	2100	72	GOMEZ
	2400	70	A. Perez

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Dorm 205 moved all IPs out

Vacant 6/4 - 6/30

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS : 102, 103, 108, 111, 201, 202, 203, 208,
304, 300, 311, 312, 313, 401, 402, 403,
406, 407, 400, 400, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM : 204
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
9/1/24	0300	70	R. Gonzalez
	0600	70	Sirri
	0900	72	Sirri
	1200	72	Sirri
	1500	74	L. McCay
	1800	74	L. McCay
	2100	74	L. McCay
	2400	70	Agbakwuru

Sunday

Date	Time	Temp.	Name (Print)
9/2/24	0300	70	Agbakwuru
	0600	70	Sirri
	0900	70	Sirri
	1200	71	Sirri
	1500	72	L. McCay
	1800	72	L. McCay
	2100	70	L. McCay
	2400	70	A. Ramirez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 100, 111, 201, 202, 203, 200,
300, 300, 311, 312, 313, 301, 402, 403,
400, 402, 400, 400, CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY: Temp. Reading Location: DORM: 206
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	68	A. Ramirez
	0600	68	J. Elias
	0900	72	J. Elias
	1200	78	J. Elias
	1500	78	McCoy
	1800	75	McCoy
	2100	70	McCoy
	2400	70	A. Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	70	A. Ramirez
	0600	70	J. Elias
	0900	73	J. Elias
	1200	79	J. Elias
	1500	80	Ortiz
	1800	77	Ortiz
	2100	73	Ortiz
	2400	70	Roque

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	68	Roque
	0600	68	Sirri
	0900	74	Sirri
	1200	78	Sirri
	1500	78	Ortiz
	1800	73	Ortiz
	2100	71	Ortiz
	2400	69	Roque

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	78	Roque
	0600	70	Sirri
	0900	72	Sirri
	1200	77	Sirri
	1500	79	V. Vasquez
	1800	75	V. Vasquez
	2100	72	V. Vasquez
	2400	70	A. Ramirez

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	68	A. Ramirez
	0600	70	Sirri
	0900	72	Sirri
	1200	77	Sirri
	1500	77	McCoy
	1800	75	McCoy
	2100	73	McCoy
	2400	70	A. Ramirez

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	69	A. Ramirez
	0600	71	Sirri
	0900	74	Sirri
	1200	77	Sirri
	1500	79	McCoy
	1800	75	McCoy
	2100	71	McCoy
	2400	70	McCoy

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	70	McCoy
	0600	71	Sirri
	0900	75	Sirri
	1200	75	Sirri
	1500	78	McCoy
	1800	75	McCoy
	2100	72	McCoy
	2400	70	McCoy

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment D

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CLC Housing Unit: 206 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/10/2024	0300	70	Meloy
	0600	70	J. ELLIS
	0900	70	J. ELLIS
	1200	70	J. ELLIS
	1500	74	L. MCCoy
	1800	76	L. MCCoy
	2100	76	L. MCCoy
	2400	76	A. Ramirez

Tuesday			
Date	Time	Temp.	Name (Print)
6/11/2024	0300	74	A. Ramirez
	0600	72	J. Elias
	0900	74	J. Elias
	1200	76	J. Elias
	1500	78	A. Ortiz
	1800	80	A. Ortiz
	2100	80	A. Ortiz
	2400	75	Rope

Wednesday			
Date	Time	Temp.	Name (Print)
6/12/2024	0300	71	Rogue
	0600	71	F. Octopus
	0900	73	F. Octopus
	1200	75	F. Octopus
	1500	80	A. Octopus
	1800	80	A. Octopus
	2100	80	A. Octopus
	2400	74	Rogue

Thursday			
Date	Time	Temp.	Name (Print)
6/13/2021	0300	71	Roger
	0600	71	Sirri
	0900	72	Sirri
	1200	72	Sirri
	1500	76	L. MCCoy
	1800	76	L. MCCoy
	2100	76	L. MCCoy
	2400	75	A. Ramirez

Friday			
Date	Time	Temp.	Name (Print)
6/14/2024	0300	73	A. Ramirez
	0600	70	Sirri
	0900	71	Sirri
	1200	72	Sirri
	1500	76	L. McCoy
	1800	78	L. McCoy
	2100	78	L. McCoy
	2400	78	A. Ramirez

Saturday			
Date	Time	Temp.	Name (Print)
6/15/2024	0300	77	A. Ramirez
	0600	66	Sirri
	0900	82	Sirri
	1200	82	Sirri
	1500	86	L. McCoy
	1800	86	L. McCoy
	2100	89	L. McCoy
	2400	82	A. Ramirez

Sunday			
Date	Time	Temp.	Name (Print)
6/16/2024	0300	77	A. Ramirez
	0600	77	Sirri
	0900	80	Sirri
	1200	80	Sirri
	1500	81	Zaynab
	1800	81	Zaynab
	2100	80	Zaynab
	2400	80	A. Ramirez

Notes

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 206
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 17, 2024	0300	74	A. Ramirez
	0600	70	J. Elias
	0900	72	J. Elias
	1200	74	J. Elias
	1500	79	L. McCay
	1800	74	L. McCay
	2100	74	L. McCay
	2400	74	A. Ramirez

Wednesday			
Date	Time	Temp.	Name(Print)
June 19, 2024	0300	74	Sirri
	0600	70	Sirri
	0900	73	Sirri
	1200	77	Sirri
	1500	70	DEAN
	1800	79	DEAN
	2100	77	DEAN
	2400	75	Royce

Friday			
Date	Time	Temp.	Name(Print)
June 21, 2024	0300	78	A. Ramirez
	0600	72	Sirri
	0900	78	Sirri
	1200	78	Sirri
	1500	88	L. McCay
	1800	88	L. McCay
	2100	88	L. McCay
	2400	82	A. Ramirez

Sunday			
Date	Time	Temp.	Name(Print)
June 23, 2024	0300	88	A. Ramirez
	0600	70	Sirri
	0900	95	Sirri
	1200	90	Sirri
	1500	90	L. McCay
	1800	98	L. McCay
	2100	94	L. McCay
	2400	88	Ramirez

Tuesday			
Date	Time	Temp.	Name(Print)
June 18, 2024	0300	72	A. Ramirez
	0600	72	J. Elias
	0900	74	J. Elias
	1200	74	J. Elias
	1500	78	A. Ortiz
	1800	80	A. Ortiz
	2100	80	A. Ortiz
	2400	77	Royce

Thursday			
Date	Time	Temp.	Name(Print)
June 20, 2024	0300	71	Royce
	0600	71	Sirri
	0900	72	Sirri
	1200	79	Sirri
	1500	82	L. McCay
	1800	80	L. McCay
	2100	80	L. McCay
	2400	80	A. Ramirez

Saturday			
Date	Time	Temp.	Name(Print)
June 22, 2024	0300	80	A. Ramirez
	0600	80	Sirri
	0900	85	Sirri
	1200	85	Sirri
	1500	92	L. McCay
	1800	98	L. McCay
	2100	99	L. McCay
	2400	90	A. Ramirez

Notes

6/21/24 @ 1335 STAGE 2
6/23/24 95° 2 2230 / 90° 0000
6/23/24 90° STAGE 2 AT 1205

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 206
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	81	A. Ramirez
	0600	81	J. ELIAS
	0900	81	J. ELIAS
	1200	88	J. ELIAS
	1500	92	L. McCay
	1800	92	L. McCay
	2100	90	L. McCay
	2400	84	A. Ramirez

Wednesday			
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	79	Rigue
	0600	79	Sirri
	0900	80	Sirri
	1200	81	Sirri
	1500	86	A. ortiz
	1800	88	A. ortiz
	2100	88	A. ortiz
	2400	81	Rigue

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	80	A. Ramirez
	0600	88	Sirri
	0900	81	Sirri
	1200	81	Sirri
	1500	88	L. McCay
	1800	88	L. McCay
	2100	88	L. McCay
	2400	81	A. Ramirez

Sunday			
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	79	A. Ramirez
	0600	79	Sirri
	0900	83	Sirri
	1200	83	Sirri
	1500	89	L. McCay
	1800	89	L. McCay
	2100	89	L. McCay
	2400	87	A. Ramirez

Tuesday			
Date	Time	Temp.	Name(Print)
June 25, 2024	0300	80	A. Ramirez
	0600	80	J. ELIAS
	0900	80	J. ELIAS
	1200	88	J. ELIAS
	1500	89	A- ortiz
	1800	88	A- ortiz
	2100	88	A- ortiz
	2400	83	Rigue

Thursday			
Date	Time	Temp.	Name(Print)
June 27, 2024	0300	77	Rigue
	0600	77	Sirri
	0900	77	Sirri
	1200	80	Sirri
	1500	86	L. McCay
	1800	88	L. McCay
	2100	88	L. McCay
	2400	82	A. Ramirez

Saturday			
Date	Time	Temp.	Name(Print)
June 29, 2024	0300	79	A. Ramirez
	0600	79	Sirri
	0900	79	Sirri
	1200	81	Sirri
	1500	89	L. McCay
	1800	89	L. McCay
	2100	89	L. McCay
	2400	82	A. Ramirez

Notes

6/24/24 UHD STAGE 2 DORM TEMP @ 90°F @ 1310
 6/25/24 UHD STAGE 2 DORM TEMP @ 90°F @ 1340

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2001 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 106, 111, 201, 202, 203, 200, 214,
204, 300, 311, 312, 319, 401, 402, 403, 404
405, 407, 408, 409, CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY Temp. Reading Location: DORM: 207 BRAVO
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
06/01/24	0300	68	S. NEIL
	0600	68	A. GARCIA
	0900	68	A. GARCIA
	1200	68	A. GARCIA
	1500	78	A. LAY
	1800	78	A. LAY
	2100	75	A. LAY
	2400	72	S. NEIL

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	66	S. NEIL
	0600	68	A. GARCIA
	0900	68	A. GARCIA
	1200	68	A. GARCIA
	1500	70	J. SAMET
	1800	71	J. SAMET
	2100	72	J. SAMET
	2400	70	C. BRAZIER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (01/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 109, 111, 201, 202, 203, 209,
301, 309, 311, 312, 313, 401, 402, 403,
406, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM: 207
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	69	RAYSHAW
	0600	70	MEZO
	0900	70	MEZO
	1200	77	MEZO
	1500	72	J. GOMEZ
	1800	73	J. GOMEZ
	2100	70	J. GOMEZ
	2400	70	RAYSHAW

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	68	Jefferson
	0600	70	A. Garcia
	0900	73	A. Garcia
	1200	75	A. Garcia
	1500	77	J. GOMEZ
	1800	77	J. GOMEZ
	2100	71	J. GOMEZ
	2400	70	Bernardino

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	69	Heil
	0600	70	C. Elias
	0900	72	C. Elias
	1200	77	C. Elias
	1500	81	C. Elias
	1800	78	C. Elias
	2100	73	C. Elias
	2400	71	Heil

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	70	Heil
	0600	70	A. Garcia
	0900	72	A. Garcia
	1200	75	A. Garcia
	1500	78	D. Randolph
	1800	75	D. Randolph
	2100	70	D. Randolph
	2400	69	R. RAYSHAW

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	69	RAYSHAW
	0600	69	Bencher
	0900	72	Bencher
	1200	75	Bencher
	1500	81	J. GOMEZ
	1800	77	J. GOMEZ
	2100	72	J. GOMEZ
	2400	70	Jefferson

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	69	Bernardino
	0600	69	G. GENEV
	0900	71	G. GENA
	1200	78	G. GENA
	1500	82	Jefferson
	1800	79	Jefferson
	2100	73	Jefferson
	2400	70	Heil

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	69	Heil
	0600	69	A. Garcia
	0900	73	A. Garcia
	1200	75	A. Garcia
	1500	79	B. ZAVALA
	1800	76	B. ZAVALA
	2100	71	B. ZAVALA
	2400	70	Heil

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 106, 111, 201, 202, 203, 200, 214,
304, 300, 311, 312, 410, 101, 102, 103, 401,
406, 407, 408, 409, OHV

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY: B Temp, Reading Location: DORM - 207
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	69	C. BRAYSHAW
	0600	69	A. GARCIA
	0900	70	A. GARCIA
	1200	70	A. GARCIA
	1500	70	J. GOMEZ
	1800	73	J. GOMEZ
	2100	70	J. GOMEZ
	2400	73	C. BRAYSHAW

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	70	C. BRAYSHAW
	0600	70	A. GARCIA
	0900	70	A. GARCIA
	1200	70	A. GARCIA
	1500	70	J. GOMEZ
	1800	70	J. GOMEZ
	2100	70	J. GOMEZ
	2400	70	J. GOMEZ

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	74	J. GOMEZ
	0600	70	A. GARCIA
	0900	70	A. GARCIA
	1200	70	A. GARCIA
	1500	72	J. GOMEZ
	1800	70	J. GOMEZ
	2100	70	J. GOMEZ
	2400	74	M. MURKIN

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	70	MURKIN
	0600	70	J. GOMEZ
	0900	70	J. GOMEZ
	1200	70	J. GOMEZ
	1500	74	R. LOPEZ
	1800	80	R. LOPEZ
	2100	82	R. LOPEZ
	2400	77	DUARTE

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	70	DUARTE
	0600	70	Lopez
	0900	70	Lopez
	1200	74	Lopez
	1500	80	P. LESTRONG
	1800	77	A. GARCIA
	2100	73	A. GARCIA
	2400	72	J. MURKIN

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	70	S. HILL
	0600	72	A. GARCIA
	0900	74	A. GARCIA
	1200	80	A. GARCIA
	1500	81	A. LAM
	1800	88	A. LAM
	2100	83	A. LAM
	2400	78	S. HILL

Notes

Date	Time	Temp.	Name (Print)
6-16-24	0300	76	A. GARCIA
	0600	72	A. GARCIA
	0900	74	A. GARCIA
	1200	70	A. GARCIA
	1500	80	J. GOMEZ
	1800	80	J. GOMEZ
	2100	80	J. GOMEZ
	2400	76	C. BRAYSHAW

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

Temp Reading Location: Dorm 207

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 17, 2024	0300	72	C. BRAYSHAW
	0600	70	A. GARCIA
	0900	70	A. GARCIA
	1200	70	A. GARCIA
	1500	70	J. GOMEZ
	1800	70	J. GOMEZ
	2100	70	J. GOMEZ
	2400	74	C. BRAYSHAW

Wednesday

Date	Time	Temp.	Name(Print)
June 19, 2024	0300	74	J. GOMEZ
	0600	74	A. GARCIA
	0900	74	A. GARCIA
	1200	74	A. GARCIA
	1500	70	J. GOMEZ
	1800	70	J. GOMEZ
	2100	70	J. GOMEZ
	2400	73	A. GARCIA

Friday

Date	Time	Temp.	Name(Print)
June 21, 2024	0300	76	S. HUER
	0600	72	C. CASAS
	0900	76	R. CASAS
	1200	70	R. CASAS
	1500	70	R. CASAS
	1800	78	RAMIREZ
	2100	72	RAMIREZ
	2400	80	S. HUER

Sunday

Date	Time	Temp.	Name(Print)
June 23, 2024	0300	80	M. KNUDSEN
	0600	80	A. GARCIA
	0900	80	A. GARCIA
	1200	80	A. GARCIA
	1500	89	A. CANTO
	1800	92	A. CANTO
	2100	83	A. CANTO
	2400	82	C. BRAYSHAW

Tuesday

Date	Time	Temp.	Name(Print)
June 18, 2024	0300	71	C. BRAYSHAW
	0600	70	A. GARCIA
	0900	72	A. GARCIA
	1200	72	A. GARCIA
	1500	74	J. GOMEZ
	1800	70	J. GOMEZ
	2100	78	J. GOMEZ
	2400	75	C. BRAYSHAW

Thursday

Date	Time	Temp.	Name(Print)
June 20, 2024	0300	70	M. KNUDSEN
	0600	70	GIGENA
	0900	70	GIGENA
	1200	76	GIGENA
	1500	80	J. GOMEZ
	1800	80	J. GOMEZ
	2100	80	J. GOMEZ
	2400	78	S. HUER

Saturday

Date	Time	Temp.	Name(Print)
June 22, 2024	0300	76	S. HUER
	0600	74	R. CASAS
	0900	74	R. CASAS
	1200	82	R. CASAS
	1500	80	ZAVALA
	1800	81	ZAVALA
	2100	89	ZAVALA
	2400	84	M. KNUDSEN

Notes

90° E 1450 ICE line

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC

Housing Unit: Facility B

Temp Reading Location: Dorm 207

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	81	C. BRAYSHAW
	0600	81	A. Garcia
	0900	80	A. Garcia
	1200	80	A. Garcia
	1500	88	J. Gomez
	1800	89	J. Gomez
	2100	88	J. Gomez
	2400	85	C. BRAYSHAW

Wednesday			
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	80	M. Foss
	0600	74	A. Garcia
	0900	74	A. Garcia
	1200	80	A. Garcia
	1500	82	J. Gomez
	1800	84	J. Gomez
	2100	82	J. Gomez
	2400	78	M. Foss

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	70	S. Hall
	0600	70	Lopez
	0900	75	Lopez
	1200	78	Lopez
	1500	82	Evens
	1800	85	Evens
	2100	80	Evens
	2400	76	S. Hall

Sunday			
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	70	S. Hall
	0600	70	A. Garcia
	0900	84	A. Garcia
	1200	84	A. Garcia
	1500	88	D. Gamez
	1800	92	D. Gamez
	2100	88	D. Gamez
	2400	80	C. BRAYSHAW

Tuesday

Date	Time	Temp.	Name(Print)
June 25, 2024	0300	81	C. BRAYSHAW
	0600	80	A. Garcia
	0900	82	A. Garcia
	1200	85	A. Garcia
	1500	85	D. Gamez
	1800	88	J. Gomez
	2100	84	J. Gomez
	2400	80	D. Jefferson

Thursday

Date	Time	Temp.	Name(Print)
June 27, 2024	0300	73	Mirandy
	0600	72	GIGENA
	0900	72	GIGENA
	1200	80	GIGENA
	1500	82	J. Gomez
	1800	90	J. Gomez
	2100	90	J. Gomez
	2400	76	S. Hall

Saturday

Date	Time	Temp.	Name(Print)
June 29, 2024	0300	70	S. Hall
	0600	72	J. GARCEROS
	0900	70	J. GARCEROS
	1200	80	J. GARCEROS
	1500	81	A. Lay
	1800	81	A. Lay
	2100	80	A. Lay
	2400	77	S. Hall

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDOR 2031 (01/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DOMBS 102, 103, 106, 111, 201, 202, 206, 208, 214
504, 505, 811, 512, 519, 501, 503, 509, 507
400, 407, 408, 409, 410, 411

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY: Temp. Reading Location: DORM 208
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 88 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	68	M. KNUDSEN
	0600	70	S. BYRNE
	0900	70	S. BYRNE
	1200	71	S. BYRNE
	1500	71	MARVIN
	1800	79	MARVIN
	2100	78	MARVIN
	2400	74	TROY

Notes

Date	Time	Temp.	Name (Print)
6/1/2024	0300	70	T ROY
	0600	70	CARRELL
	0900	70	CARRELL
	1200	70	CARRELL
	1500	70	N. MIRANDA
	1800	70	N. MIRANDA
	2100	70	N. MIRANDA
	2400	68	T ROY

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
OCRR 2031 (01/18)DESIGNATED HEAT DORMS: 102, 103, 100, 111, 201, 202, 203, 208,
204, 300, 311, 312, 313, 401, 402, 403,
404, 107, 108, 109, CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM - 208
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	68	T. ROY
	0600	70	Reyverse
	0900	70	Reyverse
	1200	73	Reyverse
	1500	74	MOTTO
	1800	75	MOTTO
	2100	70	MOTTO
	2400	70	T. ROY

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	68	M. VASQUEZ
	0600	70	M. VASQUEZ
	0900	72	M. VASQUEZ
	1200	76	M. VASQUEZ
	1500	79	Mariatt
	1800	75	Mariatt
	2100	71	Mariatt
	2400	70	N. Garsilaso

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	70	N. Garsilaso
	0600	70	Harkness
	0900	74	Harkness
	1200	77	Harkness
	1500	79	Siri
	1800	75	Siri
	2100	72	Siri
	2400	70	T. ROY

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	70	T. ROY
	0600	71	E. Espin
	0900	73	E. Espin
	1200	77	E. Espin
	1500	79	N. M. Miranda
	1800	75	N. M. Miranda
	2100	72	N. M. Miranda
	2400	70	T. ROY

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	68	T. ROY
	0600	69	Reyverse
	0900	71	Reyverse
	1200	73	Reyverse
	1500	78	PLACENCIA
	1800	75	PLACENCIA
	2100	72	PLACENCIA
	2400	70	M. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	70	N. Garsilaso
	0600	71	Reyverse
	0900	74	Reyverse
	1200	79	Reyverse
	1500	81	Mariatt
	1800	78	Mariatt
	2100	74	Mariatt
	2400	71	N. Garsilaso

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	70	T. ROY
	0600	70	Burns
	0900	72	Burns
	1200	75	Burns
	1500	78	Mariatt
	1800	75	Mariatt
	2100	71	Mariatt
	2400	70	T. ROY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS 102, 103, 105, 111, 201, 202, 203, 200, 214
204, 300, 311, 312, 313, 301, 302, 303, 305
401, 402, 403, 404, 405

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM: 208

Immediately notify the Watch Commander at extension 4611 when the Inside air temperature reaches 90 degrees and again at 96 degrees.

Date	Time	Temp.	Name (Print)
6-10-24	0300	70	Troy
	0800	69	Gretchen
	0900	74	Gretchen
	1200	78	Gretchen
	1500	78	A. Brudke
	1800		
	2100		
	2400	76	Troy

Date	Time	Temp.	Name (Print)
6-11-24	0300	72	T. ROY
	0600	69	SP - rese
	0900	71	SP - rese
	1200	75	SP - rese
	1500	79	P.GARY
	1800	80	D.GARY
	2100	80	D.GARY
	2400	76	T. ROY

Date	Time	Temp.	Name (Print)
6-12-24	0300	72	T. Roy
	0600	70	G. P. Hayes
	0900	74	G. P. Hayes
	1200	78	G. P. Hayes
	1500	86	G. P. Hayes
	1800	89	G. P. Hayes
	2100	83	G. P. Hayes
	2400	86	N. GARSILASO

Thursday			
Date	Time	Temp.	Name (Print)
6-13-24	0300	85	N. GARSIIASO
	0800	80	C. P. REYES
	0900	70	C. P. REYES
	1200	72	C. P. REYES
	1500	75	C. P. REYES
	1800	80	C. P. REYES
	2100	80	C. P. REYES
	2400	80	N. GARSIIASO

Date	Time	Temp.	Name (Print)
5-14-29	0300	78	GARS: 1450
	0600	70	Harkness
	0900	75	Harkness
	1200	77	Harkness
	1500	77	ANR 20
	1800	77	ANR 20
	2100	76	ANR 20
	2400	76	Bartford

Saturday			
Date	Time	Temp.	Name (Pr) / (lt)
10-15-74	0300	75	Bredford
	0600	75	A-Mea
	0900	77	A-Mea
	1200	78	A-Mea
	1500	89°	P. BECERRA
	1800	90°	P. BECERRA
	2100	89°	P. BECERRA
	2400	80°	S. ALMENDRALES

Date	Time	Temp.	Name (Print)
6-16-29	0300	76°	S. Almodovar
	0600	70	Cressy
	0900	70	onez
	1200	80	Cressy
	1600	77	St. J. Cressy
	1800	80	St. J. Cressy
	2100	85	Shirley
	2400	81	T. Cressy

Notes

DISTRIBUTION: Original Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 208
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 17, 2024	0300	74	T Roy
	0600	69	C.Perez
	0900	71	C.Perez
	1200	72	C.Perez
	1500	80	R.Martinez
	1800	80	R.Martinez
	2100	70	R.Martinez
	2400	71	T Roy

Wednesday			
Date	Time	Temp.	Name(Print)
June 19, 2024	0300	73	T Roy
	0600	71	C.Perez
	0900	75	C.Perez
	1200	79	C.Perez
	1500	80	Mallatt
	1800	80	Mallatt
	2100	79	Mallatt
	2400	78	Mallatt

Friday			
Date	Time	Temp.	Name(Print)
June 21, 2024	0300	78	Gonzales
	0600	73	Harkness
	0900	78	Harkness
	1200	81	Harkness
	1500	84	Miranda
	1800	80	Miranda
	2100	79	Miranda
	2400	80	N.Jordan

Sunday			
Date	Time	Temp.	Name(Print)
June 23, 2024	0300	88	Gonzales
	0600	89	Gonzales
	0900	89	Gonzales
	1200	90	Gonzales
	1500	90	N.Miranda
	1800	90	N.Miranda
	2100	90	N.Miranda
	2400	90	T Roy

Tuesday			
Date	Time	Temp.	Name(Print)
June 18, 2024	0300	72	T Roy
	0600	72	C.Perez
	0900	74	C.Perez
	1200	79	C.Perez
	1500	80	L.Palencia
	1800	82	L.Palencia
	2100	80	L.Palencia
	2400	79	T Roy

Thursday			
Date	Time	Temp.	Name(Print)
June 20, 2024	0300	77	Gonzales
	0600	74	C.Perez
	0900	77	C.Perez
	1200	79	C.Perez
	1500	80	Mallatt
	1800	83	Mallatt
	2100	80	Mallatt
	2400	79	Gonzales

Saturday			
Date	Time	Temp.	Name(Print)
June 22, 2024	0300	82	N.Jordan
	0600	79	S.Byrne
	0900	79	S.Byrne
	1200	85	S.Byrne
	1500	93	Mallatt
	1800	100	Mallatt
	2100	99	Mallatt
	2400	92	Gonzales

Notes

6-21-24 1800 Stage II 90° Watch notified
 6-22-24 1412 Stage II 93° Watch notified
 6-22-24 1544 Stage III 95° Watch notified
 6-23-24 1000 Stage I Activated
 6-23-24 1430 Stage II activated

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 208
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Tuesday	
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	88	T ROY
	0600	82	G. Reparse
	0900	85	G. Reparse
	1200	90	G. Reparse
	1500	93	R. MARTINEZ
	1800	94	R. MARTINEZ
	2100	89	R. MARTINEZ
	2400	89	T ROY
Wednesday		Thursday	
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	83	T ROY
	0600	82	G. Reparse
	0900	82	G. Reparse
	1200	82	G. Reparse
	1500	89	MARLATT
	1800	92	MARLATT
	2100	90	MARLATT
	2400	87	GARRETT
Friday		Saturday	
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	88	J. KNUDSEN
	0600	80	Harkness
	0900	80	Harkness
	1200	86	Harkness
	1500	91	MARLATT
	1800	90	MARLATT
	2100	90	MARLATT
	2400	85	M. KNUDSEN
Sunday		Notes	
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	90	J. SCOTT
	0600	80	oneper
	0900	80	CRESPI
	1200	85	GESEY
	1500	95	N. Miranda
	1800	98	N. Miranda
	2100	90	N. Miranda
	2400	92	T ROY

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
JDCR 2021 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 108, 111, 201, 202, 204, 208, 214
504, 508, 511, 512, 519, 501, 503, 505, 507, 510, 511, 513, 514

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: **B** Facility: **B** Temp. Reading Location: **DORM: 209**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension **4011** when the Inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-1-2021	0300	63	Miramont
	0600	64	Dick
	0900	66	Dick
	1200	66	Dick
	1500	68	T. G. H.
	1800	70	L. Hall
	2100	70	Leah
	2400	70	Show

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6-2-2021	0300	65	Show
	0600	64	Dick
	0900	66	Dick
	1200	66	Dick
	1500	68	T. G. H.
	1800	70	L. Hall
	2100	70	Lamp
	2400	70	Rehernic

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 100, 111, 203, 202, 203, 200,
304, 300, 311, 312, 313, 401, 402, 403,
400, 407, 406, 400, 404

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ORC Housing Unit: FACILITY- Temp. Reading Location: DORM - 209
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	66	R. Hernandez
	0600	66	M. Rocha
	0900	68	M. Rocha
	1200	68	M. Rocha
	1500	70	D. Garcia
	1800	72	D. Garcia
	2100	72	D. Garcia
	2400	70	R. Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	66	T. Shaw
	0600	66	V. Navarro
	0900	68	V. Navarro
	1200	68	V. Navarro
	1500	70	P. Arcoria
	1800	70	P. Arcoria
	2100	68	P. Arcoria
	2400	66	T. Hernandez

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	66	R. Hernandez
	0600	66	S. Diaz
	0900	68	S. Diaz
	1200	70	S. Diaz
	1500	70	S. Davis
	1800	70	S. Davis
	2100	70	S. Davis
	2400	66	Miranda

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	68	A. Meza
	0600	68	J. Diaz
	0900	68	J. Diaz
	1200	70	J. Diaz
	1500	72	J. Diaz
	1800	72	J. Diaz
	2100	70	D. Garcia
	2400	70	R. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	68	R. Hernandez
	0600	68	M. Rocha
	0900	70	M. Rocha
	1200	70	M. Rocha
	1500	70	D. Garcia
	1800	72	D. Garcia
	2100	70	D. Garcia
	2400	66	R. Hernandez

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	66	R. Hernandez
	0600	68	V. Navarro
	0900	70	V. Navarro
	1200	72	V. Navarro
	1500	72	S. Davis
	1800	72	S. Davis
	2100	70	S. Davis
	2400	68	R. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	66	Miranda
	0600	66	S. Diaz
	0900	70	S. Diaz
	1200	70	S. Davis
	1500	72	T. Soto
	1800	74	T. Soto
	2100	70	T. Soto
	2400	70	A. Meza

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
JDR 2001 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 109, 111, 201, 202, 10, 200, 214
104, 308, 011, 012, 014, 016, 017, 003, 103, 104
400, 407, 408, 409, CHW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY B Temp. Reading Location: DORM: 209

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-2024	0300	63	R. Hernandez
	0600	65	M. Roche
	0900	65	M. Roche
	1200	68	M. Roche
	1500	70	BARCEL
	1800	70	Garcia
	2100	71	Garcia
	2400	72	R. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
6-11-2024	0300	70	R. Hernandez
	0600	70	M. Roche
	0900	72	M. Roche
	1200	75	M. Roche
	1500	75	Garcia
	1800	77	Garcia
	2100	70	Garcia
	2400	60	CUSTARD

Wednesday

Date	Time	Temp.	Name (Print)
6-12-2024	0300	72	CUSTARD
	0600	70	M. Roche
	0900	72	Nava
	1200	72	Nava
	1500	78	P. AGUILAR
	1800	72	P. AGUILAR
	2100	72	P. AGUILAR
	2400	70	P. AGUILAR

Thursday

Date	Time	Temp.	Name (Print)
6-13-2024	0300	70	P. AGUILAR
	0600	68	Nava
	0900	70	Nava
	1200	72	Nava
	1500	68	J. DAVIS
	1800	68	J. DAVIS
	2100	68	J. DAVIS
	2400	70	P. AGUILAR

Friday

Date	Time	Temp.	Name (Print)
6-14-2024	0300	70	P. AGUILAR
	0600	70	D. GARCIA
	0900	70	D. GARCIA
	1200	78	D. GARCIA
	1500	78	J. DAVIS
	1800	70	J. DAVIS
	2100	70	J. DAVIS
	2400	72	M. Roche

Saturday

Date	Time	Temp.	Name (Print)
6-15-2024	0300	69	M. Roche
	0600	68	D. GARCIA
	0900	70	D. GARCIA
	1200	72	D. GARCIA
	1500	74	J. DAVIS
	1800	75	J. DAVIS
	2100	75	J. DAVIS
	2400	72	B. BONANZI

Notes

Date	Time	Temp.	Name (Print)
6-16-2024	0300	70	A. Perez
	0600	66	A. Perez
	0900	70	A. Perez
	1200	77	A. Perez
	1500	80	GARCIA
	1800	76	GARCIA
	2100	79	GARCIA
	2400	74	J. DAVIS

DISTRIBUTION: Original Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week,

Institution: CRC Housing Unit: Facility B

Temp Reading Location: Dorm 209

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 17, 2024	0300	60	J. DAVIS
	0600	63	M. RODNA
	0900	68	M. RODNA
	1200	70	M. RODNA
	1500	74	Placencia
	1800	77	Placencia
	2100	72	Placencia
	2400	70	R. Hernandez

Wednesday

Date	Time	Temp.	Name(Print)
June 19, 2024	0300	69	R. Hernandez
	0600	70	B. PISTER
	0900	72	R. Hernandez
	1200	75	B. PISTER
	1500	72	Placencia
	1800	74	Placencia
	2100	74	Placencia
	2400	72	Broadford

Friday

Date	Time	Temp.	Name(Print)
June 21, 2024	0300	72	Broadford
	0600	70	BEAUCAMP
	0900	70	BEAUCAMP
	1200	80	BEAUCAMP
	1500	80	J. DAVIS
	1800	86	J. DAVIS
	2100	82	J. DAVIS
	2400	73	Miranda

Sunday

Date	Time	Temp.	Name(Print)
June 23, 2024	0300		
	0600	78	D. GAZ
	0900	80	D. GAZ
	1200	82	D. GAZ
	1500	89	Placencia
	1800	82	Placencia
	2100	88	Placencia
	2400	89	R. Hernandez

Tuesday

Date	Time	Temp.	Name(Print)
June 18, 2024	0300	63	R. Hernandez
	0600	65	M. RODNA
	0900	68	M. RODNA
	1200	72	M. RODNA
	1500	74	Placencia
	1800	79	Placencia
	2100	72	Miranda
	2400	70	R. Hernandez

Thursday

Date	Time	Temp.	Name(Print)
June 20, 2024	0300	68	Broadford
	0600	70	JEFFORDS
	0900	74	JEFFORDS
	1200	80	JEFFORDS
	1500	80	J. DAVIS
	1800	80	J. DAVIS
	2100	80	J. DAVIS
	2400	78	Broadford

Saturday

Date	Time	Temp.	Name(Print)
June 22, 2024	0300	70	Miranda
	0600	72	D. GAZ
	0900	74	D. GAZ
	1200	76	D. GAZ
	1500	79	T. LEE
	1800	84	T. LEE
	2100	82	Moreno
	2400	78	Moreno

Notes

6/23/24 1500 ICE RELIEF

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DCR 2001 (01/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 109, 111, 201, 202, 204, 206, 210, 214, 304, 306, 311, 312, 316, 401, 403, 404, 405, 406, CHL

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: B Facility: B Temp. Reading Location: DORM : 209

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-24-2024	0300	79	R Hernandez
	0600	78	M. Roca
	0900	80	M. Roca
	1200	83	M. Roca
	1500	87	A. Ortiz
	1800	90	A. Ortiz
	2100	86	A. Ortiz
	2400	80	R Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
6-25-2024	0300	75	R Hernandez
	0600	76	M. Roca
	0900	79	M. Roca
	1200	80	M. Roca
	1600	88	CAG/Julie
	1800	89	CP3/Taylor
	2100	84	CASTELLAR
	2400	79	R Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
6-26-2024	0300	74	R Hernandez
	0600	72	Navarro
	0900	76	Navarro
	1200	80	Navarro
	1600	85	Placencia
	1800	88	Placencia
	2100	85	Placencia
	2400	80	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
6-27-2024	0300	80	Hernandez
	0800	70	Navarro
	0900	74	Navarro
	1200	80	Navarro
	1600	82	J. Davis
	1800	84	J. Davis
	2100	82	J. Davis
	2400	79	R Hernandez

Friday

Date	Time	Temp.	Name (Print)
6-28-2024	0300	72	R Hernandez
	0600	72	Diaz
	0900	74	Diaz
	1200	76	Diaz
	1600	81	J. Davis
	1800	84	J. Davis
	2100	80	J. Davis
	2400	79	M. Garcia

Saturday

Date	Time	Temp.	Name (Print)
6-29-2024	0300	79	M. Garcia
	0600	72	Diaz
	0900	79	Diaz
	1200	76	Diaz
	1600	80	T. Hall
	1800	87	T. Hall
	2100	88	T. Hall
	2400	79	K. Hernandez

Notes

Date	Time	Temp.	Name (Print)
6-30-2024	0300	74	K. Hernandez
	0600	70	K. Hernandez
	0900	79	Diaz
	1200	80	Diaz
	1600	88	Garcia
	1800	86	Flores
	2100	82	Flores
	2400	80	M. Adeljan

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

 DESIGNATED HEAT DORMS: 102, 103, 100, 311, 201, 202, 203
 304, 308, 311, 312, 313, 401, 402
 400, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INS ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY B Temp. Reading Location: DORM : 210

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
JUN 20 2014	0300	65	ALVAREZ
	0600	65	
	0900	70	
	1200	74	
	1500	73	
	1800	72	LNUX
	2100	72	LNUX
	2400	70	ALVAREZ

Notes

Date	Time	Temp.	Name (Print)
JUN 20 2014	0300	68	ALVAREZ
	0600	68	
	0900	65	
	1200	70	
	1500	75	CCPTR
	1800	71	LNUX
	2100	72	LNUX
	2400	70	ALVAREZ

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 100, 111, 201, 202, 203, 208,
304, 309, 311, 312, 313, 401, 402, 403,
405, 407, 408, 409, 410

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY Temp. Reading Location: DORM 210

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the Inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	68	J. ALVAREZ
	0600	70	Florres
	0900	72	Florres
	1200	74	Florres
	1500	77	J. Davis
	1800	77	J. Davis
	2100	72	J. Davis
	2400	70	J. ALVAREZ

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	68	J. ALVAREZ
	0600		
	0900		
	1200		
	1500	80	D. Cerna
	1800	78	D. Cerna
	2100	72	D. Cerna
	2400	70	J. ALVAREZ

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	70	Bradford
	0600	72	D. Sanchez
	0900	75	D. Sanchez
	1200	77	D. Sanchez
	1500	79	D. Cerna
	1800	76	D. Cerna
	2100	71	D. Cerna
	2400	70	D. Cerna

Sunday

Date	Time	Temp.	Name (Print)
6-9-24	0300	70	P. Cerna
	0600	70	Florres
	0900	70	Florres
	1200	72	Florres
	1500	72	A. Arguello
	1800	74	A. Arguello
	2100	72	A. Arguello
	2400	70	J. ALVAREZ

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	68	J. ALVAREZ
	0600	70	Florres
	0900	74	Florres
	1200	74	Florres
	1500	78	A. Mezoia
	1800	75	A. Mezoia
	2100	71	A. Mezoia
	2400	69	J. ALVAREZ

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	68	J. ALVAREZ
	0600	71	D. Sanchez
	0900	75	D. Sanchez
	1200	77	D. Sanchez
	1500	81	D. Cerna
	1800	79	D. Cerna
	2100	74	D. Cerna
	2400	70	Bradford

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	70	D. Cerna
	0600	70	Florres
	0900	74	Florres
	1200	76	Florres
	1500	80	NIX
	1800	78	NIX
	2100	73	NIX
	2400	70	Barrera

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 100, 109, 111, 201, 202, 203, 204, 300, 301, 312, 313, 401, 402, 403, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRG Housing Unit: FACILITY-B Temp. Reading Location: DORM: 210
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
June 10, 2024	0300	70	ALVAREZ
	0600	70	
	0900	70	
	1200	70	
	1500	78	J. VARGAS
	1800	78	J. VARGAS
	2100	78	J. VARGAS
	2400	73	ALVAREZ

Wednesday

Date	Time	Temp.	Name (Print)
June 12, 2024	0300	79	ALVAREZ
	0600	79	
	0900	71	
	1200	71	
	1500	72	ARROYO
	1800	73	ARROYO
	2100	73	ARROYO
	2400	73	ALVAREZ

Friday

Date	Time	Temp.	Name (Print)
June 14, 2024	0300	71	E. Arevalo
	0600	70°	E. MELENDEZ
	0900	71°	E. MELENDEZ
	1200	74°	E. MELENDEZ
	1600	80°	P. Becerra
	1800	81°	P. Becerra
	2100	80°	P. Becerra
	2400	74	E. Arevalo

Sunday

Date	Time	Temp.	Name (Print)
June 16, 2024	0300	74	ALVAREZ
	0600	71	
	0900	76	
	1200	70	
	1500	81	R. Arevalo
	1800	80	R. Arevalo
	2100	78	A. Alvarez
	2400	74	ALVAREZ

Tuesday

Date	Time	Temp.	Name (Print)
June 11, 2024	0300	70	ALVAREZ
	0600	70	
	0900	70	
	1200	79	Shaw
	1600	80	Shaw
	1800	81	Shaw
	2100	70	Shaw
	2400	73	ALVAREZ

Thursday

Date	Time	Temp.	Name (Print)
June 13, 2024	0300	71	ALVAREZ
	0600	76	M. Vazquez
	0900	70	M. Vazquez
	1200	73	M. Vazquez
	1600	73	ARROYO
	1800	74	ARROYO
	2100	75	ARROYO
	2400	74	E. Arevalo

Saturday

Date	Time	Temp.	Name (Print)
June 15, 2024	0300	74	E. Arevalo
	0600	71	
	0900	71	
	1200	74	
	1600	81	N. Nash
	1800	81	Nash
	2100	71	Nash
	2400	78	ALVAREZ

Notes

DISTRIBUTION: Original Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

Temp Reading Location: Dorm 210

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 17, 2024	0300	71	ALVAREZ
	0600	72	
	0900	72	
	1200	71	
	1500	78	J. DAY
	1800	80	J. DAY
	2100	74	ALVAREZ
	2400	72	ALVAREZ

Wednesday

Date	Time	Temp.	Name(Print)
June 19, 2024	0300	70	ALVAREZ
	0600	71	
	0900	71	
	1200	70	
	1500	80	D. C.
	1800	80	D. C.
	2100	80	D. C.
	2400	73	ALVAREZ

Friday

Date	Time	Temp.	Name(Print)
June 21, 2024	0300	70	Mechanician
	0600	70	L. L.
	0900	71	L. L.
	1200	80	L. L.
	1500	80	D. C.
	1800	81	D. C.
	2100	84	D. C.
	2400	80	Bradford

Sunday

Date	Time	Temp.	Name(Print)
June 23, 2024	0300	81	ALVAREZ
	0600	81	GOMEZ
	0900	80	GOMEZ
	1200	80	GOMEZ
	1500	95	A. Arevalo
	1800	95	B. Arevalo
	2100	90	A. Arevalo
	2400	85	ALVAREZ

Tuesday

Date	Time	Temp.	Name(Print)
June 18, 2024	0300	70	ALVAREZ
	0600	70	
	0900	71	
	1200	72	
	1500	78	D. C.
	1800	78	D. C.
	2100	78	D. C.
	2400	73	ALVAREZ

Thursday

Date	Time	Temp.	Name(Print)
June 20, 2024	0300	70	ALVAREZ
	0600	70	Coburn
	0900	70	Coburn
	1200	70	Coburn
	1500	80	MORALES
	1800	82	MORALES
	2100	80	MORALES
	2400	78	Mechanician

Saturday

Date	Time	Temp.	Name(Print)
June 22, 2024	0300	74	Bradford
	0600	74	L. L.
	0900	79	L. L.
	1200	81	L. L.
	1500	89	L. L.
	1800	89	L. L.
	2100	82	L. L.
	2400	84	ALVAREZ

Notes

6/23/24 - 1118 watch notified 90° inside
 6-23-24 1300 watch notified 90° inside Jun
 6-23-24 1918 watch notified 94° inside Jun

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

Temp Reading Location: Dorm 210
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	79	ALVAREZ
	0600	74	Sanchez
	0900	80	Sandoval
	1200	80	Sandoval
	1500	81	J. DAVIS
	1800	81	J. DAVIS
	2100	70	J. DAVIS
	2400	75	M. Addison

Wednesday			
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	78	
	0600	80	Sandoval
	0900	81	Sandoval
	1200	80	
	1500	84	D.C.
	1800	82	D.C.
	2100	80	D.C.
	2400	80	

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	76	F. Amazon
	0600	76	W. Amire
	0900	78	W. Amire
	1200	81	W. Amire
	1500	82	D. C.
	1800	82	D. C.
	2100	80	D. C.
	2400	79	F. Amazon

Sunday			
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	70	J. Gayzel
	0600	71	
	0900	76	
	1200	70	
	1500	78	
	1800	81	
	2100	81	
	2400	85	Alvarez

Tuesday			
Date	Time	Temp.	Name(Print)
June 25, 2024	0300	78	M. Addison
	0600	76	BRACEDON
	0900	80	BRACEDON
	1200	86	BRACEDON
	1500	89	
	1800	86	D. C.
	2100	84	D. C.
	2400	74	

Thursday			
Date	Time	Temp.	Name(Print)
June 27, 2024	0300	80	
	0600	80	Cobarrubia
	0900	82	Cobarrubia
	1200	83	Cobarrubia
	1500	86	D. C.
	1800	84	D. C.
	2100	82	D. C.
	2400	80	F. Meza

Saturday			
Date	Time	Temp.	Name(Print)
June 29, 2024	0300	78	F. Amazon
	0600	71	H. M.
	0900	72	H. M.
	1200	79	H. M.
	1500	83	L. NEK
	1800	83	L. NEK
	2100	83	L. NEK
	2400	70	J. DAVIS

Notes

90° in 210
90° in 260 1/3

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS - 102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 306, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409; OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM 211
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-24	0300	75°	F. Enero
	0600	75	I. Tony
	0900	75	Bony
	1200	78	Bony
	1500	80	I. Tony
	1800	80	I. Tony
	2100	80	I. Tony
	2400	76	R. Casas

Sunday

Date	Time	Temp.	Name (Print)
6-24	0300	74	R. Casas
	0600	74	Thony
	0900	74	Bony
	1200	78	Thony
	1500	78	Shaw
	1800	78	Shaw
	2100	70	Shaw
	2400	78	R. Casas

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 100, 111, 201, 202, 203, 200,
301, 300, 311, 312, 313, 101, 102, 103,
400, 401, 400, 400, PHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM: 211

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	70	Casas
	0600	70	C. Felix
	0900	74	C. Felix
	1200	76	C. Felix
	1500	78	Fierro
	1800	78	Gomez
	2100	72	Gomez
	2400	70	Custard

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	70	Fierro
	0600	71	D. Vasquez
	0900	74	D. Vasquez
	1200	78	D. Vasquez
	1500	81	De Lao
	1800	77	De Lao
	2100	74	De Lao
	2400	72	Fierro

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	68	Fierro
	0600	70	De Lao
	0900	70	De Lao
	1200	72	De Lao
	1500	78	B. Zavala
	1800	74	B. Zavala
	2100	71	B. Zavala
	2400	70	Fierro

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	69	Casas
	0600	78	Bon
	0900	80	Bon
	1200	84	Bon
	1500	85	Jordan
	1800	79	Jordan
	2100	73	Jordan
	2400	70	Casas

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	68	Custard
	0600	68	C. Felix
	0900	76	C. Felix
	1200	77	C. Felix
	1500	78	C. Felix
	1800	82	C. Felix
	2100	78	C. Felix
	2400	70	Fierro

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	70	Fierro
	0600	70	Casas
	0900	73	Casas
	1200	75	Casas
	1500	79	De Lao
	1800	80	De Lao
	2100	73	De Lao
	2400	70	Fierro

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	68	Fierro
	0600	77	Bon
	0900	80	Bon
	1200	84	Bon
	1500	80	Bon
	1800	82	Bon
	2100	88	Bon
	2400	70	Casas

Notes

211

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS • 102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM 211
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	74	R Casas
	0600	72	Godinez
	0900	75	Godinez
	1200	79	Godinez
	1500	80	Moreno
	1800	80	Moreno
	2100	80	Moreno
	2400	78°	FIERRO

Tuesday

Date	Time	Temp.	Name (Print)
6-11-24	0300	74	FIERRO
	0600	74	DELAO
	0900	74	DELAO
	1200	80	DELAO
	1500	82	DELAO
	1800	84	DELAO
	2100	80	DELAO
	2400	78°	FIERRO

Wednesday

Date	Time	Temp.	Name (Print)
6-12-24	0300	75°	FIERRO
	0600	75°	FIERRO
	0900	76	PALMIS
	1200	78	PALMIS
	1500	85	DELAO
	1800	88	DELAO
	2100	83	DELAO
	2400	78	YOUNG

Thursday

Date	Time	Temp.	Name (Print)
6-13-24	0300	75	YOUNG
	0600	74	R Casas
	0900	74	R Casas
	1200	76	R Casas
	1500	82	T DELAO
	1800	85	T DELAO
	2100	82	T DELAO
	2400	78°	FIERRO

Friday

Date	Time	Temp.	Name (Print)
6-14-24	0300	72°	FIERRO
	0600	79	C. Felix
	0900	76	C. Felix
	1200	82	C. Felix
	1500	82	C. Felix
	1800	80	C. Felix
	2100	80	C. Felix
	2400	80°	FIERRO

Saturday

Date	Time	Temp.	Name (Print)
6-15-24	0300	75°	FIERRO
	0600	75	Young
	0900	78	Young
	1200	86	Young
	1500	90	Young
	1800	90	Young
	2100	89	Young
	2400	78	R Casas

Sunday

Date	Time	Temp.	Name (Print)
6-16-24	0300	74	R Casas
	0600	76	Young
	0900	80	Young
	1200	82	Young
	1500	88	JORDAN
	1800	82	JORDAN
	2100	81	R Casas
	2400	80	R Casas

Notes

6-15-24 at 1434 hours Stage II, chilled the watch.

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC

Housing Unit: Facility B

Temp Reading Location: Dorm 211

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
June 17, 2024	0300	74	A. Jordan
	0600	72	C. Felix
	0900	78	C. Felix
	1200	80	C. Felix
	1500	83	N. Jordan
	1800	80	N. Jordan
	2100	80	N. Jordan
	2400	78	Fierro

Wednesday

Date	Time	Temp.	Name(Print)
June 19, 2024	0300	75°	C. Fierro
	0600	74	C. Felix
	0900	80	C. Felix
	1200	80	C. Felix
	1500	82	C. Felix
	1800	82	C. Felix
	2100	80	C. Felix
	2400	78	Fierro

Friday

Date	Time	Temp.	Name(Print)
June 21, 2024	0300	75	Fierro
	0600	75	DELAO
	0900	79	DELAO
	1200	85	DELAO
	1500	90	DELAO
	1800	90	DELAO
	2100	87	DELAO
	2400	78	Torrez

Sunday

Date	Time	Temp.	Name(Print)
June 23, 2024	0300	80	R. Casas
	0600	80	Torrez
	0900	84	Torrez
	1200	84	Torrez
	1500	90	N. Jordan
	1800	98	N. Jordan
	2100	90	N. Jordan
	2400	89	R. Casas

Tuesday

Date	Time	Temp.	Name(Print)
June 18, 2024	0300	75°	Fierro
	0600	72	C. Felix
	0900	76	C. Felix
	1200	82	C. Felix
	1500	82	C. Felix
	1800	80	C. Felix
	2100	79	C. Felix
	2400	75°	G. Figuero

Thursday

Date	Time	Temp.	Name(Print)
June 20, 2024	0300	75°	Fierro
	0600	74	C. Felix
	0900	80	C. Felix
	1200	80	C. Felix
	1500	79	C. Elias
	1800	78	C. Elias
	2100	77	C. Elias
	2400	80°	Fierro

Saturday

Date	Time	Temp.	Name(Print)
June 22, 2024	0300	78	Bill
	0600	77	Torrez
	0900	80	Torrez
	1200	80	Torrez
	1500	92	Torrez
	1800	96	Torrez
	2100	92	Torrez
	2400	88	2 weeks

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,

209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 211
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	82	R Casas
	0600	80	Cavillo
	0900	86	Carrillo
	1200	88	Carrillo
	1500	98	JORDAN
	1800	10	JORDAN
	2100	90	JORDAN
	2400	85°	Fierro

Wednesday			
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	82°	Fierro
	0600	78	Ave
	0900	84	Ave
	1200	88	Ave
	1500	89	Nash
	1800	89	Nash
	2100	89	Nash
	2400	80°	Fierro

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	79	B. Gonzalez
	0600	76	DELAO
	0900	80	DELAO
	1200	80	DELAO
	1500	90	DELAO
	1800	90	DELAO
	2100	88	DELAO
	2400	80°	Fierro

Sunday			
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	76	R Casas
	0600	78	Tong
	0900	80	Tong
	1200	90	Tong
	1500	90	ARRAZO
	1800	90	ARRAZO
	2100	89	ARRAZO
	2400	86	R Casas

Tuesday			
Date	Time	Temp.	Name(Print)
June 25, 2024	0300	80°	Fierro
	0600	80	Sandaval
	0900	85	Sandaval
	1200	86	Santos
	1500	89	Nash
	1800	89	Nash
	2100	85	Nash
	2400	82°	Fierro

Thursday			
Date	Time	Temp.	Name(Print)
June 27, 2024	0300	78°	Fierro
	0600	80	Perez
	0900	82	Perez
	1200	84	Perez
	1500	90	DELAO
	1800	90	DELAO
	2100	90	Perez
	2400	84	B. Gonzalez

Saturday			
Date	Time	Temp.	Name(Print)
June 29, 2024	0300	75°	Fierro
	0600	75	Tong
	0900	80	Tong
	1200	84	Tong
	1500	90	Tong
	1800	90	Tong
	2100	89	Tong
	2400	82	R Casas

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CFC Housing Unit: 212 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	CASAS
	0600	70	S. GONZALEZ
	0900	70	C. Gonzalez
	1200	70	S. Gonzalez
	1500	75	SANTA
	1800	75	SANTA
	2100	75	SANTA
	2400	70	SANTA

Sunday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	Santa
	0600	70	J. Lyons
	0900	70	J. Lyons
	1200	72	J. Lyons
	1500	74	J. Sanson
	1800	74	J. Sanson
	2100	74	J. Sanson
	2400	71	P. Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2001 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS. 102, 103, 100, 111, 201, 202, 203, 200,
904, 300, 911, 912, 315, 401, 402, 403,
404, 107, 405, 406, 410

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM: 212
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-2024	0300	69	R. Gonzalez
	0600	70	Strieby
	0900	73	Strieby
	1200	75	Strieby
	1500	81	R. H. Beck
	1800	79	Beck
	2100	73	R. H. Beck
	2400	70	R. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
6-4-2024	0300	69	R. Gonzalez
	0600	70	Strieby
	0900	73	Strieby
	1200	73	Strieby
	1500	79	Ramirez
	1800	76	Ramirez
	2100	71	Ramirez
	2400	70	R. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
6-5-2024	0300	70	R. Gonzalez
	0600	71	Strieby
	0900	75	Strieby
	1200	78	Strieby
	1500	81	Lopez
	1800	75	Lopez
	2100	72	Lopez
	2400	72	R. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
6-6-2024	0300	70	R. Gonzalez
	0600	77	Strieby
	0900	80	Strieby
	1200	84	Strieby
	1500	87	Hardge
	1800	80	Hardge
	2100	74	Hardge
	2400	72	Casas

Friday

Date	Time	Temp.	Name (Print)
6-7-2024	0300	70	Casas
	0600	78	Baum
	0900	82	Baum
	1200	86	Baum
	1500	85	Jordan
	1800	79	Jordan
	2100	76	Jordan
	2400	73	Casas

Saturday

Date	Time	Temp.	Name (Print)
6-8-2024	0300	70	Casas
	0600	70	H. Garcia
	0900	73	H. Garcia
	1200	75	H. Garcia
	1500	78	Jordan
	1800	78	Jordan
	2100	71	Jordan
	2400	70	R. Gonzalez

Notes

Date	Time	Temp.	Name (Print)
6-9-2024	0300	70	R. Gonzalez
	0600	70	Meza
	0900	72	Meza
	1200	75	Meza
	1500	79	Smith
	1800	77	Smith
	2100	73	Smith
	2400	71	R. Gonzalez

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
JDCR 2001 (04/10)

Dorm 212

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS - 102, 103, 108, 111, 201, 202, 203, 200, 214
304, 308, 311, 312, 313, 401, 402, 403, 404
406, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM - 212
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/10/2024	0300	70	R. GONZALEZ
	0600	70	J. LEWIS
	0900	70	J. LEWIS
	1200	70	J. LEWIS
	1500	71	
	1800	79	
	2100	74	
	2400	75	GARNERATO

Tuesday

Date	Time	Temp.	Name (Print)
06/11/2024	0300	71	C. MUSSET
	0600	72	GARNERATO
	0900	78	M. VILLAMAR
	1200	78	M. VILLAMAR
	1500	78	W. POMPEO
	1800	80	W. POMPEO
	2100	76	W. POMPEO
	2400	69	C. MUSSET R. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
06/12/2024	0300	69	L. JONES R. Gonzalez
	0600	73	B. Bradford
	0900	73	B. Bradford
	1200	78	B. Bradford
	1500	80	F. BECERRA
	1800	80	F. BECERRA
	2100	80	F. BECERRA
	2400	74	R. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
06/13/2024	0300	74	R. Gonzalez
	0600	70	DELASO
	0900	79	DELASO
	1200	75	DELASO
	1500	80	Hardy E
	1800	81	Hardy E
	2100	80	Hardy E
	2400	74	R. Casas

Friday

Date	Time	Temp.	Name (Print)
06/14/2024	0300	70	R. Casas
	0600	67	R. Casas
	0900	70	R. Casas
	1200	80	R. Casas
	1500	81	N. JORDAN
	1800	85	N. JORDAN
	2100	83	N. JORDAN
	2400	78	R. Casas

Saturday

Date	Time	Temp.	Name (Print)
06/15/2024	0300	72	R. Casas
	0600	70	TOPRES A
	0900	75	TOPRES A
	1200	82	TOPRES A
	1500	89	JORDAN
	1800	90	JORDAN
	2100	87	JORDAN
	2400	70	PAVA

Sunday

Date	Time	Temp.	Name (Print)
06/16/2024	0300	74	KFNA
	0600	70	STEBBY
	0900	75	STEBBY
	1200	83	STEBBY
	1500	84	A. CASTRO
	1800	84	A. CASTRO
	2100	80	A. CASTRO
	2400	80	R. Gonzalez

Notes

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 212
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 17, 2024	0300	70	R. Gonzalez
	0600	70	Strieby
	0900	73	Strieby
	1200	76	Strieby
	1500	80	Strieby
	1800	80	Strieby
	2100	79	Strieby
	2400	70	R. Gonzalez

Wednesday			
Date	Time	Temp.	Name(Print)
June 19, 2024	0300	70	R. Gonzalez
	0600	68	Alvarez
	0900	68	Alvarez
	1200	74	Alvarez
	1500	79	Teay
	1800	79	Teay
	2100	78	Teay
	2400	72	R. Gonzalez

Friday			
Date	Time	Temp.	Name(Print)
June 21, 2024	0300	70	R. Casas
	0600	70	Tracy
	0900	74	Tracy
	1200	80	Tracy
	1500	90	Morano
	1800	90	Morano
	2100	89	Morano
	2400	80	R. Casas

Sunday			
Date	Time	Temp.	Name(Print)
June 23, 2024	0300	84	R. Casas
	0600	74	Strieby
	0900	79	Strieby
	1200	84	Strieby
	1500	97	Strieby
	1800	95	Strieby
	2100	89	Strieby
	2400	84	R. Gonzalez

Tuesday			
Date	Time	Temp.	Name(Print)
June 18, 2024	0300	70	R. Gonzalez
	0600	70	Strieby
	0900	74	Strieby
	1200	80	Strieby
	1500	80	Alvarez
	1800	80	R. Parhamo
	2100	80	R. Parhamo
	2400	72	R. Gonzalez

Thursday			
Date	Time	Temp.	Name(Print)
June 20, 2024	0300	71	R. Gonzalez
	0600	70	Hansen
	0900	70	Hansen
	1200	74	Hansen
	1500	80	Mechristian
	1800	80	Mechristian
	2100	79	Mechristian
	2400	76	D. Casas

Saturday			
Date	Time	Temp.	Name(Print)
June 22, 2024	0300	72	R. Casas
	0600	72	Neyra
	0900	80	Neyra
	1200	88	Neyra
	1500	95	Morano
	1800	95	Morano
	2100	92	Morano
	2400	87	R. Cafay

Notes

90° in 212 at 1345 hours
95° in 212 at 1500 hours

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B Temp Reading Location: Dorm 212
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	80	R. Gonzalez
	0600	80	J. Strieby
	0900	86	J. Strieby
	1200	94	J. Strieby
	1500	94	J. Roffbold
	1800	93	J. Roffbold
	2100	90	J. Roffbold
	2400	85	R. Gonzalez

Wednesday			
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	73	R. Gonzalez
	0600	73	J. Strieby
	0900	82	J. Strieby
	1200	88	J. Strieby
	1500	90	MORALES
	1800	90	MORALES
	2100	88	MORALES
	2400	80	R. Gonzalez

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	80	A. Meza
	0600	70	J. Davis
	0900	80	J. Davis
	1200	86	J. Davis
	1500	90	A. Moreno
	1800	90	A. Moreno
	2100	83	A. Moreno
	2400	78	J. Davis

Sunday			
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	78	R. Gonzalez
	0600	72	J. Strieby
	0900	60	J. Strieby
	1200	69	J. Strieby
	1500	93	J. Strieby
	1800	92	J. Strieby
	2100	90	J. Strieby
	2400	85	R. Gonzalez

Tuesday			
Date	Time	Temp.	Name(Print)
June 25, 2024	0300	80	R. Gonzalez
	0600	80	J. Strieby
	0900	83	J. Strieby
	1200	87	J. Strieby
	1500	91	R. Parano
	1800	90°	R. Parano
	2100	88°	R. Parano
	2400	80	R. Gonzalez

Thursday			
Date	Time	Temp.	Name(Print)
June 27, 2024	0300	73	R. Gonzalez
	0600	70	DELAO
	0900	70	DELAO
	1200	83	DELAO
	1500	89	R. Bautista
	1800	90	R. Bautista
	2100	86	R. Bautista
	2400	80	R. Casas

Saturday			
Date	Time	Temp.	Name(Print)
June 29, 2024	0300	70	J. DAVIS
	0600	69	Neville
	0900	74	Neville
	1200	82	Neville
	1500	90	A. Moreno
	1800	91	A. Moreno
	2100	89	A. Moreno
	2400	80	R. Gonzalez

Notes

- 1533 91° inside. Notified Watch Commander. Stage II
- Stage I deactivated at 1600
- 6/26 - @ 1445 STAGE I activated
- 6/27/24 - @ 1550 STAGE II
- 6/28/24 @ 1500 Stage II activated
- 6/29/24 @ 1514 Stage II deactivated

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COOR 2031 (01/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 108, 111, 170, 202, 106, 200, 214
101, 300, 301, 312, 319, 101, 103, 104
106, 107, 108, 109, 105, 106, 107

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY Temp. Reading Location: DORM: 24

(a.g., 1st tier, 2nd tier, 3rd tier, J.P.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	77	DEAN
	0600	77	LEON
	0900	77	LEON
	1200	78	LEON
	1500	78	J.DAVID
	1800	78	J.DAVID
	2100	78	J.DAVID
	2400	77	WILL

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	cl.Bur
	0600	78	Gardiner
	0900	78	Gardiner
	1200	79	Gardiner
	1500	78	J.DAVID
	1800	78	J.DAVID
	2100	78	J.DAVID
	2400	78	J.DAVID

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2001 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS - 102, 103, 100, 111, 201, 202, 203, 200,
304, 309, 311, 312, 313, 301, 402, 403,
404, 407, 408, 409, OHU.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRO Housing Unit: FACILITY: Temp, Reading Location: DORM - Z14

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the Inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-3-24	0300	72	Amarola
	0600	77	Amarola
	0900	74	Amarola
	1200	76	Amarola
	1600	76	Ramirez
	1800	78	Ramirez
	2100	74	Ramirez
	2400	72	Duran

Tuesday

Date	Time	Temp.	Name (Print)
6-4-24	0300	72	Duran
	0600	74	Ramirez
	0900	74	Ramirez
	1200	76	Ramirez
	1600	76	Garcia
	1800	78	Garcia
	2100	74	Garcia
	2400	72	Burnes

Wednesday

Date	Time	Temp.	Name (Print)
6-5-24	0300	70	Burnes
	0600	71	MIRANDA
	0900	72	MIRANDA
	1200	74	MIRANDA
	1500	77	Cobanubres
	1800	78	Cobanubres
	2100	74	Cobanubres
	2400	70	Burnes

Thursday

Date	Time	Temp.	Name (Print)
6-6-24	0300	70	Burnes
	0600	72	MIRANDA
	0900	72	MIRANDA
	1200	74	MIRANDA
	1600	76	Cobanubres
	1800	78	Cobanubres
	2100	74	Cobanubres
	2400	72	Burnes

Friday

Date	Time	Temp.	Name (Print)
6-7-24	0300	70	Burnes
	0600	70	Navarro
	0900	76	Navarro
	1200	76	Navarro
	1500	78	Cobanubres
	1800	79	Cobanubres
	2100	74	Cobanubres
	2400	72	Perel

Saturday

Date	Time	Temp.	Name (Print)
6-8-24	0300	70	Perel
	0600	72	Navarro
	0900	74	Navarro
	1200	78	Navarro
	1600	80	Gonzilaso
	1800	78	Gonzilaso
	2100	74	Gonzilaso
	2400	72	Perel

Notes

Date	Time	Temp.	Name (Print)
6-9-24	0300	72	Perel
	0600	70	VELA
	0900	70	VELA
	1200	74	VELA
	1500	78	P. LOPEZ
	1800	78	P. LOPEZ
	2100	76	P. LOPEZ
	2400	72	Amarola

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRCHousing Unit: 214

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____

when the inside air temperature reaches

90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	77	DULAN
	0600	76	D. Schellie
	0900	76	DULAN 1126
	1200	80	SANTANA
	1500	80	BARRERA
	1800	80	BARRERA
	2100	81	BARRERA
	2400	79	K. Am 2010

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	74	K. Am 2010
	0600	74	K. Am 2010
	0900	78	J. Aguirre
	1200	79	J. Aguirre
	1500	81	Cobanis 1125
	1800	80	Cobanis 1125
	2100	79	Cobanis 1125
	2400	78	C. M. T.

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	77	C. M. T.
	0600	76	PEACOCK 1127
	0900	80	CLAUDIO
	1200	82	PEACOCK 1127
	1500	82	Cobanis 1125
	1800	82	Cobanis 1125
	2100	81	Cobanis 1125
	2400	79	T. Howard

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	78	T. Howard
	0600		
	0900		
	1200		
	1500	82	Cobanis 1125
	1800	84	Cobanis 1125
	2100	80	Cobanis 1125
	2400	79	T. Howard

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	79	T. Howard
	0600	78	C. M. T.
	0900	78	NARVAZ
	1200	80	NARVAZ
	1500	83	Cobanis 1125
	1800	81	Cobanis 1125
	2100	81	Cobanis 1125
	2400	80	C. M. T.

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	78	C. M. T.
	0600	78	NARVAZ
	0900	80	NARVAZ
	1200	84	NARVAZ
	1500	84	222
	1800	84	222
	2100	82	222
	2400	81	222

Notes

Date	Time	Temp.	Name (Print)
6/16/24	0300	80	
	0600	80	V. Garcia
	0900	81	D. Davis
	1200	83	S. Garcia
	1500	84	S. Garcia
	1800	84	S. Garcia
	2100	82	S. Garcia
	2400	80	S. Garcia

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS : 102, 103, 108, 111, 201, 202, 203, 204, 308, 311, 312, 313, 401, 402, 403, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM - 24
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	78	v. tavano
	0600	76	C.D.B.
	0900	76	C.D.B.
	1200	78	C.D.B.
	1500	76	W.W.
	1800	78	W.W.
	2100	80	W.W.
	2400	78	L. PON

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	78	A. Perez
	0600	72	D.B.
	0900	78	D.B.
	1200	80	D.B.
	1500	81	Cobarrubias
	1800	79	Cobarrubias
	2100	77	Cobarrubias
	2400	77	A. Perez

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	76	A. Perez
	0600	72	Narvaez
	0900	74	Narvaez
	1200	78	Narvaez
	1500	80	Cobarrubias
	1800	79	Cobarrubias
	2100	78	Cobarrubias
	2400	76	A. Perez

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	79	A. Perez
	0600	79	C.D.B.
	0900	80	C.D.B.
	1200	80	W.W.
	1500	80	W.W.
	1800	80	W.W.
	2100	80	W.W.
	2400	82	K. Amador/C.

Tuesday

Date	Time	Temp.	Name (Print)
6/21/24	0300	76	L. PON
	0600	76	C.D.B.
	0900	78	C.D.B.
	1200	80	C.D.B.
	1500	82	Cobarrubias
	1800	80	Cobarrubias
	2100	78	Cobarrubias
	2400	77	A. Perez

Thursday

Date	Time	Temp.	Name (Print)
6/21/24	0300	77	A. Perez
	0600	76	D.B.
	0900	78	D.B.
	1200	78	D.B.
	1500	80	Cobarrubias
	1800	79	Cobarrubias
	2100	77	Cobarrubias
	2400	77	A. Perez

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	75	A. Perez
	0600	75	Martinez
	0900	75	Martinez
	1200	80	Martinez
	1500	80	J. Perez
	1800	80	J. Perez
	2100	82	J. Perez
	2400	80	A. Perez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air.

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC

Housing Unit: Facility B

Temp Reading Location: Dorm 214

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
June 24, 2024	0300	79	K. Amzola
	0600	80	K. Amzola
	0900	80	K. Amzola
	1200	80	K. Amzola
	1500	85	L. Duran
	1800	87	L. Duran
	2100	87	L. Duran
	2400	85	K. Amzola

Wednesday			
Date	Time	Temp.	Name(Print)
June 26, 2024	0300	80	K. Amzola
	0600	78	C. Diaz
	0900	80	C. Diaz
	1200	82	C. Diaz
	1500	83	Cobarrubias
	1800	82	Cobarrubias
	2100	82	Cobarrubias
	2400	82	Cl. Burney

Friday			
Date	Time	Temp.	Name(Print)
June 28, 2024	0300	79	A. Perez
	0600	79	D. Duran
	0900	80	D. Duran
	1200	81	D. Duran
	1500	83	Cobarrubias
	1800	83	Cobarrubias
	2100	81	Cobarrubias
	2400	78	Cl. Burney

Sunday			
Date	Time	Temp.	Name(Print)
June 30, 2024	0300	78	D. Duran
	0600	78	D. Garcia
	0900	78	D. Garcia
	1200	82	D. Garcia
	1500	80	M. Lopez
	1800	80	M. Lopez
	2100	80	M. Lopez
	2400	80	M. Lopez

Tuesday

Tuesday			
Date	Time	Temp.	Name(Print)
June 25, 2024	0300	80	M. Lopez
	0600	80	D. Duran
	0900	79	D. Duran
	1200	83	D. Duran
	1500	84	Cobarrubias
	1800	84	Cobarrubias
	2100	82	Cobarrubias
	2400	80	M. Lopez

Thursday

Thursday			
Date	Time	Temp.	Name(Print)
June 27, 2024	0300	80	Cl. Burney
	0600	78	D. Duran
	0900	79	A. Hernandez
	1200	80	Cobarrubias
	1500	82	Cobarrubias
	1800	84	Cobarrubias
	2100	82	Cobarrubias
	2400	80	A. Hernandez

Saturday

Saturday			
Date	Time	Temp.	Name(Print)
June 29, 2024	0300	77	Cl. Burney
	0600	78	M. Lopez
	0900	78	M. Lopez
	1200	79	M. Lopez
	1500	80	X. Z.
	1800	82	A. Perez
	2100	81	A. Perez
	2400	80	D. Duran

Notes

6/24/24 C1144 Stage 1 Activated

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC/NORCO**Housing Unit: **INFIRMARY**Temp. Reading Location: **OHU**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension **4311** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
6/1/29	0300	70	J. ANDRADE
	0600	70	B. MONTOYA
	0900	70	B. MONTOYA
	1200	72	B. MONTOYA
	1500	70	H. PHILOCRETÉ
	1800	70	H. PHILOCRETÉ
	2100	70	H. PHILOCRETÉ
	2400	70	J. ANDRADE

Sunday

Date	Time	Temp	Name (Print)
6/2/29	0300	70	J. ANDRADE
	0600	70	SOLORIO
	0900	72	SOLORIO
	1200	72	SOLORIO
	1500	72	H. PHILOCRETÉ
	1800	70	H. PHILOCRETÉ
	2100	70	H. PHILOCRETÉ
	2400	70	J. ANDRADE

Notes

Designated Heat Doms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: INFIRMARY

Temp. Reading Location:

OHU

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/3/2024	0300	70	J. ANDRADE
	0600	70	T. CORTES
	0900	70	F. GOMEZ
	1200	70	F. GOMEZ
	1500	70	PHILOCTETE
	1800	70	PHILOCTETE
	2100	70	PHILOCTETE
	2400	70	J. ANDRADE

Tuesday

Date	Time	Temp	Name (Print)
6/4/2024	0300	70	J. ANDRADE
	0600	70	G. KENNEDY
	0900	70	G. KENNEDY
	1200	70	E. KENNEDY
	1500	70	PHILOCTETE
	1800	70	PHILOCTETE
	2100	70	PHILOCTETE
	2400	70	J. ANDRADE

Wednesday

Date	Time	Temp	Name (Print)
6/5/2024	0300	70	J. ANDRADE
	0600	70	J. ANDRADE
	0900	70	M. Garcia
	1200	70	M. Garcia
	1500	70	PHILOCTETE
	1800	70	PHILOCTETE
	2100	70	PHILOCTETE
	2400	70	J. ANDRADE

Thursday

Date	Time	Temp	Name (Print)
6/6/2024	0300	70	J. ANDRADE
	0600	70	J. ANDRADE
	0900	70	D. CREECHTON
	1200	70	D. CREECHTON
	1500	70	L. Placencia
	1800	70	L. Placencia
	2100	70	L. Placencia
	2400	70	E. FERNANDEZ

Friday

Date	Time	Temp	Name (Print)
6/7/2024	0300	70	I. FERNANDEZ
	0600	70	PENNINGTON
	0900	70	PENNINGTON
	1200	70	PENNINGTON
	1500	70°F	G. ROBLES
	1800	70°F	G. ROBLES
	2100	70°F	G. ROBLES
	2400	70	I. FERNANDEZ

Saturday

Date	Time	Temp	Name (Print)
6/8/2024	0300	70	FERNANDEZ
	0600	70	B. MONTOYA
	0900	70	B. MONTOYA
	1200	70	B. MONTOYA
	1500	70	PHILOCTETE
	1800	70	PHILOCTETE
	2100	70	PHILOCTETE
	2400	70	J. ANDRADE

Sunday

Date	Time	Temp	Name (Print)
6/9/2024	0300	70	J. ANDRADE
	0600	70°	SOLORIO
	0900	70°	SOLORIO
	1200	70	SOLORIO
	1500	70	PHILOCTETE
	1800	70	PHILOCTETE
	2100	70	PHILOCTETE
	2400	70	J. ANDRADE

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT E

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,

401, 402, 403, 404, 405, 406, 407, 408, 409, 410,

OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: INFIRMARYTemp. Reading Location: OHU

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/10/24	0300	70	J. ANDRADE
	0600	70	J. ANDRADE
	0900	70	F. CARLOS
	1200	70	F. CARLOS
	1500	70	PHILOCETE
	1800	70	PHILOCETE
	2100	70	PHILOCETE
	2400	69	Moreno

Tuesday

Date	Time	Temp	Name (Print)
6/11/24	0300	69	Moreno
	0600	70	AGUIRRE
	0900	70	AGUIRRE
	1200	70	PHILOCETE
	1500	70	PHILOCETE
	1800	70	PHILOCETE
	2100	70	PHILOCETE
	2400	70	J. ANDRADE

Wednesday

Date	Time	Temp	Name (Print)
6/12/24	0300	65	M. GARCIA
	0600	65	
	0900	70	
	1200	70	
	1500	70	PHILOCETE
	1800	70	PHILOCETE
	2100	70	PHILOCETE
	2400	70	J. ANDRADE

Thursday

Date	Time	Temp	Name (Print)
6/13/24	0300	70	J. ANDRADE
	0600	70	J. ANDRADE
	0900	70	PENNINLTON
	1200	70	PENNINLTON
	1500	72	PENNINLTON
	1800	72	Posadas
	2100	72	Posadas
	2400	70	G. GONZALEZ

Friday

Date	Time	Temp	Name (Print)
6/14/24	0300	70	G. GONZALEZ
	0600	70	PENNINLTON
	0900	72	PENNINLTON
	1200	72	PENNINLTON
	1500	72	Placencia
	1800	72	Placencia
	2100	72	Placencia
	2400	70	J. HAROLD

Saturday

Date	Time	Temp	Name (Print)
6/15/24	0300	70	T. HAROLD
	0600	70	PENNINLTON
	0900	70	PENNINLTON
	1200	72	PENNINLTON
	1500	72	J. SANCHEZ
	1800	72	J. SANCHEZ
	2100	72	J. SANCHEZ
	2400	72	J. ANDRADE

Sunday

Date	Time	Temp	Name (Print)
6/16/24	0300	70	J. ANDRADE
	0600	70	J. ANDRADE
	0900	70	PENNINLTON
	1200	70	PENNINLTON
	1500	75	M. Kelly
	1800	75	M. Kelly
	2100	75	M. Kelly
	2400	72	J. ANDRADE

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: INFIRMARYTemp. Reading Location: OHU

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6-17-24	0300	70	J. ANDRADE
	0600	70	J. ANDRADE
	0900	70	E. CANLES
	1200	70	F. AMBRE
	1500	70	G. GARCIA
	1800	70	G. GARCIA
	2100	70	G. GARCIA
	2400	70	J. ANDRADE

Tuesday

Date	Time	Temp	Name (Print)
6-18-24	0300	70	J. ANDRADE
	0600	70	J. ANDRADE
	0900	70	A. WILLIAMS
	1200	70	A. WILLIAMS
	1500	70	PHILOCETE
	1800	70	PHILOCETE
	2100	70	PHILOCETE
	2400	70	J. ANDRADE

Wednesday

Date	Time	Temp	Name (Print)
6-19-24	0300	70	J. ANDRADE
	0600	70	J. ANDRADE
	0900	70	B. BORGES
	1200	72	B. BORGES
	1500	71	PHILOCETE
	1800	71	PHILOCETE
	2100	71	PHILOCETE
	2400	70	J. ANDRADE

Thursday

Date	Time	Temp	Name (Print)
6-20-24	0300	70	J. ANDRADE
	0600	70	J. ANDRADE
	0900	70	PENNINGTON
	1200	72	PENNINGTON
	1500	72°F	G. ROBLES
	1800	71	G. ROBLES
	2100	72	G. ROBLES
	2400	70	I. FERNANDEZ

Friday

Date	Time	Temp	Name (Print)
6-21-24	0300	70	F. FERNANDEZ
	0600	71	W. HUNY
	0900	71	W. HUNY
	1200	71	W. HUNY
	1500	72	P. MEDINA
	1800	72	P. MEDINA
	2100	72	P. MEDINA
	2400	70	F. FERNANDEZ

Saturday

Date	Time	Temp	Name (Print)
6-22-24	0300	70	F. FERNANDEZ
	0600	71	B. BRAEDON
	0900	72	B. BRAEDON
	1200	72	B. BRAEDON
	1500	72	PHILOCETE
	1800	72	PHILOCETE
	2100	72	PHILOCETE
	2400	70	J. ANDRADE

Sunday

Date	Time	Temp	Name (Print)
6-23-24	0300	70	J. ANDRADE
	0600	70	J. ANDRADE
	0900	70	PENNINGTON
	1200	70	PENNINGTON
	1500	70	PHILOCETE
	1800	70	PHILOCETE
	2100	70	PHILOCETE
	2400	70	J. ANDRADE

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT E

Designated Heat Doms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: INFIRMARY

Temp. Reading Location:

OHU

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
6/24	0300	70	J - ANDRADE
	0600	70	J - ANDRADE
	0900	70	J - ANDRADE
	1200	70	J - ANDRADE
	1500	70	J - ANDRADE
	1800	70	J - ANDRADE
	2100	70	J - ANDRADE
	2400	70	J - ANDRADE

Tuesday

Date	Time	Temp	Name (Print)
6/25	0300	70	J - ANDRADE
	0600	70	J - ANDRADE
	0900	70	J - ANDRADE
	1200	70	J - ANDRADE
	1500	70	J - ANDRADE
	1800	70	J - ANDRADE
	2100	70	J - ANDRADE
	2400	70	J - ANDRADE

Wednesday

Date	Time	Temp	Name (Print)
6/26	0300	70	J - ANDRADE
	0600	70	J - ANDRADE
	0900	70	J - ANDRADE
	1200	72	J - ANDRADE
	1500	71	J - ANDRADE
	1800	71	J - ANDRADE
	2100	71	J - ANDRADE
	2400	70	J - ANDRADE

Thursday

Date	Time	Temp	Name (Print)
6/27	0300	70	J - ANDRADE
	0600	70	J - ANDRADE
	0900	70	PENNINGTON
	1200	72	PENNINGTON
	1500	72	R. Morales
	1800	72	R. Morales
	2100	n	R. Morales
	2400	70	I. FERNANDEZ

Friday

Date	Time	Temp	Name (Print)
6/28	0300	70	I. FERNANDEZ
	0600	70	PENNINGTON
	0900	72	PENNINGTON
	1200	72	PENNINGTON
	1500	75	A. CASTRO
	1800	73	A. CASTRO
	2100	73	A. CASTRO
	2400	70	I. FERNANDEZ

Saturday

Date	Time	Temp	Name (Print)
6/29	0300	70	I. FERNANDEZ
	0600	70	SOLARDO
	0900	72	SOLARDO
	1200	74	SOLARDO
	1500	76	A. CASTRO
	1800	74	A. CASTRO
	2100	70	A. CASTRO
	2400	70	M. KNUDSEN

Sunday

Date	Time	Temp	Name (Print)
6/30	0300	70	M. KNUDSEN
	0600	70	PENNINGTON
	0900	72	PENNINGTON
	1200	72	PENNINGTON
	1500	72	R. GARCIA
	1800	72	R. GARCIA
	2100	71	R. GARCIA
	2400	70	M. KNUDSEN

Notes

JUNE 2021	WAM	ZONE 1 HAND	WAM	ZONE 2 HAND
201	71	71	71	70
202	69	70	70	70
203	73	68	65	69
204	65	68	72	69
205	EMT/1		Entry	
206	70	70	75	70
207	69	72	71	70
208	70	71	62	71
209	75	73	70	71
210	70	71	71	71
211	75	71	70	71
212	69	71	74	72
213				
214	78	74	80	76

302	81	81	76	80
303	73	70	78	80
304	79	80	74	80
305	81	82	77	81
306	78	82	75	81
307	81	82	78	81
308	81	82	81	81
309	80	82	80	82
310	80	83	80	83
311	78	83	80	82
312	79	82	78	82
313	80	82	78	82

SALVADOR SANCHEZ
Lc. Card
6/15/21

June
2024

ZONE 1

	WALL	HAND
401	740	73
402	72	73
403	70	77
404	72	74
405	72	74
406	79	74
407	70	74
408	71	73
409	68	70

ZONE 2

	WALL	HAND
	73	71
	73	75
	70	72
	72	74
	73	74
	68	71
	70	73
	71	72

OPHUA

75
8275
82

75

79

SAVANNAH SPRINGER
Savannah
1/16/24