Monthly Summary Report

Institution: CMC

Memorandum

Date: June 1, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - May 2024

The following is a summary of the heat related activity for the month of May 2024,

at CMC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: No

   Number of days Stage I Alert initiated: 0

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

   Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

D. Samuel
Warden Name

Warden Signature

for T. Macias
Chief Executive Officer Name

Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA 5/1/2024 to 5/5/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **Catholic J Chapel** Temp. Reading Location: **Catholic Chapel**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday April 30, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday April

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday May 1, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69.0	J. FARAO
	1200	69.-	|
	1500	69.-	
	1800		
	2100		N/A
	2400		

Thursday May 2, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	J. FARAO
	1200	70	|
	1500	70	
	1800		
	2100		N/A
	2400		

Friday May 3, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	J. FARAO
	1200	69	"
	1500	69	"
	1800		
	2100		N/A
	2400		

Saturday May 4, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	J. FARAO
	1200	69	J. FARAO
	1500		|
	1800		
	2100		N/A
	2400		

Sunday May 5, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68	J. FARAO
	1200	69	|
	1500	69	|
	1800		
	2100		N/A
	2400		

Notes

J. Farao

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: Clothing Dist.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29	0300		N/A
	0600		
	0900	65	E. Arciano
	1200	68	E. Arciano
	1500	68	E. Arciano
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
4/30	0300		N/A
	0600		
	0900	64	J. Ebreo
	1200	65	E. Arciano
	1500	67	E. Arciano
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1	0300		N/A
	0600		
	0900	65	E. Arciano
	1200	68	E. Arciano
	1500		N/A
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/2	0300		N/A
	0600		
	0900	65	J. Ebreo
	1200	70	Gibbs
	1500	70	Gibbs
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/3	0300		N/A
	0600		
	0900	68	Gibbs
	1200	69	Gibbs
	1500		N/A
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F / Gym Corridor Temp. Reading Location: East Education - GED Classroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		Mensing
	1200		Mensing
	1500		Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		Mensing
	1200		Mensing
	1500		Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		Mensing
	1200		Mensing
	1500		Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

No Students

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70.4°	Mensing
	1200	75.2	Mensing
	1500	79.4	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	66.0	Mensing
	1200	70.5	Mensing
	1500	74°	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

D. Mensing, GED Instructor Ext. 4625

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		ZELENSKI/COLE
	1200		ZELENSKI/COLE
	1500		ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		ZELENSKI/COLE
	1200		ZELENSKI/COLE
	1500		ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	67.5	ZELENSKI/COLE
	1200	NO STATIONS	ZELENSKI/COLE
	1500		ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
05/02/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	75.0	ZELENSKI/COLE
	1200	75.3	ZELENSKI/COLE
	1500	76	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72.1	ZELENSKI/COLE
	1200	70.0	ZELENSKI/COLE
	1500	69.6	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Zelenski, S./Diederich, PSCE-COLLEGE Building H-H

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

2024

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1	0300	PLC Training	
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100	No Contact	
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/2	0300		
	0600		
	0900	72	S. MOORE/C. BERRY
	1200	74	S. MOORE/C. BERRY
	1500	76	S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/3	0300		
	0600		
	0900	67	S. MOORE/C. BERRY
	1200	71	S. MOORE/C. BERRY
	1500	73	S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/4	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/5	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A-158 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		R. Lopez
5/1/24	1200	NP	R. Lopez
	1500	File	R. Lopez
	1800	contact	
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	76°	R. Lopez
5/2/24	1200	76°	R. Lopez
	1500	76°	R. Lopez
	1800		R
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	N/A	R. Lopez
5/3/24	1200		R. Lopez
	1500	teachers	R. Lopez
	1800		
	2100	Absent	
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600	RDO	
5/4/24	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600	RDO	
	0900		
5/5/24	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing Unit:~~ Classroom D-104 Temp. Reading Location: Teacher's Desk
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		Todd
	1200		Todd
	1500		Todd
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		Todd
	1200		Todd
	1500		Todd
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
5/1/24	0900	70	Todd
	1200	73	Todd
	1500	74	Todd
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/2	0900		Todd
	1200		Todd Out
	1500		Todd
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/3	0900		Todd
	1200		Todd Out
	1500		Todd
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		RDO
5/4	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		RDO
5/5	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: __CMC_____ Housing Unit: ___ Temp. Reading Location: H-E / Gym Coorridor East Education – GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 7904 **90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		G.LOAYZA/W.BACILA
	1200		G.LOAYZA/W.BACILA
	1500		G.LOAYZA/W.BACILA
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		G.LOAYZA/W.BACILA
	1200		G.LOAYZA/W.BACILA
	1500		G.LOAYZA/W.BACILA
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1	0300		N/A
	0600	68°	
	0900	72°	G.LOAYZA/W.BACILA
	1200	72°	G.LOAYZA/W.BACILA
	1500		G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/2	0300		N/A
	0600	72°	
	0900	76°	G.LOAYZA/W.BACILA
	1200	76°	G.LOAYZA/W.BACILA
	1500		G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/3	0300		N/A
	0600	70°	
	0900	72°	G.LOAYZA/W.BACILA
	1200	72°	G.LOAYZA/W.BACILA
	1500		G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/4	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

5/5 RDO

Notes

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/01	0300		N/A
	0600		
	0900	69deg	V.VERA
	1200	69deg	V.VERA
	1500	70deg	V.VERA
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
05/02	0300		N/A
	0600		
	0900	69deg	V.VERA
	1200	69deg	V.VERA
	1500	70deg	V.VERA
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
05/03	0300		N/A
	0600		
	0900	69deg	V.VERA
	1200	69deg	V.VERA
	1500	70deg	V.VERA
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
5/4	2100		
	2400		

RDO

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
5/5	2100		
	2400		

RDO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B102 Temp. Reading Location: N/A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1/24	0300		
	0600		
	0900	66°	N Contreras
	1200	68°	Contreras
	1500	70°	N Contreras
	1800		ERROR
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/1/24	0300		N/A
	0600		
	0900	66°	N Contreras
	1200	68°	N Contreras
	1500	70°	N Contreras
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300		N/A
	0600		
	0900	70°	N Contreras
	1200	72	N Contreras
	1500	74°	N Contreras
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOT on grounds

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Library Temp. Reading Location: 0120 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees. May 2024

Monday

Date	Time	Temp.	Name (Print)
4/29 2024	0300		
	0600		
	0900	71	T. Barker
	1200	74	T. Barker
	1500	77	T. Barker
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
4/30 2024	0300		
	0600		
	0900	72	F.C
	1200	74	J.C Barker
	1500	75	J.C Barker
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1 2024	0300		N/A
	0600		
	0900	70	T. Barker
	1200	72	A. Garcia
	1500	71	A. Garcia
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/2 2024	0300		N/A
	0600		
	0900	70	A. Garcia
	1200	71	A. Garcia
	1500	70	A. Garcia
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/3 2024	0300		N/A
	0600		
	0900	72	A. Garcia
	1200	73	A. Garcia
	1500	71	A. Garcia
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
closed	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
closed	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor Temp. Reading Location: East Education – HSD/ABE III Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	HEAT PLAN NOT IN EFFECT	
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	HEAT PLAN NOT IN EFFECT	
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	72	COLE
	1500	73	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68	COLE
	1200	70	COLE
	1500	73	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71	COLE
	1200	72	COLE
	1500	74	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Friend, ABE III / HSD Instructor Ext. 4861

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Education Temp. Reading Location: HG Gym Corridor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
May 1 2024	0300		
	0600		N/A
	0900	64°	J. VOERMAN
	1200	70°	J. VOERMAN
	1500	72°	J. VOERMAN
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
May 2 2024	0300		
	0600		N/A
	0900	67°	D. JACOBER
	1200	70°	
	1500	71°	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
May3 2024	0300		
	0600		N/A
	0900	67.	D. JACOBER
	1200	69.	D. JACOBER
	1500	70°	D. JACOBER
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
RDO	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
RDO	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

D. Jacober

DISTRIBUTION: Original: Institution ADA Coordinator

Sun

5/1/2024 to 5/5/2024

DocuSign Envelope ID: BCB8BA48-CC2F-4362-B718-66C5DBFA2807

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _CMC____ Housing Unit: __Q113A_____ Temp. Reading Location: __D yard_____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29	0300		
	0600		
	0900	68	SCIOCCHETTI/ROCHA
	1200	69	SCIOCCHETTI/ROCHA
	1500	69	SCIOCCHETTI/ROCHA
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
4/30	0300		
	0600		
	0900	69	SCIOCCHETTI/ROCHA
	1200	69	SCIOCCHETTI/ROCHA
	1500	69	SCIOCCHETTI/ROCHA
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/01	0300		N/A
	0600		
	0900	No class	SCIOCCHETTI/ROCHA
	1200	No class	SCIOCCHETTI/ROCHA
	1500	No class	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/02	0300		N/A
	0600		
	0900	70	SCIOCCHETTI/ROCHA
	1200	72	SCIOCCHETTI/ROCHA
	1500	73	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/03	0300		N/A
	0600		
	0900	68	SCIOCCHETTI/ROCHA
	1200	68	SCIOCCHETTI/ROCHA
	1500	No class	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

DocuSign Envelope ID: F811C7B4-45F0-441F-A728-D8493E00A184

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: N/A Temp. Reading Location: Z-221 Voc. Build. Maint.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4617 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/24	0300		
	0600		
	0900		Raynor
	1200	N/A	Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
4/30/24	0300		
	0600		
	0900		Raynor
	1200	N/A	Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	No Inmate contact	
	0600		
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	No Inmate Contact	
	0600		
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	No Inmate Contact	
	0600		
	0900		Raynor
	1200		Raynor
	1500		Raynor
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300		
	0600		
	0900	N/A	N/A -- RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300		
	0600		
	0900	N/A	
	1200		N/A -- RDO
	1500		
	1800		
	2100		
	2400		

Notes

DocuSigned by:
Michael Raynor
B76442EFA7DB476...

Michael Raynor

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-135 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1	0300		N/A
	0600		
	0900	66°	E. Boaz
	1200	71°	E. Boaz
	1500	70°	E. Boaz
	1800		
	2100		N/A
	2400		

~~Thursday~~ Friday

Date	Time	Temp.	Name (Print)
5/3	0300		N/A
	0600		
	0900	66°	E. Boaz
	1200	69°	E. Boaz
	1500	70°	E. Boaz
	1800		
	2100		N/A
	2400		

~~Friday~~ Thursday

Date	Time	Temp.	Name (Print)
5/2	0300		N/A
	0600		
	0900	70°	E. Boaz
	1200	72.6	E. Boaz
	1500	71	E. Boaz
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/4	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/5	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

DocuSign Envelope ID: 9444338D-4E1C-4A05-8F86-79BAF1B85D70

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: VOCATIONAL WELDING, Z-103
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	68	J. Fogo 4/29/24
	1200	69	J. Fogo
	1500	69	J. Fogo
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	69	J. Fogo 4/30/2024
	1200	70	J. Fogo
	1500	71	J. Fogo
	1800		
	2100		
	2400		

Wednesday 5/1

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68	J. Fogo 5/1/2024
	1200	70	J. Fogo
	1500	71	J. Fogo
	1800		N/A
	2100		
	2400		

Thursday 5/2

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	J. Fogo 5/2/2024
	1200	70	J. Fogo
	1500	72	J. Fogo
	1800		N/A
	2100		
	2400		

Friday 5/3

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	No	J. Fogo 5/3/2024
	1200	I/M	J. Fogo
	1500	Contact	J. Fogo
	1800		N/A
	2100		
	2400		

Saturday 5/4

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday 5/5

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DocuSigned by:
Jeff Fogo
8FD4511306A54B4...

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

DocuSign Envelope ID: C08B1C5D-BB69-4885-A653-E4A471B77FD3

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DocuSigned by: Kent Delgadillo 2594ADACAB45422...

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DELGADILLO, K ABE-2 MAY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-106 Temp. Reading Location: East Education (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1	0300		
	0600	NO	
	0900	Student	
	1200		
	1500	Contact	
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/2	0300		N/A
	0600		
	0900	74	K. Del
	1200	76	K. Del
	1500	78	K. Del
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/3	0300		N/A
	0600		
	0900	70	K. Del
	1200	72	K. Del
	1500	74	K. Del
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/4	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/5	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Delgadillo, ABE-3 Instructor

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSigned by: Michael Kou 0DC6223CA621430...

DocuSigned by: amanda thompson 0C09450DC5F744B...

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Z-211 Temp. Reading Location: EDU
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600	No	
	0900	Inmate	
5/1	1200	Contact	
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	No	
5/2	1200	Inmate	
	1500	contact	
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600	No	
	0900	Inmate	
5/3	1200	Contact	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/4	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/5	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

ATTACHMENT B

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SMC Housing Unit: D-101 Temp. Reading Location: West ED
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 2905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5.1.24	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5.2.24	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5.3.24	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/4	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/5	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

J. DeRelu

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: Bldg. Z-109
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		Ron Shoffeitt
	1200		Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		Ron Shoffeitt
	1200		Ron Shoffeitt
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
5-1-24	0900	NI	Ron Shoffeitt
	1200		Ron Shoffeitt
	1500		
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	NI	Ron Shoffeitt
5-2-24	1200		Ron Shoffeitt
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
5-3-24	0900	NI	Ron Shoffeitt
	1200		Ron Shoffeitt
	1500		
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

Z-109 East Education Voc. Masonry
Ron Shoffeitt

DocuSigned by:
Ron Shoffeitt
ABB41175556F468...

No Inmates

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

Ramirez/James

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 2-234 Temp. Reading Location: Classroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4792 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300		
	0600		N/A
	0900	77	Ramirez
	1200	79	Ramirez
	1500	79	Ramirez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300		
	0600		N/A
	0900	75	Ramirez
	1200	77	Ramirez
	1500	79	Ramirez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300		
	0600		N/A
	0900	76	Ramirez
	1200	78	Ramirez
	1500	79	Ramirez
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/3	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/4	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: ~~West~~ East Gymnasium G102H Temp. Reading Location: ~~West~~ East Gymnasium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		P.Lopez
	1200		P. LOPEZ
	1500		P. LOPEZ
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		P. LOPEZ
	1200		P. LOPEZ
	1500		P. LOPEZ
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	62	P. LOPEZ
5/1	1200	64	P. LOPEZ
	1500	68	P. LOPEZ
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	62	P. LOPEZ
5/2	1200	63	P. LOPEZ
	1500	67	P. LOPEZ
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	61	P. LOPEZ
5/3	1200	64	P. LOPEZ
	1500	67	P. LOPEZ
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

P. Lopez ext:7108

Education, Teacher, Supervisor of Recreation, Coach

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Medical Corridor Temp. Reading Location: Classroom B-125 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	XXXXXXX	XXXXXXXXXXXXXX
	0600	XXXXXXX	XXXXXXXXXXXXXX
	0900		Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XXXXXXX	XXXXXXXXXXXXXX
	2100	XXXXXXX	XXXXXXXXXXXXXX
	2400	XXXXXXX	XXXXXXXXXXXXXX

Tuesday

Date	Time	Temp.	Name (Print)
	0300	XXXXX	XXXXXXXXXXXXXX
	0600	XXXXX	XXXXXXXXXXXXXX
	0900		Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XXXXX	XXXXXXXXXXXXXX
	2100	XXXXX	XXXXXXXXXXXXXX
	2400	XXXXX	XXXXXXXXXXXXXX

Wednesday 5-1-24

Date	Time	Temp.	Name (Print)
5/1	0300	XXXXX	XXXXXXXXXXXXXX
	0600	XXXXX	XXXXXXXXXXXXXX
	0900	67°	Mark Kirstein
	1200	72°	Mark Kirstein
	1500	75°	Mark Kirstein
	1800	XXXXX	XXXXXXXXXXXXXX
	2100	XXXXX	XXXXXXXXXXXXXX
	2400	XXXXX	XXXXXXXXXXXXXX

Thursday 5-2-24

Date	Time	Temp.	Name (Print)
5/2	0300	XXXX	XXXXXXXXXXXXXX
	0600	XXXX	XXXXXXXXXXXXXX
	0900	68°	Mark Kirstein
	1200	72°	Mark Kirstein
	1500	72°	Mark Kirstein
	1800	XXXX	XXXXXXXXXXXXXX
	2100	XXXX	XXXXXXXXXXXXXX
	2400	XXXX	XXXXXXXXXXXXXX

Friday 5-3-24

Date	Time	Temp.	Name (Print)
5/3	0300	XXXX	XXXXXXXXXXXXXX
	0600	XXXX	XXXXXXXXXXXXXX
	0900	68°	Mark Kirstein
	1200	72°	Mark Kirstein
	1500	73°	Mark Kirstein
	1800	XXXX	XXXXXXXXXXXXXX
	2100	XXXX	XXXXXXXXXXXXXX
	2400	XXXX	XXXXXXXXXXXXXX

Saturday

Date	Time	Temp.	Name (Print)
5/4	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/5	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING ONE, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday 1

Date	Time	Temp.	Name (Print)
5/1/2024	0300	70	CASTILLO
	0600	71	LINES
	0900	73	LINES
	1200	74	LINES
	1500	74	CUBILLAN
	1800	75	CUBILLAN
	2100	75	CUBILLAN
	2400	75	CASTILLO

Thursday 2

Date	Time	Temp.	Name (Print)
5/2/2024	0300	69	RIVERA
	0600	69	RAMOS
	0900	70	RAMOS
	1200	72	RAMOS
	1500	75	CUBILLO
	1800	74	CUBILLO
	2100	74	CUBILLO
	2400	74	RIVERA

Friday 3

Date	Time	Temp.	Name (Print)
5/3/2024	0300		
	0600	70	RAMOS
	0900	72	RAMOS
	1200	74	RAMOS
	1500	76	CUBILLO
	1800	76	CUBILLO
	2100	75	CUBILLO
	2400	72	Martinez

Saturday 4

Date	Time	Temp.	Name (Print)
5/4/2024	0300	70	Martinez
	0600	70	Martinez
	0900	70	RAMOS
	1200	71	RAMOS
	1500	72	CUBILLO
	1800	72	CUBILLO
	2100	73	CUBILLO
	2400	69	ISCOMA

Sunday 5

Date	Time	Temp.	Name (Print)
5/5/2024	0300	69	ISCOMA
	0600	68	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	72	MEJIA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING TWO, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300		Roberts
	0600	70	Dengate
	0900	70	Dengate
	1200	72	Dengate
	1500	70	Avila
	1800	70	Avila
	2100	70	Avila
	2400	70	Avila

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300		
	0600	70°	Halcim
	0900	71°	Halcim
	1200	74°	Halcim
	1500	71	Avila
	1800	70	Avila
	2100	70	Avila
	2400	70	Rivera

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	70	Rivera
	0600	70	Halcim
	0900	70°	Halcim
	1200	70	Halcim
	1500	70	Bankston
	1800	70	Bankston
	2100	70	Bankston
	2400	70	Roberts

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	70	Roberts
	0600	70	Byrne
	0900	70	Byrne
	1200	72	Byrne
	1500	71	Krebs
	1800	67	Krebs
	2100	67	Krebs
	2400	70	Roberts

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	70	Roberts
	0600	68	Almaden
	0900	68	Almaden
	1200	70	Almaden
	1500	70	Almaden
	1800	70	Almaden
	2100	71	Almaden
	2400	70	Roberts

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	0300	N/A	
	0600		
	0900		
	1200	N/A	
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2024	0300	N/A	
	0600		
	0900		
	1200	N/A	
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	N/A	
	0600	67	Jacobs
	0900	69	Jacobs
	1200	N/A	
	1500	69	J. Noel
	1800	69	J. Noel
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	N/A	
	0600	69	Jacobs
	0900	70	Jacobs
	1200	N/A	
	1500	69	J. Noel
	1800	69	J. Noel
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	N/A	
	0600	68°	S. NOEL
	0900	69°	S. NOEL
	1200	N/A	
	1500	68°	Buffalo
	1800	67°	Buffalo
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	N/A	
	0600	68°	S. NOEL
	0900	68°	S. NOEL
	1200	N/A	
	1500	66°	Pacas
	1800	64°	Pacas
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	N/A	
	0600	64°	Allison
	0900	65°	Allison
	1200	N/A	
	1500	65°	Pacas
	1800	64°	Pacas
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **PROGRAM OFFICE**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	0300	N/A	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2024	0300	N/A	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	N/A	
	0600	65	T. LARIBA
	0900	65	T. LARIBA
	1200	67	T. LARIBA
	1500	67	FOUTS
	1800	67	FOUTS
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	N/A	
	0600	65	LARIBA
	0900	65	LARIBA
	1200	68	LARIBA
	1500	68	TORRES
	1800	68	GALLEGOS
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	N/A	
	0600	66	D. FOUTS
	0900	63	D. FOUTS
	1200	63	D. FOUTS
	1500	65	MARTINEZ
	1800	65	MARTINEZ
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	N/A	
	0600	64	D. FOUTS
	0900	62	D. FOUTS
	1200	62	D. FOUTS
	1500	64	MARTINEZ
	1800	64	MARTINEZ
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	N/A	
	0600	64	LARIBA
	0900	62	LARIBA
	1200	61	LARIBA
	1500	62	GUEL
	1800	63	GUEL
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **MINI CANTEEN**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	0300	N/A	
	0600	N/A	
	0900		
	1200		
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2024	0300	N/A	
	0600	N/A	
	0900		
	1200		
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	80	Hodges
	1500	80	Hodges
	1800	NO	L/M SI
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	76	Hodges
	1500	77	Hodges
	1800	81	Hodges
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	N/A	
	0600	N/A	
	0900	78	Lins
	1200	80	Lins
	1500	80	Lins
	1800	79	Lins
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	N/A	
	0600	N/A	
	0900	78	Lins
	1200	78	Lins
	1500	80	Marrero
	1800	80	Marrero
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	N/A	
	0600	N/A	
	0900	75	Hodges
	1200	81	Hodges
	1500	81	Hodges
	1800	74	Hodges
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: FAC-B Bldg. 3 Temp. Reading Location: Tier 3
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	69°	P. HENRY
	0600	69°	F. MAMIKE
	0900	70°	F. MAMIKE
	1200	70°	F. MAMIKE
	1500	70	Esser
	1800	70	Esser
	2100	70	Esser
	2400	70	P. HENRY

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70°	P. HENRY
	0600	[illegible]	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	72°	GOMEZ
	1800	70°	GOMEZ
	2100	67	GOMEZ
	2400	68	P. HENRY

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	68	P. HENRY
	0600	69°	Gries
	0900	70	Gries
	1200	70	Gries
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	67	Garcia

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	69	Garcia
	0600	68	S. Scorse
	0900	68	S. Scorse
	1200	69°	S. Scorse
	1500	70	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	67	Garcia

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	67	Garcia
	0600	67	R. Vega
	0900	68	R. Vega
	1200	70	R. Vega
	1500	70	Carlson
	1800	70	Carlson
	2100	68	Carlson
	2400	68	P. HENRY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B-RHU Bldg. A Temp. Reading Location: 3RD TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
4-30-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	66	Jensen

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	66	Jensen
	0600	69	ALEMAN
	0900	69	ALEMAN
	1200	70	ALEMAN
	1500	72	BOORMAN
	1800	71	BOORMAN
	2100	70	BOORMAN
	2400	69	BOORMAN

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	69	BOORMAN
	0600	68	ALEMAN
	0900	71	ALEMAN
	1200	73	ALEMAN
	1500	71	JOHNSON
	1800	69	BOORMAN
	2100	69	BOORMAN
	2400	68	MORIN

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	68	MORIN
	0600	68	N Rivera
	0900	72	N Rivera
	1200	72	N Rivera
	1500	69	BOORMAN
	1800	69	BOORMAN
	2100	69	BOORMAN
	2400	68	TRAZO

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	68	TRAZO
	0600	67	GARCIA
	0900	69	GARCIA
	1200	69	PALACIOS
	1500	69	BOORMAN
	1800	69	BOORMAN
	2100	69	BOORMAN
	2400	68	OROZCO

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	66	OROZCO
	0600	65	GRAVES
	0900	67	GRAVES
	1200	69	GRAVES
	1500	69	GRAVES
	1800	69	PALACIOS
	2100	69	PALACIOS
	2400	69	PALACIOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC B Temp. Reading Location: D.NEL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday 5/1/24

Date	Time	Temp.	Name (Print)
	0300		—
	0600	68°	NETTLETON
	0900	70°	NETTLETON
	1200		—
	1500	71°	PLATTI
	1800	72°	PLATTI
	2100		—
	2400		—

Thursday 5/2/24

Date	Time	Temp.	Name (Print)
	0300		—
	0600	68°	NETTLETON
	0900	71°	NETTLETON
	1200		—
	1500	72°	PLATTI
	1800	72°	PLATTI
	2100		—
	2400		—

Friday 5/3/24

Date	Time	Temp.	Name (Print)
	0300		—
	0600	68°	NETTLETON
	0900	71°	NETTLETON
	1200		—
	1500	71°	PLATTI
	1800	73°	PLATTI
	2100		—
	2400		—

Saturday 5/4/24

Date	Time	Temp.	Name (Print)
	0300		—
	0600	67°	NETTLETON
	0900	69°	NETTLETON
	1200		—
	1500	70°	PLATTI
	1800	72°	PLATTI
	2100		—
	2400		—

Sunday 5/5/24

Date	Time	Temp.	Name (Print)
	0300		—
	0600	68°	NOEL
	0900	69°	NOEL
	1200		—
	1500	71°	ARTEAGA
	1800	72°	ARTEAGA
	2100		—
	2400		—

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: TAC - CBLS Temp. Reading Location: 3RD FLR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/24	0300		
	0600		
	0900		N/A
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
4/30/24	0300		
	0600		
	0900		N/A
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	65	Garza
	0600	65°	R. Gomez
	0900	69°	R. Gomez
	1200	71°	R. Gomez
	1500	68°	S. Miguel
	1800	68°	S. Miguel
	2100	68°	S. Miguel
	2400	67	Garza

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	67	Garza
	0600	68	Sainz
	0900	68	Sainz
	1200	68	Sainz
	1500	68°	S. Miguel
	1800	68°	S. Miguel
	2100	68°	S. Miguel
	2400	67	Lopez

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	67	Lopez
	0600	68	Kingsley
	0900	68	Kingsley
	1200	68	Kingsley
	1500	68°	S. Miguel
	1800	68°	S. Miguel
	2100	66°	S. Miguel
	2400	67	C. Lopez

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	67	C. Lopez
	0600	67	Kingsley
	0900	67	Kingsley
	1200	67	Kingsley
	1500	66	Sluc
	1800	66	Sluc
	2100	66	Sluc
	2400	68	B. [illegible]

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	66	Smy
	0600	67	Kingsley
	0900	67	Kingsley
	1200	67	Kingsley
	1500	67	Luc
	1800	67	Luc
	2100	67	Luc
	2400	66	[illegible] TORO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

RTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Fac. C

Institution: CMC-E Housing Unit: Building 6 Temp. Reading Location: 3rd tier
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	N/A	
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	N/A	
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70°	S. Banuelos
	0600	70	M. Armstrong
	0900	70	M. Armstrong
	1200	70	M. Armstrong
	1500	73	E. Ayon Flores
	1800	73	E. Ayon Flores
	2100	71	E. Ayon Flores
	2400	68	N. Wilson

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	65	N. Wilson
	0600	70	M. Armstrong
	0900	70	M. Armstrong
	1200	70	M. Armstrong
	1500	72	E. Ayon Flores
	1800	72	E. Ayon Flores
	2100	72	E. Ayon Flores
	2400	68	Wilson

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	68	[illegible]
	0600	70°	C. Mel[illegible]
	0900	70°	C. Mel[illegible]
	1200	70°	C. Mel[illegible]
	1500	72	E. Ayon Flores
	1800	72	E. Ayon Flores
	2100	70	E. Ayon Flores
	2400	70°	S. Banuelos

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70°	S. Banuelos
	0600	70°	C. Mel[illegible]
	0900	70°	C. Mel[illegible]
	1200	70°	C. Mel[illegible]
	1500	68	E. Ayon Flores
	1800	69	E. Ayon Flores
	2100	69	E. Ayon Flores
	2400	69°	S. Banuelos

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	68°	S. Banuelos
	0600	68°	C. Mel[illegible]
	0900	69°	J. Johnson
	1200	70	J. Johnson
	1500	70	R. Lopez
	1800	70	R. Lopez
	2100	68	R. Lopez
	2400	68	S. Sing

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: C. Facility Temp. Reading Location: Diner
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300		N/A
	0600	65	Huerta
	0900	66	Huerta
	1200	66	Huerta
	1500	73	Huerta
	1800	72	Huerta
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
5.2.24	0300		N/A
	0600	60	Montano
	0900	65	Montano
	1200	65	Montano
	1500	67	Mullor
	1800	66	Mullor
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300		N/A
	0600	60	TABAREZ
	0900	60	TABAREZ
	1200		N/A
	1500	67	TABAREZ
	1800	66	TABAREZ
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300		N/A
	0600	60	Montano
	0900	68	Montano
	1200		N/A
	1500	68	Mullor
	1800	69	Montano
	2100		
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
5/4/24	0300		N/A
	0600	60	Montano
	0900	67	Montano
	1200		N/A
	1500	68	Mullor
	1800	70	Mullor
	2100		
	2400		N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Fac. D BLDG 7 Temp. Reading Location: TIER 3
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5-1-24	0300	68	T. Long
	0600	68	Wheeler
	0900	69	Wheeler
	1200	70	Wheeler
	1500	70	T. Faiola
	1800	70	T. Faiola
	2100	70	T. Faiola
	2400	70	T. Long

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0300	68	T. Long
	0600	69	Denderlein
	0900	70	Denderlein
	1200	72	Denderlein
	1500	72	T. Faiola
	1800	70	T. Faiola
	2100	70	T. Faiola
	2400	69	T. Long

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0300	69	T. Long
	0600	69°	Chavez
	0900	69°	Chavez
	1200	70°	Chavez
	1500	72°	T. Faiola
	1800	70°	T. Faiola
	2100	70	T. Faiola
	2400	70	T. Long

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300	70	T. Long
	0600	68°	Chavez
	0900	68°	Chavez
	1200	68°	Chavez
	1500	68°	T. Faiola
	1800	68°	T. Faiola
	2100	68°	T. Faiola
	2400	70°	T. Cole

Sunday

Date	Time	Temp.	Name (Print)
5-5-24	0300	68°	Benavides
	0600	68°	S. Scorse
	0900	69°	S. Scorse
	1200	69°	S. Scorse
	1500	69	CABRERA
	1800	69	CABRERA
	2100	67	CABRERA
	2400	68°	Benavides

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Fac. O BLDG 8 Temp. Reading Location: TIER 3
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/24	0300	70	Martinez
	0600	70	Martinez
	0900	71	Craig
	1200	71	Craig
	1500	72	Figueroa
	1800	71	Figueroa
	2100	70	Figueroa
	2400	70	Cherda

Tuesday

Dat	Time	Temp.	Name (Print)
4/30/24	0300	70	Cherda
	0600	70	Kopper
	0900	71	Kopper
	1200	70	Kopper
	1500	70	Bender
	1800	71	Bender
	2100	70	Bender
	2400	70	Cherda

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	Cherda
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Bender
	1800	71	Bender
	2100	70	Bender
	2400	70	Cherda

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	Cherda
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Bankston
	1800	70	Bankston
	2100	70	Bankston
	2400	70	Cherda

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	Cherda
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Bender
	1800	71	Bender
	2100	72	Bender
	2400	70	Cherda

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	Cherda
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Mullins
	1800	70	Mullins
	2100	70	Mullins
	2400	70	Adame

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	70	Adame
	0600	70	Adam
	0900	71	Pelayo
	1200	70	Pelayo
	1500	70	Mullins
	1800	69	Mullins
	2100	70	Mullins
	2400	70	Torres

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-DINER Temp. Reading Location: DINER FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300		
	0600	67	Montoya A,W
	0900	67	Montoya A,W
	1200	68	Montoya A,W
	1500	73	LINES
	1800	72	LINES
	2100	71	LINES
	2400		

YB

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300		
	0600	66	COBB
	0900	67	COBB
	1200	68	COBB
	1500	73	LINES
	1800	72	LINES
	2100	71	LINES
	2400		

YB

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300		
	0600	67	COBB
	0900	67	COBB
	1200	68	COBB
	1500	72	URBIN
	1800	72	URBIN
	2100	71	URBIN
	2400		

YB

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300		
	0600	67	Montoya A,W
	0900	67	Montoya A,W
	1200	67	Montoya A,W
	1500	72	URBIN
	1800	72	URBIN
	2100	72	URBIN
	2400		

YB

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300		
	0600	66	Montoya A,W
	0900	66	Montoya A,W
	1200	67	Montoya A,W
	1500	68	Reyes
	1800	68	Reyes
	2100	67	Reyes
	2400		

YB

Notes

Week of May 1, 2024

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 30 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
4/30/24	1200		
	1500		N/A
	1800		
	2100		
	2400	70	M.Howell

Wednesday

Date	Time	Temp.	Name (Print)
05/01/24	0300	70	M.Howell
	0600	70	Argueje
	0900	70	Argueje
	1200	70	Argueje
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	M.Howell

Thursday

Date	Time	Temp.	Name (Print)
05/02/24	0300	70	M.Howell
	0600	70	Argueje
	0900	70	Argueje
	1200	70	Argueje
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	M.Howell

Friday

Date	Time	Temp.	Name (Print)
05/03/24	0300	70	M.Howell
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
05/04/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	VASWALZ

Sunday

Date	Time	Temp.	Name (Print)
05/05/24	0300	70	VASWALZ
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 31
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
4/30/24	1200		
	1500		N/A
	1800		
	2100		
	2400	70	M. Howell

Wednesday

Date	Time	Temp.	Name (Print)
05/01/24	0300	70	M. Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	M. Howell

Thursday

Date	Time	Temp.	Name (Print)
05/02/24	0300	70	M. Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	M. Howell

Friday

Date	Time	Temp.	Name (Print)
05/03/24	0300	70	M. Howell
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
05/04/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	GOMEZ
	1800	70	GOMEZ
	2100	70	GOMEZ
	2400	70	VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
05/05/24	0300	70	VASQUEZ
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 32 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
4/30/24	1200		
	1500		N/A
	1800		
	2100		
	2400	70	M. Howell

Wednesday

Date	Time	Temp.	Name (Print)
05/01/24	0300	70	M. Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	M. Howell

Thursday

Date	Time	Temp.	Name (Print)
05/02/24	0300	70	M. Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	M. Howell

Friday

Date	Time	Temp.	Name (Print)
05/03/24	0300	70	M. Howell
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
05/04/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
05/05/24	0300	70	VASQUEZ
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 33 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
4/30/24	1500		N/A
	1800		
	2100		
	2400	70	M. Howell

Wednesday

Date	Time	Temp.	Name (Print)
05/01/24	0300	70	M. Howell
	0600	70	Argaje
	0900	70	Argaje
	1200	70	Argaje
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	M. Howell

Thursday

Date	Time	Temp.	Name (Print)
05/02/24	0300	70	M. Howell
	0600	70	Argaje
	0900	70	Argaje
	1200	70	Argaje
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	M. Howell

Friday

Date	Time	Temp.	Name (Print)
05/03/24	0300	70	M. Howell
	0600	70	Jimeson
	0900	70	Jimeson
	1200	70	Jimeson
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Ramos

Saturday

Date	Time	Temp.	Name (Print)
05/04/24	0300	70	Ramos
	0600	70	Jimeson
	0900	70	Jimeson
	1200	70	Jimeson
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Vasquez

Sunday

Date	Time	Temp.	Name (Print)
05/05/24	0300	70	Vasquez
	0600	70	Jimeson
	0900	70	Jimeson
	1200	70	Jimeson
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 34 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
4/30/24	1500		N/A
	1800		
	2100		
	2400	70	M. Howell pc

Wednesday

Date	Time	Temp.	Name (Print)
05/01/24	0300	70	M. Howell
	0600	70	Argyr
	0900	70	Argyr B
	1200	70	Argyr
	1500	70	COLLINS
	1800	70	COLLINS JF
	2100	70	COLLINS
	2400	70	M. Howell

Thursday

Date	Time	Temp.	Name (Print)
05/02/24	0300	70	M. Howell
	0600	70	Argyr
	0900	70	Argyr R
	1200	70	Argyr
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	M. Howell

Friday

Date	Time	Temp.	Name (Print)
05/03/24	0300	70	M. Howell B
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	RAMOS
	1800	70	RAMOS M
	2100	70	RAMOS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
05/04/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON D
	1200	70	JIMESON
	1500	70	GOMEZ
	1800	70	GOMEZ
	2100	70	GOMEZ pc
	2400	70	JASINGER

Sunday

Date	Time	Temp.	Name (Print)
05/05/24	0300	70	JASINGER
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell pc
	2400		Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: MINI CANTEEN
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	NO	ACCESS
	0600	NO	ACCESS
	0900		
	1200		
	1500		N/A
	1800		
	2100	NO	ACCESS
	2400	NO	ACCESS

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	NO	ACCESS
	0600	NO	ACCESS
	0900		
	1200		
	1500		N/A
	1800		
	2100	NO	ACCESS
	2400	NO	ACCESS

Wednesday

Date	Time	Temp.	Name (Print)
05/01/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	Agoyo
	1200	70	Agoyo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO	ACCESS
	2400	NO	ACCESS

Thursday

Date	Time	Temp.	Name (Print)
05/02/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	Agoyo
	1200	70	Agoyo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO	ACCESS
	2400	NO	ACCESS

Friday

Date	Time	Temp.	Name (Print)
05/03/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO	ACCESS
	2400	NO	ACCESS

Saturday

Date	Time	Temp.	Name (Print)
05/04/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	Gomez
	1800	70	Gomez
	2100	NO	ACCESS
	2400	NO	ACCESS

Sunday

Date	Time	Temp.	Name (Print)
05/05/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	Howell
	1800	70	Howell
	2100	NO	ACCESS
	2400	NO	ACCESS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1	0300		N/A
	0600	70	Feist
	0900	70	Feist
	1200	70	Jones
	1500	70	Jones
	1800	70	Jones
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/2	0300		N/A
	0600	69	Feist
	0900	69	Feist
	1200	70	Jones
	1500	70	Jones
	1800	68	Jones
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/3	0300		N/A
	0600	70	Feist
	0900	70	Feist
	1200	70	Jones
	1500	72	Jones
	1800	72	Jones
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/4	0300		N/A
	0600	68	Feist
	0900	69	Feist
	1200	70	Jones
	1500	70	Jones
	1800	68	Jones
	2100		N/A
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600	68	Hampton
	0900	68	Hampton
	1200	70	Jones
	1500	71	Jones
	1800	72	Jones
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M PROGRAM OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
4/30/24	1500		N/A
	1800		
	2100		
	2400	70	M. Howell RC

Wednesday

Date	Time	Temp.	Name (Print)
05/01/24	0300	70	M. Howell
	0600	70	Argueje
	0900	70	Argueje PS
	1200	70	Argueje
	1500	70	COLLINS
	1800	70	COLLINS JF
	2100	70	COLLINS
	2400	70	M. Howell

Thursday

Date	Time	Temp.	Name (Print)
05/02/24	0300	70	M. Howell
	0600	70	Argueje
	0900	70	Argueje PS
	1200	70	Argueje
	1500	70	COLLINS
	1800	70	COLLINS M
	2100	70	COLLINS
	2400	70	M. Howell

Friday

Date	Time	Temp.	Name (Print)
05/03/24	0300	70	M. Howell
	0600	70	JIMESON
	0900	70	JIMESON PS
	1200	70	JIMESON
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS PS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
05/04/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON PS
	1200	70	JIMESON
	1500	70	GOMEZ
	1800	70	GOMEZ
	2100	70	GOMEZ RC
	2400	70	VASWICZ

Sunday

Date	Time	Temp.	Name (Print)
05/05/24	0300	70	VASWICZ
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell RC
	2400	70	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
MAY	0600		
1	0900	67	Gottesfeld
2024	1200	71	— " —
	1500	72	— " —
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
MAY	0600		
2	0900	65	Gottesfeld
2024	1200	70	— " —
	1500	71	— " —
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67	Gottesfeld
	1200	73	— " —
	1500	73	— " —
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		RDO
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: E. CANTEEN Temp. Reading Location: MAIN OFFICE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5-1-24	0300		N/A
	0600		
	0900	69°	C. CALLAN
	1200	69	M. CREWS
	1500	69	"
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0300		N/A
	0600		
	0900	70°	B. Reed II
	1200	68°	B. Reed II
	1500	70°	J. Perez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0300		N/A
	0600		
	0900	70°	B. Reed II
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5-5-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

4/29/2024 to 5/5/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2nd FLOOR (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	0300	—	—
	0600	60	[illegible]
	0900	60	[illegible]
	1200	63	R. E. Davis
	1500	62	R. E. Davis
	1800	62	R. E. Davis
	2100	—	—
	2400	—	—

Tuesday

Dat	Time	Temp.	Name (Print)
4/30/2024	0300	—	—
	0600	62	[illegible]
	0900	62	[illegible]
	1200	62	R. E. Davis
	1500	62	R. E. Davis
	1800	62	R. E. Davis
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	—	—
	0600	62	Medeiros
	0900	64	Medeiros
	1200	66	B. SCOTT
	1500	66	B. SCOTT
	1800	65	B. SCOTT
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	—	—
	0600	62	Medeiros
	0900	64	Medeiros
	1200	68	B. SCOTT
	1500	67	B. SCOTT
	1800	64	B. SCOTT
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	0300	—	—
	0600	63	Macuel
	0900	65	Macuel
	1200	65	R. E. Davis
	1500	65	R. E. Davis
	1800	65	R. E. Davis
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	0300	—	—
	0600	62	S. ALVARADO
	0900	63	S. ALVARADO
	1200	63	R. E. Davis
	1500	63	R. E. Davis
	1800	60	R. E. Davis
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	—	[illegible]
	0600	63	Macuel
	0900	63	Macuel
	1200	60	R. E. Davis
	1500	60	R. E. Davis
	1800	60	R. E. Davis
	2100	—	—
	2400	—	—

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

ATTACHMENT B

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Plant Ops Temp. Reading Location: Z-148
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Wednesday May 1, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	G Gary
	1200	70	G Gary
	1500	70	G Gary
	1800		
	2100		N/A
	2400		

Thursday May 2, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	G Gary
	1200	72	G Gary
	1500	73	G Gary
	1800		
	2100		N/A
	2400		

Friday May 3, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	G Gary
	1200	72	G Gary
	1500	72	G Gary
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA FABRICS Temp. Reading Location: 2nd FLOOR, JACKET
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		N/A
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		N/A
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/1	0900	69	D S Cooper
	1200	75	D S Cooper
	1500	77	D S Cooper
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/2	0900	68	R. SILLER
	1200	78	R. SILLER
	1500	75	R. SILLER
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		N/A
5/3	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		N/A
5/4	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		N/A
5/5	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: JKT/T-SHIRT Temp. Reading Location: 2nd Floor T-SHIRT
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	62	CHOI
5/1	1200	78	CHOI
	1500	77	CHOI
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	61	CW
5/2	1200	76	CW
	1500	78	CW
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		N/A
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		N/A
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		N/A
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 1st Floor Temp. Reading Location: Fabric Products
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/1	0900	65°	SWaymont
	1200	70°	SW
	1500	74°	SWaymon
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/2	0900	67	CHOI
	1200	72	CHOI
	1500	75	CHOI
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/3	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/4	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/5	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29	0300		N/A
	0600		
	0900	64°	
	1200	64°	AH
	1500	64°	
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
4/30	0300		N/A
	0600		
	0900	70°	AH
	1200	70°	
	1500	70°	
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1	0300		N/A
	0600		
	0900	70°	AH
	1200	70°	
	1500	70°	
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/2	0300		N/A
	0600		
	0900	68°	FS
	1200	68°	
	1500	68°	
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/3	0300		N/A
	0600		
	0900	64°	AH
	1200	64°	
	1500	64°	
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/4	0300		
	0600		
	0900		N/A
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/5	0300		
	0600		
	0900		N/A
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 TO 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: SHOE FACTORY Temp. Reading Location: Clerk Office Wall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	66	BSU
4/30/24	0900	70	R. Fant
	1200	76	Rick H
	1500	80	Rick H
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70	Rick H
5/1/24	0900	72	Rick H
	1200	79	Rick H
	1500	80	Rick H
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70	Rick H
5/2/24	0900	73	R. Fant
	1200	78	R. Fant
	1500	80	R. Fant
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/3/24	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/4/24	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/5/24	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA — DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 1st floor Temp. Reading Location: Wet Processing
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	~~0600~~		
5/1	0900	80.	[illegible]
	1200	85	[illegible]
	1500	83.	[illegible]
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	~~0600~~		
5/2	0900	81	CHOI
	1200	86	CHOI
	1500	84	CHOI
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/3	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/4	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
5/5	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

ATTACHMENT B

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA Temp. Reading Location: SAFETY-T
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
05/01	0600	66	WINN
	0900	72	WINN
	1200	79	WINN
	1500	82	WINN
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
05/02	0600	70	WINN
	0900	74	WINN
	1200	76	WINN
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
05/03	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
05/04	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
05/05	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Knitting Mill Temp. Reading Location: Compressor Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	Richardson M.
	1200	80°	Richardson M.
	1500	83°	Richardson M.
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	Richardson M.
	1200	80°	Richardson M.
	1500	83°	Richardson M.
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

5-1-24 — 5-2-24

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: M&R Temp. Reading Location: CALPIA M&R
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 4-29-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	69°	R. Esteban
	0900	69°	C. Sanchez
	1200	72°	C. Sanchez
	1500	73°	C. Sanchez
	1800		N/A
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	72°	C. Sanchez
	0900	72°	C. Sanchez
	1200	74°	C. Sanchez
	1500	74°	C. Sanchez
	1800		N/A
	2100		
	2400		

Wednesday 5-1

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	72°	C. Sanchez
	0900	74°	R. Esteban
	1200	74°	C. Sanchez
	1500	74°	C. Sanchez
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	73°	C. Sanchez
	0900	75°	R. Esteban
	1200	75°	C. Sanchez
	1500	75	R. Esteban
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
fDCR 2031 (04118)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

sing an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **PRINT PLANT** Temp. Reading Location: Central Post, 1st Tier

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONTH / YEAR: MAY 2024

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	61	PM
5-1	1200	67	PM
	1500	71	PM
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67	PM
5-2	1200	71	PM
	1500	70	PM
	1800		N/A
	2100		
	2400		

Friday

	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
5-3	1200		
	1500		N/A
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
5-4	1200		
	1500		N/A
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
5-5	1200		
	1500		N/A
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA 5/1/2024 to 5/5/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From Sept. 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp.Reading Location: **Protestant Chapel EAST**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
5/1	0900	66	[illegible]
	1200	68	[illegible]
	1500	70	[illegible]
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
5/2	0900	68	[illegible]
	1200	70	[illegible]
	1500	71	[illegible]
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
~~5/2~~	0900	~~68~~	~~[illegible]~~
	1200	~~70~~	~~[illegible]~~
	1500	~~71~~	~~[illegible]~~
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
5/5	0900	63	[illegible]
	1200	65	[illegible]
	1500		
	1800		N/A
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/1/2024 to 5/5/2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST PLAZA

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-1-24	0100	56	ZEPEW
	0200	56	ZEPEDA
	0300	54	ZEPEDA
	0400	54	ZEPEDA
	0500	56	ZEPEDA
	0600	58	DeluTorre
	0700	59	DeluTorre
	0800	59	DeluTorre
	0900	60	DeluTorre
	1000	63	DeluTorre
	1100	65	DeluTorre
	1200	67	DeluTorre
	1300	72	DeluTorre
	1400	72	RUPP
	1500	72	RUPP
	1600	72	RUPP
	1700	72	RUPP
	1800	69	RUPP
	1900	67	RUPP
	2000	65	RUPP
	2100	62	RUPP
	2200	60	ZEPEDA
	2300	60	ZEPEDA
	2400	58	ZEPEDA

Date	Time	Temp.	Printed Name
5-2-24	0100	56	ZEPEDA
	0200	56	ZEPEDA
	0300	55	ZEPEDA
	0400	50	ZEPEDA
	0500	50	ZEPEDA
	0600	50	ZEPEDA
	0700	55	DeluTorre
	0800	59	DeluTorre
	0900	66	DeluTorre
	1000	69	DeluTorre
	1100	70	DeluTorre
	1200	73	DeluTorre
	1300	70	DeluTorre
	1400	72	Costa
	1500	72	Costa
	1600	72	Costa
	1700	72	Costa
	1800	70	Costa
	1900	64	Costa
	2000	64	Costa
	2100	63	Costa
	2200	60	Costa
	2300	66	ZEPEDA
	2400	60	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST PLAZA

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/3/24	0100	49	Zepeda
	0200	49	Zepeda
	0300	49	Zepeda
	0400	50	Zepeda
	0500	50	Zepeda
	0600	50	Delatorre
	0700	50	Delatorre
	0800	52	Delatorre
	0900	55	Delatorre
	1000	62	C. PRICE
	1100	62	Delatorre
	1200	62	Delatorre
	1300	62	Delatorre
	1400	62	Joller
	1500	63	Joller
	1600	64	Joller
	1700	64	Joller
	1800	64	Joller
	1900	62	Joller
	2000	60	Joller
	2100	59	Joller
	2200	55	Zepeda
	2300	53	Zepeda
	2400	51	Zepeda

Date	Time	Temp.	Printed Name
5/4/24	0100	43	Zepeda
	0200	43	Zepeda
	0300	43	Zepeda
	0400	43	Zepeda
	0500	44	Zepeda
	0600	46	C. PRICE
	0700	46	C. PRICE
	0800	49	C. PRICE
	0900	49	C. PRICE
	1000	53	C. PRICE
	1100	54	C. PRICE
	1200	54	C. PRICE
	1300	54	C. PRICE
	1400	56	Joller
	1500	57	Joller
	1600	58	Joller
	1700	58	Joller
	1800	57	Joller
	1900	56	Joller
	2000	55	Joller
	2100	53	Joller
	2200	52	Zepeda
	2300	50	Zepeda
	2400	43	Zepeda

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST PLAZA

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-5-24	0100	47	WALLACE
	0200	47	WALLACE
	0300	49	WALLACE
	0400	49	WALLACE
	0500	49	WALLACE
	0600	50	Gray
	0700	50	Gray
	0800	50	Gray
	0900	52	Gray
	1000	57	Gray
	1100	59	Gray
	1200	62	Gray
	1300	64	Gray
	1400	65	Gray
	1500	65	Gray
	1600	65	RUPP
	1700	66	RUPP
	1800	66	RUPP
	1900	67	RUPP
	2000	65	RUPP
	2100	62	RUPP
	2200	60	ZEPEDA
	2300	60	ZEPEDA
	2400	60	ZEPEDA

Date	Time	Temp.	Printed Name
5-6-24	0100	60	WALLACE
	0200	57	WALLACE
	0300	55	WALLACE
	0400	52	WALLACE
	0500	52	WALLACE
	0600	52	DeLaTorre
	0700	52	DeLaTorre
	0800	54	DeLaTorre
	0900	54	DeLaTorre
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		N/A
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA 5/6/2024 to 5/12/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **Catholic J Chapel** Temp. Reading Location: **Catholic Chapel**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday May 6, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday May 7, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday May 8, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday May 9, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Friday May 10, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69.-	J. FARAO
	1200	70.	|
	1500	70.	|
	1800		
	2100		N/A
	2400		

Saturday May 11, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	J FARAO
	1200	70	|
	1500	70	|
	1800		
	2100		N/A
	2400		

Sunday May 12, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	J FARA
	1200	70	|
	1500	70	|
	1800		
	2100		N/A
	2400		

Notes

J Farao

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: Clothing Dist.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600		
	0900	65	J. EBRED
	1200	68	J. EBRED
	1500	67	J. EBRED
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/7	0300		N/A
	0600		
	0900	65	ARTHUR CASSIDY
	1200	68	ARTHUR CASSIDY
	1500	82	ARTHUR CASSIDY
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600		
	0900	68	ARTHUR CASSIDY
	1200	70	J. EBRED
	1500	73	J. EBRED
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600		
	0900	68	M. Goron
	1200	69	M. Goron
	1500	72	M. GORON
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		N/A
	0600		
	0900	70	M. Goron
	1200	72	J. EBRED
	1500	74	M. Goron
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/11	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Arthur J Cast 5/13/24
CLOTHING DISTRIBUTION MA551

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DELGADILLO, K ABE-3

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-106 Temp. Reading Location: East Education
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 **when the inside air temperature reaches 90 degrees and again at 95 degrees.** * MAY 2024

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600		
	0900	70°	K. Delgadillo
	1200	72°	K. Delgadillo
	1500	74°	K. Delgadillo
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0300		
	0600		
	0900	NO	/
	1200		
	1500		
	1800		SUP
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600		
	0900	71°	K. Delgadillo
	1200	76°	K. Delgadillo
	1500	77°	K. Delgadillo
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600		
	0900	76°	K. Delgadillo
	1200	76.5	K. Delgadillo
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		N/A
	0600		
	0900	72°	K. Delgadillo
	1200	76.5	K. Delgadillo
	1500	78.5	K. Delgadillo
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Delgadillo, ABE-3 Instructor

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/6/2024 to 5/12/2024

INSIDE TEMPERATURE RECORD 1st Floor fabric
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA 1st Floor Temp. Reading Location: FABRIC PRODUCTS
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06	0300		N/A
	0600	60	Winn
	0900	68	Winn
	1200	70	Winn
	1500	72	Winn
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
05/07	0300		N/A
	0600		
	0900	67°	Swaymont
	1200	74.	Swaymont
	1500	76'	Swaymont
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/08	0300		N/A
	0600	60	Winn
	0900	68	Winn
	1200	70	Winn
	1500	72	Winn
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
05/09	0300		N/A
	0600	69	C. Winn
	0900	70	C. Winn
	1200	71	C. Winn
	1500	72	C. Winn
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Z-234 Temp. Reading Location: Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4792 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300		
	0600		
	0900	NO	
	1200		
	1500		
	1800	CLASS	
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300		N/A
	0600		
	0900	69	Ramirez R
	1200	72	Ramirez R
	1500	76	Ramirez R
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300		N/A
	0600		
	0900	75	Ramirez R
	1200	78	Ramirez R
	1500	79	Ramirez R
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300		N/A
	0600		
	0900	72	Ramirez R
	1200	75	Ramirez R
	1500	77	Ramirez R
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300		N/A
	0600		
	0900	75	Ramirez R
	1200	75	Ramirez R
	1500	74	Ramirez
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300		N/A
	0600		
	0900	65°	S. MOORE/C. BERRY
	1200	67°	S. MOORE/C. BERRY
	1500	69°	S. MOORE/C. BERRY
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300		N/A
	0600		
	0900	67	S. MOORE/C. BERRY
	1200	73	S. MOORE/C. BERRY
	1500	75	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300		N/A
	0600		
	0900	67	S. MOORE/C. BERRY
	1200	70	S. MOORE/C. BERRY
	1500	72	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300		N/A
	0600		
	0900	69	S. MOORE/C. BERRY
	1200	72	S. MOORE/C. BERRY
	1500	70	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300		N/A
	0600		
	0900	71°	S. MOORE/C. BERRY
	1200	73	S. MOORE/C. BERRY
	1500	74	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-211, Testing Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06/2024	0300		
	0600		
	0900		no inmate contanct
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
05/07/2024	0300		
	0600		
	0900		no inmate contanct
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/08/2024	0300		
	0600		
	0900		no inmate contanct
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
05/09/2024	0300		
	0600		
	0900		no inmate contanct
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
05/10/2024	0300		
	0600		
	0900		no inmate contanct
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
05/11/2024	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
05/12/2024	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06 2024	0300		N/A
	0600		
	0900	69deg	V.VERA
	1200	70deg	V.VERA
	1500	71deg	V.VERA
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
05/07 2024	0300		N/A
	0600		
	0900	69deg	V.Vera
	1200	70deg	V.Vera
	1500	71deg	V.VERA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/08 2024	0300		N/A
	0600		
	0900	69deg	V.VERA
	1200	70deg	V.VERA
	1500	72deg	V.VERA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
05/09 2024	0300		N/A
	0600		
	0900	69deg	V.VERA
	1200	70deg	V.VERA
	1500	72deg	V.VERA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
05/10 2024	0300		
	0600		N/A
	0900	69deg	V.VERA
	1200	70deg	V.VERA
	1500	72deg	V.VERA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

DocuSign Envelope ID: 106C4698-C312-4620-9046-C61CA8D9186B

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: VOCATIONAL WELDING, Z-103
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/6

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	64	J. Fogo 5/6/24
	1200	66	J. Fogo
	1500	68	J. Fogo
	1800		
	2100		N/A
	2400		

Tuesday 5/7

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 5/7/2024
	1200	69	J. Fogo
	1500	70	J. Fogo
	1800		
	2100		N/A
	2400		

Wednesday 5/8

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 5/8/2024
	1200	70	J. Fogo
	1500	71	J. Fogo
	1800		
	2100		N/A
	2400		

Thursday 5/9

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	64	J. Fogo 5/9/2024
	1200	70	J. Fogo
	1500	70	J. Fogo
	1800		
	2100		N/A
	2400		

Friday 5/10

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 5/10/2024
	1200	70	J. Fogo
	1500	71	J. Fogo
	1800		
	2100		N/A
	2400		

Saturday 5/11

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday 5/12

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DocuSigned by:
Jeff Fogo
5FD4511306A54B4

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _CMC____ Housing Unit: __Q113A_____ Temp. Reading Location: __D yard_____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/06	0300		N/A
	0600		
	0900	68	SCIOCCHETTI/ROCHA
	1200	69	SCIOCCHETTI/ROCHA
	1500	69	SCIOCCHETTI/ROCHA
	1800		N/A
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/07	0300		N/A
	0600		
	0900	69	SCIOCCHETTI/ROCHA
	1200	69	SCIOCCHETTI/ROCHA
	1500	70	SCIOCCHETTI/ROCHA
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/08	0300		N/A
	0600		
	0900	No class	SCIOCCHETTI/ROCHA
	1200	69	SCIOCCHETTI/ROCHA
	1500	70	SCIOCCHETTI/ROCHA
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/09	0300		N/A
	0600		
	0900	69	SCIOCCHETTI/ROCHA
	1200	70	SCIOCCHETTI/ROCHA
	1500	70	SCIOCCHETTI/ROCHA
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		N/A
	0600		
	0900	68	SCIOCCHETTI/ROCHA
	1200	68	SCIOCCHETTI/ROCHA
	1500	68	SCIOCCHETTI/ROCHA
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

DocuSign Envelope ID: 74B79199-9332-4C47-A622-62262665546A

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor Temp. Reading Location: East Education – HSD/GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	67	COLE
	1200	70	COLE
	1500	72	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68	COLE
	1200	71	COLE
	1500	73	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69	COLE
	1200	72	COLE
	1500	74	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68	COLE
	1200	73	COLE
	1500	75	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69	COLE
	1200	72	COLE
	1500	74	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

C. Cole GED/ HSD Instructor Ext. 4861

DocuSigned by:
Caleb Cole
4B9603E70DCC24EC

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	65.8	ZELENSKI/COLE
	1200	66.9	ZELENSKI/COLE
	1500	66.5	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	67.9	ZELENSKI/COLE
	1200	70.3	ZELENSKI/COLE
	1500	68.9	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	74.8	ZELENSKI/COLE
	1200	73.4	ZELENSKI/COLE
	1500	73.2	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
05/09/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	68.8	ZELENSKI/COLE
	1200	74.4	ZELENSKI/COLE
	1500	76.0	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71.9	ZELENSKI/COLE
	1200	73.9	ZELENSKI/COLE
	1500	73.9	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Zelenski, S./Diederich, PSCE-COLLEGE Building H-H

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/6/2024 to 5/12/2024

DocuSign Envelope ID: 0A294918-E80C-4E1E-B287-226D33211611

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Education Temp. Reading Location: Gym Corridor H6
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5-6-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	63°	D.JACOBEN
	1200	68°	D.JACOBEN
	1500	70°	D.JACOBEN
	1800		
	2100		
	2400		

Tuesday 5-7-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	63°	D.JACOBEN
	1200	68°	D.JACOBEN
	1500	68°	D.JACOBEN
	1800		
	2100		
	2400		

Wednesday 5-8-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	66°	D.JACOBEN
	1200	70°	D.JACOBEN
	1500	73°	D.JACOBEN
	1800		
	2100		
	2400		

Thursday 5-9-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	68°	D.JACOBEN
	1200	72°	D.JACOBEN
	1500	75°	D.JACOBEN
	1800		
	2100		
	2400		

Friday 5-10-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	68°	P.BODENSTEDT
	1200	71°	P.BODENSTEDT
	1500	72°	P.BODENSTEDT
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F / Gym Corridor Temp. Reading Location: East Education - GED Classroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	65.1	Mensing
	1200	69.7	Mensing
	1500	absent	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	62.8	Mensing
	1200	69.7	Mensing
	1500	69.7	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68.8°	Mensing
	1200	74.6	Mensing
	1500	75.9	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	XXX	XX X
	0600	XXX	XX X
	0900	69.2	Mensing
	1200	76.0	Mensing
	1500	76.5	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	65.8	Mensing
	1200	75.8	Mensing
	1500	75.9	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

D. Mensing, GED Instructor Ext. 4625

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: __CMC_____ Housing Unit: ___ Temp. Reading Location: ~~H-E~~ / Gym Coorridor East Education – GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 7904 **90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600		
	0900	75°	G.LOAYZA/W.BACILA
	1200	75°	G.LOAYZA/W.BACILA
	1500	75°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0300		N/A
	0600		
	0900	68°	G.LOAYZA/W.BACILA
	1200	70°	G.LOAYZA/W.BACILA
	1500	72°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600		
	0900	74°	G.LOAYZA/W.BACILA
	1200	76°	G.LOAYZA/W.BACILA
	1500	77°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600		
	0900	72°	G.LOAYZA/W.BACILA
	1200	74°	G.LOAYZA/W.BACILA
	1500	76°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		N/A
	0600		
	0900	73°	G.LOAYZA/W.BACILA
	1200	74°	G.LOAYZA/W.BACILA
	1500	75°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

RDO

Notes

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. 6102H

Institution: CMC Housing Unit: East Gym Temp. Reading Location: East Education Coaches' Office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300		
	0600		
	0900	60°	B. Ferrall
	1200	61°	B. Ferrall
	1500	62°	B. Ferrall
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/2024	0300		
	0600		
	0900	61°	B. Ferrall
	1200	63°	B. Ferrall
	1500	64°	B. Ferrall
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300		
	0600		
	0900	62°	B. Ferrall
	1200	64°	B. Ferrall
	1500	66°	B. Ferrall
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300		
	0600		
	0900	61°	B. Ferrall
	1200	64°	B. Ferrall
	1500	66°	B. Ferrall
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300		
	0600		
	0900	61°	B. Ferrall
	1200	64°	B. Ferrall
	1500	66°	B. Ferrall
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: E. Library Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/6

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	A Garcia
	1200	70	A.Garcia
	1500	70	A Garcia
	1800		
	2100		N/A
	2400		

Tuesday 5/7

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	A. Garcia
	1200	70	A.Garcia
	1500	70	A.Garcia
	1800		
	2100		N/A
	2400		

Wednesday 5/8

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	A.Garcia
	1200	72	A.Garcia
	1500	72	A Garcia
	1800		
	2100		N/A
	2400		

Thursday 5/9

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	A Garcia
	1200	72	A.Garcia
	1500	73	A.Garcia
	1800		
	2100		N/A
	2400		

Friday 5/10

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	T Barker
	1200	72	T Barker
	1500	72	T Barker
	1800		
	2100		N/A
	2400		

Saturday Closed 5/11

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday Closed 5/12

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing Unit:~~ Classroom D-104 Temp. Reading Location: Teacher's Desk (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300		N/A
	0600		
	0900	68°	Todd
	1200	74°	Todd
	1500	76°	Todd
	1800		N/A
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0300		N/A
	0600		
	0900	69	Todd
	1200	73	Todd
	1500	75	Todd
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600		
	0900	70	Todd
	1200	75	Todd
	1500	77	Todd
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600		
	0900	71	Todd
	1200	75	Todd
	1500	77	Todd
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		N/A
	0600		
	0900	70	Todd
	1200	74	Todd
	1500	77	Todd
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		RDO
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		RDO
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

ATTACHMENT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-101 Temp. Reading Location: Ed. East
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5.6.24	0300		
	0600		
	0900	66.9	DeFatto
	1200	69.3	DeFatto
	1500	69.0	DeFatto
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5.7.24	0300		
	0600		
	0900	67.3	DeFatto
	1200	69.9	DeFatto
	1500	71.	DeFatto
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5.8.24	0300		
	0600		
	0900	70.1	DeFatto
	1200	72.6	DeFatto
	1500	73.4	DeFatto
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		NO IM
	1200		
	1500		Contact
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5.10.24	0300		
	0600		
	0900	69.4	DeFatto
	1200	71.7	DeFatto
	1500	71.9	DeFatto
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Notes J DeFatto

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Ed. Office Temp. Reading Location: 1st. Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600		
	0900	64	Thompson
	1200	65	
	1500	66	
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/7	0300		N/A
	0600		
	0900	62	Thompson
	1200	69	
	1500	65	
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600		
	0900	67	Thompson
	1200	70°	
	1500	71	
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600		
	0900	68	Thompson
	1200	70	
	1500	72	
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		N/A
	0600		
	0900	72	Thompson
	1200	71	
	1500	71	
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/11	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Medical Corridor Temp. Reading Location: Classroom B-125 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/6/24

Date	Time	Temp.	Name (Print)
5/6	0300	XXXXXX	XXXXXXXXXXXXXX
	0600	XXXXXX	XXXXXXXXXXXXXX
	0900	67°	Mark Kirstein
	1200	70°	Mark Kirstein
	1500	70°	Mark Kirstein
	1800	XXXXXX	XXXXXXXXXXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXX

Tuesday 5/7/24

Date	Time	Temp.	Name (Print)
5/7	0300	XXXXX	XXXXXXXXXXXXXX
	0600	XXXXX	XXXXXXXXXXXXXX
	0900	68°	Mark Kirstein
	1200	71°	Mark Kirstein
	1500	72°	Mark Kirstein
	1800	XXXXX	XXXXXXXXXXXXXX
	2100	XXXXX	XXXXXXXXXXXXXX
	2400	XXXXX	XXXXXXXXXXXXXX

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300	XXXXX	XXXXXXXXXXXXXX
	0600	XXXXX	XXXXXXXXXXXXXX
	0900	69°	Mark Kirstein
	1200	71°	Mark Kirstein
	1500	72°	Mark Kirstein
	1800	XXXXX	XXXXXXXXXXXXXX
	2100	XXXXX	XXXXXXXXXXXXXX
	2400	XXXXX	XXXXXXXXXXXXXX

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300	XXXX	XXXXXXXXXXXXXX
	0600	XXXX	XXXXXXXXXXXXXX
	0900	67	Mark Kirstein
	1200	70°	Mark Kirstein
	1500	71°	Mark Kirstein
	1800	XXXX	XXXXXXXXXXXXXX
	2100	XXXX	XXXXXXXXXXXXXX
	2400	XXXX	XXXXXXXXXXXXXX

Friday

Date	Time	Temp.	Name (Print)
5/10	0300	XXXXX	XXXXXXXXXXXXXX
	0600	XXXXX	XXXXXXXXXXXXXX
	0900	70°	Mark Kirstein
	1200	74°	Mark Kirstein
	1500	73°	Mark Kirstein
	1800	XXXXX	XXXXXXXXXXXXXX
	2100	XXXXX	XXXXXXXXXXXXXX
	2400	XXXXX	XXXXXXXXXXXXXX

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/16)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B102 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600		
	0900	63	N Contreras
	1200	65	N Contreras
	1500	68	N Contreras
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0300		N/A
	0600		
	0900	66	Contreras
	1200	69	Contreras
	1500	71	Contreras
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Not on grounds

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600		
	0900	67°	Contreras
	1200	73°	Contreras
	1500	75°	Contreras
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		N/A
	0600		
	0900	70°	Contreras
	1200	72°	Contreras
	1500	75°	Contreras
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/11	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Not on grounds

Sunday

Date	Time	Temp.	Name (Print)
5/12	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

not on grounds

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A-15? Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	/	[illegible]
	0600		
	0900	63°	R. Lopez
	1200	65°	R. Lopez
	1500	66°	R. Lopez
	1800		
	2100	/	[illegible]
	2400		[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300		N/A
	0600		
	0900	56	R. Lopez
	1200	62°	R. Lopez
	1500	68°	R. Lopez
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300		N/A
	0600		
	0900	63°	R. Lopez
	1200	74°	R. Lopez
	1500	76°	R. Lopez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300		N/A
	0600		
	0900	68°	R. Lopez
	1200	70°	R. Lopez
	1500	70°	R. Lopez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300		N/A
	0600		
	0900	60°	R. Lopez
	1200	68°	R. Lopez
	1500	68°	R. Lopez
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300		
	0600	POL	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300		
	0600	POL	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING ONE, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/6/24

Date	Time	Temp.	Name (Print)
5/6/2024	0300	70	MEJIA VR
	0600	69	RAMOS
	0900	69	RAMOS
	1200	69	RAMOS
	1500	70	S. Carlson
	1800	70	C. Scherrer
	2100	70	C. Scherrer
	2400	70	J. Hernandez

Tuesday 5/7/24

Date	Time	Temp.	Name (Print)
5/7/2024	0300	70	J. Hernandez VR
	0600	70	ALVARADO
	0900	72	ALVARADO
	1200	72	ALVARADO
	1500	70	CUBBERLY
	1800	72	CUBBERLY
	2100	72	CUBBERLY
	2400	72	Hernandez

Wednesday 5/8/24

Date	Time	Temp.	Name (Print)
5/8/2024	0300	70	J. Hernandez
	0600	70	LINES
	0900	70	LINES
	1200	71	LINES
	1500	74	CUBBERLY
	1800	74	CUBBERLY
	2100	74	CUBBERLY
	2400	72	ROBLES

Thursday 5/9/24

Date	Time	Temp.	Name (Print)
5/9/2024	0300	71	ROBLES
	0600	71	RAMOS
	0900	71	RAMOS
	1200	72	RAMOS
	1500	73	CUBBERLY
	1800	73	CUBBERLY
	2100	72	CUBBERLY
	2400	72	J. Hernandez

BD

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	J. Hernandez
	0600	70	T. RAMOS
	0900	71	T. RAMOS
	1200	72	T. RAMOS
	1500	72	CUBBERLY
	1800	72	CUBBERLY
	2100	70	CUBBERLY
	2400	69	BUCHMAN

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	69	BUCHMAN
	0600	68	RAMOS
	0900	70	RAMOS
	1200	71	RAMOS
	1500	73	CUBBERLY
	1800	72	CUBBERLY
	2100	72	CUBBERLY
	2400	72	Perez

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	72	Ramirez VR
	0600	68	RAMOS
	0900	69	RAMOS
	1200	70	RAMOS
	1500	72°F	DE LA GARZA
	1800	72°F	DE LA GARZA
	2100	72°F	DE LA GARZA
	2400	72	F. MEJIA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING TWO, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	70	RIVERA UP
	0600	70	RIVERA
	0900	70	ALAMBURU
	1200	70	ALAMBURU
	1500	70	LANDWEHR
	1800	72	LANDWEHR
	2100	70	LANDWEHR
	2400	69	Castillo

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	69	[illegible] UP
	0600	68	Castillo
	0900	68	P. Hewitt
	1200	70	P. [illegible]
	1500	70	LANDWEHR
	1800	74	LANDWEHR
	2100	71	LANDWEHR
	2400	69	Castillo

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	69	Castillo
	0600	68	Castillo
	0900	70°	S.Miguel
	1200	70°	S.Miguel
	1500	70	LANDWEHR
	1800	70	LANDWEHR
	2100	70	LANDWEHR
	2400	70	Roberts

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	70	Roberts
	0600	71	Holcom
	0900	71	Holcom
	1200	73	Holcom
	1500	73	KREBS
	1800	72	LANDWEHR
	2100	72	LANDWEHR 3
	2400	70	Roberts

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	70	Roberts
	0600	70	C.CUVALLE
	0900	70	C.CUVALLE
	1200	73	C.CUVALLE
	1500	74	LANDWEHR
	1800	72	LANDWEHR
	2100	70	LANDWEHR
	2400	70	Allen

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	70	Allen
	0600	72	BYRNE
	0900	72	BYRNE
	1200	72	BYRNE
	1500	73	KREBS
	1800	73	KREBS
	2100	72	KREBS
	2400	72	KREBS

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	72	[illegible] UP
	0600	72	[illegible]
	0900	72	[illegible]
	1200	72	[illegible]
	1500	72	KREBS
	1800	72	KREBS
	2100	72	KREBS
	2400	72	Castillo

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **MINI CANTEEN**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	81	Hodges
	1500	81	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	82	Hodges
	1500	82	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	N/A	
	0600	N/A	
	0900	78	Hodges
	1200	80	Hodges
	1500	81	Hodges
	1800	80	Hodges
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	80	Hodges
	1500	80	Hodges
	1800	75	Hodges
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	N/A	
	0600	N/A	
	0900	78	Hodges
	1200	78	Hodges
	1500	80	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	N/A	
	0600	N/A	
	0900	75	Hodges
	1200	78	Hodges
	1500	80	Hodges
	1800	76	Hodges
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	N/A	
	0600	N/A	
	0900	80	Hodges
	1200	81	Hodges
	1500	81	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	N/A	
	0600	64°	Carlisle (T)
	0900	63°	Carlisle (T)
	1200	N/A	
	1500	66°	S Rodriguez
	1800	66°	S Rodriguez
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	N/A	
	0600	62	Jacobs
	0900	64	Jacobs
	1200	N/A	
	1500	66	J. Noel
	1800	66	J. Noel
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	N/A	
	0600	67	Jacobs
	0900	69	Jacobs
	1200	N/A	
	1500	71	J. Noel
	1800	68	J. Noel
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	N/A	
	0600	67	Jacobs
	0900	69	Jacobs
	1200	N/A	
	1500	71	J. Noel
	1800	69	Noel
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	N/A	
	0600	67°	S.NOEL
	0900	69°	S.NOEL
	1200	N/A	
	1500	70	Roth
	1800	68	Roth
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	N/A	
	0600	68°	J. NUNEZ
	0900	68°	J. NUNEZ
	1200	N/A	
	1500	72	Pacas
	1800	69	Pacas
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	N/A	
	0600	66	Jacobs
	0900	68	Jacobs
	1200	N/A	
	1500	69°	Pacas
	1800	69°	Pacas
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **PROGRAM OFFICE**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	N/A	
	0600	66	Carlos
	0900	64	Carlos
	1200	64	Carlos
	1500	64	Mesa
	1800	64	Mesa
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	0300	N/A	
	0600	66	Carlos
	0900	66	Carlos
	1200	61	Lopez
	1500	63	Montgomery
	1800	63	Montgomery
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	N/A	
	0600	66	Carlos
	0900	68	Carlos
	1200	70	Carlos
	1500	71	Ely
	1800	70	Ely
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	N/A	
	0600	67	Carlos
	0900	68	Carlos
	1200	67	Carlos
	1500	70	Montgomery
	1800	71	Montgomery
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	N/A	
	0600	68	Cardoso
	0900	70	Cardoso
	1200	70	Cardoso
	1500	70	Montgomery
	1800	70	Montgomery
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	N/A	
	0600	70	Kirchmann
	0900	70	Kirchmann
	1200	69	Kirchmann
	1500	68	Montgomery
	1800	68	Montgomery
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	N/A	N/A
	0600	69	Inmate Clerk
	0900	69	Carlos
	1200	69	Carlos
	1500	69	Montgomery
	1800	69	Montgomery
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: FAC-B Bldg. 3 Temp. Reading Location: Tier 3
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	68	P. HENRY
	0600	68	DE LA GARZA
	0900	69	DE LA GARZA
	1200	68	DE LA GARZA
	1500	69	Rodriguez
	1800	68	Rodriguez
	2100	68	Rodriguez
	2400	68	P. HENRY

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	68	P. HENRY
	0600	69	Chris
	0900	69	Chris
	1200	69	Chris
	1500	69	Rodriguez
	1800	69	Rodriguez
	2100	69	Rodriguez
	2400	68	P. HENRY

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	68	P. HENRY
	0600	69	Chris
	0900	69	Chris
	1200	70	Chris
	1500	70	Rodriguez
	1800	71	Rodriguez
	2100	71	Rodriguez
	2400	70	P. HENRY

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	68	P. HENRY
	0600	69	Chris
	0900	69	Chris
	1200	70	Chris
	1500	70	Roth
	1800	70	Roth
	2100	70	Roth
	2400	70	P. HENRY

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	P. HENRY
	0600	69	Chris
	0900	69	Chris
	1200	69	Chris
	1500	69	Garcia
	1800	69	Garcia
	2100	69	Garcia
	2400	69	Garcia

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	69	[illegible]
	0600	69	Chris
	0900	69	Chris
	1200	69	Chris
	1500	71	Garcia
	1800	70	Garcia
	2100	71	Garcia
	2400	69	Pacas

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300	69	Pacas
	0600	70	Corliss
	0900	70	Corliss
	1200	69	Corliss
	1500	70	TABAREZ
	1800	69	TABAREZ
	2100	69	TABAREZ
	2400	69	P. HENRY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B Building 9 Temp. Reading Location: 3rd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	68	Orozco
	0600	67	Rivera
	0900	68	Rivera
	1200	68	Rivera
	1500	69	[illegible]
	1800	69	[illegible]
	2100	67	[illegible]
	2400	66	Orozco

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300	66	Orozco
	0600	66	Rivera
	0900	69	Rivera
	1200	70	Rivera
	1500	69	Johnson
	1800	70	Johnson
	2100	69	Boorman
	2400	70	Johnson

Wednesday

Date	Time	Temp.	Name (Print)
5-8-24	0300	70	Johnson
	0600	70	Aleman
	0900	71	Aleman
	1200	72	Rivera
	1500	72	Aleman
	1800	73	Aleman
	2100	73	Aleman
	2400	72	Agita

Thursday

Date	Time	Temp.	Name (Print)
5.9.24	0300	69	Agita
	0600	70	Agita
	0900	72	Aleman
	1200	73	
	1500	73	Boorman
	1800	74	Boorman
	2100	73	Boorman
	2400	72	Rivera

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	72	Rivera
	0600	71	Rivera
	0900	72	Rivera
	1200	72	Avila
	1500	72	Boorman
	1800	73	Boorman
	2100	75	Boorman
	2400	75	Orozco

~~Saturday~~ Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	67	Orozco
	0600	70	Avila
	0900	70	Avila
	1200	72	Avila
	1500	73	Orozco
	1800	72	Orozco
	2100	69	Orozco
	2400	67	Orozco

~~Sunday~~ Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	70	Orozco
	0600	70	Graves
	0900	71	Avila
	1200	72	Avila
	1500	72	Orozco
	1800	72	Orozco
	2100	69	Orozco
	2400	67	Orozco

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing~~ Unit: B Facility Diner Temp. Reading Location: near coffee machine

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-06-24	0300		N/A
	0600	66	S. NUEZ
	0900	68	S. NUEZ
	1200		N/A
	1500	68°	Pacas
	1800	71°	Pacas
	2100		
	2400		N/A

Tuesday

Date	Time	Temp.	Name (Print)
5-07-24	0300		N/A
	0600	64°	NERI
	0900	66°	NERI
	1200	69°	NERI
	1500	72	Plimm
	1800	70	Plimm
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
5-08-24	0300		N/A
	0600	69	Nelson
	0900	69	Nelson
	1200	69	N/A
	1500	68	Plimm
	1800	72	Plimm
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
5-09-24	0300		N/A
	0600	69	Nelson
	0900	69	Nelson
	1200	69	N/A
	1500	71	J. Plimm
	1800	74	J. Plimm
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	69	N/A
	0600	69	Nelson
	0900	69	Nelson
	1200	69	Nelson
	1500	70	Lees
	1800	70	Lees
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	69	N/A
	0600	69	Nelson
	0900	69	Nelson
	1200	69	Nelson
	1500	70	Lees
	1800	70	Lees
	2100		
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300		N/A
	0600	69°	S. NOEL
	0900	69°	S. NOEL
	1200		N/A
	1500	70	Arteaga
	1800	71	Arteaga
	2100		
	2400		N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Fac. C 5 Temp. Reading Location: 3rd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	67	Dritono
	0600	67	Kingsley
	0900	67	Kingsley
	1200	67	Kingsley
	1500	66°	S. Miguel
	1800	66	S. Miguel
	2100	66	S. Miguel
	2400	66	Rivera

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	66	Rivera
	0600	66	Kingsley
	0900	66	Kingsley
	1200	66	Kingsley
	1500	66°	S. Miguel
	1800	66°	S. Miguel
	2100	64°	S. Miguel
	2400	64	Jensen

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	64	Jensen
	0600	67°	J. Maretti
	0900	67°	J. Maretti
	1200	70°	J. Maretti
	1500	72°	S. Miguel
	1800	70°	S. Miguel
	2100	68°	S. Miguel
	2400	68	C. Lopez

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	68	C. Lopez
	0600	66	Josua
	0900	66	Josua
	1200	70	Josua
	1500	70°	S. Miguel
	1800	70°	S. Miguel
	2100	68°	S. Miguel
	2400	68	C. Lopez

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	68	C. Lopez
	0600	68	Kingsley
	0900	68	Kingsley
	1200	70	Kingsley
	1500	68°	S. Miguel
	1800	68°	S. Miguel
	2100	68°	S. Miguel
	2400	68	C. Lopez

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	68	C. Lopez
	0600	66	P. Huerta
	0900	67	Kingsley
	1200	69	Kingsley
	1500	69	LUC
	1800	69	LUC
	2100	69	LUC
	2400	68	C. Lopez

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	68	C. Lopez
	0600	68	Kingsley
	0900	69	Kingsley
	1200	69	Kingsley
	1500	68	S. Luc
	1800	68	S. Luc
	2100	68	P. Dritono
	2400	68	P. Dritono

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

...RTMENT OF CORRECTIONS AND REHA...

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Fac. C

Institution: **CMC-E** Housing Unit: **Building 6** Temp. Reading Location: **3rd tier**
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	66	B. Singh
	0600	66°	Gomez
	0900	70°	Gomez
	1200	74°	Gomez
	1500	74°	Gomez
	1800	70	Zepeda
	2100	68	Zepeda
	2400	67	B. Singh

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	66°	B. Singh
	0600	68°F	DE LA GARZA
	0900	70°	Corliss
	1200	70°	Corliss
	1500	70	E. Ayon Flores
	1800	70	E. Ayon Flores
	2100	70	E. Ayon Flores
	2400	70	L. ROBLES

Wednesday

Date	Time	Temp.	Name (Print)
5-8-24	0300	69	L. ROBLES
	0600	69°	R Gomez
	0900	72°	R. Gomez
	1200	73°	R Gomez
	1500	72	E. Ayon Flores
	1800	72	E. Ayon Flores
	2100	70	E. Ayon Flores
	2400	69	B Coleman

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0300	69	B COLEMAN
	0600	69	B. Avila
	0900	70	B. Avila
	1200	70	B. Avila
	1500	72°	E. Ayon Flores
	1800	72°	E. Ayon Flores
	2100	72	E. Ayon Flores
	2400	70	K. Fink

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	70	K. Fink
	0600	70	WERN
	0900	71	WERN
	1200	72	WERN
	1500	72	E. Ayon Flores
	1800	72	E. Ayon Flores
	2100	70	E. Ayon Flores
	2400	70°	S. Banuelos

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	70°	S. Banuelos
	0600	70	Zamora
	0900	70	Zamora
	1200	70	Zamora
	1500	71	Flores
	1800	71	Flores
	2100	71	Flores
	2400	70°	S. Banuelos

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300	70°	S. Banuelos
	0600	70	MORIN
	0900	71	MORIN
	1200	72	MORIN
	1500	72	Zepeda
	1800	71	Zepeda
	2100	70	Zepeda
	2400	70°	S. Banuelos

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: C Facility Temp. Reading Location: Diner
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300		N/A
	0600	60	Avila
	0900	61	Avila
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300		N/A
	0600	60	S. NOEL
	0900	60	S. NOEL
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300		
	0600		N/A
	0900		
	1200		
	1500	70	Bankston
	1800	70	Bankston
	2100	70	Bankston
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300		N/A
	0600	60	Montano
	0900	67	Montano
	1200		N/A
	1500	70	GARCIA
	1800	72	GARCIA
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300		N/A
	0600	60	Montano
	0900	67	Montano
	1200		N/A
	1500	70	GARCIA
	1800	70	Garcia
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300		N/A
	0600	60	Montano
	0900	68	Montano
	1200		N/A
	1500	70	Garcia
	1800	71	Garcia
	2100		N/A
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300		N/A
	0600	60	Montano
	0900		Montano
	1200		N/A
	1500	71	[illegible]
	1800	71	[illegible]
	2100		
	2400		N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Fac. D BLDG 7 Temp. Reading Location: TIER 3
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-6-24	0300	68	GARCIA
	0600	69	GARCIA
	0900	69	Witt
	1200	70	Witt
	1500	69	Witt
	1800	68	Witt
	2100	68	Witt
	2400	70	TORRES

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300	70	TORRES
	0600	70	Witt
	0900	70	Witt
	1200	70	Witt
	1500	70	Witt
	1800	70	Witt
	2100	70	Witt
	2400	69	BOORMAN

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	69	BOORMAN
	0600	68	Martinez
	0900	68	Martinez
	1200	71	Wheeler
	1500	71	Wheeler
	1800	71	Wheeler
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300		
	0600	69	Roth
	0900	70	Roth
	1200	70	Roth
	1500	72°	T. Faiola
	1800	70°	T. Faiola
	2100	70°	T. Faiola
	2400	70	T. Cox

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	70	T. Cox
	0600	70	CHAVEZ
	0900	70	CHAVEZ
	1200	72	CHAVEZ
	1500	72°	T. Faiola
	1800	70°	T. Faiola
	2100	70°	T. Faiola
	2400	70	T. Cox

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	70	T. Cox
	0600	70	CHAVEZ
	0900	70	CHAVEZ
	1200	70	CHAVEZ
	1500	70°	T. Faiola
	1800	70°	T. Faiola
	2100	70°	T. Faiola
	2400	70°	T. Cox

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300	70°	Benavides
	0600	70	Witt
	0900	70	Witt
	1200	70	Witt
	1500	68	CARBRY
	1800	68	CARBRY
	2100	66	CARBRY
	2400	70°	Benavides

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC. A BLDG 8 Temp. Reading Location: TIER 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06/24	0300	70	TORRES
	0600	70	MENDOZA
	0900	70	MENDOZA
	1200	71	MENDOZA
	1500	71°	A. Bender
	1800	70°	A. Bender
	2100	69°	A. Bender
	2400	70	Cleveley

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300	70	Cleveley
	0600	69°	M. Strader
	0900	69°	M. Strader
	1200	70°	M. Strader
	1500	71°	A. Bender
	1800	70°	A. Bender
	2100	69°	A. Bender
	2400	70	Cleveley

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	70	Cleveley
	0600	71	STOTES
	0900	71	STOTES
	1200	73	STOTES
	1500	71°	Bender
	1800	72°	Bender
	2100	71°	Bender
	2400	70	Cleveley

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	70	Cleveley
	0600	70	Pelayo
	0900	70	Pelayo
	1200	72	Pelayo
	1500	70°	Bender
	1800	71°	Bender
	2100	72°	Bender
	2400	70	Cleveley

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	Cleveley
	0600	70	Pelayo
	0900	70	Pelayo
	1200	72	Pelayo
	1500	73°	Bender
	1800	72°	Bender
	2100	71°	Bender
	2400	71	Cleveley

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	71	Cleveley
	0600	72	Pelayo
	0900	72	Pelayo
	1200	72	Pelayo
	1500	72	Mullins
	1800	71	Mullins
	2100	70	Mullins
	2400	70	Rivera

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	Rivera
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Mullins
	1800	70	Mullins
	2100	69	Mullins
	2400	70	Rivera

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D - DINER Temp. Reading Location: D. NEW Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	~~0300~~		N/A
	0600	67	Montoya
	0900	67	Montoya
	1200	68	Montoya
	1500	68	WCAS
	1800	68	WCAS
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	~~0300~~		N/A
	0600	66	Montoya
	0900	66	Montoya
	1200	67	Montoya
	1500	68	[illegible]
	1800	68	[illegible]
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	~~0300~~		N/A
	0600	67	Montoya
	0900	68	Montoya
	1200	68	Montoya
	1500	69	LINES
	1800	69	LINES
	2100	69	LINES
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300		N/A
	0600	68	[illegible]
	0900	68	[illegible]
	1200	70	[illegible]
	1500	70	LINES
	1800	70	LINES
	2100	69	LINES
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300		N/A
	0600	68	[illegible]
	0900	68	[illegible]
	1200	70	[illegible]
	1500	70	VAN
	1800	70	VAN
	2100	70	VAN
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	~~0300~~		N/A
	0600	66	Montoya
	0900	69	Montoya
	1200	69	Montoya
	1500	70	VAN
	1800	70	VAN
	2100	68	VAN
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	~~0300~~		N/A
	0600	68	Montoya
	0900	68	Montoya
	1200	68	Montoya
	1500	68	WCAS
	1800	68	WCAS
	2100		
	2400		N/A

Notes

Week of May 6, 2024

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 30
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06/24	0300	70	Howell
	0600	70	Argueta
	0900	70	Argueta
	1200	70	Argueta
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
05/07/24	0300	70	Howell
	0600	70	Argueta
	0900	70	Argueta
	1200	70	COLLINS
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
05/08/24	0300	70	RAMOS
	0600	70	Argueta
	0900	70	Argueta
	1200	70	Argueta
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	Howell

Thursday

Date	Time	Temp.	Name (Print)
05/09/24	0300	70	Howell
	0600	70	Argueta
	0900	70	Argueta
	1200	70	Argueta
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	Howell

Friday

Date	Time	Temp.	Name (Print)
05/10/24	0300	70	Howell
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
05/11/24	0300	70	RAMOS
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	RAMOS
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
05/12/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	GOMEZ
	1800	70	GOMEZ
	2100	70	GOMEZ
	2400	70	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 31 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06/24	0300	70	Howell
	0600	70	Argoje
	0900	70	Argoje
	1200	70	Argoje
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
05/07/24	0300	70	Howell
	0600	70	Argoje
	0900	70	Argoje
	1200	70	Collins
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Ramos

Wednesday

Date	Time	Temp.	Name (Print)
05/08/24	0300	70	Ramos
	0600	70	Argoje
	0900	70	Argoje
	1200	70	Argoje
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Howell

Thursday

Date	Time	Temp.	Name (Print)
05/09/24	0300	70	Howell
	0600	70	Argoje
	0900	70	Argoje
	1200	70	Argoje
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Howell

Friday

Date	Time	Temp.	Name (Print)
05/10/24	0300	70	Howell
	0600	70	Jimeson
	0900	70	Jimeson
	1200	70	Jimeson
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Ramos

Saturday

Date	Time	Temp.	Name (Print)
05/11/24	0300	70	Ramos
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Vasquez
	1800	70	Vasquez
	2100	70	Ramos
	2400	70	Ramos

Sunday

Date	Time	Temp.	Name (Print)
05/12/24	0300	70	Ramos
	0600	70	Jimeson
	0900	70	Jimeson
	1200	70	Jimeson
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 32
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06/24	0300	70	Howell
	0600	70	Arroyo
	0900	70	Arroyo
	1200	70	Arroyo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
05/07/24	0300	70	Howell
	0600	70	Arroyo
	0900	70	Arroyo
	1200	70	COLLINS
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
05/08/24	0300	70	RAMOS
	0600	70	Arroyo
	0900	70	Arroyo
	1200	70	Arroyo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	Howell

Thursday

Date	Time	Temp.	Name (Print)
05/09/24	0300	70	Howell
	0600	70	Arroyo
	0900	70	Arroyo
	1200	70	Arroyo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	Howell

Friday

Date	Time	Temp.	Name (Print)
05/10/24	0300	70	Howell
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
05/11/24	0300	70	RAMOS
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	RAMOS
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
05/12/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 33 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
05/07/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Collins
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Ramos

Wednesday

Date	Time	Temp.	Name (Print)
05/08/24	0300	70	Ramos
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Howell

Thursday

Date	Time	Temp.	Name (Print)
05/09/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Howell

Friday

Date	Time	Temp.	Name (Print)
05/10/24	0300	70	Howell
	0600	70	Jimeson
	0900	70	Jimeson
	1200	70	Jimeson
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Ramos

Saturday

Date	Time	Temp.	Name (Print)
05/11/24	0300	70	Ramos
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	Jackson
	1800	70	Jackson
	2100	70	Ramos
	2400	70	Ramos

Sunday

Date	Time	Temp.	Name (Print)
05/12/24	0300	70	Ramos
	0600	70	Jimeson
	0900	70	Jimeson
	1200	70	Jimeson
	1500	70	Gomez
	1800	70	Gomez
	2100	70	Gomez
	2400	70	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 34 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06/24	0300	70	Howell
	0600	70	Argueta
	0900	70	Argueta
	1200	70	Argueta
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
05/07/24	0300	70	Howell
	0600	70	Argueta
	0900	70	Argueta
	1200	70	COLLINS
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Wednesday

Date	Time	Temp.	Name (Print)
05/08/24	0300	70	RAMOS
	0600	70	Argueta
	0900	70	Argueta
	1200	70	Argueta
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	Howell

Thursday

Date	Time	Temp.	Name (Print)
05/09/24	0300	70	Howell
	0600	70	Argueta
	0900	70	Argueta
	1200	70	Argueta
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	Howell

Friday

Date	Time	Temp.	Name (Print)
05/10/24	0300	70	Howell
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
05/11/24	0300	70	RAMOS
	0600	70	Moreno
	0900	70	Moreno
	1200	70	Moreno
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	RAMOS
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
05/12/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	GOMEZ
	1800	70	GOMEZ
	2100	70	GOMEZ
	2400	70	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600	60	Hampton
	0900	62	Hampton
	1200	65	Jones
	1500	65	Jones
	1800	65	Jones
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/7	0300		N/A
	0600	58	Feist
	0900	60	Feist
	1200	64	Jones
	1500	64	Jones
	1800	63	Jones
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600	60	Feist
	0900	64	Feist
	1200	69	Jones
	1500	69	Jones
	1800	67	Jones
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600	60"	Feist
	0900	66"	Feist
	1200	68"	Jones
	1500	68"	Jones
	1800	66"	Jones
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		N/A
	0600	64	Feist
	0900	68	Feist
	1200	72	Hampton
	1500	72	Hampton
	1800	68	Hampton
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/11	0300		N/A
	0600	66	Feist
	0900	68	Feist
	1200	80	Hampton
	1500	73	Hampton
	1800	78	Hampton
	2100		N/A
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12	0300		N/A
	0600	64	Hampton
	0900	68	Hampton
	1200	65"	Jones
	1500	68	Jones
	1800		Jones
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: MINI CANTEEN
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	Argueje
	1200	70	Argueje
	1500	70	COLLINS
	1800	70	COLLIN
	2100	NO	ACCESS
	2400	NO	ACCESS

Tuesday

Dat	Time	Temp.	Name (Print)
5/07/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	Argueje
	1200	70	COLLINS
	1500	70	COLLINS
	1800	70	COLLIN
	2100	NO	ACCESS
	2400	NO	ACCESS

Wednesday

Date	Time	Temp.	Name (Print)
05/08/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	Argueje
	1200	70	Argueje
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO	ACCESS
	2400	NO	ACCESS

Thursday

Date	Time	Temp.	Name (Print)
05/09/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	Argueje
	1200	70	Argueje
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO	ACCESS
	2400	NO	ACCESS

Friday

Date	Time	Temp.	Name (Print)
05/10/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO	ACCESS
	2400	NO	ACCESS

Saturday

Date	Time	Temp.	Name (Print)
05/11/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	NO	ACCESS
	2400	NO	ACCESS

Sunday

Date	Time	Temp.	Name (Print)
05/01224	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	Gomez
	1800	70	Gomez
	2100	NO	ACCESS
	2400	NO	ACCESS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
5-6 2024	0900	68	Gottesfeld
	1200	71	"
	1500	72	"
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
5-7 2024	0900	69	Gottesfeld
	1200	71	"
	1500	71	"
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
5-9 2024	0900	68	Gottesfeld
	1200	70	"
	1500	73	"
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
5-10	0900	69	Gottesfeld
	1200	79	"
	1500	79	"
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: E. Canteen Temp. Reading Location: Main Office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600		
	0900	68°	JA
	1200	68°	JA
	1500	69°	BR
	1800	70°	BR
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0300		N/A
	0600		
	0900	69°	JA
	1200	69	M. Crews
	1500	69	"
	1800	70	B. [illegible]
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600		
	0900	70°	JP
	1200	70	[illegible]
	1500	71	[illegible]
	1800	75°	BR
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600		
	0900	69	M. Crews
	1200	72	"
	1500	73	"
	1800	72	BR
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		N/A
	0600		
	0900	71	[illegible]
	1200	72	"
	1500	73	"
	1800	70	BR
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/11	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA 5/6/2024 to 5/12/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2nd FLOOR (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	0300	—	—
	0600	60	J. MILLS
	0900	60	J. MILLS
	1200	60	R.E. Davis
	1500	61	R.E. Davis
	1800	62	R.E. Davis
	2100	—	—
	2400	—	—

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/2024	0300	—	—
	0600	60	J. MILLS
	0900	60	MILLS
	1200	64	JACOBS
	1500		
	1800		
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	0300	—	—
	0600	62	Mederos
	0900	64	Mederos
	1200	66	SCOTT
	1500	67	SCOTT
	1800	68	SCOTT
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	0300	—	—
	0600	62	Mederos
	0900	64	Mederos
	1200	67	SCOTT
	1500	68	SCOTT
	1800	67	SCOTT
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	0300	—	—
	0600	62	Mederos
	0900	64	Mederos
	1200	64	R.E. Davis
	1500	65	R.E. Davis
	1800	65	R.E. Davis
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	0300	—	—
	0600	62	Dialos
	0900	64	Dialos
	1200	64	SCOTT
	1500	64	SCOTT
	1800	66	NUNEZ
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
5/12/2024	0300	—	—
	0600	~~62~~	ALVARADO
	0900	62	ALVARADO
	1200	62	R.E. Davis
	1500	65	R.E. Davis
	1800	63	R.E. Davis
	2100	—	—
	2400	—	—

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

ATTACHMENT B
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Plant Ops Bld 2 Temp. Reading Location: 2-149 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/6

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	G Gary
	1200	72	G Gary
	1500	72	G Gary
	1800		N/A
	2100		
	2400		

Tuesday 5/7

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	G Gary
	1200	74	G Gary
	1500	75	G Gary
	1800		N/A
	2100		
	2400		

Wednesday 5/8

Date	Time	Temp.	Name (Print)
No inmates	0300		N/A
	0600		
	0900	76	G Gary
	1200	74	G Gary
	1500	74	G Gary
	1800		
	2100		N/A
	2400		

Thursday 5/9

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	G Gary
	1200	73	G Gary
	1500	73	G Gary
	1800		
	2100		N/A
	2400		

Friday 5/10

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	G Gary
	1200	74	G Gary
	1500	74	G Gary
	1800		
	2100		N/A
	2400		

Saturday 5/11

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday 5/12

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

INSIDE TEMPERATURE RECORD 1st Floor fabric
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA 1st Floor Temp. Reading Location: FABRIC PRODUCTS
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06	0300		N/A
	0600	60	WINN
	0900	68	WINN
	1200	70	WINN
	1500	72	WINN
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
05/07	0300		N/A
	0600		
	0900	67°	Swayment
	1200	74.	Swayment
	1500	76'	Swayment
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/08	0300		N/A
	0600	60	WINN
	0900	68	WINN
	1200	70	WINN
	1500	72	WINN
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
05/09	0300		N/A
	0600	69	C. WINN
	0900	70	C. WINN
	1200	71	C. WINN
	1500	72	C. WINN
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		N/A
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

2nd Floor Jacket

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Jacket Temp. Reading Location: 2nd FLOOR, JKT
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0300	—	
	0600	—	
	0900	68	Gurnell
	1200	76	CHOI
	1500	76	CHOI
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0300		
	0600		
	0900	70	CHOI
	1200	70	CHOI
	1500	71	CHOI
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		
	0600		
	0900	76	D Cooper
	1200	80	D Cooper
	1500	82	D Cooper
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		
	0600		
	0900	75	D Cooper
	1200	78	D Cooper
	1500	80	D Cooper
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/11	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

2nd floor JKT/TShirt

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: JKT/TShirt Temp. Reading Location: JACKET, 2nd FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		
	0600		
	0900	68	J. Diaz
	1200	68	J. Diaz
	1500	69	J. Diaz
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0300		
	0600		
	0900	68	J. Diaz
	1200	70	J. Diaz
	1500	70	J. Diaz
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		
	0600		
	0900	68	J. Diaz
	1200	72	J. Diaz
	1500	78	J. Diaz
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		
	0600		
	0900	67	J. Diaz
	1200	73	J. Diaz
	1500	73	J. Diaz
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Knitting Mill Temp. Reading Location: Compressor Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600		
	0900	73°	Richardson M.
	1200	78°	Richardson M.
	1500	80°	Richardson M.
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/7	0300		N/A
	0600		
	0900	78°	Regalado
	1200	78°	Richardson M.
	1500	78°	Richardson M.
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600		
	0900	72°	Richardson M.
	1200	80°	Richardson M.
	1500	80°	Regalado
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600		
	0900	74°	Richardson M.
	1200	78°	Richardson M.
	1500	78°	Richardson M.
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/11	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

5-6-24 — 5-9-24

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: CALPIA MGR Temp. Reading Location: MGR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5-6

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600	70	C. Sanchez
	0900	69°	R. Esteban
	1200	70°	R. Esteban
	1500	72	C. Sanchez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0300		N/A
	0600	69	C. Sanchez
	0900	69°	R. Esteban
	1200	70	C. Sanchez
	1500	71	C. Sanchez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600	71°	R. Esteban
	0900	73°	R. Esteban
	1200	75°	R. Esteban
	1500	75°	R. Esteban
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600	70	C. Sanchez
	0900	72°	R. Esteban
	1200	73	R. Esteban
	1500		R. Esteban
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
RDO	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
RDO	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
RDO	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
fDCR 2031 (04118)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

sing an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **PRINT PLANT** Temp. Reading Location: Central Post, 1st Tier

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONTH / YEAR: May, 2024

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600		
	0900	60	PM
	1200	67	PM
	1500	71	PM
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0300		N/A
	0600		
	0900	61	PM
	1200	65	PM
	1500	69	PM
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600		
	0900	64	PM
	1200	69	PM
	1500	71	PM
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600		
	0900	64	PM
	1200	70	PM
	1500	72	PM
	1800		
	2100		N/A
	2400		

Friday

	Time	Temp.	Name (Print)
5/10	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/11	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

T-SHIRT

ATTACHMENT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: P.I.A. Temp. Reading Location: Safety T. Shirt (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600		
	0900	87	J. Johnson
	1200	80	J. Johnson
	1500	80	J. Johnson
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/7	0300		N/A
	0600	62	Winn
	0900	66	Winn
	1200	72	Winn
	1500	74	Winn
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600	61	J. Johnson
	0900	64	J. Johnson
	1200	67	J. Johnson
	1500	80	J. Johnson
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600	60	J. Johnson
	0900	62	J. Johnson
	1200	70	J. Johnson
	1500	76	J. Johnson
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

R.D.O

Saturday

Date	Time	Temp.	Name (Print)
5/11	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

R.D.O

Sunday

Date	Time	Temp.	Name (Print)
5/12	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

R.D.O

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: DIVISON office Temp. Reading Location: INMATES office (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600		
	0900	69°	WONG
	1200	71°	Rodriguez
	1500		
	1800		N/A
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0300		N/A
	0600		
	0900	71°	Rodriguez
	1200	72°	Wong
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600		
	0900	69°	S.K
	1200	72°	Rodriguez
	1500		
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600		
	0900	72°	Wong
	1200	73°	Rodriguez
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/11	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

HFM

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600		
	0900	64°	AH
	1200	64°	
	1500	64°	
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/7	0300		N/A
	0600		
	0900	64°	FS
	1200	64°	
	1500	64°	
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600		
	0900	68°	AH
	1200	68°	
	1500	68	
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600		
	0900	68°	AH
	1200	68°	
	1500	68°	
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		N/A
	0600		
	0900	70°	AH
	1200	70°	
	1500	70°	
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/11	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

PIA Boot

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Boot Factory Temp. Reading Location: PIA Boot
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600	68°	Rick H
	0900	69	Rick H
	1200	71	BW
	1500	75°	Rick H
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0300		N/A
	0600	70	PSW
	0900	70	PSW
	1200	72	PSW
	1500	74	PSW
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600	66°	Rick H
	0900	69°	Rick H
	1200	75°	Rick H
	1500	80°	Rick H
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600	70°	Rick H
	0900	74	R. Font
	1200	76	R. Font
	1500	80	Rick H
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6 to 5/12

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

1st Floor Wet Processing

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 1st Floor P/A Temp. Reading Location: Wet Processing
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06	0300		N/A
	0600	60	Winn
	0900	68	Winn
	1200	70	Winn
	1500	72	Winn
	1800	70	Winn
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
05/07	0300		N/A
	0600		
	0900	72°	Swayment
	1200	76°	Swe
	1500	78°	Swaymont
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/08	0300		N/A
	0600	62	Winn
	0900	80	Winn
	1200	80	Winn
	1500	82	Winn
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
05/09	0300		N/A
	0600	65	C. Winn
	0900	76	C Winn
	1200	78	C. Winn
	1500	80	C. Winn
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/11	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA 5/6/2024 to 5/12/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From Sept. 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp.Reading Location: **Protestant Chapel EAST**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5/6	0300		N/A
	0600		
	0900	63	[illegible]
	1200	65	[illegible]
	1500	67	[illegible]
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/7	0300		
	0600		N/A
	0900		
	1200		
	1500	67	[illegible]
	1800	68	[illegible]
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/8	0300		N/A
	0600		
	0900	67	[illegible]
	1200	69	[illegible]
	1500	71	[illegible]
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/9	0300		N/A
	0600		
	0900	67	[illegible]
	1200	68	[illegible]
	1500	70	[illegible]
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/10	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/11	0300		
	0600		
	0900		
	1200		N/A
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/12	0300		
	0600		N/A
	0900	66	[illegible]
	1200	68	[illegible]
	1500		
	1800		N/A
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/6/2024 to 5/12/2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST PLAZA

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5.5.24	0100	47	WALLACE
	0200	47	WALLACE
	0300	49	WALLACE
	0400	49	WALLACE
	0500	49	WALLACE
	0600	50	Gray
	0700	50	Gray
	0800	50	Gray
	0900	52	Gray
	1000	57	Gray
	1100	59	Gray
	1200	62	Gray
	1300	64	Gray
	1400	65	Gray
	1500	65	Gray
	1600	65	RUPP
	1700	66	RUPP
	1800	66	RUPP
	1900	67	RUPP
	2000	65	RUPP
	2100	62	RUPP
	2200	60	ZEPEDA
	2300	60	ZEPEDA
	2400	60	ZEPEDA

Date	Time	Temp.	Printed Name
5.6.24	0100	60	WALLACE
	0200	57	WALLACE
	0300	55	WALLACE
	0400	52	WALLACE
	0500	52	WALLACE
	0600	52	DelaTorre
	0700	52	DelaTorre
	0800	54	DelaTorre
	0900	54	DelaTorre
	1000	57	DelaTorre
	1100	60	DelaTorre
	1200	64	DelaTorre
	1300	67	DelaTorre
	1400	65	Rupp
	1500	63	Rupp
	1600	62	Rupp
	1700	60	Rupp
	1800	57	Rupp
	1900	54	Rupp
	2000	52	Rupp
	2100	50	Rupp
	2200	46°F	DE LA GARZA
	2300	46°F	DE LA GARZA
	2400	46°F	DE LA GARZA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: East Watch Office

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5.7.24	0100	48°F	DE LA GARZA
	0200	50	DE LA GARZA
	0300	53°F	DE LA GARZA
	0400	53°F	DE LA GARZA
	0500	51°F	DE LA GARZA
	0600	53	Delatorre
	0700	54	Delatorre
	0800	54	Delatorre
	0900	56	Delatorre
	1000	60	Delatorre
	1100	62	Delatorre
	1200	66	Delatorre
	1300	63	Delatorre
	1400	65	RUPP
	1500	65	RUPP
	1600	61	RUPP
	1700	59	RUPP
	1800	57	RUPP
	1900	55	RUPP
	2000	52	RUPP
	2100	50	RUPP
	2200	47	ZEPEDA
	2300	46	ZEPEDA
	2400	46	ZEPEDA.

Date	Time	Temp.	Printed Name
5-8-24	0100	55	ZEPEDA
	0200	55	ZEPEDA
	0300	55	ZEPEDA
	0400	55	ZEPEDA
	0500	55	ZEPEDA
	0600	55	ZEPEDA
	0700	56	Delatorre
	0800	62	LANDAUER
	0900	66	Delatorre
	1000	66	Delatorre
	1100	69	Delatorre
	1200	74	Delatorre
	1300	75	Delatorre
	1400	70	RUPP
	1500	67	RUPP
	1600	64	RUPP
	1700	62	RUPP
	1800	60	RUPP
	1900	59	RUPP
	2000	55	RUPP
	2100	50	RUPP
	2200	52	ZEPEDA, J
	2300	52	ZEPEDA, J
	2400	51	ZEPEDA, J

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/9/24	0100	55	ZEREDA, D
	0200	53	ZEREDA
	0300	50	ZEREDA
	0400	49	ZEREDA
	0500	48	ZEREDA
	0600	48	DeLuTorre
	0700	50	DeLuTorre
	0800	54	DeLuTorre
	0900	58	DeLuTorre
	1000	68	C. PRICE
	1100	68	C. PRICE
	1200	68	C. PRICE
	1300	71	C. PRICE
	1400	70	RUPP
	1500	67	RUPP
	1600	65	RUPP
	1700	62	RUPP
	1800	57	RUPP
	1900	55	RUPP
	2000	52	RUPP
	2100	52	RUPP
	2200	50	ZEREDA
	2300	50	ZEREDA.
	2400	48	ZEREDA

Date	Time	Temp.	Printed Name
5/10/24	0100	48	ZEREDA
	0200	48	ZEREDA
	0300	48	ZEREDA
	0400	48	ZEREDA
	0500	47	ZEREDA
	0600	47	ZEREDA
	0700	47	C. PRICE
	0800	50	DeLuTorre
	0900	52	DeLuTorre
	1000	57	DeLuTorre
	1100	60	DeLuTorre
	1200	65	DeLuTorre
	1300	69	DeLuTorre
	1400	70	Isheim
	1500	69	Isheim
	1600	67	Isheim
	1700	63	Isheim
	1800	60	Isheim
	1900	57	Isheim
	2000	55	Isheim
	2100	54	Isheim
	2200	52	ZEREDA
	2300	52	ZEREDA
	2400	51	ZEREDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: East Watch

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/11/24	0100	50	ZEPEDA
	0200	50	ZEPEDA
	0300	50	ZEPEDA
	0400	50	ZEPEDA
	0500	49	ZEPEDA
	0600	49	ZEPEDA
	0700	50	C. PRICE
	0800	50	C. PRICE
	0900	52	C. PRICE
	1000	54	C. PRICE
	1100	59	C. PRICE
	1200	67	C. PRICE
	1300	71	C. PRICE
	1400	70	RUPP
	1500	67	RUPP
	1600	65	RUPP
	1700	62	RUPP
	1800	60	RUPP
	1900	57	RUPP
	2000	55	RUPP
	2100	52	RUPP
	2200	50°F	DE LA GARZA
	2300	50°F	DE LA GARZA
	2400	50°F	DE LA GARZA

Date	Time	Temp.	Printed Name
5/12/24	0100	50°F	DE LA GARZA
	0200	49°F	DE LA GARZA
	0300	49°F	DE LA GARZA
	0400	49°F	DE LA GARZA
	0500	49°F	DE LA GARZA
	0600	50°	J. MARETT
	0700	50°	J. MARETT
	0800	54°	J. MARETT
	0900	56°	J. MARETT
	1000	59°	J. MARETT
	1100	61°	J. MARETT
	1200	64°	J. MARETT
	1300	65°	J. MARETT
	1400	65	ISHEIM
	1500	63	ISHEIM
	1600	60	ISHEIM
	1700	58	ISHEIM
	1800	55	ISHEIM
	1900	54	ISHEIM
	2000	57	ZEPEDA
	2100	55	ZEPEDA
	2200	52	ZEPEDA
	2300	52	ZEPEDA
	2400	51	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **J - Catholic Chapel** Temp. Reading Location: **Catholic Chapel**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday May 20 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday May 21 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday May 22 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600	VAC	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday May 23 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600	VAC	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday May 24 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600	VAC	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday May 25 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	J. FARAD
	1200	70	J. FARAD
	1500		
	1800		N/A
	2100		
	2400		

Sunday May 26 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	68	J. FARAD
	0900		
	1200		JFARAD
	1500		
	1800		N/A
	2100		
	2400		

Notes

JFarad

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: Clothing Dist.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		N/A
	0600		
	0900	68	Art Cassidy
	1200	70	Art Cassidy
	1500	70	Art Cassidy
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/21	0300		N/A
	0600		
	0900	70	Arthur Cassidy
	1200	76	Arthur Cassidy
	1500	76	Arthur Cassidy
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		N/A
	0600		
	0900	68	Arthur Cassidy
	1200	78	Arthur Cassidy
	1500	70	Arthur Cassidy
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		N/A
	0600		
	0900	68	J. Ebbeo
	1200	78	A. Cassidy
	1500	78	A Cassidy
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		N/A
	0600		
	0900	68	Arthur Cassidy
	1200	68	Arthur Cassidy
	1500	68	Arthur Cassidy
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Library 0120 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/20

Date	Time	Temp.	Name (Print)
5/20	0300		N/A
	0600		
	0900	68	A. Garcia
	1200	69	A. Garcia
	1500	69	A. Garcia
	1800		
	2100		N/A
	2400		

Tuesday 5/21

Date	Time	Temp.	Name (Print)
5/21	0300		N/A
	0600		
	0900	68	A. Garcia
	1200	69	A. Garcia
	1500	69	A. Garcia
	1800		
	2100		N/A
	2400		

Wednesday 5/22

Date	Time	Temp.	Name (Print)
5/22	0300		N/A
	0600		
	0900	67	A. Garcia
	1200	70	A. Garcia
	1500	70	A. Garcia
	1800		
	2100		N/A
	2400		

Thursday 5/23

Date	Time	Temp.	Name (Print)
5/23	0300		N/A
	0600		
	0900	67	A. Garcia
	1200	69	A. Garcia
	1500	70	A. Garcia
	1800		
	2100		N/A
	2400		

Friday 5/24

Date	Time	Temp.	Name (Print)
5/24	0300		N/A
	0600		
	0900	67	[illegible]
	1200	68	[illegible]
	1500	70	[illegible]
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing Unit:~~ Classroom D-104 Temp. Reading Location: Teacher's Desk
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		N/A
	0600		
	0900	70	Todd
	1200	68	Todd
	1500	72	Todd
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0300		N/A
	0600		
	0900	70	Todd
	1200	69	Todd
	1500	73	Todd
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		N/A
	0600		
	0900	70	Todd
	1200	69	Todd
	1500	72	Todd
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		N/A
	0600		
	0900	72	Todd
	1200	74	Todd
	1500	74	Todd
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		N/A
	0600		
	0900	70	Todd
	1200		Todd
	1500		Todd
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		RDO
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		RDO
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ~~[illegible]~~ CMC Housing Unit: B-135/EDU Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		N/A
	0600		
	0900	65	Thompson
	1200	66	
	1500	70	
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/21	0300		
	0600	66	
	0900	70	Thompson
	1200	70	
	1500		
	1800		
	2100		
	2400		

~~Wednesday~~ Thurs

Date	Time	Temp.	Name (Print)
5/22	0300		N/A
	0600		
	0900	68	THOMPSON
	1200	71	
	1500	69	
	1800		
	2100		N/A
	2400		

~~Thursday~~ Wed

Date	Time	Temp.	Name (Print)
5/23	0300		
	0600	STAFF	
	0900		
	1200	NOT	
	1500		
	1800	PRESENT	
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		N/A
	0600		
	0900	~~[illegible]~~ 66	Thompson
	1200	~~[illegible]~~ 68	
	1500	~~[illegible]~~	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 2-274 Temp. Reading Location: Classroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4792 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300		N/A
	0600		
	0900	71	Ramirez
	1200	72	Ramirez
	1500	74	Ramirez
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/24	0300		N/A
	0600		
	0900	71	Ramirez
	1200	73	Ramirez
	1500	75	Ramirez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300		N/A
	0600		
	0900	72	Ramirez
	1200	72	Ramirez
	1500	74	Ramirez
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300		
	0600		
	0900		
	1200	N/O	CLASS
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300		
	0600		
	0900		
	1200	N/O	CLASS
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		No Student
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/21	0300		N/A
	0600		
	0900	71	S. MOORE/C. BERRY
	1200	71	S. MOORE/C. BERRY
	1500	73	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		N/A
	0600		
	0900	71	S. MOORE/C. BERRY
	1200	71	S. MOORE/C. BERRY
	1500	72	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		N/A
	0600		
	0900	68	S. MOORE/C. BERRY
	1200	70	S. MOORE/C. BERRY
	1500	71	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: __CMC_____ Housing Unit: ___ Temp. Reading Location: H-E / Gym Coordor East Education – GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 7904 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		N/A
	0600		
	0900	68°	G.LOAYZA/W.BACILA
	1200	70°	G.LOAYZA/W.BACILA
	1500	72°	G.LOAYZA/W.BACILA
	1800		N/A
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0300		N/A
	0600		
	0900	71°	G.LOAYZA/W.BACILA
	1200	72°	G.LOAYZA/W.BACILA
	1500	72°	G.LOAYZA/W.BACILA
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		N/A
	0600		
	0900	70°	G.LOAYZA/W.BACILA
	1200	72°	G.LOAYZA/W.BACILA
	1500	72°	G.LOAYZA/W.BACILA
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		N/A
	0600		
	0900	70°	G.LOAYZA/W.BACILA
	1200	72°	G.LOAYZA/W.BACILA
	1500	72°	G.LOAYZA/W.BACILA
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		N/A
	0600	NO	
	0900	Stuck	G.LOAYZA/W.BACILA
	1200		G.LOAYZA/W.BACILA
	1500	—	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Saturday 5/25

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

5/26

RDO

Notes

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/20 2024	0300		N/A
	0600		
	0900	69deg	V.VERA
	1200	70deg	V.VERA
	1500	70deg	V.VERA
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
05/21 2024	0300		N/A
	0600		
	0900	69deg	V.Vera
	1200	70deg	V.Vera
	1500	70deg	V.VERA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/22 2024	0300		N/A
	0600		
	0900	69deg	V.VERA
	1200	70deg	V.VERA
	1500	70deg	V.VERA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
05/23 2024	0300		N/A
	0600		
	0900	69deg	V.VERA
	1200	70deg	V.VERA
	1500	70deg	V.VERA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
05/17 2024	0300		
	0600		
	0900		
	1200		
	1500		V.VERA
	1800		
	2100		
	2400		

RDO

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Education HG Temp. Reading Location: Gym Corridor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5-20-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	66°	D. JACOBEN
	1200	68	PB
	1500	70	PB
	1800		
	2100		N/A
	2400		

Tuesday 5-21-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	J. VOERMAN
	1200	69	PB
	1500	73	PB
	1800		
	2100		N/A
	2400		

Wednesday 5-22-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	66°	D. JACOBEN
	1200	70°	D. JACOBEN
	1500	73°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Thursday 5-23-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67°	D. JACOBEN
	1200	69°	D. JACOBEN
	1500	70°	D. JACOBEN
	1800		
	2100		N/A
	2400		

Friday 5-24-24

Date	Time	Temp.	Name (Print)
	0300		
	0600	NO SCHOOL	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday 5.25

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 5.26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

D. Jacoben

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CWC Housing Unit: V-156 Temp. Reading Location: _____ (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300		N/A
	0600		
	0900	72°	R. Lopez
	1200	58°	R. Lopez
	1500	60°	R. Lopez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300		N/A
	0600		
	0900	67°	R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300		N/A
	0600		
	0900	N/A	R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100	N/A	N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300		N/A
	0600		
	0900	70°	R. Lopez
	1200	72°	R. Lopez
	1500	74°	R. Lopez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300		
	0600		
	0900	N/A	R. Lopez
	1200	N/A	R. Lopez
	1500	N/A	R. Lopez
	1800		
	2100	Contact	
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300		
	0600	82°	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300		
	0600	82°	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Medical Corridor Temp. Reading Location: Classroom B-125
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5.20.24

Date	Time	Temp.	Name (Print)
	0300	XXXXXX	XXXXXXXXXXXXXX
	0600	XXXXXX	XXXXXXXXXXXXXX
	0900	69.	Mark Kirstein
	1200	66.	Mark Kirstein
	1500	67.	Mark Kirstein
	1800	XXXXXX	XXXXXXXXXXXXXX
	2100	XXXXXX	XXXXXXXXXXXXXX
	2400	XXXXXX	XXXXXXXXXXXXXX

Tuesday 5.21.24

Date	Time	Temp.	Name (Print)
	0300	XXXXX	XXXXXXXXXXXXXX
	0600	XXXXX	XXXXXXXXXXXXXX
	0900	68.	Mark Kirstein
	1200	71.	Mark Kirstein
	1500	72.	Mark Kirstein
	1800	XXXXX	XXXXXXXXXXXXXX
	2100	XXXXX	XXXXXXXXXXXXXX
	2400	XXXXX	XXXXXXXXXXXXXX

Wednesday 5.22

Date	Time	Temp.	Name (Print)
	0300	XXXXX	XXXXXXXXXXXXXX
	0600	XXXXX	XXXXXXXXXXXXXX
	0900	67.	Mark Kirstein
	1200	69.	Mark Kirstein
	1500	70.	Mark Kirstein
	1800	XXXXX	XXXXXXXXXXXXXX
	2100	XXXXX	XXXXXXXXXXXXXX
	2400	XXXXX	XXXXXXXXXXXXXX

Thursday 5.23

Date	Time	Temp.	Name (Print)
	0300	XXXX	XXXXXXXXXXXXXX
	0600	XXXX	XXXXXXXXXXXXXX
	0900	69.	Mark Kirstein
	1200	72.	Mark Kirstein
	1500	73.	Mark Kirstein
	1800	XXXX	XXXXXXXXXXXXXX
	2100	XXXX	XXXXXXXXXXXXXX
	2400	XXXX	XXXXXXXXXXXXXX

Friday 5.24

Date	Time	Temp.	Name (Print)
	0300	XXXXX	XXXXXXXXXXXXXX
	0600	XXXXX	XXXXXXXXXXXXXX
	0900		Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XXXXX	XXXXXXXXXXXXXX
	2100	XXXXX	XXXXXXXXXXXXXX
	2400	XXXXX	XXXXXXXXXXXXXX

No Im

Saturday 5.25

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 5.26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B102 Temp. Reading Location: N/A (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		not on
	0600		assignment
	0900		no contact
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0300		N/A
	0600		
	0900	64°	
	1200	69°	
	1500	71	Contreras
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		
	0600		
	0900		no
	1200		inmate
	1500		contact
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		
	0600		
	0900		no
	1200		inmate
	1500	68°	contact
	1800		
	2100		
	2400		

session 1+2

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		
	0600		not
	0900		assigned
	1200		
	1500		no inmate
	1800		contact
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Gym Temp. Reading Location: East Education Coaches' Office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

6102H

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300		
	0600		
	0900	63°	B. Ferrall
	1200	64°	B. Ferrall
	1500	65°	B. Ferrall
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/2024	0300		
	0600		
	0900	61°	B. Ferrall
	1200	63°	B. Ferrall
	1500	65°	B. Ferrall
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300		
	0600		
	0900	61°	B. Ferrall
	1200	63°	B. Ferrall
	1500	65°	B. Ferrall
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300		
	0600		
	0900	62°	B. Ferrall
	1200	64°	B. Ferrall
	1500	66°	B. Ferrall
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300		
	0600		
	0900	RDO	B. Ferrall
	1200		B. Ferrall
	1500		B. Ferrall
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

ATTACHMENT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D 101 Temp. Reading Location: E D
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300		
	0600		
	0900	65.4	DEPUTIES
	1200	67	DEPUTIES
	1500	64.6	DEPUTIES
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/24	0300		
	0600		
	0900		NO IM
	1200		
	1500		CONTACT
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300		
	0600		
	0900	70.00	DEPUTIES
	1200	72.4	DEPUTIES
	1500	74.7	DEPUTIES
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300		
	0600		
	0900	71.	DEPUTIES
	1200	72.	DEPUTIES
	1500	71.8	DEPUTIES
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		ROO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		ROO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		ROO
	1800		
	2100		
	2400		

Notes

7. DEPUTIES

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Z-211 / Maintenance Corridor Temp. Reading Location: East Education -Testing Room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		
	1200	NO CONTACT	
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	67	Friend
	1200	70	Friend
	1500	70	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68	Friend
no contact	1200	70	Friend
	1500	70	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		
no contact	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	teachers off	
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Friend, Testing Coordinator Ext. 4621

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Education Temp. Reading Location: Z-211, Testing Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		
	0600		
	0900		NO
	1200		CONTACT
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/21	0300		
	0600		
	0900		NO
	1200		CONTACT
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		
	0600		
	0900		NO
	1200		CONTACT
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		
	0600		
	0900		NO
	1200		CONTACT
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		
	0600		
	0900		
	1200		NO
	1500		CONTACT
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	63.7	ZELENSKI/COLE
	1200	70.7	ZELENSKI/COLE
	1500	73.2	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	72.8	ZELENSKI/COLE
	1200	71.0	ZELENSKI/COLE
	1500	71.5	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	65.7	ZELENSKI/COLE
	1200	71.6	ZELENSKI/COLE
	1500	71.6	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
05/23/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	65.7	ZELENSKI/COLE
	1200	71.0	ZELENSKI/COLE
	1500	70.9	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		ZELENSKI/COLE
	1200		ZELENSKI/COLE
	1500		ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Zelenski, S./Diederich, PSCE-COLLEGE Building H-H

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F / Gym Corridor Temp. Reading Location: East Education - GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	No contact	Mensing
	1200		Mensing
	1500		Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	67.6	Mensing
	1200	72.2	Mensing
	1500	72.5	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	67.6	Mensing
	1200	72.7	Mensing
	1500	Absent	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	66.2	Mensing
	1200	73.0	Mensing
	1500	76.0	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	No contact	Mensing
	1200		Mensing
	1500		Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Notes

D. Mensing, GED Instructor Ext. 4625

5/20/2024 to 5/26/2024

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Q113A Temp. Reading Location: D yard
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		N/A
	0600	68	SCIOCCHETTI/ROCHA
	0900	68	SCIOCCHETTI/ROCHA
	1200	68	SCIOCCHETTI/ROCHA
	1500		
	1800		N/A
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0300		N/A
	0600		
	0900	69	SCIOCCHETTI/ROCHA
	1200	69	SCIOCCHETTI/ROCHA
	1500	70	SCIOCCHETTI/ROCHA
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		N/A
	0600		
	0900	No class	SCIOCCHETTI/ROCHA
	1200	69	SCIOCCHETTI/ROCHA
	1500	70	SCIOCCHETTI/ROCHA
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		N/A
	0600		
	0900	69	SCIOCCHETTI/ROCHA
	1200	69	SCIOCCHETTI/ROCHA
	1500	No class	SCIOCCHETTI/ROCHA
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		N/A
	0600		
	0900	No school	SCIOCCHETTI/ROCHA
	1200	No school	SCIOCCHETTI/ROCHA
	1500	No school	SCIOCCHETTI/ROCHA
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

DocuSign Envelope ID: EDFC8408-C511-4F8B-B9F3-55B9630EF051

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: VOCATIONAL WELDING, Z-103 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/20

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67	J. Fogo 5/20/24
	1200	68	J. Fogo
	1500	69	J. Fogo
	1800		
	2100		N/A
	2400		

Tuesday 5/21

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 5/21/2024
	1200	69	J. Fogo
	1500	71	J. Fogo
	1800		
	2100		N/A
	2400		

Wednesday 5/22

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 5/22/2024
	1200	68	J. Fogo
	1500	70	J. Fogo
	1800		N/A
	2100		
	2400		

Thursday 5/23

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	64	J. Fogo 5/23/2024
	1200	68	J. Fogo
	1500	70	J. Fogo
	1800		N/A
	2100		
	2400		

Friday 5/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	NO	J. Fogo 5/24/2024
	1200	INMATE	J. Fogo
	1500	CONTACT	J. Fogo
	1800		N/A
	2100		
	2400		

Saturday 5/25

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 5/26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

DocuSign Envelope ID: C24A76DA-29D2-4A7E-BF14-593DD81ADAE6

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor Temp. Reading Location: East Education – HSD/GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	71	COLE
	1500	73	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69	COLE
	1200	71	COLE
	1500	73	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	72	COLE
	1500	73	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69	COLE
	1200	72	COLE
	1500	74	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71	COLE
	1200	72	COLE
	1500	74	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

C. Cole GED/ HSD Instructor Ext. 4861

DocuSigned by:
Caleb Cole
4690DJE70DC24EC...

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A FACILITY Temp. Reading Location: BUILDING [redacted] (e.g., 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300	68	ROBLES
	0600	68	RAMOS
	0900	68	RAMOS
	1200	68	RAMOS
	1500	70	CAMPOS
	1800	71	
	2100	72	
5/24	2400	73	

Tuesday

Dat	Time	Temp.	Name (Print)
5/21	0300	70	ALM
	0600	70	ALMANZA
	0900	70	ALMANZA
	1200	70	ALMANZA
	1500	70	CURBELO
	1800	70	CURBELO
	2100	70	CURBELO
	2400	70	Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300	68	J. Hernandez
	0600	68	K. ADAME
	0900	70	K. ADAME
	1200	70	K. ADAME
	1500	70	CURBELO
	1800	70	CURBELO
	2100	70	CURBELO
	2400	70	L. ROBLES

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300	70	L. ROBLES
	0600	67	RAMOS
	0900	67	RAMOS
	1200		RAMOS
	1500	70	CURBELO
	1800	70	CURBELO
	2100	70	CURBELO
	2400	70	M. Ramos

Friday

Date	Time	Temp.	Name (Print)
5/24	0300	69	Rivera
	0600	70	Rivera
	0900	70	Rivera
	1200	70	Rivera
	1500	70	CURBELO
	1800	70	CURBELO
	2100	70	CURBELO
	2400	70	Cerliss

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300	70	Cerliss
	0600	68	Cerliss
	0900	69	RAMOS
	1200	69	RAMOS
	1500	70	CURBELO
	1800	70	CURBELO
	2100	70	CURBELO
	2400	70	MEDINA

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300	70	[illegible]
	0600	69	RAMOS
	0900	69	RAMOS
	1200	70	RAMOS
	1500	70°F	DE LA GARZA
	1800	70°F	DE LA GARZA
	2100	70	DE LA GARZA
	2400	70	Roberts

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE REC
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: A FACILITY Temp. Reading Location: BUILDING 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	Castillo
	0600	70	Alamaza
	0900	70	Alamaza
	1200	70	Alamaza
	1500	70	LANDWEHR
	1800	70	LANDWEHR
	2100	70	LANDWEHR
	2400	70	Castillo

Tuesday

Dat	Time	Temp.	Name (Print)
5/21	0300	69	Castillo
	0600	69	Castillo
	0900	72	P. Hall
	1200	72	Hall
	1500	70	LANDWEHR
	1800	70	LANDWEHR
	2100	70	LANDWEHR
	2400	70	Castillo

Wednesday

Date	Time	Temp.	Name (Print)
5.22.24	0300	69	Castillo
	0600	69	Castillo
	0900	69	Holcom
	1200	70	Holcom
	1500	72	LANDWEHR
	1800	72	LANDWEHR
	2100	71	LANDWEHR
	2400	71	Roberts

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	71	Roberts
	0600	70	Holcom
	0900	70	Holcom
	1200	70	Holcom
	1500	70	LANDWEHR
	1800	70	LANDWEHR
	2100	70	LANDWEHR
	2400	70	Roberts

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	Roberts
	0600	70	Roberts
	0900	71	Roberts
	1200	70	Roberts
	1500	70	LANDWEHR
	1800	70	LANDWEHR
	2100	70	LANDWEHR
	2400	70	Castillo

Saturday

Date	Time	Temp.	Name (Print)
5.25.24	0300	70	Castillo
	0600	70	Castillo
	0900	70	BYRNE
	1200	71	BYRNE
	1500	70	Junior
	1800	70	Junior
	2100	70	Junior
	2400	70	Castillo

Sunday

Date	Time	Temp.	Name (Print)
5.26.24	0300	70	Castillo
	0600	70	Castillo
	0900	70	Alamaza
	1200	70	Alamaza
	1500	70	Junior
	1800	70	Junior
	2100	70	Junior
	2400	70	Castillo

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	N/A	
	0600	60	Jacobs
	0900	61	Jacobs
	1200	N/A	
	1500	66	J. Noel
	1800	64	J. Noel
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	N/A	
	0600	62	Jacobs
	0900	64	Jacobs
	1200	N/A	
	1500	66	J. Noel
	1800	64	J. Noel
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	N/A	
	0600	62	Jacobs
	0900	64	Jacobs
	1200	N/A	
	1500	66	J. Noel
	1800	64	J. Noel
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	N/A	
	0600	65	Jacobs
	0900	67	Jacobs
	1200	N/A	
	1500	69	Jacobs
	1800	70	JACBS
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	N/A	
	0600	64°	S. NOEL
	0900	64°	S. NOEL
	1200	N/A	
	1500	64	S. MORAN
	1800	62	S. MADRIGAL
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	N/A	
	0600	62°	S. NOEL
	0900	64°	S. NOEL
	1200	N/A	
	1500	65°	Pacas
	1800	65°	Pacas
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	N/A	
	0600	62	Jacobs
	0900	64	Jacobs
	1200	N/A	
	1500	61	Jacobs
	1800	62	Jacobs
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **PROGRAM OFFICE**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5 / 20 / 2024	0300	N/A	
	0600	N/A	
	0900	63	[illegible]
	1200	63	[illegible]
	1500	68	Montgomery
	1800	68	Montgomery
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
5 / 21 / 2024	0300	N/A	
	0600	N/A	
	0900	67	[illegible]
	1200	66	[illegible]
	1500	71	Montgomery
	1800	71	Montgomery
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5 / 22 / 2024	0300	N/A	
	0600	N/A	
	0900	67	[illegible]
	1200	66	[illegible]
	1500	66	Hackett
	1800	65	Hackett
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5 / 23 / 2024	0300	N/A	
	0600	N/A	
	0900	67	[illegible]
	1200	67	[illegible]
	1500	62	Bethel
	1800	62	Bethel
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5 / 24 / 2024	0300	N/A	
	0600	N/A	
	0900	N/A	
	1200	N/A	
	1500	65	Montgomery
	1800	65	Montgomery
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
5 / 25 / 2024	0300	N/A	
	0600	N/A	
	0900	N/A	
	1200	N/A	
	1500	65	Lasikewski
	1800	65	[illegible]
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
5 / 26 / 2024	0300	N/A	
	0600	N/A	
	0900	62	[illegible]
	1200	63	[illegible]
	1500	64	Montgomery
	1800	63	Montgomery
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **MINI CANTEEN**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	N/A	
	0600	N/A	
	0900	77	Hodges
	1200	79	Hodges
	1500	80	Hodges
	1800	78	Hodges
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	0300	N/A	
	0600	N/A	
	0900	73	Hodges
	1200	75	Hodges
	1500	76	Hodges
	1800	75	Hodges
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	N/A	
	0600	N/A	
	0900	75	Hodges
	1200	77	Hodges
	1500	75	Hodges
	1800	76	Hodges
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	N/A	
	0600	N/A	
	0900	73	Hodges
	1200	75	Hodges
	1500	75	Hodges
	1800	73	Hodges
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	N/A	
	0600	N/A	
	0900		
	1200		
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	N/A	
	0600	N/A	
	0900	74	Hodges
	1200	78	Hodges
	1500	79	Hodges
	1800	76	Hodges
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	N/A	
	0600	N/A	
	0900		
	1200	80	Hodges
	1500	81	Hodges
	1800	78	Hodges
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: FAC-B Bldg. 3 Temp. Reading Location: Tier 3
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	69	P. HENLEY
	0600	68	R Vega
	0900	69	R Vega
	1200	70	R Vega
	1500	70	Game
	1800	70	R. STEMHOUSE
	2100	68	R. STEMHOUSE
	2400	68	P. HENLEY

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	68	P. HENLEY
	0600	69	B. KESSLER
	0900	70	B. KESSLER
	1200	70	B. KESSLER
	1500	70	S. Corbin
	1800	68	R. STEMHOUSE
	2100	68	R. STEMHOUSE
	2400	68	P. HENLEY

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	68	P. HENLEY
	0600	69	Uris
	0900	69	Uris
	1200	70	Uris
	1500	68	Bonston
	1800	68	Bonston
	2100	68	Bonston
	2400	68	P. HENLEY

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	68	P. HENLEY
	0600	69	Uris
	0900	69	Uris
	1200	70	Uris
	1500	70	J.T Martinez
	1800	70	J.T Martinez
	2100	68	J.T Martinez
	2400	68	J.T Martinez

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	68	P. HENLEY
	0600	69	Uris
	0900	70	Uris
	1200	70	Uris
	1500	68	Martinez
	1800	68	Martinez
	2100	68	Martinez
	2400	68	Urias

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	68	Game
	0600	70	
	0900	71	
	1200	68	
	1500	67	J. Martinez
	1800	68	J. Martinez
	2100	68	J. Martinez
	2400	68	J. Martinez

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300	68	Game-AXQ
	0600	68	R Vega
	0900	69	
	1200	69	
	1500	70	Ramos
	1800	67	Ramos
	2100	69	Ramos
	2400	66	P. HENLEY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 124 Bldg. 4 Temp. Reading Location: 3RD Floor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	67	R. PITA
	0600	67	PALACIOS
	0900	67	PALACIOS
	1200	65	PALACIOS
	1500	69	Johnson
	1800	69	Johnson
	2100	69	Johnson
	2400	69	D. OROZCO

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/24	0300	69	D. OROZCO
	0600	68	Graves
	0900	68	Graves
	1200	69	Graves
	1500	69	BLOMAN
	1800	69	BLOMAN
	2100	69	BLOMAN
	2400	68	D. OROZCO

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0300	68	D. OROZCO
	0600	68	ALEMAN
	0900	69	ALEMAN
	1200	69	ALEMAN
	1500	69	BLOMAN
	1800	68	Johnson
	2100	68	BLOMAN
	2400	67	BLOMAN

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0300	67	BLOMAN
	0600	67	ALEMAN
	0900	68	PALACIOS
	1200	68	PALACIOS
	1500	67	Johnson
	1800	67	BLOMAN
	2100	68	BLOMAN
	2400	68	Rivera

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0300	68	Rivera
	0600	67	J. GRAVES
	0900	68	J. GRAVES
	1200	68	PALACIOS
	1500	69	BLOMAN
	1800	69	BLOMAN
	2100	68	BENITEZ
	2400	67	BENITEZ

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0300	67	BENITEZ
	0600	67	Graves
	0900	68	Graves
	1200	68	Graves
	1500	67	BENITEZ
	1800	67	BENITEZ
	2100	68	BENITEZ
	2400	Cdo	Rano

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300	66	Rano
	0600	67°	Graves
	0900	68	Graves
	1200	68°	Graves
	1500	68	CHILDERS
	1800	68	CHILDERS
	2100	67	CHILDERS
	2400	67	Rivera

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing~~ Dining Unit: B Facility Temp. Reading Location: near coffee machine (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-20-24	0300	N/A	—
	0600	68°	S. NOEL
	0900	69°	S. NOEL
	1200	N/A	
	1500	69°	Pacas
	1800	73°	Pacas
	2100	—	—
	2400	—	—

Tuesday

Date	Time	Temp.	Name (Print)
5-21-24	0300	—	—
	0600	69	Neiman
	0900	69	Neiman
	1200	69	Neiman
	1500	70	J Plum
	1800	72	J Plum
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0300	—	—
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	69°	PLATT
	1800	70°	PLATT
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0300	—	—
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	70°	PLATT
	1800	69°	PLATT
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0300	—	—
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	69	PLATT
	1800	69	PLATT
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0300	—	—
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	69°	LEE
	1800	70°	LEE
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300	—	—
	0600	69°	S. NOEL
	0900	69°	S. NOEL
	1200	—	—
	1500	69°	ALMAGUER
	1800	69°	ALMAGUER
	2100	—	—
	2400	—	—

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Fac. C Bld 5 Temp. Reading Location: 3rd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-20-24	0300	66	DRI TORO
	0600	68	Castillo
	0900	68	Castillo
	1200	68	Castillo
	1500	68°	S.Miguel
	1800	68°	S.Miguel
	2100	66°	S.Miguel
	2400	65°	J. AGUAYO

Tuesday

Date	Time	Temp.	Name (Print)
5-21-24	0300	65	AGUAYO J
	0600	66	Kingsley
	0900	66	Kingsley
	1200	66	Kingsley
	1500	68°	S.Miguel
	1800	68°	S.Miguel
	2100	66°	S.Miguel
	2400	66	J. AGUAYO

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0300	65	J. AGUAYO
	0600	66°	S.Miguel
	0900	66°	S.Miguel
	1200	68°	S.Miguel
	1500	68°	S.Miguel
	1800	68°	S.Miguel
	2100	66°	S.Miguel
	2400	66	C-LOPEZ

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0300	66	C-LOPEZ
	0600	66	J.Marron
	0900	68	J.Marron
	1200	66	J.Marron
	1500	68°	S.Miguel
	1800	68°	S.Miguel
	2100	68	S.Miguel
	2400	67	C-LOPEZ

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0300	67	C.LOPEZ
	0600	65	Kingsley
	0900	65	Kingsley
	1200	65	Kingsley
	1500	62°	S.Miguel
	1800	64°	S.Miguel
	2100	66°	S.Miguel
	2400	64	C-LOPEZ

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0300	64	C.LOPEZ
	0600	65	Kingsley
	0900	65	Kingsley
	1200	67	Kingsley
	1500	66	Luc
	1800	68	Luc
	2100	66	Luc
	2400	66	C-LOPEZ

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300	66	C.LOPEZ
	0600	66	[illegible]
	0900	68	[illegible]
	1200	68	[illegible]
	1500	66	Luc
	1800	66	Luc
	2100	66	Luc
	2400	66	C.LOPEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Building 6 Temp. Reading Location: 3rd tier
Fac. C (e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	69°	Benavidos
	0600	69	Rowlett
	0900	70	Rowlett
	1200	70	Rowlett
	1500	70	Cortes
	1800	70	Cortes
	2100	69	Cortes
	2400	68°F	De La Garza

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	68°F	De La Garza
	0600	68	Rowlett
	0900	69	Rowlett
	1200	70	Rowlett
	1500	72	E. Ayon Flores
	1800	72	E. Ayon Flores
	2100	70	E. Ayon Flores
	2400	69	Bowman

Wednesday

Date	Time	Temp.	Name (Print)
05-22-2024	0300	69	Bowman
	0600	70	Rowlett
	0900	70	Rowlett
	1200	70	Rowlett
	1500	70	Alfaro
	1800	70	Alfaro
	2100	70	Santos
	2400	70	Santos

Thursday

Date	Time	Temp.	Name (Print)
05-23-2024	0300	65	R Santos
	0600	67	Rowlett
	0900	69	Rowlett
	1200	70	Rowlett
	1500	72	Ayon Flores
	1800	72	Ayon Flores
	2100	70	Ayon Flores
	2400	70	Aguilar

Friday

Date	Time	Temp.	Name (Print)
05-24-2024	0300	70	Aguilar
	0600	70°	Saine
	0900	70°	Saine
	1200	70°	Saine
	1500	70	Ayon Flores
	1800	72	Ayon Flores
	2100	72	Ayon Flores
	2400	71	Bowman

Saturday

Date	Time	Temp.	Name (Print)
05-25-2024	0300	69	Bowman
	0600	69	Zamora
	0900	70	Zamora
	1200	70	Zamora
	1500	72	Scherer
	1800	72	Scherer
	2100	70	Scherer
	2400	70	Rivera

Sunday

Date	Time	Temp.	Name (Print)
5-26-2024	0300	70	Rivera
	0600	70	Rowlett
	0900	70	Rowlett
	1200	71	Rowlett
	1500	72	Galacios
	1800	72	Galacios
	2100	71	Galacios
	2400	70°	S. Banuelos

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: C-Facility Temp. Reading Location: Diner
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-20-24	0300		N/A
	0600	61°	Montano
	0900	65°	Montano
	1200		N/A
	1500	67	GARCIA
	1800	67	Garcia
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5-21-24	0300		N/A
	0600	62°	S. NOEL
	0900	65°	S. NOEL
	1200		N/A
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0300		N/A
	0600	60	Cobb
	0900	65	Cobb
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0300		N/A
	0600	60°	Montano
	0900	66°	Montano
	1200		N/A
	1500	69°	GARCIA
	1800	70°	Garcia
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0300		N/A
	0600	65°	Montano
	0900	67	Montano
	1200		N/A
	1500	68	GARCIA
	1800	66	Garcia
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0300		N/A
	0600	62	B. SCOTT
	0900	62	B. SCOTT
	1200		N/A
	1500	65	GARCIA
	1800	70	GARCIA
	2100		N/A
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300		N/A
	0600	64	Montano
	0900	66	Montano
	1200		N/A
	1500	68	Garcia
	1800	67	Garcia
	2100		
	2400		N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 7 Temp. Reading Location: TIER 3
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Fac. D

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	70	Chavez
	0600	67°	Chavez
	0900	67°	Chavez
	1200	67	Chavez
	1500	67°	Chavez
	1800	68°	Chavez
	2100	68°	Chavez
	2400	68	Torres

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/24	0300	68	Torres
	0600	68	Hadwena
	0900	68°	Chavez
	1200	68°	Chavez
	1500	68°	Benavides
	1800	68°	Benavides
	2100	68°	[illegible]
	2400	70	T. Gore

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	T. Gore
	0600	66	Dennerlein
	0900	65	Dennerlein
	1200	67	Dennerlein
	1500	68	Vasquez
	1800	70	Vasquez
	2100	70	Vasquez
	2400	70	T. Gore

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	T. Gore
	0600	66	Dennerlein
	0900	65	Dennerlein
	1200	67	Dennerlein
	1500	70	Salinas
	1800	70	Salinas
	2100	68	Salinas
	2400	69	T. Gore

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	69	T. Gore
	0600	69	Witt
	0900	69	Witt
	1200	69	Witt
	1500	68°	T. Faiola
	1800	68°	T. Faiola
	2100	69°	T. Faiola
	2400	69	T. Gore

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	69	T. Gore
	0600	69	Witt
	0900	69	Witt
	1200	69	Witt
	1500	68°	T. Faiola
	1800	68°	T. Faiola
	2100	68°	T. Faiola
	2400	69°	S. Gore

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	68°	Benavides
	0600	69	Witt
	0900	69	Witt
	1200	69	Witt
	1500	69	Cabrera
	1800	68	Cabrera
	2100	68	Cabrera
	2400	68°	Benavides

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 8 FAC. D Temp. Reading Location: TIER 3 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	Torres
	0600	70	NERI
	0900	70	NERI
	1200	70	NERI
	1500	70°	Bender
	1800	70°	Bender
	2100	69°	Bender
	2400	67°	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/24	0300	66	[illegible]
	0600	68	R Delgadillo
	0900	70	R Delgadillo
	1200	73	R Delgadillo
	1500	70°	Bender
	1800	70	Bender
	2100	70°	Bender
	2400	68	Lopez

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	68	Lopez
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70°	Bender
	1800	70°	Bender
	2100	69°	Bender
	2400	68	Jensen

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	68	Jensen
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70°	Bender
	1800	70°	Bender
	2100	69°	Bender
	2400	68°	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	67°	[illegible]
	0600	68	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70°	Bender
	1800	70°	Bender
	2100	69°	Bender
	2400	68	Oberda

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	Bender
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Pelayo
	1800	70	Pelayo
	2100	70	Pelayo
	2400	68	Jensen

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	68	Jensen
	0600	68	Pelayo
	0900	68	Pelayo
	1200	69	Pelayo
	1500	70	Mullins
	1800	70	Mullins
	2100	70	Mullins
	2400	72	MACLEOD

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D Dorm Temp. Reading Location: Dorm Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	~~0300~~		
	0600	66	Martyn
	0900	66	Martyn
	1200	67	Martyn
	1500	68	M
	1800	68	K
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	~~0300~~		
	0600	66	Martyn
	0900	66	Martyn
	1200	67	Martyn
	1500	67	Bexter
	1800	67	Bexter
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	~~0300~~		
	0600	67	Martyn
	0900	67	Martyn
	1200	68	Martyn
	1500	70	Z. Marks
	1800	70	Z. Marks
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	~~0300~~		
	0600	66	Cobb
	0900	66	Cobb
	1200	67	Cobb
	1500	68	Bexter
	1800	68	Bexter
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24/24	~~0300~~		
	0600	66	Cobb
	0900	67	Cobb
	1200	68	Cobb
	1500	70	- Casanova
	1800	71	- Casanova
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600	66	Alvarado
	0900	66	Alvarado
	1200	67	Alvarado
	1500	68	Delgadillo
	1800	68	Delgadillo
	2100	66	Delgadillo
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	~~0300~~		
	0600	65	Martyn
	0900	66	Martyn
	1200	66	Martyn
	1500	65	Vasquez
	1800	65	Vasquez
	2100		
	2400		

Notes

Week of 5/20/24

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 30
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/20/24	0300	70	HOWELL
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Tuesday

Dat	Time	Temp.	Name (Print)
05/21/24	0300	70	HOWELL
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Wednesday

Date	Time	Temp.	Name (Print)
05/22/24	0300	70	HOWELL
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Thursday

Date	Time	Temp.	Name (Print)
05/23/24	0300	70	HOWELL
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	ALVAREZ
	1800	66	ALVAREZ
	2100	68	ALVAREZ
	2400	70	HOWELL

Friday

Date	Time	Temp.	Name (Print)
05/24/24	0300	70	HOWELL
	0600	70	SOLIS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
05/25/24	0300	70	RAMOS
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
05/26/24	0300	70	RAMOS
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	72	GOMEZ
	1800	70	GOMEZ
	2100	68	GOMEZ
	2400	70	RAMOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 31
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/20/24	0300	70	HOWELL
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Tuesday

Dat	Time	Temp.	Name (Print)
05/21/24	0300	70	HOWELL
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Wednesday

Date	Time	Temp.	Name (Print)
05/22/24	0300	70	HOWELL
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Thursday

Date	Time	Temp.	Name (Print)
05/23/24	0300	70	HOWELL
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	68	ALVAREZ
	1800	68	ALVAREZ
	2100	68	ALVAREZ
	2400	70	HOWELL

Friday

Date	Time	Temp.	Name (Print)
05/24/24	0300	70	HOWELL
	0600	70	SOLIS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
05/25/24	0300	70	RAMOS
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
05/26/24	0300	70	RAMOS
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	72	GOMEZ
	1800	70	GOMEZ
	2100	68	GOMEZ
	2400	70	RAMOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 32
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/20/24	0300	70	HOWELL
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Tuesday

Dat	Time	Temp.	Name (Print)
05/21/24	0300	70	HOWELL
	0600	70	Argujo
	0900	70	Argujo
	1200	70	Argujo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Wednesday

Date	Time	Temp.	Name (Print)
05/22/24	0300	70	HOWELL
	0600	70	Argujo
	0900	70	Argujo
	1200	70	Argujo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Thursday

Date	Time	Temp.	Name (Print)
05/23/24	0300	70	HOWELL
	0600	70	Argujo
	0900	70	Argujo
	1200	70	Argujo
	1500	70	ALVAREZ
	1800	68	ALVAREZ
	2100	68	ALVAREZ
	2400	70	HOWELL

Friday

Date	Time	Temp.	Name (Print)
05/24/24	0300	70	HOWELL
	0600	70	SOLIS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
05/25/24	0300	70	RAMOS
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
05/26/24	0300	70	RAMOS
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	72	GOMEZ
	1800	70	GOMEZ
	2100	70	GOMEZ
	2400	70	RAMOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 33 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/20/24	0300	70	HOWELL
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Tuesday

Dat	Time	Temp.	Name (Print)
05/21/24	0300	70	HOWELL
	0600	70	Argaiz
	0900	70	Argaiz
	1200	70	Argaiz
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Wednesday

Date	Time	Temp.	Name (Print)
05/22/24	0300	70	HOWELL
	0600	70	Argaiz
	0900	70	Argaiz
	1200	70	Argaiz
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Thursday

Date	Time	Temp.	Name (Print)
05/23/24	0300	70	HOWELL
	0600	70	Argaiz
	0900	70	Argaiz
	1200	70	Argaiz
	1500	70	ALVAREZ
	1800	68	ALVAREZ
	2100	68	ALVAREZ
	2400	70	HOWELL

Friday

Date	Time	Temp.	Name (Print)
05/24/24	0300	70	HOWELL
	0600	70	SOLIS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
05/25/24	0300	70	RAMOS
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
05/26/24	0300	70	RAMOS
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	72	GOMEZ
	1800	70	GOMEZ
	2100	70	GOMEZ
	2400	70	RAMOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 34
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/20/24	0300	70	HOWELL
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Tuesday

Dat	Time	Temp.	Name (Print)
05/21/24	0300	70	HOWELL
	0600	70	Argujo
	0900	70	Argujo
	1200	70	Argujo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Wednesday

Date	Time	Temp.	Name (Print)
05/22/24	0300	70	HOWELL
	0600	70	Argujo
	0900	70	Argujo
	1200	70	Argujo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Thursday

Date	Time	Temp.	Name (Print)
05/23/24	0300	70	HOWELL
	0600	70	Argujo
	0900	70	Argujo
	1200	70	Argujo
	1500	70	ALVAREZ
	1800	68	ALVAREZ
	2100	68	ALVAREZ
	2400	70	HOWELL

Friday

Date	Time	Temp.	Name (Print)
05/24/24	0300	70	HOWELL
	0600	70	SOLIS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
05/25/24	0300	70	RAMOS
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
05/26/24	0300	70	RAMOS
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	72	GOMEZ
	1800	70	GOMEZ
	2100	70	GOMEZ
	2400	70	RAMOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC PROGRAM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/20/24	0300	70	HOWELL
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Tuesday

Dat	Time	Temp.	Name (Print)
05/21/24	0300	70	HOWELL
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Wednesday

Date	Time	Temp.	Name (Print)
05/22/24	0300	70	HOWELL
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Thursday

Date	Time	Temp.	Name (Print)
05/23/24	0300	70	HOWELL
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	ALVAREZ
	1800	66	ALVAREZ
	2100	66	ALVAREZ
	2400	70	HOWELL

Friday

Date	Time	Temp.	Name (Print)
05/24/24	0300	70	HOWELL
	0600	70	SOLIS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
05/25/24	0300	70	RAMOS
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
05/26/24	0300	70	RAMOS
	0600	70	VASQUEZ
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	72	GOMEZ
	1800	70	GOMEZ
	2100	70	GOMEZ
	2400	70	RAMOS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: MINI CANTEEN
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/20/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Tuesday

Dat	Time	Temp.	Name (Print)
05/21/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Wednesday

Date	Time	Temp.	Name (Print)
05/22/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Thursday

Date	Time	Temp.	Name (Print)
05/23/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	ALVAREZ
	1800	68	ALVAREZ
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Friday

Date	Time	Temp.	Name (Print)
05/24/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Saturday

Date	Time	Temp.	Name (Print)
05/25/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Sunday

Date	Time	Temp.	Name (Print)
05/26/24	0300	NO ACCESS	NO ACCESS
	0600	NO ACCESS	NO ACCESS
	0900	70	VASQUEZ
	1200	70	VASQUEZ
	1500	70	Gomez
	1800	70	Gomez
	2100	NO ACCESS	NO ACCESS
	2400	NO ACCESS	NO ACCESS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		N/A
	0600	58	Hampton
	0900	62	Hampton
	1200	64	G Jones
	1500	64	G Jones
	1800	62	G Jones
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/21	0300		N/A
	0600	60	Hampton
	0900	62	Hampton
	1200	64	G Jones
	1500	65	G Jones
	1800	64	G Jones
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		N/A
	0600	64	G. Trevino
	0900	65	G. Trevino
	1200	68	G Jones
	1500	68	G Jones
	1800	66	G Jones
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		N/A
	0600	65	G. Trevino
	0900	67	G. Trevino
	1200	68	G Jones
	1500	69	G Jones
	1800	67	G Jones
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		N/A
	0600	62	Hampton
	0900	66	Hampton
	1200	66	Hampton
	1500	64	Hampton
	1800	62	Hampton
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		N/A
	0600	60	Hampton
	0900	60	Hampton
	1200	62	Hampton
	1500	64	Hampton
	1800	62	Hampton
	2100		
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		N/A
	0600	58	Hampton
	0900	60	Hampton
	1200	64	Jones
	1500	68	Jones
	1800	64	Jones
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300		N/A
	0600		
	0900	66	Gottesfeld
	1200	68	— " —
	1500	73	— " —
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/24	0300		N/A
	0600		
	0900	67	Gottesfeld
	1200	68	"
	1500	70	"
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300		N/A
	0600		
	0900	68	Gottesfeld
	1200	68	" "
	1500	70	" "
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/22/24	0300		N/A
	0600		
	0900	67	Gottesfeld
	1200	68	"
	1500	68	"
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/22/24	0300		N/A
	0600		
	0900	68	Gottesfeld
	1200	68	"
	1500	69	"
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: E. CANTEEN Temp. Reading Location: MAIN OFFICE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		N/A
	0600		
	0900	68	M. Cruz
	1200	68	JD
	1500	69	
	1800	70	TAYLOR
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0300		N/A
	0600		
	0900	68°	ZA
	1200	69°	JP
	1500	69	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		N/A
	0600		
	0900	68	
	1200	69	
	1500	69	
	1800	70	BR
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		N/A
	0600		
	0900	68	
	1200	70	
	1500	70	
	1800	71	BR
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		N/A
	0600		
	0900	68	
	1200	70	
	1500	70	
	1800	70	CH
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA 5/20/2024 to 5/26/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2nd FLOOR (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	0300	—	—
	0600	62	J. MILLS
	0900	62	MILLS
	1200	60	R.E. DAVIS
	1500	60	R.E. DAVIS
	1800	62	R.E. DAVIS
	2100	—	—
	2400	—	—

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/2024	0300	—	—
	0600	62	J. MILLS
	0900	62	J. MILLS
	1200	62	VASQUEZ
	1500	62	VASQUEZ
	1800	62	VASQUEZ
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	0300	—	—
	0600	60	Mederos
	0900	62	Mederos
	1200	62	SCOTT
	1500	63	SCOTT
	1800	62	SCOTT
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	0300	—	—
	0600	60	Mederos
	0900	62	Mederos
	1200	63	SCOTT
	1500	62	SCOTT
	1800	62	SCOTT
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	0300	—	—
	0600	60	Mederos
	0900	62	Mederos
	1200	62	Mederos
	1500	62	Mederos
	1800	62	Mederos
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	—	—
	0600	60	Mederos
	0900	60	Mederos
	1200	61	R.E. DAVIS
	1500	61	R.E. DAVIS
	1800	60	R.E. DAVIS
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	—	—
	0600	60	Mederos
	0900	60	Mederos
	1200	60	R.E. DAVIS
	1500	60	R.E. DAVIS
	1800	60	R.E. DAVIS
	2100	—	—
	2400	—	—

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

ATTACHMENT B

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/16)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Plant Ops Temp. Reading Location: Z-149
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/20

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75	G Gary
	1200	75	G Gary
	1500	75	G Gary
	1800		
	2100		N/A
	2400		

Tuesday 5/21

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75	G Gary
	1200	75	G Gary
	1500	75	G Gary
	1800		
	2100		N/A
	2400		

Wednesday 5/22

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75	G Gary
	1200	75	G Gary
	1500	75	G Gary
	1800		
	2100		N/A
	2400		

Thursday 5/23

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76	G Gary
	1200	76	G Gary
	1500	76	G Gary
	1800		
	2100		N/A
	2400		

Friday 5/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	76	G Gary
	1200	76	G Gary
	1500	76	G Gary
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week

Institution: CMC Housing Unit: Calipa Temp. Reading Location: mp. Maintenance & Repair
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	[illegible]	C. Sandoz
5-20	0900	71	R. Estrada
	1200	71	C. Sandoz
	1500	70	C. Sandoz
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70	C. Sandoz
5-21	0900	70	R. Estrada
	1200	70	C. Sandoz
	1500	71	C. Sandoz
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	69	C. Sandoz
5-22	0900	70	C. Sandoz
	1200	71	C. Sandoz
	1500	70	C. Sandoz
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	69	C. Sandoz
5-23	0900	69	C. Sandoz
	1200	70	C. Sandoz
	1500	73	C. Sandoz
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PA Temp. Reading Location: Wet Processing
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/20	0300		N/A
	0600	60	SW
	0900	68.	SW
	1200	73.	SW
	1500	75.	SW
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
05/21	0300		N/A
	0600	62.	SW
	0900	66.	SW
	1200	70.	SW
	1500	73.	SWaymeat
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/22	0300		N/A
	0600	61.	SWaymeat
	0900	64.	SWayd
	1200	71.	SW
	1500	74.	SWayd
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		N/A
	0600	65.	SWaymeat
	0900	67.	SW
	1200	72	SWaymeat
	1500	74.	SWayd
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: P/A Temp. Reading Location: 1st floor fabrics
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/20	0300		N/A
	0600		
	0900	68.	SWayment
	1200	68.	SWayment
	1500	70.	SWayment
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0300		N/A
	0600		
	0900	62.	SWayments
	1200	68.	SWayment
	1500	72.	SWayment
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		N/A
	0600	68.	SWayment
	0900		
	1200	71.	SWayment
	1500	73.	SWayment
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		N/A
	0600		
	0900	68.	SWayment
	1200	72.	SW
	1500	74.	SWayment
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		N/A
	0600		
	0900	66°	AH
	1200	66°	
	1500	66°	
	1800	66°	
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/21	0300		N/A
	0600		
	0900	68°	AH
	1200	68°	
	1500	68°	
	1800	68°	
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		N/A
	0600		
	0900	66°	AH
	1200	66°	
	1500	66°	
	1800	66°	
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		N/A
	0600		
	0900	68°	AH
	1200	68°	
	1500	68°	
	1800	68°	
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		N/A
	0600		
	0900	70°	AH
	1200	70°	
	1500	70°	
	1800	70°	
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA JACKET Temp. Reading Location: 2nd FLOOR JKT
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		
	0600		
	0900	70	CHOI
	1200	70	CHOI
	1500	72	CHOI
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0300		
	0600		
	0900	73	D COOPER
	1200	74	CHOI
	1500	72	CHOI
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		
	0600		
	0900	69	CHOI
	1200	70	CHOI
	1500	71	CHOI
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		
	0600		
	0900	70	CHOI
	1200	74	CHOI
	1500	71	CHOI
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: JKT/Tshirt Temp. Reading Location: Jacket 2nd Floor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		
	0600		
	0900	68	J. Diaz
	1200	69	J. Diaz
	1500	73	J. Diaz
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0300		
	0600		
	0900	61	J. Diaz
	1200	69	J. Diaz
	1500	69	J. Diaz
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		
	0600		
	0900	59	J. Diaz
	1200	60	J. Diaz
	1500	69	J. Diaz
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		
	0600		
	0900	60	J. Diaz
	1200	69	J. Diaz
	1500	73	J. Diaz
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours seven (7) days a week

Institution CMC Housing Unit Boot Temp Reading Location Check Wall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		N/A
	0600	71°	Rick H
	0900	71°	LM
	1200	80	[illegible]
	1500	82	Rick
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0300		N/A
	0600	70	Rick H
	0900	75	Rick H
	1200	80	Rick H
	1500	83	Rick H
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		N/A
	0600	70	Rick H
	0900	74	Fant
	1200	76	Fant
	1500	74	Fant
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		N/A
	0600	68	R. Fant
	0900	70	R. Fant
	1200	72	L. Fant
	1500	75	R. Fant
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA Division office CMC Temp. Reading Location: Intake office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	71	Wong
5/20	1200	72	Wong
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	71	Wong
	1200	72	Wong
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	71	Wong
5/22	1200	72	Wong
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	71°	Rodriguez
5/23	1200	72°	Wong
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PRINT PLANT Temp. Reading Location: Central Post, First Level (e.g. 1st tier, 2nd tier, 3rd, etc.)

Immediately notify the Watch Commander at extension _____ when the inside temperature reaches 90 degrees and again at 95 degrees.

MONTH/YEAR MAY 2024

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		N/A
	0600		
	0900	67	PM
	1200	68	PM
	1500	69	PM
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0300		N/A
	0600		
	0900	60	PM
	1200	64	PM
	1500	65	PM
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		N/A
	0600		
	0900	60	PM
	1200	64	PM
	1500	67	PM
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		N/A
	0600		
	0900	60	PM
	1200	63	PM
	1500	69	PM
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		
	0600		
	0900		
	1200		
	1500		ROO
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		ROO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		ROO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week

Institution: CMC-E Housing Unit: Knitting Mill Temp. Reading Location: Compressor Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/20

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	Richardson M.
	1200	72°	Richardson M.
	1500	74°	Richardson M.
	1800		
	2100		N/A
	2400		

Tuesday 5/21

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	Richardson M.
	1200	74°	Richardson M.
	1500	76°	Richardson M.
	1800		
	2100		N/A
	2400		

Wednesday 5/22

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	Richardson M.
	1200	74°	Richardson M.
	1500	76°	Richardson M.
	1800		
	2100		N/A
	2400		

Thursday 5/23

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	Richardson M.
	1200	74°	Richardson M.
	1500	76°	Richardson M.
	1800		
	2100		N/A
	2400		

Friday 5/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Saturday 5/25

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday 5/26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes 5/20/24 - 5/23/24

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

ATTACHMENT B

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week

Institution CMC Housing Unit Pia Safety Temp. Reading Location T Shirt
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4631 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/20/24

Date	Time	Temp.	Name (Print)
	0300		
	0600	70	J. Johnson
	0900	69	J. Johnson
	1200	72	J. Johnson
	1500	72	J. Johnson
	1800		
	2100		
	2400		

Tuesday 5/21/24

Dat	Time	Temp.	Name (Print)
	0300		
	0600	69	J. Johnson
	0900	69	J. Johnson
	1200	68	J. Johnson
	1500	74	J. Johnson
	1800		
	2100		
	2400		

Wednesday 5/22/24

Date	Time	Temp.	Name (Print)
	0300		
	0600	69	J. Johnson
	0900	69	J. Johnson
	1200	70	J. Johnson
	1500	70	C. Wood
	1800		
	2100		
	2400		

Thursday 5/23/24

Date	Time	Temp.	Name (Print)
	0300		
	0600	60	C. Wood
	0900	60	C. Wood
	1200	68	C. Wood
	1500	75	C. Wood
	1800		
	2100		
	2400		

Friday 5/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday 5/25

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 5/26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA 5/20/2024 to 5/26/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From Sept. 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:**CMC** Housing Unit:**EAST Protestant Chapel** Temp.Reading Location:**Protestant Chapel EAST**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5/20	0300		N/A
	0600		
	0900	66	[illegible]
	1200	66	[illegible]
	1500	67	[illegible]
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0300		
	0600		N/A
	0900		
	1200		
	1500	68	[illegible]
	1800	68	[illegible]
	2100	68	[illegible]
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300		
	0600		N/A
	0900	66	[illegible]
	1200	67	[illegible]
	1500	68	[illegible]
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300		
	0600		N/A
	0900	67	[illegible]
	1200	67	[illegible]
	1500	68	[illegible]
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/24	0300		
	0600		
	0900		
	1200		ROO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300		
	0600		
	0900		
	1200		ROO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300		
	0600		N/A
	0900	67	[illegible]
	1200	68	[illegible]
	1500		
	1800		N/A
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/20/2024 to 5/26/2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-19-24	0100	47	ZEPEDA
	0200	47	ZEPEDA
	0300	47	ZEPEDA
	0400	48	ZEPEDA
	0500	48	ZEPEDA
	0600	49	C. PRICE
	0700	50	C. PRICE
	0800	50	C. PRICE
	0900	50	C. PRICE
	1000	52	C. PRICE
	1100	54	C. PRICE
	1200	56	C. PRICE
	1300	59	C. PRICE
	1400	61	RUPP
	1500	62	RUPP
	1600	59	RUPP
	1700	57	RUPP
	1800	53	RUPP
	1900	51	RUPP
	2000	50	RUPP
	2100	49	RUPP
	2200	47	WALLACE
	2300	47	WALLACE
	2400	47	WALLACE

Date	Time	Temp.	Printed Name
5-20-24	0100	47	WALLACE
	0200	49	WALLACE
	0300	49	WALLACE
	0400	50	WALLACE
	0500	50	WALLACE
	0600	50	DeluTorre
	0700	50	DeluTorre
	0800	50	DeluTorre
	0900	50	DeluTorre
	1000	52	DeluTorre
	1100	59	DeluTorre
	1200	64	DeluTorre
	1300	68	DeluTorre
	1400	66	RUPP
	1500	64	RUPP
	1600	64	RUPP
	1700	62	RUPP
	1800	62	RUPP
	1900	62	RUPP
	2000	60	RUPP
	2100	60	RUPP
	2200	57	ZEPEDA
	2300	57	ZEPEDA
	2400	56	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/21/24	0100	49	ZEPEDA, J
	0200	48	ZEPEDA, J
	0300	48	ZEPEDA, J
	0400	48	ZEPEDA, J
	0500	48	ZEPEDA, J
	0600	48	ZEPEDA, J
	0700	50	DelaTorre
	0800	51	DelaTorre
	0900	51	DelaTorre
	1000	56	DelaTorre
	1100	63	DelaTorre
	1200	64	DelaTorre
	1300	64	DelaTorre
	1400	63	RUPP
	1500	61	RUPP
	1600	61	RUPP
	1700	60	RUPP
	1800	57	RUPP
	1900	54	RUPP
	2000	52	RUPP
	2100	52	RUPP
	2200	50	ZEPEDA
	2300	50	ZEPEDA
	2400	49	ZEPEDA

Date	Time	Temp.	Printed Name
5/22/24	0100	49	ZEPEDA
	0200	49	ZEPEDA
	0300	49	ZEPEDA
	0400	47	ZEPEDA
	0500	47	ZEPEDA
	0600	47	ZEPEDA
	0700	46	DelaTorre
	0800	50	DelaTorre
	0900	53	DelaTorre
	1000	57	DelaTorre
	1100	60	DelaTorre
	1200	63	DelaTorre
	1300	62	DelaTorre
	1400	60	RUPP
	1500	60	RUPP
	1600	57	RUPP
	1700	56	RUPP
	1800	55	RUPP
	1900	53	RUPP
	2000	52	RUPP
	2100	50	RUPP
	2200	50	RUPP
	2300	50	ZEPEDA
	2400	49	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5.23.24	0100	47	ZEPEDA, J
	0200	48	ZEPEDA, J
	0300	49	ZEPEDA, J
	0400	50	ZEPEDA, J
	0500	50	ZEPEDA, J
	0600	50	DelaTorre
	0700	52	DelaTorre
	0800	52	DelaTorre
	0900	56	DelaTorre
	1000	60	DelaTorre
	1100	60	DelaTorre
	1200	62	DelaTorre
	1300	64	DelaTorre
	1400	63	RUPP
	1500	61	RUPP
	1600	60	RUPP
	1700	60	RUPP
	1800	58	RUPP
	1900	55	RUPP
	2000	52	RUPP
	2100	52	RUPP
	2200	50	ZEPEDA, J
	2300	50	ZEPEDA, J
	2400	50	ZEPEDA, J

Date	Time	Temp.	Printed Name
5.24.24	0100	49	ZEPEDA, J
	0200	47	ZEPEDA, J
	0300	47	ZEPEDA, J
	0400	47	ZEPEDA, J
	0500	47	ZEPEDA, J
	0600	49	DelaTorre
	0700	50	DelaTorre
	0800	50	DelaTorre
	0900	52	DelaTorre
	1000	54	DelaTorre
	1100	61	DelaTorre
	1200	58	DelaTorre
	1300	58	DelaTorre
	1400	57	RUPP
	1500	55	RUPP
	1600	55	RUPP
	1700	55	RUPP
	1800	55	RUPP
	1900	52	RUPP
	2000	52	RUPP
	2100	52	RUPP
	2200	49	ZEPEDA
	2300	49	ZEPEDA
	2400	50	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/25/24	0100	49	ZEPEDA
	0200	49	ZEPEDA
	0300	49	ZEPEDA
	0400	49	ZEPEDA
	0500	49	ZEPEDA
	0600	49	ZEPEDA
	0700	50	D Robinson
	0800	50	D Robinson
	0900	50	D. Robinson
	1000	52	D. Robinson
	1100	52	D. Robinson
	1200	52	D. Robinson
	1300	54	D. Robinson
	1400	56	D. Robinson
	1500	56	D. Robinson
	1600	58	D. Robinson
	1700	58	D Robinson
	1800	58	RUPP
	1900	55	RUPP
	2000	55	RUPP
	2100	52	RUPP
	2200	50	ZEPEDA, J
	2300	50	ZEPEDA, J
	2400	47	ZEPEDA, J

Date	Time	Temp.	Printed Name
5/26/24	0100	47	ZEPEDA, J
	0200	45	ZEPEDA, J
	0300	45	ZEPEDA, J
	0400	47	ZEPEDA, J
	0500	49	ZEPEDA, J
	0600	50	D Robinson
	0700	50	D. Robinson
	0800	54	D. Robinson
	0900	59	D. Robinson
	1000	62	D. Robinson
	1100	62	D. Robinson
	1200	62	D. Robinson
	1300	63	D. Robinson
	1400	63	D. Robinson
	1500	60	RUPP
	1600	59	RUPP
	1700	57	RUPP
	1800	55	RUPP
	1900	54	RUPP
	2000	52	RUPP
	2100	52	RUPP
	2200	50	ZEPEDA, J
	2300	50	ZEPEDA, J
	2400	50	ZEPEDA, J

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From June 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list June be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Unit: **J - Catholic Chapel** Temp. Reading Location: **Catholic Chapel**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees**

Monday ~~June~~ May 27, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		ROO
	1800		
	2100		
	2400		

Tuesday June May 28, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		ROO
	1800		
	2100		
	2400		

Wednesday ~~June~~ May 29, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		ROO
	1500		
	1800		
	2100		
	2400		

Thursday ~~June~~ May 30, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		ROO
	1500		
	1800		
	2100		
	2400		

Friday ~~June~~ May 31, 2024

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		ROO
	1500		
	1800		
	2100		
	2400		

Saturday June 1, 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	67	J. FARAD
	0900	70	
	1200	70	
	1500	70	
	1800		
	2100		N/A
	2400		

Sunday June 2 2024

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	68	J. FARAD
	0900	69	
	1200	70	
	1500	70	
	1800		
	2100		N/A
	2400		

Notes

J. Farad

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L Temp. Reading Location: Clothing Dist.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		CLOSED HOLIDAY
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/28	0300		N/A
	0600		
	0900	68	J. EBREO
	1200	70	J. EBREO
	1500	63	J. EBREO
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		N/A
	0600		
	0900	68	J. EBREO
	1200	70	A CASSIM
	1500	70	A. CASSIM
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		N/A
	0600		
	0900	68	ARTHUR CASSIM
	1200	78	ARTHUR CASSIM
	1500	78	ARTHUR CASSIM
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		N/A
	0600		
	0900	70	ARTHUR CASSIM
	1200	72	ARTHUR CASSIM
	1500	74	ARTHUR CASSIM
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 0120 Temp. Reading Location: EAST Library (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		
	0600		
	0900	RDO	No student contact
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300		N/A
	0600		
	0900	68	A. Garcia
	1200	69	A. Garcia
	1500	70	A. Garcia
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		N/A
	0600		
	0900	70	A. Garcia
	1200	70	A. Garcia
	1500	71	A Garcia
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		N/A
	0600		
	0900	71	A. Garcia
	1200	72	A. Garcia
	1500	72	A. Garcia
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		N/A
	0600		
	0900	68	A. Garcia
	1200	72	A. Garcia
	1500	70	A. Garcia
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

ATTACHMENT B

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-101 Temp. Reading Location: ED.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		
	0600		
	0900		NO IM
	1200		CONTACT
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5-28-24	0300		
	0600		
	0900	73.2	Deferred
	1200	73.1	Deferred
	1500	78.9	Deferred
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300		
	0600		
	0900	72.0	Deferred
	1200	71.3	Deferred
	1500	75.9	Deferred
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		
	0600		
	0900		NO IM
	1200		CONTACT
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		
	0600		
	0900	71.5	Deferred
	1200	75.9	Deferred
	1500	74.9	Deferred
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

A. Deferred

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	XXX	XXX
	0600	XXX	XXX
No School	0900		ZELENSKI/COLE
	1200		ZELENSKI/COLE
	1500		ZELENSKI/COLE
No Staff	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	66.5	ZELENSKI/COLE
	1200	72.4	ZELENSKI/COLE
	1500	72.0	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	78.0	ZELENSKI/COLE
	1200	72.4	ZELENSKI/COLE
	1500	72.6	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
05/30/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	82.2	ZELENSKI/COLE
	1200	76.1	ZELENSKI/COLE
	1500	74.9	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	65.2	ZELENSKI/COLE
	1200	74.2	ZELENSKI/COLE
	1500	74.2	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Zelenski, S./Diederich, PSCE-COLLEGE Building H-H

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B10 CMC Temp. Reading Location: N/A (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		
	0600		
	0900	no	inmate
	1200		contact
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300		
	0600		
	0900	67°	Contreras
	1200		
	1500		
	1800		no inmate
	2100		contact
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		N/A
	0600		
	0900	67°	Contreras
	1200	70°	Contreras
	1500	72°	Contreras
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		
	0600		N/A
	0900	66°	Contreras
	1200	70°	Contreras
	1500	74°	Contreras
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		
	0600		N/A
	0900	69°	Contreras
	1200	71°	Contreras
	1500	72	Contreras
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Gym G102H Temp. Reading Location: East Education Coaches' Office (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300		
	0600		
	0900		B. Ferrall
	1200	RDO	B. Ferrall
	1500		B. Ferrall
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/2024	0300		
	0600		
	0900	61°	B. Ferrall
	1200	63°	B. Ferrall
	1500	65°	B. Ferrall
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300		
	0600		
	0900	61°	B. Ferrall
	1200	64°	B. Ferrall
	1500	65°	B. Ferrall
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300		
	0600		
	0900	62°	B. Ferrall
	1200	64°	B. Ferrall
	1500	67°	B. Ferrall
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300		
	0600		
	0900	64°	B. Ferrall
	1200	62°	B. Ferrall
	1500	65°	B. Ferrall
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Z-211 / Maintenance Corridor Temp. Reading Location: East Education -Testing Room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	Memorial Day	
	1200	RDO	
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO	Contact
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68	Friend
	1200	70	Friend
	1500	72	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	73	Friend
	1200	76	Friend
	1500	76	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71	Friend
	1200	72	Friend
	1500	NO	Contact
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Friend, Testing Coordinator Ext. 4621

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/27/2024 to 6/2/2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Q113A Temp. Reading Location: D yard
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		
	0600		
	0900	No school	SCIOCCHETTI/ROCHA
	1200	No school	SCIOCCHETTI/ROCHA
	1500	No school	SCIOCCHETTI/ROCHA
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300		N/A
	0600		
	0900	67	SCIOCCHETTI/ROCHA
	1200	69	SCIOCCHETTI/ROCHA
	1500	70	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		N/A
	0600		
	0900	No class	SCIOCCHETTI/ROCHA
	1200	69	SCIOCCHETTI/ROCHA
	1500	70	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		N/A
	0600		
	0900	69	SCIOCCHETTI/ROCHA
	1200	70	SCIOCCHETTI/ROCHA
	1500	70	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		N/A
	0600		
	0900	69	SCIOCCHETTI/ROCHA
	1200	70	SCIOCCHETTI/ROCHA
	1500	70	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing Unit:~~ Classroom D-104 Temp. Reading Location: Teacher's Desk
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300		
	0600	RDO	
	0900		Todd
	1200		Todd
	1500		Todd
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300		N/A
	0600		
	0900	68	Todd
	1200	70	Todd
	1500	72	Todd
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		N/A
	0600		
	0900	69	Todd
	1200	71	Todd
	1500	72	Todd
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		N/A
	0600		
	0900	69°	Todd
	1200	74°	Todd
	1500	75	Todd
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		N/A
	0600		
	0900	69	Todd
	1200	74	Todd
	1500	76	Todd
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		RDO
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: __CMC_____ Housing Unit: ___ Temp. Reading Location: H-E / Gym Corridor East Education – GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 7904 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		N/A
	0600		
	0900	68	G.LOAYZA/W.BACILA
	1200	70	G.LOAYZA/W.BACILA
	1500	72	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300		N/A
	0600		
	0900	70	G.LOAYZA/W.BACILA
	1200	72	G.LOAYZA/W.BACILA
	1500	72	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		N/A
	0600		
	0900	68	G.LOAYZA/W.BACILA
	1200	70	G.LOAYZA/W.BACILA
	1500	72	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		N/A
	0600		
	0900	70	G.LOAYZA/W.BACILA
	1200	72	G.LOAYZA/W.BACILA
	1500	72	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		N/A
	0600		
	0900	76	G.LOAYZA/W.BACILA
	1200	72	G.LOAYZA/W.BACILA
	1500	72	G.LOAYZA/W.BACILA
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		ROO
	1500		
	1800		
	2100		
	2400		

Sunday

6/2

ROO

Notes

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Z-224 Temp. Reading Location: Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4772 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300		
	0600		
	0900		
	1200	NO CLASS	
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300		N/A
	0600		
	0900	70	Ramirez R.
	1200	72	Ramirez R.
	1500	72	Ramirez R.
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300		N/A
	0600		
	0900	71	Ramirez R.
	1200	74	Ramirez R.
	1500	76	Ramirez R.
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300		N/A
	0600		
	0900	70	Ramirez R.
	1200	73	Ramirez
	1500	74	Ramirez R.
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300		
	0600		
	0900		
	1200	NO CLASS	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Medical Corridor Temp. Reading Location: Classroom B-125 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5-27-24

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900		Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Tuesday 5-28-24

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900	68°	Mark Kirstein
	1200	69°	Mark Kirstein
	1500	71°	Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Wednesday 5/29

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900	68°	Mark Kirstein
	1200	71	Mark Kirstein
	1500	73°	Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Thursday 5/30

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900	68°	Mark Kirstein
	1200	70°	Mark Kirstein
	1500	72	Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Friday 5/31

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900		Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Saturday 6/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 6/2

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F / Gym Corridor Temp. Reading Location: East Education - GED Classroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	No Contact	Mensing
	1200		Mensing
	1500		Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70.3	Mensing
	1200	72.1	Mensing
	1500	73.2	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	No Contact	Mensing
	1200		Mensing
	1500		Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	No Contact	Mensing
	1200		Mensing
	1500		Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	No Contact	Mensing
	1200		Mensing
	1500		Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

D. Mensing, GED Instructor Ext. 4625

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300		
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300		N/A
	0600		
	0900	69	S. MOORE/C. BERRY
	1200	70	S. MOORE/C. BERRY
	1500	71	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300		N/A
	0600		
	0900	71	S. MOORE/C. BERRY
	1200	74	S. MOORE/C. BERRY
	1500	74	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300		N/A
	0600		
	0900	69	S. MOORE/C. BERRY
	1200	71	S. MOORE/C. BERRY
	1500	72	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300		
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

DocuSign Envelope ID: 11C756EE-CBE7-4BA4-B34E-BF0975998925

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor Temp. Reading Location: East Education – HSD/GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/25/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	71	COLE
	1500	73	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
5/26/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69	COLE
	1200	72	COLE
	1500	74	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	72	COLE
	1500	74	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69	COLE
	1200	72	COLE
	1500	76	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	71	COLE
	1200	72	COLE
	1500	75	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

C. Cole GED/ HSD Instructor Ext. 4861

DocuSigned by:
Caleb Cole
46BE03E7000024EC...

5/27/2024 to 6/2/2024

DocuSign Envelope ID: 2F5B3265-F298-4FD6-89E2-B231FFA34B0C

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: VOCATIONAL WELDING, Z-103
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	NO	J. Fogo 5/27/24
	1200	INMATE	J. Fogo
	1500	CONTACT	J. Fogo
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		N/A
	0900	66	J. Fogo 5/28/2024
	1200	69	J Fogo
	1500	70	J. Fogo
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	66	J Fogo 5/29/2024
	1200	68	J. Fogo
	1500	71	J Fogo
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	66	J Fogo 5/30/2024
	1200	68	J. Fogo
	1500	75	J. Fogo
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	NO	J Fogo 5/31/2024
	1200	INMATE	J. Fogo
	1500	CONTACT	J Fogo
	1800		
	2100		N/A
	2400		

Saturday 6/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 6/2

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DocuSigned by: 5/31/2024
Jeff Fogo
8FD4511300A54B4

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _____ Housing Unit: B135 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

HOLIDAY

Tuesday 5/28

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	68	Thompson
	1200	70	Thompson
	1500	71	
	1800		
	2100		
	2400		

Wednesday 5/29

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	66	Thompson
	1200	68	
	1500	69	
	1800		
	2100		
	2400		

Thursday 5/30

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	67	
	1200	69	Thompson
	1500	71	
	1800		
	2100		
	2400		

Friday 5/31

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	67	
	1200	71	Thompson
	1500	71	
	1800		
	2100		
	2400		

Saturday 6/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 6/2

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/16)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LMC Housing Unit: V-158 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Teacher out all week

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300		
	0600		
	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300		
	0600		
	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		R. Lopez
	1200		R. Lopez
	1500		R. Lopez
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Education Temp. Reading Location: Gym Corridor HG
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5-27-24 Holiday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

No Students

Tuesday 5-28-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67°	D. Jacobs
	1200	71°	D. Jacobs
	1500	72°	D. Jacobs
	1800		
	2100		N/A
	2400		

Wednesday 5-29-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	D. Jacobs
	1200	71°	D. Jacobs
	1500	74°	D. Jacobs
	1800		
	2100		N/A
	2400		

Thursday 5-30-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	D. Jacobs
	1200	73°	D. Jacobs
	1500	73°	D. Jacobs
	1800		
	2100		N/A
	2400		

Friday 5-31-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	D. Jacobs
	1200	72°	D. Jacobs
	1500	73°	D. Jacobs
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

D. Jacobs

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DELGADILLO, K ABE-3

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-106 Temp. Reading Location: East Education (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

2024

Monday 5/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	Holiday	
	1500		
	1800		
	2100		
	2400		

Tuesday 5/28

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	NO	
	1500	SUP	
	1800		
	2100		
	2400		

Wednesday 5/29

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71°	K. Delgadillo
	1200	73°	K. Delgadillo
	1500	75°	K. Delgadillo
	1800		
	2100		N/A
	2400		

Thursday 5/30

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	73°	K. Delgadillo
	1200	75°	K. Delgadillo
	1500	NO	SUP
	1800		
	2100		N/A
	2400		

Friday 5/31

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	K. Delgadillo
	1200	74°	K. Delgadillo
	1500	75°	K. Delgadillo
	1800		
	2100		N/A
	2400		

Saturday 6/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 6/2

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Delgadillo, ABE-3 Instructor

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/27/2024 to 6/2/2024

DocuSign Envelope ID: CCDCF482-1AA7-41B7-A10A-EE87FD91C8A2

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/27 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Tuesday

Dat	Time	Temp.	Name (Print)
05/28 2024	0300		
	0600		
	0900		NO CLASS
	1200		NO CLASS
	1500		NO CLASS
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/29 2024	0300		
	0600		
	0900		NO CLASS
	1200		NO CLASS
	1500		NO CLASS
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
05/30 2024	0300		
	0600		
	0900		NO CLASS
	1200		NO CLASS
	1500		NO CLASS
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
05/31 2024	0300		
	0600		
	0900		NO CLASS
	1200		NO CLASS
	1500		NO CLASS
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING ONE, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	70	Roberts
	0600	68	Ramos
	0900	69	Ramos
	1200	69	Ramos
	1500	70	Chines
	1800	70	Chines
	2100	70	Chines
	2400	68	Dial

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	68	Dial
	0600	68	Almaraz
	0900	70	Almaraz
	1200	70	Almaraz
	1500	70	Sankston
	1800	70	Sankston
	2100	70	Sankston
	2400	70	Roberts

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	69	Roberts
	0600	70	Lines
	0900	72	Lines
	1200	74	Lines
	1500	72	Cutchlow
	1800	72	Cutchlow
	2100	70	Cutchlow
	2400	70	Robles

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	70	Robles
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	72	Cutchlow
	1800	70	Cutchlow
	2100	70	Cutchlow
	2400	70	Robles

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	70	Robles
	0600	68	Ramos
	0900	69	Ramos
	1200	70	Ramos
	1500	70	Scott
	1800	70	Scott
	2100	69	Scott
	2400	70	Robles

Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	70	Robles
	0600	68	Ramos
	0900	69	Ramos
	1200	70	Ramos
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	69	Robles

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	68	Robles
	0600	70	Ramos
	0900	68	Ramos
	1200		Ramos
	1500	70°F	De La Garza
	1800	70°F	De La Garza
	2100	68°F	De La Garza
	2400	70°	Andre

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING TWO, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	70	Castillo
	0600	70	Castillo
	0900	70	Alamaher
	1200	70	Alamaher
	1500	70	LANDWEHR
	1800	70	LANDWEHR
	2100	70	LANDWEHR
	2400	70	Castillo

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	70	Castillo
	0600	70	Castillo
	0900	70	KOPPER
	1200	70	KOPPER
	1500	70	WEAS
	1800	68	WEAS
	2100	65	WEAS
	2400	68	Castillo

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	68	Castillo
	0600	70	Castillo
	0900	70	Lowe
	1200	70	Lowe
	1500	70	LANDWEHR
	1800	70	LANDWEHR
	2100	70	LANDWEHR
	2400	70	Roberts

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	69	Roberts
	0600	70	Chavez
	0900	70	Chavez
	1200	70	CHAVEZ
	1500	70	LANDWEHR
	1800	70	LANDWEHR
	2100	70	LANDWEHR
	2400	70	Roberts

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	70	Roberts
	0600	69	BRENNEMAN
	0900	70	BRENNEMAN
	1200	71	BRENNEMAN
	1500	70	LANDWEHR
	1800	70	LANDWEHR
	2100	70	LANDWEHR
	2400	70	Castillo

Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	70	Castillo
	0600	70	Castillo
	0900	70	Byrne
	1200	71	BYRNE
	1500	72	KREBS
	1800	71	KREBS
	2100	71	KREBS
	2400	70	Castillo

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	70	Castillo
	0600	70	Castillo
	0900	70	Alamaher
	1200	70	Alamaher
	1500	72	Alamaher
	1800	72	Alamaher
	2100	71	Alamaher
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	N/A	
	0600	62	Jacobs
	0900	64	Jacobs
	1200	N/A	
	1500	65	LINES
	1800	65	LINES
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	N/A	
	0600	61	Jacobs
	0900	63	Jacobs
	1200	N/A	
	1500	65	J. Noel
	1800	64	J. Noel
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	N/A	
	0600	64	Jacobs
	0900	66	Jacobs
	1200	N/A	
	1500	68	J. Noel
	1800	68	J. Noel
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	N/A	
	0600	67	Jacobs
	0900	69	Jacobs
	1200	N/A	
	1500	69	J. Noel
	1800	67	J. Noel
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	N/A	
	0600	68°	S. NOEL
	0900	108°	S. NOEL
	1200	N/A	
	1500	69	Roth
	1800	67	Roth
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	N/A	
	0600	68°	S. NOEL
	0900	70°	S. NOEL
	1200	N/A	
	1500	66	Pacas
	1800	75°	Pacas
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	N/A	
	0600	62	Jacobs
	0900	64	Jacobs
	1200	N/A	
	1500	67°	Pacas
	1800	67°	Pacas
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **PROGRAM OFFICE**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 05/27/2024

Date	Time	Temp.	Name (Print)
5/27/2024	0300	N/A	L. [illegible]
	0600	64	L. [illegible]
	0900	64	L. [illegible]
	1200	64	L. [illegible]
	1500	66	Montgomery
	1800	66	Montgomery
	2100	N/A	
	2400	N/A	

Tuesday 05/28/2024

Date	Time	Temp.	Name (Print)
5/28/2024	0300	N/A	
	0600	N/A	
	0900	63	CARIBA
	1200	63	CARIBA
	1500	63	Montgomery
	1800	63	Montgomery
	2100	N/A	
	2400	N/A	

Wednesday 05/29/2024

Date	Time	Temp.	Name (Print)
5/29/2024	0300	N/A	
	0600	65	S. Lund
	0900	66	S. Lund
	1200	66	S. Lund
	1500	67	J. HACKETT
	1800	67	J. HACKETT
	2100	N/A	
	2400	N/A	

Thursday 05/30/2024

Date	Time	Temp.	Name (Print)
5/30/2024	0300	N/A	
	0600	N/A	
	0900	67	CARIBA
	1200	68	CARIBA
	1500	69	BEHSU
	1800	66	BEHSU
	2100	N/A	
	2400	N/A	

Friday 05/31/2024

Date	Time	Temp.	Name (Print)
5/31/2024	0300	N/A	
	0600	66	FONTS
	0900		
	1200		
	1500		
	1800		
	2100	N/A	
	2400	N/A	

Saturday 06/01/2024

Date	Time	Temp.	Name (Print)
6/1/2024	0300	N/A	
	0600	67	Montgomery
	0900	67	Montgomery
	1200	69	Montgomery
	1500	69	Montgomery
	1800	69	Montgomery
	2100	N/A	
	2400	N/A	

Sunday 06/02/2024

Date	Time	Temp.	Name (Print)
6/2/2024	0300	N/A	
	0600		
	0900		
	1200		
	1500	66	Montgomery
	1800	66	Montgomery
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **MINI CANTEEN**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300	N/A	
	0600	N/A	
	0900	77	Hodges
	1200	78	Hodges
	1500	80	Hodges
	1800	78	Hodges
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	0300	N/A	
	0600	N/A	
	0900	73	Hodges
	1200	74	Hodges
	1500	77	Hodges
	1800	77	Hodges
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	N/A	
	0600	N/A	
	0900	76	Hodges
	1200	76	Hodges
	1500	77	Hodges
	1800	76	Hodges
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	N/A	
	0600	N/A	
	0900	73	Hodges
	1200	73	Hodges
	1500	75	Hodges
	1800	74	Hodges
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	N/A	
	0600	N/A	
	0900	76	Hodges
	1200	76	Hodges
	1500	78	Hodges
	1800	77	Hodges
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	N/A	
	0600	N/A	
	0900	73	Hodges
	1200	75	Hodges
	1500	75	Hodges
	1800	72	Hodges
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	N/A	
	0600	N/A	
	0900	77	Hodges
	1200	80	Hodges
	1500	81	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: FAC-B Bldg. 3 Temp. Reading Location: Tier 3
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	68	P. HENRY
	0600	66	R. Vega
	0900	68	R. Vega
	1200	69	R. Vega
	1500	69	[illegible]
	1800	69	[illegible]
	2100	68	[illegible]
	2400	68	P. HENRY

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	66	P. HENRY
	0600	67	Chris
	0900	69	Chris
	1200	69	Chris
	1500	70	Hernandez
	1800	70	Hernandez
	2100	69	[illegible]
	2400	68	P. HENRY

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	68	P. HENRY
	0600	69	Chris
	0900	69	Chris
	1200	68	Chris
	1500	68	V. Hernandez
	1800	70	V. Hernandez
	2100	68	V. Hernandez
	2400	68	P. HENRY

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	68	P. HENRY
	0600	69	Chris
	0900	70	Chris
	1200	70	Chris
	1500	70	V. Hernandez
	1800	69	V. Hernandez
	2100	68	V. Hernandez
	2400	68	P. HENRY

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300		P. HENRY
	0600	68	Chris
	0900	69	Chris
	1200	70	Chris
	1500	68	Martinez
	1800	68	Martinez
	2100	68	Martinez
	2400	68	Garcia

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	68	Garcia
	0600	68	Chris
	0900	69	Chris
	1200	69	Chris
	1500	68	Martinez
	1800	68	Martinez
	2100	68	Martinez
	2400	68	Garcia

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	68	Garcia
	0600	68	R. Vega
	0900	68	R. Vega
	~~1200~~	~~68~~	~~V. Hernandez~~
	1500	68	V. Hernandez
	1800	68	V. Hernandez
	2100	69	V. Hernandez
	2400	67	P. HENRY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 4 FAC. B Temp. Reading Location: 3RD (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	67	RIVERA
	0600	68	PALACIOS
	0900	68	GRAVES
	1200	69	GRAVES
	1500	69	JOHNSON
	1800	69	JOHNSON
	2100	69	JOHNSON
	2400	70 F	DE LA GARZA

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70°F	DE LA GARZA
	0600	66	RIVERA
	0900	68	RIVERA
	1200	68	RIVERA
	1500	69	BLOMMAN
	1800	69	BLOMMAN
	2100	69	BLOMMAN
	2400	68	CAMPOS

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	67	CAMPOS
	0600	67	ALEMAN
	0900	69	ALEMAN
	1200	69	ALEMAN
	1500	69	ALEMAN
	1800	70	ALEMAN
	2100	70	ALEMAN
	2400	68	JOHNSON

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	69	JOHNSON, T
	0600	69	ALEMAN
	0900	69	ALEMAN
	1200	71	ALEMAN
	1500	72	BLOMMAN
	1800	72	BLOMMAN
	2100	71	BLOMMAN
	2400	69	MORTN

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	68	MORTN
	0600	67	MORTN
	0900	67	RIVERA
	1200	67	RIVERA
	1500	68	JOHNSON
	1800	69	BLOMMAN
	2100	69	BLOMMAN
	2400	67	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	69	MORTN
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	70	BLOMMAN
	1800	67	BLOMMAN
	2100	69	BLOMMAN
	2400	69	BLOMMAN

Sunday

Date	Time	Temp.	Name (Print)
	0300	69	BLOMMAN
	0600	69	[illegible]
	0900	68	[illegible]
	1200	68	[illegible]
	1500	68	[illegible]
	1800	68	[illegible]
	2100	68	[illegible]
	2400	69	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing~~ Dining Unit: B Facility Temp. Reading Location: near coffee machine
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	N/A	N/A
	0600	69°	S. NOEL
	0900	69°	S. NOEL
	1200		N/A
	1500	71°	Pacas
	1800	74°	Pacas
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
5-28-24	0300	N/A	
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	73	J Pinn
	1800	74	J Pinn
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	N/A	
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	72	J. Pinn
	1800	73	J Pinn
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	N/A	
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	72	J Pinn
	1800	73	J Pinn
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	N/A	
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	72	J. Pinn
	1800	74	J. Pinn
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
6-01-24	0300	N/A	
	0600	69	Maciel
	0900	69	Maciel
	1200	69	Maciel
	1500	73	J Piatti
	1800	72	J Piatti
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
6-02-24	0300		N/A
	0600	69°	S NOEL
	0900	69°	S. NOEL
	1200	N/A	N/A
	1500	69	S. ALVARADO
	1800	69	S. ALVARADO
	2100	69	S. ALVARADO
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: C-5 Fac. Temp. Reading Location: 3rd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	66	C. LOPEZ
	0600	68	C. LEON DIAZ
	0900	65	LEON DIAZ
	1200	68	LEON DIAZ
	1500	66°	S.Miguel
	1800	66°	S.Miguel
	2100	66°	S.Miguel
	2400	66	J. AGUAYO

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	66	AGUAYO, J
	0600	66	Kingsley
	0900	66	Kingsley
	1200	67	Kingsley
	1500	66°	S.Miguel
	1800	68°	S.Miguel
	2100	66	S.Miguel
	2400	66	AGUAYO

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	66	AGUAYO, J
	0600	66	J. Maretti
	0900	66	J. Maretti
	1200	66	J. Maretti
	1500	66°	S.Miguel
	1800	68°	S.Miguel
	2100	68°	S.Miguel
	2400	67	C. LOPEZ

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	67	C. LOPEZ
	0600	67	J. Maretti
	0900	68°	J. Maretti
	1200	72°	J. Maretti
	1500	68°	S.Miguel
	1800	70°	S.Miguel
	2100	68°	S.Miguel
	2400	68	C. LOPEZ

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	68	C. LOPEZ
	0600	67	Kingsley
	0900	65	Kingsley
	1200	65	Kingsley
	1500	70°	S.Miguel
	1800	70°	S.Miguel
	2100	68°	S.Miguel
	2400	68	C. LOPEZ

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	67	C. LOPEZ
	0600	67	Kingsley
	0900	67	Kingsley
	1200	67	CATRON
	1500	67	Armstrong
	1800	67	Armstrong
	2100	67	Armstrong
	2400	66	Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	66	RODRIGUEZ
	0600	66	J. Johnson
	0900	68	J. Johnson
	1200	70	J. Johnson
	1500	68	P. Huerta
	1800	68	Huerta
	2100	68	DALTON
	2400	65	DALTON

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Fac. C Building 6 Temp. Reading Location: 3rd tier (e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70°	S. Banuelos
	0600	70	Rowlett
	0900	70	Rowlett
	1200	71	Rowlett
	1500	72	Zepeda
	1800	72	Zepeda
	2100	70	Zepeda
	2400	70°	S. Banuelos

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	70°	S. Banuelos
	0600	70	Rowlett
	0900	70	Rowlett
	1200	70	Rowlett
	1500	72	Ayon Flores
	1800	72	Ayon Flores
	2100	70	Ayon Flores
	2400	70°	S. Banuelos

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70°	S. Banuelos
	0600	70	Rowlett
	0900	70	Rowlett
	1200	71	Rowlett
	1500	72	Ayon Flores
	1800	72	Ayon Flores
	2100	72	Ayon Flores
	2400	70	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	68	[illegible]
	0600	70	Rowlett
	0900	70	Rowlett
	1200	72	Rowlett
	1500	73	Ayon Flores
	1800	72	Ayon Flores
	2100	70	Ayon Flores
	2400	70	Aguilar

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	Aguilar
	0600	70	Del Toro
	0900	72	Del Toro
	1200	72	Del Toro
	1500	72	E. Ayon Flores
	1800	72	E. Ayon Flores
	2100	70	E. Ayon Flores
	2400	70°	S. Banuelos

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70°	S. Banuelos
	0600	70	Zamora
	0900	70	Zamora
	1200	71	Zamora
	1500	70	E. Ayon Flores
	1800	70	E. Ayon Flores
	2100	70	E. Ayon Flores
	2400	70°	S. Banuelos

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	70°	S. Banuelos
	0600	70	J. Rowlett
	0900	70	J. Rowlett
	1200	70	J. Rowlett
	1500	70	A. Zepeda
	1800	70	A. Zepeda
	2100	70	A. Zepeda
	2400	70°	S. Banuelos

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

95°

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: C-Facility Temp. Reading Location: Diner
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300		N/A
	0600	62°	Montano
	0900	66	Montano
	1200		N/A
	1500	69	GARCIA
	1800	70	GARCIA
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5-28-24	0300		N/A
	0600	66°	SINDEL
	0900	66°	SINDEL
	1200		N/A
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300		N/A
	0600	66	MC
	0900	67	MC
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300		N/A
	0600	64	Montano
	0900	68°	Montano
	1200		
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300		N/A
	0600	65°	Montano
	0900	66°	Montano
	1200		N/A
	1500	69	GARCIA
	1800	69	GARCIA
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300		
	0600		N/A
	0900		
	1200		
	1500	69	GARCIA
	1800	70	GARCIA
	2100		N/A
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300		N/A
	0600	66°	Montano
	0900	69°	Montano
	1200		N/A
	1500	69	GARCIA
	1800	72	GARCIA
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 7 Temp. Reading Location: TIER 3
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

FAC. O

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/27/24	0300	68	CHIQUES
	0600	67°	CHIQUES
	0900	67°	Chavez
	1200	68°	Chavez
	1500	68°	Chavez
	1800	68°	Chavez
	2100	67°	Chavez
	2400	67	VASQUEZ F

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	67	VASQUEZ F
	0600	67	VASQUEZ F
	0900	67	Witt
	1200	68°	Witt
	1500	68°	Benavides
	1800	68°	Benavides
	2100	68°	Benavides
	2400	68	T. Gna

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	69	T. Gna
	0600	70	Witt
	0900	70	Witt
	1200	70	Witt
	1500	70	Eshelman
	1800	69	T. Faiola
	2100	69	T. Faiola
	2400	68	T. Gna

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	68	T. Gna
	0600	67	Dennerlein
	0900	68	Dennerlein
	1200	69	Dennerlein
	1500	70	Pelayo
	1800	70	Pelayo
	2100	70	Pelayo
	2400	70	T. Gna

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	T. Gna
	0600	70	Witt
	0900	70	Witt
	1200	70	Witt
	1500	70°	T. Faiola
	1800	68°	T. Faiola
	2100	70°	T. Faiola
	2400	70	T. Gna

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70	T. Gna
	0600	70	Witt
	0900	70	Witt
	1200	70	Witt
	1500	70°	T. Faiola
	1800	68°	T. Faiola
	2100	68°	T. Faiola
	2400	70	T. Gna

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	68°	Benavides
	0600	68°	BECKETT
	0900	69°	BECKETT
	1200	70°	BECKETT
	1500	70	CABRIENTS
	1800	68	CABRIENTS
	2100	68	CABRIENTS
	2400	70°	Benavides

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 8 Temp. Reading Location: TIER 3
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

FAC. D

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-27-24	0300	70	MALLEOD
	0600	70	NEBER
	0900	70	NEBER
	1200	70	NEBER
	1500	70°	Bender
	1800	70	Bender
	2100	69°	Bender
	2400	69	Chesley

Tuesday

Dat	Time	Temp.	Name (Print)
5-28-24	0300	70	Chesley
	0600	70	Bankston
	0900	70	Bankston
	1200	70	Bankston
	1500	71°	Bender
	1800	71°	Bender
	2100	69°	Bender
	2400	70	Chesley

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	Chesley
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70°	Bender
	1800	70°	Bender
	2100	69°	Bender
	2400	69	Chesley

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	70	Chesley
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	72°	Bender
	1800	72°	Bender
	2100	70	Bender
	2400	70	Chesley

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	70	Chesley
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	72°	Bender
	1800	72°	Bender
	2100	70	Bender
	2400	70	Chesley

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	Chesley
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Pelayo
	1800	70	Pelayo
	2100	70	Pelayo
	2400	70	TORRES

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	70	TORRES
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Mullins
	1800	70	Mullins
	2100	70	Mullins
	2400	70	Mullins

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-DINGH Temp. Reading Location: DINGH FLOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	~~0300~~		N/A
	0600	65	Martyn
	0900	66	Martyn
	1200	67	Martyn
	1500	68	[illegible]
	1800	68	[illegible]
	~~2100~~		
	~~2400~~		N/A

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	~~0300~~		N/A
	0600	67	Martyn
	0900	67	Martyn
	1200	68	Martyn
	1500	68	[illegible]
	1800	68	[illegible]
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	~~0300~~		N/A
	0600	67	Martyn
	0900	67	Martyn
	1200	68	Martyn
	1500	68	LINES
	1800	68	LINES
	2100	67	LINES
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300		N/A
	0600	67	RC
	0900	68	[illegible]
	1200	68	[illegible]
	1500	68	LINES
	1800	68	LINES
	2100	67	LINES
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300		N/A
	0600	68	[illegible]
	0900	68	[illegible]
	1200	70	[illegible]
	1500	70	[illegible]
	1800	70	[illegible]
	2100	68	[illegible]
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	~~0300~~		N/A
	0600	69	Martyn
	0900	69	Martyn
	1200	70	Martyn
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	~~0300~~		N/A
	0600	66	Martyn
	0900	66	Martyn
	1200	67	Martyn
	1500	68	[illegible]
	1800	69	[illegible]
	2100		
	2400		N/A

Notes

Week of May 27th, 2024

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 30 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	Howell
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Vasquez
	1800	70	Vasquez
	2100	70	Vasquez
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70	Howell
	0600	70	Argujo
	0900	70	Argujo
	1200	70	Argujo
	1500	70	Vasquez
	1800	70	Vasquez
	2100	70	Vasquez
	2400	70	Howell

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	Howell
	0600	70	Argujo
	0900	70	Argujo
	1200	70	Argujo
	1500	70	Vasquez
	1800	70	Vasquez
	2100	70	Vasquez
	2400	70	Howell

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	Howell
	0600	70	Argujo
	0900	70	Argujo
	1200	70	Argujo
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Ramos

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	Ramos
	0600	70	Jimenez
	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	Moreno
	1800	70	Moreno
	2100	70	Moreno
	2400	70	Moreno

Saturday

Date	Time	Temp.	Name (Print)
6/01/24	0300	70	Moreno
	0600	70	Solis
	0900	70	Solis
	1200	70	Solis
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Moreno

Sunday

Date	Time	Temp.	Name (Print)
6/02/24	0300	70	Moreno
	0600	70	Jimenez
	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	Jimenez
	1800	70	Jimenez
	2100	70	Jimenez
	2400	70	Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 31 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	Howell
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Jassinger
	1800	70	Jassinger
	2100	70	Jassinger
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Jassinger
	1800	70	Jassinger
	2100	70	Jassinger
	2400	70	Howell

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Jassinger
	1800	70	Jassinger
	2100	70	Jassinger
	2400	70	Howell

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Ramos

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	Ramos
	0600	70	Jimenez
	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	Moreno
	1800	70	Moreno
	2100	70	Moreno
	2400	70	Moreno

Saturday

Date	Time	Temp.	Name (Print)
6/01/24	0300	70	Moreno
	0600	70	Solis
	0900	70	Solis
	1200	70	Solis
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Moreno

Sunday

Date	Time	Temp.	Name (Print)
6/02/24	0300	70	Moreno
	0600	70	Jimenez
	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	Jimenez
	1800	70	Jimenez
	2100	70	Jimenez
	2400	70	Jassinger

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 32 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	Howell
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Vasquez
	1800	70	Vasquez
	2100	70	Vasquez
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Vasquez
	1800	70	Vasquez
	2100	70	Vasquez
	2400	70	Howell

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Vasquez
	1800	70	Vasquez
	2100	70	Vasquez
	2400	70	Howell

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Ramos

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	Ramos
	0600	70	Jimenez
	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	Moreno
	1800	70	Moreno
	2100	70	Moreno
	2400	70	Moreno

Saturday

Date	Time	Temp.	Name (Print)
6/01/24	0300	70	Moreno
	0600	70	Solis
	0900	70	Solis
	1200	70	Solis
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Moreno

Sunday

Date	Time	Temp.	Name (Print)
6/02/24	0300	70	Moreno
	0600	70	Jimenez
	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	Jimenez
	1800	70	Jimenez
	2100	70	Jimenez
	2400	70	Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 33
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	Howell
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Vasquez
	1800	70	Vasquez
	2100	70	Vasquez
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Vasquez
	1800	70	Vasquez
	2100	70	Vasquez
	2400	70	Howell

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Vasquez
	1800	70	Vasquez
	2100	70	Vasquez
	2400	70	Howell

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Ramos

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	Ramos
	0600	70	Jimeson
	0900	70	Jimeson
	1200	70	Jimeson
	1500	70	Moreno
	1800	70	Moreno
	2100	70	Moreno
	2400	70	Moreno

Saturday

Date	Time	Temp.	Name (Print)
6/01/24	0300	70	Moreno
	0600	70	Solis
	0900	70	Solis
	1200	70	Solis
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Moreno

Sunday

Date	Time	Temp.	Name (Print)
6/02/24	0300	70	Moreno
	0600	70	Jimeson
	0900	70	Jimeson
	1200	70	Jimeson
	1500	70	Jimeson
	1800	70	Jimeson
	2100	70	Jimeson
	2400	70	Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: DORM 34 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	Howell
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	70	Jasso
	1800	70	Jasso
	2100	70	Jasso
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Jasso
	1800	70	Jasso
	2100	70	Jasso
	2400	70	Howell

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Jasso
	1800	70	Jasso
	2100	70	Jasso
	2400	70	Howell

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	Ramos

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	Ramos
	0600	70	Jimenez
	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	Moreno
	1800	70	Moreno
	2100	70	Moreno
	2400	70	Moreno

Saturday

Date	Time	Temp.	Name (Print)
6/01/24	0300	70	Moreno
	0600	70	Solis
	0900	70	Solis
	1200	70	Solis
	1500	70	Howell
	1800	70	Howell
	2100	70	Howell
	2400	70	Moreno

Sunday

Date	Time	Temp.	Name (Print)
6/02/24	0300	70	Moreno
	0600	70	Jimenez
	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	Jimenez
	1800	70	Jimenez
	2100	70	Jimenez
	2400	70	Jasso

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		N/A
	0600	62	Hampton
	0900	64	Hampton
	1200	64	Jones
	1500	64	Jones
	1800	64	Jones
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/28	0300		N/A
	0600	62	Hampton
	0900	64	Hampton
	1200	64	Jones
	1500	64	Jones
	1800	62	Jones
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		Trevino
	0600	66	~~Hampton~~
	0900	67	~~Hampton~~ Trevino
	1200	67	Jones
	1500	67	Jones
	1800	66	Jones
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		N/A
	0600	65	S.Trevino
	0900	68	S.Trevino
	1200	70	Jones
	1500	70	Jones
	1800	69	Jones
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		N/A
	0600	68	S.Trevino
	0900	72	S.Trevino
	1200	72	Hampton
	1500	70	Hampton
	1800	70	Hampton
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300		N/A
	0600	62	Hampton
	0900	64	Hampton
	1200	70	Hampton
	1500	70	Hampton
	1800	66	Hampton
	2100		N/A
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300		N/A
	0600	64	Hampton
	0900	64	Hampton
	1200	64	Jones
	1500	64	Jones
	1800	62	Jones
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M PROGRAM OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	HOWELL
	0600	70	RAMOS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	70	J. VASQUEZ
	1800	70	J. VASQUEZ
	2100	70	J. VASQUEZ
	2400	70	HOWELL

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70	HOWELL
	0600	70	ARGUELLO
	0900	70	ARGUELLO
	1200	70	ARGUELLO
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	HOWELL

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	HOWELL
	0600	70	ARGUELLO
	0900	70	ARGUELLO
	1200	70	ARGUELLO
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	HOWELL

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	HOWELL
	0600	70	ARGUELLO
	0900	70	ARGUELLO
	1200	70	ARGUELLO
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	70	RAMOS

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	MORENO
	1800	70	MORENO
	2100	70	MORENO
	2400	70	MORENO

Saturday

Date	Time	Temp.	Name (Print)
6/01/24	0300	70	MORENO
	0600	70	SOLIS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	HOWELL
	1800	70	HOWELL
	2100	70	HOWELL
	2400	70	MORENO

Sunday

Date	Time	Temp.	Name (Print)
6/02/24	0300	70	MORENO
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	JIMESON
	1800	70	JIMESON
	2100	70	JIMESON
	2400	70	VASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: MINI CANTEEN (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/27/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	RAMOS
	1200	70	RAMOS
	1500	70	[illegible]
	1800	70	[illegible]
	2100	NO	ACCESS
	2400	NO	ACCESS

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	[illegible]
	1800	70	[illegible]
	2100	NO	ACCESS
	2400	NO	ACCESS

Wednesday

Date	Time	Temp.	Name (Print)
05/29/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	[illegible]
	1800	70	[illegible]
	2100	NO	ACCESS
	2400	NO	ACCESS

Thursday

Date	Time	Temp.	Name (Print)
05/30/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	RAMOS
	1800	70	RAMOS
	2100	NO	ACCESS
	2400	NO	ACCESS

Friday

Date	Time	Temp.	Name (Print)
05/31/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	MORENO
	1800	70	MORENO
	2100	NO	ACCESS
	2400	NO	ACCESS

Saturday

Date	Time	Temp.	Name (Print)
06/01/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	HOWELL
	1800	70	HOWELL
	2100	NO	ACCESS
	2400	NO	ACCESS

Sunday

Date	Time	Temp.	Name (Print)
06/02/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	JIMESON
	1800	70	JIMESON
	2100	NO	ACCESS
	2400	NO	ACCESS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		
	0600		
	0900	Holiday	
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300		N/A
	0600		
	0900	68	Gottesfeld
	1200	70	"
	1500	70	"
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300		N/A
	0600		
	0900	68	Gottesfeld
	1200	69	"
	1500	70	"
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300		N/A
	0600		
	0900	67	Gottesfeld
	1200	70	"
	1500	70	"
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300		N/A
	0600		
	0900	68	Gottesfeld
	1200	70	"
	1500	72	"
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300		
	0600		
	0900		
	1200		ROO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300		
	0600		
	0900		
	1200		ROO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST CANTEEN Temp. Reading Location: MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		
	0600		
	0900		
	1200		
	1500		HOLIDAY
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300		N/A
	0600		
	0900	70°	TA Frank Ath.
	1200	70	
	1500	70°	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		N/A
	0600		
	0900	69	
	1200	70	TA
	1500	70	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		N/A
	0600		
	0900	70	
	1200	71	
	1500	72	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		N/A
	0600		
	0900	70°	
	1200	72°	
	1500	72	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA 5/27/2024 to 6/2/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2nd FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	0300		
	0600	60	J. MILLS
	0900	60	J. MILLS
	1200	60	R. E. DAVIS
	1500	61	R. E. DAVIS
	1800	61	R. E. DAVIS
	2100	—	—
	2400	—	—

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/2024	0300	—	—
	0600	60	J MILLS
	0900	61	MILLS
	1200	61	R. E. DAVIS
	1500	62	R. E. DAVIS
	1800	62	R. E. DAVIS
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	0300	—	—
	0600	60	Mederos
	0900	62	Mederos
	1200	63	SCOTT
	1500	65	SCOTT
	1800	64	SCOTT
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	0300	—	—
	0600	60	Mederos
	0900	62	Mederos
	1200	67	SCOTT
	1500	67	SCOTT
	1800	67	SCOTT
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	0300	—	—
	0600	60	Mederos
	0900	62	Mederos
	1200	63	Mederos
	1500	64	MACIEL
	1800	65	MACIEL
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
6/1/2024	0300	—	—
	0600	60	Mederos
	0900	63	Mederos
	1200	63	R. E. DAVIS
	1500	63	R. E. DAVIS
	1800	63	R. E. DAVIS
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
6/2/2024	0300	—	—
	0600	60	Mederos
	0900	62	Mederos
	1200	62°	S. NOEL
	1500		S. NOEL
	1800		S. NOEL
	2100	—	—
	2400	—	—

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

ATTACHMENT B
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PlanOps Temp. Reading Location: Z-149
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/27/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		Holiday
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 5/28/24

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		absent
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday 5/29/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		absent
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday 5/30/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75	G Gary
	1200	75	G Gary
	1500	75	G Gary
	1800		
	2100		N/A
	2400		

Friday 5/31/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75	G Gary
	1200	76	G Gary
	1500	76	G Gary
	1800		
	2100		N/A
	2400		

Saturday 6/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 6/2

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

ATTACHMENT B
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Pia Temp. Reading Location: Safety T Shirt
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	Holiday	
	1500		
	1800		
	2100		
	2400		

Tuesday 5/28/24

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600	60	J. Johnson
	0900	63	Winn
	1200	68	Winn
	1500	73	J. Johnson
	1800		
	2100		N/A
	2400		

Wednesday 5/29/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	60	J. Johnson
	0900	61	J. Johnson
	1200	68	Winn
	1500	70	J. Johnson
	1800		
	2100		N/A
	2400		

Thursday 5/30/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	67	J. Johnson
	0900	72	J. Johnson
	1200	75	J. Johnson
	1500	76	J. Johnson
	1800		
	2100		N/A
	2400		

Friday 5/31

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Saturday 6/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday 6/2

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA Temp. Reading Location: Wet Processing (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		
	0600		
	0900		
	1200	Holiday	
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300		
	0600		
	0900	60°	SWayment
	1200	71°	SWayment
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		
	0600		
	0900	63°	SWayment
	1200		N/A
	1500	74°	S.Wayment
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		
	0600		
	0900	78°	SWayment
	1200	84°	SWayment
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Cal PIA Temp. Reading Location: mfp
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/27

Date	Time	Temp.	Name (Print)
5-27	0300		
	0600	[illegible]	C. Sanchez
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 5/28

Date	Time	Temp.	Name (Print)
5-28	0300		N/A
	0600	69°	C. Sanchez
	0900	70°	C. Sanchez
	1200	71	C. Sanchez
	1500	74	C. Sanchez
	1800		
	2100		N/A
	2400		

Wednesday 5/29

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	71	R. Esteban
	0900	740	R. Esteban
	1200	750	R. Esteban
	1500	740	R. Esteban
	1800		
	2100		N/A
	2400		

Thursday 5/30

Date	Time	Temp.	Name (Print)
5-30	0300		N/A
	0600	71°	C. Sanchez
	0900	75°	C. Sanchez
	1200	76°	C. Sanchez
	1500	79°	C. Sanchez
	1800		
	2100		N/A
	2400		

Friday 5/31

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday 6/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 6/2

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA JKT Temp. Reading Location: 2nd FLOOR JKT (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		
	0600		
	0900		
	1200	HOLIDAY	
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300		
	0600		
	0900	70	D Cooper
	1200	75	D Cooper
	1500	72	CHOI
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		
	0600		
	0900	73	D Cooper
	1200	76	CHOI
	1500	75	CHOI
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		
	0600		
	0900	71	CHOI
	1200	78	D Cooper
	1500	75	CHOI
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: JKT/Tshirt Temp. Reading Location: Jacket 2nd Floor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		
	0600		
	0900		
	1200	Holiday	
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300		
	0600		
	0900	68	J. Diaz
	1200	68	J. Diaz
	1500	69	J. Diaz
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		
	0600		
	0900	69	J. Diaz
	1200	70	J. Diaz
	1500	70	J. Diaz
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		
	0600		
	0900	68	J. Diaz
	1200	72	J. Diaz
	1500	73	J. Diaz
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		N/A
	0600	68°	
	0900	68°	AH
	1200	68°	
	1500	68°	
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/28	0300		N/A
	0600	68°	
	0900	68°	AH
	1200	68°	
	1500	68°	
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		N/A
	0600	68°	
	0900	68°	AH
	1200	68°	
	1500	68°	
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		N/A
	0600	68°	
	0900	68°	AH
	1200	68°	
	1500	68°	
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		N/A
	0600	68°	
	0900	68°	AH
	1200	68°	
	1500	68°	
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300		
	0600		CL
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300		
	0600		
	0900		CL
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **PRINT PLANT** Temp. Reading Location: Central Post, First Level (e.g. 1st tier, 2nd tier, 3rd, etc.)

Immediately notify the Watch Commander at extension _____ when the inside temperature reaches 90 degrees and again at 95 degrees.

MONTH/YEAR **MAY 2024**

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		
	0600		
	0900		Holiday
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300		N/A
	0600		
	0900	60	
	1200	63	
	1500	64	
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		N/A
	0600		
	0900	60	
	1200	63	
	1500	68	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		N/A
	0600		
	0900	63	
	1200	69	
	1500	72	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-EAST Housing Unit: Knitting Mill Temp. Reading Location: Compressor Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		Holiday
	1800		
	2100		
	2400		

Tuesday 5/28

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70°	Richardson M.
	1200	72°	Richardson M.
	1500	74°	Richardson M.
	1800		
	2100		N/A
	2400		

Wednesday 5/29

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72°	Richardson M.
	1200	78°	Richardson M.
	1500	78°	Richardson M.
	1800		
	2100		N/A
	2400		

Thursday 5/30

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	77°	Richardson M.
	1200	80°	Richardson M.
	1500	82°	Richardson M.
	1800		
	2100		N/A
	2400		

Friday 5/31

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Saturday 6/1

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday 6/2

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes 5/28/24 - 5/30/24

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: SHOE Temp. Reading Location: Clerk Wall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		
	0600		
	0900		
	1200		Holiday
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300		N/A
	0600	70	R. Fant
	0900	71	L M
	1200	74	R. Fant
	1500	75	Rick P
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		N/A
	0600	70	RDD
	0900	71	R. Fant
	1200	75	R. Fant
	1500	76	R. Fant
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		N/A
	0600	70°	Rick P
	0900	73	R. Fant
	1200	77	Rick P
	1500	80	Rick P
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		
	0600		
	0900		
	1200		RDD
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300		
	0600		
	0900		
	1200		RDD
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300		
	0600		
	0900		
	1200		RDD
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA Division office Temp. Reading Location: Inmate office (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		
	0600		
	0900	Holiday	
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300		N/A
	0600		
	0900	71	Wong
	1200	72	Wong
	1500		
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		N/A
	0600		
	0900	71	Wong
	1200	71	Wong
	1500		
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		N/A
	0600		
	0900	71	Wong
	1200	72	Wong
	1500		
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
REHABILITATION

DEPARTMENT OF CORRECTIONS AND

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From Sept. 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp.Reading Location: **Protestant Chapel EAST**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300		
	0600		N/A
	0900		
	1200		
	1500	67	[illegible]
	1800	67	[illegible]
	2100	65	[illegible]
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300		
	0600		N/A
	0900	67	[illegible]
	1200	68	[illegible]
	1500	68	[illegible]
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300		
	0600		N/A
	0900	66	[illegible]
	1200	68	[illegible]
	1500	70	[illegible]
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/31	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300		
	0600		N/A
	0900	66	[illegible]
	1200	67	[illegible]
	1500	68	[illegible]
	1800		
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/27/2024 to 6/2/2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/27/24	0100	49	ZEPEDA
	0200	49	ZEPEDA
	0300	48	ZEPEDA
	0400	48	ZEPEDA
	0500	48	ZEPEDA
	0600	48	DelaTorre
	0700	48	DelaTorre
	0800	49	DelaTorre
	0900	51	DelaTorre
	1000	56	DelaTorre
	1100	59	DelaTorre
	1200	62	DelaTorre
	1300	62	Garcia
	1400	62	Rupp
	1500	62	Rupp
	1600	61	Rupp
	1700	60	Rupp
	1800	57	Rupp
	1900	54	Rupp
	2000	51	Rupp
	2100	50	Rupp
	2200	50	ZEPEDA
	2300	50	ZEPEDA
	2400	49	ZEPEDA

Date	Time	Temp.	Printed Name
5/28/24	0100	49	ZEPEDA
	0200	49	ZEPEDA
	0300	48	ZEPEDA
	0400	48	ZEPEDA
	0500	47	ZEPEDA
	0600	47	ZEPEDA
	0700	48	DelaTorre
	0800	50	DelaTorre
	0900	52	DelaTorre
	1000	55	DelaTorre
	1100	60	DelaTorre
	1200	61	DelaTorre
	1300	63	DelaTorre
	1400	64	Rupp
	1500	63	Rupp
	1600	60	Rupp
	1700	60	RUPP
	1800	58	Rupp
	1900	55	RUPP
	2000	52	RUPP
	2100	50	RUPP
	2200	50	ZEPEDA
	2300	49	ZEPEDA
	2400	49	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/29/24	0100	48	ZEPEDA, J
	0200	48	ZEPEDA, J
	0300	48	ZEPEDA, J
	0400	48	ZEPEDA, J
	0500	50	ZEPEDA, J
	0600	52	DelaTorre
	0700	55	DelaTorre
	0800	57	DelaTorre
	0900	61	DelaTorre
	1000	62	DelaTorre
	1100	63	DelaTorre
	1200	64	DelaTorre
	1300	65	DelaTorre
	1400	62	RUPP
	1500	62	RUPP
	1600	61	RUPP
	1700	60	RUPP
	1800	57	RUPP
	1900	54	RUPP
	2000	52	RUPP
	2100	50	RUPP
	2200	50	ZEPEDA, J
	2300	50	ZEPEDA, J
	2400	50	ZEPEDA, J

Date	Time	Temp.	Printed Name
5/30/24	0100	49	ZEPEDA, J
	0200	49	ZEPEDA, J
	0300	49	ZEPEDA, J
	0400	49	ZEPEDA, J
	0500	48	ZEPEDA, J
	0600	48	ZEPEDA, J
	0700	50	DelaTorre
	0800	58	DelaTorre
	0900	60	DelaTorre
	1000	65	DelaTorre
	1100	70	DelaTorre
	1200	71	DelaTorre
	1300	73	DelaTorre
	1400	70	RUPP
	1500	68	RUPP
	1600	65	RUPP
	1700	63	RUPP
	1800	60	RUPP
	1900	57	RUPP
	2000	55	RUPP
	2100	51	RUPP
	2200	49	ZEPEDA
	2300	49	ZEPEDA
	2400	49	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: EAST WATCH

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/31/24	0100	48	ZEPEDA
	0200	48	ZEPEDA
	0300	48	ZEPEDA
	0400	48	ZEPEDA
	0500	48	ZEPEDA
	0600	48	ZEPEDA
	0700	48	DeLaTorre
	0800	48	DeLaTorre
	0900	49	DeLaTorre
	1000	55	DeLaTorre
	1100	60	DeLaTorre
	1200	64	DeLaTorre
	1300	69	DeLaTorre
	1400	65	RUPP
	1500	62	RUPP
	1600	62	RUPP
	1700	60	RUPP
	1800	57	RUPP
	1900	54	RUPP
	2000	51	RUPP
	2100	50	RUPP
	2200	49	ZEPEDA, J
	2300	49	ZEPEDA, J
	2400	48	ZEPEDA, J

Date	Time	Temp.	Printed Name
6/01/24	0100	48	ZEPEDA
	0200	48	ZEPEDA
	0300	48	ZEPEDA
	0400	47	ZEPEDA
	0500	47	ZEPEDA
	0600	47	ZEPEDA
	0700	50	C. PRICE
	0800	50	C. PRICE
	0900	51	Martin
	1000	54	Martin
	1100	53	Martin
	1200	56	Martin
	1300	56	Martin
	1400	64	Rupp
	1500	63	Rupp
	1600	60	Rupp
	1700	60	Rupp
	1800	58	Rupp
	1900	55	Rupp
	2000	55	Rupp
	2100	54	Rupp
	2200	49	ZEPEDA, J
	2300	49	ZEPEDA, J
	2400	49	ZEPEDA, J

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
06-02-2024	0100	48	ZEPEDA
	0200	48	ZEPEDA
	0300	50	ZEPEDA
	0400	50	ZEPEDA
	0500	50	ZEPEDA
	0600	52	DelaTorre
	0700	55	DelaTorre
	0800	57	DelaTorre
	0900	59	DelaTorre
	1000	61	DelaTorre
	1100	64	DelaTorre
	1200	65	DelaTorre
	1300	67	DelaTorre
	1400	70	DelaTorre
	1500	68	RUPP
	1600	65	RUPP
	1700	61	RUPP
	1800	60	RUPP
	1900	57	RUPP
	2000	55	RUPP
	2100	50	RUPP
	2200	49	ZEPEDA, J
	2300	49	ZEPEDA, J
	2400	49	ZEPEDA, J

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Catholic Chapel Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday MAY 15

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	68	
	0900	70	J. FARAD
	1200	70	
	1500		
	1800		
	2100		N/A
	2400		

Thursday MAY 16

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	J. FARAD
	1200	70	
	1500	70	
	1800		
	2100		N/A
	2400		

Friday MAY 17

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	68	J. FARAD
	0900	69	
	1200	70	
	1500	70	
	1800		
	2100		N/A
	2400		

Saturday MAY 18

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	69	J. FARAD
	0900	70	
	1200	70	
	1500		
	1800		
	2100		N/A
	2400		

Sunday MAY 19

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	69	J FARAD
	0900	70	
	1200	70	
	1500	70	
	1800		
	2100		N/A
	2400		

Notes

J Farad

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: Clothing Dist.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		N/A
	0600		
	0900	68	J. EBRED
	1200	74	J. EBRED
	1500	72	J. EBRED
	1800		N/A
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/14	0300		N/A
	0600		
	0900	65	J. EBRED
	1200	70	A CASSIA
	1500	70	A. CASSIA
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300		N/A
	0600		
	0900	65	ARTHUR CASSIA
	1200	74	ARTHUR CASSIA
	1500	74	ARTHUR CASSIA
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300		N/A
	0600		
	0900	70	ARTHUR CASSIA
	1200	76	ARTHUR CASSIA
	1500	74	ARTHUR CASSIA
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		N/A
	0600		
	0900	68	ARTHUR CASSIA
	1200	70	ARTHUR CASSIA
	1500	70	ARTHUR CASSIA
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		
	0600		
	0900		
	1200		ROO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300		
	0600		
	0900		
	1200		ROO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DELGADILLO, K ABE-3

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-106 Temp. Reading Location: East Education
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MAY 2024

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		
	0600		
	0900		NO
	1200		SUP
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0300		N/A
	0600		
	0900	68°	K. Delgadillo
	1200	76°	K. Delgadillo
	1500	77°	K. Delgadillo
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300		N/A
	0600		
	0900	68°	K. Delgadillo
	1200	73°	K. Delgadillo
	1500	74°	K. Delgadillo
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300		N/A
	0600		
	0900	70°	K. Delgadillo
	1200	72°	K. Delgadillo
	1500	74°	K. Delgadillo
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		N/A
	0600		
	0900	68°	K. Delgadillo
	1200	70°	K. Delgadillo
	1500	72°	K. Delgadillo
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Delgadillo, ABE-3 Instructor

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/13/2024 to 5/19/2024

DocuSign Envelope ID: 69423586-BC7C-4D3B-96AC-D5B1B54ED4D0

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: L-125 / Gym Corridor Temp. Reading Location: East Education – HSD/GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900		
	1200		
	1500		
	1800	X	
	2100	X	
	2400	XXX	XXX

Training Day
No School

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69	COLE
	1200	71	COLE
	1500	73	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	73	COLE
	1500	75	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69	COLE
	1200	73	COLE
	1500	75	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	70	COLE
	1200	72	COLE
	1500	74	COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

RDO

Notes

C. Cole GED/ HSD Instructor Ext. 4861

DocuSigned by:
Caleb Cole

5/13/2024 to 5/19/2024

DocuSign Envelope ID: F123FD16-94DE-4CEC-90CD-15A6C18AB293

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _CMC____ Housing Unit: __Q113A_____ Temp. Reading Location: __D yard_____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		
	0600		
	0900		No class
	1200		No class
	1500		No class
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0300		
	0600		N/A
	0900	69	SCIOCCHETTI/ROCHA
	1200	69	SCIOCCHETTI/ROCHA
	1500	70	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300		
	0600		N/A
	0900	No class	SCIOCCHETTI/ROCHA
	1200	69	SCIOCCHETTI/ROCHA
	1500	70	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300		
	0600		N/A
	0900	69	SCIOCCHETTI/ROCHA
	1200	70	SCIOCCHETTI/ROCHA
	1500	70	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		
	0600		N/A
	0900	68	SCIOCCHETTI/ROCHA
	1200	68	SCIOCCHETTI/ROCHA
	1500	68	SCIOCCHETTI/ROCHA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

DocuSign Envelope ID: 8E2F9579-FE2C-4158-9A60-2B97E81A4407

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: _____ Temp. Reading Location: VOCATIONAL WELDING, Z-103 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904/7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	NO	J. Fogo 5/13/24
	1200	I/M	J. Fogo
	1500	CONTACT	J. Fogo
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 5/14/2024
	1200	69	J. Fogo
	1500	70	J. Fogo
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 5/15/2024
	1200	68	J. Fogo
	1500	70	J. Fogo
	1800		N/A
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	64	J. Fogo 5/16/2024
	1200	68	J. Fogo
	1500	69	J. Fogo
	1800		N/A
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	65	J. Fogo 5/17/2024
	1200	67	J. Fogo
	1500	68	J. Fogo
	1800		N/A
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DocuSigned by:
Jeff Fogo
8F0145113C6A54F4

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CML Housing Unit: Ed. office B135 Temp. Reading Location: 1st tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/14	0300		N/A
	0600		
	0900	64	Thompson
	1200	65	Thompson
	1500	65	Thompson
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/15	0300		N/A
	0600		
	0900	65	Thompson
	1200	67	Thompson
	1500	68	Thompson
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/16	0300		N/A
	0600		
	0900	67	
	1200	66	Thompson
	1500	6	
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/17	0300		N/A
	0600		
	0900	68	
	1200	69	Thompson
	1500	70	
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/18	0300		N/A
	0600		
	0900	66	
	1200	68	Thompson
	1500	72	
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600	RD	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600	RD	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Library Temp. Reading Location: 0120 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/13 Teacher Training

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		NO STUDENT CONTACT
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 5/14

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	A. Garcia
	1200	70	A Garcia
	1500	70	A. Garcia
	1800		
	2100		N/A
	2400		

Wednesday 5/15

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68	A. Garcia
	1200	70	A. Garcia
	1500	70	A. Garcia
	1800		
	2100		N/A
	2400		

Thursday 5/16

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	69	A. Garcia
	1200	70	A. Garcia
	1500	70	A. Garcia
	1800		
	2100		N/A
	2400		

Friday 5/17

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68	A. Garcia
	1200	70	A. Garcia
	1500	70	A. Garcia
	1800		
	2100		N/A
	2400		

Saturday 5/18 CLOSED

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 5/19 CLOSED

Date	Time	Temp.	Name (Print)
	0300		
	0600		RDO
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Medical Corridor Temp. Reading Location: Classroom B-125 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5·13·24

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900		Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Tuesday 5·14·24

Date	Time	Temp.	Name (Print)
	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900	70°	Mark Kirstein
	1200	72°	Mark Kirstein
	1500	71	Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900	68°	Mark Kirstein
	1200	70°	Mark Kirstein
	1500	71°	Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900		Mark Kirstein
	1200		Mark Kirstein
	1500		Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Friday

Date	Time	Temp.	Name (Print)
5/17	0300	XXXXXXXXXXXXXXXXXX	
	0600	XXXXXXXXXXXXXXXXXX	
	0900	70°	Mark Kirstein
	1200	71°	Mark Kirstein
	1500	70	Mark Kirstein
	1800	XXXXXXXXXXXXXXXXXX	
	2100	XXXXXXXXXXXXXXXXXX	
	2400	XXXXXXXXXXXXXXXXXX	

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Education Temp. Reading Location: 64m Corridor H6
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5-13-24

Date	Time	Temp.	Name (Print)
	0300	N/O	School
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 5-14-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67°	D. Jacobs
	1200	70°	D. Jacobs
	1500	73°	D. Jacobs
	1800		
	2100		N/A
	2400		

Wednesday 5-15-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	68°	D. Jacobs
	1200	71°	D. Jacobs
	1500	73°	D. Jacobs
	1800		
	2100		N/A
	2400		

Thursday 5-16-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67°	D. Jacobs
	1200	70°	D. Jacobs
	1500	74°	D. Jacobs
	1800		
	2100		N/A
	2400		

Friday 5-17-24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	67°	D. Jacobs
	1200	69°	D. Jacobs
	1500	73°	D. Jacobs
	1800		
	2100		N/A
	2400		

Saturday 5/18

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		ROO
	1500		
	1800		
	2100		
	2400		

Sunday 5/19

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		ROO
	1500		
	1800		
	2100		
	2400		

Notes

D. Jacobs

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-F / Gym Corridor Temp. Reading Location: East Education - GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the Inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	No Contact	Mensing
	1200		Mensing
	1500		Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	65.8	Mensing
	1200	71.8	Mensing
	1500	70.9	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	65.0	Mensing
	1200	73.0	Mensing
	1500	No Contact	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	XXX	XX X
	0600	XXX	XX X
	0900	71.6	Mensing
	1200	75.4	Mensing
	1500	72.6	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	67.7	Mensing
	1200	72.6	Mensing
	1500	76.2	Mensing
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

D. Mensing, GED Instructor Ext. 4625

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: __CMC_____ Housing Unit: ___ Temp. Reading Location: H-E / Gym Coorridor East Education – GED Classroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 7904 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		
	0600		
	0900	N/A	G.LOAYZA/W.BACILA
	1200		G.LOAYZA/W.BACILA
	1500	Work shop	G.LOAYZA/W.BACILA
	1800	not school	
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0300		N/A
	0600		
	0900	72	G.LOAYZA/W.BACILA
	1200	72	G.LOAYZA/W.BACILA
	1500	72	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300		N/A
	0600		
	0900	72	G.LOAYZA/W.BACILA
	1200	72	G.LOAYZA/W.BACILA
	1500	74	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300		N/A
	0600		
	0900	72	G.LOAYZA/W.BACILA
	1200	74	G.LOAYZA/W.BACILA
	1500	76	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		N/A
	0600		
	0900	70°	G.LOAYZA/W.BACILA
	1200	72°	G.LOAYZA/W.BACILA
	1500	72°	G.LOAYZA/W.BACILA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

5/19

RDO

Notes

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 1A-157L Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300		
	0600		
	0900	[illegible]	R. Lopez
	1200	[illegible]	R. Lopez
	1500	[illegible]	R. Lopez
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300		
	0600		N/A
	0900	66°	R. Lopez
	1200	70°	R. Lopez
	1500	72°	R. Lopez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300		
	0600		
	0900	[illegible]	R. Lopez
	1200	[illegible]	R. Lopez
	1500	[illegible]	R. Lopez
	1800	[illegible]	
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300		
	0600		N/A
	0900	66°	R. Lopez
	1200	70°	R. Lopez
	1500	72°	R. Lopez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300		N/A
	0600		
	0900	48°	R. Lopez
	1200	53°	R. Lopez
	1500	63°	R. Lopez
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Voc. Electronics Z-Bldg Temp. Reading Location: Z-114 Maintenance Corridor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/13 2024	0300		N/A
	0600		
	0900	69deg	V.VERA
	1200	70deg	V.VERA
	1500	70deg	V.VERA
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
05/14 2024	0300		N/A
	0600		
	0900	69deg	V.Vera
	1200	70deg	V.Vera
	1500	70deg	V.VERA
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/15 2024	0300		N/A
	0600		
	0900	69deg	V.VERA
	1200	70deg	V.VERA
	1500	70deg	V.VERA
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
05/16 2024	0300		N/A
	0600		
	0900	69deg	V.VERA
	1200	70deg	V.VERA
	1500	70deg	V.VERA
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
05/17 2024	0300		N/A
	0600		
	0900	69deg	V.VERA
	1200	70deg	V.VERA
	1500	70deg	V.VERA
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
RDO	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
RDO	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Z-211 / Maintenance Corridor Temp. Reading Location: East Education -Testing Room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	NO	Contact
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	No	Contact
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	69	Friend
	1200	70	Friend
	1500	71	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	No	contact
	1200		
	1500		
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68	Friend
	1200	72	Friend
	1500	72	Friend
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300		
	0600	RDO	
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

K. Friend, Testing Coordinator Ext. 4621

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/13/2024 to 5/19/2024

ATTACHMENT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D-101 Temp. Reading Location: ED
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5.13.24	0300		
	0600		
	0900		no Im
	1200		
	1500		contact
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300		
	0600		
	0900	73	Deputy
	1200	70.6	Deputy
	1500	69.6	Deputy
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300		
	0600		
	0900	69.4	Deputy
	1200	73.0	Deputy
	1500	74.4	Deputy
	1800	70.5	
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5.16.24	0300		
	0600		
	0900		no Im
	1200		
	1500		contact
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5.17.24	0300		
	0600		
	0900	[illegible]	Deputy
	1200	73.1	Deputy
	1500		Deputy
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Deputy

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: East Gym G102H Temp. Reading Location: East Education Coaches' Office (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300		
	0600		
	0900		B. Ferrall
	1200		B. Ferrall
	1500		B. Ferrall
	1800		
	2100		
	2400		

TRAINING

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/2024	0300		
	0600		
	0900	61°	B. Ferrall
	1200	64°	B. Ferrall
	1500	64°	B. Ferrall
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300		
	0600		
	0900	61°	B. Ferrall
	1200	64°	B. Ferrall
	1500	66°	B. Ferrall
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300		
	0600		
	0900	62°	B. Ferrall
	1200	64°	B. Ferrall
	1500	66°	B. Ferrall
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300		
	0600		
	0900	61°	B. Ferrall
	1200	64°	B. Ferrall
	1500	66°	B. Ferrall
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD

DEPARTMENT OF CORRECTIONS AND REHABILITATION

CDCR 2031 (04/18)

NOTE: All temperatures are in °F.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: H-H / Gym Corridor Temp. Reading Location: East Education – PSCE College (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7363 when the inside air temperature reaches 90°F and again at 95°F.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	68.2	ZELENSKI/COLE
	1200	71.3	ZELENSKI/COLE
	1500	72.1	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	67.2	ZELENSKI/COLE
	1200	73.0	ZELENSKI/COLE
	1500	73.6	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	67.9	ZELENSKI/COLE
	1200	73.8	ZELENSKI/COLE
	1500	75.6	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Thursday

Date	Time	Temp.	Name (Print)
05/16/2023	0300	XXX	XXX
	0600	XXX	XXX
	0900	67.4	ZELENSKI/COLE
	1200	73.9	ZELENSKI/COLE
	1500	74.1	ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	XXX	XXX
	0600	XXX	XXX
	0900	No Contact	ZELENSKI/COLE
	1200		ZELENSKI/COLE
	1500		ZELENSKI/COLE
	1800	XXX	XXX
	2100	XXX	XXX
	2400	XXX	XXX

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	RDO	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Zelenski, S./Diederich, PSCE-COLLEGE Building H-H

DISTRIBUTION: Original: Institution Heat Plan Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST Temp. Reading Location: Z-233 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		S. MOORE/C. BERRY
	1200		S. MOORE/C. BERRY
5/13/24	1500		S. MOORE/C. BERRY
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	S. MOORE/C. BERRY
	1200	72	S. MOORE/C. BERRY
5/14/24	1500	74	S. MOORE/C. BERRY
	1800		N/A
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	72	S. MOORE/C. BERRY
	1200	73	S. MOORE/C. BERRY
5/15	1500	74	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	71	S. MOORE/C. BERRY
	1200	73	S. MOORE/C. BERRY
5/16	1500	75	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	70	S. MOORE/C. BERRY
	1200	71	S. MOORE/C. BERRY
5/17	1500	73	S. MOORE/C. BERRY
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: B102 Temp. Reading Location: N/A (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		no inmate contact
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300		
	0600		
	0900	—	no contact
	1200	67°	
	1500	76°	
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/16	0300		no inmate contact
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/17	0300		no inmate contact
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/18	0300		no inmate contact
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing Unit:~~ Classroom D-104 Temp. Reading Location: Teacher's Desk
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		
	0600		
	0900	Weather	Todd
	1200	75	Todd
	1500	@ 1	Todd
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0300		
	0600		N/A
	0900	70	Todd
	1200	70	Todd
	1500	74	Todd
	1800		
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300		
	0600		N/A
	0900	70	Todd
	1200	70	Todd
	1500	73	Todd
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300		
	0600		N/A
	0900	68	Todd
	1200	69	Todd
	1500	72	Todd
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		
	0600		N/A
	0900	72	Todd
	1200	69	Todd
	1500	71	Todd
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		RDO
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		RDO
	0600		
	0900	RDO	
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 7-234 Temp. Reading Location: Classroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4792 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300		
	0600		
	0900	NO	
	1200		
	1500	CLASS	
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300		
	0600		N/A
	0900	71	Ramirez R
	1200	72	Ramirez R
	1500	73	Ramirez R
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300		
	0600		N/A
	0900	74	Ramirez R
	1200	75	Ramirez R
	1500	76	Ramirez R
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300		
	0600		N/A
	0900	71	Ramirez R
	1200	72	Ramirez R
	1500	74	Ramirez R
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300		
	0600		N/A
	0900	70	Ramirez R
	1200	72	Ramirez R
	1500	74	Ramirez R
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Fac. A Temp. Reading Location: BUILDING 1 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	72	F MENEL
	0600	70	Ramos
	0900	70	Ramos
	1200	71	Ramos
	1500	70	Bankston
	1800	70	Bankston
	2100	70	Bankston
	2400	70	B. Dial

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	70	B.Dial
	0600	67	J. Kohler
	0900	68	J. Kohler
	1200	70	J. Kohler
	1500	70	Cubillos
	1800	70	Cubillos
	2100	70	Cubillos
	2400	71	Roberts

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	71	Roberts
	0600	68	Lines
	0900	68	Lines
	1200	70	Lines
	1500	72	Cubillos
	1800	70	Cubillos
	2100	72	Cubillos
	2400	71	ROBLES

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	ROBLES
	0600	70	Ramos
	0900	70	Ramos
	1200	70	Ramos
	1500	72	Cubillos
	1800	70	Cubillos
	2100	70	Cubillos
	2400	70	ROBLES

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	ROBLES
	0600	68	Ramos
	0900	68	Ramos
	1200	68	Ramos
	1500	70	Cabalbag
	1800	70	Cubillos
	2100	70	Cubillos
	2400	70	ROBLES

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	ROBLES
	0600	68	Ramos
	0900	68	Ramos
	1200	69	Ramos
	1500	70	Cubillos
	1800	70	Cubillos
	2100	70	Cubillos
	2400	68	ROBLES

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	68	ROBLES
	0600	68	Ramos
	0900	68	Ramos
	1200	69	Ramos
	1500	70	Tabarez
	1800	70	Tabarez
	2100	68	Robles
	2400	68	ROBLES

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **BUILDING TWO, 3rd TIER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	71	CASTILLO
	0600	71	CASTILLO
	0900	72	ALMANZA
	1200	72	ALMANZA
	1500	72	LANDWEHR
	1800	72	LANDWEHR
	2100	72	LANDWEHR
	2400	72	Castillo

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	72	Castillo
	0600	71	Castillo
	0900	72	P. Huth
	1200	73	P. Huth
	1500	73	LANDWEHR
	1800	70	LANDWEHR
	2100	70	LANDWEHR
	2400	70	Castillo

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	70	Castillo
	0600	70	Castillo
	0900	70	ROLDAN
	1200	70	ROLDAN
	1500	70	LANDWEHR
	1800	70	LANDWEHR
	2100	70	LANDWEHR
	2400	71	Roberts

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	71	Roberts
	0600	71	BAVILA
	0900	72	BAVILA
	1200	72	BAVILA
	1500	70	KREBS
	1800	70	LANDWEHR
	2100	70	LANDWEHR
	2400	71	Roberts

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	71	Roberts
	0600	71	Holcim
	0900	71	Holcim
	1200	71	Holcim
	1500	72	LANDWEHR
	1800	72	LANDWEHR
	2100	72	LANDWEHR
	2400	71	Castillo

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	71	Castillo
	0600	71	Castillo
	0900	70	KREBS
	1200	72	KREBS
	1500	72	KREBS
	1800	68	KREBS
	2100	70	KREBS
	2400	70	KREBS

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	76	C.M
	0600	70	C. UVALLE
	0900	72	C. UVALLE
	1200	72	C. UVALLE
	1500	72	D. KREBS
	1800	70	D. KREBS
	2100	70	D. KREBS
	2400	70	Castillo

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **PROGRAM OFFICE**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	N/A	
	0600	65	[illegible]
	0900	65	[illegible]
	1200	66	[illegible]
	1500	N/A	
	1800	N/A	
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	N/A	
	0600	N/A	
	0900	N/A	
	1200	N/A	
	1500	N/A	
	1800	N/A	
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	N/A	
	0600	66	[illegible]
	0900	64	[illegible]
	1200	66	[illegible]
	1500	N/A	
	1800	N/A	
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	N/A	V. Miller
	0600	67	V. Miller
	0900	68	V. Miller
	1200	70	V. Miller
	1500	N/A	
	1800	N/A	
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	N/A	
	0600	68	[illegible]
	0900	69	[illegible]
	1200	68	[illegible]
	1500	68	[illegible]
	1800	68	[illegible]
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	N/A	
	0600	68	[illegible]
	0900	68	[illegible]
	1200	68	[illegible]
	1500	69	[illegible]
	1800	69	[illegible]
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	N/A	
	0600	67	[illegible]
	0900	64	[illegible]
	1200	64	[illegible]
	1500	64	[illegible]
	1800	64	[illegible]
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **DINER**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	N/A	
	0600	65	Jacobs
	0900	67	Jacobs
	1200	N/A	
	1500	68	Farias
	1800	N/A	
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	N/A	
	0600	67	Jacobs
	0900	69	Jacobs
	1200	N/A	
	1500	69	Bankston
	1800	67	Bankston
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	N/A	
	0600	65	Jacobs
	0900	67	Jacobs
	1200	N/A	
	1500	67	Brewerman
	1800	67	Brewerman
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	N/A	
	0600	67	Jacobs
	0900	68	Jacobs
	1200	N/A	
	1500	N/A	
	1800	N/A	
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	N/A	
	0600	65	Jacobs
	0900	67	Jacobs
	1200	N/A	
	1500	70	Rico
	1800	68	Rico
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	N/A	
	0600	67°	S-NOEL
	0900	67°	S-NOEL
	1200	N/A	
	1500	70	Garcia
	1800	69	Garcia
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	N/A	
	0600	60	Jacobs
	0900	62	Jacobs
	1200	N/A	
	1500	66	Pacas
	1800	65	Pacas
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC - EAST** Housing Unit: **FACILITY A** Temp. Reading Location: **MINI CANTEEN**

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	N/A	
	0600	N/A	
	0900	73	Hodges
	1200	79	Hodges
	1500	79	Hodges
	1800	76	Hodges
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	0300	N/A	
	0600	N/A	
	0900	76	Hodges
	1200	78	Hodges
	1500	79	Hodges
	1800	76	Hodges
	2100	N/A	
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	N/A	
	0600	N/A	
	0900	75	Hodges
	1200	77	Hodges
	1500	77	Hodges
	1800	76	Hodges
	2100	N/A	
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	80	Hodges
	1500	80	Hodges
	1800	78	Hodges
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	N/A	
	0600	N/A	
	0900	73	Hodges
	1200	75	Hodges
	1500	77	Hodges
	1800	77	Hodges
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	81	Hodges
	1500	81	Hodges
	1800	79	Hodges
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	N/A	
	0600	N/A	
	0900	79	Hodges
	1200	81	Hodges
	1500	79	Hodges
	1800	76	Hodges
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: FAC-B Bldg. 3 Temp. Reading Location: Tier 3
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	P. HENRY
	0600	70	A. FIGUEROA
	0900	68	A. FIGUEROA
	1200	70	A. FIGUEROA
	1500	68	J SPURLOCK
	1800	68	J SPURLOCK
	2100	68	J SPURLOCK
	2400	68	J SPURLOCK

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	70	P. HENRY
	0600	69	Chris
	0900	69	Chris
	1200	70	Chris
	1500	70	Garcia
	1800	69	CAMPOS
	2100	69	CAMPOS
	2400	68	P. HENRY

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	68	P. HENRY
	0600	69	Chris
	0900	69	Chris
	1200	70	Chris
	1500	70	Zalem
	1800	70	Zalem
	2100	69	Zalem
	2400	68	P. HENRY

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	68	P. HENRY
	0600	69	Chris
	0900	70	Chris
	1200	70	Chris
	1500	70	MILLER
	1800	69	MILLER
	2100	69	MILLER
	2400	69	P. HENRY

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	69	P. HENRY
	0600	69	F. MANUEL
	0900	69	F. MANUEL
	1200	68	Martinez
	1500	68	Martinez
	1800	68	Martinez
	2100	68	Martinez
	2400	68	Garcia

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0300	68	Garcia
	0600	68	ROBLES
	0900	68	ROBLES
	1200		ROBLES
	1500	68	Martinez
	1800	68	Martinez
	2100	68	Martinez
	2400	68	Garcia

Sunday

Date	Time	Temp.	Name (Print)
5-19-24	0300	68	GARCIA
	0600	68	FIGUEROA
	0900	68	FIGUEROA
	1200	68	FIGUEROA
	1500	68	[illegible]
	1800	66	Garcia, M
	2100	66	Garcia, M
	2400	68	P. HENRY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Bld 4 Fac. B Temp. Reading Location: 3rd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	67	D. OROZCO
	0600	67	PALACIOS
	0900	70	N. Silva
	1200	70	N. Silva
	1500	70	JOHNSON
	1800	70	JOHNSON
	2100	70	JOHNSON
	2400	68	D. OROZCO

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	68	D. OROZCO
	0600	68	N. Silva
	0900	68	N. Silva
	1200	68	N. Silva
	1500	70	JOHNSON
	1800	69	BOORMAN
	2100	69	BOORMAN
	2400	68°F	DE LA GARZA

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	68	D. OROZCO
	0600	68	ALEMAN
	0900	68	ALEMAN
	1200	70	ALEMAN
	1500	69	ALEMAN
	1800	70	ALEMAN
	2100	69	BOORMAN
	2400	68	STENSON

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	68	STENSON
	0600	68	PALACIOS
	0900	68	PALACIOS
	1200	68	PALACIOS
	1500	69	BOORMAN
	1800	70	BOORMAN
	2100	70	BOORMAN
	2400	69	BOORMAN

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	69	BOORMAN
	0600	68	PALACIOS
	0900	68	PALACIOS
	1200	68	PALACIOS
	1500	67	BOORMAN
	1800	69	BOORMAN
	2100	69	BOORMAN
	2400	69	BOORMAN

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	69	BOORMAN
	0600	68	PALACIOS
	0900	68	PALACIOS
	1200	69	PALACIOS
	1500	69	BOORMAN
	1800	69	BOORMAN
	2100	68	BOORMAN
	2400	67	BOORMAN

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	67	BOORMAN
	0600	68	PALACIOS
	0900	68	PALACIOS
	1200	68	PALACIOS
	1500	68	PALACIOS
	1800	68	PIDA
	2100	68	PIDA
	2400	68	PIDA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC ~~Housing~~ Dner Unit: B Facility Temp. Reading Location: near coffee machine
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-13-24	0300	N/A	
	0600	090	S NOEL
	0900	090	S NOEL
	1200	N/A	
	1500	74°	Pacas
	1800	75°	Pacas
	2100	N/A	
	2400	N/A	

Tuesday

Date	Time	Temp.	Name (Print)
5-14-24	0300	69	
	0600	69	
	0900	69	Nethe
	1200	69	
	1500	69	Garcia
	1800	69	Garcia
	2100	69	Garcia
	2400	N/A	

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0300	69	
	0600	69	
	0900	69	Nethe
	1200	69	Nethe
	1500	70	Garcia
	1800	70	Garcia
	2100	69	Garcia
	2400	N/A	

Thursday

Date	Time	Temp.	Name (Print)
5-16-24	0300	N/A	
	0600	69	
	0900	69	Nethe
	1200	N/A	
	1500	69	Garcia
	1800	68	Garcia
	2100	N/A	
	2400	N/A	

Friday

Date	Time	Temp.	Name (Print)
5-17-24	0300	N/A	
	0600	69	Nunez
	0900	69	Nunez
	1200	N/A	
	1500	69	Garcia
	1800	69	Garcia
	2100	N/A	
	2400	N/A	

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0300	N/A	
	0600	69	Nunez
	0900	69	Nunez
	1200	N/A	
	1500	69	Lees
	1800	69	Lees
	2100	N/A	
	2400	N/A	

Sunday

Date	Time	Temp.	Name (Print)
5-19-24	0300	N/A	
	0600	69	S. NOEL
	0900	68°	S. NOEL
	1200	N/A	
	1500	69	Arteaga
	1800	70	Arteaga
	2100	N/A	
	2400	N/A	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: 5 FAC. C Temp. Reading Location: 3rd FLR (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	65	P. DELTORO
	0600	67	V. MOORE
	0900	67	V. MOORE
	1200	67	V. MOORE
	1500	68°	S.Miguel
	1800	66°	S.Miguel
	2100	66°	S.Miguel
	2400	67	AGUAYO

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	67	Aguayo
	0600	68	Kingsley
	0900	70	Kingsley
	1200	70	Kingsley
	1500	70°	S.Miguel
	1800	68°	S.Miguel
	2100	66°	S.Miguel
	2400	67	AGUAYO

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0300	67	AGUAYO
	0600	67°	J. MARETT
	0900	66°	J. MARETT
	1200	66°	J. MARETT
	1500	66°	S.Miguel
	1800	66°	S.Miguel
	2100	66°	S.Miguel
	2400	66	C.LOPEZ

Thursday

Date	Time	Temp.	Name (Print)
5-16-24	0300	66	C.LOPEZ
	0600	63°	J. MARETT
	0900	66°	J. MARETT
	1200	65°	J. MARETT
	1500	66°	S.Miguel
	1800	68°	S.Miguel
	2100	66°	S.Miguel
	2400	66	C.LOPEZ

Friday

Date	Time	Temp.	Name (Print)
5-17-24	0300	66	C.LOPEZ
	0600	68	Kingsley
	0900	68	Kingsley
	1200	68	Kingsley
	1500	68°	S.Miguel
	1800	68°	S.Miguel
	2100	66°	S.Miguel
	2400	66	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0300	66	[illegible]
	0600	68	Kingsley
	0900	68	Kingsley
	1200	68	Kingsley
	1500	68	LMC
	1800	68	Kingsley
	2100	68	Kingsley
	2400	66	C.LOPEZ

Sunday

Date	Time	Temp.	Name (Print)
5-19-24	0300	66	C.LOPEZ
	0600	66	Kingsley
	0900	66	Kingsley
	1200	66	Kingsley
	1500	66	LMC
	1800	66	LMC
	2100	66	LMC
	2400	66	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

...RTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioning is malfunctioning).

Using accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Building 6 Temp. Reading Location: 3rd tier
(e.g. 1st tier, 2nd tier, 3rd tier, etc)

FAC. C

Immediately notify the Watch Commander at extension: 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70°	S. Banuelos
	0600	70	J. ROWLETT
	0900	70	J. ROWLETT
	1200	71	J. ROWLETT
	1500	74	A. Zepeda
	1800	73	A. Zepeda
	2100	73	A. Zepeda
	2400	72°	S. Banuelos

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	72°	S. Banuelos
	0600	71	J. ROWLETT
	0900	71	J. ROWLETT
	1200	72	J. ROWLETT
	1500	73°	E. AYON FLORES
	1800	74	E. AYON FLORES
	2100	72	E. AYON FLORES
	2400	72°	S. Banuelos

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	72°	S. Banuelos
	0600	72	J. ROWLETT
	0900	72	J. ROWLETT
	1200	72	J. ROWLETT
	1500	72	E. AYON FLORES
	1800	74	E. AYON FLORES
	2100	72	E. AYON FLORES
	2400	72	CHILDERS

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	CHILDERS
	0600	70	J. ROWLETT
	0900	70	J. ROWLETT
	1200	71	J. ROWLETT
	1500	74	E. AYON FLORES
	1800	72	E. AYON FLORES
	2100	72	E. AYON FLORES
	2400	72	CHILDERS

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	CHILDERS
	0600	70°	SAINZ
	0900	70°	SAINZ
	1200	70°	SAINZ
	1500	73°	E. AYON FLORES
	1800	72	E. AYON FLORES
	2100	70	E. AYON FLORES
	2400	70	C. CHALLE

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	CHALLE
	0600	70	C. CHALLE
	0900	70°	SAINZ
	1200	70°	SAINZ
	1500	70°	AYON-FLORES
	1800	70°	AYON FLORES
	2100	72°	AYON FLORES
	2400	72	F. MEJIA

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	72	F. MEJIA
	0600	71	J. ROWLETT
	0900	71	J. ROWLETT
	1200	71	J. ROWLETT
	1500	70	A. Zepeda
	1800	72	A. Zepeda
	2100	70	A. Zepeda
	2400	70°	Fernandez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: C Facility Temp. Reading Location: Diner
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300		N/A
	0600	70	Avila
	0900	71	Avila
	1200		N/A
	1500	69	GARCIA
	1800	69	Garcia
	2100		
	2400		N/A

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300		N/A
	0600	70	CLOSE
	0900	71	CLOSE
	1200		N/A
	1500	70	Huerta
	1800	70	Huerta
	2100		
	2400		N/A

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300		N/A
	0600	68	Wilson
	0900	67	Wilson
	1200		N/A
	1500	69	Garcia
	1800	69	Garcia
	2100		
	2400		N/A

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300		N/A
	0600	68	Montano
	0900	68	Montano
	1200		N/A
	1500	69	GARCIA
	1800	69	GARCIA
	2100		
	2400		N/A

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300		N/A
	0600	68	Montano
	0900	68	Montano
	1200		N/A
	1500	69	GARCIA
	1800	71	GARCIA
	2100		
	2400		N/A

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300		N/A
	0600	68	Avila
	0900		N/A
	1200		
	1500	65	GARCIA
	1800	65	GARCIA
	2100		
	2400		N/A

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300		N/A
	0600	68	Montano
	0900	68	Montano
	1200		N/A
	1500	63	GARCIA
	1800	69	Garcia
	2100		
	2400		N/A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 7 Temp. Reading Location: TIER 3
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Fac. D

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	Williams
	0600	70	Witt
	0900	70	Witt
	1200	70	Witt
	1500	70	Cabrera
	1800	68	Cabrera
	2100	68	Cabrera
	2400	67	B. Sinay

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	66	B. Sinay ICP
	0600	67	Witt
	0900	69	Witt
	1200	70	Witt
	1500	70	Wheeler
	1800	70	Wheeler
	2100	70	Wheeler
	2400	70	T. Gist

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	T. Gist
	0600	67	Dennerlein
	0900	66	Dennerlein
	1200	67	Dennerlein
	1500	69	Dennerlein
	1800	69	Dennerlein
	2100	69	Dennerlein
	2400	69	T. Gist

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	69	T. Gist
	0600	66	Dennerlein
	0900	67	Dennerlein
	1200	67	Dennerlein
	1500	69	Chang
	1800	69	Chang
	2100	69	Chang
	2400	70	T. Gist

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	69	T. Gist
	0600	66	C. Martinez
	0900	66	C. Martinez
	1200	66	C. Martinez
	1500	69	Chang
	1800	69	Chang
	2100	69	Chang
	2400	70	T. Gist

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	T. Gist
	0600	70	Beckett
	0900	69	Beckett
	1200	69	Beckett
	1500	66	Chang
	1800	67	Chang
	2100	67	Chang
	2400	70	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	68°	Benavides
	0600	68	Beckett
	0900	68	Beckett
	1200	69	Beckett
	1500	69	" "
	1800	69	" "
	2100	68	" "
	2400	68°	Benavides

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: BLDG 8 Temp. Reading Location: TIER 3
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Fac. D

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	Rivera ICP
	0600	68	BARBOSA
	0900	70	BARBOSA
	1200	70	BARBOSA
	1500	71°	[illegible]
	1800	70°	[illegible]
	2100	69°	[illegible]
	2400	70	Cleveley

Tuesday

Dat	Time	Temp.	Name (Print)
5-14-24	0300	71	[illegible] LCP
	0600	71°	[illegible]
	0900	71°	[illegible]
	1200	71°	[illegible]
	1500	72°	Bender
	1800	71°	Bender
	2100	70°	Bender
	2400	70	Cleveley

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0300	70	Cleveley
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	71°	Bender
	1800	70°	Bender
	2100	69°	Bender
	2400	70	Cleveley

Thursday

Date	Time	Temp.	Name (Print)
5-16-24	0300	70	Cleveley
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	72°	Bender
	1800	71°	Bender
	2100	70	Bender
	2400	70	Cleveley

Friday

Date	Time	Temp.	Name (Print)
5-17-24	0300	70	Cleveley
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	71	GARZA
	1800	71	GARZA
	2100	71	GARZA
	2400	70	Cleveley

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0300	70	Cleveley
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	70	Mullins
	1800	70	Mullins
	2100	70	Mullins
	2400	69	B. Sing

Sunday

Date	Time	Temp.	Name (Print)
5-19-24	0300	66	Sing
	0600	70	Pelayo
	0900	70	Pelayo
	1200	70	Pelayo
	1500	71	Mullins
	1800	70	Mullins
	2100	70	Mullins
	2400	70	TORRES

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: D Diner Temp. Reading Location: Diner Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300		
	0600	68	Martyn
	0900	68	Martyn
	1200	68	Martyn
	1500	68	Reyes
	1800	67	Reyes
	2100	68	Reyes
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300		
	0600	66	Martyn
	0900	66	Martyn
	1200	68	Martyn
	1500	68	Flores
	1800	69	Flores
	2100	67	Flores
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300		
	0600	68	Martyn
	0900	68	Martyn
	1200	69	Martyn
	1500	69	Lines
	1800	68	Lines
	2100	68	Lines
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300		
	0600	68	Chiappas
	0900	69	Chiappas
	1200	69	Chiappas
	1500	69	Lines
	1800	68	Lines
	2100	68	Lines
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300		
	0600	68	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	[illegible]
	1800	69	[illegible]
	2100	69	[illegible]
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300		
	0600	66	Martyn
	0900	68	Martyn
	1200	69	Martyn
	1500	69	[illegible]
	1800	69	[illegible]
	2100	68	[illegible]
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300		
	0600	67	Martyn
	0900	67	Martyn
	1200	68	Martyn
	1500	68	Reyes
	1800	68	Reyes
	2100		
	2400		

Notes

Week of 5/13/24

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC M Temp. Reading Location: DORM 30 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	HOWELL
	0600	70	ARGUELLO
	0900	70	ARGUELLO
	1200	70	ARGUELLO
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	70	HOWELL
	0600	70	ARGUELLO
	0900	70	ARGUELLO
	1200	70	ARGUELLO
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	HOWELL
	0600	70	ARGUELLO
	0900	70	ARGUELLO
	1200	70	ARGUELLO
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	HOWELL
	0600	70	SOLIS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	HOWELL
	0600	70	SOLIS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	HOWELL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC M Temp. Reading Location: DORM 31 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	70	Howell
	0600	70	ARGUIJO
	0900	70	ARGUIJO
	1200	70	ARGUIJO
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	Howell

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	Howell

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	Howell
	0600	70	Solis
	0900	70	Solis
	1200	70	Solis
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	Howell

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	Howell
	0600	70	Solis
	0900	70	Solis
	1200	70	Solis
	1500	70	VASINGER
	1800	70	VASINGER
	2100	70	VASINGER
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	VASINGER
	1800	70	VASINGER
	2100	70	VASINGER
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	VASINGER
	1800	70	VASINGER
	2100	70	VASINGER
	2400	70	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC M Temp. Reading Location: DORM 32 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	HOWELL
	0600	70	ARGUIJO
	0900	70	ARGUIJO
	1200	70	ARGUIJO
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	70	HOWELL
	0600	70	ARGUIJO
	0900	70	ARGUIJO
	1200	70	ARGUIJO
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	HOWELL
	0600	70	ARGUIJO
	0900	70	ARGUIJO
	1200	70	ARGUIJO
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	HOWELL
	0600	70	SOLIS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	HOWELL
	0600	70	SOLIS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	RAMOS
	0600	70	JIMENEZ
	0900	70	JIMENEZ
	1200	70	JIMENEZ
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	RAMOS
	0600	70	JIMENEZ
	0900	70	JIMENEZ
	1200	70	JIMENEZ
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	HOWELL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC M Temp. Reading Location: DORM 33 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	HOWELL
	0600	70	ARGUIJO
	0900	70	ARGUIJO
	1200	70	ARGUIJO
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	70	HOWELL
	0600	70	ARGUIJO
	0900	70	ARGUIJO
	1200	70	ARGUIJO
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	HOWELL
	0600	70	ARGUIJO
	0900	70	ARGUIJO
	1200	70	ARGUIJO
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	HOWELL
	0600	70	SOLIS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	COLLINS
	1800	70	COLLINS
	2100	70	COLLINS
	2400	70	HOWELL

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	HOWELL
	0600	70	SOLIS
	0900	70	SOLIS
	1200	70	SOLIS
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	RAMOS

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	RAMOS

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	RAMOS
	0600	70	JIMESON
	0900	70	JIMESON
	1200	70	JIMESON
	1500	70	VASQUEZ
	1800	70	VASQUEZ
	2100	70	VASQUEZ
	2400	70	HOWELL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FAC M Temp. Reading Location: DORM 34 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	Howell RC
	0600	70	Arguijo
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Collins
	1800	70	Collins JF
	2100	70	Collins
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	70	Howell
	0600	70	Arguijo
	0900	70	Arguijo RB
	1200	70	Arguijo
	1500	70	Collins
	1800	70	Collins JF
	2100	70	Collins
	2400	70	Howell

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	Howell
	0600	70	Arguijo RB
	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Collins
	1800	70	Collins JF
	2100	70	Collins
	2400	70	Howell

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	Howell
	0600	70	Solis JF
	0900	70	Solis
	1200	70	Solis
	1500	70	Collins
	1800	70	Collins JF
	2100	70	Collins
	2400	70	Howell

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	Howell
	0600	70	Solis RB
	0900	70	Solis
	1200	70	Solis
	1500	70	Vasquez
	1800	70	Vasquez RB
	2100	70	Vasquez
	2400	70	Ramos

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	Ramos
	0600	70	Jimenez RB
	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	Vasquez
	1800	70	Vasquez KC
	2100	70	Vasquez
	2400	70	Ramos

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	Ramos RC
	0600	70	Jimenez
	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	Vasquez
	1800	70	Vasquez RC
	2100	70	Vasquez
	2400	70	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Facility M Temp. Reading Location: M Diner (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		N/A
	0600	64	S. Trevino
	0900	68	S. Trevino
	1200	70	S. Trevino
	1500	70	G Jones
	1800	65	G Jones
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/14	0300		N/A
	0600	65	S. Trevino
	0900	67	S. Trevino
	1200	68	G Jones
	1500	68	G Jones
	1800	66	G Jones
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300		N/A
	0600	64	S. Trevino
	0900	65	S. Trevino
	1200	65	G Jones
	1500	65	G Jones
	1800	63	G Jones
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300		N/A
	0600	65	S. Trevino
	0900	65	G Jones
	1200	65	G Jones
	1500	65	G Jones
	1800	63	G Jones
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		N/A
	0600	66	Mendez
	0900	64	Mendez
	1200	66	Mendez
	1500	67	Mendez
	1800	66	Mendez
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		N/A
	0600	64	Mendez
	0900	65	Mendez
	1200	66	Mendez
	1500	66	Mendez
	1800	68	Mendez
	2100		N/A
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300		N/A
	0600	62	Hampton
	0900	64	Hampton
	1200	64	G Jones
	1500	63	G Jones
	1800	62	G Jones
	2100		N/A
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: M FAC PROGRAM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/31/22	0300	70	Howell
	0600	70	Arguijo
5/13/24	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Howell

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	70	Howell
	0600	70	D. Solis
5/14/24	0900	70	D. Solis
	1200	70	D. Solis
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Howell

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70	Howell
	0600	70	Arguijo
5/15/24	0900	70	Arguijo
	1200	70	Arguijo
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Howell

Thursday

Date	Time	Temp.	Name (Print)
	0300	70	Howell
	0600	70	Solis
5/16/24	0900	70	Solis
	1200	70	Solis
	1500	70	Collins
	1800	70	Collins
	2100	70	Collins
	2400	70	Howell

Friday

Date	Time	Temp.	Name (Print)
	0300	70	Howell
	0600	70	Solis
5/17/24	0900	70	Solis
	1200	70	Solis
	1500	70	Vasquez
	1800	70	Vasquez
	2100	70	Vasquez
	2400	70	Ramos

Saturday

Date	Time	Temp.	Name (Print)
	0300	70	Ramos
	0600	70	Jimenez
5/18/24	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	Vasquez
	1800	70	Vasquez
	2100	70	Vasquez
	2400	70	Ramos

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	Ramos
	0600	70	Jimenez
5/19/24	0900	70	Jimenez
	1200	70	Jimenez
	1500	70	Vasquez
	1800	70	Vasquez
	2100	70	Vasquez
	2400	70	Howell

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: FACILITY M Temp. Reading Location: MINI CANTEEN
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/13/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO	ACCESS
	2400	NO	ACCESS

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO	ACCESS
	2400	NO	ACCESS

Wednesday

Date	Time	Temp.	Name (Print)
05/15/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO	ACCESS
	2400	NO	ACCESS

Thursday

Date	Time	Temp.	Name (Print)
05/16/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	Solis
	1200	70	Solis
	1500	70	COLLINS
	1800	70	COLLINS
	2100	NO	ACCESS
	2400	NO	ACCESS

Friday

Date	Time	Temp.	Name (Print)
05/17/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	Solis
	1200	70	Solis
	1500	70	[illegible]
	1800	70	[illegible]
	2100	NO	ACCESS
	2400	NO	ACCESS

Saturday

Date	Time	Temp.	Name (Print)
05/18/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	Johnson
	1200	70	Johnson
	1500	70	[illegible]
	1800	70	[illegible]
	2100	NO	ACCESS
	2400	NO	ACCESS

Sunday

Date	Time	Temp.	Name (Print)
05/19/24	0300	NO	ACCESS
	0600	NO	ACCESS
	0900	70	Johnson
	1200	70	Johnson
	1500	70	[illegible]
	1800	70	[illegible]
	2100	NO	ACCESS
	2400	NO	ACCESS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Interfaith Chapel East Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 when the inside air temperature reaches 90 degrees and again at 95 degrees. 2024

Monday

Date	Time	Temp.	Name (Print)
5-13 2024	0300		N/A
	0600		
	0900	68	Gottesfeld
	1200	70	— " —
	1500	70	— " —
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5-14	0300		N/A
	0600		
	0900	64	Gottesfeld
	1200	67	Gottesfeld
	1500	70	Gottesfeld
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5-15	0300		N/A
	0600		
	0900	68°	Gottesfeld
	1200	69	"
	1500	69	"
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5-16	0300		N/A
	0600		
	0900	68	Gottesfeld
	1200	69	"
	1500	70	"
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5-17	0300		N/A
	0600		
	0900	68	Gottesfeld
	1200	68	— " —
	1500		
	1800		
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: E. CANTEEN Temp. Reading Location: MAIN OFFICE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		N/A
	0600		
	0900	69°	JP
	1200	70°	JP
	1500	71°	JP
	1800	72°	BR
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0300		N/A
	0600		
	0900	70°	JP
	1200	71°	JP
	1500	71	CW
	1800	70	BR
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300		N/A
	0600		
	0900	70°	JP
	1200	71	BR
	1500	69	BR
	1800	72	BR
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300		N/A
	0600		
	0900	68	CW
	1200	70°	JP
	1500	70°	JP
	1800	70	BR
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		N/A
	0600		
	0900	68	CW
	1200	69	CW
	1500	70	CW
	1800	70	BR
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA 5/13/2024 to 5/19/2024 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: EAST MAIN KITCHEN Temp. Reading Location: 2nd FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	—	—
	0600	62	J. MILLS
	0900	63	MILLS
	1200	63	R.E. DAVIS
	1500	63	R.E. DAVIS
	1800	63	R.E. DAVIS
	2100	—	—
	2400	—	—

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/2024	0300	—	—
	0600	62	J. MILLS
	0900	63	MILLS
	1200	63	R.E. DAVIS
	1500	64	R.E. DAVIS
	1800	63	R.E. DAVIS
	2100	—	—
	2400	—	—

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	0300	—	—
	0600	61	BELL
	0900	62	BELL
	1200	62	SCOTT
	1500	62	SCOTT
	1800	62	SCOTT
	2100	—	—
	2400	—	—

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	0300	—	—
	0600	60	Mederos
	0900	62	Mederos
	1200	63	SCOTT
	1500	65	SCOTT
	1800	65	SCOTT
	2100	—	—
	2400	—	—

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	0300	—	—
	0600	60	Mederos
	0900	62	Mederos
	1200	[illegible]	[illegible]
	1500	[illegible]	[illegible]
	1800	[illegible]	[illegible]
	2100	—	—
	2400	—	—

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	0300	—	—
	0600	60	Mederos
	0900	60	Mederos
	1200	62	R.E. DAVIS
	1500	62	R.E. DAVIS
	1800	62	R.E. DAVIS
	2100	—	—
	2400	—	—

Sunday

Date	Time	Temp.	Name (Print)
5/19/2024	0300	—	—
	0600	60	Mederos
	0900	60	Mederos
	1200	100	R.E. DAVIS
	1500	102	R.E. DAVIS
	1800		R.E. DAVIS
	2100	—	—
	2400	—	—

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

ATTACHMENT B
DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Plat Ups Temp. Reading Location: Z-149
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/13

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	G Gary
	1200	74	G Gary
	1500	74	G Gary
	1800		
	2100		N/A
	2400		

Tuesday 5/14

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	G Gary
	1200	74	G Gary
	1500	74	G Gary
	1800		
	2100		N/A
	2400		

Wednesday 5/15

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	74	G Gary
	1200	75	G Gary
	1500	75	G Gary
	1800		
	2100		N/A
	2400		

Thursday 5/16

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600		
	0900	75	G Gary
	1200	75	G Gary
	1500	75	G Gary
	1800		
	2100		N/A
	2400		

Friday 5/17

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200	Not Here	
	1500		
	1800		
	2100		
	2400		

Saturday 5/18

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 5/19

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC-E Housing Unit: Knitting Mill Temp. Reading Location: Compressor Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		N/A
	0600		
	0900	72°	Richardson M.
	1200	74°	Richardson M.
	1500	76°	Richardson M.
	1800		
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/14	0300		N/A
	0600		
	0900	74°	Richardson M.
	1200	76°	Richardson M.
	1500	76°	Richardson M.
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300		N/A
	0600		
	0900	78°	Richardson M.
	1200	78°	Richardson M.
	1500	80°	Richardson M.
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300		N/A
	0600		
	0900	72°	Richardson M.
	1200	76°	Richardson M.
	1500	78°	Richardson M.
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300		
	0600		
	0900		
	1200	RDO	
	1500		
	1800		
	2100		
	2400		

Notes 5/13/24 - 5/16/24

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA Temp. Reading Location: WET PROCESSING
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/13	0300		N/A
	0600	62	C. WINN
	0900	64	WINN
	1200	66	WINN
	1500	70	WINN
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
05/14	0300		N/A
	0600	63	WINN
	0900	71	WINN
	1200	72	WINN
	1500	71	WINN
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/15	0300		N/A
	0600	64	WINN
	0900	68	WINN
	1200	72	WINN
	1500	72	WINN
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
05/16	0300		N/A
	0600	66	WINN
	0900	70	WINN
	1200	74	WINN
	1500		
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: C.L.P.A Temp. Reading Location: 1st/2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

5/13/24

Monday

Date	Time	Temp.	Name (Print)
5-13	0300		N/A
	0600	75	C. Sanchez
	0900	72°	R. Esteban
	1200	74°	E. Sanchez
	1500	75°	E. Sanchez
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70	C. Sanchez
5-14	0900	71°	Rodrigo E.
	1200	75°	C. Sanchez
	1500	75	C. Sanchez
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	70	C. Sanchez
	0900	70°	C. Sanchez
5/15	1200	71°	C. Sanchez
	1500	75°	C. Sanchez
	1800		
	2100		N/A
	2400		

Thursday 5/16

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	73°	R. Esteban
	0900	73°	R. Esteban
	1200	73°	R. Esteban
	1500	73°	R. Esteban
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

ATTACHMENT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Pia, Safety T Temp. Reading Location: Safety T shirt (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4631 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/13/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	60	J. Johnson
	0900	61	J. Johnson
	1200	62	J. Johnson
	1500	70	J. Johnson
	1800		
	2100		N/A
	2400		

Tuesday 5/14/24

Dat	Time	Temp.	Name (Print)
	0300		N/A
	0600	60	J. Johnson
	0900	64	J. Johnson
	1200	70	J. Johnson
	1500	74	J. Johnson
	1800		
	2100		N/A
	2400		

Wednesday 5/15/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	60	J. Johnson
	0900	60	J. Johnson
	1200	67	J. Johnson
	1500	68	J. Johnson
	1800		
	2100		N/A
	2400		

Thursday 5/16/24

Date	Time	Temp.	Name (Print)
	0300		N/A
	0600	60	J. Johnson
	0900	60	J. Johnson
	1200	62	J. Johnson
	1500	68	J. Johnson
	1800		
	2100		N/A
	2400		

Friday 5/17/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday 5/18/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday 5/19/24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: JACKET Temp. Reading Location: 2nd FLOOR, JKT
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		
	0600		
	0900	70	D Cooper
	1200	75	D Cooper
	1500	75	CHOI
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0300		
	0600		
	0900	70	CHOI
	1200	71	CHOI
	1500	70	SILVER
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300		
	0600		
	0900	74	CHOI
	1200	78	CHOI
	1500	75	CHOI
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300		
	0600		
	0900	73	D Cooper
	1200	75	D Cooper
	1500	75	SILVER
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: JKT/Tshirt Temp. Reading Location: Jacket 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		
	0600		
	0900	59	J. Diaz
	1200	65	J. Diaz
	1500	69	J. Diaz
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0300		
	0600		
	0900	58	J. Diaz
	1200	59	J. Diaz
	1500	68	J. Diaz
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300		
	0600		
	0900	58	J. Diaz
	1200	69	J. Diaz
	1500	68	CHOI
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300		
	0600		
	0900	73	D Cooper
	1200	75	D Cooper
	1500	75	D Cooper
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: HFM Temp. Reading Location: HFM MAIN OFFICE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		N/A
	0600		
	0900	68°	AH
	1200	68°	
	1500	68°	
	1800	68°	
	2100		N/A
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/14	0300		N/A
	0600		
	0900	68°	AH
	1200	68°	
	1500	68°	
	1800	68°	
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300		N/A
	0600		
	0900	68°	AH
	1200	68°	
	1500	68°	
	1800	68°	
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300		N/A
	0600		
	0900	68°	AH
	1200	68°	
	1500	68°	
	1800	68°	
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		N/A
	0600		
	0900	68°	FS
	1200	68°	
	1500	68°	
	1800	68°	
	2100		N/A
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		CL
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300		CL
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Div office Temp. Reading Location: Inmate office
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		
	0600		
	0900	72°	Wong
	1200	72°	Rodriguez
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
5/14	0300		
	0600		
	0900	73	Wong
	1200	73	Wong
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300		
	0600		
	0900	72°	Wong
	1200	73°	Wong
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300		
	0600		
	0900	72°	Rodriguez
	1200	73°	Rodriguez
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
RDO	0300		
	0600		
	0900	RDO	RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
RDO	0300		
	0600		
	0900	RDO	RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
RDO	0300		
	0600		
	0900	RDO	RDO
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: Bad factory * shop Temp. Reading Location: Clerk wall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		N/A
	0600	80	Rick H
	0900	73	RDD
	1200	74	RDD
	1500	76	Rick H
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0300	68	R. Fant
	0600	70	R. Fant
	0900	72	R. Fant
	1200	74	R. Fant
	1500	76	R. Fant
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300		N/A
	0600	71	Rick H
	0900	72	R. Fant
	1200	73	R. Fant
	1500	75	Rick H
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300		N/A
	0600	71	Rick H
	0900	72	R. Fant
	1200	76	MENDEZ
	1500	78	mendez
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		
	0600		
	0900		
	1200		
	1500		RDD
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		
	0600		
	0900		
	1200		
	1500		RDD
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300		
	0600		
	0900		
	1200		RDD
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMC Housing Unit: PIA Print Plant Temp. Reading Location: FABRIC PRODUCTS 1st FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/13	0300		N/A
	0600	66	C. WINN
	0900	67	WINN
	1200	67	WINN
	1500	69	WINN
	1800		
	2100		N/A
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
05/14	0300		N/A
	0600	64	WINN
	0900	67	WINN
	1200	67	WINN
	1500	69	WINN
	1800		
	2100		N/A
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/15	0300		N/A
	0600	65	WINN
	0900	66	WINN
	1200	68	WINN
	1500	68	WINN
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
05/16	0300		N/A
	0600	68	WINN
	0900	68	WINN
	1200	68	WINN
	1500	70	WINN
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From Sept. 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list Sept. be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMC** Housing Unit: **EAST Protestant Chapel** Temp.Reading Location: **Protestant Chapel EAST**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 7905 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5/13	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0300		
	0600		
	0900		
	1200		
	1500		RDO
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300		N/A
	0600		
	0900	65	[illegible]
	1200	66	[illegible]
	1500	68	[illegible]
	1800		
	2100		N/A
	2400		

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300		N/A
	0600		
	0900	67	[illegible]
	1200	67	[illegible]
	1500	68	[illegible]
	1800		
	2100		N/A
	2400		

Friday

Date	Time	Temp.	Name (Print)
5/17	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300		
	0600		
	0900		
	1200		RDO
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300		N/A
	0600		
	0900	66	[illegible]
	1200	67	[illegible]
	1500		
	1800		N/A
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5/13/2024 to 5/19/2024

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5.13.24	0100	50	ZEPEDA
	0200	50	ZEPEDA
	0300	50	ZEPEDA
	0400	50	ZEPEDA
	0500	50	ZEPEDA
	0600	48	DelaTorre
	0700	48	DelaTorre
	0800	50	DelaTorre
	0900	52	DelaTorre
	1000	52	DelaTorre
	1100	54	DelaTorre
	1200	57	DelaTorre
	1300	57	DelaTorre
	1400	60	VAZAHAN
	1500	60	VALAHAN
	1600	60	VAZAHAN
	1700	57	RUPP
	1800	55	RUPP
	1900	52	RUPP
	2000	51	RUPP
	2100	51	RUPP
	2200	49	ZEPEDA, J
	2300	49	ZEPEDA, J
	2400	48	ZEPEDA, J

Date	Time	Temp.	Printed Name
5/14/24	0100	48	ZEPEDA
	0200	48	ZEPEDA
	0300	47	ZEPEDA
	0400	47	ZEPEDA
	0500	47	ZEPEDA
	0600	48	ZEPEDA
	0700	48	DelaTorre
	0800	48	DelaTorre
	0900	48	DelaTorre
	1000	52	DelaTorre
	1100	56	DelaTorre
	1200	60	DelaTorre
	1300	61	DelaTorre
	1400	61	RUPP
	1500	62	RUPP
	1600	59	RUPP
	1700	57	RUPP
	1800	53	RUPP
	1900	52	RUPP
	2000	52	RUPP
	2100	51	RUPP
	2200	50	ZEPEDA
	2300	50	ZEPEDA
	2400	49	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-15-2024	0100	49	Zepeda, ?
	0200	49	Zepeda, ?
	0300	49	Zepeda, ?
	0400	49	Zepeda, ?
	0500	49	Zepeda ?
	0600	49	Zepeda ?
	0700	48	DelaTorre
	0800	50	DelaTorre
	0900	53	DelaTorre
	1000	55	DelaTorre
	1100	57	DelaTorre
	1200	60	DelaTorre
	1300	63	DelaTorre
	1400	64	DelaTorre
	1500	61	Rupp
	1600	60	Rupp
	1700	58	Rupp
	1800	58	Rupp
	1900	56	Rupp
	2000	55	Rupp
	2100	53	Rupp
	2200	51	Zepeda
	2300	51	Zepeda
	2400	50	Zepeda

Date	Time	Temp.	Printed Name
5/16/2024	0100	50	Zepeda
	0200	50	Zepeda
	0300	50	Zepeda
	0400	49	Zepeda
	0500	49	Zepeda
	0600	49	Zepeda
	0700	49	C. Price
	0800	49	DelaTorre
	0900	50	C. Price
	1000	52	C. Price
	1100	58	C. Price
	1200	72	DelaTorre
	1300	65	C. Price
	1400	64	C. Price
	1500	62	C. Price
	1600	60	Rupp
	1700	60	Rupp
	1800	57	Rupp
	1900	55	Rupp
	2000	54	Rupp
	2100	52	Rupp
	2200	52	Zepeda
	2300	52	Zepeda
	2400	51	Zepeda

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/17/24	0100	51	ZEPEDA
	0200	51	ZEPEDA
	0300	51	ZEPEDA
	0400	51	ZEPEDA
	0500	51	ZEPEDA
	0600	52	ZEPEDA
	0700	52	DeLaTorre
	0800	52	DeLaTorre
	0900	52	DeLaTorre
	1000	54	DeLaTorre
	1100	54	DeLaTorre
	1200	56	DeLaTorre
	1300	58	DeLaTorre
	1400	60	RUPP
	1500	60	RUPP
	1600	58	RUPP
	1700	57	RUPP
	1800	55	RUPP
	1900	55	RUPP
	2000	55	RUPP
	2100	52	RUPP
	2200	49	ZEPEDA, J
	2300	49	ZEPEDA, J
	2400	49	ZEPEDA, J

Date	Time	Temp.	Printed Name
5/18/24	0100	49	ZEPEDA
	0200	49	ZEPEDA
	0300	47	ZEPEDA
	0400	47	ZEPEDA
	0500	47	ZEPEDA
	0600	49	C.PRICE
	0700	50	C.PRICE
	0800	50	C.PRICE
	0900	52	C.PRICE
	1000	55	C.PRICE
	1100	55	C.PRICE
	1200	55	C.PRICE
	1300	56	C.PRICE
	1400	58	C.PRICE
	1500	60	RUPP
	1600	60	RUPP
	1700	57	RUPP
	1800	55	RUPP
	1900	55	RUPP
	2000	53	RUPP
	2100	52	RUPP
	2200	50	ZEPEDA
	2300	49	ZEPEDA
	2400	47	ZEPEDA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CMC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-19-24	0100	47	ZEPEDA
	0200	47	ZEPEDA
	0300	47	ZEPEDA
	0400	48	ZEPEDA
	0500	48	ZEPEDA
	0600	49	C. PRICE
	0700	50	C. PRICE
	0800	50	C. PRICE
	0900	50	C. PRICE
	1000	52	C. PRICE
	1100	54	C. PRICE
	1200	56	C. PRICE
	1300	59	C. PRICE
	1400	61	RUPP
	1500	62	RUPP
	1600	59	RUPP
	1700	57	RUPP
	1800	53	RUPP
	1900	51	RUPP
	2000	50	RUPP
	2100	49	RUPP
	2200	47	WALLACE
	2300	47	WALLACE
	2400	47	WALLACE

Date	Time	Temp.	Printed Name
5-20-24	0100	47	WALLACE
	0200	49	WALLACE
	0300	49	WALLACE
	0400	50	WALLACE
	0500	50	WALLACE
	0600	50	Delutome
	0700	50	Delutome
	0800	50	Delutome
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator