ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/1/24	0100	58	CS
	0200	57	CS
	0300	55	CS
	0400	54	CS
	0500	52	CS
	0600	57.4°	FLETES
	0700	57.4°	FLETES
	0800	59.4°	FLETES
	0900	71.4°	FLETES
	1000	73.2°	FLETES
	1100	82.4°	FLETES
	1200	84.9°	FLETES
	1300	85.8°	FLETES
	1400	85	C.S
	1500	84	C.S
	1600	82	C.S
	1700	82	C.S
	1800	81	C.S
	1900	79	C.S
	2000	74	C.S
	2100	69	C.S
	2200	66	C.S
	2300	65	C.S
	2400	64	C.S

Date	Time	Temp.	Printed Name
7/2/24	0100	63	C.S.
	0200	60	C.S
	0300	59	C.S
	0400	58	C.S
	0500	57	C.S
	0600	56	C.S
	0700	67	TK
	0800	75	TK
	0900	86	TK
	1000	85	TK
	1100	92	TK
	1200	93	TK
	1300	93	M.P.
	1400	94	M.P.
	1500	92	M.P
	1600	90	M.P
	1700	88	M.P.
	1800	85	I.B
	1900	82	I.B
	2000	78	M.P.
	2100	76	M.P
	2200	73	M.P.
	2300	63	R. Gom
	2400	63	R. Gom

Stage 1 Heat Alert 1035

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/3/24	0100	59	R. Con
	0200	59	R Con
	0300	60	R. Con
	0400	61	R Con
	0500	61	R. Con
	0600	61	TR
	0700	65	TR
	0800	86	TR
	0900	87	TR
	1000	88	TR
	1100	92	TR
	1200	93	TR
	1300	91	TR
	1400	90	TR
	1500	94	M.P
	1600	91	M.P.
	1700	89	M.P
	1800	88	M.P.
	1900	83	M.P.
	2000	76	M.P.
	2100	73	M.P.
	2200	69	M.P.
	2300	63	TR
	2400	63	TR

stage 1 heat alert 1132

Date	Time	Temp.	Printed Name
7/4/24	0100	60	TR
	0200	59	TR
	0300	57	TR
	0400	57	TR
	0500	58	TR
	0600	59	TR
	0700	60	TR
	0800	81	TR
	0900	83	TR
	1000	82	TR
	1100	91	TR
	1200	95	TR
	1300	94	TR
	1400	92	TR
	1500	95	RG
	1600	92	RG
	1700	89	RG
	1800	89	RG
	1900	84	RG
	2000	79	RG
	2100	71	RG
	2200	66	[illegible]
	2300	65	[illegible]
	2400	63	TR

stage 1 heat Alert 1025a

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/5/24	0100	62	TR
	0200	61	TR
	0300	59	TR
	0400	59	TR
	0500	58	TR
	0600	57	TR
	0700	71	B.V
	0800	82	J. SENEEL
	0900	82	B.V
	1000	91	B.V
	1100	93	B.V
	1200	96	B.V
	1300	95	B.V
	1400	94	B.V
	1500	91.2	H Anderson
	1600	88.9	H. Anderson
	1700	88.2	H Anderson
	1800	87.4	H Anderson
	1900	84.6	K Gonzales
	2000	73.5	K Gonzales
	2100	72.9	K Gonzales
	2200	68.9	H Anderson
	2300	67	J. DOMINGUEZ
	2400	67	J. DOMINGUEZ

Date	Time	Temp.	Printed Name
7/6/24	0100	64	J. DOMINGUEZ
	0200	62	J. DOMINGUEZ
	0300	62	J. DOMINGUEZ
	0400	60	J. DOMINGUEZ
	0500	59	J. DOMINGUEZ
	0600	60	B.V
	0700	70	B.V
	0800	82	N. Perez
	0900	87	N. Perez
	1000	85	N. Perez
	1100	90	N. Perez
	1200	92	N. Perez
	1300	91	N. Perez
	1400	88	N. Perez
	1500	86.2	M. CHAVEZ
	1600	83.7	M. CHAVEZ
	1700	81.7	M. CHAVEZ
	1800	79.5	M. CHAVEZ
	1900	76.3	M. CHAVEZ
	2000	69.6	M. CHAVEZ
	2100	63.5	M CHAVEZ
	2200		M. CHAVEZ
	2300		
	2400		

Stage 1 Heat alert -0827 (90.1°)
Stage 1 Heat alert 1059 (90.5°)

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/7/24	0100	62.1	A. Garcia
	0200	61.7	A. Garcia
	0300	61.7	A. Garcia
	0400	61.3	A. Garcia
	0500	61.0	A. Garcia
	0600	61.0	A. Garcia
	0700	61.0	BV
	0800	74.0	B.V
	0900	76.2	B.V
	1000	76.8	B.V
	1100	85.1	B.V
	1200	87.1	B.V
	1300	85.0	B.V
	1400	85.2	BV
	1500	84	CS
	1600	84	CS
	1700	83	CS
	1800	82	CS
	1900	80	CS
	2000	77	CS
	2100	73	CS
	2200	70.1	A. Garcia
	2300	69.2	A. Garcia
	2400	64.3	A. Garcia

Date	Time	Temp.	Printed Name
7/8/24	0100	63	CS
	0200	62	CS
	0300	61	CS
	0400	60	CS
	0500	59	
	0600	58	TR
	0700	58	TR
	0800	59	TR
	0900	81	TR
	1000	74	TR
	1100	83	TR
	1200	84	TR
	1300	84.2	TR
	1400	82.	TR
	1500	81	TR
	1600	78	CS
	1700	74	CS
	1800	72	CS
	1900	69	CS
	2000	68	68
	2100	66	CS
	2200	64	CS
	2300	62	CS
	2400	61	CS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/19/24	0100	61	CJ
	0200	60	CJ
	0300	59	CJ
	0400	58	CJ
	0500	58	CJ
	0600	58	CJ
	0700	59	TR
	0800	60	TR
	0900	72	TR
	1000	75	TR
	1100	78.6	TR
	1200	83.8	TR
	1300	85.6	TR
	1400	85.8	TR
	1500	85	M.P.
	1600	85	M.P.
	1700	81	M.P.
	1800	77	M.P.
	1900	72	M.P.
	2000	69	M.P.
	2100	65	M.P.
	2200	62	M.P.
	2300	63.9	TR
	2400	64	TR

Date	Time	Temp.	Printed Name
7/20/24	0100	63.5	TR
	0200	62.6	TR
	0300	61.9	TR
	0400	61.7	TR
	0500	61.8	TR
	0600	61.7	TR
	0700	61.5	TR
	0800	61.2	TR
	0900	62.8	TR
	1000	75.4	TR
	1100	80.2	TR
	1200	84.2	TR
	1300	89.2	TR
	1400	89.6	TR
	1500	82.6	M.P.
	1600	80.1	M.P.
	1700	78.1	M.P.
	1800	75.2	M.P.
	1900	72.4	M.P.
	2000	66.9	M.P.
	2100	62.4	M.P.
	2200	62	L.G.
	2300	62	L.G.
	2400	62	L.G.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/11/24	0100	60	LG
	0200	60	LG
	0300	60	LG
	0400	59	L.G
	0500	59	L.G
	0600	59	L.G
	0700	74	B.V
	0800	77	B.V
	0900	81	B.V
	1000	90	B.V
	1100	96	B.V
	1200	94.8	TR
	1300	95.8	TR
	1400	93.6	TR
	1500	87.6	M.P.
	1600	84.2	M.P.
	1700	80.2	M.P.
	1800	77.9	M.P.
	1900	72.4	M.P.
	2000	68.2	M.P.
	2100	66.0	M.P.
	2200	66	L.G
	2300	65	LG
	2400	64	LG

Date	Time	Temp.	Printed Name
7/12/24	0100	62	LG
	0200	61	LG
	0300	60	LG
	0400	60	LG
	0500	60	LG
	0600	59	LG
	0700	68	DF
	0800	75	DF
	0900	84	DF
	1000	86.2	DF
	1100	87.8	DF
	1200	85.1	DF
	1300	84.2	DF
	1400	85	ES
	1500	85	ES
	1600	84	ES
	1700	84	ES
	1800	84	ES
	1900	84	ES
	2000	80	ES
	2100	67	ES
	2200	67	LG
	2300	66	LG
	2400	66	LG

Stage 1 90.° @1035

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/13/24	0100	65	LG
	0200	64	LG
	0300	61	LG
	0400	60	LG
	0500	59	LG
	0600	59	LG
	0700	62	R. Conn
	0800	69	R. Conn
	0900	70	R. Conn
	1000	78	R. Conn
	1100	79	R. Conn
	1200	80	R. Conn
	1300	00	R. Conn
	1400	81	R. Conn
	1500	80	R. Conn
	1600	75	R. Conn
	1700	70	R. Conn
	1800	66	R. Conn
	1900	65	R. Conn
	2000	65	R. Conn
	2100	65	R. Conn
	2200	65	LG
	2300	64	LG
	2400	64	LG

Date	Time	Temp.	Printed Name
7/14/24	0100	60	LG
	0200	60	LG
	0300	59	LG
	0400	59	LG
	0500	59	LG
	0600	59	LG
	0700	60	LG
	0800	60	LG
	0900	75	LG
	1000	76	LG
	1100	78	LG
	1200	79	LG
	1300	80	LG
	1400	81	LG
	1500	82	JC
	1600	82	JC
	1700	81	JC
	1800	78	JC
	1900	72	JC
	2000	69	JC
	2100	61	JC
	2200	61	CS
	2300	60	CS
	2400	61	CS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/15/24	0100	62	CS
	0200	62	CS
	0300	61	CS
	0400	61	CS
	0500	61	CS
	0600	60	TR
	0700	61.0	TR
	0800	62.1	TR
	0900	62.6	TR
	1000	66.2	TR
	1100	75.6	TR
	1200	75.2	TR
	1300	76.8	TR
	1400	76.9	TR
	1500	76.2	TR
	1600	75.6	TR
	1700	73.8	TR
	1800	69.4	TR
	1900	67.1	TR
	2000	66.9	TR
	2100	64.4	TR
	2200	62.6	TR
	2300	63	CS
	2400	62	CS

Date	Time	Temp.	Printed Name
7/16/24	0100	63	CS
	0200	62	CS
	0300	61	CS
	0400	60	CS
	0500	59	CS
	0600	55.6	TR
	0700	56.3	TR
	0800	86.1	TR
	0900	89.2	TR
	1000	82.7	TR
	1100	79.7	TR
	1200	83.3	TR
	1300	81.7	TR
	1400	80.8	TR
	1500	79.	N.S
	1600	77	N.S.
	1700	73.	N.S.
	1800	71	N.S.
	1900	68	N.S
	2000	65	N.S.
	2100	63	N.S.
	2200	61.7	TR
	2300	60.4	TR
	2400	58.8	TR

89.2

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/17/24	0100	58.2	TR
	0200	56.9	TR
	0300	55.5	TR
	0400	54.9	TR
	0500	54.2	TR
	0600	55.4	TR
	0700	57.6	TR
	0800	58	TR
	0900	61.7	TR
	1000	73.8	TR
	1100	74.7	TR
	1200	80.1	TR
	1300	84.6	TR
	1400	85.6	TR
	1500	82.	N.S.
	1600	81	N.S.
	1700	77	N.S.
	1800	76	N.S.
	1900	75	N.S.
	2000	69.	N.S.
	2100	65	N.S.
	2200	63	LG
	2300	62	LG
	2400	61	LG

Date	Time	Temp.	Printed Name
7/18/24	0100	60	LG
	0200	60	LG
	0300	59	LG
	0400	58	LG
	0500	58	LG
	0600	58	LG
	0700	59	TR
	0800	58.8	TR
	0900	69	TR
	1000	68.8	TR
	1100	79.2	TR
	1200	81.1	TR
	1300	84.0	TR
	1400	84.7	TR
	1500	83.1	TR
	1600	79.	N.S.
	1700	76	N.S.
	1800	73	N.S.
	1900	70	N.S.
	2000	66.	N.S.
	2100	65	LG
	2200	65	LG
	2300	64	LG
	2400	63	LG

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/19/24	0100	60	LG
	0200	59	LG
	0300	57	LG
	0400	56	LG
	0500	55	LG
	0600	56	LG
	0700	5.7.4	MC
	0800	60.9	MC
	0900	62.1	MC.
	1000	76.1	MC.
	1100	79.5	M. (?)
	1200	83.4	MC
	1300	89.6	MC
	1400	89.1	N.S.
	1500	87	N.S.
	1600	86	N.S.
	1700	87	N.S.
	1800	82.9	N.S.
	1900	79.	N.S.
	2000	73	N.S.
	2100	69.	N.S.
	2200	67	TR
	2300	66.6	TR
	2400	63.3	TR

Date	Time	Temp.	Printed Name
7/20/24	0100	62.7	TR
	0200	61.9	TR
	0300	61.2	TR
	0400	60.3	TR
	0500	59.8	TR
	0600	60.2	TR
	0700	60.3	CS
	0800	62.2	CS
	0900	64.9	CS
	1000	73.6	CS
	1100	79.0	CS
	1200	80.4	CS
	1300	80.8	CS
	1400	77	N.S.
	1500	77	N.S
	1600	76	N.S.
	1700	74	N.S.
	1800	73	N.S.
	1900	69.	N.S.
	2000	66	N.S.
	2100	64	N.S.
	2200	62	N.S.
	2300	60	N.S.
	2400	59	N.S

DISTRIBUTION: Original: Institution Heat Plan Coordinator

AF 09709
E09709
C 09336

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/21/24	0100	58	N.S
	0200	58	N.S
	0300	58	N.S
	0400	58	N.S
	0500	58	N.S
	0600	58	N.S.
	0700	63	LG
	0800	65	LG
	0900	68	LG
	1000	73	LG
	1100	75	LG
	1200	76	LG
	1300	77	LG
	1400	78	LG
	1500	77	CS
	1600	76	CS
	1700	72	CS
	1800	69	CS
	1900	66	CS
	2000	65	CS
	2100	63	CS
	2200	61	CS
	2300	59	CS
	2400	59	CS

Date	Time	Temp.	Printed Name
7/22/24	0100	58	CS
	0200	58	CS
	0300	59	CS
	0400	58	CS
	0500	58	CS
	0600	58	TR
	0700	62.4	TR
	0800	68.7	TR
	0900	71.2	TR
	1000	73.9	TR
	1100	79.1	TR
	1200	81.7	TR
	1300	84.9	TR
	1400	85.6	TR
	1500	82	CS
	1600	79	CS
	1700	76	CS
	1800	74	CS
	1900	69	CS
	2000	68	CS
	2100	64	CS
	2200	62	CS
	2300	61	CS
	2400	61	CS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/23/24	0100	62	CS
	0200	61	CS
	0300	61	CS
	0400	62	CS
	0500	61	CS
	0600	61.9	TR
	0700	62.9	TR
	0800	80.2	TR
	0900	84.6	TR
	1000	85.8	TR
	1100	90.2	TR
	1200	91.0	TR
	1300	91.2	TR
	1400	89.7	TR
	1500	87.8	N.S.
	1600	87	N.S.
	1700	86	N.S.
	1800	81	N.S.
	1900	72	N.S.
	2000	67	N.S.
	2100	64	N.S.
	2200	63.5	TR
	2300	63.6	TR
	2400	61.0	TR

11:09 Stage 1 Heat Alert
1500 — deactivated

Date	Time	Temp.	Printed Name
7/24/24	0100	61.7	TR
	0200	62.2	TR
	0300	61.9	TR
	0400	61.4	TR
	0500	61.3	TR
	0600	63.1	TR
	0700	63.5	TR
	0800	75.6	TR
	0900	77.2	TR
	1000	87.3	TR
	1100	90.5	TR
	1200	92.7	TR
	1300	93.9	TR
	1400	91.0	N.S.
	1500	88	N.S.
	1600	83	N.S.
	1700	81	N.S.
	1800	78	N.S.
	1900	75	N.S.
	2000	73	N.S.
	2100	70	N.S.
	2200	69	LG
	2300	69	LG
	2400	69	LG

11:09 Stage 1 Heat
1600 deactivated

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/25/24	0100	67	LG
	0200	65	LG
	0300	64	LG
	0400	62	LG
	0500	62	LG
	0600	61	LG
	0700	74.6	TR
	0800	82.9	TR
	0900	85.6	TR
	1000	85.1	TR
	1100	89.8	TR
	1200	90.5	TR
	1300	91.6	TR
	1400	88.6	TR
	1500	88.?	N.S.
	1600	88.	N.S.
	1700	86	N.S
	1800	80	N.S.
	1900	72	N.S.
	2000	72	N.S.
	2100	66	N.S
	2200	64	N.S.
	2300	63.5°	FLETES
	2400	61.5°	FLETES

Stage 1 11:57
deactivated. 1500

Date	Time	Temp.	Printed Name
7/26/24	0100	61.5°	FLETES
	0200	61.4°	FLETES
	0300	61.2°	FLETES
	0400	61.2°	FLETES
	0500	58.1°	FLETES
	0600	67.2	Cortes
	0700	74.5	Cortes
	0800	77.4	Cortes
	0900	82.00	Cortes
	1000	83	Cortes
	1100	85	Cortes
	1200	84	Cortes
	1300	80	Cortes
	1400	81	N.S.
	1500	80	N.S
	1600	79	N.S.
	1700	75	N.S.
	1800	70	N.S.
	1900	65	N.S.
	2000	61	N.S.
	2100	59	N.S
	2200	58	LG
	2300	58	LG
	2400	58	LG

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/27/24	0100	56	L.G
	0200	56	L.G
	0300	55	L.G
	0400	57	L.G
	0500	57	L.G
	0600	78	L.G
	0700	58	N.Perez
	0800	60	N.Perez
	0900	60	N.Perez
	1000	61	N.Perez
	1100	72	N.Perez
	1200	73	N.Perez
	1300	75	N.Perez
	1400	74	N.S.
	1500	74	N.S.
	1600	71	N.S.
	1700	70	N.S.
	1800	68	N.S.
	1900	65	N.S.
	2000	61	N.S.
	2100	59	N.S.
	2200	59	LG
	2300	58	LG
	2400	58	LG

Date	Time	Temp.	Printed Name
7/28/24	0100	58	LG
	0200	58	LG
	0300	57	LG
	0400	57	LG
	0500	57	LG
	0600	57	LG
	0700	60	LG
	0800	60	LG
	0900	62	LG
	1000	71	LG
	1100	73	LG
	1200	76	LG
	1300	77	LG
	1400	78	LG
	1500	78	CS
	1600	77	CS
	1700	75	CS
	1800	73	CS
	1900	68	CS
	2000	66	CS
	2100	64	CS
	2200	62	CS
	2300	62	CS
	2400	60	CS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/29/24	0100	69	CS
	0200	69	CS
	0300	60	CS
	0400	59	CS
	0500	59	CS
	0600	58	TR
	0700	58	TR
	0800	58.6	TR
	0900	60.4	TR
	1000	66.2	TR
	1100	72.1	TR
	1200	75.2	TR
	1300	77.5	TR
	1400	79.9	TR
	1500	79	CS
	1600	78	CS
	1700	78	CS
	1800	74	CS
	1900	69	CS
	2000	67	CS
	2100	65	CS
	2200	64	CS
	2300	62	CS
	2400	61	CS

Date	Time	Temp.	Printed Name
7/30/24	0100	60	CS
	0200	59	CS
	0300	58	CS
	0400	58	CS
	0500	57	CS
	0600	57.7	TR
	0700	58.5	TR
	0800	62.7	TR
	0900	66.6	TR
	1000	72.1	TR
	1100	77.5	TR
	1200	81.5	TR
	1300	82.2	TR
	1400	81.7	TR
	1500	80	N.S.
	1600	79	N.S.
	1700	78	N.S.
	1800	75	N.S.
	1900	71	N.S.
	2000	68	N.S.
	2100	65	N.S.
	2200	63.8	TR
	2300	63.1	TR
	2400	58.2	TR

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/31/24	0100	60.8	TR
	0200	60.6	TR
	0300	58.9	TR
	0400	58.8	TR
	0500	58.6	TR
	0600	58.9	TR
	0700	59.7	TR
	0800	60.1	TR
	0900	60.1	TR
	1000	64.5	TR
	1100	70.9	TR
	1200	82.6	TR
	1300	84.2	TR
	1400	83	N.S.
	1500	81	N.S.
	1600	80.	N.S.
	1700	77	N.S.
	1800	73	N.S.
	1900	70	N.S.
	2000	66	N.S.
	2100	62	N.S.
	2200	62	LG
	2300	61	LG
	2400	61	LG

Date	Time	Temp.	Printed Name
8/1/24	0100	60	LG
	0200	59	LG
	0300	59	LG
	0400	58	LG
	0500	58	LG
	0600	57	LG
	0700	57.6°	GF
	0800	59°	GF
	0900	73.9°	GF
	1000	76.8°	GF
	1100	81.3°	GF
	1200	84°	GF
	1300	85.8°	GF
	1400	85	N.S.
	1500	84	N.S.
	1600	80	N.S.
	1700	78	N.S.
	1800	73	N.S.
	1900	70	N.S.
	2000	65	N.S.
	2100	62	N.S.
	2200	62	LG
	2300	62	LG
	2400	61	LG

DISTRIBUTION: Original: Institution Heat Plan Coordinator

July 2024

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: CTC Temp. Reading Location: INFIRMARY (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/01/24	0300	70	H. Torres
	0600	70°	E Burton
	0900	70°	E Burton
	1200	72°	E Burton
	1500	71	A. Uribe
	1800	70°	A. Uribe
	2100	70	A. Uribe
	2400	70	R. CANETY

Tuesday

Date	Time	Temp.	Name (Print)
7/02/24	0300	70°	R. CANETY
	0600	70°	E. Burton
	0900	70°	E Burton
	1200	70°	E Burton
	1500	70°	S. CAMACHO
	1800	70°	S. CAMACHO
	2100	70°	A. Uribe
	2400	70°	R. CANETY

Wednesday

Date	Time	Temp.	Name (Print)
7/03/24	0300	72	Tereka
	0600	72°	Tereka
	0900	71°	E. Burton
	1200	70°	E. Burton
	1500	70°	W. Perez
	1800	70°	W. Perez
	2100	70°	W. Perez
	2400	70°	R. CANETY

Thursday

Date	Time	Temp.	Name (Print)
7/04/24	0300	70°	R. CANETY
	0600	70°	E. Burton
	0900	70°	E Burton
	1200	72°	E Burton
	1500	70	A. Uribe
	1800	70	A. Uribe
	2100	70	A. Uribe
	2400	71°	R. CANETY

Friday

Date	Time	Temp.	Name (Print)
7/05/24	0300	71°	R. CANETY
	0600	71	D. Leon
	0900	71	D. Leon
	1200	71	D. Leon
	1500	70°	W. Perez
	1800	70°	W. Perez
	2100	70°	W. Perez
	2400	70°	TERRERA

Saturday

Date	Time	Temp.	Name (Print)
7/06/24	0300	72	TERRERA
	0600	72°	J. Rangel
	0900	72°	J. Rangel
	1200	73°	J. Rangel
	1500	73	J. Valdez
	1800	72	J. Valdez
	2100	72	J. Madden
	2400	71	TERRERA

Sunday

Date	Time	Temp.	Name (Print)
7/07/24	0300	71	TERRERA
	0600	70°	E Burton
	0900	70°	E Burton
	1200	70°	E Burton
	1500	70°	W. Perez
	1800	70°	W. Perez
	2100	70°	W. Perez
	2400	70°	R. CANETY

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: INFIRM. Temp. Reading Location: CTC (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	70°	R. CANETY
	0600	70°	F. Burton
	0900	70°	F. Burton
	1200	70°	F. Burton
	1500	70	Uribe
	1800	70	Uribe
	2100	70	Uribe
	2400	71°	R. CANETY

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	72°	R. CANETY
	0600	70°	F. Burton
	0900	70°	F. Burton
	1200	70°	F. Burton
	1500	71	A. Uribe
	1800	71	A. Uribe
	2100	70	A. Uribe
	2400	70°	R. CANETY

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	70°	R. CANETY
	0600	70°	F. Burton
	0900	70°	F. Burton
	1200	70°	F. Burton
	1500	71	A. Uribe
	1800	70	A. Uribe
	2100	70	A. Uribe
	2400	70°	R. CANETY

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	70°	R. CANETY
	0600	70°	F. Burton
	0900	70°	F. Burton
	1200	70°	F. Burton
	1500	70°	W. Perez
	1800	70°	W. Perez
	2100	70°	W. Perez
	2400	70°	R. CANETY

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	70°	R. CANETY
	0600	70°	W. Perez
	0900	72°	W. Perez
	1200	70°	W. Perez
	1500	72°	W. Perez
	1800	70°	W. Perez
	2100	70°	W. Perez
	2400	70°	Bovaños

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	70°	Bovaños
	0600	71°	S. Camacho
	0900	71°	S. Camacho
	1200	730	S. Camacho
	1500	71°	S. Camacho
	1800	70°	S. Camacho
	2100	70°	S. Camacho
	2400	70°	Bovaños

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	70°	Bovaños
	0600	70°	F. Burton
	0900	70°	F. Burton
	1200	70°	F. Burton
	1500	70°	J. Yadao
	1800	70°	J. Yadao
	2100	71°	J. Yadao
	2400	71°	R. CANETY

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: INFIRMARY Temp. Reading Location: CTC
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	71°	R. CANETY
	0600	70°	F. Burton
	0900	70°	F. Burton
	1200	70°	F. Burton
	1500	70°	W. PEREZ
	1800	70°	W. PEREZ
	2100	70°	W. PEREZ
	2400	71°	R. CANETY

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	71°	R. CANETY
	0600	71°	F. Burton
	0900	71°	F. Burton
	1200	71°	F. Burton
	1500	70°	W. PEREZ
	1800	70°	W. PEREZ
	2100	70°	W. PEREZ
	2400	71°	R. CANETY

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	71°	R. CANETY
	0600	71°	F. Burton
	0900	71°	F. Burton
	1200	71°	F. Burton
	1500	70°	W. PEREZ
	1800	70°	W. PEREZ
	2100	70	W. PEREZ
	2400	71°	R. CANETY

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	71°	R. CANETY
	0600	71°	F. Burton
	0900	71°	F. Burton
	1200	71°	F. Burton
	1500	70°	W. PEREZ
	1800	70°	W. PEREZ
	2100	70°	W. PEREZ
	2400	71°	R. CANETY

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	71°	R. CANETY
	0600	70	C. MOORE
	0900	70	C. MOORE
	1200	70	C. MOORE
	1500	70	J. Rangel
	1800	70	J. Rangel
	2100	70	J. Rangel
	2400	71	M. ON

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	71	M. ON
	0600	71	M. ON
	0900	70	A. Andrade
	1200	71°	S. CAMACHO
	1500	71	R. Guarez
	1800	71	R. Guarez
	2100	71	R. Guarez
	2400	70	A. Lugo

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	70	A. Lugo
	0600	71°	F. Burton
	0900	71°	F. Burton
	1200	71°	F. Burton
	1500	71	J. YADAO
	1800	71	J. YADAO
	2100	71	J. YADAO
	2400	70	A. Lugo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: OTC/INF Temp. Reading Location: INF
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5547 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	70	G. Mynitsky
	0600	71°	F. Burton
	0900	71°	F. Burton
	1200	71°	F. Burton
	1500	70°	W. Perez
	1800	70°	W. Perez
	2100	70°	W. Perez
	2400	68°	R. CANETY

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	68°	R. CANETY
	0600	71°	F. Burton
	0900	71°	F. Burton
	1200	71°	F. Burton
	1500	70°	W. PEREZ
	1800	70°	W. PEREZ
	2100	70°	W. PEREZ
	2400	68°	R. CANETY

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	68°	R. CANETY
	0600	71°	G. G. Lopez
	0900	71	G. G. Lopez
	1200	71	G. G. Lopez
	1500	70°	W. Perez
	1800	70°	W. Perez
	2100	70°	W. Perez
	2400	68°	R. CANETY

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	68°	CANETY, R.
	0600	71°	F. Burton
	0900	71°	F. Burton
	1200	71°	F. Burton
	1500	70°	A. Uribe
	1800	70	A. Uribe
	2100	70	A. Uribe
	2400	73°	R. CANETY

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	73°	R. CANETY
	0600	71°	A. Andrade
	0900	70°	A. Andrade
	1200	70°	A. Andrade
	1500	70°	V. GARCIA
	1800	69°	V. GARCIA
	2100	69°	V. GARCIA
	2400	68°	A. Balanos

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	68°	Andrade
	0600	71°	Andrade
	0900	71°	Andrade
	1200	70°	S. CAMACHO
	1500	69°	S. CAMACHO
	1800	69°	S. CAMACHO
	2100	69°	S. CAMACHO
	2400	69	M. Mendez

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	68°	M. Mendez
	0600	70°	F. Burton
	0900	70°	F. Burton
	1200	70°	F. Burton
	1500	70	A. Uribe
	1800	70	A. Uribe
	2100	71	A. Uribe
	2400	71°	R. CANETY

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: CTC Temp. Reading Location: INFIRMARY (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	71°	R. CANERY
	0600	7°	F. BURTON
	0900	71°	F. BURTON
	1200	71°	F. BURTON
	1500	71	D. LEON
	1800	71	D. LEON
	2100	72	D. LEON
	2400	73	R. CANERY

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	73°	R. CANERY
	0600	72°	F. BURTON
	0900	72°	F. BURTON
	1200	72°	F. BURTON
	1500	72	D. LEON
	1800	71	D. LEON
	2100	71	D. LEON
	2400	73°	R. CANERY

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	73°	R. CANERY
	0600	73°	F. BURTON
	0900	73°	F. BURTON
	1200	73°	F. BURTON
	1500	72	D. LEON
	1800	71	D. LEON
	2100	71	D. LEON
	2400	72°	R. CANERY

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A 1 Temp. Reading Location: B-SECTION 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-1	0300		J-BERNARDO
	0600	63	M. Garcia
	0900	65	M Garcia
	1200	66	M Garcia
	1500	68	Garcia
	1800	66	Garcia
	2100	65	Garcia
	2400	65°	D. Moreno

Tuesday

Dat	Time	Temp.	Name (Print)
7-2	0300	65°	D. Moreno
	0600	65	Marquez
	0900	67	Marquez
	1200	69	Marquez
	1500	67	Garcia
	1800	69	Garcia
	2100	65	Garcia
	2400	69	C. Torredon

Wednesday

Date	Time	Temp.	Name (Print)
7-3	0300	64	C. Torredon
	0600	64	Marquez
	0900	63	Marquez
	1200	70	Marquez
	1500	71	Garcia
	1800	70	Garcia
	2100	67	Garcia
	2400	67°	C. Torredon

Thursday

Date	Time	Temp.	Name (Print)
7-4	0300	65°	C. Torredon
	0600	64	Garcia
	0900	69	Garcia
	1200	70	Garcia
	1500	70	Garcia
	1800	69	Garcia
	2100	69	Garcia
	2400	67	

Friday

Date	Time	Temp.	Name (Print)
7-5	0300	64	L. Hernandez
	0600	65	L. Hernandez
	0900	72	
	1200	74	
	1500	71°	A. Vasquez
	1800	70°	A. Vasquez
	2100	68°	J. Bustamante
	2400	67°	R. ANDERSON

Saturday

Date	Time	Temp.	Name (Print)
7-6	0300	66°	R. ANDERSON
	0600	65°	R. ANDERSON
	0900	66	MARQUEZ, G
	1200	71	MARQUEZ, G
	1500	71°	A. Vasquez
	1800	70°	A. Vasquez
	2100	68°	A. Vasquez
	2400	66	NGUYEN

Sunday

Date	Time	Temp.	Name (Print)
7-7	0300	66	NGUYEN
	0600	65	Marwaha
	0900	66	Marwaha
	1200	69	Marwaha
	1500	69	Garcia
	1800	68	Garcia
	2100	68	Garcia
	2400	67	J-BERNARDO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A2 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	61°	A. Hernandez
	0600	61°	A. Hernandez
	0900	64°	A. Hernandez
	1200	65°	A. Hernandez
	1500	65°	E. ACEVEDO
	1800	65°	A. Vasquez
	2100	63°	E. ACEVEDO
	2400	61°	A.V. Diaz

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	61	A. Diaz
	0600	63°	E. BENITEZ
	0900	65°	E. BENITEZ
	1200	65°	E. BENITEZ
	1500	66.	V. Polanco
	1800	65.	V. Polanco
	2100	64.	V. Polanco
	2400	62	[illegible] Torres

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	61°	A. Hernandez
	0600	63°F	E. ACEVEDO
	0900	64°F	E. ACEVEDO
	1200	65	E. ACEVEDO
	1500	66.	V. Polanco
	1800	68.	V. Polanco
	2100	67.	V. Polanco
	2400	62	ARIVENAT

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	62	ARIVENAT
	0600	64°	E. BENITEZ
	0900	65°	E. BENITEZ
	1200	67°	E. BENITEZ
	1500	67.	V. Polanco
	1800	66.	V. Polanco
	2100	67.	V. Polanco
	2400	65	C. TORREJON

Friday

Fri.

Date	Time	Temp.	Name (Print)
7/5/24	0300	64°	C. TORREJON
	0600	64°	E. SANTILLAN
	0900	64°	E. SANTILLAN
	1200	66°	E. SANTILLAN
	1500	67.	V. Polanco
	1800	67	V. Polanco
	2100	66	V. Polanco
	2400	66	J. Aguilar

Saturday

Sat.

Date	Time	Temp.	Name (Print)
7/6/24	0300	64	J. Aguilar
	0600	65°	E. BENITEZ
	0900	67°	E. BENITEZ
	1200	67°	E. BENITEZ
	1500	67°	E. BENITEZ
	1800	66.	V. Polanco
	2100	66.	V. Polanco
	2400	65	J. Aguilar

Sunday

Sun.

Date	Time	Temp.	Name (Print)
7/7/24	0300	60	J. Aguilar
	0600	63	E. BENITEZ
	0900	65	E. BENITEZ
	1200	66.	E. BENITEZ
	1500	66°	A. Vasquez
	1800	66°	A. Vasquez
	2100	65°	A. Vasquez
	2400	64°	A. Vasquez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment #

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-3 Temp. Reading Location: 2nd.
(e.g., 1st tier 2nd tier 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5842 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	62	NGUYEN
	0600	62	Villagomez
	0900	62	Villagomez
	1200	66	Villagomez
	1500	67	JAMES
	1800	67	JAMES
	2100	64	JAMES
	2400	63	PRENATT

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	63	PRENATT
	0600	63	PRENATT
	0900	64	Villagomez
	1200	68	Villagomez
	1500	68	A.Vasquez
	1800	67	A.Vasquez
	2100	65	A.Vasquez
	2400	63	Valencia, V.

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	62	VILLALPANDO
	0600	62	Villagomez
	0900	65	Villagomez
	1200	68	Villagomez
	1500	70	R.ALVAREZ
	1800	68	R.ALVAREZ
	2100	63	R.ALVAREZ
	2400	64	VILLALPANDO

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	63	VILLALPANDO
	0600	62	Villagomez
	0900	65	Villagomez
	1200	68	Villagomez
	1500	69	JAMES
	1800	69	JAMES
	2100	67	JAMES
	2400	65	VILLALPANDO J

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	63	VILLALPANDO J
	0600	63	Villagomez
	0900	65	Villagomez
	1200	68	Villagomez
	1500	70	JAMES
	1800	70	JAMES
	2100	67	JAMES
	2400	65	CTORREJON

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	65	CTORREJON
	0600	64	Alvarado
	0900	65	Alvarado
	1200	68	Avarado
	1500	70	JAMES
	1800	68	JAMES
	2100	66	JAMES
	2400	65	CTORREJON

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	65	C.TORREJON
	0600	65	AVILA
	0900	67	Chavez
	1200	69	Chavez
	1500	68	M JAMES
	1800	68	M JAMES
	2100	66	M JAMES
	2400	65	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: A4 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-1	0300	64	R. Andrade
	0600	64	R. Andrade
	0900	66°	F. ROCHA
	1200	68°	F. ROCHA
	1500	68°	F. ROCHA
	1800	69	J. Chavarin
	2100	66	J. Chavarin
	2400	65	Silva

Tuesday

Dat	Time	Temp.	Name (Print)
7/2/24	0300	64	Silva
	0600	64°	ROCHA
	0900	66°	ROCHA
	1200	70°	ROCHA
	1500	71°	E. ACEVEDO
	1800	70°	E. Acevedo
	2100	69°	E. ACEVEDO
	2400	65°	D Maldonado

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	64°	D Maldonado
	0600	65°	D Maldonado
	0900	66°	S. HAID
	1200	68°	S. HAID
	1500	69°	James
	1800	69	James
	2100	68°	James
	2400	64°	D Maldonado

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	64°	D. Maldonado
	0600	65°	D Maldonado
	0900	66°	S. HAID
	1200	68°	S. HAID
	1500	71°	S. HAID
	1800	70°	S. HAID
	2100	69°	S. HAID
	2400	66°	D Maldonado

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	65°	D Maldonado
	0600	66°	D. Maldonado
	0900	68	S. HAID
	1200	75°	S. HAID
	1500	72°	Garcia, V.
	1800	70°	Garcia, V.
	2100	69°	Garcia, V
	2400	66°	D Maldonado

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	65°	D Maldonado
	0600	66°	D Maldonado
	0900	69	GORUM
	1200	71	GARCIA
	1500	71	J. Chavarin
	1800	70	J. Chavarin
	2100	69°	F. ROCHA
	2400	66°	INFANTE

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	65°	INFANTE
	0600	65	Garcia V.
	0900	66	Garcia V.
	1200	70	Garcia V.
	1500	67	Chavarin
	1800	66	Chavarin
	2100	66	Chavarin
	2400		INFANTE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: AS SVSP Housing Unit: A5 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	61	Garcia
	0600	63	R. ALVAREZ
	0900	65	R. ALVAREZ
	1200	67	R. ALVAREZ
	1500	68	S. Palomares
	1800	68	S. Palomares
	2100	63	S. Palomares
	2400	61	Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
7/2	0300	60	Garcia
	0600	61	R. ALVAREZ
	0900	64	R. ALVAREZ
	1200	68	R. ALVAREZ
	1500	71	R. ALVAREZ
	1800	68	R. ALVAREZ
	2100	66	R. ALVAREZ
	2400	63	L. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	63	R. ALVAREZ
	0600	64	R. ALVAREZ
	0900	65	R. ALVAREZ
	1200	74	R. ALVAREZ
	1500	72	S. Palomares
	1800	71	S. Palomares
	2100	66	M. Garcia
	2400	64	Garcia

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	61	Garcia
	0600	62	R. ALVAREZ
	0900	68	R. ALVAREZ
	1200		R. ALVAREZ
	1500	74	M. Garcia
	1800	72	M. Garcia
	2100	68	M. Garcia
	2400	63°	INFANTE

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	63°	INFANTE
	0600	64°	F. ROCHA
	0900	68°	F. ROCHA
	1200	72°	F. ROCHA
	1500	74	L. Hernandez
	1800	72	L. Hernandez
	2100	70	L. Hernandez
	2400	64	INFANTE

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	61	GUZMAN
	0600	62°	ROCHA
	0900	66°	ROCHA
	1200	69°	ROCHA
	1500	72	V. Garcia
	1800	70	V. Garcia
	2100	66	V. Garcia
	2400	61	L. Garcia

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	61	L. GARCIA
	0600	65°	Garcia, V.
	0900	67	Garcia, V.
	1200	69	Garcia, V.
	1500	70	A. VELARDE
	1800	68	A. VELARDE
	2100	65	A. VELARDE
	2400	60	L. Garcia

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A1 Temp. Reading Location: B-SECTION 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300		J. BERNARDINO
	0600	65°	E. ACEVEDO
	0900	67°	E. ACEVEDO
	1200	68°	E. ACEVEDO
	1500	68	[illegible]
	1800	68	[illegible]
	2100	67	[illegible]
	2400	66	PRESCOTT

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300	66	PRESCOTT
	0600	66	PRESCOTT
	0900	67	G. MARQUEZ
	1200	68	G. MARQUEZ
	1500	69	[illegible]
	1800	68	[illegible]
	2100	67	[illegible]
	2400	66	C. TORREJON

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	66	C. TORREJON
	0600	66	G. MARQUEZ
	0900	68	G. MARQUEZ
	1200	70	G. MARQUEZ
	1500	70	[illegible]
	1800	69	[illegible]
	2100	67	[illegible]
	2400	66	C. TORREJON

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	66	C. TORREJON
	0600	66	G. MARQUEZ
	0900	68	G. MARQUEZ
	1200	71	G. MARQUEZ
	1500	70	[illegible]
	1800	70	[illegible]
	2100	67	[illegible]
	2400	67	[illegible]

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	67	[illegible]
	0600	65	G. MARQUEZ
	0900	66	G. MARQUEZ
	1200	69	G. MARQUEZ
	1500	69°	A. Vasquez
	1800	69°	A. Vasquez
	2100	66°	A. Vasquez
	2400	66	PRESCOTT

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	66	PRESCOTT
	0600	66	PRESCOTT
	0900	66	MARQUEZ
	1200	67	MARQUEZ
	1500	68°	A. Vasquez
	1800	67°	A. Vasquez
	2100	66°	A. Vasquez
	2400	66°	R. GIR

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	66	R. GIR
	0600	65	R. GIR
	0900	65	E. ACEVEDO
	1200	68	E. ACEVEDO
	1500	68	[illegible]
	1800	67	[illegible]
	2100	65	[illegible]
	2400	65	Gaveni A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A2 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	61	ALVAREZ
	0600	61°	E. BENITEZ
	0900	65°	E. BENITEZ
	1200	66°	E. BENITEZ
	1500	66°	A. Vasquez
	1800	66°	A. Vasquez
	2100	65°	A. Vasquez
	2400	[illegible]	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	95	[illegible]
	0600	61°	E. BENITEZ
	0900	62°	E. BENITEZ
	1200	65°	E. BENITEZ
	1500	67°	E. BENITEZ
	1800	65	V. POLANCO
	2100	64	V. Polanco
	2400	64	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	64	[illegible]
	0600	64°	E. BENITEZ
	0900	66°	E. BENITEZ
	1200	66°	E. BENITEZ
	1500	66°	V. POLANCO
	1800	65°	V. POLANCO
	2100	64°	V. Polanco
	2400	64	A. BARRAGAN

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	63°	A. BARRAGAN
	0600	63°	E. ACEVEDO
	0900	65°	E. ACEVEDO
	1200	67	NGUYEN
	1500	65°	V. Polanco
	1800	66°	V. Polanco
	2100	65°	V. Polanco
	2400	64	C. TORPEDON

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	63	C. TORPEDON
	0600	63°	E. ACEVEDO
	0900	65°	E. ACEVEDO
	1200	66°	E. ACEVEDO
	1500	66°	V. POLANCO
	1800	66°	V. POLANCO
	2100	65°	V. POLANCO
	2400	64	J. Aguilar

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	61	J. Aguilar
	0600	62	[illegible]
	0900	62	[illegible]
	1200	62	[illegible]
	1500	63	V. Polanco
	1800	63	V. Polanco
	2100	63	V. Polanco
	2400	63	J. Aguilar

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	61	J. Aguilar
	0600	61	E. BENITEZ
	0900	62	E. BENITEZ
	1200	62	E. BENITEZ
	1500	65°	A. Vasquez
	1800	65°	A. Vasquez
	2100	65°	A. Vasquez
	2400	62	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment #

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 4-3 Temp. Reading Location: 2nd
(e.g., 1st tier 2nd tier 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	66	[illegible]
	0600	65	Villagomez
	0900	64	Villagomez
	1200	67	Villagomez
	1500	68	DAMEI
	1800	67	DAMEI
	2100	66	DAMEI
	2400	65°	VILLALPANDO

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	64°	VILLALPANDO
	0600	64	Villagomez
	0900	64	Villagomez
	1200	66	Villagomez
	1500	65°	A. Vasquez
	1800	68°	A. Vasquez
	2100	65°	A. Vasquez
	2400	64°	VILLALPANDO

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	63°	VILLALPANDO
	0600	64	Villagomez
	0900	64°	Villagomez
	1200	67	Villagomez
	1500	68	R. ALVAREZ
	1800	67	R. ALVAREZ
	2100	65	R. ALVAREZ
	2400	64°	VILLALPANDO

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	63°	VILLALPANDO
	0600	64	Villagomez
	0900	65	Villagomez
	1200	69	Villagomez
	1500	71	DAMEI
	1800	67	DAMEI
	2100	66	DAMEI
	2400		C. TORREON

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	630	[illegible]
	0600	64	Mancilla
	0900	66	Mancilla
	1200	67	Mancilla
	1500	68	DAMEI
	1800	67	DAMEI
	2100	65	DAMEI
	2400	64	C. TORREON

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	64	C. TORREON
	0600	63°	E. ACEVEDO
	0900	65°	E. ACEVEDO
	1200	66°	E. ACEVEDO
	1500	66	DAMEI
	1800	65	DAMEI
	2100	64	DAMEI
	2400	64	C. TORREON

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	63°	C. TORREON
	0600	63°	C. Alvarado
	0900	65°	C. Alvarado
	1200	67°	C. Alvarado
	1500	66	DAMEI
	1800	65	DAMEI
	2100	63	DAMEI
	2400	63	B. ANDERSON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A4 Temp. Reading Location: A4 CONTROL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	64°	ROSALES
	0600	64°	ROCHA
	0900	66°	ROCHA
	1200	68°	ROCHA
	1500	69°	ROCHA
24	1800	64	J. Chavarin
	2100	64	J. Chavarin
	2400	65°	D Maldonado

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	64°	D. Maldonado
	0600	65	D. Maldonado
	0900	65	ROCHA
	1200	67	ROCHA
	1500	69	~~ROCHA~~ Alcantar
24	1800	69	Alcantar
	2100	69	Alcantar
	2400	66°	D. Maldonado

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	64°	D Maldonado
	0600	65°	D. Maldonado
	0900	64°	S. HAID
	1200	68°	S. HAID
	1500	69	(Garcia)
24	1800	69	(Garcia)
	2100	66	(Garcia)
	2400	65	D Maldonado

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	64°	D Maldonado
	0600	65°	D Maldonado
	0900	67°	S. HAID
	1200	71°	S. HAID
	1500	72	L. Gonzalez
24	1800	70	L. Gonzalez
	2100	67°	L. Gonzalez
	2400	66°	D. Maldonado

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	64°	D Maldonado
	0600	65°	D Maldonado
	0900	64°	S. HAID
	1200	73°	S. HAID
	1500	71°	S. HAID
24	1800	68°	S. HAID
	2100	66	S. HAID
	2400	65°	D. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	64°	D. Maldonado
	0600	65°	D. Maldonado
	0900	64	V. Garcia
	1200	66	V. Garcia
	1500	66	J. Chavarin
24	1800	66	J. Chavarin
	2100	66	J. Chavarin
	2400	66	J Chavarin

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	64°	S. HAID
	0600	64°	S. HAID
	0900	66°	S. HAID
	1200	66°	S. HAID
	1500	67	J. Chavarin
24	1800	67	J. Chavarin
	2100	64	J. Chavarin
	2400	66	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-5 Temp. Reading Location: Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	62	Garcia
	0600	64	R. ALVAREZ
	0900	65	R. ALVAREZ
	1200	69	R. ALVAREZ
	1500	66	L Hernandez
	1800	66	L Hernandez
	2100	66	L Hernandez
	2400	63	L. Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	62	Garcia
	0600	63	MURO
	0900	65	R ALVAREZ
	1200	65	R. ALVAREZ
	1500	70	S. Magdaleno
	1800	70	S. Magdaleno
	2100	66	S. Magdaleno
	2400	63	L. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	62	Garcia
	0600	64	R. ALVAREZ
	0900	66	R. ALVAREZ
	1200	68	R. ALVAREZ
	1500	70	S Palomares
	1800	70	S Palomares
	2100	66°	S Palomares
	2400	68°	L. Garcia

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	61	L. Garcia
	0600	63	T. Santos
	0900	67	T. Santos
	1200	70	T. Santos
	1500	740	S Palomares
	1800	730	S Palomares
	2100	67°	S Palomares
	2400	63°	A. BARRAGAN

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	67°	A. BARRAGAN
	0600	62°	R. ALVAREZ
	0900	64°	R. ALVAREZ
	1200	66°	R. ALVAREZ
	1500	70°	S Palomares
	1800	70°	S Palomares
	2100	67°	S Palomares
	2400	65	R. GIR

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	63	R GIR
	0600	62	R GIR
	0900	67	R ZAMORANO
	1200	68	R ZAMORANO
	1500	67	M Garcia
	1800	65	M Garcia
	2100	65	M. Garcia
	2400	63	L. Garcia

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	63	R CRP
	0600	63	Garcia, V.
	0900	65	Garcia, V.
	1200	66	Garcia, V.
	1500	68	Garcia, V.
	1800	67	Garcia, V.
	2100	66	Garcia, V.
	2400	63	L. Garcia

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: A1 Temp. Reading Location: 2Tier B section
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	65	Garcia A
	0600	65	Garcia A.
	0900	66	Garcia
	1200	68	Alevado
	1500	67	Garcia
	1800	66	Garcia
	2100	65	Garcia
	2400	65°	J. Rincon

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	65°	J. Rincon
	0600	65°	J. Rincon
	0900	65	Marquez
	1200	67	Marquez
	1500	68	Garcia
	1800	66	Garcia
	2100	65	Garcia
	2400	65°	C. Torredon

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	62°	C. Torredon
	0600	63°	C. Torredon
	0900	69	Marquez
	1200	67	Marquez
	1500	67	Garcia
	1800	68	Garcia
	2100	66	Garcia
	2400	65°	C. Torredon

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	64°	C. Torredon
	0600	64°	C. Torredon
	0900	67	Marquez
	1200	69	Marquez
	1500	69	Andrade
	1800	68	Andrade
	2100	66	Andrade
	2400	66	Prewitt

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	66	Prewitt
	0600	66	Prewitt
	0900	66	Marquez
	1200	68	Marquez
	1500	70°	A. Vasquez
	1800	70°	A. Vasquez
	2100	68°	A. Vasquez
	2400	68	R. Gil

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	66	R. Gil
	0600	65	R. Gil
	0900	68	Martinez A
	1200	68	Martinez A
	1500	68	L. Hernandez
	1800	68	L. Hernandez
	2100	67	L. Hernandez
	2400	66°F	J. Garcia

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	64	J. Garcia
	0600	65	A Martinez
	0900	68	A Martinez
	1200	68	A Martinez
	1500	68	Garcia
	1800	68	Garcia
	2100	66	Garcia
	2400	65	Torres

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A2 Temp. Reading Location: 2 tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5842 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	64	Johnson
	0600	65	Johnson
	0900	66	Perez
	1200	68	Perez
	1500	68	Jone
	1800	66	Jone
	2100	65	Lee
	2400	64	Johnson

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	65	Garcia
	0600	65	Garcia
	0900	65	Sanchez
	1200	67	Sanchez
	1500	69	Andrea
	1800	68	Andrea
	2100	66	J. Perez
	2400	67	J. Perez

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	62	Vasquez
	0600	63	Vasquez
	0900	64	Perez
	1200	69	Perez
	1500	69	Garcia
	1800	68	Garcia
	2100	66	James
	2400	64	James

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	63	Vasquez
	0600	64	Marquez
	0900	67	Tran
	1200	69	Tran
	1500	69	Tran
	1800	68	Jone
	2100	66	Garcia
	2400	66	Garcia

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	63°	A. Cornetti
	0600	62°	A. Cortetti
	0900	63°	J. Jone
	1200	64°	T. Jone
	1500	70°	Petersen
	1800	68	Petersen
	2100	66	Petersen
	2400	69	F. Lee

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	66	P. Cor
	0600	65	T. Jone
	0900	68	T. Jone
	1200	68	T. Jone
	1500	68	H. Lem
	1800	69	H. Lem
	2100	67	H. Lem
	2400	66	F. Lee

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	65°	F. Lee
	0600	66°	J. Jone
	0900	65°	J. Perez
	1200	66°	P. Perez
	1500	69°	P. Sanchez
	1800	68	P. Sanchez
	2100	67°	B. James
	2400	64	B. James

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	62	ANDERSON
	0600	63°	Villagomez
	0900	64°	Villagomez
	1200	65°	Villagomez
	1500	66	JAMES
	1800	65	JAMES
	2100	65	JAMES
	2400	62°	PREWITT

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	63	PREWITT
	0600	62°	Villagomez
	0900	63°	Villagomez
	1200	66°	Villagomez
	1500	65	Vasquez
	1800	64	Vasquez
	2100	63	Vasquez
	2400	62	VILLALPANDO

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	63	Villalpando
	0600	62	Villagomez
	0900	64	Villagomez
	1200	67	Villagomez
	1500	67	ALVAREZ
	1800	66	ALVAREZ
	2100	64	ALVAREZ
	2400	63	VILLALPANDO

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	63	VILLALPANDO
	0600	63	Villagomez
	0900	64	Villagomez
	1200	66	Villagomez
	1500	67	HAID
	1800	66	HAID
	2100	64	HAID
	2400	63	VILLALPANDO

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	62	VILLALPANDO
	0600	62	Villagomez
	0900	63	Villagomez
	1200	66	Villagomez
	1500	65	ALFARO
	1800	64	ALFARO
	2100	64	ALFARO
	2400	62	Tornejon

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	63	Tornejon
	0600	63	ACEVEDO
	0900	66	ACEVEDO
	1200	67	ACEVEDO
	1500	66	Rosales
	1800	65	Rosales
	2100	64	Rosales
	2400	63	Tornejon

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	62	Tornejon
	0600	63	AVILA
	0900	65	AVILA
	1200	67	AVILA
	1500	65	ROBLES
	1800	64	ROBLES
	2100	62	ROBLES
	2400	62°	Kinkum

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-4 Temp. Reading Location: In Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-15-24	0300	69	[illegible]
	0600	69	Alvarado
	0900	63	Alvarado
	1200	66°	Alvarado
	1500	67	J. Chavarin
	1800	67	J. Chavarin
	2100	67	J. Chavarin
	2400	66°	D. Maldonado

Tuesday

Dat	Time	Temp	Name (Print)
7-16-24	0300	64°	D Maldonado
	0600	65°	D. Maldonado
	0900	64	R. SILVA
	1200	66	R. SILVA
	1500	67	J. Chavarin
	1800	66	J. Chavarin
	2100	65	J. Chavarin
	2400	64°	D Maldonado

Wednesday

Date	Time	Temp	Name (Print)
7-17-24	0300	64°	D Maldonado
	0600	65°	D. Maldonado
	0900	67	S. HAID
	1200	66°	S. HAID
	1500	67	Garcia
	1800	66	Garcia
	2100	66	Garcia
	2400	65°	D Maldonado

Thursday

Date	Time	Temp	Name (Print)
7-18-24	0300	64°	D Maldonado
	0600	65°	D Maldonado
	0900	65°	S. HAID
	1200	68°	S. HAID
	1500	70°	V. Garcia
	1800	67	V. Garcia
	2100	66	J IBARRA
	2400	65°	D Maldonado

Friday

Date	Time	Temp	Name (Print)
7-19-24	0300	64°	D. Maldonado
	0600	65°	D. Maldonado
	0900	67	S. HAID
	1200	69	S. HAID
	1500	71	V. Garcia
	1800	69	V. Garcia
	2100	68°	V. Garcia
	2400	65°	D Maldonado

Saturday

Date	Time	Temp	Name (Print)
7-20-24	0300	64°	D Maldonado
	0600	65	D. Maldonado
	0900	66°	E. Nares.
	1200	66	E. Nares.
	1500	68	H. Perkins
	1800	65	Perez
	2100	64	Perez
	2400	65	R. GIR

Sunday

Date	Time	Temp.	Name (Print)
7-21-24	0300	69	R. GIR
	0600	64	S. HAID
	0900	66	S. HAID
	1200	70	S. HAID
	1500	71	Perez
	1800	71	Perez
	2100	70	Perez
	2400	66	Maldonado

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	62	Garcia
	0600	63	R. ALVAREZ
	0900	63	R. ALVAREZ
	1200	64	R. ALVAREZ
	1500	66°	Salomares
	1800	66°	Salomares
	2100	65°	Salomares
	2400	~~66~~ 62	L. Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	61	Garcia
	0600	62	R. ALVAREZ
	0900	64	R. ALVAREZ
	1200	67	R. ALVAREZ
	1500	69°	Salomares
	1800	67°	Salomares
	2100	66°	Salomares
	2400	62	L. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	62	Garcia
	0600	64	R. ALVAREZ
	0900	65	R. ALVAREZ
	1200	67	R. ALVAREZ
	1500	70°	Salomares
	1800	70°	Salomares
	2100	67	Salomares
	2400	66	Garcia

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	61	Garcia
	0600	62	R. ALVAREZ
	0900	65	R. ALVAREZ
	1200	70	R. ALVAREZ
	1500	70°	Salomares
	1800	68°	Salomares
	2100	65°	Salomares
	2400	65	R. GIR

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	64	R. GIR
	0600	62°	R. GIR
	0900	63°	F. ROCHA
	1200	69°	F. ROCHA
	1500	72°	E. ACEVEDO
	1800	70°	E. ACEVEDO
	2100	66°	E. ACEVEDO
	2400	65°	R. ANDERSON

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	64°	R. ANDERSON
	0600	63°	R. ANDERSON
	0900	63°	F. ROCHA
	1200	68	F. ROCHA
	1500	68°	V. Garcia
	1800	67°	V. Garcia
	2100	66	V. Garcia
	2400	63°	Ramirez

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	63°	Ramirez
	0600	63°	Garcia, V.
	0900	64°	Garcia, V.
	1200	65	Garcia, V.
	1500	67	Garcia, V.
	1800	67	Garcia, V.
	2100	66	Garcia, V.
	2400	63°F	J. Garcia

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-1 Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	65°	Tom Tom
	0600	64°	Tom Tom
	0900	65	Garcia, V.
	1200	67	Garcia, V.
	1500	69	GARCIA
	1800	67	GARCIA
	2100	66	GARCIA
	2400	65	Tom Tom

Tuesday

Dat	Time	Temp.	Name (Print)
7/23	0300	65	Tom Tom
	0600	64	Tom Tom
	0900	67	G. MARQUEZ
	1200	70	[illegible]
	1500	70	GARCIA
	1800	69	GARCIA
	2100	67	GARCIA
	2400	67	A. Melendez

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	66	A. Melendez
	0600	66	G. MARQUEZ
	0900	68	G. MARQUEZ
	1200	70	G. MARQUEZ
	1500	70	GARCIA
	1800	69	GARCIA
	2100	68	GARCIA
	2400	68	A. Melendez

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	68	A. Melendez
	0600	67	MARQUEZ
	0900	69	MARQUEZ
	1200	71	MARQUEZ
	1500	71	GARCIA
	1800	68	GARCIA
	2100	68	GARCIA
	2400	67	Tom Tom

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	66	Tom Tom
	0600	65	Tom Tom
	0900	68	MARQUEZ
	1200	71	MARQUEZ
	1500	72°	A. Vasquez
	1800	69°	A. Vasquez
	2100	69	A. Vasquez
	2400	65	Tom Tom

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	65	Tom Tom
	0600	65	Tom Tom
	0900	65	[illegible]
	1200	67	[illegible]
	1500	68°	A. Vasquez
	1800	67°	A. Vasquez
	2100	66	A. Vasquez
	2400	65	Tom Tom

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	65°	Tom Tom
	0600	65°	Tom Tom
	0900	65	E. BLUEDO
	1200	68°	E. BLUEDO
	1500	68	GARCIA
	1800	67	GARCIA
	2100	65	GARCIA
	2400	65	Tom Tom

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-2 Central Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/27/24	0300	60°	Vega
	0600	61°	E. BENITEZ
	0900	64°	E. BENITEZ
	1200	65°	E. BENITEZ
	1500	65	E. SALAS
	1800	64	E. SALAS
	2100	63	E. SALAS
	2400	63°	J. Rincon

Tuesday

Dat	Time	Temp.	Name (Print)
7/28/24	0300	63°	J. Rincon
	0600	63°	J. Rincon
	0900	64°	E. BENITEZ
	1200	65°	E. BENITEZ
	1500	65	V. Polanco
	1800	66	V. Polanco
	2100	65	V. Polanco
	2400	66	Polanco

Wednesday

Date	Time	Temp.	Name (Print)
7/29/24	0300	64	J. Rincon
	0600	64	E. BENITEZ
	0900	66	E. BENITEZ
	1200	67	E. BENITEZ
	1500	66	V. Polanco
	1800	66	V. Polanco
	2100	66	V. Polanco
	2400	65°	D. Maldonado

Thursday

Date	Time	Temp.	Name (Print)
7/30/24	0300	64°	D. Maldonado
	0600	65°	D. Maldonado
	0900	66°F	E. ACEVEDO
	1200	67°F	E. ACEVEDO
	1500	67	V. Polanco
	1800	68	V. Polanco
	2100	66	V. Polanco
	2400	65	A. Melendez

Friday

Date	Time	Temp.	Name (Print)
7-26-24	0300	64	A. Melendez
	0600	63°	E. ACEVEDO
	0900	65°	E. ACEVEDO
	1200	66	E. ACEVEDO
	1500	67	J. Vilanueva
	1800	~~66~~	~~B. MACIAS~~
	2100	64	Lopez
	2400	64	J. Agu

Saturday

Date	Time	Temp.	Name (Print)
7-27-24	0300	62	J. Agu
	0600	63	E. BENITEZ
	0900	63	E. BENITEZ
	1200	65	E. BENITEZ
	1500	65	B. Solorio
	1800	65	B. Solorio
	2100	63	B. Solorio
	2400	63	J. Agu

Sunday

Date	Time	Temp.	Name (Print)
7-28-24	0300	61	J. Agu
	0600	63°	Perez
	0900	63°	Sanchez
	1200	64°	Sanchez
	1500	65°	A. Vasquez
	1800	64°	A. Vasquez
	2100	65°	A. Vasquez
	2400	62°	Perez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment #

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	61°	Chavez
	0600	62°	Villagomez
	0900	62	Villagomez
	1200	65	Villagomez
	1500	68	J. Chavarin
24	1800	67	J. Chavarin
	2100	64	J. Chavarin
	2400	63°	VILLALPANDO

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	62°	VILLALPANDO
	0600	62	Villagomez
	0900	65	Villagomez
	1200	68	Villagomez
	1500	70	A. Vasquez
24	1800	69°	A. Vasquez
	2100	66°	A. Vasquez
	2400	64°	VILLALPANDO

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	63°	VILLALPANDO
	0600	63	Villagomez
	0900	65	Villagomez
	1200	69	Villagomez
	1500	70	R. ALVAREZ
24	1800		R. ALVAREZ
	2100		R. ALVAREZ
	2400	66°	VILLALPANDO

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	65°	VILLALPANDO
	0600	65	Villagomez
	0900	65	Villagomez
	1200	69°	Villagomez
	1500	70	Perez
24	1800	62°	Perez
	2100	62°	Perez
	2400	64°	VILLALPANDO

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	63°	VILLALPANDO
	0600	62	Villagomez
	0900	64	Villagomez
	1200	67	Villagomez
	1500	68	BALDENAS
24	1800	67	BALDENAS
	2100	64	BALDENAS
	2400	63°	Acevedo

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	65°	URIBE
	0600	65	URIBE
	0900	62°	E. ACEVEDO
	1200	64°	E. ACEVEDO
	1500	65°	J. Chavarin
24	1800	65	L. OCHOA
	2100	64	L. OCHOA
	2400	62°	Maldonado

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	62	Green
	0600	61	AVILA
	0900	63	AVILA
	1200	64	AVILA
	1500	66	J. Chavarin
	1800	65	J. Chavarin
	2100	64°	J. Chavarin
	2400	62	Green

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A5 Temp. Reading Location: ~~Cell~~ B-Section.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	62°F	J. Garcia.
	0600	62°	R. ALVAREZ
	0900	63	R. ALVAREZ
	1200	68	R. ALVAREZ
	1500	70°	[illegible]
	1800	64°	[illegible]
	2100	62°	[illegible]
	2400	63	Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
7/23	0300	62	Garcia
	0600	64	R. ALVAREZ
	0900	66	R. ALVAREZ
	1200	70	R. ALVAREZ
	1500	72	R. ALVAREZ
	1800	70	R. ALVAREZ
	2100	66	R. ALVAREZ
	2400	64	L. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	74	A. Garcia
	0600	74	ALVAREZ
	0900	74	A. ALVAREZ
	1200	74	ALVAREZ
	1500	74°	A. Guzman
	1800	72°	A. Guzman
	2100	68	A. Guzman
	2400	66	L. Garcia

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	64	Garcia
	0600	65	R. ALVAREZ
	0900	72	R. ALVAREZ
	1200	73	R. ALVAREZ
	1500	72°	Palomares
	1800	72°	Palomares
	2100	71	Palomares
	2400	65°	D Maldonado

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	64°	D Maldonado
	0600	65°	D Maldonado
	0900	67	H. Cordero
	1200	69	H. Cordero
	1500	70°	Palomares
	1800	67	Palomares
	2100	66	Palomares
	2400	65°	D Maldonado

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	64°	D. Maldonado
	0600	63°	D. Maldonado
	0900	65°	V. Garcia
	1200	66°	V. Garcia
	1500	66°	V. Garcia
	1800	64	V. Garcia
	2100	64	V. Garcia
	2400	63	L. Garcia

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	63	L. Garcia
	0600	63	Garcia, V.
	0900	64	Garcia, V.
	1200	65	Garcia, V.
	1500	67	Garcia, V.
	1800	65	Garcia, V.
	2100	63	Garcia, V.
	2400	62	L. Garcia

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-1 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	64	Torres Torres
	0600	62	E. Nicholson
	0900	69	E. Nicholson
	1200	70	Acuello
	1500	71	Gamm
	1800	69	Gamm
	2100	66	Garcia
	2400	65	Torres Torres

Tuesday

Dat	Time	Temp.	Name (Print)
7/30	0300	64	Torres Torres
	0600	64	Torres Torres
	0900	66	Marquez
	1200	70	Marquez
	1500	73	Garcia
	1800	70	Garcia
	2100	69	Garcia
	2400	67	A. Melendez

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	67	A. Melendez
	0600	68	Marquez
	0900	70	Marquez
	1200	73	Marquez
	1500	72	Garcia
	1800	73	Garcia
	2100	69	Garcia
	2400	68	Jones

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A2 (ontro) Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7-29	0300	80	Munz
	0600	81	Andrade
	0900	81	Andrade
	1200	83	Andrade
	1500	83	A. Vasquez
	1800	83	A. Vasquez
	2100	84	A. Vasquez
	2400	84	Munz

Tuesday

Dat	Time	Temp.	Name (Print)
7/30	0300	84	Munz
	0600	84	E. Benitez
	0900	85	E. Benitez
	1200	85	E. Benitez
	1500	84	J. Chavarin
	1800	84	J. Chavarin
	2100	82	J. Chavarin
	2400	82	J. Chavarin

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	84	Munz
	0600	84	E. Benitez
	0900	85	E. Benitez
	1200	85	E. Benitez
	1500	84	V. Palanco
	1800	84	V. Palanco
	2100	84	V. Palanco
	2400	85	D Maldonado

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
7	0600	62°	Villagomez
	0900	62°	Villagomez
	1200	64°	Villagomez
29	1500	66	J. Chavarin
	1800		
24	2100		
	2400	63°	VILLALPANDO

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	62°	VILLALPANDO
7	0600	62°	Villagomez
	0900	62°	Villagomez
30	1200	66	Villagomez
	1500	68°	A. Vasquez
	1800	67°	A. Vasquez
24	2100	65°	A. Vasquez
	2400	64°	VILLALPANDO

Wednesday

Date	Time	Temp.	Name (Print)
	0300	63°	VILLALPANDO
7	0600	64°	Villagomez
	0900	63°	Villagomez
31	1200	66	Villagomez
	1500	68	J. Chavarin
	1800	68	J. Chavarin
24	2100	64	J. Chavarin
	2400	63°	VILLALPANDO

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: AS Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	61	L. Garcia
	0600	62	Garcia V
	0900	64	Garcia V
	1200	64	L. Garcia
	1500	67	Palomares
	1800	66	Palomares
	2100	64	Palomares
	2400	63	L. Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
7-30	0300	62	L-Garcia
	0600	62	Palomares
	0900	63	Palomares
	1200	65	Palomares
	1500	70	Palomares
	1800	69	Palomares
	2100	66	Palomares
	2400	63	L-Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7-31	0300	62	Garcia
	0600	63	Alvarez
	0900	67	Alvarez
	1200	68	Alvarez
	1500	70	Palomares
	1800	69	Palomares
	2100	69	Palomares
	2400	68	L-Garcia

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	63	R. Avila
	0600	62	Ponce
	0900	64	Ponce
	1200	66	Ponce
	1500	66	Banales
	1800	66	Banales
	2100	64	Banales
	2400	R. Avila	63

Tuesday

Dat	Time	Temp.	Name (Print)
7/2/24	0300	61	R. Avila
	0600	61	R. Avila
	0900	66	Corona
	1200	67	Corona
	1500	67	N. Gomez
	1800	66	N. Gomez
	2100	65	N. Gomez
	2400	63	R. Avila

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	63	R. Avila
	0600	63	R. Avila
	0900	67	J. Corona
	1200	69	J. Corona
	1500	69	N. Gomez
	1800	69	N. Gomez
	2100	67	N. Gomez
	2400	65	R. Avila

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	63	R. Avila
	0600	63	R. Avila
	0900	69	J. Corona
	1200	72	J. Corona
	1500	68	N. Gomez
	1800	68	N. Gomez
	2100	68	N. Gomez
	2400	66	NGUYEN

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	104	NGUYEN
	0600	63°	D. Brambila
	0900	65°	D. Brambila
	1200	67°	D. Brambila
	1500	69	E. SALAS
	1800	69	E. SALAS
	2100	68	E. SALAS
	2400	67	NGUYEN

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	104	NGUYEN
	0600	64°	D. Brambila
	0900	66°	D. Brambila
	1200	68°	D. Brambila
	1500	70	J. Villanueva
	1800	65.0	A. Tolbert
	2100	67.0	A. Tolbert
	2400	63	R. Avila

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	65	R. Avila
	0600	65	R. Avila
	0900	65	B. Solorio
	1200	68	B. Solorio
	1500	69°	D. Brambila
	1800	68	A. Tolbert
	2100	67.0	A. Tolbert
	2400	65	R. Avila

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B3 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

	Date	Time	Temp.	Name (Print)
MONDAY	JULY 1, 2024	0300	61°	M. GARCIA
		0600	61°	M. GARCIA
		0900	65°	REYES
		1200	65°	REYEZ
		1500	65°	D. Brambila
		1800	65°	D. Brambila
		2100	64°	D. Brambila
		2400	62°	M. GARCIA

Tuesday

	Dat	Time	Temp.	Name (Print)
TUESDAY	JULY 2, 2024	0300	61°	M. GARCIA
		0600	60°	M. GARCIA
		0900	65	[illegible]
		1200	65	[illegible]
		1500	67	A. CHAVEZ
		1800	67	A. CHAVEZ
		2100	64	A. CHAVEZ
		2400	63°	M. GARCIA

Wednesday

	Date	Time	Temp.	Name (Print)
WEDNESDAY	JULY 3, 2024	0300	63°	M. GARCIA
		0600	65°	M. GARCIA
		0900	66	[illegible]
		1200	68	[illegible]
		1500	69	L. OCHOA
		1800	69	L. OCHOA
		2100	64	L. OCHOA
		2400	62	NGUYEN

Thursday

	Date	Time	Temp.	Name (Print)
THURSDAY	JULY 4, 2024	0300	65	NGUYEN
		0600	64°	D. Brambila
		0900	65°	D. Brambila
		1200	69°	A. Hernandez
		1500	69	I. PINEDA
		1800	69	I. PINEDA
		2100	64	I. PINEDA
		2400	69	M. BRITO

Friday

	Date	Time	Temp.	Name (Print)
FRIDAY	JULY 5, 2024	0300	64	M. Brito
		0600	64	M. Mendez
		0900	65	M. Mendez
		1200	70	M. Mendez
		1500	69	I. PINEDA
		1800	68	I. PINEDA
		2100	64	I. PINEDA
		2400	64	V. REYES

Saturday

	Date	Time	Temp.	Name (Print)
SATURDAY	JULY 6, 2024	0300	63	V. REYES
		0600	63	V. REYES
		0900	64	I. PINEDA
		1200	66	I. PINEDA
		1500	68	I. PINEDA
		1800	64	I. PINEDA
		2100	64	I. PINEDA
		2400	64	J. PARKER

Sunday

	Date	Time	Temp.	Name (Print)
SUNDAY	JULY 7, 2024	0300	62	J. DOMINGUEZ
		0600	62	J. DOMINGUEZ
		0900	65	[illegible]
		1200	68	[illegible]
		1500	67	[illegible]
		1800	67	[illegible]
		2100	66	[illegible]
		2400	64	M. GARCIA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B1 Temp. Reading Location: B SEC 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	62	M. Hume
	0600	61	J. Haro
	0900	62	J. Haro
	1200	67	J. Haro
	1500	66	L. Torres
	1800	64	L. Torres
	2100	63	L. Torres
	2400	63	M. Hume

Tuesday

Dat	Time	Temp.	Name (Print)
7/2	0300	62	M. Hume
	0600	62	A Sanchez
	0900	64	A Sanchez
	1200	66	A Sanchez
	1500	66	L. Torres
	1800	65	L. Torres
	2100	65	L. Torres
	2400	63	I. Ortiz

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	63	I. Ortiz
	0600	63	A Sanchez
	0900	66	A Sanchez
	1200	67	A Sanchez
	1500	68	P. Ruiz
	1800	67	P. Ruiz
	2100	66	P. Ruiz
	2400	64	I. Ortiz

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	63	I. Ortiz
	0600	63	J. Haro
	0900	65	J. Haro
	1200	67	J. Haro
	1500	69	P. Ruiz
	1800	68	P. Ruiz
	2100	66	P. Ruiz
	2400	66	J. Benelizer

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	66	J. Benelizer
	0600	63	A Sanchez
	0900	64	A Sanchez
	1200	67	A Sanchez
	1500	68	S. Gardini
	1800	68	S. Gardini
	2100	66	S. Gardini
	2400	65	M. Flores

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	64	M. Flores
	0600	63	P. Ruiz
	0900	64	P. Ruiz
	1200	67	P. Ruiz
	1500	68	S. Gardini
	1800	69	S. Gardini
	2100	66	S. Gardini
	2400	65	G. Marquez

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	63	G. Marquez
	0600	63	G. Marquez
	0900	66	J. Ortiz
	1200	67	~~J. Ortiz L. Torres~~ L.T
	1500	67	L. Torres
	1800	68	L. Torres
	2100	65	L. Torres
	2400	64	Cortina

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B1 Temp. Reading Location: B SEC 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	64	CORTINA
	0600	64	A SANCHEZ
	0900	65	A SANCHEZ
	1200	66	A SANCHEZ
	1500	68	L. Torres
	1800	66	L. Torres
	2100	65	L. Torres
	2400	64	M. Hupe

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	63	M. Hupe
	0600	63	A SANCHEZ
	0900	64	A SANCHEZ
	1200	67	A SANCHEZ
	1500	68	L. Torres
	1800	66	L. Torres
	2100	65	L. Torres
	2400	64	I. ORTIZ

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	64	I. ORTIZ
	0600	64	A SANCHEZ
	0900	64	A SANCHEZ
	1200	66	A SANCHEZ
	1500	66	P. RUIZ
	1800	66	P. RUIZ
	2100	65	P. RUIZ
	2400	64	I. ORTIZ

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	64	I. ORTIZ
	0600	64	J. Hano
	0900	67	J. Hano
	1200	67	J. Hano
	1500	69	P. RUIZ
	1800	69	P. RUIZ
	2100	67	P. RUIZ
	2400	65	I. ORTIZ

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	64	I. ORTIZ
	0600	64	J. Hano
	0900	66	J. Hano
	1200	68	J. Hano
	1500	69	E. DELAROSA
	1800	68	E. DELAROSA
	2100	65	E. DELROSA
	2400	64	I. ORTIZ

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	64	I. ORTIZ
	0600	63	S. Badillo
	0900	64	S. BADILLO
	1200	65	S. Badillo
	1500	69	P. Ramirez
	1800	68	P. Ramirez
	2100	68	P. Ramirez
	2400	64	M. Flores

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	64	M. Flores
	0600	64	S. Badillo
	0900	64	S. BADILLO
	1200	65	S. BADILLO
	1500	68	L. OCHOA
	1800	66	L. OCHOA
	2100	65	L. OCHOA
	2400	64	M. Hupe

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	64	Ammani
	1200	67	Ammani
	1500	68	R. Zamora
	1800	68	R. Zamora
	2100	67	R. Zamora
	2400	65	R. Avila

Tuesday

Dat	Time	Temp.	Name (Print)
7-9-24	0300	64	R. Avila
	0600	64	R. Avila
	0900	65	S. Bautista
	1200	67	S. Bautista
	1500	67	N. Gomez
	1800	66	N. Gomez
	2100	66	N. Gomez
	2400	65	R. Avila

Wednesday

Date	Time	Temp.	Name (Print)
7-10-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	68	S. Corona
	1200	67	S. Corona
	1500	69	A. Escamilla
	1800	68	A. Escamilla
	2100	66	A. Escamilla
	2400	65	R. Avila

Thursday

Date	Time	Temp.	Name (Print)
7-11-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	67	S. Corona
	1200	72	S. Corona
	1500	72	N. Gomez
	1800	71	N. Gomez
	2100	67	N. Gomez
	2400	64	NGUYEN

Friday

Date	Time	Temp.	Name (Print)
7-12-24	0300	64	NGUYEN
	0600	64	J. DELATORRE
	0900	66	J. DELATORRE
	1200	70	J. DELATORRE
	1500	70	J. DELATORRE
	1800	69	J. DELATORRE
	2100	67	J. DELATORRE
	2400	66	NGUYEN

Saturday

Date	Time	Temp.	Name (Print)
7-13-24	0300	64	NGUYEN
	0600	69	A. Jacobo
	0900	64	A. Jacobo
	1200	69	A. Jacobo
	1500	68	G. JAIMES
	1800	67	G. JAIMES
	2100	66	G. JAIMES
	2400	65	R. Avila

Sunday

Date	Time	Temp.	Name (Print)
7-14-24	0300	65	R. Avila
	0600	64	R. Avila
	0900	63	B. Solorio
	1200	67	B. Solorio
	1500	68	G. JAIMES
	1800	67	G. JAIMES
	2100	65	G. JAIMES
	2400	65	R. Avila

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B3 Temp. Reading Location: CONTROL BOOTH (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

	Date	Time	Temp.	Name (Print)
MONDAY	JULY 8, 2024	0300	64	M. GARCIA
		0600	64	M. GARCIA
		0900	63	A. CAMACHO
		1200	67	M. ESPOZTE
		1500	68	I. PINEDA
		1800	67	I. PINEDA
		2100	64	I. PINEDA
		2400	64	M. GARCIA

Tuesday

	Dat	Time	Temp.	Name (Print)
TUESDAY	JULY 9, 2024	0300	65	M. GARCIA
		0600	65	M. GARCIA
		0900	64	M. Reyes
		1200	64	M. REYES
		1500	66	S. Gardini
		1800	67	S. Gardini
		2100	64	S. Gardini
		2400	64	M. GARCIA

Wednesday

	Date	Time	Temp.	Name (Print)
WEDNESDAY	JULY 10, 2024	0300	64	M. GARCIA
		0600	63	M. GARCIA
		0900	64	I. Martinez
		1200	66	I. Martinez
		1500	70	G. JAIMES
		1800	68	G. JAIMES
		2100	65	G. JAIMES
		2400	65	PEREZ

Thursday

	Date	Time	Temp.	Name (Print)
THURSDAY	JULY 11, 2024	0300	65	PEREZ
		0600	65	I. PINEDA
		0900	65	I. PINEDA
		1200	66	I. PINEDA
		1500	70	I. PINEDA
		1800	66	I. PINEDA
		2100	65	I. PINEDA
		2400	64	M. Hupe

Friday

	Date	Time	Temp.	Name (Print)
FRIDAY	JULY 12, 2024	0300	64	M. HUPE
		0600	63	S. Maldido
		0900	65	[illegible] ROD
		1200	65	[illegible] RODRIGUEZ
		1500	66	I. PINEDA
		1800	65	I. PINEDA
		2100	65	I. PINEDA
		2400	64	M. GARCIA

Saturday

	Date	Time	Temp.	Name (Print)
SATURDAY	JULY 13, 2024	0300	63	M. GARCIA
		0600	63	M. GARCIA
		0900	63	M. Cuevas
		1200	66	M. CUEVAS
		1500	67	J. DOMINGUEZ
		1800	66	J. DOMINGUEZ
		2100	65	J. DOMINGUEZ
		2400	63	M. GARCIA

Sunday

	Date	Time	Temp.	Name (Print)
SUNDAY	JULY 14, 2024	0300	63	M. GARCIA
		0600	63	M. GARCIA
		0900	64	
		1200	66	
		1500	66	
		1800	65	
		2100	63	
		2400	63	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B1 Temp. Reading Location: B SEC PAT 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	64	M. Hupe
	0600	65	ESQUEDA
	0900	64	ESQUEDA
	1200	66	ESQUEDA
	1500	68	L. Torres
	1800	67	L. Torres
	2100	65	L. Torres
	2400	64	M. Hupe

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/24	0300	63	M. Hupe
	0600	62	S. BADILLO
	0900	64	S. BADILLO
	1200	67	S. BADILLO
	1500	68	L. Torres
	1800	67	L. Torres
	2100	64	L. Torres
	2400	63	I. ORTIZ

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	61	I. ORTIZ
	0600	62	J. HARO
	0900	64	J. HARO
	1200	66	J. HARO
	1500	68	P. RUIZ
	1800	67	P. RUIZ
	2100	64	P. Ruiz
	2400	63	I. ORTIZ

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	62	I. ORTIZ
	0600	63	M. Ledezma
	0900		
	1200		
	1500	71	P. RUIZ
	1800	70	P. RUIZ
	2100	67	P. RUIZ
	2400	65	I. ORTIZ

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	63	I. ORTIZ
	0600	63	C. Alvarado
	0900	64	C. Alvarado
	1200	70	C. Alvarado
	1500	73	S. GARDINI
	1800	73	S. GARDINI
	2100	67	S. GARDINI
	2400	66	PRENATT

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	65	PRENATT
	0600	66	PRENATT
	0900	67	S. BADILLO
	1200	68	S. BADILLO
	1500	68	S. GARDINI
	1800	68	S. GARDINI
	2100	65	S. GARDINI
	2400	66	NGUYEN

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	64	NGUYEN
	0600	63	S. Badillo
	0900	65	S. Badillo
	1200	66	S. Badillo
	1500	68	L. Torres
	1800	67	L. Torres
	2100	65	L. Torres
	2400	64	S. Im

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B3 Temp. Reading Location: CONTROL BOOTH (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

	Date	Time	Temp.	Name (Print)
MONDAY	JULY 15, 2024	0300	63°	M. GARCIA
		0600	62°	M. GARCIA
		0900	64	[illegible]
		1200	66	[illegible]
		1500	65	I. PINEDA
		1800	64	I. PINEDA
		2100	64	I. PINEDA
		2400	62°	M. GARCIA

Tuesday

	Dat	Time	Temp.	Name (Print)
TUESDAY	JULY 16, 2024	0300	61°	M. GARCIA
		0600	61°	M. GARCIA
		0900	63	[illegible]
		1200	66	[illegible]
		1500	66	S. GARDINI
		1800	65	S. GARDINI
		2100	63	S. GARDINI
		2400	62	M. GARCIA

Wednesday

	Date	Time	Temp.	Name (Print)
WEDNESDAY	JULY 17, 2024	0300	61°	M. GARCIA
		0600	60°	M. GARCIA
		0900	63	[illegible]
		1200	66	[illegible]
		1500	67	[illegible]
		1800	[illegible]	[illegible]
		2100	65	[illegible]
		2400	64	NGUYEN

Thursday

	Date	Time	Temp.	Name (Print)
THURSDAY	JULY 18, 2024	0300	62	NGUYEN
		0600	66	I. PINEDA
		0900	63	I. PINEDA
		1200	66	I. PINEDA
		1500	67	I. PINEDA
		1800	66	I. PINEDA
		2100	64	I. PINEDA
		2400	62	M. HUPE

Friday

	Date	Time	Temp.	Name (Print)
FRIDAY	JULY 19, 2024	0300	62	M. HUPE
		0600	62	BADILLO
		0900	63	S. BADILLO
		1200	65	S. BADILLO
		1500	64	I. PINEDA
		1800	64	I. PINEDA
		2100	64	I. PINEDA
		2400	64	M. GARCIA

Saturday

	Date	Time	Temp.	Name (Print)
SATURDAY	JULY 20, 2024	0300	63	M. GARCIA
		0600	62	M. GARCIA
		0900	63	I. PINEDA
		1200	65	I. PINEDA
		1500	64	I. PINEDA
		1800	64	I. PINEDA
		2100	64	I. PINEDA
		2400	63	M. GARCIA

Sunday

	Date	Time	Temp.	Name (Print)
SUNDAY	JULY 21, 2024	0300	62	M. GARCIA
		0600	62	M. GARCIA
		0900	65	[illegible]
		1200	66	[illegible]
		1500	65	[illegible]
		1800	63	[illegible]
		2100	63	[illegible]
		2400	62	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-15-24	0300	64	R. Avila
	0600	64	R. Avila
	0900	66	R. Avila
	1200	67	R. Avila
	1500	68	N Gomez
	1800	67	N Gomez
	2100	66	N Gomez
	2400	65	R. Avila

Tuesday

Dat	Time	Temp.	Name (Print)
7-16-24	0300	64	R. Avila
	0600	64	R. Avila
	0900	68	J. Corona
	1200	64	J. Corona
	1500	68	N Gomez
	1800	67	N Gomez
	2100	66	N Gomez
	2400	65	R. Avila

Wednesday

Date	Time	Temp.	Name (Print)
7-17-24	0300	64	R. Avila
	0600	64	R. Avila
	0900	63	J. Corona
	1200	65	J. Corona
	1500	68	N Gomez
	1800	67	N Gomez
	2100	66	N Gomez
	2400	65	R. Avila

Thursday

Date	Time	Temp.	Name (Print)
7-18-24	0300	64	R. Avila
	0600	64	R. Avila
	0900	64	J. Corona
	1200	64	J. Corona
	1500	69°	N. Gomez
	1800	65	N Gomez
	2100	66	N Gomez
	2400	65	NGUYEN

Friday

Date	Time	Temp.	Name (Print)
7-19-24	0300	62	NGUYEN
	0600	63	Rodriguez
	0900	64	M. Mendez
	1200	63	J. Corona
	1500	77	C. Alvarado
	1800	71	C. Alvarado
	2100	68	NGuyen
	2400	66	NGUYEN

Saturday

Date	Time	Temp.	Name (Print)
7-20-24	0300	64	NGUYEN
	0600	64°	D. Brambila
	0900	66°	D. Brambila
	1200	68°	D. Brambila
	1500	68F	G. JAIMES
	1800	68F	G. JAIMES
	2100	65	J. Corona
	2400	65	R. Avila

Sunday

Date	Time	Temp.	Name (Print)
7-21-24	0300	64	R. Avila
	0600	64	R. Avila
	0900	65	D. Ponce
	1200	67	D. Ponce
	1500	68	G. JAIMES
	1800	68	J. Corona
	2100	67	J. Corona
	2400	65	R. Avila

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B-1 Temp. Reading Location: B-Section / 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	63	Silva
	0600	62	Silva
	0900	63	A SANCHEZ
	1200	67	A SANCHEZ
	1500	67	P. RUIZ
	1800	67	P. RUIZ
	2100	64	P. RUIZ
	2400	63	M. Huipe

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300	63	M. Huipe
	0600	63	A SANCHEZ
	0900	66	A SANCHEZ
	1200	67	A SANCHEZ
	1500	70	L. Torres
	1800	68	L. Torres
	2100	65	L. Torres
	2400	64	I. ORTIZ

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	63	I. ORTIZ
	0600	64	A SANCHEZ
	0900	66	A SANCHEZ
	1200	67	A SANCHEZ
	1500	70	L. Torres
	1800	69	L. Torres
	2100	69	L. Torres
	2400	66	I. ORTIZ

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	65	I. ORTIZ
	0600	65	J. HARO
	0900	66	J. HARO
	1200	71	J. HARO
	1500	70	L. Torres
	1800	69	L. Torres
	2100	68	L. Torres
	2400	65	I. ORTIZ

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	63	I. ORTIZ
	0600	64	J. HARO
	0900	67	J. HARO
	1200	70	J. HARO
	1500	65	G. JAIMES
	1800	65	G. JAIMES
	2100	62	G. JAIMES
	2400	62	N. Simms

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	62	N. Simms
	0600	62	N. Simms
	0900	63°	F. ROCHA
	1200	65°	F. ROCHA
	1500	65	J IBARRA
	1800	64	J IBARRA
	2100	63	J IBARRA
	2400	62	J. Rios

Sunday

Date	Time	Temp.	Name (Print)
07/28	0300	62	J. Rios
	0600	62	Cruz
	0900	64	Cruz
	1200	65	Cruz
	1500	64	L. OCHOA
	1800	65	L. OCHOA
	2100	64	L. OCHOA
	2400	62	J. MALAGE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B3 Temp. Reading Location: CONTROL Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7.22.24	0300	62	M Barrola
	0600	61	M Barrola
	0900	62	M Barrola
	1200	66	
	1500	67	Barrola
	1800	65	Barrola
	2100	64	Barrola
	2400	62	Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
7.23.24	0300	63	Garcia
	0600	63	Garcia
	0900	66	
	1200	66	
	1500	67	J. IBARRA
	1800	67	J. IBARRA
	2100	65	J. IBARRA
	2400	64	

Wednesday

Date	Time	Temp.	Name (Print)
7.24.24	0300	64	Garcia
	0600	64	Garcia
	0900	65	
	1200	66	
	1500	69	IBARRA
	1800	68	I. IBARRA
	2100	67	I. IBARRA
	2400	62	Hupe

Thursday

Date	Time	Temp.	Name (Print)
7.25.24	0300	63	Hupe
	0600	64	I PINEDA
	0900	65	I PINEDA
	1200	66	I PINEDA
	1500	67	I PINEDA
	1800	68	I. PINEDA
	2100	67	I. PINEDA
	2400	62	M Hupe

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	64	Hupe
	0600	62	PPEREZ
	0900	64	P. PEREZ
	1200	67	P. PEREZ
	1500	67	I PINEDA
	1800	68	I PINEDA
	2100	68	I PINEDA
	2400	63	M GIAPDA

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	62	M GIAPDA
	0600	62	M GIAPDA
	0900	63	I PINEDA
	1200	67	I PINEDA
	1500	68	I PINEDA
	1800	66	I. PINEDA
	2100	65	I PINEDA
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	61	T ESTRADA
	0600	62	
	0900	63	
	1200	66	
	1500	66	
	1800	63	
	2100	63	
	2400	61	T ESTRADA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-22-24	0300	63	R. Avila
	0600	63	R. Avila
	0900	66	Balderas
	1200	68	Balderas
	1500	70	Balderas
	1800	68	Balderas
	2100	68	Balderas
	2400	65	R. Avila

Tuesday

Dat	Time	Temp.	Name (Print)
7-23-24	0300	64	R. Avila
	0600	64	R. Avila
	0900	70	J. Corona
	1200	71	J. Corona
	1500	71	N. Gomez
	1800	70	N. Gomez
	2100	67	N. Gomez
	2400	66	R. Avila

Wednesday

Date	Time	Temp.	Name (Print)
7-24-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	67	M. Orozco
	1200	71	M. Orozco
	1500	72	N. Gomez
	1800	70	N. Gomez
	2100	70	N. Gomez
	2400	65	R. Avila

Thursday

Date	Time	Temp.	Name (Print)
7-25-24	0300	64	R. Avila
	0600	64	R. Avila
	0900	67	J. Corona
	1200	67	J. Corona
	1500	70	N. Gomez
	1800	69	N. Gomez
	2100	68	N. Gomez
	2400	64	[illegible]

Friday

Date	Time	Temp.	Name (Print)
7-26-24	0300	63	[illegible]
	0600	64	J. DELATORRE
	0900	66	J. DELATORRE
	1200	67	J. DELATORRE
	1500	69	TORRES
	1800	64	P. Angriano
	2100	64	P. Angriano
	2400	65	M. [illegible]

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	63	M. [illegible]
	0600	63	A. Escamilla
	0900	64	A. Escamilla
	1200	66	A. Escamilla
	1500	67	E. SALAS
	1800	66	E. SALAS
	2100	66	A. RICO
	2400	64	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	64	[illegible]
	0600	65	[illegible]
	0900	64	B. Solorio
	1200	66	B. Solorio
	1500	68	J. IBARRA
	1800	67	J. IBARRA
	2100	65	J. IBARRA
	2400	65	R. Avila

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

24 103 811 141

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B1 Temp. Reading Location: B Section / 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	63	J. GONZALEZ
	0600	64	J. GONZALEZ
	0900	63	A SANCHEZ
	1200	65	A SANCHEZ
	1500	66	L. Torres
	1800	65	L. Torres
	2100	64	L. Torres
	2400	63	M. Hupe

Tuesday

Dat	Time	Temp.	Name (Print)
7/30/24	0300	63	M. Hupe
	0600	61	A SANCHEZ
	0900	64	A SANCHEZ
	1200	65	A SANCHEZ
	1500	67	L. Torres
	1800	66	L. Torres
	2100	65	L. Torres
	2400	64	I. ORTIZ

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	64	I. ORTIZ
	0600	63	A SANCHEZ
	0900	64	A SANCHEZ
	1200	66	A SANCHEZ
	1500	67	P. RUIZ
	1800	67	P. RUIZ
	2100	65	P. RUIZ
	2400	64	I. ORTIZ

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	63	I. ORTIZ
	0600	62	C. DAVALOS
	0900	69	C. DAVALOS
	1200	72	C. Davalos
	1500	70	P. RUIZ
	1800	69	P. RUIZ
	2100	65	P. RUIZ
	2400	64	I. ORTIZ

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	64	I. ORTIZ
	0600	64	J. Amo
	0900	64	J. Amo
	1200	68	J. Amo
	1500	67	E. DELAROSA
	1800	66	E. DELAROSA
	2100	65	E. Delarosa
	2400	65°	D. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
6/3/24	0300	63°	D. Maldonado
	0600	64°	D. Maldonado
	0900	65	B. Gonzalez
	1200	69	B. Gonzalez
	1500	70	E. Acevedo
	1800	68	E. Acevedo
	2100	66	E. ACEVEDO
	2400	65	V. RIOS

Sunday

Date	Time	Temp.	Name (Print)
6/4/24	0300	63	V. RIOS
	0600	63°	Y. DE LEON
	0900	67°	Y. DE LEON
	1200	67°	Y. DE LEON
	1500	68	P. RUIZ
	1800	67	P. RUIZ
	2100	64	P. RUIZ
	2400	64°F	J. Garcia

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SRSP Housing Unit: 5 3 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
MON-DAY JULY 29, 2024	0300	62	M. GARCIA
	0600	61	M. GARCIA
	0900	63	[illegible]
	1200	65	[illegible]
	1500	66°	D. Brambila
	1800	65°	D. Brambila
	2100	64°	D. Brambila
	2400	62	M. GARCIA

Tuesday

Dat	Time	Temp.	Name (Print)
TUESDAY JULY. 30, 2024	0300	62	M. GARCIA
	0600	61	M. GARCIA
	0900	63	[illegible]
	1200	66	[illegible]
	1500	66	J IBARRA
	1800	65	J IBARRA
	2100	64	J IBARRA
	2400	63	M. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
WEDNEDAY JULY 31, 2024	0300	62	M. GARCIA
	0600	62	M. GARCIA
	0900	64	[illegible]
	1200	67	[illegible]
	1500	67	J. IBARRA
	1800	66	J. IBARRA
	2100	64	J. IBARRA
	2400	63	NGUYEN

Thursday

Date	Time	Temp.	Name (Print)
AUG 01	0300	62	NGUYEN
	0600	62	I. PINEDA
	0900	64	I. PINEDA
	1200	67	I. PINEDA
	1500	66	I. PINEDA
	1800	64	I. PINEDA
	2100	64	I. PINEDA
	2400	63	M. HUPE

Friday

Date	Time	Temp.	Name (Print)
AUG 2	0300	62	M. HUPE
	0600	64	B. Gonzalez
	0900	64	B. Gonzalez
	1200	64	B. Gonzalez
	1500	66	A. VELARDE
	1800	65	A. VELARDE
	2100	65	A. VELARDE
	2400	64	M. GARCIA

Saturday

Date	Time	Temp.	Name (Print)
AUG 3	0300	64	M. GARCIA
	0600	64	M. GARCIA
	0900	66	[illegible]
	1200	67	[illegible]
	1500	67	[illegible]
	1800	66	[illegible]
	2100	65	[illegible]
	2400	63	M. GARCIA

Sunday

Date	Time	Temp.	Name (Print)
AUG 4	0300	63	M. GARCIA
	0600	62	M. GARCIA
	0900	65	[illegible]
	1200	67	[illegible]
	1500	66	[illegible]
	1800	64	[illegible]
	2100	63	[illegible]
	2400	63	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B5 control Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300	63	R. Avila
	0600	63	R. Avila
	0900	63	G. Ferreyra
	1200	64	G. Ferreyra
	1500	67	N Gomez
	1800	66	GOMEZ
	2100	65	GOMEZ
	2400	65	R. Avila

Tuesday

Dat	Time	Temp.	Name (Print)
7-30-24	0300	63	R. Avila
	0600	63	R. Avila
	0900	64	G. Ferreyra
	1200	69	G. Ferreyra
	1500	69	N GOMEZ
	1800	68	N GOMEZ
	2100	67	N GOMEZ
	2400	64	R. Avila

Wednesday

Date	Time	Temp.	Name (Print)
7-31-24	0300	64	R. Avila
	0600	64	R. Avila
	0900	64	J. DEFRANCO
	1200	64	J. DeFranco
	1500	64	M PAGE
	1800	64	M Page
	2100	6C	M Page
	2400	65	R. Avila

Thursday

Date	Time	Temp.	Name (Print)
8-1-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	65	R. Avila
	1200	68	S. HAID
	1500	69°	S. HAID
	1800	69°	S. HAID
	2100	67	S. HAID
	2400	65	NGUYEN

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	64	NGUYEN
	0600	66	H. Reguera
	0900	66	H. Reguera
	1200	67	H. Reguera
	1500	69	B. Solorio
	1800	68	B. Solorio
	2100	67	B. Solorio
	2400	67	NGUYEN

Saturday

Date	Time	Temp.	Name (Print)
08-03-24	0300	65°	NGUYEN
	0600	065°	A. Llanes
	0900	66	A. Llanes
	1200	70	A. Llanes
	1500	70	E. SALAS
	1800	69	E. SALAS
	2100	67	E. SALAS
	2400	65	R. Avila

Sunday

Date	Time	Temp.	Name (Print)
8-4-24	0300	65	R. Avila
	0600	65	R. Avila
	0900	68	J. Corona
	1200	68	J. Corona
	1500	69	J. IBARRA
	1800	69	J. IBARRA
	2100	66	J. IBARRA
	2400	65	R. Avila

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-1 Temp. Reading Location: B-SECTION /2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01/24	0300	68°	K. Empante
	0600	68°	K. Empante
	0900	68	A. HERNANDEZ
	1200	69	A. HERNANDEZ
	1500	69	Cordova
	1800	69	Cordova
	2100	69	Cordova
	2400	68	Empante

Tuesday

Dat	Time	Temp.	Name (Print)
07/02/24	0300	68	Empante
	0600	68	Umartin
	0900	69	Umartin
	1200	70	Umartin
	1500	69	Cordova
	1800	71	Cordova
	2100	70	Cordova
	2400	69	REQUA

Wednesday

Date	Time	Temp.	Name (Print)
07/03/24	0300	69°	REQUA
	0600	69°	REQUA
	0900	70°	Cordova
	1200	70	Cordova
	1500	70	Thorpe
	1800	70	Thorpe
	2100	69	Thorpe
	2400	70°	REQUA

Thursday

Date	Time	Temp.	Name (Print)
07/04/24	0300	70°	REQUA
	0600	070	J.C TAMAYO
	0900	070	J.C TAMAYO
	1200	070	J.C TAMAYO
	1500	70°	C. TORREJON
	1800	71°	C. TORREJON
	2100	70°	C. TORREJON
	2400	70	REQUA

Friday

Date	Time	Temp.	Name (Print)
07/05	0300	70°	REQUA
	0600	70°	REQUA
	0900	70	Duarte
	1200	71	Duarte
	1500	71	A. Perez
	1800	70	A. Perez
	2100	69	A. Perez
	2400	70°	REQUA

Saturday

Date	Time	Temp.	Name (Print)
07/06	0300	70°	REQUA
	0600	70°	REQUA
	0900	70°	Ledezma
	1200	70°	Ledezma
	1500	71	O. Cordova
	1800	72	M. Espinoza
	2100	71	M. Espinoza
	2400	70°	REQUA

Sunday

Date	Time	Temp.	Name (Print)
07/07	0300	70°	REQUA
	0600	70°	REQUA
	0900	71	Zuniga
	1200	71	Zuniga
	1500	72	Cordova
	1800	71	Cordova
	2100	71	Cordova
	2400	70	K. EMPANTE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-2 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	68	R Corrasco
	0600	68	Mendoza
	0900	69	Mendoza
	1200	70	Mendoza
	1500	72	A. Zamudio
	1800	71	A. Zamudio
	2100	69	A. Zamudio
	2400	70	R. Carrasco

Tuesday

Dat	Time	Temp.	Name (Print)
7/2	0300	70	R. Carrasco.
	0600	68	Mendoza
	0900	69	Mendoza
	1200	70	Mendoza
	1500	71	A. Zamudio
	1800	71	A. Zamudio
	2100	70	A. Zamudio
	2400	70	R. Carrasco

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	70	R. Carrasco
	0600	68	Mendoza
	0900	69	Mendoza
	1200	70	Mendoza
	1500	72	A. Zamudio
	1800	71	A. Zamudio
	2100	70	A. Zamudio
	2400	70	R Carrasco

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	70	R. Carrasco.
	0600	68	F. ZUNIGA
	0900	68	F. ZUNIGA
	1200	71°	F. ZUNIGA
	1500	73	A. Zamudio
	1800	72	A. Zamudio
	2100	72	A. Zamudio
	2400	72	K. Empante

Friday

Date	Time	Temp.	Name (Print)
07/05/2024	0300	68	K. EMPANTE
	0600	68	F. ZUNIGA
	0900	68	F. ZUNIGA
	1200	71	F. ZUNIGA
	1500	71	D. VASQUEZ
	1800	71	J. BARAJAS
	2100	71	J. BARAJAS
	2400	71°	K. EMPANTE

Saturday

Date	Time	Temp.	Name (Print)
07/06/24	0300		
	0600	68	F. ZUNIGA
	0900	68	F. ZUNIGA
	1200	72.9	F. ZUNIGA
	1500	72	I. Martinez
	1800	72	I. Martinez
	2100	72	I. Martinez
	2400	70°	K. EMPANTE

Sunday

Date	Time	Temp.	Name (Print)
07/07/24	0300	69°	K. EMPANTE
	0600	68	K. EMPANTE
	0900	68	K. Empante
	1200	68	K. Empante
	1500	72	A. Zamudio
	1800	71	A. Zamudio
	2100	70	A. Zamudio
	2400	71	Lopez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 Temp. Reading Location: upper "B" pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	68°	E. Beady
	0600	68°	R. Gil
	0900	68°	I. Celis
	1200	69°	I. Celis
	1500	69°	B. Gonzalez
	1800	69°	B. Gonzalez
	2100	69	B. Gonzalez
	2400	69°	Gonzalez

Tuesday

Dat	Time	Temp.	Name (Print)
7/2/24	0300	69°	Gonzalez
	0600	68°	I. Celis
	0900	68°	I. Celis
	1200	69	Mitwilliams
	1500	69	Mitwilliams
	1800	69	R. Pacheco
	2100	69°	R. Pacheco
	2400	69°	K. Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	69°	K. Gonzalez
	0600	69°	R. Pacheco
	0900	69°	R. Pacheco
	1200	69°	R. Pacheco
	1500	70°	R. Pacheco
	1800	70°	R. Pacheco
	2100	70	R. Pacheco
	2400	69°	M. Olvera

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	61°	M. Olvera
	0600	61°	K. Olvera
	0900	70°	F. ZUNIGA
	1200	70°	F. ZUNIGA
	1500	70°	R. Pacheco
	1800	70°	R. Pacheco
	2100	70°	R. Pacheco
	2400	70°	K. EMPANIE

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	70°	K. EMPANIO
	0600	70°	K. EMPANIO
	0900	70	M. Espinoza
	1200	71°	M. Espinoza
	1500	71°	R. Pacheco
	1800	71°	R. Pacheco
	2100	71°	R. Pacheco
	2400	70	J. BARAJAS

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	70°	J. BARAJAS
	0600	70°	J. BARAJAS
	0900	71°	I. Celis
	1200	71°	I. Celis
	1500	70°	I. Celis
	1800	70°	I. Celis
	2100	71°	I. Celis
	2400	71°	J. BARAJAS

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	71°	J. BARAJAS
	0600	71°	J. BARAJAS
	0900	71°	I. Celis
	1200	71°	I. Celis
	1500	70	V. [illegible]
	1800	71	V. [illegible]
	2100	71	V. [illegible]
	2400	71°	Garcia A

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01/24	0300	71	Marquez
	0600	71	Marquez
	0900	72	AVILA
	1200	72.3	AVILA
	1500	73°	J PEREZ
	1800	73°	J PEREZ
	2100	72°	J PEREZ
	2400	72	R-GIR

Tuesday

Dat	Time	Temp.	Name (Print)
07/02/24	0300	72	R-GIR
	0600	71	R-GIR
	0900	72	J.GALVAN
	1200	73	J-GALVAN
	1500	74	J-DOMINGUEZ
	1800	73	J-DOMINGUEZ
	2100	73	J-DOMINGUEZ
	2400	72	GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
07/03/24	0300	72	GARCIA
	0600	72.7	J.GALVAN
	0900	72.9	J GALVAN
	1200	73.0	J.GALVAN
	1500	73	G. MATINS
	1800	73	OTHman
	2100	73	OTHman
	2400	73°	T Smith

Thursday

Date	Time	Temp.	Name (Print)
07/04/24	0300	73°	T Smith
	0600	73.2	J GALVAN
	0900	73.1	J GALVAN
	1200	73.8	J GALVAN
	1500	73.8	A. Hernandez
	1800	74.1	A. Hernandez
	2100	73.8	M. Gutierrez
	2400	73°	R. PEREZ

Friday

Date	Time	Temp.	Name (Print)
07/05/24	0300	73°	R PEREZ
	0600	73.6	J GALVAN
	0900	73.9	J GALVAN
	1200	71.9	J GALVAN
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	71	Webb

Saturday

Date	Time	Temp.	Name (Print)
07/06/24	0300	71	Webb
	0600	71	Webb
	0900	74	M. Espinoza
	1200	75	M. Espinoza
	1500	76°	ARILA
	1800	76°	ARILA
	2100	75°	ARILA
	2400	75	Mendez

Sunday

Date	Time	Temp.	Name (Print)
	0300	75°	Mendez
	0600	74°	J. GALVAN
	0900	73°	J. GALVAN
	1200	73°	J. GALVAN
	1500	73°	PEREZ
	1800	73°	PEREZ
	2100	73°	PEREZ
	2400	72°	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C5 Temp. Reading Location: 2nd tier Bed
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07-01-24	0300	70	U Sandoval
	0600	70	L Sanchez
	0900	70	L Sanchez
	1200	70	L Sanchez
	1500	73	Guardado
	1800	71	Guardado
	2100	70	Guardado
	2400	70	U Sandoval

Tuesday

Dat	Time	Temp.	Name (Print)
07-02-24	0300	70	U Sandoval
	0600	70	L Sanchez
	0900	73	L Sanchez
	1200	73	L Sanchez
	1500	72	Guardado
	1800	71	Guardado
	2100	71	Guardado
	2400	71	R GIR

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	70	R. GIR
	0600	70	R. GIR
	0900	70	Garcia A
	1200	71	Garcia A
	1500	72	Ramirez
	1800	72	Ramirez
	2100	73	Ramirez
	2400	72	J. Benavides

Thursday

Date	Time	Temp.	Name (Print)
7-4	0300	72	J. Benavides
	0600	71	Tanori C
	0900	70	Tanori C
	1200	70	Tanori C
	1500	70	Webb
	1800	70	Webb
	2100	70	Webb
	2400	73	Webb

Friday

Date	Time	Temp.	Name (Print)
7-5	0300	73	Webb
	0600	73	Webb
	0900	72.3	Pizzo
	1200	73	Pizzo
	1500	73	Pizzo
	1800	73	Webb
	2100	73	Webb
	2400	72	J. Benavides

Saturday

Date	Time	Temp.	Name (Print)
7-6	0300	72	J. Benavides
	0600	73	Valencia
	0900	72.5	Anguiano
	1200	73	Anguiano
	1500	73	R Cantez
	1800	73	R Cantez
	2100	73	R Cantez
	2400	73	R GIR

Sunday

Date	Time	Temp.	Name (Print)
7-7	0300	73	R. GIR
	0600	72	R. GIR
	0900	73	C. Moore
	1200	73	C. Moore
	1500	74	R Cantez
	1800	73	R Cantez
	2100	73	R Cantez
	2400	73	U Sandoval

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C6 Temp. Reading Location: B SECTION (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	68	Silva
	0600	68	Guardado
	0900	68	Guardado
	1200	70	Guardado
	1500	68	Webb
	1800	68	Webb
	2100	69	Webb
	2400	68	A Hunter

Tuesday

Dat	Time	Temp.	Name (Print)
7/2/24	0300	69	A Hunter
	0600	69	Guardado
	0900	69	Guardado
	1200	71	Guardado
	1500	72°	Green
	1800	72°	Green
	2100	71°	Green
	2400	71°	U Sandal

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	70°	U Sandal
	0600	71	J. Rosas
	0900	71	J. Rosas
	1200	77	J. Rosas
	1500	74°	Green
	1800	72°	Green
	2100	72°	Green
	2400	72°	U Sandal

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	71°	U Sandal
	0600	71	J. Rosas
	0900	72	J. Rosas
	1200	74	J. Rosas
	1500	74°	Green
	1800	73°	Green
	2100	72°	Green
	2400	72	Marquez

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	72	Marquez
	0600	72	Marquez
	0900	73	Guardado
	1200	73	Guardado
	1500	74	J. Rosas
	1800	73	J. Rosas
	2100	73	J. Rosas
	2400	73	Acevs

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	73	Acevs
	0600	72	Romero
	0900	72	Romero
	1200	73	Romero
	1500	74	Gabriel
	1800	72	Gabriel
	2100	72	Gabriel
	2400	72	Acevs

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	72	Acevs
	0600	72	Romero
	0900	72	Romero
	1200	72	Romero
	1500	72	Webb
	1800	72	Webb
	2100	72	Webb
	2400	72	Acevs

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-7 Temp. Reading Location: B-POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	74	Webb
	0600	74	Webb
	0900	75	S [illegible]
	1200	75	S [illegible]
	1500	75	S [illegible]
	1800	75	S [illegible]
	2100	74	S [illegible]
	2400	[illegible]	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	74	[illegible]
	0600	74	[illegible]
	0900	74	Son
	1200	74	Son
	1500	77	S [illegible]
	1800	74	S [illegible]
	2100	74	S [illegible]
	2400	74	Green

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	76°	Green
	0600	76	Son
	0900	76	Son
	1200	76	Son
	1500	76	Urrego
	1800	76	Urrego
	2100	76	Urrego
	2400	76°	Green

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	76°	Green
	0600	76	Son
	0900	76	J Son
	1200	76	J. Son
	1500	77°	L Hernandez
	1800	77°	L. Hernandez
	2100	76	L Hernandez
	2400	76°	Green

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	77	NGUYEN
	0600	76	Son
	0900	77	Son
	1200	77	Son
	1500	78	Fernandez
	1800	77	Fernandez
	2100	77	Fernandez
	2400	77	R. GIR

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	76	R. GID
	0600	76	R. GIR
	0900	76	[illegible]
	1200	76	[illegible]
	1500	77	[illegible]
	1800	77	[illegible]
	2100	77	[illegible]
	2400	76	Webb

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	76	Webb
	0600	76	Webb
	0900	77	J. Rosas
	1200	77	J. Rosas
	1500	77	[illegible]
	1800	77	[illegible]
	2100	77	[illegible]
	2400	77	Webb

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C8 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	73	J. Santana
	0600	73	J. Santana
	0900	73	H. Zavala
	1200	73	H. Zavala
	1500	73	H Zavala
	1800	73	H Zavala
	2100	73	H Zavala
	2400	74	L. Stepp

Tuesday

Dat	Time	Temp.	Name (Print)
7/2	0300	73	L. Stepp
	0600	73	L. Stepp
	0900	73	H. Zavala
	1200	73	H. Zavala
	1500	73	H. Zavala
	1800	73	H. Zavala
	2100	72	H. Zavala
	2400	74	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	73	L. Stepp
	0600	73	L. Stepp
	0900	73	H. Zavala
	1200	74	H. Zavala
	1500	75	J [illegible]
	1800	75	J [illegible]
	2100	75	J [illegible]
	2400	74	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	74	L. Stepp
	0600	74	L. Stepp
	0900	75	H. Zavala
	1200	74	H. Zavala
	1500	75	J [illegible]
	1800	74	J [illegible]
	2100	74	J [illegible]
	2400	73	L Stepp

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	73	L Stepp
	0600	74	J. Rosas
	0900	74	J. Rosas
	1200	74	J. Rosas
	1500	75	R. Santiago
	1800	75	R. Santiago
	2100	76	R. Santiago
	2400	75	L Stepp

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	74	L. Stepp
	0600	74	L. Stepp
	0900	74	J. Rosas
	1200	76	J. Rosas
	1500	76	R. Santiago
	1800	76	R. Santiago
	2100	76	R. Santiago
	2400	75	U Sandard

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	74	U Sandard
	0600	74	R. Santiago
	0900	75	R. Santiago
	1200	75	R. Santiago
	1500	75	R. Santiago
	1800	75	R. Santiago
	2100	75	R. Santiago
	2400	74	D. Ruiz

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: C1 Temp. Reading Location: B-SECTION / 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/08/2024	0300	70°	K. EMPANTE
	0600	70°	K. EMPANTE
	0900	70	F. ZUNIGA
	1200	70	F. ZUNIGA
	1500	71	Cordova
	1800	71	Cordova
	2100	71	Cordova
	2400	70°	K. EMPANTE

Tuesday

Dat	Time	Temp.	Name (Print)
07/09/2024	0300	70°	K. EMPANTE
	0600	70°	K. EMPANTE
	0900	70	Lmartin
	1200	70	Lmartin
	1500	70	Cordova
	1800	70	Cordova
	2100	68	Cordova
	2400	65°	REQUA

Wednesday

Date	Time	Temp.	Name (Print)
07/10/24	0300	65°	REQUA
	0600	64°	REQUA
	0900	64	Lmartin
	1200	70	Lmartin
	1500	70	MACIAS
	1800	70	MACIAS
	2100	70	MACIAS
	2400	69°	REQUA

Thursday

Date	Time	Temp.	Name (Print)
07/11/24	0300	68°	REQUA
	0600	68°	REQUA
	0900	68	Lmartin
	1200	69	Lmartin
	1500	70	A. Perez
	1800	70	A. Perez
	2100	69	A. Perez
	2400	69	REQUA

Friday

Date	Time	Temp.	Name (Print)
07/12/24	0300	68°	REQUA
	0600	69°	REQUA
	0900	69	Lmartin
	1200	70	Lmartin
	1500	70	A. Perez
	1800	70	A. Perez
	2100	69	A. Perez
	2400	69°	REQUA

Saturday

Date	Time	Temp.	Name (Print)
07/13/24	0300	69°	REQUA
	0600	69°	REQUA
	0900	69	LMARTIN
	1200	69	LMARTIN
	1500	70	Torres
	1800	70	Torres
	2100	69	Torres
	2400	69	REQUA

Sunday

Date	Time	Temp.	Name (Print)
07/14/24	0300	68	REQUA
	0600	69	REQUA
	0900	69	F. ZUNIGA
	1200	69	F. ZUNIGA
	1500	69	Cordova
	1800	69	Cordova
	2100	70	Cordova
	2400	69	K. EMPANTE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C2 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	61	R. Lafuente
	0600	69.4	B. ADAMS
	0900	70.7	B. ADAMS
	1200	73.2	B. ADAMS
	1500	73	A. Zamudio
	1800	72	A. Zamudio
	2100	71	A. Zamudio
	2400	68	R. Canasio

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	68	R. Canasio
	0600	68	Mendoza
	0900	69	Mendoza
	1200	70	Mendoza
	1500	75	A. Zamudio
	1800	75	A. Zamudio
	2100	70	A. Zamudio
	2400	69	R. Canasio

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	69	R. Canasio
	0600	73	Mendoza
	0900	73	Mendoza
	1200	74	Mendoza
	1500	72	A. Zamudio
	1800	71	A. Zamudio
	2100	71	A. Zamudio
	2400	70	R. Canasio

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	70	R. Canasio
	0600	71	F. Zuniga
	0900	72	F. Zuniga
	1200	72	F. Zuniga
	1500	73	A. Zamudio
	1800	72	A. Zamudio
	2100	71	A. Zamudio
	2400	71°	O. Rincon

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	71°	O. Rincon
	0600	71°	O. Rincon
	0900	68°	F. ZUNIGA
	1200	70	F. ZUNIGA
	1500	76.7	B. MACIAS
	1800	76	B. MACIAS
	2100	73	B. MACIAS
	2400	69°	K. EMPANTE

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	68	K. EMPANTE
	0600	67	K. EMPANTE
	0900	68	F. ZUNIGA
	1200	69	F. ZUNIGA
	1500	76°	B. MACIAS
	1800	74	B. MACIAS
	2100	72	B. MACIAS
	2400	67°	K. EMPANTE

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	67°	K. EMPANTE
	0600	68°	K. EMPANTE
	0900	72	A. Escamilla
	1200	72	A. Escamilla
	1500	70	A. Zamudio
	1800	70	A. Zamudio
	2100	69	A. Zamudio
	2400	71	M. LOPEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: CJ Temp. Reading Location: 2nd Tier B-POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	71°	Garcia A
	0600	70°	Garcia A
	0900	70°	I. Celis
	1200	71°	I. Celis
	1500	71	G. MURRIETA
	1800	71	G. MURRIETA
	2100	71	G. MURRIETA
	2400	71°	J. Rincon

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300	71°	J. Rincon
	0600	71°	J. Rincon
	0900	70°	I. Celis
	1200	71°	I. Celis
	1500	71°	R. Pacheco
	1800	71°	R. Pacheco
	2100	71	R. Pacheco
	2400	71°	J. Rincon

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	71°	J. Rincon
	0600	71°	J. Rincon
	0900	70	M. Hulton
	1200	70°	M. Hulton
	1500	71°	R. Pacheco
	1800	71°	R. Pacheco
	2100	71°	R. Pacheco
	2400	70°	Sanchez

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300		
	0600	70	F. ZUNIGA
	0900	70	F. ZUNIGA
	1200	70	F. ZUNIGA
	1500	69°	R. Pacheco
	1800	69°	R. Pacheco
	2100	69°	R. Pacheco
	2400	70°	K. EMPANTO

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	71°	K. Empanto
	0600	71°	K. Empanto
	0900	71°	A. VILLARDE
	1200	71°	A. VILLARDE
	1500	71°	R. Pacheco
	1800	71°	R. Pacheco
	2100	71°	R. Pacheco
	2400	71°	S. BARAJAS

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	71°	S. BARAJAS
	0600	71°	I. Celis
	0900	70°	I. Celis
	1200	70°	I. Celis
	1500	71°	I. Celis
	1800	70°	I. Celis
	2100	71°	I. Celis
	2400	71°	M. Trujillo

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	70°	M. Trujillo
	0600	70°	I. Celis
	0900	70°	I. Celis
	1200	70°	I. Celis
	1500	70°	B. MACIAS
	1800	70°	V. Ramirez
	2100	70°	E. Beasley
	2400	70°	E. Beasley

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C4 Temp. Reading Location: Bed 1d/1L
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	74	[illegible]
	0600	73.8	A. AVILA
	0900	73.8	A. AVILA
	1200	74.0	A. AVILA
	1500	74.8	[illegible]
	1800	74.8	[illegible]
	2100	74	Huerta
	2400	74	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	74	[illegible]
	0600	73.1	J. GALVAN
	0900	74.0	J. GALVAN
	1200	74.1	J. GALVAN
	1500	74.1	A. RICO
	1800	74.0	A. RICO
	2100	73.8	A. RICO
	2400	73.9	E. Suarez

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	73.8	E. Suarez
	0600	73.9	J. GALVAN
	0900	74.1	J GALVAN
	1200	74.2	J GALVAN
	1500	74	[illegible]
	1800	74	[illegible]
	2100	73	[illegible]
	2400	73	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	73	[illegible]
	0600	74.1	J GALVAN
	0900	73.9	J GALVAN
	1200	73.9	J GALVAN
	1500	74	A. URLARDE
	1800	74	A. URLARDE
	2100	73	A. URLARDE
	2400	73	Marquez

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	73	Marquez
	0600	73	Marquez
	0900	73.9	J GALVAN
	1200	73.8	J GALVAN
	1500	73.8	B. SARAVIA
	1800	73.9	B. SARAVIA
	2100	73.9	B. SARAVIA
	2400	73.8	A. Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	73.9	A. Gutierrez
	0600	73.8	A. Gutierrez
	0900	73.6	L. Sanchez
	1200	73.	L. Sanchez
	1500	73	~~L. Sanchez~~ DIAZ
	1800	73	DIAZ
	2100	73	DIAZ
	2400	72	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	72	[illegible]
	0600	73	L. Sanchez
	0900	73	L. Sanchez
	1200	73	L. Sanchez
	1500	73	DIAZ
	1800	73	DIAZ
	2100	73	DIAZ
	2400	72	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-8-24	0300	71	U Sandoval
	0600	71	LoSanchez
	0900	71	LoSanchez
	1200	73	LoSanchez.
	1500	73	Guardado
	1800	73	Guardado
	2100	72	Guardado
	2400	72°	U Sandoval

Tuesday

Dat	Time	Temp.	Name (Print)
7-9-24	0300	71°	U Sandoval
	0600	72°	LoSanchez
	0900	72°	LoSanchez.
	1200	72°	LoSanchez.
	1500	72	Guardado
	1800	72	Guardado
	2100	72	Guardado
	2400	71	A. ESTRADA

Wednesday

Date	Time	Temp.	Name (Print)
7-10-24	0300	71	A. ESTRADA
	0600	71.8	Reyes
	0900	71.6	Reyes
	1200	72	Reyes
	1500	72	R GOMEZ
	1800	72	R GOMEZ
	2100	72	R GOMEZ
	2400	72	A. ESTRADA

Thursday

Date	Time	Temp.	Name (Print)
7-11-24	0300	71	A. ESTRADA
	0600	71	A. ESTRADA
	0900	72	Webb
	1200	72	Webb
	1500	72	Webb
	1800	72	Webb
	2100	72	Webb
	2400	72	A. ESTRADA

Friday

Date	Time	Temp.	Name (Print)
7-12-24	0300	71	A. ESTRADA
	0600	71	A. ESTRADA
	0900	72	D SKARQUIST
	1200	72	D. SKARQUIST
	1500	72	Webb
	1800	72	Webb
	2100	72	Webb
	2400	72	A. ESTRADA

Saturday

Date	Time	Temp.	Name (Print)
7-13-24	0300	72	A. ESTRADA
	0600	72	A. ESTRADA
	0900	71.8	R. Reyes
	1200	71	R. Reyes
	1500	71	R GOMEZ
	1800	71	R GOMEZ
	2100	71	R GOMEZ
	2400	69	PILAZO

Sunday

Date	Time	Temp.	Name (Print)
7-14-24	0300	72	PILAZO
	0600	72.7	PILAZO
	0900	71	PEREZ
	1200	73	PEREZ
	1500	72	R GOMEZ
	1800	72	R GOMEZ
	2100	72	R GOMEZ
	2400	72	L. A. Chavez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C6 Temp. Reading Location: B SECTION (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	72	Aaus
	0600	72	Guardado
	0900	71	Guardado
	1200	71	Guardado
	1500	71	Webb
	1800	71	Webb
	2100	71	Webb
	2400	71	Aaus

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	71	Aaus
	0600	71	Guardado
	0900	71	Guardado
	1200	70	Guardado
	1500	72°	Green
	1800	72°	Green
	2100	71°	Green
	2400	70	U Sandard

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	77°	U Sandard
	0600	71	Pulido
	0900	71	Pulido
	1200	72	Pulido
	1500	72°	Green
	1800	73°	Green
	2100	72°	Green
	2400	71°	U Sandard

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	71°	U Sandard
	0600	71	J. Rosas
	0900	72	J. Rosas
	1200	73	J. Rosas
	1500	73°	Green
	1800	73°	Green
	2100	72°	Green
	2400	72	Aaus

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	72	Aaus
	0600	71	Guardado
	0900	71	Guardado
	1200	71	Guardado
	1500	71	Guardado
	1800	72	J. Rosas
	2100	72	J. Rosas
	2400	72	Aaus

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	72	Aaus
	0600	71	Rodriguez
	0900	71	Rodriguez
	1200	71	Rodriguez
	1500	71	D Schmidt
	1800	71	D Schmidt
	2100	71	D Schmidt
	2400	72	Aaus

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	72	Aaus
	0600	71	Rodriguez
	0900	71	Rodriguez
	1200	71	Rodriguez
	1500	72	Webb
	1800	72	Webb
	2100	72	Webb
	2400	70	Aaus

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-7 Temp. Reading Location: B-Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	75	Webb
	0600	75	Webb
	0900	76	Simon
	1200	77	Simon
	1500	77	Simon
	1800	77	Simon
	2100	77	Simon
	2400	76	Webb

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	76	Webb
	0600	70	Webb
	0900	75	Soto
	1200	75	Soto
	1500	76	Simon
	1800	76	Hernandez
	2100	71	[illegible]
	2400	71	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	76°	Green
	0600	76	Soto
	0900	76	Soto
	1200	76	Soto
	1500	76	Gal
	1800	76	Gal
	2100	76	Gal
	2400	76°	Green

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	74°	Green
	0600	74	Soto
	0900	74	Soto
	1200	74	Gal
	1500	74	Marisal
	1800	76°	Marisal
	2100	75°	Marisal
	2400	74°	Green

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	75	Cortez
	0600	73	G.M
	0900	74	G.M
	1200	75	G.M
	1500	75°	Marisal
	1800	74	A. Castro
	2100	74	A. Castro
	2400	72	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	72	Green
	0600	72	Green
	0900	72	Green
	1200	72	[illegible]
	1500	72	Marisal
	1800	72	Marisal
	2100	72	Marisal
	2400	72	Webb

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	72	Webb
	0600	72	Webb
	0900	72	Rogers
	1200	72	Rogers
	1500	72	Marisal
	1800	72	Marisal
	2100	72	Marisal
	2400	72	Webb

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C8 Temp. Reading Location: B-Pod 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	74	P. RUIZ
	0600	74	C. PEREZ
	0900	74	C. PEREZ
	1200	74	C. PEREZ
	1500	75	R. SANTIAGO
	1800	75	R. SANTIAGO
	2100	75	R. SANTIAGO
	2400	75	L. Stepp

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300	74	L. Stepp
	0600	74	L. Stepp
	0900	74	H. Zala
	1200	74	H. Zavala
	1500	74	H. Zavala
	1800	74	H. Zavala
	2100	74	H. Zavala
	2400	74	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	74	L. Stepp
	0600	74	L. Stepp
	0900	74	H. Zala
	1200	74	H. Zavala
	1500	74	J. Hunn
	1800	73	J. Hunn
	2100		J. Hunn
	2400	71	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	71	L. Stepp
	0600	71	L. Stepp
	0900	71	H. Zavala
	1200	71	H. Zavala
	1500	71	J. Hunn
	1800	71	J. Hunn
	2100	71	J. Hunn
	2400	71	L. Stepp

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	71	L. Stepp
	0600	71	L. Stepp
	0900	70	J. ROSAS
	1200	73	J. ROSAS
	1500	73	R. SANTIAGO
	1800	73	R. SANTIAGO
	2100	73	R. SANTIAGO
	2400	70	L. Stepp

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	70	L. Stepp
	0600	70	L. Stepp
	0900	70	J. ROSAS
	1200	72	J. ROSAS
	1500	72	R. SANTIAGO
	1800	72	R. SANTIAGO
	2100	72	R. SANTIAGO
	2400	72	Chavez, L. A.

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	72	Chavez, L. A.
	0600	69	Chavez, L. A.
	0900	71	R. SANTIAGO
	1200	71	R. SANTIAGO
	1500	71	R. SANTIAGO
	1800	72	R. SANTIAGO
	2100	72	R. SANTIAGO
	2400	72	C. VILLA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C1 Temp. Reading Location: 2ND TIER / B-SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/15/24	0300	68°	K. EMPANTE
	0600	68°	K. EMPANTE
	0900	68	LMARTIN
	1200	69	" "
	1500	69	Cordova
	1800	69	cordova
	2100	69	cordova
	2400	69	Cordova

Tuesday

Dat	Time	Temp.	Name (Print)
07/16/24	0300	68°	Cordova
	0600	68	Lmartin
	0900	68	Lmartin
	1200	69	Lmartin
	1500	69	O. Cordova
	1800	69	Cordova
	2100	69	cordova
	2400	69	Cordova

Wednesday

Date	Time	Temp.	Name (Print)
07/17/24	0300	68	Reyes
	0600	68	A. Perez
	0900	69	A. Perez
	1200	69	A. Perez
	1500	70	A. Perez
	1800	70	Lopez
	2100	70	Lopez
	2400	70	REQUA

Thursday

Date	Time	Temp.	Name (Print)
07/18/24	0300	69	REQUA
	0600	69	REQUA
	0900	69	Hernandez
	1200	69	Hernandez
	1500	70	B. MACIAS
	1800	70	Lopez
	2100	70	Lopez
	2400	70	REQUA

Friday

Date	Time	Temp.	Name (Print)
07/19/24	0300	69	REQUA
	0600	69	REQUA
	0900	69	R. SANTIAGO
	1200	70	R. SANTIAGO
	1500	71	A. Perez
	1800	70	A. Perez
	2100	69	A. Perez
	2400	69	REQUA

Saturday

Date	Time	Temp.	Name (Print)
07/20/24	0300	70	REQUA
	0600	70	REQUA
	0900	70	Garcia
	1200	70	Garcia
	1500	71	Torres
	1800	72	Torres
	2100	71	Torres
	2400	70	REQUA

Sunday

Date	Time	Temp.	Name (Print)
07/21/24	0300	70	REQUA
	0600	71	REQUA
	0900	70	CORONA
	1200	71	CORONA
	1500	71	Cordova
	1800	70	cordova
	2100	70	cordova
	2400	69	K. EMPANTE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C2 Temp. Reading Location: Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	71	M. Lopez
	0600	69	M. Lopez
	0900	69	M. Lopez
	1200	71	M. Lopez
	1500	71	A. Zamudio
	1800	71	A. Zamudio
	2100	70	A. Zamudio
	2400	70	R. Canasno

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	70	R. Canasno.
	0600	68	Mendoza
	0900	69	Mendoza
	1200	69	Mendoza
	1500	69	A. Zamudio
	1800	69	A. Zamudio
	2100	68	A. Zamudio
	2400	70	R. Canasno.

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	70	R. Canasno
	0600	70	Mendo
	0900	70	Mendo
	1200	70	Mendo
	1500	70	A. Zamudio
	1800	70	A. Zamudio
	2100	70	A. Zamudio
	2400	69	R. Canasno

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	67	R. Canasno
	0600	66	Mendoza
	0900	66	Mendoza
	1200	68	Mendoza
	1500	70	A. Zamudio
	1800	69	A. Zamudio
	2100	69	A. Zamudio
	2400	70	R. Canasno.

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	70	R. Canasno
	0600	70	R. Carrasco
	0900	70	R. Carrasco
	1200	70	R. Carrasco
	1500	70	B. MACIAS
	1800	70	B. MACIAS
	2100	70	B. MACIAS
	2400	70	B. Macias

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Closed

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Closed

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 Temp. Reading Location: Upper "B" Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-15-24	0300	70°	E. Beasley
	0600	70°	E. Beasley
	0900	70°	I. Celis
	1200	70°	I. Celis
	1500	70	G. Smith
	1800	70	G. Smith
	2100	70°	G. Smith
	2400	70°	E. Beasley

Tuesday

Dat	Time	Temp.	Name (Print)
7-16-24	0300	70°	E. Beasley
	0600	69°	I. Celis
	0900	70°	I. Celis
	1200	70°	I. Celis
	1500	70°	I. Celis
	1800	70°	I. Celis
	2100	70°	I. Celis
	2400	70°	E. Beasley

Wednesday

Date	Time	Temp.	Name (Print)
7-17-24	0300	70°	E. Beasley
	0600	70°	E. Beasley
	0900	70°	I. Celis
	1200	70°	I. Celis
	1500	70°	R. Ysaraa
	1800	70°	R. Ysaraa
	2100	70°	R. Ysaraa
	2400	70°	E. Beasley

Thursday

Date	Time	Temp.	Name (Print)
7-18-24	0300	70°F	J. Garcia
	0600	70°F	F. Zuniga
	0900	70°F	F. Zuniga
	1200	70°F	R. Pacheco
	1500	70°F	R. Pacheco
	1800	70°F	R. Pacheco
	2100	70°F	R. Pacheco
	2400	69°	K. Empante

Friday

Date	Time	Temp.	Name (Print)
07-19-24	0300	70°	K. Empante
	0600	70°	K. Empante
	0900	70	M. Espinoza
	1200	71°	M. Espinoza
	1500	73°	R. Pacheco
	1800	71°	R. Pacheco
	2100	70°	R. Pacheco
	2400	70	J. Bagess

Saturday

Date	Time	Temp.	Name (Print)
07-20-24	0300	70°	J. Bagess
	0600	70°	R. Pacheco
	0900	70°	R. Pacheco
	1200	71°	R. Pacheco
	1500	71	R. Pacheco
	1800	71	R. Pacheco
	2100	71°	R. Pacheco
	2400	70	E. Beasley

Sunday

Date	Time	Temp.	Name (Print)
07-21-24	0300	70°	E. Beasley
	0600	70°	I. Celis
	0900	70°	I. Celis
	1200	70°	I. Celis
	1500	70°	B. MACIAS
	1800	71°	B. MACIAS
	2100	70°	B. MACIAS
	2400	70°	E. Beasley

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C4 Temp. Reading Location: Bpd 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	72	Tm
	0600	72	Tm
	0900	73.0	A. AVILA
	1200	73.0	A. AVILA
	1500	73.0	E. SALAS
	1800	73.2	E. SALAS
	2100	73.2	E. SALAS
	2400	73°F	J. Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/24	0300	73°F	J. Garcia
	0600	72.7	J GALVAN
	0900	73.0	J GALVAN
	1200	72.5	J GALVAN
	1500	72.7	G. MURRIETA
	1800	72.7	G. MURRIETA
	2100	73	G MURRIETA
	2400	73°F	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	72°F	J. Garcia
	0600	72.7	J. GALVAN
	0900	73.0	J. GALVAN
	1200	73.6	J. GALVAN
	1500	72.9	Martinez
	1800	73.2	Martinez
	2100	73.1	Martinez
	2400	72	Tm

Thursday

Date	Time	Temp.	Name (Print)
7-18-24	0300	72	Tm
	0600	73.0	J GALVAN
	0900	73.2	J. GALVAN
	1200	73.4	J. GALVAN
	1500	73	Colina
	1800	73	Colina
	2100	73	Colina
	2400	73	Tm

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	72	Tm
	0600	72.7	MATIAS
	0900	72.9	MATIAS
	1200	73.9	MATIAS
	1500	72	Murrietta
	1800	73	Murrieta
	2100	73	Murrieta
	2400	73	Marquez

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	73	Marquez
	0600	73	Marquez
	0900	73	L Sanchez
	1200	73	L Sanchez
	1500	73	DIAZ
	1800	73	DIAZ
	2100	73	DIAZ
	2400	73	Tm

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	72	Tm
	0600	72	Tm
	0900	73	L Sanchez
	1200	73	L Sanchez
	1500	73	DIAZ
	1800	73	DIAZ
	2100	73	DIAZ
	2400	72	Tm

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-15-24	0300	72.	L.A. Chavez
	0600	72	L.A. Chavez
	0900	71	L. Sanchez
	1200	71	L Sanchez
	1500	71	Guardado
	1800	72	Guardado
	2100	72	Guardado
	2400	72	U Sandoval

Tuesday

Dat	Time	Temp.	Name (Print)
7-16-24	0300	72°	U Sandoval
	0600	72°	L Sanchez
	0900	72°	L Sanchez
	1200	72°	L Sanchez
	1500	72	Guardado
	1800	72	Guardado
	2100	71	Guardado
	2400	71	A.ESTRADA

Wednesday

Date	Time	Temp.	Name (Print)
7-17-24	0300	71	A.ESTRADA
	0600	71	A.ESTRADA
	0900	71.2	R. Reyes
	1200	71.8	R. Reyes
	1500	72.5	R GOMEZ
	1800	73	R GOMEZ
	2100	73	R GOMEZ
	2400	72	A.ESTRADA

Thursday

Date	Time	Temp.	Name (Print)
7-18-24	0300	72	A.ESTRADA
	0600	71	A.ESTRADA
	0900	71	J. Carbon
	1200	72	J. Carbon
	1500	73.2	A. TAPIA
	1800	72.5	A. TAPIA
	2100	72.5	A TAPIA
	2400	72	A.ESTRADA

Friday

Date	Time	Temp.	Name (Print)
7-19-24	0300	71	A.ESTRADA
	0600	71	A.ESTRADA
	0900	72	R. Reyes
	1200	73	R. Reyes
	1500	75	A TAPIA
	1800	75.6	A TAPIA
	2100	73.6	A TAPIA
	2400	73	A.ESTRADA

Saturday

Date	Time	Temp.	Name (Print)
7-20-24	0300	72	A.ESTRADA
	0600	72	A.ESTRADA
	0900	72	R. Reyes
	1200	72	R. Reyes
	1500	73	R GOMEZ
	1800	73	R GOMEZ
	2100	74	R GOMEZ
	2400	73	A.ESTRADA

Sunday

Date	Time	Temp.	Name (Print)
7-21-24	0300	72	A.ESTRADA
	0600	72	A.ESTRADA
	0900	72	R GOMEZ
	1200	73	R GOMEZ
	1500	73	R GOMEZ
	1800	73	R GOMEZ
	2100	73	R GOMEZ
	2400	73	U Sandoval

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

5925

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: B POD (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 7-15-24

Date	Time	Temp.	Name (Print)
	0300	70	Aaws
	0600	70	Guardado
	0900	70	Guardado
	1200	70	Guardado
	1500	70	Webb
	1800	70	Webb
	2100	70	Webb
	2400	70	Aaws

Tuesday 7-16-24

Dat	Time	Temp.	Name (Print)
	0300	70	Aaws
	0600	70	Guardado
	0900	70	Guardado
	1200	71	Guardado
	1500	71°	Green
	1800	71°	Green
	2100	71°	Green
	2400	71	Chavez, LA

Wednesday 7-17-24

Date	Time	Temp.	Name (Print)
	0300	70	Chavez, L.A
	0600	70	Chavez, L.A
	0900	71	Pulido, M
	1200	71	Pulido M
	1500	71°	Green
	1800	72°	Green
	2100	71°	Green
	2400	71	Chavez, LA

Thursday 7-18-24

Date	Time	Temp.	Name (Print)
	0300	71	Chavez, LA
	0600	71	Lopez
	0900	72	Lopez
	1200	72	Lopez
	1500	72	J. Fernandez
	1800	72	J. Fernandez
	2100	71	J. Fernandez
	2400	71	Aaws

Friday 7-19-24

Date	Time	Temp.	Name (Print)
	0300	71	Aaws
	0600	71°	A. Ruiz
	0900	71°	A. Ruiz
	1200	720	A. Ruiz
	1500	74	J. Rosas
	1800	74	J. Rosas
	2100	73	J. Rosas
	2400	73	U Sandoval

Saturday 7-20-24

Date	Time	Temp.	Name (Print)
7-20-24	0300	71	U Sandoval
	0600	72	R Gomez
	0900	73	R Gomez
	1200	73	R Gomez
	1500	73	M. Bayano
	1800	73	M. Bayano
	2100	73	M. Bayano
	2400	71	Aaws

Sunday 7-21-24

Date	Time	Temp.	Name (Print)
	0300	71	Aaws
	0600	72	R Gomez
	0900	71	R Gomez
	1200	71	R Gomez
	1500	71	Webb
	1800	71	Webb
	2100	71	Webb
	2400	71	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-7 Temp. Reading Location: B-Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	74	Webb
	0600	74	Webb
	0900	74	Smith
	1200	74	Smith
	1500	74	Smith
	1800	74	Smith
	2100	74	Smith
	2400	74	Webb

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/24	0300	74	Webb
	0600	74	Webb
	0900	74	Soto
	1200	74	Soto
	1500	74	Perez
	1800	74	Perez
	2100	74	Perez
	2400	73°	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	72°	Green
	0600	72	Soto
	0900	72	Soto
	1200	73	Soto
	1500	72	[illegible]
	1800	73	[illegible]
	2100	72	[illegible]
	2400	72°	Green

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	72°	Green
	0600	72	Soto
	0900	73	Soto
	1200	74	Soto
	1500	74	[illegible]
	1800	73	[illegible]
	2100	73°	A. Marisca
	2400	72°	Green

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	72°F	J. Garcia
	0600	72	J. Garcia
	0900	74	J. Garcia
	1200	75	J. Garcia
	1500	76°	A. Marisca
	1800	75	[illegible]
	2100	74	[illegible]
	2400	73°F	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	73°F	J. Garcia
	0600	72	[illegible]
	0900	73	[illegible]
	1200	73	[illegible]
	1500	73°F	A. Marisca
	1800	72°F	A. Marisca
	2100	72°F	[illegible]
	2400	72°	K. Empanto

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	72°	K. Empanto
	0600	72°	K. Empanto
	0900	73°	A. Hernandez
	1200	72°	A. Hernandez
	1500	73°	A. Marisca
	1800	73°	A. Marisca
	2100	72°	A. Marisca
	2400	72	Webb

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-8 Temp. Reading Location: B-pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6512 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	68	L. Stepp
	0600	68	S. Lopez
	0900	67	S. Lopez
	1200	69	S. Lopez
	1500	70	R. Santiago
	1800	71	R. Santiago
	2100	71	R. Santiago
	2400	69	L. Stepp

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	70	L. Stepp
	0600	69	L. Stepp
	0900	67	H. Zavala
	1200	71	H. Zavala
	1500	70	H. Zavala
	1800	70	H. Zavala
	2100	69	H. Zavala
	2400	69	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	69	L. Stepp
	0600	70	L. Stepp
	0900	70	H. Zavala
	1200	70	H. Zavala
	1500	70	H. Zavala
	1800	71	C. Chavez
	2100	71	C. Chavez
	2400	70	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	70	L. Stepp
	0600	70	L. Stepp
	0900	70	H. Zavala
	1200	69	H. Zavala
	1500	72	Tankersley
	1800	71	Tankersley
	2100	71	Tankersley
	2400	69	L. Stepp

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	70	L. Stepp
	0600	70	L. Stepp
	0900	71	J. Rosas
	1200	72	J. Rosas
	1500	72	R. Santiago
	1800	72	R. Santiago
	2100	72	R. Santiago
	2400	71	L. Stepp

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	71	L. Stepp
	0600	71	L. Stepp
	0900	71	J. Rosas
	1200	71	J. Rosas
	1500	71	R. Santiago
	1800	69	R. Santiago
	2100	69	R. Santiago
	2400	68	U. Sandoval

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	68	U. Sandoval
	0600	67	R. Santiago
	0900	69	R. Santiago
	1200	69	R. Santiago
	1500	71	R. Santiago
	1800	71	R. Santiago
	2100	71	R. Santiago
	2400	70	S. Correa

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C1 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	69°	K. Empanto
	0600	69	K. Empanto
	0900	69°	C. Alvarado
	1200	69	C. Alvarado
	1500	70	Cordova
	1800	70	Cordova
	2100	70	Cordova
	2400	70°	K. Empanto

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300	70°	K. Empanto
	0600	70°	K. Empanto
	0900	70	Hinojosa
	1200	70	Hinojosa
	1500	71	O. Cordova
	1800	71	O. Cordova
	2100	70	O. Cordova
	2400	70°	J. Rincon

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	70°	J. Rincon
	0600	70°	J. Rincon
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 Temp. Reading Location: Upper "B" POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07-22-24	0300	70°	E. Beasley
	0600	70°	E. Beasley
	0900	69°	I. Celis
	1200	70°	I. Celis
	1500	70	A. Zamudio
	1800	70	A. Zamudio
	2100	70	A. Zamudio
	2400	70°	E. Beasley

Tuesday

Dat	Time	Temp.	Name (Print)
07-23-24	0300	70°	E. Beasley
	0600	70°	E. Beasley
	0900	70°	I. Celis
	1200	71°	I. Celis
	1500	73°	R. Pacheco
	1800	72°	R. Pacheco
	2100	71°	R. Pacheco
	2400	70°	~~E. Beasley~~ M. CASTRO

Wednesday

Date	Time	Temp.	Name (Print)
07-24-24	0300	70°	M. CASTRO
	0600	70°	M. CASTRO
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
07-25-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
07-26-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
07-27-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
07-28-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C4 Temp. Reading Location: Bpd 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	72	Tran
	0600	72	Tran
	0900	73.0	J. Galvan
	1200	73.0	V Perez
	1500	73.0	V Perez
	1800	73	V Perez
	2100	73	V Perez
	2400	73°F	J. Garcia.

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300	73°F	J. Garcia.
	0600	72.0	J Galvan
	0900	72.4	J. GALVAN
	1200	72.2	J. GALVAN
	1500	73.6	G. MURRIETA
	1800	73.6	G. MURRIETA
	2100	73	G. MURRIETA
	2400	73°F	J. Garcia.

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	73°F	J. Garcia.
	0600	73°F	J. Garcia.
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-22-24	0300	73°	U Sandoval
	0600	73°	L.Sanchez
	0900	73°	L.Sanchez
	1200	73°	L.Sanchez
	1500	73	R.Guardado
	1800	73	Guardado
	2100	73	Guardado
	2400	73	U Sandoval

Tuesday

Dat	Time	Temp.	Name (Print)
7-23-24	0300	73.	U Sandoval
	0600	73.	L.Sanchez
	0900	73.	L.Sanchez
	1200	73.	L.Sanchez.
	1500	73	Guardado
	1800	71	Guardado
	2100	71	Guardado
	2400	73	A.ESTRADA

Wednesday

Date	Time	Temp.	Name (Print)
	0300	72	A.ESTRADA
	0600	72	A.ESTRADA
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: B POD (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	71	Atch
	0600	71	Atch
	0900	71	Guardado
	1200	72	Guardado
	1500	72	Webb
	1800	72	Webb
	2100	72	Webb
	2400	71	Atch

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300	71	Tm
	0600	71	Tm
	0900	72	Guardado
	1200	73	Guardado
	1500	73°	Green
	1800	73°	Green
	2100	73°	Green
	2400	71	Tm

Wednesday

Date	Time	Temp.	Name (Print)
7-24-24	0300	72°	M Sandoval
	0600	72°	M Sandoval
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7-25-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-7 Temp. Reading Location: 3-POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	71	Webb
	0600	71	Webb
	0900	71	Smith
	1200	73	Smith
	1500	73	Smith
	1800	73	Smith
	2100	73	Smith
	2400	72	Webb

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	72	Webb
	0600	72	Webb
	0900	72	Solu
	1200	72	Solu
	1500	73	[illegible]
	1800	73	Zhou
	2100	72	Zhou
	2400	72°	Green

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	73°	Green
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	~~73°~~	~~Green~~ KG

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: ~~[illegible]~~ 43 C8 Temp. Reading Location: B-Pod / 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	69	J. Correa
	0600	68	H. Zavala
	0900	67	H. Zavala
	1200	69	H. Zavala
	1500	72	B. Solorio
	1800	70	B. Solorio
	2100	68	B. Solorio
	2400	69	L. Stepp

Tuesday

Dat	Time	Temp.	Name (Print)
7/23	0300	69	L. Stepp
	0600	69	L. Stepp
	0900	72	H. Zavala
	1200	73	H. Zavala
	1500	72	H. Zavala
	1800	71	H. Zavala
	2100	69	H. Zavala
	2400	70	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	70	L. Stepp
	0600	71	L. Stepp
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
7/26	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: C1 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5342 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300		
	0600	70°	M. Hinojosa
	0900 x	70 x	M. Hinojosa x
	1200	70	M. Hinojosa
	1500	72°	R. Jimenez
	1800	71°	R. Jimenez
	2100	71°	R. Jimenez
	2400	71°	M. Castro

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	70°	M. Castro
	0600	70	Barajas
	0900	70	Barajas
	1200	71	Barajas
	1500	72	A. Perez
	1800	71	A. Perez
	2100	70	A. Perez
	2400	72	REQUA

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	71°	REQUA
	0600	71°	REQUA
	0900	71	Flores
	1200	72	Lopez
	1500	72	Cordova
	1800	72°	Cordova
	2100	72°	Cordova
	2400	71°	REQUA

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	71°	REQUA
	0600	71°	REQUA
	0900	71	S. Lopez
	1200	72	S. Lopez
	1500	71	O. Cordova
	1800	71	O. Cordova
	2100	70	O. Cordova
	2400	70	REQUA

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	71°	REQUA
	0600	70°	REQUA
	0900	70°	A. Perez
	1200	70°	A. Perez
	1500	71°	A. Perez
	1800	71°	A. Perez
	2100	70°	A. Perez
	2400	70°	O. Cordova

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: C3 Temp. Reading Location: B-Section
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-24-24	0300	71	Castro
	0600	71	Pacheco
	0900	72	Pacheco
	1200	72	Pacheco
	1500	73	Pacheco
	1800	73	Pacheco
	2100	73	Pacheco
	2400	71°F	J. Garcia

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	71°F	J. Garcia
	0600	71	Mendoza
	0900	71	Mendoza
	1200	71	Mendoza
	1500	71	Burrola
	1800	72	Burrola
	2100	72	Burrola
	2400	72	K. Empante

Friday

Date	Time	Temp.	Name (Print)
07/26/24	0300	71°	K. Empante
	0600	72°	K. Empante
	0900	71	M. Espinoza
	1200	72	M. Espinoza
	1500	72	R. Pacheco
	1800	72	R. Pacheco
	2100	72	R. Pacheco
	2400	71	N. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
07/27/24	0300	72°	N. Rodriguez
	0600	71°	N. Rodriguez
	0900	71°	I. Celis
	1200	71°	I. Celis
	1500	71°	I. Celis
	1800	71°	I. Celis
	2100	71°	I. Celis
	2400	71	G. Marquez

Sunday

Date	Time	Temp.	Name (Print)
07/28/24	0300	71	G. Marquez
	0600	71	G. Marquez
	0900	70°	I. Celis
	1200	70°	I. Celis
	1500	70	D. Vazquez
	1800	70	D. Vazquez
	2100	69	E. Beasley
	2400	69	E. Beasley

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: C4 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	73	Tm
	0600	73.8	J. GALVAN
	0900	74.1	J. GALVAN
	1200	74.0	J. GALVAN
	1500	74	Perez
	1800	74	Perez
	2100	73	Perez
	2400	73	Tm

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300	73	Garcia
	0600	73.2	J. GALVAN
	0900	73.3	J. GALVAN
	1200	73.5	J. GALVAN
	1500	73	Morrieta
	1800	73	Morrieta
	2100	73	Morrieta
	2400	73	Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	72	Garcia
	0600	73	J GALVAN
	0900	73	J GALVAN
	1200	74	J. GALVAN
	1500	74	Barajas
	1800	74	Barajas
	2100	73	Barajas
	2400	73	Garcia

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	73	Tm
	0600	73	Tm
	0900	74.0	J. GALVAN
	1200	74.7	J. GALVAN
	1500	74.7	J. BARAJAS
	1800	74.8	J. BARAJAS
	2100	74.8	J. BARAJAS
	2400	73	Tm

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	74	Tm
	0600	74	Tm
	0900	74	MATIAS
	1200	74	MATIAS
	1500	75	Barajas
	1800	74	Barajas
	2100	74	Barajas
	2400	74	Tm

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	73	Margarce
	0600	73	Margarce
	0900	73°	LSanchez
	1200	73°	L.Sanchez
	1500	73.4	C. Diaz
	1800	73	C. Diaz
	2100	73	C. Diaz
	2400	73	Tm

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	73	Tm
	0600	73	Tm
	0900	73°	LoSanchez
	1200	73°	Lo Sanchez
	1500	72	C. Diaz
	1800	72	C. Diaz
	2100	72.9	C. Diaz
	2400	72	Tm

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-22-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
7-23-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7-24-24	0300	72	A. ESTRADA
	0600	72	A. ESTRADA
	0900	73	R. Reyes
	1200	73.2	R. Reyes
	1500	73.9	R GOMEZ
	1800	73.9	R GOMEZ
	2100	73.8	R GOMEZ
	2400	73	A. ESTRADA

Thursday

Date	Time	Temp.	Name (Print)
7-25-24	0300	72	A. ESTRADA
	0600	72	A. ESTRADA
	0900	73	R. Reyes
	1200	73.8	R. Reyes
	1500	73	N. NGUYEN
	1800	73	N. NGUYEN
	2100	73	N. NGUYEN
	2400	73	A. ESTRADA

Friday

Date	Time	Temp.	Name (Print)
7-26-24	0300	73	A. ESTRADA
	0600	73	A. ESTRADA
	0900	72.5	R. Reyes
	1200	72	R. Reyes
	1500	73	A. TAPIA
	1800	72.3	A. TAPIA
	2100	72	A. TAPIA
	2400	72	A. ESTRADA

Saturday

Date	Time	Temp.	Name (Print)
7-27-24	0300	72	A. ESTRADA
	0600	72	A. ESTRADA
	0900	71.4	R. Reyes
	1200	71	R. Reyes
	1500	71	R GOMEZ
	1800	72	R GOMEZ
	2100	72	R GOMEZ
	2400	72	A. ESTRADA

Sunday

Date	Time	Temp.	Name (Print)
7-28-24	0300	71	A. ESTRADA
	0600	71	A. ESTRADA
	0900	70.5	M. Barcellano
	1200	70.7	M. Barcellano
	1500	71.8	R GOMEZ
	1800	71.5	R GOMEZ
	2100	71.4	R GOMEZ
	2400	71	L. CHAVEZ

Notes

7/22 & 7/23 submitted for state audit

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: B POD (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
07-24-24	~~0300~~		
	~~0600~~		
	0900	72°	R. JIMENEZ
	1200	73°	R. JIMENEZ
	1500	74	Green
	1800	73°	Green
	2100	73°	Green
	2400	73°	U Sandoval

Thursday

Date	Time	Temp.	Name (Print)
7-25-24	0300	73	U Sandoval
	0600	71	Lopez
	0900	72	Lopez
	1200	73	Lopez
	1500	75	~~Lop~~ MARQUEZ
	1800	75	MARQUEZ
	2100	73	MARQUEZ
	2400	72	MARQUEZ

Friday 7-26-24

Date	Time	Temp.	Name (Print)
7/26/24	0300	72	Munoz
	0600	73	Guardado
	0900	71	Guardado
	1200	72	Guardado
	1500	73	J. ROSAS
	1800	73	J. ROSAS
	2100	72	J. ROSAS
	2400	71	Silva

Saturday 7-27-24

Date	Time	Temp.	Name (Print)
7/27/24	0300	72	Silva
	0600	71	Silva
	0900	70	RGMEZ
	1200	70	RGMEZ
	1500	70	RGMEZ
	1800	70	Hernandez M
	2100	70	Hernandez M
	2400	70	Silva

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	70	Silva
	0600	70	Silva
	0900	69	RGMEZ
	1200	69	RGMEZ
	1500	69	RGMEZ
	1800	70	Webb
	2100	69	Webb
	2400	68	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C7 Temp. Reading Location: B-pod / 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	73	Green
	0600	72.3	Soto
	0900	74.2	Soto
	1200	76.1	Soto
	1500	76°	A. Morisch
	1800	75	A. Morisch
	2100	75	A. Morisch
	2400	74°	Green

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	74°	Green
	0600	74.3	Soto
	0900	74.7	Soto
	1200	76.1	Soto
	1500	76°	A. Morisch
	1800	75°	A. Morisch
	2100	75°	A. Morisch
	2400	74°	Green

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	75°F	J. Garcia
	0600	74	Soto
	0900	75	Soto
	1200	75	Soto
	1500	76°	A. Morisch
	1800	76°	A. Morisch
	2100	75°	A. Morisch
	2400	75°F	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	75°F	J. Garcia
	0600	75°	REQUA
	0900	74	REQUA
	1200	75	REQUA
	1500	75°F	A. Morisch
	1800	76°	A. Morisch
	2100	75°	A. Morisch
	2400	74°	Tam

Sunday

Date	Time	Temp.	Name (Print)
	0300	74°	Tam
	0600	74°	Tam
	0900	74	J. ROSAS
	1200	75	J. ROSAS
	1500	75	A. Morisch
	1800	75	A. Morisch
	2100	75	A. Morisch
	2400	75	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C8 Temp. Reading Location: B-Pod / 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

New Heat Log Started 7/24/24

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300		
	0600	68	H. Zavala
	0900	71	H. Zavala
	1200	71	S. [illegible]
	1500	74	S. [illegible]
	1800	74	S. [illegible]
	2100	72	S. [illegible]
	2400	71	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	71	L. Stepp
	0600	70	L. Stepp
	0900	70	A. Martinez
	1200	70	A. Martinez
	1500	75	S. [illegible]
	1800	74	S. [illegible]
	2100	73	S. [illegible]
	2400	71°	J. Rincon

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	71°	J. Rincon
	0600	71°	J. Rincon
	0900	71	J. ROSAS
	1200	73	J. ROSAS
	1500	73	R. SANTIAGO
	1800	73	R. SANTIAGO
	2100	73	R. SANTIAGO
	2400	73°	J. Rincon

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	73°	J. Rincon
	0600	73°	J. Rincon
	0900	73	J. ROSAS
	1200	73	J. ROSAS
	1500	73	R. SANTIAGO
	1800	73	R. SANTIAGO
	2100	73	R. SANTIAGO
	2400	72°	L. Chavez

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	72°	L. Chavez
	0600	72	R. SANTIAGO
	0900	73	R. SANTIAGO
	1200	73	R. SANTIAGO
	1500	73	R. SANTIAGO
	1800	73	R. SANTIAGO
	2100	73	R. SANTIAGO
	2400	72	S. [illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C1 Temp. Reading Location: B Pod (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	70	[illegible]
	0600	70	[illegible]
	0900	70	E. Suarez
	1200	70	E. Suarez
	1500	70	O. Cordova
	1800	70	O. Cordova
	2100	70	O. Cordova
	2400	70	J. Rincon

Tuesday

Dat	Time	Temp.	Name (Print)
7/30/24	0300	70	J. Rincon
	0600	70	Lmartin
	0900	70	Lmartin
	1200	70	Lmartin
	1500	70	O. Cordova
	1800	70	O. Cordova
	2100	70	O. Cordova
	2400	70	A. Zamudio

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	70	A. Zamudio
	0600	70	A. Zamudio
	0900	70	Martin
	1200	70	Martin
	1500	70	A. Huerta
	1800	70	A. Huerta
	2100	70	A. Huerta
	2400	70°	J. Rincon

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	70°	J. Rincon
	0600	70°	J. Rincon
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 Temp. Reading Location: Upper "B" POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5342 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07 29 24	0300	70°	E. Beasley
	0600	70°	E. Beasley
	0900	69°	I. Celis
	1200	69°	I. Celis
	1500	69	C. Diaz
	1800	69	C. Diaz
	2100	69	C. Diaz
	2400	70	E. Beasley

Tuesday

Dat	Time	Temp.	Name (Print)
07 30 24	0300	70°	E. Beasley
	0600	70°	E. Beasley
	0900	69°	I. Celis
	1200	69°	M. Hull
	1500	69	M. Hull
	1800	69°	R. Pacheco
	2100	69°	R. Pacheco
	2400	69°	E. Beasley

Wednesday

Date	Time	Temp.	Name (Print)
07 31 24	0300	69°	E. Beasley
	0600	69°	E. Beasley
	0900	69°	R. Pacheco
	1200	70°	R. Pacheco
	1500	71°	R. Pacheco
	1800	71°	R. Pacheco
	2100	71°	R. Pacheco
	2400	70°F	J. Garcia

Thursday

Date	Time	Temp.	Name (Print)
08 + 01 + 24	0300		J. Garcia
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
08 - 02 - 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
08 - 03 - 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
08 04 24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C4 Temp. Reading Location: Bpal 2d tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/24/24	0300	72	Tra
	0600	72	Tra
	0900	73.0	J. GALVAN
	1200	73.0	J. GALVAN
	1500	72.7	[illegible]
	1800	72.0	[illegible]
	2100	73	[illegible]
	2400	72	Tra

Tuesday

Dat	Time	Temp.	Name (Print)
7/30/24	0300	72°F	J. Garcia
	0600	72.7	J. GALVAN
	0900	72.7	J. GALVAN
	1200	72.7	J. GALVAN
	1500	72.9	G. MURRIETA
	1800	73.2	G. MURRIETA
	2100	73	G. [illegible]
	2400	72°F	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	72°F	J. Garcia
	0600	72.9	GALVAN
	0900	73.0	J. GALVAN
	1200	73.2	J. GALVAN
	1500	73.4	J. BARAJAS
	1800	73.4	J. BARAJAS
	2100	73	J. BARAJAS
	2400	73	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	71°	Chavez, L.A.
	0600	71°	LoSanchez
	0900	71°	LoSanchez
	1200	71°	LoSanchez
	1500	71.2	R Cortez
	1800	71.2	R Cortez
	2100	71.2	R Cortez
	2400	72	U. Sandal

Tuesday

Dat	Time	Temp.	Name (Print)
7-30-24	0300	71°	U Sandal
	0600	71°	LoSanchez
	0900	71°	LoSanchez
	1200	71°	LoSanchez.
	1500	72°	D. Gudino
	1800	72°	D. Gudino
	2100	72°	D. Gudino
	2400	72	A. ESTRADA

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	71	A. ESTRADA
	0600	71	A. ESTRADA
	0900	70.3	R. Reyes
	1200	71	R. Reyes
	1500	71.3	R Cortez
	1800	71.4	R Cortez
	2100	71.4	R Cortez
	2400	71	R. Perez

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: B POD (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/29	0300	68	[illegible]
	0600	69	[illegible]
	0900	69	Guardado
	1200	69	Guardado
	1500	69	[illegible]
	1800	69	[illegible]
	2100	69	[illegible]
	2400	69	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
07/30	0300	68	[illegible]
	0600	69	[illegible]
	0900	68°	A- VALLEJO
	1200	69°	A- VALLEJO
	1500	70°	Green
	1800	70°	Green
	2100	70°	Green
	2400	70°	Chavez, LA

Wednesday

Date	Time	Temp.	Name (Print)
07/31	0300	70°	Chavez, LA
	0600	69	[illegible]
	0900	69	[illegible]
	1200	70	[illegible]
	1500	71°	Green
	1800	70°	Green
	2100	70°	Green
	2400	69°	Chavez, LA

Thursday

Date	Time	Temp.	Name (Print)
08/01	0300	~~69°~~	[redacted]
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
08/02	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
08/03	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
08/04	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-7 Temp. Reading Location: B-Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	74	[illegible]
	0600	74	[illegible]
	0900	74	S [illegible]
	1200	75	S [illegible]
	1500	75	S [illegible]
	1800	76	S [illegible]
	2100	75	S [illegible]
	2400	75	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
7/30/24	0300	74	[illegible]
	0600	74	[illegible]
	0900	74.2	Solo
	1200	75.1	Sol
	1500	76	S [illegible]
	1800	75	S [illegible]
	2100	75	S [illegible]
	2400	75°	Green

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	75°	Green
	0600	75	Solo
	0900	75	Solo
	1200	76	S [illegible]
	1500	75	A CASTRO
	1800	75	A. CASTRO
	2100	75	A. CASTRO
	2400	75°	Green

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C8 Temp. Reading Location: B-Pod / 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	71	L. Stepp
	0600	71	H. Zavala
	0900	73	H. Zavala
	1200	76	H. Zavala
	1500	73	C. DAVALOS
	1800	73	C. DAVALOS
	2100	73	C. DAVALOS
	2400	73	L. Stepp

Tuesday

Dat	Time	Temp.	Name (Print)
7/30	0300	72	L. Stepp
	0600	72	L. Stepp
	0900	73	H. Zavala
	1200	73	H. Zavala
	1500	73	H. Zavala
	1800	73	H. Zavala
	2100	73	H. Zavala
	2400	73	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	73	L. Stepp
	0600	73	L. Stepp
	0900	72	H. Zavala
	1200	72	H. Zavala
	1500	73	[illegible]
	1800	73	[illegible]
	2100		[illegible]
	2400	73	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	73	L. Stepp
	0600	72	L. Stepp
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D2 Temp. Reading Location: 2nd Tier B-POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	70	Torres Torres
	0600	70	Torres Torres
	0900	69	Fernandez A
	1200	69	Fernandez A
	1500	65	Reyes
	1800	65	Reyes
	2100	65	Reyes
	2400	65	Garcia A

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/24	0300	71	Garcia A
	0600	71	Garcia A
	0900	71	FERNANDEZ A
	1200	71	FERNANDEZ A
	1500	69	J. Lopez
	1800	69	J. Lopez
	2100	70	J Lopez
	2400	70	Garcia A

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	71	Garcia A
	0600	71	Garcia A
	0900	68	I. Martinez
	1200	69	I. Martinez
	1500	70	J. Lopez
	1800	69	J Lopez
	2100	68	J Lopez
	2400	68	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	70	Garcia A
	0600	71	Garcia A
	0900	73	Alcantar
	1200	75	Alcantar
	1500	73	J Lopez
	1800	73	J Lopez
	2100	71	J Lopez
	2400	70	Fuentes

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	70	Fuentes
	0600	70	A. FERNANDEZ
	0900	70	A. FERNANDEZ
	1200	70	A. FERNANDEZ
	1500	71	R. Lizardi
	1800	70	R. Lizardi
	2100	70	R. Lizardi
	2400	70	Garcia A

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	70	Garcia A
	0600	71	~~Garcia A~~
	0900	69	~~Torres Torres~~
	1200	70	~~Torres Torres~~
	1500	70	B. MACIAS
	1800	70	B. MACIAS
	2100	69	B. MACIAS
	2400	69	Torres Torres

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	69	~~Torres Torres~~
	0600	69	~~Torres Torres~~
	0900	69	Ammari
	1200	70	Ammari
	1500	70	L. Hernandez
	1800	70	L. Hernandez
	2100	69	L. Hernandez
	2400	69	Perez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D3 Temp. Reading Location: B-Section.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5593 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	70°F	J. Garcia
	0600	70°F	C. Rodriguez
	0900	70°F	C. Rodriguez
	1200	71°F	C. Rodriguez
	1500	72°F	J. Rodriguez
	1800	72	J. Rodriguez
	2100	71	J. Rodriguez
	2400	71	[illegible]

Tuesday

Dat	Time	Temp.	Name (Print)
7-16	0300	71	[illegible]
	0600	70	[illegible]
	0900	71°	C. Rodriguez
	1200	71°	C. Rodriguez
	1500	70	O. Camacho
	1800	70	O. Camacho
	2100	70	O. Camacho
	2400	70	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
7-17	0300	70	[illegible]
	0600	70	C. Rodriguez
	0900	70	C. Rodriguez
	1200	71	C. Rodriguez
	1500	73	C. Rodriguez
	1800	71	C. Rodriguez
	2100	70	C. Rodriguez
	2400	69	E. FERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	69	E FERNANDEZ
	0600	70	R. Lizardi
	0900	70	R. Lizardi
	1200	72	R Lizardi
	1500	72	R. Camacho
	1800	71	O. Camacho
	2100	70	O. Camacho
	2400	69	E FERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	69	E. FERNANDEZ
	0600	70	J. Fernandez
	0900	70	J. Fernandez
	1200	70	J. Fernandez
	1500	71	F. PEREZ
	1800	71	F. PEREZ
	2100	71	F. PEREZ
	2400	71	E FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	71	E. FERNANDEZ
	0600	70	E BUZO
	0900	70	E. BUZO
	1200	70	E. BUZO
	1500	71	L. OCHOA
	1800	70	L. OCHOA
	2100	70	L. OCHOA
	2400	69	E. FERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300		E FERNANDEZ
	0600	69	C. Rodriguez
	0900	70	C. Rodriguez
	1200	70	C. Rodriguez
	1500	70	R. Lizardi
	1800	70	R. Lizardi
	2100	70	R. Lizardi
	2400	71	E. FERNANDEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: DH Temp. Reading Location: 2nd Tier "B" POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/15/24	0300	72.0°	GARIBAY
	0600	72.0°	GARIBAY
	0900	72°	J. ORTIZ
	1200	72°	J. ORTIZ
	1500	72	S. Magdaleno
	1800	72	S. Magdaleno
	2100	72	S. Magdaleno
	2400	72.0°	GARIBAY

Tuesday

Dat	Time	Temp.	Name (Print)
07/16/24	0300	71.6°	GARIBAY
	0600	71.4°	GARIBAY
	0900	71.8°	JKERSCH
	1200	72.1°	JKERSCH
	1500	72	J. YADAO
	1800	72	J. YADAO
	2100	71	J. YADAO
	2400	71.7°	GARIBAY

Wednesday

Date	Time	Temp.	Name (Print)
07/17/24	0300	71.6°	GARIBAY
	0600	71.4°	GARIBAY
	0900	71.8°	JKERSCH
	1200	72°	JKERSCH
	1500	72°	Perez
	1800	72°	Perez
	2100	72°	Perez
	2400	72.3°	R. RIEMEDIO

Thursday

Date	Time	Temp.	Name (Print)
07/18/24	0300	71.0	R. RIEMEDIO
	0600	71.8°	JKERSCH
	0900	72.0	JKERSCH
	1200	72.2	JK
	1500	72.5	[illegible]
	1800	71.0	G. JAIMES
	2100	72.7F	G. JAIMES
	2400	72.4	R. RIEMEDIO

Friday

Date	Time	Temp.	Name (Print)
07/19/24	0300	71.9	R. RIEMEDIO
	0600	72.0	JK
	0900	72°	JK
	1200	72.3°	JK
	1500	73.4F	G. JAIMES
	1800	73.6F	G. JAIMES
	2100	73.4F	G. JAIMES
	2400	72.7°	GARIBAY

Saturday

Date	Time	Temp.	Name (Print)
07/20/24	0300	72.5°	GARIBAY
	0600	72.3	JKERSCH
	0900	72.3	JKERSCH
	1200	73°	JKERSCH
	1500	73	J. Rodriguez
	1800	73.2	J. Rodriguez
	2100	73.2	J. Rodriguez
	2400	73.2	J. Perez

Sunday

Date	Time	Temp.	Name (Print)
07/21/24	0300	71.8	J. Perez
	0600	71.6	J. Perez
	0900	~~73.8~~ 73	~~J. Rodriguez~~ J Perez
	1200	72	J Perez
	1500	73.2	J. Rodriguez
	1800	73.2	J. Rodriguez
	2100	73	J. Rodriguez
	2400	72	J Perez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-5 Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	70	J. Vasquez
	0600	70	J. Vasquez
	0900	70	T. Castillon
	1200	70	T. Castillon
	1500	71	E. Coy
	1800	71	E. Coy
	2100	71	E. Coy
	2400	70	J. Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	68	J. Vasquez
	0600	68	J. Vasquez
	0900	70	Castillon
	1200	70	Castillon
	1500	71	Coy
	1800	71	Coy
	2100	71	Coy
	2400	70	J. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	70	J. Vasquez
	0600	70	J. Vasquez
	0900	71	Velarde
	1200	71	Velarde
	1500	71	J. Fernandez
	1800	71	E. Coy
	2100	71	E. Coy
	2400	71	J. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	71	J. Vasquez
	0600	71	J. Vasquez
	0900	71	E. Perez
	1200	71	E. Perez
	1500	71	J. Rodriguez
	1800	71	J. Rodriguez
	2100	71	J. Rodriguez
	2400	71	J. Vasquez

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	71	J. Vasquez
	0600	71	J. Vasquez
	0900	71	Castillon
	1200	71	Castillon
	1500	71	J. Rodriguez
	1800	71	J. Rodriguez
	2100	71	J. Rodriguez
	2400	71	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	70	[illegible]
	0600	70	Castillon
	0900	70	Castillon
	1200	70	Castillon
	1500	71	E. Coy
	1800	71	E. Coy
	2100	71	E. Coy
	2400	71	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	70	[illegible]
	0600	70	Castillon
	0900	70	Castillon
	1200	70	Castillon
	1500	71	E. Coy
	1800	72	E. Coy
	2100	71	E. Coy
	2400	71	J. Vasquez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D6 Temp. Reading Location: 2nd Tier B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	72.1	J. Perez
	0600	72.5	J. Perez
	0900	72.5	GONZALEZ
	1200	72.5	GONZALEZ
	1500	72.5	C. MUNOZ
	1800	72.3	C. MUNOZ
	2100	72.3	C. MUNOZ
	2400	71.0	J. Perez

Tuesday

Dat	Time	Temp.	Name (Print)
7/16	0300	72.1	J. Perez
	0600	71.8	J. Perez
	0900	71	Martinez
	1200	71	Martinez
	1500	72	Martinez
	1800	72	Martinez
	2100	71	Martinez
	2400	71	AVILA

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	71	AVILA
	0600	71	B. ROSILES
	0900	72	B. ROSILES
	1200	72	B. ROSILES
	1500	72	Martinez
	1800	72	Martinez
	2100	72	Martinez
	2400	72	AVILA

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	71	AVILA
	0600	71	S. Alvarez
	0900	71.6	S. Alvarez
	1200	71.8	S. Alvarez
	1500	72	Martinez
	1800	72	Martinez
	2100	72	Martinez
	2400	72	AVILA

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	71	AVILA
	0600	71	J. Macias
	0900	72	J. Macias
	1200	72	J. Macias
	1500	72	Martinez
	1800	73	Martinez
	2100	72.5	Martinez
	2400	72	AVILA

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	71	AVILA
	0600	71.6	C. MUNOZ
	0900	72.3	C. MUNOZ
	1200	72.5	C. MUNOZ
	1500	72	M. Lopez
	1800	73	M. Lopez
	2100	73	M. Lopez
	2400	72	AVILA

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	71.0	AVILA
	0600	72.0	C. MUNOZ
	0900	72.5	C. MUNOZ
	1200	72.5	C. MUNOZ
	1500	72.5	C. MUNOZ
	1800	72.5	C. MUNOZ
	2100	72.5	C. MUNOZ
	2400	71.8	AVILA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: Delta 8 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	70°	mendez
	0600	70°	Flores
	0900	71°	Flores
	1200	71°	Flores
	1500	71.8°	V. mora
	1800	71.8°	V. mora
	2100	71.8°	V. mora
	2400	71°	Mendez, R

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/24	0300	71	Mendez, R
	0600	71	Ammari
	0900	71	Ammari
	1200	71	Ammari
	1500	71°	RICO
	1800	71°	RICO
	2100	71°	A. Garcia
	2400	71°	A. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	71°	A. Garcia
	0600	70°	INFANTE
	0900	70°	INFANTE
	1200	71°	INFANTE
	1500	72	VAZQUEZ
	1800	72	VAZQUEZ
	2100	71	VAZQUEZ
	2400	71	Mendez

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	71	Mendez
	0600	71.8°	R. BORREGO
	0900	70.9°	R. BORREGO
	1200	70.9	R. BORREGO
	1500	70.9	A. Hernandez
	1800	71.8	A. Hernandez
	2100	71°	A Hernandez
	2400	70°	J. Perez

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	70°	J. Perez
	0600	70.9°	R. BORREGO
	0900	70.3°	R. BORREGO
	1200	71.0°	R. BORREGO
	1500	71.8°	R. BORREGO
	1800	72.0°	R. BORREGO
	2100	71.4°	R. BORREGO
	2400	71	Sanudo

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	71°	Sanudo
	0600	71°	Sanudo
	0900	71°	V. mora
	1200	71°	V. mora
	1500	71°	V. mora
	1800	71.2°	V. mora
	2100	71.2°	V. mora
	2400	71.2	A. FARIAS

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	70.7°	A. FARIAS
	0600	70.3°	V. mora
	0900	71.2°	V. mora
	1200	71.2°	V. mora
	1500	71.4°	V. mora
	1800	71.4°	V. mora
	2100	71.2°	V. mora
	2400	71.2°	V. mora

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-2 Temp. Reading Location: Control Booth (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	70°	Torres Torres
	0600	70°	Torres Torres
	0900	70°	Torres Torres
	1200	70°	Torres Torres
	1500	72°	Hernandez A
	1800	71°	Hernandez A
	2100	71	Hernandez A
	2400	71	Garcia A

Tuesday

Dat	Time	Temp.	Name (Print)
7-9-24	0300	71	Garcia A
	0600	71	Garcia A
	0900	71	Silva R
	1200	71	Silva R
	1500	72°	VEGA A
	1800	71°	HERNANDEZ A
	2100	71°	HERNANDEZ A
	2400	70°	Garcia A

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	70	Garcia A
	0600	71	Garcia A
	0900	70	Torres Torres
	1200	71	Torres Torres
	1500	72	Hernandez A
	1800	72	Hernandez A
	2100	71	Hernandez A
	2400	71	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	71	Garcia A
	0600	71	Garcia A
	0900	70	Torres Torres
	1200	70	Torres Torres
	1500	72	ZAMORANO
	1800	70	ZAMORANO
	2100	70	ZAMORANO
	2400	70°	Garcia A

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	70	Garcia A
	0600	71	Garcia A
	0900	70	BROWN
	1200	70	BROWN
	1500	70	Lizarri
	1800	70	Lizarri
	2100	69	Lizarri
	2400	69	Garcia A

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	70	Garcia A
	0600	71	Garcia A
	0900	70	Flores M
	1200	70	Flores M
	1500	78	C. Rodriguez
	1800	78	C Rodriguez
	2100	74°	C Rodriguez
	2400	72°	C Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	68	James James
	0600	68°	I. Martinez
	0900	69°	I. Martinez
	1200	70°	I. Martinez
	1500	70	I. Martinez
	1800	70°	I. Martinez
	2100	69°	I. Martinez
	2400	69	Torres Torres

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D3 Temp. Reading Location: CTRL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	71	E. FERNANDEZ
	0600	71	A. FERNANDEZ
	0900	71	A. FERNANDEZ
	1200	71	A. FERNANDEZ
	1500	71	A. FERNANDEZ
	1800	71	A. FERNANDEZ
	2100	71	J. Rodriguez
	2400	71°	Tom Tom

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	70	Tom Tom
	0600	71	A. FERNANDEZ
	0900	71	A. FERNANDEZ
	1200	71	A. FERNANDEZ
	1500	71	O. Camacho
	1800	71	O. Camacho
	2100	71	O. Camacho
	2400	71	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	70	Kerfci
	0600	71°	A. Hernandez
	0900	71°	A. Hernandez
	1200	71°	A. Hernandez
	1500	71	O. Camacho
	1800	71	O. Camacho
	2100	71	O. Camacho
	2400	71	E FERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	71	E FERNANDEZ
	0600	70	J. Rios
	0900	71	J. Rios
	1200	71	V. LOPEZ
	1500	71	Camacho
	1800	71	Camacho
	2100	71	Camacho
	2400	71°	Tom Tom

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	71°	Tom Tom
	0600	71°	Tom Tom
	0900	71	LOPEZ
	1200	71	LOPEZ
	1500	71	O. Camacho
	1800	71	O. Camacho
	2100	71	O. Camacho
	2400	71	Tom Tom

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	70	Tom Tom
	0600	71	D. Perez
	0900	71	D. Perez
	1200	71	D. Perez
	1500	71	O. Camacho
	1800	71	O. Camacho
	2100	71	O. Camacho
	2400	70	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	70	Tom Tom
	0600	70	G. Nava
	0900	71	J. Martinez
	1200	71	J. Martinez
	1500	71	R. Lizardi
	1800	71	R. Lizardi
	2100	70	R. Lizardi
	2400	70°F	J. Garcia

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D4 Temp. Reading Location: 2nd Tier "B" Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5342 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/08/24	0300	73.0°	GARIBAY
	0600	72.9°	GARIBAY
	0900	73.0	G. Ferreyra
	1200	73.6	G. Ferreyra
	1500	73	I Perez
	1800	73	I Perez
	2100	73	I Perez
	2400	73°	GARIBAY

Tuesday

Dat	Time	Temp.	Name (Print)
07/09/24	0300	72.9°	GARIBAY
	0600	72.5°	GARIBAY
	0900	73°	J KERSCH
	1200	73°	JKERSCH
	1500	73.4	ESALAS
	1800	73.8	ESALAS
	2100	73.6	ESALAS
	2400	73.0°	GARIBAY

Wednesday

Date	Time	Temp.	Name (Print)
07/10/24	0300	72.5	GARIBAY
	0600	72.5°	GARIBAY
	0900	72.9°	JK
	1200	73.40	JK
	1500	73.9	LIZARDI
	1800	73.8	LIZARDI.
	2100	73.6	LIZARDI
	2400	73.4	DIEMEDIO

Thursday

Date	Time	Temp.	Name (Print)
07/11/24	0300	73.2	RIEMEDIO
	0600	73.2	JKERSCH
	0900	73.2	JKERSCH
	1200	73.8°	JKERSCH
	1500	73.2	Lizardi
	1800	73.8	Lizardi
	2100	73.6	Lizardi
	2400	73.4	RRIEMEDIO

Friday

Date	Time	Temp.	Name (Print)
07/12/24	0300	73.2	RRIEMEDIO
	0600	73	JKERSCH
	0900	73.8°	JK
	1200	73.9°	JK
	1500	74	D. Yoder
	1800	73	D. Yoder
	2100	73	D. Yoder
	2400	73°	GARIBAY

Saturday

Date	Time	Temp.	Name (Print)
07/13/24	0300	73.0°	GARIBAY
	0600	72.9°	GARIBAY
	0900	72.9°	JKERSCH
	1200	72.9°	JKERSCH
	1500	72.2	J. Rodriguez
	1800	71	J. Rodriguez
	2100	71	J. Rodriguez
	2400	72.7°	GARIBAY

Sunday

Date	Time	Temp.	Name (Print)
07/14/24	0300	72.5°	GARIBAY
	0600	72.1°	GARIBAY
	0900	72.1°	HERNANDEZ
	1200	72	HERNANDEZ
	1500	72.7	Rodriguez
	1800	72	CHAVEZ
	2100	72.5	CHAVEZ
	2400	72.1°	GARIBAY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-5 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	68	J. Vasquez
	0600	69	J. Vasquez
	0900	69	Castillon
	1200	70	Castillon
	1500	71	Cox
	1800	71	Cox
	2100	71	Cox
	2400	71	J. Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	71	J. Vasquez
	0600	71	J. Vasquez
	0900	70	Castillon
	1200	70	Castillon
	1500	71	E. Cox
	1800	72	E. Cox
	2100	72	E. Cox
	2400	71	J. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	71	J. Vasquez
	0600	71	J. Vasquez
	0900	71	A. Perez
	1200	71	A. Perez
	1500	71	E. Cox
	1800	72	E. Cox
	2100	72	E. Cox
	2400	71	J. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	71	J. Vasquez
	0600	69	J. Vasquez
	0900	70	Castillon
	1200	72	Castillon
	1500	72	J. Rodriguez
	1800	72	Rodriguez
	2100	71	Rodriguez
	2400	71	Vasquez

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	71	Vasquez
	0600	71	Vasquez
	0900	71	Castillon
	1200	71	Castillon
	1500	71	
	1800		
	2100		
	2400	70	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	70	[illegible]
	0600	69	Castillon
	0900	69	Castillon
	1200	69	Castillon
	1500	70	MARQUEZ III
	1800	70	MARQUEZ III
	2100	69	MARQUEZ III
	2400	69	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	69	[illegible]
	0600	70	A. MARTINEZ
	0900	70	A. MARTINEZ
	1200	70	A. MARTINEZ
	1500	72	G. MURRIETA
	1800	72	G. MURRIETA
	2100	71	G. MURRIETA
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D6 Temp. Reading Location: 2nd Tier B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	73	Garcia
	0600	73.0	C. MUNOZ
	0900	73.2	C. MUNOZ
	1200	73.6	C. MUNOZ
	1500	73.6	C. MUNOZ
	1800	73.8	C. MUNOZ
	2100	73.8	C. MUNOZ
	2400	73	C AMEZQUITA

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	73	AMEZQUITA
	0600	72	Martinez
	0900	73	Martinez
	1200	73	Martinez
	1500	73	Martinez
	1800	72	Martinez
	2100	72	Martinez
	2400	72	AVINA

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	72	AVINA
	0600	73.0	C Munoz
	0900	73	C Munoz
	1200	73.2	C Munoz
	1500	73	Martinez
	1800	73	Martinez
	2100	72	Martinez
	2400	72	Marquez

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	72	Marquez
	0600	72.9	Marquez
	0900	73.1	S. Alvarez
	1200	73.6	S. Alvarez
	1500	73	Martinez
	1800	73	Martinez
	2100	73	Martinez
	2400	72	Mor

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	72	Nor
	0600	72.7	S. Alvarez
	0900	73.0	S. Alvarez
	1200	73.2	S. Alvarez
	1500	73	Martinez
	1800	73	Martinez
	2100	72	Martinez
	2400	72	AVINA

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	72	AVINA
	0600	72.7	C MUNOZ
	0900	73	C MUNOZ
	1200	73	C MUNOZ
	1500	73.4	C MUNOZ
	1800	73.4	C. MUNOZ
	2100	73.2	C. MUNOZ
	2400	73	AVINA

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	72	AVINA
	0600	72.3	C MUNOZ
	0900	72.5	C MUNOZ
	1200	73.2	C MUNOZ
	1500	72.5	C MUNOZ
	1800	72.5	C MUNOZ
	2100	72.5	C MUNOZ
	2400	72.1	J. PEREZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D7 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	70	D. BITTNER
	0600	71	F. GONZALEZ
	0900	71°	F Gonzalez
	1200	72°	F Gonzalez
	1500	72	Garcia
	1800	72	Garcia
	2100	72°	Garcia
	2400	72	D. BITTNER

Tuesday

Dat	Time	Temp.	Name (Print)
7/9	0300	71	D. BITTNER
	0600	71	V. Valdez
	0900	71	V. Valdez
	1200	71	V. Valdez
	1500	71	Castillo
	1800	71	Castillo
	2100	71	Castillo
	2400	71	D. BITTNER

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	71	D. BITTNER
	0600	71	L. BATISTA
	0900	71	L. BATISTA
	1200	71	L. BATISTA
	1500	71	L. BATISTA
	1800	70	L. BATISTA
	2100	70	L. BATISTA
	2400	71	D. BITTNER

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	71	D. BITTNER
	0600	71	K. Rios
	0900	71	K. Rios
	1200	72	K. Rios
	1500	72	A. Meza
	1800	72°	A. Meza
	2100	71	A. Meza
	2400	71	D. BITTNER

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	71	D. BITTNER
	0600	71	C. MORA
	0900	71	C. MORA
	1200	71	C. MORA
	1500	71	C. MORA
	1800	72	C. MORA
	2100	71	C. MORA
	2400	70	Perez

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	70	J Perez
	0600	70	C. Arguiano
	0900	70	C. Arguiano
	1200	71	C Arguiano
	1500	71	C MORA
	1800	70	C MORA
	2100	70	C MORA
	2400	70	Perez

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	70	Perez
	0600	70	C. Arguiano
	0900	70	C. Arguiano
	1200	71	C. Arguiano
	1500	71	C. MORA
	1800	71	C. MORA
	2100	71	C. MORA
	2400	70	Perez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: Delta 8 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	71°	mendez
	0600	72.9°	C. Alvarado
	0900	73°	C. Alvarado
	1200	73.8	C. Alvarado
	1500	72°	V. mora
	1800	72°	V. mora
	2100	72°	V. mora
	2400	72°	A. FARIAS

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300	71.8	A. FARIAS
	0600	74°	Ammari
	0900	74°	Ammari
	1200	72°	Ammari
	1500	72°	Ammari
	1800	72°	V. mora
	2100	72°	V. mora
	2400	72°	A. Covera

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	72°	A. Covera
	0600	71.8°	R. BORREGO
	0900	71.2°	R. BORREGO
	1200	71.8°	R. BORREGO
	1500	71°	A. Martinez
	1800	71°	A. Martinez
	2100	71°	A. Martinez
	2400	71.8	A. FARIAS

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	71.2	A. FARIAS
	0600	70.7°	R. BORREGO
	0900	71.2°	R. BORREGO
	1200	72.0°	R. BORREGO
	1500	74°	H. [illegible]
	1800	72	H. [illegible]
	2100	71	manzu
	2400	71.2	C Anezauza

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	71°	C Anezauza
	0600	71.6°	R. BORREGO
	0900	71.4°	R. BORREGO
	1200	71.4°	R. BORREGO
	1500	72.0°	R. BORREGO
	1800	72.0°	R. BORREGO
	2100	71.8°	R. BORREGO
	2400	71°	Timengazin

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	71°	Timengazin
	0600	71.2°	R. BORREGO
	0900	71.4°	R. BORREGO
	1200	71.8°	R. BORREGO
	1500	71.6°	R. BORREGO
	1800	71.8°	R. BORREGO
	2100	71.4°	R. BORREGO
	2400	71.2	A. FARIAS

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	70°	A. FARIAS
	0600	70°	V. mora
	0900	71°	V. mora
	1200	71°	V. mora
	1500	71°	V. mora
	1800	71°	V. mora
	2100	71°	V. mora
	2400	71°	V. mora

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. 2nd TIER

Institution: SVSP Housing Unit: D-2 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	~~68~~	Tom Tom
	0600	68	J Brown
	0900	68	J Brown
	1200	69	J Brown
	1500	69	A. Hernandez
	1800	69	A. Hernandez
	2100	68°	A. Hernandez
	2400	70°	Garcia A

Tuesday

Dat	Time	Temp.	Name (Print)
7/2	0300	70	Garcia A
	0600	69	Garcia A
	0900	69	E. Am
	1200	69	E. Am
	1500	69	E. Am
	1800	70	E. Am
	2100	70	E. Am
	2400	70	Garcia A

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	70	Garcia A
	0600	70	Garcia A
	0900	68	Tom Tom
	1200	69	Tom Tom
	1500	70°	Hernandez A
	1800	71°	Hernandez A
	2100	72°	Hernandez A
	2400	71	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	71	Garcia A
	0600	70	Garcia A
	0900	70	D. BITTNER
	1200	70	D. BITTNER
	1500	70°	Hernandez A
	1800	71°	Hernandez A
	2100	71°	Hernandez A
	2400	~~70~~	~~M Brito~~

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	~~70~~	~~M Brito~~
	0600	~~70~~	~~M Brito~~
	0900	~~70~~	~~M Brito~~
	1200	~~70~~	~~M Brito~~
	1500	70	Lizardi
	1800	71	Lizardi
	2100	70	Lizardi
	2400	70	M Brito

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	70°	M Brito
	0600	70°	M Brito
	0900	70°	I. Martinez
	1200	71°	I. Martinez
	1500	72	Lizardi
	1800	71	Lizardi
	2100	71	Lizardi
	2400	70	G. Navarro

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	71	G Navarro
	0600	71	G Navarro
	0900	72	F Ammari
	1200	72	F Ammari
	1500	71	Hernandez A
	1800	72	Hernandez A
	2100	71°	Hernandez A
	2400	71	Hernandez A

Notes

2024

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D3 Temp. Reading Location: CTRL BOOTH 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	69	E. FERNANDEZ
	0600	69	A. FERNANDEZ
	0900	69	A. FERNANDEZ
	1200	69	A. FERNANDEZ
	1500	69	G. MURRIETA
	1800	69	A. Fernandez
	2100	69	A. Fernandez
	2400	69	A. Fernandez

Tuesday

Dat	Time	Temp.	Name (Print)
7/2	0300	69	EFernandez
	0600	69	A. FERNANDEZ
	0900	70	A. FERNANDEZ
	1200	70	A. FERNANDEZ
	1500	70	O. Camacho
	1800	71	O. Camacho
	2100	70	O. Camacho
	2400	71	O. Camacho

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	69	A. Fernandez
	0600	69	A. FERNANDEZ
	0900	70	A. FERNANDEZ
	1200	70	A. FERNANDEZ
	1500	71	O. Camacho
	1800	71	O. Camacho
	2100	70	O. Camacho
	2400	71	O. Camacho

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	69°	EFERNANDEZ
	0600	69	A. FERNANDEZ
	0900	70	O. Camacho
	1200	70	O. Camacho
	1500	71	O. Camacho
	1800	71	O. Camacho
	2100	71	O. Camacho
	2400	71	EFERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	70	E. FERNANDEZ
	0600	70	M. Garcia
	0900	70	M. Garcia
	1200	71	M. Garcia
	1500	72	B. Solorio
	1800	72	B. Solorio
	2100	72	B. Solorio
	2400	72	E. FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	71	E FERNANDEZ
	0600	71	J. Marez
	0900	71	J. Marez
	1200	72	J. Marez
	1500	72	J. Marez
	1800	72	J. Marez
	2100	72	J. Marez
	2400	72	J. Marez

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	71	D Brambila
	0600	71°	D. Brambila
	0900	81°	S. BRAVO
	1200	89°	S. BRAVO
	1500	91°	S. BRAVO
	1800	78°	S. BRAVO
	2100	68°	S. BRAVO
	2400	68	S. BRAVO

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D5 Temp. Reading Location: B POD 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7.1	0300	69	J. Vasquez
	0600	69	J. Vasquez
	0900	69	Castillon
	1200	69	Castillon
	1500	70	E. coy
	1800	70	E. coy
	2100	70	E. coy
	2400	69	J. Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
7.2	0300	68	J. Vasquez
	0600	68	J. Vasquez
	0900	69	Castillon
	1200	69	Castillon
	1500	69	COY
	1800	69	COY
	2100	68	COY
	2400	68	J. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
7.3	0300	68	J. Vasquez
	0600	68	J. Vasquez
	0900	69	Castillon
	1200	69	Castillon
	1500	70	E. coy
	1800	70	E. coy
	2100	71	E. coy
	2400	68	J. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
7.4	0300	68	J. Vasquez
	0600	68	J. Vasquez
	0900	69	Castillon
	1200	69	Castillon
	1500	71	Othman
	1800	71	Othman
	2100	68	Othman
	2400	68	J. Vasquez

Friday

Date	Time	Temp.	Name (Print)
7.5	0300	68	J. Vasquez
	0600	68	J. Vasquez
	0900	69	T. Castillon
	1200	70	T. Castillon
	1500	70	Y. Delgado
	1800	69	Y. Delgado
	2100	69	Y. Delgado
	2400	69	Y. Delgado M Samy

Saturday

Date	Time	Temp.	Name (Print)
7.6	0300	69	M Samy
	0600	69	Castillon
	0900	69	Castillon
	1200	70	Castillon
	1500	71	E. coy
	1800	71	E. coy
	2100	71	E. coy
	2400	69	M Samy

Sunday

Date	Time	Temp.	Name (Print)
7.7	0300	69	M Samy
	0600	69	Castillon
	0900	69	Castillon
	1200	69	Castillon
	1500	70	E. coy
	1800	72	E. coy
	2100	72	E. coy
	2400	71	E. coy

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D6 Temp. Reading Location: 2nd Tier B Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	68	T. Santos
	0600	70.5	T. Santos
	0900	70	A Quintero
	1200	70	A Quintero
	1500	71.8	C. Munoz
	1800	71.8	C. Munoz
	2100	71.8	C. Munoz
	2400	71	Santos

Tuesday

Dat	Time	Temp.	Name (Print)
7/2	0300	70	Santos
	0600	70	Martinez
	0900	70	Martinez
	1200	71	Martinez
	1500	71	Martinez
	1800	72	Martinez
	2100	72	Martinez
	2400	72	Avina

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	72	Avina
	0600	72	Rosiles
	0900	73	Rosiles
	1200	73	Rosiles
	1500	73	Martinez
	1800	73	Martinez
	2100	73	Martinez
	2400	72	Avina

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	72	Avina
	0600	72	J. Lopez
	0900	72.3	J. Lopez
	1200	72.9	J. Lopez
	1500	73	Martinez
	1800	73	Martinez
	2100	72	Martinez
	2400	72	Avina

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	72	Avina
	0600	72	S. Alvarez
	0900	73	S. Alvarez
	1200	73	S. Alvarez
	1500	73	Martinez
	1800	72	Martinez
	2100	72	Martinez
	2400	72	Avina

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	72	Avina
	0600	72.5	C. Munoz
	0900	73.4	C. Munoz
	1200	73.9	C. Munoz
	1500	74.3	C. Munoz
	1800	74.3	C. Munoz
	2100	73.8	C. Munoz
	2400	73	Avina

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	73	Avina
	0600	73.4	C. Munoz
	0900	73.6	C. Munoz
	1200	73.8	C. Munoz
	1500	74.3	C. Arrezquita
	1800	74	C. Arrezquita
	2100	73.9	C. Arrezquita
	2400	73.2	C. Arrezquita

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D7 Temp. Reading Location: B POD / 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	69	D. BITTNER
	0600	69	D. BITTNER
	0900	69	S. GARDENE
	1200	69	S. GARDENE
	1500	70	S. GARDINI
	1800	69	S. GARDENE
	2100	69	S. GARDINI
	2400	69	D. BITTNER

Tuesday

Dat	Time	Temp.	Name (Print)
7/2/24	0300	69	D. BITTNER
	0600	69	L. BAUTISTA
	0900	69	L. BAUTISTA
	1200	69	L. BAUTISTA
	1500	70	L. BAUTISTA
	1800	69	L. BAUTISTA
	2100	69	L. BAUTISTA
	2400	70	D. BITTNER

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	69	D. BITTNER
	0600	70	L. BAUTISTA
	0900	70	L. BAUTISTA
	1200	70	L. BAUTISTA
	1500	71	C. MORA
	1800	71	C. MORA
	2100	71	C. MORA
	2400	71	C. MORA

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	70°	D. BITTNER
	0600	70	L. BAUTISTA
	0900	70	L. BAUTISTA
	1200	70	L. BAUTISTA
	1500	70	A. HERNANDEZ
	1800	71°	A. HERNANDEZ
	2100	71	A. HERNANDEZ
	2400	71	Tom Tor

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	70	Tom Tor
	0600	70	L. BAUTISTA
	0900	71	L. BAUTISTA
	1200	71	L. BAUTISTA
	1500	71	C. MORA
	1800	72	C. MORA
	2100	72	C. MORA
	2400	71	T. SANTOS

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	70	T. SANTOS
	0600	71	C. MORA
	0900	71	C. MORA
	1200	72	C. MORA
	1500	72	C. MORA
	1800	72	C. MORA
	2100	72	C. MORA
	2400	71	T. SANTOS

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	70	T. SANTOS
	0600	71	A. GUZMAN
	0900	71	A. GUZMAN
	1200	71	A. GUZMAN
	1500	72	C. MORA
	1800	72	C. MORA
	2100	72	C. MORA
	2400	71	C. MORA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D8 Temp. Reading Location: 2nd Tier B pod

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	70°	Mendoza R
	0600	70.3	A. Tolbert
	0900	70.3	A. Tolbert
	1200	70°	V. Mora
	1500	70°	V. Mora
	1800	70°	V. Mora
	2100	70°	V. Mora
	2400	70	A. FARIAS

Tuesday

Dat	Time	Temp.	Name (Print)
7/2/24	0300	69.7	A. FARIAS
	0600	70°	Marquez
	0900	70°	Marquez
	1200	70°	Marquez
	1500	70°	V. Mora
	1800	70°	V. Mora
	2100	70°	V. Mora
	2400	70°	A. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	70°	A. Garcia
	0600	70.0°	R. Borrego
	0900	70.2°	R. Borrego
	1200	70.3°	R. Borrego
	1500	70.9	R. Lizardi
	1800	70.9	R. Lizardi
	2100	70.9	R. Lizardi
	2400	70.9	NGUYEN

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	70.3	N NGUYEN
	0600	72.0°	R. Borrego
	0900	70.7°	R. Borrego
	1200	71.4°	R. Borrego
	1500	72.1	R. Lizardi
	1800	71.4	R. Lizardi
	2100	71.6	R. Lizardi
	2400	71.1	T. Santos

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	69	T. Santos
	0600	70.7°	R. Borrego
	0900	70.9°	R. Borrego
	1200	71.6°	R. Borrego
	1500	71.8°	R. Borrego
	1800	72.0°	R. Borrego
	2100	72.0°	R. Borrego
	2400	70°	Sanudo

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	70°	Sanudo
	0600	70°	V. Mora
	0900	71	V. Mora
	1200	71	V. Mora
	1500	72°	V. Mora
	1800	72	V. Mora
	2100	72°	V. Mora
	2400	72	A. FARIAS

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	71°	A. FARIAS
	0600	72°	V. Mora
	0900	72°	V. Mora
	1200	72°	V. Mora
	1500	72°	V. Mora
	1800	72°	V. Mora
	2100	72°	V. Mora
	2400	72°	V. Mora

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D4 Temp. Reading Location: 2nd tier "B" Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5342 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01/24	0300	70.9°	GARIBAY
	0600	70.7°	GARIBAY
	0900	70.7	Fernandez
	1200	71.9	Fernandez
	1500	68.2	I Perez
	1800	64.1	I Perez
	2100	64	I Perez
	2400	71.1°	GARIBAY

Tuesday

Dat	Time	Temp.	Name (Print)
07/02/24	0300	71.1°	GARIBAY
	0600	70.7°	GARIBAY
	0900	70.8°	HERNANDEZ
	1200	71.6°	HERNANDEZ
	1500	71.6	Velazquez
	1800	71.6	Velazquez
	2100	71.6	Velazquez
	2400	71.6°	GARIBAY

Wednesday

Date	Time	Temp.	Name (Print)
07/03/24	0300	71.6°	GARIBAY
	0600	71.6°	GARIBAY
	0900	71.6°	JKERSON
	1200	72.1°	JKERSON
	1500	73	A. VELAZQUEZ
	1800	72	A. VELAZQUEZ
	2100	71	A. VELAZQUEZ
	2400	70.8	J. Guzman

Thursday

Date	Time	Temp.	Name (Print)
07/04/24	0300	72.8	J. Guzman
	0600	72.1	J. Guzman
	0900	72.5°	JKERSON
	1200	72.7°	JKERSON
	1500	75	VAZQUEZ
	1800	74	VAZQUEZ
	2100	74	Vazquez
	2400	70	MATIAS

Friday

Date	Time	Temp.	Name (Print)
07/05/24	0300	71	MATIAS
	0600	72	MATIAS
	0900	72.5°	JKERSON
	1200	73.20	JKERSON
	1500	73.20	A. Hernandez
	1800	73.20	A. Hernandez
	2100	71.0°	A. Hernandez
	2400	73.6°	GARIBAY

Saturday

Date	Time	Temp.	Name (Print)
07/06/24	0300	73.0°	GARIBAY
	0600	73.0°	GARIBAY
	0900	73.0°	JKERSON
	1200	73.8°	JKERSON
	1500	73.8	A. Martinez
	1800	73.6	A. Martinez
	2100	73.6	A. Martinez
	2400	73.6°	GARIBAY

Sunday

Date	Time	Temp.	Name (Print)
07/07/24	0300	73.2°	GARIBAY
	0600	73.2°	GARIBAY
	0900	73.6	J. Martinez
	1200	73.6	J. Martinez
	1500	73.6	L. Hernandez
	1800	73.6	L. Hernandez
	2100	73.8	L. Hernandez
	2400	73.2°	GARIBAY

Notes

*7/3/24 2/W STAGE 1 HEAT 1133
7/4/24 2/W STAGE 1 HEAT 1023
7/5/24 2/W STAGE 1 HEAT ALERT 0027 HRS
7/6/24 2/W STAGE 1 HEAT ALERT 1059 HRS

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D2 Temp. Reading Location: 2nd Tier B-POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	69	Garcia
	0600	69	A. FERNANDEZ
	0900	69	A FERNANDEZ
	1200	70	A FERNANDEZ
	1500	69	REYES
	1800	69	REYES
	2100	69	REYES
	2400	69	Zhou

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300	69	Zhou
	0600	69	A FERNANDEZ
	0900	70	A. FERNANDEZ
	1200	71	A. FERNANDEZ
	1500	70	J. Lopez
	1800	69	J. Lopez
	2100	69	J. Lopez
	2400	69	A. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	71	Garcia A
	0600	71	Garcia A
	0900	71	Fernandez
	1200	70	Fernandez
	1500	70	J. Lopez
	1800	69	J. Lopez
	2100	69	J. Lopez
	2400	70	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	71	Garcia A
	0600	71	Garcia A
	0900	71	A FERNANDEZ
	1200	72	A FERNANDEZ
	1500	72	J. Lopez
	1800	71	J. Lopez
	2100	69	J. Lopez
	2400	70	A. Gutierrez

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	72	A. Gutierrez
	0600	71	A FERNANDEZ
	0900	70	A. FERNANDEZ
	1200	70	A FERNANDEZ
	1500	71	A VELARDE
	1800	70	A VELARDE
	2100	70	A. VELARDE
	2400	70	Garcia A

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	70°	Green
	0600	70°	Huerta
	0900	72	Huerta
	1200	72°	Huerta
	1500	70°	Huerta
	1800	72°	Huerta
	2100	71°	Huerta
	2400	70°	Green

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	68	M. Cruz
	0600	69	U. Montes
	0900	69	U. Montes
	1200	71°	Dimate
	1500	71	J. Lopez
	1800	70	J. Lopez
	2100	69	J. Lopez
	2400	69	Garcia

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D3 CTNL Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	70	E FERNANDEZ
	0600	70	C Rodriguez
	0900	70	C Rodriguez
	1200	71	C Rodriguez
	1500	71	J. Rodriguez
	1800	71	J. Rodriguez
	2100	71	J. Rodriguez
	2400	70°	VALLEJO

Tuesday

Dat	Time	Temp.	Name (Print)
7/23	0300	70°	VALLEJO
	0600	70°	VALLEJO
	0900	70	C Rodriguez
	1200	70	C. Rodriguez
	1500	72	O. Camacho
	1800	72	O. Camacho
	2100	71	O. Camacho
	2400	70	R Canseco

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	70	R. Canseco
	0600	65	C. Rodriguez
	0900	67	C. Rodriguez
	1200	70	C. Rodriguez
	1500	71	O. Camacho
	1800	71	O. Camacho
	2100	71	O. Camacho
	2400	71	E FERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	71	Martin
	0600	71	Martinez
	0900	71	Martin
	1200	71	Martinez
	1500	72	L Hernandez
	1800	72	L Hernandez
	2100	72	L Hernandez
	2400	71	E FERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	72	E FERNANDEZ
	0600	70	E FERNANDEZ
	0900	70	Zamora
	1200	70	Zamora
	1500	75	V. Lopez
	1800	73	V. Lopez
	2100	62	V. Lopez
	2400	71	E FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	71	E FERNANDEZ
	0600	71	R Zamora
	0900	71	R Zamora
	1200	70	R Zamora
	1500	70	GARCIA G
	1800	71	GARCIA G
	2100	71	GARCIA G
	2400	71	E FERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	71	E FERNANDEZ
	0600	71	C. Rodriguez
	0900	72	C. Rodriguez
	1200	72	C. Rodriguez
	1500	71	G. Garcia
	1800	71	G. Garcia
	2100	71	G. Garcia
	2400	71	E Fernandez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

225
bed medi 118

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D4 Temp. Reading Location: 2nd Tier "B" POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/22/24	0300	72.0°	GARIBAY
	0600	71.8	GARIBAY
	0900	73	GARIBAY
	1200	72	GARIBAY
	1500	71	SMILEY
	1800	71	SMILEY
	2100	72.°	SMILEY
	2400	72.1	Garibay

Tuesday

Dat	Time	Temp.	Name (Print)
07/23/24	0300	72.0°	Garibay
	0600	72.0°	Garibay
	0900	72.3°	JKerson
	1200	72.9°	JKerson
	1500	73	SMILEY
	1800	73	SMILEY
	2100	73	SMILEY
	2400	73.0°	GARIBAY

Wednesday

Date	Time	Temp.	Name (Print)
07/24/24	0300	72.5°	GARIBAY
	0600	72.5°	GARIBAY
	0900	73°	JKerson
	1200	73.8°	JKerson
	1500	73	SMILEY
	1800	73	SMILEY
	2100	73	SMILEY
	2400	73	R Canasco

Thursday

Date	Time	Temp.	Name (Print)
07/25/24	0300	73	R Canasco
	0600	73.6	JK
	0900	73.8°	JK
	1200	73.9°	JK
	1500	73	SMILEY
	1800	73	SMILEY
	2100	73	SMILEY
	2400	73	R. Canasco.

Friday

Date	Time	Temp.	Name (Print)
07/26/24	0300	73	R Canasco
	0600	73.8°	JKerson
	0900	73.8°	JKerson
	1200	74.1°	JKerson
	1500	74	SMILEY
	1800	73	SMILEY
	2100	73	SMILEY
	2400	73.8	GARIBAY

Saturday

Date	Time	Temp.	Name (Print)
07/27/24	0300	72.7°	GARIBAY
	0600	72.5°	GARIBAY
	0900	73°	J Kerson
	1200	73	J Kerson
	1500	73	J. Rodriguez
	1800	72	J. Rodriguez
	2100	72.5	J. Rodriguez
	2400	72.3°	GARIBAY

Sunday

Date	Time	Temp.	Name (Print)
07/28/24	0300	72.0°	GARIBAY
	0600	72.0°	GARIBAY
	0900	72.3	R. Zamora
	1200	72.3	R. Zamora
	1500	73	J. Rodriguez
	1800	72.3	J. Rodriguez
	2100	72	J. Rodriguez
	2400	72°	GARIBAY

Notes

2/w 7/23/Stage 1 Heat Alert
2/w 7/24 Stage 1 Heat Alert 1109
2/w 7/25 Stage 1 Heat Alert 1200

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D5 Temp. Reading Location: B POD 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-22	0300	71	VASQUEZ
	0600	71	CASTILLON
	0900	71	CASTILLON
	1200	71	CASTILLON
	1500	71	E. COY
	1800	71	E. COY
	2100	71	E. COY
	2400	71	VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
7-23	0300	71	VASQUEZ
	0600	71	CASTILLON
	0900	71	CASTILLON
	1200	71	CASTILLON
	1500	71	CASTILLON
	1800	71	CASTILLON
	2100	71	CASTILLON
	2400	71	VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
7-24	0300	70	VASQUEZ
	0600	70	R. ZAMORA
	0900	71	R. ZAMORA
	1200	71	R. ZAMORA
	1500	71	SANUDO
	1800	71	SANUDO
	2100	71	SANUDO
	2400	70	VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
7-25	0300	70	VASQUEZ
	0600	71	R. ZAMORA
	0900	71	R. ZAMORA
	1200	71	R. ZAMORA
	1500	71	J. RODRIGUEZ
	1800	71	J. RODRIGUEZ
	2100	71	J. RODRIGUEZ
	2400	70	VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
7-26	0300	70	VASQUEZ
	0600	71	CASTILLON
	0900	71	CASTILLON
	1200	71	CASTILLON
	1500	71	J. RODRIGUEZ
	1800	71	J. RODRIGUEZ
	2100	71	J. RODRIGUEZ
	2400	70	S. PALOMARES

Saturday

Date	Time	Temp.	Name (Print)
7-27	0300	70	S. PALOMARES
	0600	71	T. CASTILLON
	0900	71	T. CASTILLON
	1200	71	T. CASTILLON
	1500	71	M. MENDEZ
	1800	71	M. MENDEZ
	2100	71	M. MENDEZ
	2400	70	R. CARASCO

Sunday

Date	Time	Temp.	Name (Print)
7-28	0300	70	R. CARASCO
	0600	71	T. CASTILLON
	0900	71	T. CASTILLON
	1200	71	T. CASTILLON
	1500	71	E. COY
	1800	71	E. COY
	2100	71	E. COY
	2400	71	VASQUEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D6 Temp. Reading Location: 2nd Tier B PoD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	72	AVINA
	0600	72°	D. Brambila
	0900	72°	D. Brambila
	1200	73°	D. Brambila
	1500	73°	D. Brambila
	1800	73	Martinez
	2100	73	Martinez
	2400	70	AVINA

Tuesday

Dat	Time	Temp.	Name (Print)
7/23	0300	70	AVINA
	0600	72	Barbosa
	0900	73	Barbosa
	1200	73	Barbosa
	1500	73	Martinez
	1800	73	Martinez
	2100	73	Martinez
	2400	70	AVINA

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	73	AVINA
	0600	72.5	C MUNOZ
	0900	73.0	C. MUNOZ
	1200	73.2	C. MUNOZ
	1500	73	Martinez
	1800	73	Martinez
	2100	73	Martinez
	2400	73	AVINA

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	73	AVINA
	0600	73	Torrez
	0900	73	Torrez
	1200	73	Torrez
	1500	73	Martinez
	1800	73	Martinez
	2100	73	Martinez
	2400	73	AVINA

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	73	AVINA
	0600	73	Torrez
	0900	73	Torrez
	1200	73	Torrez
	1500	73	Martinez
	1800	73	Martinez
	2100	73	Martinez
	2400	73	K. EMPANTE

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	73°	K. EMPANTE
	0600	73°	K. EMPANTE
	0900	73	A MARTINEZ
	1200	73	A MARTINEZ
	1500	73	A MARTINEZ
	1800	73	A MARTINEZ
	2100	73	A MARTINEZ
	2400	73°	K. EMPANTE

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	73	K. EMPANTE
	0600	73	K. EMPANTE
	0900	73.2	C MUNOZ
	1200	73.4	C. MUNOZ
	1500	73.6	C. MUNOZ
	1800	73.9	C. MUNOZ
	2100	73.6	C. MUNOZ
	2400	73	AVINA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: Delta 8 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	71	Mendez
	0600	71	Mendez
	0900	71	Martinez
	1200	71	Martinez
	1500	71	~~[illegible]~~ Gardini
	1800	71	Gardini
	2100	71	Gardini
	2400	71	Mendez

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300	71	Mendez
	0600	71	Mendez
	0900	71	Ammari
	1200	71	Amari
	1500	71	~~[illegible]~~ Rico
	1800	71	Rico
	2100	71.6	~~[illegible]~~ Rico
	2400	~~[illegible]~~ 71	GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	71	Garcia
	0600	71.4°	R. BORREGO
	0900	71.2°	R. BORREGO
	1200	71.6°	R. BORREGO
	1500	71.6	J. Lutas
	1800	72.1	J. Lutas
	2100	72.1	J. Lutas
	2400	72	Garcia

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	72	Garcia
	0600	73.2°	R. BORREGO
	0900	72.3°	R. BORREGO
	1200	73.2°	R. BORREGO
	1500	74	D. VARGAS
	1800	71	Lopez
	2100	71	Lopez
	2400	71	Lopez

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	71	Hernandez
	0600	71	Hernandez
	0900	72.1	J. VILLANUEVA
	1200	74.0	J. VILLANUEVA
	1500	71	Hernandez
	1800	71	Hernandez
	2100	71	Hernandez
	2400	71	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	70	Lopez
	0600	70	J. VILLANUEVA
	0900	71.1	J. VILLANUEVA
	1200	71.8	J. VILLANUEVA
	1500	72	P. Miller
	1800	72	P. Miller
	2100	72	P. Miller
	2400	72	A. FARIAS

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	71.6	A. FARIAS
	0600	71.4°	R. BORREGO
	0900	71.4°	R. BORREGO
	1200	71.6°	R. BORREGO
	1500	72.0°	R. BORREGO
	1800	71.8°	R. BORREGO
	2100	71.9°	R. BORREGO
	2400	71	Mendez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

Monthly Summary Report

Institution: SVSP

Memorandum

Date: August 12, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Salinas Valley State Prison

The following is a summary of the heat related activity for the month of July 2024,

at SVSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

   Number of days Stage I Alert initiated: 9

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

   Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Carlos Arce
Warden Name

Warden Signature

Scott Langevin
Chief Executive Officer Name

(4)CEO
Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TC2 Temp. Reading Location: Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	69.4	Miller
	0600	72.1	Esparza
	0900	72.3	Esparza
	1200	73.6	Esparza
	1500	74.5	Avila
	1800	73.3	Avila
	2100	72.1	Avila
	2400	70.1	NAREZ

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	68.2	NAREZ
	0600	71.7	Esparza
	0900	72.3	Esparza
	1200	73.1	Esparza
	1500	75.2	Esparza
	1800	74.0	Esparza
	2100	70.9	Esparza
	2400	69.3	NAREZ

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	68	NAREZ
	0600	71.3	Esparza
	0900	71.8	Esparza
	1200	73.4	Esparza
	1500	74.1	Avila
	1800	73.2	Avila
	2100	72.5	Avila
	2400	66.2	NAREZ

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	67.9	NAREZ
	0600	72.0	Esparza
	0900	72.6	Esparza
	1200	74.1	Esparza
	1500	75.6	Esparza
	1800	75.1	Esparza
	2100	73.4	Esparza
	2400	70.0	Praytor

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	69.9	Praytor
	0600	70.8	Esparza
	0900	71.3	Esparza
	1200	73.2	Esparza
	1500	74.0	Esparza
	1800	73.5	Esparza
	2100	70.9	Esparza
	2400	69.6	PEZL

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	69.2	PEZL
	0600	71.4	Esparza
	0900	74.3	Esparza
	1200	76.6	Esparza
	1500	76.5	Davalos
	1800	74.3	Davalos
	2100	71.1	Davalos
	2400	69.3	NAREZ

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	68.7	NAREZ
	0600	69.9	DHANOTA
	0900	71.3	DHANOTA
	1200	73.1	DHANOTA
	1500	73.6	DHANOTA
	1800	72.4	DHANOTA
	2100	71.2	DHANOTA
	2400	69.3	Ramirez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TC2 Temp. Reading Location: Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	69.0	Ramirez
	0600	70.0	Esparza
	0900	72.4	Esparza
	1200	73.7	Esparza
	1500	75.1	Esparza
	1800	74.8	Esparza
	2100	71.2	Esparza
	2400	68.8	NAREZ

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	68.3	NAREZ
	0600	71.3	Esparza
	0900	72.8	Esparza
	1200	74.0	Esparza
	1500	75.2	Esparza
	1800	73.9	Esparza
	2100	70.7	Esparza
	2400	69.1	NAREZ

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	69	NAREZ
	0600	71.1	Esparza
	0900	72.0	Esparza
	1200	73.6	Esparza
	1500	74.5	Goodell
	1800	74.1	Goodell
	2100	72.2	Goodell
	2400	69.7	Domínguez

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	68.9	Domínguez
	0600	70.5	Esparza
	0900	73.2	Esparza
	1200	75.7	Esparza
	1500	76.1	Esparza
	1800	74.3	Esparza
	2100	71.9	Esparza
	2400	70.1	Praytor

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	69.7	Praytor
	0600	71.2	Esparza
	0900	71.9	Esparza
	1200	73.1	Esparza
	1500	74.2	Esparza
	1800	73.7	Esparza
	2100	72.8	Esparza
	2400	70.0	Ferreyra

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	69.9	Ferreyra
	0600	70.3	Esparza
	0900	72.4	Esparza
	1200	74.1	Esparza
	1500	75.2	DHANOTA
	1800	74.3	DHANOTA
	2100	72.9	DHANOTA
	2400	69.2	Marquez

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	68.8	Marquez
	0600	71.4	Avila
	0900	73.2	Avila
	1200	73.6	Avila
	1500	74.1	Avila
	1800	73.4	Avila
	2100	71.7	Avila
	2400	69.4	NAREZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TC2 Temp. Reading Location: Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	69.1	NAREZ
	0600	72.1	Esparza
	0900	74.0	Esparza
	1200	74.5	Esparza
	1500	74.7	Avila
	1800	73.2	Avila
	2100	71.4	Avila
	2400	69.4	NAREZ

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	68.6	NAREZ
	0600	70.8	Esparza
	0900	71.5	Esparza
	1200	73.2	Esparza
	1500	74.5	Coronado
	1800	73.7	Coronado
	2100	72.2	Coronado
	2400	68.3	NAREZ

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	67.5	NAREZ
	0600	71.1	Esparza
	0900	72.5	Esparza
	1200	73.2	Esparza
	1500	75.7	Goodell
	1800	74.6	Goodell
	2100	72.3	Goodell
	2400	69.5	NAREZ

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	68.6	NAREZ
	0600	70.8	Esparza
	0900	71.3	Esparza
	1200	73.2	Esparza
	1500	74.1	Goodell
	1800	73.5	Goodell
	2100	71.6	Goodell
	2400	70.0	Praytor

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	68.8	Praytor
	0600	70.6	Esparza
	0900	72.7	Esparza
	1200	73.5	Esparza
	1500	73.9	Martinez
	1800	72.9	Martinez
	2100	71.6	Martinez
	2400	69.6	Dominguez

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	68.4	Dominguez
	0600	70.5	Esparza
	0900	71.7	Esparza
	1200	73.2	Esparza
	1500	73.5	Goodell
	1800	72.0	Goodell
	2100	71.7	Goodell
	2400	68.3	NAREZ

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	67.7	NAREZ
	0600	70.1	Goodell
	0900	71.6	Goodell
	1200	72.5	Goodell
	1500	73.0	Goodell
	1800	72.7	Goodell
	2100	71.6	Goodell
	2400	67.4	NAREZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TC2 Temp. Reading Location: podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	67.1	NAREZ
	0600	71.3	Esparza
	0900	73.4	Esparza
	1200	75.1	Esparza
	1500	75.4	Belmontes
	1800	74.2	Belmontes
	2100	73.0	Belmontes
	2400	68.3	NAREZ

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	67.3	NAREZ
	0600	71.9	Esparza
	0900	73.3	Esparza
	1200	74.1	Esparza
	1500	74.5	DHANOTA
	1800	73.1	DHANOTA
	2100	71.6	DHANOTA
	2400	67.5	NAREZ

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	66.9	NAREZ
	0600	72.2	Esparza
	0900	73.4	Esparza
	1200	74.1	Esparza
	1500	74.6	Goodell
	1800	73.7	Goodell
	2100	72.5	Goodell
	2400	69.7	NAREZ

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	68	NAREZ
	0600	71.0	Esparza
	0900	73.1	Esparza
	1200	73.9	Esparza
	1500	75.0	Esparza
	1800	73.1	DHANOTA
	2100	71.4	DHANOTA
	2400	69.9	Nguyen

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	69.5	Nguyen
	0600	70.7	Esparza
	0900	72.2	Esparza
	1200	73.9	Esparza
	1500	74.2	Martinez
	1800	72.8	Martinez
	2100	71.4	Martinez
	2400	70.1	Ayala

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	69.5	Ayala
	0600	71.2	DHANOTA
	0900	72.1	DHANOTA
	1200	73.5	DHANOTA
	1500	73.9	DHANOTA
	1800	72.6	DHANOTA
	2100	71.8	DHANOTA
	2400	70.5	Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	69.5	Gonzalez
	0600	70.8	Avila
	0900	72.4	Avila
	1200	73.1	Avila
	1500	73.6	Avila
	1800	72.5	Avila
	2100	71.0	Avila
	2400	68.4	NAREZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TC2 Temp. Reading Location: Podium
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	67.7	NAREZ
	0600	69.7	Avila
	0900	70.4	Avila
	1200	72.3	Avila
	1500	73.6	Avila
	1800	72.5	Avila
	2100	71.0	Avila
	2400	69.5	NAREZ

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	68.3	NAREZ
	0600	71.9	Esparza
	0900	73.6	Esparza
	1200	75.2	Esparza
	1500	76.4	Avila
	1800	73.0	Avila
	2100	70.2	Avila
	2400	67.8	NAREZ

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	66.5	NAREZ
	0600	72.3	Esparza
	0900	74.7	Esparza
	1200	76.5	Esparza
	1500	76.5	Avila
	1800	74.3	Avila
	2100	72.2	Avila
	2400	67.3	NAREZ

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SWP Housing Unit: TC1 Temp. Reading Location: C/O Desk (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	70	Z. Desi
	0600	70	Z. Desi
	0900	71	J. Garcia
	1200	71	J. Garcia
	1500	71.4	R. Zamarripa
	1800	71.4	R. Zamarripa
	2100	71	J. Garcia
	2400	71	Z. Desi

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	70	Z. Desi
	0600	70	J. Garcia
	0900	72	J. Garcia
	1200	74	J. Garcia
	1500	74	C. Villa
	1800	73	C. Villa
	2100	72	C. Villa
	2400	71.	C. Villa

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	70.	Z. Desi
	0600	69.4	J. Garcia
	0900	70	J. Garcia
	1200	72	J. Garcia
	1500	72	L. Reyes
	1800	71.5.	L. Reyes
	2100	71	L. Reyes
	2400	70	L. Reyes

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	71	D. Hosler
	0600	70	L. Reyes
	0900	71	Garcia
	1200	73	Garcia
	1500	[illegible]	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	71	D. Hosler

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	71	D. Hosler
	0600	72.0	[illegible]
	0900	72.0	[illegible]
	1200	72	[illegible]
	1500	74	[illegible]
	1800	72	[illegible]
	2100	[illegible]	[illegible]
	2400	71	D. Hosler

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	71	D. Hosler
	0600	71.2	Espam
	0900	71.5	Espam
	1200	72.5	Espam
	1500	72	L. Reyes
	1800	71	L. Reyes
	2100	71.5	L. Reyes
	2400	71	D. Hosler

Sunday

Date	Time	Temp.	Name (Print)
~~6/30~~ 7/7	0300	70	Z. Desi
	0600	70	Z. Desi
	0900	72	[illegible]
	1200	72	[illegible]
	1500	72	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	71	Z. Desi

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TC1 Temp. Reading Location: D/D Desk (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	71	2.Pel
	0600	71	2.Pel
	0900	71	[illegible]
	1200	71	[illegible]
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72	2.Pel

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	71	D. Hooks
	0600	71	J. Hamlin
	0900	72	J. Hamlin
	1200	72	J. Hamlin
	1500	72.5	C. Villa
	1800	72	C. Villa
	2100	71	C. Villa
	2400	71	D. Hooks

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	71	D. Hooks
	0600	70	J. Hamlin
	0900	71	J. Hamlin
	1200	72	J. Hamlin
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72.5	[illegible]
	2400	71	D. Hooks

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	71	D. Hooks
	0600	71	J. Hamlin
	0900	72	J. Garcia
	1200	72.5	J. Garcia
	1500	72.5	J. Garcia
	1800	71	J. Garcia
	2100	71	J. Garcia
	2400	71	D. Hooks

Friday

Date	Time	Temp.	Name (Print)
7/12	0300		
	0600	70.0	A. Ceron
	0900	72.1	A. Ceron
	1200	72	[illegible]
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72.0	G. Ferreira

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	71	G. Ferreira
	0600	71.6	A. Ceron
	0900	71.8	A. Ceron
	1200	72.5	A. Ceron
	1500	72	I. Reyes
	1800	72	M. On
	2100	72	M. On
	2400	72	M. On

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	72	M. On
	0600	72	M. On
	0900	72	I. Reyes
	1200	72	I. Reyes
	1500	72	I. Reyes
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TC1 Temp. Reading Location: Podium (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	70	Z. Rel
	0600	70	Z. Rel
	0900	72	I Gu
	1200	72	[illegible]
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	71	Z. Rel

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	71	Hooks
	0600	71	J. Garcia
	0900	72	J. Garcia
	1200	72	J. Garcia
	1500	72	J. Garcia
	1800	71	J. Garcia
	2100	71	J. Garcia
	2400	71	Hooks

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	71	D. Hooks
	0600	71	J. Garcia
	0900	71	P. Sims
	1200	71	P. Sims
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	71	D. Hooks

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	71	D. Hooks
	0600	71	J. Garcia
	0900	71	A. Delio
	1200	71.5	A. Delio
	1500	72	M. ON
	1800	72	M. ON
	2100	72	M. ON
	2400	71	D. Hooks

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	71	D. Hooks
	0600	71.5	A. Delio
	0900	71.5	A. Delio
	1200	72.0	A. Delio
	1500	72.7	A. Delio
	1800	72	M. ON
	2100	72	M. ON
	2400	71	D. Hooks

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	72	D. Hooks
	0600	71	[illegible]
	0900	72	[illegible]
	1200	72	[illegible]
	1500	72	M. ON
	1800	72	M. ON
	2100	72	M. ON
	2400	72	D. Hooks

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	71	L. Rel
	0600	71	Z. Rel
	0900	72.5	P. Spencer
	1200	72.5	P. Spencer
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72	Z. Rel

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 2D61147C-9AEE-439B-982B-B0DFD9D61B5D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TC 1 Temp. Reading Location: O/b Desk
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	72	Z. Pool
	0600	71	Garcia
	0900	71	Garcia
	1200	72	Garcia
	1500	72	M. ON
	1800	72	M. ON
	2100	72	M. ON
	2400	71	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	71	D. Hooks
	0600	71	[illegible]
	0900	71	[illegible]
	1200	72	[illegible]
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	71	D. Hooks

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	72	D. Hooks
	0600	71	J. Garcia
	0900	72	J. Garcia
	1200	72	J. Garcia
	1500	72	J. [illegible]
	1800	72	C. Villa
	2100	72	C. Villa
	2400	72	D. Hooks

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	72	D. Hooks
	0600	72	J. Garcia
	0900	72.1	A. Della
	1200	72.9	A. Della
	1500	73.1	A. Della
	1800	73.2	A. Della
	2100	73.2	A. Della
	2400	72	D. Hooks

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	72	D. Hooks
	0600	72	A. Della
	0900	72	De Lira
	1200	72	De Lira
	1500	71	De Lira
	1800	72	De Lira
	2100	71	[illegible]
	2400	72	D. Hooks

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	70	Manzur
	0600	71.1	[illegible]
	0900	71	I. Reyes
	1200	72	[illegible]
	1500	72.5	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	72	Hernandez
	0600	72	Hernandez
	0900	72	~~Hernandez~~ [illegible]
	1200	72	[illegible]
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	71	Flores

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 2D61147C-9AEE-439B-982B-B0DFD9D61B5D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: TCI Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	71	J. LOPEZ
	0600	71	J. Garcia
	0900	72	I. Reyes
	1200	72	J. Garcia
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	72	D. Hooks
	0600	71	J. Garcia
	0900	72	J. Garcia
	1200	72	J. Garcia
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72	D. Hooks

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	72	D. Hooks
	0600	72	J. Garcia
	0900	72	A. Della
	1200	72.7	A. Della
	1500	73	A. Della
	1800	72.5	A. Della
	2100	72.5	A. Della
	2400	72	D. Hooks

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	72	D. Hooks
	0600	71	J. Garcia
	0900	71	A. Della
	1200	72.9	A. Della
	1500	73	A. Della
	1800	72.1	A. Della
	2100	72.1	A. Della
	2400	72	D. Hooks

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	72	D. Hooks
	0600	71	J. Garcia
	0900	72	J. Garcia
	1200	72	J. Garcia
	1500	72	I. Reyes
	1800	71	I. Reyes
	2100	71	I. Reyes
	2400	72	D. Hooks

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	72	D. Hooks
	0600	72	[illegible]
	0900	73	[illegible]
	1200	74	[illegible]
	1500	68	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	72	D. Hooks

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	72.0	F. Ray
	0600	72.0	I. Reyes
	0900	72.4	J. Garcia
	1200	72.9	J. Garcia
	1500	72	I. Reyes
	1800	72	I. Reyes
	2100	72	I. Reyes
	2400	72	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	70°F	E. Barbosa
	0600	68°F	E. Barbosa
	0900	69°	Marquez
	1200	69	Marquez
	1500	67	Bowans
	1800	67	Bowans
	2100	67	Bowans
	2400	69°F	E. Barbosa

Tuesday

Dat	Time	Temp.	Name (Print)
7/2/24	0300	68	E. Barbosa
	0600	67	E. Barbosa
	0900	69°	D.C. Tom
	1200	69°	D.C. Tom
	1500	67	Bowans
	1800	67	Bowans
	2100	67	Bowans
	2400	67	E. Barbosa

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	68	E. Barbosa
	0600	68	E. Barbosa
	0900	69°	D.C. Tom
	1200	69°	D.C. Tom
	1500	67	Bowans
	1800	67	Bowans
	2100	67	Bowans
	2400	69	E. Barbosa

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	63°F	E. Barbosa
	0600	64°F	E. Barbosa
	0900	69	Marquez
	1200	69	Marquez
	1500	68	Bowans
	1800	67	Bowans
	2100	67	Bowans
	2400	69°	Muniz

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	69°	Muniz
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	69	C. Moore
	1800	69	C. Moore
	2100	69	C. Moore
	2400	69	Muniz

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	60	Muniz
	0600	69°	Barrera
	0900	69	Marquez
	1200	69	Marquez
	1500	69	C. Moore
	1800	69	C. Moore
	2100	69	C. Moore
	2400	67	E. Barbosa

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	66°F	E. Barbosa
	0600	69°	J. Rouse
	0900	66°	J. Rouse
	1200	67°	J. Rouse
	1500	67°	J. Rouse
	1800	67°	Venum
	2100	67°	Venum
	2400	67	[illegible]

Notes

6/4/24 - 1020 stage 1 Heat
6/5/24 - Stage 1 heat
6/6/24 - Stage 1 heat

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	67	Barbosa
	0600	68	Barbosa
	0900	69	Marquez
	1200	69	Marquez
	1500	67	Bowans
	1800	67	Bowans
	2100	67	Bowans
	2400	68	Barbosa

Tuesday

Dat	Time	Temp.	Name (Print)
7/9/24	0300	67	Barbosa
	0600	66	Barbosa
	0900	69	D.C. Tan
	1200	69	D.C. Tan
	1500	69	D.C. Tan
	1800	67	Bowans
	2100	67	Bowans
	2400	67	Barbosa

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	67	Barbosa
	0600	67	Barbosa
	0900	68°	D.C. Tan
	1200	68°	D.C. Tan
	1500	66°	D.C. Tan
	1800	66°	D.C. Tan
	2100	66°	D.C. Tan
	2400	68	Barbosa

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	68	Barbosa
	0600	67	Barbosa
	0900	69	Marquez
	1200	69	Marquez
	1500	69°	Velanos
	1800	69°	Velanos
	2100	69°	Velanos
	2400		Muniz

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	68	Muniz
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	69	C. Moore
	1800	69	C. Moore
	2100	69	C. Moore
	2400	69	Muniz

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	69	Muniz
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	69	C. Moore
	1800	69	C. Moore
	2100	69	C. Moore
	2400	69	Barbosa

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	69	Barbosa
	0600	69	Barbosa
	0900	69	Tan
	1200	69	Tan
	1500	69	Tan
	1800	69	Tan
	2100	69	Ventura
	2400	69	Barbosa

Notes

7/11/24 - Stage 1 heat

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	68	Barbosa
	0600	68	Barbosa
	0900	69	Manquer
	1200	69	Manquer
	1500	68	Bowm
	1800	68	Bowm
	2100	68	Bowm
	2400	69	BARNES

Tuesday

Dat	Time	Temp.	Name (Print)
7/16/24	0300	67	BARNES
	0600	69°	D.C. Tan
	0900	69°	D.C. Tan
	1200	69°	D.C. Tan
	1500	68	Bowm
	1800	68°	Bowm
	2100	68°	Bowm
	2400	68	Barbosa

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	67	Barbosa
	0600	67	Barbosa
	0900	69	D.C. Tan
	1200	69	D.C. Tan
	1500	68	Bowm
	1800	68	Bowm
	2100	68	Bowm
	2400	68	Barbosa

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	68	Barbosa
	0600	67	Barbosa
	0900	69	Manquer
	1200	69	Manquer
	1500	69	Venturi
	1800	69	Venturi
	2100	69	Venturi
	2400	69	Munoz

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	68	Munoz
	0600	69	Manquer
	0900	69	Manquer
	1200	69	Manquer
	1500	69	C. Moore
	1800	69	C. Moore
	2100	69	C. Moore
	2400	69	Munoz

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	68	Munoz
	0600	69	Ward
	0900	69	Ward
	1200	68	Ward
	1500	69	C. Moore
	1800	69	C. Moore
	2100	69	C. Moore
	2400	68	Barbosa

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	68	Barbosa
	0600	68	Barbosa
	0900	69	Tan
	1200	69	Tan
	1500	69	Venturi
	1800	69	Venturi
	2100	68	Barbosa
	2400	68	Barbosa

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	68	Barbosa
	0600	67	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	69	Hunt
	1800	68	Hunt
	2100	68	Hunt
	2400	68	Barbosa

Tuesday

Dat	Time	Temp.	Name (Print)
7/23/24	0300	68	Barbosa
	0600	68	Barbosa
	0900	69	D.C. Tom
	1200	68°	D.C. Tom
	1500	68.	Ron
	1800	68.	Ron
	2100	68.	Ron
	2400	68	Barbosa

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	67	Barbosa
	0600	69°	D.C. Tom
	0900	67°	D.C. Tom
	1200	67°	D.C. Tom
	1500	67	Ron
	1800	67	Ron
	2100	67	Ron
	2400	64	Barbosa

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	65	Barbosa
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	67	Ron
	1800	67	Ron
	2100	67	Ron
	2400	67	Munz

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	67	Munz
	0600	67	E Fernandez
	0900	69	Fernandez
	1200	69	Fernandez
	1500	67	C.Moore
	1800	67	C.Moore
	2100	67	C.Moore
	2400	68	Munz

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	68	Munz
	0600	68	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	69	C.Moore
	1800	69	C.Moore
	2100	69	C.Moore
	2400	68	Barnes

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	68	Barnes
	0600	69	Tom
	0900	69	Tom
	1200	69	Tom
	1500	69	Tom
	1800	68	Tom
	2100	68	Tom
	2400	69	Barbosa

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29 Temp. Reading Location: Center Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	69	Barbosa
	0600	69	Marquez
	0900	69	Marquez
	1200	69	Marquez
	1500	67	Bulanos
	1800	67	Bulanos
	2100	67	Bulanos
	2400	67	Barbosa

Tuesday

Dat	Time	Temp.	Name (Print)
7/30/24	0300	68	Barbosa
	0600	69	D.C. Eson
	0900	69	D.C. Eson
	1200	68	D.C. Eson
	1500	68	Bowan
	1800	68	Bowan
	2100	68	Bowan
	2400	68	Barbosa

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	68	Barbosa
	0600	69	D.C. Eson
	0900	69	D.C. Eson
	1200	69	D.C. Eson
	1500	67	Bowanos
	1800	67	Bowanos
	2100	67	Bowanos
	2400	67	Baker

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator