

HEAT PLAN - MONTHLY SUMMARY REPORT

CDCR MH-7711-1 (02/17)

Monthly Summary Report

Institution: RJD

Memorandum

Date: July 11, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - June 2024

The following is a summary of the heat related activity for the month of June 2024, at RJD (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes _____

Number of days Stage I Alert initiated: 1 _____

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No _____

Number of days Stage II Alert initiated: 0 _____

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____

Number of days Stage III Alert initiated: 0 _____

4. Weekly list of heat risk patients archived? Yes _____

5. Number of patients with heat related illness. 0 _____ List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

JAMES S. HILL

Warden Name

DocuSigned by:



BD287E67075A4A0

Warden Signature

CHRISTOPHER PODRATZ

Chief Executive Officer Name

DocuSigned by:



CE01E16BDC1A403...

Chief Executive Officer Signature

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Richard J. Donovan (RJD)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-1 2024	0100	58	TOVAR
	0200	57	TOVAR
	0300	57	TOVAR
	0400	56	TOVAR
	0500	56	TOVAR
	0600	56	TOVAR
	0700	58	SMITH
	0800	63	SMITH
	0900	64	SMITH
	1000	67	SMITH
	1100	70	SMITH
	1200	71	SMITH
	1300	70	SMITH
	1400	72	SMITH
	1500	73	LIBED
	1600	72	LIBED
	1700	70	LIBED
	1800	67	LIBED
	1900	62	LIBED
	2000	60	LIBED
	2100	60	LIBED
	2200	60	LIBED
	2300	59	TOVAR
	2400	59	TOVAR

Date	Time	Temp.	Printed Name
6-2 2024	0100	59	TOVAR
	0200	58	TOVAR
	0300	58	TOVAR
	0400	57	TOVAR
	0500	57	TOVAR
	0600	56	TOVAR
	0700	58	CYANO
	0800	58	CYANO
	0900	59	CYANO
	1000	63	CYANO
	1100	68	CYANO
	1200	67	CYANO
	1300	69	CYANO
	1400	73	CYANO
	1500	73	LIBED
	1600	74	LIBED
	1700	71	LIBED
	1800	67	LIBED
	1900	62	LIBED
	2000	60	LIBED
	2100	60	LIBED
	2200	59	LIBED
	2300	59	TOVAR
	2400	59	TOVAR

OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)
INSTITUTION: Richard J. Donovan (RJD)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-3 2024	0100	59	TOVAL
	0200	59	TOVAL
	0300	58	TOVAL
	0400	57	TOVAL
	0500	57	TOVAL
	0600	58	TOVAL
	0700	62	C BAND
	0800	65	C BAND
	0900	69	C BAND
	1000	72	C BAND
	1100	73	C BAND
	1200	72	C BAND
	1300	74	C BAND
	1400	73	
	1500	73	LIBED
	1600	72	LIBED
	1700	72	LIBED
	1800	70	LIBED
	1900	65	LIBED
	2000	61	LIBED
	2100	60	LIBED
	2200	59	LIBED
	2300	59	TOVAL
	2400	59	TOVAL

Date	Time	Temp.	Printed Name
6-4 2024	0100	58	TOVAL
	0200	58	TOVAL
	0300	57	TOVAL
	0400	58	TOVAL
	0500	58	TOVAL
	0600	59	TOVAL
	0700	59	C BAND
	0800	62	C BAND
	0900	64	C BAND
	1000	71	C BAND
	1100	72	C BAND
	1200	70	C BAND
	1300	77	C BAND
	1400		
	1500	80	LIBED
	1600	74	LIBED
	1700	72	LIBED
	1800	69	LIBED
	1900	66	LIBED
	2000	62	LIBED
	2100	60	LIBED
	2200	60	LIBED
	2300	59	TOVAL
	2400	59	TOVAL

INSTITUTION: Richard J. Donovan (RJD)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10 6-5 2024	0100	59	TOVAL
	0200	58	TOVAL
	0300	58	TOVAL
	0400	57	TOVAL
	0500	58	TOVAL
	0600	58	TOVAL
	0700	62	C BOND
	0800	67	C BOND
	0900	71	C BOND
	1000	71	C BOND
	1100	72	C BOND
	1200	75	C BOND
	1300	75	C BOND
	1400	75	C BOND
	1500	75	LIBED
	1600	75	LIBED
	1700	75	LIBED
	1800	71	LIBED
	1900	66	LIBED
	2000	61	LIBED
	2100	60	LIBED
	2200	60	LIBED
	2300	60	TOVAL
	2400	60	TOVAL

Date	Time	Temp.	Printed Name
6-6 2024	0100	59	TOVAL
	0200	59	TOVAL
	0300	59	TOVAL
	0400	59	TOVAL
	0500	60	TOVAL
	0600	59	TOVAL
	0700	60	C BOND
	0800	64	C BOND
	0900	66	C BOND
	1000	68	C BOND
	1100	70	C BOND
	1200	70	C BOND
	1300	74	C BOND
	1400	74	C BOND
	1500	76	LIBED
	1600	76	LIBED
	1700	72	LIBED
	1800	68	LIBED
	1900	63	LIBED
	2000	63	LIBED
	2100	61	LIBED
	2200	61	LIBED
	2300	60	TOVAL
	2400	60	TOVAL

OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)
INSTITUTION: Richard J. Donovan (RJD)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
19 6-7 2024	0100	60	TOVAR
	0200	59	TOVAR
	0300	59	TOVAR
	0400	58	TOVAR
	0500	58	TOVAR
	0600	58	TOVAR
	0700	59	TOVAR
	0800	59	TOVAR
	0900	61	TOVAR
	1000	63	TOVAR
	1100	65	TOVAR
	1200	68	TOVAR
	1300	70	TOVAR
	1400	74	TOVAR
	1500	74	LIBED
	1600	73	LIBED
	1700	73	LIBED
	1800	69	LIBED
	1900	65	LIBED
	2000	61	LIBED
	2100	60	LIBED
	2200	60	LIBED
	2300	60	TOVAR
	2400	60	TOVAR

Date	Time	Temp.	Printed Name
6-8 2024	0100	59	TOVAR
	0200	58	TOVAR
	0300	58	TOVAR
	0400	59	TOVAR
	0500	59	TOVAR
	0600	60	TOVAR
	0700	60	LIBED
	0800	61	LIBED
	0900	69	LIBED
	1000	71	LIBED
	1100	74	LIBED
	1200	74	LIBED
	1300	76	LIBED
	1400	76	LIBED
	1500	76	LIBED
	1600	73	LIBED
	1700	70	LIBED
	1800	67	LIBED
	1900	64	LIBED
	2000	62	LIBED
	2100	61	LICED
	2200	61	LIBED
	2300	60	TOVAR
	2400	60	TOVAR

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Richard J. Donovan (RJD)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-9-24	0100	60	TOVAR
	0200	59	TOVAR
	0300	59	TOVAR
	0400	59	TOVAR
	0500	58	TOVAR
	0600	58	TOVAR
	0700	58	TOVAR
	0800	62	TOVAR
	0900	66	TOVAR
	1000	68	TOVAR
	1100	72	TOVAR
	1200	75	TOVAR
	1300	74	TOVAR
	1400	74	TOVAR
	1500	73	LIBED
	1600	72	LIBED
	1700	72	LIBED
	1800	70	LIBED
	1900	66	LIBED
	2000	60	LIBED
	2100	59	LIBED
	2200	59	LIBED
	2300	59	TOVAR
	2400	59	TOVAR

Date	Time	Temp.	Printed Name
6-10-24	0100	58	TOVAR
	0200	58	TOVAR
	0300	57	TOVAR
	0400	58	TOVAR
	0500	58	TOVAR
	0600	59	TOVAR
	0700	59	C. BOND
	0800	60	C. BOND
	0900	60	C. BOND
	1000	64	C. BOND
	1100	73	C. BOND
	1200	75	C. BOND
	1300	79	C. BOND
	1400	75	C. BOND
	1500	75	LIBED
	1600	74	LIBED
	1700	72	LIBED
	1800	68	LIBED
	1900	65	LIBED
	2000	62	LIBED
	2100	62	LIBED
	2200	62	LIBED
	2300	62	S. MITT
	2400	62	S. MITT

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: RICHARD J. DONOVAN (RJD)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: RECORDED AT CENTRAL ENERGY PLANT

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-11-24	0100	62	SMITH
	0200	62	SMITH
	0300	62	SMITH
	0400	62	SMITH
	0500	62	SMITH
	0600	62	SMITH
	0700	63	C. BOND
	0800	64	C. BOND
	0900	65	C. BOND
	1000	64	C. BOND
	1100	67	C. BOND
	1200	66	C. BOND
	1300	65	C. BOND
	1400	64	C. BOND
	1500	64	LIBED
	1600	66	LIBED
	1700	66	LIBED
	1800	66	LIBED
	1900	64	LIBED
	2000	61	LIBED
	2100	61	LIBED
	2200	61	LIBED
	2300	61	SMITH
	2400	61	SMITH

Date	Time	Temp.	Printed Name
6-11-24	0100	61	SMITH
	0200	60	SMITH
	0300	60	SMITH
	0400	60	SMITH
	0500	59	SMITH
	0600	59	SMITH
	0700	59	C. BOND
	0800	61	C. BOND
	0900	67	C. BOND
	1000	72	C. BOND
	1100	76	C. BOND
	1200	76	C. BOND
	1300	79	C. BOND
	1400	79	C. BOND
	1500	80	LIBED
	1600	77	LIBED
	1700	75	LIBED
	1800	72	LIBED
	1900	67	LIBED
	2000	61	LIBED
	2100	61	LIBED
	2200	61	LIBED
	2300	60	LIBED
	2400	60	LIBED

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Richard J. Donovan (RJD)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-13-24	0100	60	LIBED
	0200	60	LIBED
	0300	60	LIBED
	0400	60	LIBED
	0500	59	LIBED
	0600	60	LIBED
	0700	61	LIBED
	0800	63	Peralta
	0900	66	Peralta
	1000	73	Peralta
	1100	74	Peralta
	1200	74	Peralta
	1300	76	Peralta
	1400	76	Peralta
	1500	74	SMITH
	1600	74	SMITH
	1700	72	SMITH
	1800	70	SMITH
	1900	69	SMITH
	2000	64	SMITH
	2100	63	SMITH
	2200	61	SMITH
	2300	60	TOVAL
	2400	59	TOVAL

Date	Time	Temp.	Printed Name
6-14-24	0100	60	TOVAL
	0200	59	TOVAL
	0300	59	TOVAL
	0400	58	TOVAL
	0500	58	TOVAL
	0600	59	TOVAL
	0700	62	TOVAL
	0800	65	TOVAL
	0900	70	TOVAL
	1000	76	TOVAL
	1100	80	TOVAL
	1200	80	TOVAL
	1300	85	TOVAL
	1400	76	TOVAL
	1500	74	SMITH
	1600	72	SMITH
	1700	70	SMITH
	1800	66	SMITH
	1900	66	SMITH
	2000	64	SMITH
	2100	62	SMITH
	2200	60	SMITH
	2300	59	TOVAL
	2400	59	TOVAL

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)
INSTITUTION: Richard J. Donovan (RJD)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant

Thermometer Location: _____

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-15-24	0100	59	TOVAR
	0200	58	TOVAR
	0300	57	TOVAR
	0400	57	TOVAR
	0500	57	TOVAR
	0600	58	TOVAR
	0700	62	SMITH
	0800	64	SMITH
	0900	68	SMITH
	1000	74	SMITH
	1100	78	SMITH
	1200	83	SMITH
	1300	80	SMITH
	1400	80	SMITH
	1500	82	LIBED
	1600	79	LIBED
	1700	79	LIBED
	1800	77	LIBED
	1900	74	LIBED
	2000	68	LIBED
	2100	65	LIBED
	2200	64	LIBED
	2300	61	SMITH
	2400	66	SMITH

Date	Time	Temp.	Printed Name
6-16-24	0100	60	SMITH
	0200	60	SMITH
	0300	57	SMITH
	0400	60	SMITH
	0500	60	SMITH
	0600	64	SMITH
	0700	66	SMITH
	0800	70	SMITH
	0900	74	SMITH
	1000	77	SMITH
	1100	80	SMITH
	1200	80	SMITH
	1300	79	SMITH
	1400	79	SMITH
	1500	79	LIBED
	1600	79	LIBED
	1700	76	LIBED
	1800	71	LIBED
	1900	65	LIBED
	2000	62	LIBED
	2100	60	LIBED
	2200	59	LIBED
	2300	58	TOVAR
	2400	58	TOVAR

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Richard J. Donovan (RJD)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-17-24	0100	58	TOVAL
	0200	58	TOVAL
	0300	58	TOVAL
	0400	57	TOVAL
	0500	58	TOVAL
	0600	59	TOVAL
	0700	60	C. BOND
	0800	65	C. BOND
	0900	70	C. BOND
	1000	78	C. BOND
	1100	74	C. BOND
	1200	71	C. BOND
	1300	78	C. BOND
	1400	80	C. BOND
	1500	77	LIBED
	1600	75	LIBED
	1700	73	LIBED
	1800	70	LIBED
	1900	67	LIBED
	2000	62	LIBED
	2100	60	LIBED
	2200	60	LIBED
	2300	60	SMITH
	2400	60	SMITH

Date	Time	Temp.	Printed Name
6-18-24	0100	59	SMITH
	0200	59	SMITH
	0300	59	SMITH
	0400	59	SMITH
	0500	59	SMITH
	0600	59	SMITH
	0700	62	SMITH
	0800	65	SMITH
	0900	68	SMITH
	1000	71	SMITH
	1100	75	SMITH
	1200	77	SMITH
	1300	77	LIBED
	1400	78	LIBED
	1500	76	LIBED
	1600	74	LIBED
	1700	73	LIBED
	1800	72	LIBED
	1900	65	LIBED
	2000	61	LIBED
	2100	60	LIBED
	2200	60	LIBED
	2300	60	SMITH
	2400	60	SMITH

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: R J D

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL ENERGY PLANT

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-19-14	0100	60	SMITH
	0200	60	SMITH
	0300	59	SMITH
	0400	59	SMITH
	0500	59	SMITH
	0600	59	SMITH
	0700	65	C BOND
	0800	70	C BOND
	0900	71	C BOND
	1000	73	C BOND
	1100	74	C BOND
	1200	77	Perables
	1300	77	Perables
	1400	76	Perables
	1500	76	LIBED
	1600	75	LIBED
	1700	72	LIBED
	1800	70	LIBED
	1900	67	LIBED
	2000	62	LIBED
	2100	61	LIBED
	2200	60	LIBED
	2300	59	TOVAL
	2400	59	TOVAL

Date	Time	Temp.	Printed Name
6-20-14	0100	59	TOVAL
	0200	59	TOVAL
	0300	58	TOVAL
	0400	57	TOVAL
	0500	57	TOVAL
	0600	58	TOVAL
	0700	58	Perables
	0800	62	Perables
	0900	70	Perables
	1000	76	Perables
	1100	76	Perables
	1200	76	Perables
	1300	77	Perables
	1400	79	Perables
	1500	77	SMITH
	1600	75	SMITH
	1700	73	SMITH
	1800	71	SMITH
	1900	68	SMITH
	2000	65	SMITH
	2100	63	SMITH
	2200	61	SMITH
	2300	60	TOVAL
	2400	66	TOVAL

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Richard J. Donovan (RJD)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant
Thermometer Location: _____

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-21-24	0100	60	TOVAR
	0200	59	TOVAR
	0300	59	TOVAR
	0400	58	TOVAR
	0500	58	TOVAR
	0600	59	TOVAR
	0700	60	TOVAR
	0800	64	TOVAR
	0900	68	TOVAR
	1000	75	TOVAR
	1100	76	SMITH
	1200	77	SMITH+
	1300	75	SMITH+
	1400	79	SMITH
	1500	77	SMITH
	1600	75	SMITH
	1700	72	SMITH+
	1800	70	SMITH
	1900	65	SMITH
	2000	64	SMITH+
	2100	65	SMITH+
	2200	62	SMITH
	2300	61	TOVAR
	2400	61	TOVAR

Date	Time	Temp.	Printed Name
6-22-24	0100	61	TOVAR
	0200	60	TOVAR
	0300	59	TOVAR
	0400	59	TOVAR
	0500	60	TOVAR
	0600	60	TOVAR
	0700	61	TOVAR
	0800	66	SMITH
	0900	70	SMITH
	1000	79	SMITH+
	1100	84	SMITH+
	1200	89	SMITH
	1300	89	SMITH
	1400	87	SMITH
	1500	88	LIBED
	1600	86	LIBED
	1700	85	LIBED
	1800	80	LIBED
	1900	77	LIBED
	2000	73	LIBED
	2100	68	LIBED
	2200	66	LIBED
	2300	65	TOVAR
	2400	66	TOVAR

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Richard J. Donovan (RJD)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Recorded at Central Energy Plant

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-23-24	0100	66	TOVAR
	0200	65	TOVAR
	0300	65	TOVAR
	0400	66	TOVAR
	0500	67	TOVAR
	0600	68	TOVAR
	0700	74	Perales
	0800	83	PERALES
	0900	92	Perales
	1000	89	Perales
	1100	89	Perales
	1200	91	Perales
	1300	90	Perales
	1400	88	Perales
	1500	85	LIBED
	1600	86	LIBED
	1700	86	LIBED
	1800	83	LIBED
	1900	79	LIBED
	2000	72	LIBED
	2100	70	LIBED
	2200	70	LIBED
	2300	69	TOVAR
	2400	68	TOVAR

Date	Time	Temp.	Printed Name
6-24-24	0100	68	TOVAR
	0200	67	TOVAR
	0300	67	TOVAR
	0400	66	TOVAR
	0500	67	TOVAR
	0600	68	TOVAR
	0700	73	Perales
	0800	82	Perales
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Richard J. Donovan (RJD)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant
Thermometer Location:

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-23-24	0100	66	TOVAR
	0200	65	TOVAR
	0300	65	TOVAR
	0400	66	TOVAR
	0500	67	TOVAR
	0600	68	TOVAR
	0700	74	Perales
	0800	83	PERALES
	0900	92	Perales
	1000	89	Perales
	1100	89	Perales
	1200	91	Perales
	1300	90	Perales
	1400	88	Perales
	1500	85	LIBED
	1600	86	LIBED
	1700	86	LIBED
	1800	83	LIBED
	1900	79	LIBED
	2000	72	LIBED
	2100	70	LIBED
	2200	70	LIBED
	2300	69	TOVAR
	2400	68	TOVAR

Date	Time	Temp.	Printed Name
6-24-24	0100	68	TOVAR
	0200	67	TOVAR
	0300	67	TOVAR
	0400	66	TOVAR
	0500	67	TOVAR
	0600	68	TOVAR
	0700	73	Perales
	0800	82	Perales
	0900	85	Perales
	1000	85	Perales
	1100	86	Perales
	1200	88	Perales
	1300	85	Perales
	1400	86	Perales
	1500	85	LIBED
	1600	85	LIBED
	1700	82	LIBED
	1800	80	LIBED
	1900	77	LIBED
	2000	72	LIBED
	2100	69	LIBED
	2200	67	LIBED
	2300	69	SMITH
	2400	69	SMITH

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: RJN

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL ENERGY PLANT

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-25-24	0100	65	SMITH
	0200	65	SMITH
	0300	65	SMITH
	0400	65	SMITH
	0500	64	SMITH
	0600	64	SMITH
	0700	67	Perales
	0800	73	Perales
	0900	79	Perales
	1000	80	Perales
	1100	82	Perales
	1200	83	Perales
	1300	84	Perales
	1400	83	Perales
	1500	82	LIBED
	1600	79	LIBED
	1700	77	LIBED
	1800	75	LIBED
	1900	71	LIBED
	2000	67	LIBED
	2100	65	LIBED
	2200	64	LIBED
	2300	64	SMITH
	2400	64	SMITH

Date	Time	Temp.	Printed Name
6-26-24	0100	64	SMITH
	0200	64	SMITH
	0300	64	SMITH
	0400	64	SMITH
	0500	64	SMITH
	0600	64	SMITH
	0700	65	Perales
	0800	68	Perales
	0900	76	Perales
	1000	78	Perales
	1100	80	Perales
	1200	80	Perales
	1300	80	Perales
	1400	80	Perales
	1500	80	LIBED
	1600	79	LIBED
	1700	77	LIBED
	1800	74	LIBED
	1900	70	LIBED
	2000	66	LIBED
	2100	64	LIBED
	2200	64	LIBED
	2300	63	TOVAL
	2400	63	TOVAL

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Richard J. Donovan (RJD)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant

Thermometer Location:

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-27-24	0100	62	TOVAL
	0200	62	TOVAL
	0300	61	TOVAL
	0400	61	TOVAL
	0500	62	TOVAL
	0600	62	TOVAL
	0700	63	Peralta
	0800	64	Peralta
	0900	72	Peralta
	1000	77	Peralta
	1100	80	Peralta
	1200	81	Peralta
	1300	81	Peralta
	1400	80	Peralta
	1500	81	TOVAL
	1600	78	TOVAL
	1700	75	TOVAL
	1800	70	TOVAL
	1900	68	TOVAL
	2000	65	TOVAL
	2100	65	TOVAL
	2200	64	TOVAL
	2300	64	TOVAL
	2400	63	TOVAL

Date	Time	Temp.	Printed Name
6-28-24	0100	63	TOVAL
	0200	63	TOVAL
	0300	62	TOVAL
	0400	62	TOVAL
	0500	61	TOVAL
	0600	61	TOVAL
	0700	62	Peralta
	0800	64	Peralta
	0900	73	Peralta
	1000	76	Peralta
	1100	80	Peralta
	1200	81	Peralta
	1300	81	LONG
	1400	79	LONG
	1500	78	LONG
	1600	75	TOVAL
	1700	69	TOVAL
	1800	79	TOVAL
	1900	66	TOVAL
	2000	64	TOVAL
	2100	62	TOVAL
	2200	60	TOVAL
	2300	60	TOVAL
	2400	60	TOVAL

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Richard J. Donovan (RJD)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Recorded at Central Energy Plant
Thermometer Location: _____

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6-29-24	0100	60	TOVAN
	0200	59	TOVAN
	0300	59	TOVAN
	0400	58	TOVAN
	0500	57	TOVAN
	0600	56	TOVAN
	0700	57	LIBED
	0800	60	LIBED
	0900	66	LIBED
	1000	75	LIBED
	1100	78	LIBED
	1200	81	LIBED
	1300	80	LIBED
	1400	80	LIBED
	1500	79	LIBED
	1600	81	LIBED
	1700	78	LIBED
	1800	74	LIBED
	1900	72	LIBED
	2000	66	LIBED
	2100	64	LIBED
	2200	64	LIBED
	2300	64	TOVAN
	2400	64	TOVAN

Date	Time	Temp.	Printed Name
6-30-24	0100	63	TOVAN
	0200	63	TOVAN
	0300	62	TOVAN
	0400	61	TOVAN
	0500	61	TOVAN
	0600	61	TOVAN
	0700	64	Reeby
	0800	73	Reeby
	0900	76	Reeby
	1000	79	Reeby
	1100	79	Reeby
	1200	84	Reeby
	1300	84	Reeby
	1400	84	Reeby
	1500	81	LIBED
	1600	78	LIBED
	1700	78	LIBED
	1800	74	LIBED
	1900	73	LIBED
	2000	66	LIBED
	2100	63	LIBED
	2200	62	LIBED
	2300	62	TOVAN
	2400	61	TOVAN

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RTP Housing Unit: 3 Temp. Reading Location: Top Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/21	0300	72	<u>M. Lee</u>
	0600	71	MR FLORES
	0900	72	MR FLORES
	1200	73	MR Flores
	1500	75	A. ESQUIVIES
	1800	74	A. ESQUIVIES
	2100	73	A. ESQUIVIES
	2400	72	<u>M. Lee</u>

Wednesday

Date	Time	Temp.	Name (Print)
5/23	0300	73	<u>M. Lee</u>
	0600	72	<u>M. Lee</u>
	0900	73	<u>M. Lee</u>
	1200	73	<u>M. Lee</u>
	1500	75	A. PEREZ
	1800	75	A. PEREZ
	2100	74	A. PEREZ
	2400	73	<u>M. Lee</u>

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	72	<u>M. Lee</u>
	0600	72	MR Flores
	0900	72	MR Flores
	1200	74	MR Flores
	1500	74	A. ESQUIVIES
	1800	74	A. ESQUIVIES
	2100	74	A. ESQUIVIES
	2400	73	MR Flores

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	71	MR FLORES
	0600	72	MR FLORES
	0900	72	MR FLORES
	1200	73	MR Flores
	1500	75	M. URGU
	1800	75	M. URGU
	2100	74	M. URGU
	2400	74	M. URGU

Tuesday

Date	Time	Temp.	Name (Print)
5/24	0300	72	<u>M. Lee</u>
	0600	71	<u>M. Lee</u>
	0900	71	<u>M. Lee</u>
	1200	73	<u>M. Lee</u>
	1500	75	A. ESQUIVIES
	1800	74	A. ESQUIVIES
	2100	73	A. ESQUIVIES
	2400	73	<u>M. Lee</u>

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	72	<u>M. Lee</u>
	0600	72	MR Flores
	0900	73	MR Flores
	1200	74	MR Flores
	1500	75	<u>M. Lee</u>
	1800	74	<u>M. Lee</u>
	2100	74	<u>M. Lee</u>
	2400	73	<u>M. Lee</u>

Saturday

Date	Time	Temp.	Name (Print)
6/11	0300	72	MR FLORES
	0600	72	MR Flores
	0900	73	MR Flores
	1200	74	MR Flores
	1500	75	A. ESQUIVIES
	1800	75	A. ESQUIVIES
	2100	74	A. ESQUIVIES
	2400	74	I. VENTURA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

May 27

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 4

Temp. Reading Location: control booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5520 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<i>5/27</i>	0300	70°	<i>M. Marozi</i>
	0600	70	<i>A. Lewis</i>
	0900	71	<i>A. Lewis</i>
	1200	72	<i>A. Perez</i>
	1500	69	<i>A. Perez</i>
	1800	67	<i>A. Perez</i>
	2100	67	<i>A. Perez</i>
	2400	67	<i>S. Lewis</i>

Tuesday

Date	Time	Temp.	Name (Print)
<i>5/28</i>	0300	67	<i>S. Lewis</i>
	0600	69	<i>S. Lewis</i>
	0900	69	<i>S. Lewis</i>
	1200	70	<i>A. Perez</i>
	1500	69	<i>A. Perez</i>
	1800	68	<i>A. Perez</i>
	2100	67	<i>A. Perez</i>
	2400	66°	<i>M. Marozi</i>

Wednesday

Date	Time	Temp.	Name (Print)
<i>5/29</i>	0300	66°	<i>M. Marozi</i>
	0600	66	<i>C. Basal</i>
	0900	67	<i>C. Basal</i>
	1200	68	<i>C. Basal</i>
	1500	69°	<i>J. Blanco</i>
	1800	68	<i>J. Blanco</i>
	2100	67°	<i>JUAREZ</i>
	2400	67°	<i>M. Marozi</i>

Thursday

Date	Time	Temp.	Name (Print)
<i>5/30</i>	0300	66°	<i>M. Marozi</i>
	0600	66	<i>C. Basal</i>
	0900	68	<i>C. Basal</i>
	1200	69	<i>C. Basal</i>
	1500	70	<i>K. MARTINEZ</i>
	1800	69	<i>K. MARTINEZ</i>
	2100	67	<i>K. MARTINEZ</i>
	2400	67°	<i>M. Marozi</i>

Friday

Date	Time	Temp.	Name (Print)
<i>5/31</i>	0300	66°	<i>M. Marozi</i>
	0600	66	<i>C. Basal</i>
	0900	66	<i>C. Basal</i>
	1200	68	<i>C. Basal</i>
	1500	68°	<i>J. Blanco</i>
	1800	68°	<i>J. Blanco</i>
	2100	67°	<i>J. Blanco</i>
	2400	67°	<i>M. Marozi</i>

Saturday

Date	Time	Temp.	Name (Print)
<i>6/1</i>	0300	66°	<i>M. Marozi</i>
	0600	65°	<i>J. Ruelas</i>
	0900	66°	<i>J. Ruelas</i>
	1200	68°	<i>J. Ruelas</i>
	1500	70°	<i>J. Blanco</i>
	1800	68°	<i>J. Blanco</i>
	2100	68°	<i>J. Blanco</i>
	2400	67°	<i>M. Marozi</i>

Notes

Date	Time	Temp.	Name (Print)
<i>6/2</i>	0300	67°	<i>M. Marozi</i>
	0600	66	<i>A. Uruapan</i>
	0900	66	<i>A. Uruapan</i>
	1200	67	<i>A. Uruapan</i>
	1500	69°	<i>J. Blanco</i>
	1800	68°	<i>J. Blanco</i>
	2100	67°	<i>J. Blanco</i>
	2400	67	<i>J. Tapia</i>

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27	0300	65	A. VARGAS
5/27	0600	67	E. JUANES
5/27	0900	67	E. JUANES
5/27	1200	68	E. JUANES
5/27	1500	69	I. Villarreal
5/27	1800	67	I. Villarreal
5/27	2100	67	I. Villarreal
5/27	2400	66	A. VARGAS

Wednesday 5/1/24

Date	Time	Temp.	Name (Print)
5/29	0300	65	A. VARGAS
5/29	0600	67	E. JUANES
5/29	0900	67	E. JUANES
5/29	1200	64	E. JUANES
5/29	1500	69	Cardenas
5/29	1800	68	Cardenas
5/29	2100	68	Cardenas
5/29	2400	66	S. APCEO

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	60	S. APCEO
5/31	0600	65	P. Collazo
5/31	0900	67	P. Collazo
5/31	1200	68	P. Collazo
5/31	1500	68	Cardenas
5/31	1800	68	Cardenas
5/31	2100	67	Cardenas
5/31	2400	67	A. VARGAS

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	66	A. VARGAS
6/24	0600	66	E. JUANES
6/24	0900	67	E. JUANES
6/24	1200	68	E. JUANES
6/24	1500	69	A. PEREZ
6/24	1800	68	A. PEREZ
6/24	2100	68	A. PEREZ
6/24	2400	69	A. VARGAS

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	65	A. VARGAS
5/28	0600	67	E. JUANES
5/28	0900	68	E. JUANES
5/28	1200	67	E. JUANES
5/28	1500	69	Cardenas
5/28	1800	68	Cardenas
5/28	2100	68	Cardenas
5/28	2400	67	A. VARGAS

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	66	S. APCEO
5/30	0600	65	E. JUANES
5/30	0900	67	E. JUANES
5/30	1200	67	E. JUANES
5/30	1500	70	E. CARAENAS
5/30	1800	69	E. Cárdenas
5/30	2100	67	E. Cárdenas
5/30	2400	68	S. APCEO

Saturday

Date	Time	Temp.	Name (Print)
6/2	0300	65	A. VARGAS
6/2	0600	68	M. GOMEZ
6/2	0900	70	M. GOMEZ
6/2	1200	71	M. GOMEZ
6/2	1500	69	A. PEREZ
6/2	1800	69	A. Perez
6/2	2100	68	A. Perez
6/2	2400	68	A. VARGAS

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Monday

Date	Time	Temp.	Name (Print)
6/11	0300		
	0600	108°	M. ROBLES
	0900	109°	M. ROBLES
	1200	71°	M. ROBLES
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	70	Casper
	0600	69	Collazo, R
	0900	70	Collazo, R
	1200	72	Collazo, R
	1500	73	Collazo, R
	1800	73	Collazo, R
	2100	71	Collazo, R
	2400	71	Casper

Friday

Date	Time	Temp.	Name (Print)
5/18	0300	71	Chaper
	0600	76	SILVER, M
	0900	70	SILVER, M
	1200	72	SILVER, M
	1500	72	SILVER, M
	1800	72	SILVER, M
	2100	77	SILVER, M
	2400	81	Chaper

Sunday

Date	Time	Temp.	Name (Print)
8/12	0300	70	C. W. GROUT
	0600	70	M. ROBLES
	0900	71	M. ROBLES
	1200	71	M. ROBLES
	1500	72	D. Lara
	1800	72	D. Lara
	2100	72	D. Lara
	2400	71	D. Lara

Tuesday

Date	Time	Temp.	Name (Print)
5/20	0300		
	0600	68	Collazo, R
	0900	68	Collazo, R
	1200	71	Collazo, R
	1500	72	Collazo, R
	1800	72	Collazo, R
	2100	72	Collazo, R
	2400	71	Choper

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	70	Chaper
	0600	69	SILVER, M.
	0900	70	SILVER, M.
	1200	77	SILVER, M.
	1500	73	SILVER, M.
	1800	77	SILVER, M.
	2100	77	SILVER, M.
	2400	71	Chaper

Saturday

Date	Time	Temp.	Name (Print)
11/11	0300	70	SILVER, M.
	0600	70	SILVER, M.
	0900	70	SILVER, M.
	1200	72	SILVER, M.
	1500	72	SILVER, M.
	1800	72	SILVER, M.
	2100	71	SILVER, M.
	2400	71	SILVER, M.

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-20-14	0300	71	K. J. X.
9-20-14	0600	73	MR FLORES
9-20-14	0900	74	MA FLORES
9-20-14	1200	74	MR Flores
9-20-14	1500	76	K. CABRERA
9-20-14	1800	75	K. CABRERA
9-20-14	2100	74	K. CABRERA
9-20-14	2400	73	K. J. X.

Wednesday

Date	Time	Temp.	Name (Print)
4-25-21	0300	71	D. M. S.
	0600	73	I. S.
	0900	74	U. C.
	1200	76	U. C.
	1500	76	A. PEREZ
	1800	76	A. PEREZ
	2100	75	A. PEREZ
	2400	74	N. Manki

Friday

Date	Time	Temp.	Name (Print)
4-10-14	0300	71	J. M. Flores
	0600	74	MR Flores
	0900	74	MR Flores
	1200	75	MR FLORES
	1500	76	ESQUIVES
	1800	76	ESQUIVIES
	2100	75	ESQUIVES
	2400	74	M. Salenstine

~~Sunday~~ Sat

Date	Time	Temp.	Name (Print)
7-10-21	0300	74	M. Salewsky
	0600	74	MR Flores
	0900	74	MR Flores
	1200	75	MR Flores
	1500	74	Beltran
	1800	74	Beltran
	2100	75	Beltran
	2400	78	Ruiz

Tuesday

Date	Time	Temp.	Name (Print)
6-21-21	0300	71	DWYLR
	0600	73	Sancho
	0900	73	Sanche
	1200	74	Sanchez
	1500	77	A. ESQUIVIES
	1800	75	ESQUIVIES
	2100	75	ESQUIVIES
	2400	71	DWYLR

Thursday

Date	Time	Temp.	Name (Print)
7-14-20	0300	74	N. Maroki
	0600	74	MR FLORES
	0900	74	MR Flores
	1200	75	MR Flores
	1500	72	A. SOTO
	1800	72	A. SOTO
	2100	81	A. SOTO
	2400	75	76-76-C

Saturday

Date	Time	Temp.	Name (Print)
Jan 27	0300	75°	Bueno
Jan 27	0600	74	MR Flores
Jan 27	0900	74	MR Flores
Jan 27	1200	75	MR Flores
Jan 27	1500	76	ESQUIVIES
Jan 27	1800	76	ESQUIVIES
Jan 27	2100	75	ESQUIVIES
Jan 27	2400	74	Wenzel

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

June 3

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 4 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	66°	TAPIA J.
	0600	66	J.Zamora
	0900	67	J.Zamora
	1200	68	J.Zamora
	1500	71	A.PEREZ
	1800	69	A.PEREZ
	2100	68	E.VELASCO
	2400	67	D.DENNIS

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	67	D.DENNIS
	0600	67	J.Zamora
	0900	68°	J.Zamora
	1200	67°	J.Zamora
	1500	67	DAD
6/5	1800	71	A.PEREZ
	2100	69	A.PEREZ
	2400	67°	M.MAROKE

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	67°	M.MAROKE
	0600	68	C.BASAL
	0900	69	C.BASAL
	1200	70	C.BASAL
	1500	71°	J.Blanco
	1800	69°	J.Blanco
	2100	68°	J.BIANCO
	2400	68°	M.MAROKE

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	68°	M.MAROKE
	0600	68	C.BASAL
	0900	69	C.BASAL
	1200	71	C.BASAL
	1500	72	S.CHAVER
	1800	71	S.CHAVER
	2100	71°	S.CHAVER
	2400	68°	M.MAROKE

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	67°	M.MAROKE
	0600	68	C.BASAL
	0900	69	C.BASAL
	1200	70	C.BASAL
	1500	71°	J.Blanco
	1800	70°	J.Blanco
	2100	69°	J.Blanco
	2400	68°	M.MAROKE

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	68°	M.MAROKE
	0600	69	C.BASAL
	0900	70	C.BASAL
	1200	71	C.BASAL
	1500	71°	J.Blanco
	1800	70°	J.Blanco
	2100	69°	J.Blanco
	2400	68°	M.MAROKE

Notes

Date	Time	Temp.	Name (Print)
6/9	0300	68°	M.MAROKE
	0600	69	C.BASAL
	0900	70	C.BASAL
	1200	71	C.BASAL
	1500	71°	J.Blanco
	1800	70°	J.Blanco
	2100	69°	J.Blanco
	2400	68°	I.VENTURA

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	65	A. VARGAS
	0600	65	J. JUANER
	0900	66	E. JUANER
	1200	67	E. JUANER
	1500	70	Cardenas
	1800	70	Cardenas
	2100	70	O. PEREZ
	2400	68	A. VARGAS

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	66	A. VARGAS
	0600	67	E. JUANER
	0900	66	E. JUANER
	1200	71	E. JUANER
	1500	71	E. VARGAS
	1800	71	C. PRIETO
	2100	69	C. PRIETO
	2400	68	A. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	66	A. VARGAS
	0600	68	E. JUANER
	0900	69	E. JUANER
	1200	69	E. JUANER
	1500	71	Cardenas
	1800	71	Cardenas
	2100	68	Cardenas
	2400	68	E. SANCHEZ

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	68	E. SANCHEZ
	0600	69	E. SANCHEZ
	0900	70	E. JUANER
	1200	70	E. JUANER
	1500	71	O. RODRIGUEZ
	1800	71	O. RODRIGUEZ
	2100	70	A. RODRIGUEZ
	2400	68	M. SALAWSKY

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	69	M. SALAWSKY
	0600	68	M. SALAWSKY
	0900	69	R. COLLARO
	1200	69	R. COLLARO
	1500	71	Cardenas
	1800	70	Cardenas
	2100	69	Cardenas
	2400	68	A. VARGAS

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	66	A. VARGAS
	0600	69	M. GOMEZ
	0900	72	M. GOMEZ
	1200	72	M. GOMEZ
	1500	71	A. PEREZ
	1800	70	A. PEREZ
	2100	69	A. PEREZ
	2400	69	A. VARGAS

Notes

Date	Time	Temp.	Name (Print)
6/9/24	0300	67	A. VARGAS
	0600	67	J. ZAMOR
	0900	70	J. ZAMOR
	1200	71	J. ZAMOR
	1500	71	A. PEREZ
	1800	71	A. PEREZ
	2100	68	A. PEREZ
	2400	68	A. VARGAS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA
 INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HJD Housing Unit: 8 Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
6/13	0600	70	M. ROBLES
	0900	71	M. ROBLES
	1200	72	M. ROBLES
	1500		
	1800		
6/14	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
6/15	0300	70	C. Lopez
	0600	71	Collazo, R.
	0900	72	Collazo, R.
	1200	72	Collazo, R.
	1500	74	Collazo, R.
	1800	74	Collazo, R.
	2100	74	Collazo, R.
	2400	72	C. Lopez

Friday

Date	Time	Temp.	Name (Print)
6/17	0300	72	C. Lopez
	0600	72	SILVER, M.
	0900	72	SILVER, M.
	1200	73	SILVER, M.
	1500	73	SILVER, M.
	1800	73	SILVER, M.
	2100	73	SILVER, M.
	2400	73	C. Lopez

Sunday

Date	Time	Temp.	Name (Print)
6/19	0300	72	C. Lopez
	0600	71	M. ROBLES
	0900	72	M. ROBLES
	1200	73	M. ROBLES
	1500	74	F. MORENO
	1800	74	F. MORENO
	2100	73	F. MORENO
	2400	720	J. LATORRE

Tuesday

Date	Time	Temp.	Name (Print)
6/14	0300		
	0600	70	Collazo, R.
	0900	71	Collazo, R.
	1200	72	Collazo, R.
	1500	74	Collazo, R.
	1800	74	Collazo, R.
+	2100	73	Collazo, R.
	2400	73	C. Lopez

Thursday

Date	Time	Temp.	Name (Print)
6/16	0300	70	C. Lopez
	0600	71	SILVER, M.
	0900	72	SILVER, M.
	1200	74	SILVER, M.
	1500	74	SILVER, M.
	1800	73	SILVER, M.
+	2100	73	SILVER, M.
	2400	72	C. Lopez

Saturday

Date	Time	Temp.	Name (Print)
6/18	0300	72	C. Lopez
	0600	71	SILVER, M.
	0900	73	SILVER, M.
	1200	74	SILVER, M.
	1500	74	SILVERSON
+	1800	74	SILVERSON
	2100	73	SILVERSON
	2400	73	C. Lopez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: B-10 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06-05-24	0300	73	M. Salewski
	0600	72	B. Chavez
	0900	73	B. Chavez
	1200	74	B. Chavez
	1500	74	B. Chavez
	1800	73	B. Chavez
	2100	73	B. Chavez
	2400	72	RYBNIKAR

Tuesday

Date	Time	Temp.	Name (Print)
06-06-24	0300	71	RYBNIKAR
	0600	72	RYBNIKAR
	0900	72	J. Sosa
	1200	74	J. Sosa
	1500	73	B. Chavez
	1800	72	B. Chavez
	2100	73	B. Chavez
	2400	72	RYBNIKAR

Wednesday

Date	Time	Temp.	Name (Print)
06-05-24	0300	72	RYBNIKAR
	0600	71	RYBNIKAR
	0900	71	F. Corles
	1200	73	E. Corles
	1500	76	E. Garcia
	1800	76	E. Garcia
	2100	75	E. Garcia
	2400	71	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
06-06-24	0300	72	RYBNIKAR
	0600	72	RYBNIKAR
	0900	74	J. Sosa
	1200	75	J. Sosa
	1500	76	J. Sosa
	1800	76	J. Sosa
	2100	75	J. Sosa
	2400	73	RYBNIKAR

Friday

Date	Time	Temp.	Name (Print)
06-07-24	0300	71	RYBNIKAR
	0600	72	RYBNIKAR
	0900	73	D. Lopez
	1200	73	D. Lopez
	1500	74	J. Jara
	1800	75	J. Jara
	2100	72	J. Jara
	2400	72	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
06-08-24	0300	71	RYBNIKAR
	0600	72	RYBNIKAR
	0900	73	S. Chavez
	1200	75	S. Chavez
	1500	75	J. Jara
	1800	74	J. Jara
	2100	73	J. Jara
	2400	74	M. Salewski

Sunday

Date	Time	Temp.	Name (Print)
06-09-24	0300	74	M. Salewski
	0600	73	M. Salewski
	0900	74	B. Chavez
	1200	75	B. Chavez
	1500	75	B. Chavez
	1800	73	B. Chavez
	2100	73	B. Chavez
	2400	75	M. Salewski

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DJD Housing Unit: 11 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	66	M. Turner
	0600	68	F. Manjarrez
	0900	70	I. Duran
	1200	71	I. Duran
	1500	72	M. Rangel
	1800	72	M. Rangel
	2100	71	M. Rangel
	2400	69	M. Turner

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	70	M. Turner
	0600	69	I. Duran
	0900	70	I. Duran
	1200	72	I. Duran
	1500	76	S. Valverde
	1800	75	S. Valverde
	2100	75	S. Valverde
	2400	70	M. Turner

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	69	A. Gomez
	0600	69	M. Balladares
	0900		
	1200	72	Gardner
	1500	73	D. Arellano
	1800	72	D. Arellano
	2100	72	D. Arellano
	2400		

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	70	J. Marquez
	0600	70	M. Balladares
	0900	71	M. Balladares
	1200	72	M. Balladares
	1500	73	B. Morales
	1800	72	B. Morales
	2100	72	B. Morales
	2400	70	J. Marquez

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	70	Z. Morales
	0600	70	K. Colis
	0900	70	K. Colis
	1200	70	K. Colis
	1500	72	Arellano
	1800	72	Arellano
	2100	72	Arellano
	2400	71	A. Gomez

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	70	A. Gomez
	0600	71	M. Balladares
	0900	72	M. Balladares
	1200	72	M. Balladares
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300		
	0600	70	M. Balladares
	0900	70	M. Balladares
	1200	72	M. Balladares
	1500	73	M. Rangel
	1800	73	B. Lomeni
	2100	72	B. Lomeni
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 12 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/3</u>	0300	70	J. Marquez
	0600	72	Brennan
	0900	78	Brennan
	1200	75	Brennan
	1500	75	CASERO
	1800	74	CASERO
	2100	74	CASERO
	2400	70	J. Marquez

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/5</u>	0300	73	Almodovar
	0600	73	I. DURAN
	0900	72	I. DURAN
	1200	73	I. DURAN
	1500	74	CASERO
	1800	76	CASERO
	2100	76	CASERO
	2400	74	Almodovar

Friday

Date	Time	Temp.	Name (Print)
<u>6/7</u>	0300	73	Almodovar
	0600	73	Brennan
	0900	73	Brennan
	1200	74	Brennan
	1500	72	VILLEZAS - H
	1800	72	VILLEZAS - H
	2100	72	VILLEZAS - H
	2400	73	Almodovar

Sunday

Date	Time	Temp.	Name (Print)
<u>6/9</u>	0300	70	J. Marquez
	0600	73	Brennan
	0900		
	1200		
	1500	75	CASERO
	1800	75	CASERO
	2100	76	CASERO
	2400	70	J. Marquez

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/4</u>	0300	73	Almodovar
	0600	72	CASERO
	0900	73	CASERO
	1200	73	CASERO
	1500	75	CASERO
	1800	75	CASERO
	2100	75	CASERO
	2400	73	Almodovar

Thursday

Date	Time	Temp.	Name (Print)
<u>6/6</u>	0300	73	Almodovar
	0600	73	Brennan
	0900	73	Brennan
	1200	74	Brennan
	1500	75	LOMELI
	1800	73	VILLEZAS - H
	2100		
	2400	73	Almodovar

Saturday

Date	Time	Temp.	Name (Print)
<u>6/8</u>	0300	74	Almodovar
	0600	73	Brennan
	0900	74	Brennan
	1200	74	Brennan
	1500	75	LOMELI
	1800	75	LOMELI
	2100	74	Hernandez, R
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 13 Temp. Reading Location: 13 CTRL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/3</u>	0300	71	SARSOZAIK
	0600		
	0900		
	1200		
	1500	71	CARDENAS
	1800	71	CARDENAS
	2100	71	CARDENAS
	2400	71	SARSOZAIK

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/4</u>	0300	71	SARSOZAIK
	0600	71	J. GOMEZ
	0900	70	J. GOMEZ
	1200	71	J. GOMEZ
	1500	70	J. SEDAWA
	1800	69	J. SEDAWA
	2100	69	J. SEDAWA
	2400	70	SARSOZAIK

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/5</u>	0300	71	SARSOZAIK
	0600		
	0900		
	1200		
	1500	71	VILLEGRAS - H
	1800	71	VILLEGRAS - H
	2100	70	VILLEGRAS
	2400	70	SARSOZAIK

Thursday

Date	Time	Temp.	Name (Print)
<u>6/6</u>	0300	71	SARSOZAIK
	0600	71	A. VALLEJO
	0900	72	A. VALLEJO
	1200	70	A. VALLEJO
	1500	71	D. ESCOBAR
	1800	71	R. VEGA
	2100	71	R. VEGA
	2400	71	R. VEGA

Friday

Date	Time	Temp.	Name (Print)
<u>6/7</u>	0300	70°	J. MARY JCA
	0600	71°	J. JARA
	0900	70°	J. JARA
	1200	71°	J. JARA
	1500	68	R. ESCOBAR
	1800	68	R. ESCOBAR
	2100		
	2400	70	J. MARY JCA

Saturday

Date	Time	Temp.	Name (Print)
<u>6/8</u>	0300		
	0600	70	A. ZEBALOS
	0900	71	A. MORALES
	1200	72	A. MORALES
	1500	70	JIMENEZ
	1800	70	JIMENEZ
	2100	70	JIMENEZ
	2400	70	SARSOZAIK

Sunday

Date	Time	Temp.	Name (Print)
<u>6/9</u>	0300	71	SARSOZAIK
	0600	72	R. VEGA
	0900	72	R. VEGA
	1200	73	R. VEGA
	1500	70	R. VEGA
	1800	70	R. VEGA
	2100	70	R. VEGA
	2400	70	SARSOZAIK

Notes

STATE OF CALIFORNIA
 INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: HU#16 Temp. Reading Location: 2nd tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	70	M. Maroka
	0600	70	M. Maroka
	0900	70	J. Garcia
	1200	70	J. Garcia
	1500	70	A. Edwards
	1800	70	A. Edwards
	2100	70	A. Edwards
	2400	70	M. Maroka

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	70	M. Maroka
	0600	70	J. Garcia
	0900	70	J. Garcia
	1200	70	J. Garcia
	1500	70	A. Edwards
	1800	70	A. Edwards
	2100	70	A. Edwards
	2400	70	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	70	J. Garcia
	1200	70	J. Garcia
	1500	70	S. Martinez
	1800	70	R. Owens
	2100	70	R. Owens
	2400	70	J. Garcia

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	70	Ramos
	1200	70	Ramos
	1500	70	A. Edwards
	1800	70	A. Edwards
	2100	70	A. Edwards
	2400	70	J. Garcia

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	70	B. Edwards
	1200	70	B. Edwards
	1500	70	M.R. Flores
	1800	70	M.R. Flores
	2100	70	M.R. Flores
	2400	70	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	70	J. Garcia
	0600	70	J. Garcia
	0900	70	J. Garcia
	1200	70	J. Garcia
	1500	70	S. Lewis
	1800	70	S. Lewis
	2100	70	S. Lewis
	2400	70	C. Citizen

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	70°	C. Citizen
	0600	70	S. Badoew
	0900	70	S. Badoew
	1200	70	S. Badoew
	1500	70	S. Lewis
	1800	70	S. Lewis
	2100	70	S. Lewis
	2400	70	K. Miller

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D 17 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	70	G. BRENTS
	0600	70	J. BROWN
	0900	70	J. BROWN
	1200	70	J. BROWN
	1500	72	O. Bebbot
	1800	71	O. Bebbot
	2100	69	O. Bebbot
	2400	69	G. BRENTS

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	70	G. BRENTS
	0600	71	Brown
	0900	72	Brown
	1200	72	Brown
	1500	70	R. OWENS
	1800	72	R. OWENS
	2100	72	R. OWENS
	2400	71	G. BRENTS

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	70	G. BRENTS
	0600	70	S. EDEN
	0900	70	B. EDEN
	1200	73	B. EDEN
	1500	74	Z. HARRIS
	1800	73	Z. HARRIS
	2100	73	Z. HARRIS
	2400	70	A. Maldonado

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	71	A. Maldonado
	0600	71	S. EDEN
	0900	72	B. EDEN
	1200	73	B. EDEN
	1500	73	S. LEWIS
	1800	72	S. LEWIS
	2100	71	S. LEWIS
	2400	71	R. Armendariz

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	70	R. Armendariz
	0600	70	B. EDEN
	0900	71	B. EDEN
	1200	73	B. EDEN
	1500	74	S. LEWIS
	1800	73	S. LEWIS
	2100	72	C. LEWIS
	2400	71	G. BRENTS

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	71	G. BRENTS
	0600	71	J. Ruelas
	0900	71	J. Ruelas
	1200	73	J. Ruelas
	1500	75	S. Valverde
	1800	75	S. Valverde
	2100	75	S. Valverde
	2400	71	G. BRENTS

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	71	G. BRENTS
	0600	71	Rivas
	0900	72	Rivas
	1200	73	Rivas
	1500	73	O. Rodriguez
	1800	73	O. Rodriguez
	2100	73	O. Rodriguez
	2400	73	G. BRENTS

Notes

D-FACILITY 16/17/18/19/20

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D 18 Temp. Reading Location: 2nd TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)	Sup Int
June 3 2024	0300	70	D Black	/
	0600	70	O. AGUILAR	/
	0900	70	O. AGUILAR	/
	1200	73	O. AGUILAR	/
	1500	73	CALALANG	/
	1800	73	CALALANG	/
	2100	72	CALALANG	/
	2400	71	D Black	/

Tuesday

Date	Time	Temp.	Name (Print)	Sup Int
June 4 2024	0300	71	D Black	/
	0600	70	O. AGUILAR	/
	0900	71	O. AGUILAR	/
	1200	72	O. AGUILAR	/
	1500	74	CALALANG	/
	1800	73	CALALANG	/
	2100	72	CALALANG	/
	2400	72	N. Marquez	/

Wednesday

Date	Time	Temp.	Name (Print)	Sup Int
June 5 2024	0300	72	N. Marquez	/
	0600	71	N. Marquez	/
	0900			/
	1200			
	1500	74	GARZON	/
	1800	74	AYAH	/
	2100	73	AYAH	/
	2400	72	D Black	/

Thursday

Date	Time	Temp.	Name (Print)	Sup Int
June 6 2024	0300	71	D Black	/
	0600	71	C. Banay	/
	0900	72	Baillard	/
	1200	73	Baillard	/
	1500	74	J. MARTINEZ	/
	1800	73	J. MARTINEZ	/
	2100	72	J. MARTINEZ	/
	2400	71	E. Pesta	/

Friday

Date	Time	Temp.	Name (Print)	Sup Int
June 7 2024	0300	71	E. Pesta	/
	0600	71	E. Pesta	/
	0900	71	O. AGUILAR	/
	1200	73	O. AGUILAR	/
	1500	73	CALALANG	/
	1800	73	CALALANG	/
	2100	72	CALALANG	/
	2400	71	CALALANG	/

Saturday

Date	Time	Temp.	Name (Print)	Sup Int
June 8 2024	0300	70	CALALANG	/
	0600	70	CALALANG	/
	0900	71	O. AGUILAR	/
	1200	73	O. AGUILAR	/
	1500	74	CALALANG	/
	1800	73	CALALANG	/
	2100	72	CALALANG	/
	2400	70	K. MILLER	/

Sunday

Date	Time	Temp.	Name (Print)	Sup Int
June 9 2024	0300	70	K. MILLER	/
	0600	70	O. AGUILAR	/
	0900	70	O. AGUILAR	/
	1200	72	O. AGUILAR	/
	1500	73	CALALANG	/
	1800	72	CALALANG	/
	2100	71	CALALANG	/
	2400	70	D Black	/

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 Central Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/13	0300	69	A. Maldonado
	0600	69	D. MELICA
	0900	69.6	D. MELICA
	1200	69	M. RAY
	1500	69.7	TIBAYAN
	1800	70.4	TIBAYAN
	2100	71.3	TIBAYAN
	2400	69	Bench

Tuesday

Date	Time	Temp.	Name (Print)
6/14	0300	68	Bench
	0600	69	D. MELICA
	0900	69	D. MELICA
	1200	69.6	D. MELICA
	1500	70.6	TIBAYAN
	1800	71.5	TIBAYAN
	2100	71.4	TIBAYAN
	2400	69	Bench

Wednesday

Date	Time	Temp.	Name (Print)
6/15	0300	68	Bench
	0600	70.1	D. MELICA
	0900	69	D. MELICA
	1200	69.2	D. MELICA
	1500	70	D. MELICA
	1800	70.2	D. MELICA
	2100	70.3	D. MELICA
	2400	69	Bench

Thursday

Date	Time	Temp.	Name (Print)
6/16	0300	69	Bench
	0600	69	D. MELICA
	0900	70.2	D. MELICA
	1200	69.5	D. MELICA
	1500	69	B. EDEN
	1800	70	B. EDEN
	2100	71	B. EDEN
	2400	69	Bench

Friday

Date	Time	Temp.	Name (Print)
6/17	0300	68	Bench
	0600	70.4	D. MELICA
	0900	70.7	D. MELICA
	1200	70.9	D. MELICA
	1500	71	N. ENSEN
	1800	72	N. ENSEN
	2100	70	N. ENSEN
	2400	69	Bench

Saturday

Date	Time	Temp.	Name (Print)
6/18	0300	68	Bench
	0600	70.7	D. MELICA
	0900	70.3	D. MELICA
	1200	71.0	D. MELICA
	1500	71	N. ENSEN
	1800	72	N. ENSEN
	2100	70	N. ENSEN
	2400	70	A. Maldonado

Sunday

Date	Time	Temp.	Name (Print)
6/19	0300	71	A. Maldonado
	0600	71	E. LEWIS
	0900	70	E. LEWIS
	1200	70	E. LEWIS
	1500	70	V. MARSH
	1800	71	V. MARSH
	2100	68	M. MARSH
	2400	68	D. MOLINEA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #208 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	71	AD. FLORES, SR
	0600	71	Burrard
	0900	72	Burrard
	1200	73	Burrard
	1500	73	D.Huber
	1800	73	D.Huber
	2100	73	D.Huber
	2400	73	AD.FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	73	AD.FLORES, SR
	0600	72	N.Maroki
	0900	72	N.Maroki
	1200	72	N.Maroki
	1500	74	ARAUJO
	1800	74	ARAUJO
	2100	74	ARAUJO
	2400	73	AD.FLORES, SR

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	73	A.Moldorado
	0600	74	N.Maroki
	0900	74	N.Maroki
	1200	74	N.Maroki
	1500	74	ARAUJO
	1800	74	ARAUJO
	2100	74	ARAUJO
	2400	75	A.Moldorado

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	73	AD.FLORES, SR
	0600	73	Burrard
	0900	73	Burrard
	1200	74	Burrard
	1500	75	N.ERICSON
	1800	74	N.ERICSON
	2100	74	N.ERICSON
	2400	74	AD.FLORES, SR

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	72	AD.FLORES, SR
	0600	72	N.Maroki
	0900	72	N.Maroki
	1200	73	N.Maroki
	1500	73	ARAUJO
	1800	74	ARAUJO
	2100	74	ARAUJO
	2400	73	AD.FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	73	AD.FLORES, SR
	0600	72	N.Maroki
	0900	72	N.Maroki
	1200	73	N.Maroki
	1500	74	ARAUJO
	1800	73	ARAUJO
	2100	73	ARAUJO
	2400	73	A.Moldorado

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	74	A.Moldorado
	0600	76	N.Maroki
	0900	75	N.Maroki
	1200	75	N.Maroki
	1500	75	ARAUJO
	1800	75	ARAUJO
	2100	75	ARAUJO
	2400	74	AD.FLORES, SR

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 3 Temp. Reading Location: TOP TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	72	R. Leamons
	0600	73	MR Flores
	0900	74	MR Flores
	1200	76	MR Flores
	1500	76	ESQUIVIES
	1800	76	ESQUIVIES
	2100	75	ESQUIVIES
	2400	72	R. Leamons

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	72	R. Leamons
	0600	73	_____
	0900	73	_____
	1200	75	S. SOTO
	1500	75	_____
	1800	73	J. SOTO
	2100	75	J. SOTO
	2400	74	R. Leamons

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	74	R. Leamons
	0600	73	S. OROZCO
	0900	73	S. OROZCO
	1200	75	S. OROZCO
	1500	77	S. OROZCO
	1800	76	S. OROZCO
	2100	75	S. OROZCO
	2400	73	R. Leamons

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	72	R. Leamons
	0600	74	MR Flores
	0900	75	MR Flores
	1200	76	MR Flores
	1500	79	A. SOTO
	1800	82	A. SOTO
	2100	81	A. SOTO
	2400	79	R. Leamons

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	77	R. Leamons
	0600	74	MR Flores
	0900	75	MR Flores
	1200	77	MR Flores
	1500	77	A. Lopez
	1800	78	A. Lopez
	2100	76	A. Lopez
	2400	75	A. ROMERO

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	73	A. ROMERO
	0600	75	MR Flores
	0900	76	MR Flores
	1200	77	MR Flores
	1500	77	Meraz
	1800	78	Meraz
	2100	82	Meraz
	2400	81	Buono

DATE	Time	Temp	Name
6/16	0300	75	Buono
	0600	75	MR Flores
	0900	76	MR Flores
	1200	77	MR Flores
	1500	79	J. SIERRA
	1800	78	J. INIGUEZ
	2100	77	J. INIGUEZ
	2400	76	R. Leamons

Notes:

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 4 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	68°	VENTURA
	0600	69	H. Cen
	0900	69	H. Cen
	1200	71	H. Cen
	1500	71	A. Perez
	1800	71	A. Perez
	2100	71	A. Perez
	2400	70	A. S. Lom

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	69	A. S. Lom
	0600	69	H. Cen
	0900	69	H. Cen
	1200	72	H. Cen
	1500	69	A. Perez
	1800	69	A. Perez
	2100	68°	C. ALDAZ
	2400	68°	M. MAROHI

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	68°	M. MAROHI
	0600	69	C. Basal
	0900	70	C. Basal
	1200	72	C. Basal
	1500	70	J. Juarez
	1800	70	J. Juarez
	2100	70°	J. JUAREZ
	2400	68°	M. MAROHI

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	68°	M. MAROHI
	0600	69	C. Basal
	0900	70	C. Basal
	1200	71	C. Basal
	1500	71	J. Juarez
	1800	70	J. JUAREZ
	2100	69	J. JUAREZ
	2400	69	M. MAROHI

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	69	M. MAROHI
	0600	69	C. Basal
	0900	70	C. Basal
	1200	71	C. Basal
	1500	70	J. Juarez
	1800	70	J. SAMUEL
	2100	70	SAMUEL
	2400	70°	M. MAROHI

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	69°	M. MAROHI
	0600	69	C. Basal
	0900	70	C. Basal
	1200	71	C. Basal
	1500	70	J. Juarez
	1800	70	J. JUAREZ
	2100	71	J. Juarez
	2400	71	D. Garcia

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	70	D. Garcia
	0600	69	D. Garcia
	0900	70	C. Basal
	1200	71	C. Basal
	1500	70	J. Juarez
	1800	71	J. Juarez
	2100	71	J. Juarez
	2400	69	R. Nofield

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/21	0300	60	A. VARGAS
	0600	62	E. Turner
	0900	60	E. Turner
	1200	71	E. Turner
	1500	71	E. Velasco
	1800	71	E. Velasco
	2100	70	E. Velasco
	2400	69	A. Vargas

Tuesday

Date	Time	Temp.	Name (Print)
6/11/21	0300	67	A. VARGAS
	0600	67	E. Turner
	0900	68	E. Turner
	1200	70	E. Turner
	1500	69	P. Gómez
	1800	69	P. Gómez
	2100	68	P. Gómez
	2400	68	A. Vargas

Wednesday

Date	Time	Temp.	Name (Print)
6/12/21	0300	69	A. VARGAS
	0600	69	E. Turner
	0900	68	E. Turner
	1200	69	E. Turner
	1500	72	E. Turner
	1800	70	J. Acosta
	2100	69	J. Acosta
	2400	69	J. Acosta

Thursday

Date	Time	Temp.	Name (Print)
6/13/21	0300	69	J. MARTINEZ
	0600	69	E. Turner
	0900	71	E. Turner
	1200	71	E. Turner
	1500	72	M. MARQUEZ
	1800	71	M. MARQUEZ
	2100	70	M. MARQUEZ
	2400	70	R. Armendariz

Friday

Date	Time	Temp.	Name (Print)
6/14/21	0300	68°	R. Armendariz
	0600	68	R. Calvano
	0900	69	R. Calvano
	1200	72	R. Calvano
	1500	71	M. Naeem
	1800	72	C. Ayala
	2100	71	C. Ayala
	2400	70	A. Vargas

Saturday

Date	Time	Temp.	Name (Print)
6/15/21	0300	68	A. VARGAS
	0600	69	M. GOMEZ
	0900	72	M. GOMEZ
	1200	73	M. GOMEZ
	1500	74	J. INIGUEZ
	1800	74	J. INIGUEZ
	2100	72	J. INIGUEZ
	2400	72	A. VARGAS

Sunday

Date	Time	Temp.	Name (Print)
6/16/21	0300	70	A. VARGAS
	0600	72	M. Naeem
	0900	72	M. Naeem
	1200	70	M. Naeem
	1500	71	M. Naeem
	1800	73	S. MEZA
	2100	73	N. Amaro
	2400	70	N. Amaro

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 8 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 555-1 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	72° C	Gutierrez
	0600	71°	M. ROBLES
	0900	71°	M. ROBLES
	1200	74°	M. ROBLES
	1500	74°	T. CHRISTMAN
	1800	74°	T. CHRISTMAN
	2100	73°	T. CHRISTMAN
	2400	72° HURTZ	

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	72	HURTZ
	0600	72	Collazo, R
	0900	72	Collazo, R
	1200	72	Collazo, R
	1500	71	Collazo, R
	1800	71	Collazo, R
	2100	71	Collazo, R
	2400	70°	Collazo, R

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	69°	C. Lopez
	0600	68°	R. Collazo
	0900	68°	R. Collazo
	1200	71°	R. Collazo
	1500	74°	C. Chavarria
	1800	73°	C. Chavarria
	2100	73°	C. Lopez
	2400	70°	C. Lopez

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	69°	C. Lopez
	0600	69°	SILVER, M.
	0900	70°	SILVER, M.
	1200	71°	SILVER, M.
	1500	71°	SILVER, M.
	1800	72°	SILVER, M.
	2100	72°	SILVER, M.
	2400	70°	C. Lopez

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	69°	C. Lopez
	0600	70°	SILVER, M.
	0900	72°	SILVER, M.
	1200	73°	SILVER, M.
	1500	73°	SILVER, M.
	1800	73°	SILVER, M.
	2100	72°	SILVER, M.
	2400	71°	C. Lopez

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	68°	C. Lopez
	0600	70°	SILVER, M.
	0900	71°	SILVER, M.
	1200	75°	SILVER, M.
	1500	75°	SILVER, M.
	1800	74°	SILVER, M.
	2100	73°	SILVER, M.
	2400	72°	C. Lopez

Notes

Date	Time	Temp.	Name (Print)
6/16	0300	70°	C. Lopez
	0600	70°	Ellsworth
	0900	70°	Ellsworth
	1200	70°	Ellsworth
	1500	74°	WRIGHT
	1800	72°	Bautista
	2100	72°	Bautista
	2400	71°	Bautista

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: B-10 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
Oct-10-24	0300	73	M. Salensky
	0600	73°	S. Blanca
	0900	74°	J. Blanca
	1200	75°	S. Blanca
	1500	76°	J. CEDENO
	1800	76°	I. CEDENO
	2100	75°	I. CEDENO
	2400	73°	RVB/NKAR

Tuesday

Date	Time	Temp.	Name (Print)
Oct-11-24	0300	73°	RVB/NKAR
	0600	73°	RVB/NKAR
	0900	74	J. Zamora
	1200	74	J. Zamora
	1500	74	N. Salvador
	1800	74	N. Salvador
	2100	74	N. Salvador
	2400	73°	RVB/NKAR

Wednesday

Date	Time	Temp.	Name (Print)
Oct-12-24	0300	72°	RYBNIKAR
	0600	73°	RYBNIKAR
	0900	73°	J. SOSA
	1200	74°	J. SOSA
	1500	76°	E. GARCIA
	1800	76°	E. GARCIA
	2100	75°	E. GARCIA
	2400	74	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
Oct-13-24	0300	73°	RYBNIKAR
	0600	73°	RYBNIKAR
	0900	73	K. MARTINEZ
	1200	75	K. MARTINEZ
	1500	77°	E. GARCIA
	1800	77°	E. GARCIA
	2100	75°	E. GARCIA
	2400	73°	RYBNIKAR

Friday

Date	Time	Temp.	Name (Print)
Oct-14-24	0300	73°	RYBNIKAR
	0600	72°	RYBNIKAR
	0900	74°	S. CHAVEZ
	1200	77°	S. CHAVEZ
	1500	76	E. GARCIA
	1800	77°	E. GARCIA
	2100	76°	E. GARCIA
	2400	74°	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
Oct-15-24	0300	74°	RYBNIKAR
	0600	73°	RYBNIKAR
	0900	75	V. VEGA
	1200	77	V. VEGA
	1500	78	V. VEGA
	1800	78	V. VEGA
	2100	77	V. VEGA
	2400	76	M. Salensky

Notes

Date	Time	Temp.	Name (Print)
Oct-16-24	0300	75	M. Salensky
	0600	76	N. Salvador
	0900	76	N. Salvador
	1200	77	N. Salvador
	1500	78	N. Salvador
	1800	78	N. Salvador
	2100	77	N. Salvador
	2400	76	E. RAMIREZ

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 11 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	70	M. Hurun
	0600	71	I. DURAN
	0900	71	I. DURAN
	1200	72	I. DURAN
	1500	73	A. Veytia
	1800		
	2100		
	2400	71	M. Hurun

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	71	M. Hurun
	0600		
	0900		
	1200		
	1500	71	A. Veytia
	1800	71	A. Veytia
	2100	71	A. Veytia
	2400	71	M. Hurun

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	70	A. Gomez
	0600	69	M. Balladres
	0900	70	M. Balladres
	1200	73	M. Balladres
	1500	74	A. Veytia
	1800	72	A. Veytia
	2100	72	A. Veytia
	2400		

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	70	J. Marquez
	0600	76	M. Balladres
	0900	71	M. Balladres
	1200	73	M. Balladres
	1500	74	J. JARA
	1800	74	J. JARA
	2100	73	J. JARA
	2400	70	J. Marquez

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	70	Z. Morales
	0600	70	M. Balladres
	0900	72	M. Balladres
	1200	73	M. Balladres
	1500	75	A. Veytia
	1800	70	N. Espinosa
	2100	70	N. Espinosa
	2400	71	M. Salawsky

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	71	M. Salawsky
	0600	71	M. Salawsky
	0900	71	M. Balladres
	1200	75	M. Balladres
	1500	74	M. Balladres
	1800	76	J. GUTIERREZ
	2100	75	
	2400		

Notes

Date	Time	Temp.	Name (Print)
6/16/24	0300		
	0600	72	M. Balladres
	0900	73	M. Balladres
	1200	75	M. Balladres
	1500	76	M. Rangel
	1800	75	M. Rangel
	2100	74	M. Rangel
	2400		

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: AJD Housing Unit: 12 Temp. Reading Location: 2nd - TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	73	P. Fernandez
	0600	73	P. Fernandez
	0900	72	C. Franco
	1200		
	1500	74	CASTRO
	1800	76	CASTRO
	2100	70	CASTRO
	2400	75	Almodovar

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	74	Almodovar
	0600	73	CASTRO
	0900	73	CASTRO
	1200	74	CASTRO
	1500	73	CASTRO
	1800	77	CASTRO
	2100	73	CASTRO
	2400	73	Almodovar

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	72	Almodovar
	0600	72	I. DURAN
	0900	71	I. DURAN
	1200	74	I. DURAN
	1500	75	CASTRO
	1800	75	CASTRO
	2100	75	CASTRO
	2400	74	Almodovar

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	73	Almodovar
	0600	73	Brennan
	0900	73	Brennan
	1200	77	Brennan
	1500	73	VILLEGRAS-H
	1800	72	VILLEGRAS-H
	2100	70	VILLEGRAS-H
	2400	73	Almodovar

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	73	Almodovar
	0600	73	Brennan
	0900	74	Brennan
	1200	75	Brennan
	1500	74	VILLEGRAS-H
	1800	73	VILLEGRAS-H
	2100	73	VILLEGRAS-H
	2400	74	Almodovar

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	74	Almodovar
	0600	73	Brennan
	0900	74	Brennan
	1200	75	Brennan
	1500	75	MARSHAL
	1800	75	MARSHAL
	2100	74	MARSHAL
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	72	J. MARY VL
	0600	75	Brennan
	0900	75	Brennan
	1200	76	Brennan
	1500	76	CASTRO
	1800	77	CASTRO
	2100	77	CASTRO
	2400	72	J. MARY VL

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 13 Temp. Reading Location: 13 CTRL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
01/21/90	0300	70	SARSGAARD
	0600	72	HIGUARDEZ, J
	0900	72	HIGUARDEZ, J
	1200	73	HIGUARDEZ, J
	1500	72	MANDANEZ
	1800	68	MANDANEZ
	2100	71	MANDANEZ
	2400	71	SARSGAARD

Wednesday

Date	Time	Temp.	Name (Print)
4/12	0300	70	SARSOA, K
	0600	70	E. Elizarraras
	0900	70	E. Elizarraras
	1200	70	E. Elizarraras
	1500	70	VILLAS, H
	1800	70	VILLAS, H
	2100	70	VILLAS, H
	2400	70	SARSOA, K

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	70	J. MARY VILLE
	0600	70	RAMIREZ I
	0900	70	RAMIREZ T
	1200	72	RAMIREZ T
	1500	71	P. ESPADA
	1800	71	P. ESPADA
	2100	71	P. ESPADA
	2400	70	J. MARY VILLE

Sunday

Date	Time	Temp.	Name (Print)
	0300	71	R. GCI
	0600	71	HERNANDEZ
	0900	72	HERNANDEZ
	1200	72	HERNANDEZ
	1500	70	R. ESTRADA
	1800	70	RECORADA
	2100	70	R. ESTRADA
	2400	71	SARSONAK

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	71	SAROTAGE
	0600	73	J. SEDA
	0900	70	J. SEDA
	1200	73	J. SEDA
	1500	72	J. SEDANO
	1800	71	J. SEDANO
	2100	71	J. SEDANO
	2400	71	SAROTAGE

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	71	SARSENK
	0600	71	VALLEJO
	0900		
	1200		
	1500	71	R. ESPADA
	1800	70	R. ESPADA
	2100	70	R. ESPADA
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	70	J. MARY RE
	0600	69	J. Ruelas
	0900	69	M. DURAN
	1200	69	M. DURAN
	1500	73	R. PATRICK WARD
	1800	72	C. PONCE
	2100	68	C. PONCE
	2400	70	J. MARY RE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: H/u 16 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	70	K. MILLER
	0600	70	ZAVALA
	0900	70	ZAVALA
	1200	70	ZAVALA
	1500	70	A. EDWARDS
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	K. MILLER

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	70	K. MILLER
	0600	70	ZAVALA
	0900	70	ZAVALA
	1200	70	ZAVALA
	1500	70	A. EDWARDS
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	J. GOREN

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	70	J. GOREN
	0600	70	J. GOREN
	0900	70	V. MOLACEN
	1200	70	V. MOLACEN
	1500	70	A. EDWARDS
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	J. GOREN

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	70	J. GOREN
	0600	70	J. GOREN
	0900	70	RAMOS
	1200	70	RAMOS
	1500	70	A. EDWARDS
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	J. GOREN

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	70	J. GOREN
	0600	70	J. GOREN
	0900	70	C. BEDUHI
	1200	70	C. BEDUHI
	1500	70	T. CHRISTIAN
	1800	71°	T. CHRISTIAN
	2100	71°	T. CHRISTIAN
	2400	70	J. GOREN

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	70	J. GOREN
	0600	70	J. GOREN
	0900	70	C. BEDUHI
	1200	70	C. BEDUHI
	1500	70	D. BALLARD
	1800	70	D. BALLARD
	2100	70	D. BALLARD
	2400	70	C. CITIEN

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	70°	C. CITIEN
	0600	70°	BELTRAN
	0900	70°	BELTRAN
	1200	70°	BELTRAN
	1500	70°	S. LEWIS
	1800	70°	S. LEWIS
	2100	70°	S. LEWIS
	2400	70	K. MILLER

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: R5D Housing Unit: D17 Temp. Reading Location: (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/10/24</u>	0300	71	G. BRENTS
	0600	71	N. Bedehi
	0900	70	N. Bedehi
	1200	73	N. Bedehi
	1500	75	R. VEGA
	1800	76	R. VEGA
	2100	75	R. VEGA
	2400	73	G. BRENTS

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/11/24</u>	0300	71	G. BRENTS
	0600	71	N. Bedehi
	0900	72	N. Bedehi
	1200	72	N. Bedehi
	1500	75	R. VEGA
	1800	75	R. VEGA
	2100	74	R. VEGA
	2400	72	G. BRENTS

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/12/24</u>	0300	70	G. BRENTS
	0600	70	B. EDEN
	0900	72	B. EDEN
	1200	74	B. EDEN
	1500	74	J. GUERRERO
	1800	73	J. GUERRERO
	2100	72	J. GUERRERO
	2400	71	A. Maldonado

Thursday

Date	Time	Temp.	Name (Print)
<u>6/13/24</u>	0300	71	A. Maldonado
	0600	72	B. EDEN
	0900	73	B. EDEN
	1200	74	B. EDEN
	1500	75	S. LEWIS
	1800	74	S. LEWIS
	2100	73	S. LEWIS
	2400	73	K. MILLER

Friday

Date	Time	Temp.	Name (Print)
<u>6/14/24</u>	0300	71	K. MILLER
	0600	71	S. SANDERSON
	0900	73	J. BREZENDINE
	1200	75	J. BREZENDINE
	1500	76	S. LEWIS
	1800	74	S. LEWIS
	2100	73	S. LEWIS
	2400	73	E. SIMENGER

Saturday

Date	Time	Temp.	Name (Print)
<u>6/15/24</u>	0300	72	E. SIMENGER
	0600	71	B. EDEN
	0900	73	B. EDEN
	1200	76	B. EDEN
	1500	77	O. AGUILAR
	1800	76	O. AGUILAR
	2100	75	O. AGUILAR
	2400	74	S. BRENTS

Sunday

Date	Time	Temp.	Name (Print)
<u>6/16/24</u>	0300	73	G. BRENTS
	0600	73	B. EDEN
	0900	73	B. EDEN
	1200	76	B. EDEN
	1500	72	R. VEGA
	1800	72	R. VEGA
	2100	74	R. VEGA
	2400	75	G. BRENTS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

D-FACILITY 16 17 ~~18~~ 20

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D 18 Temp. Reading Location: 2nd TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)	Sup Int
June 10, 2024	0300	70	D. Black	9
	0600	70	O. AGUILAR	9
	0900	70	O. AGUILAR	9
	1200	72	O. AGUILAR	9
	1500	73	O. AGUILAR	9
	1800	73	O. AGUILAR	9
	2100	72	O. AGUILAR	9
	2400	71	D. Black	

Tuesday

Date	Time	Temp.	Name (Print)	Sup Int
June 11, 2024	0300	71	D. Black	
	0600	71	O. AGUILAR	
	0900	71	O. AGUILAR	
	1200	72	O. AGUILAR	
	1500	71	CALALANG	10
	1800	71	CALALANG	10
	2100	71	CALALANG	10
	2400	70	D. Black	

Wednesday

Date	Time	Temp.	Name (Print)	Sup Int
June 12, 2024	0300	69	D. Black	
	0600	69	N. Bedwin	
	0900	70	N. Bedwin	
	1200	72	N. Bedwin	
	1500	73	S. Goss	
	1800	74	S. Goss	
	2100	72	S. Goss	
	2400	71	D. Black	

Thursday

Date	Time	Temp.	Name (Print)	Sup Int
June 13, 2024	0300	70	D. Black	9
	0600	70	P. Ballard	9
	0900	71	P. Ballard	9
	1200	73	P. Ballard	9
	1500	74	J. MARTINEZ	9
	1800	73	J. MARTINEZ	9
	2100	72	J. MARTINEZ	9
	2400	71	D. Black	

Friday

Date	Time	Temp.	Name (Print)	Sup Int
June 14, 2024	0300	70	D. Black	
	0600	70	D. Black	
	0900	71	A. Andrade	
	1200	74	A. Andrade	
	1500	74	MR Flores	
	1800	74	MR Flores	
	2100	73	MR Flores	
	2400	72	K. Miller	

Saturday

Date	Time	Temp.	Name (Print)	Sup Int
June 15, 2024	0300	72	K. Miller	
	0600	70	O. AGUILAR	
	0900	71	O. AGUILAR	
	1200	76	O. AGUILAR	
	1500	76	CALALANG	
	1800	76	CALALANG	
	2100	75	CALALANG	
	2400	74	K. Miller	

Sunday

Date	Time	Temp.	Name (Print)	Sup Int
June 16, 2024	0300	72	K. Miller	
	0600	71	CALALANG	
	0900	72	CALALANG	
	1200	75	CALALANG	
	1500	72	CALALANG	
	1800	75	CALALANG	
	2100	73	CALALANG	
	2400	73	M. Aguirre	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RPD Housing Unit: 19 Temp. Reading Location: 555 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	68	Alderate	
0600	68	DEMOSA	
0900	69	DEMESA	
1200	69.6	DEMESA	
1500	70	DEMESA	
1800	71	DEMESA	
2100	71	DEMESA	
2400	68	Bench	

Wednesday

Date	Time	Temp.	Name (Print)
0300	68	Bench	
0600	69.9	J. ARMENTA	
0900	70.1	J. ARMENTA	
1200	70.5	J. ARMENTA	
1500	71	OGLE	
1800	71	OGLE	
2100	71	OGLE	
2400	70	Bench	

Friday

Date	Time	Temp.	Name (Print)
0300	70	Bench	
0600	70.8	Bullard	
0900	71	Bullard	
1200	72.4	Bullard	
1500	71	ENESON	
1800	71	ENESON	
2100	70	ENESON	
2400	69	Bench	

Sunday

Date	Time	Temp.	Name (Print)
6	72	J. MARCS	
14	71	E. Lovett	
14	71	E. Lovett	
14	71	E. Lovett	
15	73	J. MARCS	
1800	70	J. MARCS	
2100	70	J. MARCS	
2400	69	J. MARCS	

Tuesday

Date	Time	Temp.	Name (Print)
0300	68	Bench	
0600	68	DEMOSA	
0900	68.9	DEMESA	
1200	68.9	DEMESA	
1500	69.3	TIBAYAN	
1800	70.6	TIBAYAN	
2100	71.2	TIBAYAN	
2400	70	Bench	

Thursday

Date	Time	Temp.	Name (Print)
0300	69	Bench	
0600	69	DEMESA	
0900	70.2	DEMESA	
1200	70.9	DEMESA	
1500	70.0	TIBAYAN	
1800	72.2	TIBAYAN	
2100	72	TIBAYAN	
2400	71	Bench	

Saturday

Date	Time	Temp.	Name (Print)
4	68	Bench	
0600	70.4	Bullard	
0900	70.4	Bullard	
1200	73.1	Bullard	
1500	70	ENESON	
1800	72	ENESON	
2100	70	ENESON	
2400	71	ENESON	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJDCF Housing Unit: #20 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	73	A.D. FLORES, SR
	0600	72	N.M. Maroki
	0900	72	N.M. Maroki
	1200	74	N.M. Maroki
	1500	74	D. Huont
	1800	74	D. Huont
	2100	74	D. Huont
	2400	74	A.D. FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	72	A.D. FLORES, SR
	0600	72	N.M. Maroki
	0900	72	N.M. Maroki
	1200	72	N.M. Maroki
	1500	73	DRAUJO
	1800	74	DRAUJO
	2100	74	DRAUJO
	2400	73	A.D. FLORES, SR

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	73	A. Maldonado
	0600	75	N. Maroki
	0900	74	N. Maroki
	1200	75	N. Maroki
	1500	75	N. Maroki
	1800	76	DRAUJO
	2100	75	DRAUJO
	2400	74	A. Maldonado

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	73	F. ALVARADO
	0600	73	ESQUIVIES
	0900	74	ESQUIVIES
	1200	76	ESQUIVIES
	1500	76	MR Flores
	1800	77	MR Flores
	2100	77	MR Flores
	2400	78	OGUEY R.F.

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	73	A.D. FLORES, SR
	0600	73	N.M. Maroki
	0900	73	N.M. Maroki
	1200	73	N.M. Maroki
	1500	73	M. MAROKI
	1800	73	M. MAROKI
	2100	73	M. MAROKI
	2400	72	A.D. FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	72	A.D. FLORES, SR
	0600	72	N.M. Maroki
	0900	72	N.M. Maroki
	1200	73	N.M. Maroki
	1500	74	DRAUJO
	1800	75	DRAUJO
	2100	75	DRAUJO
	2400	73	A. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	74	A. Maldonado
	0600	74	N.M. Maroki
	0900	75	N.M. Maroki
	1200	75	N.M. Maroki
	1500	76	DRAUJO
	1800	77	DRAUJO
	2100	77	DRAUJO
	2400	73	F. AWARDO

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RTV Housing Unit: 3 Temp. Reading Location: Top Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	74	J. L. Leman
	0600	75	MR Flores
	0900	75	MR Flores
	1200	77	MR Flores
	1500	78	A. ESQUINES
	1800	78	A. ESQUINES
	2100	76	A. ESQUINES
	2400	76	J. L. Leman

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	75	J. L. Leman
	0600	75	S. Soto
	0900	76	S. Soto
	1200	77	S. Soto
	1500	77	A. GONZALEZ
	1800	77	GONZALEZ
	2100	76	GONZALEZ
	2400	75	J. L. Leman

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	74	J. L. Leman
	0600	75°	B. LOMBOY
	0900	76°	B. LOMBOY
	1200	77°	B. LOMBOY
	1500	77°	A. AZEVEDO
	1800	77°	A. AZEVEDO
	2100	76°	A. AZEVEDO
	2400	75	J. L. Leman

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	75	J. L. Leman
	0600	74	MR Flores
	0900	75	MR Flores
	1200	77	MR Flores
	1500	78	MR Flores
	1800	81	A. SOTO
	2100	80	A. SOTO
	2400	77	C. Little

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	75	C. Little
	0600	75	C. Little
	0900	76	MR Flores
	1200	78	MR Flores
	1500	78	E. Velasco
	1800	78	E. Velasco
	2100	77	E. Velasco
	2400	76	A. Lopez

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	76	A. Lopez
	0600	76	A. Lopez
	0900	77	MR Flores
	1200	78	MR Flores
	1500	80	B. Lomboy
	1800	80	P. De La Rosa
	2100	79	P. De La Rosa
	2400	79	B. Lomboy

Notes:

Sunday

DATE	TIME	TEMP	NAME
6/23	0300	74	Bray
6/23	0600	78	Bray
6/23	0900	80	MR Flores
6/23	1200	82	MR Flores
6/23	1500	83	Arenhard
6/23	1800	82	Arenhard
6/23	2100	82	Arenhard
6/23	2400	82	Bray

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: A - 4 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/17	0300	68°	R. NEAR
	0600	71°	B. LOMBAY
	0900	71°	B. LOMBAY
	1200	71°	B. LOMBAY
	1500	71°	B. LOMBAY
	1800	72°	A. GONZALEZ
	2100	70°	A. GONZALEZ
	2400	70°	HDET 2

Tuesday			
Date	Time	Temp.	Name (Print)
6/18	0300	68	HULE
	0600	71°	B. LOMBAY
	0900	69°	B. LOMBAY
	1200	73°	B. LOMBAY
	1500	73°	B. LOMBAY
	1800	71	D. CASTILLU
	2100	71	D. CASTILLU
	2400	70°	M. MARSH

Wednesday			
Date	Time	Temp.	Name (Print)
6/19	0300	68°	M. MARSH
	0600	69	C. Basu
	0900	71	C. Basu
	1200	72	C. Basu
	1500	74	J. Juarez
	1800	73	J. Juarez
	2100	73	J. Juarez
	2400	69°	M. MARSH

Thursday			
Date	Time	Temp.	Name (Print)
6/20	0300	68	M. MARSH
	0600	69	C. Basu
	0900	69	C. Basu
	1200	71	C. Basu
	1500	70	J. Juarez
	1800	70	J. Juarez
	2100	70	J. Juarez
	2400	70°	M. MARSH

Friday			
Date	Time	Temp.	Name (Print)
6/21	0300	70°	M. MARSH
	0600	71	C. Basu
	0900	71	C. Basu
	1200	73	C. Basu
	1500	73	J. Gutierrez
	1800	72	J. Gutierrez
	2100	72°	J. Gutierrez
	2400	71°	M. MARSH

Saturday			
Date	Time	Temp.	Name (Print)
6/22	0300	70°	M. MARSH
	0600	70	C. Basu
	0900	70	C. Basu
	1200	70	C. Basu
	1500	76	C. Basu
	1800	76	C. Basu
	2100	75	C. Basu
	2400	73	SILVER, M.

Sunday			
Date	Time	Temp.	Name (Print)
6/23	0300	73	SILVER, M.
	0600	72	C. Basu
	0900	74	C. Basu
	1200	76	C. Basu
	1500	76	C. Basu
	1800	77	C. Basu
	2100	77	C. Basu
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: S

Temp. Reading Location: UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/21	0300	67	E. GUTIERREZ
	0600	68	E. JUAREZ
	0900	69	F. JUAREZ
	1200	73	F. JUAREZ
	1500	73	E. CARDENAS
	1800	72	E. CARDENAS
	2100	72	E. CARDENAS
	2400	70	A. VARGAS

Tuesday

Date	Time	Temp.	Name (Print)
6/18/21	0300	68	A. VARGAS
	0600	69	E. JUAREZ
	0900	70	E. JUAREZ
	1200	72	F. JUAREZ
	1500	73°	E. CARDENAS
	1800	72	E. CARDENAS
	2100	73	E. CARDENAS
	2400	70	A. VARGAS

Wednesday

Date	Time	Temp.	Name (Print)
6/19/21	0300	68	A. VARGAS
	0600	69	E. JUAREZ
	0900	70	F. JUAREZ
	1200	71	F. JUAREZ
	1500	73°	E. CARDENAS
	1800	72	E. CARDENAS
	2100	72	E. SANCHEZ
	2400	70	E. SANCHEZ

Thursday

Date	Time	Temp.	Name (Print)
6/20/21	0300	68	E. SANCHEZ
	0600	69	E. SANCHEZ
	0900	70	E. SANCHEZ
	1200	72	F. JUAREZ
	1500	73°	E. CARDENAS
	1800	72	E. CARDENAS
	2100	71	E. CARDENAS
	2400	72°	R. ALMENDAIRE

Friday

Date	Time	Temp.	Name (Print)
6/21/21	0300	70	R. ALMENDAIRE
	0600	70	R. ALMENDAIRE
	0900	72	R. ALMENDAIRE
	1200	73	R. ALMENDAIRE
	1500	73	E. CARDENAS
	1800	72	E. CARDENAS
	2100	72	E. CARDENAS
	2400	71	A. VARGAS

Saturday

Date	Time	Temp.	Name (Print)
6/22/21	0300	69	A. VARGAS
	0600	69	M. GOMEZ
	0900	70	M. GOMEZ
	1200	70	M. GOMEZ
	1500	76°	B. LOMBARDO
	1800	73	M. LUCERO
	2100	72	M. LUCERO
	2400	74	A. VARGAS

Notes

Date	Time	Temp.	Name (Print)
6/23/21	0300	72	A. VARGAS
	0600	73	M. VIEVES
	0900	77	M. VIEVES
	1200	79	M. VIEVES
	1500	78	I. DURAN
	1800	79	M. LUCERO
	2100	68	M. LUCERO
	2400	76	A. VARGAS

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 8 Temp. Reading Location: 2nd TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	70	D. GARCIA
	0600	69	D. GARCIA
	0900	71	M. ROBLES
	1200	73	M. ROBLES
	1500	74	I. CHRISTMAN
	1800	73	I. CHRISTMAN
	2100	72	I. CHRISTMAN
	2400	70	O. GOMEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	70	O. GOMEZ
	0600	69	R. Collazo
	0900	70	R. Collazo
	1200	72	R. Collazo
	1500	74	R. Collazo
	1800	74	R. Collazo
	2100	72	R. Collazo
	2400	72	DOMAN

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	71	DOMAN
	0600	70	DOMAN
	0900	71	R. Collazo
	1200	73	R. Collazo
	1500	74	R. Collazo
	1800	73	R. Collazo
	2100	72	R. Collazo
	2400	71	DOMAN

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	70	DOMAN
	0600	69	SILVER, M.
	0900	71	SILVER, M.
	1200	73	SILVER, M.
	1500	73	SILVER, M.
	1800	73	SILVER, M.
	2100	72	SILVER, M.
	2400	71	DOMAN

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	70	DOMAN
	0600	71	SILVER, M.
	0900	71	SILVER, M.
	1200	74	SILVER, M.
	1500	75	SILVER, M.
	1800	74	SILVER, M.
	2100	71	DOMAN
	2400	70	DOMAN

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	70	DOMAN
	0600	71	SILVER, M.
	0900	74	SILVER, M.
	1200	74	SILVER, M.
	1500	76	SANDERSON
	1800	75	SANDERSON
	2100	74	SANDERSON
	2400	71	DOMAN

Notes

Date	Time	Temp.	Name (Print)
6/23	0300	70	DOMAN
	0600	74	M. ROBLES
	0900	79	M. ROBLES
	1200	80	M. ROBLES
	1500	80	SILVER, M.
	1800	80	SILVER, M.
	2100	78	SILVER, M.
	2400		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: B-10 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	75°	E. Ramirez
0600	74°	E. Ramirez	
0900	72°	A. Rosales	
1200	73°	A. Rosales	
1500	78°	N. Salvador	
1800	78°	N. Salvador	
2100	77°	N. Salvador	
2400	75°	RYBNIKAR	

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	73°	RYBNIKAR
0600	74°	RYBNIKAR	
0900	75°	Zamora	
1200	74°	Zamora	
1500	77°	N. Salvador	
1800	77°	N. Salvador	
2100	76°	N. Salvador	
2400	75°	RYBNIKAR	

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	74°	RYBNIKAR
0600	74°	RYBNIKAR	
0900	74°	O. Garcia	
1200	78°	O. Garcia	
1500	78°	O. Garcia	
1800	78°	E. Garcia	
2100	76°	E. Garcia	
2400	74°	RYBNIKAR	

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	73°	RYBNIKAR
0600	73°	RYBNIKAR	
0900	72°	ROSS	
1200	72°	ROSS	
1500	77°	E. Garcia	
1800	77°	E. Garcia	
2100	76°	E. Garcia	
2400	75°	RYBNIKAR	

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	74°	RYBNIKAR
0600	73°	RYBNIKAR	
0900	75°	O. Garcia	
1200	77°	O. Garcia	
1500	78°	N. Salvador	
1800	77°	N. Salvador	
2100	77°	N. Salvador	
2400	76°	RYBNIKAR	

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	75°	RYBNIKAR
0600	74°	RYBNIKAR	
0900	70°	ROSS	
1200	78°	ROSS	
1500	79°	N. Salvador	
1800	79°	N. Salvador	
2100	79°	N. Salvador	
2400	70°	C. Beduchi	

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	75°	C. Beduchi
0600	73°	C. Beduchi	
0900	76°	ROSS	
1200	81°	ROSS	
1500	82°	N. Salvador	
1800	82°	N. Salvador	
2100	81°	N. Salvador	
2400	78°	E. Ramirez	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 11 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	71	M. Hurn
	0600	71	I. DURAN
	0900	72	I. DURAN
	1200	74	I. DURAN
	1500	75	A. Veyta
	1800	74	A. Veyta
	2100	73	A. Veyta
	2400	73	M. Hurn

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	72	M. Hurn
	0600	71	I. DURAN
	0900	72	I. DURAN
	1200	74	I. DURAN
	1500	72	J. Gutierrez
	1800	72	J. Gutierrez
	2100	71	J. Gutierrez
	2400	73	M. Hurn

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	71	A. Gomez
	0600	71	M. Ballo
	0900	72	M. Ballo
	1200	73	M. Ballo
	1500	74	B. Rattner
	1800	75	Carter
	2100	74	Carter
	2400	70	J. Marquez

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	70	J. Marquez
	0600	71	M. Ballo
	0900	72	M. Ballo
	1200	74	M. Ballo
	1500	72	C. Lopez
	1800	71	C. Lopez
	2100	72	C. Lopez
	2400	72	J. Marquez

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	71	C. Lopez
	0600	72	M. Ballo
	0900	73	M. Ballo
	1200	74	M. Ballo
	1500	75	A. Veyta
	1800	74	A. Veyta
	2100	74	A. Veyta
	2400	73	A. Gomez

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	72	A. Gomez
	0600	73	M. Ballo
	0900	74	M. Ballo
	1200	74	M. Ballo
	1500	71	M. Marquez
	1800	70	M. Marquez
	2100	75	M. Marquez
	2400	75	A. Gomez

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	74	A. Gomez
	0600	75	F. Moreno
	0900	73	F. Moreno
	1200	74	F. Moreno
	1500	73	Villegas-H
	1800	72	Villegas-H
	2100	72	Villegas-H
	2400	72	M. Hurn

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 12 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	70	J. Marquez
	0600	73	I. VENNET
	0900	74	I. VENNET
	1200	76°	J. Blanco
	1500	77	CASTRO
	1800	77	CASTRO
	2100	78	CASTRO
	2400	70	J. Marquez

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	74	Almodovar
	0600	74	Estrada
	0900	74	Estrada
	1200	76°	Estrada
	1500	76	CASTRO
	1800	77	CASTRO
	2100	76	CASTRO
	2400	75	Almodovar

Friday

Date	Time	Temp.	Name (Print)
6/21/18	0300	75	Almodovar
	0600	74	Brennan
	0900	74	Brennan
	1200	76	Brennan
	1500	74	Hernandez
	1800	73	VILLEGRAS - H
	2100	72	VILLEGRAS - H
	2400	74	Almodovar

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	79	L. CENEDAS
	0600	78	L. CENEDAS
	0900	82	Brennan
	1200	83	Brennan
	1500	83	CASTRO
	1800	84	CASTRO
	2100	83	CASTRO
	2400	83	Selwyn

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	74	Almodovar
	0600	74	C. BARRERA
	0900	74	HERNANDEZ S
	1200	75	HERNANDEZ, S
	1500	77	CASTRO
	1800	77	CASTRO
	2100	77	CASTRO
	2400	75	Almodovar

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	74	Almodovar
	0600	73	Brennan
	0900	74	Brennan
	1200	75	Brennan
	1500	73	VILLEGRAS, H
	1800	72	VILLEGRAS, H
	2100	71	VILLEGRAS, H
	2400	73	Almodovar

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	75	Almodovar
	0600	74	Brennan
	0900	75	Brennan
	1200	74	Brennan
	1500	74	F. moreno
	1800	74	F. moreno
	2100	74	F. moreno
	2400	80	L. CENEDAS

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 13 Temp. Reading Location: 13 CTRL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>6/11/19</u>	0300	70	SARSOZAK
	0600	72	Hernandez
	0900	73	Hernandez
	1200	71	Franco
	1500	71	Franco
	1800	71	Carrillo
	2100	68	Carrillo
	2400	70	SARSOZAK

Tuesday

Date	Time	Temp.	Name (Print)
<u>6/18</u>	0300	70	SARSOZAK
	0600	70	L.Rodriguez
	0900	71	W.Rodriguez
	1200	72	W.Rodriguez
	1500	71	C.Franco
	1800	70	C.Franco
	2100	72	C.Franco
	2400	70	SARSOZAK

Wednesday

Date	Time	Temp.	Name (Print)
<u>6/19</u>	0300	70	SARSOZAK
	0600	70	Morales
	0900	70	Morales
	1200	70	Morales
	1500	70	H.Villalba
	1800	70	H.Villalba
	2100	70	H.Villalba
	2400	70	SARSOZAK

Thursday

Date	Time	Temp.	Name (Print)
<u>6/20</u>	0300	70	SARSOZAK
	0600	70	Morales
	0900	70	Morales
	1200	70	Morales
	1500	70	J.Mendoza
	1800	70	J.Mendoza
	2100	70	J.Mendoza
	2400	70	J.Mendoza

Friday

Date	Time	Temp.	Name (Print)
<u>6/21</u>	0300	70	J.Manguez
	0600	70	N.Espinosa
	0900	70	N.Espinosa
	1200	70	M.Bustos
	1500	70	N.Espinosa
	1800	70	N.Espinosa
	2100	70	N.Espinosa
	2400	70	J.Manguez

Saturday

Date	Time	Temp.	Name (Print)
<u>6/22</u>	0300	71	C.Lopez
	0600	71	ESQUIVIES
	0900	70	ESQUIVIES
	1200	72	ESQUIVIES
	1500	75	BECERRA
	1800	73	BECERRA
	2100	72	BECERRA
	2400	70	F.Perez

Sunday

Date	Time	Temp.	Name (Print)
<u>6/23</u>	0300	70	F.Perez
	0600	70	M.Naeem
	0900	75	M.Naeem
	1200	77	M.Naeem
	1500	78	E.Helasco
	1800	71	E.Helasco
	2100	69	E.Helasco
	2400	70	SARSOZAK

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJO Housing Unit: 16 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	K. MILLER
	0600	70	Z. ZAVALA
	0900	70	Z. ZAVALA
	1200	70	Z. ZAVALA
	1500	70	A. EDWARDS
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	K. MILLER

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	70	K. MILLER
	0600	70	Z. ZAVALA
	0900	70	Z. ZAVALA
	1200	70	Z. ZAVALA
	1500	70	Z. ZAVALA
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	J. GARN

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	70	J. GARN
	0600	70	J. GARN
	0900	70	Z. ZAVALA
	1200	70	Z. ZAVALA
	1500	70	A. EDWARDS
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	J. GARN

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	70	J. GARN
	0600	70	J. GARN
	0900	70	Z. ZAVALA
	1200	70	Z. ZAVALA
	1500	70	A. EDWARDS
	1800	70	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	J. GARN

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	70	J. GARN
	0600	70	J. GARN
	0900	70	Z. ZAVALA
	1200	70	Z. ZAVALA
	1500	70	A. RODGERS
	1800	70	R. STEVENS
	2100	70	R. STEVENS
	2400	70	J. GARN

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	70	J. GARN
	0600	70	J. GARN
	0900	70	N. BEDDISH
	1200	71	N. BEDDISH
	1500	71	S. GARN
	1800	70	S. GARN
	2100	70	S. GARN
	2400	70	C. OLEEN

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	70	C. OLEEN
	0600	71	N. BEDDISH
	0900	71	N. BEDDISH
	1200	71	N. BEDDISH
	1500	71	S. GARN
	1800	71	S. GARN
	2100	70	S. GARN
	2400	70	K. MILLER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D 17 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	72	G. BRENTS
17/24	0600	72	N. Bedwhi
	0900	73	N. Bedwhi
	1200	73	N. Bedwhi
	1500	74	K. MILLER
	1800	74	K. MILLER
	2100	74	K. MILLER
	2400	73	C. BRENTS

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	G. BRENTS
19/24	0600	75	J. Morena
	0900	75	M. Lewis
	1200	75	M. Lewis
	1500	75	Pamela
	1800	75	R. Evans
	2100	74	R. Evans
	2400	72	G. BRENTS

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	K. MILLER
21/24	0600	72	B. EDEN
	0900	75	B. EDEN
	1200	75	B. EDEN
	1500	77	S. LEWIS
	1800	77	S. LEWIS
	2100	75	S. LEWIS
	2400	74	G. BRENTS

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	75	G. BRENTS
23/24	0600	75	B. EDEN
	0900	80	B. EDEN
	1200	80	B. EDEN
	1500	81	B. EDEN
	1800	81	B. EDEN
	2100	80	B. EDEN
	2400	79	G. BRENTS

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	72	G. BRENTS
18/24	0600	72	N. Bedwhi
	0900	72	N. Bedwhi
	1200	75	N. Bedwhi
	1500	75	N. Bedwhi
	1800	75	J. Miller
	2100	75	J. Miller
	2400	74	C. BRENTS

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	72	G. BRENTS
20/24	0600	72	G. BRENTS
	0900	72	B. EDEN
	1200	75	B. EDEN
	1500	78	S. LEWIS
	1800	75	S. LEWIS
	2100	74	S. LEWIS
	2400	72	K. MILLER

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	73	G. BRENTS
22/24	0600	75	B. EDEN
	0900	76	B. EDEN
	1200	77	B. EDEN
	1500	79	B. EDEN
	1800	79	B. EDEN
	2100	77	B. EDEN
	2400	76	G. BRENTS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

D-FACILITY 16 17 18 ~~19~~ 20

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: D 18 Temp. Reading Location: 2nd TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)	Sup Int
06-17-2024	0300	70	I. Leyes	
	0600	71	I. Leyes	
	0900	72	O. AGUILAR	
	1200	74	O. AGUILAR	
	1500	75	CALALANG	
	1800	74	CALALANG	
	2100	72	CALALANG	
	2400	72	D. Black	

Tuesday

Date	Time	Temp.	Name (Print)	Sup Int
June 18, 2024	0300	71	D. Black	
	0600	71	O. AGUILAR	
	0900	73	O. AGUILAR	
	1200	74	O. AGUILAR	
	1500	75	CALALANG	
	1800	74	CALALANG	
	2100	73	CALALANG	
	2400	72	D. Black	

Wednesday

Date	Time	Temp.	Name (Print)	Sup Int
June 19, 2024	0300	71	D. Black	
	0600	71	N. Bedini	
	0900	71	N. Bedini	
	1200	72	N. Bedini	
	1500	73	S. Lewis	
	1800	72	S. Lewis	
	2100	71	S. Lewis	
	2400	72	D. Black	

Thursday

Date	Time	Temp.	Name (Print)	Sup Int
June 20, 2024	0300	71	D. Black	
	0600	72	D. Black	
	0900	70	D. Black	
	1200	74	D. Black	
	1500	74	B. EDEN	
	1800	74	B. EDEN	
	2100	73	B. EDEN	
	2400	72	D. Black	

Friday

Date	Time	Temp.	Name (Print)	Sup Int
June 21, 2024	0300	71	D. Black	
	0600	71	O. AGUILAR	
	0900	71	O. AGUILAR	
	1200	75	O. AGUILAR	
	1500	75	K. MILLER	
	1800	75	K. MILLER	
	2100	74	K. MILLER	
	2400	72	K. MILLER	

Saturday

Date	Time	Temp.	Name (Print)	Sup Int
June 22, 2024	0300	72	K. MILLER	
	0600	71	D. OMAR	
	0900	73	O. AGUILAR	
	1200	77	O. AGUILAR	
	1500	78	O. AGUILAR	
	1800	78	O. AGUILAR	
	2100	77	O. AGUILAR	
	2400	75	E. Ramirez	

Sunday

Date	Time	Temp.	Name (Print)	Sup Int
June 23, 2024	0300	75	E. Ramirez	
	0600	75	O. AGUILAR	
	0900	79	O. AGUILAR	
	1200	81	O. AGUILAR	
	1500	80	O. AGUILAR	
	1800	80	G. Quinones	
	2100	79	G. Quinones	
	2400	78	D. Black	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/17	0300	64	S. LEWIS
	0600	70	S. LEWIS
	0900	72	Mera Z
	1200	75	Mera Z
-	1500	72	TIBAYAN
-	1800	73	TIBAYAN
-	2100	72.5	TIBAYAN
	2400	71	Bench C

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	69	Bench C
	0600	70	DOMESA A
	0900	71	DEMESA A
	1200	70.3	DEMESA A
-	1500	71.3	TIBAYAN
-	1800	72.4	TIBAYAN
-	2100	72.4	TIBAYAN
	2400	70	Bench C

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	69	Bench C
	0600	70	DOMESA A
	0900	70.3	DOMESA A
	1200	70	Mera Z
	1500	70	HERNANDEZ
	1800	72	OGLE
	2100	71	OGLE
	2400	69	Bench C

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	68	Bench C
	0600	69	DOMESA A
	0900	70	DOMESA A
	1200	70.9	DOMESA A
	1500	71	DOMESA A
	1800	71.2	DOMESA A
	2100	71	DOMESA A
	2400	70	Bench C

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	69	Bench C
	0600	71	Duvald
	0900	71.9	Duvald
	1200	72.8	Duvald
	1500	72	J. MARTINEZ
	1800	73	J. MARTINEZ
	2100	72	J. MARTINEZ
	2400	70	Bench C

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	68	Bench C
	0600	71.1	Duvald
	0900	72	Duvald
	1200	74.1	Duvald
	1500	74	C. MARTINEZ
	1800	74.6	C. MARTINEZ
	2100	73.5	C. MARTINEZ
	2400	70	Nance

Notes

Date	Time	Temp.	Name (Print)
6/23	0300	70	Nance
	0600	70	Nance
	0900	73	Lovett
	1200	74	Lovett
	1500	74	J. Mares
	1800	73	J. Mares
	2100	72	J. Mares
	2400	71	A. Maldonado

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17	0300	74	ESGUEIRAT
	0600	73	C.Bullard
	0900	74	Bullard
	1200	75	Bullard
	1500	74	WOMEN
	1800	76	Nelson
	2100	72	Nelson
	2400	75	AD.FLORES,SR

Wednesday

Date	Time	Temp.	Name (Print)
6/19	0300	73	AD.FLORES,SR
	0600	73	N.Maroki
	0900	73	N.Maroki
	1200	73	N.Maroki
	1500	75	DRAUJO
	1800	75	DRAUJO
	2100	75	DRAUJO
	2400	74	AD.FLORES,SR

Friday

Date	Time	Temp.	Name (Print)
6/21	0300	74	ESGUEIRAT
	0600	73	N.Maroki
	0900	73	N.Maroki
	1200	76	N.Maroki
	1500	75	A.chavez
	1800	73	A.chavez
	2100	71	chever
	2400	70	S.CHEVER

Sunday

Date	Time	Temp.	Name (Print)
6/23	0300	77	AD.FLORES,SR
	0600	70	Bullard
	0900	71	Bullard
	1200	79	Patricia
	1500	80	NEVES
	1800	80	N.L.BATES
	2100	80	NEVES
	2400	79	AD.FLORES,SR

Tuesday

Date	Time	Temp.	Name (Print)
6/18	0300	74	AD.FLORES,SR
	0600	73	N.Maroki
	0900	73	N.Maroki
	1200	75	N.Maroki
	1500	76	ISLAUJO
	1800	76	DRAUJO
	2100	75	DRAUJO
	2400	74	AD.FLORES,SR

Thursday

Date	Time	Temp.	Name (Print)
6/20	0300	73	AD.FLORES,SR
	0600	72	N.Maroki
	0900	74	N.Maroki
	1200	75	N.Maroki
	1500	75	DRAUJO
	1800	76	DRAUJO
	2100	76	DRAUJO
	2400	75	ESGUEIRAT

Saturday

Date	Time	Temp.	Name (Print)
6/22	0300	70	S.Ignat
	0600	70	S.CHEVER
	0900	73	N.Maroki
	1200	76	N.Maroki
	1500	77	R.RODRIGUEZ
	1800	76	R.RODRIGUEZ
	2100	78	R.DRIGUEZ
	2400	78	AD.FLORES,SR

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: R512 Housing Unit: 3 Temp. Reading Location: Top Tree
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/14	0300	81	H. Leman
0600	80	M.R. Flores	
0900	82	M.R. Flores	
1200	82	M.R. Flores	
1500	82	T. Moore	
1800	82	T. Moore	
2100	81	T. Moore	
2400	81	H. Leman	

Wednesday

Date	Time	Temp.	Name (Print)
05/16	0300	80	H. Leman
0600	77°	B. Lomboy	
0900	79°	B. Lomboy	
1200	80°	B. Lomboy	
1500	80	A. Esquivel	
1800	78	A. Esquivel	
2100	77	A. Esquivel	
2400	77	H. Leman	

Friday

Date	Time	Temp.	Name (Print)
05/18	0300	80	H. Leman
0600	75	O. Latro	
0900	77	O. Latro	
1200	78	O. Latro	
1500	78	T. Moore	
1800	78	T. Moore	
2100	76	T. Moore	
2400	75	F. Martinez	

Sunday

Date	Time	Temp.	Name (Print)
05/20	0300	75	H. Leman
0600	74	Zamora	
0900	74	Zamora	
1200	77	Zamora	
1500	79	Moore	
1800	78	Moore	
2100	76	Moore	
2400	79	H. Leman	

Tuesday

Date	Time	Temp.	Name (Print)
05/19	0300	80	
0600	76	S.	
0900	80	S.	
1200	81	S.	
1500	81	T. Moore	
1800	81	T. Moore	
2100	79	T. Moore	
2400	80	H. Leman	

Thursday

Date	Time	Temp.	Name (Print)
05/21	0300	80	H. Leman
0600	76	A. Lopez	
0900	77	A. Lopez	
1200	79	A. Lopez	
1500	84	A. Soto	
1800	84	A. Soto	
2100	84	A. Soto	
2400	80	H. Leman	

Saturday

Date	Time	Temp.	Name (Print)
05/22	0300	73	F. Martinez
0600	73	M.R. Flores	
0900	74	M.R. Flores	
1200	77	M.R. Flores	
1500	78	T. Moore	
1800	76	T. Moore	
2100	76	T. Moore	
2400	76	T. Moore	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONAL INSTITUTIONS

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: A4 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	70	VAKAMAY
	0600	75°	B. LOMBRY
	0900	79°	B. LOMBRY
	1200	79°	B. LOMBRY
	1500	79	A. ESQUIVIES
	1800	79	A. ESQUIVIES
	2100	76	A. ESQUIVIES
	2400	74	A.Silum

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	74	A.Silum
	0600	74°	B. LOMBRY
	0900	76°	B. LOMBRY
	1200	78°	B. LOMBRY
	1500	78	A. ESQUIVIES
	1800	78	A. ESQUIVIES
	2100	75	A. ESQUIVIES
	2400	74°	M. MAROKE

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	74°	M. MAROKE
	0600	74	C. Lopez
	0900	75	C. Lopez
	1200	77	C. Lopez
	1500	74	J. JUAREZ
	1800	72	J. JUAREZ
	2100	72	J. JUAREZ
	2400	74	M. MAROKE

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	73°	M. MAROKE
	0600	71°	C. Lopez
	0900	71°	C. Lopez
	1200	73°	C. Lopez
	1500	72°	J. JUAREZ
	1800	73°	J. JUAREZ
	2100	71	J. JUAREZ
	2400	72°	M. MAROKE

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	72°	M. MAROKE
	0600	72°	MAROKE M.
	0900	75°	MAROKE M.
	1200	75	MAROKE M.
	1500	70°	J. JUAREZ
	1800	70	J. JUAREZ
	2100	70	J. JUAREZ
	2400	71°	M. MAROKE

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	71°	M. MAROKE
	0600	71°	J. JUAREZ
	0900	72°	J. JUAREZ
	1200	73°	J. JUAREZ
	1500	73°	J. JUAREZ
	1800	71°	J. JUAREZ
	2100	71°	J. JUAREZ
	2400	72°	M. MAROKE

Notes

Date	Time	Temp.	Name (Print)
6/30	0300	71°	M. MAROKE
	0600	70°	J. JUAREZ
	0900	72°	J. JUAREZ
	1200	70°	J. JUAREZ
	1500	70°	J. JUAREZ
	1800	70°	J. JUAREZ
	2100	71°	J. JUAREZ
	2400	71°	M. MAROKE

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 5 Temp. Reading Location: UPPER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
04	0300	74	A. VELASCO
6	0600	74	E. JUAREZ
24	0900	77	E. JUAREZ
24	1200	79	E. JUAREZ
24	1500	79	CARDENAS
24	1800	77	Orozco
24	2100	77	Orozco
24	2400	76	A. VELASCO

Tuesday

Date	Time	Temp.	Name (Print)
04	0300	74	A. VELASCO
6	0600	74	E. JUAREZ
24	0900	77	E. JUAREZ
24	1200	77	E. JUAREZ
24	1500	77	E. Velasco
24	1800	75	E. Velasco
24	2100	75	E. Velasco
24	2400	75	E. Velasco

Wednesday

Date	Time	Temp.	Name (Print)
04	0300	75	E. Sanchez
6	0600	77	E. JUAREZ
24	0900	75	E. JUAREZ
24	1200	77	E. JUAREZ
24	1500	76	S.
24	1800	77	E. Sanchez
24	2100	74	E. Sanchez
24	2400	74	E. Sanchez

Thursday

Date	Time	Temp.	Name (Print)
04	0300	73	E. Sanchez
6	0600	77	E. JUAREZ
24	0900	74	E. JUAREZ
24	1200	77	E. JUAREZ
24	1500	75	CARDENAS
24	1800	76	CARDENAS
24	2100	75	CARDENAS
24	2400	75	C. OTTER

Friday

Date	Time	Temp.	Name (Print)
04	0300	74	C. OTTER
6	0600	72	R. Cullazo
24	0900	73	R. Cullazo
24	1200	74	R. Cullazo
24	1500	75	E. CARDENAS
24	1800	75	E. CARDENAS
24	2100	73	E. CARDENAS
24	2400	73	J. Goff

Saturday

Date	Time	Temp.	Name (Print)
04	0300	73	J. GOFF
6	0600	72	J. GOFF
24	0900	72	M. MARQUE
24	1200	74	M. MARQUE
24	1500	75	A. ESCUVIES
24	1800	74	A. ESCUVIES
24	2100	74	A. ESCUVIES
24	2400	72	F. Martinez

Notes

Date	Time	Temp.	Name (Print)
04	0300	72	F. Martinez
6	0600	72	E. JUAREZ
24	0900	74	E. JUAREZ
24	1200	75	E. JUAREZ
24	1500	76	E. JUAREZ
24	1800	75	A. ESCUVIES
24	2100	74	A. ESCUVIES
24	2400	73	A. VELASCO

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: 8 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300		
	0600	75°	M. ROBLES
	0900	79°	M. ROBLES
	1200	80°	M. ROBLES
	1500	80°	T. CHRISTMAN
	1800	80°	T. CHRISTMAN
	2100	78°	T. CHRISTMAN
	2400	77°	M. COOKI

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	75	DOMAN
	0600	74	Collazo, R
	0900	75	Collazo, R
	1200	77	Collazo, R
	1500	77	Collazo, R
	1800	77	Collazo, R
	2100	76	Collazo, R
	2400	75	DOMAN

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	73	DOMAN
	0600	74	SILVER, M.
	0900	75	SILVER, M.
	1200	76	SILVER, M.
	1500	74	SILVER, M.
	1800	73	SILVER, M.
	2100	73	DOMAN
	2400	72	DOMAN

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	72	DOMAN
	0600	72	DOMAN
	0900	75°	M. ROBLES
	1200	77°	M. ROBLES
	1500	77°	M. ROBLES
	1800	77°	M. ROBLES
	2100	74°	M. ROBLES
	2400	73	A. HERNANDEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	75°	J. Gutierrez
	0600	74	R. Collazo
	0900	76	R. Collazo
	1200	78	R. Collazo
	1500	78	R. Collazo
	1800	78	R. Collazo
	2100	76	R. Collazo
	2400	75	Domar

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	75	DOMAN
	0600	75	SILVER, M.
	0900	75	SILVER, M.
	1200	77	SILVER, M.
	1500	76	SILVER, M.
	1800	76	SILVER, M.
	2100	75	SILVER, M.
	2400	74	DOMAN

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	71	DOMAN
	0600	70	SILVER, M.
	0900	73	SILVER, M.
	1200	75	SILVER, M.
	1500	76	SANDOZO
	1800	75	SANDOZO
	2100	74	SANDOZO
	2400	73	DOMAN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 10 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	78	E RAMIREZ
	0600	79	N Salvador
	0900	80	N Salvador
	1200	81	N Salvador
	1500	82	N Salvador
	1800	82	N Salvador
	2100	80	N Salvador
	2400	78	RYBNIKAR

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	77	RYBNIKAR
	0600	76	RYBNIKAR
	0900	78	Zamora
	1200	78	Zamora
	1500	79	N Salvador
	1800	79	N Salvador
	2100	77	N Salvador
	2400	76	RYBNIKAR

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	74	RYBNIKAR
	0600	73	RYBNIKAR
	0900	74	J. SOSA
	1200	78	J. SOSA
	1500	74	E. GARCIA
	1800	76	E. GARCIA
	2100	76	E. GARCIA
	2400	75	RYBNIKAR

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	74	RYBNIKAR
	0600	73	RYBNIKAR
	0900	74	Vera A
	1200	77	Vera A
	1500	78	SCHAVER
	1800	78	S. CHAVEZ
	2100	76	S. CHAVEZ
	2400	75	RYBNIKAR

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	74	RYBNIKAR
	0600	75	RYBNIKAR
	0900	77	VERA A
	1200	76	VERA A
	1500	77	VERA A
	1800	77	VERA A
	2100	74	VERA A
	2400	71	RYBNIKAR

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	70	RYBNIKAR
	0600	70	RYBNIKAR
	0900	71	VERA A
	1200	76	VERA A
	1500	76	VERA A
	1800	77	VERA A
	2100	75	VERA A
	2400	75	E. RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	74	R. Ramirez
	0600	72	N Salvador
	0900	74	N Salvador
	1200	77	N Salvador
	1500	78	N Salvador
	1800	76	N Salvador
	2100	74	N Salvador
	2400	73	S. Martinez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 11 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	77	M. Hurnu
	0600	77	I. DURAN
	0900	75	I. DURAN
	1200	80	I. DURAN
	1500	75	F. Moreno
	1800	74	F. Moreno
	2100	70	F. Moreno
	2400	76	M. Hurnu

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300		
	0600	73	M. Balladur
	0900	74	M. Balladares
	1200	74	M. Balladares
	1500	76	A. Veytia
	1800	74	A. Veytia
	2100	74	A. Veytia
	2400		

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	73	Z. Morales
	0600	71	M. Balladres
	0900	72	M. Balladres
	1200	74	M. Balladres
	1500	74	A. Veytia
	1800	74	A. Veytia
	2100	72	A. Veytia
	2400	71	A. Gomez

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	70	A. Gomez
	0600	75	C. Jimenez
	0900	75	C. Jimenez
	1200	75	C. Jimenez
	1500	74	V. Llegos
	1800	74	V. Llegos
	2100	73	V. Llegos
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	74	M. Hurnu
	0600	73	I. DURAN
	0900	74	I. DURAN
	1200	74	I. DURAN
	1500	77	A. Veytia
	1800	75	A. Veytia
	2100	75	A. Veytia
	2400	76	M. Hurnu

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	70°	J. Marquez
	0600	71	M. Balladres
	0900	73	M. Balladres
	1200	75	M. Balladres
	1500	75	A. Veytia
	1800	74	A. Veytia
	2100	73	A. Veytia
	2400	70°	J. Marquez

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	69	A. Gomez
	0600	68	O. Lopez
	0900	65°	J. Mendoza
	1200	71°	J. Mendoza
	1500	73	V. Llegos H
	1800	72	V. Llegos H
	2100	72	V. Llegos H
	2400	71	A. Gomez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: BSD Housing Unit: 12 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	82	Solomon
	0600	82	Solomon
	0900	82	Lederman
	1200	83	Lederman
	1500	84	CAS 120
	1800	84	CAS 120
	2100	83	CAS 120
	2400	80	Almodovar

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	78	Almodovar
	0600	78	Hernandez
	0900	78	Villanueva
	1200	79	Hernandez
	1500	83	CAS 120
	1800	83	CAS 120
	2100	81	CAS 120
	2400	80	Almodovar

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	79	Almodovar
	0600		
	0900		
	1200		
	1500	82	CAS 120
	1800	82	CAS 120
	2100	81	CAS 120
	2400		Almodovar

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	74	Almodovar
	0600	76	Brennan
	0900	76	Brennan
	1200	79	Brennan
	1500	73	Villanueva
	1800	73	Villanueva
	2100	71	Villanueva
	2400	75	P. Villalobos

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	75	B. Villalobos
	0600	75	B. Villalobos
	0900	75	Brennan
	1200	78	Brennan
	1500	74	K. Toledo
	1800	73	Villanueva
	2100		
	2400	73	Espinosa A.

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	73	Espinosa A.
	0600	72	Brennan
	0900	73	Brennan
	1200	74	Brennan
	1500	78	CAS 120
	1800	77	CAS 120
	2100	77	CAS 120
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/30/24	0300	72	J. Marquez
	0600	74	Brennan
	0900	74	Brennan
	1200	79	Brennan
	1500	79	CAS 120
	1800	79	CAS 120
	2100	78	CAS 120
	2400	72	J. Marquez

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: BSD Housing Unit: 13 Temp. Reading Location: 13
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
06/12/2014	0300	71	SARSGRAK
	0600	72	HEDMENDOZ
	0900	72	HELMENDOZ J
	1200	73	HELMENDOZ J
	1500	71	R.ESTRADA
	1800	71	R.ESTRADA
	2100	72	R.ESTRADA
	2400	71	SARSGRAK

Tuesday

Date	Time	Temp.	Name (Print)
6/13/2014	0300	70	SARSGRAK
	0600	70	T. Duan
	0900		
	1200		
	1500	72	K.MARTINEZ
	1800	72	K.MARTINEZ
	2100	74	K.Martinez
	2400	71	CARSON

Wednesday

Date	Time	Temp.	Name (Print)
6/26/2014	0300	71	SARSGRAK
	0600	73	C. ALDIAZ
	0900	73	
	1200		
	1500	73	VILLECAS H
	1800	72	VILLECAS H
	2100	72	VILLECAS H
	2400	72	SARSGRAK

Thursday

Date	Time	Temp.	Name (Print)
6/27/2014	0300	72	SARSGRAK
	0600		
	0900		
	1200	75	
	1500	70°	J.mendoza
	1800	70°	J.mendoza
	2100	70°	J.mendoza
	2400		

Friday

Date	Time	Temp.	Name (Print)
6/28/2014	0300	70	J.mayor
	0600	70	N.ESPINOZA
	0900	70	N.ESPINOZA
	1200	73	N.ESPINOZA
	1500	73	R.ESTRADA
	1800		
	2100		
	2400	70	J.mayor

Saturday

Date	Time	Temp.	Name (Print)
6/29/2014	0300	70	J.mayor
	0600	70	E.LOPEZ
	0900	70	E.LOPEZ
	1200	75°	J.JARDN
	1500	73	R.ESTRADA
	1800	70	R.ESTRADA
	2100	70	R.ESTRADA
	2400	70	J.mayor

Sunday

Date	Time	Temp.	Name (Print)
6/30/2014	0300	70	S.Goff
	0600	70	S.Goff
	0900	71	B.Arellano
	1200	77	B.Arellano
	1500	73	R.ESTRADA
	1800	71	R.ESTRADA
	2100	71	R.ESTRADA
	2400	71	SARSGRAK

Notes

STATE OF CALIFORNIA
 INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 110 Temp. Reading Location: No Control

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300		
	0600	71	Zamora
	0900	71	Zamora
	1200	71	Zamora
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	70	A. EDWARDS
	2400	70	K. MILLER

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	70	K. MILLER
	0600	71	A. HERNANDEZ
	0900	71	A. HERNANDEZ
	1200	71	A. HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	J. Garm

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	71	J. Garm
	0600	71	J. Garm
	0900	71	A. HERNANDEZ
	1200	71	A. HERNANDEZ
	1500	71	A. EDWARDS
	1800	71	A. EDWARDS
	2100	71	A. EDWARDS
	2400	71	J. Garm

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	71	J. Garm
	0600	71	J. Garm
	0900	71	A. HERNANDEZ
	1200	71	A. HERNANDEZ
	1500	70	J. ALMENDA
	1800	70°	R. OWENS
	2100	70°	R. OWENS
	2400	71	J. Garm

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	71	J. Garm
	0600	71	J. Garm
	0900	71	A. HERNANDEZ
	1200	71	A. HERNANDEZ
	1500	70	DAD
	1800	70	NIEVES
	2100	71	NIEVES
	2400	70	J. Garm

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	70	J. Garm
	0600	70	J. Garm
	0900	70	N. BEDDHI
	1200	70	N. BEDDHI
	1500	70	S. GARNIS
	1800	70	S. GARNIS
	2100	70	S. GARNIS
	2400	71	C. ALTON

Notes

Date	Time	Temp.	Name (Print)
6/30	0300	70	C. ALTON
	0600	70	N. BEDDHI
	0900	70	N. BEDDHI
	1200	70	N. BEDDHI
	1500	71	S. GARNIS
	1800	71	S. GARNIS
	2100	70	S. GARNIS
	2400	71	R. MILLER

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment F2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSD Housing Unit: D17 Temp. Reading Location: 17 Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	77	G. BRENTS
24	0600	78	N. Beduh
	0900	79	N. Beduh
	1200	80	N. Beduh
	1500	79	B. EDEN
	1800	79	B. EDEN
	2100	79	B. EDEN
	2400	78	C. BRENTS

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	77	C. BRENTS
24	0600	77	N. Beduh
	0900	78	N. Beduh
	1200	80	N. Beduh
	1500	80	D. AGUILAR
	1800	79	NIEVES
	2100	79	NIEVES
	2400	77	G. BRENTS

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	76	G. BRENTS
24	0600	76	B. EDEN
	0900	73	B. EDEN
	1200	78	B. EDEN
	1500	78	A. HERNANDEZ
	1800	78	NIEVES
	2100	78	NIEVES
	2400	77	A. Maldonado

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	77	A. Maldonado
24	0600	75	B. EDEN
	0900	77	B. EDEN
	1200	79	B. EDEN
	1500	78	S. LEWIS
	1800	77	S. LEWIS
	2100	77	S. LEWIS
	2400	76	S. LEWIS

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	75	S. LEWIS
24	0600	75	S. LEWIS
	0900	74	B. EDEN
	1200	78	B. EDEN
	1500	78	B. EDEN
	1800	77	LEWIS
	2100	76	LEWIS
	2400	73	G. BRENTS

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	70°	G. BRENTS
24	0600	70°	E. Cortes
	0900	71	E. Cortes
	1200	75	E. Cortes
	1500	77	Zamora
	1800	76	Zamora
	2100	75°	Zamora
	2400	75	G. BRENTS

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	74	G. BRENTS
24	0600	70°	E. Cortes
	0900	73	E. Cortes
	1200	72	E. Cortes
	1500	74	K. Martinez
	1800	75	K. Martinez
	2100	76	K. Martinez
	2400	76	G. BRENTS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJO Housing Unit: 18

Temp. Reading Location: 2nd tier / 18 control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
June 24 2014	0300	77	D. Black
	0600	77	O. AGUILAR
	0900	78	O. AGUILAR
	1200	81	O. AGUILAR
	1500	81	CALALANG
	1800	80	CALALANG
	2100	80	CALALANG
	2400	78	D. Black

Tuesday

Date	Time	Temp.	Name (Print)
June 25	0300	77	D. Black
	0600	76	O. AGUILAR
	0900	78	O. AGUILAR
	1200	79	O. AGUILAR
	1500	80	CALALANG
	1800	79	CALALANG
	2100	78	CALALANG
	2400	77	D. Black

Wednesday

Date	Time	Temp.	Name (Print)
June 26	0300	76	D. Black
	0600	75	A. Bedwhi
	0900	76	A. Bedwhi
	1200	76	A. Bedwhi
	1500	75	S. Lewis
	1800	75	S. Lewis
	2100	74	S. Lewis
	2400	75	D. Black

Thursday

Date	Time	Temp.	Name (Print)
June 27	0300	75	D. Black
	0600	74	Ballard
	0900	75	Ballard
	1200	76	Ballard
	1500	78	J. Martinez
	1800	77	J. Martinez
	2100	76	J. Martinez
	2400	75	D. Black

Friday

Date	Time	Temp.	Name (Print)
June 28	0300	74	D. Black
	0600	74	O. AGUILAR
	0900	74	O. AGUILAR
	1200	77	O. AGUILAR
	1500	77	CALALANG
	1800	77	CALALANG
	2100	76	CALALANG
	2400	75	D. Villaloz

Saturday

Date	Time	Temp.	Name (Print)
June 29	0300	72	B. Villaloz
	0600	72	O. AGUILAR
	0900	72	O. AGUILAR
	1200	76	O. AGUILAR
	1500	77	CALALANG
	1800	77	CALALANG
	2100	76	CALALANG
	2400	75	K. Miller

Sunday

Date	Time	Temp.	Name (Print)
June 30	0300	73	K. Miller
	0600	73	CALALANG
	0900	74	CALALANG
	1200	77	CALALANG
	1500	78	CALALANG
	1800	77	CALALANG
	2100	76	CALALANG
	2400	75	D. Black

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: 19 Central Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	74	A. Maldonado	
0600	73	DEMESA	
0900	72	Merez	
1200	74	Merez	
1500	75	J. Ruelas	
1800	76	J. Ruelas	
2100	77	J. Ruelas	
2400	74	A. HERNANDEZ	

6/24

Tuesday

Date	Time	Temp.	Name (Print)
0300	74	A. HERNANDEZ	
0600	73	DEMESA	
0900	73.5	DEMESA	
1200	73.7	DEMESA	
1500	72	DEMESA	
1800	72.6	DEMESA	
2100	72	DEMESA	
2400	72	Bent	

+

Wednesday

Date	Time	Temp.	Name (Print)
0300	70	Bent	
0600	72	DEMESA	
0900	72.2	DEMESA	
1200	72.5	DEMESA	
1500	73	J. Ruelas	
1800	75	J. Ruelas	
2100	73	J. Ruelas	
2400	72	C. ALLEN	

X

+

Thursday

Date	Time	Temp.	Name (Print)
0300	72	C. ALLEN	
0600	72	DEMESA	
0900	72.2	DEMESA	
1200	72.3	DEMESA	
1500	72	DEMESA	
1800	71	DEMESA	
2100	71	DEMESA	
2400	71	C. LITTLE	

+

4/28/24

Date	Time	Temp.	Name (Print)
0300	72.2	C. LITTLE	LITTLE
0600	72	c. little	
0900	72.8	Ballard	
1200	73.0	Burnard	
1500	73	ERICSON	
1800	70	ERICSON	
2100	69	ERICSON	
2400	69	DEMESA	

X

+

Sunday

Date	Time	Temp.	Name (Print)
0300	69	Nance	
0600	71	Nancy	
0900	71	Lovett	
1200	73	Lovett	
1500	70	Chapman	
1800	73.7	Taylor	
2100	72.7	Taylor	
2400	72	Maldonado	

X

Saturday

Date	Time	Temp.	Name (Print)
0300	70	DEMESA	
0600	70.5	Ballard	
0900	71.1	Ballard	
1200	71	Ballard	
1500	71	ERICSON	
1800	72	ERICSON	
2100	70	ERICSON	
2400	74	Nank	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RJD Housing Unit: #20

Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	78	AD. FLORES, SR
	0600	78	Ballard
	0900	78	Ballard
	1200	80°	Ballard
	1500	80°	D. Nunez
	1800	81°	H. Lopez
	2100	81°	H. Lopez
	2400	80	AD. FLORES, SR

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	78	AD. FLORES, SR
	0600	77	N. Marolla
	0900	77	N. Marolla
	1200	78	N. Marolla
	1500	80	A. Araujo
	1800	80	A. Araujo
	2100	79	A. Araujo
	2400	78	AD. FLORES, SR

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	76	A. Maldonado
	0600	75	N. Marolla
	0900	75	N. Marolla
	1200	75	N. Marolla
	1500	76	A. Araujo
	1800	77	A. Araujo
	2100	77	A. Araujo
	2400	76	A. Maldonado

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	76	AD. FLORES, SR
	0600	74	Ballard
	0900	75	Ballard
	1200	77	Ballard
	1500	77	Ballard
	1800	78	M. Lucero
	2100	78	M. Lucero
	2400	77	AD. FLORES, SR

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	79	AD. FLORES, SR
	0600	77	N. Marolla
	0900	77	N. Marolla
	1200	78	N. Marolla
	1500	79	A. Araujo
	1800	80	A. Araujo
	2100	80	A. Araujo
	2400	79	AD. FLORES, SR

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	77	AD. FLORES, SR
	0600	76	N. Marolla
	0900	76	N. Marolla
	1200	77	N. Marolla
	1500	78	A. Araujo
	1800	78	A. Araujo
	2100	78	A. Araujo
	2400	77	A. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	76	Maldonado
	0600	76	N. Marolla
	0900	76	N. Marolla
	1200	77	N. Marolla
	1500	77	A. Araujo
	1800	77	A. Araujo
	2100	77	A. Araujo
	2400	76	AD. FLORES, SR

Notes