Docusign Envelope ID: 1271D22B-7AA1-4716-8F71-7F3F3B53B227

STATE OF CALIFORNIA
HEAT PLAN - MONTHLY SUMMARY REPORT
CDCR MH-7711-1 (02/17)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Monthly Summary Report

Institution: MCSP

Memorandum

Date: 8/6/2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Mule Creek State Prison

The following is a summary of the heat related activity for the month of July, 2024 at MCSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes
   Number of days Stage I Alert initiated: 28
2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes
   Number of days Stage II Alert initiated: 8
3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? Yes
   Number of days Stage III Alert initiated: 2
4. Weekly list of heat risk patients archived?: Yes
5. Number of patients with heat related illness: 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Patrick Covello
Warden Name

DocuSigned by:
Patrick Covello
A70E04B2730F4F5...
Warden Signature

W. David Smiley
Chief Executive Officer Name

Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: DORM 2 Temp. Reading Location: 1st. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	74.4	Dulaney
	0600	73.5	Williams
	0900	74.4	Williams
	1200	76.5	Williams
	1500	80.0	J. Parker
	1800	80.7	J. Parker
	2100	80.9	J. Parker
	2400	76.1	Dulaney

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	75.2	Dulaney S
	0600	74.4	Sergent
	0900	74.6	Sergent
	1200	79.9	Sergent
	1500	80.2	Lapidus
	1800	80.4	Lapidus
	2100	79.8	Lapidus
	2400	78.4	Dulaney S

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	77.7	Dulaney S
	0600	78.0	Schwan
	0900	79.1	Schwan
	1200	80.3	Schwan
	1500	81.5	Lapidus
	1800	82.0	Lapidus
	2100	82.0	Lapidus
	2400	81.8	Dulaney

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **DORM 2** Temp. Reading Location: **1st. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	78.0	Dulaney
	0600	78	ESCALANTE
	0900	80	ESCALANTE
	1200	80.6	ESCALANTE
	1500	81.8°	GEE
	1800	82.3°	GEE
	2100	82.7°	GEE
	2400	81.6	Dulaney

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	78	Dulaney
	0600	79.7	Sargent
	0900	79.5	Sargent
	1200	80.3	Sargent
	1500	83.3	LAPIDES
	1800	85.1	LAPIDES
	2100	83.8	LAPIDES
	2400	83.1	Dulaney

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	81.3	Dulaney
	0600	81.1	PETERSEN
	0900	81.8	PETERSEN
	1200	82.5	PETERSEN
	1500	86.3	LAPIDES
	1800	88.1	LAPIDES
	2100	86.0	LAPIDES
	2400	83.4	Dulaney

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	81.6	Dulaney
	0600	81.5	PETERSEN
	0900	84.8	PETERSEN
	1200	84.4	PETERSEN
	1500	86.1	LAPIDES
	1800	88.5	LAPIDES
	2100	86.0	LAPIDES
	2400	84.4	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	82.8	MARTINEZ
	0600	82.2	PETERSEN
	0900	81.8	PETERSEN
	1200	83.4	PETERSEN
	1500	85.6	LAPIDES
	1800	86.9	LAPIDES
	2100	86.4	LAPIDES
	2400	85.2	TONN

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	84.2	TONN
	0600	83.3	PETERSEN
	0900	83.4	PETERSEN
	1200	84.6	PETERSEN
	1500	86.7	CERTA
	1800	87.5	CERTA
	2100	88.1	CERTA
	2400	84.4	Dulaney

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	84.0	Dulaney3
	0600	83.6	PETERSEN
	0900	84.0	PETERSEN
	1200	85.2	PETERSEN
	1500	87.0	Gunderson
	1800	88.2	Gunderson
	2100	86.9	Gunderson
	2400	83.6	Dulaney

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **DORM 2** Temp. Reading Location: **1st. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	83.4	Dulaney
	0600	83.3	Driscoll
	0900	83.4	Driscoll
	1200	83.8	Driscoll
	1500	84.3	Ellis
	1800	86.2	Ellis
	2100	85.4	Ellis
	2400	84.3	Dulaney

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	81.8	Dulaney
	0600	82.3	Williams
	0900	83.4	Williams
	1200	83.4	Williams
	1500	84.5	Lapidez
	1800	88.2	Lapidez
	2100	85.2	Lapidez
	2400	84.0	Chandler

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	83.2	Chandler
	0600	81.6	Petersen
	0900	80.9	Petersen
	1200	81.6	Petersen
	1500	83.4	Lapidez
	1800	85.8	Lapidez
	2100	85.6	Lapidez
	2400	83.6	Dulaney

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	81.8	Dulaney
	0600	81.9	Petersen
	0900	82.2	Petersen
	1200	83.6	Petersen
	1500	86.3	Lapidez
	1800	87.6	Lapidez
	2100	86.5	Lapidez
	2400	84.3	Rowe

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	83.8	Rowe
	0600	83.4	Rowe
	0900	82.5	Petersen
	1200	84.2	Petersen
	1500	86.1	Lapidez
	1800	87.9	Lapidez
	2100	86.7	Lapidez
	2400	86.9	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	85.9	Rowe
	0600	84.2	Petersen
	0900	82.8	Petersen
	1200	83.6	Petersen
	1500	84.9	Certa
	1800	85.2	Certa
	2100	84.0	Certa
	2400	81.8	Dulaney

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	80.0	Dulaney
	0600	81.8	Petersen
	0900	80.7	Petersen
	1200	81.4	Petersen
	1500	82.1	Hernandez
	1800	82.3	Hernandez
	2100	81.7	Hernandez
	2400	80.1	Dulaney

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **DORM 2** Temp. Reading Location: **1st. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	79.4	Dulaney
	0600	80.0	FOUEVAS
	0900	82.4	[illegible]
	1200	80.1	[illegible]
	1500	81.6	[illegible]
	1800	82.0	[illegible]
	2100	81.9	[illegible]
	2400	80.0	Dulaney

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	77.5	Dulaney
	0600	77.	Williams
	0900	78.3	Williams
	1200	79.8	Williams
	1500	80.7	LAPIDES
	1800	80.9	LAPIDES
	2100	80.0	LAPIDES
	2400	80.7	C. Vue

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	79.3	C. Vue
	0600	77.7	PETERSEN
	0900	77.0	PETERSEN
	1200	77.7	PETERSEN
	1500	78.3	Mon
	1800	78.8	SAVAS
	2100	79.0	SAVAS
	2400	78	Camarena

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	76	Camarena
	0600	77.7	PETERSEN
	0900	77.7	PETERSEN
	1200	79.3	PETERSEN
	1500	80	RUSSE
	1800	81	ROSSE
	2100	82	ROSSE
	2400	80.7	ROWE

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	80.7	ROWE
	0600	80.0	PETERSEN
	0900	80.2	PETERSEN
	1200	81.8	PETERSEN
	1500	83.3	LAPIDES
	1800	84.2	LAPIDES
	2100	84.2	LAPIDES
	2400	83.4	YANG

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	82.2	YANG
	0600	81.5	PETERSEN
	0900	81.5	PETERSEN
	1200	82.2	PETERSEN
	1500	84.1	CERTA
	1800	85.7	CERTA
	2100	84.7	CERTA
	2400	84	TONN

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	83.4	TONN
	0600	81.8	PETERSEN
	0900	80.7	PETERSEN
	1200	82.2	PETERSEN
	1500	83.1	BRAND
	1800	85	BRAND
	2100	83	BRAND
	2400	82.4	Dulaney

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: DORM 2 Temp. Reading Location: 1st. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	81.1	Dulaney
	0600	81	Cooley
	0900	81.8	Sargent
	1200		
	1500		
	1800	85.1	SACAY
	2100	85.1	SACAY
	2400	84.3	Dulaney 5

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	83.1	Dulaney
	0600	82.9	Cooley
	0900	83.2	Williams
	1200	83.6	Williams
	1500	86.0	LAPIDEZ
	1800	87.0	LAPIDEZ
	2100	86.3	LAPIDEZ
	2400	85.1	Dulaney

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	81.0	Dulaney
	0600	84.0	Purtle
	0900	83.5	Purtle
	1200	84.7	Purtle
	1500	86.9	LAPIDEZ
	1800	87.0	LAPIDEZ
	2100	85.8	LAPIDEZ
	2400	83.4	Dulaney

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	82.5	Dulaney
	0600	83.8	Freitas
	0900	82.9	Freitas
	1200	84.0	Phillips
	1500	84.1	Alemar
	1800	85.8	SACEDO
	2100	84.9	SACEDO
	2400	82.5	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	80.9	MARTINEZ
	0600	82.5	Phillips
	0900	82.1	Phillips
	1200	82.5	Phillips
	1500		
	1800		
	2100		
	2400	82	TONN

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	81.1	TONN
	0600	81.6	Phillips
	0900	81.0	Phillips
	1200	81.6	Phillips
	1500	82.1	CERTA
	1800	82.4	CERTA
	2100	82.4	CERTA
	2400	77.0	Dulaney

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	75.2	Dulaney 3
	0600	78.6	Phillips
	0900		
	1200		
	1500	80	
	1800	80.9	
	2100	80.4	
	2400	76.8	Dulaney

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: MCSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Main Control

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/2	0100	70	WOHNHAS
	0200	70	WOHNHAS
	0300	67	WOHNHAS
	0400	65	WOHNHAS
	0500	65	WOHNHAS
	0600	68	GONZO
	0700	80	GONZO
UHT ACTIVATE 0815	0800	89	GONZO
	0900	92	GONZO
	1000	94	GONZO
	1100	97	GONZO
	1200	100	GONZO
	1300	102	GONZO
	1400	103	N HAMO
	1500	106	N HAMO
	1600	106	N HAMO
	1700	108	N HAMO
	1800	107	N HAMO
	1900	105	N HAMO
	2000	99	N HAMO
	2100	91	N HAMO
	2200	84	WOHNHAS
	2300	82	WOHNHAS
	2400	80	WOHNHAS

Date	Time	Temp.	Printed Name
7/3	0100	77	WOHNHAS
	0200	75	WOHNHAS
	0300	72	WOHNHAS
	0400	69	WOHNHAS
	0500	67	WOHNHAS
	0600	67	WOHNHAS
	0700	80	GONZO
UHT ACTIVATED 0813	0800	89	GONZO
	0900	95	GONZO
	1000	98	GONZO
	1100	100	GONZO
	1200	102	GONZO
	1300	106	GONZO
	1400	106	N HAMO
	1500	108	N HAMO
	1600	109	N HAMO
	1700	109	N HAMO
	1800	111	N HAMO
	1900	110	N HAMO
	2000	103	N HAMO
UHT DEACTIVATED 2200	2100	95	N. HAMO
	2200	87	WOHNHAS
	2300	82	WOHNHAS
	2400	78	WOHNHAS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CONTROL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	75	WOHNHAS
	0200	73	WOHNHAS
	0300	70	WOHNHAS
	0400	71	WOHNHAS
	0500	69	WOHNHAS
	0600	69	GONZO
	0700	79	GONZO
	0800	85	GONZO
	0900	89	GONZO
ACTIVATE UHT @ 1005 7/1	1000	94	GONZO
	1100	98	GONZO
	1200	101	GONZO
	1300	105	GONZO
	1400	107	N HANG
	1500	110	N HANG
	1600	111	N HANG
	1700	108	N HANG
	1800	109	N HANG
	1900	105	N HANG
	2000	100	N HANG
	2100	90	N HANG
	2200	84	BART
	2300	77	BART
	2400	74	Bart

Date	Time	Temp.	Printed Name
	0100	73	Bart
	0200	70	Bart
	0300	68	BART
	0400	66	Bart
	0500	65	Bart
	0600	66	Bart
	0700	76	Bart
	0800	82	Bart 0830/90
7/5	0900	94	Bart
	1000	94	Bart
	1100	95	Bart
	1200	101	Bart
	1300	105	Bart
	1400	104	Gamez
	1500	107	E.ROMERO
	1600	108	E.ROMERO
	1700	108	E.ROMERO
	1800	109	E.ROMERO
	1900	107	E.ROMERO
	2000	101	E.ROMERO
	2100	91	E.ROMERO
7/6	2200	88	Bart
	2300	82	Bart
	2400	80	Bart

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Main Control

Immediately notify the Watch Commander at extension SS23 when the air temperature reaches 90 degrees.

7-6-24

91° - 0910

Date	Time	Temp.	Printed Name
	0100	78	Bart
	0200	76	Bart
	0300	75	Bart
	0400	74	Bart
	0500	72	Bart
	0600	74	Bart
	0700	81	Bart
	0800	85	Bart
	0900	89	Bart
	1000	95	Bart
	1100	102	Bart
	1200	105	Bart
	1300	108	Bart
	1400	108	Bart
	1500	113	WOODS
	1600	113	WOODS
	1700	113	WOODS
	1800	112	WOODS
	1900	109	WOODS
	2000	100	WOODS
	2100	92	WOODS
	2200	90	WOODS
	2300	83	Bart
	2400	79	Bart

ACTIVATE UHT 0730 92°

7/8

Date	Time	Temp.	Printed Name
	0100	78	Bart
	0200	77	Bart
	0300	77	Bart
	0400	74	Bart
	0500	80	Bart
	0600	80	Bart
	0700	89	GONZO
	0800	96	GONZO
	0900	96	GONZO
	1000	95	GONZO
	1100	98	GONZO
	1200	100	GONZO
	1300	104	GONZO
	1400	105	DAILEY
	1500	107	DAILEY
	1600	108	DAILEY
	1700	108	DAILEY
	1800	108	DAILEY
	1900	102	DAILEY
	2000	94	DAILEY
	2100	88	DAILEY
	2200	82	Bart
	2300	80	Bart
	2400	80	Bart

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Main Control

Immediately notify the Watch Commander at extension SS23 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
	0100	78	Dart
	0200	75	Dart
	0300	72	Dart
	0400	69	Dart
	0500	69	Dart
	0600	65	Bart
	0700	70	GONZO
	0800	78	GONZO
	0900	85	GONZO
	1000	85	GONZO
	1100	89	GONZO
	1200	97	GONZO
	1300	100	GONZO
	1400	102	GONZO
	1500	104	DEASER
	1600	106	DEASER
	1700	106	DEASER
	1800	104	DEASER
	1900	98	DEASER
	2000	90	DEASER
	2100	85	DEASER
	2200	80	Bart
	2300	78	Bart
	2400	74	Bart

1120 91° UHT ACTIVAT

85° 2100

Date	Time	Temp.	Printed Name
	0100	74	Bart
	0200	72	Bart
	0300	70	Bart
	0400	67	Bart
	0500	65	Bart
	0600	65	Bart
	0700	68	GONZO
	0800	76	GONZO
	0900	82	GONZO
	1000	84	GONZO
	1100	81	GONZO
	1200	89	GONZO
	1300	94	GONZO
	1400	97	DEASER
	1500	100	DEASER
	1600	100	DEASER
	1700	100	DEASER
	1800	102	DEASER
	1900	97	DEASER
	2000	91	DEASER
	2100	80	DEASER
	2200	79	Bart
	2300	76	Bart
	2400	74	Bart

UHT ACTIVATE 1210 91

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	71	Bart
	0200	69	Bart
	0300	67	Bart
	0400	66	Bart
	0500	66	Bart
	0600	69	Bart
	0700	72	B
	0800	74	Burns
	0900	79	Burns
	1000	84	Burns
1105 91° UHT in effect	1100	90	Burns
	1200	93	Burns
	1300	99	Burns
	1400	100	Burns
	1500	107	Deaser
	1600	109	Deaser
	1700	109	Deaser
	1800	108	Deaser
	1900	108	Deaser
	2000	94	Deaser
	2100	90	Deaser
UHT Deactivate 2230	2200	84	Gonzo
	2300	79	Gonzo
	2400	77	Gonzo

Date	Time	Temp.	Printed Name
	0100	75	Gonzo
	0200	70	Gonzo
	0300	73	Gonzo
	0400	73	Gonzo
	0500	72	Gonzo
	0600	74	Gonzo
0800 UHT in effect	0700	88	Gonzo
	0800	92	Gonzo
	0900	99	Gonzo
	1000	97	Gonzo
	1100	102	Gonzo
	1200	104	Gonzo
	1300	107	Gonzo
	1400	110	Duboise
	1500	113	Deaser
	1600	113	Deaser
	1700	111	Deaser
	1800	111	Deaser
	1900	108	Deaser
	2000	97	Deaser
	2100	92	Deaser
	2200	85	Humphreys
Reactivate UHT	2300	84	Humphreys
	2400	80	Humphreys

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	76	Humphreys
	0200	74	EH
	0300	72	EH
	0400	70	EH
	0500	69	EH
	0600	70	DB
	0700	77	DB
0820 (91°)	0800	86	DB
UHT in effect	0900	97	DB
7/12	1000	96	DB
	1100	100	DB
	1200	104	DB
	1300	107	DB
	1400	109	EHARPER
	1500	110	EH
	1600	110	EH
	1700	110	EH
	1800	107	EH
	1900	107	EH
	2000	91	EH
	2100	91	EH
2130 deaHT	2200	86	EH
	2300	83	EH
	2400	81	EH

Date	Time	Temp.	Printed Name
	0100	80	E. Harper
	0200	78	EH
	0300	76	EH
	0400	74	EH
	0500	73	EH
	0600	76	DB
	0700	77	DB
	0800	77	DB
	0900	82	DB
	1000	84	DB
7/13	1100	87	DB
1205 (93)	1200	89	DB
UHT in effect	1300	99	DB
	1400	97	Humphreys
	1500	100	EH
	1600	102	EH
	1700	100	EH
	1800	96	EH
	1900	88	EH
	2000	84	EH
	2100	80	EH
	2200	77	B
	2300	74	B
	2400	74	B

Deactivate UHT @ 1958

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCSD

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: _____

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/16	0100	63	[illegible]
	0200	62	[illegible]
	0300	61	[illegible]
	0400	60	[illegible]
	0500	59	[illegible]
	0600	64	GONZO
	0700	67	GONZO
	0800	77	JD
	0900	78	JD
	1000	79	JD
	1100	80	JD
	1200	84	JD
	1300	86	JD
	1400	87	N HAME
	1500	89	JD
	1600	88	N HAME
	1700	89	N HAME
	1800	88	N HAME
	1900	86	N HAME
	2000	78	N HAME
	2100	71	N HAME
	2200	70	SERVIN
	2300	69	Sam
	2400	68	Sam

Date	Time	Temp.	Printed Name
7/17	0100	67	Sam
	0200	64	Sam
	0300	60	Sam
	0400	59	Sam
	0500	54	SERVIN
	0600	53	GONZO
	0700	61	GONZO
	0800	71	GONZO
	0900	75	GONZO
	1000	76	GONZO
1445 HIT ACT	1100	79	GONZO
	1200	82	GONZO
	1300	88	GONZO
	1400	89	N HAME
	1500	93	N HAME
	1600	95	N HAME
	1700	96	N HAME
	1800	97	N HAME
	1900	93	N HAME
	2000	85	N HAME
2110 DEACT HIT	2100	81	N HAME
	2200	74	Sam
	2300	72	Sam
7/18	2400	71	Sam

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: _____

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/14	0100	72	Bnd
	0200	72	Bnd
	0300	71	Bnd
	0400	71	Bnd
	0500	71	Bnd
	0600	72	Bnd
	0700	73	Bnd
	0800	73	Bnd
	0900	74	Bnd
	1000	74	Bnd
	1100	79	Bnd
	1200	82	Bnd
	1300	85	Bnd
	1400	88	Dailey
UHT 1412	1500	92	Dailey
	1600	100	Dailey
	1700	101	Dailey
	1800	101	Dailey
	1900	95	Dailey
	2000	87	Dailey
UHT Deactivate	2100	79	Dailey
	2200	78	Senn
	2300	74	Senn
	2400	72	Senn

Date	Time	Temp.	Printed Name
7/15	0100	71	Senn
	0200	68	Senn
	0300	63	Senn
	0400	62	Senn
	0500	61	Senn
	0600	64	Gonzo
	0700	66	Gonzo
	0800	69	Gonzo
	0900	79	Gonzo
	1000	77	Gonzo
	1100	84	Gonzo
UHT 1340	1200	87	Gonzo
	1300	88	Gonzo
(91)	1400	92	[illegible]
	1500	93	[illegible]
	1600	95	[illegible]
	1700	97	[illegible]
	1800	94	[illegible]
	1900	91	[illegible]
	2000	85	[illegible]
	2100	81	[illegible]
	2200	79	[illegible]
7/16	2300	69	[illegible]
	2400	67	[illegible]

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: _____

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/18	0100	68	Senu
	0200	65	Senu
	0300	62	Senu
	0400	61	Senu
	0500	60	Senu
	0600	64	GONZO
	0700	70	GONZO
	0800	75	GONZO
	0900	79	GONZO
	1000	85	GONZO
UHT ACTIVATE 1123 91	1100	89	GONZO
	1200	92	GONZO
	1300	95	GONZO
	1400	98	N HANG
	1500	102	N HANG
	1600	103	N HANG
	1700	104	N HANG
	1800	102	N HANG
	1900	101	N HANG
2110 UHT DEACT	2000	93	N HANG
	2100	85	N HANG
	2200	81	Bud
	2300	78	Bud
	2400	73	Bud

Date	Time	Temp.	Printed Name
7/19	0100	72	Bud
	0200	69	Bud
	0300	67	Bud
	0400	67	Bud
	0500	67	RS
	0600	68	RS
	0700	73	JD
	0800	79	RS
	0900	88	JD
UHT ACTIVATED 0952 (91)	1000	91	JD
	1100	94	JD
	1200	96	JD
	1300	99	JD
	1400	102	JD
	1500	105	N HANG
	1600	104	N HANG
	1700	106	N HANG
	1800	104	N HANG
	1900	103	N HANG
	2000	97	N HANG
	2100	90	N HANG
	2200	87	Bud
	2300	82	Bud
	2400	78	Bud

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: _____

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/20	0100	75	Bond
	0200	74	Bond
	0300	74	Bond
	0400	73	Bond
	0500	73	Bond
	0600	73	Bond
	0700	78	RS
	0800	82	RS
	0900	87	RS
	1000	92	RS
	1100	96	RS
	1200	101	RS
	1300	104	RS
	1400	104	WOODS
	1500	103	WOODS
	1600	105	WOODS
	1700	104	WOODS
	1800	103	WOODS
	1900	100	WOODS
	2000	97	WOODS
	2100	93	WOODS
	2200	80	WOODS
	2300	77	Gochera
	2400	76	Gochera

Date	Time	Temp.	Printed Name
7/21	0100	74	Gochera
	0200	72	Gochera
	0300	70	Gochera
	0400	69	Gochera
	0500	66	Gochera
	0600	67	BURNS
	0700	75	Humphrey S
	0800	78	Humphrey S
	0900	60	BURNS
	1000	82	BURNS
	1100	85	BURNS
	1200	89	BURNS
	1300	90	BURNS
	1400	96	BURNS
	1500	99	Dailey
	1600	96	Dailey
	1700	98	Dailey
	1800	99	Dailey
	1900	94	Dailey
	2000	90	Dailey
DEADLINE UPH	2100	84	Dailey
	2200	81	Bond
	2300	79	Bond
	2400	75	Bond

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: _____

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/22	0100	73	Bart
	0200	71	Bart
	0300	69	Bart
	0400	68	Bart
	0500	68	Bart
	0600	69	Bart
	0700	73	GONZO
	0800	81	GONZO
UHT ACTIVATE 0932 91°	0900	89	GONZO
	1000	92	GONZO
	1100	97	GONZO
	1200	100	GONZO
	1300	102	GONZO
	1400	104	N HAME
	1500	107	N HAME
	1600	109	N HAME
	1700	111	N HAME
	1800	109	N HAME
	1900	104	N HAME
	2000	99	N HAME
	2100	92	N HAME
UHT Deactivated	2200	87	Bart
	2300	85	Bart
	2400	82	Bart

Date	Time	Temp.	Printed Name
7/23	0100	80	Bart
	0200	80	Bart
	0300	78	Bart
	0400	75	Bart
	0500	73	Bart
	0600	75	GONZO
	0700	80	GONZO
UHT ACTIVATE 0814 93°	0800	88	GONZO
	0900	96	GONZO
	1000	98	GONZO
	1100	100	GONZO
	1200	101	GONZO
	1300	107	GONZO
	1400	108	N HAME
	1500	110	N HAME
	1600	111	N HAME
	1700	111	N HAME
	1800	108	N HAME
	1900	106	N HAME
	2000	100	N HAME
	2100	96	N HAME
	2200	89	Bart
	2300	82	Bart
	2400	82	Bart

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: MCSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-24	0100	79	Bart
	0200	77	Bart
	0300	76	Bart
	0400	75	Bart
	0500	74	Bart
	0600	74	Bart
	0700	86	GONZO
UHT ACTIVATE 0800	0800	90	GONZO
	0900	96	GONZO
	1000	100	GONZO
	1100	102	GONZO
	1200	105	GONZO
	1300	108	GONZO
	1400	107	N HAMO
	1500	108	N HAMO
	1600	107	N HAMO
	1700	104	N HAMO
	1800	105	N HAMO
	1900	101	N HAMO
2115 UHT DEACT	2000	93	N HAMO
	2100	87	N HAMO
	2200	82	Bart
	2300	82	Bart
	2400	80	Bart

Date	Time	Temp.	Printed Name
7/25	0100	78	Bart
	0200	76	Bart
	0300	75	Bart
	0400	74	Bart
	0500	73	Bart
	0600	74	GONZO
	0700	80	GONZO
UHT ACTIVATE 90° 0830	0800	88	GONZO
	0900	95	GONZO
	1000	91	GONZO
	1100	95	GONZO
	1200	97	GONZO
	1300	99	GONZO
	1400	100	N HAMO
	1500	102	N HAMO
	1600	103	N HAMO
	1700	104	N HAMO
	1800	102	N HAMO
	1900	100	N HAMO
	2000	93	N HAMO
UHT DEACT 2150	2100	85	N HAMO
	2200	79	E. Humphreys
	2300	75	EH
	2400	71	EH

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: MCSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	70	E. Humphreys
	0200	68	EH
	0300	67	EH
	0400	65	EH
	0500	64	EH
	0600	64	Dailey
	0700	72	Dailey
	0800	87	Dailey
4HH 7/26	0900	94	Dailey
	1000	95	Dailey
	1100	94	Dailey
	1200	97	Dailey
	1300	100	Dailey
	1400	101	Dailey
	1500	102	N Hale
	1600	101	N Hale
	1700	98	N Hale
	1800	94	N Hale
	1900	91	N Hale
4HH Dent 2025	2000	83	N Hale
	2100	79	N Hale
	2200	72	FORD
	2300	71	FORD
	2400	67	FORD

Date	Time	Temp.	Printed Name
	0100	62	FORD
	0200	59	FORD
	0300	58	FORD
	0400	56	FORD
	0500	55	FORD
	0600	56	Chapman
	0700	59	Chapman
7/27	0800	63	Chapman
	0900	66	Chapman
	1000	70	Chapman
	1100	72	Chapman
	1200	74	Chapman
	1300	77	Chapman
	1400	82	Chapman
	1500	82	E. ROMERO
	1600	81	E. ROMERO
	1700	82	E. ROMERO
	1800	79	E. ROMERO
	1900	74	E. ROMERO
	2000	68	E. ROMERO
	2100	66	E. ROMERO
	2200	64	Bart
	2300	60	Bart
	2400	59	Bart

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CTRL

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/28	0100	58	[illegible]
	0200	58	[illegible]
	0300	57	[illegible]
	0400	57	[illegible]
	0500	56	[illegible]
	0600	54	[illegible]
	0700	60	GONZO
	0800	65	GONZO
	0900	70	GONZO
	1000	72	GONZO
	1100	75	GONZO
	1200	79	GONZO
	1300	83	GONZO
	1400	86	DAILEY
	1500	87	DAILEY
UHT	1600	91	DAILEY
	1700	92	DAILEY
	1800	87	DAILEY
1910	1900	85	DAILEY
	2000	79	DAILEY
	2100	74	DAILEY
	2200	70	D. Browne
	2300	66	D. Browne
	2400	64	D. Browne

Date	Time	Temp.	Printed Name
7/29	0100	63	D. Browne
	0200	62	D. Browne
	0300	61	D. Browne
	0400	59	D. Browne
	0500	58	D. Browne
	0600	58	D. Browne
	0700	64	GONZO
	0800	68	GONZO
	0900	71	GONZO
	1000	75	GONZO
	1100	78	GONZO
	1200	82	GONZO
	1300	87	GONZO
	1400	88	GONZO
UHT ACTIVATED 91° 1515	1500	89	GONZO
	1600	91	GONZO
	1700	92	GONZO
	1800	90	GONZO
DEACTIVATED 1944	1900	89	GONZO
	2000	83	GONZO
	2100	71	GONZO
	2200	69	D. Browne
	2300	67	D. Browne
	2400	65	D Browne

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: MAIN CTRL.

Immediately notify the Watch Commander at extension 5523 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7/30	0100	63	D. Browne
	0200	62	D. Browne
	0300	62	D. Browne
	0400	61	D. Browne
	0500	60	D. Browne
	0600	61	GONZO
	0700	65	GONZO
	0800	68	GONZO
	0900	70	GONZO
	1000	76	GONZO
	1100	84	GONZO
	1200	88	GONZO
	1300	89	GONZO
ACTIVATE UHT →	1400	92	GONZO
	1500	94	GONZO
	1600	96	GONZO
	1700	95	GONZO
	1800	93	GONZO
DEACTIVATE @ 1945	1900	90	GONZO
	2000	86	GONZO
	2100	75	GONZO
	2200	72	D. Browne
	2300	69	D. Browne
	2400	66	D. Browne

Date	Time	Temp.	Printed Name
7/31	0100	66	D. Browne
	0200	65	D. Browne
	0300	64	D. Browne
	0400	63	D. Browne
	0500	62	D. Browne
	0600	62	D. Browne
	0700	68	GONZO
	0800	75	GONZO
	0900	80	GONZO
	1000	78	GONZO
	1100	86	GONZO
UHT ACTIVATE 1235 92°	1200	89	GONZO
	1300	94	GONZO
	1400	96	N HAM
	1500	98	N HAM
	1600	100	N HAM
	1700	101	N HAM
	1800	98	N HAM
UHT DEACTIVATE 2050	1900	96	N HAM
	2000	89	N HAM
	2100	82	N HAM
	2200	78	D Browne
	2300	76	D. Browne
	2400	76	D. Browne

DISTRIBUTION: Original: Institution Heat Plan Coordinator

CALIFORNIA
E TEMPERATURE RECORD
2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

n May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ɔient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (N ɔte: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

ɔing an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat ɔk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

nstitution: MCSP Housing Unit: 1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/2024	0300	70.8	YANG
	0600	70.0	DeLaurel
	0900	71.5	DeLaurel
	1200	73.1	DeLaurel
	1500	79.3	YANG
	1800	80.4	YANG
	2100	81.2	YANG
	2400	79.9	YANG

Tuesday

Date	Time	Temp.	Name (Print)
7/2/2024	0300	79.0	YANG
	0600	78.0	Detres
	0900	79.5	Detres
	1200	76.1	Detres
	1500	77	MORA
	1800	77.9	MORA
	2100	76.1	MORA
	2400	74	MORA

Wednesday

Date	Time	Temp.	Name (Print)
7/3/2024	0300	73	MORA
	0600	71	Macias
	0900	74	SWARNER
	1200	75.9	SWARNER
	1500	76.5	MORA
	1800	77.6	MORA
	2100	78	MORA
	2400	76.7	MORA

Thursday

Date	Time	Temp.	Name (Print)
7/4/2024	0300	73.1	MORA
	0600	71.6	[illegible]
	0900	75.	[illegible]
	1200	78.5	[illegible]
	1500	76.6	MORA
	1800	78.1	MORA
	2100	76.8	MORA
	2400	72.3	Baker

Friday

Date	Time	Temp.	Name (Print)
7/5/2024	0300	71.1	Baker
	0600	71.1	AZEVEDO
	0900	74.2	AZEVEDO
	1200	75.1	AZEVEDO
	1500	77.2	THAO
	1800	78.5	THAO
	2100	77.8	THAO
	2400	76.7	Baker

Saturday

Date	Time	Temp.	Name (Print)
7/6/2024	0300	74.0	Baker
	0600	74.1	Deares
	0900	74.5	Detres
	1200	74.8	Detres
	1500	78.2	Vang
	1800	78	VANG
	2100	78	VANG
	2400	76.9	YANG

Sunday

Date	Time	Temp.	Name (Print)
7/7/2024	0300	74.0	YANG
	0600	73.3	Deares
	0900	76.4	Deares
	1200	78.2	Deares
	1500	78.7	YANG
	1800	83.4	YANG
	2100	79.4	YANG
	2400	79	[illegible]

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ALIFORNIA
. TEMPERATURE RECORD
.031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

ı May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ɔient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. ɔte: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

sing an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat isk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	74	SMITH
	0600	78.0	NEVES
	0900	75.0	NEVES
	1200	79.4	NEVES
	1500	81.8	YANG
	1800	82.3	YANG
	2100	82.7	YANG
	2400	84.2	SMITH

Tuesday

Date	Time	Temp.	Name (Print)
7/9/2024	0300	83.3	SMITH
	0600	82.0	NEVES
	0900	82.1	NEVES
	1200	82.4	NEVES
	1500	83	MORA
	1800	79.8	MORA
	2100	78.8	MORA
	2400	80.	MORA

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300	83.3	SMITH
	0600	79.8	SMITH
	0900	75.5	SWARNER
	1200	~~77.4~~ 76.9	SWARNER
	1500	76.8	MORA
	1800	79.4	MORA
	2100	79.4	MORA
	2400	79.9	SMITH

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300	77.8	W SMITH
	0600	78.8	
	0900	74.2	
	1200	74.3	
	1500	78.7	DURAN
	1800	78.6	
	2100	78.6	
	2400	75.6	THAO

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300	74.9	Thao
	0600	74	Thao
	0900	75.4	NEVES
	1200	77.0	NEVES
	1500	78.7	Vasquez
	1800	80.8	vang
	2100	81.8	vang
	2400	80	Shindy

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300	76	Shindy
	0600	75	Shindy
	0900	76.1	
	1200	76.6	
	1500	77.2	vang
	1800	77.2	
	2100	76.4	
	2400	75.0	W SMITH

Sunday

Date	Time	Temp.	Name (Print)
7/14/2024	0300	73.0	SMITH
	0600	75.6	NEVEDO, J.
	0900	74.3	NEVES
	1200	75.0	NEVES
	1500	75.7	YANG
	1800	77.0	YANG
	2100	77.2	YANG
	2400	73.6	SMITH

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/2024	0300	72.9	W. SMITH
	0600	71.6	DEAVES
	0900	72.9	Orellana
	1200	88.8	ROBISON
	1500	75.6	YANG
	1800	76.5	YANG
	2100	79.2	YANG
	2400	73.0	CHASAS

Tuesday

Date	Time	Temp.	Name (Print)
7/16/2024	0300	70.2	CHASAS
	0600	71.6	DEAVES
	0900	73.8	DEAVES
	1200	73.7	DEAVES
	1500	75	MORA
	1800	77	MORA
	2100	74	MORA
	2400	72	SMITH

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300	70.1	SMITH
	0600	67.7	SWARNER
	0900	68.5	VANGSON
	1200	70	VANGSON
	1500	74	MORA
	1800	75.5	MORA
	2100	73	MORA
	2400	72	MORA

Thursday

Date	Time	Temp.	Name (Print)
7/18/2024	0300	75.7	PEREZ
	0600	75.0	SWARNER
	0900	75.8	SWARNER
	1200	75.0	SWARNER
	1500	75.5	MORA
	1800	74.8	MORA
	2100	77	MORA
	2400	73.6	Baker

Friday

Date	Time	Temp.	Name (Print)
7/19/2024	0300	72.1	Baker
	0600	72	Green
	0900	75	Green
	1200	75	Green
	1500	77.3	Yang
	1800	78.5	Yang
	2100	78.2	Perez
	2400	73.8	Baker

Saturday

Date	Time	Temp.	Name (Print)
7/20/2024	0300	72.3	Baker
	0600	72.5	DEAVES
	0900	73.6	DEAVES
	1200	75.1	DEAVES
	1500	76.0	Yang
	1800	76.3	Yang
	2100	76.5	Yang
	2400	73.1	Maloney

Sunday

Date	Time	Temp.	Name (Print)
7/21/2024	0300	73.1	Maloney
	0600	73.2	SWARNER
	0900	73.1	DEAVES
	1200	74.5	DEAVES
	1500	75.7	YANG
	1800	77.5	YANG
	2100	76.4	YANG
	2400	76.7	LAPEROUSE

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/2024	0300	76.1	LARIOS
	0600	73.9	DEAVES
	0900	74.5	DEAVES
	1200	76.7	DEAVES
	1500	77.5	YANG
	1800	78.0	YANG
	2100	77.7	YANG
	2400	74.7	YANG

Tuesday

Date	Time	Temp.	Name (Print)
7/23/2024	0300	72.9	YANG
	0600	74.5	DEAVES
	0900	76.0	DEAVES
	1200	76	Dalver
	1500	76.5	MORA
	1800	78.5	MORA
	2100	77.5	MORA
	2400	75.8	MORA

Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300	73.3	MORA
	0600	78	MORA
	0900	76.3	SWARNER
	1200	76.5	SWARNER
	1500	77.7	MORA
	1800	77	MORA
	2100	75	MORA
	2400	74	MORA

Thursday

Date	Time	Temp.	Name (Print)
7/25/2024	0300	73	MORA
	0600	72	MORA
	0900	78	MANUAN
	1200	80	OBoyle
	1500	83	OBoyle
	1800	83	OBoyle
	2100	81	OBoyle
	2400	76.3	Baker

Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300	73.1	Baker
	0600	73.1	Ibarra
	0900	73.4	Ibarra
	1200	74.0	Ibarra
	1500	77.0	[illegible]
	1800	76.4	[illegible]
	2100	73.3	[illegible]
	2400	72.7	Baker

Saturday

Date	Time	Temp.	Name (Print)
7/27/2024	0300	69.8	Baker
	0600	67.9	DEAVES
	0900	68.5	DEAVES
	1200	70.1	DEAVES
	1500	72.7	VILLANUEVA
	1800	72.7	VILLANUEVA
	2100	72.8	VILLANUEVA
	2400	69.2	YANG

Sunday

Date	Time	Temp.	Name (Print)
7/28/2024	0300	67.8	YANG
	0600	68.1	DEAVES
	0900	69.5	DEAVES
	1200	70.5	DEAVES
	1500	71.9	YANG
	1800	73.0	YANG
	2100	71.4	YANG
	2400	68.4	YANG

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	0300	66.7	YANG
	0600	67.2	PEAVEY
	0900	69.1	PEAVEY
	1200	70.9	PEAVEY
	1500	71.7	YANG
	1800	72.7	YANG
	2100	72.5	YANG
	2400	68.2	YANG

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	0300	67.8	YANG
	0600	68.5	SWARNER
	0900	69.8	SWARNER
	1200	72.9	SWARNER
	1500	72.5	MORA
	1800	75.8	MORA
	2100	75.2	MORA
	2400	73.8	MORA

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	0300	72.1	MORA
	0600	73	MORA
	0900	71.2	SWARNER
	1200	74.2	SWARNER
	1500	74.9	MORA
	1800	77	MORA
	2100	76	MORA
	2400	74	MORA

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 2 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/2024	0300	65.7	T. Hang
	0600	65.0	Romo
	0900	72	Romo
	1200	76	Romo
	1500	73.0	Scales
	1800	73.0	Scales
	2100	73.8	Scales
	2400	73	Perez

Tuesday

Date	Time	Temp.	Name (Print)
7/2/2024	0300	72.5	H. Perez
	0600	68.5	R. Valenzuela
	0900	69.6	R. Valenzuela
	1200	72.0	R. Valenzuela
	1500	73.0	Scales
	1800	73.8	Scales
	2100	73.6	Scales
	2400	70	Huizar

Wednesday

Date	Time	Temp.	Name (Print)
7/3/2024	0300	71	Huizar
	0600	68.7	R. Valenzuela
	0900	69.8	R. Valenzuela
	1200	70	Reeves
	1500	72.4	Reeves
	1800	73.6	Reeves
	2100	73.2	Reeves
	2400	74	Saeteem

Thursday

Date	Time	Temp.	Name (Print)
7/4/2024	0300	75	Saeteem
	0600	70	Pico
	0900	70	Pico
	1200	74	Pico
	1500	75	Thao
	1800	76.6	Thao
	2100	82.5	Thao
	2400	73	Greene

Friday

Date	Time	Temp.	Name (Print)
7/5/2024	0300	71	Greene
	0600	72	Pico
	0900	75	Pico
	1200	85	Pico
	1500	86	Hamon
	1800	70	Hamon
	2100	75	Hamon
	2400	74.1	Islas

Saturday

Date	Time	Temp.	Name (Print)
7/6/2024	0300	75	Islas
	0600	76	Romo
	0900	76	Romo
	1200	81	Romo
	1500	83	Scales
	1800	82	Scales
	2100	75	Scales
	2400	74.9	Baker

Sunday

Date	Time	Temp.	Name (Print)
7/7/2024	0300	74.8	Baker
	0600	72	Pico
	0900	75	Pico
	1200	76	Pico
	1500	78.5	Scales
	1800	82.5	Scales
	2100	83.5	Scales
	2400	75	Thao

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	75	Thao
	0600	75	Romo
	0900	77.9	Romo
	1200	80	Romo
	1500	80.6	Scales
	1800	82.4	Scales
	2100	79.2	Scales
	2400	72	Townsend

Tuesday

Date	Time	Temp.	Name (Print)
7/9/2024	0300	72	F. Townsend
	0600	74	R Townsend
	0900	78	Hallum
	1200	78	FUNES
	1500	77.7	Scales
	1800	77.7	Scales
	2100	77.6	Scales
	2400	77.3	Romo

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300	73.3	Romo
	0600	71.9	R. VALENZUELA
	0900	72.4	R. VALENZUELA
	1200	72.8	R. VALENZUELA
	1500	74.8	Reeves
	1800	74.9	Reeves
	2100	75	Reeves
	2400	73	Hallum

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300	71	Hallum
	0600	74	Romo
	0900	77	ROMO
	1200	79	Romo
	1500	76	THAO
	1800	76.3	THAO
	2100	75.5	THAO
	2400	76	Saedem

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300	74	Saedem
	0600	76	Romo
	0900	79	Romo
	1200	79	Romo
	1500	79.2	T. McEnerney
	1800	79.9	T. McEnerney
	2100	79.7	T. McEnerney
	2400	76.7	Bradley

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300	74.7	Bradley
	0600	74.8	Bradley
	0900	74.1	PICO
	1200	74	PICO
	1500	75.2	Espano
	1800	74.9	Espano
	2100	73.3	Espano
	2400	73.0	Ball

Sunday

Date	Time	Temp.	Name (Print)
7/14/2024	0300	73	Ball
	0600	74	Romo
	0900	73	Romo
	1200	76	Romo
	1500	76	Scales
	1800	77	Scales
	2100	76	Scales
	2400	73	Hallum

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/2024	0300	73	Hylkum
	0600	77	Romo
	0900	77	Romo
	1200	78	Romo
	1500	78	[illegible]
	1800	75	[illegible]
	2100	73	[illegible]
	2400	73	CHANDRA

Tuesday

Date	Time	Temp.	Name (Print)
7/16/2024	0300	73	CHANDRA
	0600	73.4	R. VALENZUELA
	0900	72.8	R. VALENZUELA
	1200	73.3	R. VALENZUELA
	1500	73	D. SIMON
	1800	73	D. SIMON
	2100	73	D. SIMON
	2400	73	M. MOHR

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300	73	M. MOHR
	0600	73.4	R. VALENZUELA
	0900	76.2	R. VALENZUELA
	1200	75.6	R. VALENZUELA
	1500	74	Reeves
	1800	70	Reeves
	2100	69	Reeves
	2400	69	M. MOHR

Thursday

Date	Time	Temp.	Name (Print)
7/18/2024	0300	69	M. MOHR
	0600	70	PICO
	0900	70	PICO
	1200	69	PICO
	1500	71.8	Vang
	1800	72.5	Vang
	2100	73.4	Vang
	2400	73.4	LARIOS

Friday

Date	Time	Temp.	Name (Print)
7/19/2024	0300	73	LARIOS
	0600	68	PICO.
	0900	70	PICO
	1200	70	PICO.
	1500	73.2	Scales
	1800	74.6	Scales
	2100	74.9	Scales
	2400	78.0	MOHR

Saturday

Date	Time	Temp.	Name (Print)
7/20/2024	0300	78.9	MOHR
	0600	74	Romo
	0900	75	Romo
	1200	76	Romo
	1500	76.3	CARRION
	1800	76.3	CARRION
	2100	76	CARRION
	2400	72.5	Baker

Sunday

Date	Time	Temp.	Name (Print)
7/21/2024	0300	68.7	Baker
	0600	68	PICO.
	0900	70	PICO.
	1200	70	PICO.
	1500	74.8	Bauer
	1800	74.9	Bauer
	2100	76.2	Bauer
	2400	68.9	Baker

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 2 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/2024	0300	70.2	Baker
	0600	72	Romo
	0900	72	Romo
	1200	76	Romo
	1500	79	Scales
	1800	80	Scales
	2100	78	Scales
	2400	77	MOHR

Tuesday

Date	Time	Temp.	Name (Print)
7/23/2024	0300	76	MOHR
	0600	71.1	R. Valenzuela
	0900	71.6	R. Valenzuela
	1200	73.1	R. Valenzuela
	1500	76	Scales
	1800	77	Scales
	2100	77	MOHR
	2400	76	MOHR

Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300	75	MOHR
	0600	71.6	R. Valenzuela
	0900	70.2	R. Valenzuela
	1200	71.8	R. Valenzuela
	1500	72.5	Reeves
	1800	74	Reeves
	2100	73	MOHR
	2400	73	MOHR

Thursday

Date	Time	Temp.	Name (Print)
7/25/2024	0300	72	MOHR
	0600	70	Pico.
	0900	70	Pico.
	1200	71	Pico
	1500	72.8	Vang
	1800	72.8	Vang
	2100	72.6	Vang
	2400	72	MOHR

Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300	71	MOHR
	0600	75	Romo
	0900	75	Romo
	1200	76	Romo
	1500	75	Scales
	1800	73	Scales
	2100	73	Scales
	2400	72	MOHR

Saturday

Date	Time	Temp.	Name (Print)
7/27/2024	0300	71	MOHR
	0600	70	Pico
	0900	72	Pico
	1200	75	Pico.
	1500	71	Scales
	1800	71	Scales
	2100	69	Scales
	2400	66.7	Baker

Sunday

Date	Time	Temp.	Name (Print)
7/28/2024	0300	67.3	Baker
	0600	63	Romo
	0900	66.8	Romo
	1200	69.2	Romo
	1500	72	Scales
	1800	71	Scales
	2100	70	Scales
	2400	68.5	Baker

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	0300	67.8	Baker
	0600	67	PILO
	0900	68	PILO
	1200	69	PILO
	1500	70	Scales
	1800	71	Scales
	2100	70	Scales
	2400	70	MOHR

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	0300	70	MOHR
	0600	72.1	R. VALENZUELA
	0900	71.9	R. VALENZUELA
	1200	70.0	R. VALENZUELA
	1500	72	Scales
	1800	73	Scales
	2100	71	Scales
	2400	70	Patton

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	0300	70	Patton
	0600	70	Patton
	0900	68.8	R. VALENZUELA
	1200	70.3	R. VALENZUELA
	1500	71.4	R. VALENZUELA
	1800	72.9	R. VALENZUELA
	2100	72.9	R. VALENZUELA
	2400	72	MOHR

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/2024	0300	72.5	MORA
	0600	71.4	R. VALENZUELA
	0900	72.6	R. VALENZUELA
	1200	73.7	R. VALENZUELA
	1500	74.6	K. SALCIDO
	1800	76	K. SALCIDO
	2100	77	K. SALCIDO
	2400	73.7	T. Hay

Tuesday

Date	Time	Temp.	Name (Print)
7/2/2024	0300	71.6	T. Hay
	0600	69.6	A. Equisa
	0900	72.3	N. Fuentes
	1200	75.8	N. Fuentes
	1500	77.4	J. Chavez
	1800	77.8	J. Chavez
	2100	77.9	J. Chavez
	2400	77.2	Williams

Wednesday

Date	Time	Temp.	Name (Print)
7/3/2024	0300	75.7	Williams
	0600	71.6	VELEZ
	0900	74.7	VELEZ
	1200	78.8	GAMBAY
	1500	77.4	J. Chavez
	1800	78.2	J. Chavez
	2100	82.6	J. Chavez
	2400	76.4	J. Chavez

Thursday

Date	Time	Temp.	Name (Print)
7/4/2024	0300	73.1	Baker
	0600	72	Sayan
	0900	73	Sayan
	1200	77.5	J. Chavez
	1500	76.7	ABARCA
	1800	76.2	SALAZAR
	2100	76.5	SALAZAR
	2400	72	Hullum

Friday

Date	Time	Temp.	Name (Print)
7/5/2024	0300	70	Hullum
	0600	73.2	Sami
	0900	77.0	Sami
	1200	79.2	Sami
	1500	80.7	Sami
	1800	81.5	Sami
	2100	78.3	Sami
	2400	76	Stamp

Saturday

Date	Time	Temp.	Name (Print)
7/6/2024	0300	73	Baker
	0600	70	Baker
	0900	79.3	Sami
	1200	81.3	Sami
	1500	82.2	Sami
	1800	83.1	Sami
	2100	78.8	Sami
	2400	76.8	Baly

Sunday

Date	Time	Temp.	Name (Print)
7/7/2024	0300	73	Stamp
	0600	70	Stamp
	0900	72.4	R. VALENZUELA
	1200	79.8	R. VALENZUELA
	1500	81.1	Abarca
	1800	83.0	Vang
	2100	82.4	Vang
	2400	82.0	CARLOS

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 3 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	74.4	Ball
	0600	72.5	Ball
	0900	74.8	R. VALENZUELA
	1200	76.2	R. VALENZUELA
	1500	83.5	Vang
	1800	83.8	Vang
	2100	82.0	vang
	2400	82.5	LANG

Tuesday

Date	Time	Temp.	Name (Print)
7/9/2024	0300	76.4	
	0600	79.5	R. VALENZUELA
	0900	73.7	R. VALENZUELA
	1200	76.2	R. VALENZUELA
	1500	80.2	J Chavez
	1800	79.1	J. Chavez
	2100	77.3	J. Chavez
	2400	76.4	

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300	77.1	williams
	0600	71.7	J. Chavez
	0900	73.0	J. Chavez
	1200	77.2	J. Chavez
	1500	78.1	J. Chavez
	1800	78.8	J. Chavez
	2100	80.3	J. Chavez
	2400	78	BREEN

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300	72.8	BREEN
	0600	73.3	J Chavez
	0900	77.5	J. Chavez
	1200	79.0	J. Chavez
	1500	81.1	A. Lawrence
	1800	81.5	A. Samiu
	2100	81.3	A. Samiu
	2400	80.9	A. Samiu

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300	80.1	Sachy
	0600	80.1	Sachy
	0900	78.6	Samiu
	1200	79.8	Samiu
	1500	80.2	Samiu
	1800	82.4	Samiu
	2100	81.6	Samiu
	2400	81.7	Sachy

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300	80.1	Sachy
	0600	79.1	Sachy
	0900	78.8	Samiu
	1200	79.3	Samiu
	1500	80.2	Samiu
	1800	80.7	Samiu
	2100	79.7	Samiu
	2400	79.2	

Sunday

Date	Time	Temp.	Name (Print)
7/14/2024	0300	77.5	
	0600	75.2	R. VALENZUELA
	0900	75.7	R. VALENZUELA
	1200	75.3	R. VALENZUELA
	1500	72.8	Espana
	1800	72.4	ESPAÑA
	2100	74.1	VARGAS
	2400	77	

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/2024	0300	70.0	YAN
	0600	71.9	R. VALENZUELA
	0900	71.6	R. VALENZUELA
	1200	71.7	R. VALENZUELA
	1500	72.1	YANG
	1800	74	McDowell
	2100	74	McDowell
	2400	72.1	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
7/16/2024	0300	72.1	[illegible]
	0600	73.1	[illegible]
	0900	73.3	[illegible]
	1200	73.9	[illegible]
	1500	76.3	J. Chavez
	1800	73.1	J. Chavez
	2100	72.4	J. Chavez
	2400	75	Williams

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300	71	Williams
	0600	66	Mraz
	0900	70	Mraz
	1200	71	Mraz
	1500	76.3	J. Chavez
	1800	73.1	J. Chavez
	2100	72.4	J. Chavez
	2400	75.3	Williams

Thursday

Date	Time	Temp.	Name (Print)
7/18/2024	0300	69.3	A. Baker
	0600	70.1	J. Chavez
	0900	71.3	J. Chavez
	1200	73.5	J. Chavez
	1500	73.3	Arsami
	1800	77.2	Arsami
	2100	75.1	Arsami
	2400	69.9	A. Baker

Friday

Date	Time	Temp.	Name (Print)
7/19/2024	0300	[illegible]	[illegible]
	0600	73.0	[illegible]
	0900	75.0	Sami
	1200	75.7	Sami
	1500	76.1	Sami
	1800	76.8	Sami
	2100	74.4	Sami
	2400	75	Villaseñor

Saturday

Date	Time	Temp.	Name (Print)
7/20/2024	0300	71	Villaseñor
	0600	69	Villaseñor
	0900	79.7	Arsami
	1200	80.0	Arsami
	1500	79.5	Arsami
	1800	79.5	Arsami
	2100	79.1	Arsami
	2400	76.	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
7/21/2024	0300	75	[illegible]
	0600	72.0	R. VALENZUELA
	0900	70.7	R. VALENZUELA
	1200	71.2	R. VALENZUELA
	1500	73.4	J. Rojas
	1800	74.3	E. Orellana
	2100	76.3	E. Orellana
	2400	76.7	[illegible]

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 3 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/2024	0300	68.9	[illegible]
	0600	71.7	R. VALENZUELA
	0900	73.2	R. VALENZUELA
	1200	74.7	R. VALENZUELA
	1500	77.1	E. ORELLANA
	1800	77.1	[illegible]
	2100	77.1	[illegible]
	2400	77.1	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
7/23/2024	0300	77.2	[illegible]
	0600	74.5	[illegible]
	0900	76.1	J. Chavez
	1200	75.3	J. Chavez
	1500	76.4	J. Chavez
	1800	76.9	J. Chavez
	2100	76.5	J. Chavez
	2400	79.2	williams

Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300	77.6	williams
	0600	74.4	J. Chavez
	0900	74.0	J. Chavez
	1200	74.8	J. Chavez
	1500	77.3	J. Chavez
	1800	76.6	J. Chavez
	2100	76.7	J. Chavez
	2400	74.2	Baker

Thursday

Date	Time	Temp.	Name (Print)
7/25/2024	0300	71.4	Baker
	0600	71.1	J. Chavez
	0900	74.1	J. Chavez
	1200	74.7	J. Chavez
	1500	79.5	A. Sami
	1800	79.8	A. Sami
	2100	78.8	A. Sami
	2400	76.6	[illegible]

Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300	73.1	[illegible]
	0600	75.5	A. Sami
	0900	77.1	A. Sami
	1200	77.5	A. Sami
	1500	78.7	A. Sami
	1800	78.4	A. Sami
	2100	77.7	A. Sami
	2400	74.9	HERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
7/27/2024	0300	74.5	HERNANDEZ
	0600	75.4	A. Sami
	0900	78.6	A. Sami
	1200	78.8	A. Sami
	1500	78.9	A. Sami
	1800	78.5	A. Sami
	2100	76.2	A. Sami
	2400	77.	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
7/28/2024	0300	73.1	[illegible]
	0600	76.6	Reeves
	0900	70	Reeves
	1200	71	Reeves
	1500	73.4	Atkins
	1800	74.6	Atkins
	2100	75.2	Atkins
	2400	74.	[illegible]

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	0300	70.1	YAMA
	0600	72.3	R. VALENZUELA
	0900	70.1	R. VALENZUELA
	1200	71.2	R. VALENZUELA
	1500	71.8	WOOUTS
	1800	71.4	PHAM
	2100	71.2	PHAM
	2400	71.2	Sam

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	0300	70.1	Sam
	0600	71.1	Sam
	0900	74.1	J. Chavez
	1200	74.8	J. Chavez
	1500	76.6	J. Chavez
	1800	73.3	J. Chavez
	2100	73.3	J. Chavez
	2400	74.3	Williams

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	0300	73.2	Williams
	0600	70.3	J. Chavez
	0900	71.2	J. Chavez
	1200	72.5	J. Chavez
	1500	73.2	J. Chavez
	1800	74.0	J. Chavez
	2100	74.2	J. Chavez
	2400	70.7	Baker

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 4 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/2024	0300	69	WILLIAMS
	0600	69	FERREZ
	0900	73	FERREZ
	1200	74.5	FERREZ
	1500	73	Reeves
	1800	73.1	Reeves
	2100	73.2	Reeves
	2400	75.3	Williams

Tuesday

Date	Time	Temp.	Name (Print)
7/2/2024	0300	74.3	Williams
	0600	74.4	
	0900	75.1	
	1200	75.9	
	1500	76.0	Avendano-Arapetyan
	1800	75.9	Reeves
	2100	74.6	Reeves
	2400	74.5	T Hang

Wednesday

Date	Time	Temp.	Name (Print)
7/3/2024	0300	73.6	T. Hang
	0600	70	FERREZ
	0900	72	Reeves
	1200	74	Reeves
	1500	76	Reeves
	1800	75.9	Reeves
	2100	74.6	Reeves
	2400	74.5	Hang

Thursday

Date	Time	Temp.	Name (Print)
7/4/2024	0300	71.2	T. Hang
	0600	72.5	CECRA
	0900	73.3	FERREZ
	1200	75.8	FERREZ
	1500	76.7	Ball
	1800	77.8	Ball
	2100	76.4	Ball
	2400	73.2	White

Friday

Date	Time	Temp.	Name (Print)
7/5/2024	0300	70.6	White
	0600	71	Lawrence
	0900	73	Lawrence
	1200	74	Lawrence
	1500	76	Mendoza
	1800	76.8	Mendoza
	2100	76.4	Mendoza
	2400	74.2	T. Hang

Saturday

Date	Time	Temp.	Name (Print)
7/6/2024	0300	73.6	T. Hang
	0600	73.2	R. VALENZUELA
	0900	74.1	R. VALENZUELA
	1200	74.7	R. VALENZUELA
	1500	78	V. CEE
	1800	80	V. CEE
	2100	79	V. CEE
	2400	78.9	VM

Sunday

Date	Time	Temp.	Name (Print)
7/7/2024	0300	78	VM
	0600	78	VM
	0900	75	Spreen
	1200	78	FERREZ
	1500	76.8	CARRION
	1800	76.4	CARRION
	2100	75	CARRION
	2400	78.1	Morales

Notes

Mule Creek State Prison

Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 4 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	77.2	Morin
	0600	73.5	PALOSI
	0900	73.4	PALOSI
	1200	74.1	PALOSI
	1500	76	Reeves
	1800	76.4	Reeves
	2100	77	Reeves
	2400	76.2	Saeem

Tuesday

Date	Time	Temp.	Name (Print)
7/9/2024	0300	74.2	Saeem
	0600	73.2	PALOSI
	0900	73.2	PALOS
	1200	74.1	PALOSI
	1500	76.4	Reeves
	1800	77	Reeves
	2100	77	Reeves
	2400	76.2	Hang

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300	74.5	Hang
	0600	74.6	PALOSI
	0900	75.1	PALOSI
	1200	76	PALOSI
	1500	76	Reeves
	1800	76	Reeves
	2100	78	VLEE
	2400	77	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300	77	[illegible]
	0600	73.1	PALOSI
	0900	74.4	PALOSI
	1200	76.2	[illegible]
	1500	78.3	[illegible]
	1800	78.6	[illegible]
	2100	78.0	[illegible]
	2400	74	Hallum

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300	73	Hallum
	0600	73	Lawrence
	0900	73.1	Lawrence
	1200	74.6	Lawrence
	1500	76	Hill
	1800	78	Hill
	2100	78	Hill
	2400	79.1	Endicott

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300	78.9	C. Endicott
	0600	78.0	C. Endicott
	0900	77.0	Williams
	1200	78.6	Williams
	1500	79.0	McFadyen
	1800	79.0	McFadyen
	2100	79.0	McFadyen
	2400	77	Estrada

Sunday

Date	Time	Temp.	Name (Print)
7/14/2024	0300	73	Estrada
	0600	75.1	PALOSI
	0900	72.5	WANG
	1200	76.1	PALOSI
	1500	77.1	PALOSI
	1800	78.6	PALOSI
	2100	77.7	PALOSI
	2400	75.8	Williams

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5923 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/2024	0300	71.6	Williams
	0600	71.6	Perez
	0900	74	Perez
	1200	76	Perez
	1500	76.6	Reeves
	1800	77.9	Reeves
	2100	77.8	Reeves
	2400	74.9	Dennston

Tuesday

Date	Time	Temp.	Name (Print)
7/23/2024	0300	72.6	Dennston
	0600	73	Perez
	0900	75	Perez
	1200	74	Perez
	1500	77	Reeves
	1800	79	Reeves
	2100	79	Reeves
	2400	75.9	T. Hang

Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300	72.3	T. Hang
	0600	73	Perez
	0900	75	Perez
	1200	78	Perez
	1500	78	Perez
	1800	78	Perez
	2100	76	Perez
	2400	74.7	T. Hang

Thursday

Date	Time	Temp.	Name (Print)
7/25/2024	0300	72.8	T. Hang
	0600	74	Perez
	0900	75.2	Perez
	1200	75.2	Perez
	1500	77.3	Reeves
	1800	75.4	Fonseca
	2100	70.1	Fonseca
	2400	70	M. Islas

Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300	70	M. Islas
	0600	73.4	A. Lawrence
	0900	73.4	A. Lawrence
	1200	74.1	A. Lawrence
	1500	76.2	P. Banos
	1800	75	P. Banos
	2100	74	P. Banos
	2400	73°	Stamps

Saturday

Date	Time	Temp.	Name (Print)
7/27/2024	0300	72	Stamps
	0600	72	Stamps
	0900	72	Pamon
	1200	73	Perez
	1500	73.6	Banos
	1800	73.4	Banos
	2100	70.7	Banos
	2400	74.7	T. Hang

Sunday

Date	Time	Temp.	Name (Print)
7/28/2024	0300	70.1	T. Hang
	0600	70	Gooley
	0900	70.1	Gooley
	1200	70.7	Gooley
	1500	72.6	Ferrika
	1800	72	Hanson
	2100	72	Hanson
	2400	71	Williams

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/2024	0300	73.4	Williams
	0600	73.5	FPEREZ
	0900	73.9	PEREZ
	1200	74.9	PEREZ
	1500	75	Reeves
	1800	75.2	Reeves
	2100	74.6	Reeves
	2400	75.7	Williams

Tuesday

Date	Time	Temp.	Name (Print)
7/16/2024	0300	73.4	Williams
	0600	69	FPEREZ
	0900	74	[illegible]
	1200	74	[illegible]
	1500	74	Reeves
	1800	75	Green
	2100	74	Green
	2400	72	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300	62	[illegible]
	0600	64.2	FPEREZ
	0900	75	FPEREZ
	1200	75	FPEREZ
	1500	74	Green
	1800	75	Green
	2100	74	Green
	2400	74.9	T. Hang

Thursday

Date	Time	Temp.	Name (Print)
7/18/2024	0300	73.6	T. Hang
	0600	70	FPEREZ
	0900	72	F. PEREZ
	1200	76	F. PEREZ
	1500	78	J. HURD
	1800	81	J. HURD
	2100	83.2	J. HURD
	2400	75.4	T. Hang

Friday

Date	Time	Temp.	Name (Print)
7/19/2024	0300	72.9	T. Hang
	0600	71.	A. Lawrence
	0900	72	Lawrence
	1200	74.1	Lawrence
	1500	74.9	P. Banos
	1800	76.2	P. Banos
	2100	76.7	P. Banos
	2400	74.3	T. Hang

Saturday

Date	Time	Temp.	Name (Print)
7/20/2024	0300	71.2	T. Hang
	0600	71.0	R. VALENZUELA
	0900	79.5	R. VALENZUELA
	1200	76.2	R. VALENZUELA
	1500	77	Green
	1800	76	Green
	2100	76	Green
	2400	74.9	T. Hang

Sunday

Date	Time	Temp.	Name (Print)
7/21/2024	0300	71.9	T. Hang
	0600	71.8	F. PEREZ
	0900	73.6	PEREZ
	1200	74.9	PEREZ
	1500	75.2	PEREZ
	1800	76.5	PEREZ
	2100	76.2	PEREZ
	2400	73.4	Williams

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	0300	68.7	Williams
	0600	68.5	C. Driscoll
	0900	70.1	C. Driscoll
	1200	72.3	C. Driscoll
	1500	73	Reeves
	1800	73	Reeves
	2100	72	Reeves
	2400	70.3	Williams

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	0300	69.4	Williams
	0600	69.4	Iporoc
	0900	72.4	Iporoc
	1200	73.5	Iporoc
	1500	74	Reeves
	1800	74	Reeves
	2100	74	Reeves
	2400	70.9	T. Hang

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	0300	69.5	T. Hang
	0600	69.5	Iporoc
	0900	70.2	Iporoc
	1200	71.5	Iporoc
	1500	74.0	Brones
	1800	75.0	Brones
	2100	74.3	Brones
	2400	72.0	Williams

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C11** Temp. Reading Location: 2nd tier control booth

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/1/24	0300	78.2	P. VILLASENOR
	0600	78.4	P. VILLASENOR
	0900	78	D. WILLIAMS
	1200	79	D. WILLIAMS
	1500	80	GONZALO
	1800	84	Ball
	2100	84	Ball
	2400	81.0	MORA

TUESDAY

Date	time	Temp.	Name (Print)
7/2/24	0300	79.2	MORA
	0600	80	D. WILLIAMS
	0900	81	D. WILLIAMS
	1200	83	D. WILLIAMS
	1500	84.6°F	J. LADIAO
	1800	85.5°F	J. LADIAO
	2100	86.3°F	J. LADIAO
	2400	84.6	MORA

WEDNESDAY

Date	time	Temp.	Name (Print)
7/3/24	0300	83.8	MORA
	0600	79.5	Garza
	0900	79.8	Garza
	1200	84.9	Garza
	1500	87.7°F	J. LADIAO
	1800	88.8°F	J. LADIAO
	2100	89.4°F	J. LADIAO
	2400	88.0	MORA

THURSDAY

Date	time	Temp.	Name (Print)
7/4/24	0300	87.9	MORA
	0600	82	Ball
	0900	82	Ball
	1200	86	Ball
	1500	88.4°F	J. LADIAO
	1800	90.4°F	J. LADIAO
	2100	89.3°F	J. LADIAO
	2400	88.2	MORA

FRIDAY

Date	time	Temp.	Name (Print)
7/5/24	0300	87.4	MORA
	0600	83	D. WILLIAMS
	0900	82	D. WILLIAMS
	1200	85	D. WILLIAMS
	1500	88	SALAS
	1800	89	SALAS
	2100	89.8	SALAS
	2400	89.2	MORA

SATURDAY

Date	time	Temp.	Name (Print)
7/6/24	0300	87.4	MORA
	0600	83	D. WILLIAMS
	0900	88	D. WILLIAMS
	1200	90	D. WILLIAMS
	1500	94.2	Atkins
	1800	94.5	Atkins
	2100	94	Atkins
	2400	93	Estrada

SUNDAY

Date	time	Temp.	Name (Print)
7/7/24	0300	89	Estrada
	0600	86	D. WILLIAMS
	0900	89	D. WILLIAMS
	1200	94	D. WILLIAMS
	1500	97	Atkins
	1800	98	Atkins
	2100	97.9	Atkins
	2400	93	Saedem

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C11** Temp. Reading Location: 2nd tier

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)	
7/8/24	0300	91	Saeden	
	0600	86.5	D. Williams	
	0900	87.3	D. Williams	
	1200	91.3	D. Williams	
	1500	94.3	S. Siddik	
	1800	94.7	S. Siddik	
	2100	93.6	S. Siddik	
	2400	93.8	Mora	

TUESDAY

Date	time	Temp.	Name (Print)	
7/9/24	0300	97.0	Mora	
	0600	84.0	D. Williams	
	0900	84.5	D. Williams	
	1200	80.3	D. Williams	
	1500	89.2°F	J. Ladjao	
	1800	89.8°F	J. Ladjao	
	2100	90.3°F	J. Ladjao	
	2400	88.4	Mora	

WEDNESDAY

Date	time	Temp.	Name (Print)	
7/10/24	0300	89.2	Mora	
	0600	81.7	Abella	
	0900	82.2	Abella	
	1200	88.0	Abella	
	1500	90.8	Vega	
	1800	94.0	Vega	
	2100	93.0	Vega	
	2400	92.2	Mora	

THURSDAY

Date	time	Temp.	Name (Print)	
7/11/24	0300	90.8	Mora	
	0600	81.7	Easton	
	0900	83.8	Easton	
	1200	88.9	Easton	
	1500	89.0°F	J. Ladjao	
	1800	89.1°F	J. Ladjao	
	2100	88°F	J. Ladjao	
	2400	85.4	Mora	

FRIDAY

Date	time	Temp.	Name (Print)	
7/12/24	0300	81.7	Mora	
	0600	81.0	Wall	
	0900	82.1	Wall	
	1200	86.0	Wall	
	1500	90.8°F	J. Ladjao	
	1800	90.7°F	J. Ladjao	
	2100	89.1°F	J. Ladjao	
	2400	86.1	Mora	

SATURDAY

Date	time	Temp.	Name (Print)	
7/13/24	0300	85.4	Mora	
	0600	82.3	F. Cuevas	
	0900	85.2	F. Cuevas	
	1200	85.3	F. Cuevas	
	1500	87	Atkins	
	1800	87.2	Atkins	
	2100	84.2	Atkins	
	2400	85	Saeden	

SUNDAY

Date	time	Temp.	Name (Print)	
7/14/24	0300	83	Saeden	
	0600	79.5	McFadyen	
	0900	80.3	McFadyen	
	1200	81.6	McFadyen	
	1500	81	Barriner	
	1800	81	Barriner	
	2100	80	Barriner	
	2400	81	Villasenor	

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C11** Temp. Reading Location: 2nd tier

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/15/24	0300	78	VILLASENOR
	0600	78	VILLASENOR
	0900	77.2	ATKINS
	1200	78.2	ATKINS
	1500	79.5°F	J.LADIAO
	1800	82.7°F	J.LADIAO
	2100	82.1°F	J.LADIAO
	2400	81.7	C.Endicott

TUESDAY

Date	time	Temp.	Name (Print)
7/16/24	0300	79.9	C.Endicott
	0600	75.9	D. Williams
	0900	77.0	D. WILLIAMS
	1200	78	D. WILLIAMS
	1500	78.5°F	J.LADIAO
	1800	79°F	J.LADIAO
	2100	78.6°F	J.LADIAO
	2400	78.3	D. SOSA

WEDNESDAY

Date	time	Temp.	Name (Print)
7/17/24	0300	75.9	D. SOSA
	0600	75.1	D. SOSA
	0900	74.7	J. EASTM
	1200	75.8	H SINGH
	1500	77.0	R.Wright
	1800	78.1	R.Wright
	2100	78.3	R.Wright
	2400	76.1	LARIOS

THURSDAY

Date	time	Temp.	Name (Print)
7/18/24	0300	74.0	LARIOS
	0600	74.0	SINGH
	0900	75.0	SINGH
	1200	76.9	GMTM
	1500	78.9°F	J.LADIAO
	1800	79.9°F	J.LADIAO
	2100	79.9°F	J.LADIAO
	2400	78.8	C.Endicott

FRIDAY

Date	time	Temp.	Name (Print)
7/19/24	0300	77.2	C.Endicott
	0600	76.1	C.Endicott
	0900	76.6	WALL
	1200	78.8	WALL
	1500	79.9	SIDDIKI,S
	1800	84	SIDDIKI,S
	2100	84.6	S.SIDDIKI
	2400	84	BREEN

SATURDAY

Date	time	Temp.	Name (Print)
7/20/24	0300	77.6	BREEN
	0600	77.6	D. Williams
	0900	79.4	D. Williams
	1200	81	D. Williams
	1500	86.5	ATKINS
	1800	86.6	ATKINS
	2100	85.6	ATKINS
	2400	82	VILLASENOR

SUNDAY

Date	time	Temp.	Name (Print)
7/21/24	0300	78	VILLASENOR
	0600	78	VILLASENOR
	0900	78.2	D. WILLIAMS
	1200	77.6	D. WILLIAMS
	1500	77.4	Berringer
	1800	76.2	Berringer
	2100	76.1	Berringer
	2400	83	LOMIDAO

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C11** Temp. Reading Location: 2ND TIER CONT.

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/22/24	0300	79.8	LOHSHAO
	0600	77.8	D. WILLIAMS
	0900	79.4	D. WILLIAMS
	1200	84.8	D. WILLIAMS
	1500	87.5	S. SIDDIK
	1800	89.3	S. SIDDIK
	2100	87.5	S. SIDDIK
	2400	75	Hullum

TUESDAY

Date	time	Temp.	Name (Print)
7/23/24	0300	75	Hullum
	0600	78.4	D. WILLIAMS
	0900	79.1	D. WILLIAMS
	1200	84.5	D. WILLIAMS
	1500	86	SAVAS
	1800	87	SAVAS
	2100	86	SAVAS
	2400	85	MORIN

WEDNESDAY

Date	time	Temp.	Name (Print)
7/24/24	0300	79	MORIN
	0600	80	SINGH-H
	0900	80	SINGH-H
	1200	81	SINGH-H
	1500	86	SAVAS
	1800	87	SAVAS
	2100	86.8	[illegible]
	2400	87.5	[illegible]

THURSDAY

Date	time	Temp.	Name (Print)
7/25/24	0300	80.4	[illegible]
	0600	79.8	SINGH-H
	0900	81.2	SINGH-H
	1200	82	RODRIGUEZ
	1500	84.2	Green
	1800	86	Green
	2100	87	Green
	2400	85	Hullum

FRIDAY

Date	time	Temp.	Name (Print)
7/26/24	0300	75	Hullum
	0600	77	Rodriguez
	0900	81.2	WALL
	1200	81.8	WALL
	1500	82.6	THAO
	1800	83.4	THAO
	2100	82.2	THAO
	2400	80	BREEN

SATURDAY

Date	time	Temp.	Name (Print)
7/27/24	0300	77.7	BREEN
	0600	75.4	D. WILLIAMS
	0900	76.5	D. WILLIAMS
	1200	77.2	D. WILLIAMS
	1500	77.8	ATKINS
	1800	77.6	ATKINS
	2100	77.6	ATKINS
	2400	76	ASMAN

SUNDAY

Date	time	Temp.	Name (Print)
7/28/24	0300	75	ASMAN
	0600	75.1	DIAZ
	0900	75.3	DIAZ
	1200	75.3	DIAZ
	1500	76.3	M. VIANNI
	1800	77.3	J. ELLIS
	2100	77.5	J. ELLIS
	2400	75.4	Z. VIEYRA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C11** Temp. Reading Location: 2ND TIER CONTROL

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/29/24	0300	74.2	Z. VIERRA
	0600	74.6	Hanson
	0900	74	Hanson
	1200	75	Hanson
	1500	76.9°F	J. LADEAO
	1800	77.3°F	J. LADEAO
	2100	77.3°F	J. LADEAO
	2400	76.2	Moran

TUESDAY

Date	time	Temp.	Name (Print)
7/30/24	0300	74.0	Moran
	0600	74.0	Hanson
	0900	74	Hanson
	1200	76	Hanson
	1500	76.8°F	J. LADEAO
	1800	78.30°F	J. LADEAO
	2100	78.2°F	J. LADEAO
	2400	78.0	Moran

WEDNESDAY

Date	time	Temp.	Name (Print)
7/31/24	0300	77.2	Moran
	0600	75	[illegible]
	0900	75.2	EASTON
	1200	76.1	EASTON
	1500	78.2°F	J. LADEAO
	1800	78.9°F	J. LADEAO
	2100	79.8°F	J. LADEAO
	2400	78.25	J. Davies

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C12** Temp. Reading Location: 2ND TIER CONTROL

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/1/24	0300	72	KELLY
	0600	72	KELLY
	0900	73	Thompson, K
	1200	74	Thompson, K
	1500	75	Thompson, K
	1800	75	Barringer
	2100	74	Barringer
	2400	74	KELLY

TUESDAY

Date	time	Temp.	Name (Print)
7/2/24	0300	73	KELLY
	0600	72	KELLY
	0900	73	Thompson, K
	1200	74	Thompson, K
	1500	74	Thompson, K
	1800		Barringer
	2100	76	Barringer
	2400	76	E.LIRA

WEDNESDAY

Date	time	Temp.	Name (Print)
7/3/24	0300	73.5	E.LIRA
	0600	73	Thompson, K
	0900	75	Thompson, K
	1200	76	Thompson, K
	1500	77	Thompson, K
	1800	76	[illegible]
	2100	75	[illegible]
	2400	75.5	E.LIRA

THURSDAY

Date	time	Temp.	Name (Print)
7/4/24	0300	74.1	E.LIRA
	0600	74	Thompson, K
	0900	74	Thompson, K
	1200	75	Thompson, K
	1500	[illegible]	[illegible]
	1800	[illegible]	[illegible]
	2100	[illegible]	[illegible]
	2400	74	Jimenez

FRIDAY

Date	time	Temp.	Name (Print)
7/5/24	0300	[illegible]	Jimenez
	0600	74	Thompson, K
	0900	75	Thompson, K
	1200	76	Thompson, K
	1500	77	[illegible]
	1800	77	[illegible]
	2100	76	[illegible]
	2400	75	Snorham

SATURDAY

Date	time	Temp.	Name (Print)
7/6/24	0300	74	Snorham
	0600	76	Gaxiola
	0900	76.5	Gaxiola
	1200	77	Gaxiola
	1500	78	Gomez
	1800	78	Gomez
	2100	78	Gomez
	2400	76	Asman

SUNDAY

Date	time	Temp.	Name (Print)
7/7/24	0300	74	Asman
	0600	74	Gomez
	0900	75	Gomez
	1200	78.2	Gomez
	1500	78	[illegible]
	1800	79	[illegible]
	2100	77	[illegible]
	2400	75	KELLY

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C12** Temp. Reading Location: 2ND TIER CONTROL

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)	
7/8/24	0300	74	Kelly	
	0600	73	Kelly	
	0900	74	Perkins	
	1200	75	Perkins	
	1500	75	Barringer	
	1800	76	Barringer	
	2100	74	Barringer	
	2400	74	Kelly	

TUESDAY

Date	time	Temp.	Name (Print)	
7/9/24	0300	73	Kelly	
	0600	73	Kelly	
	0900	73.9	Delaney	
	1200	73.9	Delaney	
	1500	74	Barringer	
	1800	74	Barringer	
	2100	73	Barringer	
	2400	73	Jimenez	

WEDNESDAY

Date	time	Temp.	Name (Print)	
7/10/24	0300	73	Jimenez	
	0600	74	Thompson, K	
	0900	75	Thompson, K	
	1200	76	Thompson, K	
	1500	77	[illegible]	
	1800	77	[illegible]	
	2100	77	[illegible]	
	2400	75.7	E. LIRA	

THURSDAY

Date	time	Temp.	Name (Print)	
7/11/24	0300	73.4	LIRA	
	0600	74	Thompson, K	
	0900	75	Thompson, K	
	1200	76	Thompson, K	
	1500	76	[illegible]	
	1800	77	[illegible]	
	2100	77	[illegible]	
	2400	79.3	Green	

FRIDAY

Date	time	Temp.	Name (Print)	
7/12/24	0300	73.5	C. Green	
	0600	73	Thompson, K	
	0900	74	Thompson, K	
	1200	75	Thompson, K	
	1500	77	[illegible]	
	1800	77	[illegible]	
	2100	77	[illegible]	
	2400	77	STAMPS	

SATURDAY

Date	time	Temp.	Name (Print)	
7/13/24	0300	70	Stamps	
	0600	70	Stamps	
	0900	72	Fox	
	1200	73	Fox	
	1500	73	Hurd	
	1800	73	Hurd	
	2100	72	Hurd	
	2400	71	STAMPS	

SUNDAY

Date	time	Temp.	Name (Print)	
7/14/24	0300	71	STAMPS	
	0600	70	Stamps	
	0900	73.5	BARTOON	
	1200	75	BARTOON	
	1500	76.1	HURD	
	1800	76.8	HURD	
	2100	74.2	HURD	
	2400	73	Stamps	

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C12** Temp. Reading Location: 2ND TIER CENT

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)	
7/15/24	0300	72	Barringer	MA
	0600	73	Thompson, K	
	0900	73	Thompson, K	
	1200	73	Thompson, K	CD
	1500	73	Barringer	
	1800	73	Barringer	GG
	2100	72	Barringer	
	2400	73	Perez	

TUESDAY

Date	time	Temp.	Name (Print)	
7/16/24	0300	74	Perez	MA
	0600	73	Thompson, K	
	0900	73	Thompson, K	
	1200	73	Thompson, K	CD
	1500	73	Barringer	
	1800	72	Barringer	GG
	2100	72	Barringer	
	2400	72.1	Gonzalez	

WEDNESDAY

Date	time	Temp.	Name (Print)	
7/17/24	0300	72.3	Gonzalez	MA
	0600	70.8	Gonzalez	
	0900	71.9	DeSantiago	
	1200	73.9	DeSantiago	CD
	1500	73	[illegible]	
	1800	74	[illegible]	GG
	2100	72	[illegible]	
	2400	72	Villasenor	

THURSDAY

Date	time	Temp.	Name (Print)	
7/18/24	0300	72	Villasenor	MA
	0600	73	Villasenor	
	0900	73	[illegible]	
	1200	73.5	[illegible]	CD
	1500	73.6	[illegible]	
	1800	73.2	[illegible]	GG
	2100	73.1	[illegible]	
	2400	72.9	C. Covern	

FRIDAY

Date	time	Temp.	Name (Print)	
7/19/24	0300	72.4	C. Covern	MA
	0600	74	Thompson, K	
	0900	74	Thompson, K	
	1200	76	Thompson, K	CD
	1500	76	[illegible]	
	1800	76	[illegible]	GG
	2100	75	[illegible]	
	2400	73.4	Lee	

SATURDAY

Date	time	Temp.	Name (Print)	
7/20/24	0300	72.6	Lee	MA
	0600	72.3	Babcock	
	0900	74	Babcock	
	1200	75.2	Babcock	MA
	1500	76	[illegible]	
	1800	76	[illegible]	GG
	2100	75	[illegible]	
	2400	73	[illegible]	

SUNDAY

Date	time	Temp.	Name (Print)	
7/21/24	0300	72	[illegible]	MA
	0600	73	[illegible]	
	0900	74	[illegible]	
	1200	75	[illegible]	
	1500	75	[illegible]	
	1800	76	[illegible]	GG
	2100	76	[illegible]	
	2400	72	Kelly	

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C12** Temp. Reading Location: #12

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/22/24	0300	72	Kelly
	0600	72	Kelly
	0900	74	Thompson, K
	1200	77	Thompson, K
	1500	77	Thompson, K
	1800	78	Turner K.
	2100	76	Turner K.
	2400	76	Kelly

TUESDAY

Date	time	Temp.	Name (Print)
7/23/24	0300	74	Kelly
	0600	73	Kelly
	0900	74	Thompson, K
	1200	76	Thompson, K
	1500	76	Barringer
	1800	77	Barringer
	2100	77	Barringer
	2400	76.2	E. LIRA

WEDNESDAY

Date	time	Temp.	Name (Print)
7/24/24	0300	73.2	E. LIRA
	0600	73.0	T. Bennion
	0900	73	E. Limon
	1200	75	E. Limon
	1500	76	[illegible]
	1800	77	[illegible]
	2100	73	[illegible]
	2400	73	Kelly

THURSDAY

Date	time	Temp.	Name (Print)
7/25/24	0300	72	Kelly
	0600	72	Kelly
	0900	73.5	Haner
	1200	75	Haner
	1500	75	[illegible]
	1800	75	[illegible]
	2100	73	[illegible]
	2400	73	Atcevis

FRIDAY

Date	time	Temp.	Name (Print)
7/26/24	0300	73.4	Atcevis
	0600	73	Thompson, K
	0900	74	Thompson, K
	1200	74	Thompson, K
	1500	74	[illegible]
	1800	[illegible]	[illegible]
	2100	[illegible]	[illegible]
	2400	72.5	Jimenez

SATURDAY

Date	time	Temp.	Name (Print)
7/27/24	0300	71	Jimenez
	0600	70.5	Barroch
	0900	71	Barroch
	1200	72	Barroch
	1500	73	[illegible]
	1800	72	[illegible]
	2100	71	[illegible]
	2400	70	Kelly

SUNDAY

Date	time	Temp.	Name (Print)
7/28/24	0300	69	Kelly
	0600	69	Kelly
	0900	70	Ferro
	1200	71	Ferro
	1500	73	[illegible]
	1800	70	[illegible]
	2100	71	[illegible]
	2400	70	Perez

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C12** Temp. Reading Location: 2ND TIER CONT

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/29/24	0300	69.7	PERCE
	0600	69	Thompson
	0900	71	Thompson
	1200	72	Thompson
	1500	72.8	SONLEY
	1800	73.5	SONLEY
	2100	72.3	SONLEY
	2400	71	SONLEY

TUESDAY

Date	time	Temp.	Name (Print)
7/30/24	0300	70.8	SONLEY
	0600	71	Thompson, K
	0900	71	Thompson, K
	1200	72	Thompson, K
	1500	73.2	SONLEY
	1800	73.7	SONLEY
	2100	73	SONLEY
	2400	71.6	E. LIRA

WEDNESDAY

Date	time	Temp.	Name (Print)
7/31/24	0300	71.1	E. LIRA
	0600	71	Thompson, K
	0900	72	Thompson, K
	1200	73	Thompson, K
	1500	74	
	1800	75	
	2100	74	
	2400	73	

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C13** Temp. Reading Location: Control

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/1/24	0300	69.4	NATH
	0600	71	[illegible]
	0900	73	[illegible]
	1200	73	[illegible]
	1500	74.8	D. HARDIE
	1800	74.7	D. HARDIE
	2100	74.3	D. HARDIE
	2400	71	S Hullum

TUESDAY

Date	time	Temp.	Name (Print)
7/2/24	0300	70	S Hullum
	0600	71	[illegible]
	0900	73	[illegible]
	1200	74	[illegible]
	1500	75	PRAKASH
	1800	75	PRAKASH
	2100	75	PRAKASH
	2400	74	Millikan

WEDNESDAY

Date	time	Temp.	Name (Print)
7/3/24	0300	72	Millikan
	0600	70	[illegible]
	0900	71	[illegible]
	1200	73	[illegible]
	1500	73	R. SAYAS
	1800	75	SAYAS
	2100	74	SAYAS
	2400	74	SANN

THURSDAY

Date	time	Temp.	Name (Print)
7/4/24	0300	72	SANN
	0600	71.2	SANN
	0900	76	[illegible]
	1200	78	[illegible]
	1500	78	SIDDIKI
	1800	86.2	SIDDIKI
	2100	79.8	SIDDIKI
	2400	79	SANN

FRIDAY

Date	time	Temp.	Name (Print)
7/5/24	0300	74	SANN
	0600	75	SANN
	0900	75	[illegible]
	1200	75	[illegible]
	1500	81	PRAKASH
	1800	78	PRAKASH
	2100	76	PRAKASH
	2400	76	SANN

SATURDAY

Date	time	Temp.	Name (Print)
7/6/24	0300	74	SANN
	0600	72	SANN
	0900	74	A. Lawrence
	1200	75	PRAKASH
	1500	77	PRAKASH
	1800	78	PRAKASH
	2100	79	PRAKASH
	2400	79	SANN

SUNDAY

Date	time	Temp.	Name (Print)
7/7/24	0300	76	SANN
	0600	77	SANN
	0900	76	A. Lawrence
	1200	75	A. Lawrence
	1500	78.2	D. HARDIE
	1800	79.5	D. HARDIE
	2100	79.4	D. HARDIE
	2400	71	NATH, D.

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C13** Temp. Reading Location: CONTROL

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/8/24	0300	71	NATH.D.
	0600	70	B
	0900	71	B
	1200	73	B
	1500	77.8	D. HARDIE
	1800	78.4	D. HARDIE
	2100	78.7	D. HARDIE
	2400	78.5	LARIOS

TUESDAY

Date	time	Temp.	Name (Print)
7/9/24	0300	76	LARIOS
	0600	75	MA
	0900	75	MA
	1200	75	MA
	1500	76	PRAKASH
	1800	76	PRAKASH
	2100	76	PRAKASH
	2400	73	MILLER

WEDNESDAY

Date	time	Temp.	Name (Print)
7/10/24	0300	71	MILLER
	0600	72	MA
	0900	73	MA
	1200	75	MA
	1500	76	Barringer
	1800	76	Barringer
	2100	75	Barringer
	2400	73.5	SANCHEZ

THURSDAY

Date	time	Temp.	Name (Print)
7/11/24	0300	71.4	SANCHEZ
	0600	74	MA
	0900	75	MA
	1200	76	MA
	1500	77.1	VEGA
	1800	74	BILL
	2100	78	BILL
	2400	78	SANN

FRIDAY

Date	time	Temp.	Name (Print)
7/12/24	0300	77	SANN
	0600	76	SANN
	0900	80	Driscoll
	1200	85	Driscoll
	1500	85	PRAKASH
	1800	83	PRAKASH
	2100	83	PRAKASH
	2400	80	SANN

SATURDAY

Date	time	Temp.	Name (Print)
7/13/24	0300	76	SANN
	0600	72	SANN
	0900	75	A. Lawrence
	1200	75	A. Lawrence
	1500	77	PRAKASH
	1800	77	PRAKASH
	2100	77	PRAKASH
	2400	77	SANN

SUNDAY

Date	time	Temp.	Name (Print)
7/14/24	0300	75	SANN
	0600	74	SANN
	0900	74	A. Lawrence
	1200	75	A. Lawrence
	1500	76.1	D. HARDIE
	1800	76.5	D. HARDIE
	2100	77.3	D. HARDIE
	2400	69	D. NATH

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

L

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C13** Temp. Reading Location: Control

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/15/24	0300	69	D. NATH
	0600	73	[illegible]
	0900	74	[illegible]
	1200	75	[illegible]
	1500	76	[illegible]
	1800	76.5	SEABERG
	2100	76	SEABERG
	2400	74	VILLASENOR

TUESDAY

Date	time	Temp.	Name (Print)
7/16/24	0300	72	VILLASENOR
	0600	72	VILLASENOR
	0900	72	[illegible]
	1200	74	[illegible]
	1500	75.3	C. Vue
	1800	75.1	C. Vue
	2100	74.7	C. Vue
	2400	73	A. Mitkin

WEDNESDAY

Date	time	Temp.	Name (Print)
7/17/24	0300	71	A. Mitkin
	0600	71	[illegible]
	0900	72	[illegible]
	1200	74	[illegible]
	1500	74	Barringer
	1800	73	Barringer
	2100	72	Barringer
	2400	72	SANN

THURSDAY

Date	time	Temp.	Name (Print)
7/18/24	0300	73	SANN
	0600	73.5	SANN
	0900	72	[illegible]
	1200	74	[illegible]
	1500	73	LEE
	1800	74	LEE
	2100	75	LEE
	2400	74	SANN

FRIDAY

Date	time	Temp.	Name (Print)
7/19/24	0300	73	SANN
	0600	74	SANN
	0900	74	[illegible]
	1200	74	[illegible]
	1500	76.2	C. Vue
	1800	76.4	C. Vue
	2100	76.8	C. Vue
	2400	76	SANN

SATURDAY

Date	time	Temp.	Name (Print)
7/20/24	0300	77	SANN
	0600	74	SANN
	0900	76	A. Lawrence
	1200	76	A. Lawrence
	1500	76	C. Vue
	1800	77	FRAFRE
	2100	77	FRAFRE
	2400	77	SANN

SUNDAY

Date	time	Temp.	Name (Print)
7/21/24	0300	78	SANN
	0600	75	SANN
	0900	76	PHAM
	1200	76	A. Lawrence
	1500	76	[illegible]
	1800	75.9	Ellis
	2100	75.9	Ellis
	2400	73	D. NATH

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C13** Temp. Reading Location: CONT

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/22/24	0300	73	D. NATH
	0600	78	Saelem
	0900	75	Saelem
	1200	81	Saelem.
	1500	78.2	C. Vue
	1800	79.3	C. Vue
	2100	78.4	C. Vue
	2400	77	VILLASENOR

TUESDAY

Date	time	Temp.	Name (Print)
7/23/24	0300	76	VILLASENOR
	0600	75	VILLASENOR
	0900	75	Reeves
	1200	75	Reeves
	1500	78	PRAKASH
	1800	79	PRAKASH
	2100	78	PRAKASH
	2400	76	M. Ll. Ler

WEDNESDAY

Date	time	Temp.	Name (Print)
7/24/24	0300	75	M. Ll. Ler
	0600	75	MEDINA
	0900	76	mem
	1200	76	medina
	1500	76	Barringer
	1800	77	Barringer
	2100	77	Barringer
	2400	77	SANN

THURSDAY

Date	time	Temp.	Name (Print)
7/25/24	0300	77.5	SANN
	0600	77.9	SANN
	0900	78.5	Phillips
	1200	79.0	Phillips
	1500	77.4	C. Vue
	1800	77.6	C. Vue
	2100	77.2	C. Vue
	2400	77	SANN

FRIDAY

Date	time	Temp.	Name (Print)
7/26/24	0300	77	SANN
	0600	76	SANN
	0900	72	DeRosa
	1200	74	DeRosa
	1500	76.0	C. Vue
	1800	76.2	C. Vue
	2100	75.9	C. Vue
	2400	75	SANN

SATURDAY

Date	time	Temp.	Name (Print)
7/27/24	0300	74	SANN
	0600	73	SANN
	0900	74.8	A. Lawrence
	1200	74.5	A. Lawrence
	1500	74.9	Ball
	1800	74.7	Ball
	2100	73.9	Ball
	2400	69.6	LAMOR

SUNDAY

Date	time	Temp.	Name (Print)
7/28/24	0300	69.9	LAMOR
	0600	71.7	A. Lawrence
	0900	71.9	A. Lawrence
	1200	73.1	A. Lawrence
	1500	73	PRAKASH
	1800	73	PRAKASH
	2100	73	PRAKASH
	2400	70	NATH

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C13** Temp. Reading Location: CONT

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/29/24	0300	70	NATH
	0600	71.1	Dulaney J
	0900	70.5	Dulaney J
	1200	73.3	Dulaney J
	1500	74.	C. Lima
	1800	75	C. Lima
	2100	76	C. Lima
	2400	73.3°F	J.LADIAO

TUESDAY

Date	time	Temp.	Name (Print)
7/30/24	0300	73.1°F	J.LADIAO
	0600	71.8	Mann
	0900	72	Mann
	1200	74.5	Mann
	1500	74	PRAKASH
	1800	74	PRAKASH
	2100	74	PRAKASH
	2400	73	Milliken

WEDNESDAY

Date	time	Temp.	Name (Print)
7/31/24	0300	70	Milliken
	0600	70.9	D. Webb
	0900	74.3	D. Webb
	1200	76.1	D. Webb
	1500	76.4	SONLEY
	1800	77.5	SONLEY
	2100	77.6	SONLEY
	2400	70	Milliken

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C14** Temp. Reading Location: Control

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)	
7/1/24	0300	76	YANG	
	0600	77.6	CERTA	AC
	0900	77.9	D. Smith	
	1200	77.7	D. Smith	
	1500	77.	CHANDRA	
	1800	78	CHANDRA	
	2100	79	CHANDRA	AC
	2400	76	YANG	

TUESDAY

Date	time	Temp.	Name (Print)	
7/2/24	0300	76	YANG	
	0600	75	J. Lopez	
	0900	76.6	J. Lopez	
	1200	77.0	Hammers	
	1500	78.6	C. Vue	
	1800	80.2	C. Vue	AC
	2100	80.2	C. VUE	
	2400	78	YANG	

WEDNESDAY

Date	time	Temp.	Name (Print)	
7/3/24	0300	77	YANG	
	0600	76.6	ABARCA	
	0900	77	ABARCA	
	1200	79	J. Lopez	
	1500	79.7	CHANDRA.	
	1800	81.1	CHANDRA	
	2100	81	CHANDRA	AC
	2400	80	Milliken	

THURSDAY

Date	time	Temp.	Name (Print)	
7/4/24	0300	77	Milliken	
	0600	78	ABARCA	
	0900	77.7	ABARCA	
	1200	78	ABARCA	
	1500	80	CHANDRA	TT
	1800	81	CHANDRA	
	2100	81	CHANDRA	
	2400	75	Brothers	

FRIDAY

Date	time	Temp.	Name (Print)	
7/5/24	0300	77	Brothers	
	0600	77.	ABARCA	
	0900	77	ABARCA	
	1200	79.6	Hammers	
	1500	80.2	FUGUAS	
	1800	81.1	FUGUAS	
	2100	82.2	FUGUAS	
	2400	79.9	C. Vue	

SATURDAY

Date	time	Temp.	Name (Print)	
7/6/24	0300	79.9	C. Vue	
	0600	79.6	ABARCA	
	0900	79.7	ABARCA	
	1200	80.1	ABARCA	
	1500	82	Ball	
	1800	83	Ball	
	2100	83	Ball	
	2400	82	Moua	

SUNDAY

Date	time	Temp.	Name (Print)	
7/7/24	0300	82.8	Moua	
	0600	79.6	ABARCA	
	0900	79.8	ABARCA	
	1200	81.1	ABARCA	
	1500	81.7	Batson	
	1800	82	Batson	AC
	2100	82.8	Batson	
	2400	79	YANG	

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C14** Temp. Reading Location: Control

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)	
7/8/24	0300	78	YANG	
	0600	78.9	D. Smith	
	0900	79.7	D. Smith	
	1200	80.5	D. Smith	
	1500	81	CHANDRA	
	1800	82	CHANDRA	
	2100	82	CHANDRA	AC
	2400	82	MOUA	

TUESDAY

Date	time	Temp.	Name (Print)	
7/9/24	0300	81	MOUA	
	0600	78	Hammers	
	0900	78	Hammers	
	1200	79	Hammers	
	1500	81	CHANDRA	
	1800	82	CHANDRA	
	2100	81	CHANDRA	AC
	2400	80	MOUA	

WEDNESDAY

Date	time	Temp.	Name (Print)	
7/10/24	0300	80	MOUA	
	0600	79	GONZALEZ	
	0900	80	GONZALES	
	1200	80	LIMON	
	1500	81	CHANDRA	
	1800	82	CHANDRA	
	2100	82	CHANDRA	AC
	2400	80	Milliken	

THURSDAY

Date	time	Temp.	Name (Print)	
7/11/24	0300	78	Milliken	
	0600	79	GONZALEZ	
	0900	79	GONZALEZ	
	1200	79	GONZALEZ	
	1500	81	[illegible]	
	1800	80	[illegible]	
	2100	[illegible]	[illegible]	
	2400	78	[illegible]	

FRIDAY

Date	time	Temp.	Name (Print)	
7/12/24	0300	78	[illegible]	
	0600	78	GONZALEZ	
	0900	78	GONZALEZ	
	1200	78	GONZALEZ	
	1500	81.1	[illegible]	
	1800	81.1	[illegible]	
	2100	83	[illegible]	
	2400	81	Estrada	

SATURDAY

Date	time	Temp.	Name (Print)	
7/13/24	0300	79	Estrada	
	0600	78	GONZALEZ	
	0900	79	GONZALEZ	
	1200	80	GONZALEZ	
	1500	80	GONZALEZ	
	1800	81.6	Oakes	
	2100	81.5	Oakes	
	2400	81	MOUA	

SUNDAY

Date	time	Temp.	Name (Print)	
7/14/24	0300	81.5	MOUA	
	0600	78	GONZALEZ	
	0900	78	GONZALEZ	
	1200	79	GONZALEZ	
	1500	79.1	Pofahl	
	1800	79.7	Pofahl	AC
	2100	79.7	Pofahl	
	2400	79.5	MOUA	

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C14** Temp. Reading Location: Control

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)	
7/15/24	0300	79	Moua	
	0600	78.4	D. Smith	
	0900	76.7	D. Smith	
	1200	77.3	D. Smith	
	1500	78	CHANDRA	
	1800	78	CHANDRA	
	2100	79	CHANDRA	
	2400	78	Moua	

TUESDAY

Date	time	Temp.	Name (Print)	
7/16/24	0300	77	Moua	
	0600	77.1	VANG	
	0900	76.3	VANG	
	1200	76.7	VANG	
	1500	77	CHANDRA	
	1800	78	CHANDRA	
	2100	78	CHANDRA	
	2400	78	Moua	

WEDNESDAY

Date	time	Temp.	Name (Print)	
7/17/24	0300	77	Moua	
	0600	76	GONZALEZ	
	0900	76	GONZALEZ	
	1200	76	GONZALEZ	
	1500	76	CHANDRA	
	1800	78	CHANDRA	
	2100	78	CHANDRA	
	2400	76	Millik	

THURSDAY

Date	time	Temp.	Name (Print)	
7/18/24	0300	74	Millik	
	0600	74	GONZALEZ	
	0900	75	GONZALEZ	
	1200	76	GONZALEZ	
	1500	76	CHANDRA	
	1800	77	CHANDRA	
	2100	78	CHANDRA	
	2400	76	Brokery	

FRIDAY

Date	time	Temp.	Name (Print)	
7/19/24	0300	77	Brokery	
	0600	77	GONZALEZ	
	0900	77	GONZALEZ	
	1200	77	GONZALEZ	
	1500	79	Dang	
	1800	79	Ball	
	2100	79	Ball	
	2400	78	Moua	

SATURDAY

Date	time	Temp.	Name (Print)	
7/20/24	0300	77	Moua	
	0600	77	Hammers	
	0900	77.1	CASTILLO	
	1200	78	CASTILLO	
	1500	79	C. Lima	
	1800	79	C. Lima	
	2100	79	C. Lima	
	2400	78	Moua	

SUNDAY

Date	time	Temp.	Name (Print)	
7/21/24	0300	77	Moua	
	0600	78	CHANDRA	
	0900	79	CHANDRA	
	1200	79	CHANDRA	
	1500	79	CHANDRA	
	1800	80	CHANDRA	
	2100	80	CHANDRA	
	2400	79	Moua	

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C14** Temp. Reading Location: CONTROL

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/22/24	0300	78	MONA
	0600	78	Hammers
	0900	78	Hammers
	1200	80	Hammers
	1500	80	CHANDRA
	1800	81	CHANDRA
	2100	81	CHANDRA
	2400	80	CHANDRA.

TUESDAY

Date	time	Temp.	Name (Print)
7/23/24	0300	78	CHANDRA
	0600	78	Hammers
	0900	79	Hammers
	1200	80	Hammers
	1500	81	CHANDRA
	1800	82	CHANDRA
	2100	80	CHANDRA
	2400	79	MONA

WEDNESDAY

Date	time	Temp.	Name (Print)
7/24/24	0300	78	MONA
	0600	78	GONZALEZ
	0900	79	GONZALEZ
	1200	79	GONZALEZ
	1500	80	CHANDRA
	1800	82	CHANDRA
	2100	81	CHANDRA
	2400	78	Millika

THURSDAY

Date	time	Temp.	Name (Print)
7/25/24	0300	78	Millika
	0600	78	GONZALEZ
	0900	79	GONZALEZ
	1200	80	GONZALEZ
	1500	80	GNS
	1800	80	GNS
	2100	80	GNS
	2400	79	Broberg

FRIDAY

Date	time	Temp.	Name (Print)
7/26/24	0300	78	Broberg
	0600	76	Hammes
	0900	77.1	VANGSOV
	1200	76.2	VANGSOV
	1500	77.1	Rodriguez
	1800	76	Rodriguez
	2100	76	Rodriguez
	2400	77	MONA

SATURDAY

Date	time	Temp.	Name (Print)
7/27/24	0300	76	MONA
	0600	77	GONZALEZ
	0900	76	GONZALEZ
	1200	76	GONZALEZ
	1500	77	Whitaker
	1800	77	Whitaker
	2100	76	Whitaker
	2400	75	MONA

SUNDAY

Date	time	Temp.	Name (Print)
7/28/24	0300	74	MONA
	0600	74	GONZALEZ
	0900	75	GONZALEZ
	1200	75	GONZALEZ
	1500	76	GONZALEZ
	1800	76	GONZALEZ
	2100	76	GONZALEZ
	2400	75	MONA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C14** Temp. Reading Location: CONTROL

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/29/24	0300	74	MOUA
	0600	74.3	Vega
	0900	75.1	Vega
	1200	75.3	VEGA
	1500	76	CHANDRA
	1800	77	CHANDRA
	2100	76	CHANDRA
	2400	75	MOUA

TUESDAY

Date	time	Temp.	Name (Print)
7/30/24	0300	74	MOUA
	0600	75.3	Vega
	0900	75.2	Bauer
	1200	76.0	Bauer
	1500	76	CHANDRA
	1800	77	CHANDRA
	2100	77	CHANDRA
	2400	76	MOUA

WEDNESDAY

Date	time	Temp.	Name (Print)
7/31/24	0300	75	MOUA
	0600	75	GONZALEZ
	0900	75	GONZALEZ
	1200	76	GONZALEZ
	1500	76	CHANDRA
	1800	78	CHANDRA
	2100	77	CHANDRA
	2400	77	CHANDRA

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C15** Temp. Reading Location: Control

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)	
7/1/24	0300	71	V. Khan	
	0600	73	Eberhardt	AC
	0900	75	Eberhardt	
	1200	76	Eberhardt	
	1500	79.2	S. Siddiqi	
	1800	79.3	S. Siddiqi	
	2100	79.7	S. Siddiqi	AC
	2400	76	V. Khan	

TUESDAY

Date	time	Temp.	Name (Print)	
7/2/24	0300	74	V. Khan	
	0600	76	Eberhardt	
	0900	76	Eberhardt	
	1200	78	Eberhardt	
	1500	79	M. Miller	
	1800	79	M. Miller	
	2100	79	M. Miller	AC
	2400	76	V. Khan	

WEDNESDAY

Date	time	Temp.	Name (Print)	
7/3/24	0300	75	V. Khan	
	0600	76.6	T. Tisserand	
	0900	77.6	T. Tisserand	
	1200	78.6	T. Tisserand	
	1500	79	M. Miller	
	1800	83	M. Miller	AC
	2100	86	M. Miller	
	2400	76	V. Khan	

THURSDAY

Date	time	Temp.	Name (Print)	
7/4/24	0300	77	V. Khan	
	0600	78	E. Brewton	
	0900	79	E. Brewton	
	1200	83	E. Brewton	
	1500	84	M. Miller	
	1800	86	M. Miller	
	2100	86	M. Miller	
	2400	76	V. Khan	

FRIDAY

Date	time	Temp.	Name (Print)	
7/5/24	0300	75	V. Khan	
	0600	77	Eberhardt	
	0900	78	Eberhardt	
	1200	79	Eberhardt	
	1500	88	Brohery	
	1800	86	Brohery	
	2100	88	Brohery	
	2400	83	Brohery	

SATURDAY

Date	time	Temp.	Name (Print)	
7/6/24	0300	79	Brohery	
	0600	79	Eberhardt	
	0900	79	Eberhardt	
	1200	85	Eberhardt	
	1500	89	Brohery	
	1800	91	Brohery	
	2100	93	Brohery	
	2400	86	Brohery	

SUNDAY

Date	time	Temp.	Name (Print)	
7/7/24	0300	83	Brohery	
	0600	79	Eberhardt	
	0900	80	Eberhardt	
	1200	85	Eberhardt	
	1500	90	VANN	
	1800	89	VANN	
	2100	89	VANN	AC
	2400	78	V. Khan	

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C15** Temp. Reading Location: Control

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)	
7/8/24	0300	75°	V. RFHAN	
	0600	78	Eberhardt	
	0900	78	Eberhardt	
	1200	79	Eberhardt	
	1500	86.7	C. Vue	
	1800	87.5	C. Vue	
	2100	88	C. Vue	
	2400	79	V. RFHAN	

TUESDAY

Date	time	Temp.	Name (Print)	
7/9/24	0300	73°	V. RFHAN	
	0600	78	Eberhardt	
	0900	78	Eberhardt	
	1200	79	Eberhardt	
	1500	84	Milliken	
	1800	85	Milliken	
	2100	85	Milliken	
	2400	78°	V. RFHAN	

WEDNESDAY

Date	time	Temp.	Name (Print)	
7/10/24	0300	77°	V. RFHAN	
	0600	77	A. Lawrence	
	0900	78	A. Lawrence	
	1200	78	A. Lawrence	
	1500	84	Milliken	
	1800	86	Milliken	
	2100	88	Milliken	
	2400	81	V. RFHAN	

THURSDAY

Date	time	Temp.	Name (Print)	
7/11/24	0300	78	V. RFHAN	
	0600	78	A. Lawrence	
	0900	80	A. Lawrence	
	1200	83	A. Lawrence	
	1500	85	Milliken	
	1800	85	Milliken	
	2100	86	Milliken	
	2400	80	V. RFHAN	

FRIDAY

Date	time	Temp.	Name (Print)	
7/12/24	0300	78	V. RFHAN	
	0600	78	Eberhardt	
	0900	78	Eberhardt	
	1200	84	Eberhardt	
	1500	82	Brabeny	
	1800	89	Brabeny	
	2100	89	Brabeny	
	2400	84	Brabeny	

SATURDAY

Date	time	Temp.	Name (Print)	
7/13/24	0300	81	Brabeny	
	0600	78	Bath	
	0900	78	Bath	
	1200	78	Bath	
	1500	83	Brabeny	
	1800	84	Brabeny	
	2100	83	Brabeny	
	2400	79	Brabeny	

SUNDAY

Date	time	Temp.	Name (Print)	
7/14/24	0300	78	Brabeny	
	0600	77	Eberhardt	
	0900	77	O'Bell	
	1200	78	O'Bell	
	1500	78	C. Linan	
	1800	80	C. Linan	
	2100	82	C. Linan	
	2400	80	V. RFHAN	

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C15** Temp. Reading Location: CONTROL

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/15/24	0300	76	U. REHAN
	0600	75	Eberhardt
	0900	76	Eberhardt
	1200	76.8	Guillaume
	1500	78	Guillaume
	1800	77.6	VARGAS
	2100	78.1	VARGAS
	2400	77°	U. REHAN

TUESDAY

Date	time	Temp.	Name (Print)
7/16/24	0300	75°	U. REHAN
	0600	75	Eberhardt
	0900	75	Eberhardt
	1200	76	Eberhardt
	1500	76	Millen
	1800	76	Millen
	2100	76	Millen
	2400	75	U. REHAN

WEDNESDAY

Date	time	Temp.	Name (Print)
7/17/24	0300	73°	U. REHAN
	0600	73	A. Lawrence
	0900	74	A. Lawrence
	1200	74	A. Lawrence
	1500	75	A. Millen
	1800	75	A. Millen
	2100	76	A. Millen
	2400	77°	U. REHAN

THURSDAY

Date	time	Temp.	Name (Print)
7/18/24	0300	77°	U. REHAN
	0600	72	A. Lawrence
	0900	73	A. Lawrence
	1200	75	A. Lawrence
	1500	76	A. Millen
	1800	78	A. Millen
	2100	78	A. Millen
	2400	77°	U. REHAN

FRIDAY

Date	time	Temp.	Name (Print)
7/19/24	0300	75°	U. REHAN
	0600	75	Eberhardt
	0900	75	Eberhardt
	1200	77	Eberhardt
	1500	79	Broberg
	1800	79	Broberg
	2100	81	Broberg
	2400	79	Broberg

SATURDAY

Date	time	Temp.	Name (Print)
7/20/24	0300	75	Broberg
	0600	76	Eberhardt
	0900	77	Eberhardt
	1200	78	Eberhardt
	1500	79	Broberg
	1800	82	Broberg
	2100	79	Broberg
	2400	79	Broberg

SUNDAY

Date	time	Temp.	Name (Print)
7/21/24	0300	76	Broberg
	0600	77	Eberhardt
	0900	77	Eberhardt
	1200	78	Eberhardt
	1500	79	Ball
	1800	79	Ball
	2100	79	Ball
	2400	76	CuAsAs

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C15** Temp. Reading Location: CONTROL

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/22/24	0300	74	Chasen
	0600	76	Ehrhardt
	0900	77	Ehrhardt
	1200	78	Ehrhardt
	1500	82	Green
	1800	82	Green
	2100	75	Green
	2400	79	Gonzalez

TUESDAY

Date	time	Temp.	Name (Print)
7/23/24	0300	83	Gonzalez
	0600	78	ODeM
	0900	78	ODeM
	1200	80	ODeM
	1500	86	Millsap
	1800	87	Millsap
	2100	85	Millsap
	2400	80	V. RFHAN

WEDNESDAY

Date	time	Temp.	Name (Print)
7/24/24	0300	78°	V. RFHAN
	0600	78	Rushing
	0900	79	Rushing
	1200	80	Rushing
	1500	85	Millsap
	1800	82	Millsap
	2100	75	Millsap
	2400	79	V. RFHAN

THURSDAY

Date	time	Temp.	Name (Print)
7/25/24	0300	78	V. RFHAN
	0600	77	A. Lawrence
	0900	77	A. Lawrence
	1200	79	Hill
	1500	83	Millsap
	1800	83	Millsap
	2100	82	Millsap
	2400	78	V. RFHAN

FRIDAY

Date	time	Temp.	Name (Print)
7/26/24	0300	76	V. RFHAN
	0600	76	J. ODeM
	0900	77	J. ODeM
	1200	75	Salcedo
	1500	80	Brohers
	1800	79	Brohers
	2100	78	Brohers
	2400	78	Brohers

SATURDAY

Date	time	Temp.	Name (Print)
7/27/24	0300	79	Brohers
	0600	74	DeRosa
	0900	75	DeRosa
	1200	76	DeRosa
	1500	76	Brohers
	1800	76	Brohers
	2100	74	Brohers
	2400	75	Brohers

SUNDAY

Date	time	Temp.	Name (Print)
7/28/24	0300	76	Brohers
	0600	75.3	SALAZAR
	0900	76.5	SALAZAR
	1200	78.3	SALAZAR
	1500	77	Green
	1800	76	Green
	2100	73	Green
	2400	75	V. RFHAN

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioning is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: **C15** Temp. Reading Location: CONTROL

(e.g. 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	time	Temp.	Name (Print)
7/29/24	0300	73	V. REHAN
	0600	73	Eberhardt
	0900	73	Eberhardt
	1200	74	Eberhardt
	1500	75	Green
	1800	75.5	Green
	2100	74	Green
	2400	73	V. REHAN

TUESDAY

Date	time	Temp.	Name (Print)
7/30/24	0300	72	V. REHAN
	0600	72	Eberhardt
	0900	73	Eberhardt
	1200	74	Eberhardt
	1500	76	Miller
	1800	76	Miller
	2100	76	Miller
	2400	75	V. REHAN

WEDNESDAY

Date	time	Temp.	Name (Print)
7/31/24	0300	73	V. REHAN
	0600	72	A. Lawrence
	0900	72	Rushing
	1200	73	Rushing
	1500	76	Miller
	1800	76	Miller
	2100	76	Miller
	2400	75	Miller

THURSDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 16 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	70	GREENE
	0600	70	GARZA
	0900	70	Christian
	1200	70	Christian
	1500	70	Christian
	1800	70	TOLES
	2100	70	Christian
	2400	70	Falcon

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	69	Falcon
	0600	69	Christian
	0900	70	Christian
	1200	70	Christian
	1500	70	Christian
	1800	70	C Bloomer
	2100	70	C Bloomer
	2400	69.4	K Hubbard

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	69.4	K Hubbard
	0600	69	Christian
	0900	69	Christian
	1200	70	Christian
	1500	70.8	MANDER
	1800	71.7	MANDER
	2100	71.0	MANDER
	2400	69.4	K Hubbard

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	69.4	K Hubbard
	0600	69	Christian
	0900	70	Christian
	1200	70	Christian
	1500	70	C Bloomer
	1800	71	C Bloomer
	2100	71	C Bloomer
	2400	69.6	VVE

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	69	VVE
	0600	69	SMABOM
	0900	70	Soria
	1200	70.8	Soria
	1500	70.8	CASTELLE
	1800	71	TOLES
	2100	71	TOLES
	2400	69.9	WONG

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	69.4	WONG
	0600	69	Soria
	0900	70.3	Soria
	1200	70.9	SMABOM
	1500	70.6	DANG
	1800	71.8	CASTELLE
	2100	71.8	CASTELLE
	2400	69.6	WONG

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	69.6	WONG
	0600	69.1	Soria
	0900	70.4	Soria
	1200	70.9	Soria
	1500	71	Christian
	1800	71	Christian
	2100	71	Christian
	2400	71	Falcon

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILI

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 16 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	70	Falcon
	0600	69.3	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	[illegible]
	1800	70	[illegible]
	2100	71	[illegible]
	2400	70	Falcon

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	70	Falcon
	0600	69	MCELROY
	0900	71	MCELROY
	1200	70	MCELROY
	1500	71	AGNEW
	1800	70	AGNEW
	2100	70	AGNEW
	2400	70.1	WONG

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	69.5	WONG
	0600	68.9	Soria
	0900	69.9	Soria
	1200	70.5	Soria
	1500	71.1	MANDER
	1800	71.1	MANDER
	2100	71.6	MANDER
	2400	70.3	WONG

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	69.5	WONG
	0600	69.1	Soria
	0900	70.6	Soria
	1200	70.9	Soria
	1500	72	Soria
	1800	71	Soria
	2100	71.6	Soria
	2400	70	YANG

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	69	YANG
	0600	70.3	Soria
	0900	70.6	Soria
	1200	71.5	Soria
	1500	71.9	SUNDERLAND
	1800	72.1	SUNDERLAND
	2100	71.9	SUNDERLAND
	2400	71.1	K. Hubbard

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	70.2	K. Hubbard
	0600	70.2	SHABBIR
	0900	70.8	SHABBIR
	1200	71.0	SHABBIR
	1500	71.8	AGNEW
	1800	71.8	AGNEW
	2100	71.6	CASTELLE
	2400	70.4	K Hubbard

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	69.5	K. Hubbard
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	70	C Blomeu
	1800	70	C Blomeu
	2100	70.2	C Blomeu
	2400	70	Falcon

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

: OF CALIFORNIA
IDE TEMPERATURE RECORD
: 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

n May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Nc e: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

g an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat st is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

ution: MCIC Housing Unit: 16 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

diately notify the Watch Commander at extension 5522 when the inside air temperature reaches grees and again at 95 degrees.

onday

Time	Temp.	Name (Print)
0300	71	Falcon
0600	67	Christensen
0900	68	Christensen
1200	69	Christensen
1500	69	CBlomquist
1800	70	CBlomquist
2100	70.7	CBlomquist
2400	70	Falcon

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	70	Falcon
	0600	70.4	Danielian
	0900	70	Christensen
	1200	70	Christensen
	1500	70	CBlomquist
	1800	70	CBlomquist
	2100	70.3	CBlomquist
	2400	70.2	YANG

iesday

Time	Temp.	Name (Print)
0300	69.5	YANG
0600	69.3	Soria
0900	71.5	Soria
1200	70.2	Soria
1500	70.9	MANDER
1800	71.1	MANDER
2100	71.1	MANDER
2400	71	YANG

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	70	YANG
	0600	70	YANG
	0900	69.8	Soria
	1200	70.4	Soria
	1500	70.3	Soria
	1800	70.2	Soria
	2100	70.8	Soria
	2400	70.3	WANG

ay

Time	Temp.	Name (Print)
0300	69	Welsh
0600	69.1	Soria
0900	69.6	Soria
1200	70.4	Soria
1500	70.0	Tejeda
1800	70.0	Tejeda
2100	70.2	Tejeda
2400	69.3	WONG

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	69.0	WONG
	0600	68.3	Soria
	0900	70.5	Soria
	1200	70.3	Soria
	1500	70	Sun
	1800	70	Sun
	2100	70	Sun
	2400	70	Falcon

ay

Time	Temp.	Name (Print)
0300	69.5	Falcon
0600	69	Christensen
0900	69	Christensen
1200	70	Christensen
1500	70	CBlomquist
1800	70	CBlomquist
2100	70.7	CBlomquist
2400	68.9	YANG

Notes

ON: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 16 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	68.7	YANG
	0600	68.9	Christensen
	0900	69	Christen
	1200	69.6	Christen
	1500	70	TOLES
	1800	70.6	CBlomquist
	2100	70.9	CBlomquist
	2400	70	Fallon

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	70	Fallon
	0600	70	Christen
	0900	70	Christen
	1200	70	Christen
	1500	71.6	CBlomquist
	1800	71.6	CBlomquist
	2100	71.6	CBlomquist
	2400	70.4	WONG

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	70.5	WONG
	0600	69.4	SHABBER
	0900	70.8	SHABBER
	1200	70.9	SHABBAR
	1500	71.5	MANDER
	1800	72.3	MANDER
	2100	71.5	MANDER
	2400	70.0	WONG

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	69.9	WONG
	0600	69.3	Soria
	0900	70.3	Soria
	1200	70.8	Soria
	1500	71	Soria
	1800	70.6	Soria
	2100	71	Soria
	2400	70.5	YANG

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	70.4	YANG
	0600	69.9	YANG
	0900	70.9	SHABBER
	1200	70.7	Soria
	1500	71.2	SACAY
	1800	71.2	SACAY
	2100	70.7	SACAY
	2400	70.6	KHUBBARD

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	70.6	KHUBBARD
	0600	69.7	Soria
	0900	70.5	Soria
	1200	70.4	Soria
	1500	70.9	CASTELLE
	1800	71.7	CASTELLE
	2100	71.7	CASTELLE
	2400	70.4	K.HUBBARD

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	69.7	K.HUBBARD
	0600	69	Christensen
	0900	70	Christen
	1200	71	Christen
	1500	70	TOLES
	1800	70	TOLES
	2100	70	TOLES
	2400	70	Crozier

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 16 Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	70	Crozier
	0600	69.7	Christensen
	0900	70	Christensen
	1200	70.6	Christensen
	1500	70	Christensen
	1800	70	Christensen
	2100	70	Christensen
	2400	70.4	PRESLER

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	70.3	Peepler
	0600	70	Christensen
	0900	71	Christensen
	1200	70	Christensen
	1500	70	C Blomquist
	1800	71	C Blomquist
	2100	71	C Blomquist
	2400	70.8	K. Hubbard

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	70.0	K. HUBBARD
	0600	70.9	Soria
	0900	72.2	Soria
	1200	71.7	Soria
	1500	71.6	MANDER
	1800	72.0	MANDER
	2100	71.8	MANDER
	2400		K. HUBBARD

Thursday

Date	Time	Temp.	Name (Print)
	0300		K. HUBBARD
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 17 Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	69.7	[illegible]
	0600	69.7	SACAY
	0900	69.2	SACAY
	1200	68.7	SACAY
	1500	68.0	Duarte
	1800	68.0	Duarte
	2100	68.0	Duarte
	2400	68.5	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	68.5	[illegible]
	0600	68.6	SACAY
	0900	68.7	SACAY
	1200	68.6	SACAY
	1500	69.3	SWARNER
	1800	68.0	Duarte
	2100	67.9	SWARNER
	2400	68.5	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	68.5	[illegible]
	0600	68.3	Cox
	0900	69.4	Cox
	1200	68.6	Cox
	1500	68.3	[illegible]
	1800	67.9	Duarte
	2100	68.0	Duarte
	2400	68.5	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	67.9	[illegible]
	0600	68.9	Cox
	0900	68.6	Cox
	1200	68.5	Cox
	1500	68.3	Dickens
	1800	67.9	Dickens
	2100	67.2	Dickens
	2400	67.8	Mott

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	68.0	Mott
	0600	68.1	Cox
	0900	68.7	Cox
	1200	68.0	Cox
	1500	68	Lothing
	1800	67	Lothing
	2100	67.6	K
	2400	68.0	Hou

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	68.0	HEU
	0600	68.3	SACAY
	0900	68.3	SACAY
	1200	68.3	SACAY
	1500	68.6	Dickens
	1800	67.9	Dickens
	2100	67.5	Dickens
	2400	67.9	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	67.9	[illegible]
	0600	67.9	Cox
	0900	68.6	Cox
	1200	67.9	Cox
	1500	67.9	CASTELLE
	1800	67.9	CASTELLE
	2100	67.1	CASTELLE
	2400	67.9	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 17 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	67.9	CLA
	0600	67.9	O'Connor
	0900	69	Thomas
	1200	68	Thomas
	1500	67.9	Duart
	1800	67.9	Duart
	2100	67.9	Duart
	2400	67.9	CLA

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	67.9	CLA
	0600	68.2	O'Connor
	0900	69.3	O'Connor
	1200	68.2	O'Connor
	1500	68.2	Duart
	1800	67.1	Duart
	2100	67.9	Duart
	2400	68.2	CLA

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	67.9	CLA
	0600	68.2	Cao
	0900	69.1	Cao
	1200	68.5	Cao
	1500	68.4	Duart
	1800	67.9	Duart
	2100	67.8	Duart
	2400	67.3	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	67.7	[illegible]
	0600	67.9	Cao
	0900	68.1	Cao
	1200	68.3	Cao
	1500	68.3	Dickens
	1800	67.5	Dickens
	2100	67.9	Dickens
	2400	66.8	Yang

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	67.3	Yang
	0600	67.9	Cao
	0900	68.2	Cao
	1200	68.7	Cao
	1500	70.5	LEE
	1800	68.6	LEE
	2100	67.1	LEE
	2400	66.2	LEE

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	66.1	LEE
	0600	~~66~~ 67.1	~~LEE~~ O'Connor
	0900	~~67.1~~ 68.2	O'Connor
	1200	68.2	Cao
	1500	68.3	Salas
	1800	67.9	Salas
	2100	67.8	Salas
	2400	67.9	Brewer

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	67.9	Brewer
	0600	68.2	O'Connor
	0900	68.4	O'Connor
	1200	68.3	[illegible]
	1500	68.3	[illegible]
	1800	67.9	[illegible]
	2100	67.9	[illegible]
	2400	67.9	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 17 Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	67.9	CHA
	0600	68	THOMSON
	0900	68	THOMSON
	1200	68.6	THOMSON
	1500	69.3	Duart
	1800	68.0	Duart
	2100	67.8	Duart
	2400	67.8	CHA

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	67.8	CHA
	0600	68.6	SACAY
	0900	69.6	SACAY
	1200	69.2	SACAY
	1500	69.1	Dickens
	1800	68.6	Duart
	2100	68.4	Duart
	2400	67.6	CHA

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	67.6	CHA
	0600	68.0	T.Cop
	0900	69.1	Cop
	1200	68.5	Cop
	1500	69.1	Duart
	1800	69.3	Dickens
	2100	68.3	Dickens
	2400	68.5	V.Spa

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	68.6	N. SAETERN
	0600	68.6	N. SAETERN
	0900	69.4	N. SMITH
	1200	69.1	Cop
	1500	69.3	Dickens
	1800	68.6	DICKENS
	2100	68.3	Dickens
	2400	68.6	SAETERN

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	68.6	SAETERN
	0600	68.6	SAETERN
	0900	68.6	SACAY
	1200	68.9	SACAY
	1500	68.4	DICKENS
	1800	67.4	Dickens
	2100	68.0	Dickens
	2400	68.3	C.Endicott

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	68.3	C.Endicott
	0600	68.5	C.Endicott
	0900	68.6	SACAY
	1200	68.0	SACAY
	1500	68.8	Dickens
	1800	68.0	Dickens
	2100	68.0	DICKENS
	2400	67.8	YANG

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	68.0	YANG
	0600	68.2	Cop
	0900	68.1	Cop
	1200	67.9	Cop
	1500	67.9	CASTELLE
	1800	67.2	CASTELLE
	2100	67.6	CASTELLE
	2400	67.9	C Blomquist

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 17 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	67.9	C Blomquist
	0600	67.9	KOLB
	0900	68.0	THOMPSON
	1200	67.9	THOMPSON
	1500	68.3	Duart
	1800	67.9	Duart
	2100	68.9	Duart
	2400	69.9	CMS

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	68.9	CMS
	0600	68.2	SACAY
	0900	67.9	SACAY
	1200	67.9	SACAY
	1500	70.6	Duarte
	1800	71.8	Duarte
	2100	70.7	Zaragoza
	2400	70.2	CMS

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	70.1	CMS
	0600	70.5	SMITH
	0900	70.9	Cox
	1200	70.7	Cox
	1500	69.7	R Dickens
	1800	68.9	Duarte
	2100	68.6	Duarte
	2400	68.5	Cox

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	68.9	Cox
	0600	68.2	Cox
	0900	68.6	Cox
	1200	69.4	Cox
	1500	68.9	Dickens
	1800	67.9	Dickens
	2100	68.3	Jackson
	2400	68	Jackson

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	68	Jackson
	0600	68.1	Cox
	0900	68.3	Cox
	1200	68.3	Cox
	1500	68.5	Callaland
	1800	67.8	Callaland
	2100	68.0	Callaland
	2400	68.2	Hew

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	68.2	Hew
	0600	68.0	Cox
	0900	68.0	Cox
	1200	69.5	Cox
	1500	69.2	Dickens
	1800	68.0	Dickens
	2100	68.3	Dickens
	2400	68.5	CMS

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	68.5	CMS
	0600	68.0	Cox
	0900	68.2	Cox
	1200	69.4	Cox
	1500	69.0	CASTELLE
	1800	68.3	CASTELLE
	2100	68.3	CASTELLE
	2400	68.7	CMS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 17 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300		CHA
	0600	68.0	RUIZ
	0900	69.7	RUIZ
	1200	68.3	RUIZ
	1500	68.6	Duart
	1800	68.0	Duart
	2100	68.0	Duart
	2400	68.3	CHA

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	68.5	CHA
	0600	68.3	RUIZ
	0900	69.0	RUIZ
	1200	68.6	RUIZ
	1500	69.3	Duart
	1800	68.6	Duart
	2100	68.6	Duart
	2400	69.1	ANDRS

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	69.4	ANDRUS
	0600	69.1	ANDRUS
	0900	69.3	T/US
	1200	69.4	T/US
	1500	69.4	Dickens
	1800	68.6	Duart
	2100	68.5	Duart
	2400	68.6	SALTERN

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 18 Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	70	CONTRERAS
	0600	69.5	DRISCOLL
	0900	71.6	DRISCOLL
	1200	71.7	DRISCOLL
	1500	71.7	VANG
	1800	71.6	VANG
	2100	71.5	VANG
	2400	71.1	JOHNSON

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	70.7	JOHNSON
	0600	71.0	MLUNK
	0900	71.1	MLUNK
	1200	71.6	MLUNK
	1500	71.5	JOHNSON
	1800	71.8	JOHNSON
	2100	71.9	JOHNSON
	2400	71.5	JOHNSON

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	71.5	JOHNSON
	0600	70.4	Arellano
	0900		Arellano
	1200		Arellano
	1500	71	Baillie
	1800	71	Baillie
	2100	72.2	ANDRUS
	2400	71.1	VANGSON

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	71.1	VANGSON
	0600	70	THOMSON
	0900	71	THOMSON
	1200	71	THOMSON
	1500	72	Baillie
	1800	72	Baillie
	2100	71.8	ANDRUS
	2400	70.8	ANDRUS

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	70.2	ANDRUS
	0600	70	THOMSON
	0900	71	THOMSON
	1200	71	THOMSON
	1500	71	Baillie
	1800	72	Baillie
	2100	71.6	ANDRUS
	2400	71	GREENE

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	70	GREENE
	0600	71	THOMSON
	0900	71	THOMSON
	1200	71	THOMSON
	1500	71	ROSS
	1800	71	ROSS
	2100	71	ROSS
	2400	71	CONTRERAS

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	71	CONTRERAS
	0600	70.8	Arellano
	0900	71	Arellano
	1200	71	Arellano
	1500	71	ROSS
	1800	72	ROSS
	2100	72	ROSS
	2400	71	CONTRERAS

Notes

Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 18 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	71	CONTRERAS
	0600	70.1	Arellano
	0900	71.5	Arellano
	1200	72.9	Arellano
	1500	73.0	Lowe
	1800	72.9	JOHNSON
	2100	72.5	JOHNSON
	2400	71.3	JOHNSON

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	70.7	JOHNSON
	0600	70.1	Arellano
	0900	70.9	Arellano
	1200	71.5	Arellano
	1500	71.6	Lowe
	1800	72.0	Lowe
	2100	72.3	Lowe
	2400	72.0	JOHNSON

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	71.5	JOHNSON
	0600	71.0	Arellano
	0900	71.3	Arellano
	1200	71.4	Arellano
	1500	71.5	JOHNSON
	1800	71.9	JOHNSON
	2100	71.5	JOHNSON
	2400	70.9	Hew

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	70.7	Hew
	0600	70.7	ANDRES
	0900	71.2	Spain
	1200	71.5	Spain
	1500	72.2	ANDRES
	1800	71.8	ANDRES
	2100	71.7	ANDRES
	2400	71	Fulcher

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	71	Fulcher
	0600	70	Thomson
	0900	70	Thomson
	1200	72	Thomson
	1500	73	Thomson
	1800	72	Thomson
	2100	72	Thomson
	2400	72	CONTRERAS

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	72	CONTRERAS
	0600	72	Arellano
	0900	72	Arellano
	1200	72	Arellano
	1500	72	Ross
	1800	71	Ross
	2100	71	Ross
	2400	71	CONTRERAS

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	71	CONTRERAS
	0600	70.	Arellano
	0900	71	Arellano
	1200	71	Arellano
	1500	71	Ross
	1800	73	Ross
	2100	72	Ross
	2400	72	CONTRERAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 18 Temp. Reading Location: 2ND TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	72	CONTRERAS
	0600	71	Arellano
	0900	72.9	Arellano
	1200	73.8	Arellano
	1500	73.7	VANG
	1800	74.0	VANG
	2100	74.0	VANG
	2400	73.5	JOHNSON

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	73.0	JOHNSON
	0600	73	JOHNSON
	0900	72	Arellano
	1200	72	Arellano
	1500	72	VANG
	1800	72	VANG
	2100	70.5	VANG
	2400	70.3	JOHNSON

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	71	JOHNSON
	0600	69.6	Arellano
	0900	70.5	Arellano
	1200	71.0	Arellano
	1500	71.3	JOHNSON
	1800	71.5	JOHNSON
	2100	71.9	JOHNSON
	2400	70.3	VANGSON

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	69.5	VANGSON
	0600	69.8	ANDRUS
	0900	69.7	ANDRUS
	1200	70.2	ANDRUS
	1500	70.4	FONSECA
	1800	70.8	ANDRUS
	2100	70.4	Baillie
	2400	70	Fuller

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	71	Fuller
	0600	70	Thomson
	0900	72	Thomson
	1200	72	Thomson
	1500	73	Thomson
	1800	73	Thomson
	2100	73	Thomson
	2400	73	CONTRERAS

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	72	CONTRERAS
	0600	71	MTOLES
	0900	71.9	Thomson
	1200	72	Thomson
	1500	72	D Ross
	1800	72	D Ross
	2100	72	D Ross
	2400	72	CONTRERAS

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	72	CONTRERAS
	0600	71	Baillie
	0900	71	Thomson
	1200	71	Thomson
	1500	71	Ross
	1800	71	Ross
	2100	72	Ross
	2400	71	CONTRERAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 18 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	71	CONTRERAS
	0600	71	Arellano
	0900	71	Arellano
	1200	72	Arellano
	1500	73	VANG
	1800	74.5	VANG
	2100	74.4	VANG
	2400	72.6	JOHNSON

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	71.3	JOHNSON
	0600	72	Arellano
	0900	72	Arellano
	1200	73.4	Arellano
	1500	73.5	VANG
	1800	73.1	VANG
	2100	73.6	VANG
	2400	73.1	JOHNSON

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	72.2	JOHNSON
	0600	71.8	Arellano
	0900	72	Arellano
	1200	71.8	Arellano
	1500	72.6	JOHNSON
	1800	71.1	JOHNSON
	2100	72.4	JOHNSON
	2400	71	VANG, SOV

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	69.7	VANG, SOV
	0600	69.5	Munyon
	0900	70.2	Munyon
	1200	70.8	Munyon
	1500	71.7	ANDRES
	1800	72.0	ANDRES
	2100	71.0	Baillie
	2400	70	Falcon

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	70	Falcon
	0600	69	Thomson
	0900	71.2	Thomson
	1200	72	Thomson
	1500	72	Thomson
	1800	71	Thomson
	2100	71	Thomson
	2400	70	CONTRERAS

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	69	
	0600	70	TOLES
	0900	71	Thomson
	1200	71	Thomson
	1500	71	Ross
	1800	71	Ross
	2100	71	Ross
	2400	71	CONTRERAS

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	70	CONTRERAS
	0600	69.2	Baillie
	0900	71.7	Baillie
	1200	71.0	Baillie
	1500	71	Ross
	1800	71	Ross
	2100	71	Ross
	2400	70	CONTRERAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCIC Housing Unit: 18 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	70	CONTRERAS
	0600	69.6	Arellano
	0900	70.2	Arellano
	1200	70.8	Arellano
	1500	71.0	VANG
	1800	71.3	VANG
	2100	72.0	VANG
	2400	71.5	JOHNSON

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	70.9	JOHNSON
	0600	70.1	Arellano
	0900	70.5	Arellano
	1200	71.0	Arellano
	1500	71.5	VANG
	1800	71.5	VANG
	2100	71.3	VANG
	2400	71.3	JOHNSON

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	71.3	JOHNSON
	0600	70.2	Pizarro
	0900	72.3	Pizarro
	1200	72.5	QUENZER
	1500	72.6	QUENZER
	1800	72.1	QUENZER
	2100	71.9	QUENZER
	2400	70.6	JOHNSON

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 19 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	73.5	DeSANTIAGO
	0600	72.0	BARRAJAS
	0900	74.8	BARRAJAS
	1200	76.4	BARRAJAS
	1500	76.9	R Reed
	1800	76.9	R Reed
	2100	76.1	R Reed
	2400	75.1	DeSANTIAGO

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	73.7	DeSANTIAGO
	0600	72.8	DOCHEW
	0900	74.2	Hernandez
	1200	76.1	Hernandez
	1500	76.3	R Reed
	1800	76.3	R Reed
	2100	76.3	R Reed
	2400	74.3	DeSANTIAGO

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	74.1	DeSANTIAGO
	0600	73.8	VANGSON
	0900	74.9	Hernandez
	1200	77.3	Hernandez
	1500	76.8	R Reed
	1800	77.0	R Reed
	2100	76.3	R Reed
	2400	75.4	DeSANTIAGO

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	75.0	DeSANTIAGO
	0600	74.7	ORTIZ
	0900	74.9	ORTIZ
	1200	76.4	ORTIZ
	1500	77.0	ORTIZ
	1800	77.9	ORTIZ
	2100	76.3	ORTIZ
	2400	75.3	VANGSON

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	71.8	VANGSON
	0600	73.9	ORTIZ
	0900	74.8	ORTIZ
	1200	76.6	ORTIZ
	1500	76.7	ORTIZ
	1800	77.0	CASTANEDA
	2100	77.2	CASTANEDA
	2400	76.3	VANGSON

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	76.3	VANGSON
	0600	74.9	MORA
	0900	76.4	MORA
	1200	76.9	MORA
	1500	78.2	Young II
	1800	79.3	Young II
	2100	78.4	Young II
	2400	76.5	DeSANTIAGO

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	75.6	DeSANTIAGO
	0600	75.3	R Reed
	0900	76.4	R Reed
	1200	77.1	R Reed
	1500	77.9	Young II
	1800	78.0	Young II
	2100	78.5	Young II
	2400	76.3	DeSANTIAGO

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **19** Temp. Reading Location: **2nd. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	75.0	DeSantiago
	0600	76.1	BARRAGAS
	0900	76.4	BARRAGAS
	1200	77.9	BARRAGAS
	1500	77.2	R Reed
	1800	77.9	R Reed
	2100	76.7	R Reed
	2400	75.2	DeSantiago

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	74.4	DeSantiago
	0600	74.7	Sretern
	0900	74.6	Hernandez
	1200	77.1	Sretern
	1500	77.0	C. Vue
	1800	77.3	C. Vue
	2100	77.2	C. Vue
	2400	75.5	DeSantiago

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	74.2	DeSantiago
	0600	73.7	ORTIZ
	0900	75.0	Hernandez
	1200	77.2	Hernandez
	1500	78.5	R Reed
	1800	78.3	R Reed
	2100	78.3	R Reed
	2400	76.4	DeSantiago

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	75.7	DeSantiago
	0600	75.6	ORTIZ
	0900	76.4	ORTIZ
	1200	78.2	ORTIZ
	1500	78.9	R Reed
	1800	78.5	ORTIZ
	2100	77.5	R Reed
	2400	76.3	Pham

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	75.4	Pham
	0600	75.3	ORTIZ
	0900	76.2	ORTIZ
	1200	78.4	ORTIZ
	1500	79.4	ORTIZ
	1800	79.2	ORTIZ
	2100	77.5	ORTIZ
	2400	76.3	Pham

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	75.8	Pham
	0600	75.3	Zerr
	0900	75.8	Zerr
	1200	76.7	Zerr
	1500	76.7	LEE
	1800	77.5	LEE
	2100	75.4	LEE
	2400	75.2	DeSantiago

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	74.8	DeSantiago
	0600	74.4	R Reed
	0900	75.1	R Reed
	1200	75.4	Zerr
	1500	76.6	R Reed
	1800	76.6	R Reed
	2100	76.6	Zerr
	2400	74.5	Pham

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **19** Temp. Reading Location: **2nd. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	74.5	Pena
	0600	72.6	BARAJAS
	0900	73.8	BARAJAS
	1200	75.3	BARAJAS
	1500	76.6	Zerr
	1800	76.8	Zerr
	2100	76.9	Zerr
	2400	73.7	DeSantiago

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	72.9	DeSantiago
	0600	73.0	DOCHOW
	0900	73.9	DOCHOW
	1200	74.4	DOCHOW
	1500	75.1	R Reed
	1800	75.5	R Reed
	2100	74	Christens
	2400	72.3	DeSantiago

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	70.9	DeSantiago
	0600	70.9	ORTIZ
	0900	71.0	ORTIZ
	1200	72.4	Hernandez
	1500	73.6	R Reed
	1800	74.0	C. Vue
	2100	74.0	C. Vue
	2400	72.5	DeSantiago

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	71.5	DeSantiago
	0600	70.9	Ortiz
	0900	72.3	Ortiz
	1200	73.6	Ortiz
	1500	74.9	R Reed
	1800	75.6	R Reed
	2100	74.9	R Reed
	2400	73.7	VANGSOU

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	73.5	VANGSOU
	0600	72.6	ORTIZ
	0900	73.8	ORTIZ
	1200	74.9	ORTIZ
	1500	75.6	ORTIZ
	1800	75.7	ORTIZ
	2100	75.9	ORTIZ
	2400	74.2	VANGSOU

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	73.6	VANGSOU
	0600	73	Falcon
	0900	73	Falcon
	1200	75	Falcon
	1500	76.6	Brinton
	1800	76.4	Brinton
	2100	76.1	Brinton
	2400	76.0	JAMES

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	75.1	JAMES
	0600	74.5	JAMES
	0900	73.7	DANG
	1200	75.1	DANG
	1500	76.7	Zerr
	1800	77.1	Zerr
	2100	76.9	Zerr
	2400	75.5	DeSantiago

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **19** Temp. Reading Location: **2nd. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	74.7	DeSANTIAGO
	0600	73.8	BARATAS
	0900	74.4	BARATAS
	1200	76.5	BARATAS
	1500	76.5	Zerr
	1800	78.0	Zerr
	2100	76.6	Zerr
	2400	76.4	DeSANTIAGO

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	75.7	DeSANTIAGO
	0600	75.	DOCHOW
	0900	76.5	Hernandez
	1200	77.1	Hernandez
	1500	79.9	Danielian
	1800	78.5	Danielian
	2100	77.0	Danielian
	2400	76.5	DeSANTIAGO

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	75.9	DeSANTIAGO
	0600	75.5	ORTIZ
	0900	76.0	Hernandez
	1200	76.7	ORTIZ
	1500	78.5	Danielian
	1800	78.4	Danielian
	2100	76.7	Danielian
	2400	74.7	DeSANTIAGO

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	74.2	DeSANTIAGO
	0600	74.3	ORTIZ
	0900	74.5	ORTIZ
	1200	75.3	ORTIZ
	1500	76.8	Danielian
	1800	76.2	Danielian
	2100	75.7	Danielian
	2400	74.7	VANGSON

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	74.2	VANGSON
	0600	72.9	ORTIZ
	0900	74.2	ORTIZ
	1200	75.6	ORTIZ
	1500	75.9	Danielian
	1800	75.6	Danielian
	2100	74.9	Danielian
	2400	73	VANGSON

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	72.9	VANGSON
	0600	71.5	Zerr
	0900	71.7	CASTAÑEDA
	1200	72.9	Zerr
	1500	74.1	GD
	1800	74.6	GD
	2100	73.4	GD
	2400	71.5	DeSANTIAGO

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	70.6	DeSANTIAGO
	0600	70.7	CASTAÑEDA
	0900	71.5	CASTAÑEDA
	1200	72.8	Zerr
	1500	74.1	Zerr
	1800	74.8	GD
	2100	73.7	GD
	2400	72.9	DeSANTIAGO

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **19** Temp. Reading Location: **2nd. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	71.0	DeSANTIAGO
	0600	70.9	BARAJAS
	0900	72.1	CASTANEDA
	1200	73.0	CASTANEDA
	1500	74.5	Zerr
	1800	74.6	Zerr
	2100	74.2	Neves
	2400	73.6	DeSANTIAGO

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	71.5	DeSANTIAGO
	0600	71.4	[illegible]
	0900	71.9	Hernandez
	1200	73.3	Hernandez
	1500	75.2	R Reed
	1800	75.2	R Reed
	2100	74.6	LIMON
	2400	72.7	DeSANTIAGO

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	72.4	DeSANTIAGO
	0600	71.6	ORTIZ
	0900	72.2	ORTIZ
	1200	74.1	ORTIZ
	1500	75.4	R Reed
	1800	76.1	RAMIREZ
	2100	74.9	RAMIREZ
	2400	73.1	DeSANTIAGO

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **20** Temp. Reading Location: **2nd. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	72.4	VANG
	0600	72.2	VANG
	0900	73.5	HPOO
	1200	74.5	HPOO
	1500	75.0	Shank
	1800	75.8	VUE
	2100	75.1	VUE
	2400	73.1	B.B

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	73.1	BB
	0600	72.5	HPOO
	0900	73.8	HPOO
	1200	75.0	HPOO
	1500	75.8	K Hubbard
	1800	76.1	K Hubbard
	2100	76.0	K Hubbard
	2400	74.6	VANGSEN

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	73.9	VANGSEN
	0600	74.1	ALVARO
	0900	74.5	ALVARO
	1200	75.9	ALVARO
	1500	76.6	VUE
	1800	76.7	VUE
	2100	76.7	VUE
	2400	76.0	WONG

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	75.3	WONG
	0600	74.4	Gonzalez
	0900	75.3	Gonzalez
	1200	76.0	Gonzalez
	1500	76.9	VUE
	1800	76.9	WONG
	2100	76.7	WONG
	2400	75.3	ROBERTS

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	74.6	ROBERTS
	0600	74.1	HPOO
	0900	75.4	HPOO
	1200	76.1	HPOO
	1500	76.8	ROBERTS
	1800	76.6	ROBERTS
	2100	76.5	ROBERTS
	2400	76.0	ROBERTS

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	75.4	ROBERTS
	0600	74.7	HPOO
	0900	75.4	HPOO
	1200	76.6	HPOO
	1500	77.1	ASD
	1800	78.0	WONG
	2100	77.4	WONG
	2400	76.7	ROBERTS

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	75.9	ROBERTS
	0600	75.8	HPOO
	0900	76.3	HPOO
	1200	77.7	HPOO
	1500	77.8	VANG
	1800	77.8	VANG
	2100	78.1	VANG
	2400	76.0	VANG

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **20** Temp. Reading Location: **2nd. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	76.2	VAN
	0600	75.4	VAN
	0900	75.3	HPOO
	1200	76.6	HPOO
	1500	77.3	MOUA
	1800	78.1	MOUA
	2100	78.1	MOUA
	2400	75.8	VANGSOV

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	75.2	VANGSOV
	0600	74.5	HPOO
	0900	74.6	HPOO
	1200	76.0	HPOO
	1500	76.9	WONG
	1800	76.8	WONG
	2100	76.5	WONG
	2400	75.2	VANGSOV

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	75.2	VANGSOV
	0600	74.0	ROBISON
	0900	74.6	RUIZ
	1200	76.6	RUIZ
	1500	76.9	WONG
	1800	76.7	WONG
	2100	77.7	WONG
	2400	76	Jimenez

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	75	Jimenez
	0600	74	ROBISON
	0900	76.0	ROBISON
	1200	76.8	RAMIREZ
	1500	78.2	RAMIREZ
	1800	78.2	C. Endicott
	2100	77.5	C. Endicott
	2400	76.0	ROBERTS

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	75.3	ROBERTS
	0600	75.1	HPOO
	0900	75.6	HPOO
	1200	77.2	HPOO
	1500	78.1	ROBERTS
	1800	78.1	ROBERTS
	2100	78.1	ROBERTS
	2400	76.0	ROBERTS

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	78.1	ROBERTS
	0600	75.4	HPOO
	0900	75.5	HPOO
	1200	76.6	RAMIREZ
	1500	77.5	ASAD
	1800	77.9	Kitchland
	2100	77.3	ASAD
	2400	75.3	SHABBIR

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	75.2	SHABBIR
	0600	74.7	HPOO
	0900	74.5	HPOO
	1200	76.3	HPOO
	1500	76.0	VANG
	1800	76.1	VANG
	2100	76.4	VANG
	2400	74.2	VANG

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITA.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **20** Temp. Reading Location: **2nd. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	73.9	VANG
	0600	73.9	VANG
	0900	73.8	Hernandez
	1200	75.0	Hernandez
	1500	75.3	MARTINEZ
	1800	76	MARTINEZ
	2100	75	MARTINEZ
	2400	74	VANGSOV

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	73.1	VANGSOV
	0600	72.8	Vega
	0900	73.3	Vega
	1200	74.0	Vega
	1500	75	MARTINEZ
	1800	75.4	MARTINEZ
	2100	74.4	MARTINEZ
	2400	72.5	VANGSOV

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	72	VANGSOV
	0600	71.3	RAMIREZ
	0900	71.6	RAMIREZ
	1200	73.1	RAMIREZ
	1500	73.8	MARTINEZ
	1800	74	MARTINEZ
	2100	74.5	MARTINEZ
	2400	73	Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	72.5	Gonzalez
	0600	71.2	Gonzalez
	0900	72.6	RAMIREZ
	1200	73.0	RAMIREZ
	1500	74.9	MARTINEZ
	1800	75.2	ROBERTS
	2100	75.5	ROBERTS
	2400	73.9	ROBERTS

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	73.7	ROBERTS
	0600	72.6	RAMIREZ
	0900	74.0	RAMIREZ
	1200	75.1	RAMIREZ
	1500	75.2	ROBERTS
	1800	75.6	ROBERTS
	2100	76.0	ROBERTS
	2400	74.6	ROBERTS

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	73.9	ROBERTS
	0600	74.0	RAMIREZ
	0900	74.6	RAMIREZ
	1200	75.7	RAMIREZ
	1500	76.5	WONG
	1800	76.5	WONG
	2100	76.1	WONG
	2400	75.2	ROBERTS

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	74.5	ROBERTS
	0600	74.0	Vega
	0900	74.3	Vega
	1200	75.4	Vega
	1500	76	MARTINEZ
	1800	76.6	MARTINEZ
	2100	76.9	Christensen
	2400	75.4	VANG

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **20** Temp. Reading Location: **2nd. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	74.7	VANG
	0600	74.3	VANG
	0900	74.6	HPOO
	1200	76.6	HPOO
	1500	76.6	MOUA
	1800	78.1	MOUA
	2100	76.9	MOUA
	2400	75.9	MOUA

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	75.3	MOUA
	0600	75.4	HPOO
	0900	76.0	HPOO
	1200	77.0	HPOO
	1500	77.4	WONG
	1800	77.9	WONG
	2100	77.5	WONG
	2400	75.9	VANGSOV

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	75.4	VANGSOV
	0600	75.2	RAMIREZ
	0900	75.3	ABARCA
	1200	75.7	RAMIREZ
	1500	77.0	WONG
	1800	76.9	WONG
	2100	76.8	WONG
	2400	73.1	SB

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	72.9	SB
	0600	74.1	ABARCA
	0900	74.5	ABARCA
	1200	75.3	RAMIREZ
	1500	76.0	ROBERTS
	1800	76.1	ROBERTS
	2100	76.1	ROBERTS
	2400	74.8	ROBERTS

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	73.3	ROBERTS
	0600	72.7	RAMIREZ
	0900	74.1	RAMIREZ
	1200	74.8	RAMIREZ
	1500	75.8	ROBERTS
	1800	75.3	ROBERTS
	2100	74.7	ROBERTS
	2400	73.9	ROBERTS

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	71.8	ROBERTS
	0600	71.5	HPOO
	0900	72.1	HPOO
	1200	72.7	HPOO
	1500	73.9	K. Hubbard
	1800	74.0	K. Hubbard
	2100	73.2	K. Hubbard
	2400	72.8	Williams

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	71.8	Williams
	0600	70.8	CAMBEROS
	0900	71.3	CAMBEROS
	1200	72.6	CAMBEROS
	1500	72.7	VANG
	1800	73.5	VANG
	2100	73.2	VANG
	2400	72.7	VANG

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **20** Temp. Reading Location: **2nd. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	71.5	Vaus
	0600	71.2	Vaus
	0900	71.4	Hernandez
	1200	72.7	HRW
	1500	73.7	Maux
	1800	74.0	Maux
	2100	73.2	Maux
	2400	72.1	VANGSOU

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	71.5	VANGSOU
	0600	71.9	HRW
	0900	71.9	HRW
	1200	73.0	HRW
	1500	74.1	BUEEMAN
	1800	74.1	K. Hubbard
	2100	74.0	K. Hubbard
	2400	72.9	VANGSOU

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	72.8	VANGSOU
	0600	72.0	RAMIREZ
	0900	72.6	RAMIREZ
	1200	73.9	RAMIREZ
	1500	75.2	K. HUBBARD
	1800	75.3	K. HUBBARD
	2100	75.3	K. HUBBARD
	2400	74.4	S BUZEMAN

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 21 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	70.8	H. Jones
	0600	69.9	Garcia
	0900	70.8	Garcia
	1200	72.0	Garcia
	1500	72.1	GABRIEL
	1800	72.3	GABRIEL
	2100	72.0	GABRIEL
	2400	71.8	ENS

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	71.3	ENS
	0600	70.6	Garcia
	0900	71.3	Garcia
	1200	72.8	Garcia
	1500	72.8	Garcia
	1800	73.6	Garcia
	2100	73.6	Garcia
	2400	72.2	PRESLER

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	72.1	PRESLER
	0600	71.4	HATCH
	0900	72.1	HATCH
	1200	72.8	HATCH
	1500	73.7	Barajas
	1800	74.1	Barajas
	2100	72.5	Barajas
	2400	72	CHANDRA

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	72	CHANDRA
	0600	72	HATCH
	0900	72.3	Garcia
	1200	73.8	Garcia
	1500	74	VILLANUEVA
	1800	75	VILLANUEVA
	2100	74	VILLANUEVA
	2400	73	VILLANUEVA

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	72	VILLANUEVA
	0600	71.7	HATCH
	0900	72.7	HATCH
	1200	73.6	HATCH
	1500	74	VILLANUEVA
	1800	74	VILLANUEVA
	2100	74	VILLANUEVA
	2400	73	VILLANUEVA

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	73	VILLANUEVA
	0600	72.6	HATCH
	0900	73.5	HATCH
	1200	74.5	HATCH
	1500	74.9	VILLANUEVA
	1800	75.0	VILLANUEVA
	2100	75.7	VILLANUEVA
	2400	74.2	Ward

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	74.4	Ward
	0600	73.6	Garcia
	0900	74.4	Garcia
	1200	75.1	HATCH
	1500	75.7	GABRIEL
	1800	75.9	GABRIEL
	2100	75.2	GABRIEL
	2400	74.0	Ward

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 21 Temp. Reading Location: 2nd. Tier
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	73.6	Ward
	0600	72.4	Garcia
	0900	73.6	Garcia
	1200	74.3	Garcia
	1500	75.1	GABRETA
	1800	75.6	GABRETA
	2100	74.4	GABRETA
	2400	73.5	ENS

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	72.7	ENS
	0600	72.1	Garcia
	0900	72.8	Garcia
	1200	73.6	Garcia
	1500	73.7	GABRETA
	1800	73.7	GABRETA
	2100	74.3	GABRETA
	2400	73.5	ENS

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	72.3	ENS
	0600	72.1	Garcia
	0900	72.9	Garcia
	1200	73.6	HATCH
	1500	74.3	BORNJUS
	1800	75.0	Berajas
	2100	74.8	Berajas
	2400	74.3	ENS

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	73.6	ENS
	0600	73.0	Garcia
	0900	76.6	Garcia
	1200	74.3	Garcia
	1500	75	VILLANUEVA
	1800	74	VILLANUEVA
	2100	75	VILLANUEVA
	2400	74	VILLANUEVA

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	73	VILLANUEVA
	0600	72.9	HATCH
	0900	73.8	HATCH
	1200	74.5	HATCH
	1500	75	VILLANUEVA
	1800	75	VILLANUEVA
	2100	75	VILLANUEVA
	2400	74	VILLANUEVA

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	73	VILLANUEVA
	0600	73	GOMEZ
	0900	74	GOMEZ
	1200	75	GOMEZ
	1500	75.2	VILLANUEVA
	1800	75.2	VILLANUEVA
	2100	74	VILLANUEVA
	2400	73.7	Ward

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	73.3	Ward
	0600	72.7	Garcia
	0900	73.1	Le
	1200	73.2	Le
	1500	73.8	Moua
	1800	74.4	Moua
	2100	74.4	Moua
	2400	74.0	Ward

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **21** Temp. Reading Location: **2nd. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/24	0300	72.4	Ward
	0600	71.7	Garcia
	0900	71.7	Garcia
	1200	72.7	Garcia
	1500	73.2	GARCIA
	1800	73.2	GARCIA
	2100	73.5	GARCIA
	2400	72.5	DES

Tuesday

Date	Time	Temp.	Name (Print)
7/16/24	0300	71.1	DES
	0600	71.0	Garcia
	0900	71.5	Garcia
	1200	72.8	GARCIA
	1500	72.9	ROBERTO
	1800	72.7	ROBERTO
	2100	72.6	ROBERTO
	2400	72.7	CHASAS

Wednesday

Date	Time	Temp.	Name (Print)
7/17/24	0300	72.4	CHASAS
	0600	69.3	Garcia
	0900	69.9	HATCH
	1200	71	HATCH
	1500	72.2	Bonilla
	1800	72.3	Bonilla
	2100	72.5	Bonilla
	2400	70.2	

Thursday

Date	Time	Temp.	Name (Print)
7/18/24	0300	70.0	CHANDLER
	0600	69.6	HATCH
	0900	70.3	HATCH
	1200	71.7	Garcia
	1500	72	VILLANUEVA
	1800	72	VILLANUEVA
	2100	72	VILLANUEVA
	2400	72	VILLANUEVA

Friday

Date	Time	Temp.	Name (Print)
7/19/24	0300	71	VILLANUEVA
	0600	71	HATCH
	0900	71.7	HATCH
	1200	72.5	HATCH
	1500	73	VILLANUEVA
	1800	73	VILLANUEVA
	2100	73	VILLANUEVA
	2400	72	VILLANUEVA

Saturday

Date	Time	Temp.	Name (Print)
7/20/24	0300	71	VILLANUEVA
	0600	71.7	HATCH
	0900	72.5	HATCH
	1200	73.9	HATCH
	1500	74	Thomas
	1800	74.8	Thomas
	2100	74	Thomas
	2400	73.3	Ward

Sunday

Date	Time	Temp.	Name (Print)
7/21/24	0300	73.2	Ward
	0600	71.9	Garcia
	0900	72.6	HATCH
	1200	72.9	HATCH
	1500	74.0	GARCIA
	1800	74.4	GARCIA
	2100	74.1	GARCIA
	2400	73.7	Ward

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **21** Temp. Reading Location: **2nd. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/24	0300	72.6	Ward
	0600	72.5	Garcia
	0900	72.9	Garcia
	1200	74.2	Garcia
	1500	75.3	GARCIA
	1800	75.5	GARCIA
	2100	75.4	GARCIA
	2400	74.8	ENS

Tuesday

Date	Time	Temp.	Name (Print)
7/23/24	0300	74.1	ENS
	0600	73.3	Garcia
	0900	74.0	Garcia
	1200	74.1	Garcia
	1500	75.5	GARCIA
	1800	75.7	GARCIA
	2100	75.6	GARCIA
	2400	74.2	ENS

Wednesday

Date	Time	Temp.	Name (Print)
7/24/24	0300	73.9	ENS
	0600	73.4	Garcia
	0900	74.3	HATCH
	1200	74.3	HATCH
	1500	75.4	Barajas
	1800	75.6	Barajas
	2100	75.0	Barajas
	2400	73.3	ENS

Thursday

Date	Time	Temp.	Name (Print)
7/25/24	0300	73.0	ENS
	0600	72.6	Garcia
	0900	73.7	Garcia
	1200	74.3	Garcia
	1500	74.5	VILLANUEVA
	1800	74.4	VILLANUEVA
	2100	74.3	VILLANUEVA
	2400	73.3	VILLANUEVA

Friday

Date	Time	Temp.	Name (Print)
7/26/24	0300	72.3	VILLANUEVA
	0600	71.6	HATCH
	0900	73.2	HATCH
	1200	73.9	HATCH
	1500	74.3	VILLANUEVA
	1800	74.4	VILLANUEVA
	2100	74.4	VILLANUEVA
	2400	73	VILLANUEVA

Saturday

Date	Time	Temp.	Name (Print)
7/27/24	0300	71	VILLANUEVA
	0600	70.8	PINA
	0900	71.3	PINA
	1200	71.6	PINA
	1500	72.9	VILLANUEVA
	1800	72.5	VILLANUEVA
	2100	72.2	VILLANUEVA
	2400	70.9	Ward

Sunday

Date	Time	Temp.	Name (Print)
7/28/24	0300	70.1	Ward
	0600	69.3	Garcia
	0900	70.1	HATCH
	1200	71.5	HATCH
	1500	72.2	GARCIA
	1800	72.2	GARCIA
	2100	71.9	GARCIA
	2400	71.4	Ward

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2131 (4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **MCSP** Housing Unit: **21** Temp. Reading Location: **2nd. Tier**
(e.g. 1st. Tier, 2nd. Tier, 3rd. Tier, etc.)

Immediately notify the Watch Commander at extension 5522 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	70.1	Ward
	0600	69.0	Garcia
	0900	70.1	Garcia
	1200	71.3	Garcia
	1500	71.9	GABRIEL
	1800	72.3	GABRIEL
	2100	71.5	GABRIEL
	2400	70.9	ENS

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	70.1	ENS
	0600	69.9	Garcia
	0900	70.3	Garcia
	1200	71.4	Garcia
	1500	72.9	GABRIEL
	1800	73.5	GABRIEL
	2100	72.2	GABRIEL
	2400	72.2	ENS

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	71.5	ENS
	0600	70.8	Garcia
	0900	71.4	HATCH
	1200	72.8	Garcia
	1500	73.3	Bonno
	1800	74.3	Bonno
	2100	73.7	Dochow
	2400	71.6	ENS

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Distribution: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 5 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/2024	0300	71.9	M. Cuum
	0600	71.4	W. VANG
	0900	72	W. VANG
	1200	72.7	SALINAS, M
	1500	72.8	STIDHAM
	1800	72.9	STIDHAM
	2100	72.9	STIDHAM
	2400	71	Stamps

Tuesday

Date	Time	Temp.	Name (Print)
7/2/2024	0300	70	Stamps
	0600	70	Stamps
	0900	72.6	SALINAS M
	1200	71.9	SALINAS M
	1500	74.3	STIDHAM
	1800	74.4	STIDHAM
	2100	73.3	STIDHAM
	2400	72.0	STEFFENSMEIER

Wednesday

Date	Time	Temp.	Name (Print)
7/3/2024	0300	70	Stamps
	0600	70	Stamps
	0900	73	WONG
	1200	73.8	WONG
	1500	74.1	STIDHAM
	1800	74.4	STIDHAM
	2100	75.3	STIDHAM
	2400	75	Stamps

Thursday

Date	Time	Temp.	Name (Print)
7/4/2024	0300	71	Stamps
	0600	70	Stamps
	0900	73	WONG
	1200	74.7	WONG
	1500	75.1	STIDHAM
	1800	75.3	STIDHAM
	2100	74.7	STIDHAM
	2400	72.9	STIDHAM

Friday

Date	Time	Temp.	Name (Print)
7/5/2024	0300	72.7	STIDHAM
	0600	72.1	STIDHAM
	0900	73.1	"
	1200	74.1	"
	1500	75.3	STIDHAM
	1800	75.8	STIDHAM
	2100	75.7	STIDHAM
	2400	75	Williams

Saturday

Date	Time	Temp.	Name (Print)
7/6/2024	0300	72	Williams
	0600	71	WONG
	0900	73	WONG
	1200	75	WONG
	1500	75	TARROLO
	1800	76.9	Batson
	2100	76.2	Batson
	2400	74	Williams

Sunday

Date	Time	Temp.	Name (Print)
7/7/2024	0300	74	Williams
	0600	72.1	J. LAMAS
	0900	74.7	J. LAMAS
	1200	76.00	J. LAMAS
	1500	75.8	J. Reeves
	1800	76.1	J. Reeves
	2100	75.1	J. Reeves
	2400	73	Williams

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/2024	0300	74	Cum
	0600	70	J.CCAMAS
	0900	72.1	J.CCAMAS
	1200	72.9	J.CCAMAS
	1500	74.7	STIDHAM
	1800	75.6	STIDHAM
	2100	74.8	STIDHAM
	2400	71	VILLASENOR

Tuesday

Date	Time	Temp.	Name (Print)
7/9/2024	0300	69	VILLASENOR
	0600	69	VILLASENOR
	0900	71	~
	1200	72.8	~
	1500	73.6	STIDHAM
	1800	74.4	STIDHAM
	2100	75.0	STIDHAM
	2400	74°	Stamps

Wednesday

Date	Time	Temp.	Name (Print)
7/10/2024	0300	68°	Stamps
	0600	66°	Stamps
	0900	70	Powers
	1200	71	Powers
	1500	74	SEN
	1800	73	~
	2100	73	Stamps
	2400	73	Stamps

Thursday

Date	Time	Temp.	Name (Print)
7/11/2024	0300	71°	Stamps
	0600	70°	Stamps
	0900	72	Powers
	1200	74	Powers
	1500	75.2	STIDHAM
	1800	75.5	STIDHAM
	2100	74.9	STIDHAM
	2400	73	Stamps

Friday

Date	Time	Temp.	Name (Print)
7/12/2024	0300	71	Stamps
	0600	70	Stamps
	0900	73	Alvarez
	1200	74	Alvarez
	1500	76	ODell
	1800	76	ODell
	2100	75	ODell
	2400	75	Williams

Saturday

Date	Time	Temp.	Name (Print)
7/13/2024	0300	73	Williams
	0600	72.6	W.VANG
	0900	72.6	W.VANG
	1200	72.6	W.VANG
	1500	75.3	W.VANG
	1800	74.7	W.VANG
	2100	73.9	W.VANG
	2400	71.3	Williams

Sunday

Date	Time	Temp.	Name (Print)
7/14/2024	0300	69	Williams
	0600	69.9	J.CCAMAS
	0900	70.2	J.CCAMAS
	1200	70.5	J.CCAMAS
	1500	72.2	R.VALENCIA
	1800	73.4	R.VALENCIA
	2100	73.4	R.VALENCIA
	2400	73.4	M Cum

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 5 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15/2024	0300	73	[illegible]
	0600	72.[illegible]	J. CLAMAS
	0900	72.7	J. CLAMAS
	1200	72.8	J. CLAMAS
	1500	72.9	CCantu
	1800	72.7	CCantu
	2100	71.2	CCantu
	2400	70°	Stamps

Tuesday

Date	Time	Temp.	Name (Print)
7/16/2024	0300	65	Stamps
	0600	69	TOVAR
	0900	71	TOVAR
	1200	73	TOVAR
	1500	75	STIDHAM
	1800	74.6	STIDHAM
	2100	73.5	STIDHAM
	2400	70	Stamps

Wednesday

Date	Time	Temp.	Name (Print)
7/17/2024	0300	65°	Stamps
	0600	590	Stamps
	0900	69°	~~TOVAR~~ TOVAR
	1200	70	TOVAR
	1500	73°	STIDHAM/JAMES
	1800	73°	JAMES
	2100	730	JAMES
	2400	70	Stamps

Thursday

Date	Time	Temp.	Name (Print)
7/18/2024	0300	65°	Stamps
	0600	59°	Stamps
	0900	68.4°	MANNAN
	1200	71.2°	MANNAN
	1500	71.6	STIDHAM
	1800	72.8	STIDHAM
	2100	71.9	STIDHAM
	2400	70	Stamps

Friday

Date	Time	Temp.	Name (Print)
7/19/2024	0300	67°	Stamps
	0600	66	Stamps
	0900	70	TOVAR
	1200	75.2	D. Flucks
	1500	73.3	STIDHAM
	1800	74.6	STIDHAM
	2100	75.3	STIDHAM
	2400	73.2	Williams

Saturday

Date	Time	Temp.	Name (Print)
7/20/2024	0300	72	Williams
	0600	71.7	W.VANG
	0900	72.5	W.VANG
	1200	72.6	W.VANG
	1500	74.1	R Ward
	1800	74.8	R. Ward
	2100	78.9	R. Ward
	2400	72.6	Williams

Sunday

Date	Time	Temp.	Name (Print)
7/21/2024	0300	71.3	Williams
	0600	71.3	Williams
	0900	71.7	Williams
	1200	71.7	Williams
	1500	72.5	ENDICOTT
	1800	73.1	ENDICOTT
	2100	73.4	ENDICOTT
	2400	71.3	PAMME

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 5 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22/2024	0300	71	RAMME
	0600	71.0	J. CLAMAS
	0900	72.6	SALINAS, M
	1200	73.2	Reeves
	1500	75.1	STIDHAM
	1800	75.3	C. Heath
	2100	74.6	C. Heath
	2400	73.1	BREEN

Tuesday

Date	Time	Temp.	Name (Print)
7/23/2024	0300	70.1	BREEN
	0600	70.2	BREEN
	0900	72.6	SALINAS
	1200	73.8	SALINAS
	1500	74.5	STIDHAM
	1800	75.3	STIDHAM
	2100	75.2	STIDHAM
	2400	75.1	Webb

Wednesday

Date	Time	Temp.	Name (Print)
7/24/2024	0300	74.1	D. Webb
	0600	74.1	D. Webb
	0900	74.2	WONG
	1200	74.4	WONG
	1500	74.2	STIDHAM
	1800	75.6	STIDHAM
	2100	73.2	STIDHAM
	2400	72	Stamps

Thursday

Date	Time	Temp.	Name (Print)
7/25/2024	0300	71	Stamps
	0600	70	Stamps
	0900	72	WONG
	1200	72.1	WONG
	1500	73.9	STIDHAM
	1800	74.2	STIDHAM
	2100	73.8	STIDHAM
	2400	72	Stamps

Friday

Date	Time	Temp.	Name (Print)
7/26/2024	0300	69	Stamps
	0600	66	Stamps
	0900	68	WONG
	1200	70	WONG
	1500	73	CARRION
	1800	73.1	CARRION
	2100	71.3	CARRION
	2400	71.3	Williams

Saturday

Date	Time	Temp.	Name (Print)
7/27/2024	0300	71.2	Williams
	0600	71	WONG
	0900	72	WONG
	1200	73	WONG
	1500	71	MANNAN
	1800	70	MANNAN
	2100	69	MANNAN
	2400	70	Williams

Sunday

Date	Time	Temp.	Name (Print)
7/28/2024	0300	70.2	Williams
	0600	69.1	J. CLAMAS
	0900	70.7	J. CLAMAS
	1200	71.8	J. CLAMAS
	1500	71.8	Reeves
	1800	71.6	Reeves
	2100	71.2	Reeves
	2400	71.0	[illegible]

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: MCSP Housing Unit: 5 Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/2024	0300	70.0	M. Cum
	0600	69.7	Alonso
	0900	71.3	Alonso
	1200	70.5	Alonso
	1500	71.4	Troya
	1800	71.2	Troya
	2100	70.5	Troya
	2400	70	Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2024	0300	69	Gonzalez
	0600	70	Wong
	0900	71	Wong
	1200	73.9	Wong
	1500	71.2	Stidham
	1800	71.2	Stidham
	2100	70.5	Stidham
	2400	70	Stamps

Wednesday

Date	Time	Temp.	Name (Print)
7/31/2024	0300	69	Stamps
	0600	68	Stamps
	0900	70	Wong
	1200	72	Wong
	1500	75.6	Stidham
	1800	74.8	Stidham
	2100	74.6	Stidham
	2400	71.1	

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Mule Creek State Prison
Facility A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **6** Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	69.1	Delmorre
	0600	69.1	MIGUEL
	0900	70.7	MIGUEL
	1200	72.1	MIGUEL
	1500	73.0	MIGUEL
	1800	73.4	MIGUEL
	2100	73.2	MIGUEL
	2400	72.2	VILLASENOR

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	70.3	VILLASENOR
	0600	69.6	VILLASENOR
	0900	70.7	[illegible]
	1200	72.1	[illegible]
	1500	73.1	HANG
	1800	73.7	HANG
	2100	71.7	HANG
	2400	71.7	LARIOS

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	70.5	LARIOS
	0600	70.8	MIGUEL
	0900	71.9	MIGUEL
	1200	72.1	MIGUEL
	1500	72.9	HANG
	1800	74.1	HANG
	2100	74.4	HANG
	2400	72	Hoover

Thursday

Date	Time	Temp.	Name (Print)
7/4/2024	0300	70.8	J Hoover
	0600	71	Ferrer
	0900	73	Ferrer
	1200	73	Ferrer
	1500	74.4	HANG
	1800	75.2	HANG
	2100	74.5	HANG
	2400	72	J Hoover

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	71	J Hoover
	0600	71	J. Ccamas
	0900	72.1	J. Ccamas
	1200	75.2	J. Ccamas
	1500	74.2	HANG
	1800	74.8	HANG
	2100	76.6	HANG
	2400	76	Estrada

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	73	Estrada
	0600	73.2	J. CCAMAS
	0900	74.3	J. CCAMAS
	1200	77.1	J. CCAMAS
	1500	75.7	HANG
	1800	76.2	HANG
	2100	76.1	HANG
	2400	77.0	MORA

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	76.2	MORA
	0600	75.3	MIGUEL
	0900	75.5	MIGUEL
	1200	76.7	MIGUEL
	1500	76.5	Ferrer
	1800	77	Ferrer
	2100	80	Ferrer
	2400	78	AKRAMI

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **6** Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	72	AKRAMI
	0600	72.3	MIGUEL
	0900	73.4	MIGUEL
	1200	74.7	MIGUEL
	1500	76.4	MIGUEL
	1800	76.7	MIGUEL
	2100	76.8	MIGUEL
	2400	75	HOOVER

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	73	HOOVER
	0600	74.1	MIGUEL
	0900	73	MIGUEL
	1200	74.2	MIGUEL
	1500	74.5	HANG
	1800	75.0	HANG
	2100	74.4	HANG
	2400	73	J HOOVER

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	72	J HOOVER
	0600	73.9	MIGUEL
	0900	73.0	MIGUEL
	1200	74.4	MIGUEL
	1500	74.8	HANG
	1800	75.1	HANG
	2100	75	HANG
	2400	74.4	C Cerecer

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	72.9	C Cerecer
	0600	73	Ferro
	0900	74	Ferro
	1200	74	Ferro
	1500	75	HANG
	1800	75.5	HANG
	2100	74.3	HANG
	2400	74	J Hoover

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	72	Hoover
	0600	74.1	J. CLAMAS
	0900	73.4	J. CLAMAS
	1200	75.5	J. CLAMAS
	1500	75.8	HANG
	1800	76.1	HANG
	2100	75.6	HANG
	2400	73.3	HANG

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	72	HANG
	0600	73.1	J. CLAMAS
	0900	73.4	J. CLAMAS
	1200	73.7	J. CLAMAS
	1500	74	HANG
	1800	74.6	HANG
	2100	73.3	HANG
	2400	72	AKRAMI

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	AKRAMI
	0600	70.4	MIGUEL
	0900	71.9	MIGUEL
	1200	72.1	MIGUEL
	1500	74.3	DENEN
	1800	73.9	DENEN
	2100	73.4	DENEN
	2400	71	AKRAMI

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **6** Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	70	AKRAMI
	0600	71	MIGUEL
	0900	71.5	MIGUEL
	1200	71.7	MIGUEL
	1500	72.6	MIGUEL
	1800	73.4	MIGUEL
	2100	73	MIGUEL
	2400	71.4	DALBARO

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	71	DALBARO
	0600	70	DALBARO
	0900	72.2	Copeland
	1200	74.1	Copeland
	1500	73	Copeland
	1800	71.9	HANG
	2100	70.1	HANG
	2400	71	KNOX

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	69.8	KNOX
	0600	70.3	MIGUEL
	0900	70.8	MIGUEL
	1200	70.8	MIGUEL
	1500	70.7	HANG
	1800	70.6	HANG
	2100	70.4	HANG
	2400	71.0	KNOX

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	71.2	KNOX
	0600	71	Ferr
	0900	72	Ferr
	1200	72	Ferr
	1500	72.2	HANG
	1800	72.2	HANG
	2100	71.7	HANG
	2400	71.3	KNOX

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	70.5	KNOX
	0600	69.4	J-CLAMAS
	0900	70.1	J.CLAMAS
	1200	72.4	J-CLAMAS
	1500	73.00	HANG
	1800	73.2	HANG
	2100	75.5	HANG
	2400	77.5	KNOX

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	73	KNOX
	0600	70.1	J-CLAMAS
	0900	70.5	J.CLAMAS
	1200	71.7	J.CLAMAS
	1500	73.7	HANG
	1800	74.4	HANG
	2100	74.3	HANG
	2400	71.5	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	70	AKRAMI
	0600	68.6	[illegible]
	0900	70.8	[illegible]
	1200	70.9	[illegible]
	1500	72	Ferr
	1800	74.5	Ferr
	2100	71	Ferr
	2400	73	AKRAMI

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **6** Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	71	AKRAMI
	0600	71.4	MIGUEL
	0900	71.9	MIGUEL
	1200	74.6	MIGUEL
	1500	75.5	MIGUEL
	1800	75.9	MIGUEL
	2100	76.1	MIGUEL
	2400	75.5	KNOX

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	75.2	KNOX
	0600	73.2	MIGUEL
	0900	73.9	MIGUEL
	1200	75.5	RUBEN
	1500	75.6	HANG
	1800	75.8	HANG
	2100	75.1	HANG
	2400	70.6	KNOX

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	70.1	KNOX
	0600	72.6	MIGUEL
	0900	73.4	MIGUEL
	1200	73.7	MIGUEL
	1500	75.7	HANG
	1800	75.9	HANG
	2100	74.5	HANG
	2400	74.8	KNOX

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	73.5	KNOX
	0600	74	FERW
	0900	75	FERW
	1200	75	FERW
	1500	73.9	HANG
	1800	74.4	HANG
	2100	74.4	HANG
	2400	74.3	KNOX

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	73.5	KNOX
	0600	74	FERW
	0900	74.2	FERW
	1200	75.5	FERW
	1500	73.4	HANG
	1800	73.6	HANG
	2100	72.7	HANG
	2400	72	KNOX

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	73.8	KNOX
	0600	70.6	J. LLAMAS
	0900	70.8	J. LLAMAS
	1200	71.0	J. LLAMAS
	1500	70.5	HANG
	1800	70.5	HANG
	2100	70.1	HANG
	2400	69	AKRAMI

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	69	AKRAMI
	0600	70.3	MIGUEL
	0900	70.8	MIGUEL
	1200	71	MIGUEL
	1500	74	[illegible]
	1800	73	[illegible]
	2100	71	[illegible]
	2400	70	AKRAMI

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **6** Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	69	AKRAMI
	0600	70.5	MIGUEL
	0900	70.8	MIGUEL
	1200	71	MIGUEL
	1500	71.2	MIGUEL
	1800	71.6	MIGUEL
	2100	71	MIGUEL
	2400	71	ASMAN

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	70	ASMAN
	0600	70.5	MIGUEL
	0900	71	MIGUEL
	1200	71.4	MIGUEL
	1500	71.3	HANG
	1800	71.4	HANG
	2100	71.3	HANG
	2400	70.3	DAUGHAM

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	70.1	DAUGHAM
	0600	70	DAUGHAM
	0900	71.2	McCarthy
	1200	71.9	McCarthy
	1500	72.5	HANG
	1800	73.4	HANG
	2100	73.0	HANG
	2400	730	Hulkum

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	73	Hulkum
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	73	Hulkum
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

_____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS & REHABILITATIO

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **7** Temp. Reading Location: 2nd

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	72	SHINDY
	0600	73	YANG
	0900	73	YANG
	1200	73	YANG
	1500	73	Nolta
	1800	73	Nolta
	2100	73	Nolta
	2400	73	Shindy

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	72	Shindy
	0600	72.5	Shindy
	0900	73	Allen
	1200	73.4	Allen
	1500	73	Nolta
	1800	74	Nolta
	2100	73	Nolta
	2400	73	Estrada

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	72	Estrada
	0600	73	Allen
	0900	74	Allen
	1200	74.6	Allen
	1500	75	Nolta
	1800	76	Nolta
	2100	75	Nolta
	2400	73.9	Shindy

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	73	Shindy
	0600	73.5	Shindy
	0900	73.4	Allen
	1200	74.9	Allen
	1500	75	Nolta
	1800	76	Nolta
	2100	75	Nolta
	2400	74	DELATORRE

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	73	DELATORRE
	0600	72.5	Allen
	0900	74.1	Allen
	1200	75	Allen
	1500	75	EVANGELISTA
	1800	76	EVANGELISTA
	2100	76	EVANGELISTA
	2400	74	DELATORRE

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	72.5	DELATORRE
	0600	73.0	ROSS
	0900	74.1	ROSS
	1200	75.3	ROSS
	1500	76	Ferrer
	1800	77	Ferrer
	2100	76	Ferrer
	2400	75	Shindy

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	73	Shindy
	0600	73	Shindy
	0900	74	VIZITIU
	1200	74	Nolta
	1500	77	Nolta
	1800	77	Nolta
	2100	76	Nolta
	2400	75	Shindy

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATION

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **7** Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	73	Shindy
	0600	73	Shindy
	0900	73.5	VIZITIU
	1200	74.8	VIZITIU
	1500	75	Nolta
	1800	76	Nolta
	2100	75	Nolta
	2400	74	Shindy

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	73	Shindy
	0600	73	Shindy
	0900	73.7	Allen
	1200	74.2	Allen
	1500	74	Nolta
	1800	75	Nolta
	2100	75	Nolta
	2400	73	Estrada

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	72	Estrada
	0600	73.2	Allen
	0900	74.4	Allen
	1200	75	Allen
	1500	75	Nolta
	1800	77	Nolta
	2100	76	Nolta
	2400	74	Estrada

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	73	Estrada
	0600	73.5	Allen
	0900	74.4	Allen
	1200	75.9	Allen
	1500	76	Nolta
	1800	76	Nolta
	2100	76	Nolta
	2400	76	DELA TORRE

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	75	DELA TORRE
	0600	72.8	E. LIRA
	0900	73.6	E. LIRA
	1200	75.5	E. LIRA
	1500	75	EVANGELISTA
	1800	75	EVANGELISTA
	2100	75	EVANGELISTA
	2400	75	DELA TORRE

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	75	DELA TORRE
	0600	73.5	Alvarez
	0900	73.4	ALVAREZ
	1200	74	ALVAREZ
	1500	75	Rushing
	1800	74	Rushing
	2100	74	Rushing
	2400	73	Shindy

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	75	~~DELA TORRE~~ Shindy
	0600	75	Shindy
	0900	73.5	VIZITIU
	1200	72.8	VIZITIU
	1500	73	Nolta
	1800	73	Nolta
	2100	74	Nolta
	2400	73	Shindy

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **7** Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	73	Shindy
	0600	73	Shindy
	0900	73	VIZITIU
	1200	73	VIZITIU
	1500	73	Nolta
	1800	73	Nolta
	2100	73	Nolta
	2400	73	Shindy

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	71	Shindy
	0600	71	Shindy
	0900	74	Hutchison
	1200	72	Hutchinson
	1500	73	Nolta
	1800	73	Nolta
	2100	72	Nolta
	2400	72	Estrada

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	71	Estrada
	0600	71	Allen
	0900	72	Allen
	1200	73	Allen
	1500	73	Nolta
	1800	72	Nolta
	2100	74	Nolta
	2400	73	Estrada

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	71	Estrada
	0600	76	HOUSE
	0900	73	HOUSE
	1200	71	HOUSE
	1500	73	Decker
	1800	76.4	Ball
	2100	76.1	Ball
	2400	78	DELATORRE

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	77	DELATORRE
	0600	73	NARDE
	0900	74	NARDE
	1200	76	NARDE
	1500	77	EVANGELISTA
	1800	77	EVANGELISTA
	2100	78	EVANGELISTA
	2400	77	DELATORRE

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	77	DELATORRE
	0600	74	SALAZAR
	0900	73.7	SALAZAR
	1200	75.2	SALAZAR
	1500	76	Ferr
	1800	76	Ferr
	2100	74	Ferr
	2400	77	Shindy

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	77	Shindy
	0600	75	Shindy
	0900	73.7	VIZITIU
	1200	75.3	VIZITIU
	1500	76	Nolta
	1800	76	Nolta
	2100	75	Nolta
	2400	76	Shindy

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **7** Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	75	Shindy
	0600	74	Shindy
	0900	74	VIZHMU
	1200	76	VIZHMU
	1500	77	Nolta
	1800	79	Nolta
	2100	78	Nolta
	2400	77	Shindy

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	75	Shindy
	0600	75	Shindy
	0900	76	HUTCHINSON
	1200	77	HUTCHINSON
	1500	77	Green
	1800	77	Green
	2100	77	Green
	2400	76	Estrada

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	74	Estrada
	0600	74.6	Allen
	0900	75.2	Allen
	1200	76.7	Allen
	1500	75	Nolta
	1800	78	Nolta
	2100	77	Nolta
	2400	74	Estrada

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	73	Estrada
	0600	73.5	Allen
	0900	74.8	Allen
	1200	75.7	Allen
	1500	76	Nolta
	1800	77	Nolta
	2100	76	Nolta
	2400	76	DELATORRE

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	75	DELATORRE
	0600	74.4	NAJOR
	0900	74.7	NAJOR
	1200	75.2	NAJOR
	1500	76	EVANGELISTA
	1800	74	EVANGELISTA
	2100	77	EVANGELISTA
	2400	76	DELATORRE

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	75	DELATORRE
	0600	75.5	Ball
	0900	77.9	Ball
	1200	76.1	Ball
	1500	76	Ferrer
	1800	74	Ferrer
	2100	72	Ferrer
	2400	71	Shindy

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	69	Shindy
	0600	69 ~~70~~	Shindy
	0900	71	VIZHMU
	1200	73	VIZHMU
	1500	73	Nolta
	1800	73	Nolta
	2100	73	Nolta
	2400	73	Shindy

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **7** Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	73	Shindy
	0600	73	Shindy
	0900	73	HERK
	1200	73.5	HERK
	1500	73	Nolte
	1800	73	Nolte
	2100	73	Nolte
	2400	73	Shindy

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	73	Shindy
	0600	70	Shindy
	0900	73	Allen
	1200	74	Allen
	1500	74	Nolte
	1800	74	Nolte
	2100	74	Nolte
	2400	74	Estrada

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	73	Estrada
	0600	72.3	Allen
	0900	73	Hutchinson
	1200	73	Hutchinson
	1500	74	Nolte
	1800	76	Nolte
	2100	77	Nolte
	2400	75	Estrada

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300		Estrada
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **8** Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	71.4	T.SIMPSON
	0600	73.2	Maloney
	0900	74.1	Maloney
	1200	75.5	Maloney
	1500	76	NEELEY
	1800	76	NEELEY
	2100	75	NEELEY
	2400	72.7	T.SIMPSON

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	71.2	T.SIMPSON
	0600	73.4	Maloney
	0900	75.2	Maloney
	1200	76.8	Maloney
	1500	77	NEELEY
	1800	77	NEELEY
	2100	76	NEELEY
	2400	75	ASAD

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	73.1	ASAD
	0600	73.4	Maloney
	0900	76.0	Maloney
	1200	76.5	Maloney
	1500	76.8	JANAM
	1800	77.5	JANAM
	2100	77.1	JANAM
	2400	76	DELATORRE

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	75	DELATORRE
	0600	76.1	Maloney
	0900	77	Maloney
	1200	77	Maloney
	1500	75	FONG
	1800	75	FONG
	2100	78	FONG
	2400	75	T.SIMPSON

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	73.8	T.SIMPSON
	0600	74	VIZITIU
	0900	75	VIZITIU
	1200	77	VIZITIU
	1500	77.5	HANG
	1800	78.6	HANG
	2100	78.4	HANG
	2400	75.8	SIMPSON

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	74.5	SIMPSON
	0600	76	VIZITIU
	0900	77	VIZITIU
	1200	77.8	VIZITIU
	1500	78.9	HANG
	1800	79.5	HANG
	2100	79.7	HANG
	2400	78	STAMPS

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	74°	STAMPS
	0600	78	STAMPS
	0900	78.6	Maloney
	1200	79.0	Maloney
	1500	79.3	ABELLA
	1800	79	ABELLA
	2100	78.9	ABELLA
	2400	77.3	T.SIMPSON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **8** Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	75.2	T. Simpson
	0600	77.3	Maloney
	0900	77.1	Maloney
	1200	79.3	Maloney
	1500	79.3	Hang
	1800	79.7	Hang
	2100	79.3	Hang
	2400	77.5	T. Simpson

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	74	T. Simpson
	0600	75.6	Maloney
	0900	76.5	Maloney
	1200	78.5	Maloney
	1500	77.7	Hang
	1800	78.4	Hang
	2100	78	Hang
	2400	76.3	J. Wynne

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	76.4	J. Wynne
	0600	75.7	Maloney
	0900	75.7	Maloney
	1200	78	Maloney
	1500	79.3	Portillo
	1800	79.3	Portillo
	2100	79.3	Portillo
	2400	79.5	Ramos

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	78.3	Ramos
	0600	77.1	Maloney
	0900	77.7	Maloney
	1200	79.3	Maloney
	1500	79.5	Ferro
	1800	80	Ferro
	2100	80	Ferro
	2400	82.2	T. Simpson

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	79.7	T. Simpson
	0600	78.7	Vizitiu
	0900	78.5	LO
	1200	79.5	LO
	1500	79.5	Hang
	1800	80.9	Hang
	2100	79.5	Hang
	2400	76.6	T. Simpson

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	75.5	T. Simpson
	0600	76	Vizitiu
	0900	77.2	Vizitiu
	1200	77.9	Ball
	1500	78.4	Ball
	1800	78.4	Ball
	2100	77.9	Ball
	2400	73.2	T. Simpson

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	72.6	T. Simpson
	0600	73.7	Maloney
	0900	74	Maloney
	1200	76.6	Maloney
	1500	77.9	LEG
	1800	77.3	LEG
	2100	76.1	LEG
	2400	72.8	T. Simpson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATION

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **8** Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	72.7	T.SIMPSON
	0600	74.6	MALONEY
	0900	73.7	MALONEY
	1200	74.4	MALONEY
	1500	76.	NEELEY
	1800	77	NEELEY
	2100	77	NEELEY
	2400	76	TOWNSEL

Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	75.5	TOWNSEL
	0600	75.3	TOWNSEL
	0900	74.3	STEFFENMEIER
	1200	75.2	STEFFENMEIER
	1500	75.8	NEELEY
	1800	76.6	NEELEY
	2100	75.9	NEELEY
	2400	75.1	J.Lynn

Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	72.1	J.Lynn
	0600	73.4	Taylor
	0900	74.1	MALONEY
	1200	75.5	MALONEY
	1500	74.1	MALONEY
	1800	73.2	JAYAM
	2100	73.5	JAYAM
	2400	73	JPhyo

Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	73	JPhyo
	0600	73.5	MALONEY
	0900	73.7	MALONEY
	1200	73.5	MALONEY
	1500	73.5	FERR
	1800	74	FERR
	2100	72	FERR
	2400	72	T.SIMPSON

Friday

Date	Time	Temp.	Name (Print)
7/19	0300	71.3	T.SIMPSON
	0600	71.7	DMILLER
	0900	74	VIZMU
	1200	75	VIZMU
	1500	76.2	HANG
	1800	76.4	HANG
	2100	76.2	HANG
	2400	74.2	T.SIMPSON

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	72	T.SIMPSON
	0600	73.2	DMILLER
	0900	74.3	DMILLER
	1200	76.2	DMILLER
	1500	77	HANG
	1800	77.5	HANG
	2100	76.8	HANG
	2400	74.2	T.SIMPSON

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	72.7	T.SIMPSON
	0600	73.1	MALONEY
	0900	74.2	MALONEY
	1200	74.7	MALONEY
	1500	75.	NEELEY
	1800	76	NEELEY
	2100	77	NEELEY
	2400	74	T.SIMPSON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **8** Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5523 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	72.8	T. SIMPSON
	0600	73.7	S. PALOSI
	0900	74.3	PALOSI
	1200	75.6	PALOSI
	1500	77.1	DIAZ
	1800	79.4	DIAZ
	2100	79	DIAZ
	2400	75.6	SIMPSON

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	74	SIMPSON
	0600	73.5	PALOSI
	0900	76.2	PALOSI
	1200	77.7	PALOSI
	1500	78	NEELEY
	1800	79	NEELEY
	2100	78	NEELEY
	2400	75	Wynne

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	74.7	Wynne
	0600	73.9	PALOSI
	0900	75.6	PALOSI
	1200	77.4	PALOSI
	1500	77.8	PRASAD
	1800	78.7	PRASAD
	2100	79.1	PRASAD
	2400	78	DELATORRE

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	77	DELATORRE
	0600	75	PALOSI
	0900	77.1	PALOSI
	1200	78.4	PALOSI
	1500	78	FONG
	1800	77	FONG
	2100	75	FONG
	2400	75	Calloway

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	74.7	Calloway
	0600	~~74.9~~ 75.2	VIZITIU
	0900	~~75~~ 75	VIZITIU
	1200	75.8	VIZITIU
	1500	76.1	HANG
	1800	76.1	HANG
	2100	75.3	HANG
	2400	74.1	Matson

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	74.1	Matson
	0600	74.2	VIZITIU
	0900	73.7	VIZITIU
	1200	73.0	DMILLER
	1500	73.9	HANG
	1800	73.5	HANG
	2100	73.2	HANG
	2400	71.4°	%C.CARO

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	70.3°	%C.CARO
	0600	70°	%C.CARO
	0900	72.4	PALOSI
	1200	73.9	PALOSI
	1500	73	NEELEY
	1800	73	NEELEY
	2100	73	NEELEY
	2400	73	Flowers

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS & REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

JULY 2024

~~From May 1st through October 31st~~, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **8** Temp. Reading Location: 2nd

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/08	0300	72.5	Flowers
	0600	72.1	Adkins
	0900	73.2	Adkins
	1200	73.4	Adkins
	1500	73.	NEELEY
	1800	73	NEELEY
	2100	73	NEELEY
	2400	72	LO

Tuesday

Date	Time	Temp.	Name (Print)
7-30	0300	72	LO
	0600	71.6	Williams
	0900	71.2	Williams
	1200	73.0	Williams
	1500	73	NEELEY
	1800	74	NEELEY
	2100	74	NEELEY
	2400	73.1	J. Lagonna

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	72.2	D. Wh
	0600	73.1	Easmon
	0900	73.9	Easmon
	1200	74.8	Easmon
	1500	76	Janan
	1800	75.1	Janan
	2100	75	Janan
	2400	74	JPuger

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **9** Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	73	CALLOWAY
	0600	73.2	D. HARDIE
	0900	72.8	D. HARDIE
	1200	73.7	D. HARDIE
	1500	74.2	S. PALOSI
	1800	74.8	S. PALOSI
	2100	75.4	S. PALOSI
	2400	74.9	LARIOS

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	71	LARIOS
	0600	72.6	D. HARDIE
	0900	73.2	D HARDIE
	1200	74.4	D. HARDIE
	1500	74.5	J. JAVAN
	1800	74.8	J. JAVAN
	2100	74.6	J. JAVAN
	2400	75	Calloway

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	72.8	Calloway
	0600	73	EVANGELISTA
	0900	73	EVANGELISTA
	1200	75	EVANGELISTA
	1500	77.5	PRESLER
	1800	78.4	PRESLER
	2100	78.9	PRESLER
	2400	77	Calloway

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	74	Calloway
	0600	73	VIZHILI
	0900	73.8	VIZHILI
	1200	75.2	VIZHILI
	1500	78	BARCOCK
	1800	78	BARCOCK
	2100	78	BARCOCK
	2400	77	Calloway

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	74.8	Calloway
	0600	75	PRAKASH
	0900	74	PRAKASH
	1200	76	PRAKASH
	1500	78	BARCOCK
	1800	79	BARCOCK
	2100	79	BARCOCK
	2400	77	DAVENPORT

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	76.4	DAVENPORT
	0600	74	PRAKASH
	0900	75	PRAKASH
	1200	76	PRAKASH
	1500	79	BARCOCK
	1800	81	BARCOCK
	2100	81	BARCOCK
	2400	79.3	DAVENPORT

Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	77.4	DAVENPORT
	0600	79.0	DAVENPORT
	0900	79.3	D. HARDIE
	1200	85.4	D. HARDIE
	1500	88	BARCOCK
	1800	88	BARCOCK
	2100	88	BARCOCK
	2400	76	VILLASENOR

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **9** Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8/24	0300	74	VILLASENOR
	0600	74	VILLASENOR
	0900	77.6	D. HARDIE
	1200	79.3	D. HARDIE
	1500	87	JAMAN
	1800	87	JAMAN
	2100	86	JAMAN
	2400	98.7	VANN

Tuesday

Date	Time	Temp.	Name (Print)
7/9/24	0300	73.7	VANN
	0600	73.1	VANN
	0900	77.6	D. HARDIE
	1200	78.5	D HARDIE
	1500	79.9	JAMAN
	1800	79.6	JAMAN
	2100	84.3	JAMAN
	2400	76	Calloway

Wednesday

Date	Time	Temp.	Name (Print)
7/10/24	0300	73	Calloway
	0600	73	EVANGELISTA
	0900	74	EVANGELISTA
	1200	76	EVANGELISTA
	1500	85	BARCOCH
	1800	87.4	BARCOCH
	2100	87	BARCOCH
	2400	78.2	Calloway

Thursday

Date	Time	Temp.	Name (Print)
7/11/24	0300	76.8	Calloway
	0600	76	VIZITIU
	0900	75.6	VIZITIU
	1200	76.4	VIZITIU
	1500	77	EVANGELISTA
	1800	77	EVANGELISTA
	2100	78	EVANGELISTA
	2400	78.4	Calloway

Friday

Date	Time	Temp.	Name (Print)
7/12/24	0300	76	Calloway
	0600	76	PRAKASH
	0900	75	PRAKASH
	1200	77	PRAKASH
	1500	79.1	BARCOCH
	1800	79.1	BARCOCH
	2100	79.1	BARCOCH
	2400	79.7	DAVENPORT

Saturday

Date	Time	Temp.	Name (Print)
7/13/24	0300	79	DAVENPORT
	0600	79.2	DAVENPORT
	0900	76	PRAKASH
	1200	77	PRAKASH
	1500	78.4	BARCOCH
	1800	78.4	BARCOCH
	2100	77.5	BARCOCH
	2400	77	DAVENPORT

Sunday

Date	Time	Temp.	Name (Print)
7/14/24	0300	75.6	DAVENPORT
	0600	77	DAVENPORT
	0900	76.5	D. HARDIE
	1200	76.5	D. HARDIE
	1500	77	BARCOCH
	1800	76.8	BARCOCH
	2100	77	BARCOCH
	2400	76.8	ASTO

Notes

_____

_____

_____

_____

_____

_____

_____

_____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **9** Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/15	0300	76.3	[illegible]
	0600	75.0	D. HARDIE
	0900	76.0	D. HARDIE
	1200	76.2	D. HARDIE
	1500	74.4	C. Vue
	1800	75.0	C. Vue
	2100	74.4	C. Vue
	2400	74.1	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
16	0300	74.0	[illegible]
	0600	73.9	[illegible]
	0900	74.6	Bell
	1200	75.6	Bell
	1500	76.2	Janam
	1800	73.[illegible]	Janam
	2100	73.6	Janam
	2400	72.8	Calloway

Wednesday

Date	Time	Temp.	Name (Print)
17	0300	72.5	Calloway
	0600	72	EVANGELISTA
	0900	72	EVANGELISTA
	1200	72	EVANGELISTA
	1500	73.4	BABCOCK
	1800	74	BABCOCK
	2100	74	BABCOCK
	2400	74	Calloway

Thursday

Date	Time	Temp.	Name (Print)
18	0300	72.5	Calloway
	0600	72	VIZITIU
	0900	73	VIZITIU
	1200	73.7	VIZITIU
	1500	74	EVANGELISTA
	1800	75	EVANGELISTA
	2100	76	EVANGELISTA
	2400	75	Calloway

Friday

Date	Time	Temp.	Name (Print)
19	0300	73.2	Calloway
	0600	73.7	JANAM
	0900	73.2	JANAM
	1200	73.7	JANAM
	1500	75.7	BABCOCK
	1800	76	BABCOCK
	2100	76.6	BABCOCK
	2400	76	DAUBENBERG

Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	73.6	DAUBENBERG
	0600	72	DAUBENBERG
	0900	74	ROBISON
	1200	76.4	ROBISON
	1500	77.5	BABCOCK
	1800	77.7	BABCOCK
	2100	77.3	BABCOCK
	2400	76	DAUBENBERG

Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	75.6	DAUBENBERG
	0600	75	DAUBENBERG
	0900	76.0	D. HARDIE
	1200	76.4	D. HARDIE
	1500	76.5	BABCOCK
	1800	77.1	BABCOCK
	2100	77.1	BABCOCK
	2400	[illegible]	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **9** Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension_____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	74.8	[illegible]
	0600	76	Green
	0900	76	Green
	1200	76	Green
	1500	76	Green
	1800	77	Green
	2100	77	Green
	2400	73.7	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	72.7	[illegible]
	0600	74.7	[illegible]
	0900	75.2	J. SONLEY
	1200	76.1	J. SONLEY
	1500	79.9	J. JAVAN
	1800	77.7	J. JAVAN
	2100	80.6	J. JAVAN
	2400	80	Hilzar

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	75.5	Hilzar
	0600	75.9	Bauer
	0900	75.2	Bauer
	1200	75.7	Bauer
	1500	78	BABCOCK
	1800	78.7	BABCOCK
	2100	78.9	BABCOCK
	2400	77	Calloway

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	74	Calloway
	0600	74.3	VIZITIU
	0900	73.4	VIZITIU
	1200	74.0	P. DUBOISE
	1500	76	EVANGELISTA
	1800	76	EVANGELISTA
	2100	77	EVANGELISTA
	2400	77	Calloway

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	74.6	Calloway
	0600	74.1	SONLEY
	0900	73.5	SONLEY
	1200	74.9	SONLEY
	1500	75.3	Mills
	1800	75.7	Ball
	2100	75.9	Ball
	2400	73.9	Calloway

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	72.6	Calloway
	0600	73.2	SONLEY
	0900	72.6	SONLEY
	1200	73.9	SONLEY
	1500	73.9	BABCOCK
	1800	73.9	BABCOCK
	2100	73.4	BABCOCK
	2400	72	Calloway

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	72.8	Calloway
	0600	72.5	SONLEY
	0900	72.7	SONLEY
	1200	73	SONLEY
	1500	73.9	BABCOCK
	1800	73.9	BABCOCK
	2100	73	BABCOCK
	2400	73	Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REHABILITATIO

JULY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air- conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **M.C.S.P** Housing Unit: **9** Temp. Reading Location: _____

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	72.3	Gonzalez
	0600	71.7	Saedem
	0900	72.5	Saedem
	1200	72.6	Saedem
	1500	73.4	A. RODRIGUEZ
	1800	73.2	A. RODRIGUEZ
	2100	73.2	A. RODRIGUEZ
	2400	71.9	VORN

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	71.7	VORN
	0600	71.9	VORN
	0900	73.4	D. HARDIG
	1200	74.6	D. HARDIG
	1500	76	J. JANAN
	1800	76	J. JANAN
	2100	76	J. JANAN
	2400	74.1	Calloway

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	72.6	Calloway
	0600	72	EVANGELISTA
	0900	73	EVANGELISTA
	1200	74	EVANGELISTA
	1500	76.7	ABELLA
	1800	77.4	ABELLA
	2100	77.4	ABELLA
	2400	77	Calloway

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

_____

_____

_____

_____

_____

_____

_____

_____

DISTRIBUTION: Original: Institution Heat Plan Coordinator