

Monthly Summary Report

Institution: CIW _____

Memorandum

Date: September 3, 2024 _____

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - California Institution for Women

The following is a summary of the heat related activity for the month of August 2024 _____,
at CIW _____ (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes _____

Number of days Stage I Alert initiated: 24 _____

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes _____

Number of days Stage II Alert initiated: 1 _____

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____

Number of days Stage III Alert initiated: N/A _____

4. Weekly list of heat risk patients archived? Yes _____


5. Number of patients with heat related illness. 0 _____ List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

L. Parker, Warden (A)

Warden Name



Warden Signature

J. Elliot, CEO

Chief Executive Officer Name



Chief Executive Officer Signature

Memorandum

Date: September 3, 2024

To: Statewide Heat Plan Coordinator
Mental Health Program Headquarters

Subject: **MISSING HEAT LOGS FOR THE MONTH OF AUGUST 2024**

The purpose of this memorandum is to inform you that the following areas were closed on specified dates due to Emmons-A unit is still closed for renovations and Harrison-A being designated as an Isolation Unit will only be activated when necessary. On July 20, 2024 Harrison-A was activated as a Quarantine Unit and deactivated on August 10, 2024. On August 15, 2024, Harrison-A was reactivated until further notice. Also noting, PIA operates Monday thru Thursday only. For this reason, there are no CDCR 2031 Inside Temperature sheets for these areas during the other time frames and are noted as missing on the CIW Heat Log Due List.

- Emmons A – Closed Until Further Notice
- Harrison A – Activated on 7/20/2024 at 2115 hours, as a Quarantine Unit.
- Harrison A – Deactivated on 8/10/2024 at 2200 hours.
- Harrison A – Activated on 8/15/2024 at 1400 hours, as a Quarantine Unit.
- Units with Central Air-Conditioning: CTC, OPHU, PIP and PSU.

If you have any questions regarding this information, please contact me at (909) 597-1771, extension 5398.



C. HOGAN, CCII
Heat Plan Coordinator
California Institution for Women

MONTHLY HEAT ALERT SUMMARY REPORT

1. STAGE I HEAT ALERT LOG: OUTSIDE TEMPERATURE 90 DEGREES OR MORE @ TOWER 1

Date	Time: Activated - Deactivated
08-01-24	1510 - 1750
08-02-24	1310 - 2045
08-03-24	1105 - 2030
08-04-24	1050 - 2020
08-05-24	1010 - 2032
08-06-24	1045 - 1915
08-07-24	1110 - 1705
08-08-24	x
08-09-24	1228 - 1915
08-10-24	1146 - 1922
08-11-24	1100 - 1822
08-12-24	1154 - 1710
08-13-24	1211 - 1751
08-14-24	1204 - 1825
08-15-24	1157 - 1850
08-16-24	1200 - 1915
08-17-24	1340 - 1700
08-18-24	1300 - 1730
08-19-24	1135 - 1913
08-20-24	1050 - 2008
08-21-24	1123 - 1844
08-22-24	1405 - 1545
08-23-24	x
08-24-24	x
08-25-24	x
08-26-24	1257 - 1602
08-27-24	1308 - 1743
08-28-24	x
08-29-24	x
08-30-24	x
08-31-24	1324 - 1730

2. STAGE II HEAT ALERT LOG: INSIDE TEMPERATURES OF 90 DEGREES AND ABOVE HAVE BEEN RECORDED

Date	Time: Activated - Deactivated	Area	Housing	Cooling Measures Provided
08-01-24				
08-02-24				
08-03-24	1700 – 1800	CTC	CTC	Moved Patients to Cooler rooms
08-04-24				
08-05-24				
08-06-24				
08-07-24				
08-08-24				
08-09-24				
08-10-24				
08-11-24				
08-12-24				
08-13-24				
08-14-24				
08-15-24				
08-16-24				
08-17-24				
08-18-24				
08-19-24				
08-20-24				
08-21-24				
08-22-24				
08-23-24				
08-24-24				
08-25-24				
08-26-24				
08-27-24				
08-28-24				
08-29-24				
08-30-24				
08-31-24				

**3. STAGE III HEAT ALERT MEDICAL ROUNDS LOG: PERFORMED IN HOUSING UNITS REACHING
INSIDE TEMPERATURES OF 95 DEGREES AND ABOVE**

Date	Time	Housing	Clinician
08-01-24	N/A	n/a	n/a
08-02-24	N/A	n/a	n/a
08-03-24	N/A	n/a	n/a
08-04-24	N/A	n/a	n/a
08-05-24	N/A	n/a	n/a
08-06-24	N/A	n/a	n/a
08-07-24	N/A	n/a	n/a
08-08-24	N/A	n/a	n/a
08-09-24	N/A	n/a	n/a
08-10-24	N/A	n/a	n/a
08-11-24	N/A	n/a	n/a
08-12-24	N/A	n/a	n/a
08-13-24	N/A	n/a	n/a
08-14-24	N/A	n/a	n/a
08-15-24	N/A	n/a	n/a
08-16-24	N/A	n/a	n/a
08-17-24	N/A	n/a	n/a
08-18-24	N/A	n/a	n/a
08-19-24	N/A	n/a	n/a
08-20-24	N/A	n/a	n/a
08-21-24	N/A	n/a	n/a
08-22-24	N/A	n/a	n/a
08-23-24	N/A	n/a	n/a
08-24-24	N/A	n/a	n/a
08-25-24	N/A	n/a	n/a
08-26-24	N/A	n/a	n/a
08-27-24	N/A	n/a	n/a
08-28-24	N/A	n/a	n/a
08-29-24	N/A	n/a	n/a
08-30-24	N/A	n/a	n/a
08-31-24	N/A	n/a	n/a

CIW HEAT LOG "DUE LIST"		(Numbers indicate the highest recorded inside temperature when cooling procedures were implemented.)																														
Month of AUGUST 2024		(X=Documented)															(Yellow squares denote missing Heat Logs)										(N=Temperature gage out of order)					
Updated Weekly		(M=Memorandum submitted for temperature log)																														
HOUSING UNIT		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Watch Commander		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Tower 1		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Control		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Miller A		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Miller B		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Latham A		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Latham B		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Emmons A		M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	
Emmons B		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Harrison A		X	X	X	X	X	X	X	X	X	M	M	M	M	M	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Harrison B		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Wilson A		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Wilson B		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Barneberg A		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Barneberg B		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
OPHU		M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	
PSU		M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	
H-12 (Forestry)		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
SCU		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
RHU		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Education		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
PIA		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
CTC		M	M	X	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	
PIP A/B		M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	
PIP C/D		M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	
HOUSING UNIT		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C/W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: THUR R 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	67	M. Adam
	0200	67	M. Adam
	0300	66	M. Caswell
	0400	62	M. Caswell
	0500	61	M. Caswell
	0600	68	HYPOLITE, R
	0700	63	HYPOLITE, R
	0800	65	HYPOLITE, R
	0900	70	HYPOLITE, R
	1000	74	HYPOLITE, R
	1100	70	HYPOLITE, R
	1200	85	HYPOLITE, R
	1300	88	HYPOLITE, R
	1400	90	M. Caswell
	1500	91	M. Caswell
	1600	90	M. Caswell
	1700	90	M. Caswell
	1800	87	M. Caswell
	1900	82	M. Caswell
	2000	77	M. Caswell
	2100	74	M. Caswell
	2200	72 ^{oF}	E. SUAREZ
	2300	70 ^{oF}	E. SUAREZ
	2400	68 ^{oF}	E. SUAREZ

1400 90°
1st Stage

1814
OFF STAGE I
86°

WEDNESDAY July 31, 2024

Date	Time	Temp.	Printed Name
AUGUST 1, 2024	0100	68 ^{oF}	E. SUAREZ
	0200	67 ^{oF}	E. SUAREZ
	0300	65 ^{oF}	E. SUAREZ
	0400	64 ^{oF}	E. SUAREZ
	0500	63 ^{oF}	E. SUAREZ
	0600	64	HOLGUIN
	0700	67	HOLGUIN
	0800	69	HOLGUIN
	0900	73	HOLGUIN
	1000	78	HOLGUIN
	1100	81	HOLGUIN
	1200	89	HOLGUIN
	1300	89	HOLGUIN
	1400	88	HOLGUIN
	1500	89	HOLGUIN
	1600	91	M. Caswell
	1700	89	M. Caswell
	1800	87	M. Caswell
	1900	85	M. Caswell
	2000	79	M. Caswell
	2100	76	M. Caswell
	2200	75	D. P. ROLES
	2300	73	D. P. ROLES
	2400	71	D. P. ROLES

1510
90°
1750
OFF STAGE I
87°

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
FRIDAY AUGUST 24, 2004	0100	71	D.FLORES
	0200	69	D.FLORES
	0300	69	D.FLORES
	0400	69	D.FLORES
	0500	68	D.FLORES
	0600	68	D.BUCKNER
	0700	70	D.Buckner
	0800	73	D.Buckner
	0900	78	D.Buckner
	1000	85	D.Buckner
	1100	89	D.Buckner
	1200	93	D.Buckner
	1300	96	D.Buckner
	1400	100°	E.HAM
	1500	100°	E.HAM
	1600	98°	E.HAM
	1700	97°	E.HAM
	1800	95°	E.HAM
	1900	92°	E.HAM
	2000	87°	E.HAM
	2100	83°	E.HAM
	2200	82	J.Torres
	2300	80	J.Torres
	2400	78	J.Torres

8/2 OFF STAGE 1 HEAT ALERT
@ 2045 HRS. (84°)

Date	Time	Temp.	Printed Name
SATURDAY AUGUST 25, 2004	0100	75	J.Torres
	0200	73	J.Torres
	0300	72	J.Torres
	0400	70	J.Torres
	0500	69	J.Torres
	0600	71	A.MEDINA
	0700	75	A.MEDINA
	0800	79	A.MEDINA
	0900	84	A.MEDINA
	1000	85	A.MEDINA
	1100	90	A.MEDINA
	1200	95	A.MEDINA
	1300	98	A.MEDINA
	1400	101°	E.HAM
	1500	103°	E.HAM
	1600	102°	E.HAM
	1700	100°	E.HAM
	1800	96°	E.HAM
	1900	92°	E.HAM
	2000	88°	E.HAM
	2100	83°	E.HAM
	2200	80	J.Torres
	2300	78	J.Torres
	2400	76	J.Torres

8/3 OFF STAGE 1 HEAT ALERT
@ 2030 HRS. (85°)

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

C.I.W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER-1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 4, 2024	0100	74	J. Torres
	0200	72	J. Torres
	0300	71	J. Torres
	0400	69	J. Torres
	0500	68	J. Torres
	0600	67	M LABRE
	0700	67	M LABRE
	0800	75	M LABRE
	0900	80	M LABRE
	1000	83	M LABRE
	1100	91	M LABRE
	1200	95	M LABRE
	1300	98	M LABRE
	1400	98	M LABRE
	1500	100	HARNS
	1600	101	HARNS
	1700	98	HARNS
	1800	95	HARNS
	1900	91	HARNS
	2000	85	HARNS
	2100	82	HARNS
	2200	80	J. Torres
	2300	78	J. Torres
	2400	77	J. Torres

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 5, 2024	0100	75	J. Torres
	0200	74	J. Torres
	0300	73	J. Torres
	0400	71	J. Torres
	0500	70	J. Torres
	0600	71	HOLGUIN
	0700	73	HOLGUIN
	0800	78	HOLGUIN
	0900	84	HOLGUIN
	1000	89	HOLGUIN
	1100	94	HOLGUIN
	1200	99	HOLGUIN
	1300	102	HOLGUIN
	1400	103	HOLGUIN
	1500	102	M. Caswell
	1600	101	M. Caswell
	1700	99	M. Caswell
	1800	97	M. Caswell
	1900	92	M. Caswell
	2000	88	M. Caswell
	2100	84	M. Caswell
	2200	83	M. Casper
	2300	80	M. Casper
	2400	78	M. Casper

1010
90°
off

2032 1st Stage
85°

Date	Time	Temp.	Printed Name
AUGUST 6, 2024	0100	74	M. Casper
	0200	73	M. Casper
	0300	73	M. Casper
	0400	72	M. Casper
	0500	70	M. Casper
	0600	68	M. Caswell
	0700	70	M. Caswell
	0800	74	M. Caswell
	0900	81	M. Caswell
	1000	87	M. Caswell
	1100	91	M. Caswell
	1200	94	M. Caswell
	1300	97	M. Caswell
	1400	98	M. Caswell
	1500	98	M. Caswell
	1600	91	M. Caswell
	1700	95	M. Caswell
	1800	92	M. Caswell
	1900	86	M. Caswell
	2000	82	M. Caswell
	2100	78	M. Caswell
	2200	73	M. Casper
	2300	74	M. Casper
	2400	77	M. Casper

1045
90° 1st
Stage HA

1915
85° off
Stage II

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C/W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: THURK 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
STAGE 1110 HRS 8-7-24	0100	73	M. Caswell
	0200	72	M. Caswell
	0300	71	M. Caswell
	0400	70	M. Caswell
	0500	69	M. Caswell
	0600	71	S. Tonnes
	0700	73	S. Tonnes
	0800	77	S. Tonnes
	0900	78	S. Tonnes
	1000	86	S. Tonnes
	1100	89	S. Tonnes
	1200	92	S. Tonnes
	1300	93	S. Tonnes
	1400	91	M. Caswell
	1500	92	M. Caswell
	1600	90	M. Caswell
	1700	97	M. Caswell
	1800	93	M. Caswell
	1900	86	M. Caswell
	2000	77	M. Caswell
	2100	74	M. Caswell
	2200	72	A. Bent
	2300	71	A. Bent
	2400	70	A. Bent

Date	Time	Temp.	Printed Name
THURSDAY Aug 8, 2024	0100	69	A. Bent
	0200	67	A. Bent
	0300	65	A. Bent
	0400	64	A. Bent
	0500	64	A. Bent
	0600	64	HOLGREN
	0700	65	HOLGREN
	0800	68	HOLGREN
	0900	73	HOLGREN
	1000	77	HOLGREN
	1100	81	HOLGREN
	1200	85	HOLGREN
	1300	88	HOLGREN
	1400	89	M. Caswell
	1500	98	M. Caswell
	1600	88	M. Caswell
	1700	86	M. Caswell
	1800	84	M. Caswell
	1900	80	M. Caswell
	2000	76	M. Caswell
	2100	73	M. Caswell
	2200	72	M. Caswell
	2300	71	A. Bent
	2400	70	A. Bent

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

Attachment D
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	69	AHM
	0200	67	AHM
	0300	65	AHM
	0400	64	AHM
	0500	64	AHM
	0600	64	HOLGUIN
	0700	65	HOLGUIN
	0800	67	HOLGUIN
	0900	73	HOLGUIN
	1000	77	HOLGUIN
	1100	83	HOLGUIN
	1200	88	HOLGUIN
	1300	92	HOLGUIN
	1400	95°	E. HAM
	1500	96°	E. HAM
	1600	96°	E. HAM
	1700	93°	E. HAM
	1800	90°	E. HAM
	1900	86°	E. HAM
	2000	80°	E. HAM
	2100	76°	E. HAM
	2200	75	J. Torres
	2300	73	J. Torres
	2400	72	J. Torres

FRI Aug 9, 2024

8/9 OFF STAGE 1 HEAT
 ALERT @ 1915 hrs. (84°)

Date	Time	Temp.	Printed Name
	0100	71	J. Torres
	0200	70	J. Torres
	0300	69	J. Torres
	0400	68	J. Torres
	0500	67	J. Torres
	0600	68	HOLGUIN
	0700	70	HOLGUIN
	0800	74	HOLGUIN
	0900	78	HOLGUIN
	1000	84	HOLGUIN
	1100	88	HOLGUIN
	1200	92	HOLGUIN
	1300	95	HOLGUIN
	1400	98	MARTINEZ
	1500	98	MARTINEZ
	1600	97	MARTINEZ
	1700	95	MARTINEZ
	1800	87	MARTINEZ
	1900	86	MARTINEZ
	2000	84	MARTINEZ
	2100	83	MARTINEZ
	2200	77	Torres
	2300	75	Torres
	2400	74	Torres

8/10 OFF STAGE 1 HEAT
 ALERT @ 1922 hrs (86°)

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

C.I.W.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY AUGUST 11, 2024	0100	73	J. TORRES
	0200	72	J. TORRES
	0300	70	J. TORRES
	0400	69	J. TORRES
	0500	68	J. TORRES
	0600	70	L MARTINEZ
	0700	73	L MARTINEZ
	0800	74	L MARTINEZ
	0900	80	L MARTINEZ
	1000	86	L Martinez
	1100	90	L Martinez
	1200	95	L MARTINEZ
	1300	97	L MARTINEZ
	1400	96	K HARRIS
	1500	94	K HARRIS
	1600	93	K HARRIS
	1700	91	K HARRIS
	1800	87	K HARRIS
	1900	80	K HARRIS
	2000	79	K HARRIS
	2100	77	K HARRIS
	2200	78	J. TORRES
	2300	76	J. TORRES
	2400	74	J. TORRES

90°

18 20 HOURS

86

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C-LW.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 12, 2024	0100	73	J. Torres
	0200	71	J. Torres
	0300	70	J. Torres
	0400	68	J. Torres
	0500	67	J. Torres
	0600	68	HOLGUIN
	0700	70	HOLGUIN
	0800	73	HOLGUIN
	0900	78	HOLGUIN
	1000	83	HOLGUIN
	1100	87	HOLGUIN
	1200	90	HOLGUIN
	1300	92	HOLGUIN
	1400	93	HOLGUIN
	1500	92	M. Caswell
	1600	90	M. Caswell
	1700	89	M. Caswell
	1800	87	M. Caswell
	1900	84	M. Caswell
	2000	80	M. Caswell
	2100	78	M. Caswell
	2200	76	M. Casper
	2300	74	M. Casper
	2400	73	M. Casper

1154
90°

1710
Off 89°
Stage 1

Date	Time	Temp.	Printed Name
AUGUST 13, 2024	0100	72	M. Casper
	0200	71	M. Casper
	0300	70	M. Casper
	0400	69	M. Casper
	0500	69	M. Casper
	0600	64	M. Caswell
	0700	66	M. Caswell
	0800	70	M. Caswell
	0900	75	M. Caswell
	1000	81	M. Caswell
	1100	85	M. Caswell
	1200	89	M. Caswell
	1300	92	M. Caswell
	1400	93	M. Caswell
	1500	93	M. Caswell
	1600	91	M. Caswell
	1700	89	M. Caswell
	1800	86	M. Caswell
	1900	82	M. Caswell
	2000	78	M. Caswell
	2100	76	M. Caswell
	2200	75	M. Casper
	2300	74	M. Casper
	2400	72	M. Casper

121
15° 90°
5x 5x5
1751
87°
Off 1st
Stage

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C/W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: THURK 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

1204
91°

14/24

1825 870
04 570 X

Date	Time	Temp.	Printed Name
	0100	71	M. Caswell
	0200	76	M. Caswell
	0300	70	M. Caswell
	0400	68	M. Caswell
	0500	67	M. Caswell
	0600	66	S. Tonnes
	0700	66	S. Tonnes
	0800	71	S. Tonnes
	0900	77	S. Tonnes
	1000	82	S. Tonnes
	1100	86	S. Tonnes
	1200	89	S. Tonnes
	1300	90	S. Tonnes
	1400	94	M. Caswell
	1500	93	M. Caswell
	1600	92	M. Caswell
	1700	91	M. Caswell
	1800	89	M. Caswell
	1900	85	M. Caswell
	2000	80	M. Caswell
	2100	77	M. Caswell
	2200	74	A. Bento
	2300	73	A. Bento
	2400	72	A. Bento

THURS. MAY 15, 2003

1157
90°

1450
86°

Date	Time	Temp.	Printed Name
	0100	70	A. Bento
	0200	68	A. Bento
	0300	67	A. Bento
	0400	65	A. Bento
	0500	64	A. Bento
	0600	63	HOLGUIN
	0700	65	HOLGUIN
	0800	69	HOLGUIN
	0900	74	HOLGUIN
	1000	80	HOLGUIN
	1100	86	HOLGUIN
	1200	90	HOLGUIN
	1300	92	HOLGUIN
	1400	93	M. Caswell
	1500	94	M. Caswell
	1600	93	M. Caswell
	1700	92	M. Caswell
	1800	89	M. Caswell
	1900	86	M. Caswell
	2000	82	M. Caswell
	2100	79	M. Caswell
	2200	76	A. Bento
	2300	74	A. Bento
	2400	73	A. Bento

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIV

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	71	A. COLE
	0200	76	HOLGUIN
	0300	68	HUBERT
	0400	67	HUBERT
	0500	65	HUBERT
	0600	66	HOLGUIN
	0700	68	HOLGUIN
	0800	70	HOLGUIN
	0900	74	HOLGUIN
	1000	81	HOLGUIN
	1100	86	HOLGUIN
	1200	90	HOLGUIN
	1300	92	HOLGUIN
	1400	95°	E. HAM
	1500	96°	E. HAM
	1600	97°	E. HAM
	1700	94°	E. HAM
	1800	91°	E. HAM
	1900	86°	E. HAM
	2000	81°	E. HAM
	2100	78°	E. HAM
	2200	75	J. Torres
	2300	73	J. Torres
	2400	72	J. Torres

8/16 OFF STAGE 1 HEAT
ALERT @ 1915 (84°)

Date	Time	Temp.	Printed Name
	0100	70	J. Torres
	0200	69	J. Torres
	0300	68	J. Torres
	0400	67	J. Torres
	0500	66	J. Torres
	0600	65	HOLGUIN
	0700	69	HOLGUIN
	0800	72	HOLGUIN
	0900	75	HOLGUIN
	1000	78	HOLGUIN
	1100	80	HOLGUIN
	1200	84	HOLGUIN
	1300	88	HOLGUIN
	1400	90°	E. HAM
	1500	91°	E. HAM
	1600	89°	E. HAM
	1700	86°	E. HAM
	1800	83°	E. HAM
	1900	79°	E. HAM
	2000	75°	E. HAM
	2100	73°	E. HAM
	2200	70	J. Torres
	2300	69	J. Torres
	2400	68	J. Torres

8/17 ON STAGE 1 HEAT
ALERT @ 1340 (90°)
8/17 OFF STAGE 1 HEAT
ALERT @ 1700 (86°)

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C-LW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY AUGUST 18, 2024	0100	67	J. Torres
	0200	66	J. Torres
	0300	65	J. Torres
	0400	64	J. Torres
	0500	63	J. Torres
	0600	67	HOLGUIN
	0700	66	HOLGUIN
	0800	67	HOLGUIN
	0900	73	HOLGUIN
	1000	77	HOLGUIN
	1100	82	HOLGUIN
	1200	86	HOLGUIN
	1300	90	HOLGUIN
	1400	94	HOLGUIN
	1500	91	HARRIS
	1600	90	HARRIS
	1700	89	HARRIS
	1800	85	HARRIS
	1900	81	HARRIS
	2000	77	HARRIS
	2100	74	HARRIS
	2200	73	J. Torres
	2300	71	J. Torres
	2400	70	J. Torres

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

Stage 1
1300
90°

OFF Stage 1
7730

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

C.I.W.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 19, 2024	0100	69	J. Torres
	0200	67	J. Torres
	0300	65	J. Torres
	0400	64	J. Torres
	0500	63	J. Torres
	0600	64	HOLGUIN
	0700	66	HOLGUIN
	0800	68	HOLGUIN
	0900	74	HOLGUIN
	1000	80	HOLGUIN
	1100	81	HOLGUIN
	1200	91	HOLGUIN
	1300	94	HOLGUIN
	1400	95	Ramirez RA
	1500	96	Ramirez RA
	1600	96	Ramirez RA
	1700	93	M. Caswell
	1800	91	M. Caswell
	1900	87	M. Caswell
	2000	82	M. Caswell
	2100	78	M. Caswell
	2200	77	M. Caswell
	2300	76	M. Caswell
	2400	74	M. Caswell

Date	Time	Temp.	Printed Name
AUGUST 20, 2024	0100	73	M. Caswell
	0200	71	M. Caswell
	0300	70	M. Caswell
	0400	69	M. Caswell
	0500	68	M. Caswell
	0600	63	M. Caswell
	0700	64	M. Caswell
	0800	70	M. Caswell
	0900	78	M. Caswell
	1000	84	M. Caswell
	1100	91	M. Caswell
	1200	97	M. Caswell
	1300	99	M. Caswell
	1400	101	M. Caswell
	1500	101	M. Caswell
	1600	101	M. Caswell
	1700	99	M. Caswell
	1800	96	M. Caswell
	1900	91	M. Caswell
	2000	85	M. Caswell
	2100	81	M. Caswell
	2200	78	M. Caswell
	2300	75	M. Caswell
	2400	76	M. Caswell

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C/W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

1123
91
1ST
STAGE

Date	Time	Temp.	Printed Name
	0100	75	M. Caswell
	0200	73	M. Caswell
	0300	72	M. Caswell
	0400	70	M. Caswell
	0500	69	M. Caswell
	0600	66	S. Tonnes
	0700	68	S. Tonnes
	0800	71	S. Tonnes
	0900	77	S. Tonnes
	1000	84	S. Tonnes
	1100	88	S. Tonnes
	1200	93	S. Tonnes
	1300	97	S. Tonnes
	1400	97	M. Caswell
	1500	96	M. Caswell
	1600	95	M. Caswell
	1700	92	M. Caswell
	1800	89	M. Caswell
	1900	82	M. Caswell
	2000	78	M. Caswell
	2100	75	M. Caswell
	2200	73	A. Bent
	2300	71	A. Bent
	2400	70	A. Bent

1844
84°
Off Stage
I

Date	Time	Temp.	Printed Name
THUR May 22, 2024			
	0100	69	A. Bent
	0200	67	A. Bent
	0300	65	A. Bent
	0400	64	A. Bent
	0500	63	A. Bent
	0600	62	A. Bent
	0700	64	A. Bent
	0800	67	A. Bent
	0900	72	A. Bent
	1000	78	A. Bent
	1100	83	A. Bent
	1200	87	A. Bent
	1300	89	A. Bent
	1400	89	M. Caswell
	1500	89	M. Caswell
	1600	88	M. Caswell
	1700	85	M. Caswell
	1800	83	M. Caswell
	1900	79	M. Caswell
	2000	74	M. Caswell
	2100	72	M. Caswell
	2200	70	A. Bent
	2300	67	A. Bent
	2400	65	A. Bent

1405
90°
1545
88

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment D
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CWJ

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	65	Alden
	0200	65	Alden
	0300	62	T. Parker
	0400	61	T. Parker
	0500	60	T. Parker
	0600	60	HOLGUIN
	0700	61	HOLGUIN
	0800	64	HOLGUIN
	0900	67	HOLGUIN
	1000	72	HOLGUIN
	1100	76	HOLGUIN
	1200	81	HOLGUIN
	1300	84	HOLGUIN
	1400	86°	E. HAM
	1500	87°	E. HAM
	1600	86°	E. HAM
	1700	85°	E. HAM
	1800	81°	E. HAM
	1900	76°	E. HAM
	2000	72°	E. HAM
	2100	70°	E. HAM
	2200	68	J. Torres
	2300	66	J. Torres
	2400	65	J. Torres

FRI MAY 23, 2024

Date	Time	Temp.	Printed Name
	0100	64	J. Torres
	0200	63	J. Torres
	0300	62	J. Torres
	0400	61	J. Torres
	0500	60	J. Torres
	0600	61	HOLGUIN
	0700	64	HOLGUIN
	0800	67	HOLGUIN
	0900	70	HOLGUIN
	1000	72	HOLGUIN
	1100	76	HOLGUIN
	1200	81	HOLGUIN
	1300	84	HOLGUIN
	1400	86°	E. HAM
	1500	86°	E. HAM
	1600	84°	E. HAM
	1700	83°	E. HAM
	1800	79°	E. HAM
	1900	75°	E. HAM
	2000	73°	E. HAM
	2100	70°	E. HAM
	2200	69	J. Torres
	2300	67	J. Torres
	2400	66	J. Torres

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER-1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 25, 2024 SUNDAY	0100	64	J. Torres
	0200	63	J. Torres
	0300	62	J. Torres
	0400	61	J. Torres
	0500	60	J. Torres
	0600	62	L. Martinez
	0700	62	L. Martinez
	0800	64	L. Martinez
	0900	70	L. Martinez
	1000	74	L. Martinez
	1100	77	L. MARTINEZ
	1200	82	L. MARTINEZ
	1300	86	L. MARTINEZ
	1400	88	L. Martinez
	1500	87	K. HARZES
	1600	86	K. HARZES
	1700	84	K. HARZES
	1800	83	K. HARZES
	1900	79	K. HARZES
	2000	75	K. HARZES
	2100	72	K. HARZES
	2200	71	J. Torres
	2300	68	J. Torres
	2400	67	J. Torres

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY AUGUST 26, 2024	0100	66	J. Torres
	0200	65	J. Torres
	0300	64	J. Torres
	0400	62	J. Torres
	0500	61	J. Torres
	0600	62	HOLGUIN
	0700	64	HOLGUIN
	0800	69	HOLGUIN
	0900	74	HOLGUIN
	1000	78	HOLGUIN
	1100	82	HOLGUIN
	1200	86	HOLGUIN
	1300	90	HOLGUIN
	1400	91	HOLGUIN
	1500	92	Miranda
	1600	93	Miranda
	1700	91	Miranda
	1800	88	Miranda
	1900	83	Miranda
	2000	81	Miranda
	2100	75	Miranda
	2200	75	M. Caswell
	2300	75	M. Caswell
	2400	72	M. Caswell

1257
90°

Date	Time	Temp.	Printed Name
TUESDAY AUGUST 27, 2024	0100	69	M. Caswell
	0200	68	M. Caswell
	0300	67	M. Caswell
	0400	66	M. Caswell
	0500	65	M. Caswell
	0600	62	M. Caswell
	0700	63	M. Caswell
	0800	66	M. Caswell
	0900	71	M. Caswell
	1000	76	M. Caswell
	1100	83	M. Caswell
	1200	87	M. Caswell
	1300	89	M. Caswell
	1400	91	M. Caswell
	1500	92	M. Caswell
	1600	91	M. Caswell
	1700	89	M. Caswell
	1800	86	M. Caswell
	1900	82	M. Caswell
	2000	77	M. Caswell
	2100	73	M. Caswell
	2200	73	M. Caswell
	2300	70	M. Caswell
	2400	69	M. Caswell

1308
90°

1743

870

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: PARK 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WED 8-28-2024	0100	68	M. Caswell
	0200	67	M. Caswell
	0300	66	M. Caswell
	0400	65	M. Caswell
	0500	64	M. Caswell
	0600	63	S. Tonnes
	0700	63	S. Tonnes
	0800	66	S. Tonnes
	0900	68	S. Tonnes
	1000	73	S. Tonnes
	1100	77	S. Tonnes
	1200	82	S. Tonnes
	1300	84	S. Tonnes
	1400	87	M. Caswell
	1500	87	M. Caswell
	1600	87	M. Caswell
	1700	84	M. Caswell
	1800	81	M. Caswell
	1900	77	M. Caswell
	2000	73	M. Caswell
	2100	70	M. Caswell
	2200	69	A. Hertel
	2300	67	Hertel
	2400	65	Hertel

Date	Time	Temp.	Printed Name
Thur. 8-29-2024	0100	74	Hertel
	0200	73	Hertel
	0300	72	Hertel
	0400	71	Hertel
	0500	70	Hertel
	0600	69	HOLGUN
	0700	63	HOLGUN
	0800	67	HOLGUN
	0900	67	HOLGUN
	1000	72	HOLGUN
	1100	76	HOLGUN
	1200	80	HOLGUN
	1300	84	HOLGUN
	1400	86	A. JAYCER
	1500	86	A. JAYCER
	1600	86	M. Caswell
	1700	85	M. Caswell
	1800	82	M. Caswell
	1900	77	M. Caswell
	2000	72	M. Caswell
	2100	70	M. Caswell
	2200	68	JOSA
	2300	60	JOSA
	2400	55	JOSA

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.W 8.30-24

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Tower 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	64	C.JOSA
	0200	63	C.JOSA
	0300	62	C.JOSA
	0400	60	C.JOSA
	0500	60	C.JOSA
	0600	60	HOLGUIN
	0700	62	HOLGUIN
	0800	64	HOLGUIN
	0900	68	HOLGUIN
	1000	73	HOLGUIN
	1100	77	HOLGUIN
	1200	81	HOLGUIN
	1300	83	HOLGUIN
	1400	87°	E.HAM
	1500	88°	E.HAM
	1600	87°	E.HAM
	1700	84°	E.HAM
	1800	79°	E.HAM
	1900	75°	E.HAM
	2000	70°	E.HAM
	2100	68°	E.HAM
	2200	68	J.Torres
	2300	67	J.Torres
	2400	66	J.Torres

FRIDAY AUGUST 30, 2024

Date	Time	Temp.	Printed Name
	0100	65	J.Torres
	0200	64	J.Torres
	0300	63	J.Torres
	0400	61	J.Torres
	0500	60	J.Torres
	0600	61	HOLGUIN
	0700	63	HOLGUIN
	0800	66	HOLGUIN
	0900	69	HOLGUIN
	1000	76	HOLGUIN
	1100	83	HOLGUIN
	1200	86	HOLGUIN
	1300	88	HOLGUIN
	1400	91°	E.HAM
	1500	91°	E.HAM
	1600	90°	E.HAM
	1700	88°	E.HAM
	1800	86°	E.HAM
	1900	81°	E.HAM
	2000	76°	E.HAM
	2100	74°	E.HAM
	2200	73	J.Torres
	2300	72	J.Torres
	2400	71	J.Torres

SATURDAY AUGUST 31, 2024

1324
90°

8/31 OFF STAGE 1 HEAT

ALERT @ 1730 (87°)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIV Housing Unit: Miller A Temp. Reading Location: LH / SH

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	78	A. FLORES
	0600	76	A. BANUELOS
	0900	78	A. BANUELOS
	1200	79	A. BANUELOS
	1500	80	A. MARES
	1800	80	A. MARES
	2100	80	A. MARES
	2400	78	A. FLORES

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	78	A. FLORES
	0600	80	J. MORENO
	0900	80	J. MORENO
	1200	83	J. MORENO
	1500	83	N. PEREZ
	1800	82	N. PEREZ
	2100	80	N. PEREZ
	2400	82	A. FLORES

Date	Time	Temp.	Name (Print)
8/3/24	0300	81	A. FLORES
	0600	81	A. FLORES
	0900	82	A. COSTA
	1200	84	A. COSTA
	1500	86	M. TAVIRA
	1800	87	M. TAVIRA
	2100	85	M. TAVIRA
	2400	83	DONOSO

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	83	DONOSO
	0600	82	S. VOLTZ
	0900	81	S. VOLTZ
	1200	83	S. VOLTZ
	1500	87	D. RENTERIA
	1800	87	D. RENTERIA
	2100	86	D. RENTERIA
	2400	85	J. GOMEZ

Notes: Date and type of cooling measures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

1. To the Heat Plan Coordinator
2. To the Watch Commander
3. To the Heat Risk List Manager

For and for the
heat risk list may be
used to monitor
inmates and other

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: MILLERA Temp. Reading Location: C4/S1T
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/05/24	0300	84	J. Gomez
	0600	83	S. VOLZ
	0900	82	S. VOLZ
	1200	83	S. VOLZ
	1500	85	Jones
	1800	88	Jones
	2100	86	Jones
	2400	85	J. Gomez

Tuesday

Date	Time	Temp.	Name (Print)
5/06/24	0300	85	J. Gomez
	0600	84	S. VOLZ
	0900	83	S. VOLZ
	1200	85	S. VOLZ
	1500	88	Jones
	1800	88	Jones
	2100	84	Jones
	2400	84	A. Flores

Wednesday

Date	Time	Temp.	Name (Print)
5/07/24	0300	83	A. Flores
	0600	84	Junker
	0900	83	Junker
	1200	85	Aguilera
	1500	85	Jones
	1800	85	Jones
	2100	85	Jones
	2400	80	A. Flores

Thursday

Date	Time	Temp.	Name (Print)
5/08/24	0300	82	A. Flores
	0600	74	Junker
	0900	75	Junker
	1200	83	Junker
	1500	83	Acosta
	1800	84	Acosta
	2100	84	Acosta
	2400	79	Stevens

Friday

Date	Time	Temp.	Name (Print)
5/09/24	0300	79	Stevens
	0600	81	D. RENTERIA
	0900	82	D. RENTERIA
	1200	83	D. RENTERIA
	1500	85	C. Martinez
	1800	87	C. Martinez
	2100	85	C. Martinez
	2400	80	A. Flores

Saturday

Date	Time	Temp.	Name (Print)
5/10/24	0300	80	A. Flores
	0600	73	Hudson
	0900	74	Hudson
	1200	76	Hudson
	1500	77	Perez
	1800	78	Perez
	2100	77	Perez
	2400	79	Dondolo

Notes: Date and type of cooling measures provided

Date	Time	Temp.	Name (Print)
5/11/24	0300	78	Dondolo
	0600	82	S. VOLZ
	0900	83	S. VOLZ
	1200	85	S. VOLZ
	1500	83	N. Hudson
	1800	83	N. Hudson
	2100	80	N. Hudson
	2400	84	J. Gomez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2051 (6/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C/W Housing Unit: MILLER A Temp. Reading Location: LH / SH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	83	J. GONZALEZ
	0600	83	S. VOLTZ
	0900	83	S. VOLTZ
	1200	84	S. VOLTZ
	1500	84	A. ANIESTA
	1800	84	A. ANIESTA
	2100	84	A. ANIESTA
	2400	84	J. GOMEZ

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	82	J. GOMEZ
	0600	82	S. VOLTZ
	0900	82	S. VOLTZ
	1200	83	S. VOLTZ
	1500	84	A. ANIESTA
	1800	84	A. ANIESTA
	2100	84	A. ANIESTA
	2400	83	A. FLORES

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	81	A. FLORES
	0600	82	AQUINNE
	0900	80	REYES
	1200	83	AQUINNE
	1500	82	A. ANIESTA
	1800	82	A. ANIESTA
	2100	82	A. ANIESTA
	2400	83	BANUELOS

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	82	BANUELOS
	0600	81	REYES
	0900	81	REYES
	1200	83	REYES
	1500	82	A. ANIESTA
	1800	85	A. ANIESTA
	2100	84	A. ANIESTA
	2400	82	STEVES

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	82	STEVES
	0600	81	D. RENTERIA
	0900	82	D. RENTERIA
	1200	83	D. RENTERIA
	1500	83	RAMIREZ C.
	1800	83	RAMIREZ C.
	2100	83	RAMIREZ C.
	2400	83	A. ECORES

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	82	A. ECORES
	0600	82	S. VOLTZ
	0900	82	S. VOLTZ
	1200	83	S. VOLTZ
	1500	84	S. VOLTZ
	1800	83	S. VOLTZ
	2100	82	S. VOLTZ
	2400	80	DONOSO

Notes : Date and type of cooling measures provided

Date	Time	Temp.	Name (Print)
8/18/24	0300	79	DONOSO
	0600	78	QUINTANA
	0900	80	QUINTANA
	1200	82	QUINTANA
	1500	81	A. ANIESTA
	1800	84	A. ANIESTA
	2100	83	A. ANIESTA
	2400	82	J. GOMEZ

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIVY Housing Unit: Miller A Temp. Reading Location: LH / SH

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	81	J. Gomez
	0600	80	S. Volz
	0900	80	S. Volz
	1200	82	S. Volz
	1500	84	A. Flores
	1800	84	A. Flores
	2100	83	A. Flores
	2400	82	J. Gomez

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	80	A. Flores
	0600	79	Stubblefield
	0900	78	Stubblefield
	1200	78	Stubblefield
	1500	85	A. Flores
	1800	85	A. Flores
	2100	83	A. Flores
	2400	83	A. Flores

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	80	A. Flores
	0600	80	D. Renteria
	0900	80	D. Renteria
	1200	81	D. Renteria
	1500	82	G. Meeks
	1800	83	G. Meeks
	2100	81	G. Meeks
	2400	81	G. Meeks

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	76	D. Hudson
	0600	78	S. Volz
	0900	78	S. Volz
	1200	79	S. Volz
	1500	81	A. Flores
	1800	83	A. Flores
	2100	82	A. Flores
	2400	80	J. Gomez

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	81	C. Gomez
	0600	80	S. Volz
	0900	81	S. Volz
	1200	82	S. Volz
	1500	84	A. Flores
	1800	83	A. Flores
	2100	84	A. Flores
	2400	78	A. Flores

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	82	A. Flores
	0600	80	J. Junker
	0900	80	J. Junker
	1200	81	J. Junker
	1500	84	A. Flores
	1800	83	A. Flores
	2100	82	A. Flores
	2400	81	A. Flores

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	79	N. Hudson
	0600	79	S. Volz
	0900	79	S. Volz
	1200	79	S. Volz
	1500	76	N. Hudson
	1800	76	N. Hudson
	2100	76	N. Hudson
	2400	76	D. Hudson

Notes: Date and type of cooling measures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C/W Housing Unit: MILLER A Temp. Reading Location: CH/S4
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	78	J. Gomez ✓
	0600	78	S. VOLZ
	0900	78	S. VOLZ
	1200	79	S. VOLZ
	1500	81	A. Amete ✓
	1800	84	A. Amete
	2100	82	A. Amete
	2400	80	J. Gomez

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	80	A. FLORES
	0600	78	Stubblefield
	0900	78	Stubblefield
	1200	79	Stubblefield
	1500	84	A. Amete
	1800	83	A. Amete
	2100	82	A. Amete
	2400	81	Schellman

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	79	STURGEON
	0600	78	Eguinda
	0900	79	Eguinda
	1200	80	Eguinda
	1500	80	Kanner
	1800	80	C. Kanner
	2100	80	C. Kanner
	2400	79	A. FLORES

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	79	DUNSO
	0600	79	S. VOLZ
	0900	80	S. VOLZ
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	80	J. Gomez ✓
	0600	79	S. VOLZ
	0900	79	S. VOLZ
	1200	80	S. VOLZ
	1500	83	A. Amete
	1800	83	A. Amete
	2100	82	A. Amete
	2400	80	A. FLORES

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	81	Schellman
	0600	78	D. FLORES
	0900	79	D. FLORES
	1200	79	D. FLORES
	1500	83	A. Amete
	1800	82	A. Amete
	2100	82	A. Amete
	2400	82	Stevens

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	79	A. FLORES
	0600	78	S. VOLZ
	0900	78	S. VOLZ
	1200	80	S. VOLZ
	1500	81	J. CASTRO
	1800	80	J. CASTRO
	2100	79	BONSO
	2400	79	BONSO

Notes: Date and type of cooling measures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Fm: _____

am - on-call loc:

1. P. - on-call

2. M. - on-call

For any listing the inmate on the heat risk list may be housed during:

2. Eliminate only a heat

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Miller-B Temp. Reading Location: HALL-1 & HALL-2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2/2015	0300	76	CASTANON
	0600	80	COBERLY
	0900	80	COBERLY
	1200	80	COBERLY
	1500	80	STUBBLEFIELD
	1800	80	STUBBLEFIELD
	2100	80	STUBBLEFIELD
	2400	79°	A. TRIAS

Sunday

Date	Time	Temp.	Name (Print)
8/04/2015	0300	79°	A. TRIAS
	0600	78	J. Meadow
	0900	83	M. Murch
	1200	83	M. Murch
	1500	80	A. FONES
	1800	80	A. FONES
	2100	80	A. FONES
	2400	79	PULICARI

Thursday NEW MON ITT - START

Date	Time	Temp.	Name (Print)
8/1/2015	0300	78	I.WY
	0600	75	C. CORTEZ
	0900	79	C. CORTEZ
	1200	79	C. CORTEZ
	1500	79	STUBBLEFIELD
	1800	78	STUBBLEFIELD
	2100	78	STUBBLEFIELD
	2400	78	CASTANON

Saturday

Date	Time	Temp.	Name (Print)
8/03/2015	0300	79°	A. TRIAS
	0600	81	M. Tavira
	0900	80	M. Tavira
	1200	81	M. Tavira
	1500	83	Williams
	1800	83	Williams
	2100	83	Williams
	2400	80°	A. TRIAS

Notes: Date and type of cooling measures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

For May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: MIC. B Temp. Reading Location: (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300	79	PULICARI	<i>(initials)</i>
0600	79	Herrera	
0900	80	Herrera	
1200	80	Herrera	
1500	81	Unlisted	
1800	82	Unlisted	
2100	81	Velazco	
2400	80	PULICARI	<i>(initials)</i>

Wednesday

Date	Time	Temp.	Name (Print)
0300	79	PULICARI	<i>(initials)</i>
0600	79	C-CORTES	
0900	79	C-CORTES	
1200	80	C-CORTES	<i>(initials)</i>
1500	80	STUBBLEFIELD	
1800	80	STUBBLEFIELD	
2100	80	STUBBLEFIELD	
2400	80	PULICARI	

Friday

Date	Time	Temp.	Name (Print)
0300	80	PULICARI	<i>(initials)</i>
0600	80	HEERRERA	<i>(initials)</i>
0900	81	HEERRERA	
1200	82	HEERRERA	
1500	85	AVENDAÑO	
1800	84	AVENDAÑO	
2100	84	AVENDAÑO	
2400	80	A. THIAS	

Sunday

Date	Time	Temp.	Name (Print)
0300	80°	A. THIAS	
0600	80	C. HERRERA	
0900	81	C. HERRERA	
1200	81	C. HERRERA	
1500	84	S. VOLZ	
1800	84	S. VOLZ	
2100	85	S. VOLZ	<i>(initials)</i>
2400	82	J. ESCOBEDO	<i>(initials)</i>

Tuesday

Date	Time	Temp.	Name (Print)
0300	79	PULICARI	<i>(initials)</i>
0600	79	HEERRERA	
0900	79	HEERRERA	
1200	80	HEERRERA	
1500	80	STUBBLEFIELD	
1800	79	STUBBLEFIELD	
2100	79	STUBBLEFIELD	
2400	79	PULICARI	

Thursday

Date	Time	Temp.	Name (Print)
0300	79	PULICARI	<i>(initials)</i>
0600	77	C-CORTES	
0900	79	C-CORTES	
1200	80	C-CORTES	
1500	80	AVENDAÑO	<i>(initials)</i>
1800	81	AVENDAÑO	
2100	80	AVENDAÑO	
2400	81	PULICARI	

Saturday

Date	Time	Temp.	Name (Print)
0300	80°	A. THIAS	
0600	89	ESCALANTE	
0900	80	ESCALANTE	
1200	81	ESCALANTE	
1500	81	WILLIAMS	
1800	82	WILLIAMS	
2100	81	WILLIAMS	
2400	80°	A. THIAS	<i>(initials)</i>

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Milk/B Temp. Reading Location: Hell 1 Hell 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	80	J. Escalado
	0600	80	C. Herrera
	0900	81	C. Herrera
	1200	82	C. Herrera
	1500	82	C. Herrera
	1800	81	C. Herrera
	2100	80	C. Herrera
	2400	82	J. Escalado

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	80	J. Escalado
	0600	81	E. Acosta
	0900	80	E. Acosta
	1200	80	E. Acosta
	1500	80	E. Acosta
	1800	80	E. Acosta
	2100	80	E. Acosta
	2400	79	J. Escalado

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	78	J. Escalado
	0600	78	Rocha
	0900	79	Rocha
	1200	78	Stubbiefield
	1500	79	Stubbiefield
	1800	79	Stubbiefield
	2100	79	Stubbiefield
	2400	79	A. Trias

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	79°	A. Trias
	0600	78	P. Hudson
	0900	79	N. Hudson
	1200	78	N. Hudson
	1500	78	N. Hudson
	1800	78	N. Hudson
	2100	78	N. Hudson
	2400	78	J. Escalado

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	80	J. Escalado
	0600	81	C. Herrera
	0900	82	C. Herrera
	1200	81	C. Herrera
	1500	83	J. Cuelar
	1800	86	J. Cuelar
	2100	84	J. Cuelar
	2400	82	J. Escalado

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	79	J. Escalado
	0600	79	E. Acosta
	0900	79	E. Acosta
	1200	83	E. Acosta
	1500	80	Stubbiefield
	1800	80	Stubbiefield
	2100	80	Stubbiefield
	2400	79	J. Escalado

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	79°	A. Trias
	0600	82	Quintana
	0900	82	Quintana
	1200	83	Quintana
	1500	80	A. Coria
	1800	79	A. Coria
	2100	78	A. Coria
	2400	79°	A. Trias

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Mille 2 B Temp. Reading Location: Hg 11 1 Hg 11 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	78	J. Escobedo ✓
	0600	80	C. Herrera
	0900	79	C. Herrera
	1200	83	C. Herrera
	1500	85	K. Smith +
	1800	84	K. Smith
	2100	83	K. Smith
	2400	82	J. Escobedo ↗

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	82	J. Escobedo
	0600	80	I. Reed
	0900	79	I. Reed
	1200	86	I. Reed
	1500	86	Navarrete
	1800	85	Navarrete
	2100	84	Navarrete
	2400	82	J. Escobedo

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	78	J. Escobedo ↗
	0600	79	C. Herrera
	0900	76	C. Herrera
	1200	81	C. Herrera
	1500	81	P. Ruiz
	1800	81	B. Munoz
	2100	80	B. Munoz
	2400	79°	A. Trias

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	78°	A. Trias
	0600	77	C. Herrera
	0900	77	C. Herrera
	1200	80	C. Herrera
	1500	80	B. Munoz
	1800	80	B. Munoz
	2100	80	B. Munoz
	2400	79	J. Escobedo

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	80	J. Escobedo
	0600	80	C. Herrera
	0900	82	C. Herrera
	1200	85	C. Herrera
	1500	86	K. Navarrete
	1800	86	K. Navarrete
	2100	85	K. Navarrete
	2400	83	J. Escobedo ↗

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	81	J. Escobedo ↗
	0600	80	C. Contreras
	0900	80	C. Contreras
	1200	81	C. Contreras
	1500	80	Stabbiefield
	1800	79	Stabbiefield
	2100	79	Stabbiefield
	2400	79	J. Escobedo

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	79°	A. Trias ↗
	0600	78	C. Herrera
	0900	78	C. Herrera
	1200	79	C. Herrera
	1500	80	S. Volz
	1800	81	S. Volz
	2100	81	S. Volz
	2400	79°	A. Trias

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Miller B Temp. Reading Location: Hall 1 Hall 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	78	J. Escalado ✓
	0600	78	C. Herrera
	0900	77	C. Herrera
	1200	80	C. Herrera
	1500	81	N. Gauer
	1800	81	N. Gauer
	2100	79	N. Gauer
	2400	79	J. Escalado

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	78	J. Escalado
	0600	79	E. Escalado
	0900	79	E. Escalado
	1200	80	E. Escalado
	1500	79	Stubblefield
	1800	79	Stubblefield
	2100	78	Stubblefield
	2400	78	J. Escalado

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	77	J. Escalado
	0600	75	C. Herrera
	0900	75	C. Herrera
	1200	79	C. Herrera
	1500	79	Stubblefield
	1800	79	Stubblefield
	2100	78	Stubblefield
	2400	79	A. TRIAS

Sunday

Date	Time	Temp.	Name (Print)
	0300	78°	A. TRIAS
	0600	79°	C. Herrera
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	78	J. Escalado
	0600	78	C. Herrera
	0900	77	C. Herrera
	1200	81	C. Herrera
	1500	80	Stubblefield
	1800	79	Stubblefield
	2100	79	Stubblefield
	2400	79	J. Escalado

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	77	J. Escalado
	0600	78	C. CORTEZ
	0900	79	C. CORTEZ
	1200	79	C. CORTEZ
	1500	79	Stubblefield
	1800	79	Stubblefield
	2100	79	Stubblefield
	2400	78	J. Escalado

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	78°	A. TRIAS
	0600	78	C. Herrera
	0900	79	C. Herrera
	1200	80	C. Herrera
	1500	81	C. Herrera
	1800	79	C. Herrera
	2100	79°	C. Herrera
	2400	79°	A. TRIAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer, on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LA-A Temp. Reading Location: Long / Short Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/1/24	0300		
8/1/24	0600		
8/1/24	0900		
8/1/24	1200		
8/1/24	1500		
8/1/24	1800		
8/1/24	2100		
8/1/24	2400	77	T CONTRERAS

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	77	T CONTRERAS
8/1/24	0600	74	D. PEREZ
8/1/24	0900	70	D. PEREZ
8/1/24	1200	75°	D. PEREZ
8/1/24	1500	75°	TAPIA
8/1/24	1800	75°	TAPIA
8/1/24	2100	74°	TAPIA
8/1/24	2400	77	T CONTRERAS

Friday

Date	Time	Temp.	Name (Print)
8/1/24	0300	77	T CONTRERAS
8/1/24	0600	77	H. CARVALHO
8/1/24	0900	79	H. CARVALHO
8/1/24	1200	83	H. CARVALHO
8/1/24	1500	85	DONATO
8/1/24	1800	85	DONATO
8/1/24	2100	82	DONATO
8/1/24	2400	80	D. PEREZ

Saturday

Date	Time	Temp.	Name (Print)
8/1/24	0300	80	D. PEREZ
8/1/24	0600	79	H. CARVALHO
8/1/24	0900	79	H. CARVALHO
8/1/24	1200	87	H. CARVALHO
8/1/24	1500	87	DONATO
8/1/24	1800	87	DONATO
8/1/24	2100	84	DONATO
8/1/24	2400	82	ORTEGA

Sunday

Date	Time	Temp.	Name (Print)
8/1/24	0300	80	ORTEGA
8/1/24	0600	78	Perez
8/1/24	0900	76	Perez
8/1/24	1200	80	Perez
8/1/24	1500	85	Jones
8/1/24	1800	83	Jones
8/1/24	2100	85	Jones
8/1/24	2400	82	A. FONSECA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LATHAM A Temp. Reading Location: Long/Short Hgt
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/1/24	0300	78	A-Jones
	0600	78	Sabanas
	0900	78	Sabanas
	1200	83	Sabanas
	1500	84	Sabanas
	1800	78	C-Martinez
	2100	80	C-Martinez
	2400	80	DeLoach

Tuesday

Date	Time	Temp.	Name (Print)
8/1/24	0300	80	O. Flores
	0600	78	Sabanas
	0900	78	Sabanas
	1200	82	Charly
	1500	82	C-Martinez
	1800	82	C-Martinez
	2100	83	C-Martinez
	2400	83	Chavez

Wednesday

Date	Time	Temp.	Name (Print)
8/1/24	0300	81	Chavez
	0600	80	T-Thompson
	0900	78	T-Thompson
	1200	82	T-Thompson
	1500	82	C-Martinez
	1800	81	C-Martinez
	2100	80	C-Martinez
	2400	79	Arain

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	79	Arain
	0600	78	Arain
	0900	79	D-Galeno
	1200	79	D-Galeno
	1500	82	C-Martinez
	1800	81	C-Martinez
	2100	81	C-Martinez
	2400	80	Castanon

Friday

Date	Time	Temp.	Name (Print)
8/1/24	0300	80	Castanon
	0600	80	Arvelando, Jr.
	0900	78	Arvelando, Jr.
	1200	82	Arvelando, Jr.
	1500	80	Donoso
	1800	80	Donoso
	2100	80	Donoso
	2400	79	TRAN

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	79	TRAN
	0600	78	H-Carvalho
	0900	78	H-Carvalho
	1200	81	H-Carvalho
	1500	81	Donoso
	1800	81	Donoso
	2100	80	Donoso
	2400	80	Chavez

Notes: Date and type of cooling measures provided

Date	Time	Temp.	Name (Print)
8/11/24	0300	80	Chavez
	0600	78	D-Perez
	0900	78	D-Perez
	1200	80	D-Perez
	1500	82	C-Martinez
	1800	82	C-Martinez
	2100	82	C-Martinez
	2400	81	O. Flores

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LATHAM A Temp. Reading Location: LH, SH

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	77	EDWARDS
	0600	79	D. PEREZ
	0900	80	D. Perez
	1200	80	D. Perez
	1500	81	C. Martinez
	1800	84	C. Martinez
	2100	80	C. Martinez
	2400	79	TRAN

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	78	TRAN
	0600	80	Sabanas
	0900	82	Sabanas
	1200	83	Sabanas
	1500	81	D. Perez
	1800	80	D. Perez
	2100	80	D. Perez
	2400	79	TRAN

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	77	TRAN
	0600	77	Magallanes
	0900	79	Magallanes
	1200	81	Magallanes
	1500	84	Magallanes
	1800	84	A. CORIA
	2100	81	A. CORIA
	2400	81	Ruiz

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	76	CASTANON
	0600	78	H. Arevalo
	0900	79	H. Arevalo
	1200	81	H. Arevalo
	1500	80	DONOSO
	1800	80	DONOSO
	2100	79	DONOSO
	2400	78	TRAN

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	77	TRAN
	0600	77	TRAN
	0900	79	TRAN
	1200	80	TRAN
	1500	80	C. Martinez
	1800	80	C. Martinez
	2100	79	C. Martinez
	2400	78	D. Charles

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	78	TRAN
	0600	78	Arevalo, H
	0900	77	Arevalo, H
	1200	79	Arevalo, H
	1500	79	DONOSO
	1800	80	DONOSO
	2100	80	DONOSO
	2400	78	TRAN

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LA-A Temp. Reading Location: Long / short hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8/19/24</u>	0300	77	O. Edward
	0600	74	D. Perez
	0900	76	D. Perez
	1200	81	D. Perez
	1500	82	C. Martinez
	1800	80	C. Martinez
	2100	82	C. Martinez
	2400	79	TRAN

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/20/24</u>	0300	74	TRAN
	0600	76	Perez, D.
	0900	76	Perez
	1200	80	Perez
	1500	82	C. Martinez
	1800	84	C. Martinez
	2100	82	C. Martinez
	2400	75	TRAN

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/21/24</u>	0300	75	TRAN
	0600	76	D. Perez
	0900	76	D. Perez
	1200	80	D. Perez
	1500	83	D. RUBIO
	1800	83	D. RUBIO
	2100	81	D. RUBIO
	2400	79	TRAN

Friday

Date	Time	Temp.	Name (Print)
<u>8/23/24</u>	0300	77	T. CONRAD
	0600	76	H. Conrado
	0900	74	H. Conrado
	1200	78	H. Conrado
	1500	78	DONUDO
	1800	78	DONUDO
	2100	76	DONUDO
	2400	76	CHAVIEZ

Sunday

Date	Time	Temp.	Name (Print)
<u>8/26/24</u>	0300	76	CHAVIEZ
	0600	76	Mura
	0900	76	Mura
	1200	77	Mura
	1500	76	JUNKER
	1800	75	JUNKER
	2100	75	JUNKER
	2400	76	CHAVIEZ

Thursday

Date	Time	Temp.	Name (Print)
<u>8/22/24</u>	0300	70	TRAN
	0600	75	D. Perez
	0900	75	D. Perez
	1200	79	D. Perez
	1500	80	AUENDARDO
	1800	81	AUENDARDO
	2100	80	AUENDARDO
	2400	77	TRAN

Saturday

Date	Time	Temp.	Name (Print)
<u>8/25/24</u>	0300	76	CHAVIEZ
	0600	76	TRAN
	0900	75	TRAN
	1200	76	Conrado
	1500	78	DONUDO
	1800	78	DONUDO
	2100	76	DONUDO
	2400	76	CHAVIEZ

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LATHAM A Temp. Reading Location: LONG / SHORT ITLL
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08-26-24	0300	76	CHAVEZ ✓
	0600	74	D.Perez ✓
	0900	70	D.Perez
	1200	72	D.Perez
	1500	70	MARTINEZ
	1800	70	MARTINEZ
	2100	70	MARTINEZ
	2400	70	MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
08-27-24	0300	70	Perez
	0600	72	Perez
	0900	70	Perez
	1200	72	Perez
	1500	70	Perez
	1800	78	Perez
	2100	76	Perez
	2400	78	HUERTA

Wednesday

Date	Time	Temp.	Name (Print)
08-28-24	0300	76	HUERTA
	0600	76	M.Alvarez
	0900	77	M.Alvarez
	1200	77	M.Alvarez
	1500	81	C.Martinez
	1800	80	C.Martinez
	2100	76	C.Martinez
	2400	76	T.Cortez

Friday

Date	Time	Temp.	Name (Print)
08-30-24	0300	76	T.Cortez
	0600	75	H.Garcia
	0900	71	H.Garcia
	1200	72	H.Garcia
	1500	77	DONUSO
	1800	77	DONUSO
	2100	77	DONUSO
	2400	76	CHAVEZ

Sunday

Date	Time	Temp.	Name (Print)
	0300	77	✓
	0600	74	D.Perez
	0900	74	D.Perez
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
08-29-24	0300	76	T.Cortez
	0600	74	Rios
	0900	74	Rios
	1200	81	Rios
	1500	80	C.Martinez
	1800	79	C.Martinez
	2100	76	C.Martinez
	2400	76	T.Cortez

Saturday

Date	Time	Temp.	Name (Print)
08-31-24	0300	76	CHAVEZ
	0600	75	Garcia
	0900	73	Garcia
	1200	78	Garcia
	1500	78	DONUSO
	1800	78	DONUSO
	2100	76	DONUSO
	2400	77	Brown

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Latham B Temp. Reading Location: Short / Long Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
8-1	2400	79	O. hodgues

Friday

Date	Time	Temp.	Name (Print)
8-2	0300	79	O. hodgues
10	0600	80	DELA ROSA
	0900	78	DE LA ROSA
	1200	81	DE LA ROSA
	1500	85	M. GONZALEZ
	1800	85	M. GONZALEZ
	2100	85	M. GONZALEZ
8-3	2400	83	T CONTRINAS

Sunday

Date	Time	Temp.	Name (Print)
8-4	0300	83	T CONTRINAS
	0600	80	Reyes
	0900	80	Reyes
	1200	80	Reyes
	1500	87	DONIBSO
	1800	87	DONIBSO
	2100	85	DONIBSO
	2400	80	Reyes

Thursday

Date	Time	Temp.	Name (Print)
8-1	0300	79	O. hodgues
	0600	80	D. RUBIO
	0900	78	D. RUBIO
	1200	80	D. RUBIO
	1500	80	M. GONZALEZ
	1800	80	M. GONZALEZ
	2100	80	M. GONZALEZ
8-2	2400	79	O. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
8-3	0300	82	T CONTRINAS
	0600	81	Reyes
	0900	79	Reyes
	1200	80	Reyes
	1500	85	M. GONZALEZ
	1800	85	M. GONZALEZ
	2100	84	M. GONZALEZ
8-4	2400	84	T CONTRINAS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Latham B Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
Aug 5	0300	83	Reyes
	0600	82	
	0900	78	
	1200	80	
	1500	88	A. FONES
	1800	88	A. FONES
	2100	83	A. FONES
	2400	83	O. Rodriguez

Tuesday			
Date	Time	Temp.	Name (Print)
Aug 6	0300	80	O. Rodriguez
	0600	82	M. Lopez
	0900	80	M. Lopez
	1200	82	M. Lopez
	1500	85	R. Ruiz
	1800	82	R. Ruiz
	2100	82	R. Ruiz
	2400	80	O. Rodriguez

Wednesday			
Date	Time	Temp.	Name (Print)
Aug 7	0300	80	O. Rodriguez
	0600	80	M. Lopez
	0900	80	M. Lopez
	1200	81	M. Lopez
	1500	81	V. Rios
	1800	80	V. Rios
	2100	80	V. Rios
	2400	80	O. Rodriguez

Thursday			
Date	Time	Temp.	Name (Print)
Aug 8	0300	80	O. Rodriguez
	0600	79	M. Lopez
	0900	78	M. Lopez
	1200	79	M. Lopez
	1500	80	M. Gonzalez
	1800	83	M. Gonzalez
	2100	80	M. Gonzalez
	2400	80	O. Rodriguez

Friday			
Date	Time	Temp.	Name (Print)
Aug 9	0300	79	O. Rodriguez
	0600	60	Reyes
	0900	78	Reyes
	1200	79	Reyes
	1500	80	Reyes
	1800	80	Reyes
	2100	80	Reyes
	2400	80	V. Rios

Saturday			
Date	Time	Temp.	Name (Print)
Aug 10	0300	82	V. Rios
	0600	80	Reyes
	0900	80	Reyes
	1200	80	Reyes
	1500	80	Fined
	1800	80	D. Smith
	2100	81	Smith
	2400	81	Reyes

Notes

Sunday			
Date	Time	Temp.	Name (Print)
Aug 11	0300	81	Reyes
	0600	82	Fined
	0900	81	Fined
	1200	79	Fined
	1500	80	Dunlop
	1800	80	Dunlop
	2100	80	Dunlop
	2400	80	M. Barner

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LATHAM B Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/13	0300	79	M. Barker
	0600	80	R. Reyes
	0900	80	R. Reyes
	1200	81	R. Reyes
	1500	84	A. Flores
	1800	86	A. Flores
	2100	83	A. Flores
	2400	81	O. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
8/14	0300	80	R. Rodriguez
	0600	79	R. Rodriguez
	0900	83	R. Rodriguez
	1200	83	R. Rodriguez
	1500	83	R. Ruiz
	1800	83	R. Ruiz
	2100	83	R. Ruiz
	2400	80	O. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
8/15	0300	80	O. Rodriguez
	0600	79	O. Rodriguez
	0900	79	O. Rodriguez
	1200	80	O. Rodriguez
	1500	80	D. Galeno
	1800	80	D. Galeno
	2100	81	D. Galeno
	2400	80	O. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
8/16	0300	80	O. Rodriguez
	0600	79	O. Rodriguez
	0900	80	O. Rodriguez
	1200	80	O. Rodriguez
	1500	85	M. Gonzalez
	1800	84	M. Gonzalez
	2100	83	M. Gonzalez
	2400	81	O. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
8/17	0300	80	O. Rodriguez
	0600	80	R. Reyes
	0900	80	R. Reyes
	1200	80	R. Reyes
	1500	83	M. Gonzalez
	1800	84	M. Gonzalez
	2100	83	M. Gonzalez
	2400	83	Smith

Saturday

Date	Time	Temp.	Name (Print)
8/18	0300	83	Smith
	0600	79	V. Rios
	0900	79	V. Rios
	1200	79	V. Rios
	1500	85	M. Gonzalez
	1800	83	M. Gonzalez
	2100	81	M. Gonzalez
	2400	81	Smith

Sunday

Date	Time	Temp.	Name (Print)
8/19	0300	80	Smith
	0600	80	Chavez
	0900	81	Chavez
	1200	81	Chavez
	1500	80	D. Jones
	1800	80	D. Jones
	2100	79	D. Jones
	2400	80	O. Rodriguez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Latron B Temp. Reading Location: Shuttle / Long Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 41913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19	0300	80	O. Rodriguez
	0600	80	A. Ceballos
	0900	78	B. Lopez
	1200	80	B. Lopez
	1500	84	A. Flores
	1800	84	A. Flores
	2100	84	A. Flores
8-20	2400	80	O. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
8-20	0300	80	O. Rodriguez
	0600	80	B. Lopez
	0900	78	B. Lopez
	1200	76	B. Lopez
	1500	84	R. Z.
	1800	84	R. Z.
	2100	83	R. Z.
8-21	2400	80	O. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
8-21	0300	80	O. Rodriguez
	0600	80	E. Vazquez
	0900	80	E. Vazquez
	1200	80	E. Vazquez
	1500	84	N. Khalil
	1800	84	N. Khalil
	2100	83	N. Khalil
8-22	2400	81	O. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
8-23	0300	79	O. Rodriguez
	0600	79	R. Reyes
	0900	81	R. Reyes
	1200	80	R. Reyes
	1500	81	M. Gonzalez
	1800	80	M. Gonzalez
	2100	80	M. Gonzalez
8-24	2400	80	R. Reyes

Sunday

Date	Time	Temp.	Name (Print)
8-25	0300	79	J. Gutierrez
	0600	79	R. Reyes
	0900	74	R. Reyes
	1200	76	R. Reyes
	1500	77	D. Orozco
	1800	77	D. Orozco
	2100	77	D. Orozco
	2400	79	Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
8-22	0300	80	O. Rodriguez
	0600	80	T. Thompson
	0900	78	T. Thompson
	1200	78	T. Thompson
	1500	79	M. Gonzalez
	1800	80	M. Gonzalez
	2100	80	M. Gonzalez
8-23	2400	79	O. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
8-24	0300	81	D. Reyes, C.
	0600	81	D. Reyes, C.
	0900	78	D. Reyes, C.
	1200	76	D. Reyes, C.
	1500	79	M. Gonzalez
	1800	79	M. Gonzalez
	2100	79	M. Gonzalez
8-25	2400	78	T. Thompson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Latham B Temp. Reading Location: Long Hall & Short Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/27	0300	79	Rodriguez
0600	76	Belal	
0900	74	Beth	
1200	77	Beth	
1500	78	A. Flores	
1800	81	A. Flores	
2100	78	A. Flores	
2400	79	O. Rodriguez	

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	78	O. Rodriguez
0600	79	Belal	
0900	76	Beth	
1200	77	Beth	
1500	78	Ruiz	
1800	79	Ruiz	
2100	78	Ruiz	
2400	80	O. Rodriguez	

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	79	O. Rodriguez
0600	78	Belal	
0900	77	Belal	
1200	79	Belal	
1500	79	M. Perez	
1800	79	M. Perez	
2100	78	N.A.	
2400	79	O. Rodriguez	

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	78	O. Rodriguez
0600	78	M. Perez	
0900	77	M. Perez	
1200	78	M. Perez	
1500	80	M. Gonzalez	
1800	80	M. Gonzalez	
2100	79	M. Gonzalez	
2400	78	O. Rodriguez	

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	78	O. Rodriguez
0600	75	O. Rodriguez	
0900	72	C. Hayes	
1200	76	Perez	
1500	76	Gonzales	
1800	78	Gonzales	
2100	79	Gonzales	
2400	78	Gonzales	

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	78	T. Courtney
0600	75	M. C. Perez	
0900	74	Reyes	
1200	76	Reyes	
1500	80	M. Gonzalez	
1800	80	M. Gonzalez	
2100	80	M. Gonzalez	
2400	78	T. Courtney	

Sunday

Date	Time	Temp.	Name (Print)
	0300	78	T. Courtney
	0600	79	M. C. Perez
	0900	79	M. C. Perez
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

8/31/21 - 1424 → Stage I heat alert.

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: EA Temp. Reading Location: N/A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ 90 degrees and again at 95 degrees. DATE: 8 / Q1 - 08 / 31 / 24

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

**UNIT CLOSED DUE
TO RENOVATIONS**

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Elmwood B Temp. Reading Location: _____
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/11/24	0300	81	Hunt
	0600	80	Galeno
	0900	80	Galeno
	1200	81	Galeno
	1500	81	SALDIVAR
	1800	81	SALDIVAR
	2100	80	SALDIVAR
	2400	80	Kermit

Friday

Date	Time	Temp.	Name (Print)
8/21/24	0300	79	Domingo
	0600	79	ARENDT
	0900	80	NEGRON
	1200	81	ARELON
	1500	82	SALDIVAR
	1800	82	SALDIVAR
	2100	82	SALDIVAR
	2400	85	PULICARI

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	83	PULICAR
	0600	83	OREGON
	0900	83	OREGON
	1200	83	OREGON
	1500	82	Ram-REZ
	1800	82	Ram-REZ
	2100	82	Ram-REZ
	2400	85	PULICAR

Sunday

Date	Time	Temp.	Name (Print)
8/9/29	0300	83	PULICARL
	0600	89	RIADA
	0900	89	VEDA
	1200	84	VEDA
	1500	86	Meeks
	1800	84	Meeks
	2100	83	meeks
	2400	82	Thom, May

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJW Housing Unit: Unruh B Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	83	Hornish
	0600	84	RUEDA
	0900	84	RUEN
	1200	86	RUEDA
	1500	84	Hernandez
	1800	87	Lemire
	2100	86	Herrera
	2400	83	C-mundown

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	82	C-mundown
	0600	82	OREGON
	0900	82	OREGON
	1200	83	OREGON
	1500	84	SALDIVAR
	1800	84	SALDIVAR
	2100	82	SALDIVAR
	2400	83	C-mundown

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	82	C-mundown
	0600	86	Silvano
	0900	81	SCHWARTZ
	1200	82	Silvano
	1500	84	SALDIVAR
	1800	84	SALDIVAR
	2100	82	SALDIVAR
	2400	82	Hornish

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	81	Hornish
	0600	82	OREGON
	0900	83	OREGON
	1200	83	OREGON
	1500	84	SALDIVAR
	1800	82	SALDIVAR
	2100	82	SALDIVAR
	2400	81	Hornish

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	81	Hornish
	0600	82	OREGON
	0900	82	OREGON
	1200	82	OREGON
	1500	82	SALDIVAR
	1800	82	SALDIVAR
	2100	82	SALDIVAR
	2400	82	Schindlauer

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	81	Schindlauer
	0600	82	OREGON
	0900	83	OREGON
	1200	83	OREGON
	1500	84	SALDIVAR
	1800	83	SALDIVAR
	2100	82	SALDIVAR
	2400	81	Schindlauer

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	81	Schindlauer
	0600	84	RUEDA
	0900	84	RUEN
	1200	84	RUEDA
	1500	84	Williams
	1800	75	Williams + HARWOOD
	2100	73	Williams + HARWOOD
	2400	81	Hornish

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Elmwood B Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>5/12/24</u>	0300	81	Hanford
	0600	84	KLEDA
	0900	84	HUEDA
	1200	84	MVH
	1500	83	J.CUELLAR
	1800	82	J.CUELLAR
	2100	84	J.CUELLAR
	2400	83	C.Mundra

Tuesday

Date	Time	Temp.	Name (Print)
<u>5/13/24</u>	0300	82°	Commander
	0600	82	OBREGON
	0900	82	OBREGON
	1200	83°	OBREGON
	1500	83	SALDIVAR
	1800	82	SALDIVAR
	2100	82	SALDIVAR
	2400	82°	Commander

Wednesday

Date	Time	Temp.	Name (Print)
<u>5/14/24</u>	0300	82°	Commander
	0600	82	OBREGON
	0900	82	OBREGON
	1200	84	OBREGON
	1500	84	SALDIVAR
	1800	83	SALDIVAR
	2100	82	SALDIVAR
	2400	81	Hanford

Thursday

Date	Time	Temp.	Name (Print)
<u>5/15/24</u>	0300	81	Hanford
	0600	81	OBREGON
	0900	81	OBREGON
	1200	81	OBREGON
	1500	81	SMITH
	1800	81	SMITH
	2100	81	SMITH
	2400	81	Hanford

Friday

Date	Time	Temp.	Name (Print)
<u>5/16/24</u>	0300	81	Hanford
	0600	81	OBREGON
	0900	82	OBREGON
	1200	82	OBREGON
	1500	83	meeks
	1800	82	meeks
	2100	82	meeks
	2400	81	Schmidmiller

Saturday

Date	Time	Temp.	Name (Print)
<u>5/17/24</u>	0300	83	Schmidmiller
	0600	81	OBREGON
	0900	82	OBREGON
	1200	82	OBREGON
	1500	82	OBREGON
	1800	83	Meeks
	2100	83	meeks
	2400	82	meeks

Sunday

Date	Time	Temp.	Name (Print)
<u>5/18/24</u>	0300	82	meeks
	0600	82	HANFORD
	0900	82	HANFORD
	1200	82	HANFORD
	1500	83	Meeks
	1800	82	Meeks
	2100	82	Meeks
	2400	78	C.Martinez

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Emmons B Temp. Reading Location: LH, SH

Immediately notify the Watch Commander at extension 4913 (e.g., 1st tier, 2nd tier, 3rd tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/19/18	0300	78	CMC, T, 102
	0600	82	RUEDA
	0900	82	RUEDA
	1200	82	RUEDA
	1500	83	MEEKS
	1800	82	MEEKS
	2100	82	MEEKS
	2400	82	CUNDIARD

Tuesday

Date	Time	Temp.	Name (Print)
5/20/18	0300	82	CUNDIARD
	0600	82	OBREGON
	0900	82	OBREGON
	1200	82	OBREGON
	1500	82	SALDIVAR
	1800	82	SALDIVAR
	2100	82	SALDIVAR
	2400	80	INV

Wednesday

Date	Time	Temp.	Name (Print)
5/21/18	0300	80	INV
	0600	80	OREGON
	0900	82	OREGON
	1200	82	OREGON
	1500	82	SALDIVAR
	1800	82	SALDIVAR
	2100	82	SALDIVAR
	2400	81	SALDIVAR

Thursday

Date	Time	Temp.	Name (Print)
5/22/18	0300	80	Montiel
	0600	80	OREGON
	0900	82	OREGON
	1200	82	OBREGON
	1500	82	SALDIVAR
	1800	82	SALDIVAR
	2100	82	SALDIVAR
	2400	81	Montiel

Friday

Date	Time	Temp.	Name (Print)
5/23/18	0300	81	Montiel
	0600	81	SMITH
	0900	81	SMITH
	1200	82	SMITH
	1500	82	Saldivar
	1800	81	Saldivar
	2100	80	Saldivar
	2400	80	Saldivar

Saturday

Date	Time	Temp.	Name (Print)
5/24/18	0300	80	Schmidbauer
	0600	79	MANRIQUES
	0900	79	MANRIQUES
	1200	79	MANRIQUES
	1500	77	U. Tavera
	1800	77	SALDIVAR
	2100	78	SALDIVAR
	2400	78	MEEKS

Notes

Date	Time	Temp.	Name (Print)
5/25/18	0300	78	MEEKS
	0600	80	RUEDA
	0900	84	RUEDA
	1200	84	RUEDA
	1500	84	MEEKS
	1800	83	MEEKS
	2100	82	MEEKS
	2400	81	Montiel

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CDCW Housing Unit: Emmons B Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	80	Hongyan
	0600	80	RUEDA
	0900	80	ALVADA
	1200	80	RUEDA
	1500	78	Velazquez
	1800	78	Velazquez
	2100	77	Velazquez
	2400	60	c.mundan

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	80	c.mundan
	0600	80	OBREGON
	0900	80	OBREGON
	1200	82	OBREGON
	1500	82	Saldívar
	1800	82	Saldívar
	2100	80	Saldívar
	2400	80	Hongyan

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	80	Hongyan
	0600	80	OBREGON
	0900	80	OBREGON
	1200	82	OBREGON
	1500	82	Saldívar
	1800	82	Saldívar
	2100	80	Saldívar
	2400	80	Hongyan

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	78	Hongyan
	0600	80	OBREGON
	0900	82	OBREGON
	1200	82	OBREGON
	1500	82	Saldívar
	1800	82	Saldívar
	2100	80	Saldívar
	2400	80	Chamister

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	80	Hongyan
	0600	80	OBREGON
	0900	82	OBREGON
	1200	82	OBREGON
	1500	82	SALDIVAR
	1800	81	SALDIVAR
	2100	80	SALDIVAR
	2400	80	Edwin Martinez

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	80	Schueler
	0600	78	A. HERNANDEZ
	0900	80	A. HERNANDEZ
	1200	83	A. HERNANDEZ
	1500	84	G. Meeks
	1800	83	G. Meeks
	2100	82	G. Meeks
	2400	81	G. Meeks

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: HAMSON A Temp. Reading Location: long 1 short
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8.2.24	0300	81	HUERTA
	0600	81	GONZALEZ
	0900	82	GONZALEZ
	1200	82	GONZALEZ
	1500	83	D. Pelayo
	1800	84	D. Pelayo
	2100	84	D. Pelayo
	2400	83	HUERTA

Sunday

Date	Time	Temp.	Name (Print)
8.24.24	0300	78°	S. TELLO
	0600	79	Williams
	0900	82	Williams
	1200	83	Williams
	1500	85	Williams
	1800	85	Williams
	2100	86	Williams
	2400	85	Reyes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8.1.24	0300	81°	Reyes
	0600	79	GONZALEZ
	0900	81	GONZALEZ
	1200	81	GONZALEZ
	1500	82°	Call
	1800	82°	Call
	2100	82°	Call
	2400	82°	HUERTA

Saturday

Date	Time	Temp.	Name (Print)
8.3.24	0300	82	HUESO
	0600	82	J. CUELLAR
	0900	82	J. CUELLAR
	1200	84	J. CUELLAR
	1500	86	J. CUELLAR
	1800	86	J. CUELLAR
	2100	85	J. CUELLAR
	2400	78	S. TELLO

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Harrison A Temp. Reading Location: long/short hall
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8.5.24	0300	83	Reyes
	0600	83	Williams
	0900	82	Williams
	1200	85	Williams
	1500	85	Call
	1800	87	Call
	2100	86	Call
	2400	85	Reyes

Tuesday			
Date	Time	Temp.	Name (Print)
8.6.24	0300	84	Reyes
	0600	84	Chavez
	0900	79	Chavez
	1200	85	Chavez
	1500	85	Call
	1800	86	Call
	2100	86	Call
	2400	85	Reyes

Wednesday			
Date	Time	Temp.	Name (Print)
8.7.24	0300	84	Reyes
	0600	83	A. Flores
	0900	82	A. Flores
	1200	82	A. Flores
	1500	86	N. Khalil
	1800	86	N. Khalil
	2100	85	N. Khalil
	2400	86	Reyes

Thursday			
Date	Time	Temp.	Name (Print)
8.8.24	0300	80	Reyes
	0600	84	Sabino
	0900	84	Sabino
	1200	84	Sabino
	1500	84	HUERTA
	1800	84	HUERTA
	2100	84	HUERTA
	2400	83	HUERTA

Friday			
Date	Time	Temp.	Name (Print)
8.9.24	0300	83	HUESO
	0600	82	Magallanes
	0900	82	Magallanes
	1200	83	Magallanes
	1500	83	HUESO
	1800	82	HUESO
	2100	81	HUESO
	2400	83	HUESO

Saturday			
Date	Time	Temp.	Name (Print)
8.10.24	0300	83	HUESO
	0600	81	Magallanes
	0900	82	Magallanes
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
8.11.24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Quarantine/Isolation unit
 Closed on 8/10/24 @ 2200 hrs
 Reopened on 8/15/24 @ 1400 hrs.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CuW Housing Unit: Harrison A Temp. Reading Location: short / long hall
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	84°	CALL
	1800	85°	CALL
	2100	85°	CALL
	2400	83°	C.mendon

Friday

Date	Time	Temp.	Name (Print)
	0300	82°	c.mendon
	0600	82	Magallanes
	0900	81	Magallanes
	1200	82	Magallanes
	1500	77	V.Rios
	1800	77	V.Rios
	2100	73	V.Rios
	2400	83	L.JAN

Sunday

Date	Time	Temp.	Name (Print)
	0300	82	Reyes
	0600	81	M.Tavira
	0900	81	M.Tavira
	1200	82	M.Tavira
	1500	86°	Call
	1800	84°	Call
	2100	81°	Call
	2400	82°	Reyes

Notes

Quarantine / Isolation Unit

Closed on 8/10/24 @ 2200 hrs

Reopened on 8/15 @ 1400 hrs

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Harrison A Temp. Reading Location: Short long hall
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8.19.24	0300	81	River
	0600	81	Chavez
	0900	81	Chavez
	1200	80	Haro
	1500	72	Balres
	1800	72	Balres
	2100	72	Balres
	2400	81	River

Wednesday

Date	Time	Temp.	Name (Print)
8.21.24	0300	81	River
	0600	81	Magallanes
	0900	81	Magallanes
	1200	82	Magallanes
	1500	83	Cell
	1800	83	Cell
	2100	83	Cell
	2400	81	River

Friday

Date	Time	Temp.	Name (Print)
8.23.24	0300	82	Hueso
	0600	81	Magallanes
	0900	80	Magallanes
	1200	81	Magallanes
	1500	81	A. Martinez
	1800	81	A. Martinez
	2100	81	A. Martinez
	2400	80	Hueso

Sunday

Date	Time	Temp.	Name (Print)
8.25.24	0300	78	Edward
	0600	78	Martinez
	0900	78	Martinez
	1200	80	Martinez
	1500	80	Cell
	1800	82	Cell
	2100	81	Cell
	2400	81	River

Tuesday

Date	Time	Temp.	Name (Print)
8.20.24	0300	81	River
	0600	75	Chavez
	0900	75	Chavez
	1200	75	Chavez
	1500	80	Cell
	1800	81	Cell
	2100	84	Cell
	2400	82	River

Thursday

Date	Time	Temp.	Name (Print)
8.22.24	0300	81	River
	0600	81	Magallanes
	0900	81	Magallanes
	1200	82	Magallanes
	1500	82	Sabater
	1800	82	Sabater
	2100	81	Sabater
	2400	82	Hueso

Saturday

Date	Time	Temp.	Name (Print)
8.24.24	0300	80	Hueso
	0600	78	Cell
	0900	79	Magallanes
	1200	79	Magallanes
	1500	80	A. Martinez
	1800	80	A. Martinez
	2100	80	A. Martinez
	2400	80	A. Martinez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: Harrison A Temp. Reading Location: Long Island Hall

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	79	Rengel ✓
	0600	79	L. MORENO ✓
	0900	79	L. MORENO ✓
	1200	80	L. MORENO ✓
	1500	81°	CII
	1800	83°	CII
	2100	83°	CII
	2400	79	Mur ✓

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	79	Rengel
	0600	75	Chavez
	0900	75	Chavez
	1200	75	Chavez
	1500	83°	CII
	1800	81°	CII
	2100	82°	CII
	2400	81°	Rengel

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	79	Rengel
	0600	77	A. HERNANDEZ
	0900	78	A. HERNANDEZ
	1200	80	A. HERNANDEZ
	1500	83°	CII
	1800	81°	CII
	2100	81°	CII
	2400	80°	Rengel

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	79	Rengel
	0600	79	Magallanes
	0900	78	Magallanes
	1200	79	Magallanes
	1500	81°	HUERTA
	1800	81°	HUERTA
	2100	81°	HUERTA
	2400	79	HUESO

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	79	HUESO
	0600	78	Magallanes
	0900	78	Magallanes
	1200	80	Magallanes
	1500	81°	V. RIOS
	1800	80	V. RIOS
	2100	80	V. RIOS
	2400	78	HUESO

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	78	HUESO
	0600	78	Magallanes
	0900	78	Magallanes
	1200	80	Magallanes
	1500	83	Magallanes
	1800	82	Magallanes
	2100	82	Magallanes
	2400	79	Rengel

Notes

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: HB Temp. Reading Location: Long / Short Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 40113 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8	0300	78	STANON
	0600	78	MORENO
1	0900	79	MORENO
	1200	79	MORENO
24	1500	82	PEREZ
	1800	84	PEREZ
	2100	81	PEREZ
	2400	79	Kellby

Friday

Date	Time	Temp.	Name (Print)
8	0300	76	Kellby
	0600	78	Stubblefield
2	0900	78	Stubblefield
	1200	79	Stubblefield
24	1500	84	PEREZ
	1800	80	PEREZ
	2100	83	PEREZ
	2400	76	Kellby

Saturday

Date	Time	Temp.	Name (Print)
8	0300	79	Kellby
	0600	80	Williams
3	0900	81	Williams
	1200	83	Williams
24	1500	84	PEREZ
	1800	85	PEREZ
	2100	82	PEREZ
	2400	79	ADAME

Notes

Date	Time	Temp.	Name (Print)
8	0300	78	ADAME
	0600	78	Ado
4	0900	80	Ado
	1200	81	Ado
24	1500	78	D. Relayo
	1800	84	D. Relayo
	2100	84	D. Relayo
	2400	78	C. A. Johnson

DISTRIBUTION: Original: Institution Heat Plan Coordinator

CCP
Sgt.
Interim

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: H B Temp. Reading Location: Long & short halls
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8.5.2024

Date	Time	Temp.	Name (Print)
24	0300	77	C. A. Tolton
24	0600	81	Romero
24	0900	81	Romero
24	1200	80.3	Quintan
24	1500	84	Rueda
24	1800	84	Rueda
24	2100	83	Rueda
24	2400	80	DONOSO

Wednesday 8.7.2024

Date	Time	Temp.	Name (Print)
	0300	80	STABIBEL
	0600	82	MORENO
	0900	82	MORENO
	1200	85	MORENO
	1500	85	PEREZ
	1800	86	PEREZ
	2100	83	PEREZ
	2400	80	S. TUBBS

Friday 8.9.2024

Date	Time	Temp.	Name (Print)
	0300	80	STABIBEL
	0600	79	STABBLEFIELD
	0900	80	STABBLEFIELD
	1200	81	STABBLEFIELD
	1500	81	PEREZ
	1800	80	PEREZ
	2100	80	PEREZ
	2400	80	STABIBEL

Sunday 8.10.2024

Date	Time	Temp.	Name (Print)
	0300	82	HUESO
	0600	81	GONZALEZ
	0900	81	GONZALEZ
	1200	83	GONZALEZ
	1500	84	A. HERNANDEZ
	1800	85	A. HERNANDEZ
	2100	84	A. HERNANDEZ
	2400	83	HUESO

Tuesday 8.6.2024

Date	Time	Temp.	Name (Print)
	0300	79	DONOSO
	0600	81	A. HERNANDEZ
	0900	82	A. HERNANDEZ
	1200	83	A. HERNANDEZ
	1500	85	PEREZ
	1800	86	PEREZ
	2100	84	PEREZ
	2400	80	STABIBEL

Thursday 8.8.2024

Date	Time	Temp.	Name (Print)
	0300	80	STABIBEL
	0600	81	GONZALEZ
	0900	81	GONZALEZ
	1200	83	GONZALEZ
	1500	84	PEREZ
	1800	85	PEREZ
	2100	84	PEREZ
	2400	80	STABIBEL

Saturday 8.10.2024

Date	Time	Temp.	Name (Print)
	0300	80	STABIBEL
	0600	79	Williams
	0900	80	Williams
	1200	81	Williams
	1500	78	ANDERSON
	1800	83	PEREZ
	2100	81	PEREZ
	2400	82	HUESO

Notes: Date and type of cooling measures provided

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer, on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HB

Temp: Reading Location: Long Hall, Short Hall
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday 8-12-24

Date	Time	Temp.	Name (Print)
0300	80	HUESO	
0600	81	GONZALEZ	
0900	81	GONZALEZ	OK
1200	83	PEREZ	
1500	84	A. HERNANDEZ	
1800	83	A. HERNANDEZ	OK
2100	82	A. HERNANDEZ	
2400	82	ST. AUBIN	

Wednesday 8-14-24

Date	Time	Temp.	Name (Print)
0300	80	ST. AUBIN	OK
0600	80	GONZALEZ	
0900	80	GONZALEZ	
1200	81	GONZALEZ	
1500	85	PEREZ	
1800	84	PEREZ	
2100	83	PEREZ	
2400	80	ST. AUBIN	

Friday 8-16-24

Date	Time	Temp.	Name (Print)
0300	80	ST. AUBIN	R
0600	80	FONSECA	
0900	80	FONSECA	
1200	81	FONSECA	
1500	83	PEREZ	
1800	83	PEREZ	
2100	83	PEREZ	
2400	80	ST. AUBIN	

Sunday 8-18-24

Date	Time	Temp.	Name (Print)
0300	80	J. AUBIN	OK
0600	79	GONZALEZ	
0900	80	GONZALEZ	
1200	81	GONZALEZ	
1500	83	ESPINDOLA	
1800	83	ESPINDOLA	OK
2100	82	ESPINDOLA	
2400	82	HUESO	

Tuesday 8-13-24

Date	Time	Temp.	Name (Print)
0300	78	ST. AUBIN	OK
0600	80	Chavez	
0900	79	Chavez	
1200	80	CHAVEZ	
1500	83	C. MAGNUS	
1800	84	C. MAGNUS	
2100	83	C. MAGNUS	
2400	80	ST. AUBIN	

Thursday 8-15-24

Date	Time	Temp.	Name (Print)
0300	80	ST. AUBIN	OK
0600	80	F. GONZALEZ	
0900	80	F. GONZALEZ	
1200	81	F. GONZALEZ	
1500	85	PEREZ	
1800	84	PEREZ	
2100	83	PEREZ	
2400	80	ST. AUBIN	

Saturday 8-17-24

Date	Time	Temp.	Name (Print)
0300	80	ST. AUBIN	OK
0600	80	FONSECA	
0900	80	FONSECA	
1200	82	FONSECA	
1500	82	FONSECA	
1800	81	FONSECA	
2100	81	FONSECA	
2400	80	J. AUBIN	

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HB

Temp. Reading Location: Short Hall Lang Hg 1
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday 8-19-24

Date	Time	Temp.	Name (Print)
0300	78	HUESO	
0600	79	J. serrato	
0900	74	J. serrato	
1200	77	J. serrato	
1500	83	a. martinez	
1800	83	a. martinez	
2100	82	a. martinez	
2400	80	ST. AUBIN	

Wednesday 8-21-24

Date	Time	Temp.	Name (Print)
0300	78	ST. AUBIN	
0600	79	GONZALEZ	
0900	79	GONZALEZ	
1200	79	GONZALEZ	
1500	84	PEREZ	
1800	83	PEREZ	
2100	80	PEREZ	
2400	80	ST. AUBIN	

Friday 8-23-24

Date	Time	Temp.	Name (Print)
0300	78	ST. AUBIN	
0600	78	Espada	
0900	79	Espada	
1200	79	Espada	
1500	81	PEREZ	
1800	80	PEREZ	
2100	80	PEREZ	
2400	78	ST. AUBIN	

Sunday 8-25-24

Date	Time	Temp.	Name (Print)
0300	79	GONZALEZ	
0600	79	GONZALEZ	
0900	79	GONZALEZ	
1200	78	GONZALEZ	
1500	79	Martinez	
1800	80	Martinez	
2100	78	Martinez	
2400	80	HUESO	

Tuesday 8-20-24

Date	Time	Temp.	Name (Print)
0300	78	ST. AUBIN	
0600	79	PEREZ	
0900	79	PEREZ	
1200	79	PEREZ	
1500	84	PEREZ	
1800	83	PEREZ	
2100	84	PEREZ	
2400	80	PEREZ ST. AUBIN	

Thursday 8-22-24

Date	Time	Temp.	Name (Print)
0300	78	ST. AUBIN	
0600	79	GONZALEZ	
0900	79	GONZALEZ	
1200	78	GONZALEZ	
1500	81	PEREZ	
1800	83	PEREZ	
2100	85	PEREZ	
2400	78	ST. AUBIN	

Saturday 8-24-24

Date	Time	Temp.	Name (Print)
0300	76	ST. AUBIN	
0600	77	D. Gallegos	
0900	70	VITALIO	
1200	70	P. ZAMO	
1500	81	G. MECKS	
1800	81	G. MECKS	
2100	80	G. MECKS	
2400	79	GONZALEZ	

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: H3

Temp. Reading Location: Short Hall Lobs (bunk)
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

Monday 8-26-24

Date	Time	Temp.	Name (Print)
0300	79	Hueso	
0600	77	GONZALEZ	
0900	77	GONZALEZ	
1200	78	GONZALEZ	
1500	80	Martinez	
1800	80	Martinez	
2100	80	Martinez	
2400	78	ST. AUBIN	

Wednesday 8-28-24

Date	Time	Temp.	Name (Print)
0300	76	ST. AUBIN	
0600	78	GONZALEZ	
0900	79	GONZALEZ	
1200	80	GONZALEZ	
1500	82	PEREZ	
1800	81	PEREZ	
2100	80	PEREZ	
2400	78	ST. AUBIN	

Friday 8-30-24

Date	Time	Temp.	Name (Print)
0300	76	ST. AUBIN	
0600	77	HUESO	
0900	77	HUESO	
1200	78	HUESO	
1500	79	PEREZ	
1800	80	PEREZ	
2100	79	PEREZ	
2400	76	ST. AUBIN	

Sunday 9-1-24

Date	Time	Temp.	Name (Print)
0300	79	HUESO	
0600	78	GONZALEZ	
0900			
1200			
1500			
1800			
2100			
2400			

Tuesday

8-27-24

Date	Time	Temp.	Name (Print)
0300	78	ST. AUBIN	
0600	77	GONZALEZ	
0900	78	GONZALEZ	
1200	79	GONZALEZ	
1500	81	GONZALEZ	
1800	82	GONZALEZ	
2100	81	GONZALEZ	
2400	78	ST. AUBIN	

Thursday

8-29-24

Date	Time	Temp.	Name (Print)
0300	76	ST. AUBIN	
0600	78	PEREZ	
0900	78	PEREZ	
1200	79	PEREZ	
1500	79	PEREZ	
1800	79	PEREZ	
2100	79	PEREZ	
2400	78	ST. AUBIN	

Saturday

8-31-24

Date	Time	Temp.	Name (Print)
0300	74	ST. AUBIN	
0600	75	ROCHI	
0900	77	ROCHI	
1200	78	ROCHI	
1500	81	M. TAVIRA	
1800	82	M. TAVIRA	
2100	80	M. TAVIRA	
2400	79	HUESO	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2091 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson #1 Temp. Reading Location: Long/Short Hall
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
XXXXXX	0300	77	J. Far
	0600	79	Mead
	0900	80	Mead
	1200	80	Mead
	1500	81	Tony
	1800	82	James
	2100	81	Tom
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
XXXXXX	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
XXXXXX	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8-01-24	0300	81	Foster
	0600	79	Mead
	0900	81	Mead
	1200	81	Mead
	1500	81	Raines
	1800	82	Raines
	2100	80	Raines
	2400	80	Josua

Friday

Date	Time	Temp.	Name (Print)
8-2-24	0300	79	Josuna
	0600	79	J. Bryant
	0900	79	J. Bryant
	1200	80	J. Bryant
	1500	83	D. Rubio
	1800	83	D. Rubio
	2100	82	D. Rubio
	2400	82	Josuna

Saturday

Date	Time	Temp.	Name (Print)
8-3-24	0300	81	Josuna
	0600	80	J. Bryant
	0900	80	J. Bryant
	1200	81	J. Bryant
	1500	82	N. Hudson
	1800	82	N. Hudson
	2100	82	C. Magallangs
	2400	82	T. R.

Notes: Date and type of cooling measures provided

Date	Time	Temp.	Name (Print)
8-1-24	0300	81	J. Bryant
	0600	80	B. Mariano
	0900	80	B. Mariano
	1200	81	B. Mariano
	1500	83	T. R.
	1800	84	A. Linares
	2100	83	A. Linares
	2400	83	T. R.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson #1 Temp. Reading Location: Long/Short Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 80 degrees and again at 85 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-05-24	0300	83	T-fish
	0600	81	B. Montoya
	0800	82	B. Montoya
	1200	83	B. Montoya
	1500	83	AQUINE
	1800	85	AQUINE
	2100	84	AQUINE
	2400	84	T-fish

Tuesday

Date	Time	Temp.	Name (Print)
8-06-24	0300	82	T-fish
	0600	82	DELIA ROSA
	0800	81	DELIA ROSA
	1200	81	DELIA ROSA
	1500	82	AQUINE
	1800	83	AQUINE
	2100	84	AQUINE
	2400	84	T-fish

Wednesday

Date	Time	Temp.	Name (Print)
8-07-24	0300	82	T-fish
	0600	82	B. Montoya
	0800	82	B. Montoya
	1200	82	B. Montoya
	1500	83	AQUINE
	1800	83	AQUINE
	2100	83	AQUINE
	2400	83	T-fish

Thursday

Date	Time	Temp.	Name (Print)
8-08-24	0300	81	T-fish
	0600	81	J. morano
	0800	80	J. morano
	1200	81	J. morano
	1500	82	AQUINE
	1800	83	AQUINE
	2100	82	AQUINE
	2400	82	Josuna

Friday

Date	Time	Temp.	Name (Print)
8-09-24	0300	81	Josuna
	0600	76	J. Bryant
	0800	80	J. Bryant
	1200	80	J. Bryant
	1500	82	Wenner
	1800	87	LeFever
	2100	81	LeFever
	2400	81	Josuna

Saturday

Date	Time	Temp.	Name (Print)
8-10-24	0300	81	Josuna
	0600	80	J. Bryant
	0800	80	J. Bryant
	1200	80	J. Bryant
	1500	80	Kamie
	1800	80	Kamie
	2100	80	Kamie
	2400	82	T-fan

Notes: Date and type of cooling measures provided

Date	Time	Temp.	Name (Print)
8-11-24	0300	82	T-fan
	0600	81	RENELYN
	0800	81	DELIA ROSA
	1200	81	DELIA ROSA
	1500	83	AQUINE
	1800	84	AQUINE
	2100	84	AQUINE
	2400	83	T-fan

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2021 (04/16)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson #1 Temp. Reading Location: Long/Short Hall
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 80 degrees and again at 85 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	83	TIN
	0800	83	DELA ROSA
	0800	81	DE LA ROSA
	1200	81	DE LA ROSA
	1500	83	ARLINE
	1800	83	ARLINE
	2100	82	ARLINE
	2400	81	T-FISH

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	81	T-FISH
	0800	81	ARLINE
	0800	79	ARLINE
	1200	81	ARLINE
	1500	81	ARLINE
	1800	82	ARLINE
	2100	82	ARLINE
	2400	82	ARLINE

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	82	INV
	0800	80	A. HERNANDEZ
	0800	80	A. HERNANDEZ
	1200	80	A. HERNANDEZ
	1500	81	ARLINE
	1800	82	ARLINE
	2100	82	ARLINE
	2400	82	SANCHEZ

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	80	SANCHEZ
	0800	80	FRANCIS
	0800	82	FRANCIS
	1200	80	FRANCIS
	1500	82	FRANCIS
	1800	82	FRANCIS
	2100	82	FRANCIS
	2400	82	FRANCIS

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	81	NUNAZO
	0800	78	NEGLAZO
	0800	78	BRYANT
	1200	78	BRYANT
	1500	82	E. NAVARRO
	1800	82	M. NAVARRO
	2100	82	M. NAVARRO
	2400	81	SMITH

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	81	SMITH
	0800	78	BRYANT
	0800	78	BRYANT
	1200	78	BRYANT
	1500	79	V. RIOS
	1800	79	V. RIOS
	2100	79	V. RIOS
	2400	78	V. RIOS

Notes: Date and type of cooling measures provided

Date	Time	Temp.	Name (Print)
8-18-24	0300	81	ADAMS
	0800	82	L. GREEN
	0800	79	L. MORENO
	1200	80	L. MORENO
	1500	81	ARLINE
	1800	82	ARLINE
	2100	81	ARLINE
	2400	81	CHARLES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

290 CD

GTS

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson A Temp. Reading Location: Hall 1 and 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/19/24

Date	Time	Temp.	Name (Print)
0300	80	CHAVEZ	
0600	79	B. Mendez	
0900	79	B. Mendez	
1200	81	B. Mendez	
1500	81	Aguilme	
1800	82	Aguilme	
2100	81	Aguilme	
2400	80	CHAVEZ	

Wednesday 8/21/24

Date	Time	Temp.	Name (Print)
0300	80	PULICAP	
0600	79	B. Mendez	
0900	81	B. Mendez	
1200	80	B. Mendez	
1500	80°	Aguilme	
1800	82°	Aguilme	
2100	81	Aguilme	
2400	81	Loredo	

Friday 8/23/24

Date	Time	Temp.	Name (Print)
0300	82	J. Osuna	
0600	79	T. Carter	
0900	78	T. Carter	
1200	78	T. Carter	
1500	80	D. Renteria	
1800	79	B. Remerita	
2100	79	D. Renteria	
2400	79	J. Osuna	

Sunday 8/25/24

Date	Time	Temp.	Name (Print)
0300	78	T. Carter	
0600	79	B. Mendez	
0900	77	B. Mendez	
1200	73	B. Mendez	
1500	78	Banuelos	
1800	76	Banuelos	
2100	75	Banuelos	
2400	78	T. Carter	

Tuesday 8/20/24

Date	Time	Temp.	Name (Print)
0300	80	CHAVEZ	
0600	79	B. Mendez	
0900	80	B. Mendez	
1200	81	B. Mendez	
1500	82	Aguilme	
1800	82	Aguilme	
2100	82	Aguilme	
2400	81	PULICAP	

Thursday 8/22/24

Date	Time	Temp.	Name (Print)
0300	90	Loredo	
0600	80	HARROD	
0900	80	HARROD	
1200	80	HARROD	
1500	80°	Aguilme	
1800	81°	Aguilme	
2100	81	Aguilme	
2400	80	J. Osuna	

Saturday 8/24/24

Date	Time	Temp.	Name (Print)
0300	78	J. Osuna	
0600	78	J. Bryant	
0900	78	J. Bryant	
1200	78	J. Bryant	
1500	78	B. Mireles	
1800	78	B. Mireles	
2100	78	B. Mireles	
2400	78	T. Carter	

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: W11801NA Temp. Reading Location: 1st tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-26-24	0300	79	Foster ✓
	0600	78	B. Mendez
	0900	77	B. Mendez ✓
	1200	78	B. Mendez
	1500	79°	Aguilera
	1800	80°	Aguilera
	2100	80°	Aguilera ✓
	2400	78	T. Foster

Wednesday

Date	Time	Temp.	Name (Print)
8-28-24	0300	79	T. Foster
	0600	78	B. Mendez
	0900	79	B. Mendez
	1200	80	B. Mendez
	1500	79	P. Aguilera
	1800	80	P. Aguilera
	2100	79	P. Aguilera
	2400	78	T. Foster

Friday

Date	Time	Temp.	Name (Print)
8-30-24	0300	78	N. Marquez
	0600	77	D. Galeno
	0900	78	D. Galeno
	1200	79	D. Galeno
	1500	80	Souza
	1800	79	Souza
	2100	79	Souza
	2400	78	J. Osuna

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8-27-24	0300	78	T. Foster
	0600	78	P. Aguilera
	0900	77	P. Aguilera
	1200	78	P. Aguilera
	1500	80	P. Aguilera
	1800	81	P. Aguilera
	2100	80	P. Aguilera
	2400	80	T. Foster

Thursday

Date	Time	Temp.	Name (Print)
8-29-24	0300	78	T. Foster
	0600	78	P. Aguilera
	0900	78	P. Aguilera
	1200	78	P. Aguilera
	1500	80	P. Aguilera
	1800	80	P. Aguilera
	2100	79	P. Aguilera
	2400	78	N. Marquez

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300	78	J. Osuna
	0600	75	C. Castro
	0900	76	C. Castro
	1200	78	C. Castro
	1500	78	Souza
	1800	79	Souza
	2100	78	Souza
	2400	78	T. Foster

Notes: Date and type of cooling measures provided

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR #931 (04/18)**

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson B Temp. Reading Location: Halls 1 and 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday 8/02/24

Date	Time	Temp.	Name (Print)
	0300	81	SFI Fa
	0600	81	RSHm
	0900	83	RSHm
	1200	81	RSHm
	1500	85	RSHm
	1800	84	RSHm
	2100	83	RSHm
	2400	84	RVEDA

Sunday 8/04/24

Date	Time	Temp.	Name (Print)
	0300	53	Riviera
	0600	83	Bryant
	0900	85	Bryant
	1200	87	Bryant
	1500	86	Bahuelos
	1800	85	Bahuelos
	2100	83	Bahuelos
	2400	86	Riviera

Tuesday

Tuesday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Thursday 8/01/24

Date	Time	Temp.	Name (Print)
	0300	80	Silve
	0600	79	DE LA ROSA
	0900	79	Dela RosA
	1200	78	De La Rosa
	1500	80	125mpt
	1800	79	125mpt
	2100	80	125mpt
	2400	81	Silve

Saturday 8/03/24

Date	Time	Temp.	Name (Print)
0300	84	P. L. VENIA	
0600	82	P. L. VENIA	
0900	82	P. L. VENIA	
1200	84	P. L. VENIA	
1500	85	P. L. VENIA	
1800	84	P. L. VENIA	
2100	84	P. L. VENIA	V
2400	84	P. L. VENIA	

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson B Temp. Reading Location: Halls 1 and 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/5/24			
Date	Time	Temp.	Name (Print)
	0300	84	RIVERA ✓
	0600	75	Bryant
	0900	76	Bryant
	1200	78	Bryant ✓
	1500	84	Cervantes ✓
	1800	80	Cervantes
	2100	85	Cervantes
	2400	84	Reelvng

Tuesday 8/6/24			
Date	Time	Temp.	Name (Print)
	0300	84	Koettling (✓)
	0600	84	Overson
	0900	83	Overson
	1200	88	Overson
	1500	88	Overson
	1800	86	Overson
	2100	86	Overson
	2400	86	N-Khalil

Wednesday 8/7/24			
Date	Time	Temp.	Name (Print)
	0300	85	N-Khalil ✓
	0600	84	N-Khalil
	0900	83	Overson
	1200	85	Overson ✓
	1500	88	Overson
	1800	88	Overson
	2100	88	Perez
	2400	83	Silfe

Thursday 8/8/24			
Date	Time	Temp.	Name (Print)
	0300	83	Silfe ✓
	0600	83	PULCIAPI
	0900	81	Overson
	1200	85	Overson
	1500	85	Mazy
	1800	83	Mazy
	2100	79	Mazy
	2400	83	Silfe

Friday 8/9/24			
Date	Time	Temp.	Name (Print)
	0300	83	Silfe ✓
	0600	82	Mshye
	0900	82	Mshye
	1200	84	Mshye
	1500	84	Mshye
	1800	82	Mshye
	2100	82	Mshye
	2400	82	RIVERA

Saturday 8/10/24			
Date	Time	Temp.	Name (Print)
	0300	82	RIVERA
	0600	82	Mshye
	0900	82	Mshye
	1200	79	Mshye
	1500	80	J-Bryant
	1800	78	J-Bryant
	2100	78	J-Bryant
	2400	82	RIVERA

Sunday 8/11/24			
Date	Time	Temp.	Name (Print)
	0300	82	RIVERA ✓
	0600	80	J-Bryant
	0900	70	J-Bryant
	1200	74	J-Bryant
	1500	75	Mshye
	1800	75	Banuelos
	2100	76	Banuelos
	2400	85	RIVERA

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

CIW

Institution: _____ Housing Unit: Wilson B Temp. Reading Location: Halls 1 and 2
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

8/12/24

Monday

Date	Time	Temp.	Name (Print)
0300	84	RIVENA	
0600	83	RIVENA	
0900	86	AGUILAR	
1200	87	AGUILAR	
1500	86	HANUELOS	
1800	85	BANUELOS	
2100	84	A. BANUELOS	
2400	83	P. RIVERA	

Wednesday

8/14/24

Date	Time	Temp.	Name (Print)
0300	83	LORNA	
0600	82	DIVERSON	
0900	82	DIVERSON	
1200	85	DIVERSON	
1500	87	DIVERSON	
1800	85	DIVERSON	
2100	85	DIVERSON	
2400	84	JUNKER	

Friday

8/16/24

Date	Time	Temp.	Name (Print)
0300	83	SPIFF	
0600	80	HARD	
0900	81	HARD	
1200	81	HARD	
1500	73	HUDSON	
1800	75	HUDSON	
2100	75	HUDSON	
2400	84	T. HUERTA	

Sunday

8/18/24

Date	Time	Temp.	Name (Print)
0300	80	CASTANON	
0600	77	Bryant	
0900	76	Bryant	
1200	76	Bryant	
1500	76	Velazquez	
1800	75	Velazquez	
2100	73	Velazquez	
2400	87	RIVENA	

Tuesday

8/13/24

Date	Time	Temp.	Name (Print)
0300	83	Pettig	
0600	82	Overson	
0900	84	Overson	
1200	84	Overson	
1500	85	Overson	
1800	86	Overson	
2100	85	Overson	
2400	87	Cormier	

Thursday

8/15/24

Date	Time	Temp.	Name (Print)
0300	83	JUNKER	
0600	82	JUNKER	
0900	83	DIVERSON	
1200	84	DIVERSON	
1500	87	SAT	
1800	87	SAT	
2100	85	SAT	
2400	83	SILVE	

Saturday

8/17/24

Date	Time	Temp.	Name (Print)
0300	83	T. HUERTA	
0600	82	I. CORTEZ	
0900	81	I. CORTEZ	
1200	83	Castan	
1500	84	SZUCZEWSK	
1800	84	SZUCZEWSK	
2100	87	SZUCZEWSK	
2400	82	CASTANON	

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson B Temp. Reading Location: Hall 1 and 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/19/24

Date	Time	Temp.	Name (Print)
	0300	81	RIVERA
	0600	79	Bryant
	0900	79	Bryant ✓
	1200	74	Bryant
	1500	74	Bryant
	1800	78	N.Khalil ✓
	2100	77	N.Khalil ✓
	2400	80	RIVES,C

Wednesday 8/21/24

Date	Time	Temp.	Name (Print)
	0300	84	N.Khalil
	0600	82	N.Khalil ✓
	0900	81	D.Rubio
	1200	811	Oversen
	1500	85	Oversen
	1800	83	Oversen
	2100	83	Oversen
	2400	80	SILF

Friday 8/23/24

Date	Time	Temp.	Name (Print)
	0300	80	SILF ✓
	0600	80	Murray
	0900	79	Murray
	1200	80	Murray
	1500	81	Murray
	1800	80	Murray ✓
	2100	80	Murray
	2400	81	MURRAY

Sunday 8/25/24

Date	Time	Temp.	Name (Print)
	0300	79	RIVERA
	0600	73	Bryant
	0900	75	Bryant
	1200	78	Bryant
	1500	78°	Bailey ✓
	1800	78°	Bailey
	2100	76°	Bailey
	2400	81	RIVERA

Tuesday 8/20/24

Date	Time	Temp.	Name (Print)
	0300	81	RIVES,C
	0600	81	Oversen
	0900	81	Oversen
	1200	84	Oversen
	1500	85	Oversen
	1800	85	Oversen
	2100	81	Oversen ✓
	2400	83	N.Khalil

Thursday 8/22/24

Date	Time	Temp.	Name (Print)
	0300	80	SILF
	0600	81	Oversen
	0900	81	Oversen
	1200	85	Navarrete
	1500	81	Murray
	1800	81	Murray
	2100	81	Murray ✓
	2400	80	SILF

Saturday 8/24/24

Date	Time	Temp.	Name (Print)
	0300	80	RIVERA
	0600	74	KOJON
	0900	78	Bailey
	1200	80	Bailey
	1500	81	Bailey ✓
	1800	71	Bailey
	2100	78	Bailey
	2400	80	RIVERA

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson B Temp. Reading Location: Halls 1 and 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8/26/24

Date	Time	Temp.	Name (Print)
8/26	0300	79	Riviera ✓
	0600	78	Bryant ✓
	0900	78	Bryant ✓
	1200	78	Bryant ✓
	1500	78	Rivera ✓
	1800	77	S. Bailey ✓
	2100	77	S. Bailey ✓
	2400	79	Rockley ✓

Wednesday 8/28/24

Date	Time	Temp.	Name (Print)
8/28	0300	81	N. Khalil ✓
	0600	80	N. Khalil ✓
	0900	81	Overson ✓
	1200	83	Overson ✓
	1500	84	Overson ✓
	1800	82	Overson ✓
	2100	81	Overson ✓
	2400	78	SF/F ✓

Friday 8/30/24

Date	Time	Temp.	Name (Print)
8/30	0300	77	SF/F ✓
	0600	77	Robyce ✓
	0900	77	Robyce ✓
	1200	79	Robyce ✓
	1500	80	Robyce ✓
	1800	79	Robyce ✓
	2100	79	Robyce ✓
	2400	79	Riviera ✓

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 8/27/24

Date	Time	Temp.	Name (Print)
8/27	0300	78	Rockley ✓
	0600	78	Overson ✓
	0900	79	Overson ✓
	1200	81	Overson ✓
	1500	83	Overson ✓
	1800	84	Overson ✓
	2100	83	Overson ✓
	2400	81	N. Khalil ✓

Thursday 8/29/24

Date	Time	Temp.	Name (Print)
8/29	0300	78	SF/F ✓
	0600	78	Overson ✓
	0900	79	Overson ✓
	1200	80	Overson ✓
	1500	81	Mcne
	1800	79	WShup ✓
	2100	78	WShup ✓
	2400	78	SF/F ✓

Saturday 8/31/24

Date	Time	Temp.	Name (Print)
8/31	0300	79	Riviera ✓
	0600	78	Robyce ✓
	0900	79	Robyce ✓
	1200	81	Robyce ✓
	1500	82	Robyce ✓
	1800	83	Robyce ✓
	2100	82	Robyce ✓
	2400	79	Riviera ✓

Notes: Date and type of cooling measures provided

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: BARNEBERG A Temp. Reading Location: BARNEBERG A
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300	77	MENDOZA
	0600	78°	SUAREZ
	0900	79°	SUAREZ
	1200	81	SILVE
	1500	81	Ramos
	1800	80	Ramos
	2100	78	Ramos
	2400	80	MENDOZA

Sunday

Date	Time	Temp.	Name (Print)
	0300	80	Quintana
	0600	79	A. HERNANDEZ
	0900	82	A. HERNANDEZ
	1200	84	A. HERNANDEZ
	1500	80	Oliver
	1800	90	Oliver
	2100	87	Oliver
	2400	86	B. MURRAY

Thursday

Date	Time	Temp.	Name (Print)
	0300	79	S. MURRAY
	0600	79	ANDERSON
	0900	78	ANDERSON
	1200	79	ANDERSON
	1500	79	BRUNO
	1800	78	BRUNO
	2100	78	BRUNO
	2400	78	MENDOZA

Date	Time	Temp.	Name (Print)
	0300	80	MENDOZA
	0600	80	Anderson
	0900	80	Anderson
	1200	82	Anderson
	1500	83	A. HERNANDEZ
	1800	82	JUNKER
	2100	80	JUNKER
	2400	80	Quintana

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: BARNESBERG A Temp. Reading Location: BARNESBERG A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5	0300	84	MARTINEZ
	0600	82	MARTINEZ
	0900	82	MARTINEZ
	1200	82	MARTINEZ
	1500	81	olive
	1800	80	olive
	2100	85	olive
	2400	84	Smursey

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	84	B. murray
	0600	82	J. moreno
	0900	86	J. moreno
	1200	86	J. moreno
	1500	86	Oliver
	1800	85	Oliver
	2100	84	Oliver
	2400	83	B. murray

Friday

Date	Time	Temp.	Name (Print)
8/9	0300.	81	MENDOZA
	0600	80	J. moreno
	0900	81	J. Moreno
	1200	83	J. moreno
	1500	83	Magallanes
	1800	83	Magallanes
	2100	83	Magallanes
	2400	82	MENDOZA

Sunday

Date	Time	Temp.	Name (Print)
	0300	79	CASTANON
	0600	80	Williams
	0900	82	Williams
	1200	85	Williams
	1500	84°	Oliver
	1800	85	Oliver
	2100	85°	Oliver
	2400	83	B. MURKIN

Tuesday

Date	Time	Temp.	Name (Print)
8/6	0300	85	B. Murray
	0600	86	Quinton
	0900	81	Quinton
	1200	86	Quinton
	1500	88	Oliver
	1800	87	Oliver
	2100	87	Oliver
	2400	85	B. Murray

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	82	Bernardine
	0600	81	Karen
	0900	81	Espinoza
	1200	83	Espinoza
	1500	84°	Olivier
	1800	84°	oliver
	2100	82°	oliver
	2400	81	MENDOZA

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	81	MENDOZA
	0600	80	D. RELAYO
	0900	81	D. RELAYO
	1200	83	D. RELAYO
	1500	83	REMBARTES
	1800	83	REMBARTES
	2100	82	REMBARTES
	2400	80	CASAVAN

Notes

DISTRIBUTION: Original: Institution Head; Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: BARNEBERG A Temp. Reading Location: BARNEBERG A
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	82	B. Murray
	0600	78	Zavala
	0900	76	Zavala
	1200	85	Zavala
	1500	85	Oliver
	1800	84	Oliver
	2100	84	Oliver
	2400	82	B. Murray

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	81	B. Murray
	0600	80	C. Bautista
	0900	79	G. Bautista
	1200	82	E. Bautista
	1500	84	Oliver
	1800	84	Oliver
	2100	84	Oliver
	2400	82	B. Murray

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	81	Mendoza
	0600	81	Bautista
	0900	81	Bautista
	1200	82	Bautista
	1500	85	Mazallana
	1800	84	Mazallana
	2100	83	Mazallana
	2400	78	Castanon

Sunday

Date	Time	Temp.	Name (Print)
	0300	80	Charles
	0600	78	Bautista
	0900	78	Bautista
	1200	83	Bautista
	1500	83	Oliver
	1800	84	Oliver
	2100	81	Oliver
	2400	81	B. Murray

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	81	B. Murray
	0600	80	N. Garcia
	0900	82	N. Garcia
	1200	84	N. Garcia
	1500	84	Oliver
	1800	84	Oliver
	2100	83	Oliver
	2400	82	B. Murray

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	81	B. Murray
	0600	80	C. Bautista
	0900	81	C. Bautista
	1200	81	C. Bautista
	1500	84	C. Bautista Toliver
	1800	84	Oliver
	2100	84	Oliver
	2400	81	Mendoza

Saturday

Date	Time	Temp.	Name (Print)
	0300	78	Castanon
	0600	79	Bautista
	0900	79	Bautista
	1200	82	Bautista
	1500	81	Charles
	1800	81	Charles
	2100	81	Charles
	2400	81	Charles

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: BARNEBERG A Temp. Reading Location: BARNEBERG A
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	80	B. MURRAY
	0600	79	JUNKER
	0900	79	JUNKER
	1200	79	JUNKER
	1500	83	olive
	1800	84	olive
	2100	83	olive
	2400	82	B. MURRAY

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	82°	S. TELLO
	0600	81°	BAUTISTA
	0900	79	BAUTISTA
	1200	83	BAUTISTA
	1500	84	olive
	1800	85	olive
	2100	84	olive
	2400	83	B. MURRAY

Friday

Date	Time	Temp.	Name (Print)
8-25-2024	0300	79	Schadlinski
	0600	79	BAUTISTA
	0900	79	BAUTISTA
	1200	80	BAUTISTA
	1500	81	Magallanes
	1800	80	Magallanes
	2100	79	Magallanes
	2400	78	CASTANON

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	73	B. MURRAY
	0600	76	BAUTISTA
	0900	78	BAUTISTA
	1200	80	BAUTISTA
	1500	80	HUDSON
	1800	79	HUDSON
	2100	78	HUDSON
	2400	77	B. MURRAY

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	81	B. MURRAY
	0600	79	Sabatias
	0900	80	Sabatias
	1200	80	Sabatias
	1500	82	olive
	1800	88	olive
	2100	86	olive
	2400	82	S. TELLO

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	82	B. MURRAY
	0600	81	BAUTISTA
	0900	79	BAUTISTA
	1200	62	BAUTISTA
	1500	83	olive
	1800	82	olive
	2100	81	olive
	2400	80	Schadlinski

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	78	CASTANON
	0600	76	PASTORA
	0900	79	PASTORA
	1200	60	PASTORA
	1500	74	m. chavez
	1800	76	M. Chavez
	2100	76	M. Chavez
	2400	75	B. MURRAY

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: BARNEBEIGS A Temp. Reading Location: BARNEBEIGS A
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	75	B. MURRAY
	0600	77	A. HERNANDEZ
	0900	76	A. HERNANDEZ
	1200	80	A. HERNANDEZ
	1500	81	oliver
	1800	82	Oliver
	2100	80	oliver
	2400	79	B. MURRAY

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	76	B. MURRAY
	0600	78	BAUTISTA
	0900	75	BAUTISTA
	1200	79	BAUTISTA
	1500	82	J. CUELLAR
	1800	81	J. CUELLAR
	2100	81	J. CUELLAR
	2400	79	B. MURRAY

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	79	MENDOZA
	0600	77	BAUTISTA
	0900	75	BAUTISTA
	1200	77	BAUTISTA
	1500	80	Magallanes
	1800	71	Magallenes
	2100	79	Magallenes
	2400	74	T. L.

Sunday

Date	Time	Temp.	Name (Print)
	0300		B. MURRAY
,	0600		
,	0900		
,	1200		
,	1500		
,	1800		
,	2100		
,	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/29	0300	78	B. MURRAY
	0600	79	JUNKEIR
	0900	78	ZAVALA
	1200	80	ZAVALA
	1500	82	oliver
	1800	82	oliver
	2100	82	oliver
	2400	79	B. MURRAY

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	77	B. MURRAY
	0600	77	BAUTISTA
	0900	76	BAUTISTA
	1200	78	BAUTISTA
	1500	80	olived
	1800	80	oliver
	2100	80	oliver
	2400	80	MENDOZA

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	78	T. L.
	0600	77	BAUTISTA
	0900	77	BAUTISTA
	1200	80	BAUTISTA
	1500	80	K. J.
	1800	78	K. J.
	2100	78	K. J.
	2400	77	B. MURRAY

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: BARN B Temp. Reading Location: Long S Loft Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	72	TOSCANO
	0600	75	N. PEREZ
	0900	75	N. PEREZ
	1200	77	N. PEREZ
	1500	78	S. PERRATO
	1800	76	J. PEREZ
	2100	76	J. PEREZ
	2400	79	TOSCANO

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	72	TOSCANO
	0600	75	N. PEREZ
	0900	77	N. PEREZ
	1200	80	N. PEREZ
	1500	81°	VALENTINA, F.
	1800	80°	VALENTINA, F.
	2100	80	VALENTINA, F.
	2400	80	DONOSO

Saturday

Date	Time	Temp.	Name (Print)
	0300	79	DURAN
	0600	80	DE LA ROSA AO
	0900	80	DE LA ROSA AO
	1200	83	DE LA ROSA AO
	1500	80°	VALENTINA, F.
	1800	79°	VALENTINA, F.
	2100	79°	VALENTINA, F. *
	2400	80	EGUADO

Notes

Date	Time	Temp.	Name (Print)
8/24	0300	70	Esquedo
	0600	80	HARRIS
	0900	80	HARRIS
	1200	81	HARRIS
	1500	78	JUNKER
	1800	75	JUNKER
	2100	75	JUNKER
	2400	80	ESQUEDO

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJW Housing Unit: B3

Temp. Reading Location: Long & short hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4413 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-24	0300	74	E.Soler
	0600	80	J. AVILA
	0900	78	J. AVILA
	1200	80	J. AVILA
	1500	80	M.Chavez
	1800	80	M.Chavez
	2100	80	M.Chavez
	2400	80	J. Diaz

Tuesday

Date	Time	Temp.	Name (Print)
5-25	0300	79	J. Diaz
	0600	80	N.PENAL
	0900	80	N.PENAL
	1200	82	N.PENAL
	1500	84	S.Serrato
	1800	82	J.Serrato
	2100	82	J.Serrato
	2400	82	T.Huerta

Wednesday

Date	Time	Temp.	Name (Print)
6-1	0300	80	T.HUERTA
	0600	80	N.PENAL
	0900	80	N.PENAL
	1200	83	N.PENAL
	1500	82	S.Serrato
	1800	82	J.Serrato
	2100	81	J.Serrato
	2400	77	TOSCALO

Thursday

Date	Time	Temp.	Name (Print)
6-2	0300	75	TOSCALO
	0600	78	N.PENAL
	0900	77	N.PENAL
	1200	81	N.PENAL
	1500	82	S.Serrato
	1800	80	J.Serrato
	2100	80	ANDERSON
	2400	77	TOSCALO

Friday

Date	Time	Temp.	Name (Print)
6-9	0300	75	TOSCALO
	0600	77	N.PENAL
	0900	78	N.PENAL
	1200	80	N.PENAL
	1500	80	VALENZUELA, F.
	1800	79	VALENZUELA, F.
	2100	79	VALENZUELA, F.
	2400	79	DONOSO

Saturday

Date	Time	Temp.	Name (Print)
6-10	0300	79	DOBRO
	0600	80	DE LIA ROSA
	0900	80	DE LIA ROSA
	1200	81	DE LIA ROSA
	1500	81	VALENZUELA, F.
	1800	80	VALENZUELA, F.
	2100	79	VALENZUELA, F.
	2400	79	CSO

Sunday

Date	Time	Temp.	Name (Print)
6-11	0300	74	
	0600	79	HARRIS
	0900	80	HARRIS
	1200	80	HARRIS
	1500	80	Chavez
	1800	80	Chavez
	2100	80	Chavez
	2400	79	E.Soler

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CJW Housing Unit: Barnberg B Temp. Reading Location: Long & Short hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8-12-24	0300	79	Eslabedo
	0600	78	J. AVILA
	0900	78	J. AVILA
	1200	79	J. AVILA
	1500	80	Chavez
	1800	80	Chavez
	2100	80	Chavez
	2400	80	Huerta

Tuesday			
Date	Time	Temp.	Name (Print)
8-13-24	0300	79	Huerta
	0600	79	Quintana
	0900	79	Quintana
	1200	79	Quintana
	1500	80	Quintana
	1800	80	S. Quintana
	2100	80	S. Quintana
	2400	80	T. GONZALEZ

Wednesday			
Date	Time	Temp.	Name (Print)
8-14-24	0300	79	Gonzales
	0600	80	Gonzales
	0900	81	Gonzales
	1200	84	Gonzales
	1500	81	J. Demato
	1800	80	J. Demato
	2100	80	J. Demato
	2400	78	Tosciano

Thursday			
Date	Time	Temp.	Name (Print)
8-15-24	0300	75	Tosciano
	0600	77	Magallanes
	0900	78	Magallanes
	1200	79	Magallanes
	1500	81	J. Demato
	1800	80	J. Demato
	2100	80	J. Demato
	2400	77	Tosciano

Friday			
Date	Time	Temp.	Name (Print)
8-16-24	0300	75	Tosciano
	0600	76	Call
	0900	78	Call
	1200	79	Call
	1500	80	VALENCIA, F.
	1800	79	VALENCIA, F.
	2100	78	VALENCIA, F.
	2400	78	DONBOSO

Saturday			
Date	Time	Temp.	Name (Print)
8-17-24	0300	79	DONBOSO
	0600	77	S. Demato
	0900	76	J. Demato
	1200	81	J. Demato
	1500	79	VALENCIA, F.
	1800	79	VALENCIA, F.
	2100	78	VALENCIA, F.
	2400	80	Eslabedo

Sunday			
Date	Time	Temp.	Name (Print)
8-18-24	0300	80	Eslabedo
	0600	79	Hernandez
	0900	79	Hernandez
	1200	79	Hernandez
	1500	80	M. Chavez
	1800	80	M. Chavez
	2100	79	M. Chavez
	2400	79	Eslabedo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: JW Housing Unit: Burnberg B Temp. Reading Location: Long & short hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-19-24	0300	70	Escobero
	0600	70	HARLZS
	0900	71	HARLZS
	1200	72	HARLZS
	1500	70	Chavez
	1800	60	Chavez
	2100	80	Chavez
	2400	78	Blaith

Tuesday

Date	Time	Temp.	Name (Print)
8-20-24	0300	78	Blaith
	0600	78	N.PARK
	0900	79	N.PARK
	1200	80	N.PARK
	1500	81	J.Demoto
	1800	83	J.Demoto
	2100	83	J.Demoto
	2400	78	TOSCAVO

Wednesday

Date	Time	Temp.	Name (Print)
8-21-24	0300	76	TOSCAVO
	0600	77	N.PARK
	0900	79	N.PARK
	1200	80	N.PARK
	1500	81	J.Demoto
	1800	81	S.SERRATO
	2100	80	S.SERRATO
	2400	77	TOSCAVO

Thursday

Date	Time	Temp.	Name (Print)
8-22-24	0300	74	TOSCAVO
	0600	74	N.PARK
	0900	76	N.PARK
	1200	80	N.PARK
	1500	80	J.Demoto
	1800	79	J.Demoto
	2100	79	J.Demoto
	2400	76	TOSCAVO

Friday

Date	Time	Temp.	Name (Print)
8-23-24	0300	75	TOSCAVO
	0600	75	N.PARK
	0900	76	N.PARK
	1200	78	N.PARK
	1500	78°	F.VALENCIA
	1800	78°	F.VALENCIA
	2100	78°	F.VALENCIA
	2400	76	DONISO

Saturday

Date	Time	Temp.	Name (Print)
8-24-24	0300	76	DONISO
	0600	76	N.PARK
	0900	76	N.PARK
	1200	77	N.PARK
	1500	75°	F.VALENCIA
	1800	75°	F.VALENCIA
	2100	75°	F.VALENCIA
	2400	76	ESCOBERO

Sunday

Date	Time	Temp.	Name (Print)
8-25-24	0300	75	ESCOBERO
	0600	76	HARLZS
	0900	77	HARLZS
	1200	77	HARLZS
	1500	77	Chavez
	1800	77	Chavez
	2100	77	Chavez
	2400	77	ESCOBERO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: C.I.W Housing Unit: Barnberg B Temp. Reading Location: Long & Short hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-20-18	0300	76	Eslabedo ✓
	0600	74	Eslabedo
	0900	76	Hanns
	1200	80	Hanns
	1500	79	Chavez ✓
	1800	77	Cloud
	2100	77	Cloud ✓
	2400	67	Avalos

Tuesday

Date	Time	Temp.	Name (Print)
5-21-18	0300	77	Avalos
	0600	77	N. Perez
	0900	78	N. Perez
	1200	80	N. Perez
	1500	78	S. Perez
	1800	77	J. Perez
	2100	77	J. Perez
	2400	75	Toscano

Wednesday

Date	Time	Temp.	Name (Print)
5-22-18	0300	74	Toscano
	0600	76	N. Perez
	0900	76	N. Perez
	1200	79	N. Perez
	1500	88	S. Perez ✓
	1800	75	J. Perez
	2100	74	J. Perez
	2400	73	Toscano

Thursday

Date	Time	Temp.	Name (Print)
5-23-18	0300	72	Toscano
	0600	73	N. Perez
	0900	73	N. Perez
	1200	77	N. Perez
	1500	77	N. Perez
	1800	76	N. Perez
	2100	74	N. Perez
	2400	73	Schmidtm

Friday

Date	Time	Temp.	Name (Print)
5-24-18	0300	73	Schmidtm
	0600	73	N. Perez
	0900	73	N. Perez
	1200	76	N. Perez
	1500	78	G. Meeks
	1800	77	G. Meeks
	2100	76	G. Meeks
	2400	72	Donuso

Saturday

Date	Time	Temp.	Name (Print)
5-25-18	0300	76	Donuso
	0600	76	Perez
	0900	76	Perez
	1200	78	Perez
	1500	76	F. Valenzuela
	1800	76	F. Valenzuela
	2100	75	F. Valenzuela
	2400	74	Eslabedo

Sunday

Date	Time	Temp.	Name (Print)
5-26-18	0300	78	Eslabedo
	0600	79	Hanns
	0900	79	Hanns
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

AUGUST 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Tuesday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Wednesday

Date	Time	Temp.	Name (Print)
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Thursday

Date	Time	Temp.	Name (Print)
08	0300	70	Ortega
	0600	70	ESPINOLA
	0900	70	ESPINOLA
	1200	70	ESPINOLA
	1500	73	Howell
	1800	70	Howell
01	2100	70	Howell
	2400	70	HEDELMAN
24	0300	70	
	0600	70	
	0900	70	
	1200	70	

Friday

Date	Time	Temp.	Name (Print)
08	0300	70	Hederman
	0600	70	Hederman
	0900	70	G. WALKER
	1200	72	G. WALKER
	1500	73	R. Howell
	1800	70	Howell
02	2100	70	Howell
	2400	72	Hederman
24	0300	70	
	0600	70	
	0900	70	
	1200	70	

Saturday

Date	Time	Temp.	Name (Print)
08	0300	70	HEDELMAN
	0600	70	HEDERMAN
	0900	71	JUJUZ
	1200	71	JUJUZ
	1500	71	Baines
	1800	71	ESPINOZA
03	2100	71	Baines
	2400	72	Reyes
24	0300	71	
	0600	71	
	0900	71	
	1200	71	

Sunday

Date	Time	Temp.	Name (Print)
08	0300	71	Reyes
	0600	71	Escarbo
	0900	72	Escarbo
	1200	71	Escarbo
	1500	72	SZULCZEWSKI
	1800	72	SZULCZEWSKI
04	2100	72	SZULCZEWSKI
	2400	72	HOWELL
24	0300	71	
	0600	71	
	0900	71	
	1200	71	

Notes: Date and type of cooling measures provided

AUGUST 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08	0300	76	CHAVEZ
	0600	72	ESPIRITO
05	0900	72	ESPIRITO AD
	1200	72	ESPINDOLA
24	1500	78	ORTEGA
	1800	81	ESPINOZA
24	2100	79	ESPINOZA
	2400	72	ACIPIO

Wednesday

Date	Time	Temp.	Name (Print)
08	0300	78	ACIPIO
	0600	72	ESPINDOLA
07	0900	75	BAS
	1200	73	ESPINDOLA
24	1500	72	ORTEGA
	1800	72	ORTEGA
24	2100	72	ORTEGA
	2400	74	CHAVEZ

Friday

Date	Time	Temp.	Name (Print)
08	0300	70	Hawell
	0600	70	TOWNSEND
09	0900	71	TOWNSEND
	1200	72	TOWNSEND
24	1500	70	NAVARRETE
	1800	72	NAVARRETE
24	2100	72	AGUARRE
	2400	73	AGUARRE

Sunday

Date	Time	Temp.	Name (Print)
08	0300	70	Hawell
	0600	71	ESPIRITO
11	0900	71	ESPIRITO
	1200	72	ESPIRITO
24	1500	71	Hawell
	1800	71	Hawell
24	2100	71	Hawell
	2400	81	OZUNA

Tuesday

Date	Time	Temp.	Name (Print)
08	0300	72	ACIPIO
	0600	72	ESPINDOLA
06	0900	72	ESPINDOLA
	1200	74	CERVANTES
24	1500	74	ESPINDOLA
	1800	74	ESPINDOLA
24	2100	74	ESPINDOLA
	2400	72	ACIPIO

Thursday

Date	Time	Temp.	Name (Print)
08	0300	77	CHAVEZ
	0600	72	ESPINDOLA
08	0900	71	MENDOZA
	1200	72	ESPINDOLA
24	1500	72	HOWELL
	1800	71	HOWELL
24	2100	76	HOWELL
	2400	70	HOWELL

Saturday

Date	Time	Temp.	Name (Print)
08	0300	71	AGUILAR
	0600	79	SMITH
10	0900	71	ESPIRITO
	1200	72	ESPIRITO
24	1500	72	HOWELL
	1800	72	LOREDO
24	2100	72	LOREDO
	2400	70	HOWELL

Notes: Date and type of cooling measures provided

AUG 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
A U G 12	0300	76	CHAVEZ
	0600	71	ESTEVEZ D
	0900	71	TOWNSEND
	1200	71	ESLobato
	1500	72	TOWNSEND
	1800	72	TOWNSEND
	2100	72	AGUILAR
	2400	72	Alvarez, L

Wednesday

Date	Time	Temp.	Name (Print)
A U G 14	0300	71	AGUILAR
	0600	71	AGUILAR
	0900	71	ESTEVEZ
	1200	71	TOWNSEND
	1500	71	ALVIZO D
	1800	71	ALVIZO
	2100	71	ALVIZO
	2400	71	ALVIZO

Friday

Date	Time	Temp.	Name (Print)
A U G 16	0300	70	ACEDO
	0600	72	MENDOZA
	0900	71	MENDOZA
	1200	71	RUIZ D
	1500	71	HOMES
	1800	71	HOMES
	2100	71	DESPINZOZA
	2400	71	AGUILAR

Sunday

Date	Time	Temp.	Name (Print)
A U G 18	0300	70	AGUILAR D
	0600	71	ESPINDOLA
	0900	71	ESPINDOLA D
	1200	71	ESTEVEZ
	1500	71	ESTEVEZ
	1800	70	ORTEGA
	2100	70	HOMES
	2400	70	ORTEGA

Tuesday

Date	Time	Temp.	Name (Print)
A U G 13	0300	71	AGUILAR
	0600	71	ESPINDOLA
	0900	71	ESPINDOLA
	1200	71	ESPINDOLA
	1500	71	TOWNSEND
	1800	71	TOWNSEND
	2100	71	AGUILAR
	2400	70	AGUILAR

Thursday

Date	Time	Temp.	Name (Print)
A U G 15	0300	71	ARMAN
	0600	71	ARMAN
	0900	75	MENDOZA
	1200	73	BACA
	1500	72	ALVIZO
	1800	71	ALVIZO
	2100	71	DOTSON
	2400	70	ACEDO

Saturday

Date	Time	Temp.	Name (Print)
A U G 17	0300	70	AGUILAR
	0600	71	ESPINDOLA
	0900	71	ESTEVEZ
	1200	71	SMITH
	1500	78	TELLO
	1800	77	TELLO
	2100	71	ESPINDOLA L
	2400	71	AGUILAR

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

AUG 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				
Date	Time	Temp.	Name (Print)	
A U G 19	0300	70	ORTEGA	
	0600	70	ESPINDOLA	✓
	0900	70	TOWNSEND	
	1200	70	TOWNSEND	
	1500	71	ORTEGA	
	1800	71	ORTEGA	
	2100	71	ORTEGA	
	2400	71	HEDERMAN	

Tuesday				
Date	Time	Temp.	Name (Print)	
A U G 20	0300	71	HEDERMAN	
	0600	71	KINGLODGE	
	0900	71	TOWNSEND	
	1200	71	BACA	
	1500	73	ORTEGA	A
	1800	73	ORTEGA	
	2100	72	ORTEGA	
	2400	71	HUESO	

Wednesday				
Date	Time	Temp.	Name (Print)	
A U G 21	0300	71	HUESO	
	0600	71	TOWNSEND	✓
	0900	70	TOWNSEND	✓
	1200	71	BACA	
	1500	71	M. MEDINA	
	1800	71	M. MEDINA	
	2100	71	M. MEDINA	
	2400	71	ALPINO	

Thursday				
Date	Time	Temp.	Name (Print)	
A U G 22	0300	71	ALPINO	
	0600	71	ESPINDOLA	
	0900	71	MENDOZA	
	1200	71	TOWNSEND	
	1500	71	AGUILAR	
	1800	71	AGUILAR	
	2100	71	AGUILAR	
	2400	71	ALPINO	

Friday				
Date	Time	Temp.	Name (Print)	
A U G 23	0300	71	ALPINO	
	0600	71	TOWNSEND	
	0900	70	SMITH	
	1200	70	RUIZ	
	1500	71	FLOWELL	
	1800	70	HORN	✓
	2100	70	NANA	
	2400	71	AGUARRE	

Saturday				
Date	Time	Temp.	Name (Print)	
A U G 24	0300	70	AGUARRE	
	0600	71	ESPIRITU	
	0900	71	S. GARCIA	
	1200	71	CERVANTES	
	1500	70	CASTRO	
	1800	70	CASTRO	
	2100	70	CASTRO	
	2400	71	LIEBENDORFER	

Sunday				
Date	Time	Temp.	Name (Print)	
A U G 25	0300	71	LIEBENDORFER	
	0600	70	LIEBENDORFER	✓
	0900	70	ESPIRITU	
	1200	70	ESPIRITU	
	1500	71	SZUCZEWSKI	
	1800	71	ALPINO	
	2100	71	ALPINO	
	2400	70	ALPINO	

Notes: Date and type of cooling measures provided

AUG 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
A U G 26	0300	70	ALIPIO
	0600	70	ESPINDOLA
	0900	70	Chavez
	1200	70	Eslava
	1500	70	ORTEGA
	1800	70	ESPINDOLA
	2100	70	ORTEGA
	2400	70	ALIPIO

Wednesday

Date	Time	Temp.	Name (Print)
A U G 28	0300		
	0600	70	TOWNSEND
	0900	70	TOWNSEND
	1200	70	BACA
	1500	72	ORTEGA
	1800	72	ORTEGA
	2100	71	ORTEGA
	2400	71	ORTEGA

Friday

Date	Time	Temp.	Name (Print)
A U G 30	0300	72	CHAVEZ
	0600	70	TOWNSEND
	0900	70	TOWNSEND
	1200	70	BACA
	1500	71	HOWELL
	1800	71	HOWELL
	2100	71	HOWELL
	2400	70	Aguirre

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
A U G 27	0300	70	ALIPIO
	0600	70	ESPINDOLA
	0900	70	ESPINDOLA
	1200	70	ESPINDOLA
	1500	70	ORTEGA ALIPIO
	1800	70	ORTEGA ALIPIO
	2100	70	ORTEGA ALIPIO
	2400	70	████████

Thursday

Date	Time	Temp.	Name (Print)
A U G 29	0300	70	████████
	0600	70	ESPINDOLA
	0900	70	MENDOZA
	1200	70	ESPINDOLA
	1500	70	ORTEGA
	1800	70	ORTEGA
	2100	70	ORTEGA
	2400	71	CHAVEZ

Saturday

Date	Time	Temp.	Name (Print)
A U G 31	0300	70	Aguirre
	0600	70	ESTRELLA
	0900	70	KINGMAN
	1200	70	ESLERA
	1500	71	HOWELL
	1800	70	HOWELL
	2100	70	HOWELL
	2400	71	Aguirre

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCU Temp. Reading Location: N/A

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300	74	C. DIAZ
	0600	75	C. ALLEN
	0900	75	C. ALLEN
	1200	74	C. ALLEN
	1500	77	C. DRAKE
	1800	72	C. DRAKE
	2100	71	C. DRAKE
	2400	70	C. GUZMAN

Friday			
Date	Time	Temp.	Name (Print)
	0300	72	C. GUZMAN
	0600	73	C. ALLEN
	0900	74	C. ALLEN
	1200	74	C. ALLEN
	1500	75	C. DRAKE
	1800	79	C. DRAKE
	2100	71	C. DRAKE
	2400	72	CHAVEZ

Saturday			
Date	Time	Temp.	Name (Print)
	0300	71	CHAVEZ
	0600	72	C. ALLEN
	0900	74	A. HERNANDEZ
	1200	75	A. HERNANDEZ
	1500	76	D. Pelayo
	1800	78	SHZ
	2100	75	SHZ
	2400	76	Perez

Notes: Date and type of cooling measures provided

Sunday			
Date	Time	Temp.	Name (Print)
	0300	76	Perez
	0600	71	R. HARRIS
	0900	73	I. Harmon
	1200	75	I. Harmon
	1500	77	SHZ
	1800	74	SHZ
	2100	72	WRCZ
	2400	74	Diaz

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CLW Housing Unit: SCU Temp. Reading Location: North / West Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
8/5	0300	74	Diaz
	0600	74	L. Javega ✓
	0900	76	L. Javega ✓
	1200	79	P. O'Navy
	1500	80	N. Khalil ✓
	1800	79	A. Banuelos
	2100	77	A. Banuelos
	2400	74	Diaz

Date	Time	Temp.	Name (Print)
8/7	0300	77	Diaz
	0600	73	O. Rodriguez ✓
	0900	74	O. Rodriguez ✓
	1200	75	J. Hernandez
	1500	76	L. Hicks
	1800	74	L. Hicks
	2100	74	L. Hicks
	2400	74	Diaz

Date	Time	Temp.	Name (Print)
8/9	0300	74	Diaz
	0600	75	Diaz *
	0900	76	C. Allen
	1200	76	C. Allen
	1500	78	M. Arnez ✓
	1800	76	C. Hyde
	2100	76	C. Hyde
	2400	74	Ramirez a

Date	Time	Temp.	Name (Print)
8/11	0300	75	A. Vindano
	0600	70	D. Relayo
	0900	71	K. Wray
	1200	70	K. Wray
	1500	70	D. Relayo
	1800	74	CH
	2100	70	D. Relayo
	2400	76	C. Johnson

Date	Time	Temp.	Name (Print)
8/6	0300	74	Diaz
	0600	75	C. Allen
	0900	75	Ramirez M
	1200	75	Ramirez M
	1500	75	L. Hicks
	1800	75	L. Hicks
	2100	75	L. Hicks
	2400	74	Diaz

Date	Time	Temp.	Name (Print)
8/8	0300	74	Diaz
	0600	75	Diaz
	0900	75	Diaz
	1200	75	Diaz
	1500	75	C. Hyde
	1800	75	C. Hyde
	2100	75	C. Hyde
	2400	74	Diaz

Date	Time	Temp.	Name (Print)
8/10	0300	74	Ramirez
	0600	75	C. Allen
	0900	76	M. Arnez
	1200	76	S. Perna
	1500	78	D. Relayo
	1800	78	D. Relayo
	2100	77	SH
	2400	75	A. Vindano

Notes: Date and type of cooling measures provided

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCU Temp. Reading Location: WEST TIER & NORTH HALL
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8-12-24	0300	74	C. A. JOHNSON
	0600	74	C. A. JOHNSON
	0900	75	Ramirez
	1200	75	Ramirez
	1500	74	D. Pelayo ✓
	1800	75	Jones
	2100	77	D. Pelayo
	2400	74	Diaz

Tuesday

Date	Time	Temp.	Name (Print)
8-13-24	0300	74	Diaz
	0600	72	C. Serrano
	0900	75	Ramirez MA
	1200	75	Ramirez MA
	1500	76	Jones
	1800	77	Jones
	2100	71	C. Drake
	2400	74	Diaz

Wednesday

Date	Time	Temp.	Name (Print)
8-14-24	0300	74	Diaz
	0600	74	C. Serna
	0900	75	M. Alvarez
	1200	76	C. Allen
	1500	77	Jones
	1800	76	C. Hyde
	2100	75	Jones
	2400	74	Diaz

Friday

Date	Time	Temp.	Name (Print)
8-16-24	0300	74	Diaz
	0600	74	M. Alvarez *
	0900	75	M. Alvarez
	1200	76	M. Alvarez
	1500	74	C. Drake
	1800	74	C. Drake
	2100	71	C. Drake
	2400	72	C. Ramirez

Sunday

Date	Time	Temp.	Name (Print)
8-18-24	0300	71	C. Ramirez
	0600	75	Ramirez MA
	0900	75	Ramirez MA
	1200	75	Ramirez MA
	1500	75	Ramirez MA
	1800	74	Ramirez MA
	2100	73	A. Hernandez
	2400	73	Diaz

Thursday

Date	Time	Temp.	Name (Print)
8-15-24	0300	74	Diaz
	0600	74	Szwarczynski
	0900	75	Szwarczynski
	1200	76	C. Allen
	1500	77	Jones
	1800	77	Jones
	2100	71	C. Drake
	2400	74	Diaz

Saturday

Date	Time	Temp.	Name (Print)
8-17-24	0300	72	C. Ramirez
	0600	73	C. Serrano
	0900	72	C. Allen
	1200	73	C. Serrano
	1500	78	D. Pelayo
	1800	78	D. Pelayo
	2100	70	D. Pelayo
	2400	71	C. Ramirez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIV Housing Unit: SC4

Temp. Reading Location: North / West Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 80 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	74	Diaz
	0600	70	K. Ward
	0900	71	Ramirez
	1200	72	Ramirez
	1500	71	C. Drake
	1800	73	C. Drake
	2100	73	C. Drake
	2400	74	Diaz

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	74	Diaz
	0600	75	Johinson
	0900	74	C. Allen
	1200	74	C. Allen
	1500	74	None
	1800	74	None
	2100	74	None
	2400	74	Diaz

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	74	Diaz
	0600	75	Diaz
	0900	76	Diaz
	1200	76	C. Allen
	1500	73	Navarrete
	1800	72	Navarrete
	2100	72	T. Fisher
	2400	70	T. Fisher

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	71	Avendano
	0600	71	K. Ward
	0900	71	K. Ward
	1200	71	K. Ward
	1500	72	L. Shi
	1800	70	D. Pelayo
	2100	70	D. Pelayo
	2400	70	D. Pelayo

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	74	A. Diaz
	0600	74	C. Allen
	0900	75	M. Alvarez
	1200	74	Ramirez
	1500	78	C. Diaz
	1800	70	C. Drake
	2100	74	Diaz
	2400	74	Diaz

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	74	Diaz
	0600	74	Johinson
	0900	75	C. Allen
	1200	75	C. Allen
	1500	70	C. Drake
	1800	72	C. Drake
	2100	72	C. Drake
	2400	74	Diaz

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	68	T. Fisher
	0600	71	C. Allen
	0900	73	C. Serina
	1200	73	C. Allen
	1500	73	SHZ
	1800	72	CHZ
	2100	71	CHZ
	2400	71	AVENDANO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCU Temp. Reading Location: North Hall / West Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
05/26	0300	75	EDWARDS
	0600	76	Ramirez M
	0900	76	Ramirez M
	1200	76	R.R.
	1500	70	D. Relayo
	1800	70	D. Relayo
	2100	70	D. Relayo
	2400	74	Diaz

Tuesday			
Date	Time	Temp.	Name (Print)
05/27	0300	74	Diaz
	0600	74	Ramirez M
	0900	75	Ramirez M
	1200	76	Ramirez M
	1500	74	L.Hicks
	1800	74	L.Hicks
	2100	74	L.Hicks
	2400	74	Diaz

Wednesday			
Date	Time	Temp.	Name (Print)
05/28	0300	74	Diaz
	0600	75	C. ALLEN
	0900	75	RAMIREZ M
	1200	78	Ramirez M
	1500	78	L.Hicks
	1800	76	L.Hicks
	2100	74	L.Hicks
	2400	74	Diaz

Thursday			
Date	Time	Temp.	Name (Print)
05/29	0300	74	Diaz
	0600	74	JOHNSON
	0900	73	C. ALLEN
	1200	73	C.A.
	1500	74	L.Hicks
	1800	74	L.Hicks
	2100	74	L.Hicks
	2400	74	Diaz

Friday			
Date	Time	Temp.	Name (Print)
05/30	0300	74	Diaz
	0600	75	C. ALLEN
	0900	74	C. ALLEN
	1200	74	C. ALLEN
	1500	74	J. MORENO
	1800	74	J. MORENO
	2100	74	J. MORENO
	2400	74	C. ALLEN

Saturday			
Date	Time	Temp.	Name (Print)
05/31	0300	74	C. ALLEN
	0600	74	C. SERNA
	0900	73	C. ALLEN
	1200	75	S. RAMIREZ
	1500	75	SHZ
	1800	75	SHZ
	2100	74	SHZ
	2400	74	Peyco

Sunday			
Date	Time	Temp.	Name (Print)
06/01	0300	74	Peyco
	0600	70	Peyco
	0900	73	Ramirez M
	1200	75	Ramirez M
	1500	76	SHZ
	1800	75	SHZ
	2100	75	JOHNSON
	2400	72	Diaz

Notes: Date and type of cooling measures provided

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Monday

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/01/24	0300		
	0600		
	0900	76*	M. Ritchie
	1200	76*	M. Ritchie
	1500	77*	M. Ritchie
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FRI. SAT. SUN.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/05/24	0300		
	0600		
	0900	82*	C. Kinghorn
	1200	82*	C. Kinghorn
	1500	84*	C. Kinghorn
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/06/24	0300		
	0600		
	0900	74*	C. Kinghorn
	1200	76*	C. Kinghorn
	1500	79*	C. Kinghorn
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/07/24	0300		
	0600		
	0900	72*	C. Kinghorn
	1200	74*	C. Kinghorn
	1500	79*	C. Kinghorn
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/08/24	0300		
	0600		
	0900	73*	C. Kinghorn
	1200	74*	C. Kinghorn
	1500	77*	C. Kinghorn
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FRI, SAT, SUN.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300		
	0600		
	0900	74*	M. Ritchie
	1200	77*	M. Ritchie
	1500	78*	M. Ritchie
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300		
	0600		
	0900	73*	M. Ritchie
	1200	76*	M. Ritchie
	1500	78*	M. Ritchie
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300		
	0600		
	0900	73*	M. Ritchie
	1200	75*	M. Ritchie
	1500	78*	M. Ritchie
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300		
	0600		
	0900	70*	D. Flores
	1200	75*	D. Flores
	1500	76*	D. Flores
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FRI, SAT, SUN.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300		
	0600		
	0900	70*	I. Cortez
	1200	71*	I. Cortez
	1500	73*	I. Cortez
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300		
	0600		
	0900	73*	M. Ritchie
	1200	76*	M. Ritchie
	1500	78*	M. Ritchie
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300		
	0600		
	0900	72*	M. Ritchie
	1200	76*	M. Ritchie
	1500	77*	M. Ritchie
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300		
	0600		
	0900	74*	M. Ritchie
	1200	76*	M. Ritchie
	1500	78*	M. Ritchie
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FRI. SAT. SUN.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/26/24	0300		
	0600		
	0900	72*	M. Ritchie
	1200	74*	M. Ritchie
	1500	76*	M. Ritchie
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
8/27/24	0300		
	0600		
	0900	72*	M. Ritchie
	1200	75*	M. Ritchie
	1500	77*	M. Ritchie
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
8/28/24	0300		
	0600		
	0900	72*	M. Ritchie
	1200	75*	M. Ritchie
	1500	77*	M. Ritchie
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
8/29/24	0300		
	0600		
	0900	72*	M. Ritchie
	1200	75*	M. Ritchie
	1500	77*	M. Ritchie
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

PIA HOURS 0700 - 1700

RDO's - FRI, SAT, SUN.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M Dots
	1200	72	M Dots
	1500	72	Nelson
	1800	70	Nelson
	2100		
	2400		

Friday 8-2-24			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M Dots
	1200	72	M Dots
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-5-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	73	M DOTSON
	1500	74	Nelson
	1800	72	Nelson
	2100		
	2400		

Wednesday 8-7-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	72	M DOTSON
	1500	72	Nelson
	1800	71	Nelson
	2100		
	2400		

Friday 8-9-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	73	M DOTSON
	1500	73	Nelson
	1800	72	Nelson
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 8-6-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	73	C. DOTS
	1500	74	Nelson
	1800	72	Nelson
	2100		
	2400		

Thursday 8-8-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	73	I. Harmon
	1500	74	I. Harmon
	1800	72	I. Harmon
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-12-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M. Johnson
	1200	72	M. Johnson
	1500	72	Nelson
	1800	71	Nelson
	2100		
	2400		

Tuesday 8-13-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M. Johnson
	1200	72	M. Johnson
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Wednesday 8-14-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M. Johnson
	1200	72	M. Johnson
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Thursday 8-15-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M. Johnson
	1200	72	M. Johnson
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Friday 8-16-24

Date	Time	Temp.	Name (Print)
	0300		
	0600	70	M. Johnson
	0900	72	M. Johnson
	1200	72	Nelson
	1500	72	Nelson
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR.2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-19

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	71	M DOTSON
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Wednesday 8-21

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	72	M DOTSON
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Friday 8-23

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	71	M DOTSON
	1500	72	Nelson
	1800	72	WAKEFIELD
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 8-20

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	72	M DOTSON
	1500	73	Nelson
	1800	72	Nelson
	2100		
	2400		

Thursday 8-22

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	72	M DOTSON
	1500	73	Nelson
	1800	72	Nelson
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-26

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	72	M DOTSON
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Wednesday 8-28

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	72	M DOTSON
	1500	72	Nelson
	1800	71	Nelson
	2100		
	2400		

Friday 8-30

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	72	M DOTSON
	1500	71	Nelson
	1800	70	Nelson
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	
	1200	72	
	1500		
	1800		
	2100		
	2400		

Tuesday 8-27

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	72	Nelson
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Thursday 8-29

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M DOTSON
	1200	72	M DOTSON
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling measures provided

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIWHousing Unit: FORESTRY

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	77	Marquez

Friday

Date	Time	Temp.	Name (Print)
	0300	80	PULICARI
	0600	80	CASTANON
	0900	80	Vandilene
	1200	81	CAJANO
	1500	88	N. VELASQUEZ
	1800	87	N. VELASQUEZ
	2100	84	N. VELASQUEZ
	2400	81	CASTANON

Sunday

Date	Time	Temp.	Name (Print)
	0300	83	K. Harry
	0600	80	Quintana
	0900	84	M. Balliet
	1200	85	Quintana
	1500	81	Quintana
	1800	82	Quintana
	2100	82	Quintana
	2400	82	Quintana

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	77	Marquez
	0600	79	C. Kyrie
	0900	79	C. Kyrie
	1200	80	C. Kyrie
	1500	82	TRAN
	1800	82	TRAN
	2100	82	TRAN
	2400	80	PULICARI

Saturday

Date	Time	Temp.	Name (Print)
	0300	78	CASTANON
	0600	78	CASTANON
	0900	80	CASTANON
	1200	82	CASTANON
	1500	84	SE RIMA
	1800	83	SE RIMA
	2100	83	SE RIMA
	2400	83	K. Wag

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RCU Temp. Reading Location: GP Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/05/24	0300	83	K. Wany
	0600	82	Van Allen
	0900	82	Van Allen
	1200	82	Van Allen
	1500	80	J. Martinez
	1800	84	J. Martinez
	2100	85	J. Martinez
	2400	81	C. A. Johnson

Tuesday

Date	Time	Temp.	Name (Print)
08/06/24	0300	82	Johnson
	0600	82	C. Casarez
	0900	83	C. Casarez
	1200	84	C. Casarez
	1500	85	O. Edwards
	1800	82	O. Edwards
	2100	83	O. Edwards
	2400	77	Marguer

Wednesday

Date	Time	Temp.	Name (Print)
08/07/24	0300	80	C. A. Johnson
	0600	82	Arana
	0900	82	Arana
	1200	84	Mendoza
	1500	85	Ramirez RA
	1800	84	Ramirez RA
	2100	84	Ramirez RA
	2400	82	Marguer

Thursday

Date	Time	Temp.	Name (Print)
08/08/24	0300	79	Jewell
	0600	80	C. Casarez
	0900	82	C. Casarez
	1200	83	C. Casarez
	1500	84	C. Casarez
	1800	84	C. Casarez
	2100	83	C. Casarez
	2400	82	S. Jimenez

Friday

Date	Time	Temp.	Name (Print)
08/09/24	0300	79	Marguer
	0600	81	Van Allen
	0900	79	Van Allen
	1200	82	Van Allen
	1500	82	Van Allen
	1800	81	Lemus
	2100	80	C. Serna
	2400	80°F	S. Suarez

Saturday

Date	Time	Temp.	Name (Print)
08/10/24	0300	80	S. Suarez
	0600	81	C. Casarez
	0900	79	Van Allen
	1200	84	Van Allen
	1500	87	L. Raya
	1800	86	C. Serna
	2100	84	C. Serna
	2400	81	K. Wany

Notes

Date	Time	Temp.	Name (Print)
08/11/24	0300	81	K. Wany
	0600	81	Van Allen
	0900	82	M. Martinez
	1200	84	Van Allen
	1500	83	Josuna
	1800	84	Gill
	2100	85	Gill
	2400	72	Johansen

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RCU Temp. Reading Location: GP Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/12/24	0300	81	K.Wang
	0600	82	Vanduren
	0900	82	Vanduren
	1200	81	Vanduren
	1500	81	Vanduren
	1800	84	Vanduren
	2100	82	Vanduren
	2400	80	Marquez

Tuesday

Date	Time	Temp.	Name (Print)
08/13/24	0300	80	Marquez
	0600	80	Araiza
	0900	80	Araiza
	1200	80	Araiza
	1500	76	Araiza
	1800	76	Araiza
	2100	76	Araiza
	2400	75	Marquez

Wednesday

Date	Time	Temp.	Name (Print)
08/14/24	0300	73	Marquez
	0600	75	COSTANZA
	0900	79	COSTANZA
	1200	80	COSTANZA
	1500	82	C.SERNA
	1800	81	C.SERNA
	2100	80	C.SERNA
	2400	79	Jewett

Thursday

Date	Time	Temp.	Name (Print)
08/15/24	0300	74	Jewett
	0600	75	COSTANZA
	0900	77	COSTANZA
	1200	80	COSTANZA
	1500	80	TRAN
	1800	80	TRAN
	2100	80	TRAN
	2400	82	TRAN

Friday

Date	Time	Temp.	Name (Print)
08/16/24	0300	82	S. INTIAZI
	0600	79	Van Allen
	0900	80	COSTANZA
	1200	80	Van Allen
	1500	81	N. INTIAZI
	1800	82	N. INTIAZI
	2100	82	N. INTIAZI
	2400	82	Marquez

Saturday

Date	Time	Temp.	Name (Print)
08/17/24	0300	82	Marquez
	0600	80	Van Allen
	0900	79	Van Allen
	1200	81	Van Allen
	1500	83	Josuna
	1800	83	JERNA
	2100	82	SEKUNA
	2400	80	JOSUNA

Notes

Date	Time	Temp.	Name (Print)
08/18/24	0300	79	Josuna
	0600	79	Van Allen
	0900	78	Van Allen
	1200	80	M. BARBER
	1500	81	N. INTIAZI
	1800	80	O. ERICKSON
	2100	80	O. ERICKSON
	2400	80	Josuna

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIV Housing Unit: RCU Temp. Reading Location: GP HALL
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/21	0300	78	Josuna
	0600	79	Van Allen
	0900	78	Van Allen
	1200	80	Van Allen
	1500	80	Van Allen
	1800	80	Van Allen
	2100	80	Van Allen
	2400	79	Marquez

Wednesday

Date	Time	Temp.	Name (Print)
8/21/21	0300	78	Marquez
	0600	79	CASANUE
	0900	80	CASANUE
	1200	82	CASANUE
	1500	85	TRAN
	1800	88	TRAN
	2100	84	TRAN
	2400	84	Jenett

Friday

Date	Time	Temp.	Name (Print)
8/23/21	0300	80	SEKMS
	0600	79	CASANUE
	0900	80	CASANUE
	1200	83	CASANUE
	1500	83	SEKMS
	1800	82	SEKMS
	2100	80	SEKMS
	2400	79	Marquez

Sunday

Date	Time	Temp.	Name (Print)
8/27/21	0300	78	Marquez
	0600	76	Van Allen
	0900	78	Van Allen
	1200	80	Van Allen
	1500	80	N. McNeely
	1800	80	O. Edwards
	2100	80	N. McNeely
	2400	79	Josuna

Tuesday

Date	Time	Temp.	Name (Print)
8/22/21	0300	78	Marquez
	0600	78	ARAZA
	0900	79	ARAZA
	1200	85	C. Mendoza
	1500	85	Ramiro
	1800	89	O. Edwards
	2100	82	O. Edwards
	2400	80	Marquez

Thursday

Date	Time	Temp.	Name (Print)
8/22/21	0300	80	Jenett
	0600	81	CASANUE
	0900	82	CASANUE
	1200	84	TRAN
	1500	84	TRAN
	1800	84	TRAN
	2100	83	TRAN
	2400	80	Jenett

Saturday

Date	Time	Temp.	Name (Print)
8/24/21	0300	79	Marquez
	0600	78	Van Allen
	0900	79	Van Allen
	1200	76	Van Allen
	1500	79	Josuna
	1800	79	Josuna
	2100	78	J. SEKMS
	2400	78	Josuna

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: RW Temp. Reading Location: GP HALL

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	77	Josuna
	0600	76	VanAulen
	0900	76	vanAulen
	1200	78	vanAulen
	1500	79	N. VELAZQUEZ
	1800	79	N. VELAZQUEZ
	2100	78	N. VELASQUEZ
	2400	78	Marequez

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	75	Marequez
	0600	77	CASANUELA
	0900	78	C. MENDOZA
	1200	81	C. MENDOZA
	1500	82	M. LEMAN
	1800	83	SOKMA
	2100	78	M. LEMAN
	2400	78	Jewett

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	79	Marequez
	0600	80	CASANUELA
	0900	81	C. MENDOZA
	1200	84	C. MENDOZA
	1500	83	Lemana
	1800	82	N. VELAZQUEZ
	2100	80	N. VELAZQUEZ
	2400	79	Marequez

Sunday

Date	Time	Temp.	Name (Print)
09/01/24	0300	78	J. OSUNA
	0600	78	VanAulen
	0900	78	M. BALKER
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/29/24	0300	77	Marequez
	0600	78	MENDOZA
	0900	79	RAMIREZ
	1200	80	C. MENDOZA
	1500	80	RAMIREZ
	1800	78	Ramirez
	2100	77	Ramirez
	2400	76	Marequez

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	77	Jewett
	0600	79	CASANUELA
	0900	81	CASANUELA
	1200	81	CASANUELA
	1500	84	JEWETT
	1800	83	JEWETT
	2100	82	JEWETT
	2400	80	Marequez

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	77	Marequez
	0600	78	D. PELAYO
	0900	75	WAKEFIELD
	1200	77	WAKEFIELD
	1500	79	JOSUNA
	1800	79	JOSUNA
	2100	79	JOSUNA
	2400	79	JOSUNA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: CTC Temp. Reading Location: ROOMS 1310 TO 1320
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4931 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
8/1/24	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300		
	0600		
	0900		
	1200		
	1500	92-95	Bonuelos
	1800	80	Bonuelos
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Central AC malfunctioned. Temperature in CTC Patient Rooms were taken. At 1530 hours, Stage II initiated in Rooms 1310 to 1318 (92 to 94 degrees). Stage III initiated in Room 1320 (95 degrees). At 1630 hours, Stage III was deactivated in Room 1320 (94 degrees).

At 1800 hours Stage II in CTC was deactivate.

Heat Protocol measures were taken:

1. Heat Rounds signs and Symptoms of Heat exhaustion (all patients are stable.)
2. Fans on the hallways to allow cool air to enter affected rooms
3. Provided Ice water and showers to patients