

STATE OF CALIFORNIA
HEAT PLAN - MONTHLY SUMMARY REPORT
CDCR MH-7711-1 (02/17)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Page 1 of 1

Monthly Summary ReportInstitution: LAC**Memorandum**

Date: September 10, 2024
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - August 2024

The following is a summary of the heat related activity for the month of August 2024,
at LAC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

Number of days Stage I Alert initiated: 29

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?:Yes

5. Number of patients with heat related illness.7 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

L. Lundy, Warden

Warden Name

L. Lundy
Warden Signature

DR. CHRISTINA GALSTIAN

Chief Executive Officer Name

DocuSigned by:
Dr. Christina Galstian
Chief Executive Officer Signature

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: INF Temp. Reading Location: 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	73	Oliver
7/29	0600	71	Christiansen
7/29	0900	73	Christiansen
7/29	1200	73	Christiansen
7/29	1500	73	Christiansen
7/29	1800	73	Oliver
7/29	2100	72	Oliver
7/29	2400	73	Oliver

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	72°	Fogg
7/30	0600	72	J. Carter
7/30	0900	72	J. Carter
7/30	1200	72	J. Carter
7/30	1500	74	J. Carter
7/30	1800	74	J. Carter
7/30	2100	74	J. Carter
7/30	2400	72	Fogg

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	72	Fogg
7/31	0600	72	FERNANDEZ
7/31	0900	72	FERNANDEZ
7/31	1200	72	FERNANDEZ
7/31	1500	73	J. Carter
7/31	1800	75	J. Carter
7/31	2100	74	J. Carter
7/31	2400	73	Fogg

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	73	Fogg
8/1	0600	73	Christiansen
8/1	0900	73	Christiansen
8/1	1200	73	Christiansen
8/1	1500	73	J. Carter
8/1	1800	75	J. Carter
8/1	2100	74	J. Carter
8/1	2400	73	MCDONALDO

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	73	M. Soto
8/2	0600	73	Christiansen
8/2	0900	73	Christiansen
8/2	1200	73	Christiansen
8/2	1500	73	Bangville
8/2	1800	73	Bangville
8/2	2100	73	Bangville
8/2	2400	72	Galapon

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	72	Galapon
8/3	0600	72	INUCHIKEN
8/3	0900	72°	S. YANEZ
8/3	1200	72°	S. YANEZ
8/3	1500	73	OLIVE
8/3	1800	73	OLIVE
8/3	2100	73	OLIVE
8/3	2400	72	Galapon

Notes

902 1115 HRS.

902 1045 HRS

7/31/24 - 1st Stage heat alert activated
@ 2100 hrs.

Date	Time	Temp.	Name (Print)
8/4	0300	73	OLIVE
8/4	0600	72°	S. YANEZ
8/4	0900	72°	S. YANEZ
8/4	1200	72°	S. YANEZ
8/4	1500	74	OLIVE
8/4	1800	74	OLIVE
8/4	2100	73	OLIVE
8/4	2400	73	OLIVE

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
JULY 31, 2024 90° @ 1045	0100	80	WINGFIELD
	0200	78	WINGFIELD
	0300	75	WINGFIELD
	0400	74	WINGFIELD
	0500	73	WINGFIELD
	0600	72	NUNEZ
	0700	74	NUNEZ
	0800	77	NUNEZ
	0900	83	NUNEZ
	1000	88	NUNEZ
	1100	91	NUNEZ
	1200	95	NUNEZ
	1300	98	NUNEZ
	1400	100	Puentes
	1500	101	Puentes
	1600	101	Puentes
	1700	100	Puentes
	1800	99	Puentes
	1900	94	Puentes
	2000	89	A. Puentes
	2100	85	A. Puentes
	2200	84	P. DOTTY
	2300	83	P. DOTTY
	2400	81	P. DOTTY

Stage 1 1045 ACTIVATED
2100 DEACTIVATED

Date	Time	Temp.	Printed Name
AUGUST 1, 2024 90° @ 0935	0100	79	P. DOTTY
	0200	78	P. DOTTY
	0300	78	P. DOTTY
	0400	76	P. DOTTY
	0500	73	P. DOTTY
	0600	72	NUNEZ
	0700	75	NUNEZ
	0800	81	NUNEZ
	0900	86	NUNEZ
	1000	92	NUNEZ
	1100	99	NUNEZ
	1200	99	NUNEZ
	1300	101	NUNEZ
	1400	100	A. Puentes
	1500	98	A. Puentes
	1600	96	A. Puentes
	1700	96	A. Puentes
	1800	96	A. Puentes
	1900	95	A. Puentes
	2000	89	A. Puentes
	2100	89	A. Puentes
	2200	87	W. WINGFIELD
	2300	86	G. WINGFIELD
	2400	86	G. WINGFIELD

Stage 1 0935 ACTIVATED
2200 DEACTIVATED

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR-2030 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 2, 2024	0100	88	LINCEFIELD
	0200	87	LINCEFIELD
	0300	86	LINCEFIELD
	0400	85	LINCEFIELD
	0500	80	LINCEFIELD
	0600	78	C.Gewirtz
	0700	81	C.Gewirtz
	0800	83	C.Gewirtz
	0900	89	C.Gewirtz
	1000	92	C.Gewirtz
	1100	95	C.Gewirtz
	1200	97	C.Gewirtz
	1300	96	C.Gewirtz
	1400	90	C.Gewirtz
	1500	95	S.Gewirtz
	1600	97	C.Gewirtz
	1700	98	C.Gewirtz
	1800	95	C.Gewirtz
	1900	93	C.Gewirtz
	2000	90	C.Gewirtz
	2100	86	C.Gewirtz
	2200	85	T.Galvan
	2300	83	A.EUCALADE
	2400	81	M.EUCALADE
AUGUST 3, 2024	0100	79	T.Galvan
	0200	77	T.Galvan
	0300	75	T.Galvan
	0400	74	T.Galvan
	0500	74	T.Galvan
	0600	74	C.Gewirtz
	0700	76	C.Gewirtz
	0800	84	C.Gewirtz
	0900	90	C.Gewirtz
	1000	85	C.Gewirtz
	1100	87	C.Gewirtz
	1200	103	C.Gewirtz
	1300	101	C.Gewirtz
	1400	105	C.Gewirtz
	1500	104	C.Gewirtz
	1600	105	C.Gewirtz
	1700	102	C.Gewirtz
	1800	99	C.Gewirtz
	1900	95	C.Gewirtz
	2000	93	C.Gewirtz
	2100	89	C.Gewirtz
	2200	87	T.Galvan
	2300	86	T.Galvan
	2400	85	T.Galvan

Stage 1 0945 ACTIVATED
2105 DEACTIVATED

Stage 1 0900 ACTIVATED
2130 DEACTIVATED

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

AUG. 4, 2024

Date	Time	Temp.	Printed Name
	0100	84	T. Galvan
	0200	82	T. Galvan
	0300	81	T. Galvan
	0400	80	T. Galvan
	0500	77	T. Galvan
	0600	77	NUNEZ
	0700	71	NUNEZ
	0800	85	NUNEZ
	0900	90	NUNEZ
	1000	94	NUNEZ
	1100	99	NUNEZ
	1200	101	NUNEZ
	1300	103	NUNEZ
	1400	107	A. Puente
	1500	105	A. Puente
	1600	106	A. Puente
	1700	106	A. Puente
	1800	101	A. Puente
	1900	97	A. Puente
	2000	94	A. Puente
	2100	92	A. Puente
	2200	85	A. Puente
	2300	88	P. Dury
	2400	87	P. Dury

AUG. 5, 2024

Date	Time	Temp.	Printed Name
	0100	86	P. Dury
	0200	84	P. Dury
	0300	84	P. Dury
	0400	83	P. Dury
	0500	79	P. Dury
	0600	77	NUNEZ
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

2300 Deactivate

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: MSF DORM 1 Temp. Reading Location: DAY ROOM

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/21	0300	75	SILVA
21	0600	72	SILVA
21	0900	78°	ROBLES, O
21	1200	75°	ROBLES, O
24	1500	78°	M. Contreras
24	1800	78°	M. Contreras
24	2100	78°	M. Contreras
24	2400	78	SILVA

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	78	VANNA
31	0600	73	EVANGELIS
31	0900	73	EVANGELIS
24	1200	75	EVANGELIS
24	1500	79°	M. Contreras
24	1800	79°	M. Contreras
24	2100	79°	M. Contreras
24	2400	78	VANNA

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	78	VANNA
2	0600	78	VANNA
2	0900	78	VANNA
24	1200	78	VANNA
24	1500	79°	BRIGGS
24	1800	78°	BRIGGS
24	2100	79°	BRIGGS
24	2400	78	VANNA

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	78	VALDERRAMA
4	0600	78	VALDERRAMA
4	0900	78°	CRIDDLE
24	1200	78°	CRIDDLE
24	1500	81°	M. Contreras
24	1800	81°	M. Contreras
24	2100	81°	M. Contreras
24	2400	78	VALDERRAMA

Tuesday

Date	Time	Temp.	Name (Print)
7/29	0300	75	VANNA
29	0600	72	VALDERRAMA
29	0900	73	EVANGELIS
29	1200	75	EVANGELIS
29	1500	79°	M. Contreras
29	1800	80°	M. Contreras
29	2100	79°	M. Contreras
29	2400	77	VANNA

Thursday

Date	Time	Temp.	Name (Print)
8/11	0300	78	VANNA
11	0600	74°	CHRISTERSON
11	0900	76°	CHRISTERSON
11	1200	76°	CHRISTERSON
11	1500	79°	BRIGGS
11	1800	78°	BRIGGS
11	2100	78°	BRIGGS
11	2400	77	VANNA

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	75	VANNA
3	0600	76	VANNA
3	0900	76°	CRIDDLE
3	1200	78°	CRIDDLE
3	1500	80°	M. Contreras
3	1800	80°	M. Contreras
3	2100	80°	M. Contreras
3	2400	75	VANNA

Notes

7/29/24: ACTIVATION 1000 hrs.

8/3/24 @ 0900 1ST STAGE ACTIVATION

8/4/24 @ 0850 1ST STAGE ACTIVATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/11/24	0300	70	J. Solis
	0600	70	Lopez
	0900	73	D. Lewis
	1200	73	D. Lewis
	1500	73	Machado
	1800	73	Machado
	2100	73	Machado
	2400	70	J. Solis

Friday

Date	Time	Temp.	Name (Print)
8/12/24	0300	70	J. Solis
	0600	70	C. Am
	0900	70	C. Am
	1200	70	C. Am
	1500	73	Romero
	1800	72	Romero
	2100	72	Romero
	2400	70	J. Solis

Saturday

Date	Time	Temp.	Name (Print)
8/13/24	0300	70	Fors
	0600	70	Gonzalez
	0900	70	Gonzalez
	1200	70	Gonzalez
	1500	71	cey
	1800	71	cey
	2100	70	cey
	2400	70	Fors

Sunday

Date	Time	Temp.	Name (Print)
8/14/24	0300	70	Fors
	0600	70	H. Calindo
	0900	70	H. Calindo
	1200	73	H. Calindo
	1500	73	H. Calindo
	1800	72	H. Calindo
	2100	70	H. Calindo
	2400	70	Fors

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
8/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
8/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/2	0300	70°	B. PRESNELL
	0600	70°	D. CHAVEZ
	0900	70°	D. CHAVEZ
	1200	70°	D. CHAVEZ
	1500	70°	D. CHAVEZ
	1800	70	M. MACHADO
	2100	70	M. MACHADO
	2400	70	J. SOLIS

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	70	D. HERNANDEZ
	0600	70	G. Potts
	0900	70	A. Briones
	1200	70	A. Briones
	1500	70	A. VIGARTE
	1800	70	A. VIGARTE
	2100	70	A. VIGARTE
	2400	70	B. PRESNELL

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	70°	B. PRESNELL
	0600	68°	D. CHAVEZ
	0900	70°	D. CHAVEZ
	1200	70°	D. CHAVEZ
	1500	70°	D. CHAVEZ
	1800	70°	D. CHAVEZ
	2100	70°	D. CHAVEZ
	2400	70°	B. PRESNELL

Date	Time	Temp.	Name (Print)
8/3	0300	70	G. Potts
	0600	70°	D. CHAVEZ
	0900	70°	D. CHAVEZ
	1200	70°	D. CHAVEZ
	1500	70°	A. DAVILA
	1800	70°	A. DAVILA
	2100	70°	A. DAVILA
	2400	70	J. Solorzano

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A 3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	70	MARTIN
	0600	70	E. GRANADOS
	0900	70	E. GRANADOS
	1200	70	E. GRANADOS
	1500	70	DR
	1800	70	DR
	2100	70	DR
	2400	70	MARTIN

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	70	MARTIN
	0600	70	E. GRANADOS
	0900	70	E. GRANADOS
	1200	70	E. GRANADOS
	1500	70	J. CARDENAS
	1800	70	J. CARDENAS
	2100	70	J. CARDENAS
	2400	70	MARTIN

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	70	MARTIN
	0600	71	FLORES
	0900	71	FLORES
	1200	71	FLORES
	1500	70	PIERCE
	1800	70	BRITT
	2100	70	BRITT
	2400	70	MARTIN

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	70	MARTIN
	0600	70	E. GRANADOS
	0900	70	E. GRANADOS
	1200	70	E. GRANADOS
	1500	71	M. GARCIA
	1800	71	M. GARCIA
	2100	71	M. GARCIA
	2400	70	J. SAWYER

Notes

* 2105 1ST STAGE HEAT ALERT DEACTIVATED

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A4 Temp. Reading Location: 2nd Tier
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300	76	Akande
	0600	76	B. (wave 2)
	0900	76	B. (wave 2)
8/2	1200	80 °F	B. (wave 2) P-KLW
	1500	78 °F	P. Kelly
	1800	78	Rutherford
	2100	78	Rutherford
	2400	76	Akande

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
8/4	0300	78	L. Hernandez
	0600	79	L. Hernandez
	0900	79	C. Hernandez
	1200	79	C. Hernandez
	1500	83	Flores
	1800	82	Flores
	2100	81	Flores
	2400	78	L. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	74	Akande
	0600	74	B. Chavez
	0900	75	B. Chavez
	1200	77	B. Chavez
	1500	73	Devries
	1800	73	Devries
	2100	73	Devries
	2400	74	Akande

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	76	Akande
	0600	77	Mosby
	0900	77	Melvin
	1200	78	Martav
	1500	81	Blake
	1800	81	Blake
	2100	80	Dorame
	2400	75	Akande

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	73	C. Bellmont
08/10/24	0600	72°	J. Alvarez
	0900	73°	J. Alvarez
	1200	74°	J. Alvarez
	1500	73°	B. Frazier
	1800	76°	B. Frazier
	2100	76°	B. Frazier
	2400	73°	E. Wang

Friday

Date	Time	Temp.	Name (Print)
08/10/24	0300	74	D. Woodard
	0600	74°	J. Alvarez
	0900	74°	J. Alvarez
	1200	75°	J. Alvarez
	1500	75°	B. Frazier
	1800	76°	B. Frazier
	2100	76°	B. Frazier
	2400	74	D. Woodard

Saturday

Date	Time	Temp.	Name (Print)
08/10/24	0300	74	D. Woodard
	0600	74	B. Chavez
	0900	75	B. Chavez
	1200	75	B. Chavez
	1500	76	B. Chavez
	1800	76	A. Carlton
	2100	75	A. Carlton
	2400	74	D. Woodard

Notes

Date	Time	Temp.	Name (Print)
08/10/24	0300	75°	R. Lee, D.
	0600	74°	B. Chavez
	0900	75°	B. Chavez
	1200	76	B. Chavez
	1500	77	A. Carlton
	1800	77	A. Carlton
	2100	77	A. Carlton
	2400	75°	R. Lee, D.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit FB B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	70°	D. REYES
	0600	70°	J. TOLEDO
	0900	70°	J. TOLEDO
	1200	70°	J. TOLEDO
	1500	70°	G. HERNANDEZ
	1800	70°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400	70°	D. REYES

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	70°	D. REYES
	0600	69°	L. GONZALEZ
	0900	70°	J. TOLEDO
	1200	70°	J. TOLEDO
	1500	71°	G. HERNANDEZ
	1800	70°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400	70°	D. REYES

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	70°	D. REYES
	0600	70°	J. TOLEDO
	0900	71°	J. TOLEDO
	1200	71°	J. TOLEDO
	1500	70°	G. HERNANDEZ
	1800	71°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400	70°	D. REYES

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	70	GONZALEZ
	0600	70	A. DORAME
	0900	70	A. DORAME
	1200	70	A. DORAME
	1500	71	G. HERNANDEZ
	1800	70	G. HERNANDEZ
	2100	70	G. HERNANDEZ
	2400	70	GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	71	Gonzalez
	0600	70	Gonzalez
	0900	70	Gonzalez
	1200	71	Gonzalez
	1500	71	Gonzalez
	1800	71	Gonzalez
	2100	71	Gonzalez
	2400	71	B. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300		G. Baley
	0600	70°	A. DORAME
	0900	70°	A. DORAME
	1200	71°	A. DORAME
	1500	71°	A. DORAME
	1800	71	Gonzalez
	2100	71	Gonzalez
	2400		G. Baley

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	70°	D. REYES
	0600	70	HADLOCK
	0900	70	HADLOCK
	1200	70	Hadlock
	1500	71°	G. HERNANDEZ
	1800	72°	G. HERNANDEZ
	2100	71°	G. HERNANDEZ
	2400	70°	D. REYES

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B2CON Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29/24	0300	73	Scott
	0600	72	Scott
	0900	74	ESTEADA
	1200	75	ESTEADA
	1500	75	Gonzales
	1800	74	Gonzales
	2100	72	Gonzales
	2400	72	Scott

Tuesday

Date	Time	Temp.	Name (Print)
7/30/2014	0300	72	Scott
	0600	72°	F. BRAAMONTY
	0900	72°	F. BRAAMONTY
	1200	72°	F. BRAAMONTY
	1500	72°	F. BRAAMONTY
	1800	70	Ibana
	2100	70	Ibana
	2400	72	Scott

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	70	Scott
	0600	70	Amaya
	0900	70	Amaya
	1200	70	Amaya
	1500	69	Zajuan
	1800	69	Zajuan
	2100	69	Zajuan
	2400	70	Scott

Thursday

Date	Time	Temp.	Name (Print)
8/1/14	0300	70°	Snow
	0600	70°	Amelia
	0900	70°	Amelia
	1200	71°	Amelia
	1500	70°	Ibarra
	1800	70°	Ibarra
	2100	70°	Ibarra
	2400	70°	Snow

Friday

Date	Time	Temp.	Name (Print)
8/2/27 Q	0300	76	Umanly
	0600	78	CORREA
	0900	70	CURRIDA
	1200	72	CURRIDA
	1500	72	lbarr
	1800	70	lbarr
	2100	70	Shane
	2400	70	Umanly

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	70	UMANA
	0600	70	Antone
	0900	70	Antone
	1200	70	Antone
	1500	70	Isang
	1800	70	Isang
	2100	70	Isang
	2400	70	UMANA

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	70	UMANA
	0600	70	DORAME
	0900	70	DORAME
	1200	70	DORAME
	1500	70	DORAME
	1800	70	CHRISTENSEN
	2100	70	CHRISTENSEN
	2400	70	UMANA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B 3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1/24	0300	70°	S. JORDAN
	0600	70°	A. Guzman
	0900	70°	A. Guzman
	1200	70°	H. Covarrubias
	1500	70°	F. Bracamonte
	1800	70°	F. Bracamonte
	2100	70°	F. Bracamonte
	2400	70°	S. JORDAN

Tuesday

Date	Time	Temp.	Name (Print)
7/2/24	0300	70°	M. SHEPHERD
	0600	70°	A. DORAME
	0900	70°	A. DORAME
	1200	70°	A. DORAME
	1500	70°	A. DORAME
	1800	70°	A. DORAME
	2100	70°	A. DORAME
	2400	70°	M. SHEPHERD

Wednesday

Date	Time	Temp.	Name (Print)
7/3/24	0300	69°	Bell-Gref
	0600	70°	Recinas
	0900	70°	Recinas
	1200	70°	Recinas
	1500	70°	Recinas
	1800	70°	S. Tamm
	2100	70°	S. Tamm
	2400	70°	

Thursday

Date	Time	Temp.	Name (Print)
7/4/24	0300	70°	K. McCray
	0600	70°	K. McCray
	0900	70°	A. Covarrubias
	1200	70°	A. Covarrubias
	1500	70°	T. HART
	1800	70°	HART
	2100	70°	HART
	2400	70°	K. McCray

Friday

Date	Time	Temp.	Name (Print)
7/5/24	0300	69°	K. McCray
	0600	70°	K. McCray
	0900	70°	A. Covarrubias
	1200	70°	A. Covarrubias
	1500	70°	T. HART
	1800	70°	T. HART
	2100	70°	HART
	2400	70°	T. HART

Saturday

Date	Time	Temp.	Name (Print)
7/6/24	0300	70°	T. HART
	0600	70°	A. Covarrubias
	0900	70°	A. Covarrubias
	1200	70°	A. Covarrubias
	1500	70°	A. Covarrubias
	1800	70°	T. HART
	2100	70°	T. HART
	2400	70°	T. HART

Sunday

Date	Time	Temp.	Name (Print)
7/7/24	0300	70°	T. HART
	0600	70°	T. HART
	0900	70°	Coleman
	1200	70°	Coleman
	1500	70°	SANCHEZ
	1800	70°	SANCHEZ
	2100	70°	SANCHEZ
	2400	70°	Torres

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/29	0300	70	B.R. T.
	0600	70	B. R. T.
	0900	70	Gonzalez
	1200	70	Gonzalez
	1500	72	T. NGUYEN
	1800	72	T. NGUYEN
24	2100	72	T. NGUYEN
	2400	70	Brito

Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	70°	McDowell
	0600	70	coleman
	0900	70	coleman
	1200	70	coleman
	1500	72	T. Norman
	1800	72	T. Norman
24	2100	72	T. Norman
	2400	70°	McDowell

Friday

Date	Time	Temp.	Name (Print)
8/1	0300	70°	McDowell
	0600	70°	Recinos
	0900	70°	Recinos
	1200	72°	Recinos
	1500	70°	E. Tava
	1800	70°	E. Tava
24	2100	70°	E. Tava
	2400	70°	McDowell

Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	70°	Angeles
	0600	70	Anderson
	0900	70	Anderson
	1200	70	Anderson
	1500	70	Ward
	1800	70	Ward
24	2100	70	Ward
	2400	70°	Angeles

Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	70°	McDowell
	0600	68°	C. AGUILERA
	0900	69°	C. AGUILERA
	1200	69	C. AGUILERA
	1500	70	I. K. MEAN
	1800	72	T. NORMAN
24	2100	72	T. NORMAN
	2400	70°	McDowell

Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	70°	McDowell
	0600	70	Recinos
	0900	70°	Recinos
	1200	70°	Recinos
	1500	70°	E. Tava
	1800	70°	E. Tava
24	2100	70°	E. Tava
	2400	70°	McDowell

Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	70°	McDowell
	0600	70°	Anderson
	0900	70°	Anderson
	1200	70	Anderson
	1500	70	Nguyen
	1800	70	CONTRERAS
24	2100	70	GOZLARIS
	2400	70°	McDowell

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: BS Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7-29-24	0300	70°	M.GonBatter
	0600	70°	Toms
	0900	70°	JOM-S
	1200	70°	TOM C
	1500	70°	M.Cook
	1800	70	M.Cash
	2100	70	M.Cash
	2400	70°	M.GonBatter

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	70°	C.Hernandez
	0600	70°	Toms
	0900	70	TOM-S
	1200	70	TOM-S
	1500	70	M.Cook
	1800	70	M.Cash
	2100	70	M.Cash
	2400	70°	C.Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
7/31/24	0300	70	M.Bernal
	0600	70	TOM-S
	0900	70	TOM-S
	1200	70	TOM-S
	1500	70	M.Cook
	1800	70	M.Cash
	2100	70	M.Cash
	2400	70	M.BERNAL

Thursday

Date	Time	Temp.	Name (Print)
8/01/24	0300	70	M.BERNAL
	0600	70	M.Bernal
	0900	70	TOM-S
	1200	70	TOM-S
	1500	71	Correa
	1800	70	Correa
	2100	70	Correa
	2400	70	Oliver

Friday

Date	Time	Temp.	Name (Print)
8/3/24	0300	70	Oliver
	0600	70	TOM-S
	0900	70	TOM-S
	1200	70	TOM-S
	1500	70	M.Cook
	1800	70	M.Cook
	2100	70	M.Cook
	2400	70	Oliver

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	70	MAGIM
	0600	70	D.GONZALEZ
	0900	70	D.GONZALEZ
	1200	70	D.GONZALEZ
	1500	70	Ayon
	1800	70	Ayon
	2100	70	Ayon
	2400	70	Rodriguez

Notes

Date	Time	Temp.	Name (Print)
8/4	0300	70	Tomes
	0600	70	Libras
	0900	70	Libras
	1200	70	Barros
	1500	70	Barros
	1800	70	Barros
	2100	70	Barros
	2400	70	Tomes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: G1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
08- 01 24	0300	68°	Gonzalez
	0600	68°	Gonzales
	0900	68°	Gonzales
	1200	68°	Gonzales
	1500	68°	Gonzales
	1800	68°	Gonzales
	2100	68°	Gonzales
	2400	68°	Gonzales

Friday

Date	Time	Temp.	Name (Print)
8- 20 24	0300	69	Macmillan
	0600	69	Macmillan
	0900	70	SABADO
	1200	70	SABADO
	1500	70	URUA
	1800	70	URUA
	2100	70	URUA
	2400	70	Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
8- 3 24	0300	68°	CRIDDLE
	0600	68°	CRIDDLE
	0900	70	LOPEZ
	1200	70	LOPEZ
	1500	70	LOPEZ
	1800	70	LOPEZ
	2100	70	LOPEZ
	2400	68°	CRIDDLE

Notes

Date	Time	Temp.	Name (Print)
8- 9 24	0300	68°	CRIDDLE
	0600	68°	CRIDDLE
	0900	70	LOPEZ
	1200	70	LOPEZ
	1500	70	LOPEZ
	1800	70	LOPEZ
	2100	70	LOPEZ
	2400	68°	CRIDDLE

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	
	0300				0300				0300				0300	70	R.HERNANDEZ		0300	70	Bluford		0300	70	Bluford	
	0600				0600				0600				0600	72	SANQUIST		0600	72	Karlae		0600	72	Karlae	
	0900				0900				0900				0900	76	SANQUIST		0900	76	Torrelle		0900	76	Torrelle	
	1200				1200				1200				1200	78	SANQUIST		1200	78	Krigar		1200	78	Krigar	
	1500				1500				1500				1500	79	POLKIN		1500	79	POLKIN		1500	79	POLKIN	
	1800				1800				1800				1800	79	POLKIN		1800	79	POLKIN		1800	79	POLKIN	
	2100				2100				2100				2100	79	POLKIN		2100	79	POLKIN		2100	79	POLKIN	
	2400				2400				2400				2400	70	R.HERNANDEZ		2400	70	Bluford		2400	70	Bluford	
Wednesday																								
	0300				0300				0300				0300	70	R.HERNANDEZ		0300	70	Bluford		0300	70	Bluford	
	0600				0600				0600				0600	72	SANQUIST		0600	72	Karlae		0600	72	Karlae	
	0900				0900				0900				0900	76	SANQUIST		0900	76	Torrelle		0900	76	Torrelle	
	1200				1200				1200				1200	78	SANQUIST		1200	78	Krigar		1200	78	Krigar	
	1500				1500				1500				1500	79	POLKIN		1500	79	POLKIN		1500	79	POLKIN	
	1800				1800				1800				1800	79	POLKIN		1800	79	POLKIN		1800	79	POLKIN	
	2100				2100				2100				2100	79	POLKIN		2100	79	POLKIN		2100	79	POLKIN	
	2400				2400				2400				2400	70	R.HERNANDEZ		2400	70	Bluford		2400	70	Bluford	
Friday																								
	0300	70	Bluford																					
	0600	78	SANQUIST																					
	0900	78	SANQUIST	0945 90°																				
	1200	80	SANQUIST																					
	1500	75	POLKIN																					
	1800	75	POLKIN																					
	2100	75	POLKIN																					
	2400	70	Bluford																					
Sunday																								
	0300	70	Bluford																					
	0600	76	SANQUIST																					
	0900	80	SANQUIST	0950 90°																				
	1200	80	SANQUIST																					
	1500	72	POLKIN																					
	1800	72	POLKIN																					
	2100	72	POLKIN																					
	2400	70	Bluford																					
Notes																								

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
6/20/18	0300	70	S. DIXON
	0600	70	LAWL
	0900	70	LAWL
	1200	70	LAWL
	1500	74	OLIVAS
	1800	74	OLIVAS
	2100	76	OLIVAS
	2400	76	DIXON

Friday

Date	Time	Temp.	Name (Print)
8/02/18	0300	70	DIXON
02/24	0600	70	Smith
	0900	70	Smith
	1200	72	Smith
	1500	72	OLIVAS
	1800	72	OLIVAS
	2100	72	OLIVAS
	2400	72	Container

Saturday

Date	Time	Temp.	Name (Print)
8/03/18	0300	69	Maurice
03/24	0600	69	Maurice
	0900	69	
	1200	69	
	1500	74	OLIVAS
	1800	74	OLIVAS
	2100	74	OLIVAS
	2400	74	OLIVAS

Notes

Date	Time	Temp.	Name (Print)
8/04/18	0300	70	Marisol
04/24	0600	69	Marisol
	0900	71	JAG100
	1200	71	JAG100
	1500	71	SARINA
	1800	71	SARINA
	2100	71	MARINA
	2400	71	DIXON

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LAC Housing Unit: C4 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8	0300	70	S. Agyapong
	0600	70	T. PHAN
	0900	70	T. PHAN
1	1200	70	T. PHAN
	1500	70	E. Gralán
	1800	70	E. Gralán
24	2100	70	E. Gralán
	2400	70	S. Agyapong

Friday

Date	Time	Temp.	Name (Print)
8	0300	70	S. Agyapong
	0600	70	Julan
	0900	70	Julan
2	1200	70	Julan
	1500	70	X. Li
	1800	70	X. Li
24	2100	70	X. Li
	2400	70	S. Agyapong

Saturday

Date	Time	Temp.	Name (Print)
8	0300	70	S. Agyapong
	0600	70	TERRIQUEZ
3	0900	70	
	1200	70	
	1500	70	
	1800	70	
24	2100	70	
	2400	70	S. Agyapong

Sunday

Date	Time	Temp.	Name (Print)
8	0300	70	Mirand
	0600	70	TERRIQUEZ
4	0900	70	
	1200	70	
	1500	70	
	1800	70	
24	2100	70	
	2400	70	Mirand

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 05 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Date	Time	Temp.	Name (Print)
8/11/24	0300	70	Cimarroneta
	0600	70°	MEISENHEIDER
	0900	70°	MEISENHEIDER
	1200	70°	MEISENHEIDER
	1500	70°	Bluford
	1800	70	Bluford
	2100	70	Bluford
	2400	70	Cimarroneta

Date	Time	Temp.	Name (Print)
8/11/24	0300	73°	Briggs
	0600	70°	Meisenholder
	0900	70°	Meisenholder
	1200	70	Meisenholder
	1500	70	Bluford
	1800	70	Bluford
	2100	70	Bluford
	2400	74°	Briggs

Date	Time	Temp.	Name (Print)
8/13/24	0300	71	Miranda
	0600	69°	X. Li
	0900	70°	X. Li
	1200	70°	X. Li
	1500	70°	Lever
	1800	70°	Petrich
	2100	70	Petrich
	2400	71	Miranda

Date	Time	Temp.	Name (Print)
8/13/24	0300	70	Cimarroneta
	0600	70	Lee
	0900	74°	Lee
	1200	74°	Lee
	1500	72	Lee
	1800	70	Lee
	2100	70	Lee
	2400	70	Cimarroneta

Notes

8/3/24 0900 Heat Alert.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/2/24	0300	75°	STANLEY
	0600	75°	A. J. MINTZ
	0900	75°	A. J. BRENT
1	1200	76	A. J. MINTZ
	1500	78	D. LORNA
	1800	78	D. LORNA
	2100	78	D. COKE
24	2400	76°	STANLEY

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	77°	SIERRA, O
	0600	77°	Hernandez
	0900	77	Hernandez
	1200	77	Hernandez
	1500	78	W. Sanchez
	1800	78	W. Sanchez
	2100	78	W. Sanchez
	2400	77°	SIERRA, O

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	76	Hernandez
	0600	77	Hernandez
	0900	77	Hernandez
	1200	78	Hernandez
	1500	78	W. Sanchez
	1800	79	W. Sanchez
	2100	78	W. Sanchez
	2400	75	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	77	MARIE
	0600	77	A. J. MINTZ
	0900	77	A. J. MINTZ
	1200	78	A. J. MINTZ
	1500	78	Velasquez
	1800	77	Velasquez
	2100	77	Velasquez
	2400	77	MARIE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D-2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
8/1/24	0300	72°	CRISBULAR
	0600	73°	BARNES
	0900	74°	BARNES
	1200	74°	BARNES
	1500	73°	PABLO
	1800	72°	RUBEN
	2100	70°	RUBEN
	2400	72°	CRISBULAR

Friday

Date	Time	Temp.	Name (Print)
8/2/24	0300	72°	STOREY
	0600	71°	BARNES
	0900	76°	BARNES
	1200	77°	BARNES
	1500	80°	SABEDO
	1800	80°	SABEDO
	2100	80°	SABEDO
	2400	72°	STOREY

Saturday

Date	Time	Temp.	Name (Print)
8/3/24	0300	70°	NICOLETTA
	0600	76°	BARNES
	0900	76°	BARNES
	1200	76°	BARNES
	1500	77°	HERNANDEZ
	1800	77°	HERNANDEZ
	2100	77°	HERNANDEZ
	2400	72°	NICOLETTA

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	77°	STOREY
	0600	76°	HERNANDEZ
	0900	77°	HERNANDEZ
	1200	77°	HERNANDEZ
	1500	78°	W. SANCHEZ
	1800	71°	W. SANCHEZ
	2100	79°	W. SANCHEZ
	2400	77°	STOREY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FDB3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				
Date	Time	Temp.	Name (Print)	
	0300			
	0600			
	0900			
	1200			
	1500			
	1800			
	2100			
	2400			

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
1-24 8-1	0300	71	VEGA
	0600	71°	RUBIO
	0900	71	RUBIO
	1200	71	RUBIO
	1500	73°	RONIN
	1800	71	RUBIO
	2100	70	VEGA
	2400	72	VEGA

Date	Time	Temp.	Name (Print)
12.2.8	0300	71	VEGA
	0600	71	RUBIO
	0900	71	RUBIO
	1200	71	RUBIO
	1500	74	RUBIO
	1800	75	Ran
	2100	75	Ran
	2400	72	VEGA

Saturday			
Date	Time	Temp.	Name (Print)
<i>TU B S</i>	0300	73	VEGA
	0600	70°	QUIROZ
	0900	70°	QUIROZ
	1200	74	Ron
	1500	74	Ron
	1800	74	Ron
	2100	74	Ron
	2400	73	VEGA

Sunday			
Date	Time	Temp.	Name (Print)
8-1-24	0300	73°	VEGIA
	0600	70°	QU1002
	0900	70°	QUEER
	1200	70°	QUEER
	1500	71°	Ron
	1800	75°	Ron
	2100	73°	Ron
	2400	73°	VEGIA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FDB4 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300	72	R. Phillips
	0600	72	Machado
	0900	72	Machado
	1200	72	Machado
	1500	74	A. Ariza
	1800	74	A. Ariza
	2100	72	A. Ariza
	2400	72	L. Phillips

Friday

Date	Time	Temp.	Name (Print)
	0300	72	R. Phillips
	0600	72	Machado
	0900	73	Machado
	1200	73	Machado
	1500	73	A. Ariza
	1800	73	A. Ariza
	2100	72	A. Ariza
	2400	72	L. Phillips

Saturday

Date	Time	Temp.	Name (Print)
	0300	72	R. Phillips
	0600	75	A. Gonzalez
	0900	75	A. Gonzalez
	1200	80	A. Gonzalez
	1500	80	A. Gonzalez
	1800	80	A. Gonzalez
	2100	75	A. Gonzalez
	2400	72	L. Phillips

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	E. Boyd
	0600	70	A. Gonzalez
	0900	70	P. Gonzalez
	1200	72	A. Gonzalez
	1500	80	P. Gonzalez
	1800	60	A. Gonzalez
	2100	60	A. Gonzalez
	2400	60	E. Boyd

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70	VALENCIA
	0600	70	VALENCIA
	0900	70	MENDOZA
	1200	70	MENDOZA
	1500	70	Valencia
	1800	70	Valencia
	2100	70	Valencia
	2400	70	Valencia

Sunday

Date	Time	Temp.	Name (Print)
8/4/24	0300	70	DIXON
	0600	70	Machado
	0900	70	Machado
	1200	70	Machado
	1500	70	Flores
	1800	70	Flores
	2100	70	Flores
	2400	70	m. carlton

Thursday

Date	Time	Temp.	Name (Print)
8/11/24	0300	70	Valencia
	0600	70	MENDOZA
	0900	70	MENDOZA
	1200	70	MENDOZA
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	VALENCIA

Date	Time	Temp.	Name (Print)
8/14/24	0300	70	L. CARLTON
	0600	70	L. CARLTON
	0900	70	Machado
	1200	70	Machado
	1500	70	Hurley
	1800	70	Hurley
	2100	70	Hurley
	2400	70	L. CARLTON

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: INF Temp. Reading Location: 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/24	0300	73	Oliver
	0600	72	Christiansen
	0900	72	Christiansen
	1200	72	Carter
	1500	73	Carter
	1800	73	Carter
	2100	73	Carter
	2400	72°	M. Contreras

Tuesday

Date	Time	Temp.	Name (Print)
8/25	0300	72°	M. Contreras
	0600	72	Christiansen
	0900	73	Christiansen
	1200	73	Christiansen
	1500	73	Carter
	1800	73	Carter
	2100	72	Carter
	2400	72	Oliver

Wednesday

Date	Time	Temp.	Name (Print)
8/26	0300	72	Oliver
	0600	73	Christiansen
	0900	73	Christiansen
	1200	73	Christiansen
	1500	73	Carter
	1800	73	Carter
	2100	73	Carter
	2400	74	M. Soto

Thursday

Date	Time	Temp.	Name (Print)
8/27	0300	73	M. Soto
	0600	72	Christiansen
	0900	73	Christiansen
	1200	73	Christiansen
	1500	73	Carter
	1800	73	Carter
	2100	74	Carter
	2400	74	M. Soto

Friday

Date	Time	Temp.	Name (Print)
8/28	0300	73	M. Soto
	0600	73	M. Soto
	0900	74	Fernandez
	1200	74	Fernandez
	1500	74	Johnson
	1800	74	Johnson
	2100	73	Johnson
	2400	74	T. Galapon

Saturday

Date	Time	Temp.	Name (Print)
8/29	0300	74°	T. Galapon
	0600	72	T. Galapon
	0900	73°	S. Yanez
	1200	72	T. Galapon
	1500	75	Johnson
	1800	75	Johnson
	2100	74	Johnson
	2400	74	T. Galapon

Sunday

Date	Time	Temp.	Name (Print)
8/30	0300	72°	M. Contreras
	0600	72	Hernandez
	0900	75°	A. Ugalde
	1200	75	A. Ugalde
	1500	75°	E. Lopez
	1800	75	E. Lopez
	2100	78°	E. Lopez
	2400	72°	M. Contreras

Notes

8/8/24 - 2100hrs heat alert de-achieve

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/04/2024	0100	84.	T. Galvan
	0200	82	T. Galvan
	0300	81	T. Galvan
	0400	80	T. Galvan
	0500	77	T. Galvan
	0600	77	NUNEZ
	0700	81	NUNEZ
	0800	85	NUNEZ
	0900	90	NUNEZ
	1000	94	NUNEZ
	1100	94	NUNEZ
	1200	101	NUNEZ
	1300	103	NUNEZ
	1400	107	A. Ruentes
	1500	105	A. Ruentes
	1600	106	A. Ruentes
	1700	106	A. Ruentes
	1800	101	A. Ruentes
	1900	97	A. Ruentes
	2000	94	A. Ruentes
	2100	92	A. Ruentes
	2200	88	A. Ruentes
	2300	88	P. DATTY
	2400	87	P. DATTY

Date	Time	Temp.	Printed Name
AUG. 5, 2024	0100	86	P. DATTY
	0200	84	P. DATTY
	0300	84	P. DATTY
	0400	83	P. DATTY
	0500	79	P. DATTY
	0600	77	NUNEZ
	0700	81	NUNEZ
	0800	86	NUNEZ
	0900	90	NUNEZ
	1000	94	NUNEZ
	1100	100	NUNEZ
	1200	104	NUNEZ
	1300	106	NUNEZ
	1400	107	A. Ruentes
	1500	108	A. Ruentes
	1600	108	A. Ruentes
	1700	102	A. Ruentes
	1800	103	A. Ruentes
	1900	102	A. Ruentes
	2000	93	A. Ruentes
	2100	89	F. NAVA
	2200	89	F. NAVA
	2300	89	F. NAVA
	2400	88	F. NAVA

2315 DEACTIVATED
Heat Alert

2300 Deactivate

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
August 6 2024	0100	88	F-NANA
	0200	87	F-NANA
	0300	85	F-NANA
	0400	82	F-NANA
	0500	80	F-NANA
	0600	79	MNEZ
	0700	82	MNEZ
	0800	81	MNEZ
	0900	91	MNEZ
	1000	91	MNEZ
	1100	101	MNEZ
	1200	104	MNEZ
	1300	101	MNEZ
	1400	108	A.Ruentes
	1500	108	A.Ruentes
	1600	106	A.Ruentes
	1700	105	A.Ruentes
	1800	102	A.Ruentes
	1900	98	A.Ruentes
	2000	94	A.Ruentes
	2100	97	A.Ruentes
	2200	91	A.Ruentes
	2300	91	G.WIEFIELD
	2400	91	G.WIEFIELD

STAGE 1 HEAT ALERT

START 0800

END 0100 8/7/24

DISTRIBUCIÓN: Original: Institution ADA Coordinator

Date	Time	Temp.	Printed Name
August 7 2024	0100	89	G.WIEFIELD
	0200	89	G.WIEFIELD
	0300	89	G.WIEFIELD
	0400	89	G.WIEFIELD
	0500	87	G.WIEFIELD
	0600	87	A.Ruentes
	0700	88	A.Ruentes
	0800	91	A.Ruentes
	0900	96	A.Ruentes
	1000	97	A.Ruentes
	1100	98	A.Ruentes
	1200	98	A.Ruentes
	1300	100	A.Ruentes
	1400	100	A.Ruentes
	1500	102	A.Ruentes
	1600	101	A.Ruentes
	1700	97	A.Ruentes
	1800	95	A.Ruentes
	1900	92	A.Ruentes
	2000	89	A.Ruentes
	2100	88	A.Ruentes
	2200	87	G.WIEFIELD
	2300	87	G.WIEFIELD
	2400	87	G.WIEFIELD

STAGE 1 HEAT ALERT

START 0800

END 2100

STATE OF CALIFORNIA:
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 9, 2024	0100	87	WINGFIELD
	0200	86	WINGFIELD
	0300	85	WINGFIELD
	0400	84	WINGFIELD
	0500	83	WINGFIELD
	0600	83	J. BENO
	0700	83	J. BENO
	0800	86	J. BENO
	0900	93	J. BENO
	1000	96	J. BENO
	1100	98	J. BENO
	1200	102	J. BENO
	1300	104	J. BENO
	1400	103	A. Ruentes
	1500	102	A. Ruentes
	1600	100	A. Ruentes
	1700	95	A. Ruentes
	1800	95	A. Ruentes
	1900	93	A. Ruentes
	2000	89	A. Ruentes
	2100	88	A. Ruentes
	2200	88	W wingfield
	2300	86	W wingfield
	2400	86	W wingfield

Stage 1 823 ACTIVATED
2100 DEACTIVATED

Date	Time	Temp.	Printed Name
AUGUST 10, 2024	0100	85	W. wingfield
	0200	84	W. wingfield
	0300	84	W. wingfield
	0400	83	W. wingfield
	0500	82	W. wingfield
	0600	82	W. wingfield
	0700	82	A. Green
	0800	88	A. Green
	0900	93 ^a	A. Garcia
	1000	96	Doty
	1100	98	Doty
	1200	103	Doty
	1300	104	Doty
	1400	104	Doty
	1500	102	Doty
	1600	102	Doty
	1700	94	Doty
	1800	97	Doty
	1900	95	Doty
	2000	93	Doty
	2100	91	Doty
	2200	90	W wingfield
	2300	90	W wingfield
	2400	88	W wingfield

Stage 1 0900 ACTIVATED
0030 DEACTIVATED

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION.

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 10, 2024	0100	88	G. BROWN
	0200	88	G. BROWN
	0300	88	G. BROWN
	0400	87	G. BROWN
	0500	87	G. BROWN
	0600	88	P. DODY
	0700	90	P. DODY
	0800	90	P. DODY
	0900	90	P. DODY
	1000	98	P. DODY
	1100	101	P. DODY
	1200	103	P. DODY
	1300	107	P. DODY
	1400	108	P. DODY
	1500	108	P. DODY
	1600	105	P. DODY
	1700	101	P. DODY
	1800	97	P. DODY
	1900	93	P. DODY
	2000	91	P. DODY
	2100	91	P. DODY
	2200	90	P. DODY
	2300	89	WINGFIELD
	2400	89	WINGFIELD

Date	Time	Temp.	Printed Name
AUGUST 11, 2024	0100	88	WINGFIELD
	0200	88	WINGFIELD
	0300	83	WINGFIELD
	0400	82	WINGFIELD
	0500	82	WINGFIELD
	0600	82	A. Ruentes
	0700	87	A. Ruentes
	0800	91	A. Ruentes
	0900	95	A. Ruentes
	1000	97	A. Ruentes
	1100	100	A. Ruentes
	1200	102	A. Ruentes
	1300	103	A. Ruentes
	1400	102	A. Ruentes
	1500	102	A. Ruentes
	1600	101	A. Ruentes
	1700	96	A. Ruentes
	1800	93	A. Ruentes
	1900	90	A. Ruentes
	2000	86	A. Ruentes
	2100	85	A. Ruentes
	2200	85	B. WIMMING
	2300	85	B. Wimming
	2400	83	B. Wimminning

Stage 1 8745 ACTIVATED
2300 DEACTIVATED

Stage 1 7615 ACTIVATED
2030 DEACTIVATED

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP LAC Housing Unit: MSF DORM 1 Temp. Reading Location: DAY ROOM

Immediately notify the Watch Commander at extension 5551 (e.g., 1st tier, 2nd tier, 3rd tier, etc.) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/14	0300	79	SILVA
	0600	76	SILVA
	0900	79	EVANGELIST
	1200	79	EVANGELIST
	1500	81°	M. CONTRERAS
	1800	81°	M. CONTRERAS
	2100	81°	M. CONTRERAS
	2400	82	SILVA

Tuesday

Date	Time	Temp.	Name (Print)
8/14	0300	79	VACAN
	0600	77	EVANGELIST
	0900	78	EVANGELIST
	1200	79	EVANGELIST
	1500	81°	M. CONTRERAS
	1800	81°	M. CONTRERAS
	2100	81°	M. CONTRERAS
	2400	79	VACAN

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	79	VACAN
	0600	78	EVANGELIST
	0900	79	EVANGELIST
	1200	80	EVANGELIST
	1500	79	CABRERA
	1800	79	CABRERA
	2100	79	CABRERA
	2400	79	VACAN

Thursday

Date	Time	Temp.	Name (Print)
8/14	0300	79	VACAN
	0600	76	CHRISTENSEN
	0900	77	CHRISTENSEN
	1200	79	CHRISTENSEN
	1500	81°	B. BRIGGS
	1800	80°	B. BRIGGS
	2100	79°	B. BRIGGS
	2400	79	VACAN

Friday

Date	Time	Temp.	Name (Print)
8/14	0300	79	VACAN
	0600	79	M. CARN
	0900	79	M. CARN
	1200	80	M. CARN
	1500	81°	B. BRIGGS
	1800	80°	B. BRIGGS
	2100	79°	B. BRIGGS
	2400	79	VACAN

Saturday

Date	Time	Temp.	Name (Print)
8/14	0300	79	VACAN
	0600	76	VACAN
	0900	78°	CRIDDLE
	1200	80°	CRIDDLE
	1500	81°	M. CONTRERAS
	1800	81°	M. CONTRERAS
	2100	81°	M. CONTRERAS
	2400	79	VACAN

Notes

8/10/24 @ 0745 HRS 1ST STAGE HEAT ALERT

Date	Time	Temp.	Name (Print)
8/14	0300	79	VACAN
	0600	80	VACAN
	0900	78°	CRIDDLE
	1200	80°	CRIDDLE
	1500	81°	M. CONTRERAS
	1800	81°	M. CONTRERAS
	2100	81°	M. CONTRERAS
	2400	79	VACAN

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 08/05/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	70	65	65	69	70	65	61	70	F. GUTIERREZ	J. Soto
03:00	70	65	67	69	70	64	61	70	F. GUTIERREZ	J. Soto
06:00	70	70	70	69	70	70	70	70	Block	Block
09:00	71	70	70	70	70	71	70	70	Block	Block
12:00	71	70	70	70	70	71	70	70	Block	Block
15:00	70	66	64	70	70	64	60	70	Acuilaro	Jon Acuilaro
18:00	70	66	64	70	70	66	60	70	Acuilaro	Jon Acuilaro
21:00	70	65	63	70	70	64	60	70	Acuilaro	Jon Acuilaro

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

cgf
8/12/2024

CALIFORNIA STATE PRISON – LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: Aug. 16, 24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	70 70	64	64	70	70	66	60	70	STEPHENSON	CSLPL
03:00	70	66	64	70	70	66	60	70	STEPHENSON	CSLPL
06:00	70	68	68	70	69	70	66	70	R Cook	L Cook
09:00	70	70	70	71	70	71	70	70	R Cook	L Cook
12:00	70	70	70	71	70	70	70	70	R Cook	L Cook
15:00	70	70	70	71	70	70	70	70	Sirko	Sirko
18:00	70	70	70	71	70	70	70	70	Sirko	Sirko
21:00	70	70	70	71	70	70	70	70	Sirko	Sirko

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

8/12/2024

Date









CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 8/7/24


TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	70	66	66	68	70	65	64	70	Sirko	
03:00	70	66	66	68	70	65	64	70	Sirko	
06:00	70	67	66	66	69	67	65	71	O'Hearn	
09:00	70	66	66	67	69	66	65	70	O'Hearn	
12:00	70	68	67	66	70	66	65	70	O'Hearn	
15:00	70	68	67	66	70	66	66	70	Sirko	
18:00	70	66	66	68	70	64	60	70	Sirko	
21:00	70	66	64	68	70	64	60	70	Sirko	

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date


8/12/2024

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year-round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 8/18/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	70	66	64	68	70	64	60	70	Frus	<u>re</u>
03:00	70	66	66	65	70	61	62	70	Frus	<u>r</u>
06:00	69	67	66	68	70	65	63	70	Plook	<u>Plook</u>
09:00	70	70	70	70	70	69	70	70	Plook	<u>Plook</u>
12:00	70	70	70	70	70	70	70	70	Plook	<u>Plook</u>
15:00	70	70	70	70	70	68	68	70	Sirko	<u>Sirko</u>
18:00	70	66	66	70	70	66	62	70	Sirko	<u>Sirko</u>
21:00	70	66	66	70	70	66	62	70	Sirko	<u>Sirko</u>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

8/12/2024

Date:

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 8-9-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	69°	67°	64°	69°	76°	64°	61°	70°	J. Acquafano	<i>J. Acquafano</i>
03:00	76°	68°	65°	70°	70°	65°	62°	70°	J. Acquafano	<i>J. Acquafano</i>
06:00	70	68	68	70	70	66	62	70	Funes	<i>Funes</i>
09:00	70	68	66	70	70	68	64	70	Funes	<i>Funes</i>
12:00	70	68	66	70	70	68	64	70	Funes	<i>Funes</i>
15:00	70	68	66	70	70	68	64	70	Sirko	<i>Sirko</i>
18:00	70	68	66	70	70	68	64	70	Sirko	<i>Sirko</i>
21:00	70	68	66	70	70	68	64	70	Sirko	<i>Sirko</i>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

8/12/24

Date:

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 8/10/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	69	70	64	69	70	64	62	70	SIRKO	<i>Sirko</i>
03:00	69	70	64	69	70	64	62	70	SIRKO	<i>Sirko</i>
06:00	70	66	66	69	71	66	62	71	S.BONE	<i>S.Bone</i>
09:00	70	64	64	69	71	64	62	71	S.BONE	<i>S.Bone</i>
12:00	70	64	64	69	71	64	62	71	S.BONE	<i>S.Bone</i>
15:00	70	68	67	69	70	65	64	70	DUNN	<i>Dunn</i>
18:00	70	69	67	69	71	65	64	70	DUNN	<i>Dunn</i>
21:00	70	69	66	69	71	65	64	70	DUNN	<i>Dunn</i>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 2130 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

8/12/2024
Date








CALIFORNIA STATE PRISON - LOS ANG ELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 08/11/24


TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	76	77	62	70	70	62	60	70	F.GUTTERREZ	
03:00	75	75	60	70	70	65	60	70	F.GUTTERREZ	
06:00	74	75	60	70	70	65	60	70	M.JUAREZ	
09:00	71	70	70	70	70	68	70	70	Kook	
12:00	71	70	70	70	70	70	70	70	Kook	
15:00	76	79	65	69	70	65	70	71	S.BONE	
18:00	75	77	66	69	70	68	70	70	S.BONE	
21:00	75	76	67	70	70	70	69	70	S.BONE	

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date


8/12/2024

Heat Alert Check List Correctional Officer

UNIT: RHU

DATE: 08/05/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

90°

1. Heat Plan activated, notified by CENTRAL CONTROL at 0900 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

2315
90°

1. Notified Program Lt./Sgt. Central Control at 2315 hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

D. J. O'Brien
1ST/W OFFICER'S SIGNATURE

Hook
2ND/W OFFICERS SIGNATURE

J. M. Gammie
3RD/W OFFICERS SIGNATURE

Heat Alert Check List

Correctional Officer

UNIT: RHU

DATE: August 6, 2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

90°

1. Heat Plan activated, notified by CENTRAL CONTROL at 0844 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

W. C. Cook
1ST/W OFFICER'S SIGNATURE

Bob H
2ND/W OFFICERS SIGNATURE

3RD/W OFFICERS SIGNATURE

Heat Alert Check List

Correctional Officer

UNIT: RHU

DATE: 8/7/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. Central Control at 7:00 hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.


1ST/W OFFICER'S SIGNATURE


2ND/W OFFICERS SIGNATURE


3RD/W OFFICERS SIGNATURE

Heat Alert Check List

Correctional Officer

UNIT: RHU

DATE: 8/8/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

90°

1. Heat Plan activated, notified by CENTRAL CONTROL at 0823 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

- _____

1. Notified Program Lt./Sgt. _____ at _____ hours.
 2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
 3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

- _____

1. Notified Program Lt./Sgt. _____ at _____ hours.
 2. Continued cooling measures and observation of heat risk Inmate-Patients.
 3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

- _____

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

- _____

1. Notified Program Lt./Sgt. _____ at _____ hours.
 2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:


- T5
T5

1. Notified Program Lt./Sgt. Central control at 2100 hours.
 2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.


1ST/W OFFICER'S SIGNATURE


2ND/W OFFICERS SIGNATURE


3RD/W OFFICERS SIGNATURE

Heat Alert Check List

Correctional Officer

UNIT: RHCL

DATE: 8-9-2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:



1. Heat Plan activated, notified by Fac Comm at 0900 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

Jm Ghayes
1ST/W OFFICER'S SIGNATURE

E
2ND/W OFFICERS SIGNATURE

E
3RD/W OFFICERS SIGNATURE

Heat Alert Check List **Correctional Officer**

UNIT: _____

DATE: _____

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

- _____ 1. Heat Plan activated, notified by _____ at _____ hours.
- _____ 2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
- _____ 3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
- _____ 3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
- _____ 3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

[Signature]
1ST/W OFFICER'S SIGNATURE

[Signature]
2ND/W OFFICERS SIGNATURE

[Signature]
3RD/W OFFICERS SIGNATURE

Heat Alert Check List Correctional Officer

UNIT: RHU

DATE: 08/11/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

90°

1. Heat Plan activated, notified by CENTRAL CONTROL at 0155 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program.

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

J. Smith
1ST/W OFFICER'S SIGNATURE

M. Johnson
2ND/W OFFICERS SIGNATURE

A. Brown
3RD/W OFFICERS SIGNATURE

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	76	Fars
	0600	70	Rodriguez Jr
	0900	70	Rodriguez Jr
	1200	70	Rodriguez Jr
	1500	70	Alfonso
	1800	70	Alfonso
	2100	70	Alfonso
	2400	70	Fars

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	76	Fars
	0600	70	Rodriguez Jr
	0900	70	Rodriguez Jr
	1200	70	Rodriguez Jr
	1500	70	Rodriguez Jr
	1800	70	Rodriguez Jr
	2100	70	Rodriguez Jr
	2400	70	Fars

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	70	Fars
	0600	70	Rodriguez Jr
	0900	70	Rodriguez Jr
	1200	70	Rodriguez Jr
	1500	69	A. Lopez
	1800	69	A. Lopez
	2100	68	A. Lopez
	2400	70	Fars

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	74	C. Perea
	0600	70	Rodriguez Jr
	0900	70	Rodriguez Jr
	1200	70	Rodriguez Jr
	1500	74	C. Perea
	1800	74	C. Perea
	2100	74	C. Perea
	2400	74	C. Perea

Friday 8/9/24

Date	Time	Temp.	Name (Print)
	0300	70	Gonzalez
	0600	70	Tomas
	0900	70	Tomas
	1200	70	Tomas
	1500	70	Gonzales
	1800	70	Gonzales
	2100	70	Gonzales
	2400	70	Gonzales

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	70	Fars
	0600	70	Tomas
	0900	70	Tomas
	1200	70	Tomas
	1500	70	Gonzales
	1800	70	Gonzales
	2100	70	Gonzales
	2400	70	Fars

Notes

Date	Time	Temp.	Name (Print)
8/11/24	0300	70	Fars
	0600	70	Rodriguez Jr
	0900	70	Rodriguez Jr
	1200	70	Rodriguez Jr
	1500	70	Faro
	1800	70	Faro
	2100	70	Faro
	2400	70	Faro

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/15/24	0300	70°	M PRESNELL
8/15/24	0600	72°	Scott
8/15/24	0900	73°	Scott
8/15/24	1200	73°	Scott
8/15/24	1500	71°	Gonzalez
8/15/24	1800	74°	Gonzalez
8/15/24	2100	73°	Gonzalez
8/15/24	2400	70°	M PRESNELL

Tuesday

Date	Time	Temp.	Name (Print)
8/16/24	0300	70°	M PRESNELL
8/16/24	0600	70°	J TAPIA
8/16/24	0900	70°	J TAPIA
8/16/24	1200	71°	J TAPIA
8/16/24	1500	71°	OLLA
8/16/24	1800	71°	OLLA
8/16/24	2100	70°	OLLA
8/16/24	2400	70°	M PRESNELL

Wednesday

Date	Time	Temp.	Name (Print)
8/17/24	0300	70°	M PRESNELL
8/17/24	0600	71°	A MORENO
8/17/24	0900	70°	A MORENO
8/17/24	1200	71°	A MORENO
8/17/24	1500	70°	OLLA
8/17/24	1800	70°	OLLA
8/17/24	2100	70°	OLLA
8/17/24	2400	70°	M PRESNELL

Thursday

Date	Time	Temp.	Name (Print)
8/18/24	0300	70°	M PRESNELL
8/18/24	0600	70°	A MORENO
8/18/24	0900	70°	A MORENO
8/18/24	1200	71°	A MORENO
8/18/24	1500	71°	OLLA
8/18/24	1800	71°	OLLA
8/18/24	2100	71°	OLLA
8/18/24	2400	70°	M PRESNELL

Friday

Date	Time	Temp.	Name (Print)
8/19/24	0300	70°	M PRESNELL
8/19/24	0600	70°	A MORENO
8/19/24	0900	71°	A MORENO
8/19/24	1200	70°	A MORENO
8/19/24	1500	70°	OLLA
8/19/24	1800	70°	OLLA
8/19/24	2100	70°	OLLA
8/19/24	2400	70°	M PRESNELL

Saturday

Date	Time	Temp.	Name (Print)
8/20/24	0300	70°	HERNANDEZ
8/20/24	0600	70°	X LI
8/20/24	0900	70°	X LI
8/20/24	1200	70°	X LI
8/20/24	1500	70°	OLLA
8/20/24	1800	70°	OLLA
8/20/24	2100	70°	OLLA
8/20/24	2400	70°	HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70°	A Anch
8/21/24	0600	70°	TOM P
8/21/24	0900	71°	TOM P
8/21/24	1200	70°	TOM P
8/21/24	1500	70°	Gonzalez
8/21/24	1800	70°	Gonzalez
8/21/24	2100	70°	Gonzalez
8/21/24	2400	70°	M PRESNELL

Notes

0900: 1ST STAGE HEAT ALERT
0800: 8/19 1 AM ALARM ACTIVATED 9/5
8/17/24 - U-H-T DEACTIVATED @ 2100 hrs
8/18/24 - U-H-T ACTIVATED @ 0825 h
8/18/24 - U-H-T DEACTIVATED AT 2100 hours

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A 3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/1	0300	70	J. S. JONES
1/2/21	0600	70	B. GOLD
1/2/21	0900	70	B. FORD
1/2/21	1200	70	B. FORD
1/2/21	1500	70	Guaracion
1/2/21	1800	70	S. Grouchen
1/2/21	2100	70	S. Grouchen
1/2/21	2400	70	J. S. JONES

Tuesday

Date	Time	Temp.	Name (Print)
8/2	0300	70	J. MILLER
8/2	0600	70	TOMMIE
8/2	0900	70	TOMMIE
8/2	1200	70	TOMMIE
8/2	1500	70	Gonzales
8/2	1800	71	Gonzales
8/2	2100	71	Gonzales
8/2	2400	70	J. MILLER

Wednesday

Date	Time	Temp.	Name (Print)
8/7	0300	70°	STOREY
8/7	0600	71	PATRICK
8/7	0900	71	PATRICK
8/7	1200	71	PATRICK
8/7	1500	70	BENAVIDES
8/7	1800	71	Machado
8/7	2100	70	Machado
8/7	2400	70	Machado

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	70	MARTIN
8/8	0600	71	ESPANCA
8/8	0900	71	ESPANCA
8/8	1200	71	ESPANCA
8/8	1500	71	ESPANCA
8/8	1800	71	BARNES
8/8	2100	71	BARNES
8/8	2400	70	MARTIN

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	70	MANALI
8/9	0600	70	E. Grangas
8/9	0900	70	E. Grangas
8/9	1200	70	E. Grangas
8/9	1500	70	D. Rosemire
8/9	1800	70	D. Rosemire
8/9	2100	70	D. Rosemire
8/9	2400	70	MANALI

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	70	APACHE
8/10	0600	70	P. WY
8/10	0900	71	P. WY
8/10	1200	71	P. WY
8/10	1500	71°	A. WALE
8/10	1800	71°	ACACBAAA
8/10	2100	70°	ACACBAAA
8/10	2400	70°	ALAS SORBA

Sunday

Date	Time	Temp.	Name (Print)
8/11	0300	70	Lopez
8/11	0600	71	PATRICK
8/11	0900	71	PATRICK
8/11	1200	71	PATRICK
8/11	1500	71	TOM
8/11	1800	71	TOM
8/11	2100	70	TOM
8/11	2400	70	Lopez

Notes

1ST STAGE HEAT ALERT - 0700

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A 4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	80	J. Miller
	0600	81	M. Caplinger
	0900	81	M. Caplinger
	1200	82	M. Caplinger
	1500	83	R. Flores
	1800	82	K. Flores
	2100	82	R. Flores
	2400	81	J. Miller

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	75	A. Claude
	0600	75	L. Thomas
	0900	75	L. Thomas
	1200	75	L. Thomas
	1500	76	R. Flores
	1800	76	R. Flores
	2100	75	R. Flores
	2400	75	A. Claude

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	73	A. Claude
	0600	73	S. Garcia
	0900	73	A. Claude
	1200	74	S. Garcia
	1500	75	R. Flores
	1800	75	R. Flores
	2100	75	R. Flores
	2400	73	A. Claude

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	74	J. Miller
	0600	73	L. Thomas
	0900	74	L. Thomas
	1200	76	L. Thomas
	1500	77	R. Flores
	1800	76	R. Flores
	2100	74	R. Flores
	2400	74	J. Miller

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	78	A. Claude
	0600	78	L. Thomas
	0900	79	L. Thomas
	1200	78	L. Thomas
	1500	78	Flores
	1800	78	Flores
	2100	77	Flores
	2400	78	A. Claude

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	74	A. Claude
	0600	80	Gonzalez
	0900	80	Gonzalez
	1200	80	Gonzalez
	1500	75	R. Flores
	1800	75	R. Flores
	2100	75	R. Flores
	2400	74	A. Claude

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	74	A. Claude
	0600	73	L. Thomas
	0900	73	L. Thomas
	1200	74	L. Thomas
	1500	76	R. Flores
	1800	76	R. Flores
	2100	75	R. Flores
	2400	74	A. Claude

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/10/24	0300	76°	Rosses, O
	0600	74°	J-Alvarado
	0900	74°	J-Alvarado
	1200	75°	J-Alvarado
	1500	73	Davison Jr
	1800	73	Davison Jr
	2100	74	Davison Jr
	2400	76°	Rosses, O.

Wednesday

Date	Time	Temp.	Name (Print)
08/10/24	0300	76°	Rodriguez
	0600	75°	J. Alvarado
	0900	75°	J. Alvarado
	1200	76°	J. Alvarado
	1500	76°	B. Frazier
	1800	76°	B. Frazier
	2100	77°	B. Frazier
	2400	76°	Rodriguez

Friday

Date	Time	Temp.	Name (Print)
08/109/24	0300	78°	J. MILLER
	0600	75°	J. Alvarado
	0900	75°	J. Alvarado
	1200	75°	J. Alvarado
	1500	72°	B. Frazier
	1800	77°	B. Frazier
	2100	77°	B. Frazier
	2400	78	J. MILLER

Sunday

Date	Time	Temp.	Name (Print)
08/11/24	0300	75°	Rosie O.
	0600	75	Lynn
	0900	75	Lynn
	1200	75	Lynn
	1500	77	A Lopez
	1800	78	A Lopez
	2100	77	A Lopez
	2400	75°	Rosie O.

Tuesday

Date	Time	Temp.	Name (Print)
11/24/08	0300	75°	Rodles o.
	0600	75°	J. Alvarado
	0900	75°	J. Alvarado
	1200	76°	J. Alvarado
	1500	77°	B. Frazier
	1800	78°	B. Frazier
	2100	77°	B. Frazier
	2400	76°	Rodles o.

Thursday

Date	Time	Temp.	Name (Print)
08/08/2011	0300	75°	ROBBIE D.
	0600	75°	J. Alvarado
	0900	74°	J. Alvarado
	1200	75°	J. Alvarado
	1500	75°	B. Frasier
	1800	77°	B. Frasier
	2100	77°	B. Frasier
	2400	75°	ROBBIE, D.

Saturday

Date	Time	Temp.	Name (Print)
08/10/24	0300	75	J. MILLER
	0600	75	75
	0900	76	76
	1200	75	75
	1500	77	Rodriguez JR
	1800	78	Rodriguez JR
	2100	78	Rodriguez JR
	2400	75	J. MILLER

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: F3B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/15/24	0300	70°	D. REYES
	0600	70°	K. LARO
	0900	70°	K. LARO
	1200	70°	K. LARO
	1500	70°	G. HERNANDEZ
	1800	71°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400	70°	D. REYES

Tuesday

Date	Time	Temp.	Name (Print)
8/16/24	0300	70°	D. REYES
	0600	70	LARO
	0900	70	LARO
	1200	70	K. LARO
	1500	71	K. LARO
	1800	71°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400	70°	ACEVES

Wednesday

Date	Time	Temp.	Name (Print)
8/17/24	0300	78°	ACEVES
	0600	70	K. LARO
	0900	70	K. LARO
	1200	71	K. LARO
	1500	70°	A. ALKUNYEMI
	1800	71°	A. ALKUNYEMI
	2100	70°	A. ALKUNYEMI
	2400	70°	ACEVES

Thursday

Date	Time	Temp.	Name (Print)
8/18/24	0300	70	GONZALEZ
	0600	71	K. LARO
	0900	71	K. LARO
	1200	71	K. LARO
	1500	71	ESPINOZA
	1800	71	GONZALEZ
	2100	71	GONZALEZ
	2400	71	GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
8/19/24	0300	70	GONZALEZ
	0600	71	A. DAVID
	0900	72	GOMEZ
	1200	72	GOMEZ
	1500	70	J. AGUILAR
	1800	70	J. AGUILAR
	2100	70	J. AGUILAR
	2400	70	GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
8/20/24	0300	70	D. REYES
	0600	70	A. DAVID
	0900	70	A. DAVID
	1200	70	A. DAVID
	1500	72	J. AGUILAR
	1800	70	J. AGUILAR
	2100	70	J. AGUILAR
	2400	70	D. REYES

Sunday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70°	D. REYES
	0600	70°	TINOCO
	0900	70°	TINOCO
	1200	70°	TINOCO
	1500	70°	G. AGUILERA
	1800	70°	G. AGUILERA
	2100	70°	G. AGUILERA
	2400	70°	D. GONZA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B2 Con Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/15/24	0300	77	Scott
	0600	70	Galindo
	0900	70	Galindo
	1200	73	Galindo
	1500	73	Galindo
	1800	73	Galindo
	2100	70	Galindo
	2400	72	Scott

Tuesday

Date	Time	Temp.	Name (Print)
12/24/97	0300	72	Scott
	0600	70	ORTIZ
	0900	70	ORTIZ
	1200	72	ORTIZ
	1500	75	RODRIGUEZ
	1800	75	ESTRADA
	2100	75	ESTRADA
	2400	73	Scott

Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	73	Scott
	0600	72	Correa
	0900	73	Conrad
	1200	73	Correa
	1500	73	Pazan
	1800	70	Phinna
	2100	70	Phinna
7/28	2400	73	Scott

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	72	Scott
	0600	70	Ibana
	0900	70	Ibana
	1200	70	Ibana
	1500	70	Ibana
	1800	70	Ibana
	2100	74	Ibana
	2400	72	Scott

Friday

Date	Time	Temp.	Name (Print)
7/21/08	0300	77	Scott
	0600	75	Correa
	0900	72	Correa
	1200	73	Correa
	1500	74	McGinn
	1800	75	McGinn
	2100	72	McGinn
	2400	73	McGinn

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	70	UMANA
	0600	79	Ibana
	0900	79	Ibana
	1200	80	Ibana
	1500	80	Ibana
	1800	80	Ibana
	2100	79	Ibana
	2400	70	UMANA

Sunday

Date	Time	Temp.	Name (Print)
12/18	0300	70	UMANA
	0600	70°	CHANG
	0900	70°	CHAVEZ
	1200	70	CHAVEZ
	1500	71°	Ugarte
	1800	71°	Ugarte
	2100	71°	ugarte
	2400	70	UMANA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/15/24	0300	70	UMANA
	0600	70	A. Covarrubias
	0900	70	A. Covarrubias
	1200	70	A. Covarrubias
	1500	70°	T. HART
	1800	70°	T. HART
	2100	70°	T. HART
	2400	70	UMANA

Wednesday

Date	Time	Temp.	Name (Print)
8/17/24	0300	70	J. Devore
	0600	70	Ranquillo
	0900	70	Ranquillo
	1200		
	1500	70	E. Torn
	1800	70	E. Torn
	2100	70	E. Torn
	2400	70	J. DEVORE

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	69°	PACIARD
	0600	72	A. Covarrubias
	0900	70	A. Covarrubias
	1200	70	UMANA
	1500	70°	T. HART
	1800	70°	T. HART
	2100	70°	T. HART
	2400	69°	PACIARD

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	69°	PACIARD
	0600	70	A. Covarrubias
	0900	70	A. Covarrubias
	1200	70	A. Covarrubias
	1500	70°	HART
	1800	75°	HART
	2100	70°	HART
	2400	69°	PACIARD

Tuesday

Date	Time	Temp.	Name (Print)
8/16/24	0300	70	GARCIA
	0600	70	D. CHAVEZ
	0900	70	D. CHAVEZ
	1200	70	D. CHAVEZ
	1500	72	J. Aguilar
	1800	71	J. Aguilar
	2100	70	J. Aguilar
	2400	70	GARCIA

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	68°	HART
	0600	70	A. Covarrubias
	0900	70	A. Covarrubias
	1200	70	UMANA
	1500	70°	F. Bracamonte
	1800	70°	F. Bracamonte
	2100	70°	F. Bracamonte
	2400	68	HART

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	69	TOPACIARD
	0600	69	BRITO
	0900	70°	BRITO
	1200	70°	BRITO
	1500	70°	BRITO
	1800	70°	T. HART
	2100	70°	T. HART
	2400	69°	TOPACIARD

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	70	GARCIA
	0600	70	B-FELIPE
	0900	72	B-FELIPE
	1200	70	FELIPE
	1500	74	T. NGUIN
	1800	74	T. NGUIN
	2100	74	T. NGUIN
	2400	70	GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	70	McDaniels
	0600	70	B-FELIPE
	0900	72	B-FELIPE
	1200	72	B-FELIPE
	1500	74	B-FELIPE
	1800	72	B-FELIPE
	2100	72	V-FELIPE
	2400	70	McDaniels

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	70	Hidalgo
	0600	70	Recinos
	0900	72	Recinos
	1200	72	Recinos
	1500	70	E. Tava
	1800	70	E. Tava
	2100	70	E. Tava
	2400	70	Hidalgo

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	70	GARCIA
	0600	70	NGUIN
	0900	72	NGUIN
	1200	72	NGUIN
	1500	74	NGUIN
	1800	74	NGUIN
	2100	72	NGUIN
	2400	71	GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	70	McDaniels
	0600	70	B-FELIPE
	0900	70	FELIPE
	1200	72	FELIPE
	1500	70	FELIPE
	1800	70	FELIPE
	2100	70	FELIPE
	2400	70	McDaniels

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	70	McDaniels
	0600	70	Recinos
	0900	72	Recinos
	1200	72	Recinos
	1500	70	E. Tava
	1800	70	E. Tava
	2100	70	E. Tava
	2400	70	McDaniels

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	70	McDaniels
	0600	70	NGUIN
	0900	72	NGUIN
	1200	72	NGUIN
	1500	74	NGUIN
	1800	74	NGUIN
	2100	72	NGUIN
	2400	70	McDaniels

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/15/18	0300	70	Tulman
	0600	70	Alatome
	0900	70	Alatome
	1200	70	Alatome
	1500	70	M. Cash
	1800	70	J. Cook
	2100	70	M. Cash
	2400	70	Sohrson

Wednesday

Date	Time	Temp.	Name (Print)
8/17/18	0300	70	E. Rodriguez
	0600	70	Alatome
	0900	70	Alatome
	1200	70	Alatome
	1500	70	M. Cash
	1800	70	M. Cash
	2100	70	M. Cash
	2400	70	E. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
8/10/18	0300	70	GARCIA
	0600	70	Alatome
	0900	70	Alatome
	1200	70	Alatome
	1500	70	J. SALCIDO
	1800	70	J. SALCIDO
	2100	70	J. SALCIDO
	2400	70	GARCIA

Sunday

Date	Time	Temp.	Name (Print)
8/11/18	0300	70	Johnson
	0600	70	Reinosa
	0900	70	Reinosa
	1200	70	Reinosa
	1500	70	MILLER
	1800	70	MILLER
	2100	70	MILLER
	2400	70	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
8/16/18	0300	70	E. Rodriguez
	0600	70	Serrato
	0900	70	Serrato
	1200	70	Serrato
	1500	70	M. Cash
	1800	70	J. Cook
	2100	70	M. Cook
	2400	70	E. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
8/24/18	0300	70	E. Rodriguez
	0600	70	D. Rodriguez
	0900	71	D. Rodriguez
	1200	71	D. Rodriguez
	1500	70	J. Cook
	1800	70	J. Salcido
	2100	70	J. SALCIDO
	2400	70	E. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
8/10/18	0300	70	GARCIA
	0600	70	Reinosa
	0900	70	Reinosa
	1200	70	Reinosa
	1500	70	Reinosa
	1800	70	Ayala
	2100	70	Ayala
	2400	70	GARCIA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-1 CONTROL Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8	0300	68°	CRIDDLE
	0600	68°	CRIDDLE
	0900	70	CRIDDLE
	1200	70	CRIDDLE
	1500	70	CRIDDLE
	1800	69°	CRIDDLE
	2100	68°	CRIDDLE
	2400	68°	CRIDDLE

Wednesday

Date	Time	Temp.	Name (Print)
8	0300	68	Evangelist
	0600	68	GUERRA
	0900	69	GUERRA
	1200	68	GUERRA
	1500	69°	HILL
	1800	68	HILL
	2100	68	HILL
	2400	68	Evangelist

Friday

Date	Time	Temp.	Name (Print)
8	0300	70	AYALA
	0600	69	AYALA
	0900	69	SABEDO
	1200	69	SABEDO
	1500	70	AYALA
	1800	70	AYALA
	2100	70	AYALA
	2400	70	AYALA

Sunday

Date	Time	Temp.	Name (Print)
8	0300	68°	CRIDDLE
	0600	68°	CRIDDLE
	0900	68	ESCRIBANO
	1200	69°	SHANE LOPER
	1500	70°	X-LI
	1800	70°	X-LI
	2100	70°	X-LI
	2400	68°	CRIDDLE

Tuesday

Date	Time	Temp.	Name (Print)
8	0300	68	EVANGELIST
	0600	68	GUERRA
	0900	69	GUERRA
	1200	69	GUERRA
	1500	69	HILL
	1800	69	HILL
	2100	68	HILL
	2400	68	EVANGELIST

Thursday

Date	Time	Temp.	Name (Print)
8	0300	70	AGUILAR
	0600	70	AGUILAR
	0900	69	GUERRA
	1200	69	GUERRA
	1500	69	HILL
	1800	69°	HILL
	2100	69°	HILL
	2400	70°	AGUILAR

Saturday

Date	Time	Temp.	Name (Print)
8	0300	68°	CRIDDLE
	0600	68°	CRIDDLE
	0900	68°	PERA
	1200	68°	PERA
	1500	70	PEREZ LOPEZ
	1800	70	PEREZ LOPEZ
	2100	70	PEREZ LOPEZ
	2400	68°	CRIDDLE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-2

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8 05 24	0300	70°	S. DIXON
	0600	70°	mcneal gue
	0900	70°	J. RESENDIZ
	1200	70°	J. RESENDIZ
	1500	71°	J. RESENDIZ
	1800	70°	J. RESENDIZ
	2100	70°	J. RESENDIZ
	2400	70°	DIXON

Wednesday

Date	Time	Temp.	Name (Print)
8 07 24	0300	70°	DIXON
	0600	71°	Bremont
	0900	71°	Bremont
	1200	72°	Bremont
	1500	73°	Olivas
	1800	73°	Oliver
	2100	73°	Oliver
	2400	73°	Fowler

Friday

Date	Time	Temp.	Name (Print)
8 09 24	0300	70°	DIXON
	0600	70°	Smith
	0900	70°	Smith
	1200	72°	Smith
	1500	72°	X-L
	1800	70°	X-L
	2100	70°	X-L
	2400	70°	Dixon

Sunday

Date	Time	Temp.	Name (Print)
8 11 24	0300	70°	Solorzano
	0600	70°	Walters
	0900	70°	
	1200	73°	Smith
	1500	73°	Brito
	1800	70°	Brito
	2100	70°	Brito
	2400	70°	Solorzano

Tuesday

Date	Time	Temp.	Name (Print)
8 06 24	0300	70°	DIXON
	0600	70°	Bremont
	0900	70°	Bremont
	1200	73°	Olivas
	1500	73°	Oliver
	1800	73°	Oliver
	2100	73°	Oliver
	2400	70°	DIXON

Thursday

Date	Time	Temp.	Name (Print)
8 08 24	0300	70°	B. Frazier
	0600	71°	Brito
	0900	71°	BALO
	1200	72°	Brito
	1500	72°	Oliver
	1800	72°	Oliver
	2100	72°	Oliver
	2400	70°	DIXON

Saturday

Date	Time	Temp.	Name (Print)
8 10 24	0300	70°	Agosto
	0600	69°	Perez
	0900	70°	Hicks
	1200	70°	Agosto
	1500	72°	Calderon
	1800	72°	Calderon
	2100	71°	Calderon
	2400	71°	Gonzalez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/15	0300	70	Mirand
	0600	69	Know
	0900	80	SANQUIST
	1200	82	SANQUIST
	1500	80	SANQUIST
	1800	80	SANQUIST
	2100	80	FALCON
	2400	70	FALCON

Tuesday

Date	Time	Temp.	Name (Print)
8/16	0300	70	Mirand
	0600	70	SABUR
	0900	70	SABUR
	1200	80	SABUR
	1500	80	F.BEACHMONTH
	1800	80	B.Sacramento
	2100	78	B.Sacramento
	2400	70	Mirand

Wednesday

Date	Time	Temp.	Name (Print)
8/17	0300	75	R.HERNANDEZ
	0600	75	PEER
	0900	76	PEER
	1200	79	PEER
	1500	79	PEER
	1800	79	PEER
	2100	79	PEER
	2400	75	R.HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
8/18	0300	75	R.HERNANDEZ
	0600	72	SANQUIST
	0900	74	SANQUIST
	1200	76	SANQUIST
	1500	80	Loy
	1800	80	Loy
	2100	80	Loy
	2400	75	R.HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
8/19	0300	70	Bluford
	0600	72	SANQUIST
	0900	76	SANQUIST
	1200	76	SANQUIST
	1500	76	POTOM
	1800	75	POTOM
	2100	77	POTOM
	2400	70	Bluford

Saturday

Date	Time	Temp.	Name (Print)
8/20	0300	70	Bluford
	0600	72	SANQUIST
	0900	72	SANQUIST
	1200	76	SANQUIST
	1500	75	POTOM
	1800	75	POTOM
	2100	77	POTOM
	2400	70	Bluford

Notes

Date	Time	Temp.	Name (Print)
8/21	0300	70	Bluford
	0600	72	SANQUIST
	0900	74	SANQUIST
	1200	74	SANQUIST
	1500	74	POTOM
	1800	74	POTOM
	2100	74	POTOM
	2400	70	Bluford

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/15	0300	74	MIRANDA
	0600	70	MIRANDA
	0900	70	TERROQUEZ
	1200	70	TERROQUEZ
	1500	70	SANDOVAL
	1800	70	SANDOVAL
	2100	70	SANDOVAL
	2400	70	MIRANDA

Tuesday

Date	Time	Temp.	Name (Print)
8/16	0300		KEHRES
	0600	70	SANDOVAL
	0900	70	SANDOVAL
	1200	70	SANDOVAL
	1500	70	SANDOVAL
	1800	70	SANDOVAL
	2100	70	SANDOVAL
	2400	72	KEHRES

Wednesday

Date	Time	Temp.	Name (Print)
8/17	0300	73	A. WALTER
	0600	70	SANDOVAL
	0900	70	SANDOVAL
	1200	70	SANDOVAL
	1500	70	SANDOVAL
	1800	70	SANDOVAL
	2100	70	SANDOVAL
	2400	70	A. WALTER

Thursday

Date	Time	Temp.	Name (Print)
8/18	0300	70	A. WALTER
	0600	71	REESE
	0900	73	REESE
	1200	73	REESE
	1500	77	LIC
	1800	77	LIC
	2100	77	LIC
	2400	77	A. WALTER

Friday

Date	Time	Temp.	Name (Print)
8/19	0300	70	BETTIGER
	0600	70	MIRANDA
	0900	73	MIRANDA
	1200	73	MIRANDA
	1500	73	LIC
	1800	70	LIC
	2100	71	LIC
	2400	70	BETTIGER

Saturday

Date	Time	Temp.	Name (Print)
8/20	0300	78	MIRANDA
	0600	70	TERROQUEZ
	0900		TERROQUEZ
	1200		TERROQUEZ
	1500		TERROQUEZ
	1800		TERROQUEZ
	2100		TERROQUEZ
	2400	70	MIRANDA

Notes

Date	Time	Temp.	Name (Print)
8/21	0300	70	MIRANDA
	0600	70	TERROQUEZ
	0900	70	TERROQUEZ
	1200	70	TERROQUEZ
	1500	70	TERROQUEZ
	1800	70	TERROQUEZ
	2100	70	TERROQUEZ
	2400	70	MIRANDA

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	70	Chendicta
	0600	70	Lambert
	0900	75	Lambert
	1200	75	Lambert
	1500	75	Lopez
	1800	75	Lopez
	2100	75	Lopez
	2400	70	Chendicta

Tuesday

Date	Time	Temp.	Name (Print)
8/6/24	0300	70	Chendicta
	0600	70	Lambert
	0900	75	Lambert
	1200	75	Lambert
	1500	75	Lambert
	1800	75	Lambert
	2100	75	Lambert
	2400	70	Chendicta

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	70	Chendicta
	0600	70	Lambert
	0900	75	Lambert
	1200	75	Lambert
	1500	75	R.Hernandez
	1800	75	R.Hernandez
	2100	75	R.Hernandez
	2400	70	Chendicta

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	70	Chendicta
	0600	70	Garcia
	0900	72	Garcia
	1200	72	Garcia
	1500	70	Bluford
	1800	70	Bluford
	2100	70	Bluford
	2400	70	Chendicta

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	70	Franc
	0600	72	J.Miller
	0900	72	J.Miller
	1200	72	J.Miller
	1500	72	Bluford
	1800	70	Bluford
	2100	70	Bluford
	2400	70	Franc

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	70	Franc
	0600	70	Anderson
	0900	70	Anderson
	1200	70	Anderson
	1500	75	Lee
	1800	73	Lee
	2100	72	Lee
	2400	70	Franc

Notes

Date	Time	Temp.	Name (Print)
8/11/24	0300	70	Chendicta
	0600	72	Lee
	0900	74	Lee
	1200	72	Lee
	1500	74	Lee
	1800	70	Lee
	2100	70	Lee
	2400	70	Chendicta

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/1/24	0300	74	Muniz
0600	74	A. Jimenez	
0900	77	A. Jimenez	
1200	79	A. Jimenez	
1500	80	A. Jimenez	
1800	80	Morales	
2100	80	Martinez	
2400	74	Muniz	

Tuesday

Date	Time	Temp.	Name (Print)
8/2/24	0300	80	Muniz
0600	78	A. Jimenez	
0900	78	A. Jimenez	
1200	79	A. Jimenez	
1500	80	D. Lopez	
1800	80	D. Lopez	
2100	80	D. Lopez	
2400	80	Muniz	

Wednesday

Date	Time	Temp.	Name (Print)
8/3/24	0300	78	Muniz
0600	78	A. Jimenez	
0900	78	A. Jimenez	
1200	79	A. Jimenez	
1500	80	D. Lopez	
1800	80	D. Lopez	
2100	80	D. Lopez	
2400	78	Muniz	

Thursday

Date	Time	Temp.	Name (Print)
8/4/24	0300	79°	STANLEY
0600	78	A. Jimenez	
0900	78	A. Jimenez	
1200	79	A. Jimenez	
1500	79°	D. Lopez	
1800	80°	D. Lopez	
2100	80°	D. Lopez	
2400	79°	STANLEY	

Friday

Date	Time	Temp.	Name (Print)
8/5/24	0300	78°	STANLEY
0600	78	A. Jimenez	
0900	78	A. Jimenez	
1200	80	Machado	
1500	80	Machado	
1800	80	Machado	
2100	80	Machado	
2400	79°	STANLEY	

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	77	Muniz
0600	77	J. Garcia	
0900	78°	J. Garcia	
1200	78°	J. Garcia	
1500	79°	J. Garcia	
1800	80°	C. Gomez	
2100	80°	C. Gomez	
2400	77	Muniz	

Sunday

Date	Time	Temp.	Name (Print)
8/11/24	0300	78	Muniz
0600	78	A. Jimenez	
0900	78	A. Jimenez	
1200	79	A. Jimenez	
1500	79	A. Jimenez	
1800	80	A. Jimenez	
2100	80	D. Lopez	
2400	78	Muniz	

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D-2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/15/24	0300	70	C. Holmes
	0600	76	E. Hernandez
	0900	78	E. Hernandez
	1200	78	E. Hernandez
	1500	80	T. Escobar
	1800	80	T. Escobar
	2100	80	T. Escobar
	2400	70	C. Holmes

Tuesday

Date	Time	Temp.	Name (Print)
8/16/24	0300	78	C. Holmes
	0600	77°	Barnes
	0900	77°	Barnes
	1200	78°	Barnes
	1500	79°	Akinremi
	1800	80°	Akinremi
	2100	80°	Akinremi
	2400	78	C. Holmes

Wednesday

Date	Time	Temp.	Name (Print)
8/17/24	0300	78	C. Holmes
	0600	78	Barnes
	0900	78	Barnes
	1200	79°	Barnes
	1500	78	n
	1800	78	n
	2100	77	n
	2400	78	C. Holmes

Thursday

Date	Time	Temp.	Name (Print)
8/18/24	0300	79	C. Holmes
	0600	79°	Barnes
	0900	79°	Barnes
	1200	79°	Barnes
	1500	78	Arguellos
	1800	78	Arguellos
	2100	78	Arguellos
	2400	79	C. Holmes

Friday

Date	Time	Temp.	Name (Print)
8/19/24	0300	70	I. Hernandez
	0600	77°	Barnes
	0900	77°	I. Hernandez
	1200	78°	Barnes
	1500	79°	U. Gartt
	1800	79°	U. Gartt
	2100	79°	U. Gartt
	2400	78	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
8/20/24	0300	78°	Stanley
	0600	77°	Barnes
	0900	77°	Barnes
	1200	78°	Barnes
	1500	80	Machado
	1800	80	Machado
	2100	80	Machado
	2400	78	Stanley

Sunday

Date	Time	Temp.	Name (Print)
8/21/24	0300	80	D. Wells
	0600	77	C. Medina
	0900	77	C. Medina
	1200	79	C. Medina
	1500	80	W. Sanchez
	1800	80	W. Sanchez
	2100	80	W. Sanchez
	2400	80	D. Wells

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

9/2 14/45
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC

Housing Unit: D3

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/5/24	0300	74	STANLEY
	0600	74	Gomez
	0900	74	Gomez
	1200	73	Gomez
	1500	75	Gomez
	1800	73	Ron
	2100	73	Ron
	2400	74	STANLEY

Tuesday 8-6-24

Date	Time	Temp.	Name (Print)
8/6/24	0300	70°	M. crittenden
	0600	75	F. Hernandez
	0900	73	F. Hernandez
	1200	73	E. Hernandez
	1500	73	E. Hernandez
	1800	73	Garcia
	2100	72	Garcia
	2400	70	M. crittenden

Wednesday

Date	Time	Temp.	Name (Print)
8/7/24	0300	69°	Serrano
	0600	73	Machado
	0900	72	Machado
	1200	73	Machado
	1500	73	Avila
	1800	73	Avila
	2100	73	Avila
	2400	69°	Serrano

Thursday

Date	Time	Temp.	Name (Print)
8/8/24	0300	70°	VEGA
	0600	72	Avila
	0900	72	Avila
	1200	72	Avila
	1500	74°	Rovin
	1800	74°	Rovin
	2100	73°	Rovin
	2400	70°	VEGA

Friday

Date	Time	Temp.	Name (Print)
8/9/24	0300	72	VEGA
	0600	72	Avila
	0900	74	Avila
	1200	74	Avila
	1500	74	Rovin
	1800	74°	
	2100	74°	
	2400	74°	VEGA

Saturday

Date	Time	Temp.	Name (Print)
8/10/24	0300	72°	VEGA
	0600	72°	Gregorio
	0900	71°	Gregorio
	1200	71°	Gregorio
	1500	74°	Rovin
	1800	74°	Rovin
	2100	74°	Rovin
	2400	72°	VEGA

Notes

Date	Time	Temp.	Name (Print)
8/11/24	0300	70°	VEGA
	0600	72	Gregorio
	0900	71°	Gregorio
	1200	71°	Gregorio
	1500	74°	Rovin
	1800	74°	Rovin
	2100	74°	Rovin
	2400	70°	VEGA

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D4 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	77	KENRICKS
	0600	77	M. Vega
	0900	77	A. GONZALEZ
	1200	80	A. GONZALEZ
	1500	77	M. Vega
	1800	75	M. Vega
	2100	70	M. Vega
	2400	78	KENRICKS

Wednesday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	75	R. PHIPPS
	0600	75	Gonzales
	0900	75	Gonzales
	1200	77	Gonzales
	1500	77	Rose
	1800	77	Rose
	2100	75	Rose
	2400	75	R. PHIPPS

Friday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	75	R. PHIPPS
	0600	75	Machado
	0900	77	Machado
	1200	77	Machado
	1500	76	Anish
	1800	76	Anish
	2100	75	Anish
	2400	75	R. PHIPPS

Sunday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	80	M. GONZALEZ
	0600	80	M. McVea
	0900	80	M. McVea
	1200	80	M. McVea
	1500	80	M. McVea
	1800	80	M. McVea
	2100	80	M. McVea
	2400	80	M. GONZALEZ

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	78	R. PHIPPS
	0600	78	A. GONZALEZ
	0900	80	A. GONZALEZ
	1200	80	A. GONZALEZ
	1500	80	A. GONZALEZ
	1800	78	A. GONZALEZ
	2100	78	A. GONZALEZ
	2400	78	R. PHIPPS

Thursday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	74	R. PHIPPS
	0600	75	B. Chavez
	0900	76	B. Chavez
	1200	76	B. Chavez
	1500	74	B. Chavez
	1800	74	B. Chavez
	2100	74	B. Chavez
	2400	74	R. PHIPPS

Saturday

Date	Time	Temp.	Name (Print)
<u>8/24</u>	0300	75	R. PHIPPS
	0600	80	M. McVea
	0900	83	M. McVea
	1200	83	M. McVea
	1500	83	M. McVea
	1800	83	M. McVea
	2100	80	M. McVea
	2400	75	R. PHIPPS

Notes

reaches

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-5-24

Date	Time	Temp.	Name (Print)
	0300	70°	M. CRUZ
	0600	70	STANTON
	0900	70	STANTON
	1200	70	STANTON
	1500	71	STANTON
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70°	M. CRUZ

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70	HERNANDEZ
	0600	70	SIVKO
	0900	70	SIVKO
	1200	72	SIVKO
	1500	70	SIVKO
	1800	70	SIVKO
	2100	70	SIVKO
	2400	70	HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
8/9	0300	70	SIVKO
	0600	70	ESPARRA
	0900	70	ESPARRA
	1200	70	ESPARRA
	1500	70	ESPARRA
	1800	70	ESPARRA
	2100	70	ESPARRA
	2400	70	SIVKO

Sunday

Date	Time	Temp.	Name (Print)
	0300	70°	M. DIXON
	0600	70	Machado
	0900	70	Machado
	1200	70	Machado
	1500	71	Ocegueda
	1800	71	Ocegueda
	2100	70	Ocegueda
	2400	70°	M. DIXON

Tuesday

Date	Time	Temp.	Name (Print)
	0300	70	HERNANDEZ
	0600	70	HERNANDEZ
	0900	70	HERNANDEZ
	1200	70	HERNANDEZ
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
8/8	0300	70	Richardson
	0600	70	SIVKO
	0900	70	SIVKO
	1200	70	SIVKO
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	Richardson

Saturday

Date	Time	Temp.	Name (Print)
8/10	0300	70°	J.A. Wells
	0600	70	Machado
	0900	70	Machado
	1200	70	Machado
	1500	70	Machado
	1800	70	Machado
	2100	70	Machado
	2400	70°	J.A. Wells

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SEP-LAC Housing Unit: INF Temp. Reading Location: 1ST
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	73°	J. GARCIA
	0600	73	Christiansen
	0900	73	Christiansen
	1200	73	Christiansen
	1500	76	E. Avelar
	1800	75	E. Avelar
	2100	74	E. Avelar
	2400	78	J. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	72	Perry
	0600	73	Christiansen
	0900	73	Christiansen
	1200	74	Christiansen
	1500	74	Avelar
	1800	74	Avelar
	2100	74	Perry
	2400	74	Perry MM

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	72°	N. Johnson
	0600	72	Christiansen
	0900	73	Christiansen
	1200	73	Christiansen
	1500	74	Johnson
	1800	74	Johnson
	2100	73	Johnson
	2400	73	G. Johnson

Sunday

Date	Time	Temp.	Name (Print)
	0300	72°	Olive
	0600	72°	Ugarte
	0900	71°	Ugarte
	1200	71	Ugarte
	1500	72	Olive
	1800	72	Olive
	2100	72	Olive
	2400	71	Galapon

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	73°	C. Davis
	0600	73	Christiansen
	0900	73	Christiansen
	1200	73	Christiansen
	1500	75°	E. Avelar
	1800	75°	E. Avelar
	2100	75	Perry
	2400	72	C. Davis

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	74	Perry
	0600	74	Christiansen
	0900	74	Christiansen
	1200	74	Christiansen
	1500	75°	Avelar
	1800	74°	Avelar
	2100	74°	Avelar
	2400	74	M. Scott

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	72	Galapon
	0600	72	McCay
	0900	72	Fernandez
	1200	72	Fernandez
	1500	74	Johnson
	1800	74	Johnson
	2100	74	Johnson
	2400	72	Galapon

Notes

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location; the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 10, 2024	0100	88	G. BROWN
	0200	88	G. BROWN
	0300	88	G. BROWN
	0400	87	G. BROWN
	0500	87	G. BROWN
	0600	88	P. DUTY
	0700	90	P. DUTY
	0800	90	P. DUTY
	0900	90	P. DUTY
	1000	93	P. DUTY
	1100	101	P. DUTY
	1200	103	P. DUTY
	1300	107	P. DUTY
	1400	108	P. DUTY
	1500	108	P. DUTY
	1600	105	P. DUTY
	1700	101	P. DUTY
	1800	97	P. DUTY
	1900	93	P. DUTY
	2000	91	P. DUTY
	2100	91	P. DUTY
	2200	92	P. DUTY
	2300	94	LINGFIELD
	2400	99	LINGFIELD

Stage 1 6745 ACTIVATED
2300 DEACTIVATED

Date	Time	Temp..	Printed Name
AUGUST 11, 2024	0100	88	LINGFIELD
	0200	88	LINGFIELD
	0300	83	LINGFIELD
	0400	82	LINGFIELD
	0500	82	LINGFIELD
	0600	82	A. Ruentes
	0700	87	A. Ruentes
	0800	91	J. Ruentes
	0900	95	J. Ruentes
	1000	97	J. Ruentes
	1100	100	J. Ruentes
	1200	102	J. Ruentes
	1300	103	J. Ruentes
	1400	102	J. Ruentes
	1500	102	J. Ruentes
	1600	101	J. Ruentes
	1700	96	J. Ruentes
	1800	93	J. Ruentes
	1900	90	J. Ruentes
	2000	86	J. Ruentes
	2100	85	J. Ruentes
	2200	85	B. WIMMANN
	2300	85	B. WIMMANN
	2400	83	B. WIMMANN

Stage 1 7415 ACTIVATED
2030 DEACTIVATED

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
A U G S T 1 2, 2 0 2 2 4	0100	83	B. LIMMANN
	0200	82	B. LIMMANN
	0300	81	B. LIMMANN
	0400	80	B. LIMMANN
	0500	80	B. LIMMANN
	0600	79	NUNEZ
	0700	83	NUNEZ
	0800	87	NUNEZ
	0900	90	NUNEZ
	1000	93	NUNEZ
	1100	95	NUNEZ
	1200	96	NUNEZ
	1300	97	NUNEZ
	1400	98	A. Ruentes
	1500	98	A. Ruentes
	1600	98	A. Ruentes
	1700	94	A. Ruentes
	1800	93	A. Ruentes
	1900	89	A. Ruentes
	2000	86	A. Ruentes
	2100	85	A. Ruentes
	2200	84	F. Nava
	2300	83	F. Nava
	2400	82	F. Nava

Date	Time	Temp.	Printed Name
A U G S T 1 2, 2 0 2 2 4	0100	81	F. Nava
	0200	80	F. Nava
	0300	79	F. Nava
	0400	77	F. Nava
	0500	76	F. Nava
	0600	76	F. Nava
	0700	79	NUNEZ
	0800	83	NUNEZ
	0900	90	NUNEZ
	1000	91	NUNEZ
	1100	93	NUNEZ
	1200	95	NUNEZ
	1300	96	NUNEZ
	1400	97	A. Ruentes
	1500	96	A. Ruentes
	1600	95	A. Ruentes
	1700	94	A. Ruentes
	1800	92	A. Ruentes
	1900	89	A. Ruentes
	2000	85	A. Ruentes
	2100	81	A. Ruentes
	2200	80	LINGFIELD
	2300	80	LINGFIELD
	2400	80	LINGFIELD

HEAT ALERT

START 0855

END 2000

HEAT ALERT

START 0855

END 2000

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/16	0100	80	LINGFIELD
AUGUST 14, 2024	0200	80	LINGFIELD
	0300	80	LINGFIELD
	0400	80	LINGFIELD
	0500	80	LINGFIELD
	0600	79	NUNEZ
	0700	81	NUNEZ
	0800	83	NUNEZ
	0900	86	NUNEZ
	1000	89	NUNEZ
	1100	91	NUNEZ
	1200	93	NUNEZ
	1300	95	NUNEZ
	1400	96	A. Ruentes
	1500	96	A. Ruentes
	1600	94	A. Ruentes
	1700	93	A. Ruentes
	1800	91	A. Ruentes
	1900	89	A. Ruentes
	2000	85	A. Ruentes
	2100	82	A. Ruentes
	2200	81	A. Ruentes
	2300	79	LINGFIELD
	2400	79	LINGFIELD

Date	Time	Temp.	Printed Name
AUGUST 15, 2024	0100	78°	A. ENCALADE
	0200	77°	A. ENCALADE
	0300	76°	A. ENCALADE
	0400	75°	A. ENCALADE
	0500	75°	A. ENCALADE
	0600	75	NUNEZ
	0700	77	NUNEZ
	0800	80	NUNEZ
	0900	83	NUNEZ
	1000	85	NUNEZ
	1100	87	NUNEZ
	1200	89	NUNEZ
	1300	91	NUNEZ
	1400	95	J. Ruentes
	1500	95	J. Ruentes
	1600	95	J. Ruentes
	1700	93	J. Ruentes
	1800	91	J. Ruentes
	1900	89	J. Ruentes
	2000	85	J. Ruentes
	2100	80	J. Ruentes
	2200	79	LINGFIELD
	2300	78	LINGFIELD
	2400	78	LINGFIELD

Stage 1 1020 ACTIVATED
2000 DEACTIVATED

Stage 1 1225 ACTIVATED
2000 DEACTIVATED

STATE OF CALIFORNIA
 OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature:

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/16/2024	0100	73	WINGFIELD
	0200	76	WINGFIELD
	0300	74	WINGFIELD
	0400	70	WINGFIELD
	0500	69	WINGFIELD
	0600	67	NUNEZ
	0700	69	NUNEZ
	0800	73	NUNEZ
	0900	79	NUNEZ
	1000	86	NUNEZ
	1100	91	NUNEZ
	1200	94	NUNEZ
	1300	97	NUNEZ
	1400	98	Marshall
	1500	100	Marshall
	1600	98	Marshall
	1700	98	Marshall
	1800	94	Marshall
	1900	90	Marshall
	2000	87	Marshall
	2100	84	Marshall
	2200	82	WINGFIELD
	2300	82	WINGFIELD
	2400	82	WINGFIELD

Date	Time	Temp.	Printed Name
AUGUST 16, 2024	0100	80	WINGFIELD
	0200	77	WINGFIELD
	0300	78	WINGFIELD
	0400	77	WINGFIELD
	0500	77	WINGFIELD
	0600	77	HUERTA
	0700	80	HUERTA
	0800	83	HUERTA
	0900	85	HUERTA
	1000	88	HUERTA
	1100	91	HUERTA
	1200	94	HUERTA
	1300	95	HUERTA
	1400	96	Fowler
	1500	95	Fowler
	1600	93	Fowler
	1700	92	Fowler
	1800	90	Fowler
	1900	87	Fowler
	2000	81	Fowler
	2100	80	Fowler
	2200	80	WINGFIELD
	2300	80	WINGFIELD
	2400	80	WINGFIELD

Stage 1 1030 ACTIVATED
2030 DEACTIVATED

Stage 1 1041 ACTIVATED
1900 DEACTIVATED

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 18, 2024	0100	79	LINCFIELD
	0200	77	LINCFIELD
	0300	75	LINCFIELD
	0400	73	LINCFIELD
	0500	72	LINCFIELD
	0600	73	A. Puentes
	0700	75	A. Puentes
	0800	77	A. Puentes
	0900	81	A. Puentes
	1000	86	A. Puentes
	1100	90	A. Puentes
	1200	93	A. Puentes
	1300	95	A. Puentes
	1400	97	A. Puentes
	1500	100	A. Puentes
	1600	99	A. Puentes
	1700	96	A. Puentes
	1800	94	A. Puentes
	1900	89	A. Puentes
	2000	85	A. Puentes
	2100	82	A. Puentes
	2200	80	B. INMMNNI
	2300	79	B. INMMNNI
	2400	78	B. INMMNNI
AUGUST 19, 2024	0100	77	B. INMMNNI
	0200	75	B. INMMNNI
	0300	74	B. INMMNNI
	0400	72	B. INMMNNI
	0500	71	B. INMMNNI
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

Stage 1 1100 ACTIVATED
2000 DEACTIVATED

Stage 1 ACTIVATED
 DEACTIVATED

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-ZAC Housing Unit: MSF-DORM1 Temp. Reading Location: DAY ROOM

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	79	SINA
	0600	77	SINA
	0900	78	Evangelie
	1200	79	Evangelie
	1500	81°	M. Contreras
24	1800	81°	M. Contreras
	2100	81°	M. Contreras
	2400	80	SINA

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	79	VANNA
	0600	76	EVANGELIE
	0900	76	EVANGELIE
	1200	78	EVANGELIE
	1500	78	G. AGUILERA
24	1800	78	G. AGUILERA
	2100	78	G. AGUILERA
	2400	79	VANNA

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	79	VANNA
	0600	77	MCANN
	0900	78	MCANN
	1200	78	MCANN
	1500	79	Briggs
	1800	79	Briggs
	2100	77	Briggs
	2400	79	VANNA

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	79	HOMERO
	0600	70	HOMERO
	0900	76°	CRIDDLE
	1200	75°	CRIDDLE
	1500	79°	M. Contreras
24	1800	79°	M. Contreras
	2100	79°	M. Contreras
	2400	79	HOMERO

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	79	VANNA
	0600	75	WANGELSK
	0900	78	EVANGELIE
	1200	78	EVANGELIE
	1500	79	M. CAPLINGER
24	1800	79	M. CAPLINGER
	2100	79	M. CAPLINGER
	2400	79	VANNA

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	79	VANNA
	0600	75	CHRISTENSEN
	0900	75	CHRISTENSEN
	1200	78	CHRISTENSEN
	1500	80	BRIGGS
24	1800	79	BRIGGS
	2100	79	BRIGGS
	2400	79	VANNA

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	79	VANNA
	0600	76°	CRIDDLE
	0900	76°	CRIDDLE
	1200	78°	CRIDDLE
	1500	79°	M. CONTRERAS
24	1800	79°	M. CONTRERAS
	2100	78°	M. CONTRERAS
	2400	79	VANNA

Notes

8/17/24 @ 1031 ST. STAGE HEAT ALERT
8/18/24 @ 1100 ST. STAGE HEAT ALERT

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.


Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 08/12/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	75	75	66	69	70	64	60	70	F. GUTIERREZ	J. Sut
03:00	75	75	65	69	70	64	60	70	F. GUTIERREZ	J. Sut
06:00	75	75	70	68	70	65	65	70	P. Cook	P. Cook
09:00	70	70	70	70	70	69	68	70	P. Cook	P. Cook
12:00	70	70	71	70	70	70	70	70	P. Cook	P. Cook
15:00	75°	76°	66°	69°	70°	64°	60°	70°	A. Aguilar	Jan Aguilar
18:00	75°	77°	66°	69°	70°	64°	60°	70°	A. Aguilar	Jan Aguilar
21:00	75	77	66	69	70	64	60	70	A. Aguilar	Jan Aguilar

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.


ASU-1 Lieutenant


Date
08/22/24

CALIFORNIA STATE PRISON – LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.


Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 08-13-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	76	76	64	70	70	62	64	70	STEPHENSON	<u>Steph</u>
03:00	76	76	64	70	70	64	64	70	STEPHENSON	<u>Steph</u>
06:00	75	75	68	70	70	68	68	70	Brook	<u>Brook</u>
09:00	72	71	70	70	70	70	70	70	Ricoh	<u>Ricoh</u>
12:00	71	71	70	70	70	70	70	70	Kirk	<u>Kirk</u>
15:00	71	71	70	70	70	70	70	70	Sirko	<u>Sirko</u>
18:00	71	71	70	70	70	70	70	70	Sirko	<u>Sirko</u>
21:00	71	71	70	70	70	70	70	70	Sirko	<u>Sirko</u>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.


ASU-1 Lieutenant


Date
8/22/24

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 8/14/20

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	76	76	64	70	62	64	70	70	Sirko	<i>Sirko</i>
03:00	76	76	64	70	70	64	68	70	Sirko	<i>Sirko</i>
06:00	74	75	68	70	70	68	68	70	P. Cook	<i>P. Cook</i>
09:00	72	71	70	70	70	70	70	70	P. Cook	<i>P. Cook</i>
12:00	71	71	70	70	70	70	70	70	P. Cook	<i>P. Cook</i>
15:00	75	75	65	70	70	71	70	70	Gremew	<i>M</i>
18:00	75	75	66	70	70	70	70	70	Gremew	<i>M</i>
21:00	73	74	63	70	76	70	70	70	Gremew	<i>M</i>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

CALIFORNIA STATE PRISON – LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (!) hour.

DATE: 8/15/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	74	74	64	70	70	66	70	70	Fernes	<u>l</u>
03:00	74	74	64	70	70	66	70	70	Fernes	<u>l</u>
06:00	94	95	68	90	90	68	90	90	R Cook	<u>Cook</u>
09:00	72	71	70	70	70	70	70	70	R Cook	<u>Cook</u>
12:00	71	71	70	70	70	70	70	70	R Cook	<u>Cook</u>
15:00	71	71	70	70	70	70	70	70	Sirko	<u>Sirko</u>
18:00	71	71	70	70	70	70	70	70	Sirko	<u>Sirko</u>
21:00	70	70	70	70	70	70	70	70	Sirko	<u>Sirko</u>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date






CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 8/16/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	76	76	64	70	70	64	64	70	CONBATEZ, M	
03:00	74	74	64	70	70	64	64	70	CONBATEZ, M.	
06:00	76	76	68	70	70	68	62	70	FIMES	
09:00	96	76	72	70	70	68	60	70	FIMES	
12:00	78	78	74	74	70	62	60	70	FIMES	
15:00	78	78	75	78	70	61	60	70	ACKERMAN	
18:00	78	78	75	78	70	61	60	70	ACKERMAN	
21:00	78	70	73	78	70	60	60	70	TYCLAVIN	

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

TPLR

DATE: 8-17-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	74°	67°	74°	79°	70°	61°	61°	70°	J. Acuila	J. Acuila
03:00	74°	66°	74°	78°	70°	62°	62°	70°	J. Acuila	J. Acuila
06:00	72°	65°	74°	78°	70°	67°	62°	70°	J. Acuila	J. Acuila
09:00	71	65	74	78	70	65	62	70	HAMBRICK	HAMBRICK
12:00	71	65	75	77	70	65	60	70	HAMBRICK	HAMBRICK
15:00	71	66	74	77	70	66	62	70	SIRKO	SIRKO
18:00	71	66	74	77	70	66	62	70	SIRKO	SIRKO
21:00	71	66	74	77	70	66	62	70	SIRKO	SIRKO

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 08/18/14

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	70	65	74	78	70	61	62	70	F. GUTIERREZ	J. Gutierrez
03:00	70	64	74	76	70	61	62	70	F. GUTIERREZ	J. Gutierrez
06:00	70	64	74	76	70	68	63	70	M Juarez	M Juarez
09:00	70	64	75	78	70	68	62	70	S. Agapong	Smith P
12:00	70	64	78	78	70	66	60	70	S. Agapong	Smith P
15:00	70	65	78	78	70	67	62	70	S. BONE	John B
18:00	70	65	77	76	70	66	62	70	S. BONE	John B
21:00	70	65	75	76	70	64	62	70	S. BONE	John B

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Date

Heat Alert Check List
Correctional Officer

UNIT: RHU

DATE: 08/12/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

90°

Control

1. Heat Plan activated, notified by CENTRAL FEA at 0855 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients or heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and/or
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting.
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program.

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

D. S. W.
1ST/W OFFICER'S SIGNATURE

Doob
2ND/W OFFICERS SIGNATURE

J. J. G.
3RD/A OFFICERS SIGNATURE

Heat Alert Check List
Correctional Officer

UNIT: RHU

DATE: August 13, 2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

90

1. Heat Plan activated, notified by CENTRAL CONTROL at 0855 hours
2. All heat risk Inmate-Patients are mandated to their Housing Units
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

- TS
TS
1. Notified Program Lt./Sgt. Central Control at 7100 hours.
 2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

1ST OFFICER'S SIGNATURE

2ND OFFICERS SIGNATURE

3RD OFFICERS SIGNATURE

P. Cook

S. Luttrell

Heat Alert Check List

Correctional Officer

UNIT: RHU

DATE: 8/14/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

90

1. Heat Plan activated, notified by CENTRAL COOLED at 1020 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. CENTRAL at 2020 hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

Sukko
1ST/W OFFICER'S SIGNATURE

Noah
2ND/W OFFICERS SIGNATURE

Burmano
3RD/W OFFICERS SIGNATURE

Heat Alert Check List
Correctional Officer

UNIT: RHU

DATE: 8/15/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. Central control at 2000 hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

1ST/W OFFICER'S SIGNATURE

2ND/W OFFICERS SIGNATURE

3RD/W OFFICERS SIGNATURE

Heat Alert Check List
Correctional Officer

UNIT: RHU

DATE: 8/16/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by Program at 1330 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

M
1ST/W OFFICER'S SIGNATURE

E
2ND/W OFFICERS SIGNATURE

3RD/W OFFICERS SIGNATURE

Heat Alert Check List

Correctional Officer

UNIT: R HU

DATE: 8-17-2024

90 DEGREES OUTSIDE:

ACTIVATION SEQUENCE

1. Heat Plan activated, notified by Timec Ann at 1041 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

BELOW 95 DEGREES INSIDE:

DEACTIVATION SEQUENCE

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. Central Control at 1900 hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED

1ST/W OFFICER'S SIGNATURE

2ND/W OFFICERS SIGNATURE

3RD/W OFFICERS SIGNATURE

Heat Alert Check List
Correctional Officer

UNIT: RHU

DATE: 08/18/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by Central Control at 1100 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.


BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.


1ST/W OFFICER'S SIGNATURE


2ND/W OFFICERS SIGNATURE


3RD/W OFFICERS SIGNATURE

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/21	0300	70	Fors
	0600	70	Rodriguez Jr
	0900	70	Nevryuan Jr
	1200	70	Rodriguez Jr
21	1500	70	Jordan L
	1800	70	Jordan L
	2100	70	Jordan L
	2400	70	Fors

Wednesday

Date	Time	Temp.	Name (Print)
8/14/21	0300	70	Fors
	0600	70	Rodriguez Jr
	0900	70	Nevryuan Jr
	1200	70	Rodriguez Jr
23	1500	70	Rodriguez Jr
	1800	70	Anita
	2100	70	Anita
	2400	70	SIERRA, O

Friday

Date	Time	Temp.	Name (Print)
8/16/21	0300	70	J. SII AY
	0600	70	Hernandez
	0900	70	Hernandez
	1200	70	Hernandez
21	1500	70	Gonzales
	1800	68	Gonzales
	2100	68	Gonzales
	2400	68	NKwofor

Sunday

Date	Time	Temp.	Name (Print)
8/18/21	0300	70	C. Hernandez
	0600	70	T. GARZA
	0900	70	T. GARZA
	1200	70	H. Calindo
	1500	71	H. Calindo
	1800	70	H. Calindo
	2100	70	H. Calindo
	2400	70	C. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
8/13/21	0300	70	Fors
	0600	70	Rodriguez Jr
	0900	70	Rodriguez Jr
	1200	70	Nevryuan Jr
24	1500	70	Alabama
	1800	70	Alabama
	2100	70	Anton
	2400	70	Fors

Thursday

Date	Time	Temp.	Name (Print)
8/15/21	0300	70°	SIERRA, O
	0600	70	Rodriguez Jr
	0900	70	Rodriguez Jr
	1200	70	Nevryuan Jr
24	1500	72	Caplinger
	1800	71	Caplinger
	2100	70	Caplinger
	2400	70	J. SII AY

Saturday

Date	Time	Temp.	Name (Print)
8/21/21	0300	68°	NKwofor
	0600	70°	E. Alani
	0900	70°	E. Alani
	1200	75°	E. Alani
	1500	73	Irene
	1800	72	Caplinger
21	2100	70	Caplinger
	2400	68	NKwofor

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/11/24	0300	70°	B PRESNELL
	0600	70	TOMIC
	0900	70	TOMIC
	1200	71	TOMIC
	1500	70	Alatorre
	1800	70	Alatorre
	2100	70	Alatorre
	2400	70°	B PRESNELL

Tuesday			
Date	Time	Temp.	Name (Print)
8/12/24	0300	70°	B PRESNELL
	0600	70	A. MORENO
	0900	70	A. MORENO
	1200	70	A. MORENO
	1500	70°	OLLA
	1800	70	OLLA
	2100	70	OLLA
	2400	70°	B PRESNELL

Wednesday			
Date	Time	Temp.	Name (Print)
8/13/24	0300	70°	B PRESNELL
	0600	70	A. MORENO
	0900	70	A. MORENO
	1200	71	A. MORENO
	1500	71	TAPIA
	1800	71°	OLLA
	2100	70	OLLA
	2400	70°	B PRESNELL

Thursday			
Date	Time	Temp.	Name (Print)
8/14/24	0300	70°	B PRESNELL
	0600	70	A. MORENO
	0900	71	A. MORENO
	1200	71	A. MORENO
	1500	70	TAPIA
	1800	70	OLLA
	2100	70	OLLA
	2400	70°	B PRESNELL

Friday			
Date	Time	Temp.	Name (Print)
8/15/24	0300	70°	B PRESNELL
	0600	71	A. MORENO
	0900	74	A. MORENO
	1200	80	A. MORENO
	1500	80	OLLA
	1800	80	OLLA
	2100	79	OLLA
	2400	70°	A. ALAGBABA

Saturday			
Date	Time	Temp.	Name (Print)
8/16/24	0300	70°	M GUNZAKER
	0600	70°	X.G.
	0900	71°	X.G.
	1200	71°	X.G.
	1500	70°	OLLA
	1800	70	OLLA
	2100	70	OLLA
	2400	70°	M GUNZAKER

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/12/24	0300	70°	Lopez
	0600	70°	Fletes
	0900	71°	Fletes
	1200	70°	Fletes
	1500	70°	Trahan
	1800	70°	Gonzalez
	2100	70°	Gonzalez
	2400	70°	Lopez

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	71	D. Woodard
	0600	70	Tom C
	0900	71	Tom C
	1200	71	Tom C
	1500	71	Gonzalez
	1800	71	Gonzalez
	2100	71	Gonzalez
	2400	71	D. Woodard

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	70	Martin
	0600	70°	J. Fletes
	0900	70°	J. Fletes
	1200	70	Lopez
	1500	70	X. L.
	1800	70	X. L.
	2100	70	X. L.
	2400	70	Martin

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	70	Martin
	0600	70°	Fletes
	0900	71°	Fletes
	1200	71	Caplinger
	1500	71	S. Garcia
	1800	71	S. Garcia
	2100	70	Caplinger
	2400	70	Martin

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	70	Martin
	0600	70	E. Grandes
	0900	70	E. Grandes
	1200	70	E. Grandes
	1500	70	E. Grandes
	1800	70	E. Grandes
	2100	70	E. Grandes
	2400	70	Martin

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	70°	J. Astier
	0600	70	E. Grandes
	0900	70	E. Grandes
	1200	70	E. Grandes
	1500	70	E. Grandes
	1800	70	E. Grandes
	2100	70	E. Grandes
	2400	70°	J. Astier

Notes

Date	Time	Temp.	Name (Print)
8/18/24	0300	70	Martin
	0600	70	E. Grandes
	0900	70	E. Grandes
	1200	70	E. Grandes
	1500	70°	X. L.
	1800	70°	X. L.
	2100	70°	X. L.
	2400	70	J. Astier

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
8/12	0300	74	D. Woodard
	0600	73	L. Thomas
	0900	73	L. Thomas
	1200	74	L. Thomas
	1500	75	R. Flores
	1800	75	R. Flores
	2100	75	R. Flores
	2400	74	D. Woodard

Date	Time	Temp.	Name (Print)
8/13	0300	73	A. Kaudle
	0600	73	L. Thomas
	0900	73	L. Thomas
	1200	73	L. Thomas
	1500	74	R. Flores
	1800	74	R. Flores
	2100	73	R. Flores
	2400	73	A. Kaudle

Date	Time	Temp.	Name (Print)
8/14	0300	73	A. Kaudle
	0600	73	L. Thomas
	0900	75	L. Thomas
	1200	76	L. Thomas
	1500	77	R. Flores
	1800	77	R. Flores
	2100	76	R. Flores
	2400	73	A. Kaudle

Date	Time	Temp.	Name (Print)
8/15	0300	74	A. Kaudle
	0600	75	Z. Zadejan
	0900	76	Z. Zadejan
	1200	77	Z. Zadejan
	1500	74	R. Flores
	1800	74	R. Flores
	2100	74	R. Flores
	2400	74	A. Kaudle

Date	Time	Temp.	Name (Print)
8/16	0300	73	A. Kaudle
	0600	73	C. Clavel
	0900	73	C. Clavel
	1200	73	C. Clavel
	1500	73	G. Chapman
	1800	75	J. Hernandez
	2100	75	J. Hernandez
	2400	73	A. Kaudle

Date	Time	Temp.	Name (Print)
8/17	0300	73	L. Thomas
	0600	74	M. Miller
	0900	75	M. Miller
	1200	76	M. Miller
	1500	77	A. Lopez
	1800	76	A. Lopez
	2100	76	A. Lopez
	2400	73	L. Thomas

Date	Time	Temp.	Name (Print)
8/18	0300	74	D. Woodard
	0600	74	M. Miller
	0900	74	M. Miller
	1200	76	M. Miller
	1500	76	R. Flores
	1800	75	R. Flores
	2100	75	R. Flores
	2400	74	D. Woodard

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/12/24	0300	76°	Robles, O.
	0600	75°	J. Alvarado
	0900	75°	J. Alvarado
	1200	76°	J. Alvarado
	1500	77°	J. Alvarado
	1800	71°	Ruiz, W. Jr.
	2100	76°	Alvarez, S.C.
	2400	77°	Robles, O.

Tuesday

Date	Time	Temp.	Name (Print)
08/13/24	0300	73	Boyd
	0600	74°	J. Alvarado
	0900	74°	J. Alvarado
	1200	74°	J. Alvarado
	1500	75°	H. CRAIG
	1800	76°	H. CRAIG
	2100	76°	H. CRAIG
	2400	75	Boyd

Wednesday

Date	Time	Temp.	Name (Print)
08/14/24	0300	75	Hernandez
	0600	75	Hernandez
	0900	76°	J. Alvarado
	1200	77°	J. Alvarado
	1500	76	Cardenas
	1800	76	Cardenas
	2100	76	Cardenas
	2400	75	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
08/15/24	0300	75	Hernandez
	0600	75	J. Alvarado
	0900	74°	J. Alvarado
	1200	76°	J. Alvarado
	1500	77°	M. GONZALEZ
	1800	77°	M. GONZALEZ
	2100	77°	M. GONZALEZ
	2400	75	Hernandez

Friday

Date	Time	Temp.	Name (Print)
08/16/24	0300	72	D. Woodard
	0600	73°	J. Alvarado
	0900	73°	J. Alvarado
	1200	73°	J. Alvarado
	1500	74°	M. GONZALEZ
	1800	74°	M. GONZALEZ
	2100	75°	M. GONZALEZ
	2400	72	D. Woodard

Saturday

Date	Time	Temp.	Name (Print)
08/17/24	0300	73	SIERRA
	0600	73	Lopez, R.S.
	0900	73	Lopez, R.S.
	1200	74	Lopez, R.S.
	1500	74	A. CINTIN
	1800	75°	A. CINTIN
	2100	75°	A. CINTIN
	2400	73	SIERRA

Sunday

Date	Time	Temp.	Name (Print)
08/18/24	0300	73°	Robles, O.
	0600	73	Lopez
	0900	74	Lopez
	1200	74	Lopez
	1500	74	A. CINTIN
	1800	74	A. CINTIN
	2100	74	A. CINTIN
	2400	74	Robles, O.

Notes

8-14-24 FSTHA deactivated 2000
8-15-24 FSTHA Deactivated 2000 NG
8-16-24 FSTHA Deactivated @ 2000 AM

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	70	ESPAZIA
	0600	70	LARO
	0900	71	LARO
	1200	71	LARO
	1500	71	FRIJO
	1800	70	SANTANUEZA
	2100	70	SANTANUEZA
	2400	70	ESPAZIA

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	70	KORILO, RY
	0600	70	LARO
	0900	70	LARO
	1200	71	LARO
	1500	71	G. HERNANDEZ
	1800	71°	G. HERNANDEZ
	2100	71°	G. HERNANDEZ
	2400	70	KORILO, RY

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	70°	D. REYES
	0600	70	LARO
	0900	71	LARO
	1200	71	LARO
	1500	72°	G. HERNANDEZ
	1800	72°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400	70	GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	70	GONZALEZ
	0600	70	A. AVILA
	0900	70	A. AVILA
	1200	70	D. AVILA
	1500	70	BINGO
	1800	70°	BINGO
	2100	70°	BINGO
	2400	71	GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	70	D. REYES
	0600	69	LARO
	0900	69	LARO
	1200	71	LARO
	1500	71°	G. HERNANDEZ
	1800	71°	G. HERNANDEZ
	2100	70°	G. HERNANDEZ
	2400	70°	D. REYES

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	70	GONZALEZ
	0600	71	LARO
	0900	71	LARO
	1200	72	LARO
	1500	72°	G. HERNANDEZ
	1800	73°	G. HERNANDEZ
	2100	71°	G. HERNANDEZ
	2400	70	GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	70°	D. REYES
	0600	70	HADOLE
	0900	70	HADOLE
	1200	71	HADOLE
	1500	70°	X. LI
	1800	70°	X. LI
	2100	70°	X. LI
	2400	70°	D. REYES

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B/2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	72	Biggs
	0600	78°	Gonzales
	0900	78°	Gonzales
	1200	78°	Gonzales
	1500	78°	Gonzales
	1800	78	Ayala
	2100	77°	Parrish
	2400	73	Biggs

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	76	Scott
	0600	76	Meza
	0900	77	Meza
	1200	77	Meza
	1500	79	Ibanga
	1800	78	Ibanga
	2100	78	Ibanga
	2400	76	Scott

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	75	Scott
	0600	70	Ibanga
	0900	77	Ibanga
	1200	77	Ibanga
	1500	77	Ibanga
	1800	76	Ibanga
	2100	76	Ibanga
	2400	76	Scott

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	76	Scott
	0600	76	Amaya
	0900	76	Amaya
	1200	76	Amaya
	1500	75°	R. Huerta
	1800	75°	R. Huerta
	2100	75°	E. Alfonso
	2400	76	Scott

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	73	Scott
	0600	73	Ibanga
	0900	74	Ibanga
	1200	76	Ibanga
	1500	76	Ibanga
	1800	75	Ibanga
	2100	71°	Ibanga
	2400	70	UMANA

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	70	UMANA
	0600	73	UMANA
	0900	73	GALVAN
	1200	73	GALVAN
	1500	70	H. Correa
	1800	72	H. Correa
	2100	70	H. Correa
	2400	70	UMANA

Notes

Date	Time	Temp.	Name (Print)
8/18/24	0300	70	UMANA
	0600	70	ESPANIA
	0900	72	ESPANIA
	1200	72	ESPANIA
	1500	77	████████ UGARTE
	1800	71	UGARTE
	2100	71°	UGARTE
	2400	70	UMANA

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B-3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 8-17-24

Date	Time	Temp.	Name (Print)
	0300	70°	M. CANTRELL
	0600	70°	COLEMAN
	0900	70°	COLEMAN
	1200	70°	COLEMAN
	1500	70°	SABIDO
	1800	72	SABIDO
	2100	72	SABIDO
	2400	70°	GARERA

Wednesday

Date	Time	Temp.	Name (Print)
8	0300	70	S. AGYAPONG
14	0600	70	J. ORTIZ
24	0900	70	J. ORTIZ
	1200	70	J. ORTIZ
	1500	70	S. TAN
	1800	70	S. TAN
	2100	70	S. TAN
	2400	70	S. AGYAPONG

Friday

Date	Time	Temp.	Name (Print)
8	0300	70	S. AGYAPONG
16	0600	70	A. COVARRUBIAS
24	0900	70	A. COVARRUBIAS
	1200	70	A. COVARRUBIAS
	1500	70°	T. HART
	1800	70°	T. HART
	2100	70°	HART
	2400	70	S. AGYAPONG

Sunday

Date	Time	Temp.	Name (Print)
8	0300	70°	S. AGYAPONG
16	0600	70°	MILLER
24	0900	70°	MILLER
	1200	70°	MILLER
	1500	70	HART
	1800	70°	HART
	2100	70	HART
	2400	70	S. AGYAPONG

Tuesday

Date	Time	Temp.	Name (Print)
8	0300	70	GARERA
13	0600	70°	COLEMAN
24	0900	70°	COLEMAN
	1200	70°	COLEMAN
	1500	72	J. AGUILAR
	1800	70°	J. AGUILAR
	2100	70°	J. AGUILAR
	2400	70	J. AGYAPONG

Thursday

Date	Time	Temp.	Name (Print)
8	0300	70	S. AGYAPONG
15	0600	70	A. COVARRUBIAS
24	0900	72	A. COVARRUBIAS
	1200	70	A. COVARRUBIAS
	1500	70°	T. HART
	1800	70°	HART
	2100	70°	HART
	2400	70	S. AGYAPONG

Saturday

Date	Time	Temp.	Name (Print)
8	0300	70	S. AGYAPONG
17	0600	70	A. COVARRUBIAS
24	0900	70	A. COVARRUBIAS
	1200	70	A. COVARRUBIAS
	1500	70°	HART
	1800	70°	HART
	2100	70°	HART
	2400	70	S. AGYAPONG

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/14	0300	70°	GARCIA
	0600	70	FELIPE
	0900	70	FELIPE
	1200	72	FELIPE
	1500	72	NEVEN
	1800	72	NEVEN
	2100	72	NEVEN
	2400	71°	GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
8/13/14	0300	70°	M. SHEPHERD
	0600	70	FELIPE
	0900	70	FELIPE
	1200	72	FELIPE
	1500	70	D. RODRIGUEZ
	1800	70	D. RODRIGUEZ
	2100	70	D. RODRIGUEZ
	2400	70°	M. SHEPHERD

Wednesday

Date	Time	Temp.	Name (Print)
8/14/14	0300	70°	McCarthy
	0600	70	B. FELIPE
	0900	70	B. FELIPE
	1200	72	B. FELIPE
	1500	70°	R. Alani
	1800	70°	R. Alani
	2100	70°	R. Alani
	2400	70°	McCarthy

Thursday

Date	Time	Temp.	Name (Print)
8/15/14	0300	70°	McDonald
	0600	72°	Recinos
	0900	72	Recinos
	1200	72	Recinos
	1500	70°	E. Tava
	1800	70	E. Tava
	2100	70	E. Tava
	2400	70°	McDonald

Friday

Date	Time	Temp.	Name (Print)
8/16/14	0300	70°	McDonald
	0600	70°	Recinos
	0900	70°	Recinos
	1200	70°	Recinos
	1500	70°	E. Tava
	1800	70°	E. Tava
	2100	70°	E. Tava
	2400	70°	McDonald

Saturday

Date	Time	Temp.	Name (Print)
8/17/14	0300	70°	McDonald
	0600	70°	Gonzalez
	0900	70°	Gonzalez
	1200	70°	Gonzalez
	1500	72	Newton
	1800	72	Newton
	2100	72	Newton
	2400	70°	McDonald

Sunday

Date	Time	Temp.	Name (Print)
8/18/14	0300	70°	GARCIA
	0600	70	Flores
	0900	70	Flores
	1200	70	Flores
	1500	72	Newton
	1800	72	Newton
	2100	72	Newton
	2400	71°	GARCIA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	70	Johnson
	0600	70	Alutone
	0900	70	Alutone
	1200	70	Alutone
	1500	71	Garcia
	1800	71	Garcia
	2100	70	Garcia
	2400	70	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	70	E. Rodriguez
	0600	70	Alutone
	0900	70	Alutone
	1200	70	Alutone
	1500	70	M. Cook
	1800	70	M. Cook
	2100	70	M. Cook
	2400	70	E. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	70	E. Rodriguez
	0600	70	Alutone
	0900	70	Alutone
	1200	70	Alutone
	1500	70	J. S. ALCIDO
	1800	70	M. Cook
	2100	70	M. Cook
	2400	70	E. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	70	NUNEZ
	0600	70	J. MILLER
	0900	70	J. MILLER
	1200	70	J. MILLER
	1500	70	M. Cook
	1800	70	M. Cook
	2100	70	M. Cook
	2400	70	NUNEZ

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	71	GARCIA
	0600	70	Alutone
	0900	70	Alutone
	1200	70	Alutone
	1500	70	Cook
	1800	70	Cook
	2100	70	Cook
	2400	70	GARCIA

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	71	GARCIA
	0600	70	Recinas
	0900	70	Recinas
	1200	70	Recinas
	1500	70	S. Tava
	1800	70	S. Tava
	2100	70	S. Tava
	2400	71	GARCIA

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	70	Johnson
	0600	70	Recinas
	0900	70	Recinas
	1200	70	Recinas
	1500	70	MILLER
	1800	70	MILLER
	2100	70	MILLER
	2400	70	Johnson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-1 CONTROL Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8	0300	68°	CRIDDLE
12	0600	68°	GUERRA
	0900	69°	GUERRA
	1200	70°	GUERRA
	1500	70°	HILL
	1800	70°	HILL
	2100	69°	HILL
	2400	68°	CRIDDLE

Wednesday

Date	Time	Temp.	Name (Print)
8	0300	68	Evangelista
14	0600	67	Ayala
	0900	67	Ayala
	1200	70	Ayala
	1500	71°	HILL
	1800	70°	HILL
	2100	69°	HILL
	2400	68	Evangelista

Friday

Date	Time	Temp.	Name (Print)
8	0300	69	AGUILAR
16	0600	69	AGUILAR
	0900	70	LOPEZ
	1200	70	LOPEZ
	1500	70	LOPEZ
	1800	70	LOPEZ
	2100	70	NEGRON LOPEZ
	2400	70	NEGRON LOPEZ

Sunday

Date	Time	Temp.	Name (Print)
8	0300	68°	CRIDDLE
18	0600	68°	CRIDDLE
	0900	70°	D. CHAVEZ
	1200	70°	D. CHAVEZ
	1500	70°	HILL
	1800	69°	HILL
	2100	68°	HILL
	2400	68°	CRIDDLE

Tuesday

Date	Time	Temp.	Name (Print)
8	0300	69	EVANGELISTA
13	0600	70	MARIBELA
	0900	71	MARIBELA
	1200	71	MARIBELA
	1500	71	MARIBELA
	1800	70°	HILL
	2100	69°	HILL
	2400	68	EVANGELISTA

Thursday

Date	Time	Temp.	Name (Print)
8	0300	69	AGUILAR
15	0600	70	AGUILAR
	0900	70	LOPEZ
	1200	70	LOPEZ
	1500	70	LOPEZ
	1800	70°	HILL
	2100	69°	HILL
	2400	69°	HILL

Saturday

Date	Time	Temp.	Name (Print)
8	0300	70	MARIBELA
17	0600	69°	J. GOMEZ
	0900	70°	J. GOMEZ
	1200	70°	J. GOMEZ
	1500	70°	J. GOMEZ
	1800	70°	J. GOMEZ
	2100	69°	J. GOMEZ
	2400	69°	J. GOMEZ

Notes

STATE OF CALIFORNIA
 INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-2 Temp. Reading Location: 2nd Tier
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	70	DIXON, S.
8/12/24	0600	71°	J. GOMEZ
8/12/24	0900	71°	J. GOMEZ
8/12/24	1200	71°	J. GOMEZ
8/12/24	1500	71°	J. GOMEZ
8/12/24	1800	71°	J. GOMEZ
8/12/24	2100	71°	J. GOMEZ
8/12/24	2400	71°	J. GOMEZ

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	71	E. Avelar
8/13/24	0600	70°	F. BRACAMONTES
8/13/24	0900	71°	F. BRACAMONTES
8/13/24	1200	71°	F. BRACAMONTES
8/13/24	1500	71	O. VAS
8/13/24	1800	71	O. VAS
8/13/24	2100	71	O. VAS
8/13/24	2400	70	E. Avelar

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	71°	DIXON
8/14/24	0600	70	Reco
8/14/24	0900	70	Reco
8/14/24	1200	71	Reco
8/14/24	1500	72	Olivas
8/14/24	1800	72	Olivas
8/14/24	2100	72	Olivas
8/14/24	2400	71°	DIXON

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	71°	DIXON
8/15/24	0600	71°	F. BRACAMONTES
8/15/24	0900	74°	F. BRACAMONTES
8/15/24	1200	71°	F. BRACAMONTES
8/15/24	1500	71	A. LEGG
8/15/24	1800	71	A. LEGG
8/15/24	2100	71	A. WEBB
8/15/24	2400	71°	DIXON

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	71°	DIXON
8/16/24	0600	70°	Tinoco
8/16/24	0900	71	Tinoco
8/16/24	1200	71	Tinoco
8/16/24	1500	71	Smith
8/16/24	1800	71	Smith
8/16/24	2100	71	Smith
8/16/24	2400	71	DIXON

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	74	D. GONZALEZ
8/17/24	0600	70°	F. BRACAMONTES
8/17/24	0900	70°	F. BRACAMONTES
8/17/24	1200	70°	F. BRACAMONTES
8/17/24	1500	70	S. RODRIGUEZ
8/17/24	1800	70	S. RODRIGUEZ
8/17/24	2100	70	S. RODRIGUEZ
8/17/24	2400	70	D. GONZALEZ

Notes

Date	Time	Temp.	Name (Print)
8/18/24	0300	70	OCAN
8/18/24	0600	69	OCAN
8/18/24	0900	70	Davidson
8/18/24	1200	71	Davidson
8/18/24	1500	71	MCCAN
8/18/24	1800	71	MCCAN
8/18/24	2100	71	MCCAN
8/18/24	2400	70	OCAN

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	70	Hernandez
12	0600	74°	Banks
12	0900	73°	S. Borda
12	1200	73	SALITO
12	1500	73	POLKIN
12	1800	73	MORAN
12	2100	73	POLKIN
12	2400	73	POLKIN

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	70	MICHAEL
13	0600	70	J. TOLEDO
13	0900	70	J. TOLEDO
13	1200	70	J. TOLEDO
13	1500	70	A. URZUA
13	1800	70	A. URZUA
13	2100	70	A. URZUA
13	2400	70	MICHAEL

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	70	R.Hernandez
14	0600	72	POE
14	0900	73	PEENE
14	1200	76	PEENE
14	1500	76	POE
14	1800	77	POE
14	2100	76	POE
14	2400	76	R.Hernandez

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	70	R.Hernandez
15	0600	70	BRITO
15	0900	70°	BRITO
15	1200	75°	BRITO
15	1500	77	BRITO
15	1800	77	DAVIS
15	2100	70	DAVIS
15	2400	70	R.Hernandez

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	70	Bluford
16	0600	70°	G.Brito
16	0900	70°	BRITO
16	1200	70	BRITO
16	1500	72	POLKIN
16	1800	72	POLKIN
16	2100	72	POLKIN
16	2400	70	Bluford

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	70	Bluford
17	0600	70	O'NEILL
17	0900	72	O'NEILL
17	1200	72	O'NEILL
17	1500	72	POLKIN
17	1800	72	POLKIN
17	2100	72	POLKIN
17	2400	70	Bluford

Notes

Date	Time	Temp.	Name (Print)
8/18	0300	70	Bluford
18	0600	70	BRITO
18	0900	72°	BRITO
18	1200	72	BRITO
18	1500	71	POLKIN
18	1800	71	POLKIN
18	2100	71	POLKIN
18	2400	70	Bluford

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C 4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	70	<u>Mes</u>
	0600	70	<u>LUPER</u>
	0900	70	<u>TOPPL</u>
	1200	70	<u>LUPER</u>
	1500	70	<u>J GOMEZ</u>
	1800	70	<u>J GOMEZ</u>
	2100	70	<u>J GOMEZ</u>
	2400	70	<u>Mes</u>

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	70	<u>GIORDANO</u>
	0600	70	<u>SANDOVAL</u>
	0900	70	<u>SANDOVAL</u>
	1200	70	<u>SANDOVAL</u>
	1500	70	<u>SANDOVAL</u>
	1800	70	<u>SANDOVAL</u>
	2100	70	<u>SANDOVAL</u>
	2400	70	<u>GIORDANO</u>

Wednesday

Date	Time	Temp.	Name (Print)
8/14	0300	70°	<u>ANGLIN</u>
	0600	70	<u>SANDOVAL</u>
	0900	70	<u>SANDOVAL</u>
	1200	70	<u>SANDOVAL</u>
	1500	70	<u>SANDOVAL</u>
	1800	70	<u>SANDOVAL</u>
	2100	70	<u>SANDOVAL</u>
	2400	70°	<u>ANGLIN</u>

Thursday

Date	Time	Temp.	Name (Print)
8/15	0300	70°	<u>M. CRITCHLEY</u>
	0600	72	<u>PARKS</u>
	0900	75	<u>PARKS</u>
	1200	70	<u>PARKS</u>
	1500	70	<u>PARKS</u>
	1800	70	<u>VILA</u>
	2100	70	<u>VILA</u>
	2400	70°	<u>M. CRITCHLEY</u>

Friday

Date	Time	Temp.	Name (Print)
8/16	0300	72	<u>HIDALGO</u>
	0600	72	<u>HIDALGO</u>
	0900	74	<u>MARIE</u>
	1200	72	<u>PARKS</u>
	1500	72	<u>LEE</u>
	1800	72	<u>LEE</u>
	2100	72	<u>LEE</u>
	2400	72	<u>HIDALGO</u>

Saturday

Date	Time	Temp.	Name (Print)
8/17	0300	72	<u>TERRIQUEZ</u>
	0600	70	<u>TERRIQUEZ</u>
	0900	70	<u>TERRIQUEZ</u>
	1200	70	<u>TERRIQUEZ</u>
	1500	70	<u>TERRIQUEZ</u>
	1800	70	<u>TERRIQUEZ</u>
	2100	70	<u>TERRIQUEZ</u>
	2400	73	<u>TERRIQUEZ</u>

Sunday

Date	Time	Temp.	Name (Print)
8/18	0300	70	<u>MARIE</u>
	0600	70	<u>TERRIQUEZ</u>
	0900	70	<u>TERRIQUEZ</u>
	1200	70	<u>TERRIQUEZ</u>
	1500	70	<u>TERRIQUEZ</u>
	1800	70	<u>TERRIQUEZ</u>
	2100	70	<u>TERRIQUEZ</u>
	2400	70	<u>MARIE</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300	70	C. Mendoza
	0600	70	Lambert
	0900	70	Lambert
	1200	70	Lambert
	1500	75	R. HERNANDEZ
	1800	75	R. HERNANDEZ
	2100	75	R. HERNANDEZ
	2400	70	C. Mendoza

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0300	70	C. Mendoza
	0600	70	Lambert
	0900	75	Lambert
	1200	75	Lambert
	1500	75	R. HERNANDEZ
	1800	75	R. HERNANDEZ
	2100	75	R. HERNANDEZ
	2400	70	C. Mendoza

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300	70	C. Mendoza
	0600	70	Lambert
	0900	70	Lambert
	1200	70	Lambert
	1500	70	R. HERNANDEZ
	1800	75	R. HERNANDEZ
	2100	75	R. HERNANDEZ
	2400	70	C. Mendoza

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300	70	D. Bluford
	0600	70	Lambert
	0900	70	Lambert
	1200	75	Lambert
	1500	70	Bluford
	1800	70	Bluford
	2100	70	Bluford
	2400	70	D. Bluford

Friday

Date	Time	Temp.	Name (Print)
5/17	0300	70	J. Astor
	0600	70	J. Astor
	0900	70	Lambert
	1200	70	Lambert
	1500	75	Bluford
	1800	70	Bluford
	2100	70	Bluford
	2400	70	J. Astor

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300	70	M. Smith
	0600	70	Lambert
	0900	70	Lambert
	1200	70	Lambert
	1500	72	Lambert
	1800	70	Lambert
	2100	70	Lambert
	2400	70	M. Smith

Notes

Date	Time	Temp.	Name (Print)
5/19	0300	70	John
	0600	70	John
	0900	70	John
	1200	70	John
	1500	70	John
	1800	70	John
	2100	70	John
	2400	70	John

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC

Housing Unit: D1

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	79	MURKIN
	0600	79	A. Jimenez
	0900	78	A. Jimenez
	1200	78	A. Jimenez
	1500	79	A. Jimenez
	1800	79	A. Jimenez
	2100	79	A. Jimenez
	2400	80	MURKIN

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	79	MURKIN
	0600	79	A. Jimenez
	0900	77	A. Jimenez
	1200	77	A. Jimenez
	1500	78	D. Lopez
	1800	78	D. Lopez
	2100	78	D. Lopez
	2400	79	MURKIN

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	78	MURKIN
	0600	77	D. Lopez
	0900	77	D. Lopez
	1200	77	D. Lopez
	1500	78	D. Lopez
	1800	78	D. Lopez
	2100	78	D. Lopez
	2400	78	MURKIN

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	77°	STANLEY
	0600	76°	D. Lopez
	0900	76°	D. Lopez
	1200	77°	D. Lopez
	1500	77°	D. Lopez
	1800	77°	D. Lopez
	2100	77°	D. Lopez
	2400	77°	STANLEY

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	75°	STANLEY
	0600	75	ARGUELLES
	0900	75	A. Jimenez
	1200	75	Arguelles
	1500	75°	TOLEDO
	1800	77°	TOLEDO
	2100	77°	TOLEDO
	2400	76°	STANLEY

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	75	MURKIN
	0600	75	Hernandez
	0900	75	Hernandez
	1200	75	Hernandez
	1500	76	W. Sanchez
	1800	76	W. Sanchez
	2100	77	W. Sanchez
	2400	76	MURKIN

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	75	Chavez
	0600	72	TINOCO
	0900	72	TINOCO
	1200	72	TINOCO
	1500	76°	MARTINEZ
	1800	76°	MARTINEZ
	2100	76°	MARTINEZ
	2400	75	Chavez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D-2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/ 12 24	0300	77	C. Holmes
	0600	77	E. Hernandez
	0900	77	E. Hernandez
	1200	78	E. Hernandez
	1500	78	W. Sanchez
	1800	78	W. Sanchez
	2100	78	W. Sanchez
	2400	78	C. Holmes

Tuesday

Date	Time	Temp.	Name (Print)
8/ 13 14	0300	74	C. Holmes
	0600	76°	Barnes
	0900	76°	Barnes
	1200	77°	Barnes
	1500	78	W. Garcia
	1800	78	W. Garcia
	2100	78	W. Garcia
	2400	76	C. Holmes

Wednesday

Date	Time	Temp.	Name (Print)
8/ 14 24	0300	77	C. Holmes
	0600	76°	Barnes
	0900	76°	Barnes
	1200	77°	Barnes
	1500	78	Machado
	1800	78	Machado
	2100	78	Machado
	2400	77	C. Holmes

Thursday

Date	Time	Temp.	Name (Print)
8/ 15 16	0300	77	C. Holmes
	0600	75°	Barnes
	0900	75°	Barnes
	1200	76	Barnes
	1500	80	Machado
	1800	80	Machado
	2100	80	Machado
	2400	77	C. Holmes

Friday

Date	Time	Temp.	Name (Print)
8/ 16 17	0300	77	C. Holmes
	0600	78°	Barnes
	0900	75°	Barnes
	1200	74°	Barnes
	1500	73	TORRES
	1800	73	TORRES
	2100	73	TORRES
	2400	77	C. Holmes

Saturday

Date	Time	Temp.	Name (Print)
8/ 17 18	0300	78	STANLEY
	0600	75°	Barnes
	0900	75°	Barnes
	1200	75	STANLEY
	1500	75	Georgina
	1800	76	Cadona
	2100	76	Esteban
	2400	78	STANLEY

Notes

Date	Time	Temp.	Name (Print)
8/ 18 24	0300	74°	STANLEY
	0600	74	Hernandez
	0900	74	E. Hernandez
	1200	73	Hernandez
	1500	75	W. Sanchez
	1800	75	W. Sanchez
	2100	76	W. Sanchez
	2400	75°	STANLEY

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12	0300	73°	STANLEY ✓
12	0600	70°	KLUS
24	0900	71	DAVEN
	1200	71	DAVEN ✓
	1500	70°	D. CHAVEZ
	1800	70°	D. CHAVEZ ✓
	2100	72°	D. CHAVEZ
	2400	73°	STANLEY

Tuesday

Date	Time	Temp.	Name (Print)
8/13	0300	70	SINKO ✓
	0600	72	Hernandez
	0900	72	W. Hernandez
	1200	73	W. Hernandez
	1500	73	IN. Sanchez
	1800	73	W. Sanchez
	2100	73	W. Sanchez
	2400	70	SINKO

Wednesday

Date	Time	Temp.	Name (Print)
8/14.24	0300	72	VEGA ✓
	0600	73	Machado
	0900	75	Machado
	1200	75	Machado
	1500	76	Anika
	1800	76	Anika
	2100	74	Anika
	2400	72	VEGA

Thursday

Date	Time	Temp.	Name (Print)
8/15.24	0300	73	VEGA ✓
	0600	74	Anika (✓)
	0900	74	Anika (✓)
	1200	76	Anika
	1500	76°	ROVIRA
	1800	76	ROVIRA
	2100	76	Ron
	2400	73	VEGA

Friday

Date	Time	Temp.	Name (Print)
8/16.24	0300	72	VEGA
	0600	70	Anika (✓)
	0900	71°	Anika
	1200	71	Anika
	1500	74	ROVIRA
	1800	76	ROVIRA
	2100	76	ROVIRA
	2400	73	VEGA

Saturday

Date	Time	Temp.	Name (Print)
8/17.24	0300	74°	Magana ✓
	0600	71°	Magana
	0900	79°	Magana
	1200	79°	Magana
	1500	77°	BEST
	1800	76°	BEST
	2100	75°	BEST
	2400	74	VEGA

Sunday

Date	Time	Temp.	Name (Print)
8/18.24	0300	73°	VEGA
	0600	70	Magana
	0900	75	Magana
	1200	74	Magana
	1500	75°	Akayem ✓
	1800	75°	Akayem ✓
	2100	74°	Akayem
	2400	74	VEGA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	78°	S. Jordan
	0600	80°	J. Thompson
	0900	80°	H. Yuen
	1200	80°	M. Parker
	1500	80°	M. McVea
	1800	80°	M. McVea
	2100	80°	M. McVea
	2400	80°	S. Jordan

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	75°	R. Phillips
	0600	80°	M. McVea
	0900	80°	M. McVea
	1200	80°	M. McVea
	1500	80°	M. McVea
	1800	80°	M. McVea
	2100	80°	M. McVea
	2400	75°	R. Phillips

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	75°	R. Phillips
	0600	78°	M. McVea
	0900	80°	M. McVea
	1200	80°	M. McVea
	1500	80°	M. McVea
	1800	80°	M. McVea
	2100	80°	M. McVea
	2400	75°	R. Phillips

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	75°	R. Phillips
	0600	75°	Machado
	0900	75°	Machado
	1200	78°	Machado
	1500	78°	Anika
	1800	78°	Anika
	2100	76°	Anika
	2400	75°	R. Phillips

Sunday

Date	Time	Temp.	Name (Print)
8/18/24	0300	70°	S. Vito
	0600	75°	A. Gonzalez
	0900	75°	A. Gonzalez
	1200	80°	A. Gonzalez
	1500	80°	A. Gonzalez
	1800	75°	A. Gonzalez
	2100	75°	A. Gonzalez
	2400	70°	S. Vito

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	75°	R. Phillips
	0600	75°	A. Gonzalez
	0900	75°	R. Phillips
	1200	75°	R. Phillips
	1500	75°	R. Phillips
	1800	75°	R. Phillips
	2100	75°	R. Phillips
	2400	75°	R. Phillips

Notes

INSIDE
air housed
in the heat

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/12/24	0300	70	M.DIAW
	0600	70	MENDOZA
	0900	70	MENDOZA
	1200	70	MENDOZA
	1500	70	VARENCIA
	1800	70	VARENCIA
	2100	70	VARENCIA
	2400	70	M.DIAW

Tuesday

Date	Time	Temp.	Name (Print)
8/13/24	0300	70	Richardson
	0600	70	MENDOZA
	0900	70	MENDOZA
	1200	70	MENDOZA
	1500	70	VARENCIA
	1800	70	VARENCIA
	2100	70	VARENCIA
	2400	70	Richardson

Wednesday

Date	Time	Temp.	Name (Print)
8/14/24	0300	70	Richardson
	0600	70	MENDOZA
	0900	70	MENDOZA
	1200	70	MENDOZA
	1500	70	VARENCIA
	1800	70	VARENCIA
	2100	70	VARENCIA
	2400	70	Richardson

Thursday

Date	Time	Temp.	Name (Print)
8/15/24	0300	70	Richardson
	0600	70	MENDOZA
	0900	70	MENDOZA
	1200	70	MENDOZA
	1500	70	A.Ibarra
	1800	70	Ibarra
	2100	70	Ibarra
	2400	70	Richardson

Friday

Date	Time	Temp.	Name (Print)
8/16/24	0300	70	Richardson
	0600	70	MENDOZA
	0900	70	MENDOZA
	1200	70	MENDOZA
	1500	70	VARENCIA
	1800	70	VARENCIA
	2100	70	VARENCIA
	2400	70	Richardson

Saturday

Date	Time	Temp.	Name (Print)
8/17/24	0300	70	C.Escayal
	0600	70	Escayal
	0900	70	Muchado
	1200	70	Muchado
	1500	71	Ocegarn
	1800	71	Ocegarn
	2100	71	Ocegarn
	2400	70	C.Escayal

Notes

Date	Time	Temp.	Name (Print)
8/18/24	0300	70	M.DIAW
	0600	70	Muchado
	0900	70	Muchado
	1200	70	Muchado
	1500	71	Ocegarn
	1800	72	Ocegarn
	2100	70	Ocegarn
	2400	70	M.DIAW

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: CSP-LAC Housing Unit: INF Temp. Reading Location: 1st
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	71	OLIVE
	0600	71	FAIRZAK
19	0900	71	GALINDO
	1200	71	GALINDO
24	1500	71	OLIVE
	1800	72	OLIVE
24	2100	72	OLIVE
	2400	72	POGONI

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	73	CHRISTIAN
	0600	71	CHRISTIAN
21	0900	72	CHRISTIAN
	1200	73	CHRISTIAN
21	1500	73	CHRISTIAN
	1800	73	CHRISTIAN
21	2100	72	OLIVE
	2400	72	OLIVE

Friday

Date	Time	Temp.	Name (Print)
8/24	0300	72	HENRY
	0600	72	CHRISTIAN
24	0900	72	CHRISTIAN
	1200	72	CHRISTIAN
24	1500	73	JOHNSON
	1800	72	JOHNSON
24	2100	72	JOHNSON
	2400	72	POGONI

Sunday

Date	Time	Temp.	Name (Print)
8/24	0300	72	OLIVER
	0600	72	UGARIE
24	0900	72	S. YANET
	1200	72	S. YANET
24	1500	72	OLIVER
	1800	72	OLIVER
24	2100	72	OLIVE
	2400	72	OLAFON

Tuesday

Date	Time	Temp.	Name (Print)
8/24	0300	72	POGONI
	0600	71	CHRISTIAN
24	0900	72	CHRISTIAN
	1200	73	CHRISTIAN
24	1500	74	AVELAR
	1800	74	AVELAR
24	2100	73	POGONI
	2400	73	POGONI

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	72	POGONI
	0600	72	CHRISTIAN
24	0900	72	CHRISTIAN
	1200	73	CHRISTIAN
24	1500	73	AVELAR
	1800	73	AVELAR
24	2100	73	CHRISTIAN
	2400	72	CHRISTIAN

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	71	GALAPON
	0600	72	S. YANET
24	0900	70	S. YANET
	1200	70	MWB
24	1500	72	JOHNTHON
	1800	71	JOHNTHON
24	2100	71	JOHNTHON
	2400	72	GALAPON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 18, 2024	0100	79	GUNNFIELD
	0200	77	WINGFIELD
	0300	75	WINGFIELD
	0400	73	WINGFIELD
	0500	72	WINGFIELD
	0600	73	A. Puentes
	0700	75	A. Puentes
	0800	77	A. Puentes
	0900	81	A. Puentes
	1000	86	A. Puentes
	1100	90	A. Puentes
	1200	93	A. Puentes
	1300	95	A. Puentes
	1400	97	A. Puentes
	1500	100	A. Puentes
	1600	94	A. Puentes
	1700	96	A. Puentes
	1800	94	A. Puentes
	1900	89	A. Puentes
	2000	85	A. Puentes
	2100	82	A. Puentes
	2200	80	B. INMANNAI
	2300	79	B. INMANNAI
	2400	78	B. INMANNAI

Stage 1 1100 ACTIVATED
2000 DEACTIVATED

Date	Time	Temp.	Printed Name
AUGUST 19, 2024	0100	77	B. INMANNAI
	0200	75	B. INMANNAI
	0300	74	B. INMANNAI
	0400	71	B. INMANNAI
	0500	71	B. INMANNAI
	0600	69	NUNEZ
	0700	71	NUNEZ
	0800	75	NUNEZ
	0900	79	NUNEZ
	1000	86	NUNEZ
	1100	91	NUNEZ
	1200	93	NUNEZ
	1300	95	NUNEZ
	1400	101	A. Puentes
	1500	100	A. Puentes
	1600	92	A. Puentes
	1700	94	A. Puentes
	1800	97	A. Puentes
	1900	97	A. Puentes
	2000	89	A. Puentes
	2100	87	A. Puentes
	2200	88	ABEL
	2300	84	ABEL
	2400	81	ABEL

Stage 1 1015 ACTIVATED
2100 DEACTIVATED

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/20	0100	80°	ABEL
2024	0200	76°	ABEL
00	0300	73°	ABEL
00	0400	71°	ABEL
00	0500	71°	ABEL
00	0600	69	NUNEZ
00	0700	70	NUNEZ
00	0800	74	NUNEZ
00	0900	81	NUNEZ
00	1000	87	NUNEZ
00	1100	90	NUNEZ
00	1200	95	NUNEZ
00	1300	99	NUNEZ
00	1400	102	A. Puentes
00	1500	102	A. Puentes
00	1600	101	A. Puentes
00	1700	95	A. Puentes
00	1800	93	A. Puentes
00	1900	90	A. Puentes
00	2000	89	A. Puentes
00	2100	80	A. Puentes
00	2200	80	W. WINGFIELD
00	2300	79	W. WINGFIELD
00	2400	74	W. WINGFIELD

Date	Time	Temp.	Printed Name
8/21	0100	78	WINGFIELD
2024	0200	77	WINGFIELD
00	0300	75	WINGFIELD
00	0400	75	WINGFIELD
00	0500	75	WINGFIELD
00	0600	72	NUNEZ
00	0700	77	NUNEZ
00	0800	81	NUNEZ
00	0900	85	NUNEZ
00	1000	89	NUNEZ
00	1100	92	NUNEZ
00	1200	94	NUNEZ
00	1300	97	NUNEZ
00	1400	97	A. Puentes
00	1500	98	A. Puentes
00	1600	98	A. Puentes
00	1700	96	A. Puentes
00	1800	94	A. Puentes
00	1900	89	A. Puentes
00	2000	87	A. Puentes
00	2100	83	A. Puentes
00	2200	80°	A. ENCALADE
00	2300	78	A. ENCALADE
00	2400	78	A. ENCALADE

STAGE 1 HEAT ALERT

START 1100

END 2030

STAGE 1 HEAT ALERT

START 1020

END 2000

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 22, 2024	0100	77	Garcia
	0200	76	Garcia
	0300	76	Garcia
	0400	75	Garcia
	0500	73	Garcia
	0600	72	MENEZ
	0700	73	MENEZ
	0800	77	MENEZ
	0900	81	MENEZ
	1000	87	MENEZ
	1100	88	MENEZ
	1200	89	MENEZ
	1300	90	MENEZ
	1400	91	A. Puentes
		91	A. Puentes
	1600	86	A. Puentes
	1700	89	A. Puentes
	1800	85	A. Puentes
	1900	82	A. Puentes
	2000	78	A. Puentes
	2100	76	A. Puentes
	2200	73	L. GARCIECO
	2300	73	L. GARCIECO
	2400	73	L. GARCIECO

Stage 1 1255 ACTIVATED
1800 DEACTIVATED

Date	Time	Temp.	Printed Name
AUGUST 23, 2024	0100	71	L. GARCIECO
	0200	70	L. GARCIECO
	0300	69	L. GARCIECO
	0400	67	L. GARCIECO
	0500	66	L. GARCIECO
	0600	68	C. Gewirtz
	0700	71	C. Gewirtz
	0800	73	C. Gewirtz
	0900	76	C. Gewirtz
	1000	79	C. Gewirtz
	1100	82	C. Gewirtz
	1200	83	C. Gewirtz
	1300	86	C. Gewirtz
	1400	87	C. Gewirtz
	1500	87	C. Gewirtz
	1600	85	C. Gewirtz
	1700	84	C. Gewirtz
	1800	82	C. Gewirtz
	1900	78	C. Gewirtz
	2000	73	C. Gewirtz
	2100	72	C. Gewirtz
	2200	70	C. GARCIECO
	2300	67	C. GARCIECO
	2400	67	C. GARCIECO

Stage 1 1255 ACTIVATED
1800 DEACTIVATED

STATE OF CALIFORNIA,
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 24, 2024	0100	66	WINGFIELD
	0200	65	WINGFIELD
	0300	64	WINGFIELD
	0400	64	WINGFIELD
	0500	64	WINGFIELD
	0600	64	C.Gewirtz
	0700	64	C.Gewirtz
	0800	69	C.Gewirtz
	0900	72	C.Gewirtz
	1000	76	C.Gewirtz
	1100	80	C.Gewirtz
	1200	84	C.Gewirtz
	1300	84	C.Gewirtz
	1400	84	C.Gewirtz
	1500	84	C.Gewirtz
	1600	84	C.Gewirtz
	1700	82	C.Gewirtz
	1800	79	C.Gewirtz
	1900	76	C.Gewirtz
	2000	73	C.Gewirtz
	2100	71	C.Gewirtz
	2200	70	WINGFIELD
	2300	69	WINGFIELD
	2400	69	WINGFIELD
AUGUST 25, 2024	0100	68	WINGFIELD
	0200	67	WINGFIELD
	0300	66	WINGFIELD
	0400	65	WINGFIELD
	0500	64	WINGFIELD
	0600	64	A.Ruentes
	0700	67	A.Ruentes
	0800	69	Ruentes
	0900	73	Ruentes
	1000	75	Ruentes
	1100	79	Ruentes
	1200	80	Ruentes
	1300	83	Ruentes
	1400	84	Ruentes
	1500	88	Ruentes
	1600	90	Ruentes
	1700	88	Ruentes
	1800	84	Ruentes
	1900	81	Ruentes
	2000	75	Ruentes
	2100	72	Ruentes
	2200	71	WEIGHT
	2300	71	WEIGHT
	2400	70	WEIGHT

Stage 1 ACTIVATED
 DEACTIVATED

Stage 1 1600 ACTIVATED
1730 DEACTIVATED

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DCDR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: MSF DORM 1 Temp. Reading Location: DAY ROOM

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	76	SILVA
	0600	78°	SILVA
	0900	74	EVANGELIA
	1200	75	EVANGELIA
	1500	79°	M. CONTRERAS
	1800	79°	M. CONTRERAS
	2100	79°	M. CONTRERAS
	2400	79	SILVA

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	77	VANNAZ
	0600	75	EVANGELIA
	0900	75	EVANGELIA
	1200	76	EVANGELIA
	1500	78°	M. CONTRERAS
	1800	78°	M. CONTRERAS
	2100	78°	M. CONTRERAS
	2400	78	VANNAZ

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	77	VANNAZ
	0600	72	EVANGELIA
	0900	73	EVANGELIA
	1200	73	EVANGELIA
	1500	78°	M. CONTRERAS
	1800	78°	M. CONTRERAS
	2100	78°	M. CONTRERAS
	2400	78	VANNAZ

Thursday

Date	Time	Temp.	Name (Print)
8/22/18	0300	75	VANNAZ
	0600	70°	CHRISTENSEN
	0900	74°	CHRISTENSEN
	1200	75°	CHRISTENSEN
	1500	78°	BRIEGES
	1800	70	BRIEGES
	2100	77	BRIEGES
	2400	77	VANNAZ

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	75	VANNAZ
	0600	71	VANNAZ
	0900	72	VANNAZ
	1200	74	VANNAZ
	1500	76	BRIEGES
	1800	74	BRIEGES
	2100	71	BRIEGES
	2400	73	VANNAZ

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	75	VANNAZ
	0600	72°	CRIDDLE
	0900	72°	CRIDDLE
	1200	74°	CRIDDLE
	1500	74°	M. CONTRERAS
	1800	73°	M. CONTRERAS
	2100	73°	M. CONTRERAS
	2400	73	VANNAZ

Notes

Date	Time	Temp.	Name (Print)
8/25	0300	70	KRISTENSON
	0600	70	KRISTENSON
	0900	72°	CRIDDLE
	1200	73°	CRIDDLE
	1500	75°	M. CONTRERAS
	1800	75°	M. CONTRERAS
	2100	75°	M. CONTRERAS
	2400	70	KRISTENSON

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 08/19/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	70	65	74	78	70	60	61	70	F. GUTIERREZ	J. Smith
03:00	70	65	74	76	70	66	61	70	F. GUTIERREZ	J. Smith
06:00	70	65	73	75	70	65	65	70	HAMBRECK	J. Smith
09:00	70	65	75	75	70	68	60	70	HAMBRECK	J. Smith
12:00	69	65	77	77	70	65	60	70	HAMBRECK	J. Smith
15:00	69°	65°	78°	78°	70°	66°	60°	70°	Acuilaro	J. Smith
18:00	69°	65°	78°	79°	70°	64°	60°	70°	Acuilaro	J. Smith
21:00	69°	65°	76°	79°	70°		60°	70°	Acuilaro	J. Smith

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



8/27/2024
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: AUG. 20, 2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	70°	64°	80°	80°	70°	62°	60°	70°	STEPHENSON	(Sdpt)
03:00	70°	64°	80°	80°	70°	64°	62°	70°	STEPHENSON	(Sdpt)
06:00	70	65	79	80	70	70	62	70	VACANT	—
09:00	70	65	79	80	70	70	62	70	VACANT	—
12:00	69	62	70	78	65	68	63	70	VACANT	(Sdpt)
15:00	69	64	70	78	66	68	66	70	SIRKO	(Sdpt)
18:00	69	64	70	78	66	68	66	70	SIRKO	(Sdpt)
21:00	69	64	70	78	66	68	66	70	SIRKO	(Sdpt)

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant


8/27/2024
Date







CALIFORNIA STATE PRISON -- LOS ANGELES CO UNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 8/21/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	70	64	70	72	69	63	60	70	Dunn	
03:00	70	64	70	71	69	64	61	70	Dunn	
06:00	70	64	70	72	70	65	62	70	VACAN	
09:00	70	65	70	72	70	65	62	70	VACAN	
12:00	70	65	70	72	70	65	62	70	Valdez	
15:00	69	64	74	77	70	69	60	70	BANUELOS	
18:00	68	64	78	80	70	66	60	70	Funes	
21:00	68	64	78	80	70	66	60	70	Sirko	

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant


8/27/2024
Date






CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 8/22/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	70	62	74	80	70	60	62	70	Funes	
03:00	70	62	74	80	70	60	62	70	Funes	
06:00	70	62	78	78	70	62	68	70	Gonzalez	
09:00	70	68	78	78	70	62	62	70	Gonzalez	
12:00	70	66	78	80	70	60	60	70	Gonzalez	
15:00	65	70	79	80	70	61	60	70	Sirko	
18:00	65	70	79	80	70	62	60	70	Sirko	
21:00	65	70	79	80	70	62	60	70	Sirko	

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant


8/27/2024
Date

CALIFORNIA STATE PRISON – LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 8-23-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	69°	67°	74°	77°	69°	61°	61°	70°	J. Acquilano	Jm g.lano
03:00	70°	68°	74°	76°	70°	62°	61°	70°	J. Acquilano	Jm g.lano
06:00	70	68	74	78	70	66	66	70	Funes	Funes
09:00	70	68	72	78	70	66	62	70	Funes	Funes
12:00	70	68	78	78	70	66	62	70	Funes	Funes
15:00	70	68	78	78	70	66	62	70	Sirko	Sirko
18:00	70	68	78	78	70	66	62	70	Sirko	Sirko
21:00	70	68	78	78	70	66	62	70	Sirko	Sirko

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

8/27/2024
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 8-24-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	69°	68°	64°	76°	70°	67°	64°	70°	J. Acuña	<i>J. Acuña</i>
03:00	69°	67°	70°	78°	69°	68°	60°	70°	J. Acuña	<i>J. Acuña</i>
06:00	69°	68°	70°	78°	70°	68°	68°	70°	E. CERVANTES	<i>E. Cervantes</i>
09:00	69°	68°	70°	78°	70°	68°	68°	70°	E. CERVANTES	<i>E. Cervantes</i>
12:00	69°	70°	70°	78°	70°	68°	68°	70°	E. CERVANTES	<i>E. Cervantes</i>
15:00	69	70	75	78	70	65	61	70	S. BONE	<i>S. Bone</i>
18:00	69	70	75	78	70	65	67	70	S. BONE	<i>S. Bone</i>
21:00	69	70	75	78	70	65	67	70	S. BONE	<i>S. Bone</i>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

[Signature]
8/27/2024
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 4-25-24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTEDNAME	SIGNATURE
24:00	70°	70°	70°	72°	70°	70°	60°	70°	J. Astier	J. Astier
03:00	70°	70°	70°	72°	70°	70°	60°	70°	J. Astier	J. Astier
06:00	70	68	70	73	70	72	62	70	S.BONE	S.Bone
09:00	70	70	70	72	70	72	60	70	S.BONE	S.Bone
12:00	71	70	70	72	70	72	60	70	S.BONE	S.Bone
15:00	70	68	70	72	70	70	60	70	S.BONE	S.Bone
18:00	70	68	70	71	70	70	60	70	S.BONE	S.Bone
21:00	70	68	70	71	70	70	60	70	S.BONE	S.Bone

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



8/27/2024
Date

Heat Alert Check List Correctional Officer

UNIT: RHU

DATE: 08/19/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by CENTRAL CONTROL at 1015 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. Central Control at 2100 hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

J. Smith
1ST/W OFFICER'S SIGNATURE

J. Johnson
2ND/W OFFICERS SIGNATURE

J. Green
3RD/W OFFICERS SIGNATURE

Heat Alert Check List Correctional Officer

UNIT: RHU

DATE: August 20, 2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

- _____ 1. Heat Plan activated, notified by _____ at _____ hours.
- _____ 2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
- _____ 3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
- _____ 4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
- _____ 3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Continued cooling measures and observation of heat risk Inmate-Patients.
- _____ 3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

- _____ 1. Notified Program Lt./Sgt. _____ at _____ hours.
- _____ 2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

- _____ 1. Notified Program Lt./Sgt. Central control at 2030 hours.
- _____ 2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

I/W Chapl
TS
TS 1ST/W OFFICER'S SIGNATURE

2ND/W OFFICERS SIGNATURE

3RD/W OFFICERS SIGNATURE

Heat Alert Check List Correctional Officer

UNIT: Agu-1

DATE: 8/21/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. Central control at 2000 hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

L M
1ST/W OFFICER'S SIGNATURE

2ND/W OFFICERS SIGNATURE

Sandy
3RD/W OFFICERS SIGNATURE

Heat Alert Check List Correctional Officer

UNIT: R/HU

DATE: 8/22/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

TS
TS

1. Notified Program Lt./Sgt. Central Control at 1800 hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

1ST/W OFFICER'S SIGNATURE

2ND/W OFFICERS SIGNATURE

3RD/W OFFICERS SIGNATURE

Heat Alert Check List Correctional Officer

UNIT: R Hc

DATE: 8-23-2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.


BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.


BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.


1ST W OFFICER'S SIGNATURE


2ND W OFFICERS SIGNATURE


3RD W OFFICERS SIGNATURE

Heat Alert Check List
Correctional Officer

UNIT: R HU

DATE: 8-24-2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

Jim Glancy
1ST OFFICER'S SIGNATURE

2ND OFFICERS SIGNATURE

3RD OFFICERS SIGNATURE

Heat Alert Check List Correctional Officer

UNIT: RHU

DATE: 08/25/2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

1ST/W OFFICER'S SIGNATURE

2ND/W OFFICERS SIGNATURE

3RD/W OFFICERS SIGNATURE

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1

Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/21	0300	70	Fab
	0600	70	Noriega JL
	0900	70	Noriega JL
	1200	70	Noriega JL
	1500	70	SALVAN
	1800	70	Perez
	2100	70	Perez
	2400	70	Fab

Tuesday

Date	Time	Temp.	Name (Print)
8/20/21	0300	70	Fab
	0600	70	Noriega JL
	0900	70	Noriega JL
	1200	70	Noriega JL
	1500	70	Noriega JL
	1800	70	Noriega JL
	2100	70	Noriega JL
	2400	70	Fab

Wednesday

Date	Time	Temp.	Name (Print)
8/21/21	0300	70	Fab
	0600	70	Noriega JL
	0900	70	Noriega JL
	1200	70	Noriega JL
	1500	70	A. Perez
	1800	70	A. Perez
	2100	70	A. Perez
	2400	70	J. Salvan

Thursday

Date	Time	Temp.	Name (Print)
8/22/21	0300	70	J. Salvan
	0600	70	Noriega JL
	0900	70	Noriega JL
	1200	70	Noriega JL
	1500	70	A. Perez
	1800	70	A. Perez
	2100	70	A. Perez
	2400	70	J. Salvan

Friday

Date	Time	Temp.	Name (Print)
8/23/21	0300	70	J. Salvan
	0600	70	Tom C
	0900	70	Tom C
	1200	70	Tom C
	1500	70	Gonzalez
	1800	70	Gonzalez
	2100	70	Gonzalez
	2400	70	J. Salvan

Saturday

Date	Time	Temp.	Name (Print)
8/24/21	0300	70°	J. Astor
	0600	70	Tom C
	0900	70	Tom C
	1200	70	Tom C
	1500	70	Gonzalez
	1800	70	Gonzalez
	2100	70	Gonzalez
	2400	70°	J. Astor

Notes

Date	Time	Temp.	Name (Print)
	0300	70	GALVAN
	0600	70	Noriega JL
	0900	70	Noriega JL
	1200	70	Noriega JL
	1500	70	E. Grandes
	1800	70	E. Grandes
	2100	70	E. Grandes
	2400	70	GALVAN

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A2

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	70°	B PRESNELL
8/19/24	0600	68	K. GARCIA
8/19/24	0900	68	K. GARCIA
8/19/24	1200	71	L. GONZALEZ
8/19/24	1500	71	M. GONZALEZ
8/19/24	1800	71	M. GONZALEZ
8/19/24	2100	71	M. GONZALEZ
8/19/24	2400	70	B PRESNELL

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70°	B PRESNELL
8/21/24	0600	68	A. MORENO
8/21/24	0900	69	A. MORENO
8/21/24	1200	70	A. MORENO
8/21/24	1500	70	OLLA
8/21/24	1800	70	OLLA
8/21/24	2100	70	OLLA
8/21/24	2400	70°	B PRESNELL

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	70°	B PRESNELL
8/23/24	0600	68	A. MORENO
8/23/24	0900	70	A. MORENO
8/23/24	1200	70	A. MORENO
8/23/24	1500	70°	OLLA
8/23/24	1800	70	OLLA
8/23/24	2100	70°	OLLA
8/23/24	2400	70	J. S. I.J.

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	70	E. ORNELAS
8/25/24	0600	65	FORD
8/25/24	0900	69	P. KLY
8/25/24	1200	69	P. KLY
8/25/24	1500	70	A. GONZALEZ
8/25/24	1800	70	M. GONZALEZ
8/25/24	2100	70	M. GONZALEZ
8/25/24	2400	70°	B PRESNELL

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	70	B PRESNELL
8/20/24	0600	70	E. GRANDE
8/20/24	0900	70	E. GRANDE
8/20/24	1200	70	B. FORD
8/20/24	1500	70	OLLA
8/20/24	1800	70	OLLA
8/20/24	2100	70	OLLA
8/20/24	2400	70°	B PRESNELL

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	70°	B PRESNELL
8/22/24	0600	68	A. MORENO
8/22/24	0900	70	A. MORENO
8/22/24	1200	71	A. MORENO
8/22/24	1500	70	OLLA
8/22/24	1800	70	OLLA
8/22/24	2100	70	OLLA
8/22/24	2400	70°	B PRESNELL

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	70	J. S. I.J.
8/24/24	0600	70	A. GRANDE
8/24/24	0900	72	A. GRANDE
8/24/24	1200	74	A. GRANDE
8/24/24	1500	70	OLLA
8/24/24	1800	70	OLLA
8/24/24	2100	70°	OLLA
8/24/24	2400	70	EVANGELIA

Notes

1015 HEAT ALERT

RETURNED

8/20/24 - U-H-T DEACTIVATED @ 2030 hrs
8/22/24 - U-H-T DEACTIVATED @ 1800 hrs

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A-3

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/21	0300	70°	J. SOLV
	0600	69	E. Granados
	0900	70	E. Granados
	1200	70	E. Granados
	1500	70	L. JORDAN
	1800	70	L. JORDAN
	2100	70	L. JORDAN
	2400	70	J. SOLV

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	70°	STORY
	0600	70	M. Caplinger
	0900	70	M. Caplinger
	1200	70	C. G. Jones
	1500	70	S. ALSES
	1800	70	K. VENES
	2100	70	C. MONTORZ
	2400	70	MARTIN

Friday

Date	Time	Temp.	Name (Print)
8/23/21	0300	70	MARTIN
	0600	70	E. Granados
	0900	68	E. Granados
	1200	68	E. Granados
	1500	71	C. Montozan
	1800	71	C. Montozan
	2100	71	C. Montozan
	2400	70	MARTIN

Sunday

Date	Time	Temp.	Name (Print)
8/25/21	0300	75	Hernandez
	0600	68	E. Granados
	0900	68	E. Granados
	1200	71	E. Granados
	1500	71	L. JORDAN
	1800	70	L. JORDAN
	2100	70	L. JORDAN
	2400	76	J. SOLV

Tuesday

Date	Time	Temp.	Name (Print)
8/24	0300	70°	M. SHEPHERD
	0600	70°	TOMAS
	0900	70°	TOMAS
	1200	70°	TOMAS
	1500	71	Gonzales
	1800	71	Gonzales
	2100	71	Gonzales
	2400	70°	M. SHEPHERD

Thursday

Date	Time	Temp.	Name (Print)
8/24	0300	70	MARTIN
	0600	70	E. Granados
	0900	70	E. Granados
	1200	70	E. Granados
	1500	71	C. Montozan
	1800	71	C. Montozan
	2100	71	C. Montozan
	2400	70	MARTIN

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	70	MARTIN
	0600	70	E. Granados
	0900	69	E. Granados
	1200	70	E. Granados
	1500	71	C. Montozan
	1800	71	C. Montozan
	2100	71	C. Montozan
	2400	70	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A 4

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/18	0300	70	
0600	76°	J. FLETCHER	
0900	77°	J. FLETCHER	
1200	77	D. ORTEGA	
1500	76	FLORES	
1800	75	FLORES	
2100	75	FLORES	
2400	70	FLORES	

Tuesday

Date	Time	Temp.	Name (Print)
8/19	0300	72	Almaude
0600	72	L. Thomas	
0900	71	L. Thomas	
1200	71	L. Thomas	
1500	72	FLORES	
1800	72	FLORES	
2100	72	FLORES	
2400	72	Almaude	

Wednesday

Date	Time	Temp.	Name (Print)
8/20	0300	73	Almaude
0600	73	L. Thomas	
0900	71	L. Thomas	
1200	71	L. Thomas	
1500	72	FLORES	
1800	71	FLORES	
2100	71	FLORES	
2400	73	Almaude	

Thursday

Thursday

Date	Time	Temp.	Name (Print)
8/21	0300	72	ALEXANDO
0600	72	M. GONZALEZ	
0900	73	M. GONZALEZ	
1200	73	M. GONZALEZ	
1500	73	S. CARRASCO	
1800	73	S. CARRASCO	
2100	73	S. CARRASCO	
2400	72	ALEXANDO	

Saturday

Date	Time	Temp.	Name (Print)
8/23	0300	73	Almaude
0600	72	Flores	
0900	73	Flores	
1200	73	Flores	
1500	73	Flores	
1800	73	Flores	
2100	71	Flores	
2400	73	Almaude	

Notes

Date	Time	Temp.	Name (Print)
8/24	0300	68	D. Woodward
0600	72°	D. WOODWARD	
0900	73°	D. WOODWARD	
1200	75°	D. WOODWARD	
1500	73	FLORES	
1800	75	FLORES	
2100	75	FLORES	
2400	68	D. Woodward	

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A5

Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/19/24	0300	74°	Rosales, o.
	0600	72°	J. Alvarado
	0900	73°	J. Alvarado
	1200	73°	J. Alvarado
	1500	74°	J. Alvarado
	1800	74°	K. Lopez
	2100	74°	K. Lopez
	2400	73°	Rosales, o.

Tuesday

Date	Time	Temp.	Name (Print)
08/20/24	0300	72°	Rosales, o.
	0600	72°	J. Alvarado
	0900	73°	J. Alvarado
	1200	73°	J. Alvarado
	1500	73°	B. Frazier
	1800	73°	B. Frazier
	2100	73°	B. Frazier
	2400	73°	Rosales, o.

Wednesday

Date	Time	Temp.	Name (Print)
08/21/24	0300	73°	Rosales, o.
	0600	72°	J. Alvarado
	0900	72°	J. Alvarado
	1200	72°	J. Alvarado
	1500	73°	B. Frazier
	1800	74°	B. Frazier
	2100	73°	B. Frazier
	2400	73°	Rosales, o.

Thursday

Date	Time	Temp.	Name (Print)
08/22/24	0300	72°	Rosales, o.
	0600	72°	J. Alvarado
	0900	73°	J. Alvarado
	1200	73°	J. Alvarado
	1500	75°	B. Frazier
	1800	73°	B. Frazier
	2100	73°	B. Frazier
	2400	73°	Rosales, o.

Friday

Date	Time	Temp.	Name (Print)
08/23/24	0300	70°	D. Woodard
	0600	72°	J. Alvarado
	0900	73°	J. Alvarado
	1200	72°	J. Alvarado
	1500	72°	B. Frazier
	1800	72°	B. Frazier
	2100	72°	B. Frazier
	2400	70°	D. Woodard

Saturday

Date	Time	Temp.	Name (Print)
08/24/24	0300	70°	D. Woodard
	0600	72°	D. Davis
	0900	71°	D. Davis
	1200	71°	D. Davis
	1500	71°	A. Curtis
	1800	71°	A. Curtis
	2100	72°	A. Curtis
	2400	70°	D. Woodard

Notes

Date	Time	Temp.	Name (Print)
08/25/24	0300	71°	Rosales, o.
	0600	71°	
	0900	71°	
	1200	72°	
	1500	72°	A. Curtis
	1800	73°	A. Curtis
	2100	73°	A. Curtis
	2400	71°	Rosales, o.

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FBB1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/29	0300	70	D. REYES
	0600	69	LARD
	0900	69	LARD
	1200	70	LARD
	1500	70	Rodr
	1800	70	Mendoza
	2100	71	Mendoza
	2400	71	Mendoza

Tuesday

Date	Time	Temp.	Name (Print)
8/20/29	0300	70	C. KEHREIS
	0600	69	LARD
	0900	69	LARD
	1200	70	LARD
	1500	70	Rodriguez
	1800	70	D. Rodriguez
	2100	70	D. Rodriguez
	2400	70	C. KEHREIS

Wednesday

Date	Time	Temp.	Name (Print)
8/21/29	0300	70°	M. CRISTOBAL
	0600	69	LARD
	0900	69	LARD
	1200	69	LARD
	1500	70	JORDAN
	1800	70	JORDAN
	2100	70	JORDAN
	2400	70°	M. CRISTOBAL

Thursday

Date	Time	Temp.	Name (Print)
8/22/29	0300	70	GONZALEZ
	0600	70	GONZALEZ
	0900	70	Mr. GONZALEZ
	1200	70	Mr. GONZALEZ
	1500	70	Mr. GONZALEZ
	1800	70	Mr. GONZALEZ
	2100	70	Mr. GONZALEZ
	2400	70	GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
8/23/29	0300	70	GONZALEZ
	0600	70	G. HERNANDEZ
	0900	69	G. HERNANDEZ
	1200	69	G. HERNANDEZ
	1500	71	J. Aguirre
	1800	70	J. Aguirre
	2100	70	J. Aguirre
	2400	70	GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
8/24/29	0300	69	D. REYES
	0600	69	G. HERNANDEZ
	0900	69	G. HERNANDEZ
	1200	68	G. HERNANDEZ
	1500	69	J. Aguirre
	1800	67	J. Aguirre
	2100	69	J. Aguirre
	2400	69	D. REYES

Sunday

Date	Time	Temp.	Name (Print)
8/25/29	0300	69	D. REYES
	0600	69	Davidson
	0900	70	Davidson
	1200	70	Davidson
	1500	68	Machado
	1800	68	Machado
	2100	68	Machado
	2400	68	D. REYES

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8.19.24	0300	70	SCOTT
	0600	70	GALVAN
	0900	70	GALVAN
	1200	72	GALVAN
	1500	72	GALINDO
	1800	72	GALINDO
	2100	71	GALINDO
	2400	71	SCOTT

Tuesday

Date	Time	Temp.	Name (Print)
8.20.24	0300	70	SCOTT
	0600	70°	D. CHAVEZ
	0900	70°	D. CHAVEZ
	1200	70°	D. CHAVEZ
	1500	70	M. Caceres
	1800	70	FALIN
	2100	70	ROSE
	2400	70	SCOTT

Wednesday

Date	Time	Temp.	Name (Print)
8.21.24	0300	72	SCOTT
	0600	72	CHAVEZ
	0900	71	CHAVEZ
	1200	71	CHAVEZ
	1500	71	MARINA
	1800	71	CONCEPCION
	2100	71	CONCEPCION
	2400	71	SCOTT

Thursday

Date	Time	Temp.	Name (Print)
8.22.24	0300	71	SCOTT
	0600	71	CONCEPCION
	0900	72	CONCEPCION
	1200	71	CONCEPCION
	1500	71	CONCEPCION
	1800	71	MICHAEL
	2100	71	MICHAEL
	2400	71	SCOTT

Friday

Date	Time	Temp.	Name (Print)
8.23.24	0300	70	SCOTT
	0600	70	E. TAN
	0900	70	E. TAN
	1200	70	E. TAN
	1500	70	ORTIZ
	1800	70	ORTIZ
	2100	70	ORTIZ
	2400	70	UMANA

Saturday

Date	Time	Temp.	Name (Print)
8.24.24	0300	70	UMANA
	0600	70	GALVAN
	0900	71	GALVAN
	1200	71	GALVAN
	1500	71	GALVAN
	1800	71	AGUILAR
	2100	71	AGUILAR
	2400	70	UMANA

Sunday

Date	Time	Temp.	Name (Print)
8.25.24	0300	70	UMANA
	0600	70°	D. GONZALES
	0900	71	G. HERNANDEZ
	1200	71	G. HERNANDEZ
	1500	71	GALVAN
	1800	71°	UMANA
	2100	71°	UMANA
	2400	70	UMANA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B-3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/19/24	0300	70°	LOPEZ
	0600	70°	A. Corambias
	0900	70°	A. Corambias
	1200	70°	A. Corambias
	1500	70°	Galvan
	1800	70°	Galvan
	2100	70°	Galvan
	2400	70°	LOPEZ

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	69°	PACKARD
	0600	70°	Recinos
	0900	70°	Recinos
	1200	70°	Recinos
	1500	70°	E. Lira
	1800	70°	E. Lira
	2100	70°	E. Lira
	2400	69°	PACKARD

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	70°	PACKARD
	0600	70°	A. Corambias
	0900	70°	A. Corambias
	1200	70°	A. Corambias
	1500	67°	X. Li
	1800	66°	X. Li
	2100	66°	X. Li
	2400	70°	PACKARD

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	70°	Solorzano
	0600	64°	D. CHAVEZ
	0900	70°	D. CHAVEZ
	1200	70°	D. CHAVEZ
	1500	70°	D. CHAVEZ
	1800	66°	X. Li
	2100	66°	X. Li
	2400	70°	Solorzano

Tuesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70°	GARCIA
	0600	70°	G. HERNANDEZ
	0900	70°	G. HERNANDEZ
	1200	70°	G. HERNANDEZ
	1500	71°	J. Aguirre
	1800	71°	J. Aguirre
	2100	70°	J. Aguirre
	2400	70°	GARCIA

Thursday

Date	Time	Temp.	Name (Print)
8/21/24	0300	69°	Reynolds
	0600	70°	A. Corambias
	0900	70°	A. Corambias
	1200	70°	VASQUEZ
	1500	70°	Galvan
	1800	70°	Galvan
	2100	70°	Galvan
	2400	69°	Reynolds

Saturday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70°	PACKARD
	0600	70°	A. Corambias
	0900	70°	A. Corambias
	1200	70°	A. Corambias
	1500	70°	T. BALETA
	1800	70°	Reynolds
	2100	70°	Reynolds
	2400	70°	A. Solizano

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/14	0300	71	GARCIA
	0600	72	FELIPE
	0900	72	FELIPE
	1200	72	FELIPE
	1500	72	NEGRON
	1800	72	NEGRON
	2100	72	NEGRON
	2400	70	GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
8/20/14	0300	70°	McDonald
	0600	70	B.FELIPE
	0900	72	B.FELIPE
	1200	72	B.FELIPE
	1500	72	B.FELIPE
	1800	70	B.FELIPE
	2100	70	B.FELIPE
	2400	70°	McDonald

Wednesday

Date	Time	Temp.	Name (Print)
8/21/14	0300	70°	McDonald
	0600	70	B.FELIPE
	0900	70	B.FELIPE
	1200	70	B.FELIPE
	1500	70	R. Alani's
	1800	70	R. Alani's
	2100	70	R. Alani's
	2400	70°	McDonald

Thursday

Date	Time	Temp.	Name (Print)
8/22/14	0300	70°	McDonald
	0600	70°	Reeves
	0900	70°	Reeves
	1200	70°	Reeves
	1500	70°	E. Tava
	1800	70°	E. Tava
	2100	70°	E. Tava
	2400	70°	McDonald

Friday

Date	Time	Temp.	Name (Print)
8/23/14	0300	70°	McDonald
	0600	70°	Reeves
	0900	70	Hernandez
	1200	70	Hernandez
	1500	70°	E. Tava
	1800	70°	E. Tava
	2100	70°	E. Tava
	2400	70°	McDonald

Saturday

Date	Time	Temp.	Name (Print)
8/24/14	0300	70°	McDonald
	0600	70	Figueroa
	0900	70	Figueroa
	1200	70	Figueroa
	1500	70	NEGRON
	1800	70	NEGRON
	2100	70	NEGRON
	2400	70°	McDonald

Sunday

Date	Time	Temp.	Name (Print)
8/25/14	0300	70°	GARCIA
	0600	71	NEGRON
	0900	70	NEGRON
	1200	70	NEGRON
	1500	70	NEGRON
	1800	70	NEGRON
	2100	70	NEGRON
	2400	70°	GARCIA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/10/24	0300	70	Johnson
10/24	0600	70	Alatone
	0900	70	Alatone
	1200	70	Alatone
	1500	70	M.Cook
	1800	70	M.Cook
	2100	70	M.Cook
	2400	70	Johnson

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	70	E.Rodriguez
24	0600	70	Alatone
	0900	70	Alatone
	1200	70	Alatone
	1500	70	M.Cook
	1800	70	M.Cook
	2100	70	M.Cook
	2400	70	E.Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70	E.Rodriguez
24	0600	70	Alatone
	0900	70	Alatone
	1200	70	Alatone
	1500	70	M.Cook
	1800	70	M.Cook
	2100	70	M.Cook
	2400	70	E.Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	70	Sirkko
24	0600	70	Alatone
	0900	70	Alatone
	1200	70	Alatone
	1500	70	D.Roschke
	1800	70	M.Cook
	2100	70	M.Cook
	2400	70	Sirkko

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	70	GARCIA
24	0600	70	Alatone
	0900	70	Alatone
	1200	70	Alatone
	1500	70	QUADRI
	1800	70	ACEVEDO
	2100	70	ACEVEDO
	2400	70	GARCIA

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	77	GARCIA
24	0600	70	Recinos
	0900	70	Recinos
	1200	70	Recinos
	1500	70	E.Tara
	1800	70	E.Tara
	2100	70	E.Tara
	2400	77	GARCIA

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	72	Quader
24	0600	72	Bravo
	0900	72	Bravo
	1200	72	Bravo
	1500	71	MILLER
	1800	70	MILLER
	2100	70	MILLER
	2400	70	Johnson

Notes

8-25-24 STAGE 1 @ 1600 HRS

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-1 CONTROL Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8	0300	70	J. A. ARA
	0600	70	SARROTA
19	0900	70	RONZIEK
	1200	69	R. GONZALEZ
	1500	69°	HILL
	1800	69°	HILL
24	2100	69°	HILL
	2400	70	nn

Tuesday

Date	Time	Temp.	Name (Print)
8	0300	68	E. VANGELIST
	0600	68	GUERRA
20	0900	69	E. VANGELIST
	1200	68	GUERRA
	1500	69	HILL
	1800	69°	HILL
24	2100	69°	HILL
	2400	68	E. VANGELIST

Wednesday

Date	Time	Temp.	Name (Print)
8	0300	68	E. VANGELIST
	0600	68	GUERRA
21	0900	69	GUERRA
	1200	69	GUERRA
	1500	70	Rougel
	1800	70	Rougel
24	2100	71	Rougel
	2400	68	E. VANGELIST

Thursday

Date	Time	Temp.	Name (Print)
8	0300	70	Moran
	0600	69	
22	0900	69	GUERRA
	1200	70	GUERRA
	1500	70	HILL
	1800	70	HILL
24	2100	68°	HILL
	2400	70	Moran

Friday

Date	Time	Temp.	Name (Print)
8	0300	69	OGEAROL
	0600	70	MEZA
23	0900	69	SABEDO
	1200	69	SABEDO
	1500	69	SABEDO
	1800	70	SABEDO
24	2100	70	SABEDO
	2400	70	M. OGEAROL

Saturday

Date	Time	Temp.	Name (Print)
8	0300	70	J. Johnson
	0600	70	M. Lopez
24	0900	70	M. Lopez
	1200	70	M. Lopez
	1500	70	Lopez
	1800	70	Lopez
24	2100	70	Lopez
	2400	70	J. Johnson

Notes

Date	Time	Temp.	Name (Print)
8	0300	68°	CRIDDLE
	0600	68°	CRIDDLE
25	0900	70	CRIDDLE
	1200	70	CRIDDLE
	1500	70	A. Lopez
	1800	70	A. Lopez
24	2100	70	A. Lopez
	2400	68°	CRIDDLE

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/19	0300	70	L. Elmer
24	0600	70	SAB100
	0900	70	SAB100
	1200	70	SAB100
	1500	70	W. Ceaseco
	1800	70	W. Ceaseco
	2100	70	W. Ceaseco
	2400	70	C. Elliott

Tuesday			
Date	Time	Temp.	Name (Print)
8/20	0300	70	C. Elliott
24	0600	70	F. Blackmon
	0900	70	F. Blackmon
	1200	70	F. Blackmon
	1500	72	C. Olivars
	1800	72	C. Olivars
	2100	72	C. Olivars
	2400	70	DIXON, S.

Wednesday			
Date	Time	Temp.	Name (Print)
8	0300	70°	DIXON
21	0600	70	Duarte
	0900	70	Duarte
	1200	70	Duarte
	1500	71	Duarte
	1800	71°	Morales
	2100	70°	Morales
	2400	70°	DIXON

Thursday			
Date	Time	Temp.	Name (Print)
8	0300	70°	DIXON
22	0600	70	Duarte
	0900	70	Duarte
	1200	71	Duarte
	1500	72	Olivars
	1800	72	Olivars
	2100	72	Olivars
	2400	70	DIXON

Friday			
Date	Time	Temp.	Name (Print)
8	0300	71°	DIXON
23	0600	70	INNS
	0900	70	INNS
	1200	70	INNS
	1500	71	Olivars
	1800	71	Olivars
	2100	71	Olivars
	2400	71	DIXON

Saturday			
Date	Time	Temp.	Name (Print)
8	0300	70	INNS
24	0600	69	J. GONZALEZ
	0900	70	J. RESENDIZ
	1200	70	J. RESENDIZ
	1500	70	Rodriguez
	1800	70	Rodriguez
	2100	70	Rodriguez
	2400	70	INNS

Sunday			
Date	Time	Temp.	Name (Print)
8	0300	70	DIXON
25	0600	69	SAB100
	0900	70	SAB100
	1200	71	SAB100
	1500	70	SAB100
	1800	71	D. CHAVEZ
	2100	71	D. Chavez
	2400	70°	S. DIXON

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/14	0300	69	Garcia
	0600	70	Alvarado
	0900	71	Snow
	1200	72	S-Baerend
	1500	71	Reffman
	1800	71	Reffman
	2100	71	Reffman
	2400	70	n. G.W.C. 2

Tuesday

Date	Time	Temp.	Name (Print)
8/15	0300	70	Miracle
	0600	70	SAB100
	0900	70	SAB100
	1200	70	Gomez
	1500	70	Altuna
	1800	70	Ahern
	2100	70	Alvarez
	2400	71	M. T. Long

Wednesday

Date	Time	Temp.	Name (Print)
8/16	0300	70	R.Hernandez
	0600	71	Mobile
	0900	73	Reese
	1200	73	Reese
	1500	73	Reese
	1800	73	Reese
	2100	71	Reese
	2400	70	R.Hernandez

Thursday

Date	Time	Temp.	Name (Print)
8/17	0300	70	R.Hernandez
	0600	72	SANQUIST
	0900	72	SANQUIST
	1200	72	SANQUIST
	1500	72	Long
	1800	72	Long
	2100	72	Long
	2400	70	R.Hernandez

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	70	Bluford
	0600	72	SANQUIST
	0900	72	SANQUIST
	1200	72	SANQUIST
	1500	71	Reffman
	1800	71	Reffman
	2100	71	Reffman
	2400	70	Bluford

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	76	Bluford
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	70	SANQUIST
	1500	71	Reffman
	1800	71	Reffman
	2100	71	Reffman
	2400	70	Bluford

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	70	Bluford
	0600	70	Lipari
	0900	70	SANQUIST
	1200	70	SANQUIST
	1500	71	Reffman
	1800	71	Reffman
	2100	71	Reffman
	2400	70	Bluford

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: CV Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	70	R. Tironet
	0600	70	TERRIQUEZ
	0900	70	TERRIQUEZ JV
	1200	70	TERRIQUEZ
8/20	1500	70	A. BROWNSHAW
	1800	70	A. BROWNSHAW
8/21	2100	70	A. BROWNSHAW
	2400	70	M. VANCE

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	70°	M. VANCE
	0600	70	SANDOVAL
	0900	70	SANDOVAL
	1200	70	SANDOVAL
8/21	1500	70	P. ROREL
	1800	70	P. ROREL
8/22	2100	70	P. ROREL
	2400	70	P. ROREL

Wednesday

Date	Time	Temp.	Name (Print)
8/22	0300	70	M. GONZALEZ
	0600	70	SANDOVAL
	0900	70	SANDOVAL
	1200	70	SANDOVAL
	1500	70	SANDOVAL
	1800	70	SANDOVAL
	2100	70	SANDOVAL
	2400	70	M. GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	70	M. GONZALEZ
8/23	0600	70	E. ACEVEDO
	0900	70	E. ACEVEDO
	1200	72	E. ACEVEDO
8/24	1500	70°	M.
	1800	70	E. ACEVEDO
	2100	70	E. ACEVEDO
	2400	70	M. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	70	P. ROREL
8/24	0600	70	L. BURROS
	0900	70	L. BURROS
	1200	70	L. BURROS
	1500	70	A. MEZA
	1800	70	P. ROREL
8/25	2100	70	D. MEZA
	2400	70	C. MONTUZO

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	70	C. MONTUZO
8/25	0600	70	C. MONTUZO
	0900	70	TERRIQUEZ
	1200	70	TERRIQUEZ
	1500	70	TERRIQUEZ
	1800	70	TERRIQUEZ
8/26	2100	70	TERRIQUEZ
	2400	70	C. MONTUZO

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	70	H. HEDALGO
	0600	70	H. HEDALGO
	0900	70	T. LIMA
	1200	70	T. LIMA
	1500	70	TERRIQUEZ
8/26	1800	70	TERRIQUEZ
	2100	70	TERRIQUEZ
	2400	70	H. HEDALGO

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/19	0300	70	Jehn
	0600	73	Berga
	0900	70	G. H. H. A.
	1200	70	G. H. H. A.
	1500	70	G. H. H. A.
	1800	70	Captain
	2100	70	Sayliger
	2400	70	Agyapong

Tuesday			
Date	Time	Temp.	Name (Print)
8/20	0300	70	S. Agyapong
	0600	70	M. Lam
	0900	75	M. Lam
	1200	75	M. Lam
	1500	75	R. Hernandez
	1800	72	R. Hernandez
	2100	72	R. Hernandez
	2400	70	S. Agyapong

Wednesday			
Date	Time	Temp.	Name (Print)
8/21	0300	70	S. Agyapong
	0600	70	E. Galvin
	0900	70	E. Galvin
	1200	70	E. Galvin
	1500	72	R. Hernandez
	1800	70	R. Hernandez
	2100	70	R. Hernandez
	2400	70	S. Agyapong

Thursday			
Date	Time	Temp.	Name (Print)
8/22	0300	70	S. Otoole
	0600	70	S. Otoole
	0900	70	F. Amaya
	1200	70	F. Amaya
	1500	70	BLU Ford
	1800	70	BLU Ford
	2100	70	BLU Ford
	2400	70	W. Marca

Friday			
Date	Time	Temp.	Name (Print)
8/23	0300	70	T. Lambert
	0600	70	T. Lambert
	0900	70	T. Lambert
	1200	70	T. Lambert
	1500	70	Bluford
	1800	70	Bluford
	2100	70	Bluford
	2400	70	Marca

Saturday			
Date	Time	Temp.	Name (Print)
8/24	0300	70	Miranda
	0600	70	Miranda
	0900	72	Reyes
	1200	72	Reyes
	1500	70	Lee
	1800	70	Lee
	2100	70	Lee
	2400	70	Lee

Notes			

Sunday			
Date	Time	Temp.	Name (Print)
8/25	0300	70	S. Otoole
	0600	70	S. Otoole
	0900	70	T. Lee
	1200	70	T. Lee
	1500	70	T. Lee
	1800	70	T. Lee
	2100	70	T. Lee
	2400	70	S. Otoole

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	77	Muniz
	0600	74	A-Jimenez
	0900	74	A-Jimenez
	1200	75	A-Jimenez
	1500	76	A-Jimenez
	1800	77°	V.A.N.D.
	2100	77°	V.A.N.D.
	2400	77	Muniz

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	74°	Muniz
	0600	74°	A-Jimenez
	0900	74	A-Jimenez
	1200	75	Sanchez
	1500	76	Flores
	1800	76	Flores
	2100	76	Flores
	2400	74	Muniz

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	74°	Muniz
	0600	75	D.Lopez
	0900	76	D.Lopez
	1200	76	D.Lopez
	1500	76	D.Lopez
	1800	75	D.Lopez
	2100	75	D.Lopez
	2400	74	Muniz

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	75°	Stanley
	0600	75°	Hernandez
	0900	75°	Hernandez
	1200	75	Hernandez
	1500	76	D.Lopez
	1800	74	D.Lopez
	2100	75	D.Lopez
	2400	76°	Stanley

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	75	Stanley
	0600	74	Hernandez
	0900	75	Hernandez
	1200	75	Hernandez
	1500	74	W.Sanchez
	1800	74	W.Sanchez
	2100	74	W.Sanchez
	2400	75°	Stanley

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	74	Muniz
	0600	74	J. Aguilar
	0900	75	J. Aguilar
	1200	74	J. Aguilar
	1500	73	W.Sanchez
	1800	74	W.Sanchez
	2100	74	W.Sanchez
	2400	74	Muniz

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	74	Muniz
	0600	72	A-Jimenez
	0900	73	A-Jimenez
	1200	73	A-Jimenez
	1500	74	A-Jimenez
	1800	74	A-Jimenez
	2100	74	A-Jimenez
	2400	74	Muniz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D -2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19	0300	70	C. Holmes
19	0600	73	E. Hernandez-CM
24	0900	74	Hernandez CM
	1200	70	J. Maffit
	1500	75	W. Sanchez
	1800	76	W. Sanchez
	2100	75	W. Sanchez
	2400	70	C. Holmes

Tuesday

Date	Time	Temp.	Name (Print)
8/20	0300	70	C. Holmes
20	0600	72	J. Hernandez
24	0900	75	J. Hernandez
	1200	73	J. Hernandez
	1500	75	J. Hernandez
	1800	75	G. Wilson
	2100	75	G. Wilson
	2400	70	C. Holmes

Wednesday

Date	Time	Temp.	Name (Print)
8/21	0300	74	Frazier
21	0600	73	Barnes CR
21	0900	73	Barnes CR
24	1200	77	Barnes CR
	1500	75	Machado
	1800	75	Machado
	2100	75	Machado
	2400	75	Frazier

Thursday

Date	Time	Temp.	Name (Print)
8/22	0300	75	Frazier
22	0600	74	Barnes
22	0900	73	Barnes
24	1200	74	Barnes
	1500	74	E. Grandes
	1800	75	E. Grandes
	2100	75	E. Grandes
	2400	78	Frazier

Friday

Date	Time	Temp.	Name (Print)
8/23	0300	73	M. Gonzalez
23	0600	73	Barnes CR
23	0900	72	Barnes CR
24	1200	72	Barnes
	1500	72	Schmitz
	1800	73	Schmitz
	2100	73	Schmitz
	2400	75	M. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
8/24	0300	72	Stanley
24	0600	72	Barnes
24	0900	72	Barnes
	1200	72	Barnes
	1500	75	Machado
	1800	75	Machado
	2100	75	Machado
	2400	73	Stanley

Sunday

Date	Time	Temp.	Name (Print)
8/25	0300	72	Stanley
25	0600	72	Schmitz
25	0900	72	Schmitz
24	1200	72	Schmitz
	1500	72	W. Sanchez
	1800	73	W. Sanchez
	2100	73	W. Sanchez
	2400	72	Stanley

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	71°	SPANIEL
	0600	70°	Acosta
	0900	71°	Acosta
	1200	71°	Acosta
	1500	71°	D. CHAVEZ
	1800	71°	D. CHAVEZ
	2100	71°	D. CHAVEZ
	2400	72°	SPANIEL

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	71°	Acosta
	0600	72°	Hernandez CR
	0900	71°	Hernandez CR
	1200	71°	Hernandez CR
	1500	71°	W. Sanchez
	1800	71°	W. Sanchez
	2100	71°	W. Sanchez
	2400	71°	Acosta

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	71°	VEGA
	0600	72°	Machado
	0900	72°	Machado
	1200	72°	Machado CR
	1500	72°	Avalo
	1800	72°	Avalo
	2100	71°	Avalo
	2400	71°	VEGA

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	71°	VEGA
	0600	71°	Avalo CR
	0900	72°	Avalo CR
	1200	72°	Avalo
	1500	71°	Rovin
	1800	72°	Rovin
	2100	72°	Rovin
	2400	71°	VEGA

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	70°	VEGA
	0600	72°	Avalo CR
	0900	72°	Avalo
	1200	72°	Avalo
	1500	71°	Rovin
	1800	71°	Rovin
	2100	71°	Rovin
	2400	70°	VEGA

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	71°	VEGA
	0600	71°	Avalo CR
	0900	71°	Avalo
	1200	72°	Avalo
	1500	71°	Rovin
	1800	71°	Rovin
	2100	71°	Rovin
	2400	71°	VEGA

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	71°	VEGA
	0600	71°	VEGA
	0900	71°	Acosta CR
	1200	71°	Acosta CR
	1500	71°	Acosta CR
	1800	71°	Rovin
	2100	71°	Rovin
	2400	71°	VEGA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC | Housing Unit: D4 | Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	70	J. Carter
	0600	70	Machado
	0900	74	Machado
	1200	74	Machado
	1500	80	J. ALCIAS
	1800	70	J. Rivas
	2100	70	G. AGUILERA
	2400	70	C. Trujillo

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	70	C. Trujillo
	0600	70	Machado
	0900	76	Machado
	1200	71	Machado
	1500	71	Machado
	1800	70	A. ALCIAS
	2100	70	A. ALCIAS
	2400	70	C. Trujillo

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	75	R. Phillips
	0600	72	H. Guerra
	0900	72	H. Guerra
	1200	74	H. Guerra
	1500	70	J. ALCIAS
	1800	70	J. ALCIAS
	2100	70	J. ALCIAS
	2400	75	R. Phillips

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	74	R. Phillips
	0600	78	Machado
	0900	78	Machado
	1200	80	Machado
	1500	80	Anita
	1800	80	Anita
	2100	80	Anita
	2400	74	R. Phillips

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	76	R. Phillips
	0600	74	Machado
	0900	74	Machado
	1200	74	Machado
	1500	74	Anita
	1800	74	Anita
	2100	74	Anita
	2400	74	R. Phillips

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	74	R. Phillips
	0600	75	A. GONZALEZ
	0900	75	A. GONZALEZ
	1200	75	A. GONZALEZ
	1500	76	J. ALCIAS
	1800	79	J. ALCIAS
	2100	78	J. ALCIAS
	2400	74	R. Phillips

Sunday

Date	Time	Temp.	Name (Print)
8/25/24	0300	70	J. Carter
	0600	70	J. Carter
	0900	74	A. GONZALEZ
	1200	74	A. GONZALEZ
	1500	74	A. GONZALEZ
	1800	70	J. ALCIAS
	2100	70	J. ALCIAS
	2400	70	S. Carter

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

138 127

INSIDE
may be housed
in the heat

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/19/24	0300	70	J. MENEZ
	0600	70	Mendoza
	0900	70	Mendoza
	1200	70	Mendoza
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	J. MENEZ

Tuesday

Date	Time	Temp.	Name (Print)
8/20/24	0300	70	D. Actino
	0600	70	Mendoza
	0900	70	Mendoza
	1200	70	Mendoza
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	D. Actino

Wednesday

Date	Time	Temp.	Name (Print)
8/21/24	0300	70°	REYO
	0600	70	Mendoza
	0900	70	Mendoza
	1200	70	Mendoza
	1500	70°	Gutierrez
	1800	70°	Gutierrez
	2100	70°	Gutierrez
	2400	68°	REYO

Thursday

Date	Time	Temp.	Name (Print)
8/22/24	0300	67°	Davalos
	0600	70°	Davalos
	0900	70	Mendoza
	1200	70	Mendoza
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	Carter

Friday

Date	Time	Temp.	Name (Print)
8/23/24	0300	70°	J. Carter
	0600	70°	Anderson
	0900	70	Anderson
	1200	70	Anderson
	1500	66	SAAQUIST
	1800	66	SAAQUIST
	2100	66	SOLORZANO
	2400	70	J. Carter

Saturday

Date	Time	Temp.	Name (Print)
8/24/24	0300	70	J. Carter
	0600	63	Machado
	0900	65	Machado
	1200	65	Machado
	1500	60	Machado
	1800	60	Machado
	2100	70	Machado
	2400	71	DeLucia

Notes

Date	Time	Temp.	Name (Print)
8/25/24	0300	65°	M. Contreras
	0600	65	Machado
	0900	65	Machado
	1200	65	Machado
	1500	60	Machado
	1800	60	Machado
	2100	60	Machado
	2400	65°	M. Contreras

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP LAC Housing Unit: IMF

Temp. Reading Location: 1st

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	72	Oliver
26	0600	72	Christiansen
26	0900	72	Christiansen
26	1200	72	Christiansen
26	1500	72	Oliver
26	1800	73	Oliver
26	2100	72	Oliver
26	2400	72	Oliver

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	71°	Agiles
27	0600	71°	Richardson
27	0900	71°	Richardson
27	1200	71°	Richardson
27	1500	71°	Oliver
27	1800	72	Oliver
27	2100	71	Oliver
27	2400	71°	Agiles

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	71°	MACDONALDO
28	0600	72	Fernandez
28	0900	72	Fernandez
28	1200	72	Fernandez
28	1500	73	Avelar
28	1800	73	Avelar
28	2100	73	Avelar
28	2400	72°	MACDONALDO

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	72	MACDONALDO
29	0600	72	Christiansen
29	0900	72	Christiansen
29	1200	73	Christiansen
29	1500	75°	Richardson
29	1800	75°	Richardson
29	2100	75°	Richardson
29	2400	75°	MACDONALDO

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	71°	MACDONALDO
30	0600	71	Christiansen
30	0900	72	Christiansen
30	1200	72	Christiansen
30	1500	73	Johnson
30	1800	74	Johnson
30	2100	73	Johnson
30	2400	73	Johnson

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	71	J. Galapun
31	0600	71	Ayan
31	0900	72	Ayan
31	1200	73	Ayan
31	1500	75	Johnson
31	1800	74	Johnson
31	2100	74	Johnson
31	2400	71	J. Galapun

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	73	Johnson
1	0600	72	A. Lopez
1	0900	72	Perez
1	1200	72	A. Lopez
1	1500	75	E. Avelar
1	1800	74	E. Avelar
1	2100	74	E. Avelar
1	2400	72	Johnson

Notes

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 26, 2024	0100	67	WEIGHT
	0200	67	WEIGHT
	0300	66	WEIGHT
	0400	64	WEIGHT
	0500	63	WEIGHT
	0600	63	NUNEZ
	0700	65	NUNEZ
	0800	68	NUNEZ
	0900	73	NUNEZ
	1000	78	NUNEZ
	1100	81	NUNEZ
	1200	86	NUNEZ
	1300	90	NUNEZ
	1400	93	A. Puentes
	1500	95	A. Puentes
	1600	95	A. Puentes
	1700	95	A. Puentes
	1800	94	A. Puentes
	1900	88	A. Puentes
	2000	84	A. Puentes
	2100	79	A. Puentes
	2200	78°	ABEL
	2300	75°	ABEL
	2400	72°	ABEL

Stage 1 1300 ACTIVATED
1900 DEACTIVATED

Date	Time	Temp.	Printed Name
AUGUST 27, 2024	0100	71°	ABEL
	0200	69°	ABEL
	0300	68°	ABEL
	0400	67°	ABEL
	0500	65°	ABEL
	0600	65	NUNEZ
	0700	67	NUNEZ
	0800	69	NUNEZ
	0900	74	NUNEZ
	1000	82	NUNEZ
	1100	86	NUNEZ
	1200	91	NUNEZ
	1300	93	NUNEZ
	1400	97	A. Puentes
	1500	97	A. Puentes
	1600	96	A. Puentes
	1700	93	A. Puentes
	1800	91	A. Puentes
	1900	87	A. Puentes
	2000	83	A. Puentes
	2100	80	A. Puentes
	2200	80	W. WINGFIELD
	2300	77	W. WINGFIELD
	2400	76	W. WINGFIELD

Stage 1 1300 ACTIVATED
1900 DEACTIVATED

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
AUGUST 28, 2024	0100	76	WINGFIELD
	0200	75	WINGFIELD
	0300	74	WINGFIELD
	0400	72	WINGFIELD
	0500	68	WINGFIELD
	0600	68	NUNEZ
	0700	72	NUNEZ
	0800	71	NUNEZ
	0900	73	NUNEZ
	1000	84	NUNEZ
	1100	88	NUNEZ
	1200	90	NUNEZ
	1300	92	NUNEZ
	1400	95	Puentes
	1500	94	Puentes
	1600	94	Puentes
	1700	91	Puentes
	1800	90	Puentes
	1900	86	Puentes
	2000	83	Puentes
	2100	79	Puentes
	2200	78	WINGFIELD
	2300	76	WINGFIELD
	2400	76	WINGFIELD

Stage 1 1155 ACTIVATED
1930 DEACTIVATED

Date	Time	Temp.	Printed Name
AUGUST 29, 2024	0100	74	WINGFIELD
	0200	72	WINGFIELD
	0300	70	WINGFIELD
	0400	68	WINGFIELD
	0500	66	WINGFIELD
	0600	66	NUNEZ
	0700	68	NUNEZ
	0800	70	NUNEZ
	0900	74	NUNEZ
	1000	81	NUNEZ
	1100	87	NUNEZ
	1200	90	NUNEZ
	1300	93	NUNEZ
	1400	96	A ENCALADE
	1500	98	A ENCALADE
	1600	98	A ENCALADE
	1700	96	A ENCALADE
	1800	93	A ENCALADE
	1900	84°	A ENCALADE
	2000	82°	A ENCALADE
	2100	81°	A ENCALADE
	2200	80°	A ENCALADE
	2300	77°	A ENCALADE
	2400	77°	A ENCALADE

Stage 1 1150 ACTIVATED
1945 DEACTIVATED

STATE OF CALIFORNIA:
OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CSP-LAC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 5551 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
AUGUST 30, 2024	0100	76	WINGFIELD	AUGUST 31, 2024	0100	79	C.Gewerc
	0200	74	WINGFIELD		0200	76	C.Gewerc
	0300	72	WINGFIELD		0300	75	C.Gewerc
	0400	70	WINGFIELD		0400	74	C.Gewerc
	0500	68	WINGFIELD		0500	73	C.Gewerc
	0600	67	C.Gewerc		0600	73	C.Gewerc
	0700	74	C.Gewerc		0700	75	C.Gewerc
	0800	78	C.Gewerc		0800	77	C.Gewerc
	0900	82	C.Gewerc		0900	84	C.Gewerc
	1000	87	C.Gewerc		1000	88	C.Gewerc
	1100	90	C.Gewerc		1100	93	C.Gewerc
	1200	96	C.Gewerc		1200	97	C.Gewerc
	1300	99	C.Gewerc		1300	100	C.Gewerc
	1400	101	C.Gewerc		1400	100	C.Gewerc
	1500	100	C.Gewerc		1500	100	C.Gewerc
	1600	100	C.Gewerc		1600	101	C.Gewerc
	1700	99	C.Gewerc		1700	99	C.Gewerc
	1800	98	C.Gewerc		1800	98	C.Gewerc
	1900	93	C.Gewerc		1900	94	C.Gewerc
	2000	89	C.Gewerc		2000	91	C.Gewerc
	2100	87	C.Gewerc		2100	87	C.Gewerc
	2200	85	C.Gewerc		2200	85	C.Gewerc
	2300	81	C.Gewerc		2300	82	S.Galva
	2400	81	C.Gewerc		2400	81	T.Galva

Stage 1 100 ACTIVATED
2100 DEACTIVATED

Stage 1 1025 ACTIVATED
2115 DEACTIVATED

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: MSF-DORM 1 Temp. Reading Location: DAY ROOM

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/ 25	0300	75	SILVA
	0600	73	SILVA
	0900	72	EVANGELISTA
	1200	72	EVANGELISTA
	1500	76°	M. CONTRERAS
	1800	76°	M. CONTRERAS
	2100	76°	M. CONTRERAS
	2400	80	SILVA

Tuesday

Date	Time	Temp.	Name (Print)
8/ 27	0300	72	VACAN
	0600	72	EVANGELISTA
	0900	72	EVANGELISTA
	1200	72	EVANGELISTA
	1500	78°	M. CONTRERAS
	1800	78°	M. CONTRERAS
	2100	78°	M. CONTRERAS
	2400	72	VACAN

Wednesday

Date	Time	Temp.	Name (Print)
8/ 28	0300	72	VACAN
	0600	72	Ronquillo
	0900	72	Ronquillo
	1200	74	Ronquillo
	1500	78°	Ronquillo
	1800	78°	Ronquillo
	2100	78	Ronquillo
	2400	72	VACAN

Thursday

Date	Time	Temp.	Name (Print)
8/ 29	0300	72	VACAN
	0600	70°	CHRISTENSEN
	0900	72	CHRISTENSEN
	1200	74	CHRISTENSEN
	1500	76	Briggs S
	1800	75	Briggs S
	2100	74	Briggs S
	2400	72	OLIVAS

Friday

Date	Time	Temp.	Name (Print)
8/ 30	0300	72	OLIVAS
	0600	72	VACAN
	0900	73	VACAN
	1200	75	VACAN
	1500	78	Briggs S
	1800	77	Briggs S
	2100	75	Briggs S
	2400	75	OLIVAS

Saturday

Date	Time	Temp.	Name (Print)
8/ 31	0300	73	OLIVAS
	0600	73	OLIVAS
	0900	75	VARENCIA
	1200	78	VARENCIA
	1500	78°	M. CONTRERAS
	1800	78°	M. CONTRERAS
	2100	78°	M. CONTRERAS
	2400	72	H. DIAZ

Sunday

Date	Time	Temp.	Name (Print)
9/ 1	0300	72	HIDALGO
	0600	72	HIDALGO
	0900	74°	CRIDDLE
	1200	75°	CRIDDLE
	1500	80°	M. CONTRERAS
	1800	80°	M. CONTRERAS
	2100	80°	M. CONTRERAS
	2400	72	VACAN

Notes







CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 08/26/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	70	68	72	75	70	62	62	70	F. GUTTERREZ	
03:00	70	67	72	75	70	66	65	70	F. GUTTERREZ	
06:00	69	67	72	74	70	67	65	70	HAMBRECK	
09:00	69	67	72	74	70	68	62	70	HAMBRECK	
12:00	69	69	75	75	70	68	62	70	HAMBRECK	
15:00	69	69	74	75	70	67	63	71	Williams	
18:00	69	69	74	74	70	68	63	70	Williams	
21:00	69	69	75	75	70	68	64	70	Williams	

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



8/27/2024
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-I







8

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 08/27/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	70	68	74	76	70	64	64	70	LOPEZ	
03:00	70	68	74	76	70	64	64	70	LOPEZ	
06:00	70	68	74	76	90	64	64	70	Loy	
09:00	70	68	74	76	70	64	64	70	Loy	
12:00	70	68	74	76	70	64	64	70	Loy	
15:00	70	68	74	76	70	64	64	70	Sirkos	
18:00	70	68	74	76	70	64	64	70	Sirkos	
21:00	70	68	74	76	70	64	64	70	Sirkos	

The 3rd Watch ASU-I Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-I Lieutenant is responsible to review, sign, and date the completed form. The ASU-I Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-I Lieutenant



9/2/2024
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year-round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the Inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the Inside temperature falls below 90 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 8/28/24

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	70	68	74	76	70	64	64	70	Sinko	<u>Leibov</u>
03:00	70	68	74	76	70	64	64	70	Sinko	<u>Leibov</u>
06:00	70	68	74	76	70	64	64	70	Cry	<u>✓</u>
09:00	70	68	74	74	72	64	64	70	Cry	<u>✓</u>
12:00	70	70	74	74	72	64	60	70	Cry	<u>✓</u>
15:00	72°	78°	78°	78°	75°	68°	60°	70°	G. Garcia	<u>G</u>
18:00	70°	78°	78°	79°	75°	65°	60°	70°	G. Garcia	<u>G</u>
21:00	70°	78°	78°	78°	75°	68°	60°	70°	G. Garcia	<u>G</u>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

CCP

9/2/2024
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 8-29-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	74°	74°	74°	79°	70°	61°	61°	70°	J. Acuña	<u>J. Acuña</u>
03:00	73°	74°	73°	78°	70°	63°	62°	70°	J. Acuña	<u>J. Acuña</u>
06:00	73°	72°	72°	74°	70°	69°	62°	70°	B. Ford	<u>B. Ford</u>
09:00	72°	72°	72°	74°	70°	69°	64°	70°	B. Ford	<u>B. Ford</u>
12:00	72°	72°	72°	74°	70°	69°	64°	70°	B. Ford	<u>B. Ford</u>
15:00	72°	72°	72°	74°	70°	69°	65°	70°	M. Williams	<u>M. Williams</u>
18:00	72°	73°	72°	74°	70°	68°	64°	69°	M. Williams	<u>M. Williams</u>
21:00	72°	72°	72°	74°	70°	69°	64°	70°	M. Williams	<u>M. Williams</u>

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

GR
Date
8/2/2024




CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year-round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.


DATE: 8-30-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	74°	74°	75°	79°	70°	61°	60°	70°	J. Aquilano	
03:00	75	74	74	78	70	66	66	70	J. Aquilano	
06:00	75	74	75	77	70	64	60	70	Hamerick	
09:00	80	80	75	77	69	67	60	70	Davilos	
12:00	80	80	75	77	69	67	62	70	Davilos	
15:00	70°	71	70°	80	76	68	66	70	Blanco	
18:00	70	71	71	80	70	62	60	70	Blanco	
21:00	70	71	71	80	70	62	60	70	Blanco	

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant



9/6/2024
Date

CALIFORNIA STATE PRISON - LOS ANGELES COUNTY
INSIDE TEMPERATURE RECORD ASU-1

Temperatures will be recorded every three (3) hours, 24 hours a day, year round.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature reaches 90 degrees and again when it reaches 95 degrees.

Staff will immediately notify the Unit Sergeant and Watch Commander when the inside temperature falls below 95 degrees for one (1) hour and again when it falls below 90 degrees for one (1) hour.

DATE: 8-31-2024

TIME	A WING	B WING	C WING	D WING	E WING	F WING	G WING	H WING	PRINTED NAME	SIGNATURE
24:00	79°	75°	75°	80°	70°	61°	60°	70	J. Acuña	J. Acuña
03:00	79°	76°	75°	80°	70°	61°	60°	70	J. Acuña	J. Acuña
06:00	75°	75°	75°	80°	70°	60°	60°	70	E. Gernantes	E. Gernantes
09:00	78°	75°	75°	80°	70°	68°	60°	70°	E. Gernantes	E. Gernantes
12:00	75°	75°	75°	80°	70°	65°	60°	70°	E. Gernantes	E. Gernantes
15:00	75°	75°	76°	86°	71°	65°	62°	72	D. Wren	D. Wren
18:00	75°	75°	76°	86°	71°	65	62	72	D. Wren	D. Wren
21:00	75	75	76	80	70	66	61	70	D. Wren	D. Wren

The 3rd Watch ASU-1 Sergeant will collect the Inside Temperature record daily at 21:30 hours and review it for completeness and accuracy. Any discrepancies will be addressed immediately by identifying the responsible officer and ensure that the proper corrections are made and training provided.

The ASU-1 Lieutenant is responsible to review, sign, and date the completed form. The ASU-1 Lieutenant will ensure the Inside Temperature records are delivered to the Litigation Coordinator every Monday by 12:00 hours.

ASU-1 Lieutenant

Jeff
9/1/2024
Date

Heat Alert Check List

Correctional Officer

UNIT: Rita

DATE: 08/26/24

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1ST STAGE

1. Heat Plan activated, notified by CENTRAL CONTROL 1300 hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:


1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.


1ST/W OFFICER'S SIGNATURE


2ND/W OFFICERS SIGNATURE


3RD/W OFFICERS SIGNATURE

Heat Alert Check List
Correctional Officer

UNIT: RHU-CCMMS

DATE: August 27, 2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cel for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat-risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.


BELOW 90 DEGREES INSIDE:


1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.


BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. Control at 945 hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR BELOW UNTIL THE HEAT ALERT IS DEACTIVATED.


1ST/W OFFICER'S SIGNATURE


2ND/W OFFICERS SIGNATURE


3RD/W OFFICERS SIGNATURE

Heat Alert Check List
Correctional Officer

UNIT: RHU-CCMHS

DATE: August 28, 2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and/or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling;

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt: _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting;
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

[Signature]
1ST OFFICER'S SIGNATURE

[Signature]
2ND OFFICER'S SIGNATURE

[Signature]
3RD OFFICER'S SIGNATURE

Heat Alert Check List
Correctional Officer

UNIT: RHU

DATE: 8-29-2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program.

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

[Signature]
1ST OFFICER'S SIGNATURE

[Signature]
2ND OFFICER'S SIGNATURE

[Signature]
3RD OFFICER'S SIGNATURE

Heat Alert Check List
Correctional Officer

UNIT: RHUL

DATE: 8-30-2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and/or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Heat-Risk Inmate-Patients returned to regular program.

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

[Signature]
1ST/W OFFICER'S SIGNATURE

[Signature]
2ND/W OFFICERS SIGNATURE

[Signature]
3RD/W OFFICERS SIGNATURE

Heat Alert Check List
Correctional Officer

UNIT: RHU

DATE: 8-31-2024

ACTIVATION SEQUENCE

90 DEGREES OUTSIDE:

1. Heat Plan activated, notified by _____ at _____ hours.
2. All heat risk Inmate-Patients are mandated to their Housing Units.
OR
3. Notified Program Sergeant if unable to account for Inmate-Patients on heat medication.
4. Cooling Measures include:
 - A. Encourage Inmate-Patients to drink cool water and/or,
 - B. Shower with cool water or,
 - C. Encourage use of water in cell for cooling.

90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Initiated cooling measures for heat risk Inmate-Patients, which include:
 - A. Giving Inmate-Patients access to cooled water or,
 - B. Inmate-Patients will be given access to frequent showers or,
 - C. Inmate-Patients will be given access to spray bottles for misting,
3. Increased custodial observation of heat risk Inmate-Patients.

95 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.
2. Continued cooling measures and observation of heat risk Inmate-Patients.
3. Clinician must make rounds in the unit.

DEACTIVATION SEQUENCE

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours.

BELOW 90 DEGREES INSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours,
2. Cease cooling measures when temperature remains below for one (1) hour.

BELOW 90 DEGREES OUTSIDE:

1. Notified Program Lt./Sgt. _____ at _____ hours,
2. Heat-Risk Inmate-Patients returned to regular program

NOTE: WHEN OUTSIDE TEMPERATURE FALLS BELOW 90 DEGREES, HEAT RISK INMATE-PATIENTS MAY HAVE YARD ACCESS, BUT COOLING MEASURES WILL CONTINUE AS LONG AS THE UNIT REMAINS AT 90 DEGREES OR UNTIL THE HEAT ALERT IS DEACTIVATED.

[Signature]
1ST OFFICER'S SIGNATURE

[Signature]
2ND OFFICER'S SIGNATURE

[Signature]
3RD OFFICER'S SIGNATURE

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 08/26/24

Date	Time	Temp.	Name (Print)
	0300	70°	M. CRISTAL
	0600	70	Rodriguez Jr
	0900	70	Rodriguez Jr
	1200	70	Rodriguez Jr
	1500	70	Murphy
	1800	70	Murphy
	2100	70	Murphy
	2400	70	M. CRISTAL

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	70	Perez
	0600	70	Rodriguez Jr
	0900	70	Rodriguez Jr
	1200	70	Rodriguez Jr
	1500	70	A. Lopez
	1800	70	A. Lopez
	2100	70	A. Lopez
	2400	70	J. Soto

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	70	J. Soto
	0600	70	Alman
	0900	70	Alman
	1200	70	Alman
	1500	70	Gonzales
	1800	70	Gonzales
	2100	70	Gonzales
	2400	70	Perez

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	70	Perez
	0600	70	Rodriguez Jr
	0900	70	Rodriguez Jr
	1200	70	Rodriguez Jr
	1500	70	Orta
	1800	70	Orta
	2100	70	Orta
	2400	70	Perez

Tuesday

Date	Time	Temp.	Name (Print)
8/29	0300	70°	M. SHEPHERD
	0600	70	M. SHEPHERD
	0900	70	Rodriguez Jr
	1200	70	Rodriguez Jr
	1500	70	Rodriguez Jr
	1800	70	Perez
	2100	70°	Perez
	2400	70°	M. SHEPHERD

Thursday

Date	Time	Temp.	Name (Print)
8/31	0300	70	J. Soto
	0600	70	Rodriguez Jr
	0900	70	Rodriguez Jr
	1200	70	Rodriguez Jr
	1500	70	Perez
	1800	70	Perez
	2100	70	Perez
	2400	70	J. Soto

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	70	Perez
	0600	70	N. Guzman
	0900	70	N. Guzman
	1200	70	N. Guzman
	1500	70	N. Guzman
	1800	70	Gonzales
	2100	70	Gonzales
	2400	70	B. Martinez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	70°	B PRESNELL
	0600	70°	TOM C
	0900	70°	TOM C
	1200	70°	TOM C
	1500	70°	Gonzalez
	1800	70°	Gonzalez
	2100	70°	Gonzalez
	2400	70°	B PRESNELL

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	70°	B PRESNELL
	0600	70°	Davidson
	0900	70°	Davidson
	1200	70°	Davidson
	1500	70°	OLLA
	1800	70°	OLLA
	2100	70°	OLLA
	2400	70°	B PRESNELL

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	70°	B PRESNELL
	0600	70°	Ferez
	0900	70°	P. LUY
	1200	70°	P. LUY
	1500	70°	OLLA
	1800	70°	OLLA
	2100	70°	OLLA
	2400	70°	B PRESNELL

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	70°	C LUGA
	0600	70°	TOM C
	0900	70°	TOM C
	1200	70°	TOM C
	1500	70°	SABINO
	1800	70°	SABINO
	2100	70°	SABINO
	2400	70°	B PRESNELL

Tuesday

Date	Time	Temp.	Name (Print)
8/29/24	0300	70°	B PRESNELL
	0600	70°	Davidson
	0900	70°	Davidson
	1200	71°	Davidson
	1500	70°	OLLA
	1800	70°	OLLA
	2100	70°	OLLA
	2400	70°	B PRESNELL

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	70°	B PRESNELL
	0600	69°	H-GOMEZ
	0900	71°	H-GOMEZ
	1200	72°	H-GOMEZ
	1500	71°	OLLA
	1800	70°	OLLA
	2100	70°	OLLA
	2400	70°	B PRESNELL

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	70°	SIERRA, O
	0600	70°	Davidson
	0900	71°	Davidson
	1200	71°	Davidson
	1500	70°	OLLA
	1800	70°	OLLA
	2100	70°	OLLA
	2400	70°	SIERRA, O

Notes

8/27/24 - U-H-T DEACTIVATED @ 1945 hrs
8/29/24 - U-H-T DEACTIVATED @ 1945 hrs
8/30/24 - U-H-T DEACTIVATED @ 2100 hrs

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/18	0300	70	J. S.
	0600	70	E. Granado
	0900	70	E. Granado
	1200	70	E. Granado
	1500	69	D. Wells
	1800	70	Taylor
	2100	70	Taylor
	2400	70	Taylor

Tuesday

Date	Time	Temp.	Name (Print)
8/27/18	0300	70	D. Woodard
	0600	70	Taylor
	0900	70	Taylor
	1200	71	Taylor
	1500	71	Jackson
	1800	71	Jordan
	2100	71	Jones
	2400	70	D. Woodard

Wednesday

Date	Time	Temp.	Name (Print)
8/28/18	0300	70	Stoney
	0600	70	P. Hall
	0900	70	P. Alano
	1200	70	P. Alano, T
	1500	70	Alabone
	1800	70	Alabone
	2100	70	Alabone
	2400	70	Martin

Thursday

Date	Time	Temp.	Name (Print)
8/29/18	0300	70	Martin
	0600	70	E. Granado
	0900	70	E. Granado
	1200	70	E. Granado
	1500	70	D. Chan
	1800	70	D. Chan
	2100	70	D. Chandy
	2400	70	Martin

Friday

Date	Time	Temp.	Name (Print)
8/30/18	0300	70	Martin
	0600	70	E. Granado
	0900	68	E. Granado
	1200	70	E. Granado
	1500	70	D. Chandy
	1800	70	D. Chan
	2100	70	D. Chandy
	2400	70	Martin

Saturday

Date	Time	Temp.	Name (Print)
8/31/18	0300	70	Martin
	0600	70	P. Kelly
	0900	70	P. Kelly
	1200	70	P. Kelly
	1500	70	D. Chandy
	1800	70	D. Chandy
	2100	70	D. Chandy
	2400	70	Martin

Sunday

Date	Time	Temp.	Name (Print)
9/1/18	0300	70	Martin
	0600	70	Tinoco
	0900	71	Tinoco
	1200	71	Tinoco
	1500	70	D. Chandy
	1800	70	D. Chandy
	2100	70	D. Chandy
	2400	70	Martin

Notes

* 1ST STAGE HEAT ALERT
DEACTIVATED @ 2100 HOURS.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A 4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/21	0300	71	D. Woodard
	0600	72	L. Escobar
	0900	72	L. Escobar
	1200	72	L. Escobar
	1500	73	R. Flores
	1800	72	R. Flores
	2100	72	R. Flores
	2400	71	D. Woodard

Tuesday

Date	Time	Temp.	Name (Print)
5/22	0300	72	Akande
	0600	72	L. Thomas
	0900	73	L. Thomas
	1200	72	L. Thomas
	1500	73	R. Flores
	1800	72	R. Flores
	2100	71	R. Flores
	2400	72	Akande

Wednesday

Date	Time	Temp.	Name (Print)
5/28	0300	72	Akande
	0600	72	L. Thomas
	0900	71	L. Thomas
	1200	71	L. Thomas
	1500	72	R. Flores
	1800	72	R. Flores
	2100	72	R. Flores
	2400	72	Akande

Thursday

Date	Time	Temp.	Name (Print)
5/29	0300	71	Akande
	0600	72	E. Flores
	0900	71	E. Flores
	1200	71	E. Flores
	1500	72	E. Flores
	1800	72	E. Flores
	2100	72	E. Flores
	2400	72	Akande

Friday

Date	Time	Temp.	Name (Print)
5/30	0300	73	Akande
	0600	73	C. Marcello
	0900	71	P. Gutierrez
	1200	72	P. Gutierrez
	1500	73	S. Venios
	1800	73	S. Venios
	2100	73	S. Venios
	2400	73	Akande

Saturday

Date	Time	Temp.	Name (Print)
5/31	0300	73	Akande
	0600	73	K. Tandee
	0900	71	Tanee
	1200	71	Tanee
	1500	73	Solorzano
	1800	74	Solorzano
	2100	73	Solorzano
	2400	73	Akande

Notes

Date	Time	Temp.	Name (Print)
6/1	0300	71	D. Woodard
	0600	71	L. Thomas
	0900	72	L. Thomas
	1200	73	L. Thomas
	1500	73	R. Flores
	1800	72	R. Flores
	2100	71	R. Flores
	2400	71	D. Woodard

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: A5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/26/24	0300	71°	Robles, O.
	0600	71°	J. Alvarado
	0900	72°	J. Alvarado
	1200	72°	J. Alvarado
	1500	73°	J. Alvarado
	1800	71	Alvarado
	2100	71	Alvarado
	2400	71°	Robles, O.

Tuesday

Date	Time	Temp.	Name (Print)
08/27/24	0300	72°	Robles, O.
	0600	73°	J. Alvarado
	0900	73°	J. Alvarado
	1200	72°	J. Alvarado
	1500	73°	M. Gonzalez
	1800	73°	M. Gonzalez
	2100	73°	M. Gonzalez
	2400	72°	Robles, O.

Wednesday

Date	Time	Temp.	Name (Print)
08/28/24	0300	71°	Robles, O.
	0600	71°	J. Alvarado
	0900	72°	J. Alvarado
	1200	72°	J. Alvarado
	1500	72°	Wade, T.
	1800	72°	Fraser, B.
	2100	73°	Fraser, B.
	2400	72°	Robles, O.

Thursday

Date	Time	Temp.	Name (Print)
08/29/24	0300	71°	Robles, O.
	0600	72°	J. Alvarado
	0900	72°	J. Alvarado
	1200	71°	E. Lopez
	1500	73°	B. Frasier
	1800	74°	B. Frasier
	2100	74°	B. Frasier
	2400	72°	Robles, O.

Friday

Date	Time	Temp.	Name (Print)
08/30/24	0300	71	Gilbert
	0600	73	Ayala
	0900	73	Ayala
	1200	73	Ayala
	1500	74°	B. Frasier
	1800	74°	B. Frasier
	2100	74°	B. Frasier
	2400	70	Orton

Saturday

Date	Time	Temp.	Name (Print)
08/31/24	0300	77	D. Woodard
	0600	77	Cardenas
	0900	72	Cardenas
	1200	73	Cardenas
	1500	73	A. Curnin
	1800	73	A. Curnin
	2100	75	A. Curnin
	2400	72	D. Woodard

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

8-31 FSHA 1045

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: FBB1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/24/19	0300	68°	D. REYES
	0600	70°	J. CARRASCO
	0900	69°	J. CARRASCO
	1200	70°	J. CARRASCO
	1500	70°	J. CARRASCO
	1800	70°	J. CARRASCO
	2100	70	GUERRA
	2400	70°	D. REYES

Tuesday

Date	Time	Temp.	Name (Print)
8/25/19	0300	70°	D. REYES
	0600	70°	C. ALLEN
	0900	70°	C. ALLEN
	1200	70°	C. ALLEN
	1500	70°	C. ALLEN
	1800	70°	C. ALLEN
	2100	70	C. ALLEN
	2400	70°	D. REYES

Wednesday

Date	Time	Temp.	Name (Print)
8/26/19	0300	70	D. REYES
	0600	70	RICO J.
	0900	70	RICO J.
	1200	70	Z. WAZ
	1500	71	G. HERNANDEZ
	1800	71	G. HERNANDEZ
	2100	70	G. HERNANDEZ
	2400	70	D. REYES

Thursday

Date	Time	Temp.	Name (Print)
8/27/19	0300	70	GONZALEZ
	0600	70	R. GOMEZ
	0900	70	R. GOMEZ
	1200	70	R. GOMEZ
	1500	70	G. HERNANDEZ
	1800	70	G. HERNANDEZ
	2100	70	G. HERNANDEZ
	2400	70	GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
8/28/19	0300	70	GONZALEZ
	0600	70	GOMEZ
	0900	70	GOMEZ
	1200	70	GOMEZ
	1500	70	J. AGUILAR
	1800	70	J. AGUILAR
	2100	70	J. AGUILAR
	2400	70	GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
8/29/19	0300	70	D. REYES
	0600	70°	J. GOMEZ
	0900	70°	J. GOMEZ
	1200	71°	J. GOMEZ
	1500	71°	J. GOMEZ
	1800	70°	AGUILAR
	2100	70°	AGUILAR
	2400	70°	D. REYES

Notes

Date	Time	Temp.	Name (Print)
9/1/19	0300	70	D. REYES
	0600	70	DAVILA
	0900	70	DAVILA
	1200	70	DAVILA
	1500	71	G. HERNANDEZ
	1800	70	G. HERNANDEZ
	2100	70	G. HERNANDEZ
	2400	70°	D. REYES

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
08/26/24	0300	70	LOPEZ
	0600	71°	GOMEZ
	0900	71°	GOMEZ
	1200	71°	GOMEZ
	1500	71	Galindo
	1800	70	Galindo
	2100	70	Galindo
	2400	70	LOPEZ

Tuesday

Date	Time	Temp.	Name (Print)
08/27/24	0300	70	Scott
	0600	70	DAREN
	0900	71	DAREN
	1200	72	DAREN
	1500	72	DAREN
	1800	70	R. SANDER
	2100	78	R. SANDER
	2400	70	R. SANDER

Wednesday

Date	Time	Temp.	Name (Print)
08/28/24	0300	70	Scott
	0600	70	CORREA
	0900	70	CORREA
	1200	70	CORREA
	1500	70	CORREA
	1800	70	CORREA
	2100	70	CORREA
	2400	70	Scott

Thursday

Date	Time	Temp.	Name (Print)
08/29/24	0300	70	Scott
	0600	70	CORREA
	0900	70	CORREA
	1200	72	CORREA
	1500	72	Alani
	1800	72	Alani
	2100	72	Alani
	2400	70	Scott

Friday

Date	Time	Temp.	Name (Print)
08/30/24	0300	70	Scott
	0600	70	CORREA
	0900	70	CORREA
	1200	70	CORREA
	1500	70	SANDUST
	1800	70	SANDUST
	2100	70	SANDUST
	2400	70	UMANA

Saturday

Date	Time	Temp.	Name (Print)
08/31/24	0300	70	UMANA
	0600	70	CORREA
	0900	70	CORREA
	1200	70	CORREA
	1500	70	MUCHIJO
	1800	70	MUCHIJO
	2100	70	MUCHIJO
	2400	70	UMANA

Sunday

Date	Time	Temp.	Name (Print)
09/01/24	0300	70	UMANA
	0600	70°	GOMEZ
	0900	71°	GOMEZ
	1200	71°	GOMEZ
	1500	71	THOMAS
	1800	71	THOMAS
	2100	70	THOMAS
	2400	70	UMANA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	70	UMANA
	0600	79	A. Gavrilovs
	0900	72	A. Gavrilovs
	1200	70	A. Gavrilovs
	1500	70	JANICE
	1800	70	SANCHEZ
	2100	70	AGUILAR
	2400	70	UMANA

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	70°	GARCIA
	0600	63°	J. GOMEZ
	0900	63°	J. GOMEZ
	1200	70°	J. GOMEZ
	1500	70°	J. GOMEZ
	1800	70°	J. Aguilas
	2100	70°	J. Aguilas
	2400	70°	GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	70	JACKARD
	0600	78	Reina
	0900	78	Reinas
	1200	70	Reinas
	1500	70	E. TATE
	1800	70	E. TATE
	2100	70	E. TATE
	2400	70	JACKARD

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	68°	JACKARD
	0600	70	A. Gavrilovs
	0900	70	A. Gavrilovs
	1200	70	A. Gavrilovs
	1500	70°	T. HART
	1800	70	HART
	2100	70	HART
	2400	68	JACKARD

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	68°	JACKARD
	0600	70	A. Gavrilovs
	0900	70	H. Gavrilovs
	1200	70	H. Gavrilovs
	1500	70°	T. HART
	1800	70°	T. HART
	2100	70°	T. HART
	2400	68°	JACKARD

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	68°	JACKARD
	0600	68°	Parrish
	0900	68°	Parrish
	1200	70°	Parrish
	1500	70°	BASTI
	1800	70°	BASTI
	2100	69°	BASTI
	2400	68°	JACKARD

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300	63	J. Matsuyama
	0600	63	J. Matsuyama
	0900	70	V. VUCHAR
	1200	70	V. VUCHAR
	1500	72	C. CHRISTENSEN
	1800	72	DORAME
	2100	70	DORAME
	2400	70	UMANA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B4 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/16	0300	70	GARCIA
	0600	70	Garcia
	0900	70	Garcia
	1200	70	Garcia
	1500	70	NEVADA
	1800	70	NEVADA
	2100	70	NEVADA
	2400	70	GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
8/17	0300	70	S. Agyapong
	0600	70	B.FELIPE
	0900	70	B.FELIPE
	1200	70	B.FELIPE
	1500	70	B.FELIPE
	1800	70	B.FELIPE
	2100	70	B.FELIPE
	2400	70	S. Agyapong

Wednesday

Date	Time	Temp.	Name (Print)
8/18	0300	70	S. Agyapong
	0600	70	B.FELIPE
	0900	70	B.FELIPE
	1200	70	B.FELIPE
	1500	70	P. Alano
	1800	70	P. Alano
	2100	70	P. Alano
	2400	70	S. Agyapong

Thursday

Date	Time	Temp.	Name (Print)
8/19	0300	70	S. Agyapong
	0600	70	K. Reines
	0900	70	K. Reinos
	1200	70	K. Reinos
	1500	70	E. Tavares
	1800	70	E. Tavares
	2100	70	E. Tavares
	2400	70	S. Agyapong

Friday

Date	Time	Temp.	Name (Print)
8/20	0300	70	S. Agyapong
	0600	70	Reiner
	0900	70	Reiner
	1200	70	P. Runas
	1500	70	E. Tavares
	1800	70	E. Tavares
	2100	70	E. Tavares
	2400	70	S. Agyapong

Saturday

Date	Time	Temp.	Name (Print)
8/21	0300	70	S. Agyapong
	0600	70	B.FELIPE
	0900	70	B.FELIPE
	1200	70	B.FELIPE
	1500	72	T. Nonon
	1800	72	T. Nonon
	2100	72	T. Nonon
	2400	70	S. Agyapong

Sunday

Date	Time	Temp.	Name (Print)
8/22	0300	70	GARcia
	0600	70	NGONZAL
	0900	70	NGONZAL
	1200	70	NGONZAL
	1500	70	NGONZAL
	1800	70	NGONZAL
	2100	70	NGONZAL
	2400	70	GARcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: B5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/24	0300	68	J. MILLER
24	0600	70	Alatone
	0900	70	Alatone
	1200	70	Alatone
	1500	73	A. Lopez
	1800	73	A. Lopez
	2100	73	A. Lopez
	2400	68	J. MILLER

Tuesday

Date	Time	Temp.	Name (Print)
8/24	0300	70	J. MILLER
24	0600	70	Alatone
	0900	70	Alatone
	1200	70	Alatone
	1500	70	M. Cook
	1800	70	M. Cook
	2100	70	M. Cook
	2400	70	J. MILLER

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	70	J. MILLER
24	0600	70	Alatone
	0900	70	Alatone
	1200	70	Alatone
	1500	70	M. Cook
	1800	70	M. Cook
	2100	70	J. -S. Lopez
	2400	70	J. MILLER

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	70	J. MILLER
29	0600	70	Alatone
	0900	70	Alatone
	1200	70	Alatone
	1500	71	Alatone
	1800	70	undiscerned
	2100	70	M. Cook
	2400	70	J. MILLER

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	70	GARCIA
	0600	70	Alatone
	0900	70	Alatone
	1200	70	Alatone
	1500	70	S. BONE
	1800	70	S. BONE
	2100	70	S. BONE
	2400	71	GARCIA

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	70	GARCIA
	0600	70	C. Allen
	0900	70	Regina
	1200	70	Regina
	1500	70	E. Tava
	1800	70	E. Tava
	2100	70	E. Tava
	2400	70	GARCIA

Notes

Date	Time	Temp.	Name (Print)
9/24	0300	70	J. MILLER
	0600	70	Regina
	0900	70	Regina
	1200	70	Regina
	1500	70	J. Miller
	1800	70	J. MILLER
	2100	70	J. MILLER
	2400	70	J. MILLER

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-1 CONTROL Temp. Reading Location: 2nd Tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8	0300	70	Bluford
26	0600	77	GUERRA
	0900	73	GUERRA
26	1200	70	GUERRA
	1500	70	Hill
24	1800	70	Hill
	2100	68	Hill
24	2400	70	Bluford

Tuesday

Date	Time	Temp.	Name (Print)
8	0300	70	Bluford
27	0600	74	GUERRA
	0900	79	GUERRA
27	1200	73	GUERRA
	1500	70°	Hill
24	1800	70°	Hill
	2100	68	Hill
24	2400	70	Bluford

Wednesday

Date	Time	Temp.	Name (Print)
8	0300	68	Evangelista
25	0600	70	GUERRA
	0900	70	GUERRA
25	1200	71	GUERRA
	1500	71	Hill
24	1800	70	Hill
	2100	68	Hill
24	2400	68	Evangelista

Thursday

Date	Time	Temp.	Name (Print)
8	0300	69	Cannata
29	0600	70	D'Gamble
	0900	70	GUERRA
29	1200	71	GUERRA
	1500	71°	Hill
24	1800	70°	Hill
	2100	69	Hill
24	2400	69°	Cannata

Friday

Date	Time	Temp.	Name (Print)
8	0300	69	Cannata
30	0600	69	Cannata
	0900	70	SABEDO
30	1200	70	SABEDO
	1500	70	MENSA
24	1800	70	MENSA
	2100	69	MENSA
24	2400	70	Briggs

Saturday

Date	Time	Temp.	Name (Print)
8	0300	70	Ronquillo
31	0600	70°	Ronquillo
	0900	70	Ronquillo
31	1200	71	URZUA
	1500	71	URZUA
24	1800	70	URZUA
	2100	69	URZUA
24	2400	70	Ronquillo

Notes

Date	Time	Temp.	Name (Print)
3	0300	69	Bluford
22	0600	69	Bluford
	0900	70	JASPER
22	1200	70	JASPER
	1500	69	Hill
21	1800	69	Hill
	2100	69	Hill
21	2400	70	Bluford

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C-2 COMTO Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/01	0300	70	S Dixon
0600	70	J Resendiz	
0900	70	J Resendiz	
1200	71	J Resendiz	
1500	71	Chirinos	
1800	71	Chirinos	
2100	71	Chirinos	
2400	71	Dixon	

Tuesday			
Date	Time	Temp.	Name (Print)
8/21	0300	71	Dixon
0600	71	Bracamonte	
0900	70	Bracamonte	
1200	70	Bracamonte	
1500	70	Olivas	
1800	70	Olivas	
2100	70	Olivas	
2400	71	Dixon	

Wednesday			
Date	Time	Temp.	Name (Print)
8/28	0300	71	Dixon
0600	71	Mora	
0900	71	Mora	
1200	71	Mora	
1500	71	Olivas	
1800	71	Olivas	
2100	71	Olivas	
2400	71	Dixon	

Thursday			
Date	Time	Temp.	Name (Print)
8/29	0300	71	Dixon
0600	70	Amaya	
0900	71	Amaya	
1200	71	Amaya	
1500	71	Gracia	
1800	71	Garza	
2100	71	Garza	
2400	71	Dixon	

Friday			
Date	Time	Temp.	Name (Print)
8/30	0300	71	Dixon
0600	71	Bracm	
0900	72	Chatmon	
1200	72	Chatmon	
1500	72	Olivas	
1800	72	Olivas	
2100	71	Olivas	
2400	71	C S Parza	

Saturday			
Date	Time	Temp.	Name (Print)
8/31	0300	71	
0600	71	J. Resendiz	
0900	71	J. Resendiz	
1200	71	J. Resendiz	
1500	72	C. Olivas	
1800	72	C. Olivas	
2100	72	C. Olivas	
2400	71	Esparza	

Sunday			
Date	Time	Temp.	Name (Print)
	0300	71	Fuentes
	0600	71	Sabido
	0900	72	Sabido
	1200	71	Sabido
	1500	72	Urzu
	1800	72	Urzu
	2100	71	Urzu
	2400	71	Fuentes

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C3 Contro Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/ 12/ 24	0300	70	MATSUMURA
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	70	SANQUIST 90°
	1500	71	PELLEJIN
	1800	71	PELLEJIN
	2100	71	PELLEJIN
	2400	70	MATSUMURA

Tuesday

Date	Time	Temp.	Name (Print)
8/ 12/ 14	0300	70	Miran
	0600	71	SABLOV
	0900	71	SABLOV
	1200	72	SABLOV
	1500	71	GUERRA
	1800	71	GUERRA
	2100	70	GUERRA
	2400	70	Miran

Wednesday

Date	Time	Temp.	Name (Print)
8/ 12/ 24	0300	70	R.HERNANDEZ
	0600	72	PEEL
	0900	73	PEEL
	1200	73	PEEL
	1500	72	PEEL
	1800	72	PEEL
	2100	70	PEEL
	2400	70	R.HERNANDEZ

Thursday

Date	Time	Temp.	Name (Print)
8/ 12/ 24	0300	70	R.HERNANDEZ
	0600	70	SANQUIST
	0900	72	SANQUIST
	1200	72	SANQUIST
	1500	72	LIPSON
	1800	72	LIPSON
	2100	70	LIPSON
	2400	70	R.HERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
8/ 12/ 24	0300	70	Bluford
	0600	70	SANQUIST
	0900	70	SANQUIST
	1200	72	SANQUIST 1100 90°
	1500	71	PETTISON
	1800	71	PETTISON
	2100	71	PETTISON
	2400	70	Bluford

Saturday

Date	Time	Temp.	Name (Print)
8/ 31/ 24	0300	70	Bluford
	0600	70	SANQUIST
	0900	70	SANQUIST 1025 90°
	1200	72	SANQUIST
	1500	71	PETTISON
	1800	71	PETTISON
	2100	71	PETTISON
	2400	70	Bluford

Notes

Date	Time	Temp.	Name (Print)
9/ 11/ 12/	0300	70	OTTOALE MIISON
	0600	70	SANQUIST
	0900	72	SANQUIST
	1200	74	SANQUIST 1020 90°
	1500	73	PETTISON
	1800	72	PETTISON
	2100	71	PETTISON
	2400	70	MIISON

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C4 (Control) Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	70	ACEVEDO
	0600	70	Rodriguez
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	70	Lopez
	1800	70	Lopez
	2100	70	Lopez
	2400	70	ACEVEDO

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	70	C. KEHRES
	0600	70	RODRIGUEZ
	0900	70	RODRIGUEZ
	1200	71	RODRIGUEZ
	1500	70	TERRIQUEZ
	1800	70	TERRIQUEZ
	2100	70	TERRIQUEZ
	2400	70	C. KEHRES

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	70	M. GONZALEZ
	0600	70	Clavel
	0900	70	Clavel
	1200	70	Clavel
	1500	70	TERRIQUEZ
	1800	70	TERRIQUEZ
	2100	70	TERRIQUEZ
	2400	70	M. GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	70	M. GONZALEZ
	0600	70	ACEVEDO
	0900	70	ACEVEDO
	1200	70	ACEVEDO
	1500	70	ARECONDO
	1800	70	ARECONDO
	2100	70	ARECONDO
	2400	70	M. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	70	KEHRES
	0600	70	ACEVEDO
	0900	70	ACEVEDO
	1200	70	ACEVEDO
	1500	70	Mela
	1800	70	Mela
	2100	70	Mela
	2400	70	KEHRES

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300		CAMACHO
	0600	70	Perez
	0900	70	Perez
	1200	70	Perez
	1500	70	Xili
	1800	70	Xili
	2100	70	Xili
	2400	70	CAMACHO

Notes

Date	Time	Temp.	Name (Print)
9/1/24	0300	70	M. GONZALEZ
	0600	70	Xili
	0900	70	Xili
	1200	70	Xili
	1500	70	SIXT
	1800	70	SIXT
	2100	70	QUIROZ
	2400	70	M. GONZALEZ

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: C5 Control Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/20	0300	70	S. OTOOLE
20	0600	70	D. HAYMAN
20	0900	70	D. HAYMAN
20	1200	70	D. HAYMAN
20	1500	72	R. HERNANDEZ
20	1800	72	R. HERNANDEZ
20	2100	70	R. HERNANDEZ
20	2400	70	S. OTOOLE

Tuesday			
Date	Time	Temp.	Name (Print)
8/21	0300	70	S. OTOOLE
21	0600	70	S. OTOOLE
21	0900	72	Lambert
21	1200	72	Lambert
21	1500	72	R. HERNANDEZ
21	1800	72	R. HERNANDEZ
21	2100	70	R. HERNANDEZ
21	2400	70	S. OTOOLE

Wednesday			
Date	Time	Temp.	Name (Print)
8/22	0300	70	S. OTOOLE
22	0600	70	S. OTOOLE
22	0900	70	L. Pava
22	1200	72	L. Pava
22	1500	72	R. HERNANDEZ
22	1800	72	R. HERNANDEZ
22	2100	70	R. HERNANDEZ
22	2400	70	S. OTOOLE

Thursday			
Date	Time	Temp.	Name (Print)
8/23	0300	70	Gwynne
23	0600	70	Lambert
23	0900	72	Lambert
23	1200	72	Lambert
23	1500	70	Bluford
23	1800	70	Bluford
23	2100	70	Bluford
23	2400	70	Gwynne

Friday			
Date	Time	Temp.	Name (Print)
8/24	0300	70	Lambert
24	0600	70	Lambert
24	0900	70	Lambert
24	1200	75	Lambert
24	1500	75	Lambert
24	1800	75	Bluford
24	2100	75	Bluford
24	2400	75	Miracle

Saturday			
Date	Time	Temp.	Name (Print)
8/25	0300	70	M. Varg
25	0600	71	C. ROMERO
25	0900	70	C. ROMERO
25	1200	75	C. ROMERO
25	1500	75	C. ROMERO
25	1800	75	C. ROMERO
25	2100	79	C. ROMERO
25	2400	72	Miracle

Notes: 8/26/18 1st Stage heat and activated at 1300 hr.

Sunday			
Date	Time	Temp.	Name (Print)
8/27	0300	70	MILLER
27	0600	70	Lopez
27	0900	70	Lopez
27	1200	70	Lopez
27	1500	70	Lopez
27	1800	70	Lopez
27	2100	70	Lopez
27	2400	70	MILLER

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 01 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/20/14	0300	74	Murphy
	0600	73	A-Jimenez
	0900	73	A-Jimenez
	1200	73	A-Jimenez
	1500	73	A-Jimenez
	1800	74	A-Jimenez
	2100	75	A-Jimenez
	2400	74	Murphy

Tuesday

Date	Time	Temp.	Name (Print)
8/21/14	0300	75	Murphy
	0600	73	A-Jimenez (JA)
	0900	73	A-Jimenez
	1200	74	A-Jimenez
	1500	74	Calvin
	1800	77	Calvin
	2100	78	Calvin
	2400	75	Murphy

Wednesday

Date	Time	Temp.	Name (Print)
8/28/14	0300	74	Murphy
	0600	74	D.Lopez
	0900	75	D.Lopez
	1200	77	D.Lopez (LB)
	1500	77	D.Lopez
	1800	77	D.Lopez
	2100	77	D.Lopez
	2400	75	Murphy

Thursday

Date	Time	Temp.	Name (Print)
8/29/14	0300	74°	Stanley
	0600	74°	D.Lopez
	0900	75	D.Lopez
	1200	77	D.Lopez (LB)
	1500	77	D.Lopez
	1800	77	D.Lopez
	2100	77	D.Lopez
	2400	76°	Stanley

Friday

Date	Time	Temp.	Name (Print)
8/30/14	0300	75°	Stanley
	0600	75	Hernandez
	0900	75	Hernandez (MC)
	1200	78	Hernandez
	1500	79	Hernandez
	1800	78	Hernandez
	2100	79	Hernandez
	2400	77°	Stanley

Saturday

Date	Time	Temp.	Name (Print)
8/31/14	0300	78	Murphy
	0600	75	Hernandez (MC)
	0900	76	Hernandez
	1200	78	Hernandez
	1500	81	W-Sanchez
	1800	80	W-Sanchez
	2100	80	W-Sanchez
	2400	78	Murphy

Notes

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D-2 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/ 26 27	0300	74	C. Holmes
	0600	72	E. Hernandez
	0900	72	E. Hernandez
	1200	72	E. Hernandez
	1500	73	W. Sanchez
	1800	73	W. Sanchez
	2100	73	W. Sanchez
	2400	73	C. Holmes

Tuesday

Date	Time	Temp.	Name (Print)
8/ 27 28	0300	71°	C. Holmes
	0600	72°	Barnes
	0900	72°	Barnes
	1200	72°	Barnes
	1500	74°	S. Tran
	1800	70	Lambert
	2100	70	Lambert
	2400	70	Lambert

Wednesday

Date	Time	Temp.	Name (Print)
8/ 28 29	0300	74	C. Holmes
	0600	75°	Barnes
	0900	73°	Barnes
	1200	73°	Barnes
	1500	74	Clavel
	1800	74	Clavel
	2100	74	Clavel
	2400	74	C. Holmes

Thursday

Date	Time	Temp.	Name (Print)
8/ 29 30	0300	74	C. Holmes
	0600	72°	Barnes
	0900	73°	Barnes
	1200	73°	Barnes
	1500	74°	E. Granados
	1800	76°	E. Granados
	2100	77°	E. Granados
	2400	74	C. Holmes

Friday

Date	Time	Temp.	Name (Print)
8/ 30 31	0300	74	C. Holmes
	0600	74	Silvers
	0900	73	Silvers
	1200	73	Silvers
	1500	75	Silvers
	1800	75	Silvers
	2100	75	Silvers
	2400	74	C. Holmes

Saturday

Date	Time	Temp.	Name (Print)
8/ 31 9/1	0300	74°	STANLEY
	0600	72°	J. Aguilar
	0900	71°	J. Aguilar
	1200	70°	J. Aguilar
	1500	75°	CASTRO
	1800	75°	CASTRO
	2100	75°	CASTRO
	2400	75°	STANLEY

Notes

Date	Time	Temp.	Name (Print)
9/ 1/1 2/1	0300	75°	STANLEY
	0600	74	Hernandez, E.
	0900	75	Hernandez, E.
	1200	75	Hernandez, E.
	1500	76	W. Sanchez
	1800	77	W. Sanchez
	2100	77	W. Sanchez
	2400	75°	STANLEY

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: D3 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26/24	0300	71°	STANLEY
	0600	71°	MARSHAL
	0900	71°	Diezheron
	1200	71°	Urquiza
	1500	70°	D-CHAVEZ ✓
	1800	70°	D-CHAVEZ
	2100	70°	D-CHAVEZ
	2400	71°	STANLEY

Tuesday

Date	Time	Temp.	Name (Print)
8/27/24	0300	70	J. CURTO
	0600	71	E. Hernandez
	0900	71	E. Hernandez
	1200	71	E. Hernandez
	1500	72	W. Sanchez
	1800	72	W. Sanchez
	2100	72	W. Sanchez
	2400	70	J. CURTO

Wednesday

Date	Time	Temp.	Name (Print)
8/28/24	0300	71	VEGA
	0600	71	Machado
	0900	71	Machado
	1200	71	Machado ✓
	1500	71	Avila
	1800	71	Avila
	2100	72	Avila
	2400	72	VEGA

Thursday

Date	Time	Temp.	Name (Print)
8/29/24	0300	71	VEGA
	0600	71	Avila
	0900	72	Avila
	1200	72	Avila
	1500	71	ROVIR
	1800	71	ROVIR
	2100	71	ROVIR
	2400	71	VEGA

Friday

Date	Time	Temp.	Name (Print)
8/30/24	0300	71	VEGA
	0600	71	Avila
	0900	71	Avila
	1200	72	Avila
	1500	72	RUBIO
	1800	72	RUBIO
	2100	72	RUBIO
	2400	71	VEGA

Saturday

Date	Time	Temp.	Name (Print)
8/31/24	0300	70	SOLORZANO
	0600	71	Gregorio
	0900	71	Gregorio
	1200	72	Gregorio
	1500	71	RON
	1800	72	RON
	2100	71	RON
	2400	70	SOLORZANO

Notes

Date	Time	Temp.	Name (Print)
9/1/24	0300	79	LOPEZ
	0600	71	Stamps
	0900	71	Gregorio
	1200	71	Gregorio
	1500	71	Gregorio
	1800	71	Gregorio
	2100	71	Gregorio
	2400	70	LOPEZ

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. (P)

Institution: CSP-LAC Housing Unit: 1D9 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
8/24	0300	70	J. Carter
8/24	0600	75	A. Gonzalez
8/24	0900	75	A. Gonzalez
8/24	1200	75	A. Gonzalez
8/24	1500	72	
8/24	1800	72	
8/24	2100	72	Chavez
8/24	2400	72	Crimes

Tuesday			
Date	Time	Temp.	Name (Print)
8/21	0300	72	Crimes
8/21	0600	71	J. M. M.
8/21	0900	72	J. M. M.
8/21	1200		
8/21	1500	71	J. M. M.
8/21	1800	71	Amia
8/21	2100	70	Amia
8/21	2400	72	E. Flores

Wednesday			
Date	Time	Temp.	Name (Print)
8/28	0300	72	R. Phillips
8/28	0600	70	Machado
8/28	0900	70	Machado
8/28	1200	70	Machado
8/28	1500	70	Santos
8/28	1800	70	Santos
8/28	2100	70	Santos
8/28	2400	72	R. Phillips

Thursday			
Date	Time	Temp.	Name (Print)
8/29	0300	72	R. Phillips
8/29	0600	72	Machado
8/29	0900	72	Machado
8/29	1200	72	Machado
8/29	1500	72	Avila
8/29	1800	72	Avila
8/29	2100	72	Avila
8/29	2400	72	R. Phillips

Friday			
Date	Time	Temp.	Name (Print)
8/30	0300	72	R. Phillips
8/30	0600	72	Machado
8/30	0900	72	Machado
8/30	1200	72	Machado
8/30	1500	72	Avila
8/30	1800	72	Avila
8/30	2100	72	Avila
8/30	2400	72	R. Phillips

Saturday			
Date	Time	Temp.	Name (Print)
8/31	0300	72	R. Phillips
8/31	0600	75	A. Gonzalez
8/31	0900	75	A. Gonzalez
8/31	1200	80	A. Gonzalez
8/31	1500	80	S. M. Kipp
8/31	1800	80	S. M. Kipp
8/31	2100	70	S. M. Kipp
8/31	2400	72	R. Phillips

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE
housed

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CSP-LAC Housing Unit: 1-5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5551 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
8/26	0300	70	KOY2111987
	0600	70	Salind0
	0900	70	Salind0
	1200	70	Salind0
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	KOY2111987

Wednesday

Date	Time	Temp.	Name (Print)
8/28	0300	71	Richardson
	0600	71	Dalain
	0900	70	Potom
	1200	70	Potom
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	Richardson

Friday

Date	Time	Temp.	Name (Print)
8/30	0300	70	J. CARTER
	0600	70	MENDOZA
	0900	70	MENDOZA
	1200	70	MENDOZA
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	J. CARTER

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	70	M. DIXON
	0600	70	Machado
	0900	70	Machado
	1200	70	Machado
	1500	70	Xu
	1800	70	Xu
	2100	70	Xu
	2400	70	M. DIXON

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
8/27	0300	70	Richardson
	0600	70	Potom
	0900	70	Potom
	1200	70	Placencia
	1500	70	Placencia
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	Richardson

Thursday

Date	Time	Temp.	Name (Print)
8/29	0300	70	Richardson
	0600	70	
	0900		
	1200		
	1500	70	VALENCIA
	1800	70	VALENCIA
	2100	70	VALENCIA
	2400	70	Richardson

Saturday

Date	Time	Temp.	Name (Print)
8/31	0300	70	J. CARTER
	0600	70	Machado
	0900	70	Machado
	1200	70	Machado
	1500	70	Olegario
	1800	70	Olegario
	2100	70	Olegario
	2400	70	Machado

Notes

Heat Incident Log

Institution: CSP-LAC Date: 08/27/2024 2W Number of Heat Incidents: 1

1. Patient Name: [REDACTED] CDCR#: [REDACTED] Housing: [REDACTED]

MHSDS Designation: GP Level of Care: GP Date of Heat Incident: 8/27/24

Location of Incident: [REDACTED] Change in Level of Care: NONE

List of Heat Risk Medications: NONE

Chief Medical Complaint: DIZZINESS, LIGHtheaded, WEAKNESS

Diagnosis of Heat Related Illness (specify):

Treatment Rendered: VITALS AND EKG COMPLETED, ALL WNL

Medication Changes Made: NONE

Ultimate Disposition of Patient: EDUCATED AND RETURNED TO HOUSING

Clinician's Name and Title: Dr. Chakrabarty

2. Patient Name: [REDACTED] CDCR#: [REDACTED] Housing: [REDACTED]

MHSDS Designation: [REDACTED] Level of Care: [REDACTED] Date of Heat Incident: 8/27/24

Location of Incident: [REDACTED] Change in Level of Care: [REDACTED]

List of Heat Risk Medications:

Chief Medical Complaint:

Diagnosis of Heat Related Illness (specify):

Treatment Rendered:

Medication Changes Made:

Ultimate Disposition of Patient:

Clinician's Name and Title:

3. Patient Name: [REDACTED] CDCR#: [REDACTED] Housing: [REDACTED]

MHSDS Designation: [REDACTED] Level of Care: [REDACTED] Date of Heat Incident: 8/27/24

Location of Incident: [REDACTED] Change in Level of Care: [REDACTED]

List of Heat Risk Medications:

Chief Medical Complaint:

Diagnosis of Heat Related Illness (specify):

Treatment Rendered:

Medication Changes Made:

Ultimate Disposition of Patient:

Clinician's Name and Title:

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log

Institution: CSP-LAC

Date: 08/15/2024 1W/2W

Number of Heat Incidents: 1

1. Patient Name: [REDACTED]

CDCR#: [REDACTED]

Housing: [REDACTED]

MHSDS Designation: EOP

Level of Care: OP

Date of Heat Incident: 8/15/2024

Location of Incident: [REDACTED]

Change in Level of Care: None

List of Heat Risk Medications: RISPERIDONE, BENZTROPINE MESYLATE, HALOPERIDOL LACTATE, OLANZAPINE

Chief Medical Complaint: Epigastric pain

Diagnosis of Heat Related Illness (specify): low grade fever

Treatment Rendered: GI cocktail and tylenol given

Medication Changes Made: None

Ultimate Disposition of Patient: return to current housing

Clinician's Name and Title: Hernandez, Gian PCP

2. Patient Name: [REDACTED]

CDCR#: [REDACTED]

Housing: [REDACTED]

MHSDS Designation: [REDACTED]

Level of Care: [REDACTED]

Date of Heat Incident: 8/15/2024

Location of Incident: [REDACTED]

Change in Level of Care: [REDACTED]

List of Heat Risk Medications: [REDACTED]

Chief Medical Complaint: [REDACTED]

Diagnosis of Heat Related Illness (specify): [REDACTED]

Treatment Rendered: [REDACTED]

Medication Changes Made: [REDACTED]

Ultimate Disposition of Patient: [REDACTED]

Clinician's Name and Title: [REDACTED]

3. Patient Name: [REDACTED]

CDCR#: [REDACTED]

Housing: [REDACTED]

MHSDS Designation: [REDACTED]

Level of Care: [REDACTED]

Date of Heat Incident: 8/15/2024

Location of Incident: [REDACTED]

Change in Level of Care: [REDACTED]

List of Heat Risk Medications: [REDACTED]

Chief Medical Complaint: [REDACTED]

Diagnosis of Heat Related Illness (specify): [REDACTED]

Treatment Rendered: [REDACTED]

Medication Changes Made: [REDACTED]

Ultimate Disposition of Patient: [REDACTED]

Clinician's Name and Title: [REDACTED]

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log

Institution: <u>LAC</u>	Date: <u>8/20/24</u>	Number of Heat Incidents: <u>1</u>
1. Patient Name: [REDACTED]	CDCR#: [REDACTED]	Housing: [REDACTED]
MHSDS Designation: <u>CCCMS</u>	Level of Care: <u>Outpatient</u>	Date of Heat Incident: <u>8/20/24</u>
Location of Incident: [REDACTED]	Change in Level of Care: <u>N/A</u>	
List of Heat Risk Medications: <u>N/A</u>		
Chief Medical Complaint: <u>Headache, chest tightness, SOB due to increased external heat.</u>		
Diagnosis of Heat Related Illness (specify): <u>N/A</u>		
Treatment Rendered: <u>Cooling measures, medical observation in cool environment, oral fluids, breathing TX, solu-medrol inj.</u>		
Medication Changes Made: <u>N/A</u>		
Ultimate Disposition of Patient: <u>Medically cleared to return to custody</u>		
Clinician's Name and Title: <u>Dr. Sekhon, N</u>		
2. Patient Name: _____	CDCR#: _____	Housing: _____
MHSDS Designation: _____	Level of Care: _____	Date of Heat Incident: _____
Location of Incident: _____	Change in Level of Care: _____	
List of Heat Risk Medications: _____		
Chief Medical Complaint: _____		
Diagnosis of Heat Related Illness (specify): _____		
Treatment Rendered: _____		
Medication Changes Made: _____		
Ultimate Disposition of Patient: _____		
Clinician's Name and Title: _____		
3. Patient Name: _____	CDCR#: _____	Housing: _____
MHSDS Designation: _____	Level of Care: _____	Date of Heat Incident: _____
Location of Incident: _____	Change in Level of Care: _____	
List of Heat Risk Medications: _____		
Chief Medical Complaint: _____		
Diagnosis of Heat Related Illness (specify): _____		
Treatment Rendered: _____		
Medication Changes Made: _____		
Ultimate Disposition of Patient: _____		
Clinician's Name and Title: _____		

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log

Institution: CSP-LAC	Date: 08-09-24	Number of Heat Incidents:
1. Patient Name: [REDACTED]	CDCR#:	Housing: [REDACTED]
MHSDS Designation: GP	Level of Care: GP/NCF	Date of Heat Incident: 8/8/2024
Location of Incident: [REDACTED]	Change in Level of Care: N/A	
List of Heat Risk Medications: None		
Chief Medical Complaint: Heat Exhaustion Symptoms		
Diagnosis of Heat Related Illness (specify): ICE packs provide, monitored patient in cool environment. Reassessed after 1 hour		
Treatment Rendered: returned to housing		
Medication Changes Made: No Changes		
Ultimate Disposition of Patient: Returned to housing		
Clinician's Name and Title: PCP Hernandez /RN Nathaly Vargus		
2. Patient Name: [REDACTED]	CDCR#:	Housing: [REDACTED]
MHSDS Designation: GP/NCF	Level of Care: GP/NCF	Date of Heat Incident: 8/8/2024
Location of Incident: [REDACTED]	Change in Level of Care: no change	
List of Heat Risk Medications: None		
Chief Medical Complaint: Heat Exhaustion symptoms		
Diagnosis of Heat Related Illness (specify): Heat Exhaustion symptoms		
Treatment Rendered: Oral fluids 360ccs, Ice packs, cooling in TTA for 1hr.		
Medication Changes Made: No changes		
Ultimate Disposition of Patient: Returned to housing		
Clinician's Name and Title: RN Nathaly Vargus/PCP Hernandez		
3. Patient Name: [REDACTED]	CDCR#:	Housing: [REDACTED]
MHSDS Designation: [REDACTED]	Level of Care: [REDACTED]	Date of Heat Incident: [REDACTED]
Location of Incident: [REDACTED]	Change in Level of Care: [REDACTED]	
List of Heat Risk Medications: [REDACTED]		
Chief Medical Complaint: [REDACTED]		
Diagnosis of Heat Related Illness (specify): [REDACTED]		
Treatment Rendered: [REDACTED]		
Medication Changes Made: [REDACTED]		
Ultimate Disposition of Patient: [REDACTED]		
Clinician's Name and Title: [REDACTED]		

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log

Institution: LAC Date: 8-10-2024 -2nd W Number of Heat Incidents: 1

1. Patient Name: [REDACTED] CDCR#: [REDACTED] Housing: [REDACTED]

MHSDS Designation: CCCMS Level of Care: _____ Date of Heat Incident: 8.10.2024

Location of Incident: [REDACTED] Change in Level of Care: _____

List of Heat Risk Medications: benztropine (Cogentin)

Chief Medical Complaint: Dizziness

Diagnosis of Heat Related Illness (specify): Dehydration

Treatment Rendered: Fluid Replacement

Medication Changes Made: No changes

Ultimate Disposition of Patient: Return to housing

Clinician's Name and Title: Sekhon, Navjot P&S

2. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 8.10.2024

Location of Incident: [REDACTED] Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

3. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 8.10.2024

Location of Incident: [REDACTED] Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Heat Incident Log

Institution: LAC	Date: Aug 8, 2024	Number of Heat Incidents: 3
1. Patient Name: [REDACTED]	CDCR#: [REDACTED]	Housing: [REDACTED]
MHSDS Designation: CCCMS	Level of Care: OP	Date of Heat Incident: 8/8/24
Location of Incident: [REDACTED]	Change in Level of Care: NO	
List of Heat Risk Medications: NONE		
Chief Medical Complaint: Heat exhaustion. I/p c/o being mad because cell is hot		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered: Seen in B medical with LVN, VS checked, GCS-15, B medical to cool down		
Medication Changes Made: None		
Ultimate Disposition of Patient: Returned to housing		
Clinician's Name and Title: LVN Gonzalez/ LVN Keyes/ LVN Iniguez		
2. Patient Name: [REDACTED]	CDCR#: [REDACTED]	Housing: [REDACTED]
MHSDS Designation: GP	Level of Care: OP	Date of Heat Incident: 8/8/24
Location of Incident: [REDACTED]	Change in Level of Care: No	
List of Heat Risk Medications: None		
Chief Medical Complaint: Heat exhaustion for 2 hours.		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered: Seen in B medical with LVN, 35 min. cooling off in Bravo medical, Seen in TTA, Oral fluid intake 360cc, Ice packs provided. In cool room.		
Medication Changes Made: None		
Ultimate Disposition of Patient: Returned to housing		
Clinician's Name and Title: Dr. Hernandez P&S		
3. Patient Name: [REDACTED]	CDCR#: [REDACTED]	Housing: [REDACTED]
MHSDS Designation: GP	Level of Care: OP	Date of Heat Incident: 8/8/24
Location of Incident: [REDACTED]	Change in Level of Care: No	
List of Heat Risk Medications: None		
Chief Medical Complaint: Cell being too hot, Heat exhaustion and dizziness for 2 hours.		
Diagnosis of Heat Related Illness (specify):		
Treatment Rendered: Seen in B medical with LVN, Seen in TTA. Oral fluid intake 360cc, Ice packs provided. In cool room. 1 hour.		
Medication Changes Made: None		
Ultimate Disposition of Patient: Returned to housing		
Clinician's Name and Title: Dr. Hernandez P&S		

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information