

Monthly Summary Report

Institution: SVSP

Memorandum

Date: 11/13/2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Salinas Valley State Prison

The following is a summary of the heat related activity for the month of October 2024,
at SVSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 6

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?:Yes

5. Number of patients with heat related illness.0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Carlos Arce

Warden Name

DocuSigned by:

Veronica Lomeli

9CDD105F429C42C...

Warden Signature

Scott Langevin

Chief Executive Officer Name

DocuSigned by:

Scott Langevin

C401C4BETE2B4AD...

Chief Executive Officer Signature

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND RECLAMATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week

Institution: SVSP Housing Unit: A-1 Temp. Reading Location Control Booth
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	64	Tom
	0600	67	Tom
	0900	68	MARGUER
	1200	69	MARGUER
	1500	71	
	1800	69	GARCIA
	2100	68	GARCIA
	2400	67	A. Melendez

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	65	A. Melendez
	0600	65	GARCIA
	0900	66	MARGUER
	1200	69	MARGUER
	1500	72	GARCIA
	1800	70	GARCIA
	2100	69	GARCIA
	2400	69	Melendez

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	68	Melendez
	0600	65	GARCIA
	0900	68	MARGUER
	1200	70	MARGUER
	1500	71	GARCIA
	1800	70	GARCIA
	2100	69	GARCIA
	2400	64	Torres

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	65	Torres
	0600	65	Torres
	0900	66	MARGUER
	1200	70	MARGUER
	1500	71	GARCIA
	1800	70	GARCIA
	2100	69	GARCIA
	2400	66	Torres

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	65	Torres
	0600	65	R. P. GARCIA
	0900	68	MARGUER
	1200	70	MARGUER
	1500	72	GARCIA
	1800	71	GARCIA
	2100	70	GARCIA
	2400	66	Torres

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	65	Torres
	0600	66	S. HAGD
	0900	68	S. HAGD
	1200	71	S. HAGD
	1500	71	GARCIA
	1800	71	GARCIA
	2100	69	GARCIA
	2400	67	Torres

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SURP Housing Unit: A2 control

Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

6102 when the inside air temperature reaches
5542

Monday

Date	Time	Temp.	Name (Print)
9/13	0300	63°	MONROE
10/1	0600	64°	E. BENETEL
	0900	64°	E. BENETEL
	1200	65°	E. BENETEL
	1500	65°	A. VASQUEZ
	1800	67°	A. VASQUEZ
	2100	65°	A. VASQUEZ
	2400	63	MONROE

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	63°	W. JONES
	0600	64	E. BENETEL
	0900	65	E. BENETEL
	1200	66	E. BENETEL
	1500	68°	V. POLANCO
	1800	67	V. POLANCO
	2100	66	V. POLANCO
	2400	65	MONROE

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	63°	MONROE
	0600	64	E. BENETEL
	0900	66	E. BENETEL
	1200	67°	E. BENETEL
	1500	68	V. POLANCO
	1800	68	V. POLANCO
	2100	67	V. POLANCO
	2400	62	NGUYEN

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	64	NGUYEN
	0600	66	S. HAID
	0900	67	S. HAID
	1200	70	S. HAID
	1500	69°	J. CELIS
	1800	69°	J. CELIS
	2100	68	J. CELIS
	2400	67	A. MELENDERZ

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	65	A. MELENDERZ
	0600	64	S. HAID
	0900	67	S. HAID
	1200	69	S. HAID
	1500	69°	E. BENETEL
	1800	68°	E. BENETEL
	2100	68°	E. BENETEL
	2400	66	J. AGUILAR

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	62	J. AGUILAR
	0600	64°	E. BENETEL
	0900	67°	E. BENETEL
	1200	69°	E. BENETEL
	1500	69	LAZUANILHA
	1800	66	LAZUANILHA
	2100	67	LAZUANILHA
	2400	66	J. AGUILAR

Notes

Date	Time	Temp.	Name (Print)
10/6	0300	62	J. AGUILAR
	0600	64°	E. BENETEL
	0900	66°	E. BENETEL
	1200	67°	E. BENETEL
	1500	69°	E. BENETEL
	1800	69	S. HAID
	2100	67	S. HAID
	2400	64	MONROE

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A3

Temp. Reading Location: 2nd tier

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	64°	Villapando
	0600	64°	Villagomez
	0900	65°	Villagomez
	1200	72°	Villagomez
	1500	76°	E. Acevedo
	1800	73°	E. Acevedo
	2100	69°	E. ACEVEDO
	2400	67°	VILLAPANDO

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	64°	Villapando
	0600	67°	Villagomez
	0900	70°	Villagomez
	1200	74°	Villagomez
	1500	77°	R. Alvarez
	1800	76°	R. Alvarez
	2100	77°	R. Alvarez
	2400	69°	Villapando

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	68°	Villapando
	0600	67°	Villagomez
	0900	68°	Villagomez
	1200	71°	Villagomez
	1500	74°	JAMES
	1800	73°	JAMES
	2100	70°	JAMES
	2400	68°	D. Maldonado

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	67°	R. Maldonado
	0600	66°	D. Maldonado
	0900	66°	Villagomez
	1200	68°	Villagomez
	1500	72°	JAMES
	1800	75°	JAMES
	2100	68°	JAMES
	2400	67°	A. Hernandez

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	64°	J. Hernandez
	0600	66°	S. HAD
	0900	69°	S. HAD
	1200	70°	S. HAD
	1500	72°	JAMES
	1800	70°	JAMES
	2100	68°	JAMES
	2400	67°	B. Rous

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	67°	R. Rous
	0600	64°	J. Guzman
	0900	65°	J. Guzman
	1200	70°	J. Guzman
	1500	72°	JAMES
	1800	70°	JAMES
	2100	68°	JAMES
	2400	68°	J. Guzman

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A5

Temp. Reading Location: 2nd Floor / Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/20	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	62	Garcia
	0600	63	R. Alvarez
	0900	65	R. Alvarez
	1200	69	R. Alvarez
	1500	72	S. Dominguez
	1800	70	S. Dominguez
	2100	66	S. Dominguez
	2400	64	NGO

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	64	Nguyen
	0600	65	Cardenas
	0900	69	Cardenas
	1200	72	Cardenas
	1500	71	S. Dominguez
	1800	70	S. Dominguez
	2100	69	Cardenas
	2400	64	Nguyen

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	61	Garcia
	0600	64	Garcia, V.
	0900	67	Garcia, V.
	1200	69	Garcia, V.
	1500	73	Gonzalez, N.
	1800	73	Gonzalez
	2100	71	Gonzalez
	2400	65	L. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	61	Garcia
	0600	63	R. Alvarez
	0900	64	R. Alvarez
	1200	65	R. Alvarez
	1500	72	S. Dominguez
	1800	70	S. Dominguez
	2100	66	S. Dominguez
	2400	64	L. Garcia, c.

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	61	Garcia
	0600	63	R. Alvarez
	0900	65	R. Alvarez
	1200	70	R. Alvarez
	1500	72	S. Dominguez
	1800	69	S. Dominguez
	2100	66	S. Dominguez
	2400	64	L. Garcia, c.

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	64	Nguyen
	0600	67	Cardenas
	0900	73	Cardenas
	1200	75	Frank Cardenas
	1500	72	Garcia, V.
	1800	69	Garcia, V.
	2100	67	Garcia, V.
	2400	66	L. Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONAL SERVICES

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the health risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-1 Temp. Reading Location: Central Booth
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300	65	Torri Torri
	0600	67	S.HAID
	0900	68	S.HAID
	1200	70	S.HAID
	1500	72	GARLA
	1800	69	GARLA
	2100	68	GARLA
	2400	65	Torri Torri

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	64	A. Melendez
	0600	65	S. OUTRAM
	0900	65	S. OUTRAM
	1200	68	NARCISSA
	1500	68	GARN
	1800	68	GARN
	2100	68	GARN
	2400	66	A. Melendez

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	63	TOMMY MARQUEZ
	0600	64	MARQUEZ
	0900	66	MARQUEZ
	1200	66	MARQUEZ
	1500	67	CAMPOS
	1800	66	CAMPOS
	2100	66	CAMPOS
	2400	64	MARQUEZ

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	66	Ciarua A
	0600	66	Ciarrea A
	0900	68	S.H.A.D
	1200	66	S.H.A.D
	1500	68	SAM CIN
	1800	68	SAM CIN
	2100	66	CEAC (TM)
	2400	65	Tom Tom

Tuesday

Dat	Time	Temp.	Name (Print)
10/14	0300	65	TOMI LOON
	0600	65	MARQUET
	0900	66	MARQUET
	1200	71	MARQUET
	1500	70	CARM
	1800	69	CARM
	2100	67	CARM
	2400	67	A. HELEADER

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	64	A. Melchor
	0600	64	MARQUEZ
	0900	64	MARQUEZ
	1200	66	MARQUEZ
	1500	68	6 AM
	1800	67	6 PM
	2100	65	6 PM
	2400	64	Torres

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	61	MARQUEZ
	0600	61	Manuaha
	0900	61	Manuaha
	1200	65	Manuaha
	1500	67°	M. Campos
	1800	67°	M. Campos
	2100	67°	M. Campos
	2400	Lolo	Carvajal

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A2 Temp. Reading Location: A2 Control Booth 4
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
10/7	0300	64°	A. Melendez
	0600	66°	E. BENITEZ
	0900	67°	E. BENITEZ
	1200	65°	E. BENITEZ
	1500	70°	M. CAMPOS
	1800	70°	M. CAMPOS
	2100	70°	M. CAMPOS
	2400	69°	A. Melendez

Date	Time	Temp.	Name (Print)
10/9	0300	62°	A. Melendez
	0600	62°	E. BENITEZ
	0900	64°	E. BENITEZ
	1200	66°	E. BENITEZ
	1500	66°	V. Polanco
	1800	66°	V. Polanco
	2100	69°	V. Polanco
	2400	69°	A. Melendez

Date	Time	Temp.	Name (Print)
10/11	0300	60	A. Melendez
	0600	60	S. HAD
	0900	59	S. HAD
	1200	64	S. HAD
	1500	64	B. Solorio
	1800	64	M. VELAS
	2100	62	B. Solorio
	2400	61	J. Aguirre

Date	Time	Temp.	Name (Print)
10/13	0300	60	J. Aguirre
	0600	60	S. Gallegos
	0900	61	S. Gallegos
	1200	63	S. Gallegos
	1500	64	S. Gallegos
	1800	64	M. Campos
	2100	64	M. Campos
	2400	63°	R. ANDERSON

Date	Time	Temp.	Name (Print)
10/8	0300	64°	Aguilera
	0600	65°	E. BENITEZ
	0900	66°	E. BENITEZ
	1200	66°	E. BENITEZ
	1500	68°	V. Polanco
	1800	68°	V. Polanco
	2100	65°	V. Polanco
	2400	64°	A. Melendez

Date	Time	Temp.	Name (Print)
10/10	0300	60	A. Melendez
	0600	60	H. CARDENAS
	0900	61	H. CARDENAS
	1200	63	H. CARDENAS
	1500	64°	V. Polanco
	1800	64°	V. Polanco
	2100	61°	V. Polanco
	2400	62°	A. Melendez

Date	Time	Temp.	Name (Print)
10/12	0300	59°	J. Aguirre
	0600	59°	R. CARMOA
	0900	58°	R. CARMOA
	1200	60°	R. CARMOA
	1500	63	GARDINI
	1800	64	GARDINI
	2100	63	GARDINI
	2400	63	J. Aguirre

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP

Housing Unit: A3

Temp. Reading Location: B Section / 2nd tier.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/12/18	0300	68° F	J. Garcia
	0600	65° F	J. Garcia
	0900	65°	Villagomez
	1200	70°	Villagomez
	1500	73°	DANKE
	1800	71°	DANKE
	2100	68°	DANKE
10/13/18	2400	66°	VILLACARDO

Wednesday

Date	Time	Temp.	Name (Print)
10/19/18	0300	63°	VILLACARDO
	0600	63°	Villagomez
	0900	63°	Villagomez
	1200	65°	Villagomez
	1500	69°	P. ALVAREZ
	1800	68°	P. ALVAREZ
	2100	67°	P. ALVAREZ
10/24/18	2400	63°	VILLACARDO

Friday

Date	Time	Temp.	Name (Print)
10/11/18	0300	61°	VILLACARDO
	0600	60°	Villagomez
	0900	61°	Villagomez
	1200	65°	Villagomez
	1500	64°	DANKE
	1800	65°	DANKE
	2100	62°	DANKE
10/24/18	2400	61°	A. Melendez

Sunday

Date	Time	Temp.	Name (Print)
10/13/18	0300	62°	A. Melendez
	0600	63°	HAID
	0900	64°	HAID
	1200	65°	HAID
	1500	68°	DANKE
	1800	68°	DANKE
	2100	65°	DANKE
10/24/18	2400	64°	A. Melendez

Tuesday

Date	Time	Temp.	Name (Print)
10/18/18	0300	66°	VILLACARDO
	0600	64°	Villagomez
	0900	64°	Villagomez
	1200	68°	Villagomez
	1500	70°	M. Campos
	1800	71°	M. Campos
	2100	65°	M. Campos
10/24/18	2400	64°	VILLACARDO

Thursday

Date	Time	Temp.	Name (Print)
10/10/18	0300	63°	VILLACARDO
	0600	62°	Villagomez
	0900	62°	Villagomez
	1200	65°	Villagomez
	1500	71°	JAMEI
	1800	66°	JAMEI
	2100	63°	JAMEI
10/24/18	2400	62°	VILLACARDO

Saturday

Date	Time	Temp.	Name (Print)
10/12/18	0300	60°	A. Melendez
	0600	60°	SPATD
	0900	62°	S. HAD
	1200	64°	S. HAD
	1500	66°	DANKE
	1800	66°	DANKE
	2100	64°	DANKE
10/24/18	2400	63°	A. Melendez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUR Housing Unit: A5

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300	62	Garcia
	0600	65	R.ALVAREZ
	0900	67	R.ALVAREZ
	1200	73	R.ALVAREZ
	1500	72	SALOMANES
	1800	70	SALOMANES
	2100	68	SALOMANES
	2400	64	L.Garcia

Wednesday

Date	Time	Temp.	Name (Print)
10/6	0300	61	Garcia
	0600	63	R.ALVAREZ
	0900	64	R.ALVAREZ
	1200	66	R.ALVAREZ
	1500	67	Garcia
	1800	64	Garcia
	2100	65	Garcia
	2400	65	L.Garcia

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	62	R.R
	0600	63	R.R
	0900	63	R.R
	1200	64	R.R
	1500	64	GRIMMELIN
	1800	64	GRIMMELIN
	2100	64	GRIMMELIN
	2400	62	NGUYEN

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	64	GARCIA V.
	0600	64	GARCIA V.
	0900	65	GARCIA V.
	1200	66	GARCIA V.
	1500	69	GARCIA V.
	1800	66	GARCIA V.
	2100	66	GARCIA V.
	2400	64	L.Garcia

Tuesday

Date	Time	Temp.	Name (Print)
10/8	0300	61	Garcia
	0600	62	R.ALVAREZ
	0900	64	R.ALVAREZ
	1200	65	R.ALVAREZ
	1500	70	SALOMANES
	1800	68	SALOMANES
	2100	66	SALOMANES
	2400	63	L.Garcia

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	61	Garcia
	0600	62	R.ALVAREZ
	0900	63	R.ALVAREZ
	1200	65	R.ALVAREZ
	1500	65	Garcia
	1800	65	Garcia
	2100	62	Garcia
	2400	60	Carrasco

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	62	NGUYEN
	0600	60	Fernandez
	0900	60	Fernandez
	1200	64	Fernandez
	1500	67	Nguyen
	1800	66	Nguyen
	2100	65	Nguyen
	2400	64	L.Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week

Institution: SISP Housing Unit: A-1

Temp. Reading Location:

Central Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/17	0300	67	Torres Tom
	0600	64	MARQUEZ
	0900	66	MARQUEZ
	1200	67	MARQUEZ
	1500	67	ORTIZ
	1800	66	ORTIZ
	2100	65	ORTIZ
	2400	64	Torres Tom

Tuesday

Date	Time	Temp.	Name (Print)
10/18	0300	64	Torres Tom
	0600	64	MARQUEZ
	0900	65	MARQUEZ
	1200	67	MARQUEZ
	1500	67	ORTIZ
	1800	67	ORTIZ
	2100	64	ORTIZ
	2400	64	A. Melendez

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	63	A. Melendez
	0600	63	KED
	0900	63	KED
	1200	64	KED
	1500	64	ORTIZ
	1800	66	ORTIZ
	2100	63	ORTIZ
	2400	65	A. Melendez

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	64	A. Melendez
	0600	63	MARQUEZ
	0900	63	MARQUEZ
	1200	65	MARQUEZ
	1500	65	Campos
	1800	65	Campos
	2100	63	Campos
	2400	62	Torres Tom

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	62	Torres Tom
	0600	62	MARQUEZ
	0900	61	MARQUEZ
	1200	65	MARQUEZ
	1500	65	CAMPOS
	1800	65	CAMPOS
	2100	64	CAMPOS
	2400	62	Torres Tom

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	62	Torres Tom
	0600	60	MARQUEZ
	0900	65	MARQUEZ
	1200	65	MARQUEZ
	1500	65	CAMPOS
	1800	63	CAMPOS
	2100	62	CAMPOS
	2400	62	Torres Tom

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	62	Torres Tom
	0600	63	Cruz
	0900	67	Cruz
	1200	65	Cruz
	1500	63	ORTIZ
	1800	64	ORTIZ
	2100	62	ORTIZ
	2400	60	Torres Tom

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 203f (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-2 Temp. Reading Location: A2 CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	63°	R. ANDERSON
	0600	63°	R. ANDERSON
	0900	62°	E. BENITEZ
	1200	64°	E. BENITEZ
	1500	64°	M. Campos
	1800	63°	M. Campos
	2100	63°	M. Campos
	2400	63	M. Campos

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	60°	R. PEREZ
	0600	61°	MILENEWICZ
	0900	61°	MILENEWICZ
	1200	62°	E. BENITEZ
	1500	64°	E. ACEVEDO
	1800	64°	E. ACEVEDO
	2100	63°	E. ACEVEDO
	2400	63	M. MUNIZ

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	59	A. Melendez
	0600	60	J. Campos
	0900	62	R. Campos
	1200	63	R. Campos
	1500	65	GALLEGO
	1800	66	GALLEGO
	2100	67	GALLEGO
	2400	61	J. Aguirre

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	59	J. Aguirre
	0600	61°	GALLEGO
	0900	63°	GALLEGO
	1200	64°	GALLEGO
	1500	65°	CAMPOS
	1800	64°	GALLEGO
	2100	65	GALLEGO
	2400	60	MUNIZ

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	61	M. MUNIZ
	0600	61	E. BENITEZ
	0900	62	E. BENITEZ
	1200	64	E. BENITEZ
	1500	64°	S. ORTEGA
	1800	63°	S. ORTEGA
	2100	63°	S. ORTEGA
	2400	62	R. PEREZ

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	61	M. MUNIZ
	0600	62	S. HAID
	0900	64	S. HAID
	1200	66	S. HAID
	1500	64°	MILENEWICZ
	1800	63°	MILENEWICZ
	2100	65	MILENEWICZ
	2400	60	A. Melendez

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	59	J. Aguirre
	0600	60	E. BENITEZ
	0900	61	E. BENITEZ
	1200	63	E. BENITEZ
	1500	63	J. SANCHEZ
	1800	63	J. SANCHEZ
	2100	61	J. SANCHEZ
	2400	61	J. Aguirre

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 203f (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A-3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	61	Melendez
	0600	63°	Villagomez
	0900	62°	Villagomez
	1200	63°	Villagomez
	1500	66°	A. Zamudio
	1800	65	BARRY
2100	63	DANIEL	
	2400	63°	VILLALPANDO

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	62°	VILLALPANDO
	0600	62°	Villagomez
	0900	61°	Villagomez
	1200	63°	Villagomez
	1500	68°	Hargett
	1800	66°	J. Chavarri
2100	64°	J. Chavarri	
	2400	63°	VILLALPANDO

Wednesday

Date	Time	Temp.	Name (Print)
10/14/24	0300	62°	VILLALPANDO
	0600	62°	C. VILLELANDO
	0900	62°	J. Luturiz
	1200	65°	J. Luturiz
	1500	65°	E. Mares
	1800	64°	E. Mares
2100	63°	E. Mares	
	2400	62°	VILLALPANDO

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	62°	VILLALPANDO
	0600	60°	Villagomez
	0900	60°	Villagomez
	1200	63°	Villagomez
	1500	62°	Lyle
	1800	62°	Lyle
2100	61°	Lyle	
	2400	61°	Lyle

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	61	Ramirez
	0600	60°	Villagomez
	0900	61°	Villagomez
	1200	64°	Villagomez
	1500	64°	MARIE
	1800	65	JAMES
2100	63	JAMES	
	2400	60	A. Melendez

Saturday

Date	Time	Temp.	Name (Print)
10/20/24	0300	58	A. Melendez
	0600	60°	H. Cudrow
	0900	62	H. Cudrow
	1200	65	H. Cudrow
	1500	65	JAMES
	1800	64	JAMES
2100	62	JAMES	
	2400	60	WILLIE

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	60°	MELANDEZ
	0600	65°	J. P. HES
	0900	61°	V. Fuentes
	1200	71	V. Fuentes
	1500	69	SAMIE
	1800	65	DANIE
2100	63	SAMIE	
	2400	67	DANIE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVP Housing Unit: A5 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	63	Garcia, V.
	0600	69	Garcia, V.
	0900	69	Garcia, V.
	1200	65	Garcia, V.
	1500	65	Garcia, V.
	1800	64	Garcia, V.
	2100	63	Garcia, V.
	2400	62	Garcia, V.

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	60	Garcia
	0600	61	R.Alvarez
	0900	63	R.Alvarez
	1200	64	R.Alvarez
	1500	60	EX-ALVAREZ
	1800	67	EX-ALVAREZ
	2100	60	EX-ALVAREZ
	2400	62	L.Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	63	Garcia, L.
	0600	64	Alvarez, R.
	0900	67	Alvarez, R.
	1200	69	Alvarez, R.
	1500	68	EX-ALVAREZ
	1800	66	EX-ALVAREZ
	2100	64	EX-ALVAREZ
	2400	62	NC

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	67	NC
	0600	63	Alvarez, R.
	0900	65	Alvarez, R.
	1200	65	Alvarez, R.
	1500	61	M.Perez
	1800	64	M.Perez
	2100	63	M.Perez
	2400	62	NGUYEN

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	67	REIDEN
	0600	63	Perez, C.
	0900	63	Perez, C.
	1200	69	Perez, C.
	1500	60	EX-ALVAREZ
	1800	60	EX-ALVAREZ
	2100	63	EX-ALVAREZ
	2400	62	REIDEN

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	60	REIDEN
	0600	58	J.Villanueva
	0900	59	J.Villanueva
	1200	65	J.Villanueva
	1500	69	Garcia, V.
	1800	63	Garcia, V.
	2100	63	Garcia, V.
	2400	62	Bautista

Notes

Date	Time	Temp.	Name (Print)
10/20	0300	61	Bautista
	0600	60	Garcia, V.
	0900	60	Garcia, V.
	1200	65	Garcia, V.
	1500	65	Garcia, V.
	1800	64	Garcia, V.
	2100	64	Garcia, V.
	2400	60	Garcia, V.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: A-1 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 5572 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	56	Torre Tom
	0600	55	Torre Tom
	0900	60	Gloria
	1200	61	Gloria
	1500	65	GARCIA
	1800	64	GARCIA
	2100	63	GARCIA
	2400	62	Torre Tom

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	60	Torre Tom
	0600	60	MARQUEZ
	0900	62	MARQUEZ
	1200	64	MARQUEZ
	1500	65	GARCIA
	1800	64	GARCIA
	2100	63	GARCIA
	2400	62	A Melendez

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	60	A Melendez
	0600	60	MARQUEZ
	0900	63	MARQUEZ
	1200	65	MARQUEZ
	1500	65	GARCIA
	1800	65	GARCIA
	2100	64	GARCIA
	2400	63	A Melendez

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	62	A Melendez
	0600	62	MARQUEZ
	0900	64	MARQUEZ
	1200	65	MARQUEZ
	1500	66	GARCIA
	1800	65	GARCIA
	2100	64	GARCIA
	2400	63	Torre Tom

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	60	Torre Tom
	0600	59	MARQUEZ
	0900	60	MARQUEZ
	1200	62	MARQUEZ
	1500	67	Gallaga
	1800	62	Gallaga
	2100	60	Gallaga
	2400	61	Torre Tom

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	60	Torre Tom
	0600	59	Torre Tom
	0900	60	Morgan
	1200	62	Morgan
	1500	67	Cerda
	1800	62	Cerda
	2100	60	Cerda
	2400	59	Washington

Notes

Date	Time	Temp.	Name (Print)
10/27	0300	60	Washington
	0600	62	Guerrero
	0900	63	Guerrero
	1200	65	Guerrero
	1500	67	O'Neil
	1800	60	O'Neil
	2100	67	O'Neil
	2400	60	Torre Tom

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: A2 Temp. Reading Location: A2 Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/21	0300	60	Aguilar
	0600	61	Bonnie
	0900	64	Von. Tee
	1200	64	Von. Tee
	1500	64	POLANCO
	1800	63	POLANCO
	2100	62	POLANCO
	2400	61	Aguilar

Tuesday

Date	Time	Temp.	Name (Print)
5/22	0300	60	Aguilar
	0600	61	Bonnie
	0900	64	Von. Tee
	1200	64	Von. Tee
	1500	63	POLANCO
	1800	63	POLANCO
	2100	62	POLANCO
	2400	61	Aguilar

Wednesday

Date	Time	Temp.	Name (Print)
5/23	0300	60	Aguilar
	0600	61	Von. Tee
	0900	64	Von. Tee
	1200	64	Von. Tee
	1500	64	POLANCO
	1800	63	POLANCO
	2100	62	POLANCO
	2400	61	Aguilar

Thursday

Date	Time	Temp.	Name (Print)
5/24	0300	60	Aguilar
	0600	61	Von. Tee
	0900	64	Von. Tee
	1200	64	Von. Tee
	1500	64	POLANCO
	1800	63	POLANCO
	2100	62	POLANCO
	2400	61	Aguilar

Friday

Date	Time	Temp.	Name (Print)
5/25-26	0300	60	J. Aguilar
	0600	61°	F. BONTELL
	0900	64°	F. BONTELL
	1200	64°	F. BONTELL
	1500	64°	V. POLANCO
	1800	63	V. POLANCO
	2100	62	V. POLANCO
	2400	61	J. Aguilar

Saturday

Date	Time	Temp.	Name (Print)
5/26/27	0300	59	J. Aguilar
	0600	55	D. ALVARADO
	0900	61°	F. BONTELL
	1200	62°	F. BONTELL
	1500	63°	V. POLANCO
	1800	63	V. POLANCO
	2100	62	V. POLANCO
	2400	61	J. Aguilar

Sunday

Date	Time	Temp.	Name (Print)
5/27/28	0300	57	J. Aguilar
	0600	58	L. Guardia
	0900	60	G. Gallegos
	1200	61	G. Gallegos
	1500	64	Corona
	1800	63	Corona
	2100	62	Corona
	2400	60	J. Aguilar

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 203f (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week

Institution: SVSP Housing Unit: A3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300	62	VILLAPANDO
<u>10</u>	0600	59°	Villagomez
	0900	59°	Villagomez
<u>21</u>	1200	64°	Villagomez
	1500	64°	JAMES
	1800	65°	DANIE
<u>24</u>	2100	62	JAMES
	2400	61°	VILLAPANDO

Tuesday			
Date	Time	Temp.	Name (Print)
	0300	60°	VILLAPANDO
<u>10</u>	0600	57°	Villagomez
	0900	57°	Villagomez
<u>22</u>	1200	63°	Villagomez
	1500	65°	JAMES
	1800	63°	JAMES
<u>24</u>	2100	62	JAMES
	2400	60°	VILLAPANDO

Wednesday			
Date	Time	Temp.	Name (Print)
	0300	58°	VILLAPANDO
<u>10</u>	0600	57°	Villagomez
	0900	58°	Villagomez
<u>23</u>	1200	64°	Villagomez
	1500	65°	R. ALVAREZ
	1800	65°	R. ALVAREZ
<u>24</u>	2100	67°	R. ALVAREZ
	2400	60°	VILLAPANDO

Thursday			
Date	Time	Temp.	Name (Print)
	0300	58°	VILLAPANDO
<u>10</u>	0600	58°	Villagomez
	0900	59°	Villagomez
<u>24</u>	1200	65°	Villagomez
	1500	64°	JAMES
	1800	64°	JAMES
<u>24</u>	2100	63°	JAMES
	2400	62	Ramirez

Friday			
Date	Time	Temp.	Name (Print)
	0300	62	Ramirez
<u>10</u>	0600	58°	Villagomez
	0900	60°	Villagomez
<u>25</u>	1200	64°	Villagomez
	1500	65°	GARDINI
	1800	64°	GARDINI
<u>24</u>	2100	61°	GARDINI
	2400	60	D McDonald

Saturday			
Date	Time	Temp.	Name (Print)
	0300	58°	D McDonald
	0600	57°	D McDonald
	0900	61	Moro
	1200	63	HAN
	1500	64	JAMES
	1800	63	JAMES
	2100	63	DANIE
	2400	62	Moro

Sunday			
Date	Time	Temp.	Name (Print)
	0300	61	Moro
	0600	60°	A. PEREZ
	0900	61°	A. PEREZ
	1200	62	A. PEREZ
	1500	63°	JAMES
	1800	64	JAMES
	2100	64	JAMES
	2400	63	Ramirez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A5

Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	62	Garcia
	0600	63	Garcia V.
	0900	64	Garcia V.
	1200	65	Garcia V.
	1500	66	Salomares
	1800	63	Salomares
	2100	60	Salomares
	2400	59	L-Garcia

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	61	Garcia
	0600	61	R. ALVAREZ
	0900	62	R. ALVAREZ
	1200	62	R. ALVAREZ
	1500	62	Salomares
	1800	64	Salomares
	2100	63	Salomares
	2400	60	L-Garcia

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	56	Garcia
	0600	52	R. ALVAREZ
	0900	52	R. ALVAREZ
	1200	57	R. ALVAREZ
	1500	60	Salomares
	1800	60	Salomares
	2100	60	Salomares
	2400	58	L-Garcia

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	62	Alvarez R.
	0600	62	Alvarez R.
	0900	62	Alvarez R.
	1200	64	Alvarez R.
	1500	62	Salomares
	1800	62	Salomares
	2100	62	Salomares
	2400	62	NGUYEN

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	60	NGUYEN
	0600	66	Perez J.C.
	0900	65	Perez J.C.
	1200	67	Perez J.C.
	1500	65	Salomares
	1800	65	Salomares
	2100	63	Salomares
	2400	62	NGUYEN

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	60	NGUYEN
	0600	61	BUNZI Garcia
	0900	62	BUNZI Garcia
	1200	64	BUNZI Garcia
	1500	65	BUNZI
	1800	65	BUNZI
	2100	64	BUNZI
	2400	67	L-Garcia

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	62	Garcia
	0600	62	Garcia V.
	0900	62	Garcia V.
	1200	69	Garcia V.
	1500	62	Garcia V.
	1800	65	Garcia V.
	2100	65	Garcia V.
	2400	63	Garcia

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOSP Housing Unit: A1 Temp. Reading Location: Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	58	Tom Jor
	0600	60	Tom Jor
	0900	64	Tom Jor
	1200	67	SHAD
	1500	67	GARCIA
	1800	65	GARCIA
	2100	63	GARCIA
	2400	61	Tom Jor

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	60	Tom Jor
	0600	60	Tom Jor
	0900	60	MARQUEZ
	1200	64	MARQUEZ
	1500	65	GARCIA
	1800	64	GARCIA
	2100	67	GARCIA
	2400	60	A. Melendez

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	58	A. Melendez
	0600	59	MARQUEZ
	0900	62	MARQUEZ
	1200	65	MARQUEZ
	1500	63	GARCIA
	1800	65	GARCIA
	2100	63	GARCIA
	2400	65	A. Melendez

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	63	A. Melendez
	0600	63	R. ANDERSON
	0900	65	R. ANDERSON
	1200	66	R. ANDERSON
	1500	66	GARCIA
	1800	65	GARCIA
	2100	63	GARCIA
	2400	67	10002 TOM

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A - 2 Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-28-24

Date	Time	Temp.	Name (Print)
	0300	60°	V. Reyes
	0600	61°	E. Benitez
	0900	63°	E. Benitez
	1200	64°	E. Benitez
	1500	63°	M. Campos
	1800	62°	M. Campos
	2100	60°	M. Campos
	2400	55°	Mora

Wednesday 10-30-24

Date	Time	Temp.	Name (Print)
	0300	55°	P. Mora
	0600	60°	E. Benitez
	0900	61°	E. Benitez
	1200	62°	E. Benitez
	1500	61°	V. Polanco
	1800	60°	V. Polanco
	2100	58°	V. Polanco
	2400	55	V. Polanco

Friday 11-01-24

Date	Time	Temp.	Name (Print)
	0300	57°	B. Nguyen
	0600	60°	E. Benitez
	0900	61°	E. Benitez
	1200	62°	E. Benitez
	1500	60°	V. Polanco
	1800	58°	V. Polanco
	2100	58°	V. Polanco
	2400	58	Melendez

Sunday 11-03-24

Date	Time	Temp.	Name (Print)
	0300	55	B. Nguyen
	0600	58°	Gallardo
	0900	61°	Gallardo
	1200	62°	Gallardo
	1500	63°	M. Campos
	1800	64°	M. Campos
	2100	62°	M. Campos
	2400	60°	Inmate

Tuesday 10-29-24

Date	Time	Temp.	Name (Print)
	0300	55°	Mora
	0600	60°	E. Benitez
	0900	61°	E. Benitez
	1200	62°	E. Benitez
	1500	61°	V. Polanco
	1800	60°	V. Polanco
	2100	60°	V. Polanco
	2400	55°	P. Mora

Thursday 10-31-24

Date	Time	Temp.	Name (Print)
	0300	60°	B. Nguyen
	0600	61°	E. Benitez
	0900	62°	E. Benitez
	1200	63°	E. Benitez
	1500	62°	V. Polanco
	1800	62°	V. Polanco
	2100	60°	V. Polanco
	2400	58°	B. Nguyen

Saturday 11-02-2024

Date	Time	Temp.	Name (Print)
	0300	56°	Melendez
	0600	58°	E. Benitez
	0900	60°	E. Benitez
	1200	61°	E. Benitez
	1500	61°	V. Polanco
	1800	60°	V. Polanco
	2100	60°	V. Polanco
	2400	58	A. Valdez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS & REVENGEFUL INSTITUTIONS

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A3 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	60°	VILLACPANDO
10	0600	61°	Villagomez
10	0900	61°	Villagomez
28	1200	63°	Villagomez
28	1500	64°	SANCHEZ
24	1800	63°	DAMON
24	2100	62°	DAMON
24	2400	61°	VILLACPANDO

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	60°	VILLACPANDO
10	0600	59°	Villagomez
10	0900	59°	Villagomez
29	1200	63°	Villagomez
29	1500	64°	M. Campos
24	1800	63°	M. Campos
24	2100	61°	VILLACPANDO
24	2400	61°	VILLACPANDO

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	62°	VILLACPANDO
10	0600	60°	Villagomez
30	0900	60°	Villagomez
24	1200	63°	Villagomez
24	1500	64°	R. ALVAREZ
24	1800	65°	R. ALVAREZ
24	2100	64°	R. ALVAREZ
24	2400	62°	VILLACPANDO

Thursday

Date	Time	Temp.	Name (Print)
10	0300	61°	VILLACPANDO
10	0600	61°	Villagomez
31	0900	61°	Villagomez
31	1200	63°	Villagomez
24	1500	65°	R. ALVAREZ
24	1800	64°	R. ALVAREZ
24	2100	62°	R. ALVAREZ
24	2400	61°	VILLACPANDO

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVP Housing Unit: A5 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	60	Garcia L
	0600	62	Garcia L
	0900	63	Garcia L
	1200	66	Garcia L
	1500	69	Salomares
	1800	69	Salomares
	2100	69	Salomares
	2400	62	Garcia L

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	60	Garcia L
	0600	62	Hannanit A
	0900	63	Hannanit A
	1200	66	Hannanit A
	1500	69	Salomares
	1800	69	Salomares
	2100	69	Salomares
	2400	62	Garcia L

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	69	Garcia L
	0600	66	Garcia L
	0900	65	Garcia L
	1200	68	Garcia L
	1500	69	Salomares
	1800	69	Salomares
	2100	69	Salomares
	2400	67	KELT

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	64	KELT
	0600	66	Garcia L
	0900	64	Garcia L
	1200	65	Garcia L
	1500	65	M. Garcia
	1800	66	M. Garcia
	2100	67	M. Garcia
	2400	63	M. Garcia

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVP Housing Unit: B1 Temp. Reading Location: B SEC 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	64	D. Villanueva
	0600	64	A. SANCHEZ
	0900	65	A. SANCHEZ
	1200	67	A. SANCHEZ
	1500	70	P. Ruiz
	1800	69	P. Ruiz
	2100	68	P. Ruiz
	2400	67	D. Villanueva

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	68	D. Villanueva
	0600	67	J. HARO
	0900	68	J. HARO
	1200	70	J. HARO
	1500	70	A. Escamilla
	1800	69	A. Escamilla
	2100	67	A. Escamilla
	2400	67	D. Villanueva

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	67	D. Villanueva
	0600	67	F. Zuniga
	0900	68	F. Zuniga
	1200	70	F. Zuniga
	1500	77	E. Mares
	1800	70	E. Mares
	2100	70	E. Mares
	2400	68	B. Nguyen

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	64	R. Orduno
	0600	64	A. Sanchez
	0900	65	A. Sanchez
	1200	68	A. Sanchez
	1500	70	L. Torres
	1800	69	L. Torres
	2100	66	L. Torres
	2400	64	D. Villanueva

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	65	D. Villanueva
	0600	65	J. HARO
	0900	68	J. HARO
	1200	70	J. HARO
	1500	72	P. Ruiz
	1800	70	P. Ruiz
	2100	69	P. Ruiz
	2400	68	D. Villanueva

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	67	D. Villanueva
	0600	67	A. Mares
	0900	68	A. Mares
	1200	70	A. Mares
	1500	71	J. IBARRA
	1800	70	J. IBARRA
	2100	68	J. IBARRA
	2400	67	D. Villanueva

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B3 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday:

Date	Time	Temp.	Name (Print)
OCTOBER 1, 2024	0300	61	
	0600	59	Ventura
	0900	66	Ventura
	1200	68	Ventura
	1500	69	J. IBARRA
	1800	67	A. GARCIA
	2100	67	A. CHAVEZ
	2400	67	M. CASTRO

TUESDAY

Tuesday:

Date	Time	Temp.	Name (Print)
OCTOBER 2, 2024	0300	66	M. CASTRO
	0600	66	A. VENTURA
	0900	67	A. VENTURA
	1200	69	A. VENTURA
	1500	69	A. AGUIRRE
	1800	68	A. AGUIRRE
	2100	67	D. ALDOROSA
	2400	67	M. HUPE

WEDNESDAY

Wednesday:

Date	Time	Temp.	Name (Print)
OCTOBER 3, 2024	0300	67	M. HUPE
	0600	66	L. GARCIA
	0900	67	L. GARCIA
	1200	67	L. GARCIA
	1500	68	L. GARCIA
	1800	67	L. GARCIA
	2100	67	L. GARCIA
	2400	67	M. HUPE

THURSDAY

Thursday:

Date	Time	Temp.	Name (Print)
OCTOBER 4, 2024	0300	66	HUPE
	0600	66	E. PINEDA
	0900	67	E. PINEDA
	1200	67	E. PINEDA
	1500	68	E. PINEDA
	1800	67	E. PINEDA
	2100	67	E. PINEDA
	2400	66	M. GARCIA

FRIDAY

Friday:

Date	Time	Temp.	Name (Print)
OCTOBER 5, 2024	0300	66	M. GARCIA
	0600	66	M. GARCIA
	0900	66	I. PINEDA
	1200	67	I. PINEDA
	1500	67	I. PINEDA
	1800	67	I. PINEDA
	2100	67	I. PINEDA
	2400	66	M. GARCIA

SATURDAY

Sunday:

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday:

Date	Time	Temp.	Name (Print)
OCTOBER 6, 2024	0300	67	L. GARCIA
	0600	67	M. GARCIA
	0900	68	A. VENTURA
	1200	69	A. VENTURA
	1500	70	A. VENTURA
	1800	69	A. VENTURA
	2100	68	A. VENTURA
	2400	67	M. GARCIA

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOSP Housing Unit: B5 Temp. Reading Location: 2nd TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300	67	
	0600	65	A. CHAVEZ
	0900	67	A. CHAVEZ
	1200	72	A. CHAVEZ
	1500	71	N. GOMEZ
	1800	71	N. GOMEZ
	2100	70	N. GOMEZ
	2400	69	

Wednesday

Date	Time	Temp.	Name (Print)
	0300	68°	P. GOMEZ
	0600	67°	P. GOMEZ
	0900	68	Smiley
	1200	71	Smiley
	1500	79	N. GOMEZ
	1800	77	N. GOMEZ
	2100	73	N. GOMEZ
	2400	72	D. Maldonado

Thursday

Date	Time	Temp.	Name (Print)
	0300	76	D. Maldonado
	0600	70	D. Maldonado
	0900	70	E. Aguirre
	1200	77	E. Aguirre
	1500	80	N. GOMEZ
	1800	79	N. GOMEZ
	2100	74	N. GOMEZ
	2400	74	

Friday

Date	Time	Temp.	Name (Print)
	0300	74	R. Anderson
	0600	72	E. Aguirre
	0900	73	E. Aguirre
	1200	80	E. Aguirre
	1500	80	N. GOMEZ
	1800	69	N. GOMEZ
	2100	69	N. GOMEZ
	2400	69	M. Huippe

Saturday

Date	Time	Temp.	Name (Print)
	0300	67	M. Huippe
	0600	65	E. Aguirre
	0900	66	E. Aguirre
	1200	75	E. Aguirre
	1500	79	E. Aguirre
	1800	73	J. Fernandez
	2100	69	J. Fernandez
	2400	68	R. ANDERSON

Notes

Date	Time	Temp.	Name (Print)
	0300	67°	R. ANDERSON
	0600	67°	R. ANDERSON
	0900	68°	E. Aguirre
	1200	75°	E. Aguirre
	1500	75	J. IBARRA
	1800	73	J. IBARRA
	2100	71	J. IBARRA
	2400	69	Bernander

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OCT. 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: B1 Temp. Reading Location: B SEC. 2ND TIER
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300	67	B. NGUYEN
	0600	66	J. HARO
	0900	68	J. HARO
	1200	70	J. HARO
	1500	70	P. RUIZ
	1800	70	P. RUIZ
	2100	69	P. RUIZ
	2400	67	M. Huipe

Tuesday

Date	Time	Temp.	Name (Print)
10/8	0300	67	M. Huipe
	0600	67	A SANCHEZ
	0900	68	A SANCHEZ
	1200	69	A SANCHEZ
	1500	70	P. RUIZ
	1800	68	P. RUIZ
	2100	67	P. RUIZ
	2400	66	D. Villanueva

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	65	D. Villanueva
	0600	64	A SANCHEZ
	0900	64	A SANCHEZ
	1200	66	A SANCHEZ
	1500	68	L. Torras
	1800	70	L. Torras
	2100	67	L. Torras
	2400	64	D. Villanueva

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	64	D. Villanueva
	0600	62	A SANCHEZ
	0900	64	A SANCHEZ
	1200	66	A SANCHEZ
	1500	67	L. Torras
	1800	68	L. Torras
	2100	64	L. Torras
	2400	61	D. Villanueva

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	60	D. Villanueva
	0600	60	A SANCHEZ
	0900	62	A SANCHEZ
	1200	64	A SANCHEZ
	1500	65	A. Escamilla
	1800	63	A. Escamilla
	2100	62	A. Escamilla
	2400	61	D. Villanueva

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	60	D. Villanueva
	0600	59	J. IBARRA
	0900	59	J. IBARRA
	1200	64	J. IBARRA
	1500	65	J. IBARRA
	1800	65	J. IBARRA
	2100	64	J. IBARRA
	2400	62	D. Villanueva

Notes

Date	Time	Temp.	Name (Print)
10/13	0300	61	D. Villanueva
	0600	61	F. Zuniga
	0900	60	F. Zuniga
	1200	61	F. Zuniga
	1500	63	I. RUBLES
	1800	61	I. RUBLES
	2100	64	I. RUBLES
	2400	62	M. Nguyen

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B3 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
OCTOBER 7, 2024	0300	67	M. GARCIA
	0600	67	M. GARCIA
	0900	67	A. ventura
	1200	70	J. ventura
	1500	70	J. PINEDA
	1800	67	J. PINEDA
	2100	66	J. PINEDA
	2400	66	M. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
OCTOBER 9, 2024	0300	66	M. GARCIA
	0600	65	M. GARCIA
	0900	65	J. Flores
	1200	67	J. Flores
	1500	67	J. IBARRA
	1800	67	J. IBARRA
	2100	66	J. IBARRA
	2400	66	M. Hupe

Friday

Date	Time	Temp.	Name (Print)
OCTOBER 12, 2024	0300	66	M. Hupe
	0600	66	J. PINEDA
	0900	66	J. PINEDA
	1200	67	J. PINEDA
	1500	67	J. PINEDA
	1800	67	J. PINEDA
	2100	67	J. PINEDA
	2400	68	M. GARCIA

Sunday

Date	Time	Temp.	Name (Print)
OCTOBER 13, 2024	0300	65	M. GARCIA
	0600	65	M. GARCIA
	0900	66	Ventura
	1200	67	Ventura
	1500	66	J. PINEDA
	1800	66	J. PINEDA
	2100	65	J. PINEDA
	2400	65	M. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
OCTOBER 8, 2024	0300	66	M. GARCIA
	0600	66	M. GARCIA
	0900	67	M. FLORES
	1200	68	M. FLORES
	1500	69	J. IBARRA
	1800	66	J. IBARRA
	2100	66	J. IBARRA
	2400	66	M. GARCIA

Thursday

Date	Time	Temp.	Name (Print)
OCTOBER 10, 2024	0300	66	M. Hupe
	0600	66	L. BAUTISTA
	0900	66	L. BAUTISTA
	1200	67	L. BAUTISTA
	1500	67	L. BAUTISTA
	1800	66	L. BAUTISTA
	2100	66	L. BAUTISTA
	2400	66	M. Hupe

Saturday

Date	Time	Temp.	Name (Print)
OCTOBER 12, 2024	0300	67	M. GARCIA
	0600	67	M. GARCIA
	0900	66	Ventura
	1200	67	Ventura
	1500	66	Ventura
	1800	67	Munday
	2100	66	Munday
	2400	65	M. GARCIA

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B5 Temp. Reading Location: 2nd Tier
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1	0300	69	Fernandez
	0600	67	P. Aguirre
	0900	70	P. Aguirre
7/1	1200	76	E. Aguirre
	1500	75	N. Gomez
	1800	71	N. Gomez
24	2100	69	N. Gomez
	2400	69	P. Martinez

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	69°	P. Maldonado
	0600	66°	D. Maldonado
	0900	65°	E. Aguirre
	1200	69°	E. Aguirre
	1500	70	N. Gomez
	1800	69	N. Gomez
	2100	67	N. Gomez
	2400	66°	D. Maldonado

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	65	D. Maldonado
	0600	62°	D. Maldonado
	0900	63°	E. Aguirre
	1200	64°	E. Aguirre
	1500	67°	N. Gomez
	1800	66	N. Gomez
	2100	65	N. Gomez
	2400	64°	D. Maldonado

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	65	R. Avila
	0600	65	R. Avila
	0900	63	E. Aguirre
	1200	66	E. Aguirre
	1500	69	J. IBARRA
	1800	67	J. IBARRA
	2100	67	J. IBARRA
	2400	66	R. Avila

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	67°	R. Martinez
	0600	66°	R. Martinez
	0900	70	J. Dominguez
	1200	74	J. Dominguez
	1500	70	I. VELASCO
	1800	69	N. Gomez
	2100	68	N. Gomez
	2400	68°	D. Maldonado

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	69°	P. Maldonado
	0600	65°	D. Maldonado
	0900	64°	E. Aguirre
	1200	67°	E. Aguirre
	1500	67	N. Gomez
	1800	66	N. Gomez
	2100	65	N. Gomez
	2400	64°	D. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	66°	P. Maldonado
	0600	61°	D. Maldonado
	0900	62°	E. Aguirre
	1200	69	J. Fernandez
	1500	69	J. Fernandez
	1800	66	J. Fernandez
	2100	67	J. Fernandez
	2400	66	R. Avila

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CNCR Housing Unit: P31 Temp. Reading Location: B-SEC 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	63	<u>M. Hupe</u>
	0600	63	<u>J. Haro</u>
	0900	63	<u>J. Haro</u>
	1200	63	<u>J. Haro</u>
	1500	65	<u>L. Torres</u>
	1800	64	<u>L. Torres</u>
	2100	63	<u>L. Torres</u>
	2400	63	<u>M. Hupe</u>

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	63	<u>M. Hupe</u>
	0600	61	<u>A. SANCHEZ</u>
	0900	61	<u>A. SANCHEZ</u>
	1200	64	<u>A. SANCHEZ</u>
	1500	65	<u>L. Torres</u>
	1800	64	<u>L. Torres</u>
	2100	63	<u>L. Torres</u>
	2400	63	<u>D. Villanueva</u>

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	61	<u>D. Villanueva</u>
	0600	61	<u>A. SANCHEZ</u>
	0900	62	<u>A. SANCHEZ</u>
	1200	64	<u>A. SANCHEZ</u>
	1500	66	<u>P. RUIZ</u>
	1800	64	<u>P. RUIZ</u>
	2100	63	<u>P. RUIZ</u>
	2400	62	<u>D. Villanueva</u>

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	61	<u>D. Villanueva</u>
	0600	61	<u>A. SANCHEZ</u>
	0900	62	<u>A. SANCHEZ</u>
	1200	64	<u>A. SANCHEZ</u>
	1500	64	<u>P. RUIZ</u>
	1800	64	<u>P. RUIZ</u>
	2100	62	<u>P. RUIZ</u>
	2400	61	<u>D. Villanueva</u>

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	60	<u>D. Villanueva</u>
	0600	60	<u>A. SANCHEZ</u>
	0900	63	<u>A. SANCHEZ</u>
	1200	64	<u>A. SANCHEZ</u>
	1500	63	<u>E. SQUELDR</u>
	1800	64	<u>E. SQUELDR</u>
	2100	62	<u>E. SQUELDR</u>
	2400	61	<u>D. Villanueva</u>

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	59	<u>D. Villanueva</u>
	0600	56	<u>J. IBARRA</u>
	0900	60	<u>J. IBARRA</u>
	1200	64	<u>J. IBARRA</u>
	1500	66	<u>J. IBARRA</u>
	1800	64	<u>J. IBARRA</u>
	2100	62	<u>J. IBARRA</u>
	2400	60	<u>D. Villanueva</u>

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	58	<u>D. Villanueva</u>
	0600	56	<u>F. ZUNIGA</u>
	0900	65	<u>F. ZUNIGA</u>
	1200	65	<u>F. ZUNIGA</u>
	1500	64	<u>A. Ventura</u>
	1800	64	<u>A. Ventura</u>
	2100	62	<u>A. Ventura</u>
	2400	62	<u>N. MUNOZ</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B3 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
OCTOBER 14, 2024	0300	64	M. GARCIA
	0600	65	M. GARCIA
	0900	67	J. VENTURA
	1200	67	A. VENTURA
	1500	67	I. PINEDA
	1800	66	I. PINEDA
	2100	65	I. PINEDA
	2400	64	M. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
OCTOBER 15, 2024	0300	65	M. GARCIA
	0600	65	M. GARCIA
	0900	66	M. Flores
	1200	67	M. Flores
	1500	67	J. IBARRA
	1800	68	J. IBARRA
	2100	65	J. IBARRA
	2400	65	M. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
OCTOBER 16, 2024	0300	65	M. GARCIA
	0600	65	M. GARCIA
	0900	66	M. Flores
	1200	67	M. Flores
	1500	67	L. BAUTISTA
	1800	66	L. BAUTISTA
	2100	66	L. BAUTISTA
	2400	66	M. Hupe

Thursday

Date	Time	Temp.	Name (Print)
OCTOBER 17, 2024	0300	65	M. Hupe
	0600	65	L. BAUTISTA
	0900	65	L. BAUTISTA
	1200	66	L. BAUTISTA
	1500	66	L. BAUTISTA
	1800	65	L. BAUTISTA
	2100	65	L. BAUTISTA
	2400	65	M. Hupe

Friday

Date	Time	Temp.	Name (Print)
OCTOBER 18, 2024	0300	65	M. Hupe
	0600	65	I. PINEDA
	0900	66	I. PINEDA
	1200	67	I. PINEDA
	1500	66	I. PINEDA
	1800	66	I. PINEDA
	2100	66	I. PINEDA
	2400	67	M. GARCIA

Saturday

Date	Time	Temp.	Name (Print)
OCTOBER 19, 2024	0300	67	M. GARCIA
	0600	62	M. GARCIA
	0900	67	A. VENTURA
	1200	67	A. VENTURA
	1500	66	I. PINEDA
	1800	66	I. PINEDA
	2100	66	I. PINEDA
	2400	65	M. GARCIA

Notes

Date	Time	Temp.	Name (Print)
OCTOBER 20, 2024	0300	67	M. GARCIA
	0600	67	M. GARCIA
	0900	67	I. PINEDA
	1200	67	I. PINEDA
	1500	66	I. PINEDA
	1800	66	I. PINEDA
	2100	65	I. PINEDA
	2400	67	M. GARCIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14	0300	65°	R. Avila
	0600	65	R. Avila
	0900	69	L. Vazquez
	1200	69	L. Vazquez
	1500	67	G. Ramirez
	1800	66	N. Gomez
	2100	64	N. Gomez
	2400	64	R. Avila

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	63	R. Avila
	0600	62	A. Chavez
	0900	62	A. Chavez
	1200	65	A. Chavez
	1500	66	N. Gomez
	1800	65	N. Gomez
	2100	64	N. Gomez
	2400	63	R. Avila

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	63	R. Avila
	0600	63	R. Avila
	0900	63	E. Aguirre
	1200	65	E. Aguirre
	1500	67	N. Gomez
	1800	65	N. Gomez
	2100	64	N. Gomez
	2400	64	R. Avila

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	61	M. Casno
	0600	60	E. Aguirre
	0900	62	E. Aguirre
	1200	64	E. Aguirre
	1500	64	N. Gomez
	1800	63	N. Gomez
	2100	62	N. Gomez
	2400	64	M. Casno

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	61	R. Avila
	0600	61	E. Aguirre
	0900	65	E. Aguirre
	1200	66	E. Aguirre
	1500	64	J. IBARRA
	1800	63	J. IBARRA
	2100	62	J. IBARRA
	2400	61	R. Avila

Tuesday

Date	Time	Temp.	Name (Print)
10-17-24	0300	63	R. Avila
	0600	61	R. Avila
	0900	62	E. Aguirre
	1200	64	E. Aguirre
	1500	64	N. Gomez
	1800	63	N. Gomez
	2100	62	N. Gomez
	2400	61	M. Casno

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	63	M. M. Hernandez
	0600	58	E. Aguirre
	0900	60	E. Aguirre
	1200	63	E. Aguirre
	1500	64	J. Fernandes
	1800	64	J. Fernandes
	2100	62	J. Fernandes
	2400	61	R. Avila

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B3 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
OCTOBER 21, 2024	0300	65	M. GARCIA
	0600	64	M. GARCIA
	0900	65	A. VENTURA
	1200	66	A. VENTURA
	1500	66	E. ACEVEDO
	1800	66	E. ACEVEDO
	2100	64	E. ACEVEDO
	2400	67	M. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
OCTOBER 23, 2024	0300	66	M. GARCIA
	0600	60	M. GARCIA
	0900	67	M. Flores
	1200	67	M. Flores
	1500	67	L. BAUTISTA
	1800	67	L. BAUTISTA
	2100	69	L. BAUTISTA
	2400	66	M. Huipol

Friday

Date	Time	Temp.	Name (Print)
OCTOBER 25, 2024	0300	65	M. CASTRO
	0600	65	F. PINEDA
	0900	66	F. PINEDA
	1200	67	F. PINEDA
	1500	66	F. PINEDA
	1800	66	F. PINEDA
	2100	65	F. PINEDA
	2400	66	M. GARCIA

Sunday

Date	Time	Temp.	Name (Print)
OCTOBER 27, 2024	0300	65	M. GARCIA
	0600	66	M. GARCIA
	0900	67	A. VENTURA
	1200	67	A. VENTURA
	1500	66	F. PINEDA
	1800	66	F. PINEDA
	2100	65	F. PINEDA
	2400	65	M. GARCIA

Tuesday

Date	Time	Temp.	Name (Print)
OCTOBER 22, 2024	0300	67	M. GARCIA
	0600	67	M. GARCIA
	0900	67	M. Flores
	1200	67	M. Flores
	1500	67	J. IBARRA
	1800	66	J. IBARRA
	2100	65	J. IBARRA
	2400	66	M. GARCIA

Thursday

Date	Time	Temp.	Name (Print)
OCTOBER 24, 2024	0300	67	M. GARCIA
	0600	67	L. BAUTISTA
	0900	67	L. BAUTISTA
	1200	66	L. BAUTISTA
	1500	67	L. BAUTISTA
	1800	66	L. BAUTISTA
	2100	66	L. BAUTISTA
	2400	65	M. CASTRO

Saturday

Date	Time	Temp.	Name (Print)
OCTOBER 26, 2024	0300	66	M. GARCIA
	0600	67	M. GARCIA
	0900	67	A. VENTURA
	1200	67	A. VENTURA
	1500	66	DIAZ
	1800	66	DIAZ
	2100	66	DIAZ
	2400	66	M. GARCIA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OCT '24

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B 1 Temp. Reading Location: P. SEC 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	63°	B. Nguyen
	0600	64°	J. HARO
	0900	67°	J. HARO
	1200	66°	J. HARO
	1500	68	L. Torres
	1800	65	L. Torres
	2100	62	L. Torres
	2400	63	M. Huipre

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	63	M. Huipre
	0600	57	A. SANCHEZ
	0900	60	A. SANCHEZ
	1200	64	A. SANCHEZ
	1500	66	L. Torres
	1800	64	L. Torres
	2100	61	L. Torres
	2400	60	D. Villanueva

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	60	D. Villanueva
	0600	58	A. SANCHEZ
	0900	60	A. SANCHEZ
	1200	64	A. SANCHEZ
	1500	65	P. RUIZ
	1800	65	P. RUIZ
	2100	62	P. RUIZ
	2400	61	D. Villanueva

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	60	D. Villanueva
	0600	59	A. SANCHEZ
	0900	60	A. SANCHEZ
	1200	64	A. SANCHEZ
	1500	65	E. Suarez
	1800	64	P. RUIZ
	2100	63	P. RUIZ
	2400	61	D. Villanueva

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	60	D. Villanueva
	0600	58	A. SANCHEZ
	0900	60	A. SANCHEZ
	1200	63	A. SANCHEZ
	1500	64	L. VALDEZ
	1800	63	L. VALDEZ
	2100	62	L. VALDEZ
	2400	61	D. Villanueva

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	60	D. Villanueva
	0600	58	J. IBARRA
	0900	58	J. IBARRA
	1200	63	J. IBARRA
	1500	65	J. IBARRA
	1800	64	J. IBARRA
	2100	62	J. IBARRA
	2400	62	D. Villanueva

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	62	D. Villanueva
	0600	61	J. Gutiierrez
	0900	60	J. Gutiierrez
	1200	63	J. Gutiierrez
	1500	66	L. Torres
	1800	65	L. Torres
	2100	63	L. Torres
	2400	63	B. Nguyen

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: B5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-21-24

Date	Time	Temp.	Name (Print)
10-21-24	0300	62	R. Avila
	0600	61	Buckshot
	0900	61	Buckshot
	1200	63	Buckshot
	1500	63	N. Gomez
	1800	62	N. Gomez
	2100	61	N. Gomez
	2400	61	R. Avila

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	61	R. Avila
	0600	58	E. Aguirre
	0900	59	E. Aguirre
	1200	61	E. Aguirre
	1500	63	N. Gomez
	1800	62	N. Gomez
	2100	61	N. Gomez
	2400	61	R. Avila

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	62	M. Hernandez
	0600	59	E. Aguirre
	0900	60	E. Aguirre
	1200	63	E. Aguirre
	1500	63	N. Gomez
	1800	62	N. Gomez
	2100	61	N. Gomez
	2400	62	M. Hernandez

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	60	R. Avila
	0600	60	M. Hernandez
	0900	60	M. Hernandez
	1200	63	M. Hernandez
	1500	64	M. Hernandez
	1800	63	M. Hernandez
	2100	63	M. Hernandez
	2400	63	M. Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	61	R. Avila
	0600	61	Chavez
	0900	62	chavez
	1200	63	chavez
	1500	63	N. Gomez
	1800	62	N. Gomez
	2100	61	N. Gomez
	2400	61	R. Avila

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	59	R. Avila
	0600	58	E. Aguirre
	0900	59	E. Aguirre
	1200	62	E. Aguirre
	1500	64	N. Gomez
	1800	63	N. Gomez
	2100	62	N. Gomez
	2400	62	R. Avila

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	61	M. Hernandez
	0600	57	E. Aguirre
	0900	58	E. Aguirre
	1200	63	E. Aguirre
	1500	63	S. Gaddini
	1800	63	S. Gaddini
	2100	62	S. Gaddini
	2400	61	R. Avila

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OCT 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B1 Temp. Reading Location: B SEC 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	60	J. HARO
	0600	61	J. HARO
	0900	61	J. HARO
	1200	62	J. HARO
	1500	63	L. TORRES
	1800	62	L. TORRES
	2100	61	L. TORRES
	2400	61	M. HUARO

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	62	A. SANCHEZ
	0600	63	A. SANCHEZ
	0900	62	A. SANCHEZ
	1200	63	A. SANCHEZ
	1500	64	L. TORRES
	1800	64	L. TORRES
	2100	65	L. TORRES
	2400	65	D. VILLANUEVA

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	66	D. VILLANUEVA
	0600	64	A. SANCHEZ
	0900	64	A. SANCHEZ
	1200	64	A. SANCHEZ
	1500	65	D. RUIZ
	1800	64	D. RUIZ
	2100	64	D. RUIZ
	2400	65	D. VILLANUEVA

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	65	D. VILLANUEVA
	0600	65	A. SANCHEZ
	0900	64	A. SANCHEZ
	1200	64	A. SANCHEZ
	1500	65	D. RUIZ
	1800	65	D. RUIZ
	2100	64	D. RUIZ
	2400	65	D. VILLANUEVA

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B3 Temp. Reading Location: CONTROL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
OCTOBER 28, 2024	0300	65	M. GARCIA
	0600	66	M. GARCIA
	0900	65	J. Barron
	1200	65	J. Barron
	1500	65	F. PINEDA
	1800	64	F. PINEDA
	2100	64	F. PINEDA
	2400	64	M. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
OCTOBER 30, 2024	0300	64	M. Gordon
	0600	64	M. Gordon
	0900	65	M. Flora
	1200	64	M. Flora
	1500	64	L. B. Johnson
	1800	65	L. B. Johnson
	2100	66	L. B. Johnson
	2400	65	L. B. Johnson

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
OCTOBER 29, 2024	0300	65	M. GLARIA
	0600	67	M. GLARIA
	0900	65	M. Flores
	1200	65	M. Flores
	1500	66	J. IBARRA
	1800	65	J. IBARRA
	2100	65	J. IBARRA
	2400	64	M. GLARIA

Thursday

Date	Time	Temp.	Name (Print)
OCTOBER 31, 2024	0300	64	Jordan
	0600	64	Parker
	0900	64	Parker
	1200	64	Jill
	1500	65	Austin
	1800	65	Cameron
	2100	65	Cameron
	2400	65	Ashley

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SLSP Housing Unit: B5 Temp. Reading Location: 2nd floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
82-01	0300	63	glocke
	0600	64	J. Bushman
	0900	64	J. Bushman
	1200	65	J. Bushman
	1500	65	J. Bushman
	1800	62	N. Gomez
	2100	62	N. Gomez
	2400	61	R. Pachon

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	61	R. Avi / Dan
	0600	62	E. Aguirre
	0900	63	E. Aguirre
	1200	63	E. Aguirre
	1500	64	N. Gomez
	1800	63	N. Gomez
	2100	63	N. Gomez
	2400	61	D. Wilson

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10-29-29	0300	60	R. Avila Orbe
	0600	64	
	0900	64	U. he
	1200	65	U. he
	1500	65	N. Gomez
	1800	63	N. Gomez
	2100	63	N. Gomez
	2400	63	R. Avila

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	60	R. Parker
	0600	62	Zan
	0900	63	Zan
	1200	67	Zan
	1500	65	N. Gomez
	1800	63	N. Gomez
	2100	63	M. Sosa
	2400	63	M. Sosa

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-1 Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-01-24	0300	69°	K. Empante
	0600	69°	K. Empante
	0900	68	Umartin
	1200	69	Umartin
	1500	69	O. Corazon
	1800	69	O. Corazon
	2100	69	O. Corazon
	2400	70	Sampolo

Tuesday

Date	Time	Temp.	Name (Print)
10-02-24	0300	70	Sampolo
	0600	70	Sampolo
	0900	70	Umartin
	1200	70	Umartin
	1500	70	A. Aguirre
	1800	70	A. Aguirre
	2100	70	A. Aguirre
	2400	69	Sampolo

Wednesday

Date	Time	Temp.	Name (Print)
10-03-24	0300	69	Sampolo
	0600	69	Umartin
	0900	70	Umartin
	1200	70	Umartin
	1500	71	Jimenez
	1800	71	Jimenez
	2100	70	Jimenez
	2400	71	Sampolo

Thursday

Date	Time	Temp.	Name (Print)
10-04-24	0300	71	Sampolo
	0600	71	Sampolo
	0900	69	Umartin
	1200	69	Umartin
	1500	68	Umar
	1800	68	Umar
	2100	67	Umar
	2400	71	Sampolo

Friday

Date	Time	Temp.	Name (Print)
10-05-24	0300	71	Sampolo
	0600	71	Sampolo
	0900	71	Umartin
	1200	71	Umartin
	1500	70	Umar
	1800	70	Umar
	2100	71	Umar
	2400	71	Sampolo

Saturday

Date	Time	Temp.	Name (Print)
10-06-24	0300	71	Sampolo
	0600	71	Sampolo
	0900	71	Umartin
	1200	71	Umartin
	1500	71	M-Espinoza
	1800	70	M-Espinoza
	2100	70	M-Espinoza
	2400	71°	M. Castee

Sunday

Date	Time	Temp.	Name (Print)
10-07-24	0300	71	M. Casno
	0600	69°	P. Miller
	0900	71°	P. Miller
	1200	71°	P. Miller
	1500	70	Miller
	1800	70	Miller
	2100	70	Miller
	2400	69	Selby

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 Temp. Reading Location: Upper "B" Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/14	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
10/15	0300	70°	E. Beasley
	0600	70°	E. Beasley
	0900	71	J. Hollingshead
	1200	71	J. Hollingshead
	1500	72	E. Aguirre
	1800	73	R. Yamamoto
	2100	71	R. Yamamoto
	2400	70°	E. Beasley

Wednesday			
Date	Time	Temp.	Name (Print)
10/16	0300		
	0600	70	R. Panco
	0900	70	R. Panco
	1200	72	R. Panco
	1500	72	E. Aguirre
	1800	71	E. Aguirre
	2100	71	E. Aguirre
	2400	71°F	J. Garcia

Thursday			
Date	Time	Temp.	Name (Print)
10/17	0300	71°F	J. Garcia
	0600	70°	R. Morita
	0900	70	V. Perez
	1200	75	V. Perez
	1500	80	V. Perez
	1800	73	V. Perez
	2100	73	V. Perez
	2400	72	A. Davis

Friday			
Date	Time	Temp.	Name (Print)
10/18	0300	71	A. Davis
	0600	71	L. Sanchez
	0900	72°	L. Sanchez
	1200	73°	L. Sanchez
	1500	72°	V. Perez
	1800	72°	V. Perez
	2100	72°	V. Perez
	2400	71	N. Rodriguez

Saturday			
Date	Time	Temp.	Name (Print)
10/19	0300	71°	N. Rodriguez
	0600	70°	A. Villaseca
	0900	70°	A. Villaseca
	1200	72°	V. Perez
	1500	72°	V. Perez
	1800	72°	V. Perez
	2100	72°	V. Perez
	2400	70	E. Beasley

Sunday			
Date	Time	Temp.	Name (Print)
10/20	0300	70	E. Beasley
	0600	68	D. Vilaseca
	0900	70	A. Vilaseca
	1200	72	A. Vilaseca
	1500	70	G. Smith
	1800	70	G. Smith
	2100	70	E. Beasley
	2400	69	E. Beasley

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C4 Temp. Reading Location: B SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/24	0300	72°F	J. Garcia
	0600	70	A. Padilla
	0900	72	A. Padilla
	1200	72°F	G. Gonzales
	1500	73°F	R. Palacios
	1800	72	R. Palacios
	2100	71	R. Palacios
	2400	72	T. -

Friday

Date	Time	Temp.	Name (Print)
10/24	0300	72	T. -
	0600	72	T. -
	0900	72	L. Sanchez
	1200	72	L. Sanchez
	1500	72	R. Palacio
	1800	72	R. Palacio
	2100	72	R. Palacio
	2400	72	M. Martinez

Sunday

Date	Time	Temp.	Name (Print)
10/24	0300	72	T. -
	0600	72	T. -
	0900	73	L. Sanchez
	1200	73	L. Sanchez
	1500	73	C. Diaz
	1800	73	C. Diaz
	2100	73.2	C. Diaz
	2400	71	T. -

Tuesday

Date	Time	Temp.	Name (Print)
10/24	0300	71°F	J. Garcia
	0600	70	A. Padilla
	0900	70	A. Padilla
	1200	70	Gonzalez
	1500	71	R. Palacio
	1800	71	R. Palacio
	2100	71	R. Palacio
	2400	71°F	J. Garcia

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	72	T. -
	0600	72	T. -
	0900	72	A. Padilla
	1200	72	A. Padilla
	1500	72	R. Palacio
	1800	72	D. Carter
	2100	72	D. Carter
	2400	72	T. -

Saturday

Date	Time	Temp.	Name (Print)
10/24	0300	76	M. Martinez
	0600	72	M. Martinez
	0900	72	G. Gonzalez
	1200	72	G. Gonzalez
	1500	72	C. Diaz
	1800	73	C. Diaz
	2100	73	C. Diaz
	2400	73	T. -

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

IS-A-VENT-OR-CO-0300-0000000000000000

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C605 Temp. Reading Location: B FOD

(e.g., 1st tier, B or C tier)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-01-24	0300	69°	U. Sander
	0600	69°	L. Sanchez
	0900	70°	L. Sanchez
	1200	70°	L. Sanchez
	1500	71°	Guardado
	1800	70°	Guardado
	2100	70°	Guardado
	2400	70°	Russell

Wednesday

Date	Time	Temp.	Name (Print)
10/02/24	0300	70°	Russell
	0600	70°	Russell
	0900	70°	A. Perez
	1200	70°	A. Perez
	1500	71°	R.Garcia
	1800	71°	R.Garcia
	2100	71°	R.Garcia
	2400	71°	Russell

Thursday

Date	Time	Temp.	Name (Print)
10/03/24	0300	70°	Russell
	0600	70°	Russell
	0900	70°	Guardado
	1200	71°	Guardado
	1500	71.1°	A.Tapia
	1800	71.2°	A.Tapia
	2100	72°	A.Tapia
	2400	72°	Russell

Friday

Date	Time	Temp.	Name (Print)
10/04/24	0300	70°	Russell
	0600	69°	Russell
	0900	71°	D.Sanchez
	1200	71°	D.Sanchez
	1500	72.9°	A.Tapia
	1800	72.5°	A.Tapia
	2100	72°	A.Tapia
	2400	72°	Russell

Saturday

Date	Time	Temp.	Name (Print)
10/05/24	0300	71°	Russell
	0600	70°	Russell
	0900	71°	Reyes
	1200	71.8°	Reyes
	1500	72°	R.Garcia
	1800	72°	R.Garcia
	2100	72°	R.Garcia
	2400	72°	Russell

Sunday

Date	Time	Temp.	Name (Print)
10/06/24	0300	72°	Russell
	0600	71°	Russell
	0900	71°	A. Escalante
	1200	72°	A. Escalante
	1500	72°	R.Garcia
	1800	73°	R.Garcia
	2100	73°	R.Garcia
	2400	73°	Chavez, CA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-30-24

Date	Time	Temp.	Name (Print)
10/1-24	0300	68	A. Ramirez
	0600	68	A. Ramirez
	0900	68	Guardado
	1200	70	Guardado
	1500	71°	Green
	1800	72°	Green
	2100	70°	Green
	2400	69	Ramirez

Wednesday 10-2-24

Date	Time	Temp.	Name (Print)
10-2-24	0300	69°	U. Standard
	0600	70	T. Lopez
	0900	70	T. Lopez
	1200	70	T. Lopez
	1500	72°	Green
	1800	72°	Green
	2100	71°	Green
	2400	71°	U. Standard

Friday 10-4-24

Date	Time	Temp.	Name (Print)
10/4	0300	70	Lopez
	0600	70	Guardado
	0900	72	Guardado
	1200	74	Guardado
	1500	74	J. Rosas
	1800	73	J. Rosas
	2100	71	J. Rosas
	2400	71	J. Cunne

Sunday 10-6-24

Date	Time	Temp.	Name (Print)
10/6	0300	71	D. Soluri
	0600	71	D. Soluri
	0900	71	R. Gantle
	1200	71	R. Gantle
	1500	71	Webb
	1800	71	Webb
	2100	71	Webb
	2400	72	Arvin

Tuesday 10-1-24

Date	Time	Temp.	Name (Print)
10-1-24	0300	67	Ramirez
	0600	68	Guardado
	0900	70	Guardado
	1200	71	Guardado
	1500	71	Green
	1800	72	Green
	2100	70	Green
	2400	70°	U. Standard

Thursday 10-3-24

Date	Time	Temp.	Name (Print)
10-3-24	0300	70	U. Standard
	0600	71	S. Lopez
	0900	73	S. Lopez
	1200	73	S. Lopez
	1500	73	Vidales
	1800	73	A. Luquin
	2100	72	A. Luquin
	2400	72	Lopez

Saturday 10-5-24

Date	Time	Temp.	Name (Print)
10/5	0300	70	Greene
	0600	70	Greene
	0900	70	R. Gantle
	1200	71	R. Gantle
	1500	72	J. Santora
	1800	72	J. Santora
	2100	72	J. Santora
	2400	71	B. Soluri

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor the ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is not functioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top left window) in the housing unit where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-6-1

Temp. Reading Location: B

Immediately notify the Watch Commander at extension 5547 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/16/18	0300	71	webb
	0600	71	webb
	0900	71	J. Soto
	1200	72	J. Soto
	1500	73	J. Soto
	1800	73	J. Soto
	2100	73	J. Soto
	2400	71	J. Soto

Wednesday

Date	Time	Temp.	Name (Print)
10/16/18	0300	70°	Careen
	0600	72	J. Soto
10/17/18	0900	72	J. Soto
	1200	73	J. Soto
	1500	74	A. Mescal
	1800	74	A. Mescal/GI
	2100	73	A. Mescal/GI
	2400	72°	Careen

Thursday

Date	Time	Temp.	Name (Print)
10/16/18	0300	73°	Careen
	0600	73	J. Soto
	0900	73	J. Soto
	1200	76	J. Soto
	1500	75	A. Mescal
	1800	74	A. Mescal
	2100	73	A. Mescal
	2400	73°	Careen

Friday

Date	Time	Temp.	Name (Print)
10/17/18	0300	74°F	J. Garcia
	0600	75	J. Soto
	0900	76	J. Soto
	1200	76	J. Soto
	1500	77	A. Mescal
	1800	75	A. Mescal
	2100	77	A. Mescal
	2400	72°F	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
10/18/18	0300	73°F	J. Garcia
	0600	73.6°F	M. Miranda
	0900	74°F	M. Miranda
	1200	76°F	M. Miranda
	1500	75°F	A. Mescal
	1800	75°F	A. Mescal
	2100	77°F	A. Mescal
	2400	74°F	J. Garcia

Sunday

Date	Time	Temp.	Name (Print)
10/19/18	0300	74°F	J. Garcia
	0600	74	J. Rosas
	0900	74	J. Rosas
	1200	75	J. Rosas
	1500	75	J. Mescal
	1800	74	J. Mescal
	2100	74	J. Mescal
	2400	73	J. Mescal

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOSP Housing Unit: C8 Temp. Reading Location: B-Po of 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5342 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	71	Ketayapoza
	0600	68	H. Zavala
	0900	68	H. Zavala
	1200	69	H. Zavala
	1500	72	Garcia
	1800	73	Garcia
	2100	77	Garcia
	2400	70	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	L. Stepp
	0600	69	L. Stepp
	0900	72	H. Zavala
	1200	75	H. Zavala
	1500	75	Garcia
	1800	74	Garcia
	2100	73	Garcia
	2400	72	L. Stepp

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	72	L. Stepp
	0600	72	L. Stepp
	0900	73	M. Flores
	1200	74	M. Flores
	1500	75	E. Flores
	1800	75	E. Flores
	2100	74	E. Flores
	2400	74	L. Stepp

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	72	Chavez, L.A.
	0600	72	Chavez, L.A.
	0900	72	MARSHALL
	1200	75	MARSHALL
	1500	76	LIJAN
	1800	74	Garcia
	2100	72	Garcia
	2400	71	Chavez, L.A.

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	70	L. Stepp
	0600	69	H. Zavala
	0900	70	H. Zavala
	1200	70	H. Zavala
	1500	72	H. Zavala
	1800	71	H. Zavala
	2100	71	H. Zavala
	2400	71	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
10/1/24	0300	71	L. Stepp
	0600	71	L. Stepp
	0900	75	camero zavala
	1200	75	ZAVALA
	1500	75	LIJAN
	1800	75	ZAVALA
	2100	74	LIJAN
	2400	74	L. Stepp

Saturday

Date	Time	Temp.	Name (Print)
10/6/24	0300	73	L. Stepp
	0600	72	L. Stepp
	0900	72	Perez
	1200	73	Perez
	1500	75	camero
	1800	73	camero
	2100	72	camero
	2400	71	Chavez, L.A.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C 1 Temp. Reading Location: 2ND TIER B - POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1/24	0300	71	R. LIZUNI
	0600	71	J. GARCIA
	0900	71	J. GARCIA
	1200	72	J. GARCIA
	1500	72	A. PEREZ
	1800	72	A. PEREZ
	2100	71	Cordova
	2400	71°	M. CASTRO

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	71°	M. CASTRO
	0600	71	Lumartin
	0900	71	Lumartin
	1200	71	Lumartin
	1500	71	Cordova
	1800	71	Cordova
	2100	71	Cordova
	2400	71	Sampolo

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	71°	Sampolo
	0600	71°	SAMPolo
	0900	70	Lumartin
	1200	70	Lumartin
	1500	71	Lopez
	1800	71	Lopez
	2100	71	Lopez
	2400	70	Sampolo

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70	Sampolo
	0600	70	SAMPolo
	0900	69	Lumartin
	1200	69	Lumartin
	1500	70	Lopez
	1800	69	Lopez
	2100	69	Lopez
	2400	69	Sampolo

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	69	Sampolo
	0600	69	Sampolo
	0900	68	A. Perez
	1200	69	A. Perez
	1500	69	A. Perez
	1800	68	A. Perez
	2100	68	A. Perez
	2400	69	Sampolo

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	67	Sampolo
	0600	68	SAMPolo
	0900	67	J. ROSAS
	1200	68	J. ROSAS
	1500	69	B. Torres
	1800	69	B. Torres
	2100	69	B. Torres
	2400	69	Sampolo

Notes

Date	Time	Temp.	Name (Print)
10/13/24	0300	68	Sampolo
	0600	69	Sampolo
	0900	68	M. Espinoza
	1200	68	M. Espinoza
	1500	69	Cordova
	1800	69	Cordova
	2100	69	Cordova
	2400	69	K. EMPANTO

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 cont Temp. Reading Location: Upper "B" Aro
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-12-47	0300	69°	E. Beasley
	0600	69°	E. Beasley
	0900	70°	A. Villegenor
	1200	70°	A. Villegenor
	1500	70°	A. Villegenor
	1800	70°	A. Villegenor
	2100	71°	A. Villegenor
	2400	69°	E. Beasley

Wednesday

Date	Time	Temp.	Name (Print)
July 16	0300	68°	G. Smith
	0600	69°	G. Smith
	0900	70	R. Pantoja
	1200	71	R. Pantoja
	1500	71	V. Perez
	1800	70	V. Perez
	2100	70	V. Perez
	2400	69°	G. Smith

Friday

Date	Time	Temp.	Name (Print)
10-11-12	0300	69°	K. Empante
	0600	69°	K. Empante
	0900	70°	L. Sanchez
	1200	70°	L. Sanchez
	1500	70°	M. Garcia
	1800	71°	M. Garcia
	2100	70°	M. Garcia
	2400	69°	K. Empante

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	70°	Valequez
	0600	69°	Valequez
	0900	70°	A. J. Laguerre
	1200	71°	A. J. Laguerre
	1500	71°	E. Ammain
	1800	71°	E. Ammain
	2100	71°	Vasquez
	2400	69°	Valequez

Tuesday

Date	Time	Temp.	Name (Print)
10-08-12	0300	69°	E. Beasley
	0600	69°	E. Beasley
	0900	70°	A. Villasever
	1200	71°	A. Villasever
	1500	71°	G. Smith
	1800	71°	G. Smith
	2100	70°	G. Smith
	2400	70°	E. Beasley

Thursday

Date	Time	Temp.	Name (Print)
10-12-24	0300	70°	J. Garcia
	0600	69°	J. Garcia
	0900	70°	S. Munoz
	1200	70°	S. Munoz
	1500	71°	V. Perez
	1800	71°	J. Perez
	2100	71°	J. Perez
	2400	69°	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	69°	N. Rodriguez
	0600	69°	N. Rodriguez
	0900	70°	G. Smith
	1200	70°	G. Smith
	1500	71°	L. Sanchez
	1800	70°	L. Sanchez
	2100	70°	L. George
	2400	70°	N. Rodriguez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C4 Temp. Reading Location: B SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5541 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/11/24	0300	77	Tn
	0600	77	Tn
	0900	73	Hernandez
	1200	75	Hernandez
	1500	74.5	C. Diaz
	1800	72.7	C. Diaz
	2100	72	C. Diaz
	2400	72°F	J. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
10/12/24	0300	73°F	J. Garcia
	0600	73	Mendoza
	0900	73	Mendoza
	1200	73	Mendoza
	1500	71	Pahoco
	1800	71	Pahoco
	2100	71	Pahoco
	2400	72°F	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
10/13/24	0300	72°F	J. Garcia
	0600	72	Mendoza
	0900	72	Mendoza
	1200	72	Mendoza
	1500	71	J. Garcia
	1800	70	Pahoco
	2100	71	Pahoco
	2400	72	Tn

Thursday

Date	Time	Temp.	Name (Print)
10/14/24	0300	72	Tn
	0600	72	Tn
	0900	72	Mendoza
	1200	72	Mendoza
	1500	69	Pahoco
	1800	69	Pahoco
	2100	69	Pahoco
	2400	67	Margae

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	69	Margae
	0600	69	Mendoza
	0900	69	Mendoza
	1200	69	Mendoza
	1500	69	L. Sanchez
	1800	68	L. Sanchez
	2100	69	L. Sanchez
	2400	70	Tn

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	71	Tn
	0600	71	Tn
	0900	69	Pahoco
	1200	70	Pahoco
	1500	71.2	C. Diaz
	1800	70	C. Diaz
	2100	70	C. Diaz
	2400	70	Tn

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	Tn
	0600	70	Tn
	0900	70	L. Sanchez
	1200	70	L. Sanchez
	1500	72.1	C. Diaz
	1800	71	C. Diaz
	2100	71.9	C. Diaz
	2400	71	Tn

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RE: JRD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the indoor ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list is housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C B2 5 Temp. Reading Location: B B 501

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1/24	0300	72°	Chavez, L.A.
	0600	72°	LoSanchet
	0900	72°	LoSanchet
	1200	72°	LoSanchet
	1500	73	Guardado
	1800	72	Guardado
	2100	72	Guardado
	2400	72°	Sander U

Tuesday

Date	Time	Temp.	Name (Print)
10/08/24	0300	72°	U Sander
	0600	72°	LoSanchet
	0900	72°	LoSanchet
	1200	72°	LoSanchet
	1500	72	Guardado
	1800	71	Guardado
	2100	71	Guardado
	2400	71°	Busach

Wednesday

Date	Time	Temp.	Name (Print)
10/09/24	0300	71°	Russell
	0600	70°	Russell
	0900	72	Coron
	1200	71	Carona
	1500	73	R.GUTIER
	1800	73	R.GUTIER
	2100	73	R.GUTIER
	2400	73	Russell

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	Russell
	0600	71	Russell
	0900	70	coron
	1200	71	coron
	1500	71	A.TAPPA
	1800	70	A.TAPPA
	2100	70	A.TAPPA
	2400	90°	Russell

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70°	Russell
	0600	69°	Russell
	0900	69	Ponce
	1200	74	Ponce
	1500	70	A.TAPPA
	1800	70	A.TAPPA
	2100	70	A.TAPPA
	2400	70°	Russell

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70°	Russell
	0600	70°	Russell
	0900	68	Ponce
	1200	69	Ponce
	1500	69	Webb
	1800	69	Webb
	2100	69	Webb
	2400	69°	Russell

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	68°	Russell
	0600	68°	Russell
	0900	67	Ponce
	1200	69	Ponce
	1500	70	R.GUTIER
	1800	70	R.GUTIER
	2100	72	R.GUTIER
	2400	71	Webb

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: 7th Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5547 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/17	0300	72	Acwrs
	0600	71	Guardado
	0900	71	Guardado
	1200	73	Guardado
	1500	73	D.SANDQUIST
	1800	73	D.SANDQUIST
	2100	72	D.SANDQUIST
	2400	72	Acwrs

Tuesday

Date	Time	Temp.	Name (Print)
10/18	0300	72	Acwrs
	0600	71	Guardado
	0900	71	Guardado
	1200	71	Guardado
	1500	72	Hazzett
	1800	72	Webb
	2100	71	Webb
	2400	71	Sandard

Wednesday

Date	Time	Temp.	Name (Print)
10/19	0300	71°	U.Sandard
	0600	71	Nguyen
	0900	71	Nguyen
	1200	71	Nguyen
	1500	71	D.SANDQUIST
	1800	72	D.SANDQUIST
	2100	72	D.SANDQUIST
	2400	72	Sandard

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	72°	U.Sandard
	0600	69°	Slopez
	0900	69	Slopez
	1200	69	Slopez
	1500	69	Mos
	1800	69	Mos
	2100	69	Mos
	2400	69	ACEVES

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	69	Acwrs
	0600	68	D.SANDQUIST
	0900	68	D.SANDQUIST
	1200	69	D.SANDQUIST
	1500	69	J.Rosas
	1800	68	J.Rosas
	2100	68	J.Rosas
	2400	68	Acwrs

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	68	Acwrs
	0600	68	R.GATEZ
	0900	68	R.GATEZ
	1200	68	R.GATEZ
	1500	70	D.SANDQUIST
	1800	70	D.SANDQUIST
	2100	69	D.SANDQUIST
	2400	69	Acwrs

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	69	Acwrs
	0600	69	R.GATEZ
	0900	68	R.GATEZ
	1200	68	R.GATEZ
	1500	69	M.Balagon
	1800	69	A.Ibarra
	2100	68	Acwrs
	2400	68	Acwrs

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C7 Temp. Reading Location: B porch
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	72	J. Chavarrin
	0600	72	J. Chavarrin
	0900	75	J. Chavarrin
	1200	75	J. Chavarrin
	1500	75	J. Chavarrin
	1800	75	J. Chavarrin
	2100	75	J. Chavarrin
	2400	74	

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	68	J. Chavarrin
	0600	69	J. Chavarrin
	0900	71	V. Soto
	1200	72	V. Soto
	1500	73	J. H. H.
	1800	73	J. H. H.
	2100	72	J. H. H.
	2400	71	CORTES

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	71	CORTES
	0600	72	J. Soto
	0900	73	J. Soto
	1200	73	J. Soto
	1500	74	E. DELAROSA
	1800	73	E. DELAROSA
	2100	73	E. DELAROSA
	2400	70	J. COTONE

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70	J. COTONE
	0600	70	J. COTONE
	0900	71	J. SOTO
	1200	71	J. SOTO
	1500	70	E. DELAROSA
	1800	70	E. DELAROSA
	2100	70	J. VELASCO
	2400	72°F	J. GARCIA

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70°F	J. Garcia
	0600	70°	J. Soto
	0900	70°	J. Soto
	1200	70°	J. Soto
	1500	70	E. MELES
	1800	72	E. MELES
	2100	71.6	E. MELES
	2400	71°F	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70°F	J. Garcia
	0600	69°F	C. VELASCO
	0900	70°F	C. VELASCO
	1200	70	C. VELASCO
	1500	70°F	J. ORTEGA
	1800	70°F	J. ORTEGA
	2100	69	J. ORTEGA
	2400	69	Tonce

Notes

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	Tonce
	0600	70	J. ROSAS
	0900	71	J. ROSAS
	1200	71	J. ROSAS
	1500	71	E. DELAROSA
	1800	72	E. DELAROSA
	2100	72	E. DELAROSA
	2400	71	Webb

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C8 Temp. Reading Location: B-Pad / 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/1	0300	70	A. RETAMOZA
	0600	72	A. RETAMOZA
	0900	73	H. Tavala
	1200	73	H. Tavala
	1500	73	J. Garcia
	1800	73	J. Garcia
	2100	72	J. Garcia
	2400	72	L. Stepp

Tuesday			
Date	Time	Temp.	Name (Print)
10/8	0300	72	L. Stepp
	0600	72	L. Stepp
	0900	71	H. Tavala
	1200	72	H. Tavala
	1500	72	B. ALDANA
	1800	72	B. ALDANA
	2100	72	E. ALDANA
	2400	72	L. Stepp

Wednesday			
Date	Time	Temp.	Name (Print)
10/9	0300	72	L. Stepp
	0600	75	L. Stepp
	0900	70	T. Tinkersley
	1200	70	T. Tinkersley
	1500	72	T. Tinkersley
	1800	70	T. Tinkersley
	2100	70	T. Tinkersley
	2400	70	L. Stepp

Thursday			
Date	Time	Temp.	Name (Print)
10/10	0300	70	L. Stepp
	0600	69	L. Stepp
	0900	70	M. Martinez
	1200	70	M. Martinez
	1500	70	3 man
	1800	70	3 man
	2100	70	3 man
	2400	69	L. Stepp

Friday			
Date	Time	Temp.	Name (Print)
10/11	0300	67	L. Stepp
	0600	70	L. Stepp
	0900	69	T. Tinkersley
	1200	69	T. Tinkersley
	1500	69	R. Santiago
	1800	69	R. Santiago
	2100	69	R. Santiago
	2400	68	L. Stepp

Saturday			
Date	Time	Temp.	Name (Print)
10/12	0300	69	L. Stepp
	0600	68	L. Stepp
	0900	67	U. Jimenez
	1200	67	U. Jimenez
	1500	69	P. Santiago
	1800	69	P. Santiago
	2100	69	P. Santiago
	2400	69	L. A. Chavez

Sunday			
Date	Time	Temp.	Name (Print)
10/13	0300	69	L. Chavez
	0600	70	R. Santiago
	0900	70	R. Santiago
	1200	70	R. Santiago
	1500	70	R. Santiago
	1800	71	R. Santiago
	2100	71	R. Santiago
	2400	71	T. Tinkersley

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SP/SP Housing Unit: C-1 Temp. Reading Location: 2WD Tiers
(e.g.; 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1/01	0300	69	K. Bimonte
	0600	68	K. Bimonte
	0900	68	M. Espinoza
	1200	68	M. Espinoza
	1500	68	Cordova
	1800	68	Cordova
	2100	66	Cordova
	2400	68	K. Bimonte

Tuesday

Date	Time	Temp.	Name (Print)
10/1/01	0300	67	K. Bimonte
	0600	69	L. Martin
	0900	68	L. Martin
	1200	68	L. Martin
	1500	68	Cordova
	1800	68	Cordova
	2100	68	Cordova
	2400	67	Sampolo

Wednesday

Date	Time	Temp.	Name (Print)
10/1/01	0300	68	Sampolo
	0600	68	Sampolo
	0900	68	L. Martin
	1200	69	L. Martin
	1500	69	Ammari
	1800	69	Ammari
	2100	68	Ammari
	2400	69	Sampolo

Thursday

Date	Time	Temp.	Name (Print)
10/1/01	0300	68	Sampolo
	0600	67	Sampolo
	0900	67	L. Martin
	1200	68	L. Martin
	1500	69	Ammari
	1800	68	Ammari
	2100	67	Ammari
	2400	67	Sampolo

Friday

Date	Time	Temp.	Name (Print)
10/1/01	0300	68	Sampolo
	0600	67	Sampolo
	0900	68	L. Martin
	1200	68	L. Martin
	1500	68	Cordova
	1800	67	Cordova
	2100	67	Cordova
	2400	67	Sampolo

Saturday

Date	Time	Temp.	Name (Print)
10/1/01	0300	67	Sampolo
	0600	67	Sampolo
	0900	67	MARTIN
	1200	67	MARTIN
	1500	67	Cordova
	1800	67	Cordova
	2100	67	Cordova
	2400	67	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
10/1/01	0300	67	Hernandez
	0600	64	NORITA, R.
	0900	66	NORITA, R.
	1200	67	NORITA, R.
	1500	68	R. Torres
	1800	67	R. Torres
	2100	67	R. Torres
	2400	67	K. Bimonte

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-3 Temp. Reading Location: Upper "B" Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10-15-18	0300	69°	E. Beasley
	0600	69	E. Beasley
	0900	66	A. Villasenor
	1200	68	A. Villasenor
	1500	67	A. Villasenor
	1800	69	A. Villasenor
	2100	69	A. Villasenor
	2400	69°	E. Beasley

Tuesday			
Date	Time	Temp.	Name (Print)
10-16-18	0300	69°	E. Beasley
	0600	66	A. Villasenor
	0900	68	A. Villasenor
	1200	70	A. Villasenor
	1500	68	A. Villasenor
	1800	68	A. Villasenor
	2100	69	A. Villasenor
	2400	69°	E. Beasley

Wednesday			
Date	Time	Temp.	Name (Print)
10-17-18	0300	66°	E. Beasley
	0600	68	E. Beasley
	0900	67	R. Perez
	1200	68	V. Perez
	1500	69	V. Perez
	1800	69	V. Perez
	2100	64	V. Perez
	2400	68°	J. Garcia

Thursday			
Date	Time	Temp.	Name (Print)
10-18-18	0300	68°F	J. Garcia
	0600	68°	P. NORITA
	0900	67°	P. NORITA
	1200	67°	P. NORITA
	1500	66	V. Perez
	1800	66	V. Perez
	2100	67	V. Perez
	2400	67	K. EMPANTE

Friday			
Date	Time	Temp.	Name (Print)
10-19-18	0300	66°	K. EMPANTE
	0600	66°	K. EMPANTE
	0900	66	L. Sanchez
	1200	67°	L. Sanchez
	1500	68°	N. Perez
	1800	68°	V. Perez
	2100	67°	V. Perez
	2400	67°	N. Rodriguez

Saturday			
Date	Time	Temp.	Name (Print)
10-20-18	0300	65°	N. Rodriguez
	0600	64°	A. Villasenor
	0900	65°	A. Villasenor
	1200	66°	A. Villasenor
	1500	68°	V. Perez
	1800	67°	V. Perez
	2100	67°	V. Perez
	2400	65	D. Martin

Sunday			
Date	Time	Temp.	Name (Print)
10-21-18	0300	65	R. Perez
	0600	64	A. Villasenor
	0900	64	A. Villasenor
	1200	65	A. Villasenor
	1500	67	Ammar
	1800	66	Ammar
	2100	65	Ammar
	2400	64	E. Beasley

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C4 Temp. Reading Location: B SECTION
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5572 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/14	0300	70	T-
	0600	70	T-
	0900	70	Mendoza
	1200	71	Mendoza
	1500	70	C-Diaz
	1800	70.3	C-Diaz
	2100	70	C-Diaz
	2400	70°F	J.Garcia

Tuesday

Date	Time	Temp.	Name (Print)
10/15/14	0300	71°F	J. Garcia
	0600	71	Mendoza
	0900	71	Mendoza
	1200	71	Mendoza
	1500	70	R.Perez
	1800	70	R.Perez
	2100	69	R.Perez
	2400	70°F	J.Garcia

Wednesday

Date	Time	Temp.	Name (Print)
10/16/14	0300	70°F	J.Garcia
	0600	70	Mendoza
	0900	69	Mendoza
	1200	61	C-Garcia
	1500	70	R.Perez
	1800	70	R.Perez
	2100	61	R.Perez
	2400	70	Tm

Thursday

Date	Time	Temp.	Name (Print)
10/17/14	0300	70	Tm
	0600	70	Tm
	0900	70	J.BRAITHS
	1200	70	J.BRAITHS
	1500	68	R.Perez
	1800	67	R.Perez
	2100	68	R.Perez
	2400	67	Tm

Friday

Date	Time	Temp.	Name (Print)
10/18/14	0300	68	Tm
	0600	68	Tm
	0900	68	Lopez
	1200	68	Lopez
	1500	70	R.Pacheco
	1800	69	R.Pacheco
	2100	69	R.Pacheco
	2400	68	J.Rincon

Saturday

Date	Time	Temp.	Name (Print)
10/19/14	0300	68	J.Rincon
	0600	68	J.Rincon
	0900	67	L.Sanchez
	1200	67	L.Sanchez
	1500	70	C.Diaz
	1800	67	C.Diaz
	2100	67	C.Diaz
	2400	61	Tm

Sunday

Date	Time	Temp.	Name (Print)
10/20/14	0300	69	Tm
	0600	69	Tm
	0900	70	L.Sanchez
	1200	70	L.Sanchez
	1500	70	S.Garcia
	1800	69	S.Garcia
	2100	69	S.Garcia
	2400	69	Tm

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND RECLAMATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the inside ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C45 Temp. Reading Location: B (1st)
(e.g. ADA, Ver.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/15/24	0300	67	L. MONTANO
	0600	69.4	L. MONTANO
	0900	69	LoSanchet
	1200	69	LoSanchet
	1500	69	R GARCIA
	1800	69	R GARCIA
	2100	69	R GARCIA
	2400	69	1 PEREZ

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	68°	J. Perez
	0600	68°	LoSanchet
	0900	68°	LoSanchet
	1200	71°	LoSanchet
	1500	70°	LoSanchet
	1800	70	Espino
	2100	69.4°	Espino
	2400	69°	Russell

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	68°	Russell
	0600	68°	Russell
	0900	68.5	Reyes
	1200	68.7	Reyes
	1500	69	R GARCIA
	1800	69	R GARCIA
	2100	69	R GARCIA
	2400	69°	Russell

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	68°	Russell
	0600	68°	Russell
	0900	69	Webb
	1200	69	Webb
	1500	68	A. TAPIA
	1800	70	A. TAPIA
	2100	70	A. TAPIA
	2400	70	Russell

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	69°	Russell
	0600	68°	Russell
	0900	68	Webb
	1200	68	Webb
	1500	68	A. TAPIA
	1800	70	A. TAPIA
	2100	70	A. TAPIA
	2400	69°	Russell

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	69°	Russell
	0600	67	MENDOZA
	0900	68	MENDOZA
	1200	68	MENDOZA
	1500	68	Guardado
	1800	70	Guardado
	2100	69	Guardado
	2400	68	R. GARCIA

Sunday

Date	Time	Temp.	Name (Print)
	0300	68	R GARCIA
	0600	68	Jaime
	0900	69	Jaime
	1200	70	Jaime
	1500	68	Guardado
	1800	67	Guardado
	2100	67	Guardado
	2400	67	U Sandoval

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/14	0300	68	Lewis
	0600	68	Guardado
	0900	68	Guardado
	1200	68	Guardado
	1500	68	Webb
	1800	68	Webb
	2100	68	Webb
	2400	69	Acres

Tuesday			
Date	Time	Temp.	Name (Print)
10/15	0300	67	Davis
	0600	67	Guardado
	0900	67	Guardado
	1200	67	Guardado
	1500	68°	Green
	1800	68°	Green
	2100	67°	Green
	2400	67	Green

Wednesday			
Date	Time	Temp.	Name (Print)
10/16	0300	67	Green
	0600	67°	J. Liang
	0900	67°	J. Liang
	1200	67°	J. Liang
	1500	68°	Green
	1800	68°	Green
	2100	68°	Green
	2400	68	Green

Thursday			
Date	Time	Temp.	Name (Print)
10/17	0300	67	Horne
	0600	67	Horne
	0900	67	Lopez
	1200	67	Lopez
	1500	67°	Green
	1800	67°	Green
	2100	66°	Green
	2400	68	Horn

Friday			
Date	Time	Temp.	Name (Print)
10/18	0300	68	Horn
	0600	67	Nguyen
	0900	67	Nguyen
	1200	69	Nguyen
	1500	68	Rosas
	1800	68	Rosas
	2100	67	Rosas
	2400	67	Acres

Saturday			
Date	Time	Temp.	Name (Print)
10/19	0300	67	Acres
	0600	66	Guardado
	0900	66	Guardado
	1200	67	Guardado
	1500	67	Hernandez
	1800	67	Hernandez
	2100	67	Hernandez
	2400	67	Acres

Sunday			
Date	Time	Temp.	Name (Print)
10/20	0300	67	Lewis
	0600	67	Guardado
	0900	67	Guardado
	1200	67	Guardado
	1500	67	Webb
	1800	67	Webb
	2100	69	Webb
	2400	68	Lewis

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-7 Temp. Reading Location: Beds 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	71	Webb
	0600	71	Webb
	0900	71	J. Soto
	1200	71	J. Soto
	1500	71	J. Soto
	1800	71	J. Soto
	2100	71	J. Soto
	2400	71	Webb

Tuesday

Date	Time	Temp.	Name (Print)
	0300	71	Webb
	0600	71	Webb
	0900	70	J. Soto
	1200	71	J. Soto
	1500	71	J. Soto
	1800	71	J. Soto
	2100	71	J. Soto
	2400	71	Carson

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	71°	Carson
	0600	70	J. Soto
	0900	71	J. Soto
	1200	72	J. Soto
	1500	72	E. DELAROSA
	1800	72°	E. DELAROSA
	2100	71°	E. DELAROSA
	2400	71°	Carson

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70°	Carson
	0600	70	J. Soto
	0900	71	J. Soto
	1200	71	J. Soto
	1500	70	E. DELAROSA
	1800	70	E. DELAROSA
	2100	70	E. DELAROSA
	2400	70°	Carson

Friday

Date	Time	Temp.	Name (Print)
10/24/24	0300	69°F	J. Garcia
	0600	69	J. Soto
	0900	70	J. Soto
	1200	71	J. Soto
	1500	70	E. DELAROSA
	1800	70	E. DELAROSA
	2100	70	E. DELAROSA
	2400	69°F	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
10/25/24	0300	68°F	J. Garcia
	0600	69°	C. TORREJON
	0900	70°	C. TORREJON
	1200	71°	C. TORREJON
	1500	70°	C. TORREJON
	1800	70°	C. TORREJON
	2100	69°	C. TORREJON
	2400	69°	C. TORREJON

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	69	Webb
	0600	70	Webb
	0900	68	SAENAS
	1200	68	SAENAS
	1500	69°	TORREJON
	1800	69°	TORREJON
	2100	69°	TORREJON
	2400	69°	Webb

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C - 8 Temp. Reading Location: B Pod/2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	72	A. RESTAMOZA
	0600	71	A. RESTAMOZA
	0900	70	P. M. Miller
	1200	70	P. M. Miller
	1500	71	B. Gonzalez
	1800	71	B. Gonzalez
	2100	71	B. Gonzalez
	2400	70	L. Stepp

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	70	L. Stepp
	0600	69	L. Stepp
	0900	70	H. Zavala
	1200	71	H. Zavala
	1500	71	H. Zavala
	1800	71	H. Zavala
	2100	71	H. Zavala
	2400	71	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	70	L. Stepp
	0600	70	L. Stepp
	0900	70	H. Zavala
	1200	71	S. M.
	1500	71	S. M.
	1800	71	S. M.
	2100	71	S. M.
	2400	71	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	70	L. Stepp
	0600	69	L. Stepp
	0900	70	Z. Arreola
	1200	70	Z. Arreola
	1500	71	S. M.
	1800	71	S. M.
	2100	70	S. M.
	2400	70	L. Stepp

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	70	L. Stepp
	0600	69	L. Stepp
	0900	69	M. Marandu
	1200	69	M. Marandu
	1500	70	B. Gonzalez
	1800	70	B. Gonzalez
	2100	70	B. Gonzalez
	2400	69	L. Stepp

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	69	L. Stepp
	0600	68	L. Stepp
	0900	69	Z. Arreola
	1200	68°	Z. Arreola
	1500	68	J. Chavez
	1800	68	J. Chavez
	2100	69	J. Chavez
	2400	69	S. Villanueva

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	69	S. Villanueva
	0600	69	S. Villanueva
	0900	69	R. Santiago
	1200	69	R. Santiago
	1500	70	R. Santiago
	1800	70	R. Santiago
	2100	70	R. Santiago
	2400	69	R. Oliver

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C1 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10-21-24	0300	66	EMPANTE
	0600	66	EMPANTE
	0900	66	A. Perez
	1200	67	A. Perez
	1500	67	Cordova
	1800	67	Cordova
	2100	67	Cordova
	2400	67°	M. CASTRO

Tuesday			
Date	Time	Temp.	Name (Print)
10-22-24	0300	67°	M. CASTRO
	0600	67	Umartin
	0900	67	Umartin
	1200	68	Umartin
	1500	68	Lopez
	1800	68	Lopez
	2100	68	Lopez
	2400	67	Sampolo

Wednesday			
Date	Time	Temp.	Name (Print)
10-23-24	0300	68	SAMPOLLO
	0600	68	SAMPOLLO
	0900	66	Umartin
	1200	67	Umartin
	1500	67	L. ALVANTAN
	1800	67	L. ALVANTAN
	2100	67	L. ALVANTAN
	2400	67	SAMPOLLO

Thursday			
Date	Time	Temp.	Name (Print)
10-24-24	0300	67	SAMPOLLO
	0600	67	SAMPOLLO
	0900	67	Umartin
	1200	67	Umartin
	1500	67	S. Lopez
	1800	67	S. Lopez
	2100	67	I. Lopez
	2400	67	SAMPOLLO

Friday			
Date	Time	Temp.	Name (Print)
10-25-24	0300	67	SAMPOLLO
	0600	66	Umartin
	0900	66	Umartin
	1200	67	Umartin
	1500	67	Cordova
	1800	67	Cordova
	2100	67	Cordova
	2400	67	SAMPOLLO

Saturday			
Date	Time	Temp.	Name (Print)
10-26-24	0300	67	SAMPOLLO
	0600	66	Umartin
	0900	66	Umartin
	1200	67	Umartin
	1500	67	J. Lopez
	1800	67	J. Lopez
	2100	66	J. Lopez
	2400	66	P. Perez

Sunday			
Date	Time	Temp.	Name (Print)
10-27-24	0300	66	F. Rios
	0600	66	A. Auck
	0900	67	A. Auck
	1200	67	A. Auck
	1500	68	B. Torres
	1800	68	B. Torres
	2100	68	B. Torres
	2400	68	Hernandez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: C-3 Temp. Reading Location: Upper "B" Pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	65°	E. Beasley
	0600	65°	E. Beasley
	0900	66°	A. Villasenor
	1200	66°	A. Villasenor
	1500	69°	A. Villasenor
	1800	69°	A. Villasenor
	2100	69°	A. Villasenor
	2400	66°	E. Beasley

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	66°	E. Beasley
	0600	66°	E. Beasley
	0900	69°	A. Villasenor
	1200	69°	A. Villasenor
	1500	69°	Z. Ybarra
	1800	70°	Z. Ybarra
	2100	70°	Z. Ybarra
	2400	66°	E. Beasley

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	65°	J. Rincon
	0600	65°	J. Rincon
	0900	70°	R. Romero
	1200	70°	R. Romero
	1500	70°	J. Chavez
	1800	70°	J. Chavez
	2100	65°	J. Chavez
	2400	66°	J. Rincon

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	65°	J. Garcia
	0600	65°	J. Garcia
	0900	70°	R. Norita
	1200	70°	R. Norita
	1500	70°	V. Perez
	1800	70°	V. Perez
	2100	68°	V. Perez
	2400	66°	J. Garcia

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	65°	V. Perez
	0600	66°	V. Perez
	0900	68°	L. Sanchez
	1200	69°	L. Sanchez
	1500	70°	V. Perez
	1800	71°	V. Perez
	2100	70°	V. Perez
	2400	66°	V. Perez

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	67°	N. Rodriguez
	0600	66°	N. Rodriguez
	0900	71°	C. Mejia
	1200	70°	C. Mejia
	1500	71°	V. Perez
	1800	70°	V. Perez
	2100	68°	V. Perez
	2400	65°	N. Rodriguez

Notes

Date	Time	Temp.	Name (Print)
10-27-24	0300	66°	M. Enciso
	0600	65°	M. Enciso
	0900	70°	A. Villasenor
	1200	70°	A. Villasenor
	1500	68°	A. Rurtinoz
	1800	67°	A. Rameriz
	2100	66°	A. Rameriz
	2400	65°	M. Enciso

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C4

Temp. Reading Location: B SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/14	0300	70	T -
	0600	71	T -
	0900	70	J Garcia
	1200	69	J Garcia
	1500	68	C. Diaz
	1800	68	C. Diaz
	2100	68	C. Diaz
	2400	68°F	J. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
10/22/14	0300	67°F	J. Garcia
	0600	67°	A. Avila
	0900	67°	A. Avila
	1200	68°	A. Avila
	1500	68	R. Pacheco
	1800	67	R. Pacheco
	2100	68	R. Pacheco
	2400	67°F	J. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
10/23/14	0300	67°F	J. Garcia
	0600	67°	J. Garcia
	0900	68°	J. Garcia
	1200	70°	J. Garcia
	1500	70°	R. Pacheco
	1800	70	R. Pacheco
	2100	68°	R. Pacheco
	2400	67	T -

Thursday

Date	Time	Temp.	Name (Print)
10/24/14	0300	67	T -
	0600	69	T -
	0900	67	Burnes
	1200	67	Burnes
	1500	70°	Pacheco
	1800	70°	Pacheco
	2100	70	Pacheco
	2400	70	T -

Friday

Date	Time	Temp.	Name (Print)
10/25/14	0300	70	T -
	0600	71	T -
	0900	67	A. Tamm
	1200	68	A. Tamm
	1500	69	C. Diaz
	1800	70	C. Diaz
	2100	70	C. Diaz
	2400	70	Marguer

Saturday

Date	Time	Temp.	Name (Print)
10/26/14	0300	70	Marguer
	0600	70	Marguer
	0900	66	O. Montes
	1200	68	O. Montes
	1500	68	C. Diaz
	1800	70	C. Diaz
	2100	70	C. Diaz
	2400	70	T -

Sunday

Date	Time	Temp.	Name (Print)
10/27/14	0300	70	T -
	0600	70	T -
	0900	69°	L. Sanchez
	1200	70°	L. Sanchez
	1500	70	C. Diaz
	1800	70	C. Diaz
	2100	70	C. Diaz
	2400	70	T -

Notes

221
132
107
104
132
220

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-5 C- Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
10-21-24	0300	67	U Sandoval	10-22-24	0300	67	U Sandoval
	0600	69	U Sanchez		0600	66	U Sanchez
	0900	70	U Sanchez		0900	66	U Sanchez
	1200	70	U Sanchez		1200	70	U Sanchez
	1500	70	Huertan		1500	70	Guardado
	1800	70	Huertan		1800	69	Guardado
	2100	69	Huertan		2100	67	Guardado
	2400	67	U Sandoval		2400	67	Escarce

Wednesday				Thursday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
10/23/24	0300	67	Escarce	10/24/24	0300	68	MATIAS
	0600	67	Escarce		0600	66	MATIAS
	0900	65.8	Reyes		0900	66	J Garcia
	1200	66	Reyes		1200	67	J Garcia
	1500	67	Guardado		1500	66	A TAPDA
	1800	68	Guardado		1800	68	A TAPDA
	2100	67	Guardado		2100	68	A TAPDA
	2400	67	Escarce		2400	67	V Escarce

Friday				Saturday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
6/29/24	0300	67	R Escobar	6/30/24	0300	64	Escarce
	0600	66	C L ROSAS		0600	66	Reyes
	0900	66	C Escobar		0900	66	Reyes
	1200	66	C L ROSAS		1200	67	Reyes
	1500	69	J TAPDA		1500	67	J Escobar
	1800	77	J TAPDA		1800	67	R Escobar
	2100	74	J TAPDA		2100	67	R Escobar
	2400	67	Escarce		2400	67	J Crawford

Sunday				Notes			
Date	Time	Temp.	Name (Print)				
10/27/24	0300	66	J Crawford				
	0600	66	J Xiong				
	0900	66	J Xiong				
	1200	67	J Xiong				
	1500	68	R CORTEZ				
	1800	68	R CORTEZ				
	2100	68	R CORTEZ				
	2400	68	Chavez, LA				

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVP Housing Unit: C6 Temp. Reading Location: 2nd/Dend
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10-21-24			
Date	Time	Temp.	Name (Print)
10/21	0300	68	Am
	0600	67	Guardado
	0900	66	Guardado
	1200	67	Guardado
	1500	67	Webb
	1800	67	Webb
	2100	67	Webb
	2400	67	Arenas

Tuesday 10-22-24			
Date	Time	Temp.	Name (Print)
10/22	0300	67	Loren
	0600	67	Guardado
	0900	67	Guardado
	1200	67	Guardado
	1500	67	Loren
	1800	67	Loren
	2100	67	Loren
	2400	67	Guardado

Wednesday 10-23-24			
Date	Time	Temp.	Name (Print)
10/23	0300	67	Sandoval
	0600	67	Escamilla
	0900	67	Escamilla
	1200	68	Escamilla
	1500	68°	Green
	1800	68°	Green
	2100	68°	Green
	2400	68°	U-Sandoval

Thursday 10-24-24			
Date	Time	Temp.	Name (Print)
10/24	0300	67°	U-Sandoval
	0600	67	Lopez
	0900	67	Lopez
	1200	67	Lopez
	1500	68°	Green
	1800	68°	Green
	2100	68°	Green
	2400	68	Hurt

Friday 10-25-24			
Date	Time	Temp.	Name (Print)
10/25	0300	67	Hurst
	0600	67	Hurst
	0900	66	Guardado
	1200	67	Guardado
	1500	67	J.ROSAS
	1800	69	J.ROSAS
	2100	68	J.ROSAS
	2400	68	M.vegas

Saturday 10-26-24			
Date	Time	Temp.	Name (Print)
10/26	0300	68	M.vegas
	0600	68	R.GOMEZ
	0900	66	R.GOMEZ
	1200	68	R.GOMEZ
	1500	69	C.SANTOS
	1800	67	C.SANTOS
	2100	67	C.SANTOS
	2400	69	A.vegas

Sunday 10-27-24			
Date	Time	Temp.	Name (Print)
10/27	0300	67	M.vegas
	0600	67	R.GOMEZ
	0900	68	R.GOMEZ
	1200	68	R.GOMEZ
	1500	69	Webb
	1800	69	Webb
	2100	69	Webb
	2400	67	Sin

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSD Housing Unit: C7 Temp. Reading Location: B-Pad
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5543 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	69	Webb
	0600	69	Webb
	0900	68	J. Sow
	1200	68	J. Sow
	1500	68	J. Sow
	1800	69	J. Sow
	2100	69	J. Sow
	2400	69	Webb

Tuesday

Date	Time	Temp.	Name (Print)
	0300	69	Webb
	0600	69	Webb
	0900	68	J. Sow
	1200	69	J. Sow
	1500	69	J. Sow
	1800	68	R. Gandy
	2100	68	R. Gandy
	2400	68	R. Gandy

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	68°	Green
	0600	67	J. Sow
	0900	68	J. Sow
	1200	69	J. Sow
	1500	69	E. DELAROSA
	1800	68	E. DELAROSA
	2100	68	E. DELAROSA
	2400	67°	Green

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	68°	Green
	0600	67	J. Sow
	0900	67	J. Sow
	1200	69	J. Sow
	1500	70	E. DELAROSA
	1800	70	E. DELAROSA
	2100	69	E. DELAROSA
	2400	68°	Green

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	68°F	J. Garcia
	0600	69	J. Soto
	0900	69	J. Soto
	1200	69	J. Sow
	1500	69	E. DELAROSA
	1800	69	E. DELAROSA
	2100	68	E. DELAROSA
	2400	68°F	J. Garcia

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	68°F	J. Garcia
	0600	68°F	M. Miranda
	0900	68	M. Miranda
	1200	68	M. Miranda
	1500	69	C. TORREJON
	1800	69	C. TORREJON
	2100	69	C. TORREJON
	2400	68	C. TORREJON

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	68	1byscalu
	0600	68	1byscalu
	0900	68	1byscalu
	1200	69	1byscalu
	1500	70	C. TORREJON
	1800	70	C. TORREJON
	2100	69	C. TORREJON
	2400	69	Webb

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SYSP Housing Unit: C8 Temp. Reading Location: R. Sec 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	52°	R. Olsen
	0600	48°	R. Olsen
	0900	63	H. Zadie
	1200	69	H. Zadie
	1500	70	T. Lopez
	1800	69	T. Lopez
	2100	69	T. Lopez
	2400	69	L. Stepp

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	69	L. Stepp
	0600	69	L. Stepp
	0900	67	J. Jones
	1200	67	J. Jones
	1500	70	J. Jones
	1800	70	J. Jones
	2100	70	J. Jones
	2400	69	L. Stepp

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	68	L. Stepp
	0600	68	L. Stepp
	0900	68	J. Lopez
	1200	68	J. Lopez
	1500	69	R. SANTAGO
	1800	69	R. SANTAGO
	2100	69	R. SANTAGO
	2400	69	M. CASTRO

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	69°	Chavez, C.A.
	0600	68	R. SANTAGO
	0900	69	R. SANTAGO
	1200	69	R. SANTAGO
	1500	69	R. SANTAGO
	1800	69	R. SANTAGO
	2100	69	R. SANTAGO
	2400	54	R. Olsen

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	69	L. Stepp
	0600	68	L. Stepp
	0900	68	H. Zadie
	1200	68	H. Zadie
	1500	68	H. Zadie
	1800	68	H. Zadie
	2100	69	H. Zadie
	2400	69	L. Stepp

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	68	L. Stepp
	0600	69	L. Stepp
	0900	67	H. Zadie
	1200	68	J. Lopez
	1500	70	J. Lopez
	1800	70	J. Lopez
	2100	69	J. Lopez
	2400	69	L. Stepp

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	69	M. CASTRO
	0600	69	M. CASTRO
	0900	68	J. Lopez
	1200	70	J. Lopez
	1500	69	R. SANTAGO
	1800	69	R. SANTAGO
	2100	69	R. SANTAGO
	2400	69	Chavez, C.A.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: C1 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/27/18	0300	68	Hernandez
	0600	68	NORITA
	0900	68	NORITA
	1200	69	NORITA
	1500	67	Cordova
	1800	67	Cordova
	2100	67	Cordova
	2400	67	Cordova

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	66	Cordova
	0600	66	Lumartin
	0900	66	Lumartin
	1200	67	Lumartin
	1500	67	Cordova
	1800	66	Cordova
	2100	66	Cordova
	2400	66	Sampaolo

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	66	Sampaolo
	0600	65	Lumartin
	0900	66	Lumartin
	1200	67	Lumartin
	1500	66	Lopez
	1800	66	Lopez
	2100	66	Lopez
	2400	67	Sampaolo

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	64	Sampaolo
	0600	65	Lumartin
	0900	66	Lumartin
	1200	66	Lumartin
	1500	66	America
	1800	66	America
	2100	65	B. Torrez
	2400	65	S. Sampaolo

Friday

Date	Time	Temp.	Name (Print)
11/1	0300	64	Sampaolo
	0600	65	Perez
	0900	66	Perez
	1200	66	Perez
	1500	67	Perez
	1800	66	Perez
	2100	65	Perez
	2400	65	J. BENNETT

Saturday

Date	Time	Temp.	Name (Print)
11/2	0300	65	J. BENNETT
	0600	64	Firouz
	0900	65	Firouz
	1200	65	Firouz
	1500	65	VELASCO
	1800	64	VELASCO
	2100	64	VELASCO
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3	0300	66	Sampaolo
	0600	65	R. Norita
	0900	66	R. Norita
	1200	67	R. Norita
	1500	66	A. Zamudio
	1800	66	A. Zamudio
	2100	66	A. Zamudio
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: C-3 Temp. Reading Location: Upper "B" pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10-29-24	0300	65°	E. Beasley
	0600	65°	E. Beasley
	0900	65	A. Villegas
	1200	66	A. Villegas
	1500	67	A. Villegas
	1800	66	A. Villegas
	2100	65	A. Villegas
	2400	65°	E. Beasley

Tuesday			
Date	Time	Temp.	Name (Print)
10-29-24	0300	66°	E. Beasley
	0600	66°	E. Beasley
	0900	66	A. Villegas
	1200	67	A. Villegas
	1500	67	R. Ybarra
	1800	69	R. Ybarra
	2100	70	R. Ybarra
	2400	58	G.W.

Wednesday			
Date	Time	Temp.	Name (Print)
10-30-24	0300	65°	
	0600	61	P. Pacheco
	0900	61	P. Pacheco
	1200	61	P. Pacheco
	1500	61	P. Pacheco
	1800	61	P. Pacheco
	2100	61	P. Pacheco
	2400	62°F	J. Garcia

Thursday			
Date	Time	Temp.	Name (Print)
10-31-24	0300	62°F	J. Garcia
	0600	62	P. Norante
	0900	63	P. Norante
	1200	63	P. Norante
	1500	62	I. Velasco
	1800	63	I. Velasco
	2100	63	I. Velasco
	2400	62	K. Empante

Friday			
Date	Time	Temp.	Name (Print)
11-1-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	63°	N. Rodriguez

Saturday			
Date	Time	Temp.	Name (Print)
11-2-24	0300	63°	N. Rodriguez
	0600	63°	N. Rodriguez
	0900	63°	A. Villegas
	1200	65	A. Villegas
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
11-3-24	0300	64°	A. RETAMORA
	0600	64°	A. RETAMORA
	0900	64	A. Villegas
	1200	65	A. Villegas
	1500	66	E. Amman
	1800	65	E. Amman
	2100	65	E. Amman
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: FAC C4 Temp. Reading Location: B SECTION
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/13/24	0300	70	T -
	0600	71	T -
	0900	70	Mendoza
	1200	68	Mendoza
	1500	68	C-Diaz
	1800	68	C-Diaz
	2100	68	C-Diaz
	2400	68°F	J-Garcia

Tuesday			
Date	Time	Temp.	Name (Print)
10/24/24	0300	68°F	J-Garcia
	0600	68	Mendoza
	0900	67	Mendoza
	1200	67	Mendoza
	1500	68	Taylor
	1800	68	Perez
	2100	68	Perez
	2400	67°F	J-Garcia

Wednesday			
Date	Time	Temp.	Name (Print)
10/24/24	0300	67°F	J-Garcia
	0600	67	R-Perez
	0900	69	Mendoza
	1200	68	A-Taylor
	1500	68	R-Perez
	1800	68	R-Perez
	2100	68	R-Perez
	2400	68	T -

Thursday			
Date	Time	Temp.	Name (Print)
10/24/24	0300	68	T -
	0600	68	T -
	0900	64	Mendoza
	1200	64	Mendoza
	1500	65	Perez
	1800	65	Perez
	2100	65	Perez
	2400	65	T -

Friday			
Date	Time	Temp.	Name (Print)
10/24/24	0300	67	J-Garcia
	0600	69	Mendoza
	0900	67	Mendoza
	1200	65	Mendoza
	1500	67	B-Chavez
	1800	67	B-Chavez
	2100	66	B-Chavez
	2400	66°	Mendoza

Saturday			
Date	Time	Temp.	Name (Print)
10/24/24	0300	66	Perez
	0600	66	Gonzalez
	0900	64.4	C-Diaz
	1200	67.1	C-Torres
	1500	69	C-Diaz
	1800	69	C-Diaz
	2100	69	C-Diaz
	2400	69	Garcia

Sunday			
Date	Time	Temp.	Name (Print)
10/24/24	0300	67	Mendoza
	0600	69	Sanchez
	0900	69	Sanchez
	1200	69	Sanchez
	1500	69	C-Diaz
	1800	69	C-Diaz
	2100	69	C-Diaz
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: C-5 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/28/24	0300	67°	Chavez, C.A.
	0600	67°	LoSanchet
	0900	67°	LoSanchet
	1200	68°	L.Sanchet
	1500	68°	R.GARZEL
	1800	68°	R.GARZEL
	2100	68°	R.GARZEL
	2400	68°	Sander

Tuesday			
Date	Time	Temp.	Name (Print)
10-29-24	0300	67°	M.Sanchez
	0600	67°	LoSanchet
	0900	67°	LoSanchet
	1200	67°	L.Sanchez
	1500	68°	M.Santa Anna
	1800	67°	M.Santa Anna
	2100	67°	M.Garcia Anna
	2400	67°	Escobar

Wednesday			
Date	Time	Temp.	Name (Print)
10/30/24	0300	67°	Escobar
	0600	65.7	R.Reyes
	0900	65.1	R.Reyes
	1200	65°	Reyes
	1500	66°	R.Garcia
	1800	66°	R.COMPEL
	2100	66°	R.COMPEL
	2400	64°	C.Medina

Thursday			
Date	Time	Temp.	Name (Print)
10/31/24	0300	69°	C.Medina
	0600	69°	C.Medina
	0900	68°	Guardado
	1200	68°	GUARDADO
	1500	68.8°	J.TAPIA
	1800	68.8°	J.TAPIA
	2100	68.8°	J.TAPIA
	2400	69.9°	Escobar

Friday			
Date	Time	Temp.	Name (Print)
11/1/24	0300	69.7°	Escobar
	0600		
	0900		
	1200		
	1500	65.7	J.TAPIA
	1800	66.1	J.TAPIA
	2100	66.4	J.TAPIA
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
11/2/24	0300	66°	P.GONALVES
	0600	66°	P.GONALVES
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
11/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C6 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>10/28</u>	0300	67	Sil
	0600	67	Xiong
	0900	67	Xiong
	1200	67	Xiong
	1500	67	Webb
	1800	67	Webb
	2100	67	Webb
	2400	67	Hartle

Tuesday			
Date	Time	Temp.	Name (Print)
<u>10/29</u>	0300	66	A. Hartle
	0600	66	A. Hartle
	0900	65	Guadalupe
	1200	66	Guadalupe
	1500	66°	Green
	1800	67°	Green
	2100	66°	Green
	2400	66	Sandar

Wednesday			
Date	Time	Temp.	Name (Print)
<u>10/30</u>	0300	66°	Escamilla
	0600	65	Escamilla
	0900	65	Escamilla
	1200	66	Escamilla
	1500	66°	Green
	1800	65°	Green
	2100	65°	Green
	2400	65	Sandar

Thursday			
Date	Time	Temp.	Name (Print)
<u>10/31</u>	0300	65	S. Sandar
	0600	65	Silopez
	0900	65	Silopez
	1200	66	Silopez
	1500	65°	Green
	1800	65°	Green
	2100	65°	Green
	2400	65°	Sil

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C1 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/28	0300	67	Green
	0600	66	Green
	0900	67	Rojas
	1200	67	Rojas
	1500	67	Hernandez
	1800	67	Hernandez
	2100	67	Hernandez
	2400	67	Webb

Tuesday			
Date	Time	Temp.	Name (Print)
10/29	0300	65	WEBB
	0600	65	WEBB
	0900	66	J. Soto
	1200	68	J. Soto
	1500	67	Hernandez
	1800	67	Hernandez
	2100	67	Hernandez
	2400	65	Correa

Wednesday			
Date	Time	Temp.	Name (Print)
10/30	0300	65	Correa
	0600	65	Correa
	0900	64	J. Soto
	1200	65	J. Soto
	1500	66	E. DE LA ROSA
	1800	65	E. DE LA ROSA
	2100	65	E. DE LA ROSA
	2400	64	Green

Thursday			
Date	Time	Temp.	Name (Print)
10/31	0300	64	Green
	0600	65	J. Soto
	0900	66	J. Soto
	1200	67	J. Soto
	1500	67	S. BRAVO
	1800	67	S. BRAVO
	2100	66	S. BRAVO
	2400	65	J. Garcia

Friday			
Date	Time	Temp.	Name (Print)
11/1	0300	65	J. Garcia
	0600	65	J. Soto
	0900	66	J. Soto
	1200	67	J. Soto
	1500	67	E. DELA ROSA
	1800	66	E. DELA ROSA
	2100	66	E. DELA ROSA
	2400	64	J. Garcia

Saturday			
Date	Time	Temp.	Name (Print)
11/2	0300	64	J. Garcia
	0600	65	Miranda
	0900	66	Miranda
	1200	67	Miranda
	1500	69	C. TORREJON
	1800	68	C. TORREJON
	2100	68	C. TORREJON
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
11/3	0300	66	Webb
	0600	66	Webb
	0900	67	Rojas
	1200	67	Rojas
	1500	67	C. TORREJON
	1800	66	C. TORREJON
	2100	66	C. TORREJON
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: C-8 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/	0300	69	R. ALLEN
	0600	69	R. ALLEN
	0900	69	H. ZAVALA
	1200	69	H. ZAVALA
	1500	69	R. SANTIAGO
	1800	69	R. SANTIAGO
	2100	68	R. SANTIAGO
	2400	69	L. STEPP

Wednesday

Date	Time	Temp.	Name (Print)
10/30/	0300	68	L. STEPP
	0600	68	L. STEPP
	0900	68	H. ZAVALA
	1200	68	H. ZAVALA
	1500	68	J. LUNA
	1800	68	J. LUNA
	2100	68	J. LUNA
	2400	67	L. STEPP

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300		
	0600	66	D. MARSHALL
	0900	67	D. MARSHALL
	1200	67	D. MARSHALL
	1500	67	M. MITRA
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/31/24	0300		
	0600	67	R. SANTIAGO
	0900	68	R. SANTIAGO
	1200	69	R. SANTIAGO
	1500	69	R. SANTIAGO
	1800	68	R. SANTIAGO
	2100	68	R. SANTIAGO
	2400	68	A. RETAMOZA

Tuesday

Date	Time	Temp.	Name (Print)
10/31	0300	68	L. STEPP
	0600	67	L. STEPP
	0900	67	H. ZAVALA
	1200	67	H. ZAVALA
	1500	68	H. ZAVALA
	1800	68	H. ZAVALA
	2100	68	H. ZAVALA
	2400	68	L. STEPP

Thursday

Date	Time	Temp.	Name (Print)
11/1/24	0300	68	L. STEPP
	0600	67	L. STEPP
	0900	67	SHIRLEY
	1200	68	SHIRLEY
	1500	68	SHIRLEY
	1800	68	SHIRLEY
	2100	68	SHIRLEY
	2400	67	L. STEPP

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	67	M. MARINA
	1800		
	2100		
	2400		

Notes

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2020 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location: _____

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	67	CJ
	0200	68	CJ
	0300	66	CJ
	0400	64	CJ
	0500	63	CJ
	0600	64.6	TR
10/1/24	0700	70.3	TR
	0800	72.6	TR
	0900	74.5	TR
	1000	78.4	TR
	1100	83.8	TR
	1200	90.5	TR
	1300	93.2	TR
	1400	95.2	TR
	1500	92	N.S.
	1600	90	N.S.
	1700	84	N.S.
	1800	80	N.S.
	1900	76	N.S.
	2000	71	N.S.
	2100	69	N.S.
	2200	67	TR
	2300	66	TR
	2400	65	TR

1200 Stage 1 Heat Alert
1700 OFF STAGE 1

Date	Time	Temp.	Printed Name
10/2/24	0100	64.7	TR
	0200	64.2	TR
	0300	63.1	TR
	0400	63.1	TR
	0500	62.8	TR
	0600	77.2	A
	0700	78	A
	0800	83.3	A
	0900	76.7	A
	1000	83.3	A
	1100	87.6	A
	1200	91.6	A
	1300	98	N.S.
	1400	97	N.S.
	1500	99	N.S.
	1600	92	N.S.
	1700	91	N.S.
	1800	87	N.S.
	1900	80.2	N.S.
	2000	76	N.S.
	2100	73	N.S.
	2200	72	LG
	2300	72	LG
	2400	71	LG

10/2/24 1200 Stage 1 Heat Alert
90.1

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDGR 2020 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION:

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/3/24	0100	69	Lh
	0200	68	Lh
	0300	68	Lh
	0400	67	Lh
	0500	67	Lh
	0600	65	Lh
	0700	66	M.P.
	0800	77	M.P.
	0900	81	A
	1000	82.6	A
	1100	89.4	A
	1200	93.9	A
	1300	97.3	A
	1400	98.2	A
	1500	97.	N.S.
	1600	95	N.S.
	1700	94	N.S.
	1800	86	N.S.
	1900	79	N.S.
	2000	73	N.S.
	2100	70	N.S.
	2200	70	Lh
	2300	69	Lh
	2400	68	Lh

Date	Time	Temp.	Printed Name
10/4/24	0100	67	Lh
	0200	68	Lh
	0300	68	Lh
	0400	68	Lh
	0500	68	Lh
	0600	66.7	A
	0700	66.4	A
	0800	84.6	A
	0900	73.9	A
	1000	77.6	A
	1100	81.5	A
	1200	84.6	A
	1300	86.4	A
	1400	86	N.S.
	1500	84	N.S.
	1600	79	N.S.
	1700	76	N.S.
	1800	75	N.S.
	1900	71	N.S.
	2000	67	N.S.
	2100	64	N.S.
	2200	63.1	JF1CH
	2300	63.2	JF1CH
	2400	63.1	JF1CH

@11:35 stage 1

@1900 off stage 1

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2020 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION:

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/5/24	0100	61.6	JFURCH
	0200	61.5	JFURCH
	0300	61.9	JFURCH
	0400	62.3	JFURCH
	0500	62.8	JFURCH
	0600	62.4	A
	0700	75	A
	0800	75.6	A
	0900	74.8	A
	1000	84	A
	1100	89.7	A
	1200	90.7	A
	1300	93.7	A
	1400	94	N.S.
	1500	90	N.S.
	1600	89	N.S.
	1700	80	N.S.
	1800	76	N.S.
	1900	71	N.S.
	2000	67	N.S.
	2100	67	N.S.
	2200	66	N.S.
	2300	65	6.00
	2400	64	E.COM

Date	Time	Temp.	Printed Name
10/6/24	0100	64	E.COM
	0200	64	E.COM
	0300	64	E.COM
	0400	64	E.COM
	0500	64	E.COM
	0600	64	E.COM
	0700	63	A
	0800	72.2	A
	0900	77.5	A
	1000	81	A
	1100	86.9	A
	1200	90.1	A
	1300	94.5	A
	1400	99	C.MARINELLI
	1500	98	C.MARINELLI
	1600	98	C.MARINELLI
	1700	82	C.MARINELLI
	1800	80	C.MARINELLI
	1900	73	C.MARINELLI
	2000	73	C.MARINELLI
	2100	73	C.MARINELLI
	2200	73	C.MARINELLI
	2300	72	C
	2400	68	C

10/5 Stage 1
1140 Heat Alert

1226 Heat Alert

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/7/24	0100	68	CF
	0200	69	CF
	0300	69.6	CF
	0400	69.4	CF
	0500	69	CF
	0600	65.7	TR
	0700	77.7	TR
	0800	71.1	TR
	0900	78.4	TR
	1000	80.2	TR
	1100	86.4	TR
	1200	90.1	TR
	1300	90.8	TR
	1400	91.2	TR
	1500	90	CF
	1600	89	CF
	1700	86	CF
	1800	80	CF
	1900	78	CF
	2000	74	CF
	2100	68	CF
	2200	64	CF
	2300	63	CF
	2400	62	CF

Date	Time	Temp.	Printed Name
10/8/24	0100	61	CF
	0200	60	CF
	0300	60	CF
	0400	59	CF
	0500	58	TR
	0600	57	TR
	0700	57.9	TR
	0800	64.4	TR
	0900	68.0	TR
	1000	73.9	TR
	1100	79.0	TR
	1200	80.2	TR
	1300	83.3	TR
	1400	82.9	TR
	1500	80	CM
	1600	80	CM
	1700	79	CM
	1800	70	CM
	1900	69	CM
	2000	62	CM
	2100	62	CM
	2200	67	CM
	2300	61.0	TR
	2400	61.0	TR

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location: _____

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/9/24	0100	60.2	TR
	0200	60.4	TR
	0300	59.2	TR
	0400	58.9	TR
	0500	58.2	TR
	0600	58.9	TR
	0700	58.9	A
	0800	58.5	A
	0900	61.2	A
	1000	65.3	A
	1100	68.5	A
	1200	74.5	A
	1300	76.4	A
	1400	66.4	A
	1500	66.2	CW
	1600	65.1	CW
	1700	65	CW
	1800	64	CW
	1900	63.2	CW
	2000	63.3	CW
	2100	63.2	CW
	2200	63.2	CW
	2300	64	CW
	2400	68	CW

Date	Time	Temp.	Printed Name
10/10/24	0100	69	
	0200	53	
	0300	53.2	
	0400	53	
	0500	53.5	
	0600	54.9	A
	0700	55.2	A
	0800	57.7	A
	0900	59.4	A
	1000	71.4	A
	1100	71.8	A
	1200	75	A
	1300	75.4	A
	1400	75.7	CW
	1500	75.7	CW
	1600	67.6	CW
	1700	67.6	CW
	1800	67.6	CW
	1900	59.4	CW
	2000	59.4	CW
	2100	59.4	CW
	2200	59.4	CW
	2300	59	L.SOTO
	2400	59	L.SOTO

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (Q4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION:

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/11/24	0100	58	L. SOTO
	0200	57	L. SOTO
	0300	57	L. SOTO
	0400	58	L. SOTO
	0500	55	L. SOTO
	0600	52	L. SOTO
	0700	53.8	R. By Claves
	0800	54	X
	0900	62.8	X
	1000	70.2	X
	1100	70.3	X
	1200	73	X
	1300	74.7	X
	1400	74.3	X
	1500	75	X
	1600	76	X
	1700	77	X
	1800	75	X
	1900	65.7	X
	2000	64.2	X
	2100	64	X
	2200	64.8	JFMCA
	2300	63.6	JFMCA
	2400	63.2	JFMCA

Date	Time	Temp.	Printed Name
10/12/24	0100	59.2	JFMCA
	0200	55.5	JFMCA
	0300	52.5	JFMCA
	0400	52.2	JFMCA
	0500	54.5	JFMCA
	0600	54.5	R. Baldwin
	0700	53.4	A
	0800	53.4	X
	0900	55.6	X
	1000	64.8	X
	1100	68	X
	1200	72.1	X
	1300	76.6	X
	1400	75.8	X
	1500	77	X
	1600	76	X
	1700	75	X
	1800	72	X
	1900	72.7	X
	2000	63.0	X
	2100	62	X
	2200	63.5	JFMCA
	2300	63.3	JFMCA
	2400	63.3	JFMCA

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2020 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/13/24	0100	67.0	SFUTCH
	0200	67.8	SFUTCH
	0300	67.8	SFUTCH
	0400	67.8	SFUTCH
	0500	67.9	SFUTCH
	0600	67.1	R.Billantes
	0700	67.6	A
	0800	67.2	A
	0900	67.6	A
	1000	67.8	A
	1100	67.8	A
	1200	67.3	A
	1300	66.6	A
	1400	70	A
	1500	75	A
	1600	75	A
	1700	71	A
	1800	68	A
	1900	66	A
	2000	64	A
	2100	63	A
	2200	62	A
	2300	61	A
	2400	61	A

Date	Time	Temp.	Printed Name
10/14/24	0100	61	A
	0200	61	A
	0300	60	A
	0400	60	A
	0500	59.5	A
	0600	59.5	TR
	0700	60	TR
	0800	61.9	TR
	0900	62.0	TR
	1000	65.3	TR
	1100	67.4	TR
	1200	68.2	TR
	1300	71.1	TR
	1400	72.0	TR
	1500	72.3	TR
	1600	71	A
	1700	70	A
	1800	70	A
	1900	69	A
	2000	68	A
	2100	68	A
	2200	67	A
	2300	67	A
	2400	65	A

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2020 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	58	
	0200	57	
	0300	56	
	0400	54	
	0500	55.0	TR
	0600	55.8	TR
	0700	55.8	TR
	0800	55.8	TR
	0900	56.3	TR
	1000	58.6	TR
	1100	60.2	TR
	1200	73.4	TR
	1300	74.3	TR
	1400	75.9	TR
	1500	74.3	Ry
	1600	74.4	M
	1700	73.4	M
	1800	68.1	M
	1900	63.1	M
	2000	61.5	M
	2100	61.5	M
	2200	61.	M
	2300	57.2	TR
	2400	58.9	TR

10/15/29

Date	Time	Temp.	Printed Name
	0100	58.9	TR
	0200	58.7	TR
	0300	58.4	TR
	0400	57.9	TR
	0500	57.7	TR
	0600	57	R-Brillantes
	0700	57.4	A
	0800	58.2	A
	0900	61.9	A
	1000	63.3	A
	1100	70.2	A
	1200	74.3	TR
	1300	77.9	A
	1400	75.0	TR
	1500	74.2	KB
	1600	73.9	KB
	1700	72.9	KB
	1800	68.9	KB
	1900	64.2	KB
	2000	63.4	KB
	2100	64.3	KB
	2200	60.4	TR
	2300	60.2	TR
	2400	59.9	TR

DISTRIBUTION: Original: Institution Heat Plan Coordinator

www

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION:

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	59.1	TR
	0200	58.5	TR
	0300	57.1	TR
	0400	55	TR
	0500	52.1	TR
	0600	52.3	TR
	0700	54.0	TR
	0800	59.2	TR
	0900	64.2	TR
	1000	65.3	A
	1100	67.3	A
	1200	70.5	*
	1300	69.4	*
	1400	59	CM
	1500	59	CM
	1600	59	CM
	1700	59	CM
	1800	59	CM
	1900	59	CM
	2000	55.7	CM
	2100	55.7	CM
	2200	55.7	TR
	2300	55.6	TR
	2400	55.5	TR

10/17/24

Date	Time	Temp.	Printed Name
	0100	55.4	TR
	0200	55.2	TR
	0300	53.9	TR
	0400	53.6	TR
	0500	51.04	A
	0600	61	A
	0700	62.4	A
	0800	65.2	A
	0900	64.6	A
	1000	70.7	A
	1100	73.2	A
	1200	73	A
	1300	74.2	A
	1400	75.6	A
	1500	75.3	A
	1600	74.1	Tanger
	1700	72.5	Tanger
	1800	68.5	Tanger
	1900	64.4	Tanger
	2000	61.3	Tanger
	2100	59.5	Tanger
	2200	59	A
	2300	58	A
	2400	56	A

10/18/24

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDGR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION:

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/19/24	0100	55.3	W
	0200	54	W
	0300	53	W
	0400	49	W
	0500	49.7	W
	0600	48	W
	0700	27	W
	0800	48	W
	0900	48.2	W
	1000	51	W
	1100	53	W
	1200	76	W
	1300	7.9	W
	1400	79.3	X-Bock
	1500	78.2	X-Bock
	1600	77.5	X-Bock
	1700	70.4	A-Ventura
	1800	65.5	A-Ventura
	1900	63.0	A-Ventura
	2000	60.4	A-Ventura
	2100	57.7	A-Ventura
	2200	55.7	GARIBAY
	2300	55.6	GARIBAY
	2400	54.9	GARIBAY

Date	Time	Temp.	Printed Name
10/19/24	0100	53.6	GARIBAY
	0200	52.5	GARIBAY
	0300	52.3	GARIBAY
	0400	50.4	GARIBAY
	0500	49.6°	GARIBAY
	0600	49.6°	GARIBAY
	0700	52.7	TR
	0800	56.4	TR
	0900	59.2	TR
	1000	64.1	TR
	1100	71.7	TR
	1200	80.2	TR
	1300	81.9	TR
	1400	82.2	TR
	1500	82	CJ
	1600	81	CJ
	1700	78	CJ
	1800	76	CJ
	1900	72	CJ
	2000	68	CJ
	2100	64	CJ
	2200	61	CJ
	2300	59	CJ
	2400	57	CJ

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION:

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/21/24	0100	56	CJ
	0200	55	CJ
	0300	54	CJ
	0400	52	CJ
	0500	51	CJ
	0600	50.9	TR
	0700	49.6	TR
	0800	56.4	TR
	0900	66.5	TR
	1000	66.7	TR
	1100	72.1	TR
	1200	73.6	TR
	1300	76.8	TR
	1400	76	CJ
	1500	78	CJ
	1600	74	CJ
	1700	70	CJ
	1800	65	CJ
	1900	69	CJ
	2000	58	CJ
	2100	57	CJ
	2200	55	CJ
	2300	54	CJ
	2400	52	CJ

Date	Time	Temp.	Printed Name
10/22/24	0100	50	CJ
	0200	51	CJ
	0300	52	CJ
	0400	50	CJ
	0500	50	CJ
	0600	49.6	TR
	0700	52.7	TR
	0800	56.1	TR
	0900	58.6	TR
	1000	63.1	TR
	1100	69.8	TR
	1200	72.0	TR
	1300	73.6	TR
	1400	73.8	TR
	1500	72.5	CJ
	1600	72.5	CJ
	1700	72.4	CJ
	1800	73	CJ
	1900	72	CJ
	2000	71	CJ
	2100	72	CJ
	2200	54.1	TR
	2300	52.4	TR
	2400	52	TR

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION:

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/23/24	0100	51.9	TR
	0200	51.4	TR
	0300	50.8	TR
	0400	50.2	TR
	0500	49.9	TR
	0600	49.8	TR
	0700	50.5	A
	0800	56.2	A
	0900	61.5	A
	1000	65.7	A
	1100	70.5	A
	1200	76.1	A
	1300	79.2	A
	1400	77.9	JG
	1500	77.9	JG
	1600	77.7	JG
	1700	76.8	JG
	1800	69.8	JG
	1900	65.7	JG
	2000	62.5	JG
	2100	60.3	JG
	2200	60.2	JG
	2300	56.7	TR
	2400	56.7	TR

Date	Time	Temp.	Printed Name
10/24/24	0100	55.1	TR
	0200	54.3	TR
	0300	53.2	TR
	0400	52.8	TR
	0500	52.3	TR
	0600	52.7	TR
	0700	56.4	TR
	0800	58.6	TR
	0900	60.4	A
	1000	64.6	A
	1100	71.0	A
	1200	75.6	A
	1300	78.4	A
	1400	77.6	JG
	1500	77.6	JG
	1600	75.6	JG
	1700	73.8	JG
	1800	68.5	JG
	1900	63.7	JG
	2000	63.3	JG
	2100	59.9	JG
	2200	59.3	JG
	2300	58	C
	2400	57	C

7408

7402

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDGR 2020 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/25/24	0100	62	m
	0200	62.3	m
	0300	60	m
	0400	56	m
	0500	54.1	m
	0600	54.5	A
	0700	55.2	A
	0800	55.8	A
	0900	55.8	A
	1000	56.2	A
	1100	68.7	A
	1200	71.0	A
	1300	72.5	A
	1400	79.3	Ventura
	1500	78	m
	1600	78	m
	1700	76	m
	1800	75	m
	1900	76.8	m
	2000	70	m
	2100	65	m
	2200	63	m
	2300	60.8	m
	2400	60.2	m

Date	Time	Temp.	Printed Name
10/26/24	0100	59.2	m
	0200	58	m
	0300	50	m
	0400	47.2	m
	0500	45.3	m
	0600	48.7	A
	0700	48.5	A
	0800	57.4	A
	0900	57	A
	1000	62	A
	1100	70.2	A
	1200	74.8	A
	1300	77	A
	1400	79.3	Ventura
	1500	74.0	Ventura
	1600	74.3	Ventura
	1700	72.1	Ventura
	1800	70.0	Ventura
	1900	68.4	Ventura
	2000	65.5	Ventura
	2100	62.2	Ventura
	2200	61	LG
	2300	61	LG
	2400	61	LG

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/27/24	0100	67	lh
	0200	62	lh
	0300	62	lh
	0400	63	lh
	0500	64	lh
	0600	65	lh
	0700	66	lh
	0800	66	lh
	0900	67	*
	1000	70	A
	1100	71.4	A
	1200	73.7	*
	1300	75.7	*
	1400	74	CP
	1500	72	CP
	1600	70	CP
	1700	67	CP
	1800	65	CP
	1900	63	CP
	2000	62	CP
	2100	61	CP
	2200	60	CP
	2300	60	CP
	2400	59	CP

Date	Time	Temp.	Printed Name
10/28/24	0100	59	CP
	0200	58	CP
	0300	58	CP
	0400	57	CP
	0500	57	CP
	0600	55.8	TR
	0700	63.4	TR
	0800	65.1	TR
	0900	65.7	TR
	1000	66.1	TR
	1100	66.9	TR
	1200	68.2	TR
	1300	70.2	TR
	1400	68.9	TR
	1500	67	CP
	1600	67	CP
	1700	66	CP
	1800	66	CP
	1900	65	CP
	2000	62	CP
	2100	62	CP
	2200	59	CP
	2300	57	CP
	2400	56	CP

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SVSP

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location: _____

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/29/24	0100	54	O
	0200	52	CD
	0300	53	CD
	0400	52	CD
	0500	52	CD
	0600	49.5°	GF
	0700	63° 68°	GF
	0800	66°	GF
	0900	62°	GF
	1000	64°	GF
	1100	67°	GF
	1200	67°	GF
	1300	68°	GF
	1400	69	N.S.
	1500	68	N.S.
	1600	66	N.S.
	1700	64	N.S.
	1800	60	N.S.
	1900	57	CM
	2000	55	N.S.
	2100	53	N.S.
	2200	53	LH
	2300	53	LH
	2400	50	LH

Date	Time	Temp.	Printed Name
10/30/24	0100	50	LH
	0200	47	LH
	0300	46	LH
	0400	46	LH
	0500	46	LH
	0600	43°	GF
	0700	44°	GF
	0800	44°	GF
	0900	52°	GF
	1000	56°	GF
	1100	58°	GF
	1200	64°	G1
	1300	68°	GF
	1400	69	N.S.
	1500	70	N.S.
	1600	68	N.S.
	1700	63	N.S.
	1800	60	N.S.
	1900	57	N.S.
	2000	55	N.S.
	2100	54	N.S.
	2200	52	LH
	2300	51	LH
	2400	50	LH

ATTACHMENT C

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (Q4/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: SVSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 5542 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/31/2014	0100	49	LG
	0200	49	LG
	0300	45	LG
	0400	47	LG
	0500	48	LG
	0600	48	LG
	0700	47.7	TR
	0800	49.1	TR
	0900	58.2	A
	1000	59.4	A
	1100	65.4	A
	1200	65	X
	1300	67.6	TR
	1400	68.5	TR
	1500	68	N.S.
	1600	66	N.S.
	1700	63	N.S.
	1800	60	N.S.
	1900	58	N.S.
	2000	55	N.S.
	2100	55	N.S.
	2200	54	LG
	2300	52	LG
	2400	50	LG

Date	Time	Temp.	Printed Name
<i>[Signature]</i>	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29

Temp. Reading Location: Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/02/24	0300	68	Martinez
0600	69	B. ROCHET	
0900	69	J.C. CAR	
1200	68	J.C. CAR	
1500	68	BONANZO	
1800	68	BONANZO	
2100	68	BONANZO	
2400	68	Martinez	

Friday

Date	Time	Temp.	Name (Print)
10/04/24	0300	68	J. MUNIZ
0600	69	J. MUNIZ	
0900	69	Fernandez	
1200	69	Fernandez	
1500	69	Fernandez	
1800	69	FERNANDEZ	
2100	69	FERNANDEZ	
2400	69	J. MUNIZ	

Sunday

Date	Time	Temp.	Name (Print)
10/06/24	0300	68	E. MARTINEZ
0600	68	T	
0900	68	T	
1200	68	T	
1500	68	T	
1800	68	T	
2100	68	T	
2400	68	T	

Tuesday

Date	Time	Temp.	Name (Print)
10/01/24	0300	68	MARTINEZ
0600	68	B. ROCHET	
0900	68	B. ROCHET	
1200	68	B. ROCHET	
1500	68	BONANZO	
1800	68	BONANZO	
2100	68	BONANZO	
2400	69	EMORTON	

Thursday

Date	Time	Temp.	Name (Print)
10/03/24	0300	68	MARTINEZ
0600	69	EMORTON	
0900	69	EMORTON	
1200	69	EMORTON	
1500	69	EMORTON	
1800	68	EMORTON	
2100	68	EMORTON	
2400	68	EMORTON	

Saturday

Date	Time	Temp.	Name (Print)
10/05/24	0300	68	MUNIZ
0600	69	MARQUEZ	
0900	69	MARQUEZ	
1200	69	MARQUEZ	
1500	69	MUNIZ	
1800	68	MUNIZ	
2100	68	MARQUEZ	
2400	68	MARQUEZ	

Notes

10/5/24 - 1135 Stage 1 heat

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29 Temp. Reading Location: Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/11/24	0300	69	✓
	0600	69	Marguer
	0900	70	Marguer
	1200	69	Marguer
	1500	65	Rosa
	1800	66	Rosa
	2100	69	Rosa
	2400	68	Rosa

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	69	Martina
	0600	69°	D.C. Jon
	0900	69°	D.C. Jon
	1200	69°	D.G. Jon
	1500	68	Bonita
	1800	68	Bonita
	2100	68	Bonita
	2400	69	EMarita

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	68	Maria
	0600	68	Marguer
	0900	68	Marguer
	1200	68	Marguer
	1500	68	A. Mendoza
	1800	68	A. Mendoza
	2100	69	A. Mendoza
	2400	69	E. Martinez

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	69	✓
	0600	69	✓
	0900	69	B. Garcia
	1200	69	B. Garcia
	1500	69	Mendoza
	1800	69	Chavez
	2100	69	Chavez
	2400	68	E. Martinez

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	68	Perez
	0600	69	B. Garcia
	0900	69°	D.C. Jon
	1200	68	D.C. Jon
	1500	67	TODAY
	1800	68	Bonita
	2100	68	Bonita
	2400	68	EMartinez

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	68	E. Martinez
	0600	68	E. Martinez
	0900	68	Marguer
	1200	68	Marguer
	1500	69	Marguer
	1800	68	V. VENTURA
	2100	68	V. VENTURA
	2400	68	Samantha

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	68	B. Martinez
	0600	68	B. Martinez
	0900	68	B. Martinez
	1200	69	B. Martinez
	1500	69	A. Mendoza
	1800	69	A. Mendoza
	2100	69	A. Mendoza
	2400	68	T.

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29

Temp. Reading Location: Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/ 14/ 24	0300	68	E Martin
	0600	68	E Martin
	0900	68	MARTIN
	1200	68	MARTIN
	1500	68	MARTIN
	1800	68	BOWARD
	2100	68	BOWARD
	2400	68	E Martin

Wednesday

Date	Time	Temp.	Name (Print)
10/ 16/ 24	0300	68	E Martin
	0600	68	E Martin
	0900	69	D.C. COON
	1200	69	D.C. COON
	1500	69	BOWARD
	1800	69	BOWARD
	2100	69	BOWARD
	2400	68	E Martin

Friday

Date	Time	Temp.	Name (Print)
10/ 18/ 24	0300	68	MARTIN
	0600	68	MARGUER
	0900	68	MARGUER
	1200	68	MARGUER
	1500	68	BANAS
	1800	68	BANAS
	2100	68	BANAS
	2400	68	MARTIN

Sunday

Date	Time	Temp.	Name (Print)
10/ 20/ 24	0300	68	E Martin
	0600	68	E Martin
	0900	68	T-
	1200	60	T-
	1500	62	T-
	1800	66	T-
	2100	68	T-
	2400	68	T-

Tuesday

Date	Time	Temp.	Name (Print)
10/ 15/ 24	0300	68	E Martin
	0600	68	E Martin
	0900	69	D.C. COON
	1200	69	D.C. COON
	1500	68	BOWARD
	1800	68	BOWARD
	2100	69	E Martin
	2400	68	E Martin

Thursday

Date	Time	Temp.	Name (Print)
10/ 17/ 24	0300	68	E Martin
	0600	68	E Martin
	0900	68	MARGUER
	1200	68	MARGUER
	1500	69	C. MOORE
	1800	69	C. MOORE
	2100	69	C. MOORE
	2400	68	MARTIN

Saturday

Date	Time	Temp.	Name (Print)
10/ 24	0300	68	MARTIN
	0600	68	A. MENDOC
	0900	69	A. MENDOC
	1200	69	A. MENDOC
	1500	68	MUR
	1800	68	MUR
	2100	68	MUR
	2400	68	MUR

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29

Temp. Reading Location: Control
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/ 21/ 24	0300	65	A. Mender
	0600	65	A. Mender
	0900	68	Marguer
	1200	68	Marguer
	1500	68	Bowen
	1800	68	Bowen
	2100	68	Bowen
	2400	68	E.Martn

Wednesday

Date	Time	Temp.	Name (Print)
10/ 23/ 24	0300	68	E.Martn
	0600	68	Farran
	0900	68	J.C. iron
	1200	69	J.C. iron
	1500	69	Bowen
	1800	68	Bowen
	2100	68	Bowen
	2400	68	E.Martn

Friday

Date	Time	Temp.	Name (Print)
10/ 25/ 24	0300	68	Farran
	0600	68	J.C. iron
	0900	68	Marguer
	1200	68	Marguer
	1500	69	C.Moore
	1800	69	C.Moore
	2100	69	Ventura
	2400	68	Ventura

Sunday

Date	Time	Temp.	Name (Print)
10/ 27/ 24	0300	68	E.Martn
	0600	68	Farran
	0900	69	T-
	1200	69	T-
	1500	68	Ventura
	1800	68	Ventura
	2100	68	Ventura
	2400	68	Marguer

Tuesday

Date	Time	Temp.	Name (Print)
10/ 22/ 24	0300	68	E.Martn
	0600	68	Farran
	0900	68	J.C. iron
	1200	69	J.C. iron
	1500	68	Bowen
	1800	68	Bowen
	2100	68	Bowen
	2400	68	E.Martn

Thursday

Date	Time	Temp.	Name (Print)
10/ 24/ 24	0300	68	E.Martn
	0600	68	Farran
	0900	68	Marguer
	1200	68	Marguer
	1500	68	Bowen
	1800	68	Bowen
	2100	68	V-
	2400	68	E.Martn

Saturday

Date	Time	Temp.	Name (Print)
10/ 26/ 24	0300	68	M-
	0600	69	B.Rocha
	0900	69	B.Rocha
	1200	69	Fernandez
	1500	69	C.Moore
	1800	69	C.Moore
	2100	69	C.Moore
	2400	68	E.Martn

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 29

Temp. Reading Location: Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/24	0300	68	Marquez
	0600	68	Marquez
	0900	68	Marquez
	1200	68	Marquez
	1500	68	Marquez
	1800	68	Perez
	2100	66	Perez
	2400	()	EMartin

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	58	EMaylin
	0600	68	Finn
	0900	70	J.C. Ian
	1200	65	J.C. Ian
	1500	68	Brianna
	1800	68	Dawn
	2100	68	Dawn
	2400	68	EMaylin

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Tuesday			
Dat	Time	Temp.	Name (Print)
16/	0300	68	E Martin
	0600	68	E Martin
	0900	69°	J-C. AM
29/	1200	69°	De. Jon
	1500	69	Borrell
	1800	68	Borrell
	2100	68	Borrell
24	2400	68	Furman

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	68	Fernan
	0600	68	Fernan
	0900	69	MANAN
	1200	68	MANAN
	1500	69	Bowen
	1800	68	Gordon
	2100	68	Born
	2400	69	OTTER

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: INF- Temp. Reading Location: CTC
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	72°	R. CANETY
01	0600	72°	F. BURTON
01	0900	72°	F. BURTON
24	1200	72°	F. BURTON
	1500	72°	W. PEREZ
	1800	70°	W. PEREZ
	2100	70°	W. PEREZ
	2400	74°	R. CANETY

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	74°	R. CANETY
02	0600	74°	F. BURTON
02	0900	74°	F. BURTON
24	1200	74°	F. BURTON
	1500	76°	A. Uribe
	1800	76°	A. Uribe
	2100	74°	A. Uribe
	2400	74°	R. CANETY

Thursday

Date	Time	Temp.	Name (Print)
10	0300	74°	R. CANETY
03	0600	72°	F. BURTON
03	0900	72°	F. BURTON
24	1200	72°	F. BURTON
	1500	73°	S. CAMACIO
	1800	73°	S. CAMACIO
	2100	73°	S. CAMACIO
	2400	73°	R. CANETY

Friday

Date	Time	Temp.	Name (Print)
10	0300	73°	R. CANETY
04	0600	73°	G. CAMACIO
04	0900	72°	G. CAMACIO
24	1200	71°	G. CAMACIO
	1500	70°	W. PEREZ
	1800	70°	W. PEREZ
	2100	70°	W. PEREZ
	2400	72°	T. CRES

Saturday

Date	Time	Temp.	Name (Print)
10	0300	72°	T. CRES
05	0600	72	Reyes
05	0900	72	Reyes
24	1200	72	Reyes
	1500	73°	J. M. M.
	1800	73°	J. M. M.
	2100	73°	J. M. M.
	2400	73°	P. TERRERA

Sunday

Date	Time	Temp.	Name (Print)
10	0300	73°	M. TERRERA
06	0600	73°	F. BURTON
06	0900	73°	F. BURTON
24	1200	73°	F. BURTON
	1500	73°	M. M. M.
	1800	73°	M. M. M.
	2100	73°	M. M. M.
	2400	72°	R. CANETY

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: INF Temp. Reading Location: CTC
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	72°	R. CANETY
07	0600	71°	F. BURTON
24	0900	71°	F. BURTON
	1200	71°	F. BURTON
	1500	71°	D. PEREZ
	1800	70°	D. PEREZ
	2100	70°	D. PEREZ
	2400	72°	R. CANETY

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	72	JACK
09	0600	74°	F. BURTON
24	0900	72°	F. BURTON
	1200	72°	F. BURTON
	1500	72°	S. CAMACIO
	1800	71°	S. CAMACIO
	2100	71°	S. CAMACIO
	2400	73°	R. CANETY

Friday

Date	Time	Temp.	Name (Print)
10	0300	73°	R. CANETY
11	0600	73	R. CARMENAS
24	0900	73	R. CARMENAS
	1200	72	R. CARMENAS
	1500	72	LUCIO
	1800	72	LUCIO
	2100	72	LUCIO
	2400	72°	BONANOS

Sunday

Date	Time	Temp.	Name (Print)
10	0300	73	J. RODRIGUEZ
13	0600	74°	F. BURTON
24	0900	73°	F. BURTON
	1200	73°	F. BURTON
	1500	73	R. CERVANTES
	1800	73	R. CERVANTES
	2100	73	R. CERVANTES
	2400	72	V. VENTURA

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	72°	R. CANETY
08	0600	71°	F. BURTON
24	0900	71°	F. BURTON
	1200	71°	F. BURTON
	1500	71°	W. PEREZ
	1800	70°	W. PEREZ
	2100	70°	W. PEREZ
	2400	72	T. KELLOG

Thursday

Date	Time	Temp.	Name (Print)
10	0300	73°	R. CANETY
10	0600	73°	F. BURTON
24	0900	73°	F. BURTON
	1200	73°	F. BURTON
	1500	73	S. CAMACIO
	1800	73	S. CAMACIO
	2100	73	S. CAMACIO
	2400	73°	R. CANETY

Saturday

Date	Time	Temp.	Name (Print)
10	0300	72°	BONANOS
12	0600	72°	A. JACOBO
24	0900	72°	A. JACOBO
	1200	72°	A. JACOBO
	1500	72	B. MACIAS
	1800	72	B. MACIAS
	2100	72	B. MACIAS
	2400	72	J. RUPRIQUEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: INF- Temp. Reading Location: CJC
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	72	V. VENTURA
14	0600	71'	F. BURTON
14	0900	71'	F. BURTON
24	1200	71'	F. BURTON
24	1500	71	A. Uribe
24	1800	71	A. Uribe
24	2100	71	A. Uribe
	2400	71°	R. CANETY

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	74°	R. CANETY
16	0600	75"	F. BURTON
16	0900	73"	F. BURTON
24	1200	73'	F. BURTON
24	1500	73	A. Uribe
24	1800	73	A. Uribe
24	2100	71	A. Uribe
	2400	74°	R. CANETY

Friday

Date	Time	Temp.	Name (Print)
10	0300	73°	R. CANETY
18	0600	72°	S. CAMACHO
18	0900	72°	S. CAMACHO
24	1200	71°	S. CAMACHO
24	1500	71"	W. PEREZ
24	1800	70"	W. PEREZ
24	2100	70"	W. PEREZ
	2400	73°	R. CANETY

Sunday

Date	Time	Temp.	Name (Print)
10	0300	74°	R. CANETY
20	0600	74'	F. BURTON
20	0900	73'	F. BURTON
24	1200	73'	F. BURTON
24	1500	73	A. Villapando
24	1800	73	A. Villapando
24	2100	73	A. Villapando
	2400	73	S. SOTO

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	71°	R. CANETY
15	0600	71'	F. BURTON
15	0900	71'	F. BURTON
24	1200	71'	F. BURTON
24	1500	72	A. Uribe
24	1800	71	A. Uribe
24	2100	72	A. Uribe
	2400	74°	R. CANETY

Thursday

Date	Time	Temp.	Name (Print)
10	0300	74°	R. CANETY
16	0600	73°	F. BURTON
17	0900	73°	F. BURTON
24	1200	73°	F. BURTON
24	1500	71°	W. PEREZ
24	1800	70°	W. PEREZ
24	2100	70°	W. PEREZ
	2400	73°	R. CANETY

Saturday

Date	Time	Temp.	Name (Print)
10	0300	73°	R. CANETY
16	0600	73	J. RANGEL
19	0900	73	J. RANGEL
24	1200	73	J. RANGEL
24	1500	73	J. RANGEL
24	1800	74	J. RANGEL
24	2100	74	J. RANGEL
	2400	74°	R. CANETY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: INF. Temp. Reading Location: 5th
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	70°	S. SOSON
21	0600	70°	F. BURTON
	0900	70°	F. BURTON
	1200	70°	F. BURTON
	1500	70°	D. PEREZ
	1800	70°	D. PEREZ
24	2100	70°	D. PEREZ
	2400	71°	R. CANETY

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	70°	R. CANETY
23	0600	71°	F. BURTON
	0900	71°	F. BURTON
	1200	71°	F. BURTON
	1500	70°	D. PEREZ
	1800	70°	D. PEREZ
24	2100	70°	D. PEREZ
	2400	71°	R. CANETY

Friday

Date	Time	Temp.	Name (Print)
10	0300	73°	R. CANETY
25	0600	73	D. LUCIO
	0900	73	D. LUCIO
	1200	73	D. LUCIO
	1500	73	M. Rodriguez
	1800	72	F. LUCIO
24	2100	72	F. LUCIO
	2400	72	H. TERRERA

Sunday

Date	Time	Temp.	Name (Print)
10	0300	71°	H. TERRERA
27	0600	71°	F. BURTON
	0900	71°	F. BURTON
	1200	71°	F. BURTON
	1500	71	J. RANGEL
	1800	72	J. RANGEL
24	2100	72	J. RANGEL
	2400	72°	R. CANETY

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	71°	R. CANETY
22	0600	70°	F. BURTON
	0900	70°	F. BURTON
	1200	70°	F. BURTON
	1500	70	A. URIBE
24	1800	70	A. URIBE
	2100	70	A. URIBE
	2400	70°	R. CANETY

Thursday

Date	Time	Temp.	Name (Print)
10	0300	71°	R. CANETY
24	0600	70°	F. BURTON
	0900	70°	F. BURTON
	1200	70°	F. BURTON
	1500	70°	D. PEREZ
24	1800	70°	D. PEREZ
	2100	70°	D. PEREZ
	2400	73°	R. CANETY

Saturday

Date	Time	Temp.	Name (Print)
10	0300	71°	H. TERRERA
26	0600	71°	F. BURTON
	0900	71°	F. BURTON
	1200	71°	F. BURTON
	1500	71	I. BAUTISTA
24	1800	71	I. BAUTISTA
	2100	71	C. BAUTISTA
	2400	71°	H. TERRERA

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: INFM Temp. Reading Location: CTC
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	72°	R. GANEY
10/28/24	0600	71°	F. BURTON
10/28/24	0900	71°	F. BURTON
10/28/24	1200	71°	F. BURTON
10/28/24	1500	70°	D. PEREZ
10/28/24	1800	70°	D. PEREZ
10/28/24	2100	70°	D. PEREZ
10/28/24	2400	70°	BOWMAN

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70°	R. GANEY
10/30/24	0600	68°	F. BURTON
10/30/24	0900	68°	F. BURTON
10/30/24	1200	68°	F. BURTON
10/30/24	1500	70°	A. Uribe
10/30/24	1800	70°	A. Uribe
10/30/24	2100	70°	A. Uribe
10/30/24	2400	71°	R. GANEY

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	70°	R. GANEY
10/29/24	0600	69°	F. BURTON
10/29/24	0900	69°	F. BURTON
10/29/24	1200	69°	F. BURTON
10/29/24	1500	70°	W. PEREZ
10/29/24	1800	70°	W. PEREZ
10/29/24	2100	70°	W. PEREZ
10/29/24	2400	70°	R. GANEY

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	71°	R. GANEY
10/31/24	0600	70°	F. BURTON
10/31/24	0900	70°	F. BURTON
10/31/24	1200	70°	F. BURTON
10/31/24	1500	70°	A. Uribe
10/31/24	1800	70°	A. Uribe
10/31/24	2100	70°	A. Uribe
10/31/24	2400	70°	R. GANEY

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: D2

Temp. Reading Location: 2nd Tier B-100
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/17/18	0300	71°	J. Lopez
	0600	71°	M. Lopez
	0900	71°	M. Lopez
	1200	72°	M. Lopez
	1500	72°	J. Lopez
	1800	72°	J. Lopez
	2100	71°	J. Lopez
	2400	72°	J. Perez

Tuesday

Date	Time	Temp.	Name (Print)
10/1/2018	0300	70°	Garcia A
	0600	70°	Garcia A
	0900	70°	Lopez
	1200	70°	Lopez
	1500	70°	J. Lopez
	1800	70°	J. Lopez
	2100	70°	J. Lopez
	2400	72°	Garcia A

Wednesday

Date	Time	Temp.	Name (Print)
10/2/2018	0300	72°	Garcia A
	0600	71°	M. Lopez
	0900	72°	M. Lopez
	1200	72°	M. Lopez
	1500	72°	J. Lopez
	1800	72°	J. Lopez
	2100	72°	J. Lopez
	2400	70°	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
10/3/2018	0300	72°	Garcia A
	0600	71°	M. Lopez
	0900	71°	M. Lopez
	1200	71°	M. Lopez
	1500	73°	J. Lopez
	1800	73°	J. Lopez
	2100	72°	J. Lopez
	2400	72°	Garcia A

Friday

Date	Time	Temp.	Name (Print)
10/5/2018	0300	72°	Garcia A
	0600	72°	Garcia A
	0900	72°	Montano
	1200	73°	Montano
	1500	73°	A. M. Lopez
	1800	72°	A. M. Lopez
	2100	72°	A. M. Lopez
	2400	72°	Garcia A

Saturday

Date	Time	Temp.	Name (Print)
10/6/2018	0300	72°	Garcia A
	0600	72°	Garcia A
	0900	72°	J. Lopez
	1200	72°	J. Lopez
	1500	73°	A. M. Lopez
	1800	72°	A. M. Lopez
	2100	72°	J. Lopez
	2400	72°	J. Lopez

Sunday

Date	Time	Temp.	Name (Print)
10/7/2018	0300	72°	J. Lopez
	0600	72°	J. Lopez
	0900	72°	J. Lopez
	1200	72°	J. Lopez
	1500	72°	J. Lopez
	1800	72°	J. Lopez
	2100	72°	J. Lopez
	2400	72°	J. Lopez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat-risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D3 CONTROL Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	70	P. Martinez
	0600	70	C. Rodriguez
	0900	70	C. Rodriguez
	1200	71	C. Rodriguez
	1500	71	Rodriguez
	1800	70	Rodriguez
	2100	70	Rodriguez
	2400	69	A. VALLEJO

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	69	A. VALLEJO
	0600	68	A. VALLEJO
	0900	69	C. Rodriguez
	1200	70	C. Rodriguez
	1500	70	C. Rodriguez
	1800	70	O. Canales
	2100	70	O. Canales
	2400	70	A. VALLEJO

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	70	J. Lopez
	0600	71	C. Rodriguez
	0900	71	C. Rodriguez
	1200	71	C. Rodriguez
	1500	70	O. Canales
	1800	70	O. Canales
	2100	70	O. Canales
	2400	71	A. VALLEJO

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	71	A. VALLEJO
	0600	71	A. VALLEJO
	0900	71	C. Rodriguez
	1200	72	A. Lopez
	1500	71	A. Lopez
	1800	71	A. Lopez
	2100	70	A. Lopez
	2400	71	E. FERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	72	E. FERNANDEZ
	0600	72	G. Hernandez
	0900	72	V. Lopez
	1200	72	V. Lopez
	1500	71	Garcia
	1800	71	Garcia
	2100	71	Garcia
	2400	71	E. FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	71	E. FERNANDEZ
	0600	73	Rico A
	0900	70	Rico A
	1200	87	Rico A
	1500	73	J. Potts
	1800	72	J. Potts
	2100	71	J. Potts
	2400	71	E. FERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
10/6	0300	71	E. FERNANDEZ
	0600	71	C. Rodriguez
	0900	72	C. Rodriguez
	1200	72	C. Rodriguez
	1500	73	P. Perez
	1800	73	P. Perez
	2100	72	I. Martinez
	2400	70	E. FERNANDEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SNSP Housing Unit: DH (cont) Temp. Reading Location: 2nd Tier / B pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09	0300	69.6°	GARIBAY
	0600	69.1°	GARIBAY
	0900	69.1	R. FLORES
	1200	69	Smiley
	1500	72.3	JIMENEZ
	1800	72.1	JIMENEZ
24	2100	71.4	JIMENEZ
	2400	71.1°	GARIBAY

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	71.1°	GARIBAY
	0600	70.7°	GARIBAY
	0900	70.1°	Elvarez
	1200	72	Elvarez
	1500	72	Smiley
	1800	72	Smiley
24	2100	72	Smiley
	2400	71.9°	GARIBAY

Wednesday

Date	Time	Temp.	Name (Print)
01	0300	71.2°	GARIBAY
	0600	72.°	GARIBAY
	0900	73°	MORONES
	1200	73	MORONES
	1500	74	Smiley
	1800	73	Smiley
24	2100	73	Smiley
	2400	73	R. MEDIO

Thursday

Date	Time	Temp.	Name (Print)
02	0300	72	R. MEDIO
	0600	72	R. MEDIO
	0900	73	WGD
	1200	73	WGD
	1500	74	lsg
	1800	72	Sebastian
24	2100	72	Sebastian
	2400	72	Sebastian

Friday

Date	Time	Temp.	Name (Print)
10	0300	73	R. MEDIO
	0600	74	R. MEDIO
	0900	74	A. VILLARDE
	1200	75	VILLARDE
	1500	75	Valladares
	1800	75	Valladares
24	2100	74	Valladares
	2400	74°	P. MURRAY

Saturday

Date	Time	Temp.	Name (Print)
05	0300	74°	O. Guzman
	0600	74°	O. Guzman
	0900	74	Fernandez
	1200	75	Fernandez
	1500	74	J. Rodriguez
	1800	75.7	R. FIGUEROA
24	2100	75	Rodriguez
	2400	75	Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
10	0300	75	T. GOMES
	0600	76	T. GOMES
	0900	75	Z. Garcia
	1200	75	Z. Garcia
	1500	75	E. VENTURA
	1800	75	E. VENTURA
24	2100	75	E. VENTURA
	2400	75	T. GOMES

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOSP Housing Unit: D-5 Temp. Reading Location: 2nd Tier Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5642 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/24	0300	70	Vasquez
	0600	70	Vasquez
	0900	71	Castillo
	1200	70	Castillo
	1500	71	E. cony
	1800	71	E. cony
	2100	71	E. cony
	2400	71	Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
10/1	0300	70	Vasquez
	0600	70	Vasquez
	0900	71	Castillo
	1200	71	Castillo
	1500	71	Castillo
	1800	71	Castillo
	2100	71	Castillo
	2400	71	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
10/2	0300	71	Vasquez
	0600	71	Vasquez
	0900	71.8	Zamora
	1200	73.2	Zamora
	1500	73	Martinez
	1800	73	Martinez
	2100	73	Martinez
	2400	73	Negrete

Thursday

Date	Time	Temp.	Name (Print)
10/3	0300	72	Vasquez
	0600	72	Vasquez
	0900	72.9	Zamora
	1200	73.9	Zamora
	1500	74	J. Rodriguez
	1800	73	J. Rodriguez
	2100	73	J. Rodriguez
	2400	73	J. Vasquez

Friday

Date	Time	Temp.	Name (Print)
10/4	0300	72	J. Vasquez
	0600	72	J. Vasquez
	0900	73	Castillo
	1200	73	Castillo
	1500	73	J. Rodriguez
	1800	73	J. Rodriguez
	2100	73	J. Rodriguez
	2400	73	Castillo

Saturday

Date	Time	Temp.	Name (Print)
10/5	0300	73	Castillo
	0600	73	Castillo
	0900	73	Castillo
	1200	73	Castillo
	1500	75	E. cony
	1800	74	E. cony
	2100	74	E. cony
	2400	74	Gleisb

Notes

Date	Time	Temp.	Name (Print)
10/6	0300	74	Castillo
	0600	74	Castillo
	0900	74	Castillo
	1200	74	Castillo
	1500	74	E. cony
	1800	75	E. cony
	2100	74	E. cony
	2400	74	Vasquez

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SACP Housing Unit: D6 Temp. Reading Location: 2ND TIER B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
9/30	0300	70	Acuas
	0600	69.4	C Munoz
	0900	69.4	C Munoz
	1200	71.4	C Munoz
	1500	73.9	C Munoz
	1800	73.4	C Munoz
	2100	71.4	C Munoz
	2400	71	Acuas

Tuesday			
Date	Time	Temp.	Name (Print)
10/1	0300	71	Acuas
	0600	71	Martinez
	0900	71	Martinez
	1200	72	Martinez
	1500	73	Martinez
	1800	75	Martinez
	2100	74	Martinez
	2400	73	Prewitt

Wednesday			
Date	Time	Temp.	Name (Print)
10/2	0300	72	Prewitt
	0600	75	Prewitt
	0900	72	C Munoz
	1200	75.6	C Munoz
	1500	71	Martinez
	1800	76	Martinez
	2100	75	Martinez
	2400	72	R. Canasuo

Thursday			
Date	Time	Temp.	Name (Print)
10/3	0300	72	R. Canasuo
	0600	72	Gomez
	0900	73	Gomez
	1200	75	Gomez
	1500	75	Martinez
	1800	76	Martinez
	2100	77	Martinez
	2400	74	Prewitt

Friday			
Date	Time	Temp.	Name (Print)
10/4	0300	73	Prewitt
	0600	73	Prewitt
	0900	75	Brambila
	1200	77	Brambila
	1500	71.0	Martinez
	1800	76	Martinez
	2100	75	Martinez
	2400	74	K. Empante

Saturday			
Date	Time	Temp.	Name (Print)
10/5	0300	74	K. Empante
	0600	72	K. Empante
	0900	75.6	C Munoz
	1200	76.1	C Munoz
	1500	77	R. Silva
	1800	75.7	R. Silva
	2100	74.3	R. Silva
	2400	72	K. Empante

Sunday			
Date	Time	Temp.	Name (Print)
10/6	0300	72	K. Empante
	0600	72.0	C Munoz
	0900	72.0	C Munoz
	1200	76.0	C Munoz
	1500	79.0	A. Esquivel
	1800	77.0	A. Esquivel
	2100	78.0	A. Esquivel
	2400	78.0	R. Anderson

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D 8

Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>9/1/24</u>	0300	70	Jay
	0600	70	Bramble
	0900	70	Bramble
	1200	70	Bramble
	1500	71	Maddox
	1800	71	Maddox
	2100	71	Maddox
	2400	71	Preston

Tuesday

Date	Time	Temp.	Name (Print)
<u>10/1/24</u>	0300	70	R. G.R.
	0600	70	R. G.R.
	0900	71	M. Cle
	1200	71	M. Cle
	1500	71	M. Cle
	1800	71	M. Cle
	2100	71	M. Cle
	2400	70	R. G.R.

Wednesday

Date	Time	Temp.	Name (Print)
<u>10/3/24</u>	0300	70	R. G.R.
	0600	70	A. Hernandez
	0900	70	A. Hernandez
	1200	73	A. Hernandez
	1500	73	Vale
	1800	73	Vale
	2100	73	Vale
	2400	72	R. G.R.

Thursday

Date	Time	Temp.	Name (Print)
<u>10/3/24</u>	0300	72	R. G.R.
	0600	71.8	R. BURGEO
	0900	71.4	R. BURGEO
	1200	71.8	R. BURGEO
	1500	71.9	S. Chaver
	1800	72.7	S. Chaver
	2100	71.8	S. Chaver
	2400	72	S. Chaver

Friday

Date	Time	Temp.	Name (Print)
<u>10/4/24</u>	0300	71	R. G.R.
	0600	71.0	R. BURGEO
	0900	72.3	R. BURGEO
	1200	72.0	R. BURGEO
	1500	72.0	R. BURGEO
	1800	72.5	R. BURGEO
	2100	72.1	R. BURGEO
	2400	72	R. G.R. Maldonado

Saturday

Date	Time	Temp.	Name (Print)
<u>10/5/24</u>	0300	70	R. Maldonado
	0600	70	R. Maldonado
	0900	70	M. Ortega
	1200	70	M. Ortega
	1500	72.9	M. Ortega
	1800	73	J. GALDERRAZ
	2100	72	J. GALDERRAZ
	2400	72	Jeremy

Notes

Date	Time	Temp.	Name (Print)
<u>10/6/24</u>	0300	72	Sara
	0600	71.4	R. BURGEO
	0900	71.4	R. BURGEO
	1200	72.0	R. BURGEO
	1500	72	R. BURGEO
	1800	72	Sara
	2100	72	Sara
	2400	72	Maria

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: D2 Temp. Reading Location: 2nd Tier B-POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5642 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/17	0300	71	STEREZ
	0600	72	M. Lopez
	0900	74	M. Lopez
	1200	74	M. Lopez
	1500	72	J. Lopez
	1800	72	J. Lopez
	2100	72	J. Lopez
	2400	74	I. PEREZ

Tuesday

Date	Time	Temp.	Name (Print)
10/18	0300	74	I. PEREZ
	0600	74	I. PEREZ
	0900	72	LOPEZ
	1200	73	HUERTA
	1500	72	J. Lopez
	1800	72	J. Lopez
	2100	72	J. Lopez
	2400	72	Garcia A

Wednesday

Date	Time	Temp.	Name (Print)
10/19	0300	72	Garcia A
	0600	72	Garcia A
	0900	71	M. Lopez
	1200	71	M. Lopez
	1500	71	J. Lopez
	1800	71	J. Lopez
	2100	71	J. Lopez
	2400	71	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
10/19	0300	72	Garcia A
	0600	72	Garcia A
	0900	70	M. Lopez
	1200	70	M. Lopez
	1500	70	J. Lopez
	1800	70	J. Lopez
	2100	70	J. Lopez
	2400	70	Garcia A

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	71	Garcia A
	0600	72	Garcia A
	0900	71	SANTANA, JR
	1200	71	SANTANA, JR
	1500	71	AMMARI.
	1800	72	AMMARI.
	2100	68	AMMARI.
	2400	68*	Garcia A

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	70	Garcia A
	0600	70	Garcia A
	0900	69	I. CELIS
	1200	68	I. CELIS.
	1500	71	AMMARI.
	1800	69	AMMARI.
	2100	69	AMMARI.
	2400	69	BROCHA

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	68	BROCHA
	0600	69	BROCHA
	0900	69	MADRIGAL
	1200	69	MADRIGAL
	1500	69	J. LOPEZ
	1800	68	J. LOPEZ
	2100	69	V. KEYES
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: 03 Temp. Reading Location: CTRL BOOTH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7	0300	72	E FERNANDEZ
	0600	72	C Rodriguez
	0900	72	C Rodriguez
	1200	73	C Rodriguez
	1500	73	C Rodriguez
	1800	73	J Villareal
	2100	70	J Villareal
	2400	72°	A. VALLEJO

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	71	I. Hernandez
	0600	71	C. Rodriguez
	0900	72	C. Rodriguez
	1200	72	C. Rodriguez
	1500	71	O. Canache
	1800	71	O. Canache
	2100	71	O. Canache
	2400	71	E FERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	70	E FERNANDEZ
	0600	68	Brown
	0900	68	Brown
	1200	75	Brown
	1500	78	Garcia
	1800	62	Garcia
	2100	81	Garcia
	2400	68	E FERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	69	E FERNANDEZ
	0600	68	C. Rodriguez
	0900	69	C. Rodriguez
	1200	69	C. Rodriguez
	1500	68	V. Lopez
	1800	69	V. Lopez
	2100	69	V. Lopez
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/8	0300	72°	A. VALLEJO
	0600	72°	A. VALLEJO
	0900	72	C. Rodriguez
	1200	73	C. Rodriguez
	1500	72	O. Canache
	1800	78	O. Canache
	2100	76	O. Canache
	2400	71	Melie

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	71	E FERNANDEZ
	0600	71	A. Hernandez
	0900	71	A. Hernandez
	1200	71	A. Hernandez
	1500	71	O. Canache
	1800	71	O. Canache
	2100	70	O. Canache
	2400	70	E FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	68	E FERNANDEZ
	0600	75	Brown
	0900	82	Brown
	1200	87	Brown
	1500	67	Batt
	1800	69	Batt
	2100	68	Batt
	2400	69	E FERNANDEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: DH (cont'd) Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>10/24</u>	0300	74.2	MARCEL
	0600	74.3	MARQUEZ
	0900	74.8	VILLANUEVA
	1200	75.2	VILLANUEVA
	1500	75.4	JIMENEZ
	1800	75.1	JIMENEZ
	2100	74.8	JIMENEZ
	2400	74.9	L. ESPINOZA

Tuesday

Date	Time	Temp.	Name (Print)
<u>10/24</u>	0300	75	C. ESPINOZA
	0600	74	C. ESPINOZA
	0900	74	MARCEL
	1200	74	MARQUEZ
	1500	74	P. VILLANUEVA
	1800	74	P. VILLANUEVA
	2100	74	P. VILLANUEVA
	2400	74	PRELUIT

Wednesday

Date	Time	Temp.	Name (Print)
<u>10/24</u>	0300	74	PRELUIT
	0600	73	PRELUIT
	0900	73	A. ESCALANTE
	1200	73	A. ESCALANTE
	1500	71	Smiley
	1800	71	Smiley
	2100	71	Smiley
	2400	71	D. MEDIO

Thursday

Date	Time	Temp.	Name (Print)
<u>10/24</u>	0300	71	R. MEDIO
	0600	71	R. MEDIO
	0900	71	C. RODRIGUEZ
	1200	71	ESCALANTE
	1500	72	Smiley
	1800	72	Smiley
	2100	72	Smiley
	2400	72	W. CHAP

Friday

Date	Time	Temp.	Name (Print)
<u>10/24</u>	0300	71	WELBY
	0600	71	WELBY
	0900	71	C. MARQUEZ
	1200	71	C. MARQUEZ
	1500	71	Smiley
	1800	71	Smiley
	2100	71	Smiley
	2400	70.7°	GARIBAY

Saturday

Date	Time	Temp.	Name (Print)
<u>10/24</u>	0300	70.3°	GARIBAY
	0600	70°	GARIBAY
	0900	70	ZARCO
	1200	70	ZARCO
	1500	70	J. RODRIGUEZ
	1800	70	J. RODRIGUEZ
	2100	70	J. RODRIGUEZ
	2400	70.3°	GARIBAY

Sunday

Date	Time	Temp.	Name (Print)
<u>10/24</u>	0300	70.7°	GARIBAY
	0600	70.5°	GARIBAY
	0900	70.7	ANORMA
	1200	70.8	ANORMA
	1500	71	J. RODRIGUEZ
	1800	71	J. RODRIGUEZ
	2100	71°	VALDEZ
	2400	71	GARIBAY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DSP Housing Unit: D-5 Temp. Reading Location: 2nd Tier Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>10/7/24</u>	0300	73	Vasquez
	0600	73	Vasquez
	0900	73	VALDER
	1200	74	VALDER
	1500	74	E. way
	1800	75	E. way
	2100	74	E. way
	2400	74	Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
<u>10/8</u>	0300	74	Vasquez
	0600	73	Vasquez
	0900	73	Valder
	1200	74	Valder
	1500	74	Gomer
	1800	74	Gomer
	2100	74	Gomer
	2400	74	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
<u>10/9</u>	0300	74	Vasquez
	0600	73	Vasquez
	0900	73	Zamora
	1200	73	Zamora
	1500	73	M. Garcia
	1800	73	M. Garcia
	2100	73	M. Garcia
	2400	73	J. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
<u>10/10</u>	0300	72	Vasquez
	0600	72	Vasquez
	0900	71.5	Zamora
	1200	72.5	Zamora
	1500	72	J. Rodriguez
	1800	72	J. Rodriguez
	2100	72	J. Rodriguez
	2400	72	Vasquez

Friday

Date	Time	Temp.	Name (Print)
<u>10/11</u>	0300	72	Vasquez
	0600	72	Vasquez
	0900	73	VALDER
	1200	74	VALDER
	1500	73	J. Rodriguez
	1800	72	J. Rodriguez
	2100	72	J. Rodriguez
	2400	72	Reuter

Saturday

Date	Time	Temp.	Name (Print)
<u>10/12</u>	0300	71	A. Reuter
	0600	69	L. VALDER
	0900	70	L. VALDER
	1200	70	L. VALDER
	1500	70	A. Vasquez
	1800	70	Perez
	2100	70	Perez
	2400	70	Perez

Notes

Date	Time	Temp.	Name (Print)
<u>10/13</u>	0300	70	J. Reuter
	0600	70	L. VALDER
	0900	70	VALDER
	1200	72	VALDER
	1500	72	L. way
	1800	71	L. way
	2100	71	L. way
	2400		

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SISP Housing Unit: D6 Temp. Reading Location: 2ND TIER B POD
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1	0300	74°	R. ANDERSON
	0600	74°	R. ANDERSON
	0900	75.6	C MUNIZ
	1200	77.2	C MUNIZ
	1500	79.0	C MUNIZ
	1800	76.8	C MUNIZ
	2100	74	C MUNIZ
	2400	72	AVINA

Tuesday

Date	Time	Temp.	Name (Print)
10/8	0300	72	AVINA
	0600	73	Martinez
	0900	73	Martinez
	1200	74	Martinez
	1500	75	V MADRIGAL
	1800	74	V MADRIGAL
	2100	74	V MADRIGAL
	2400	73	AVINA

Wednesday

Date	Time	Temp.	Name (Print)
10/9	0300	72	AVINA
	0600	72	Smiley
	0900	72	Smiley
	1200	72	Smiley
	1500	73.6	MADRIGAL E. Mares
	1800	73.6	MADRIGAL E. Mares
	2100	72.7	MADRIGAL E. Mares
	2400	72	AVINA

Thursday

Date	Time	Temp.	Name (Print)
10/10	0300	72	AVINA
	0600	72	GOMEZ
	0900	73	GOMEZ
	1200	73	GOMEZ
	1500	73	A. Zamudio
	1800	72	A. Zamudio
	2100	70	A. Zamudio
	2400	71	AVINA

Friday

Date	Time	Temp.	Name (Print)
10/11	0300	71	AVINA
	0600	70°	Brambila
	0900	71°	Brambila
	1200	72°	Brambila
	1500	72	M MENDEZ
	1800	71	M MENDEZ
	2100	71	M MENDEZ
	2400	70°	K. EMPANTE

Saturday

Date	Time	Temp.	Name (Print)
10/12	0300	70°	K. EMPANTE
	0600	70°	K. EMPANTE
	0900	70.0	J. Barriga
	1200	70.0	J. Barriga
	1500	71.2	J. Barriga
	1800	71.5	J. Barriga
	2100	70.7	J. Barriga
	2400	70	R. GIR

Sunday

Date	Time	Temp.	Name (Print)
10/13	0300	70	R. GIR
	0600	70.3	C MUNIZ
	0900	70.2	C MUNIZ
	1200	72.0	C MUNIZ
	1500	72.1	C MUNIZ
	1800	71.1	C MUNIZ
	2100	70.9	C MUNIZ
	2400	70	AVINA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: Facility D8 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/14/14	0300	71	Menzin
	0600	72	Brambilla
	0900	74	Brambilla
	1200	75	Brambilla
	1500	79	V. Mora
	1800	72.9	V. Mora
	2100	72	V. Mora
	2400	70	Menzin

Tuesday			
Date	Time	Temp.	Name (Print)
10/14/14	0300	70	Menzin
	0600	72	Mccay
	0900	74	Mccay
	1200	74	Mccay
	1500	73	Mora
	1800	71	Mora
	2100	71	Mora
	2400	72	Menzin

Wednesday			
Date	Time	Temp.	Name (Print)
10/14/14	0300	71	Huyen
	0600	72	V. Mora
	0900	71	V. Mora
	1200	72	V. Mora
	1500	71.4	R. Silva
	1800	71.1	R. Silva
	2100	71	R. Silva
	2400	71	Huyen

Thursday			
Date	Time	Temp.	Name (Print)
10/15/14	0300	71	Nguyen
	0600	74	R.BORREGO
	0900	75	R.BORREGO
	1200	70.9	R.BORREGO
	1500	71	Martinez
	1800	71	Martinez
	2100	71	Martinez
	2400	69	J.Perez

Friday			
Date	Time	Temp.	Name (Print)
10/17/14	0300	69	J.Perez
	0600	70.3	R.BORREGO
	0900	69.5	R.BORREGO
	1200	70.1	R.BORREGO
	1500	70.7	R.BORREGO
	1800	70.0	R.BORREGO
	2100	70.2	R.BORREGO
	2400	69	SANCHO

Saturday			
Date	Time	Temp.	Name (Print)
10/18/14	0300	69	Sancho
	0600	69	V.Mora
	0900	69	V.Mora
	1200	69	V.Mora
	1500	70	V.Mora
	1800	70	V.Mora
	2100	70	V.Mora
	2400	70.2	A.FARINA

Sunday			
Date	Time	Temp.	Name (Print)
10/13/14	0300	69	A.FARINA
	0600	69.6	R.BORREGO
	0900	69.6	R.BORREGO
	1200	70.2	R.BORREGO
	1500	70.3	R.BORREGO
	1800	70.2	R.BORREGO
	2100	70.2	R.BORREGO
	2400	70	Menzin

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SvSP Housing Unit: D 2 Temp. Reading Location: 2nd Tier B-POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	68	M. Lopez
	0600	69	M. Lopez
	0900	69	M. Lopez
	1200	69	M. Lopez
	1500	68	J. Lopez
	1800	68	J. Lopez
	2100	68	J. Lopez
	2400	68	Garcia A

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	69	Garcia A
	0600	68	Garcia A
	0900	68	M. Lopez
	1200	68	M. Lopez
	1500	68	J. Lopez
	1800	69	J. Lopez
	2100	69	J. Lopez
	2400	69	Garcia A

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	70	Garcia A
	0600	70	Garcia A
	0900	70	M. Lopez
	1200	70	M. Lopez
	1500	70	Lopez
	1800	70	Lopez
	2100	70	Lopez
	2400	70	C. Brownlow

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	70	Lopez
	0600	69	M. Lopez
	0900	69	M. Lopez
	1200	69	M. Lopez
	1500	68	J. Lopez
	1800	68	J. Lopez
	2100	68	J. Lopez
	2400	68	WEBB

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	70	Lopez
	0600	71	M. Ledezma
	0900	71	M. Ledezma
	1200	72	M. Ledezma
	1500	71	Amman
	1800	71	Amman
	2100	70	Amman
	2400	70	WEBS

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	70	WEBS
	0600	70	WEBS
	0900	70	J. Celi's
	1200	71	J. Celi's
	1500	71	Amman
	1800	71	Amman
	2100	71	Amman
	2400	71	WEBS

Notes

Date	Time	Temp.	Name (Print)
10/20	0300	70	WEBS
	0600	70	Lopez
	0900	71	Lopez
	1200	71	Lopez
	1500	71	E. Acevedo
	1800	71	E. Acevedo
	2100	71	E. Acevedo
	2400	71	WEBS

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D3 CTNL Temp. Reading Location: _____
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	65	E.Fernandez
	0600	70	C.Rodriguez
	0900	72	C.Rodriguez
	1200	74	C.Rodriguez
	1500	69	J.Rojas
	1800	73	J.Rojas
	2100	71	J.Rojas
	2400	68	I.ORTIZ

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	68	I.ORTIZ
	0600	71	C.Rodriguez
	0900	74	C.Rodriguez
	1200	78	C.Rodriguez
	1500	81	O.Camacho
	1800	77	O.Camacho
	2100	72	O.Camacho
	2400	70	Ilet

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	70	Ilet
	0600	72	C.Rodriguez
	0900	75	C.Rodriguez
	1200	78	C.Rodriguez
	1500	81	O.Camacho
	1800	76	O.Camacho
	2100	72	O.Camacho
	2400	70	J.Barrera

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	70	J.Barrera
	0600	72	C.Rodriguez
	0900	76	C.Rodriguez
	1200	79	C.Rodriguez
	1500	83	O.Camacho
	1800	77	O.Camacho
	2100	73	O.Camacho
	2400	69	E.FERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	64	E.FERNANDEZ
	0600	67	G.FERREYRA
	0900	72	G.FERREYRA
	1200	75	G.Ferreysa
	1500	80	Garcia
	1800	74	Garcia
	2100	71	Garcia
	2400	70	E.FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	69	E.FERNANDEZ
	0600	69	G.Brown
	0900	69	G.Brown
	1200	80	G.Brown
	1500	79	J.Ratt
	1800	74	J.Ratt
	2100	70	J.Ratt
	2400	70	E.FERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	70	E.FERNANDEZ
	0600	70	V.Lopez
	0900	69°	V.Lopez
	1200	70°	V.Lopez
	1500	69°	P.Perez
	1800	69	P.Perez
	2100	68	P.Perez
	2400	70	E.FERNANDEZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D4 Control Temp. Reading Location: 2nd Tier B pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday			
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)
10	0300	70.9°	GARIBAY	10	0300	70.5°	GARIBAY	10	0300	71.4	A. VALLEJO	10	0300	72	R. MEDIO	10	0300	72	R. MEDIO	10	0300	70	J. Gurman	10	0300	70	GARIBAY
14	0600	70.7°	GARIBAY	14	0600	70.5	M. Gonzalez	14	0600	71.1	M. Gonzalez	14	0600	72	A. Martinez	14	0600	71.8°	J. Gurman	14	0600	71.8°	J. Gurman	14	0600	70.8	Zamora
24	0900	71.0	Morano	24	0900	71.1	M. Gonzalez	24	0900	71.1	M. Gonzalez	24	0900	72	P. Morano	24	0900	71.4	A. Vallejo	24	0900	71.4	A. Vallejo	24	0900	71.4	A. Vallejo
10	1200	71.6	Morano	10	1200	71.6	M. Gonzalez	10	1200	71.6	M. Gonzalez	10	1200	72	A. Martinez	10	1200	72	A. Martinez	10	1200	72	A. Martinez	10	1200	72	A. Martinez
14	1500	71.8	Jimenez	14	1500	71.8	P. Morano	14	1500	71.8	P. Morano	14	1500	72	P. Morano	14	1500	72	J. Rodriguez	14	1500	72	J. Rodriguez	14	1500	72	J. Rodriguez
24	1800	71.4	Jimenez	24	1800	71.4	P. Morano	24	1800	71.4	P. Morano	24	1800	72	J. Rodriguez	24	1800	72	J. Rodriguez	24	1800	72	J. Rodriguez	24	1800	72	J. Rodriguez
10	2100	70.9	Jimenez	10	2100	70.9	P. Morano	10	2100	70.9	P. Morano	10	2100	72	J. Rodriguez	10	2100	72	J. Rodriguez	10	2100	72	J. Rodriguez	10	2100	72	J. Rodriguez
14	2400	70.7°	GARIBAY	14	2400	70.7°	GARIBAY	14	2400	70.7°	GARIBAY	14	2400	71.4	A. Vallejo	14	2400	71.4	A. Vallejo	14	2400	71.4	A. Vallejo	14	2400	71.4	A. Vallejo
Wednesday				Thursday				Friday				Saturday				Sunday				Notes							
10	0300	71.4	A. VALLEJO	10	0300	72	R. MEDIO	10	0300	72	R. MEDIO	10	0300	71.8°	GARIBAY	10	0300	71.8°	GARIBAY	10	0300	71.8°	J. Gurman	10	0300	70	GARIBAY
14	0600	72.11	A. VALLEJO	14	0600	72	A. Martinez	14	0600	72	A. Martinez	14	0600	72	A. Martinez	14	0600	72	A. Martinez	14	0600	72	A. Martinez	14	0600	72	A. Martinez
24	0900	71	A. Martinez	24	0900	72	A. Martinez	24	0900	72	A. Martinez	24	0900	72	A. Martinez	24	0900	72	A. Martinez	24	0900	72	A. Martinez	24	0900	72	A. Martinez
10	1200	72	A. Martinez	10	1200	72	Smiley	10	1200	72	Smiley	10	1200	72	Smiley	10	1200	72	Smiley	10	1200	72	Smiley	10	1200	72	Smiley
14	1500	72	Smiley	14	1500	72	Smiley	14	1500	72	Smiley	14	1500	72	Smiley	14	1500	72	Smiley	14	1500	72	Smiley	14	1500	72	Smiley
24	1800	72	Smiley	24	1800	72	Smiley	24	1800	72	Smiley	24	1800	72	Smiley	24	1800	72	Smiley	24	1800	72	Smiley	24	1800	72	Smiley
10	2100	72	Smiley	10	2100	72	Smiley	10	2100	72	Smiley	10	2100	72	Smiley	10	2100	72	Smiley	10	2100	72	Smiley	10	2100	72	Smiley
14	2400	72	R. MEDIO	14	2400	72	R. MEDIO	14	2400	72	R. MEDIO	14	2400	72	R. MEDIO	14	2400	72	R. MEDIO	14	2400	72	R. MEDIO	14	2400	72	R. MEDIO
10	0300	72	R. MEDIO	10	0300	72	R. MEDIO	10	0300	72	R. MEDIO	10	0300	72	R. MEDIO	10	0300	72	R. MEDIO	10	0300	72	R. MEDIO	10	0300	72	R. MEDIO
14	0600	72	R. MEDIO	14	0600	72	A. Martinez	14	0600	72	A. Martinez	14	0600	72	A. Martinez	14	0600	72	A. Martinez	14	0600	72	A. Martinez	14	0600	72	A. Martinez
24	0900	72	R. MEDIO	24	0900	72	J. Rodriguez	24	0900	72	J. Rodriguez	24	0900	72	J. Rodriguez	24	0900	72	J. Rodriguez	24	0900	72	J. Rodriguez	24	0900	72	J. Rodriguez
10	1200	72	J. Rodriguez	10	1200	72	J. Rodriguez	10	1200	72	J. Rodriguez	10	1200	72	J. Rodriguez	10	1200	72	J. Rodriguez	10	1200	72	J. Rodriguez	10	1200	72	J. Rodriguez
14	1500	72	J. Rodriguez	14	1500	72	J. Rodriguez	14	1500	72	J. Rodriguez	14	1500	72	J. Rodriguez	14	1500	72	J. Rodriguez	14	1500	72	J. Rodriguez	14	1500	72	J. Rodriguez
24	1800	72	J. Rodriguez	24	1800	72	J. Rodriguez	24	1800	72	J. Rodriguez	24	1800	72	J. Rodriguez	24	1800	72	J. Rodriguez	24	1800	72	J. Rodriguez	24	1800	72	J. Rodriguez
10	2100	72	J. Rodriguez	10	2100	72	J. Rodriguez	10	2100	72	J. Rodriguez	10	2100	72	J. Rodriguez	10	2100	72	J. Rodriguez	10	2100	72	J. Rodriguez	10	2100	72	J. Rodriguez
14	2400	72	J. Rodriguez	14	2400	72	J. Rodriguez	14	2400	72	J. Rodriguez	14	2400	72	J. Rodriguez	14	2400	72	J. Rodriguez	14	2400	72	J. Rodriguez	14	2400	72	J. Rodriguez
10	0300	72	J. Gurman	10	0300	72	J. Gurman	10	0300	72	J. Gurman	10	0300	72	J. Gurman	10	0300	72	J. Gurman	10	0300	72	J. Gurman	10	0300	72	J. Gurman
14	0600	72	J. Gurman	14	0600	72	Zamora	14	0600	72	Zamora	14	0600	72	Zamora	14	0600	72	Zamora	14	0600	72	Zamora	14	0600	72	Zamora
24	0900	72	J. Gurman	24	0900	72	P. Flores	24	0900	72	P. Flores	24	0900	72	P. Flores	24	0900	72	P. Flores	24	0900	72	P. Flores	24	0900	72	P. Flores
10	1200	72.5	Zamora	10	1200	72.5	Zamora	10	1200	72.5	Zamora	10	1200	72.5	Zamora	10	1200	72.5	Zamora	10	1200	72.5	Zamora	10	1200	72.5	Zamora
14	1500	73°	P. Flores	14	1500	73°	P. Flores	14	1500	73°	P. Flores	14	1500	73°	P. Flores	14	1500	73°	P. Flores	14	1500	73°	P. Flores	14	1500	73°	P. Flores
24	1800	73	P. Flores	24	1800	73	P. Flores	24	1800	73	P. Flores	24	1800	73	P. Flores	24	1800	73	P. Flores	24	1800	73	P. Flores	24	1800	73	P. Flores
10	2100	72	P. Flores	10	2100	72	P. Flores	10	2100	72	P. Flores	10	2100	72	P. Flores	10	2100	72	P. Flores	10	2100	72	P. Flores	10	2100	72	P. Flores
14	2400	73.1°	GARIBAY	14	2400	73.1°	GARIBAY	14	2400	73.1°	GARIBAY	14	2400	73.1°	GARIBAY	14	2400	73.1°	GARIBAY	14	2400	73.1°	GARIBAY	14	2400	73.1°	GARIBAY

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-5 Temp. Reading Location: 2nd Tier Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/ 14/ 24	0300	71	Vasquez
	0600	71	Vasquez
	0900	71	Castillo
	1200	71	Castillo
	1500	71	E. coy
	1800	71	E. coy
	2100	71	E. coy
	2400	71	J. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
10/ 16	0300	70	Vasquez
	0600	70	Vasquez
	0900	71	Zamora
	1200	71	Zamora
	1500	72	E. coy
	1800	72	E. coy
	2100	71	E. coy
	2400	71	Vasquez

Friday

Date	Time	Temp.	Name (Print)
10/ 18	0300	70	J. Vasquez
	0600	70	J. Vasquez
	0900	71°	Castillo
	1200	71	Castillo
	1500	71	J. Rodriguez
	1800	71	J. Rodriguez
	2100	71	J. Rodriguez
	2400	71	Vasquez

Sunday

Date	Time	Temp.	Name (Print)
10/ 20	0300	70	J. Vasquez
	0600	71	Castillo
	0900	71	Castillo
	1200	72	Castillo
	1500	72	E. coy
	1800	72	E. coy
	2100	72	E. coy
	2400	72	J. Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
10/ 15	0300	70	Vasquez
	0600	70	Vasquez
	0900	71	Castillo
	1200	71	Castillo
	1500	71	E. coy
	1800	71	E. coy
	2100	71	E. coy
	2400	71	J. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
10/ 17	0300	71	Vasquez
	0600	70	Vasquez
	0900	71.2	Zamora
	1200	71.4	Zamora
	1500	71	J. Rodriguez
	1800	71	J. Rodriguez
	2100	71	J. Rodriguez
	2400	71	J. Vasquez

Saturday

Date	Time	Temp.	Name (Print)
10/ 19	0300	71	J. Vasquez
	0600	70.9	Marguerite
	0900	70.7	Marguerite
	1200	71.4	Marguerite
	1500	71°	A. Vasquez
	1800	71°	A. Vasquez
	2100	71°	A. Vasquez
	2400	71	J. Vasquez

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOSP Housing Unit: D6 Temp. Reading Location: 2ND TIER B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14	0300	76	AVINA
	0600	70.2	C. Munoz
	0900	70	C. Munoz
	1200	71	C. Munoz
	1500	72	V. Corona
	1800	72	V. Corona
	2100	71	V. Corona
	2400	71	AVINA

Tuesday

Date	Time	Temp.	Name (Print)
10/15	0300	71	AVINA
	0600	69.8	J. Barriga
	0900	69.4	J. Barriga
	1200	70.0	J. Barriga
	1500	71	A. Zamudio
	1800	71	A. Zamudio
	2100	71	A. Zamudio
	2400	72	AVINA

Wednesday

Date	Time	Temp.	Name (Print)
10/16	0300	70	AVINA
	0600	71	C. Munoz
	0900	71.4	C. Munoz
	1200	72.1	C. Munoz
	1500	72.	Martinez
	1800	72.	Martinez
	2100	72.	Martinez
	2400	72	AVINA

Thursday

Date	Time	Temp.	Name (Print)
10/17	0300	72	AVINA
	0600	72	Brambila
	0900	72	Brambila
	1200	72.	Brambila
	1500	72.	Martinez
	1800	72.	Martinez
	2100	72.	Martinez
	2400	72	PLIM

Friday

Date	Time	Temp.	Name (Print)
10/18	0300	72	AVINA
	0600	71.0	Brambila
	0900	71.0	Brambila
	1200	72.0	Brambila
	1500	72.	Martinez
	1800	72.	Martinez
	2100	72.	Martinez
	2400	72	KEMPARITE

Saturday

Date	Time	Temp.	Name (Print)
10/19	0300	70	KEMPARITE
	0600	71.2	C. Munoz
	0900	71.2	C. Munoz
	1200	71.8	C. Munoz
	1500	71.8	J. Barriga
	1800	72.0	J. Barriga
	2100	72.1	J. Barriga
	2400	72	KEMPARITE

Sunday

Date	Time	Temp.	Name (Print)
10/20	0300	71	K. EMPARITE
	0600	70	K. EMPARITE
	0900	71.4	C. Munoz
	1200	72.7	C. Munoz
	1500	72.9	C. Munoz
	1800	72	C. Munoz
	2100	71	C. Munoz
	2400	70	AVINA

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: Facility D8 Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5547 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	
10/14/18	0300	70	Mendoza	10/15/18	0300	70	Mendoza	10/16/18	0300	70	V. Mora	10/17/18	0300	70	A. FARIAS	10/18/18	0300	70	J. Perez	10/19/18	0300	70	T. Mergazin	
	0600	70.5	M. Gonzales		0600	70	V. Mora		0600	70.0°	R. Borrego		0600	70.0°	R. Borrego		0600	70.2°	R. Borrego		0600	70.2°	R. Borrego	
	0900	69.4	M. Gonzales		0900	70	V. Mora		0900	70.2°	R. Borrego		0900	70.2°	R. Borrego		0900	70.3°	R. Borrego		0900	70.3°	R. Borrego	
	1200	69.8	M. Gonzales		1200	70	V. Mora		1200	70.2°	R. Borrego		1200	70.2°	R. Borrego		1200	70.3°	R. Borrego		1200	70.3°	R. Borrego	
	1500	70.9	J. Barriga		1500	70	V. Mora		1500	70	A. Martinez		1500	70	A. Martinez		1500	70	A. Martinez		1500	70	A. Martinez	
	1800	70.3	J. Barriga		1800	70	V. Mora		1800	70.0°	A. Martinez		1800	70.0°	A. Martinez		1800	70.0°	A. Martinez		1800	70.0°	A. Martinez	
	2100	69.6	J. Barriga		2100	70	V. Mora		2100	70.0°	A. Martinez		2100	70.0°	A. Martinez		2100	70.0°	A. Martinez		2100	70.0°	A. Martinez	
	2400	70	Mendoza		2400	70	Mendoza		2400	70	Mendoza		2400	70	Mendoza		2400	70	Mendoza		2400	70	Mendoza	
Wednesday				Thursday				Friday				Saturday				Notes								
10/16/18	0300	70	V. Mora	10/17/18	0300	70	A. FARIAS	10/18/18	0300	70	J. Perez	10/19/18	0300	70	T. Mergazin									
10/17/18	0600	70	V. Mora	10/18/18	0600	70.0°	R. Borrego	10/19/18	0600	70	V. Mora	10/20/18	0600	70	V. Mora									
10/18/18	0900	70°	V. Mora	10/19/18	0900	70.2°	R. Borrego	10/20/18	0900	70	V. Mora	10/21/18	0900	70	V. Mora									
	1200	71°	V. Mora		1200	71.2°	R. Borrego		1200	71.2°	R. Borrego		1200	71.2°	R. Borrego									
	1500	71.0	J. Barriga		1500	71.0	R. Borrego		1500	71.0	R. Borrego		1500	71.0	R. Borrego									
	1800	70	J. Barriga		1800	70	R. Borrego		1800	70.0°	A. Martinez		1800	70.0°	A. Martinez									
	2100	70°	J. Barriga		2100	70.0°	R. Borrego		2100	70.0°	A. Martinez		2100	70.0°	A. Martinez									
	2400	69	A. FARIAS		2400	70	A. FARIAS		2400	70	A. FARIAS		2400	70	A. FARIAS									
Sunday				Notes																				
10/20/18	0300	70	Mendoza																					
10/21/18	0600	70.2°	R. Borrego																					
10/22/18	0900	69.6°	R. Borrego																					
	1200	70.0°	R. Borrego																					
	1500	70.1°	R. Borrego																					
	1800	71.4°	R. Borrego																					
	2100	71.1°	L. Bautista																					
	2400	70	Mendoza																					

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D 2 Temp. Reading Location: 2nd Tier B-POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 55412 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	70	C. Amorquita
	0600	70	M. Lopez
	0900	70	M. Lopez
	1200	70	M. Lopez
	1500	70	J. Lopez
	1800	70	J. Lopez
	2100	70	J. Lopez
	2400	70	Garcia A

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	70	Garcia A
	0600	70	Garcia A
	0900	70	M. Lopez
	1200	70	M. Lopez
	1500	70	J. Lopez
	1800	70	J. Lopez
	2100	70	J. Lopez
	2400	71	Garcia A

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	71	Garcia A
	0600	71	ALEXIA M. LOPEZ
	0900	71	M. Lopez
	1200	71	M. Lopez
	1500	72	L. ALCANTAR
	1800	72	L. ALCANTAR
	2100	71	L. ALCANTAR
	2400	71	Fuentes

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	71	B. Solorio
	0600	71	B. Solorio
	0900	71	B. Solorio
	1200	71	B. Solorio
	1500	71	M. Pyle
	1800	71	M. Pyle
	2100	71	M. Pyle
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	71	Garcia A
	0600	71	Garcia A
	0900	71	M. Lopez
	1200	71	M. Lopez
	1500	71	J. Lopez
	1800	71	J. Lopez
	2100	70	J. Lopez
	2400	70	Garcia A

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	71	Garcia A
	0600	71	Garcia A
	0900	70	M. Lopez
	1200	70	M. Lopez
	1500	71	J. Lopez
	1800	71	J. Lopez
	2100	70	J. Lopez
	2400	71	Garcia A

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	70	Fuentes
	0600	70	Fuentes
	0900	70	J. Celi's
	1200	70	J. Celi's
	1500	72	J. Sanchez
	1800	71	J. Sanchez
	2100	71	J. Sanchez
	2400	71	B. Rocha

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: A3

Temp. Reading Location: CTRL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	70	E FERNANDEZ
	0600	70	C. Rodriguez
	0900	71	C. Rodriguez
	1200	71	C. Rodriguez
	1500	70	J. ROJAS
	1800	71	J. ROJAS
	2100	70	J. ROJAS
	2400	70	I. Ortiz

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	70	I. Ortiz
	0600	70	C. Rodriguez
	0900	71	C. Rodriguez
	1200	71	C. Rodriguez
	1500	71	O. CANACIO
	1800	70	O. CANACIO
	2100	70	O. CANACIO
	2400	70	O. CANACIO

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	70	
	0600	70	C. Rodriguez
	0900	71	C. Rodriguez
	1200	71	C. Rodriguez
	1500	71	O. CANACIO
	1800	70	O. CANACIO
	2100	70	O. CANACIO
	2400	70	V. Keo

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	70	V. Keo
	0600	71	A. Hernandez
	0900	71	A. Hernandez
	1200	71	A. Hernandez
	1500	71	O. CANACIO
	1800	71	O. CANACIO
	2100	71	O. CANACIO
	2400	70	E FERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	70	E FERNANDEZ
	0600	70	A. Catterman
	0900	71	A. Catterman
	1200	71	A. Catterman
	1500	71	M. Garcia
	1800	70	M. Garcia
	2100	70	M. Garcia
	2400	70	T. Barnes

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	70	T. Barnes
	0600	70	T. Barnes
	0900	70	G. Brown
	1200	71	G. Brown
	1500	71	B. GORDON
	1800	71	B. GORDON
	2100	71	B. GORDON
	2400	70	E FERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	70	E FERNANDEZ
	0600	70	C. Rodriguez
	0900	71	C. Rodriguez
	1200	71	C. Rodriguez
	1500	71	V. Lopez
	1800	71	V. Lopez
	2100	70	V. Lopez
	2400	70	V. Lopez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D4

Temp. Reading Location: 2nd tier B POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	72.3	GARIBAY
21	0600	72.1°	GARIBAY
21	0900	72.1	Lopez
24	1200	72.3	Lopez
24	1500	72.3	ORTEGA
24	1800	73	ORTEGA
24	2100	73.2	ORTEGA
	2400	72.9°	GARIBAY

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	72.5°	GARIBAY
22	0600	72.1°	GARIBAY
22	0900	72.9	Magdaleno
24	1200	72.9	Magdaleno
24	1500	73.0	Magdaleno
24	1800	73.1	Magdaleno
	2100	73.2	F. Magdaleno
	2400	72.8	E. Magdaleno

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	72.1	E. Magdaleno
23	0600	71.2	E. Magdaleno
24	0900	71	U. Jimenez
24	1200	71	U. Jimenez
24	1500	72	Smiley
24	1800	72	Smiley
24	2100	71	Smiley
	2400	71	Remedio

Thursday

Date	Time	Temp.	Name (Print)
10	0300	71	Remedio
24	0600	71	Remedio
24	0900	71	U. Jimenez
24	1200	72	U. Jimenez
24	1500	73	Smiley
24	1800	72	Smiley
24	2100	72	Smiley
	2400	72	Remedio

Friday

Date	Time	Temp.	Name (Print)
10	0300	72	Remedio
25	0600	72	Remedio
24	0900	72	U. Jimenez
24	1200	71	U. Jimenez
24	1500	72	Garcia G.
24	1800	72	Garcia G.
24	2100	72	Garcia G.
	2400	72.5°	GARIBAY

Saturday

Date	Time	Temp.	Name (Print)
10	0300	72°	GARIBAY
26	0600	71.8°	GARIBAY
24	0900	71	Gonzales
24	1200	71	Gonzales
24	1500	72	Gonzales
24	1800	72	Gonzales
24	2100	71	Gonzales
	2400	73.1°	GARIBAY

Sunday

Date	Time	Temp.	Name (Print)
10	0300	72.1°	GARIBAY
27	0600	72.1°	GARIBAY
24	0900	72.1	Zamora
24	1200	72.5	Zamora
24	1500	72	J. Rodriguez
24	1800	72	J. Rodriguez
24	2100	72	J. Rodriguez
	2400	72	GARIBAY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVPD Housing Unit: D-5 Temp. Reading Location: 2nd tier Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>10/21/24</u>	0300	<u>71</u>	<u>J. Vasquez</u>
	0600	<u>71</u>	<u>Castillo</u>
	0900	<u>71</u>	<u>Castillo</u>
	1200	<u>71</u>	<u>Castillo</u>
	1500	<u>72</u>	<u>Coy</u>
	1800	<u>72</u>	<u>Coy</u>
	2100	<u>72</u>	<u>Coy</u>
	2400	<u>72</u>	<u>Vasquez</u>

Tuesday			
Date	Time	Temp.	Name (Print)
<u>10/22</u>	0300	<u>71</u>	<u>Vasquez</u>
	0600	<u>71</u>	<u>Vasquez</u>
	0900	<u>71</u>	<u>Castillo</u>
	1200	<u>71</u>	<u>Castillo</u>
	1500	<u>71</u>	<u>E. coy</u>
	1800	<u>72</u>	<u>E. coy</u>
	2100	<u>72</u>	<u>E. coy</u>
	2400	<u>72</u>	<u>Vasquez</u>

Wednesday			
Date	Time	Temp.	Name (Print)
<u>10/23</u>	0300	<u>71</u>	<u>Vasquez</u>
	0600	<u>71</u>	<u>Vasquez</u>
	0900	<u>72</u>	<u>Zamora</u>
	1200	<u>72</u>	<u>Zamora</u>
	1500	<u>72</u>	<u>F. Gonzalez</u>
	1800	<u>72</u>	<u>F. Gonzalez</u>
	2100	<u>72</u>	<u>F. Gonzalez</u>
	2400	<u>72</u>	<u>Vasquez</u>

Thursday			
Date	Time	Temp.	Name (Print)
<u>10/24</u>	0300	<u>72</u>	<u>Vasquez</u>
	0600	<u>71</u>	<u>Vasquez</u>
	0900	<u>71.2</u>	<u>Zamora</u>
	1200	<u>72</u>	<u>Zamora</u>
	1500	<u>72</u>	<u>J. Rodriguez</u>
	1800	<u>72</u>	<u>J. Rodriguez</u>
	2100	<u>72</u>	<u>J. Rodriguez</u>
	2400	<u>72</u>	<u>Vasquez</u>

Friday			
Date	Time	Temp.	Name (Print)
<u>10/25</u>	0300	<u>72</u>	<u>Vasquez</u>
	0600	<u>71</u>	<u>Vasquez</u>
	0900	<u>71</u>	<u>Castillo</u>
	1200	<u>71</u>	<u>Castillo</u>
	1500	<u>72</u>	<u>J. Rodriguez</u>
	1800	<u>72</u>	<u>J. Rodriguez</u>
	2100	<u>72</u>	<u>J. Rodriguez</u>
	2400	<u>70</u>	<u>J. Rodriguez</u>

Saturday			
Date	Time	Temp.	Name (Print)
<u>10/26</u>	0300	<u>70</u>	<u>Porto</u>
	0600	<u>70</u>	<u>Castillo</u>
	0900	<u>70</u>	<u>Castillo</u>
	1200	<u>71</u>	<u>Castillo</u>
	1500	<u>71</u>	<u>A. Vasquez</u>
	1800	<u>71</u>	<u>A. Vasquez</u>
	2100	<u>71</u>	<u>A. Vasquez</u>
	2400	<u>71</u>	<u>A. Vasquez</u>

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D6 Temp. Reading Location: 2ND TIER B POD
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300	70	F. Perez
	0600	71.2	C. Munoz
	0900	71.5	C. Munoz
	1200	71.8	C. Munoz
	1500	72.5	C. Munoz
	1800	72.7	C. Munoz
	2100	72.1	C. Munoz
	2400	72	A. Vina

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	72	A. Vina
	0600	71	Martinez
	0900	71	Martinez
	1200	71	Martinez
	1500	71	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	71	A. Vina

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	71	A. Vina
	0600	70.7	C. Munoz
	0900	70.9	C. Munoz
	1200	71.8	C. Munoz
	1500	72	Martinez
	1800	72	Martinez
	2100	71	Martinez
	2400	71	A. Vina

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	71	A. Vina
	0600	71	Brambila
	0900	71	Brambila
	1200	72	Brambila
	1500	72	Martinez
	1800	72	Martinez
	2100	72	Martinez
	2400	71	A. Vina

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	71	A. Vina
	0600	71	Brambila
	0900	71	Brambila
	1200	72	Brambila
	1500	71	A. Martinez
	1800	71	A. Martinez
	2100	71	A. Martinez
	2400	71	K. Empunto

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	71	K. Empunto
	0600	71	K. Empunto
	0900	71.2	J. Barriga
	1200	71.2	J. Barriga
	1500	72.3	J. Barriga
	1800	72.1	J. Barriga
	2100	72.1	J. Barriga
	2400	71	A. Gutierrez

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	71	A. Gutierrez
	0600	71	A. Gutierrez
	0900	71.8	C. Munoz
	1200	72.5	C. Munoz
	1500	72.9	C. Munoz
	1800	72.3	C. Munoz
	2100	72.1	C. Munoz
	2400	72	C. Munoz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21	0300		
21/21	0600	71.8°	B. Sobrio
21/21	0900	70.0	B. Sobrio
21/21	1200	70.5	B. Sobrio
21/21	1500	71	A. Zamudio
21/21	1800	71	A. Zamudio
21/21	2100	70	A. Zamudio
21/21	2400	70	NGUYEN

Tuesday

Date	Time	Temp.	Name (Print)
10/22	0300	70	NGUYEN
22/22	0600	71.2	M. Clay
22/22	0900	71.2	M. Clay
22/22	1200	71.2	M. Clay
22/22	1500	71°	V. Moran
22/22	1800	71°	V. Moran
22/22	2100	71°	V. Moran
22/22	2400	71	NGUYEN

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	70	NGUYEN
23/23	0600	70	V. Moran
23/23	0900	70°	V. Moran
23/23	1200	71°	V. Moran
23/23	1500	70.3	J. Barriga
23/23	1800	69.6	J. Barriga
23/23	2100	70.0	J. Barriga
23/23	2400	70	NGUYEN

Thursday

Date	Time	Temp.	Name (Print)
10/24	0300	70°	NGUYEN
24/24	0600	70.7°	R. Borrego
24/24	0900	70.5°	R. Borrego
24/24	1200	71	R. Borrego
24/24	1500	71	A. Martinez
24/24	1800	71	A. Martinez
24/24	2100	70°	A. Martinez
24/24	2400	70	A. Martinez

Friday

Date	Time	Temp.	Name (Print)
10/25	0300	70°	A. Vila
25/25	0600	70°	J. Delgado
25/25	0900	70°	J. Delgado
25/25	1200	71°	J. Delgado
25/25	1500	71.2°	J. Sanchez
25/25	1800	71°	J. Sanchez
25/25	2100	70°	J. Sanchez
25/25	2400	70.7	Sanudo

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	70.5	Sanudo
26/26	0600	70.5	Sanudo
26/26	0900	70°	V. Moran
26/26	1200	70°	V. Moran
26/26	1500	70°	V. Moran
26/26	1800	70°	V. Moran
26/26	2100	70°	V. Moran
26/26	2400	70	A. FARFAS

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	70.3	A. FARFAS
27/27	0600	70.3°	R. Borrego
27/27	0900	70.7°	R. Borrego
27/27	1200	71.1°	R. Borrego
27/27	1500	71.8°	R. Borrego
27/27	1800	72.0°	R. Borrego
27/27	2100	70	M. Chen
27/27	2400	70	M. Chen

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: B-2 Temp. Reading Location: B-POD
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>10/28</u>	0300	71	A. Gutierrez
	0600	71	C. DAVALOS
	0900	71	C. n
	1200	71	C. DAVALOS
	1500	71	J. Lopez
	1800	70	J. Lopez
	2100	70	J. Lopez
	2400	69	Garcia A

Tuesday			
Date	Time	Temp.	Name (Print)
<u>10/29</u>	0300	70	Garcia A
	0600	70	Garcia A
	0900	69	Lopez Z
	1200	69	Lopez
	1500	69	J. Lopez Z
	1800	69	J. Lopez
	2100	69	J. Lopez
	2400	70	Garcia A

Wednesday			
Date	Time	Temp.	Name (Print)
<u>10/30</u>	0300	70	Garcia A
	0600	70	Garcia A
	0900	69	Lopez
	1200	69	Lopez
	1500	69	J. Lopez
	1800	69	J. Lopez
	2100	69	J. Lopez
	2400	70	Garcia

Thursday			
Date	Time	Temp.	Name (Print)
<u>10/31</u>	0300	70	Garcia A
	0600	70	Garcia A
	0900	70	J. Gutierrez
	1200	71	J. Gutierrez
	1500	70	J. Hillman
	1800	70	J. Swartz
	2100	70	Garcia
	2400	70	Garcia

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SISD Housing Unit: D3 Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	68	✓
10	0600	68	Rodriguez
10	0900	68	Rodriguez
10	1200	68	Rodriguez
10	1500	68	Curdum
10	1800	68	one down
10	2100	68	Murphy
10	2400	68	Murphy

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	68	Dunn
10	0600	68	Rodriguez
10	0900	68	Rodriguez
10	1200	69	Rodriguez
10	1500	67	Curdum
10	1800	68	Curdum
10	2100	68	Murphy
10	2400	68	Murphy

Wednesday

11/6/2011

Date	Time	Temp.	Name (Print)
10	0300	68	✓
10	0600	68	V. Soto
10	0900	68	V. Soto
10	1200	68	V. Soto
10	1500	68	V. Soto
10	1800	68	V. Soto
10	2100	69	V. Soto
10	2400	68	V. Soto

Thursday

Date	Time	Temp.	Name (Print)
10	0300	68	Rodriguez
10	0600	68	Rodriguez
10	0900	67	Rodriguez
10	1200	67	✓
10	1500	68	✓
10	1800	68	✓
10	2100	68	✓
10	2400	68	✓

Friday

Date	Time	Temp.	Name (Print)
11	0300	69	L. Rodriguez
11	0600	70	L. Rodriguez
11	0900	70	L. Rodriguez
11	1200	70	L. Rodriguez
11	1500	70	L. Rodriguez
11	1800	70	L. Rodriguez
11	2100	70	L. Rodriguez
11	2400	70	L. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
11	0300	68	Rodriguez
11	0600	69	Rodriguez
11	0900	69	Rodriguez
11	1200	69	Rodriguez
11	1500	68	Rodriguez
11	1800	68	Rodriguez
11	2100	69	Rodriguez
11	2400	69	Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
11	0300	68	Rodriguez
11	0600	69	Rodriguez
11	0900	70	Rodriguez
11	1200	70	Soto
11	1500	70	Soto
11	1800	70	Soto
11	2100	70	Soto
11	2400	70	Soto

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D4 Temp. Reading Location: 2nd tier B pod
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday											
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)								
10	0300	72.5°	GARIBAY	10	0300	72°	GARIBAY	10	0300	71.2°	GARIBAY	10	0300	71.2°	GARIBAY	11	0300	69	R. JIMENEZ	11	0300	69	GARIBAY	11	0600	69	GARIBAY								
28	0600	72.5°	GARIBAY	28	0600	72°	GARIBAY	28	0900	72	GARIBAY	28	0900	72	GARIBAY	11	0600	70	R. JIMENEZ	11	0600	70	GARIBAY	11	0900	70	R. JIMENEZ								
24	0900	72.5°	Lopez	24	0900	72.5°	Lopez	24	1200	72	Lopez	24	1200	72	Lopez	11	0900	70	R. JIMENEZ	11	0900	70	GARIBAY	11	1200	70	R. JIMENEZ								
24	1200	72.5°	Lopez	24	1500	72.4	MORNO	24	1500	72	MORNO	24	1800	72.1	MORNO	11	1500	70	R. JIMENEZ	11	1500	70	GARIBAY	11	2100	72	MORNO								
24	1500	72.4	MORNO	24	1800	72.1	MORNO	24	2100	72.1	MORNO	24	2400	72.0°	GARIBAY	24	1800	72	MORNO	24	2100	72	GARIBAY	24	2400	71.8°	GARIBAY								
Wednesday				Thursday				Friday				Saturday				Sunday				Notes															
10	0300	71.2°	GARIBAY	10	0300	70	REMESIO	10	0300	71.2°	GARIBAY	10	0300	70	REMESIO	10	0600	70	REMESIO	10	0600	70	REMESIO	10	0900	70	R. JIMENEZ	10	1200	70	R. JIMENEZ				
30	0600	71.1	GARIBAY	30	0600	70	REMESIO	30	0900	70.5	JIMENEZ	30	0900	70	REMESIO	30	1200	70	R. JIMENEZ	30	1500	71	Smiley	30	1800	70	Smiley	30	2100	70	Smiley	30	2400	70	Smiley
24	0900	70.5	JIMENEZ	24	1200	70.9	JIMENEZ	24	1500	71.2	JIMENEZ	24	1800	71.4	JIMENEZ	24	2100	71.2	JIMENEZ	24	2400	71	REMESIO	24	0300	70	REMESIO	24	0600	70	REMESIO				
24	1200	70.9	JIMENEZ	24	1500	71.2	JIMENEZ	24	1800	71.4	JIMENEZ	24	2100	71.2	JIMENEZ	24	2400	71	REMESIO	24	0300	70	REMESIO	24	0600	70	REMESIO								
24	1500	71.2	JIMENEZ	24	1800	71.4	JIMENEZ	24	2100	71.2	JIMENEZ	24	2400	71	REMESIO	24	0300	70	REMESIO	24	0600	70	REMESIO	24	0900	70	R. JIMENEZ	24	1200	70	R. JIMENEZ				
11	0300	69	R. JIMENEZ	11	0600	70.0	U. JIMENEZ	11	0900	70.0	U. JIMENEZ	11	1200	70	U. JIMENEZ	11	1500	70	U. JIMENEZ	11	1800	70	Smiley	11	2100	70	Smiley	11	2400	70	Smiley				
1	0600	70.0	U. JIMENEZ	1	0900	70.0	U. JIMENEZ	1	1200	70	U. JIMENEZ	1	1500	70	Smiley	1	1800	70	Smiley	1	2100	70	Smiley	1	2400	70	Smiley								
24	0900	70	Smiley	24	1200	70	Smiley	24	1500	70	Smiley	24	1800	70	Smiley	24	2100	70	Smiley	24	2400	70	Smiley	24	0300	70	REMESIO	24	0600	70	REMESIO				
24	1200	70	Smiley	24	1500	70	Smiley	24	1800	70	Smiley	24	2100	70	Smiley	24	2400	70	Smiley	24	0300	70	REMESIO	24	0600	70	REMESIO								
11	1200	70	Smiley	11	1500	70	Smiley	11	1800	70	Smiley	11	2100	70	Smiley	11	2400	70	Smiley	11	0300	69	GARIBAY	11	0600	69	Hernandez	11	0900	69	Hernandez	11	1200	69	Hernandez
3	0600	69	GARIBAY	3	0900	69	GARIBAY	3	1200	69	GARIBAY	3	1500	69	GARIBAY	3	1800	69	GARIBAY	3	2100	69	GARIBAY	3	2400	69	GARIBAY	3	0300	69	GARIBAY	3	0600	69	GARIBAY
24	0900	69	GARIBAY	24	1200	69	GARIBAY	24	1500	69	GARIBAY	24	1800	69	GARIBAY	24	2100	69	GARIBAY	24	2400	69	GARIBAY	24	0300	69	GARIBAY	24	0600	69	GARIBAY				

6787

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SVSP Housing Unit: D-5 Temp. Reading Location: 2nd tier, Control Booth
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/ 28/ 24	0300	72	Vasquez
	0600	71	Vasquez
	0900	71	Castillo
	1200	71	Castillo
	1500	71	M. Page
	1800	72	M. Page
	2100	72	M. Basa
	2400	72	Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
10/ 29	0300	72	Vasquez
	0600	71	Vasquez
	0900	70	Castillo
	1200	71	Castillo
	1500	71	Vargas
	1800	71	Vargas
	2100	71	Vargas
	2400	71	Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
10/ 30	0300	71	Vasquez
	0600	71	Vasquez
	0900	70.4	Eurman
	1200	70	Eurman
	1500	71	Ponce
	1800	71	Ponce
	2100	70	Ponce
	2400	70	Vasquez

Thursday

Date	Time	Temp.	Name (Print)
10/ 31	0300	70	Vasquez
	0600	69	Vasquez
	0900	69	Zamora
	1200	70	Zamora
	1500	70	Rodriguez
	1800	70	Rodriguez
	2100	70	Rodriguez
	2400	70	Vasquez

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: D6 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, etc.)

Immediately notify the Watch Commander at extension 5542 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	71	AVINA
	0600	71.4	C Munoz
	0900	72.0	C Munoz
	1200	72.0	C Munoz
	1500	72.0	C Munoz
	1800	71.8	C Munoz
	2100	71.8	C Munoz
	2400	71	AVINA

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	70	AVINA
	0600	70	Martinez
	0900	70	Martinez
	1200	71	Martinez
	1500	71	Martinez
	1800	71	Martinez
	2100	70	Martinez
	2400	71	AVINA

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	71	AVINA
	0600	70.2	C Munoz
	0900	70.2	C Munoz
	1200	70.2	C Munoz
	1500	70.7	Martinez
	1800	70	Martinez
	2100	70	Martinez
	2400	71	AVINA

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	71	AVINA
	0600	68°	Brambila
	0900	70°	Brambila
	1200	70°	Brambila
	1500	70	Martinez
	1800	70°	Martinez
	2100	70	Martinez
	2400	71	AVINA

Friday

Date	Time	Temp.	Name (Print)
11	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SUSP Housing Unit: Facility D8 Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5512 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28	0300	71	Mendy
	0600	72°	P. Miller
	0900	71	P. Miller
	1200	71	P. Miller
	1500	70.2°	R. Barriga
	1800	70.5°	R. Barriga
	2100	70.9°	R. Barriga
	2400	71	N. Nguyen

Tuesday

Date	Time	Temp.	Name (Print)
10-29	0300	72	NGUYEN
	0600	71	J. McCly
	0900	71	J. McCly
	1200	71	J. McCly
	1500	71°	J. Mora
	1800	71°	J. Mora
	2100	70°	J. Mora
	2400	70	NGUYEN

Wednesday

Date	Time	Temp.	Name (Print)
10-30	0300	70	NGUYEN
	0600	70°	J. Mora
	0900	70	J. Mora
	1200	68°	J. Mora
	1500	70.10	J. Barriga
	1800	70°	J. Barriga
	2100	70°	J. Barriga
	2400	70	J. Barriga

Thursday

Date	Time	Temp.	Name (Print)
10-31	0300		
	0600	68.2°	D. Villanueva
	0900	70°	D. Villanueva
	1200	70	D. Villanueva
	1500	70°	D. Villanueva
	1800	70	D. Villanueva
	2100	70°	D. Villanueva
	2400	69	Marguer

Friday

Date	Time	Temp.	Name (Print)
11-01	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11-02	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11-03	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes