

Monthly Summary Report

Institution: PVSP

Memorandum

Date: 7/9/2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - PVSP

The following is a summary of the heat related activity for the month of June 2024,  
at PVSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes \_\_\_\_\_

Number of days Stage I Alert initiated: 14 \_\_\_\_\_

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No \_\_\_\_\_

Number of days Stage II Alert initiated: N/A \_\_\_\_\_

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No \_\_\_\_\_

Number of days Stage III Alert initiated: N/A \_\_\_\_\_

4. Weekly list of heat risk patients archived? Yes \_\_\_\_\_

5. Number of patients with heat related illness: 0 \_\_\_\_\_ List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Steve Smith, Warden(A)

Warden Name

Warden Signature

Oscar Galloway, CEO(A)

Chief Executive Officer Name

POB

Chief Executive Officer Signature

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP

Housing Unit: A

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/1/14	0300	74	J. LOPEZ
	0600	74	J. CEDILLO
	0900	74	J. CEDILLO
	1200	74	J. CEDILLO
	1500	72	J. LOPEZ
	1800	74	J. LOPEZ
	2100	73	J. LOPEZ
	2400	73	J. ARANZAZA

Notes

Date	Time	Temp.	Name (Print)
6/1/14	0300	73	J. ARANZAZA
	0600	74	N. ESPINOSA
	0900	74	N. ESPINOSA
	1200	74	N. ESPINOSA
	1500	73	W. VANC
	1800	73	W. VANC
	2100	73	W. VANC
	2400	72	W. VAN Natta

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: IVSP Housing Unit: A1 Temp. Reading Location: \_\_\_\_\_

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/3/24	0300	72	E. Lopez
	0600	71	C. Lopez
	0900	71	C. Lopez
	1200	71	C. Lopez
	1500	73°	
	1800	74°	
	2100	73°	
	2400	71	R. Lopez

Wednesday

Date	Time	Temp.	Name (Print)
4/5/24	0300		
	0600	74	Cedillo
	0900	74	Cedillo
	1200	74	Cedillo
	1500	75	Maldonado
	1800	77	Maldonado
	2100	77	Maldonado
	2400	75	D. Lopez

Friday

Date	Time	Temp.	Name (Print)
4/7/24	0300	76	J. Lopez
	0600	76	Cedillo
	0900	76	Cedillo
	1200	76	Cedillo
	1500	78	J. Lopez
	1800	78	J. Lopez
	2100	77	J. Lopez
	2400	76	J. Lopez

Sunday

Date	Time	Temp.	Name (Print)
4/9/24	0300	74	J. Lopez
	0600	75	N. Martinez
	0900	75	N. Martinez
	1200	75	N. Martinez
	1500	75	D. Martinez
	1800	76	D. Martinez
	2100	74	D. Martinez
	2400	74	D. Martinez

Tuesday

Date	Time	Temp.	Name (Print)
4/4/24	0300	71	R. Lopez
	0600	72	Cedillo
	0900	73	Cedillo
	1200	73	Cedillo
	1500	74	D. Lopez
	1800	74	E. Lopez
	2100	75	E. Lopez
	2400	74	E. Lopez

Thursday

Date	Time	Temp.	Name (Print)
4/6/24	0300	74	D. Lopez
	0600	74	Cedillo
	0900	74	Cedillo
	1200	74	Cedillo
	1500	79	J. Lopez
	1800	79	J. Lopez
	2100	79	J. Lopez
	2400	76	J. Lopez

Saturday

Date	Time	Temp.	Name (Print)
4/8/24	0300	75	J. Lopez
	0600	75	Cedillo
	0900	75	Cedillo
	1200	75	Cedillo
	1500	77	J. Lopez
	1800	76	J. Lopez
	2100	76	J. Lopez
	2400	76	J. Lopez

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSA Housing Unit: A 1

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-10-24	0300	73	Rios M.
	0600	74	Cedillo
	0900	74	Cedillo
	1200	74	Cedillo
	1500	76	M.Rodriguez
	1800	76	M.Rodriguez
	2100	75	M.Rodriguez
	2400	76	M.Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	72	E.Perez
	0600	74	G.Hernandez
	0900	75	G.Hernandez
	1200	76	G.Hernandez
	1500	77	G.Hernandez
	1800	78	G.Hernandez
	2100	79	G.Hernandez
	2400	79	G.Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	74	J.Mex
	0600	75°	VANG
	0900	75°	VANG
	1200	76°	VANG
	1500	76	VANG
	1800	76	VANG
	2100	77	VANG
	2400	77	VANG

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	72	T.Mex
	0600	73	Cedillo
	0900	73	Cedillo
	1200	73	Cedillo
	1500	77	J.Lopez
	1800	78	J.Lopez
	2100	77	J.Lopez
	2400	76	J.Lopez

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	74	J.Lopez
	0600	74	Cedillo
	0900	74	Cedillo
	1200	74	Cedillo
	1500	76	J.Lopez
	1800	77	J.Lopez
	2100	76	J.Lopez
	2400	74	J.Lopez

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	73	J.Lopez
	0600	74	Cedillo
	0900	74	Cedillo
	1200	74	Cedillo
	1500	74	J.Lopez
	1800	74	J.Lopez
	2100	74	J.Lopez
	2400	74	J.Lopez

Notes

Date	Time	Temp.	Name (Print)
6/16/24	0300		
	0600	75	E.Perez
	0900	76	E.Perez
	1200	76	E.Perez
	1500	76	B.mare
	1800	78	B.mare
	2100	79	B.mare
	2400	79	B.mare

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSP Housing Unit: A1

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17/24	0300	77	CEDAR
	0600	78	CEDAR
	0900	78	CEDAR
	1200	79	CEDAR
	1500	79	CEDAR
	1800	76	B-mare
	2100	75	B-mare
	2400	71	STAN

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18/24	0300	70	CEDAR
	0600	71	CEDAR
	0900	70	CEDAR
	1200	70	CEDAR
	1500	77	J. Lopez
	1800	77	J. Lopez
	2100	76	J. Lopez
	2400	76	J. Lopez

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19/24	0300	75	VAN
	0600	70	CEDAR
	0900	70	CEDAR
	1200	70	CEDAR
	1500	70	CEDAR
	1800	75	J. Lopez
	2100	75	J. Lopez
	2400	74	J. Lopez

**Thursday**

Date	Time	Temp.	Name (Print)
6/20/24	0300		
	0600	71	CEDAR
	0900	71	CEDAR
	1200	71	CEDAR
	1500	73	J. Lopez
	1800	74	J. Lopez
	2100	73	J. Lopez
	2400	72	J. Lopez

**Friday**

Date	Time	Temp.	Name (Print)
6/21/24	0300	71	J. Lopez
	0600	71	CEDAR
	0900	71	CEDAR
	1200	71	CEDAR
	1500	74	J. Lopez
	1800	74	J. Lopez
	2100	74	J. Lopez
	2400	73	J. Lopez

**Saturday**

Date	Time	Temp.	Name (Print)
6/22/24	0300	72	J. Lopez
	0600	74	CEDAR
	0900	74	CEDAR
	1200	74	CEDAR
	1500	74	LAW
	1800	74	LAW
	2100	74	LAW
	2400	73	DAVIS

**Notes**

Date	Time	Temp.	Name (Print)
6/23/24	0300	73	DAVIS
	0600	73	DAVIS
	0900	74	DAVIS
	1200	74	DAVIS
	1500	75	B-mare
	1800	75	B-mare
	2100	74	B-mare
	2400	74	DAVIS

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP

Housing Unit: A 1

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24/24	0300	74	DAVIS
	0600	74	ESPIRITU
	0900	75	ESPIRITU
	1200	75	ESPIRITU
	1500	75	ESPIRITU
	1800	78	J. Lopez
	2100	78	J. Lopez
	2400	75	J. Lopez

Tuesday

Date	Time	Temp.	Name (Print)
6/25/24	0300	74	L. Lopez
	0600	71	Cecilia
	0900	71	Cecilia
	1200	71	Cecilia
	1500	71	Cecilia
	1800	71	Cecilia
	2100	71	Cecilia
	2400	70	Cecilia

Wednesday

Date	Time	Temp.	Name (Print)
6/26/24	0300	74	J. Lopez
	0600	70	Cecilia
	0900	75	Cecilia
	1200	75	Cecilia
	1500	74	Cecilia
	1800	71	J. Lopez
	2100	71	J. Lopez
	2400	71	J. Lopez

Thursday

Date	Time	Temp.	Name (Print)
6/27/24	0300	72	J. Lopez
	0600	76	Cecilia
	0900	71	Cecilia
	1200	76	Cecilia
	1500	76	J. Lopez
	1800	77	J. Lopez
	2100	76	J. Lopez
	2400	75	J. Lopez

Friday

Date	Time	Temp.	Name (Print)
6/28/24	0300	75	J. Lopez
	0600	75	Cecilia
	0900	75	Cecilia
	1200	75	Cecilia
	1500	76	J. Lopez
	1800	76	J. Lopez
	2100	76	J. Lopez
	2400	75	J. Lopez

Saturday

Date	Time	Temp.	Name (Print)
6/29/24	0300	74	J. Lopez
	0600	75	Cecilia
	0900	75	Cecilia
	1200	75	Cecilia
	1500	77	Y. XIONG
	1800	77	Y. XIONG
	2100	77	Y. XIONG
	2400	76	Y. XIONG

Notes

Date	Time	Temp.	Name (Print)
6/30/24	0300	72	L. Lopez
	0600	72	L. Lopez
	0900	73	L. Lopez
	1200	73	L. Lopez
	1500	77	P. Rose
	1800	77	P. Rose
	2100	75	R. May
	2400	73	R. May

STATE OF CALIFORNIA.

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PSPHousing Unit: A2

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300	73	J. TORRES
	0600	74	R. DAVIES
	0900	74	R. DAVIES
	1200	75	R. DAVIES
	1500	77	L. LOPEZ
	1800	77	L. LOPEZ
	2100	77	L. LOPEZ
	2400	75	M. DELGADO

Notes

6/2/14

---



---



---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
	0300	75	H. DELGADO
	0600	75	R. DAVIES
	0900	75	R. DAVIES
	1200	75	R. DAVIES
	1500	74	J. WATSON
	1800	74	J. WATSON
	2100	74	J. WATSON
	2400	73	M. DELGADO

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A? Temp. Reading Location: Tier 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3	0300	72	
	0600	73	R. Davis
	0900	73	R. Davis
	1200	73	R. Davis
	1500	73	
	1800	73	
	2100	70	
	2400	72	

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	71	R. Davis
	0600	73	R. Davis
	0900	73	R. Davis
	1200	73	R. Davis
	1500	75	M. Esquivel
	1800	75	M. Esquivel
	2100	75	M. Esquivel
	2400	74	R. Davis

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	74	R. Davis
	0600	75	Quintanilla
	0900	75	Quintanilla
	1200	75	Quintanilla
	1500	70	L. Lopez
	1800	72	L. Lopez
	2100	79	L. Lopez
	2400	79	F. Carter

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	78	F. Carter
	0600	75	ESQUIVEL
	0900	75	ESQUIVEL
	1200	79	ESQUIVEL
	1500	78	L. Lopez
	1800	78	L. Lopez
	2100	80	L. Lopez
	2400	80	B. Bixler

Friday

Date	Time	Temp.	Name (Print)
6/7	0300	78	B. Carter
	0600	72	B. Carter
	0900	77	ESQUIVEL
	1200	78	ESQUIVEL
	1500	81	L. Lopez
	1800	78	L. Lopez
	2100	79	L. Lopez
	2400	78	I. Carter

Saturday

Date	Time	Temp.	Name (Print)
6/8	0300	76	I. Carter
	0600	79	R. Davis
	0900	79	R. Davis
	1200	76	R. Davis
	1500	77	L. Lopez
	1800	78	L.W?
	2100	76	
	2400	75	

Notes

Date	Time	Temp.	Name (Print)
6/9	0300	74	
	0600	72	R. Davis
	0900	74	R. Davis
	1200	74	R. Davis
	1500	76	L. Lopez
	1800	76	L. Lopez
	2100	74	L. Lopez
	2400	74	Flores

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A2

Temp. Reading Location: Tier 2

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	67	Flores
	0600	73	Davis
	0900	74	R. Davis
	1200	75	DAVIS
	1500	75	DOBBINS
	1800	75	DOBBLIN
	2100	74	DOBBLIN
	2400	75	Ayley

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	74	J. Ayley
	0600	75	R. Davis
	0900	74	R. Davis
	1200	75	R. Davis
	1500	74	B. mare
	1800	74	B. mare
	2100	75	B. mare
	2400	74	Mare

Wednesday

Date	Time	Temp.	Name (Print)
6/12/2011	0300	74	Mare
	0600	74	Davis
	0900	74	DAVIS
	1200	75	Davis
	1500	76	
	1800	72	
	2100	74	
	2400	76	F. Cordey

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	71	F. Cordey
	0600	74	N. Lopez
	0900	74	N. Lopez
	1200	75	N. Lopez
	1500	74	L. Lopez
	1800	77	L. Lopez
	2100	77	L. Lopez
	2400	75	Davis

Friday

Date	Time	Temp.	Name (Print)
6/14/2011	0300	73	DAVIS
	0600	77	ESGARO
	0900	73	F. Cordey
	1200	75	ESGARO
	1500	76	C. Lopez
	1800	76	L. Lopez
	2100	74	L. Lopez
	2400	73	DAVIS

Saturday

Date	Time	Temp.	Name (Print)
6/15/2011	0300	71	DAVIS
	0600	71	DAVIS
	0900	73	DAVIS
	1200	74	L. Lopez
	1500	74	L. Lopez
	1800	74	L. Lopez
	2100	73	DAVIS
	2400	73	DAVIS

Sunday

Date	Time	Temp.	Name (Print)
6/14	0300	74	DAVIS
	0600	74	R. Davis
	0900	74	R. Davis
	1200	75	R. Davis
	1500	73	L. Lopez
	1800	73	L. Lopez
	2100	73	L. Lopez
	2400	72	Mered

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PESP Housing Unit: A2 Temp. Reading Location: Tier 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6-17-24	0300	72	Mercal
	0600	69	R. Davis
	0900	70	R. Davis
	1200	74	R. Davis
	1500	71	R. Lopez
	1800	74	R. Lopez
	2100	74	more
	2400	72	R. Calico

Tuesday

Date	Time	Temp.	Name (Print)
6-18-24	0300	72	R. Calico
	0600	74	R. Davis
	0900	74	R. Davis
	1200	75	R. Davis
	1500	70	R. mane
	1800	74	R. mane
	2100	74	R. mane
	2400	71	Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	Rodriguez
	0600	70	Rodriguez ✓
	0900	72	Davis
	1200	73	Davis
	1500	74	Ther
	1800	74	Oliver
	2100	74	Oliver
	2400	73	F. Calles

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	73	F. Calles
	0600	69	E. Lopez
	0900	74	E. Lopez
	1200	74	E. Lopez
	1500	74	E. Lopez
	1800	75	E. Lopez
	2100	74	E. Lopez
	2400	74	E. Lopez

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	73	
	0600	74	E. Lopez
	0900	74	E. Lopez
	1200	74	E. Lopez
	1500	76	L. Lopez
	1800	76	L. Lopez
	2100	76	L. Lopez
	2400	73	Terry

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	73	Terry
	0600	76	R. Davis
	0900	77	R. Davis
	1200	77	R. Davis
	1500	77	L. Lopez
	1800	78	L. Lopez
	2100	79	L. Lopez
	2400	73	L. Lopez

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	74	Mercal
	0600	74	R. Davis
	0900	76	R. Davis
	1200	77	R. Davis
	1500	71	W. Jones
	1800	71	W. Jones
	2100	71	W. Jones
	2400	77	Delegato

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A2 Temp. Reading Location: Tier 2  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	74	D. Lando
	0600	75	R. Davis
	0900	77	R. Davis
	1200	79	R. Davis
	1500	80	A. Sierra
	1800	80	A. Sierra
	2100	80	A. Sierra
	2400	77	Mercado

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	75	F. Corrao
	0600	71	R. Davis
	0900	79	R. Davis
	1200	80	R. Davis
	1500	79	X. Xiong
	1800	80	M. Mercado
	2100	77	nt
	2400	75	nt

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	73	DAVIS
	0600	75	ESTORAD
	0900	75	ESTORAD
	1200	75	M. Mercado
	1500	77	X. Xiong
	1800	78	X. Xiong
	2100	77	X. Xiong
	2400	75	DAVIS

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	74	Mercado
	0600	75	L. AIVARADO
	0900	75	L. AIVARADO
	1200	77	L. AIVARADO
	1500	78	X. Xiong
	1800	77	X. Xiong
	2100	77	X. Xiong
	2400	75	nt

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	76	nt
	0600	77	R. Davis
	0900	79	R. Davis
	1200	80	R. Davis
	1500	78	B. mare
	1800	78	B. mare
	2100	75	B. mare
	2400	77	F. Carde

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	78	M. C
	0600	75	nt
	0900	78	nt
	1200	77	nt
	1500	78	X. Xiong
	1800	78	X. Xiong
	2100	78	X. Xiong
	2400	75	R. Davis

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	73	DAVIS
	0600	72	ORTIZ
	0900	73	ORTIZ
	1200	79	ORTIZ
	1500	78	X. Xiong
	1800	78	X. Xiong
	2100	77	X. Xiong
	2400	76	Mercado

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
 INSIDE TEMPERATURE RECORD  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DVSP

Housing Unit: A3

Temp. Reading Location: \_\_\_\_\_  
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/14	0300	72	L. PEREZ
	0600	73	L. ESCOBAR
	0900	73	L. ESCOBAR
	1200	73	L. ESCOBAR
	1500	72	B. DORBINS
	1800	72	B. DORBINS
	2100	72	B. DORBINS
	2400	72	A. MALDONADO

Notes

6/14

---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
	0300	74	A. MALDONADO
	0600	75	L. ESCOBAR
	0900	75	L. ESCOBAR
	1200	75	L. ESCOBAR
	1500	73	T. LABEE
	1800	73	T. LABEE
	2100	73	T. LABEE
	2400	73	A. MALDONADO

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Pvsl Housing Unit: A 3 Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/18	0300	70	Watson
	0600	70	M.Rodriguez
	0900	70	M.Rodriguez
	1200	70	M.Rodriguez
	1500	71	Ludogil
	1800	72	Rodriguez
	2100	72	Rodriguez
	2400	70	Watson

Tuesday

Date	Time	Temp.	Name (Print)
6/4/18	0300	70	Watson
	0600	70°	J.GONZALEZ
	0900	72°	J.GONZALEZ
	1200	73°	J.GONZALEZ
	1500	73	P.Vas
	1800	74	P.Vas
	2100	74	P.Vas
	2400	72	Watson

Wednesday

Date	Time	Temp.	Name (Print)
6/5/18	0300	71	Watson
	0600	71	Santos
	0900	71	Santos
	1200	73	Santos
	1500	75	GONZALES
	1800	75	GONZALES
	2100	75	GONZALES
	2400	74	GONZALES

Thursday

Date	Time	Temp.	Name (Print)
6/6/18	0300	74	Cesario
	0600	73	M.J.CLEVELAND
	0900	75	M.J.CLEVELAND
	1200	77	M.J.CLEVELAND
	1500	79	GONZALES
	1800	79	GONZALES
	2100	79	GONZALES
	2400	77	GONZALES

Friday

Date	Time	Temp.	Name (Print)
6/7/18	0300	72	J.ESCALANTE
	0600	72	D.Gutierrez
	0900	72	D.Gutierrez
	1200	73	D.Gutierrez
	1500	77	GONZALES
	1800	77	GONZALES
	2100	77	GONZALES
	2400	75°	J.TACI

Saturday

Date	Time	Temp.	Name (Print)
6/8/18	0300	75°	J.TACI
	0600	75	ESCOBAR
	0900	75	ESCOBAR
	1200	75	ESCOBAR
	1500	75	Lattice
	1800	75	Lattice
	2100	75	Lattice
	2400	75	K.KEL

Notes

Date	Time	Temp.	Name (Print)
6/9/18	0300	72	R.KEL
	0600	72	ESCOBAR
	0900	72	ESCOBAR
	1200	72	ESCOBAR
	1500	73	Dobbins
	1800	74	Dobbins
	2100	73	Dobbins
	2400	73	F.SOTO

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A 3 Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
06/10/21	0300	71	F. Sora
	0600	72	S. ORTA
	0900	72	S. ORTA
	1200	72	S. ORTA
	1500	74	S. ORTA
	1800	78	J. Andrade
	2100	79	J. Andrade
	2400	74	W. A. M.

**Tuesday**

Date	Time	Temp.	Name (Print)
06/11/21	0300	75	W. A. M.
	0600	75	S. ORTA
	0900	75	S. ORTA
	1200	75	S. ORTA
	1500	79	GONZALES
	1800	79	GONZALES
	2100	79	GONZALES
	2400	77	W. A. M.

**Wednesday**

Date	Time	Temp.	Name (Print)
06/12/21	0300	73	W. A. M.
	0600	75	S. ORTA
	0900	75	S. ORTA
	1200	80	S. ORTA
	1500	80	GONZALES
	1800	80	GONZALES
	2100	80	GONZALES
	2400	77	J. Andrade

**Thursday**

Date	Time	Temp.	Name (Print)
06/13/21	0300	77	J. Andrade
	0600	72	W. A. M.
	0900	72	W. A. M.
	1200	74	W. A. M.
	1500	77	GONZALES
	1800	77	GONZALES
	2100	77	GONZALES
	2400	75	GONZALES

**Friday**

Date	Time	Temp.	Name (Print)
06/14/21	0300	75	S. ORTA
	0600	72	S. ORTA
	0900	72	S. ORTA
	1200	72	S. ORTA
	1500	77	GONZALES
	1800	77	GONZALES
	2100	77	GONZALES
	2400	76	S. ORTA

**Saturday**

Date	Time	Temp.	Name (Print)
06/15/21	0300	75	S. ORTA
	0600	71	ESCOBAR
	0900	72	ESCOBAR
	1200	72	ESCOBAR
	1500	72	L. Barber
	1800	72	L. Barber
	2100	72	L. Barber
	2400	71	W. A. M.

**Sunday**

Date	Time	Temp.	Name (Print)
06/16/21	0300	71	W. A. M.
	0600	73	L. Barber
	0900	71	L. Barber
	1200	72	L. Barber
	1500	73	D. Dobbins
	1800	74	D. Dobbins
	2100	73	D. Dobbins
	2400	72	W. A. M.

**Notes**

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: P VSP Housing Unit: A3 Temp. Reading Location: 2nd

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17	0300	70	W.A.H.
	0600	71	S.I.E.R.R.A.
1/24	0900	71	S.I.E.R.R.A.
	1200	71	S.I.E.R.R.A.
	1500	71	Gonzales
	1800	71	Gonzales
	2100	71	Ranger
	2400	71	W.A.H.

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	70	W.A.H.
1/24	0600	71	S.I.E.R.R.A.
	0900	71	S.I.E.R.R.A.
	1200	71	S.I.E.R.R.A.
	1500	71	GONZALES
	1800	71	GONZALES
	2100	71	GONZALES
	2400	70	DAULS

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	70	Gonzales
	0600	70	S.I.E.R.R.A.
24	0900	70	S.I.E.R.R.A.
	1200	70	S.I.E.R.R.A.
	1500	70	GONZALES
	1800	70	GONZALES
	2100	70	GONZALES
	2400	72	L.Lopez

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	74°	F.MET
	0600	75	ESCORBAR
1/24	0900	77	ESCORBAR
	1200	77	ESCORBAR
	1500	77	DUNIADES
	1800	77	DUNIADES
	2100	77	DUNIADES
	2400	75	W.A.H.

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	68	W.A.H.
1/24	0600	67	S.I.E.R.R.A.
	0900	69	S.I.E.R.R.A.
	1200	69	S.I.E.R.R.A.
	1500	71	GONZALES
	1800	71	GONZALES
	2100	71	GONZALES
	2400	70	W.A.H.

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	69	Devis
1/24	0600	68	S.I.E.R.R.A.
	0900	69	S.I.E.R.R.A.
	1200	69	S.I.E.R.R.A.
	1500	70	GONZALES
	1800	70	GONZALES
	2100	70	GONZALES
	2400	70	GONZALES

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	69	L.Lopez
1/24	0600	71	ESCORBAR
	0900	76	ESCORBAR
	1200	76	ESCORBAR
	1500	77	P.V.W.
	1800	77	P.V.W.
	2100	77	P.V.W.
	2400	75	P.V.W.

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVS P Housing Unit: A3 Temp. Reading Location: 2nd

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	74	Watson
	0600	70	SIEBELA
	0900	70	SIEBELA
	1200	70	SIEBELA
	1500	80	J. Dominguez
	1800	80	J. Dominguez
	2100	79	J. Dominguez
	2400	77	Watson

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	75	Lindau
	0600	77	SIEBELA
	0900	77	SIEBELA
	1200	77	SIEBELA
	1500	80	GONZALES
	1800	80	GONZALES
	2100	80	GONZALES
	2400	80	GONZALES

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	79	Cahn
	0600	75	SIEBELA
	0900	75	SIEBELA
	1200	75	SIEBELA
	1500	78	GONZALES
	1800	78	GONZALES
	2100	78	GONZALES
	2400	77	Torres

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	77	Torres
	0600	74	SIEBELA
	0900	74	SIEBELA
	1200	77	SIEBELA
	1500	75	GONZALES
	1800	75	GONZALES
	2100	75	GONZALES
	2400	77	Hernandez

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	75	Hernandez
	0600	75	SIEBELA
	0900	75	SIEBELA
	1200	75	SIEBELA
	1500	75	GONZALES
	1800	75	GONZALES
	2100	75	GONZALES
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	73	Flares
	0600	75	ESCRIBAN
	0900	78	ESCRIBAN
	1200	78	ESCRIBAN
	1500	75	PHILLIPS
	1800	76	OPIN
	2100	76	OPIN
	2400	73	Velozes

Notes

Date	Time	Temp.	Name (Print)
6/30	0300	77	Watson
	0600	72	Loper
	0900	72	Loper
	1200	72	Loper
	1500	74	Labbey
	1800	74	Labbey
	2100	74	Labbey
	2400	74	Watson

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP

Housing Unit: A4

Temp. Reading Location:

(e.g., 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
6/1/14	0300	73	L. PEREZ
	0600	72	M. PENNYCOOK
	0900	72	M. PENNYCOOK
	1200	72	M. PENNYCOOK
	1500	75	M. PENNYCOOK
	1800	75	M. PENNYCOOK
	2100	75	M. PENNYCOOK
	2400	74	L. PEREZ

## Sunday

Date	Time	Temp.	Name (Print)
6/1/14	0300	73	L. PEREZ
	0600	74	M. GONZALES
	0900	76	M. GONZALES
	1200	76	M. GONZALES
	1500	75	M. GONZALES
	1800	75	M. GONZALES
	2100	75	M. GONZALES
	2400	74	L. PEREZ

## Notes

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A-11 Temp. Reading Location: 2nd TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3 12A	0300	70	<u>W</u>
	0600	72	<u>ESOBAP</u>
	0900	72	<u>ESOBAD</u>
	1200	72	<u>ESOBAR</u>
	1500	72	<u>J. Jimenez</u>
	1800	73	<u>J. Jimenez</u>
	2100	73	<u>J. Jimenez</u>
	2400	70	<u>J. Jimenez</u>

Tuesday

Date	Time	Temp.	Name (Print)
6/4 12A	0300	70	<u>W</u>
	0600	73	<u>ESOBAP</u>
	0900	73	<u>ESOBAD</u>
	1200	73	<u>ESOBAR</u>
	1500	76	<u>Gonzales</u>
	1800	76	<u>Gonzales</u>
	2100	76	<u>Gonzales</u>
	2400	70	<u>J. Jimenez</u>

Wednesday

Date	Time	Temp.	Name (Print)
6/5 12A	0300	70	<u>M. Pennycock</u>
	0600	73	<u>M. Pennycock</u>
	0900	73	<u>M. Pennycock</u>
	1200	75	<u>M. Pennycock</u>
	1500	74	<u>MEDA</u>
	1800	76	<u>MEDA</u>
	2100	76	<u>MEDA</u>
	2400	70	<u>M. Pennycock</u>

Thursday

Date	Time	Temp.	Name (Print)
6/6 12A	0300	70	<u>M. Pennycock</u>
	0600	74	<u>M. Pennycock</u>
	0900	75	<u>M. Pennycock</u>
	1200	77	<u>M. Pennycock</u>
	1500	78	<u>T. Leibee</u>
	1800	78	<u>T. Leibee</u>
	2100	78	<u>T. Leibee</u>
	2400	70	<u>T. Leibee</u>

Friday

Date	Time	Temp.	Name (Print)
6/7 12A	0300	70	
	0600	74	<u>M. Pennycock</u>
	0900	74	<u>M. Pennycock</u>
	1200	77	<u>M. Pennycock</u>
	1500	77	<u>T. Leibee</u>
	1800	77	<u>T. Leibee</u>
	2100	77	<u>T. Leibee</u>
	2400	70	<u>M. Pennycock</u>

Saturday

Date	Time	Temp.	Name (Print)
6/8 12A	0300	70	<u>M. Pennycock</u>
	0600	73	<u>M. Pennycock</u>
	0900	73	<u>M. Pennycock</u>
	1200	75	<u>M. Pennycock</u>
	1500	75	<u>M. Pennycock</u>
	1800	76	<u>M. Pennycock</u>
	2100	75	<u>M. Pennycock</u>
	2400	70	<u>M. Pennycock</u>

Notes

Date	Time	Temp.	Name (Print)
6/9 12A	0300	70	<u>Gonzales</u>
	0600	70	<u>Gonzales</u>
	0900	75	<u>Gonzales</u>
	1200	75	<u>Gonzales</u>
	1500	75	<u>Gonzales</u>
	1800	75	<u>Gonzales</u>
	2100	75	<u>Gonzales</u>
	2400	72	<u>Gonzales</u>

DISTRIBUTION: Original: Institution ADA Coordinator

## Attachment E

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: All Temp. Reading Location: 2nd floor  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
4/10/21	0300	70	<u>H. L.</u>
	0600	71	<u>ESOBAD</u>
	0900	71	<u>ESOBAD</u>
	1200	71	<u>ESOBAD</u>
	1500	75	<u>M. COOY</u>
	1800	75	<u>M. COOY</u>
	2100	75	<u>M. COOY</u>
	2400	70	<u>H. L.</u>

## Wednesday

Date	Time	Temp.	Name (Print)
4/12/21	0300	70	<u>H. L.</u>
	0600	74	<u>M. PENNYCOOK</u>
	0900	75	<u>M. PENNYCOOK</u>
	1200	77	<u>M. PENNYCOOK</u>
	1500	77	<u>A. FLORES</u>
	1800	77	<u>A. FLORES</u>
	2100	79	<u>A. FLORES</u>
	2400	70	<u>H. L.</u>

## Friday

Date	Time	Temp.	Name (Print)
4/14/21	0300	70	<u>L. L.</u>
	0600	72	<u>M. PENNYCOOK</u>
	0900	72	<u>M. PENNYCOOK</u>
	1200	74	<u>M. PENNYCOOK</u>
	1500	75	<u>T. LATTHEE</u>
	1800	75	<u>T. LATTHEE</u>
	2100	75	<u>T. LATTHEE</u>
	2400	72	<u>S. DE UNGA</u>

## Sunday

Date	Time	Temp.	Name (Print)
4/11/21	0300	71	<u>J. PALMA</u>
	0600	70	<u>Montalvo</u>
	0900	71	<u>Montalvo</u>
	1200	73	<u>Montalvo</u>
	1500	73	<u>Montalvo</u>
	1800	73	<u>Montalvo</u>
	2100	73	<u>Montalvo</u>
	2400	73	<u>Montalvo</u>

## Tuesday

Date	Time	Temp.	Name (Print)
4/11/21	0300	70	<u>M. KAVAROVICH</u>
	0600	73	<u>M. KAVAROVICH</u>
	0900	75	<u>M. KAVAROVICH</u>
	1200	76	<u>M. KAVAROVICH</u>
	1500	76	<u>M. KAVAROVICH</u>
	1800	78	<u>M. KAVAROVICH</u>
	2100	76	<u>M. KAVAROVICH</u>
	2400	73	<u>M. KAVAROVICH</u>

## Thursday

Date	Time	Temp.	Name (Print)
4/13/21	0300	70	<u>M. KAVAROVICH</u>
	0600	72	<u>M. KAVAROVICH</u>
	0900	75	<u>M. KAVAROVICH</u>
	1200	78	<u>M. KAVAROVICH</u>
	1500	74	<u>M. KAVAROVICH</u>
	1800	74	<u>M. KAVAROVICH</u>
	2100	74	<u>M. KAVAROVICH</u>
	2400	73	<u>M. KAVAROVICH</u>

## Saturday

Date	Time	Temp.	Name (Print)
4/14/21	0300	72	<u>S. DE UNGA</u>
	0600	71	<u>M. PENNYCOOK</u>
	0900	71	<u>M. PENNYCOOK</u>
	1200	73	<u>M. PENNYCOOK</u>
	1500	74	<u>M. PENNYCOOK</u>
	1800	74	<u>M. PENNYCOOK</u>
	2100	73	<u>M. PENNYCOOK</u>
	2400	73	<u>J. PALMA</u>

## Notes

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A-4 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/14	0300	73	Hernandez
	0600	72	ESTOBAR
	0900	72	ESTOBAR
	1200	72	ESTOBAR
	1500	72	GONZALEZ
	1800	72	GONZALEZ
	2100	70	GONZALEZ
	2400	70	GONZALEZ

Tuesday

Date	Time	Temp.	Name (Print)
6/18/14	0300	70	Hernandez
	0600	70	ESTOBAR
	0900	70	ESTOBAR
	1200	70	ESTOBAR
	1500	72	GONZALEZ
	1800	72	GONZALEZ
	2100	72	GONZALEZ
	2400	70	GONZALEZ

Wednesday

Date	Time	Temp.	Name (Print)
6/19/14	0300	70	A. ORTIZ
	0600	70	A. ORTIZ
	0900	72	A. ORTIZ
	1200	72	A. ORTIZ
	1500	73	MEDA
	1800	73	MEDA
	2100	73	MEDA
	2400	71	MEDA

Thursday

Date	Time	Temp.	Name (Print)
6/20/14	0300	72	E. VARGAS
	0600	70	M. Pennycock
	0900	70	M. Pennycock
	1200	70	M. Pennycock
	1500	70	J. Martinez
	1800	72	L. Lopez
	2100	72	L. Lopez
	2400	72	L. Lopez

Friday

Date	Time	Temp.	Name (Print)
6/21/14	0300	71	L. Lopez
	0600	70	M. Pennycock
	0900	71	M. Pennycock
	1200	73	M. Pennycock
	1500	74	R. Rosales
	1800	75	R. Rosales
	2100	75	R. Rosales
	2400	70	R. Rosales

Saturday

Date	Time	Temp.	Name (Print)
6/24/14	0300	70	M. Pennycock
	0600	71	M. Pennycock
	0900	72	M. Pennycock
	1200	74	M. Pennycock
	1500	77	M. Pennycock
	1800	77	M. Pennycock
	2100	76	M. Pennycock
	2400	74	J. Garcia

Notes

Date	Time	Temp.	Name (Print)
6/24/14	0300	75	J. Garcia
	0600	74	GONZALES
	0900	74	GONZALES
	1200	75	GONZALES
	1500	77	GONZALES
	1800	77	GONZALES
	2100	77	GONZALES
	2400	76	GONZALES

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A-4 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	70	11
0600	75	ESCORZAR	
0900	77	ESCORZAR	
1200	77	ESCORZAR	
1500	78	Trevino	
1800	78	Trevino	
2100	78	Trevino	
2400	78	12 - KRM	

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	76	R. LEON
0600	77	ESCORZAR	
0900	78	ESCORZAR	
1200	76	ESCORZAR	
1500	79	Guerrero	
1800	79	Guerrero	
2100	79	Guerrero	
2400	70	11 - KRM	

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	74	M. Pennington
0600	74	M. Pennington	
0900	74	M. Pennington	
1200	78	M. Pennington	
1500	77	MERA	
1800	77	MERA	
2100	77	T. Lathee	
2400	71	D. MARTINEZ	

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	71	D. MARTINEZ
0600	74	M. Pennington	
0900	73	M. Pennington	
1200	74	M. Pennington	
1500	75	T. Lathee	
1800	75	T. Lathee	
2100	75	T. Lathee	
2400	73	R. MEDINA	

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	70	R. MEDINA
0600	71	M. Pennington	
0900	72	M. Pennington	
1200	74	Mera	
1500	75	T. Lathee	
1800	75	T. Lathee	
2100	75	T. Lathee	
2400	74	J. Oquzada	

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	73	J. Oquzada
0600	71	M. Pennington	
0900	73	M. Pennington	
1200	75	M. Pennington	
1500	76	M. Pennington	
1800	76	M. Pennington	
2100	76	M. Pennington	
2400	75	S. IBARRA	

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	74	S. IBARRA
0600	75	Gonzales	
0900	75	Gonzales	
1200	75	Gonzales	
1500	77	Gonzales	
1800	77	Gonzales	
2100	77	Gonzales	
2400	70	11	

Notes

---



---



---



---



---



---



---



---

A-5  
JUNE 2024

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A5 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	74	J. Gonzales
	0600	72	M. CASTRO
	0900	72	M. CASTRO
6/1/24	1200	74	M. CASTRO
	1500	76	M. CASTRO
	1800	76	M. CASTRO
	2100	75	M. CASTRO
	2400	74	J. Gonzales

**Notes**

Date	Time	Temp.	Name (Print)
6/2/24	0300	74	J. Gonzales
	0600	74	J. Gonzales
	0900	74	J. Lopez
	1200	75	J. Lopez
	1500	75	A. MATA
	1800	75	A. MATA
	2100	74	A. MATA
	2400	74	I. Perez

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: AS Temp. Reading Location: \_\_\_\_\_

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
16/5/24	0300	71	PEREZ
	0600	71	J. Lopez
	0900	70	J. Lopez
	1200	71	J. Lopez
	1500	74	A. MATA
	1800	74	A. MATA
	2100	74	A. MATA
	2400	72	PEREZ

Tuesday

Date	Time	Temp.	Name (Print)
16/5/24	0300	72	PEREZ
	0600	71	J. Lopez
	0900	70	J. Lopez
	1200	71	J. Lopez
	1500	70	M. Castro
	1800	70	M. Castro
	2100	70	M. Castro
	2400	70	GONZALEZ I

Wednesday

Date	Time	Temp.	Name (Print)
16/5/24	0300	73	GONZALEZ I
	0600	72	J. Lopez
	0900	74	J. Lopez
	1200	74	J. Lopez
	1500	74	P. P.
	1800	74	P. P.
	2100	75	P. P.
	2400	75	VANG

Thursday

Date	Time	Temp.	Name (Print)
16/5/24	0300	75	MAG
	0600	78	J. Lopez
	0900	77	J. Lopez
	1200	78	J. Lopez
	1500	78	M. Castro
	1800	78	M. Castro
	2100	78	M. Castro
	2400	76	GONZALEZ I

Friday

Date	Time	Temp.	Name (Print)
16/5/24	0300	75	GONZALEZ I
	0600	75	SANDOVAL, J
	0900	75	SANDOVAL, J
	1200	77	SANDOVAL, J
	1500	80	M. Castro
	1800	80	M. Castro
	2100	80	M. Castro
	2400	75	GONZALEZ I

Saturday

Date	Time	Temp.	Name (Print)
16/5/24	0300	73	GONZALEZ I
	0600	73	Castro, M.
	0900	75	Castro, M.
	1200	75	Castro, M.
	1500	78	Castro, M.
	1800	78	Castro, M.
	2100	78	Castro, M.
	2400	73	GONZALEZ I

Sunday

Date	Time	Temp.	Name (Print)
16/5/24	0300	70	GONZALEZ I
	0600	71	Kovacevich
	0900	72	Kovacevich
	1200	76	Kovacevich
	1500	76	D. Furrer
	1800	77	D. Furrer
	2100	77	D. Furrer
	2400	76	L. Perez

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A-S

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	73	L. PEREZ
	0600	71	J. Lopez
	0900	73	J. Lopez
	1200	74	J. Lopez
	1500	76	D. Fornan
	1800	76	D. Fornan
	2100	76	D. Fornan
	2400	74	Melvin

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	71	Alberto
	0600	71	J. Lopez
	0900	73	J. Lopez
	1200	76	J. Lopez
	1500	80	Mr. Gistro
	1800	80	Mr. Castro
	2100	80	Mr. Castro
	2400	740	Gonzales I

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	74°	GONZALES I
	0600	73	J. Lopez
	0900	75	J. Lopez
	1200	77	J. Lopez
	1500	79	J. Escovedo
	1800	79	J. Escovedo
	2100	79	J. Escovedo
	2400	78	GONZALES I

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	74°	GONZALES I
	0600	73	J. Lopez
	0900	74	J. Lopez
	1200	76	J. Lopez
	1500	78	Ramirez
	1800	78	Ramirez
	2100	70	Ramirez
	2400	740	GONZALES I

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72°	GONZALES I
	0600	70	SANDOVAL, J.
	0900	72	SANDOVAL, J.
	1200	74	SANDOVAL, J.
	1500	75	MCCARTY
	1800	76	MCCARTY
	2100	73	MCCARTY
	2400	75	GONZALES I

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	70	GONZALES I
	0600	69°	SANDOVAL, J.
	0900	71°	SANDOVAL, J.
	1200	72°	SANDOVAL, J.
	1500	75	L. AGUILAR
	1800	76	L. AGUILAR
	2100	75	L. AGUILAR
	2400	73	Davies

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	70	Davies
	0600	71	R. Domingo
	0900	73	R. Domingo
	1200	74	R. Domingo
	1500	76	D. Fornan
	1800	75	D. Fornan
	2100	75	D. Fornan
	2400	73	Davies

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: A-5

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	Darrell
	0600	71	Zepeda
	0900	71	Zepeda
	1200	71	Zepeda
	1500	71	Priscilla
	1800	72	MARILLA
	2100	72	MARILLA
	2400	70	Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	70	Gonzalez, T
	0600	70	Zepeda
	0900	70	Zepeda
	1200	71	Zepeda
	1500	71	M. Castro
	1800	71	M. Castro
	2100	71	M. Castro
	2400	70	Gonzalez +

Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	Gonzalez T
	0600	70	Zepeda
	0900	70	T-Jordan
	1200	71	T-Jordan
	1500	73	M. CASTRO
	1800	74	M. CASTRO
	2100	72	M. CASTRO
	2400	70	Gonzalez T

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	71	Gonzalez T
	0600	70	Zepeda
	0900	71	Zepeda
	1200	71	Zepeda
	1500	74	M. Penthouse
	1800	74	M. Penthouse
	2100	74	M. Penthouse
	2400	72	Gonzalez T

Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	Gonzalez T
	0600	71	SANDOVAL, J
	0900	72	SANDOVAL, J
	1200	72	SANDOVAL, J
	1500	74	M. Castro
	1800	74	M. Castro
	2100	74	M. Castro
	2400	74	Gonzalez T

Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	72	Gonzalez T
	0600	72	SANDOVAL, J
	0900	73	SANDOVAL, J
	1200	73	SANDOVAL, J
	1500	75	Castro, M
	1800	75	Castro, M
	2100	75	Castro, M
	2400	76	Gonzalez T

Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	74	Gonzalez T
	0600	73	M. Rodriguez
	0900	75	M. Rodriguez
	1200	78	M. Rodriguez
	1500	79	D. Ferrara
	1800	79	D. Ferrara
	2100	78	D. Ferrara
	2400	75	Z. Gonzalez

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DVSD Housing Unit: AS Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24/18	0300	73	J. Gonzalez
	0600	75	J. Lopez
	0900	75	J. Lopez
	1200	78	J. Lopez
	1500	78	J. Lopez
	1800	79	M. Medina
	2100	70	M. Medina
	2400	79	Cordillo

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25/18	0300	78	Cordillo
	0600	76	J. Lopez
	0900	78	J. Lopez
	1200	79	J. Lopez
	1500	81	J. Sandoval
	1800	77	M. Castro
	2100	79	M. Castro
	2400	75	Gonzalez J.

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26/18	0300	76	Gonzalez J.
	0600	75	J. Lopez
	0900	75	J. Lopez
	1200	77	J. Lopez
	1500	80	M. Castro
	1800	80	M. Castro
	2100	80	M. Castro
	2400	76	Gonzalez J.

**Thursday**

Date	Time	Temp.	Name (Print)
6/27/18	0300	79	Gonzalez J.
	0600	73	J. Lopez
	0900	76	J. Lopez
	1200	76	J. Lopez
	1500	76	J. Jordan
	1800	77	E. Zamm
	2100	78	E. Zamm
	2400	79	Gonzalez J.

**Friday**

Date	Time	Temp.	Name (Print)
6/28/18	0300	74	Gonzalez J.
	0600	72	Sandoval, J.
	0900	73	Sandoval, J.
	1200	74	Sandoval, J.
	1500	76	T. Jordan
	1800	77	T. Jordan
	2100	77	T. Jordan
	2400	74	Gonzalez J.

**Saturday**

Date	Time	Temp.	Name (Print)
6/29/18	0300	74	Gonzalez J.
	0600	72	Sandoval, J.
	0900	74	Sandoval, J.
	1200	76	Sandoval, J.
	1500	78	Aguilar, L.
	1800	80	Aguilar, L.
	2100	78	Aguilar, L.
	2400	72	Cordova

**Sunday**

Date	Time	Temp.	Name (Print)
6/30/18	0300	72	Gonzalez J.
	0600	72	Gonzalez J.
	0900	73	J. Lopez
	1200	75	J. Lopez
	1500	76	J. Lopez
	1800	78	N. Perez
	2100	77	N. Perez
	2400	77	Cordova

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDOR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PSP Housing Unit: B 1 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
5/12	0300	69	J. Garfio
12	0600	71	E. Enrique
24	0900	71	E. Enrique
24	1200	71	E. Enrique
24	1500	73	C. Quizon
24	1800	73	C. Quizon
24	2100	73	C. Quizon
24	2400	70	S. Castille

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
5/14	0300	68	A. Flores
14	0600	70	E. Enrique
14	0900	70	E. Enrique
14	1200	70	E. Enrique
14	1500	70	C. Quizon
14	1800	72	C. Quizon
14	2100	72	C. Quizon
14	2400	69	S. Castille

**Notes**


STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PSP Housing Unit: 3

Temp. Reading Location:

2nd Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3	0300	70	Domingo
0600	70	Garcia	
0900	70	Garcia	
1200	70	Garcia	
1500	71	Garcia	
1800	72	Garcia	
2100	72	Garcia	
2400	71	Domingo	

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5	0300	71	Garcia
0600	70	Garcia	
0900	70	Garcia	
1200	70	Garcia	
1500	75	Garcia	
1800	75	Garcia	
2100	75	Garcia	
2400	77	Gonzales	

**Friday**

Date	Time	Temp.	Name (Print)
6/7	0300	70	Del Villar
0600	71	Garcia	
0900	71	Garcia	
1200	71	Garcia	
1500	73	Garcia	
1800	73	Garcia	
2100	73	Garcia	
2400	70	Domingo	

**Sunday**

Date	Time	Temp.	Name (Print)
6/9	0300	69	S. Castillo
0600	70	Fugelke	
0900	70	Fugelke	
1200	70	Fugelke	
1500	72	Queralta	
1800	72	Queralta	
2100	70	Castillo	
2400	69	S. Castillo	

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4	0300	71	Domingo
0600	70	Garcia	
0900	70	Garcia	
1200	70	Garcia	
1500	72	Garcia	
1800	72	Garcia	
2100	72	Garcia	
2400	71	Domingo	

**Thursday**

Date	Time	Temp.	Name (Print)
6/6	0300	74	Gonzales
0600	73	Garcia	
0900	73	Garcia	
1200	73	Garcia	
1500	70	Mata	
1800	70	Mata	
2100	70	Mata	
2400	70	Del Villar	

**Saturday**

Date	Time	Temp.	Name (Print)
6/8	0300	70	Domingo
0600	70	Espinoza	
0900	71	Espinoza	
1200	71	Espinoza	
1500	73	Espinoza	
1800	72	Espinoza	
2100	72	Espinoza	
2400	69	S. Castillo	

**Notes**

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSP Housing Unit: B1 Temp. Reading Location: 2nd Tier

Immediately notify the Watch Commander at extension 5341 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6	0300	69	S. Castillo
10	0600	70	D. De la Cruz
10	0900	70	D. De la Cruz
24	1200	70	D. De la Cruz
24	1500	74	C. Quezada
24	1800	75	C. Quezada
24	2100	75	C. Quezada
24	2400	74	Rodriguez

**Tuesday**

Date	Time	Temp.	Name (Print)
6	0300	74	Rodriguez
11	0600	71	D. De la Cruz
11	0900	74	D. De la Cruz
24	1200	74	D. De la Cruz
24	1500	75	C. Quezada
24	1800	75	C. Quezada
24	2100	75	C. Quezada
24	2400	74	Rodriguez

**Wednesday**

Date	Time	Temp.	Name (Print)
6	0300	77	Rodriguez
12	0600	71	D. De la Cruz
12	0900	74	D. De la Cruz
24	1200	74	D. De la Cruz
24	1500	75	C. Quezada
24	1800	74	C. Quezada
24	2100	73	C. Quezada
24	2400	73	J. Gonzales

**Thursday**

Date	Time	Temp.	Name (Print)
6	0300	72	J. Gonzales
13	0600	72	D. De la Cruz
13	0900	72	D. De la Cruz
24	1200	72	D. De la Cruz
24	1500	72	A. Mata
24	1800	72	A. Mata
24	2100	72	A. Mata
24	2400	72	Rodriguez

**Friday**

Date	Time	Temp.	Name (Print)
6	0300	72	Rodriguez
14	0600	72	D. De la Cruz
14	0900	72	D. De la Cruz
24	1200	72	D. De la Cruz
24	1500	75	R. Taylor
24	1800	75	R. Taylor
24	2100	75	R. Taylor
24	2400	74	A. Flores

**Saturday**

Date	Time	Temp.	Name (Print)
6	0300	73	A. Flores
15	0600	60	Espinoza
15	0900	70	Espinoza
24	1200	71	Espinoza
24	1500	74	Quezada
24	1800	75	Quezada
24	2100	71	Quezada
24	2400	70	S. Castillo

**Notes**

Date	Time	Temp.	Name (Print)
6	0300	70	S. Castillo
14	0600	70	C. Engelke
14	0900	70	C. Engelke
24	1200	70	C. Engelke
24	1500	71	R. Garcia
24	1800	72	R. Garcia
24	2100	72	R. Garcia
24	2400	72	S. Castillo

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: PUSP Housing Unit: B1

Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> floor, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>6</u> <u>17</u> <u>2024</u>	0300	69	<u>Sicardi</u>
	0600	70	<u>DE LA CRUZ</u>
	0900	70	<u>DE LA CRUZ</u>
	1200	70	<u>DE LA CRUZ</u>
	1500	71	<u>C. QUEZADA</u>
	1800	71	<u>C. QUEZADA</u>
	2100	70	<u>C. QUEZADA</u>
	2400	70	<u>Rodriguez</u>

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>6</u> <u>19</u> <u>2024</u>	0300	70	<u>Rodriguez</u>
	0600	70	<u>DE LA CRUZ</u>
	0900	70	<u>DE LA CRUZ</u>
	1200	70	<u>DE LA CRUZ</u>
	1500	70	<u>C. QUEZADA</u>
	1800	70	<u>C. QUEZADA</u>
	2100	70	<u>C. QUEZADA</u>
	2400	70	<u>J GONZALES</u>

**Friday**

Date	Time	Temp.	Name (Print)
<u>6</u> <u>26</u> <u>2024</u>	0300	71	<u>Anderson</u>
	0600	70	<u>DE LA CRUZ</u>
	0900	70	<u>DE LA CRUZ</u>
	1200	70	<u>DE LA CRUZ</u>
	1500	72	<u>R. Taylor</u>
	1800	72	<u>R. Taylor</u>
	2100	72	<u>R. Taylor</u>
	2400	70	<u>R. Taylor</u>

**Sunday**

Date	Time	Temp.	Name (Print)
<u>6</u> <u>23</u> <u>2024</u>	0300	71	<u>Castillo</u>
	0600	77	<u>Engelke</u>
	0900	77	<u>Engelke</u>
	1200	72	<u>Engelke</u>
	1500	70	<u>Conrad</u>
	1800	70	<u>Conrad</u>
	2100	70	<u>Conrad</u>
	2400	73	<u>Arantran</u>

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>6</u> <u>18</u> <u>2024</u>	0300	70	<u>Rodriguez</u>
	0600	70	<u>DE LA CRUZ</u>
	0900	70	<u>DE LA CRUZ</u>
	1200	70	<u>DE LA CRUZ</u>
	1500	69	<u>C. QUEZADA</u>
	1800	70	<u>C. QUEZADA</u>
	2100	69	<u>C. QUEZADA</u>
	2400	69	<u>Rodriguez</u>

**Thursday**

Date	Time	Temp.	Name (Print)
<u>6</u> <u>20</u> <u>2024</u>	0300	70	<u>J GONZALES</u>
	0600	70	<u>DE LA CRUZ</u>
	0900	70	<u>DE LA CRUZ</u>
	1200	70	<u>DE LA CRUZ</u>
	1500	72	<u>MATA</u>
	1800	72	<u>MATA</u>
	2100	72	<u>MATA</u>
	2400	71	<u>Rodriguez</u>

**Saturday**

Date	Time	Temp.	Name (Print)
<u>6</u> <u>22</u> <u>2024</u>	0300	70	<u>Minas</u>
	0600	69	<u>Espinosa</u>
	0900	71	<u>Espinosa</u>
	1200	72	<u>Espinosa</u>
	1500	73	<u>L. Espinoza</u>
	1800	74	<u>L. Espinoza</u>
	2100	74	<u>L. Espinoza</u>
	2400	73	<u>Castillo</u>

**Notes**

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: 31 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
05/21	0300	70	Franza 21
06/21	0600	70	De la Cruz
07/21	0900	70	De la Cruz
08/21	1200	70	De la Cruz
09/21	1500	77	C. Querada
10/21	1800	77	C. Querada
11/21	2100	77	C. Querada
12/21	2400	70	L. Rosario

**Wednesday**

Date	Time	Temp.	Name (Print)
05/23	0300	71	Domingo
06/23	0600	71	De la Cruz
07/23	0900	72	De la Cruz
08/23	1200	72	De la Cruz
09/23	1500	74	C. Querada
10/23	1800	74	C. Querada
11/23	2100	75	C. Querada
12/23	2400	70	Gonzalez

**Friday**

Date	Time	Temp.	Name (Print)
05/25	0300	70	I. Rodriguez
06/25	0600	72	De la Cruz
07/25	0900	72	De la Cruz
08/25	1200	72	De la Cruz
09/25	1500	73°	Hudres
10/25	1800	73°	Hudres
11/25	2100	73°	Hudres
12/25	2400	71	Domingo

**Sunday**

Date	Time	Temp.	Name (Print)
05/27	0300	71	S-Castillo
06/27	0600	72	Engelke
07/27	0900	74	Engelke
08/27	1200	74	Engelke
09/27	1500	72	C. Querada
10/27	1800	72	C. Querada
11/27	2100	73	C. Querada
12/27	2400	73	Domingo

**Tuesday**

Date	Time	Temp.	Name (Print)
05/26	0300	70	Rodriguez
06/26	0600	70	De la Cruz
07/26	0900	71	De la Cruz
08/26	1200	72	De la Cruz
09/26	1500	73	D. Querada
10/26	1800	73	C. Querada
11/26	2100	73	C. Querada
12/26	2400	71	Domingo

**Thursday**

Date	Time	Temp.	Name (Print)
05/28	0300	70	Gonzalez
06/28	0600	72	De la Cruz
07/28	0900	72	De la Cruz
08/28	1200	72	De la Cruz
09/28	1500	74	Maldonado
10/28	1800	74	Maldonado
11/28	2100	72	Maldonado
12/28	2400	70	I. Rodriguez

**Saturday**

Date	Time	Temp.	Name (Print)
05/29	0300	70	Domingo
06/29	0600	71	Engelke
07/29	0900	71	Engelke
08/29	1200	71	Engelke
09/29	1500	73	C. Querada
10/29	1800	74	C. Querada
11/29	2100	74	I. Querada
12/29	2400	71	S-Cartillo

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDOR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: BFBZ Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
	0300	73	CIVRAL
	0600	72	S. RAMIREZ
	0900	72	S. RAMIREZ
	1200	73	S. RAMIREZ
	1500	74	R. Taylor
	1800	74	R. Taylor
	2100	74	R. Taylor
	2400	74	CIVRAL

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
	0300	74	S. CASTILLO
	0600	72	S. LOPEZ
	0900	74	S. LOPEZ
	1200	74	SLOPEZ
	1500	75	R. Taylor
	1800	75	R. Taylor
	2100	75	R. Taylor
	2400	75	S. CASTILLO

**Notes**


DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: BFB 2 Temp. Reading Location: 3rd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/13	0300	70	CM
0600	72	Engelke	
0900	72	Engelke	
1200	72	Engelke	
1500	78°	Cortes	
1800	78°	Cortes	
2100	78°	Cortes	
2400	70	CM	

Tuesday

Date	Time	Temp.	Name (Print)
6/14	0300	70	CM
0600	78	S.JANG	
0900	81	S.JANG	
1200	81	S.JANG	
1500	81°	Cortes	
1800	81°	Cortes	
2100	81°	Cortes	
2400	70	CM	

Wednesday

Date	Time	Temp.	Name (Print)
6/15	0300	70	CM
0600	73	SAUCEDO	
0900	74	SAUCEDO	
1200	77	SAUCEDO	
1500	80°	Cortes	
1800	81°	Cortes	
2100	80°	Cortes	
2400	70	CM	

Thursday

Date	Time	Temp.	Name (Print)
6/16	0300	70	CM
0600	70	J.MENDOZA	
0900	71	J.MENDOZA	
1200	72	J.MENDOZA	
1500	75	LAMIREZ LOMARE	
1800	77	LAMIREZ LOMARE	
2100	74	LAMIREZ LOMARE	
2400	72	MILLER	

Friday

Date	Time	Temp.	Name (Print)
6/17	0300	70	DELVILLAR
0600	70	Spann	
0900	70	Spann	
1200	70	Spann	
1500	81°	Cortes	
1800	81°	Cortes	
2100	70	Cortes	
2400	80	DELVILLAR	

Saturday

Date	Time	Temp.	Name (Print)
6/18	0300	70	Spann
0600	70	Spann	
0900	70	Spann	
1200	70	Spann	
1500	81	R.Taylor	
1800	81	R.Taylor	
2100	81	R.Taylor	
2400	81	R.Taylor	

Notes

Date	Time	Temp.	Name (Print)
6/19	0300	70	CEBALLOS
0600	70	Spann	
0900	70	Spann	
1200	70	Spann	
1500	74	R.Taylor	
1800	81	R.Taylor	
2100	81	R.Taylor	
2400	70	MILLER	

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

- From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: BFB 2 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/20/24	0300	70	C. Miller
	0600	70	Eugenie
	0900	70	Fenglike
	1200	70	Jeanette
	1500	72°	Cortes
	1800	72°	Cortes
	2100	72°	Cortes
	2400	70	C. Miller

Tuesday

Date	Time	Temp.	Name (Print)
6/20/24	0300	70	C. Miller
	0600	71	C. Fenglike
	0900	71	C. Fenglike
	1200	71	C. Fenglike
	1500	73°	Cortes
	1800	73°	Cortes
	2100	73	Cortes
	2400	72	C. Miller

Wednesday

Date	Time	Temp.	Name (Print)
6/20/24	0300	70°	C. Miller
	0600	72	Sanchez
	0900	72	Sanchez
	1200	72	Sanchez
	1500	74°	Cortes
	1800	74°	Cortes
	2100	74°	Cortes
	2400	70	C. Miller

Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	70	C. Miller
	0600	70	S. Sandoval
	0900	70	S. Sandoval
	1200	70	S. Sandoval
	1500	72	S. Sandoval
	1800	72	S. Sandoval
	2100	70	S. Sandoval
	2400	68	S. Castillo

Friday

Date	Time	Temp.	Name (Print)
6/20/24	0300	68	S. Castillo
	0600	72°	Cortes
	0900	72°	Cortes
	1200	72°	Cortes
	1500	78°	Cortes
	1800	78°	Cortes
	2100	78°	Cortes
	2400	78	S. Castillo

Saturday

Date	Time	Temp.	Name (Print)
6/20/24	0300	77	S. Castillo
	0600	71	S. Lopez
	0900	75	S. Lopez
	1200	75	S. Lopez
	1500	77°	R. Taylor
	1800	75	R. Taylor
	2100	72°	R. Taylor
	2400	72	Flores

Notes

---

---

---

---

---

---

---

---

Date	Time	Temp.	Name (Print)
6/20/24	0300	72	Flores
	0600	73°	O. Fernandez
	0900	73°	O. Fernandez
	1200	73°	O. Fernandez
	1500	73°	R. Taylor
	1800	73°	R. Taylor
	2100	71°	R. Taylor
	2400	73°	R. Taylor

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

Attachment C  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PNSP Housing Unit: BFB2 Temp. Reading Location: 2nd TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/11	0300	74°	P. QUILBAL
11/24	0600	74	Engelke
	0900	76	Engelke
	1200	76	Engelke
	1500	78°	Coxes
	1800	78°	Coxes
	2100	78	Coxes
	2400	72°	P. QUILBAL

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19	0300	71°	P. QUILBAL
24	0600	72	Sauceda
	0900	72	Sauceda
	1200	72	Sauceda
	1500	78°	Coxes
	1800	78°	Coxes
	2100	78°	Coxes
	2400	80°	J. CANTU

**Friday**

Date	Time	Temp.	Name (Print)
6/21	0300	73	S. CASTILLO
24	0600	73	J. MENDOZA
	0900	73	J. MENDOZA
	1200	73	J. MENDOZA
	1500	70	CIRON
	1800	70	C. COX
	2100	70	LEON
	2400	69	J. CASTILLO

**Sunday**

Date	Time	Temp.	Name (Print)
6/23	0300	75°	P. QUILBAL
24	0600	70	Spamires
	0900	70	Spamires
	1200	70	Spamires
	1500	71	R. Taylor
	1800	74	R. Taylor
	2100	74	R. Taylor
	2400	74	P. QUILBAL

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18	0300	72°	P. QUILBAL
24	0600	73	Engelke
	0900	75	Engelke
	1200	75	Engelke
	1500	75°	Coxes
	1800	75°	Coxes
	2100	75°	Coxes
	2400	73°	P. QUILBAL

**Thursday**

Date	Time	Temp.	Name (Print)
6/20	0300	78°	J. CANTU
24	0600	79	Spamires
	0900	79	Spamires
	1200	79	Spamires
	1500	84	T. Ayler
	1800	84	T. Ayler
	2100	83	T. Ayler
	2400	73	S. CASTILLO

**Saturday**

Date	Time	Temp.	Name (Print)
6/22	0300	69	S. CASTILLO
24	0600	70	Spamires
	0900	70	Spamires
	1200	70	Spamires
	1500	72	R. Taylor
	1800	72	R. Taylor
	2100	72	R. Taylor
	2400	74°	P. QUILBAL

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PSP Housing Unit: BFB 2 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5746 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/24	0300	72	C.miller
	0600	75	Engelke
	0900	75	Engelke
	1200	75	Engelke
	1500	78°	Cortes
	1800	78°	Cortes
	2100	78°	Cortes
	2400	72	C.miller

Tuesday			
Date	Time	Temp.	Name (Print)
6/25	0300	72	C.miller
	0600	73	Engelke
	0900	73	Engelke
	1200	75	Engelke
	1500	78°	Cortes
	1800	78°	Cortes
	2100	78°	Cortes
	2400	75	C.miller

Wednesday			
Date	Time	Temp.	Name (Print)
6/26	0300	80°	J.martinez
	0600	80	A.Soriano
	0900	81	A.Soriano
	1200	81	A.Soriano
	1500	83°	S.Jackson
	1800	83°	S.Jackson
	2100	86°	S.Jackson
	2400	72	C.miller

Thursday			
Date	Time	Temp.	Name (Print)
6/27	0300	72	C.miller
	0600	70	Soriano
	0900	70	Soriano
	1200	70	Soriano
	1500	75	Cortes
	1800	75°	Cortes
	2100	75°	Cortes
	2400	74	S.Castillo

Friday			
Date	Time	Temp.	Name (Print)
6/28	0300	74	S.Castillo
	0600	72	J.Mendoza
	0900	73	J.Mendoza
	1200	73	J.Mendoza
	1500	73	L.Garcia
	1800	72	L.Garcia
	2100	72	L.Garcia
	2400	70	S.Castillo

Saturday			
Date	Time	Temp.	Name (Print)
6/29	0300	70	S.Castillo
	0600	70	Soriano
	0900	70	Soriano
	1200	70	Soriano
	1500	75	R.Taylor
	1800	75	R.Taylor
	2100	75	R.Taylor
	2400	71	R.Taylor

Sunday			
Date	Time	Temp.	Name (Print)
6/30	0300	72	C.miller
	0600	72	Soriano
	0900	73	Soriano
	1200	74	Soriano
	1500	76°	R.Taylor
	1800	76	R.Taylor
	2100	76	R.Taylor
	2400	76	A.Gerette

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDOR 2031 (04/16)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Per sef Housing Unit: 53 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300	70	V Tornero
	0600	73	Da Silva
	0900	73	Da Silva
	1200	73	Da Silva
	1500	79	rodriguez
	1800	79	rodriguez
	2100	79	rodriguez
	2400	70	McCarry

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
6/1/14	0300	70	McCarry
6/1/14	0600	72	Maldonado
6/1/14	0900	72	Maldonado
6/1/14	1200	72	Maldonado
6/1/14	1500	74	Rodriguez
6/1/14	1800	74	Rodriguez
6/1/14	2100	74	Rodriguez
6/1/14	2400	70	Moreno

Notes


STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RISP Housing Unit: 3S Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
06/13	0300	70	McCary
	0600	71	ACOSTA
	0900	71	ACOSTA
	1200	71	ACOSTA
	1500	73	ESPINOSA
	1800	73	ESPINOSA
	2100	72	ESPINOSA
	2400	70	McCary

Wednesday			
Date	Time	Temp.	Name (Print)
06/15	0300	70	J. McCary
	0600	72	ACOSTA
	0900	75	ACOSTA
	1200	72	ACOSTA
	1500	71	RODRIGUEZ
	1800	71	RODRIGUEZ
	2100	76	RODRIGUEZ
	2400	78	Murphy

Friday			
Date	Time	Temp.	Name (Print)
6/16	0300	70	RODRIGUEZ
	0600	75	Maldonado
	0900	75	Maldonado
	1200	78	Maldonado
	1500	77	RODRIGUEZ
	1800	78	RODRIGUEZ
	2100	78	RODRIGUEZ
	2400	73	J. McCary

Sunday			
Date	Time	Temp.	Name (Print)
06/19	0300	76	B. Lopez
	0600	72	ACOSTA
	0900	73	ACOSTA
	1200	73	ACOSTA
	1500	76	Contreras
	1800	76	Contreras
	2100	74	Contreras
	2400	75	Contreras

Tuesday			
Date	Time	Temp.	Name (Print)
6/24	0300	70	J. McCary
	0600	71	J. COSTA
	0900	71	J. ACOSTA
	1200	71	J. ACOSTA
	1500	74	Contreras
	1800	76	Contreras
	2100	76	Contreras
	2400	71	J. McCary

Thursday			
Date	Time	Temp.	Name (Print)
6/26	0300	70	J. McCary
	0600	75	J. COSTA
	0900	75	J. COSTA
	1200	75	J. COSTA
	1500	73	Contreras
	1800	73	Contreras
	2100	73	Contreras
	2400	72	RODRIGUEZ

Saturday			
Date	Time	Temp.	Name (Print)
6/24	0300	72	J. McCary
	0600	73	Maldonado
	0900	73	Maldonado
	1200	73	Maldonado
	1500	78	Oyala, A.
	1800	78	Sanchez
	2100	78	Burks
	2400	75	Lapica

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: Building 3 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>6/10/2024</u>	0300	72	MCCOY
	0600	74	ACOSTA
	0900	74	ACOSTA
	1200	74	ACOSTA
	1500	77	R TAYLOR
	1800	77	R TAYLOR
	2100	77	R TAYLOR
	2400	72	MCCOY

Wednesday			
Date	Time	Temp.	Name (Print)
<u>6/12/2024</u>	0300	72	MCCOY
	0600	74	KING
	0900	78	J ACOSTA
	1200	78	J ACOSTA
	1500	79°	V RODRIGUEZ
	1800	81°	V RODRIGUEZ
	2100	80°	V RODRIGUEZ
	2400	72	DOMINGO

Friday			
Date	Time	Temp.	Name (Print)
<u>6/14/2024</u>	0300	70	S. RODRIGUEZ
	0600	72	MATUADA
	0900	72	MATUADA
	1200	72	MATUADA
	1500	77°	V RODRIGUEZ
	1800	72°	V RODRIGUEZ
	2100	74°	V RODRIGUEZ
	2400	72	J. MOLINA

Sunday			
Date	Time	Temp.	Name (Print)
<u>6/16/2024</u>	0300	72	J. MOLINA
	0600	74	SALVO
	0900	74	SALVO
	1200	74	SALVO
	1500	76°	V RODRIGUEZ
	1800	74°	V RODRIGUEZ
	2100	73°	V RODRIGUEZ
	2400	72	J. MOLINA

Tuesday			
Date	Time	Temp.	Name (Print)
<u>6/11/2024</u>	0300	72	MCCOY
	0600	75	ACOSTA
	0900	75	ACOSTA
	1200	77	ACOSTA
	1500	77	SIERRA
	1800	81	SIERRA
	2100	81	SIERRA
	2400	72	AMARIN

Thursday			
Date	Time	Temp.	Name (Print)
<u>6/13/2024</u>	0300	72	DOMINGO
	0600	75	RODRIGUEZ
	0900	75	RODRIGUEZ
	1200	77	RODRIGUEZ
	1500	81°	V RODRIGUEZ
	1800	81°	V RODRIGUEZ
	2100	75°	V RODRIGUEZ
	2400	72°	S RODRIGUEZ

Saturday			
Date	Time	Temp.	Name (Print)
<u>6/15/2024</u>	0300	72	J. MCCOY
	0600	73	MATUADA
	0900	73	MATUADA
	1200	73	MATUADA
	1500	75°	V RODRIGUEZ
	1800	74°	V RODRIGUEZ
	2100	74°	V RODRIGUEZ
	2400	72	J. MOLINA

#### Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B3 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/17/24	0300	71	J. McLean
	0600	71	J. Acosta
	0900	72	J. Acosta
	1200	72	J. Acosta
	1500	76	Rodriguez
	1800	70	Rodriguez
	2100	70	Rodriguez
	2400	72	J. McLean

Tuesday			
Date	Time	Temp.	Name (Print)
6/18/24	0300	71	J. McLean
	0600	72	J. Acosta
	0900	72	J. Acosta
	1200	72	J. Acosta
	1500	73	A. Sierra
	1800	73	A. Sierra
	2100	72	A. Sierra
	2400	72	J. McLean

Wednesday			
Date	Time	Temp.	Name (Print)
6/19/24	0300	70	J. McLean
	0600	70	J. McLean
	0900	71	J. McLean
	1200	72	J. McLean
	1500	77	V. Rodriguez
	1800	75	V. Rodriguez
	2100	72	V. Rodriguez
	2400	72	Domino

Thursday			
Date	Time	Temp.	Name (Print)
6/20/24	0300	72	Domingo
	0600	71	Rodriguez
	0900	72	Rodriguez
	1200	72	Rodriguez
	1500	75	V. Rodriguez
	1800	75	V. Rodriguez
	2100	72	V. Rodriguez
	2400	72	S. Rodriguez

Friday			
Date	Time	Temp.	Name (Print)
6/21/24	0300	70	S. Rodriguez
	0600	72	Maldonado
	0900	72	Maldonado
	1200	72	Maldonado
	1500	76	V. Rodriguez
	1800	74	V. Rodriguez
	2100	72	V. Rodriguez
	2400	70	R. Moreno

Saturday			
Date	Time	Temp.	Name (Print)
6/22/24	0300	70	R. Moreno
	0600	72	V. Maldonado
	0900	72	J. Ramirez
	1200	71	J. Ramirez
	1500	78	V. Rodriguez
	1800	75	V. Rodriguez
	2100	73	V. Rodriguez
	2400	73	R. Lopez

Sunday			
Date	Time	Temp.	Name (Print)
6/23/24	0300	70	R. Lopez
	0600	70	R. Lopez
	0900	71	R. Lopez
	1200	71	R. Lopez
	1500	78	V. Rodriguez
	1800	76	V. Rodriguez
	2100	73	V. Rodriguez
	2400	73	E. Cedillos

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
DCDR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: BXR Housing Unit: B3 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	72°	E. S. Callos
1/24	0600	73	J. Acosta
	0900	73	J. Acosta
	1200	75	J. Acosta
	1500	75	R. Taylor
	1800	76	R. Taylor
	2100	76	R. Taylor
	2400	73	J. McWay

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	72°	J. Quiroga
26/24	0600	74	J. Austin
	0900	74	J. Austin
	1200	V	
	1500	78°	V. Rodriguez
	1800	78°	V. Rodriguez
	2100	75°	V. Rodriguez
	2400	72	S. Castillo

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	73°	J. Quereta
28/24	0600	73	Maldonado
	0900	73	Maldonado
	1200	73	Maldonado
	1500	77°	V. Rodriguez
	1800	75°	V. Rodriguez
	2100	73°	V. Rodriguez
	2400	72°	J. McWay

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	73°	J. Palomo
24	0600	73	J. Acosta
	0900	74	J. Acosta
	1200	74	J. Acosta
	1500	77	V. Rodriguez
	1800	75	V. Rodriguez
	2100	73	V. Rodriguez
	2400	72°	J. McWay

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	71°	J. McWay
25	0600	73	Acosta
	0900	74	Acosta
	1200	74	Acosta
	1500	76	R. Taylor
	1800	76	R. Taylor
	2100	76	R. Taylor
	2400	74°	J. Quiroga

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	72	S. Castillo
27/24	0600		Rodriguez
	0900		Rodriguez
	1200		Rodriguez
	1500	78°	V. Rodriguez
	1800	76°	V. Rodriguez
	2100	76°	V. Rodriguez
	2400	74°	J. Quiroga

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	71°	J. McWay
29/24	0600	74	M. Jack
	0900	74	M. Jack
	1200	71	Maldonado
	1500	78°	V. Rodriguez
	1800	77°	V. Rodriguez
	2100	74°	V. Rodriguez
	2400	73°	J. Palomo

**Notes**


STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B4

Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Sunday**

Date	Time	Temp.	Name (Print)
6/24	0300	71	MORENO
	0600	71	MALDONADO
	0900	72	MALDONADO
	1200	73	MALDONADO
	1500	74	LUNA
	1800	74	LUNA
	2100	71	LUNA
	2400	71	MORENO

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/24	0300	71	MORENO
1	0600	73	MALDONADO
	0900	73	MALDONADO
	1200	73	MALDONADO
	1500	75	LUNA
	1800	74	LUNA
	2100	71	LUNA
	2400	71	MORENO

**Notes**

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/16)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B4 Temp. Reading Location: 79  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
6	0300	71	MONTANEZ
6	0600	73	MONTANEZ
6	0900	73	MONTANEZ
6	1200	73	MONTANEZ
6	1500	75	LIMA
6	1800	74	LIMA
6	2100	71	LIMA
6	2400	71	MONTANEZ

## Tuesday

Date	Time	Temp.	Name (Print)
6	0300	71	MONTANEZ
6	0600	71	MONTANEZ
6	0900	73	MONTANEZ
6	1200	75	MONTANEZ
6	1500	77	VERA
6	1800	71	VERA
6	2100	76	VERA
6	2400	75	MONTANEZ

## Wednesday

Date	Time	Temp.	Name (Print)
6/15/11	0300	74	DAW
6/15/11	0600	75	DAW
6/15/11	0900	72	DAW
6/15/11	1200	72	DAW
6/15/11	1500	70	DAW
6/15/11	1800	70	DAW
6/15/11	2100	70	DAW
6/15/11	2400	78	DAW

## Thursday

Date	Time	Temp.	Name (Print)
6/16/11	0300	75	T. BAKER
6/16/11	0600	75	MONTANEZ
6/16/11	0900	79	MONTANEZ
6/16/11	1200	79	MONTANEZ
6/16/11	1500	80	DAW
6/16/11	1800	80	DAW
6/16/11	2100	80	DAW
6/16/11	2400	79	T. BAKER

## Friday

Date	Time	Temp.	Name (Print)
6/17/11	0300	75	T. BAKER
6/17/11	0600	75	T. BAKER
6/17/11	0900	75	T. BAKER
6/17/11	1200	75	T. BAKER
6/17/11	1500	76	ALDERETTE
6/17/11	1800	77	ALDERETTE
6/17/11	2100	76	ALDERETTE
6/17/11	2400	75	DAL

## Saturday

Date	Time	Temp.	Name (Print)
6/18/11	0300	78	DAW
6/18/11	0600	78	DAW
6/18/11	0900	78	DAW
6/18/11	1200	78	DAW
6/18/11	1500	77	DAW
6/18/11	1800	76	DAW
6/18/11	2100	76	DAW
6/18/11	2400	78	DAW

## Notes

Date	Time	Temp.	Name (Print)
6/19/11	0300	72°	J. Rodriguez
6/19/11	0600	71°	A. ORTIZ
6/19/11	0900	74°	A. ORTIZ
6/19/11	1200	74°	A. ORTIZ
6/19/11	1500	75	Banett, M.
6/19/11	1800	76	Banett, M.
6/19/11	2100	76	Banett, M.
6/19/11	2400	74	J. G. G.

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B4 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/10/24	0300	72	T. Guzman
	0600	73	Maldonado
	0900	73	Maldonado
	1200	73	Maldonado
	1500	74	D. Lunes
	1800	74	MC Coy
	2100	72	MC Coy
	2400	75	T. Guzman

Wednesday			
Date	Time	Temp.	Name (Print)
6/12/24	0300	74	T. Guzman
	0600	74	Martinez
	0900	75	Martinez
	1200	75	Martinez
	1500	80	C. Miller
	1800	80	C. Miller
	2100	75	C. Miller
	2400	77	T. Guzman

Friday			
Date	Time	Temp.	Name (Print)
6/14/24	0300	74	T. Guzman
	0600	74	Martinez
	0900	74	Martinez
	1200	75	Martinez
	1500	76	Aldrete
	1800	76	Aldrete
	2100	76	Aldrete
	2400	76	S. Rodriguez

Sunday			
Date	Time	Temp.	Name (Print)
6/16/24	0300	74	J. Hernandez
	0600	73	Navarro
	0900	73	Navarro
	1200	73	Navarro
	1500	74	Bartell, M
	1800	74	Bartell, M
	2100	74	Bartell, M
	2400	73	T. Guzman

Tuesday			
Date	Time	Temp.	Name (Print)
6/11/24	0300	72	T. Guzman
	0600	72	E. Martinez
	0900	74	E. Martinez
	1200	76	E. Martinez
	1500	77	S. Castillo
	1800	78	S. Castillo
	2100	78	S. Castillo
	2400	77	T. Guzman

Thursday			
Date	Time	Temp.	Name (Print)
6/13/24	0300	74	T. Guzman
	0600	74	Martinez
	0900	74	Martinez
	1200	76	Martinez
	1500	75	C. Miller
	1800	75	C. Miller
	2100	75	C. Miller
	2400	77	T. Guzman

Saturday			
Date	Time	Temp.	Name (Print)
6/15/24	0300	70	S. Rodriguez
	0600	72	A. Paredes
	0900	74	A. Paredes
	1200	74	A. Paredes
	1500	75	Aldrete
	1800	76	Aldrete
	2100	75	Aldrete
	2400	74	D. Hernandez

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B4 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>6/24</u>	0300	71	T. Guiter
	0600	72	V. Maldonado
	0900	72	V. Maldonado
	1200	72	V. Maldonado
	1500	72	Luna
	1800	71	Luna
	2100	72	Luna
	2400	72	T. Guiter

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>6/24</u>	0300	71	T. Guiter
	0600	71	Martinez
	0900	71	Martinez
	1200	71	Martinez
	1500	72	E. Wolford
	1800	72	E. Wolford
	2100	72	E. Wolford
	2400	71	Martinez

**Friday**

Date	Time	Temp.	Name (Print)
<u>6/24</u>	0300	70	S. Rodriguez
	0600	71	Chavez
	0900	71	Chavez
	1200	71	Chavez
	1500	72	ALDERETTE
	1800	72	ALDERETTE
	2100	72	ALDERETTE
	2400	72	S. Rodriguez

**Sunday**

Date	Time	Temp.	Name (Print)
<u>6/24</u>	0300	70	S. Rodriguez
	0600	72	Maldonado
	0900	74	Maldonado
	1200	74	Maldonado
	1500	78	Barrett
	1800	78	Barrett
	2100	78	Barrett
	2400	70	Martinez

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>6/24</u>	0300	71	T. Guiter
	0600	71	Martinez
	0900	71	Martinez
	1200	71	Martinez
	1500	72	VELASQUEZ
	1800	72	VELASQUEZ
	2100	72	VELASQUEZ
	2400	71	T. Guiter

**Thursday**

Date	Time	Temp.	Name (Print)
<u>6/24</u>	0300	71	Martinez
	0600	71	Martinez
	0900	71	Martinez
	1200	71	Martinez
	1500	71	VELASQUEZ
	1800	71	VELASQUEZ
	2100	71	VELASQUEZ
	2400	70	Martinez

**Saturday**

Date	Time	Temp.	Name (Print)
<u>6/24</u>	0300	70	S. Rodriguez
	0600	75	Martinez
	0900	75	Martinez
	1200	76	Martinez
	1500	77	ALDERETTE
	1800	77	ALDERETTE
	2100	76	ALDERETTE
	2400	76	S. Rodriguez

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B4 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

<b>Monday</b>			
Date	Time	Temp.	Name (Print)
6/24	0300	70	MONTANO
	0600	77	Macdonald
	0900	77	Maldonado
	1200	77	Maltese
	1500	78	Luna
	1800	78	Luna
	2100	75	Luna
	2400	71	MONTANO

<b>Wednesday</b>			
Date	Time	Temp.	Name (Print)
6/26	0300	77	Carter
	0600	73	Martinez
	0900	75	Martinez
	1200	73	Martinez
	1500	75	Cmiller
	1800	75	Cmiller
	2100	75	Cmiller
	2400	76	Carter

<b>Friday</b>			
Date	Time	Temp.	Name (Print)
6/28	0300	73	VANG
	0600	74	Martinez
	0900	74	Martinez
	1200	74	Martinez
	1500	73	GARZA
	1800	76	GARZA
	2100	76	GARZA
	2400	76	C. Martinez

<b>Sunday</b>			
Date	Time	Temp.	Name (Print)
6/30	0300	71	S.Rodriguez
	0600	74	N.Maltese
	0900	74	N.Maltese
	1200	74	N.Maltese
	1500	76	Barrett M
	1800	76	Barrett M
	2100	76	Barrett M
	2400	76	T.Garcia

<b>Tuesday</b>			
Date	Time	Temp.	Name (Print)
6/25	0300	71	Martinez
	0600	74	Martinez
	0900	74	Martinez
	1200	77	Martinez
	1500	77	Velazquez
	1800	77	Velazquez
	2100	76	Velazquez
	2400	77	Castillo

<b>Thursday</b>			
Date	Time	Temp.	Name (Print)
6/27	0300	74	T.Garcia
	0600	74	Martinez
	0900	74	Martinez
	1200	74	Martinez
	1500	73	Cmiller
	1800	73	Cmiller
	2100	73	Cmiller
	2400	73	VANG

<b>Saturday</b>			
Date	Time	Temp.	Name (Print)
6/29	0300	75	C.Martinez
	0600	74	Platypus
	0900	76	Martinez
	1200	76	Martinez
	1500	76	ESCORZAR
	1800	76	ESCORZAR
	2100	76	ESCORZAR
	2400	75	S.Rodriguez

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: R5 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/1/21	0300	72°	Montana
	0600	73°	K. Xiang
	0900	73°	K. Xiang
	1200	73°	K. Xiang
	1500	74°	Contreras
	1800	74°	Contreras
	2100	74°	Contreras
	2400	72°	Montana

**Sunday**

Date	Time	Temp.	Name (Print)
6/1/21	0300	71°	Montana
	0600	73°	K. Xiang
	0900	73°	K. Xiang
	1200	73°	K. Xiang
	1500	74°	Brett
	1800	74°	Brett
	2100	74°	Montana
	2400	71°	Montana

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 10/8 Housing Unit: B5 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5341 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	70	S.Rodriguez
	0600	72	C. Gandy
	0900	72	G. Gonzalez
	1200	72	G. Gonzalez
	1500	74	W. Williams
	1800	74	W. Williams
	2100	74	W. Williams
	2400	74	S. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
6/4/24	0300	70	S. Rodriguez
	0600	71	C. Gandy
	0900	71	G. Gonzalez
	1200	71	G. Gonzalez
	1500	75	W. Williams
	1800	75	W. Williams
	2100	75	W. Williams
	2400	75	M. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	73	M. Garcia
	0600	73	S. Rodriguez
	0900	73	S. Rodriguez
	1200	73	S. Rodriguez
	1500	77	J. Taylor
	1800	78	J. Taylor
	2100	77	J. Taylor
	2400	77	M. Garcia

Thursday

Date	Time	Temp.	Name (Print)
6/6/24	0300	76	M. Montanez
	0600	71	M. Montanez
	0900	71	M. Montanez
	1200	71	M. Montanez
	1500	80	J. Taylor
	1800	80	J. Taylor
	2100	80	J. Taylor
	2400	78	M. Garcia

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	77	M. Montanez
	0600	78	M. Montanez
	0900	79	M. Montanez
	1200	80	M. Montanez
	1500	80	M. Montanez
	1800	80	M. Montanez
	2100	80	M. Montanez
	2400	78	M. Montanez

Saturday

Date	Time	Temp.	Name (Print)
6/8/24	0300	78	M. Montanez
	0600	78	M. Montanez
	0900	78	K. Evans
	1200	78	K. Evans
	1500	78	B. Morris
	1800	78	B. Morris
	2100	78	B. Morris
	2400	78	M. Montanez

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	78	M. Montanez
	0600	75	S. Rodriguez
	0900	75	S. Rodriguez
	1200	75	S. Rodriguez
	1500	76	J. Taylor
	1800	76	J. Taylor
	2100	76	J. Taylor
	2400	76	S. Rodriguez

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**Attachment C**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DHSO Housing Unit: B5 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5344 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
4/10/18	0300	70	S.Rodriguez
	0600	73	S.Sandoz
	0900	73	S.Sandoz
	1200	73	S.Sandoz
	1500	73°	J.Vega
	1800	73°	J.Vega
	2100	73°	J.Vega
	2400	75	S.Rodriguez

**Tuesday**

Date	Time	Temp.	Name (Print)
4/11/18	0300	70°	S.Rodriguez
	0600	74°	C.Sandoz
	0900	74°	C.Sandoz
	1200	74°	C.Sandoz
	1500	73°	J.Vega
	1800	73°	J.Vega
	2100	73°	J.Vega
	2400	77	no name

**Wednesday**

Date	Time	Temp.	Name (Print)
4/12/18	0300	77	A.Garcia
	0600	76	C.Sandoz
	0900	76°	C.Sandoz
	1200	76°	C.Sandoz
	1500	74°	J.Vega
	1800	73	J.Vega
	2100	74	J.Vega
	2400	76	no name

**Thursday**

Date	Time	Temp.	Name (Print)
4/13/18	0300	76	M.Ortiz
	0600	76	Maldonado
	0900	75	Maldonado
	1200	75	Maldonado
	1500	79	J.Vega
	1800	74	J.Vega
	2100	74	J.Vega
	2400	74	no name

**Friday**

Date	Time	Temp.	Name (Print)
4/19/18	0300	70	Zhang
	0600	71	Zhang
	0900	71	Zhang
	1200	71	Zhang
	1500	71	Luna
	1800	70	Luna
	2100	70	Luna
	2400	75	no name

**Saturday**

Date	Time	Temp.	Name (Print)
4/21/18	0300	75	Morales
	0600	77	Morales
	0900	77	Morales
	1200	77	Morales
	1500	74	Barrera
	1800	74	Barrera
	2100	74	Barrera
	2400	74	Morales

**Sunday**

Date	Time	Temp.	Name (Print)
4/24/18	0300	74	no name
	0600	78	no name
	0900	74	Morales
	1200	74	Morales
	1500	73	J.Vega
	1800	73	J.Vega
	2100	73	J.Vega
	2400	73°	S.Rodriguez

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: B5 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
4/17/24	0300	71°	S.Rodriguez
	0600	71	Carr
	0900	72	Oliver
	1200	71	Oliver
	1500	73	L.Garcia
	1800	73	L.Garcia
	2100	72	J.Cruz
	2400	71°	S.Rodriguez

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	MONTANO
	0600	72	Sanchez
	0900	72	Sanchez
	1200	72	Sanchez
	1500	73	MONTANO
	1800	72	MONTANO
	2100	72	MONTANO
	2400	72	MONTANO

**Friday**

Date	Time	Temp.	Name (Print)
6/21/24	0300	73	MONTANO
	0600	73	J.Lopez
	0900	73	J.Lopez
	1200	73	J.Lopez
	1500	72	Luna
	1800	71	Luna
	2100	72	Luna
	2400	73	MONTANO

**Sunday**

Date	Time	Temp.	Name (Print)
6/22/24	0300	74	K.Xu
	0600	74	K.Xu
	0900	74	K.Xu
	1200	80°	K.Xu
	1500	80°	PANIS
	1800	81	PANIS
	2100	81	Nunes
	2400	74°	S.Rodriguez

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18/24	0300	70°	S.Rodriguez
	0600	72	C.Sandoval
	0900	72	C.Sandoval
	1200	72	C.Sandoval
	1500	73	C.Montano
	1800	73	C.Montano
	2100	73	C.Montano
	2400	72	MONTANO

**Thursday**

Date	Time	Temp.	Name (Print)
6/20/24	0300	72	MONTANO
	0600	72	Maldonado
	0900	72	Maldonado
	1200	72	Maldonado
	1500	74	MONTANO
	1800	74	MONTANO
	2100	74	MONTANO
	2400	74	MONTANO

**Saturday**

Date	Time	Temp.	Name (Print)
6/22/24	0300	74	MONTANO
	0600	74	K.Xu
	0900	74	K.Xu
	1200	74	K.Xu
	1500	76	Banot, M
	1800	76	Banot, M
	2100	76	Banot, M
	2400	74	MONTANO

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 GDDR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PrSP Housing Unit: 105 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/24	0300	72°	J. Rodriguez
	0600	71°	J. Rodriguez
	0900	71°	J. Rodriguez
	1200	74°	J. Rodriguez
	1500	78°	J. Rodriguez
	1800	78°	J. Rodriguez
	2100	78°	J. Rodriguez
	2400	79°	J. Rodriguez

Tuesday			
Date	Time	Temp.	Name (Print)
6/25/20	0300	71°	S. Rodriguez
	0600	71°	S. Rodriguez
	0900	71°	S. Rodriguez
	1200	71°	S. Rodriguez
	1500	79°	ESPINOZA
	1800	79°	ESPINOZA
	2100	78°	ESPINOZA
	2400	75°	ESPINOZA

Wednesday			
Date	Time	Temp.	Name (Print)
6/26	0300	75°	M. Lopez
	0600	74°	M. Lopez
	0900	74°	M. Lopez
	1200	74°	M. Lopez
	1500	76°	I. Garcia
	1800	77°	I. Garcia
	2100	76°	I. Garcia
	2400	75°	I. Garcia

Thursday			
Date	Time	Temp.	Name (Print)
6/27	0300	74°	M. Lopez
	0600	74°	M. Lopez
	0900	74°	M. Lopez
	1200	74°	M. Lopez
	1500	74°	E. Espinosa
	1800	74°	E. Espinosa
	2100	74°	E. Espinosa
	2400	74°	E. Espinosa

Friday			
Date	Time	Temp.	Name (Print)
6/28	0300	74°	M. Lopez
	0600	73°	M. Lopez
	0900	73°	M. Lopez
	1200	73°	M. Lopez
	1500	73°	M. Lopez
	1800	74°	M. Lopez
	2100	74°	M. Lopez
	2400	72°	M. Lopez

Saturday			
Date	Time	Temp.	Name (Print)
6/29	0300	71°	J. Palma
	0600	70°	J. Palma
	0900	70°	J. Palma
	1200	73°	J. Palma
	1500	74°	J. Palma
	1800	74°	J. Palma
	2100	74°	J. Palma
	2400	74°	J. Palma

Sunday			
Date	Time	Temp.	Name (Print)
6/30	0300	74°	X. Rodriguez
	0600	74°	X. Rodriguez
	0900	74°	X. Rodriguez
	1200	74°	X. Rodriguez
	1500	74°	A. Aguilar
	1800	74°	A. Aguilar
	2100	74°	A. Aguilar
	2400	74°	J. Rodriguez

## Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NBP Housing Unit: C1 Temp. Reading Location: (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 53416 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
4/1	0300	71	J. GUZAR
	0600	73	G. BENITEZ
	0900	73	G. BENITEZ
	1200	74	G. BENITEZ
20	1500	74	J. GALLARDO
	1800	75	J. GALLARDO
	2100	75	J. GALLARDO
	2400	71	J. GUZAR

## Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	71	C. LANTA
	0600	72	M. BARRETT
	0900	72	M. BARRETT
3	1200	73	M. BARRETT
	1500	75	D. OLIVARES
	1800	75	D. OLIVARES
24	2100	75	D. OLIVARES
	2400	71	C. LANTA

## Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSP Housing Unit: C1 Temp. Reading Location: (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday				
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	
<u>4/3/2021</u>	0300	70	Lantz, C	<u>5/5/2021</u>	0300	75	Aldrich	<u>5/6/2021</u>	0300	75	Aldrich	<u>5/7/2021</u>	0300	75	Brighton	<u>5/8/2021</u>	0300	71	Garcia	<u>5/9/2021</u>	0300	72	J Soto					
	0600	71	Bonner, M		0600	73	Lopez, J		0600	73	Lopez, J		0600	73	Brighton		0600	71	Garcia		0600	72	J Soto					
	0900	73	Bonner, M		0900	73	Lopez, J		0900	73	Lopez, J		0900	73	Brighton		0900	71	Garcia		0900	72	J Soto					
	1200	75	Bonner, M		1200	75	Lopez, J		1200	77	Lopez, J		1200	77	Brighton		1200	75	Garcia		1200	76	J Soto					
	1500	76	Lopez, J		1500	76	Lopez, J		1500	77	Lopez, J		1500	77	Brighton		1500	76	Garcia		1500	77	J Soto					
	1800	76	Lopez, J		1800	76	Lopez, J		1800	77	Lopez, J		1800	77	Brighton		1800	76	Garcia		1800	77	J Soto					
	2100	76	Zepeda, J		2100	76	Zepeda, J		2100	77	Zepeda, J		2100	77	Brighton		2100	76	Garcia		2100	77	J Soto					
	2400	77	Zepeda, J		2400	77	Zepeda, J		2400	78	Zepeda, J		2400	78	Brighton		2400	77	Garcia		2400	78	J Soto					
<u>Wednesday</u>				<u>TUESDAY</u>				<u>Wednesday</u>				<u>Thursday</u>				<u>Friday</u>				<u>Saturday</u>				<u>Sunday</u>				
<u>5/5/2021</u>	0300	70	VANNNAH	<u>5/6/2021</u>	0300	75	Aldrich	<u>5/7/2021</u>	0300	75	Aldrich	<u>5/8/2021</u>	0300	75	Brighton	<u>5/9/2021</u>	0300	71	Garcia	<u>5/10/2021</u>	0300	72	J Soto					
	0600	72	Lopez, J		0600	72	Lopez, J		0600	72	Lopez, J		0600	72	Brighton		0600	71	Garcia		0600	72	J Soto					
	0900	72	Lopez, J		0900	72	Lopez, J		0900	72	Lopez, J		0900	72	Brighton		0900	71	Garcia		0900	72	J Soto					
	1200	74	Lopez, J		1200	74	Lopez, J		1200	74	Lopez, J		1200	74	Brighton		1200	73	Garcia		1200	74	J Soto					
	1500	77	Lopez, J		1500	77	Lopez, J		1500	78	Lopez, J		1500	78	Brighton		1500	77	Garcia		1500	78	J Soto					
	1800	77	Lopez, J		1800	77	Lopez, J		1800	78	Lopez, J		1800	78	Brighton		1800	77	Garcia		1800	78	J Soto					
	2100	77	Lopez, J		2100	77	Lopez, J		2100	78	Lopez, J		2100	78	Brighton		2100	77	Garcia		2100	78	J Soto					
	2400	76	Aldrich		2400	76	Aldrich		2400	76	Aldrich		2400	76	Brighton		2400	75	Garcia		2400	76	J Soto					
<u>Friday</u>				<u>Saturday</u>				<u>Sunday</u>				<u>Notes</u>																
<u>5/7/2021</u>	0300	72	Garcia	<u>5/8/2021</u>	0300	71	Garcia	<u>5/9/2021</u>	0300	72	J Soto																	
	0600	72	Garcia		0600	71	Garcia		0600	72	J Soto																	
	0900	71	Brighton		0900	73	Brighton		0900	73	Brighton																	
	1200	74	Brighton		1200	74	Brighton		1200	75	Brighton																	
	1500	78	Brighton		1500	78	Brighton		1500	76	Brighton																	
	1800	78	Brighton		1800	76	Brighton		1800	76	Brighton																	
	2100	78	Brighton		2100	76	Brighton		2100	74	Brighton																	
	2400	71	Garcia		2400	74	J Soto		2400	74	J Soto																	

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

RECEIVED: 05/10/2018 10:49 AM BY INSIDE TEMPERATURE RECORD

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C1

Temp. Reading Location:

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5044 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	Soto
6/14/24	0600	72	Bennet, M
6/14/24	0900	73	Bennet, M
6/14/24	1200	75	Bennet, M
6/14/24	1500	76	Lopez
6/14/24	1800	76	Lopez
6/14/24	2100	76	Lopez
6/14/24	2400	72	Guzman

Tuesday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	Soto
6/14/24	0600	72	Soto
6/14/24	0900	75	Soto
6/14/24	1200	77	Soto
6/14/24	1500	78	Lopez
6/14/24	1800	78	Lopez
6/14/24	2100	78	Lopez
6/14/24	2400	72	Guzman

Wednesday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	Guzman
6/14/24	0600	72	Guzman
6/14/24	0900	76	Lopez
6/14/24	1200	77	Lopez
6/14/24	1500	79	Lopez
6/14/24	1800	79	Lopez
6/14/24	2100	79	Lopez
6/14/24	2400	72	Guzman

Thursday

Date	Time	Temp.	Name (Print)
6/14/24	0300	72	Guzman
6/14/24	0600	72	Guzman
6/14/24	0900	76	Bryant, Jr.
6/14/24	1200	76	Bryant, Jr.
6/14/24	1500	78	Bryant, Jr.
6/14/24	1800	78	Bryant, Jr.
6/14/24	2100	78	Bryant, Jr.
6/14/24	2400	72	Guzman

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	71	Guzman
6/14/24	0600	71	Guzman
6/14/24	0900	75	Bryant, Jr.
6/14/24	1200	75	Bryant, Jr.
6/14/24	1500	78	Bryant, Jr.
6/14/24	1800	78	Bryant, Jr.
6/14/24	2100	78	Bryant, Jr.
6/14/24	2400	72	Guzman

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	Guzman
6/15/24	0600	72	Guzman
6/15/24	0900	73	Guzman
6/15/24	1200	74	Guzman
6/15/24	1500	75	Guzman
6/15/24	1800	75	Guzman
6/15/24	2100	78	Guzman
6/15/24	2400	72	Guzman

Notes

Date	Time	Temp.	Name (Print)
6/14/24	0300	70	Bryant, Jr.
6/14/24	0600	71	Bryant, Jr.
6/14/24	0900	71	Bryant, Jr.
6/14/24	1200	71	Bryant, Jr.
6/14/24	1500	74	Guzman
6/14/24	1800	75	Guzman
6/14/24	2100	75	Guzman
6/14/24	2400	72	Guzman

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RISP Housing Unit: C1

Temp. Reading Location: 2<sup>nd</sup> tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5246 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17/18	0300	72°	Larita C
	0600	71	Barrett, M
	0900	71	Barrett, M
	1200	71	Barrett, M
	1500	72	LOPEZ
	1800	72	LOPEZ
	2100	72	LOPEZ
	2400	72	Guzman

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19/18	0300	72	Guzman
	0600	72	Guzman
	0900	70	Broughton
	1200	72	Broughton
	1500	72	Lopez
	1800	72	Lopez
	2100	72	Lopez
	2400	72	Guzman

**Friday**

Date	Time	Temp.	Name (Print)
6/21/18	0300	72	Guzman
	0600	72	Guzman
	0900	73°	Maldonado
	1200	74°	Maldonado
	1500	74°	C. Martinez
	1800	75°	C. Martinez
	2100	75°	C. Martinez
	2400	74°	C. Martinez

**Sunday**

Date	Time	Temp.	Name (Print)
6/23/18	0300	74	J. Soto
	0600	74	J. Soto
	0900	74	Barrett
	1200	74	Barrett
	1500	77	Guzman
	1800	76	Guzman
	2100	76	Guzman
	2400	75	J. Soto

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18/18	0300	72	Guzman
	0600	72	Guzman
	0900	72	LOPEZ
	1200	72	LOPEZ
	1500	72	LOPEZ
	1800	72	LOPEZ
	2100	72	LOPEZ
	2400	72	LOPEZ

**Thursday**

Date	Time	Temp.	Name (Print)
6/20/18	0300	72	Guzman
	0600	72	Guzman
	0900	71	Broughton
	1200	72	Broughton
	1500	73	Broughton
	1800	73	Broughton
	2100	73	Broughton
	2400	72	Guzman

**Saturday**

Date	Time	Temp.	Name (Print)
6/22/18	0300	73°	C. Martinez
	0600	73	E. Maua
	0900	74	E. Maua
	1200	75	E. Maua
	1500	77	Isalido
	1800	76	Guzman
	2100	76	Guzman
	2400	75	J. Soto

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PRSP Housing Unit: C1 Temp. Reading Location: 5346 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24/24	0300	75	J Soto
	0600	78	Barrett
	0900	76	Barrett
	1200	77	Barrett
	1500	78	Lopez
	1800	79	Lopez
	2100	74	Lopez
	2400	72	Guzman

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25/24	0300	72	Guzman
	0600	72	Guzman
	0900	75	Maldonado, L.
	1200	78	Maldonado, L.
	1500	79	Lopez
	1800	79	Lopez
	2100	78	Lopez
	2400	72	Guzman

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26/24	0300	72	Guzman
	0600	72	Guzman
	0900	75	Martinez
	1200	77	Martinez
	1500	78	Lopez
	1800	78	Lopez
	2100	78	Lopez
	2400	72	Guzman

**Thursday**

Date	Time	Temp.	Name (Print)
6/27/24	0300	72	Guzman
	0600	72	Guzman
	0900	73	Partes
	1200	76	Partes
	1500	77	Medina
	1800	77	Medina
	2100	77	Medina
	2400	72	Guzman

**Friday**

Date	Time	Temp.	Name (Print)
6/28/24	0300	72	Guzman
	0600	72	Guzman
	0900	75	Guzman
	1200	75	Guzman
	1500	75	K. Xiong
	1800	77	K. Xiong
	2100	77	K. Xiong
	2400	72	Guzman

**Saturday**

Date	Time	Temp.	Name (Print)
6/29/24	0300	72	Guzman
	0600	72	Guzman
	0900	75	Guzman
	1200	77	Guzman
	1500	77	K. Xiong
	1800	78	K. Xiong
	2100	78	K. Xiong
	2400	72	Laita, C

**Sunday**

Date	Time	Temp.	Name (Print)
6/30/24	0300	72	Laita, C
	0600	73	Barrett, M
	0900	74	Barrett, M
	1200	75	Barrett, M
	1500	77	P.Y.
	1800	78	P.Y.
	2100	76	P.Y.
	2400	72	Laita, C

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 DOCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C2 Temp. Reading Location: (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5344 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
4/24	0300	74	J. Arevalo
	0600	74	J. Palma
	0900	73	J. Palma
	1200	75	J. Palma
	1500	76	J. Palma
	1800	77	J. Arevalo
	2100	77	J. Arevalo
	2400	75	J. Arevalo

**Notes**

Date	Time	Temp.	Name (Print)
6/2	0300	78	J. Arevalo
	0600	79	J. Palma
	0900	77	J. Palma
	1200	80	J. Palma
	1500	80	G. Yer
	1800	80	G. Yer
	2100	79	G. Yer
	2400	79	J. Arevalo

DISTRIBUTION: Original Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C2 Temp. Reading Location: 2ND  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6	0300	71	MCCAM
3	0600	72°	J. HERNANDEZ
24	0900	75°	J. Hernandez
	1200	77°	J. Hernandez
	1500	75	Cuthran
	1800	75	Cuthran
	2100	75	Cuthran
	2400	73	MCCAM

**Tuesday**

Date	Time	Temp.	Name (Print)
6	0300	71	MCCAM
4	0600	71°	J. HERNANDEZ
24	0900	72°	J. HERNANDEZ
	1200	74°	J. HERNANDEZ
	1500	76	J. Cuthran
	1800	76	J. Cuthran
	2100	74°	J. Cuthran
	2400	74	Flores

**Wednesday**

Date	Time	Temp.	Name (Print)
6	0300	73°	Flores
5	0600	70°	J. HERNANDEZ
24	0900	73°	J. Hernandez
	1200	75°	J. Hernandez
	1500	78	J. Arevalo
	1800	79	J. Arevalo
	2100	78	J. Arevalo
	2400	78	ROSANZO

**Thursday**

Date	Time	Temp.	Name (Print)
6	0300	75	ROSANZO
4	0600	74	J. Panteg
24	0900	77°	J. Panteg
	1200	81	J. Panteg
	1500	83	J. Arevalo
	1800	83	J. Arevalo
	2100	81	J. Arevalo
	2400	73°	LAITA, C

**Friday**

Date	Time	Temp.	Name (Print)
6	0300	72	LAITA, C
7	0600	74°	J. HERNANDEZ
24	0900	77°	J. Hernandez
	1200	80	J. Hernandez
	1500	83	J. Arevalo
	1800	83	J. Arevalo
	2100	79	J. Arevalo
	2400	73°	LAITA, C

**Saturday**

Date	Time	Temp.	Name (Print)
6	0300	74°	C. LAITA
8	0600	72°	J. PALMA
24	0900	74°	J. PALMA
	1200	77°	J. PALMA
	1500	79	J. Arevalo
	1800	80	J. Arevalo
	2100	78	J. Arevalo
	2400	74°	MCCAM

**Sunday**

Date	Time	Temp.	Name (Print)
6	0300	71	MCCAM
9	0600	71	Noletti
24	0900	76°	J. PALMA
	1200	77°	J. PALMA
	1500	78	J. Arevalo
	1800	80	J. Arevalo
	2100	78	J. Arevalo
	2400	78	J. Arevalo

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C2 Temp. Reading Location: 2ND  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	70°	MCCANN
	0600	70°	Lopez
	0900	71°	J. Hernandez
	1200	74°	J. Hernandez
	1500	77°	J. Hernandez
	1800	77°	J. Hernandez
	2100	76°	J. Hernandez
	2400	73°	MCCANN

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	71°	MCCANN
	0600	71°	J. Hernandez
	0900	74°	J. Hernandez
	1200	76°	J. Hernandez
	1500	79°	J. Hernandez
	1800	77°	J. Hernandez
	2100	77°	J. Hernandez
	2400	74°	MCCANN

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	71°	MCCANN
	0600	71°	J. Hernandez
	0900	74°	J. Hernandez
	1200	76°	J. Hernandez
	1500	80°	J. Arevalo
	1800	78°	J. Arevalo
	2100	77°	J. Arevalo
	2400	74°	MCCANN

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	72°	MCCANN
	0600	72°	J. Hernandez
	0900	73°	J. Hernandez
	1200	76°	J. Hernandez
	1500	78°	J. Arevalo
	1800	77°	J. Arevalo
	2100	76°	J. Arevalo
	2400	74°	Soto

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	69°	Soto
	0600	69°	J. Hernandez
	0900	71°	J. Hernandez
	1200	73°	J. Hernandez
	1500	77°	J. Arevalo
	1800	76°	J. Arevalo
	2100	75°	J. Arevalo
	2400	72°	Soto

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	68°	Soto
	0600	68°	J. Palma
	0900	71°	J. Palma
	1200	73°	J. Palma
	1500	74°	J. Arevalo
	1800	73°	J. Arevalo
	2100	72°	J. Arevalo
	2400	70°	MCCANN

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	68°	MCCANN
	0600	68°	J. Palma
	0900	70°	J. Palma
	1200	74°	J. Palma
	1500	74°	D. White
	1800	73°	D. White
	2100	73°	D. White
	2400	71°	MCCANN

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: P.V.S.P. Housing Unit: C-2 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6	0300	69°	MCCART
6	0600	69°	Martinez
17	0900	71°	Martinez
17	1200	72°	Martinez
17	1500	70°	Lewis
24	1800	70°	Garcia
24	2100	70°	Garcia
24	2400	69°	MCCART

**Tuesday**

Date	Time	Temp.	Name (Print)
6	0300	65°	MCCART
6	0600	64°	J. HERNANDEZ
6	0900	63°	J. HERNANDEZ
18	1200	73°	Garcia
24	1500	75°	Garcia
24	1800	74°	Garcia
24	2100	74°	Garcia
24	2400	72°	MCCART

**Wednesday**

Date	Time	Temp.	Name (Print)
6	0300	70°	MCCART
6	0600	69°	J. HERNANDEZ
6	0900	71°	J. HERNANDEZ
19	1200	73°	J. HERNANDEZ
19	1500	75°	J. Arevalo
24	1800	74°	J. Arevalo
24	2100	73°	J. Arevalo
24	2400	70°	MCCART

**Thursday**

Date	Time	Temp.	Name (Print)
6	0300	68°	MCCART
6	0600	67°	J. HERNANDEZ
6	0900	71°	J. HERNANDEZ
20	1200	72°	J. HERNANDEZ
24	1500	73°	J. Arevalo
24	1800	74°	J. Arevalo
24	2100	73°	J. Arevalo
24	2400	70°	LATTA, C

**Friday**

Date	Time	Temp.	Name (Print)
6	0300	70°	LATTA, C
6	0600	69°	J. HERNANDEZ
6	0900	71°	J. HERNANDEZ
21	1200	75°	J. HERNANDEZ
21	1500	77°	J. Arevalo
24	1800	78°	J. Arevalo
24	2100	77°	J. Arevalo
24	2400	71°	LATTA, C

**Saturday**

Date	Time	Temp.	Name (Print)
6	0300	70°	LATTA, C
6	0600	70°	J. PALMA
6	0900	74°	J. PALMA
22	1200	78°	J. PALMA
22	1500	80°	J. Arevalo
24	1800	81°	J. Arevalo
24	2100	80°	J. Arevalo
24	2400	76°	MCCART

**Notes**

Date	Time	Temp.	Name (Print)
6	0300	72°	MCCART
6	0600	72°	J. PALMA
6	0900	77°	J. PALMA
23	1200	80°	J. PALMA
23	1500	81°	G. VAWI
24	1800	83°	G. VAWI
24	2100	81°	G. VAWI
24	2400	78°	MCCART

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PUSD Housing Unit: C7

Temp. Reading Location: 2nd

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

5246

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6	0300	74	MCCAM
6	0600	74	J. HERNANDEZ
6	0900	77	J. HERNANDEZ
24	1200	78	J. HERNANDEZ
24	1500	78	J. HERNANDEZ
24	1800	77	J. HERNANDEZ
24	2100	77	J. HERNANDEZ
24	2400	77	MCCAM

**Tuesday**

Date	Time	Temp.	Name (Print)
6	0300	75	MCCAM
6	0600	75	J. HERNANDEZ
6	0900	77	J. HERNANDEZ
25	1200	80	J. HERNANDEZ
24	1500	76	J. HERNANDEZ
24	1800	76	J. HERNANDEZ
24	2100	76	J. HERNANDEZ
24	2400	75	E. LOPEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
6	0300	78	E. LOPEZ
6	0600	74	J. HERNANDEZ
6	0900	77	J. HERNANDEZ
26	1200	78	J. HERNANDEZ
24	1500	81	J. AREVALO
24	1800	82	J. AREVALO
24	2100	80	J. AREVALO
24	2400	78	A. FLORES

**Thursday**

Date	Time	Temp.	Name (Print)
6	0300	77	A. FLORES
6	0600	73	J. HERNANDEZ
6	0900	76	J. HERNANDEZ
27	1200	77	J. HERNANDEZ
24	1500	77	J. AREVALO
24	1800	78	J. AREVALO
24	2100	76	J. AREVALO
24	2400	74	J. SOTO

**Friday**

Date	Time	Temp.	Name (Print)
6	0300	72	S. SOTO
6	0600	71	J. HERNANDEZ
6	0900	74	J. HERNANDEZ
25	1200	75	J. HERNANDEZ
24	1500	77	J. AREVALO
24	1800	77	J. AREVALO
24	2100	76	J. AREVALO
24	2400	75	J. SOTO

**Saturday**

Date	Time	Temp.	Name (Print)
6	0300	71	J. SOTO
6	0600	71	J. RAMIREZ
6	0900	72	J. RAMIREZ
29	1200	77	J. RAMIREZ
24	1500	78	J. AREVALO
24	1800	74	J. AREVALO
24	2100	77	J. AREVALO
24	2400	77	L. MEILLE

**Notes**

Date	Time	Temp.	Name (Print)
6	0300	76	C. PEREZ
6	0600	76	RAMIREZ
6	0900	75	RAMIREZ
30	1200	76	RAMIREZ
24	1500	77	C. PEREZ
24	1800	78	L. MEILLE
24	2100	77	L. MEILLE
24	2400	76	MCCAM

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2021 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DOB Housing Unit: C3 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 7334 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

## Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	75	J. Aldrete
	0600	70	D. White
	0900	73	D. White
	1200	75	D. White
	1500	78	K. Washington
	1800	79	K. Washington
	2100	79	K. Washington
24	2400	73	J. Aldrete

## Notes

Date	Time	Temp.	Name (Print)
6/1	0300	71	J. Greig
	0600	71	J. Washington
	0900	75	K. Washington
	1200	77	K. Washington
	1500	75	P. Vandy
	1800	75	P. Vandy
	2100	75	P. Vandy
24	2400	73	J. Greig

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP      Housing Unit: C-3      Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/3 2024	0300	72	I. VELASQUEZ
	0600	71	Washington
	0900	71	Washington
	1200	71	Washington
	1500	73	DIAZ
	1800	73	ORTIZ
	2100	73	ORTIZ
	2400	72	I. VELASQUEZ

Tuesday			
Date	Time	Temp.	Name (Print)
6/4 2024	0300	72	I. VELASQUEZ
	0600	71	C. MORA
	0900	71	C. MORA
	1200	72	C. MORA
	1500	75°	LOZANO
	1800	75°	LOZANO
	2100	75°	LOZANO
	2400	77	R. MORENO

Wednesday			
Date	Time	Temp.	Name (Print)
6/5 2024	0300	72	R. MORENO
	0600	71	P. LARUE
	0900	71	P. LARUE
	1200	71	P. LARUE
	1500	77°	LOZANO
	1800	77°	LOZANO
	2100	77°	LOZANO
	2400	77°	LOZANO

Thursday			
Date	Time	Temp.	Name (Print)
6/6 2024	0300	75°	R. MORENO
	0600	76	LUNA
	0900	78	LUNA
	1200	81	LUNA
	1500	81°	LOZANO
	1800	80°	LOZANO
	2100	79	LOZANO
	2400	79	LOZANO

Friday			
Date	Time	Temp.	Name (Print)
6/7 2024	0300	73	LOZANO
	0600	73	C. DIAZ
	0900	75	C. DIAZ
	1200	78	C. DIAZ
	1500	80°	LOZANO
	1800	80°	LOZANO
	2100	78	LOZANO
	2400	78	LOZANO

Saturday			
Date	Time	Temp.	Name (Print)
6/8 2024	0300	73	LOZANO
	0600	72	T. LATREE
	0900	77	T. LATREE
	1200	77	T. LATREE
	1500	77	MCCANN
	1800	76	MCCANN
	2100	75	MCCANN
	2400	74	GATES

Sunday			
Date	Time	Temp.	Name (Print)
6/9 2024	0300	72	GATES
	0600	70	K. XIUNG
	0900	71	K. XIUNG
	1200	75	K. XIUNG
	1500	74	J. ORTIZ
	1800	74	J. ORTIZ
	2100	74	J. ORTIZ
	2400	72	I. VELASQUEZ

Notes

Confidential

82°  
82°

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP      Housing Unit: C-3

Temp. Reading Location: 2nd Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 53410 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10	0300	70	X. XIONG
	0600	70	Washington
	0900	71	Washington
	1200	74	Washington
	1500	73	DIAZ
	1800	73	DRIVE
	2100	73	DRIVE
	2400	73	Flame

Tuesday

Date	Time	Temp.	Name (Print)
6/11	0300	74	Flame
	0600	73	Washington
	0900	76	Washington
	1200	77	Washington
	1500	78	LIZANDO
	1800	78	LIZANDO
	2100	78	LIZANDO
	2400	77	X. XIONG

Wednesday

Date	Time	Temp.	Name (Print)
6/12	0300	75	X. XIONG
	0600	74	Washington
	0900	76	Washington
	1200	78	Washington
	1500	79	LIZANDO
	1800	80	LIZANDO
	2100	79	LIZANDO
	2400	77	LAITA, C

Thursday

Date	Time	Temp.	Name (Print)
6/13	0300	74	LAITA, C
	0600	73	DRIVE
	0900	70	DRIVE
	1200	76	DRIVE
	1500	78	LIZANDO
	1800	79	LIZANDO
	2100	78	LIZANDO
	2400	74	LAITA, C

Friday

Date	Time	Temp.	Name (Print)
6/14	0300	71	LAITA, C
	0600	71	X. XIONG
	0900	73	X. XIONG
	1200	75	X. XIONG
	1500	78	LIZANDO
	1800	78	LIZANDO
	2100	78	LIZANDO
	2400	74	XIONG

Saturday

Date	Time	Temp.	Name (Print)
6/15	0300	74	X. XIONG
	0600	75	Washington
	0900	75	Washington
	1200	76	Washington
	1500	76	DRIVE
	1800	76	DRIVE
	2100	78	DRIVE
	2400	76	X. XIONG

Sunday

Date	Time	Temp.	Name (Print)
6/16	0300	70	X. XIONG
	0600	69	Washington
	0900	71	Washington
	1200	74	Washington
	1500	74	DRIVE
	1800	74	DRIVE
	2100	74	DRIVE
	2400	73	X. XIONG

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C3 Temp. Reading Location: TIER 2  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)  
5346

Immediately notify the Watch Commander at extension \_\_\_\_\_ when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17/24	0300	69	J. Gonzalez
	0600	69	K. Washington
	0900	70	K. Washington
	1200	72	K. Washington
	1500	74	J. Gonzalez
	1800	74	J. Gonzalez
	2100	74	J. Gonzalez
	2400	76	J. Gonzalez

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18/24	0300	67	J. Gonzalez
	0600	67	M. Gonzalez
	0900	70	M. Gonzalez
	1200	71	M. Gonzalez
	1500	73	M. Esparza
	1800	73	M. Esparza
	2100	72	M. Esparza
	2400	72	L. Velasquez

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	L. Velasquez
	0600	68	J. Rodriguez
	0900	72	J. Rodriguez
	1200	73	J. Rodriguez
	1500	74	A. Morris
	1800	74	A. Morris
	2100	74	A. Morris
	2400	75	J. Soto

**Thursday**

Date	Time	Temp.	Name (Print)
6/20/24	0300	68	J. Soto
	0600	69	Luna
	0900	70	Luna
	1200	70	Luna
	1500	73	T. Young
	1800	75	T. Young
	2100	70	P. Young
	2400	70	J. Arevalo

**Friday**

Date	Time	Temp.	Name (Print)
6/21/24	0300	69	J. Arevalo
	0600	69	J. Arevalo
	0900	70	J. Arevalo
	1200	72	J. Arevalo
	1500	77	J. Arevalo
	1800	78	J. Arevalo
	2100	75	J. Arevalo
	2400	76	J. Arevalo

**Saturday**

Date	Time	Temp.	Name (Print)
6/22/24	0300	68	J. Soto
	0600	70	K. Washington
	0900	71	K. Washington
	1200	76	K. Washington
	1500	75	J. Arevalo
	1800	73	J. Arevalo
	2100	73	J. Arevalo
	2400	73	J. Arevalo

**Sunday**

Date	Time	Temp.	Name (Print)
6/23/24	0300	71	J. Arevalo
	0600	73	K. Washington
	0900	76	K. Washington
	1200	78	K. Washington
	1500	79	J. Arevalo
	1800	79	J. Arevalo
	2100	78	J. Arevalo
	2400	77	L. Velasquez

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C3 Temp. Reading Location: TIER 7  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	72	I. VELASQUEZ
	0600	73	K. Washington
	0900	72	K. Washington
	1200	78	K. Washington
	1500	78	J. DE TIZ
	1800	78	J. DE TIZ
	2100	78	J. DE TIZ
	2400	72	I. VELASQUEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	72	I. VELASQUEZ
	0600	74	K. Washington
	0900	75	K. Washington
	1200	78	K. Wash. dge
	1500	81°	C. LOZANO
	1800	81°	C. LOZANO
	2100	81°	C. LOZANO
	2400	77	I. VELASQUEZ

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	72	I. VELASQUEZ
	0600	75	K. Washington
	0900	76	K. Washington
	1200	78	K. Washington
	1500	81°	C. LOZANO
	1800	81°	C. LOZANO
	2100	79°	C. LOZANO
	2400	72	LIMA, C

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	72	LIMA, C
	0600	72	LIMA
	0900	73	LIMA
	1200	75	LIMA
	1500	79°	LOZANO
	1800	79°	LOZANO
	2100	76°	LOZANO
	2400	72	AREVALO

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	72	AREVALO
	0600	73	C. DODSON
	0900	74	C. DODSON
	1200	76	C. DODSON
	1500	77°	LOZANO
	1800	79°	LOZANO
	2100	77°	LOZANO
	2400	75°	LOZANO

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	74°	LOZANO
	0600	71	K. Washington
	0900	74	K. Washington
	1200	77	K. Washington
	1500	79°	LOZANO
	1800	76°	LOZANO
	2100	70°	LOZANO
	2400	77°	J. GOMEZ

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	75°	J. GOMEZ
	0600	73	K. Washington
	0900	73	K. Washington
	1200	78	K. Washington
	1500	78	J. DE TIZ
	1800	78	J. DE TIZ
	2100	78	J. DE TIZ
	2400	72	VELASQUEZ

**Notes**


---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/16)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C4 Temp. Reading Location: (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5644 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/24	0300	71	S. Smith
	0600	71	C. Jackson
	0900	72	C. Jackson
	1200	74	C. Jackson
	1500	74	E. Espinoza
	1800	76	E. Espinoza
	2100	76	E. Espinoza
	2400	74	S. Smith

**Notes**

Date	Time	Temp.	Name (Print)
6/24	0300	73	T. Gier
	0600	75	E. Muñoz
	0900	75	E. Muñoz
	1200	80	E. Muñoz
	1500	80	M. Guzman
	1800	79	M. Guzman
	2100	79	M. Guzman
	2400	78	T. Gier

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP      Housing Unit: C4      Temp. Reading Location: 2ND  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/3/24	0300	72	J. PALOMO
	0600	73	MCCART
	0900	75	MCCART
	1200	76	MCCART
	1500	76	CANTU
	1800	74	R. VANG
	2100	74	R. VANG
	2400	73°	C. MARTINEZ
Tuesday			
Date	Time	Temp.	Name (Print)
6/4/24	0300	72°	C. MARTINEZ
	0600	73	MCCART
	0900	74	MCCART
	1200	75	MCCART
	1500	76°	S. CANTU
	1800	76°	S. CANTU
	2100	75°	S. CANTU
	2400	75°	C. MARTINEZ
Wednesday			
Date	Time	Temp.	Name (Print)
6/5/24	0300	74°	C. MARTINEZ
	0600	74°	A. FLORES
	0900	75°	A. FLORES
	1200	77°	A. FLORES
	1500	78°	J. CANTU
	1800	77°	J. CANTU
	2100	77°	J. CANTU
	2400	75°	L. MORFIN
Thursday			
Date	Time	Temp.	Name (Print)
6/6/24	0300	73°	L. MORFIN
	0600	73°	A. FLORES
	0900	79°	A. FLORES
	1200	81°	J. CANTU
	1500	81°	J. CANTU
	1800	81°	J. CANTU
	2100	79°	J. CANTU
	2400	78°	L. VANG
Friday			
Date	Time	Temp.	Name (Print)
6/7/24	0300	77	C. VANG
	0600	75	MCCART
	0900	76	MCCART
	1200	77	MCCART
	1500	78	C. MARTINEZ
	1800	77°	C. MARTINEZ
	2100	75°	C. MARTINEZ
	2400	77	MCCART
Saturday			
Date	Time	Temp.	Name (Print)
6/8/24	0300	72	MCCART
	0600	70	C. COXSON
	0900	73	C. COXSON
	1200	74	C. COXSON
	1500	76	J. QUINTEROS
	1800	76	J. QUINTEROS
	2100	77	MCCART
	2400	72	MCCART
Sunday			
Date	Time	Temp.	Name (Print)
6/9/24	0300	71	MCCART
	0600	70	C. COXSON
	0900	72	C. COXSON
	1200	73	C. COXSON
	1500	74°	J. CANTU
	1800	74°	J. CANTU
	2100	74°	J. CANTU
	2400	74	R. VANG

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PSP Housing Unit: CFB4 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	73	K. RAYMOND
10	0600	74	A. FLOREZ
10	0900	74	A. FLOREZ
24	1200	75	A. FLOREZ
24	1500	75	A. FLOREZ
24	1800	76	J. CANTU
24	2100	76	J. CANTU
24	2400	73	K. RAYMOND

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	72	C. MARTINEZ
11	0600	72	A. FLOREZ
24	0900	73	A. FLOREZ
24	1200	75	A. FLOREZ
24	1500	75	J. CANTU
24	1800	75	J. CANTU
24	2100	76	J. CANTU
24	2400	76	C. MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	72	C. MARTINEZ
12	0600	72	A. FLOREZ
12	0900	76	A. FLOREZ
24	1200	76	A. FLOREZ
24	1500	77	J. CANTU
24	1800	73	J. CANTU
24	2100	73	J. CANTU
24	2400	72	C. MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
6	0300	72	L. Moreno
13	0600	72	A. FLOREZ
24	0900	74	A. FLOREZ
24	1200	74	A. FLOREZ
24	1500	78	J. CANTU
24	1800	78	J. CANTU
24	2100	78	J. CANTU
24	2400	71	L. Moreno

Friday

Date	Time	Temp.	Name (Print)
6	0300	71	J. QUESADA
14	0600	71	F. Moreno
14	0900	75	F. Moreno
24	1200	75	F. Moreno
24	1500	75	L. AGUILAR
24	1800	76	L. AGUILAR
24	2100	76	L. AGUILAR
24	2400	72	J. QUESADA

Saturday

Date	Time	Temp.	Name (Print)
6	0300	76	J. ABELLO
15	0600	76	J. Laffee
15	0900	76	J. Laffee
15	1200	75	J. Laffee
15	1500	76	J. Quintos
15	1800	76	J. Quintos
15	2100	76	J. Quintos
15	2400	74	J. ABELLO

Notes

Date	Time	Temp.	Name (Print)
6/16	0300	76°	J. ABELLO
6/16	0600	72°	A. ORTIZ
6/16	0900	74°	A. ORTIZ
6/16	1200	74°	A. ORTIZ
6/16	1500	72°	J. CANTU
6/16	1800	73°	J. CANTU
6/16	2100	73°	J. CANTU
6/16	2400	74°	J. CANTU

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PKP Housing Unit: CFB 4 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
0300	72°	A. Martinez	
0600	73°	Flores	
0900	77°	Flores	
1200	77°	Flores	
1500	72°	J. Cantu	
1800	72°	J. Cantu	
2100	71°	J. Cantu	
2400	72	A. Martinez	

**Wednesday**

Date	Time	Temp.	Name (Print)
0300	75°	C. Martinez	
0600	74°	A. Flores	
0900	73	A. Flores	
1200	73	A. Flores	
1500	72°	J. Cantu	
1800	73°	J. Cantu	
2100	74°	J. Cantu	
2400	72°	L. Morfin	

**Friday**

Date	Time	Temp.	Name (Print)
0300	73°	C. Martinez	
0600	76	M. Medina	
0900	77	M. Medina	
1200	76	M. Medina	
1500	76°	J. Hernandez	
1800	76°	J. Hernandez	
2100	76°	J. Hernandez	
2400	72	C. Martinez	

**Sunday**

Date	Time	Temp.	Name (Print)
0300	72	C. Martinez	
0600	75	C. Dawson	
0900	77	C. Dawson	
1200	79	C. Dawson	
1500	80°	P. Guibbal	
1800	78°	P. Guibbal	
2100	80°	P. Guibbal	
2400	77°	C. Martinez	

**Tuesday**

Date	Time	Temp.	Name (Print)
0300	72	A. Martinez	
0600	73°	A. Flores	
0900	78	A. Flores	
1200	78	A. Flores	
1500	78°	J. Cantu	
1800	78°	J. Cantu	
2100	74	J. Cantu	
2400	76	C. Martinez	

**Thursday**

Date	Time	Temp.	Name (Print)
0300	72°	L. Morfin	
0600	73	J. Rodriguez	
0900	75	J. Rodriguez	
1200		J. Rodriguez	
1500	73°	J. Cantu	
1800	74°	J. Cantu	
2100	74	J. Cantu	
2400	74°	C. Martinez	

**Saturday**

Date	Time	Temp.	Name (Print)
0300	72	C. Martinez	
0600	79	C. Dawson	
0900	76	C. Dawson	
1200	77	C. Dawson	
1500	77	J. Perez	
1800	77	J. Perez	
2100	77	J. Perez	
2400	72	C. Martinez	

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: CFB4 Temp. Reading Location: 2ND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	76°	C. MARTIN
6/24	0600	75°	A. FLORES
6/24	0900	76°	MCCAMP
6/24	1200	79°	MCCAMP
6/24	1500	81°	J. CANTU
6/24	1800	80°	J. CANTU
6/24	2100	79°	J. CANTU
6/24	2400	76°	A. FLORES

**Tuesday**

Date	Time	Temp.	Name (Print)
6/24	0300	76°	J. CANTU
6/24	0600	77°	MCCAMP
6/24	0900	78°	MCCAMP
6/24	1200	79°	MCCAMP
6/24	1500	82°	J. CANTU
6/24	1800	84°	S. CANN
6/24	2100	76°	J. CANTU
6/24	2400	79°	C. MARTIN

**Wednesday**

Date	Time	Temp.	Name (Print)
6/24	0300	77°	C. MARTIN
6/24	0600	74°	A. FLORES
6/24	0900	78°	A. FLORES
6/24	1200	78°	A. FLORES
6/24	1500	79°	J. CANTU
6/24	1800	74°	J. CANTU
6/24	2100	77°	J. CANTU
6/24	2400	78°	L. MARTIN

**Thursday**

Date	Time	Temp.	Name (Print)
6/24	0300	77°	L. MARTIN
6/24	0600	77°	A. FLORES
6/24	0900	77°	A. FLORES
6/24	1200	78°	A. FLORES
6/24	1500	77°	J. CANTU
6/24	1800	78°	J. CANTU
6/24	2100	77°	J. CANTU
6/24	2400	78°	C. MARTIN

**Friday**

Date	Time	Temp.	Name (Print)
6/24	0300	78°	C. MARTIN
6/24	0600	78°	A. FLORES
6/24	0900	77°	A. FLORES
6/24	1200	77°	A. FLORES
6/24	1500	77°	J. DATES
6/24	1800	77°	J. DATES
6/24	2100	77°	J. DATES
6/24	2400	73°	MARSHAL

**Saturday**

Date	Time	Temp.	Name (Print)
6/24	0300	73°	MARSHAL
6/24	0600	74°	C. COASEN
6/24	0900	74°	C. COASEN
6/24	1200	76°	C. COASEN
6/24	1500	77°	J. ORTIZ
6/24	1800	77°	J. ORTIZ
6/24	2100	77°	J. ORTIZ
6/24	2400	73°	MARSHAL

**Sunday**

Date	Time	Temp.	Name (Print)
6/24	0300	73°	MARSHAL
6/24	0600	74°	C. COASEN
6/24	0900	76°	C. COASEN
6/24	1200	77°	C. COASEN
6/24	1500	77°	MEDINA
6/24	1800	77°	MEDINA
6/24	2100	76°	MEDINA
6/24	2400	77°	C. MARTIN

**Notes**


---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDGR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DVSX Housing Unit: C5 Temp. Reading Location: (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 33410 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
4/2	0300	71	R. SOTO
1	0600	71	T. ALVAREZ
	0900	74	T. ALVAREZ
	1200	74	T. ALVAREZ
	1500	75	J. MELASCO
	1800	76	J. MELASCO
24	2100	76	J. MELASCO
	2400	71	R. SOTO

**Notes**

Date	Time	Temp.	Name (Print)
4/2	0300	72	R. SOTO
20	0600	72	L. ALVAREZ
	0900	73	L. ALVAREZ
	1200	73	L. ALVAREZ
	1500	74	L. ALVAREZ
	1800	74	L. ALVAREZ
	2100	72	L. ALVAREZ
	2400	72	R. SOTO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DVSP Housing Unit: On Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 53416 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/13	0300	72	YANL
10/13	0600	72	LEANG
10/13	0900	73	CORSON
10/13	1200	74	CORSON
10/13	1500	71	PROMPT
10/13	1800	72	PROMPT
10/13	2100	72	PROMPT
10/13	2400	72	MERRILL

Tuesday

Date	Time	Temp.	Name (Print)
10/14	0300	71	J. MERRILL
10/14	0600	71	CORSON
10/14	0900	72	CORSON
10/14	1200	73	CORSON
10/14	1500	75	J. GONZALEZ
10/14	1800	76	J. GONZALEZ
10/14	2100	76	J. GONZALEZ
10/14	2400	78	J. GONZALEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/15	0300	72	MERELAND
10/15	0600	72	MERELAND
10/15	0900	74	MERELAND
10/15	1200	76	MERELAND
10/15	1500	80	J. GONZALEZ
10/15	1800	80	J. GONZALEZ
10/15	2100	80	J. GONZALEZ
10/15	2400	79	R-S-T-

Thursday

Date	Time	Temp.	Name (Print)
10/16	0300	76	R-S-T-
10/16	0600	78	MERELAND
10/16	0900	80	MERELAND
10/16	1200	80	MERELAND
10/16	1500	73	OCT-12
10/16	1800	73	OCT-12
10/16	2100	73	OCT-12
10/16	2400	72	R-S-T-

Friday

Date	Time	Temp.	Name (Print)
10/17	0300	71	R-S-T-
10/17	0600	75	MERELAND
10/17	0900	78	MERELAND
10/17	1200	80	MERELAND
10/17	1500	81	M. ESPINOSA
10/17	1800	82	M. ESPINOSA
10/17	2100	81	M. ESPINOSA
10/17	2400	78	F. SOTO

Saturday

Date	Time	Temp.	Name (Print)
10/18	0300	76	F. SOTO
10/18	0600	73	MERELAND
10/18	0900	74	MERELAND
10/18	1200	76	MERELAND
10/18	1500	78	White
10/18	1800	78	White
10/18	2100	78	White
10/18	2400	76	F. SOTO

Sunday

Date	Time	Temp.	Name (Print)
10/19	0300	74	F. SOTO
10/19	0600	71	MERELAND
10/19	0900	72	MERELAND
10/19	1200	76	MERELAND
10/19	1500	77	White
10/19	1800	77	White
10/19	2100	77	White
10/19	2400	76	E VHN

Notes

---



---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: 05 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5340 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/10/24	0300	76	T. VARGO
10/10/24	0600	74	C. DODSON
10/10/24	0900	74	C. DODSON
10/10/24	1200	74	C. DODSON
10/10/24	1500	74	J. GONZALEZ
10/10/24	1800	78	J. GONZALEZ
10/10/24	2100	78	J. GONZALEZ
10/10/24	2400	77	T. VARGO

**Tuesday**

Date	Time	Temp.	Name (Print)
10/11/24	0300	77	R. SOTO
10/11/24	0600	74	C. DODSON
10/11/24	0900	74	C. DODSON
10/11/24	1200	76	C. DODSON
10/11/24	1500	78	J. GONZALEZ
10/11/24	1800	78	V. VALDIVIA
10/11/24	2100	78	V. VALDIVIA
10/11/24	2400	77	R. SOTO

**Wednesday**

Date	Time	Temp.	Name (Print)
10/12/24	0300	76	R. SOTO
10/12/24	0600	77	M. EVELAND
10/12/24	0900	77	M. EVELAND
10/12/24	1200	78	M. EVELAND
10/12/24	1500	78	J. GONZALEZ
10/12/24	1800	78	J. GONZALEZ
10/12/24	2100	77	J. GONZALEZ
10/12/24	2400	76	F. SOTO

**Thursday**

Date	Time	Temp.	Name (Print)
10/13/24	0300	74	F. SOTO
10/13/24	0600	72	M. EVELAND
10/13/24	0900	74	M. EVELAND
10/13/24	1200	76	M. EVELAND
10/13/24	1500	74	J. GONZALEZ
10/13/24	1800	74	J. GONZALEZ
10/13/24	2100	74	J. GONZALEZ
10/13/24	2400	75	F. SOTO

**Friday**

Date	Time	Temp.	Name (Print)
10/14/24	0300	73	F. SOTO
10/14/24	0600	72	M. EVELAND
10/14/24	0900	70	M. EVELAND
10/14/24	1200	73	M. EVELAND
10/14/24	1500	75	M. ESPINOZA
10/14/24	1800	75	M. ESPINOZA
10/14/24	2100	74	M. ESPINOZA
10/14/24	2400	74	R. SOTO

**Saturday**

Date	Time	Temp.	Name (Print)
10/15/24	0300	73	R. SOTO
10/15/24	0600	70	M. EVELAND
10/15/24	0900	70	M. EVELAND
10/15/24	1200	72	M. EVELAND
10/15/24	1500	73	J. GONZALEZ
10/15/24	1800	73	J. GONZALEZ
10/15/24	2100	73	J. GONZALEZ
10/15/24	2400	73	R. SOTO

**Sunday**

Date	Time	Temp.	Name (Print)
10/16/24	0300	71	R. SOTO
10/16/24	0600	70	M. EVELAND
10/16/24	0900	71	M. EVELAND
10/16/24	1200	72	M. EVELAND
10/16/24	1500	76	Lemus
10/16/24	1800	75	T. HAD
10/16/24	2100	75	T. HAD
10/16/24	2400	74	V. VARGO

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit C 5

Temp. Reading Location: 2nd bed  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5344 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/10	0300	74	C VANG
10/10	0600	70	CARSON
10/10	0900	76	CARSON
10/10	1200	71	CARSON
10/10	1500	71	J GONZALEZ
10/10	1800	70	J GONZALEZ
10/10	2100	70	J GONZALEZ
10/10	2400	68	J. MERRELL

**Wednesday**

Date	Time	Temp.	Name (Print)
10/10	0300	71	C VANG
10/10	0600	66	MEXLAND
10/10	0900	69	MEXLAND
10/10	1200	70	MEXLAND
10/10	1500	71	J GONZALEZ
10/10	1800	71	J GONZALEZ
10/10	2100	70	J GONZALEZ
10/10	2400	70	R SOTO

**Friday**

Date	Time	Temp.	Name (Print)
10/10	0300	72	F SOTO
10/10	0600	68	MEXLAND
10/10	0900	71	MEXLAND
10/10	1200	71	MEXLAND
10/10	1500	73	ESPINOLA
10/10	1800	74	ESPINOLA
10/10	2100	74	ESPINOLA
10/10	2400	73	F. SOTO

**Sunday**

Date	Time	Temp.	Name (Print)
10/10	0300	72	F SOTO
10/10	0600	71	Y. XIONG
10/10	0900	73	Y. XIONG
10/10	1200	78	-Y. XIONG
10/10	1500	78	J GONZALEZ
10/10	1800	78	J GONZALEZ
10/10	2100	76	J GONZALEZ
10/10	2400	76	G YANG

**Tuesday**

Date	Time	Temp.	Name (Print)
10/10	0300	67	J. MERRELL
10/10	0600	68	CARSON
10/10	0900	68	CARSON
10/10	1200	71	CARSON
10/10	1500	71	J. GONZALEZ
10/10	1800	70	J. GONZALEZ
10/10	2100	70	J. GONZALEZ
10/10	2400	69	CYPRESS

**Thursday**

Date	Time	Temp.	Name (Print)
10/10	0300	70	R SOTO
10/10	0600	65	MEXLAND
10/10	0900	68	MEXLAND
10/10	1200	71	MEXLAND
10/10	1500	74	DIAZ J
10/10	1800	74	DIAZ J
10/10	2100	74	DIAZ J
10/10	2400	73	R SOTO

**Saturday**

Date	Time	Temp.	Name (Print)
10/10	0300	70	F. SOTO
10/10	0600	69	J. LOPEZ
10/10	0900	70	J. LOPEZ
10/10	1200	73	J. LOPEZ
10/10	1500	75	J. GONZALEZ
10/10	1800	77	J. GONZALEZ
10/10	2100	76	N. PACHECO
10/10	2400	74	F. SOTO

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: C5

Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
10/24/24	0300	76	G YANG
10/24/24	0600	76	G YANG
10/24/24	0900	77	C DODSON
10/24/24	1200	78	C DODSON
10/24/24	1500	78	J. GONZALEZ
10/24/24	1800	78	J. GONZALEZ
10/24/24	2100	78	J. GONZALEZ
10/24/24	2400	76	J. MELLILL

**Tuesday**

Date	Time	Temp.	Name (Print)
10/25/24	0300	75	J. MELLILL
10/25/24	0600	75	C DODSON
10/25/24	0900	76	C DODSON
10/25/24	1200	77	C DODSON
10/25/24	1500	78	J. GONZALEZ
10/25/24	1800	76	J. GONZALEZ
10/25/24	2100	79	J. GONZALEZ
10/25/24	2400	78	R SOTO

**Wednesday**

Date	Time	Temp.	Name (Print)
10/26/24	0300	76	R SOTO
10/26/24	0600	74	MALAMADOL
10/26/24	0900	77	MALAMADOL
10/26/24	1200	77	MALAMADOL
10/26/24	1500	78	J. GONZALEZ
10/26/24	1800	78	J. GONZALEZ
10/26/24	2100	78	J. GONZALEZ
10/26/24	2400	76	F. SOTO

**Thursday**

Date	Time	Temp.	Name (Print)
10/27/24	0300	74	F. SOTO
10/27/24	0600	77	MELVLAND
10/27/24	0900	77	MELVLAND
10/27/24	1200	74	MELVLAND
10/27/24	1500	76	DETIZ
10/27/24	1800	76	DETIZ
10/27/24	2100	76	DETIZ
10/27/24	2400	76	F. SOTO

**Friday**

Date	Time	Temp.	Name (Print)
10/28/24	0300	74	F. SOTO
10/28/24	0600	71	MELVLAND
10/28/24	0900	72	MELVLAND
10/28/24	1200	74	MELVLAND
10/28/24	1500	75	E SPINOZA
10/28/24	1800	76	E SPINOZA
10/28/24	2100	75	E SPINOZA
10/28/24	2400	75	F. SOTO

**Saturday**

Date	Time	Temp.	Name (Print)
10/29/24	0300	73	R SOTO
10/29/24	0600	71	MELVLAND
10/29/24	0900	72	MELVLAND
10/29/24	1200	74	MELVLAND
10/29/24	1500	76	J. GONZALEZ
10/29/24	1800	77	J. GONZALEZ
10/29/24	2100	77	J. GONZALEZ
10/29/24	2400	76	R SOTO

**Sunday**

Date	Time	Temp.	Name (Print)
10/30/24	0300	75	R SOTO
10/30/24	0600	72	MELVLAND
10/30/24	0900	73	MELVLAND
10/30/24	1200	75	MELVLAND
10/30/24	1500	76	J. GONZALEZ
10/30/24	1800	77	J. GONZALEZ
10/30/24	2100	77	J. GONZALEZ
10/30/24	2400	77	YANG

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDGR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSP Housing Unit: 2nd m 2 Temp. Reading Location: Day rooms  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5344 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
4/24	0300	71	A. Hernandez
	0600	71	Lukes
	0900	72	Lukes
	1200	72	Lukes
	1500	72	X. HAC
	1800	71	X. HAC
	2100	70	A. Hernandez
	2400	70	A. Hernandez

**Notes**

Date	Time	Temp.	Name (Print)
4/24	0300	71	A. Hernandez
	0600	72	Lukes
	0900	72	Lukes
	1200	72	Lukes
	1500	72	Vegas
	1800	72	Vegas
	2100	70	Vegas
	2400	70	Hernandez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: MSF Dmz Temp. Reading Location: PAYROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/1	0300	70	D. Hernandez
3/1	0600	70	S. VANG
0900	70	S. VANG	
1200	70	S. VANG	
1500	70	X-THAO	
1800	70	X-THAO	
2100	70	X-THAO	
2400	70	D. Hernandez	

Wednesday

Date	Time	Temp.	Name (Print)
6/5	0300	68°	D. GARCIA
6/4	0600	68	D. GARCIA
0900	70	D. GARCIA	
1200	70	D. GARCIA	
1500	72	Garcia	
1800	72	Garcia	
2100	72	Garcia	
2400	70°	D. GARCIA	

Friday

Date	Time	Temp.	Name (Print)
6/1	0300	70°	D. GARCIA
24	0600	70°	D. GARCIA
0900	70	MAR	
1200	70	MAR	
1500	70	A. Garcia	
1800	70	A. Garcia	
2100	70	A. Garcia	
2400	70°	D. GARCIA	

Sunday

Date	Time	Temp.	Name (Print)
6/9	0300	70°	D. GARCIA
24	0600	70	S. VANG
0900	70	VANG	
1200	70	VANG	
1500	70	A. Garcia	
1800	70	A. Garcia	
2100	70	A. Garcia	
2400	70	A. Garcia	

Tuesday

Date	Time	Temp.	Name (Print)
6/4	0300	70°	A. Almeraz
1/24	0600	68	S. VANG
0900	63	S. VANG	
1200	63	S. VANG	
1500	66	X-THAO	
1800	68	X-THAO	
2100	68	X-THAO	
2400	68	D. GARCIA	

Thursday

Date	Time	Temp.	Name (Print)
6/6	0300	70°	D. GARCIA
1/24	0600	70	M. PANTOJA
0900	72	M. PANTOJA	
1200	71	M. PANTOJA	
1500	70	VANG	
1800	70	VANG	
2100	70	VANG	
2400	70°	D. GARCIA	

Saturday

Date	Time	Temp.	Name (Print)
6/9	0300	70°	D. GARCIA
1/24	0600	70°	D. GARCIA
0900	73	MAR	
1200	70	MAR	
1500	72	A. Garcia	
1800	72	A. Garcia	
2100	72	A. Garcia	
2400	71°	D. GARCIA	

Notes

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DVSP Housing Unit: Dorm 2 Temp. Reading Location: DAYROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	70	A. Almaz
	0600	70	VANB
	0900	70	VANB
	1200	70	VANB
	1500	70	VANB
	1800	70	VANB
	2100	70	VANB
	2400	72	A. Almaz

## Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	70°	D. GARCIA
	0600	70	G. SANCHEZ
	0900	70	M. FERNANDEZ
	1200	70	B. BENITEZ
	1500	72	L. GARCIA
	1800	72	B. GARCIA
	2100	71	D. GARCIA
	2400	70	D. GARCIA

## Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	70	D. GARCIA
	0600	70	Thao
	0900	70	Thao
	1200	70	Thao
	1500	72	A. Lopez
	1800	72	A. Lopez
	2100	72	A. Lopez
	2400	71	D. GARCIA

## Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	70	D. GARCIA
	0600	70	D. GARCIA
	0900	70	S. VANG
	1200	70	VANB
	1500	70	VANB
	1800	70	VANB
	2100	70	VANB
	2400	70	A. Almaz

## Tuesday

Date	Time	Temp.	Name (Print)
6/16/24	0300	70	A. Almaz
	0600	70	VANB
	0900	70	VANB
	1200	70	VANB
	1500	70	THAO
	1800	70	THAO
	2100	70	THAO
	2400	70	O. GARCIA

## Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	70°	D. GARCIA
	0600	70°	D. GARCIA
	0900	70°	Luis
	1200	70°	VANB
	1500	72°	D. GARCIA
	1800	72°	D. GARCIA
	2100	71°	D. GARCIA
	2400	70°	D. GARCIA

## Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	70°	P. GARCIA
	0600	70°	P. GARCIA
	0900	70	Thao
	1200	70	Thao
	1500	70	Thao
	1800	72°	O. FERNANDEZ
	2100	72°	O. FERNANDEZ
	2400	70°	O. GARCIA

## Notes

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDGR 2031 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: Dorm 2 Temp. Reading Location: DRY ROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	A. Alvarez
	0600	70	JANE
	0900	70	JANE
	1200	70	JANE
	1500	70	JANE
	1800	70	JANE
	2100	70	JANE
	2400	70	Alvarez

## Wednesday

Date	Time	Temp.	Name (Print)
6/19/24	0300	70	D. GARNER
	0600	70	D. GARNER
	0900	73	ICARO
	1200	73	ICARO
	1500	70	A. Latorre
	1800	70	A. Latorre
	2100	70	A. Latorre
	2400	70	D. GARNER

## Friday

Date	Time	Temp.	Name (Print)
6/21/24	0300	70	D. GARNER
	0600	70	D. GARNER
	0900	70	X-THER
	1200	70	X-THER
	1500	70	A. Garcia
	1800	70	A. Garcia
	2100	70	A. Garcia
	2400	70	A. Garcia

## Sunday

Date	Time	Temp.	Name (Print)
6/23/24	0300	70	A. Garcia
	0600	71	Rodriguez
	0900	70	JANE
	1200	70	JANE
	1500	70	JANE
	1800	70	JANE
	2100	70	JANE
	2400	71	Alvarez

## Tuesday

Date	Time	Temp.	Name (Print)
6/18/24	0300	70	Alvarez
	0600	70	JANE
	0900	70	JANE
	1200	70	JANE
	1500	70	X-THER
	1800	70	X-THER
	2100	70	X-THER
	2400	70	D. GARNER

## Thursday

Date	Time	Temp.	Name (Print)
6/20/24	0300	70°	D. GARNER
	0600	70°	D. GARNER
	0900	70°	JANE
	1200	70°	JANE
	1500	72	A. Latorre
	1800	72	A. Latorre
	2100	72	A. Latorre
	2400	71°	D. GARNER

## Saturday

Date	Time	Temp.	Name (Print)
6/22/24	0300	70	A. Latorre
	0600	70	X-THER
	0900	70	X-THER
	1200	70	X-THER
	1500	78	A. Latorre
	1800	78	A. Latorre
	2100	78	A. Latorre
	2400	70	A. Latorre

## Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDGR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PIS/P Housing Unit: Dorm 2 Temp. Reading Location: DAY ROOM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/24	0300	71	A. MELTON
	0600	70	VANZ
	0900	70	VANZ
	1200	70	VANZ
	1500	70	VANZ
	1800	70	VANZ
	2100	70	VANZ
	2400	70	A. MELTON

Wednesday

Date	Time	Temp.	Name (Print)
6/26	0300	70°	P. GARCIA
	0600	70°	P. Martinez
	0900	70°	I. Martinez
	1200	70°	I. Martinez
	1500	74	C. ALLEN
	1800	70	C. ALLEN
	2100	70	C. ALLEN
	2400	70°	P. GARCIA

Friday

Date	Time	Temp.	Name (Print)
6/28	0300	70°	O. GARCIA
	0600	70	X. THAO
	0900	70	X. THAO
	1200	70	X. THAO
	1500	70	S. STOCKTON
	1800	70	S. STOCKTON
	2100	70	S. STOCKTON
	2400		J. Palma

Sunday

Date	Time	Temp.	Name (Print)
6/30	0300	70°	D. GARCIA
	0600	70°	D. GARCIA
	0900	70°	S. VANZ
	1200	70	VANZ
	1500	70	VANZ
	1800	70	VANZ
	2100	70	VANZ
	2400	70	A. MELTON

Tuesday

Date	Time	Temp.	Name (Print)
6/25	0300	70	A. MELTON
	0600	70	C. ALLEN
	0900	70	M. VANZ
	1200	70	C. ALLEN
	1500	70	X. THAO
	1800	70	X. THAO
	2100	70	X. THAO
	2400	70°	D. GARCIA

Thursday

Date	Time	Temp.	Name (Print)
6/27	0300	70°	D. GARCIA
	0600	70°	D. GARCIA
	0900	72	M. VANZ
	1200	72	M. VANZ
	1500	72	J. CASAS
	1800	72	J. CASAS
	2100	72	J. CASAS
	2400	70°	D. GARCIA

Saturday

Date	Time	Temp.	Name (Print)
6/29	0300	70	J. Palma
	0600	70	X. THAO
	0900	70	X. THAO
	1200	70	X. THAO
	1500	72	J. ZAVALA
	1800	72	J. ZAVALA
	2100	72	J. ZAVALA
	2400	70°	D. GARCIA

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSP Housing Unit: Dorm 1 Temp. Reading Location: Day room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
6/24	0300	75	A Almer
6/24	0600	76	Fukue
6/24	0900	76	Fukue
6/24	1200	76	Fukue
6/24	1500	77	X-THRD
6/24	1800	77	X-THRD
6/24	2100	73	X-THRD
6/24	2400	75	A Almer

Sunday

Date	Time	Temp.	Name (Print)
6/24	0300	75	A Almer
6/24	0600	75	Fukue
6/24	0900	77	Fukue
6/24	1200	77	Fukue
6/24	1500	75	X-THRD
6/24	1800	75	X-THRD
6/24	2100	75	X-THRD
6/24	2400	71	A Almer

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours; seven (7) days a week.

Institution: PVSP Housing Unit: Am 1

Temp. Reading Location: Dy room

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/21	0300	73	Ander
6/3/21	0600	73	T. LUCAS
6/3/21	0900	73	M. Clegg
6/3/21	1200	73	T. LUCAS
6/3/21	1500	74	Foshy
6/3/21	1800	74	Foshy
6/3/21	2100	74	Foshy
6/3/21	2400	73	Nease

Tuesday

Date	Time	Temp.	Name (Print)
6/4/21	0300	73	Ander
6/4/21	0600	73	T. LUCAS
6/4/21	0900	73	T. LUCAS
6/4/21	1200	73	T. LUCAS
6/4/21	1500	74	Foshy
6/4/21	1800	74	Foshy
6/4/21	2100	74	Foshy
6/4/21	2400	73	ACS H.

Wednesday

Date	Time	Temp.	Name (Print)
6/5/21	0300	75	A. COSTA
6/5/21	0600	74	E. MIRE
6/5/21	0900	74	E. MIRE
6/5/21	1200	74	E. MIRE
6/5/21	1500	74	E. MIRE
6/5/21	1800	76	Foshy
6/5/21	2100	76	Foshy
6/5/21	2400	73	T. LUCAS

Thursday

Date	Time	Temp.	Name (Print)
6/24/21	0300	73	T. LUCAS
6/24/21	0600	76	Diaz
6/24/21	0900	78	Amz
6/24/21	1200	78	Amz
6/24/21	1500	78	NEEST
6/24/21	1800	78	NEEST
6/24/21	2100	78	NEEST
6/24/21	2400	78	Lopez

Friday

Date	Time	Temp.	Name (Print)
6/7/21	0300	77	Ciber
6/7/21	0600	77	M. JEVELAND
6/7/21	0900	78	M. JEVELAND
6/7/21	1200	79	M. JEVELAND
6/7/21	1500	79	C. COSTA
6/7/21	1800	79	C. COSTA
6/7/21	2100	79	NEEST
6/7/21	2400	79	Almeraz

Saturday

Date	Time	Temp.	Name (Print)
6/8/21	0300	78	A. ALMERAZ
6/8/21	0600	78	Amz
6/8/21	0900	78	Amz
6/8/21	1200	78	Amz
6/8/21	1500	78	A. MCGREGOR
6/8/21	1800	78	A. MCGREGOR
6/8/21	2100	78	A. MCGREGOR
6/8/21	2400	78	A. ALMERAZ

Sunday

Date	Time	Temp.	Name (Print)
6/9/21	0300	78	A. ALMERAZ
6/9/21	0600	78	T. LUCAS
6/9/21	0900	78	T. LUCAS
6/9/21	1200	78	T. LUCAS
6/9/21	1500	78	S. AMAN
6/9/21	1800	78	S. AMAN
6/9/21	2100	78	S. AMAN
6/9/21	2400	78	V. ACE

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DHSF Housing Unit: Dorm 1 Temp. Reading Location: Dorm 1  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/10/24	0300	79	Acebo
	0600	75	J. Lutzen
	0900	75	J. Lutzen
	1200	75	J. Lutzen
	1500	75	M. Fussberg
	1800	75	M. Fussberg
	2100	75	M. Fussberg
	2400	73	T. Trujillo

Tuesday

Date	Time	Temp.	Name (Print)
6/11/24	0300	74	T. Trujillo
	0600	74	F. Lutzen
	0900	74	F. Lutzen
	1200	74	F. Lutzen
	1500	76	F. Lutzen
	1800	75	F. Lutzen
	2100	75	F. Lutzen
	2400	74	V. La Roca

Wednesday

Date	Time	Temp.	Name (Print)
6/12/24	0300	74	T. Trujillo
	0600	74	L. Koenig
	0900	74	L. Koenig
	1200	74	L. Koenig
	1500	75	F. Lutzen
	1800	73	F. Lutzen
	2100	75	F. Lutzen
	2400	74	J. Lopez

Thursday

Date	Time	Temp.	Name (Print)
6/13/24	0300	78	R. Lopez
	0600	76	D. Diaz
	0900	78	D. Diaz
	1200	78	D. Diaz
	1500	78	M. Est
	1800	78	M. Est
	2100	78	M. Est
	2400	78	R. Lopez

Friday

Date	Time	Temp.	Name (Print)
6/14/24	0300	74	A. Acebo
	0600	76	D. Diaz
	0900	78	D. Diaz
	1200	78	D. Diaz
	1500	78	F. Lutzen
	1800	78	F. Lutzen
	2100	78	F. Lutzen
	2400	78	F. Lutzen

Saturday

Date	Time	Temp.	Name (Print)
6/15/24	0300	78	C. Lopez
	0600	77	F. Lutzen
	0900	77	F. Lutzen
	1200	77	F. Lutzen
	1500	78	M. Est
	1800	78	M. Est
	2100	78	M. Est
	2400	78	A. Acebo

Sunday

Date	Time	Temp.	Name (Print)
6/16/24	0300	78	A. Acebo
	0600	77	M. Lopez
	0900	77	M. Lopez
	1200	77	M. Lopez
	1500	78	M. Lopez
	1800	78	M. Lopez
	2100	77	M. Lopez
	2400	78	A. Acebo

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RISP Housing Unit: Dorm 1

Temp. Reading Location: Dorm 1

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	75	Arcene
/	0600	75	
7	0900	75	McCur
/	1200	75	Lukes
17	1500	75	Fishberg
/	1800	75	Fosberg
24	2100	75	Fosberg
	2400	75	Martinez

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	75°	Matacogia
/	0600	75°	R. Avila
19	0900	75°	R. Avila
/	1200	75°	R. Avila
19	1500	76	Fishberg
/	1800	76	Fosberg
24	2100	76	Fosberg
	2400	76	

Friday

Date	Time	Temp.	Name (Print)
6	0300	75	Lopez
/	0600	75	Lopez
21	0900	75	Lopez
/	1200	75	Lopez
21	1500	76	Almeraz
/	1800	76	Almeraz
24	2100	76	Almeraz
	2400	76	Almeraz

Sunday

Date	Time	Temp.	Name (Print)
6	0300	70	Almeraz
/	0600	75	Lopez
23	0900	70	Lopez
/	1200	70	Lopez
23	1500	75	Almeraz
/	1800	75	Almeraz
24	2100	75	Almeraz
	2400	75	Almeraz

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	73	Martinez
/	0600	74	Lukas
18	0900	74	Lukas
/	1200	74	Lukas
18	1500	75	Fishberg
/	1800	75	Fosberg
24	2100	75	Fosberg
	2400	75	A. Martinez

Thursday

Date	Time	Temp.	Name (Print)
6	0300	75°	Matacogia
/	0600	74	Diraz
20	0900	76	Diraz
/	1200	76	Diraz
20	1500	76	Heckst
/	1800	76	Heckst
24	2100	76	Heckst
	2400	76	Lopez

Saturday

Date	Time	Temp.	Name (Print)
6	0300	76	Almeraz
/	0600	76	Pinedo
22	0900	76	Pinedo
/	1200	78	Pinedo
22	1500	78	Thao
/	1800	78	Thao
22	2100	78	Thao
	2400	78	A. Almeraz

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: RSP Housing Unit: Dorm 1

Temp. Reading Location: Dorm 1

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6	0300	73	Auster
/	0600	79	O. FERNANDEZ
24	0900	74	O. FERNANDEZ
/	1200	78	O. FERNANDEZ
24	1500	78	C. Engelke
/	1800	78	C. Engelke
24	2100	78	C. Engelke
	2400	78	V. Agan

Tuesday

Date	Time	Temp.	Name (Print)
6	0300	73	Auster
/	0600	75	Fukuy
25	0900	75	Fukuy
/	1200	75	Fukuy
25	1500	76	Fosberg
/	1800	76	Fosberg
25	2100	76	Fosberg
	2400	75	rianguez

Wednesday

Date	Time	Temp.	Name (Print)
6	0300	75°	Rodriguez
/	0600	75°	Quinteros
26	0900	76°	Quinteros
/	1200	76°	Quinteros
26	1500	77°	M. Lopez
/	1800	78°	M. Lopez
26	2100	78°	M. Lopez
	2400	75	A. Mendoza

Thursday

Date	Time	Temp.	Name (Print)
6	0300	73	A. Mendoza
/	0600	75	Diaz
27	0900	77	Diaz
/	1200	77	Diaz
27	1500	74	MEEST
/	1800	74	MEEST
27	2100	74	MEEST
	2400	74	Copee

Friday

Date	Time	Temp.	Name (Print)
6	0300	73	Lopez
/	0600	75	Fukuy
28	0900	74	Fukuy
/	1200	74	Fukuy
28	1500	76	MEEST
/	1800	76	MEEST
28	2100	76	MEEST
	2400	76	Elmeroz

Saturday

Date	Time	Temp.	Name (Print)
6	0300	76	Aleman
/	0600	76	Fukuy
29	0900	76	Fukuy
/	1200	76	Fukuy
29	1500	76	X. Tello
/	1800	76	X. Tello
29	2100	76	X. Tello
	2400	76	Aleman

Sunday

Date	Time	Temp.	Name (Print)
6	0300	76	Aleman
/	0600	76	Fukuy
30	0900	76	M. Cal
/	1200	76	Fukuy
30	1500	76	J. Abello
/	1800	76	J. Abello
30	2100	76	J. Abello
	2400	76	J. Abello

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**Attachment C**  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DVSP Housing Unit: D2 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/1/24	0300	69	N. MONTANO
	0600	69	D. White
	0900	70	D. White
	1200	72	D. White
	1500	74	B. MONTANO
	1800	73	B. MONTANO
	2100	74	B. MONTANO
	2400	71	N. MONTANO

**Sunday**

Date	Time	Temp.	Name (Print)
6/1/24	0300	69	N. MONTANO
	0600	70	D. White
	0900	71	D. White
	1200	73	D. White
	1500	73	A. Vilas
	1800	73	A. Vilas
	2100	73	A. Vilas
	2400	72	A. MONTANO

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

**Attachment C**  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DVSP Housing Unit: D2 Temp. Reading Location: 2nd  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5846 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/3/24	0300	69	N. MONTANO
	0600	69	J. Jimenez
	0900	72	J. Jimenez
	1200	74	J. Jimenez
	1500	75	Aguilar
	1800	74	Aguilar
	2100	74	Aguilar
	2400	69	N. MONTANO

**Tuesday**

Date	Time	Temp.	Name (Print)
6/4/24	0300	69	N. MONTANO
	0600	70	J. Jimenez
	0900	70	J. Jimenez
	1200	72	J. Jimenez
	1500	75	C. Hirata
	1800	76	C. Hirata
	2100	74	C. Hirata
	2400	70	N. MONTANO

**Wednesday**

Date	Time	Temp.	Name (Print)
6/5/24	0300	70	N. MONTANO
	0600	70	J. Jimenez
	0900	73	J. Jimenez
	1200	75	J. Jimenez
	1500	71	C. Hirata
	1800	73	C. Hirata
	2100	73	C. Hirata
	2400	70	D. Martinez

**Thursday**

Date	Time	Temp.	Name (Print)
6/6/24	0300	70	D. Martinez
	0600	76	ROSAARIO
	0900	71	ROSAARIO
	1200	74	ROSAARIO
	1500	75	C. Hirata
	1800	73	C. Hirata
	2100	72	C. Hirata
	2400	70	H. Casillas

**Friday**

Date	Time	Temp.	Name (Print)
6/7/24	0300	69	H. Casillas
	0600	71	J. Jimenez
	0900	71	J. Jimenez
	1200	72	J. Jimenez
	1500	74	B. MONTANO
	1800	74	B. MONTANO
	2100	75	B. MONTANO
	2400	69	S. Palomo

**Saturday**

Date	Time	Temp.	Name (Print)
6/8/24	0300	69	S. Palomo
	0600	70	F. Quintanilla
	0900	71	F. Quintanilla
	1200	74	F. Quintanilla
	1500	76	B. MONTANO
	1800	75	B. MONTANO
	2100	75	B. MONTANO
	2400	70	N. MONTANO

**Sunday**

Date	Time	Temp.	Name (Print)
6/9/24	0300	73	N. MONTANO
	0600	73	E. AMARO
	0900	73	E. AMARO
	1200	74	E. AMARO
	1500	74	P. Young
	1800	75	P. Young
	2100	75	P. Young
	2400	69	Aronzau

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: DF B2 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10/24	0300	70°	A. MONTANO
	0600	71°	J. Jimenez
	0900	71°	J. Jimenez
	1200	71°	J. Jimenez
	1500	74	L. AGUILAR
	1800	76	L. AGUILAR
	2100	76	L. AGUILAR
	2400	74	N. MONTANO

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11/24	0300	72	N. MONTANO
	0600	74	J. Jimenez
	0900	75	J. Jimenez
	1200	75	J. Jimenez
	1500	77	C. Hernandez
	1800	77	C. Hernandez
	2100	78	C. Hernandez
	2400	77°	J. Querada

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12/24	0300	76°	J. Querada
	0600	73	J. Jimenez
	0900	76	J. Jimenez
	1200	77	J. Jimenez
	1500	78	C. Hernandez
	1800	79	C. Hernandez
	2100	78	C. Hernandez
	2400	75	N. MONTANO

**Thursday**

Date	Time	Temp.	Name (Print)
6/13/24	0300	77	N. MONTANO
	0600	74	J. Jimenez
	0900	75	J. Jimenez
	1200	75	J. Jimenez
	1500	78	C. Hernandez
	1800	79	C. Hernandez
	2100	78	C. Hernandez
	2400	76	H. CASILLAS

**Friday**

Date	Time	Temp.	Name (Print)
6/14/24	0300	75	H. CASILLAS
	0600	73	J. Jimenez
	0900	73	J. Jimenez
	1200	73	J. Jimenez
	1500	73	B. Morris
	1800	75	B. Morris
	2100	73	B. Morris
	2400	72	J. Polanco

**Saturday**

Date	Time	Temp.	Name (Print)
6/15/24	0300	72	J. Polanco
	0600	72	A. Sierra
	0900	74	A. Sierra
	1200	74	A. Sierra
	1500	72	Montano
	1800	73	Morales
	2100	72	Morales
	2400	71	N. MONTANO

**Sunday**

Date	Time	Temp.	Name (Print)
6/16/24	0300	71	N. MONTANO
	0600	71	A. Sierra
	0900	72	A. Sierra
	1200	73	A. Sierra
	1500	74	L. AGUILAR
	1800	74	L. AGUILAR
	2100	73	L. AGUILAR
	2400	71	N. MONTANO

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**Attachment C**  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D2 Temp. Reading Location: 2<sup>ND</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17/24	0300	70	N MONTANO
	0600	70	J Jimenez
	0900	70	J Jimenez
	1200	70	J Jimenez
	1500	71	L AGUILAR
	1800	72	L AGUILAR
	2100	71	L AGUILAR
	2400	70	N MONTANO

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18/24	0300	69	N MONTANO
	0600	69	J Jimenez
	0900	70	J Jimenez
	1200	71	J Jimenez
	1500	71	J Jimenez
	1800	72	J Jimenez
	2100	71	J Jimenez
	2400	70	N MONTANO

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19/24	0300	69	N MONTANO
	0600	69	J Jimenez
	0900	70	J Jimenez
	1200	70	J Jimenez
	1500	72	C HIRATA
	1800	72	C HIRATA
	2100	70	C HIRATA
	2400	70	N MONTANO

**Thursday**

Date	Time	Temp.	Name (Print)
6/20/24	0300	69	N MONTANO
	0600	69	J Jimenez
	0900	70	J Jimenez
	1200	70	J Jimenez
	1500	72	C HIRATA
	1800	73	C HIRATA
	2100	70	C HIRATA
	2400	71	H CASICAS

**Friday**

Date	Time	Temp.	Name (Print)
6/21/24	0300	70	H CASICAS
	0600	70	J Jimenez
	0900	72	J Jimenez
	1200	73	J Jimenez
	1500	74	N MONTANO
	1800	73	B Marano
	2100	73	B Marano
	2400	70	V Pinto

**Saturday**

Date	Time	Temp.	Name (Print)
6/22/24	0300	70	V Pinto
	0600	71	White
	0900	72	white
	1200	74	white
	1500	79	B Marano
	1800	77	B Marano
	2100	73	B Marano
	2400	73	N MONTANO

**Notes**

Date	Time	Temp.	Name (Print)
6/23/24	0300	73	N MONTANO
	0600	73	D White
	0900	74	D White
	1200	74	D White
	1500	77	D White
	1800	77	D White
	2100	75	D White
	2400	73	N MONTANO

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: ASL Housing Unit: D2 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 53446 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	73	J. Palomo
	0600	73	J. Jimenez
	0900	73	J. Jimenez
	1200	73	J. Jimenez
	1500	72	VDN
	1800	75	CCW
	2100	75	CCW
	2400	74.0	J. Quezada

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	72°	J. Quezada
	0600	75	J. Jimenez
	0900	75	J. Jimenez
	1200	76	J. Jimenez
	1500	79	C. MONTAÑA
	1800	80	C. MONTAÑA
	2100	80	C. MONTAÑA
	2400	78	N. MONTAÑA

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	75	N. MONTAÑA
	0600	76	C. MONTAÑA
	0900	77	C. MONTAÑA
	1200	77	C. MONTAÑA
	1500	80	C. MONTAÑA
	1800	81	C. MONTAÑA
	2100	79	C. MONTAÑA
	2400	79	J. Quezada

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	78	J. Quezada
	0600	73	J. Jimenez
	0900	73	J. Jimenez
	1200	73	J. Jimenez
	1500	79	C. MONTAÑA
	1800	81	C. MONTAÑA
	2100	80	C. MONTAÑA
	2400	74	H. CASILLAS

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	72	H. CASILLAS
	0600	71	J. Jimenez
	0900	73	J. Jimenez
	1200	75	J. Jimenez
	1500	75	B. Martinez
	1800	75	B. Martinez
	2100	75	B. Martinez
	2400	72	J. Palomo

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	72	J. Palomo
	0600	73	D. White
	0900	76	D. White
	1200	76	D. White
	1500	76	B. Martinez
	1800	76	B. Martinez
	2100	75	B. Martinez
	2400	75	N. MONTAÑA

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	74	N. MONTAÑA
	0600	74	D. White
	0900	75	D. White
	1200	73	D. White
	1500	78	L. AGUILAR
	1800	80	L. Aguilan
	2100	79	L. Aguilan
	2400	78	A. Vazquez

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**Attachment C**  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Pys P Housing Unit: D 4 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Tuesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Wednesday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Thursday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Friday**

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

**Saturday**

Date	Time	Temp.	Name (Print)
6/24	0300	68	B. CORNELL
	0600	69	H. Aguilar
	0900	70	H. Aguilar
	1200	70	H. Aguilar
	1500	73	M. Singh
	1800	74	M. Singh
	2100	74	M. Singh
	2400	69	B. CORNELL

**Sunday**

Date	Time	Temp.	Name (Print)
6/24	0300	69	B CORNELL
	0600	70	S LOPEZ
	0900	71	S LOPEZ
	1200	71	S LOPEZ
	1500	74	M. Singh
	1800	74	M. Singh
	2100	74	M. Singh
	2400	69	B CORNELL

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INS ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP

Housing Unit: D-4

Temp. Reading Location:

2nd TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/3/24	0300	70	Walters
	0600	71	Levins
	0900	72	Levins
	1200	72	Levins
	1500	76	Faison
	1800	71	Faison
	2100	72	Faison
	2400	73	Faison

Wednesday

Date	Time	Temp.	Name (Print)
6/5/24	0300	70	Walters
	0600	71	J. Brown
	0900	71	J. Brown
	1200	72	J. Brown
	1500	72	J. Brown
	1800	71	J. Brown
	2100	72	J. Brown
	2400	75	Walters

Friday

Date	Time	Temp.	Name (Print)
6/7/24	0300	75	C. Hernandez
	0600	72	H. Armenta
	0900	72	H. Armenta
	1200	72	H. Armenta
	1500	74	A. Aguilar
	1800	74	A. Aguilar
	2100	72	A. Aguilar
	2400	71	B. Rivera

Sunday

Date	Time	Temp.	Name (Print)
6/9/24	0300	71	G. Correa
	0600	72	J. Armenta
	0900	76	J. Armenta
	1200	76	J. Armenta
	1500	76	M. Singh
	1800	74	M. Singh
	2100	74	M. Singh
	2400	74	Walters

Tuesday

Date	Time	Temp.	Name (Print)
6/10/24	0300	71	Walters
	0600	72	Walters
	0900	72	Walters
	1200	72	Walters
	1500	75	D. Brown
	1800	75	D. Brown
	2100	75	D. Brown
	2400	70	Walters

Thursday

Date	Time	Temp.	Name (Print)
6/12/24	0300	75	Walters
	0600	75	Walters
	0900	75	Walters
	1200	75	Walters
	1500	77	Walters
	1800	77	Walters
	2100	77	Walters
	2400	77	Walters

Saturday

Date	Time	Temp.	Name (Print)
6/14/24	0300	70	B. Garcia
	0600	75	H. Armenta
	0900	72	H. Armenta
	1200	72	H. Armenta
	1500	77	D. Villanueva
	1800	77	D. Villanueva
	2100	77	D. Villanueva
	2400	73	B. Garcia

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PYSP Housing Unit: DFB4 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/10/24	0300	73	Walters
6/10/24	0600	73	Leon
6/10/24	0900	73	Leon
6/10/24	1200	73	Loy
6/10/24	1500	73	J. Jimenez
6/10/24	1800	74	J. Jimenez
6/10/24	2100	72	J. Jimenez
6/10/24	2400	73	Walters

**Wednesday**

Date	Time	Temp.	Name (Print)
6/12/24	0300	70	Walters
6/12/24	0600	70	A. Asuva
6/12/24	0900	70	A. Asuva
6/12/24	1200	70	A. Asuva
6/12/24	1500	72	A. Asuva
6/12/24	1800	74	P. Yon
6/12/24	2100	72	P. Yon
6/12/24	2400	73	Walters

**Friday**

Date	Time	Temp.	Name (Print)
6/14/24	0300	73	Walters
6/14/24	0600	72	H. Huir
6/14/24	0900	72	H. Huir
6/14/24	1200	74	H. Huir
6/14/24	1500	73	S. Castillo
6/14/24	1800	73	S. Castillo
6/14/24	2100	72	S. Castillo
6/14/24	2400	71	B. Cornell

**Sunday**

Date	Time	Temp.	Name (Print)
6/16/24	0300	70	B. Cornell
6/16/24	0600	70	H. Huir
6/16/24	0900	72	H. Huir
6/16/24	1200	72	H. Huir
6/16/24	1500	72	M. Singh
6/16/24	1800	72	Singh
6/16/24	2100	73	Singh
6/16/24	2400	71	Walters

**Tuesday**

Date	Time	Temp.	Name (Print)
6/11/24	0300	74	Walters
6/11/24	0600	73	Leon
6/11/24	0900	73	Leon
6/11/24	1200	73	Leon
6/11/24	1500	77	Yon
6/11/24	1800	77	Yon
6/11/24	2100	72	Yon
6/11/24	2400	72	Walters

**Thursday**

Date	Time	Temp.	Name (Print)
6/13/24	0300	73	Walters
6/13/24	0600	75	H. Asuva
6/13/24	0900	76	H. Asuva
6/13/24	1200	76	H. Asuva
6/13/24	1500	76	P. Yon
6/13/24	1800	78	P. Yon
6/13/24	2100	74	P. Yon
6/13/24	2400	73	Walters

**Saturday**

Date	Time	Temp.	Name (Print)
6/15/24	0300	70	B. Cornell
6/15/24	0600	72	H. Asuva
6/15/24	0900	72	H. Asuva
6/15/24	1200	72	H. Asuva
6/15/24	1500	73	Walters
6/15/24	1800	73	Walters
6/15/24	2100	72	Nathan
6/15/24	2400	71	B. Cornell

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**Attachment C**  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: 1D-4 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 53416 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/17/24	0300	72	Walters
	0600	72	Lear
	0900	72	Lear
	1200	72	Lear
	1500	71	S. Castillo
	1800	71	S. Castillo
	2100	71	S. Castillo
	2400	72	Walters

**Tuesday**

Date	Time	Temp.	Name (Print)
6/18/24	0300	72	Walters
	0600	73	Lear
	0900	73	Lear
	1200	73	Lear
	1500	74	S. Castillo
	1800	74	S. Castillo
	2100	73	S. Castillo
	2400	72	Walters

**Wednesday**

Date	Time	Temp.	Name (Print)
6/19/24	0300	72	Walters
	0600	72	H. Alvarez
	0900	72	H. Alvarez
	1200	72	H. Alvarez
	1500	72	Domingo
	1800	72	Domingo
	2100	72	Domingo
	2400	72	Walters

**Thursday**

Date	Time	Temp.	Name (Print)
6/20/24	0300	72	Walters
	0600	72	H. Alvarez
	0900	73	J. Mireles
	1200	73	J. Mireles
	1500	73	Molina
	1800	73	Molina
	2100	73	Molina
	2400	72	Walters

**Friday**

Date	Time	Temp.	Name (Print)
6/21/24	0300	72	Walters
	0600	72	Domingo
	0900	72	Domingo
	1200	72	Domingo
	1500	69	S. Castillo
	1800	69	S. Castillo
	2100	70	S. Castillo
	2400	70	A. Alvarez

**Saturday**

Date	Time	Temp.	Name (Print)
6/22/24	0300	76	B. Lopez
	0600	70	T. Quinones
	0900	71	T. Quinones
	1200	72	T. Quinones
	1500	72	Singh
	1800	72	Singh
	2100	70	Singh
	2400	70	B. Lopez

**Sunday**

Date	Time	Temp.	Name (Print)
6/23/24	0300	74	B. Lopez
	0600	72	Montenegro
	0900	73	Montenegro
	1200	73	Montenegro
	1500	73	Alvarez
	1800	73	Alvarez
	2100	73	Alvarez
	2400	72	Walters

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

**Attachment C**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D-4 Temp. Reading Location: Warder  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 530446 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24	0300	72	Walters
24	0600	75	IV
	0900	73	IV
	1200	75	IV
	1500	76	EDMONT
	1800	77	EDMOND
	2100	77	EDMOND
	2400	76	Walters

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25	0300	75	Walters
25	0600	75	IV
	0900	75	IV
	1200	75	IV
	1500	78	Dominic
	1800	78	Dominic
	2100	78	Dominic
	2400	78	Walters

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26	0300	76	Walters
26	0600	72	J. ANGULAR
	0900	72	J. ANGULAR
	1200	72	J. ANGULAR
	1500	77	Dominic
	1800	75	Dominic
	2100	75	Dominic
	2400	74	Walters

**Thursday**

Date	Time	Temp.	Name (Print)
6/27	0300	73	Walters
27	0600	71	J. ANGULAR
	0900	71	J. ANGULAR
	1200	71	J. ANGULAR
	1500	74	(S. Rodriguez)
	1800	75	J. Rodriguez
	2100	74	J. Rodriguez
	2400	73	Walters

**Friday**

Date	Time	Temp.	Name (Print)
6/28	0300	72	Walters
28	0600	78	H. Alvarez
	0900	71	H. Alvarez
	1200	71	H. Alvarez
	1500	74	DOMINIC
	1800	74	DOMINIC
	2100	74	DOMINIC
	2400	73	BENKEL

**Saturday**

Date	Time	Temp.	Name (Print)
6/29	0300	71	B. BENKEL
29	0600	71	H. Alvarez
	0900	71	H. Alvarez
	1200	71	H. Alvarez
	1500	71	SINGH
	1800	71	SINGH
	2100	70	SINGH
	2400	76	B. BENKEL

**Sunday**

Date	Time	Temp.	Name (Print)
6/30	0300	76	B. BENKEL
30	0600	72	H. Alvarez
	0900	72	H. Alvarez
	1200	72	A. Acosta
	1500	72	A. Acosta
	1800	71	A. Acosta
	2100	70	A. Acosta
	2400	70	Walters

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: DFBS Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
6/11/24	0300	70	S. DEL VILLAR
	0600	70	S. STOCKTON
	0900	70	S. STOCKTON
	1200	72	S. STOCKTON
	1500	72	H. AGUILAR
	1800	76	H. AGUILAR
	2100	72	H. AGUILAR
	2400	70	S. DEL VILLAR

Sunday			
Date	Time	Temp.	Name (Print)
6/12/24	0300	70	S. DEL VILLAR
	0600	70	S. STOCKTON
	0900	70	S. STOCKTON
	1200	72	S. STOCKTON
	1500	72	S. STOCKTON
	1800	76	S. STOCKTON
	2100	70	S. STOCKTON
	2400	70	B. LORWELL

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PISPR Housing Unit: D5 Temp. Reading Location: 2<sup>nd</sup> TIER

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
6/32/18	0300	70	B. CORNWELL
	0600	71	MARION
	0900	71	MARION
	1200	71	MARION
	1500	72	ESPINOZA
	1800	72	ESQUERRA
	2100	71	ESQUERRA
	2400	70	B. CORNWELL

Wednesday

Date	Time	Temp.	Name (Print)
6/15/18	0300	71	S. MULLEN
	0600	73	G. WELCH
	0900	73	G. WELCH
	1200	73	G. WELCH
	1500	73	G. WELCH
	1800	73	G. WELCH
	2100	73	G. WELCH
	2400	71	S. MULLEN

Friday

Date	Time	Temp.	Name (Print)
6/1/18	0300	71	S. MULLEN
	0600	73	G. WELCH
	0900	73	G. WELCH
	1200	73	G. WELCH
	1500	73	G. WELCH
	1800	73	G. WELCH
	2100	73	G. WELCH
	2400	71	S. MULLEN

Sunday

Date	Time	Temp.	Name (Print)
6/19/18	0300	70	D. VILLENA
	0600	70	STOKER
	0900	71	STOKER
	1200	72	STOKER
	1500	70	J. AHNEN
	1800	70	J. AHNEN
	2100	70	J. AHNEN
	2400	70	B. CORNWELL

Tuesday

Date	Time	Temp.	Name (Print)
6/19/18	0300	70	B. CORNWELL
	0600	70	G. WELCH
	0900	72	G. WELCH
	1200	71	G. WELCH
	1500	73	G. WELCH
	1800	73	G. WELCH
	2100	73	G. WELCH
	2400	71	S. MULLEN

Thursday

Date	Time	Temp.	Name (Print)
6/19/18	0300	71	S. MULLEN
	0600	73	G. WELCH
	0900	75	G. WELCH
	1200	75	G. WELCH
	1500	75	G. WELCH
	1800	74	S. MULLEN
	2100	74	S. MULLEN
	2400	71	S. MULLEN

Saturday

Date	Time	Temp.	Name (Print)
6/19/18	0300	73	D. VILLENA
	0600	72	STOKER
	0900	73	STOKER
	1200	74	STOKER
	1500	74	H. AHNEN
	1800	72	H. AHNEN
	2100	72	H. AHNEN
	2400	70	D. VILLENA

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

**Attachment C**  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: D5

Temp. Reading Location: Tier #2  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 53446 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
4/10/21	0300	70	B. CORNELL
	0600	71	J. HARRIS
	0900	71	J. HARDIN
	1200	72	J. HARDIN
	1500	72	J. AGUILAR
	1800	70	J. AGUILAR
	2100	70	J. AGUILAR
	2400	70	B. CORNELL

**Tuesday**

Date	Time	Temp.	Name (Print)
4/11/21	0300	70	B. CORNELL
	0600	71	G. WELCH
	0900	72	G. WELCH
	1200	72	G. WELCH
	1500	73	J. ANUNCIATE
	1800	73	J. ANUNCIATE
	2100	73	J. ANUNCIATE
	2400	71	S. DEL VILLAR

**Wednesday**

Date	Time	Temp.	Name (Print)
4/12/21	0300	71	S. DEL VILLAR
	0600	71	G. WELCH
	0900	72	G. WELCH
	1200	74	G. WELCH
	1500	75	J. ANUNCIATE
	1800	74	J. ANUNCIATE
	2100	74	J. ANUNCIATE
	2400	71	S. DEL VILLAR

**Thursday**

Date	Time	Temp.	Name (Print)
4/13/21	0300	72	S. DEL VILLAR
	0600	73	G. WELCH
	0900	73	G. WELCH
	1200	73	G. WELCH
	1500	72	J. ANUNCIATE
	1800	71	J. ANUNCIATE
	2100	71	J. ANUNCIATE
	2400	72	S. DEL VILLAR

**Friday**

Date	Time	Temp.	Name (Print)
4/14/21	0300	71	N. D. WILSON
	0600	71	B. CORNELL
	0900	71	G. WELCH
	1200	71	G. WELCH
	1500	72	S. DEL VILLAR
	1800	72	UNION
	2100	71	UNION
	2400	71	S. DEL VILLAR

**Saturday**

Date	Time	Temp.	Name (Print)
4/15/21	0300	72	S. DEL VILLAR
	0600	72	M. GARCIA
	0900	71	M. GARCIA
	1200	72	M. GARCIA
	1500	73	H. BOSTON
	1800	72	H. BOSTON
	2100	72	H. BOSTON
	2400	72	S. DEL VILLAR

**Sunday**

Date	Time	Temp.	Name (Print)
4/16/21	0300	72	S. DEL VILLAR
	0600	72	J. AGUILAR
	0900	72	J. AGUILAR
	1200	72	J. AGUILAR
	1500	70	J. AGUILAR
	1800	70	J. AGUILAR
	2100	70	J. AGUILAR
	2400	70	B. CORNELL

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: DFB5 Temp. Reading Location: 2ND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5344 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
6/17/24	0300	70	B. CORTEZ
	0600	70	MENDOZA
	0900	70	MENDOZA
	1200	70	MENDOZA
	1500	70	J. ARIAS
	1800	70	J. ARIAS
	2100	70	J. ARIAS
	2400	70	B. CORTEZ

Wednesday			
Date	Time	Temp.	Name (Print)
6/19/24	0300	71	S. MELVIN
	0600	78	G. WILSON
	0900	70	G. WILSON
	1200	70	G. WILSON
	1500	70	E. ANDERSON
	1800	70	E. ANDERSON
	2100	71	E. ANDERSON
	2400	71	S. MELVIN

Friday			
Date	Time	Temp.	Name (Print)
6/21/24	0300	70	D. VILLAR
	0600	71	D. VILLAR
	0900	71	D. VILLAR
	1200	71	D. VILLAR
	1500	72	M. SISON
	1800	73	M. SISON
	2100	73	D. VILLAR
	2400	73	D. VILLAR

Sunday			
Date	Time	Temp.	Name (Print)
6/23/24	0300	73	D. VILLAR
	0600	72	D. VILLAR
	0900	73	D. VILLAR
	1200	75	D. VILLAR
	1500	74	J. ARIAS
	1800	74	J. ARIAS
	2100	72	J. ARIAS
	2400	71	E. GOMEZ

Tuesday			
Date	Time	Temp.	Name (Print)
6/18/24	0300	70	E. GOMEZ
	0600	70	J. ARIAS
	0900	70	J. ARIAS
	1200	71	J. ARIAS
	1500	73	J. ARIAS
	1800	74	J. ARIAS
	2100	74	J. ARIAS
	2400	71	S. MELVIN

Thursday			
Date	Time	Temp.	Name (Print)
6/20/24	0300	71	S. MELVIN
	0600	71	E. GOMEZ
	0900	70	E. GOMEZ
	1200	71	E. GOMEZ
	1500	72	M. SISON
	1800	72	M. SISON
	2100	72	M. SISON
	2400	73	D. VILLAR

Saturday			
Date	Time	Temp.	Name (Print)
6/22/24	0300	71	D. VILLAR
	0600	70	S. MELVIN
	0900	71	S. MELVIN
	1200	73	S. MELVIN
	1500	75	J. ARIAS
	1800	76	J. ARIAS
	2100	74	J. ARIAS
	2400	74	D. VILLAR

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PVSP Housing Unit: DPBS Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5346 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
6/24/24	0300	76	B. GREEN
6/24/24	0600	71	HARDIN
6/24/24	0900	74	HARDIN
6/24/24	1200	75	HARDIN
6/24/24	1500	75	J. AGUILAR
6/24/24	1800	75	J. AGUILAR
6/24/24	2100	75	J. AGUILAR
6/24/24	2400	73	B. GREEN

**Wednesday**

Date	Time	Temp.	Name (Print)
6/26/24	0300	72	SINCH
6/26/24	0600	73	SINCH
6/26/24	0900	73	SINCH
6/26/24	1200	73	SINCH
6/26/24	1500	74	J. AGUILAR
6/26/24	1800	74	J. AGUILAR
6/26/24	2100	73	J. AGUILAR
6/26/24	2400	71	SINCH

**Friday**

Date	Time	Temp.	Name (Print)
6/28/24	0300	72	J. DELGALLO
6/28/24	0600	73	J. DELGALLO
6/28/24	0900	73	J. DELGALLO
6/28/24	1200	73	J. DELGALLO
6/28/24	1500	73	SINCH
6/28/24	1800	73	SINCH
6/28/24	2100	72	SINCH
6/28/24	2400	72	SINCH

**Sunday**

Date	Time	Temp.	Name (Print)
6/30/24	0300	75	GARCIA
6/30/24	0600	74	J. DELGALLO
6/30/24	0900	74	J. DELGALLO
6/30/24	1200	74	J. DELGALLO
6/30/24	1500	74	B. GREEN
6/30/24	1800	74	B. GREEN
6/30/24	2100	73	B. GREEN
6/30/24	2400	71	B. GREEN

**Tuesday**

Date	Time	Temp.	Name (Print)
6/25/24	0300	71	A. GARCIA
6/25/24	0600	74	A. GARCIA
6/25/24	0900	75	A. GARCIA
6/25/24	1200	75	GOMEZ
6/25/24	1500	75	J. AGUILAR
6/25/24	1800	74	J. AGUILAR
6/25/24	2100	74	J. AGUILAR
6/25/24	2400	71	SINCH

**Thursday**

Date	Time	Temp.	Name (Print)
6/27/24	0300	72	R. VELASCO
6/27/24	0600	73	R. VELASCO
6/27/24	0900	74	R. VELASCO
6/27/24	1200	74	G. VELASCO
6/27/24	1500	76	F. GARCIA
6/27/24	1800	77	F. GARCIA
6/27/24	2100	74	F. GARCIA
6/27/24	2400	73	S. DELVILLAL

**Saturday**

Date	Time	Temp.	Name (Print)
6/29/24	0300	72	S. DELVILLAL
6/29/24	0600	71	W. VELASCO
6/29/24	0900	75	W. VELASCO
6/29/24	1200	72	W. VELASCO
6/29/24	1500	75	H. GARCIA
6/29/24	1800	75	H. GARCIA
6/29/24	2100	75	H. GARCIA
6/29/24	2400	75	GARCIA

**Notes**

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/1/2024

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	67	69	67	67	66	66	68	63	Espinoza
0300									
0400									
0500	67	69	67	67	66	66	68	68	Espinoza
0600									
0700									
0800	68	63	66	68	66	66	68	68	MONTAÑA
0900									
1000									
1100	68	68	66	68	66	66	68	68	MONTAÑA
1200									
1300									
1400	68	68	66	68	66	66	68	68	MONTAÑA
1500									
1600									
1700	68	68	66	68	66	66	68	68	MONTAÑA
1800									
1900									
2000	68	68	66	68	66	66	68	68	MONTAÑA
2100									
2200									
2300	69	69	69	69	68	68	69	69	Montañola
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. Franco

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6-7-74

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.


**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	68	68	68	68	68	68	Gonzalez
0300									
0400									
0500	68	68	68	68	68	69	69	69	Gonzalez
0600									
0700									
0800	68	68	68	68	66	68	68	68	MONTAÑA
0900									
1000									
1100	68	68	68	68	66	68	68	68	MONTAÑA
1200									
1300									
1400	68	68	68	68	66	68	70	68	MONTAÑA
1500									
1600									
1700	68	68	68	68	66	68	70	68	MONTAÑA
1800									
1900									
2000	68	68	68	68	66	68	68	68	MONTAÑA
2100									
2200									
2300	68	68	68	68	66	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/3/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	68	68	66	67	68	68	Alvarez
0300									
0400									
0500	68	68	68	68	66	68	68	68	Alvarez
0600									
0700									
0800	68	68	68	68	66	68	68	68	V-ORTEGA
0900									
1000									
1100	68	68	68	68	67	68	68	68	V-ORTEGA
1200									
1300									
1400	68	68	68	68	68	68	68	68	Ginch
1500									
1600									
1700	68	68	68	68	68	68	68	68	Ginch
1800									
1900									
2000	68	68	68	68	68	68	68	68	Ginch
2100									
2200									
2300	68	68	68	68	68	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

J. J.

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/4/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.


**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	68	68	67	67	68	68	Alvarez
0300									
0400									
0500	68	68	68	68	67	67	68	68	Alvarez
0600									
0700									
0800	68	68	68	68	68	72	68	68	V. ORTEGA
0900									
1000									
1100	68	68	68	68	68	68	68	68	V. ORTEGA
1200									
1300									
1400	68	68	68	68	68	68	68	68	J. Lopez
1500									
1600									
1700	68	68	68	68	68	68	68	68	J. Lopez
1800									
1900									
2000	68	68	68	68	68	68	68	68	J. Lopez
2100									
2200									
2300	68	68	68	68	68	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

  
 SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/5/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted portion of the form. These readings are to be taken, seven days a week all year. If the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.


**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	68	68	68	68	68	68	Alvarez
0300									
0400									
0500	68	68	68	68	68	68	68	68	Alvarez
0600									
0700									
0800	70	68	70	68	68	70	68	70	Garcia
0900									
1000									
1100	70	68	70	68	68	68	70	68	Garcia
1200									
1300									
1400	70	68	70	68	68	70	68	70	Garcia
1500									
1600									
1700	70	68	70	68	68	68	70	68	Garcia
1800									
1900									
2000	70	68	70	68	68	70	68	70	Garcia
2100									
2200									
2300	G1	70	70	61	68	68	61	69	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. Franco

SECOND WATCH STRH LIEUTENANT PRINT

  
SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/6/74

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100	44								
0200	68	69	70	70	70	69	68	68	Herron
0300									
0400									
0500	68	69	70	70	70	69	68	68	Herron
0600									
0700									
0800	70	68	70	68	70	68	70	68	Gren
0900									
1000									
1100	70	68	70	108	70	68	70	66	Gren
1200									
1300									
1400	80	73	75	73	75	73	75	73	P. Young
1500									
1600									
1700	80	75	75	75	75	73	77	75	P. Young
1800									
1900									
2000	75	73	73	73	73	70	73	73	P. Young
2100									
2200									
2300	72	70	68	70	72	66	71	71	RAINY DAY
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

SECOND WATCH STRH LIEUTENANT PRINT

J FRANCO

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6-7-2024

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted portion of the form. These readings are to be taken, seven days a week all year. If Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	69	68	70	70	66	71	71	RAINWATER
0300									
0400									
0500	70	70	68	70	70	68	70	71	RAINWATER
0600									
0700									
0800	70	70	68	70	70	68	70	70	MONToya
0900									
1000									
1100	70	70	68	70	70	68	70	70	MONToya
1200									
1300									
1400	73	70	70	68	72	68	70	70	Garcia
1500									
1600									
1700	72	70	70	68	72	68	70	70	Garcia
1800									
1900									
2000	72	70	70	68	70	68	70	70	Garcia
2100									
2200									
2300	71	69	69	68	70	68	70	70	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/8/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	69	69	68	69	68	69	69	Alvarez
0300									
0400									
0500	70	69	69	68	69	68	69	69	Alvarez
0600									
0700									
0800	70	68	68	68	70	68	70	70	MONTAÑA
0900									
1000									
1100	70	68	68	68	70	68	70	70	MONTAÑA
1200									
1300									
1400	70	68	68	68	70	68	70	70	MONTAÑA
1500									
1600									
1700	70	68	68	68	70	68	70	70	MONTAÑA
1800									
1900									
2000	70	68	68	68	70	68	70	70	MONTAÑA
2100									
2200									
2300	70	68	68	68	70	68	70	68	Green
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6-01-2024

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**


TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	68	68	68	70	68	68	68	Garcia
0300									
0400									
0500	70	68	68	68	70	68	68	68	Garcia
0600									
0700									
0800	70	68	68	68	70	68	68	68	MONTAÑA
0900									
1000									
1100	70	68	68	68	70	68	68	68	MONTAÑA
1200									
1300									
1400	70	68	68	68	70	68	68	68	MONTAÑA
1500									
1600									
1700	70	68	68	68	70	68	68	68	MONTAÑA
1800									
1900									
2000	70	68	68	68	70	68	68	68	MONTAÑA
2100									
2200									
2300	70	68	68	68	70	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE



# Pleasant Valley State Prison

## INSIDE TEMPERATURE RECORD FOR STRH

Date 6/10/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

### SECTION TEMPERATURES

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	69	68	68	68	70	68	68	68	Alvarez
0300									
0400									
0500	69	68	68	68	70	68	68	68	Alvarez
0600									
0700									
0800	68	67	67	68	69	68	68	68	V. ORTEGA
0900									
1000									
1100	68	68	68	68	68	68	68	68	V. ORTEGA
1200									
1300									
1400	68	68	68	68	68	70	68	68	Sims
1500									
1600									
1700	68	68	68	68	70	70	68	70	Sims
1800									
1900									
2000	68	68	68	68	70	68	68	68	Sims
2100									
2200									
2300	68	68	68	68	70	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10/11/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES								PRINTED NAME
TIME	A	B	C	D	E	F	G	
0100								
0200	68	68	68	68	69	68	68	68 Alvarez
0300								
0400								
0500	68	68	68	68	69	68	68	68 Alvarez
0600								
0700								
0800	70	70	70	70	70	70	70	v 02TE64
0900								
1000								
1100	70	70	68	68	70	68	70	v 02TE64
1200								
1300								
1400	70	70	70	68	70	68	70	SMASH
1500								
1600								
1700	70	70	70	68	68	68	70	SINSH
1800								
1900								
2000	68	68	68	68	68	68	68	SINSH
2100								
2200								
2300	68	68	68	68	68	68	68	Alvarez
2400								

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/12/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.


**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	68	68	68	68	68	68	Alvarez
0300									
0400									
0500	68	68	68	68	68	68	68	68	Alvarez
0600									
0700									
0800	72	70	70	68	70	68	70	70	Garcia
0900									
1000									
1100	72	70	70	68	70	68	70	70	Garcia
1200									
1300									
1400	72	70	70	68	70	68	70	70	Garcia
1500									
1600									
1700	72	70	70	68	70	68	70	70	Garcia
1800									
1900									
2000	70	70	70	68	70	68	70	70	Garcia
2100									
2200									
2300	73	70	69	67	68	66	69	72	C-HRMDA
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

  
 SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/13/24 Thursday

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.


**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	69	69	70	70	70	70	68	70	CHORAM
0300									
0400									
0500	70	69	68	68	69	70	68	69	CHORAM
0600									
0700									
0800	70	70	70	68	69	70	68	69	GERAN
0900									
1000									
1100	70	70	70	68	69	70	68	69	GERAN
1200									
1300									
1400	70°	70°	71°	69°	70°	70°	69°	68°	LEE C.
1500									
1600									
1700	72°	72°	72°	71°	71°	72°	71°	70°	LEE C.
1800									
1900									
2000	72°	72°	72°	71°	71°	72°	71°	70°	LEE C.
2100									
2200									
2300	72	70	70	70	70	67	71	69	RAENWATER
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

  
SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/15/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.


**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	69	69	68	69	68	68	69	67	PACHECO
0300									
0400									
0500	68	68	68	67	68	67	68	67	PACHECO
0600									
0700									
0800	70	70	70	70	70	70	70	70	R. M. R.
0900									
1000									
1100	70	70	70	70	70	70	70	70	R. M. R.
1200									
1300									
1400	70	70	70	70	70	70	70	70	P. DELVILLAR
1500									
1600									
1700	70	70	70	70	70	70	70	70	P. DELVILLAR
1800									
1900									
2000	70	70	69	69	70	70	69	69	P. DELVILLAR
2100									
2200									
2300	69	69	69	69	69	69	69	69	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

  
SECOND WATCH STRH LIEUTENANT SIGNATURE

# Pleasant Valley State Prison

## INSIDE TEMPERATURE RECORD FOR STRH

Date 6-14-2024

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

TIME	SECTION TEMPERATURES								PRINTED NAME
	A	B	C	D	E	F	G	H	
0100									
0200	71	70	70	70	70	67	70	69	RAINWATER
0300									
0400									
0500	71	70	70	70	70	67	70	69	RAINWATER
0600									
0700									
0800	70	70	70	70	70	70	70	70	Gorch
0900									
1000									
1100	70	70	70	70	70	70	70	70	Gorch
1200									
1300									
1400	70	70	70	70	70	70	70	68	Gorch
1500									
1600									
1700	70	70	70	70	70	70	70	68	Gorch
1800									
1900									
2000	70	70	70	70	70	70	70	68	Gorch
2100									
2200									
2300	69	67	69	69	68	68	69	68	PACHEO
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. Franco

SECOND WATCH STRH LIEUTENANT PRINT



J. Franco

SECOND WATCH STRH LIEUTENANT SIGNATURE

# Pleasant Valley State Prison

## INSIDE TEMPERATURE RECORD FOR STRH

Date 6/16/74

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.


### S E C T I O N   T E M P E R A T U R E S

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	69	69	69	69	69	69	69	69	Alvarez
0300									
0400									
0500	69	69	68	68	69	69	68	68	Alvarez
0600									
0700									
0800	68	68	68	68	68	70	68	68	MONTAÑA
0900									
1000									
1100	68	68	68	68	68	70	68	68	MONTAÑA
1200									
1300									
1400	68	68	68	68	68	70	68	68	MONTAÑA
1500									
1600									
1700	68	68	68	68	68	70	68	68	MONTAÑA
1800									
1900									
2000	68	68	68	68	68	68	68	68	MONTAÑA
2100									
2200									
2300	68	68	68	68	68	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

  
SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/17/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	68	68	68	68	68	68	Alvarez
0300									
0400									
0500	68	68	68	67	68	68	68	68	Alvarez
0600									
0700									
0800	68	68	68	67	68	68	68	68	VORTEGAN
0900									
1000									
1100	68	68	68	68	68	68	68	68	VORTEGAN
1200									
1300									
1400	68	68	68	68	68	68	68	68	Singh
1500									
1600									
1700	68	68	68	68	68	68	68	68	Singh
1800									
1900									
2000	68	68	68	68	68	68	68	68	Singh
2100									
2200									
2300	68	68	68	68	68	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. Franco

SECOND WATCH STRH LIEUTENANT PRINT:



SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/19/14

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES									PRINTED NAME
TIME	A	B	C	D	E	F	G	H	
0100									
0200	68	68	68	68	68	68	68	68	Alvarez
0300									
0400									
0500	68	68	68	68	68	68	68	68	Alvarez
0600									
0700									
0800	68	68	68	68	68	68	68	68	ORTEGA
0900									
1000									
1100	70	70	70	68	68	68	70	70	N. ORTEGA
1200									
1300									
1400	70	70	70	70	70	68	70	70	Singh
1500									
1600									
1700	70	70	70	68	70	68	70	70	Singh
1800									
1900									
2000	68	68	68	68	68	68	68	68	Singh
2100									
2200									
2300	68	68	68	68	68	68	68	68	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT



SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/19/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.


**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	68	68	68	68	68	68	Alvarez
0300									
0400									
0500	68	68	68	68	68	68	68	68	Alvarez
0600									
0700									
0800	70	69	70	68	70	68	70	69	Garcia
0900									
1000									
1100	70	68	70	68	70	68	70	68	Garcia
1200									
1300									
1400	70	68	70	68	70	68	70	68	Garcia
1500									
1600									
1700	70	70	70	68	70	68	70	68	Garcia
1800									
1900									
2000	70	70	70	68	70	68	70	68	Garcia
2100									
2200									
2300	70	70	70	70	69	69	70	69	(CH2023)
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. Franco

SECOND WATCH STRH LIEUTENANT PRINT

  
SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/20/24

**SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL**

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	69	69	68	69	68	70	69	CHIEMANN
0300									
0400									
0500	69	70	70	69	69	69	70	70	LITKAMM
0600									
0700									
0800	70	68	70	68	70	68	70	70	GARCI
0900									
1000									
1100	70	70	70	70	70	70	70	70	GARCI
1200									
1300									
1400	70	70	70	70	70	70	70	70	GARCI
1500									
1600									
1700	70	68	70	68	70	68	70	70	GARCI
1800									
1900									
2000	70	68	70	68	70	68	70	70	GARCI
2100									
2200									
2300	70	68	70	68	70	66	70	68	RAINWATER
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 10-21-2024

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	70	68	70	67	70	68	RAINWATER
0300									
0400									
0500	70	68	70	68	70	68	70	70	RAINWATER
0600									
0700									
0800	70	68	70	68	70	68	70	70	MONTAJA
0900									
1000									
1100	70	68	70	68	70	68	70	70	MONTAJA
1200									
1300									
1400	70	70	70	70	70	70	70	70	Garcia
1500									
1600									
1700	70	70	70	68	70	68	70	68	Garcia
1800									
1900									
2000	70	68	70	68	70	68	70	68	Garcia
2100									
2200									
2300	70	68	70	68	70	68	70	70	Singh
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT



SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6-22-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

SECTION TEMPERATURES									PRINTED NAME
TIME	A	B	C	D	E	F	G	H	
0100									
0200	70	68	68	70	70	68	68	68	Singh
0300									
0400									
0500	68	68	68	68	68	68	68	70	singh
0600									
0700									
0800	68	68	68	68	68	68	68	70	MONToya
0900									
1000									
1100	68	68	68	68	68	68	68	70	MONToya
1200									
1300									
1400	68	68	68	70	68	68	68	70	MONToya
1500									
1600									
1700	68	68	68	70	68	68	68	70	MONToya
1800									
1900									
2000	68	68	68	70	70	68	68	70	MONToya
2100									
2200									
2300	68	68	68	70	69	68	68	70	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/23/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	69	69	69	68	68	70	Alvarz
0300									
0400									
0500	68	68	68	69	69	68	68	70	Alvarz
0600									
0700									
0800	68	68	68	70	70	68	68	70	MONToya
0900									
1000									
1100	68	68	68	70	70	68	68	70	MONToya
1200									
1300									
1400	68	68	68	70	70	68	68	70	MONToya
1500									
1600									
1700	68	68	68	70	70	68	68	70	MONToya
1800									
1900									
2000	68	68	68	70	70	68	68	70	MONToya
2100									
2200									
2300	68	68	68	70	70	68	68	70	Alvarz
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT



SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/14/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	68	70	70	68	68	70	Alvarez
0300									
0400									
0500	68	68	68	69	70	68	68	70	Alvarez
0600									
0700									
0800	68	68	68	68	68	68	68	70	V. ORTEGA
0900									
1000									
1100	68	68	68	68	68	68	68	70	V. ORTEGA
1200									
1300									
1400	68	68	68	68	68	68	68	70	Singh
1500									
1600									
1700	70	70	70	70	70	68	68	70	Singh
1800									
1900									
2000	68	68	68	70	70	68	70	70	Singh
2100									
2200									
2300	68	68	68	70	70	68	70	70	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT



SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/25/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	68	68	68	70	70	68	68	70	Alvarer
0300									
0400									
0500	68	68	68	70	70	68	68	70	Alvarer
0600									
0700									
0800	68	68	68	70	68	68	68	68	V. ORTEGA
0900									
1000									
1100	68	68	68	68	70	68	68	70	V. ORTEGA
1200									
1300									
1400	68	70	68	68	70	68	68	68	Singh
1500									
1600									
1700	70	70	70	70	70	70	68	70	Singh
1800									
1900									
2000	70	70	70	70	70	70	70	70	Singh
2100									
2200									
2300	70	70	70	70	70	70	70	70	Alvarer
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/26/94

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	70	70	70	70	70	70	Alvaro
0300									
0400									
0500	69	69	69	70	70	70	69	69	Alvaro
0600									
0700									
0800	72	70	69	70	70	69	70	70	Garcia
0900									
1000									
1100	72	70	70	70	70	70	70	70	Garcia
1200									
1300									
1400	73	70	70	70	70	70	70	70	Garcia
1500									
1600									
1700	72	70	70	70	70	68	70	68	Garcia
1800									
1900									
2000	72	70	70	70	70	68	70	68	Garcia
2100									
2200									
2300	72	71	70	69	70	70	69	70	Lubansky
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/27/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	69	68	70	70	69	70	CHINATO
0300									
0400									
0500	70	70	70	70	69	71	69	70	CHINATO
0600									
0700									
0800	72	70	70	70	70	70	68	70	GARCIA
0900									
1000									
1100	72	70	70	68	70	68	70	70	GARCIA
1200									
1300									
1400	72	70	70	68	70	68	70	70	GARCIA
1500									
1600									
1700	72	70	70	68	70	68	70	70	GARCIA
1800									
1900									
2000	72	70	70	68	70	68	70	70	GARCIA
2100									
2200									
2300	70	70	68	68	70	68	70	70	RAINWATER
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6-28-2024

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	68	68	70	68	68	70	RAINWATER
0300									
0400									
0500	70	70	69	68	70	70	70	70	RAINWATER
0600									
0700									
0800	70	70	70	69	70	70	70	70	Agueraida
0900									
1000									
1100	70	18	69	70	70	70	70	70	Aguerardo
1200									
1300									
1400	70	70	70	70	70	70	70	70	Gorch
1500									
1600									
1700	70	70	70	70	70	70	70	70	Gorch
1800									
1900									
2000	70	70	70	70	70	70	70	70	Gorch
2100									
2200									
2300	70	70	70	70	70	70	70	70	Singh
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE

**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6-29-24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**


TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	70	70	68	68	70	70	68	68	Singh
0300									
0400									
0500	70	70	70	68	70	70	70	70	Sinsh
0600									
0700									
0800	70	70	70	68	70	70	70	70	MONToya
0900									
1000									
1100	70	70	70	68	70	68	70	70	MONToya
1200									
1300									
1400	72	70	70	68	70	68	70	70	MONToya
1500									
1600									
1700	72	70	70	68	70	68	70	70	MONToya
1800									
1900									
2000	72	70	70	68	70	68	70	70	MONToya
2100									
2200									
2300	72	70	70	69	70	68	70	70	Alvarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO

SECOND WATCH STRH LIEUTENANT PRINT

SECOND WATCH STRH LIEUTENANT SIGNATURE



**Pleasant Valley State Prison**  
**INSIDE TEMPERATURE RECORD FOR STRH**

Date 6/30/24

SPECIFIC LOCATION OF TEMPERATURE READING: SHORT TERM RESTRICTED HOUSING CONTROL

Temperature readings are to be taken every three (3) hours at the times noted in the non-shaded portion of the form. These readings are to be taken, seven days a week all year. When Stage II or III of the heat plan is in effect, the temperature is to be recorded every hour in the shaded and non-shaded portion of the form. Immediately notify the STRH Sergeant and Lieutenant when the temperature rises or decreases to 90 degrees (Fahrenheit) and again at 95 degrees.

**SECTION TEMPERATURES**

TIME	A	B	C	D	E	F	G	H	PRINTED NAME
0100									
0200	72	70	70	68	70	68	68	68	Awarez
0300									
0400									
0500	70	69	69	68	69	68	68	68	Awarez
0600									
0700									
0800	70	70	70	70	70	70	68	68	MONTAÑA
0900									
1000									
1100	70	70	70	70	70	70	68	68	MONTAÑA
1200									
1300									
1400	70	70	70	70	70	70	68	68	MONTAÑA
1500									
1600									
1700	70	70	70	70	70	70	68	68	MONTAÑA
1800									
1900									
2000	70	70	70	70	70	70	68	68	MONTAÑA
2100									
2200									
2300	70	70	70	70	70	69	68	68	Awarez
2400									

All logs need to be submitted to the Litigation Coordinator on the 1<sup>st</sup> day of the following month after review by the STRH Lieutenant.

J. FRANCO  
 SECOND WATCH STRH LIEUTENANT PRINT

J. FRANCO  
 SECOND WATCH STRH LIEUTENANT SIGNATURE

STATE OF CALIFORNIA:  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/30/24	0100	81.00	RAINWATER
	0200	79.8	RAINWATER
	0300	78.5	RAINWATER
	0400	78.0	RAINWATER
	0500	77.1	RAINWATER
	0600	75.1	Laita, C
	0700	76.5	Laita, C
	0800	79.1	Laita, C
	0900	83.5	Laita, C
	1000	85.1	Laita, C
	1100	88.0	Laita, C
	1200	88.7	Laita, C
	1300	91.2	Laita, C
	1400	93.2	Banks
	1500	95.5	Banks
	1600	96.6	Banks
	1700	97.4	Banks
	1800	96.9	Banks
	1900	95.6	Banks
	2000	92.0	Banks
	2100	88.3	BANKS
	2200	87.7	C Cobral
	2300	84.6	C Cobral
	2400	83.1	C Cobral

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/26/24	0100	87.1	Bailey
	0200	86.1	Bailey
	0300	85.6	Bailey
	0400	84.4	Bailey
	0500	83.1	Bailey
	0600	81.8	Bailey
	0700	80.4	NEA
	0800	84.0	NEA
	0900	85.9	NEA
	1000	87.2	NEA
	1100	89.4	NEA
	1200	91.9	NEA
	1300	94.2	M. Barker
	1400	95.8	M. Barker
	1500	97.7	M. Barker
	1600	99.3	M. Barker
	1700	100.4	M. Barker
	1800	99.0	M. Barker
	1900	95.9	M. Barker
	2000	90.9	M. Barker
	2100	88.3	M. Barker
	2200	87.1	Linares
	2300	85.3	Bailey
	2400	84.6	Bailey

Date	Time	Temp.	Printed Name
6/27/24	0100	83.7	Bailey
	0200	82.4	Bailey
	0300	81.8	Bailey
	0400	81.1	Bailey
	0500	80.7	Bailey
	0600	79.8	Bailey
	0700	80.1	DeSoto
	0800	81.4	DeSoto
	0900	81.7	DeSoto
	1000	84.6	DeSoto
	1100	85.7	DeSoto
	1200	87.2	DeSoto
	1300	89.8	DeSoto
	1400	92.5	M. Barker
	1500	94.1	M. Barker
	1600	95.5	M. Barker
	1700	96.0	M. Barker
	1800	95.9	M. Barker
	1900	92.7	M. Barker
	2000	88.5	M. Barker
	2100	85.5	M. Barker
	2200	84.7	Jubincoor
	2300	82.9	Jubincoor
	2400	80.7	Jubincoor

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/24/24	0100	85.4	Linaro
	0200	84.7	Linaro
	0300	84.1	Linaro
	0400	83.0	Linaro
	0500	81.5	Linaro
	0600	82.1	LARA
	0700	83.3	LARA
	0800	86.5	LARA
	0900	88.2	LARA
	1000	91.4	LARA
	1100	94.2	LARA
	1200	96.6	LARA
	1300	96.9	LARA
	1400	100.8	MAGALLANES
	1500	101	MAGALLANES
	1600	98.1	MAGALLANES
	1700	99	MAGALLANES
	1800	99.1	MAGALLANES
	1900	95.6	MAGALLANES
	2000	91.5	MAGALLANES
	2100	90.7	MAGALLANES
	2200	90.0	Linaro
	2300	89.0	Linaro
	2400	87.3	Linaro

Date	Time	Temp.	Printed Name
6/25/24	0100	86.0	Linaro
	0200	84.9	Linaro
	0300	84.1	Linaro
	0400	83.5	Linaro
	0500	82.4	Morris
	0600	81.4	LARA
	0700	81.7	LARA
	0800	83.9	LARA
	0900	87.9	LARA
	1000	90.5	LARA
	1100	92.7	LARA
	1200	95.5	LARA
	1300	97.8	LARA
	1400	99.9	Banks
	1500	101.7	Banks
	1600	103.5	Banks
	1700	104.0	Banks
	1800	102.9	Banks
	1900	100.2	Banks
	2000	95.4	Banks
	2100	92.1	Banks
	2200	90.8	Baily
	2300	89.1	Baily
	2400	88.2	Baily

UHT ACTIVATED @ 0915

UHT ACTIVATED @ 0941

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/22/24	0100	78.3	Bailey
	0200	76.3	Bailey
	0300	75.1	Bailey
	0400	74.6	Bailey
	0500	73.4	Bailey
	0600	72.4	Bailey
	0700	74.2	J Soto
	0800	78.1	J Soto
	0900	83.6	J Soto
	1000	87.3	J Soto
	1100	89.2	J Soto
	1200	91.3	J Soto
	1300	93.7	J Soto
	1400	95.8	F. Soto
	1500	99.4	F. Soto
	1600	100.9	F. Soto
	1700	102.4	F. Soto
	1800	103.1	F. Soto
	1900	99.8	F. Soto
	2000	93.5	F. Soto
	2100	90.05	F. Soto
	2200	88.3	Bailey
	2300	87.1	Bailey
	2400	85.2	Bailey

Date	Time	Temp.	Printed Name
6/23/24	0100	83.1	Bailey
	0200	82.2	Bailey
	0300	81.8	Bailey
	0400	79.6	Bailey
	0500	76.7	Bailey
	0600	74.6	Bailey
	0700	79.6	J Soto
	0800	82.6	J Soto
	0900	85.4	J Soto
	1000	89.7	J Soto
	1100	92.7	J Soto
	1200	96.1	J Soto
	1300	96.9	J Soto
	1400	99.3	A. Bustos
	1500	102.5	M. Barker
	1600	103.6	M. Barker
	1700	102.1	M. Barker
	1800	99.8	M. Barker
	1900	98.3	M. Barker
	2000	92.3	M. Barker
	2100	90.1	M. Barker
	2200	89.2	Lima
	2300	87.6	Lima
	2400	86.2	Lima

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/20/24	0100	74.4	Bailey
	0200	73.3	Bailey
	0300	72.7	Bailey
	0400	72.1	Bailey
	0500	71.3	Bailey
	0600	70.4	Bailey
	0700	68.8	DeSoto
	0800	71.3	DeSoto
	0900	74.9	DeSoto
	1000	77.0	DeSoto
	1100	79.5	DeSoto
	1200	82.1	DeSoto
	1300	84.7	DeSoto
	1400	89.7	M. Barker
	1500	89.1	M. Barker
	1600	91.6	M. Barker
	1700	92.5	M. Barker
	1800	89.8	M. Barker
	1900	87.2	M. Barker
	2000	85.1	M. Barker
	2100	81.8	M. Barker
	2200	80.3	Bailey
	2300	78.6	Bailey
	2400	77.1	Bailey

Date	Time	Temp.	Printed Name
6/21/24	0100	76.3	Bailey
	0200	74.1	Bailey
	0300	73.3	Bailey
	0400	71.7	Bailey
	0500	70.4	Bailey
	0600	69.8	Bailey
	0700	71.2	WCH
	0800	74.6	WCH
	0900	76.1	DeSoto
	1000	78.4	DeSoto
	1100	81.5	DeSoto
	1200	84.2	DeSoto
	1300	87.9	DeSoto
	1400	90.3	F. Soto
	1500	92.5	F. Soto
	1600	94.8	F. Soto
	1700	96.2	F. Soto
	1800	95.6	F. Soto
	1900	93.4	Rominez
	2000	88.5	F. Soto
	2100	85.3	F. Soto
	2200	83.3	Bailey
	2300	81.8	Bailey
	2400	80.2	Bailey

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/18/24	0100	70.0	Linarus
	0200	68.1	Linarus
	0300	68.0	Linarus
	0400	66.5	Linarus
	0500	66.1	Linarus
	0600	64.3	NGAC
	0700	65.6	NGAC
	0800	67.8	NGAC
	0900	73.2	NGAC
	1000	75.3	NGAC
	1100	77.9	NGAC
	1200	80.0	NGAC
	1300	83.2	NGAC
	1400	85.1	Banks
	1500	86.4	Banks
	1600	86.2	Banks
	1700	86.0	Banks
	1800	86.4	Banks
	1900	86.6	Banks
	2000	82.1	Banks
	2100	77.6	Banks
	2200	77.3	Linarus
	2300	76.5	Bailey
	2400	75.7	Bailey

Date	Time	Temp.	Printed Name
6/19/24	0100	74.7	Bailey
	0200	72.5	Bailey
	0300	71.7	Bailey
	0400	70.3	Bailey
	0500	69.1	Bailey
	0600	67.9	Bailey
	0700	65.9	Bailey
	0800	67.6	Bailey
	0900	70.5	Bailey
	1000	73.5	Bailey
	1100	75.7	Bailey
	1200	80.1	Bailey
	1300	82.6	Bailey
	1400	83.7	Bailey
	1500	89.6	Banks
	1600	91.2	Banks
	1700	91.7	Banks
	1800	90.8	Banks
	1900	88.0	Banks
	2000	84.4	Banks
	2100	80.7	Banks
	2200	78.9	Bailey
	2300	77.6	Bailey
	2400	76.1	Bailey

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/16/24	0100	76.6	Bailey
	0200	75.5	Bailey
	0300	74.1	Bailey
	0400	72.6	Bailey
	0500	71.7	Bailey
	0600	70.5	Bailey
	0700	69.8	Bailey
	0800	75.3	Bailey
	0900	76.4	Bailey
	1000	78.4	Bailey
	1100	82.6	Bailey
	1200	84.6	Bailey
	1300	85.5	Bailey
	1400	87.5	Bailey
	1500	89.5	Banks
	1600	90.8	Banks
	1700	91.8	Banks
	1800	90.2	Banks
	1900	88.5	Banks
	2000	84.5	Banks
	2100	81.2	Banks
	2200	79.4	Harris
	2300	77.9	Harris
	2400	76.5	Harris

Date	Time	Temp.	Printed Name
6/17/24	0100	75.3	Martinez
	0200	74.0	Martinez
	0300	73.5	Martinez
	0400	72.3	Martinez
	0500	71.7	Harris
	0600	70.5	Laita
	0700	72.1	Laita
	0800	72.4	Laita
	0900	74.5	Laita
	1000	76.4	Laita
	1100	77.0	Laita
	1200	78.1	Laita
	1300	79.8	Laita
	1400	81.7	Banks
	1500	83.8	Banks
	1600	84.6	Banks
	1700	84.3	Banks
	1800	83.5	Banks
	1900	81.3	Banks
	2000	77.7	Banks
	2100	74.8	Banks
	2200	73.0	Harris
	2300	70.2	Laird
	2400	70.1	Harris

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/14/24	0100	81.8	Bailey
	0200	78.4	Bailey
	0300	77.1	Bailey
	0400	76.2	Bailey
	0500	75.8	Bailey
	0600	76.1	Bailey
	0700	78.4	DeSoto
	0800	79.1	DeSoto
	0900	79.4	DeSoto
	1000	81.4	DeSoto
	1100	83.7	DeSoto
	1200	86.2	DeSoto
	1300	89.5	DeSoto
	1400	91.0	DAVIDSON
	1500	93.2	R.Smith
	1600	94.1	R.Smith
	1700	95.3	R.Smith
	1800	95.2	R.Smith
	1900	93.6	R.Smith
	2000	97.7	R.Smith
	2100	85.3	Bailey
	2200	83.1	Bailey
	2300	82.4	Bailey
	2400	81.8	Bailey

Date	Time	Temp.	Printed Name
6/15/24	0100	80.3	Bailey
	0200	79.6	Bailey
	0300	79.1	Bailey
	0400	78.6	Bailey
	0500	78.2	Bailey
	0600	77.3	Bailey
	0700	74.7	NCR
	0800	75.1	NCR
	0900	76.9	NCR
	1000	78.3	NCR
	1100	81.8	NCR
	1200	83.4	NCR
	1300	85.1	NCR
	1400	86.5	DAVIDSON
	1500	88.3	DAVIDSON
	1600	90.0	DAVIDSON
	1700	90.6	DAVIDSON
	1800	89.9	DAVIDSON
	1900	86.4	DAVIDSON
	2000	83.0	DAVIDSON
	2100	81.1	DAVIDSON
	2200	80.1	Bailey
	2300	78.2	Bailey
	2400	77.7	Bailey

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/12/24	0100	82.8	Linares
	0200	81.5	Linares
	0300	80.3	Linares
	0400	79.4	Linares
	0500	78.8	Linares
	0600	77.1	NEAL
	0700	78.9	NEAL
	0800	82.2	NEAL
	0900	86.6	NEAL
	1000	90.0	NEAL
	1100	92.1	NEAL
	1200	93.8	NEAL
	1300	96.6	NEAL
	1400	99.2	Banks
	1500	100.8	Banks
	1600	101.9	Banks
	1700	100.9	Banks
	1800	100.0	Banks
	1900	95.0	Banks
	2000	87.2	Banks
	2100	85.1	Banks
	2200	84.3	Baily
	2300	83.3	Baily
	2400	82.4	Baily

Date	Time	Temp.	Printed Name
6/13/24	0100	81.8	Baily
	0200	80.8	Baily
	0300	79.6	Baily
	0400	79.1	Baily
	0500	78.5	Baily
	0600	77.4	Baily
	0700	77.6	DeSoto
	0800	79.2	DeSoto
	0900	80.4	DeSoto
	1000	81.2	DeSoto
	1100	83.1	DeSoto
	1200	86.5	DeSoto
	1300	89.9	DeSoto
	1400	91.2	Banks
	1500	95.5	Banks
	1600	97.1	Banks
	1700	97.6	Banks
	1800	97.3	Banks
	1900	94.2	Banks
	2000	89.4	Banks
	2100	85.8	Banks
	2200	84.2	Baily
	2300	83.3	Baily
	2400	82.2	Baily

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/10/24	0100	76.8	Linares
	0200	76.0	Linares
	0300	75.1	Linares
	0400	73.8	Linares
	0500	72.0	Linares
	0600	71.0	LARA
	0700	70.9	LARA
	0800	74.3	LARA
	0900	76.0	LARA
	1000	79.3	LARA
	1100	82.5	LARA
	1200	84.4	LARA
	1300	87.1	LARA
	1400	88.9	SOEUNG
	1500	93.5	SOEUNG
	1600	94.8	SOEUNG
	1700	95.4	SOEUNG
	1800	93.8	SOEUNG
	1900	91.5	SOEUNG
	2000	89.4	SOEUNG
	2100	84.6	SOEUNG
	2200	82.3	Harris
	2300	60.4	Harris
	2400	80.1	Linares

Date	Time	Temp.	Printed Name
9/11/24	0100	79.5	Linares
	0200	78.3	Linares
	0300	77.0	Linares
	0400	76.1	Linares
	0500	75.3	Linares
	0600	74.0	LARA
	0700	75.3	LARA
	0800	78.5	LARA
	0900	82.4	LARA
	1000	86.3	LARA
	1100	89.1	LARA
	1200	91.2	LARA
	1300	93.0	LARA
	1400	95.3	Banks
	1500	97.8	Banks
	1600	98.8	Banks
	1700	99.9	Banks
	1800	100.2	Banks
	1900	97.1	Banks
	2000	92.7	Banks
	2100	90.5	Banks
	2200	88.7	Linares
	2300	85.1	Linares
	2400	83.9	Linares

UHT ACTIVATED @ 1126  
Deactivated @ 2245

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/8/24	0100	82.3	Bailey
	0200	80.1	Bailey
	0300	79.8	Bailey
	0400	78.3	Bailey
	0500	76.5	Bailey
	0600	74.7	Bailey
	0700	73.9	Larita,C
	0800	75.4	Larita,C
	0900	79.8	Larita,C
	1000	82.6	Larita,C
	1100	83.6	Larita,C
	1200	82.5	Larita,C
	1300	91.5	F. Soto
	1400	93.2	F. Soto
	1500	94.4	F. Soto
	1600	95.2	F. Soto
	1700	95.6	F. Soto
	1800	93.4	F. Soto
	1900	90.7	F. Soto
	2000	86.9	F. Soto
	2100	84.2	F. Soto
	2200	83.1	Bailey
	2300	81.9	Bailey
	2400	80.4	Bailey

Date	Time	Temp.	Printed Name
6/9/24	0100	79.1	Bailey
	0200	78.2	Bailey
	0300	76.6	Bailey
	0400	75.7	Bailey
	0500	75.1	Bailey
	0600	74.6	Bailey
	0700	72.1	J. Soto
	0800	74.4	J. Soto
	0900	77.7	J. Soto
	1000	80.1	J. Soto
	1100	82.3	J. Soto
	1200	85.6	J. Soto
	1300	87.0	J. Soto
	1400	89.4	Banks
	1500	91.1	Banks
	1600	92.7	Banks
	1700	94.1	Banks
	1800	93.8	Banks
	1900	89.8	Banks
	2000	85.8	Banks
	2100	83.0	Banks
	2200	81.5	Harris
	2300	80.0	Linares
	2400	78.2	Linares

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/6/24	0100	83.7	E. GONZALEZ Jr
	0200	83.7	E. GONZALEZ Jr
	0300	82.2	E. GONZALEZ Jr
	0400	81.4	E. GONZALEZ Jr
	0500	81.3	E. GONZALEZ Jr
	0600	79.2	E. DESOTO
	0700	82.8	E. DESOTO
	0800	86.5	E. DESOTO
	0900	88.7	E. DESOTO
	1000	91.4	E. DESOTO
	1100	93.2	E. DESOTO
	1200	95.8	E. DESOTO
	1300	97.3	E. DESOTO
	1400	100.4	C. CABRAL
	1500	101.8	C. CABRAL
	1600	103.1	C. CABRAL
	1700	103.4	C. CABRAL
	1800	104.0	C. CABRAL
	1900	100.7	C. CABRAL
	2000	96.5	C. CABRAL
	2100	91.2	C. CABRAL
	2200	90.1	C. CABRAL
	2300	89.5	Bailey
	2400	88.5	Bailey

Date	Time	Temp.	Printed Name
6/7/24	0100	86.6	Bailey
	0200	84.6	Bailey
	0300	82.5	Bailey
	0400	81.8	Bailey
	0500	80.3	Bailey
	0600	78.7	Bailey
	0700	81.3	E. DESOTO
	0800	84.9	E. DESOTO
	0900	87.4	E. DESOTO
	1000	88.8	E. DESOTO
	1100	90.3	E. DESOTO
	1200	92.7	E. DESOTO
	1300	95.5	E. DESOTO
	1400	98.9	E. DESOTO
	1500	101.9	E. DESOTO
	1600	102.8	E. DESOTO
	1700	102.4	E. DESOTO
	1800	101.4	E. DESOTO
	1900	94.8	E. DESOTO
	2000	89.7	E. DESOTO
	2100	86.8	E. DESOTO
	2200	85.3	Bailey
	2300	84.6	Bailey
	2400	83.8	Bailey

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/4/24	0100	73.2	XIONG
	0200	73.2	XIONG
	0300	72.0	XIONG
	0400	70.7	XIONG
	0500	70.3	XIONG
	0600	69.6	LARA
	0700	70.3	LARA
	0800	72.4	LARA
	0900	75.2	LARA
	1000	78.2	LARA
	1100	80.4	LARA
	1200	83.8	LARA
	1300	85.9	LARA
	1400	88.6	Banks
	1500	90.7	Banks
	1600	91.6	Banks
	1700	91.0	Banks
	1800	90.5	Banks
	1900	89.7	Banks
	2000	85.8	Banks
	2100	84.0	Banks
	2200	82.2	Bailey
	2300	81.2	Bailey
	2400	80.3	Bailey

Date	Time	Temp.	Printed Name
6/5/24	0100	79.7	Bailey
	0200	76.4	Bailey
	0300	74.4	Bailey
	0400	72.5	Bailey
	0500	72.6	Bailey
	0600	71.4	Bailey
	0700	75.3	NEA
	0800	80.0	NEA
	0900	82.6	NEA
	1000	85.3	NEA
	1100	88.0	NEA
	1200	90.0	NEA
	1300	92.6	NEA
	1400	95.2	Banes
	1500	96.8	Banes
	1600	98.4	Banes
	1700	99.5	Banes
	1800	99.7	Banes
	1900	97.0	Banes
	2000	93.0	Banes
	2100	89.7	Banes
	2200	88.7	E.GONZALEZ Jr.
	2300	84.8	E.GONZALEZ Jr.
	2400	84.2	E.GONZALEZ Jr.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/2/24	0100	73.4	Bailey
	0200	73.1	Bailey
	0300	72.7	Bailey
	0400	72.6	Bailey
	0500	71.8	Bailey
	0600	71.1	Bailey
	0700	70.0	V HERNANDEZ
	0800	71.5	V HERNANDEZ
	0900	73.8	V HERNANDEZ
	1000	76.9	V HERNANDEZ
	1100	79.9	V HERNANDEZ
	1200	80.9	V HERNANDEZ
	1300	83.1	V HERNANDEZ
	1400	84.8	Banks
	1500	86.1	Banks
	1600	86.7	Banks
	1700	88.5	Banks
	1800	89.2	Banks
	1900	86.4	Banks
	2000	82.3	Banks
	2100	80.3	Banks
	2200	78.8	XIONG
	2300	77.3	Kerris
	2400	76.5	XIONG

Date	Time	Temp.	Printed Name
6/3/24	0100	74.6	XIONG
	0200	74.5	XIONG
	0300	73.1	XIONG
	0400	72.6	XIONG
	0500	70.8	XIONG
	0600	70.9	LAI TA, C
	0700	71.3	LAI TA, C
	0800	74.4	LAI TA, C
	0900	77.1	LAI TA, C
	1000	79.9	LAI TA, C
	1100	83.0	LAI TA, C
	1200	80.9	LAI TA, C
	1300	84.3	LAI TA, C
	1400	86.6	Banks
	1500	84.8	Banks
	1600	85.6	Banks
	1700	86.8	Banks
	1800	85.8	Banks
	1900	82.8	Banks
	2000	80.8	Banks
	2100	78.3	Banks
	2200	77.3	XIONG
	2300	75.9	XIONG
	2400	75.6	XIONG

INSTITUTION: Pleasant Valley State Prison

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Central Control

Immediately notify the Watch Commander at extension 5346 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/31/24	0100	78.5	Bailey
	0200	76.6	Bailey
	0300	74.3	Bailey
	0400	73.2	Bailey
	0500	71.7	Bailey
	0600	70.3	Bailey
	0700	69.5	Lopez
	0800	72.1	Lopez
	0900	77.5	Lopez
	1000	81.7	Lopez
	1100	84.5	Lopez
	1200	86.8	Lopez
	1300	88.6	Lopez
	1400	90.1	DAVIDSON
	1500	92.8	DAVIDSON
	1600	94.4	DAVIDSON
	1700	94.4	DAVIDSON
	1800	93.1	DAVIDSON
	1900	91.2	DAVIDSON
	2000	87.0	DAVIDSON
	2100	84.3	DAVIDSON
	2200	82.1	Bailey
	2300	80.0	Bailey
	2400	79.6	Bailey

Date	Time	Temp.	Printed Name
6/1/24	0100	78.3	Bailey
	0200	77.8	Bailey
	0300	76.4	Bailey
	0400	73.3	Bailey
	0500	71.4	Bailey
	0600	69.5	Bailey
	0700	73.1	SOGUNG
	0800	76.7	SOGUNG
	0900	79.3	SOGUNG
	1000	82.2	SOGUNG
	1100	84.4	SOGUNG
	1200	86.1	SOGUNG
	1300	89.0	SOGUNG
	1400	90.0	R Soto
	1500	92.2	R Soto
	1600	94.0	R Soto
	1700	94.5	R Soto
	1800	92.2	R Soto
	1900	90.7	R Soto
	2000	84.6	R Soto
	2100	80.3	R Soto
	2200	78.0	RATNWATER
	2300	76.4	Bailey
	2400	75.3	Bailey