Monthly Summary Report

Institution: WSP

Memorandum

Date: November 4, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Wasco State Prison-RC

The following is a summary of the heat related activity for the month of October,

at WSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

   Number of days Stage I Alert initiated: 10

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

   Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: _____

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Christian Pfeiffer
Warden Name

Warden Signature

Penny Shank
Chief Executive Officer Name

Penny Shank
Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Docusign Envelope ID: 440187AB-A81B-4401-A2B7-CFEE03049DBB



CALIFORNIA CORRECTIONAL
HEALTH CARE SERVICES

MEMORANDUM

Date	:	November 1, 2024
To	:	**Nicarlo Ibarra** **Litigation Coordinator** **Wasco State Prison - Reception Center**
From	:	**KATHY P. SALAZAR** Chief Nurse Executive (A)
Subject	:	**HEAT RELATED ILLNESS**

This memorandum is to inform you that there were (0) heat related illnesses reported from October 1, 2024, through October 31, 2024. Please see attached CDCR MH-7711, Heat Incident Log.

If you have any questions or need further information please contact support staff R. Stein, AGPA at extension [redacted]

DocuSigned by:
Kathy Salazar
AC64E79B6EE4499...

KATHY P. SALAZAR, RN, BSN
Chief Nurse Executive (A)
Wasco State Prison -Reception Center

Heat Incident Log

Institution: WSP-RC Date: Nov 4, 2024 Number of Heat Incidents: 0

1. Patient Name: _____ CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

2. Patient Name: _____ CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

3. Patient Name: _____ CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

4. Patient Name: _____ CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

5. Patient Name: _____ CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

6. Patient Name: _____ CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

7. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

8. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

9. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

10. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

11. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

12.. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: _____

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/30/24	0100	68	E. Ramirez
	0200	66	E. Ramirez
	0300	63	E. Ramirez
	0400	61	J Garcia
	0500	62	J Garcia
	0600	61	J Garcia
	0700	59	J Garcia
	0800	64	J Garcia
	0900	73	J Garcia
	1000	74	C. Bogans
	1100	78	C Bogans
	1200	83	M Sturgeos
	1300	89	M Sturgeos
	1400	91	C Bogans
	1500	92	C Bogans
	1600	93	C Bogans
	1700	92	C Bogans
	1800	90	C Bogans
	1900	90	C Bogans
	2000	83	C Bogans
	2100	79	C Bogans
	2200	75	J Garcia
	2300	72	J Garcia
	2400	70	J Garcia

ACTIVATED [illegible]

DEACTIVATED 2005

Date	Time	Temp.	Printed Name
10/1/24	0100	68	E Ramirez
	0200	66	E Ramirez
	0300	65	E Ramirez
	0400	64	E Ramirez
	0500	63	E Ramirez
	0600	64	M Sturgeos
	0700	68	M Sturgeos
	0800	72	M Sturgeos
	0900	76	M Sturgeos
	1000	80	M Sturgeos
	1100	86	Gandynski
	1200	89	Gandynski
	1300	93	Gandynski
	1400	94	C Bogans
	1500	97	C Bogans
	1600	98	C Bogans
	1700	97	C Bogans
	1800	91	C Bogans
	1900	87	C Bogans
	2000	83	C Bogans
	2100	80	C Bogans
	2200	77	J Garcia
	2300	76	J Garcia
	2400	74	J Garcia

ACTIVATED 1210

DEACTIVATED 1930

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
10/2/24	0100	73	J Gara
	0200	74	J Gara
	0300	71	J Gara
	0400	69	J Garcia
	0500	68	J Garcia
	0600	67	M. Sturges
	0700	69	M. Sturges
	0800	72	M. Sturges
	0900	75	M. Sturges
	1000	82	M. Sturges
	1100	88	M. Sturges
	1200	93	M. Sturges
	1300	96	M Sturges
	1400	99	C D. Cars
	1500	100	C D. Cars
	1600	102	C D. Cars
	1700	101	B Shaw
	1800	99	C D. Cars
	1900	94	C D. Cars
	2000	89	J Parra
	2100	82	E Shaw
	2200	78	E Sna
	2300	77	E Sna
	2400	76	E Sna

ACTIVATED 1145

DEACTIVATED 2030

Date	Time	Temp.	Printed Name
10/31/24	0100	74	E Sna
	0200	72	E Sna
	0300	70	E Sna
	0400	68	E Sna
	0500	67	E Sna
	0600	66	M. Sturges
	0700	69	M Sturges
	0800	71	M. Sturges
	0900	77	M. Sturges
	1000	85	M. Sturges
	1100	89	M Sturges
	1200	97	M. Sturges
	1300	101	M. Sturges
	1400	103	C D. Cars
	1500	104	C D. Cars
	1600	104	C D. Cars
	1700	103	C D. Cars
	1800	100	C D. Cars
	1900	93	C D. Cars
	2000	89	C D. Cars
	2100	86	C D. Cars
	2200	80	E Snow
	2300	77	E Snow
	2400	73	E Snow

ACTIVATED 1045

DEACTIVATED 2030

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/4/24	0100	70	M. LOPEZ
	0200	71	R. LOPEZ
	0300	70	R. LOPEZ
	0400	69	R. LOPEZ
	0500	68	R. LOPEZ
	0600	69	R. LOPEZ
	0700	70	M. STUNOS
	0800	72	M. STUNOS
	0900	80	M. STUNOS
	1000	86	M. STUNOS
	1100	89	M. STUNOS
	1200	95	M. STUNOS
	1300	98	M. STUNOS
	1400	101	J. PARKER
	1500	101	J. PARKER
	1600	102	J. PARKER
	1700	101	J. PARKER
	1800	100	J. PARKER
	1900	94	J. PARKER
	2000	89	J. PARKER
	2100	84	J. PARKER
	2200	79	ESPINOZA
	2300	74	ESPINOZA
	2400	72	ESPINOZA

ACTIVATED 1106 90

DEACTIVATED 2100

Date	Time	Temp.	Printed Name
10/5/24	0100	72	ESPINOZA
	0200	71	ESPINOZA
	0300	70	ESPINOZA
	0400	69	ESPINOZA
	0500	69	ESPINOZA
	0600	68	Grandinski
	0700	75	Grandinski
	0800	75	Grandinski
	0900	80	Grandinski
	1000	84	Grandinski
	1100	90	Sabol
	1200	94	Sabol
	1300	97	Sabol
	1400	100	S. Seville
	1500	102	S. Seville
	1600	102	S. Seville
	1700	100	S. Seville
	1800	95	S. Seville
	1900	86	S. Seville
	2000	82	S. Seville
	2100	81	ESPINOZA
	2200	80	E. Ramirez
	2300	78	ESPINOZA
	2400	77	ESPINOZA

ACTIVATED 90 @ 1100

DEACTIVATED 2000

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/6/24	0100	74	[illegible]
	0200	72	E. Ramirez
	0300	70	E. Ramirez
	0400	68	E. Ramirez
	0500	67	E. Ramirez
	0600	66	Sabol
	0700	66	Sabol
	0800	72	Sabol
	0900	80	Sabol
	1000	82	Sabol
	1100	89	Sabol
	1200	93	Sabol
	1300	97	Sabol
	1400	99	C Bugam
	1500	100	C. Bugam
	1600	100	C. Bugam
	1700	100	C Bugam
	1800	96	C Bugam
	1900	91	C Bugam
	2000	83	C Bugam
	2100	81	C. Bugam
	2200	78	E. Ramirez
	2300	74	J Garcia
	2400	74	J Garcia

ACTIVATED 1115

DEACTIVATED 2035

Date	Time	Temp.	Printed Name
10/7/24	0100	72	E. Ramirez
	0200	70	E. Ramirez
	0300	69	E. Ramirez
	0400	68	E. Ramirez
	0500	66	E. Ramirez
	0600	67	M. Sturges
	0700	65	M. Sturges
	0800	69	M. Sturges
	0900	74	M. Sturges
	1000	77	M. Sturges
	1100	83	M. Sturges
	1200	91	M. Sturges
	1300	96	M. Sturges
	1400	97	M. Sturges
	1500	98	J. Parker
	1600	95	J. Parker
	1700	94	J. Parker
	1800	91	J. Parker
	1900	90	J. Parker
	2000	85	J. Park
	2100	78	J Garcia
	2200	77	J Garcia
	2300	76	E. Ramirez
	2400	72	J Garcia

ACTIVATED 1140

DEACTIVATED 2015

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/8/24	0100	71	J Gar
	0200	70	J Garcia
	0300	68	J Gar
	0400	69	J Garcia
	0500	68	J Gar
	0600	68	M. Sturges
	0700	68	M. Sturges
	0800	69	M. Sturges
	0900	75	M. Sturges
	1000	86	M. Sturges
	1100	89	M. Sturges
	1200	92	M. Sturges
	1300	94	M. Sturges
	1400	95	C B
	1500	94	C B
	1600	90	C B
	1700	96	C B
	1800	94	C B
	1900	88	C B
	2000	80	C B
	2100	79	C B
	2200	77	J Garcia
	2300	76	E. Ramirez
	2400	75	E. Ramirez

ACTIVATED 1110

DEACTIVATED 1935

Date	Time	Temp.	Printed Name
10/9/24	0100	74	E. Ramirez
	0200	71	E. Ramirez
	0300	69	E. Ramirez
	0400	68	E. Ramirez
	0500	66	E. Ramirez
	0600	64	M. Sturges
	0700	65	M. Sturges
	0800	68	M. Sturges
	0900	74	M. Sturges
	1000	83	M. Sturges
	1100	86	M. Sturges
	1200	89	M. Sturges
	1300	90	M. Sturges
	1400	92	M. Sturges
	1500	95	C. Bugard
	1600	96	C. Bugard
	1700	96	C. Bugard
	1800	94	C. Bugard
	1900	91	C. Bugard
	2000	83	C. Bugard
	2100	77	C. Bugard
	2200	78	J Garcia
	2300	75	E Ram
	2400	74	J Garcia

ACTIVATED 1245

DEACTIVATED 1925

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/10/24	0100	73	J Gowen
	0200	70	J Gowen
	0300	69	J Gowen
	0400	67	J Gowen
	0500	65	J Gowen
	0600	64	M. Stokes
	0700	61	M. Stokes
	0800	65	M. Stokes
	0900	71	M. Stokes
	1000	75	M. Stokes
	1100	83	M. Stokes
	1200	85	M. Stokes
	1300	84	M. Stokes
	1400	81	C. Bugarin
	1500	92	[illegible]
	1600	91	[illegible]
	1700	90	[illegible]
	1800	86	[illegible]
	1900	83	[illegible]
	2000	80	[illegible]
	2100	77	[illegible]
	2200	75	Esnor
	2300	72	Esnor
	2400	70	Esnor

ACTIVATED 1340

DEACTIVATED 1810

Date	Time	Temp.	Printed Name
10/11/24	0100	68	Esnor
	0200	67	Esnor
	0300	65	Esnor
	0400	63	Esnor
	0500	61	Esnor
	0600	60	P. Duron
	0700	57	P. Duron
	0800	59	P. Duron
	0900	67	P. Duron
	1000	75	P. Duron
	1100	80	P. Duron
	1200	84	P. Duron
	1300	85	P. Duron
	1400	88	C Bugarin
	1500	86	C Bugarin
	1600	86	C Bugarin
	1700	89	C Bugarin
	1800	89	C Bugarin
	1900	78	C. Bugarin
	2000	75	C Bugarin
	2100	75	C. Bugarin
	2200	75	D. Munoz
	2300	70	E Gonzalez
	2400	66	E Gonzalez

ACTIVATED

DEACTIVATED

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/12/24	0100	63	E. Gonzalez
	0200	60	E. Gonzalez
	0300	58	E. Gonzalez
	0400	51	E. Gonzalez
	0500	56	E. Gonzalez
	0600	56	J. PARKER
	0700	58	J. PARKER
	0800	60	J. PARKER
	0900	65	J. PARKER
	1000	67	J. PARKER
	1100	72	J. PARKER
	1200	77	J. PARKER
	1300	80	J. Parker
	1400	81	[illegible]
	1500	83	[illegible]
	1600	85	[illegible]
	1700	85	[illegible]
	1800	81	[illegible]
	1900	80	[illegible]
	2000	77	[illegible]
	2100	77	[illegible]
	2200	77	E. Ramirez
	2300	69	E. Ramirez
	2400	66	E. Ramirez

ACTIVATED _____

DEACTIVATED _____

Date	Time	Temp.	Printed Name
10/13/24	0100	63	E. Ramirez
	0200	62	E. Ramirez
	0300	61	E. Ramirez
	0400	60	E. Ramirez
	0500	59	E. Ramirez
	0600	60	J. PARKER
	0700	61	J. PARKER
	0800	62	J. PARKER
	0900	65	J. PARKER
	1000	67	J. PARKER
	1100	70	J. PARKER
	1200	73	J. PARKER
	1300	77	J. PARKER
	1400	79	J. PARKER
	1500	81	J. PARKER
	1600	81	J. PARKER
	1700	83	J. PARKER
	1800	79	J. PARKER
	1900	75	J. PARKER
	2000	71	J. PARKER
	2100	70	J. Parker
	2200	68	J Gore
	2300	66	J Gore
	2400	64	J Gore

ACTIVATED _____

DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/14/24	0100	62	J Gom
	0200	62	J Gomez
	0300	59	J Gomez
	0400	59	J Gomez
	0500	58	J Gomez
	0600	57	P ESPINOZA
	0700	57	P. ESPINOZA
	0800	62	P. ESPINOZA
	0900	66	P ESPINOZA
	1000	70	P. ESPINOZA
	1100	73	P. ESPINOZA
	1200	77	P. ESPINOZ
	1300	81	P. ESPINOZA
	1400	84	J. PARKER
	1500	86	J. PARKER
	1600	86	J. PARKER
	1700	85	J. PARKER
	1800	82	J. PARKER
	1900	75	J. PARKER
	2000	72	J. PARKER
	2100	70	J. PARKER
	2200	69	E. Ramirez
	2300	68	E. Ramirez
	2400	67	E. Ramirez

ACTIVATED _____

DEACTIVATED _____

Date	Time	Temp.	Printed Name
10/15/24	0100	65	E. Ramirez
	0200	64	E. Ramirez
	0300	63	J Gom
	0400	61	J Gom
	0500	59	E. Ramirez
	0600	61	J. PARKER
	0700	65	J. PARKER
	0800	69	J. PARKER
	0900	71	J. PARKER
	1000	75	J. PARKER
	1100	77	J. PARKER
	1200	81	J. PARKER
	1300	83	CB. GARN
	1400	86	CB. GARN
	1500	87	CB. GARN
	1600	87	CB. GARN
	1700	86	C. B. GARN
	1800	80	CB. GARN
	1900	79	CB. GARN
	2000	75	CB. GARN
	2100	71	CB. GARN
	2200	69	E. Ramirez
	2300	67	E. Ramirez
	2400	66	E. Ramirez

ACTIVATED _____

DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/16/24	0100	65	E. Ramirez
	0200	64	E. Ramirez
	0300	63	E. Ramirez
	0400	61	E. Ramirez
	0500	60	E. Ramirez
	0600	59	Gaudynski
	0700	57	Gaudynski
	0800	65	Gaudynski
	0900	69	Gaudynski
	1000	71	Gaudynski
	1100	75	Gaudynski
	1200	78	Gaudynski
	1300	81	Gaudynski
	1400	83	C Bogarin
	1500	83	C Bogarin
	1600	84	C Bogarin
	1700	82	C. Bogarin
	1800	80	C. Bogarin
	1900	77	C Bogarin
	2000	76	C Bogarin
	2100	71	C Bogarin
	2200	71	E Sluce
	2300	69	J Garcia
	2400	69	J Garcia

ACTIVATED _____

DEACTIVATED _____

Date	Time	Temp.	Printed Name
10/17/24	0100	67	J Garcia
	0200	65	J Garcia
	0300	63	J Garcia
	0400	59	J Garcia
	0500	58	J Garcia
	0600	57	P. Duron
	0700	60	P. Duron
	0800	64	P. Duron
	0900	68	P. Duron
	1000	71	P. Duron
	1100	74	P. Duron
	1200	77	P. Duron
	1300	78	P. Duron
	1400	79	C Bogarin
	1500	81	C Bogarin
	1600	81	C Bogarin
	1700	81	C Bogarin
	1800	78	C Bogarin
	1900	73	C Bogarin
	2000	70	C Bogarin
	2100	64	C Bogarin
	2200	64	E Sluce
	2300	63	E Sluce
	2400	61	E Sluce

ACTIVATED _____

DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/18/24	0100	60	Eshow
	0200	58	Eshow
	0300	55	Eshow
	0400	53	Eshow
	0500	52	Eshow
	0600	51	Eshow
	0700	46	Gaudynski
	0800	54	Gaudynski
	0900	59	Gaudynski
	1000	60	Gaudynski
	1100	62	Gaudynski
	1200	66	Gaudynski
	1300	69	Gaudynski
	1400	71	Cpr
	1500	72	Cpr
	1600	72	Cpr
	1700	70	Cpr
	1800	68	Cpr
	1900	63	Cpr
	2000	60	Cpr
	2100	59	Cpr
	2200	55	Eshow
	2300	52	Eshow
	2400	52	Eshow

ACTIVATED _____

DEACTIVATED _____

Date	Time	Temp.	Printed Name
10/19/24	0100	51	Eshow
	0200	49	Eshow
	0300	48	Eshow
	0400	47	Eshow
	0500	46	Eshow
	0600	47	Gaudynski
	0700	52	Gaudynski
	0800	58	Gaudynski
	0900	60	Gaudynski
	1000	63	Gaudynski
	1100	68	Gaudynski
	1200	70	Gaudynski
	1300	75	Gaudynski
	1400	76	Cbogart
	1500	78	Cbogart
	1600	79	Cbogart
	1700	79	Cbogart
	1800	77	Cbogart
	1900	74	Cbogart
	2000	68	Cbogart
	2100	63	Cbogart
	2200	62	Eshow
	2300	60	Eshow
	2400	58	Eshow

ACTIVATED _____

DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/20/24	0100	56	Esrow
	0200	54	Esrow
	0300	52	Esrow
	0400	50	Esrow
	0500	48	Esrow
	0600	48	P. Espinoza
	0700	48	P. Espinoza
	0800	59	P. Espinoza
	0900	67	P. Espinoza
	1000	70	P. Espinoza
	1100	78	P. Espinoza
	1200	79	P. Espinoza
	1300	81	P. Espinoza
	1400	85	J. Parker
	1500	84	J. Parker
	1600	84	J. Parker
	1700	83	J. Parker
	1800	80	J. Parker
	1900	76	J. Parker
	2000	70	J. Parker
	2100	65	J. Parker
	2200	62	J. Garcia
	2300	60	J. Garcia
	2400	56	J. Garcia

ACTIVATED _____

DEACTIVATED _____

Date	Time	Temp.	Printed Name
10/21/24	0100	56	J. Garcia
	0200	54	J. Garcia
	0300	54	J. Garcia
	0400	55	J. Garcia
	0500	54	J. Garcia
	0600	50	J. Garcia
	0700	48	J. Garcia
	0800	53	J. Garcia
	0900	58	J. Garcia
	1000	63	J. Garcia
	1100	68	J. Garcia
	1200	75	J. Garcia
	1300	80	J. Garcia
	1400	82	O. Arellano
	1500	80	O. Arellano
	1600	79	O. Arellano
	1700	76	O. Arellano
	1800	75	O. Arellano
	1900	73	O. Arellano
	2000	70	J. Garcia
	2100	67	J. Garcia
	2200	63	J. Garcia
	2300	62	J. Garcia
	2400	60	J. Garcia

ACTIVATED _____

DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/22/24	0100	54	J Gar
	0200	55	J Garc
	0300	53	E. Ramirez
	0400	54	J Garcia
	0500	50	J Garcia
	0600	56	M. Stukes
	0700	51	M. Stukes
	0800	52	M. Stukes
	0900	59	M. Stukes
	1000	65	M. Stukes
	1100	70	M. Stukes
	1200	75	M. Stukes
	1300	80	M. Stukes
	1400	82	C Bogarin
	1500	84	C Bogarin
	1600	84	C Bogarin
	1700	83	C Bogarin
	1800	74	C Bogarin
	1900	70	C Bogarin
	2000	66	C Bogarin
	2100	63	C Bogarin
	2200	61	E. Ramirez
	2300	60	E. Ramirez
	2400	58	E. Ramirez

ACTIVATED _____

DEACTIVATED _____

Date	Time	Temp.	Printed Name
10/23/24	0100	56	E. Ramirez
	0200	54	E. Ramirez
	0300	52	J Garc
	0400	52	J Garc
	0500	52	J Garc
	0600	55	M Stukes
	0700	58	M. Stukes
	0800	60	M. Stukes
	0900	62	M Stukes
	1000	65	M Stukes
	1100	68	M Stukes
	1200	71	M Stukes
	1300	76	M Stukes
	1400	81	C Br
	1500	82	C Br
	1600	83	C Br
	1700	82	C Br
	1800	79	C Br
	1900	73	C Br
	2000	69	C Br
	2100	63	C Br
	2200	62	Error
	2300	59	Error
	2400	57	Error

ACTIVATED _____

DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/24/24	0100	56	ESnow
	0200	55	ESnow
	0300	54	ESnow
	0400	54	ESnow
	0500	53	ESnow
	0600	53	M. Stuncos
	0700	56	M. Stuncos
	0800	58	M. Stuncos
	0900	60	M. Stuncos
	1000	63	M. Stuncos
	1100	66	M. Stuncos
	1200	69	M. Stuncos
	1300	70	M. Stuncos
	1400	77	[illegible]
	1500	77	[illegible]
	1600	78	[illegible]
	1700	75	[illegible]
	1800	70	[illegible]
	1900	67	[illegible]
	2000	64	[illegible]
	2100	61	[illegible]
	2200	59	ESnow
	2300	57	ESnow
	2400	55	ESnow

ACTIVATED _____

DEACTIVATED _____

Date	Time	Temp.	Printed Name
10/25/24	0100	53	ESnow
	0200	52	ESn
	0300	50	ES
	0400	49	ES
	0500	46	ES
	0600	46	Gaudynski
	0700	50	Gaudynski
	0800	54	Gaudynski
	0900	60	Gaudynski
	1000	69	Gaudynski
	1100	73	Gaudynski
	1200	77	Gaudynski
	1300	78	Gaudynski
	1400	80	[illegible]
	1500	83	[illegible]
	1600	85	[illegible]
	1700	86	[illegible]
	1800	80	[illegible]
	1900	76	[illegible]
	2000	69	[illegible]
	2100	64	[illegible]
	2200	62	ESnow
	2300	60	ESnow
	2400	59	ESnow

ACTIVATED _____

DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/26/24	0100	58	Esrou
	0200	57	Esrou
	0300	55	Esrou
	0400	54	Esrou
	0500	53	Esrou
	0600	52	Grandynski
	0700	51	Grandynski
	0800	52	Grandynski
	0900	56	Grandynski
	1000	62	Grandynski
	1100	73	Grandynski
	1200	75	Grandynski
	1300	76	Grandynski
	1400	78	J. PARKER
	1500	79	J. PARKER
	1600	81	J. PARKER
	1700	79	J. PARKER
	1800	75	J. PARKER
	1900	70	J. PARKER
	2000	66	Esrou
	2100	64	Esrou
	2200	61	Esrou
	2300	59	Esrou
	2400	57	Esrou

ACTIVATED _____

DEACTIVATED _____

Date	Time	Temp.	Printed Name
10/27/24	0100	57	Esrou
	0200	56	Esrou
	0300	57	Esrou
	0400	57	Esrou
	0500	56	Esrou
	0600	55	J. PARKER
	0700	56	Robles
	0800	57	Robles
	0900	62	J. Parker
	1000	63	Sdu
	1100	66	Sdu
	1200	69	Sdu
	1300	71	Sdu
	1400	73	J. PARKER
	1500	75	J. PARKER
	1600	73	J. PARKER
	1700	70	J. PARKER
	1800	70	J. PARKER
	1900	68	J. PARKER
	2000	65	J. PARKER
	2100	64	J. PARKER
	2200	63	E. Ramirez
	2300	62	E. Ramirez
	2400	60	E. Ramirez

ACTIVATED _____

DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/28/24	0100	59	E Ramirez
	0200	57	E. Ramirez
	0300	56	J Garcia
	0400	56	J Garcia
	0500	56	J Garcia
	0600	56	M Stuges
	0700	58	M Stuges
	0800	60	M. Stuges
	0900	61	M. Stuges
	1000	62	M. Stuges
	1100	63	M Stuges
	1200	63	M. Stuges
	1300	64	M. Stuges
	1400	65	J. Parker
	1500	66	J. Parker
	1600	67	J. Parker
	1700	65	J. Parker
	1800	64	J. Parker
	1900	63	J. Parker
	2000	60	J Parker
	2100	58	J Parker
	2200	57	E. Ramirez
	2300	56	E. Ramirez
	2400	55	E. Ramirez

ACTIVATED _____

DEACTIVATED _____

Date	Time	Temp.	Printed Name
10/29/24	0100	53	E. Ramirez
	0200	55	E. Ramirez
	0300	53	E. Ramirez
	0400	52	E. Ramirez
	0500	50	E. Ramirez
	0600	50	Gawdynski
	0700	52	Gawdynski
	0800	55	Gawdynski
	0900	58	Gawdynski
	1000	60	Gawdynski
	1100	61	Gawdynski
	1200	63	Gawdynski
	1300	64	Gawdynski
	1400	65	[illegible]
	1500	65	[illegible]
	1600	66	[illegible]
	1700	66	[illegible]
	1800	61	[illegible]
	1900	59	[illegible]
	2000	57	[illegible]
	2100	52	[illegible]
	2200	51	J Garcia
	2300	50	E. Ramirez
	2400	48	E. Ramirez

ACTIVATED _____

DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10/30/24	0100	46	J Garcia
	0200	45	J Garcia
	0300	45	J Garcia
	0400	45	J Garcia
	0500	43	J Garcia
	0600	45	J. PARKER
	0700	47	J. PARKER
	0800	49	J. PARKER
	0900	49	J. PARKER
	1000	50	J. PARKER
	1100	62	J. PARKER
	1200	65	J PARKER
	1300	69	J. PARKER
	1400	69	J. PARKER
	1500	71	CB. GARSA
	1600	72	CB. GARSA
	1700	72	CB GARSA
	1800	68	CB. GARSA
	1900	64	CB. GARSA
	2000	60	CB. GARSA
	2100	56	CB. GARSA
	2200	53	J Garcia
	2300	52	E Snow
	2400	50	E Snow

ACTIVATED _____

DEACTIVATED _____

Date	Time	Temp.	Printed Name
10/31/24	0100	47	E Snow
	0200	45	E Snow
	0300	49	E Snow
	0400	43	E Snow
	0500	43	E Snow
	0600	43	M Stokes
	0700	44	M Stokes
	0800	46	M. Stokes
	0900	50	M. Stokes
	1000	58	M. Stokes
	1100	61	M. Stokes
	1200	65	M. Stokes
	1300	70	M. Stokes
	1400	70	[illegible]
	1500	71	[illegible]
	1600	71	[illegible]
	1700	70	[illegible]
	1800	68	[illegible]
	1900	60	[illegible]
	2000	57	[illegible]
	2100	56	[illegible]
	2200	53	E Snow
	2300	51	E Snow
	2400	50	E Snow

ACTIVATED _____

DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: CTC Temp. Reading Location: 1ST TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	72/72	MAMAMAC
	0600	72/72	Earnest
	0900	72/72	B. GARZA
	1200	72/72	B. GARZA
	1500	71/71	D. H
	1800	71/71	D. H
	2100	71/71	D. H
	2400	72/72	MAMAMAC

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	72/72	MAMAMAC
	0600	72/72	R BARAJAS
	0900	72/72	R BARAJAS
	1200	72/72	R BARAJAS
	1500	72/72	UKENO
	1800	72/72	UKENO
	2100	72/72	UKENO
	2400	72/72	MAMAMAC

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	72/72	MAMAMAC
	0600	72/72	Beshirs
	0900	72/72	Beshirs
	1200	72/72	Beshirs
	1500	72/72	UKENO
	1800	72/72	UKENO
	2100	72/72	UKENO
	2400	72/72	L. Perezchica

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	72/72	L. Perezchica
	0600	72/72	B. GARZA
	0900	72/72	B. GARZA
	1200	72/72	B. GARZA
	1500	71/71	Beshirs
	1800	71/71	Beshirs
	2100	71/71	Beshirs
	2400	71/71	A. NAJERA

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	72/72	A. NAJERA
	0600	72/72	B. GARZA
	0900	72/72	B. GARZA
	1200	72/72	B. GARZA
	1500	72/72	UKENO
	1800	72/72	UKENO
	2100	72/72	UKENO
	2400	72/72	A. NAJERA

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	71/71	A. NAJERA
	0600	71/71	B. GARZA
	0900	71/71	B. GARZA
	1200	72/71	B. GARZA
	1500	71/71	D. H
	1800	71/71	D. H
	2100	71/71	D. H
	2400	72/72	MAMAMAC

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: CTC Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	72/72	MAMAUAG
	0600	72/72	B. GARZA
	0900	72/72	B. GARZA
	1200	73/73	B. GARZA
	1500	71/71	D. Ho
	1800	71/71	D. Ho
	2100	71/71	D. Ho
	2400	72/73	MAMAUAG

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	72/72	MAMAUAG
	0600	72/72	B. GARZA
	0900	72/72	B. GARZA
	1200	73/73	B. GARZA
	1500	71/71	D. Ho
	1800	71/71	D. Ho
	2100	71/71	D. Ho
	2400	73/73	MAMAUAG

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	73/73	MAMAUAG
	0600	71/72	R BARAJAS
	0900	72/72	R BARAJAS
	1200	72/72	R BARAJAS
	1500	72/72	UCENO
	1800	72/72	UCENO
	2100	72/72	UCENO
	2400	72/72	MAMAUAG

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72/72	MAMAUAG
	0600	72/72	Beshirs
	0900	72/72	Beshirs
	1200	72/72	Beshirs
	1500	72/72	UCENO
	1800	72/72	UCENO
	2100	72/72	UCENO
	2400	72/72	L. Perezchica

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	72/72	L. Perezchica
	0600	72/72	B. GARZA
	0900	72/72	B. GARZA
	1200	72/72	B. GARZA
	1500	72/72	Beshirs
	1800	72/72	Beshirs
	2100	72/72	Beshirs
	2400	72/72	Miranda

Saturday

Date	Time	Temp.	Name (Print)
10/12/13	0300	71/72	S. Miranda
	0600	70/70	B. GARZA
	0900	71/71	B. GARZA
	1200	71/71	B. GARZA
	1500	72/72	UCENO
	1800	72/72	UCENO
	2100	72/72	UCENO
	2400	72/72	S. Miranda

Sunday

Date	Time	Temp.	Name (Print)
10/13/14	0300	72/72	S. Miranda
	0600	71/71	BENCUZT
	0900	71/71	Benoure
	1200	72/72	BENCUZT
	1500	72/72	UCENO
	1800	72/72	UCENO
	2100	72/72	UCENO
	2400	72/72	Miranda

Notes

DISTRIBUTION: Original - Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: OTC Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	72/72	G. Miranda
	0600	72/72	B. GARZA
	0900	72/72	B. GARZA
	1200	73/73	B. GARZA
	1500	71/71	D. Hom
	1800	71/71	D. Hom
	2100	71/71	D. Hom
	2400	72/72	G. Miranda

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	72/72	G. Miranda
	0600	72/71	R BARAJAS
	0900	72/71	R BARAJAS
	1200	72/71	R BARAJAS
	1500	71/71	D. Hom
	1800	71/71	D. Hom
	2100	71/71	D. Hom
	2400	71 71	LEON GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	71 71	LEON GARCIA
	0600	72/71	R BARAJAS
	0900	72/72	BENCKERT
	1200	72/72	BENCKERT
	1500	72/72	UKERO
	1800	72/72	UKERO
	2100	72/72	UKERO
	2400	72/72	Shamp

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	72/72	Shamp
	0600	72/72	BENCKERT
	0900	72/72	BENCKERT
	1200	72/72	BENCKERT
	1500	72/72	UKERO
	1800	72/72	UKERO
	2100	72/72	UKERO
	2400	72 71	MORILLON

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	72/71	MORILLON
	0600	71/71	BENCKERT
	0900	71/71	BENCKERT
	1200	71/71	BENCKERT
	1500	71/71	Beshios
	1800	71/71	Beshios
	2100	71/71	Beshios
	2400	70 70	A. NAJERA

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	71 71	A. NAJERA
	0600	71/71	BENCKERT
	0900	71/71	BENCKERT
	1200	71/71	BENCKERT
	1500	72/72	UKERO
	1800	72/72	UKERO
	2100	72/72	UKERO
	2400	72/72	A. NAJERA

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70/70	A. NAJERA
	0600	71/71	BENCKERT
	0900	71/71	BENCKERT
	1200	72/72	BENCKERT
	1500	72/72	UKERO
	1800	72/72	UKERO
	2100	72/72	UKERO
	2400	72/72	L. Pelechick

Notes

DISTRIBUTION: Original - Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st to October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: CTC Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	72/72	L. Perezchica
	0600	70/70	B. GARZA
	0900	70/70	B. GARZA
	1200	71/71	B. GARZA
	1500	71/71	D. Hom
	1800	71/71	D. Hom
	2100	71/71	D. Hom
	2400	72/72	Miranda

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	72/72	MAMANAC
	0600	72/72	R BARAJAS
	0900	72/72	R BARAJAS
	1200	72/72	R BARAJAS
	1500	71/71	D. Hom
	1800	71/71	D. Hom
	2100	71/71	D. Hom
	2400	72/72	A. NAJERA

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	72/72	G. Miranda
	0600	72/72	R BARAJAS
	0900	72/72	R BARAJAS
	1200	72/72	R BARAJAS
	1500	72/72	UCENO
	1800	72/72	UCENO
	2100	72/72	UCENO
	2400	72/72	A. NAJERA

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	72/72	MAMANAC
	0600	72/71	BENCKERT
	0900	72/72	BENCKERT
	1200	72/72	BENCKERT
	1500	72/72	UCENO
	1800	72/72	UCENO
	2100	72/72	UCENO
	2400	72/72	MAMANAC

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70/70	A. NAJERA
	0600	70/70	B. GARZA
	0900	71/71	B. GARZA
	1200	71/71	B. GARZA
	1500	71/71	UCENO
	1800	71/71	UCENO
	2100	71/71	UCENO
	2400		A. NAJERA

Saturday

Date	Time	Temp.	Name (Print)
10/26	0300	71/71	A. NAJERA
	0600	72/72	BENCKERT
	0900	72/72	BENCKERT
	1200	72/72	BENCKERT
	1500	72/72	UCENO
	1800	72/72	UCENO
	2100	72/72	UCENO
	2400	72/72	G. Miranda

Sunday

Date	Time	Temp.	Name (Print)
10/27	0300	72/72	G. Miranda
	0600	72/72	BENCKERT
	0900	72/72	BENCKERT
	1200	72/72	BENCKERT
	1500	71/71	D. Hom
	1800	71/71	D. Hom
	2100	71/71	D. Hom
	2400	72/72	G. Miranda

Notes

DISTRIBUTION: Institution Heat Plan Coordinator

STATE OF CA
INSIDE T RECORD
CDCR 203

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From Ma ber 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient a all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air sing units will also be monitored when the air conditioner is malfunctioning).

Using an ander on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is side air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution WSP Housing Unit: CTC Temp. Reading Location: 1st. Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immedia Watch Commander at extension 6001 **when the inside air temperature reaches 90 degre** degrees.

Mon

Date	Time	Temp.	Name (Print)
10/28		72/72	G. Miranda
		72/72	R BARRJAS
		72/72	R BARRJAS
		72/72	R BARRJAS
		71/71	D. Hu
		71/71	D. Hu
		71/71	D. Hu
		72/72	MAMAUAC

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	72/72	MAMAUAC
	0600	72/72	R BARRJAS
	0900	72/72	R BARRJAS
	1200	72/72	R BARRJAS
	1500	71/71	D. Hu
	1800	71/71	D. Hu
	2100	71/71	D. Hu
	2400	72/72	MAMAUAC

Wedn

Date	Time	Temp.	Name (Print)
~~10/29~~ 10/30		72/72	MAMAUAC
		72/72	BENCHORT
		72/72	BENCHORT
		72/72	BENCHORT
		72/72	UKENO
		72/72	UKENO
		72/72	UKENO
		72/72	MAMAUAC

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	72/72	MAMAUAC
	0600	72/72	UKENO
	0900	72/72	UKENO
	1200	72/72	UKENO
	1500	72/72	UKENO
	1800	72/72	UKENO
	2100	72/72	UKENO
	2400		

Frid

Date	Time	Temp.	Name (Print)
~~10/30~~			

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sun

Date	Time	Temp.	Name (Print)
~~10/31~~			

Notes

DISTRIBUTI Summer Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-01-24	0300	70	B MATA
	0600	70	Pitts
	0900	70	Pitts
	1200	70	Pitts
	1500	70	Cnieto
	1800	70	Cnieto
	2100	70	Cnieto
	2400	70	B MATA

Wednesday

Date	Time	Temp.	Name (Print)
10-02-24	0300	70	B MATA
	0600	70	Mbanzke
	0900	70	Mbanzke
	1200	70	Mbanzke
	1500	70	Cnieto
	1800	70	Cnieto
	2100	70	Cnieto
	2400	70	B MATA

Thursday

Date	Time	Temp.	Name (Print)
10-03-24	0300	70	B MATA
	0600	70	Mbanzke
	0900	70	Mbanzke
	1200	70	Mbanzke
	1500	70	Cnieto
	1800	70	Cnieto
	2100	70	Cnieto
	2400	70	B. MATA

Friday

Date	Time	Temp.	Name (Print)
10-04-24	0300	70	B. MATA
	0600	70	Mbanzke
	0900	70	Mbanzke
	1200	70	Mbanzke
	1500	70	Cnieto
	1800	70	Cnieto
	2100	70	Cnieto
	2400	70	J. Santa

Saturday

Date	Time	Temp.	Name (Print)
10-05-24	0300	70	J. Santa
	0600	70	B. MATA
	0900	70	B. MATA
	1200	70	B. MATA
	1500	71	E. Martinez
	1800	71	E. Martinez
	2100	70	E. Martinez
	2400	70	J. Santa

Sunday

Date	Time	Temp.	Name (Print)
10-06-24	0300	70	J. Santa
	0600	70	B. MATA
	0900	70	B. MATA
	1200	70	B. MATA
	1500	71	J. OROZCO
	1800	72	J. OROZCO
	2100	71	J. OROZCO
	2400	70	B. MATA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-07-24	0300	70	B.MATA
	0600	77	K. cottrell
	0900	77	K. cottrell
	1200	79	K. cottrell
	1500	80	CNieto
	1800	80	CNieto
	2100	80	CNieto
	2400	78	B.MATA

Tuesday

Date	Time	Temp.	Name (Print)
10-08-24	0300	78	B.MATA
	0600	79	K. cottrell
	0900	79	K. cottrell
	1200	79	K. cottrell
	1500	80	CNieto
	1800	80	CNieto
	2100	80	CNieto
	2400	79	B.MATA

Wednesday

Date	Time	Temp.	Name (Print)
10-09-24	0300	78	B.MATA
	0600	74	[illegible]
	0900	74	[illegible]
	1200	74	[illegible]
	1500	79	CNieto
	1800	79	CNieto
	2100	79	CNieto
	2400	79	B.MATA

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	79	B.MATA
	0600	74	[illegible]
	0900	79	[illegible]
	1200	74	[illegible]
	1500	80	CNieto
	1800	80	CNieto
	2100	80	CNieto
	2400	78	B.MATA

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	78	B.MATA
	0600	75	[illegible]
	0900	75	[illegible]
	1200	75	[illegible]
	1500	79	CNieto
	1800	79	CNieto
	2100	79	CNieto
	2400	73	J. Suarez

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	72	J. Suarez
	0600	72	[illegible]
	0900	72	[illegible]
	1200	72	[illegible]
	1500	74	E. Martinez
	1800	73	E. Martinez
	2100	73	E. Martinez
	2400	73	J. Suarez

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	72	J. Suarez
	0600	72	[illegible]
	0900	73	[illegible]
	1200	72	[illegible]
	1500	73	E. Martinez
	1800	73	E. Martinez
	2100	73	E. Martinez
	2400	73	B.MATA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	71	B. MATA
	0600	71	L. Delatorre
	0900	71	L. Delatorre
	1200	71	L. Delatorre
	1500	75	C Nieto
	1800	75	C Nieto
	2100	75	C Nieto
	2400	72	B. MATA

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	71	B. MATA
	0600	70	O Sharon
	0900	70	O Sharon
	1200	70	O Sharon
	1500	75	C Nieto
	1800	75	C Nieto
	2100	75	C Nieto
	2400	74	B. MATA

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	73	B MATA
	0600	70	Mazu
	0900	70	Mazu
	1200	73	Mazu
	1500	76	S. Nitescu
	1800	76	C Nieto
	2100	76	C Nieto
	2400	74	B. MATA

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	73	B. MATA
	0600	73	Mazu
	0900	73	Mazu
	1200	73	Mazu
	1500	75	C Nieto
	1800	75	C Nieto
	2100	75	C Nieto
	2400	74	B. MATA

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	74	B MATA
	0600	73	Mazu
	0900	73	Mazu
	1200	73	Mazu
	1500	75	C Nieto
	1800	75	C Nieto
	2100	75	C Nieto
	2400	73	J. Smith

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	73	J. Smith
	0600	73	Mazu
	0900	73	Mazu
	1200	73	Mazu
	1500	73	Martinez
	1800	73	Martinez
	2100	73	Martinez
	2400	73	J. Smith

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	72	J. Smith
	0600	72	Mazu
	0900	72	Mazu
	1200	72	Mazu
	1500	73	J. OROZCO
	1800	72	J. OROZCO
	2100	72	J. OROZCO
	2400	72	B MATA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	71	B. MATA
	0600	72	J. Flores
	0900	72	J. Flores
	1200	72	J. Flores
	1500	70	Chieto
	1800	70	Chieto
	2100	70	Chieto
	2400	70	B MATA

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	70	B MATA
	0600	70	M. Oehlert
	0900	71	M. Oehlert
	1200	71	M. Oehlert
	1500	70	Chieto
	1800	70	Chieto
	2100	70	Chieto
	2400	70	B. MATA

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	68	B MATA
	0600	68	K. Rivera
	0900	68	K Rivera
	1200	70	K Rivera
	1500	70	Chieto
	1800	70	Chieto
	2100	70	Chieto
	2400	70	B. MATA

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	68	B MATA
	0600	69	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	70	Chieto
	1800	70	Chieto
	2100	70	Chieto
	2400	68	B MATA

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	67	B MATA
	0600	67	G. MACIAS
	0900	67	G. MACIAS
	1200	68	G. MACIAS
	1500	70	Chieto
	1800	70	Chieto
	2100	70	Chieto
	2400	70	J. [illegible]

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	70	J SANCHEZ
	0600	70	M. CLOUD
	0900	70	M. CLOUD
	1200	70	M. CLOUD
	1500	71	J. OROZCO
	1800	71	J. OROZCO
	2100	70	J. OROZCO
	2400	70	Barky

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	70	Barky
	0600	70	T. Pitts
	0900	70	T. Pitts
	1200	70	T. Pitts
	1500	70	J. OROZCO
	1800	71	J. OROZCO
	2100	71	J. OROZCO
	2400	70	B. MATA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	70	B. MATA
	0600	64°	D. CWA
	0900	67°	PEREZ
	1200	67°	D. Cwa
	1500	68	Cnieto
	1800	68	Cnieto
	2100	68	Cnieto
	2400	68	B MATA

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	67	B MATA
	0600	70	J. Flores
	0900	70	J. Flores
	1200	72	J. Flores
	1500	70	Cnieto
	1800	70	Cnieto
	2100	70	Cnieto
	2400	68	B MATA

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	65	B MATA
	0600	65	[illegible]
	0900	65	[illegible]
	1200	65	[illegible]
	1500	64	[illegible]
	1800	65	[illegible]
	2100	65	[illegible]
	2400	64	B MATA

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	64	B MATA
	0600	65	[illegible]
	0900	65	[illegible]
	1200	65	[illegible]
	1500	68	Cnieto
	1800	68	Cnieto
	2100	68	Cnieto
	2400	65	B. MATA

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-01-24	0300	73	T.Mahs
	0600	72	T.Mahs
	0900	72	L. Ramirez
	1200	73	L. Ramirez
	1500	73	J.OROZCO
	1800	73	J.OROZCO
	2100	72	J.OROZCO
	2400	71	J. Sanchez

Wednesday

Date	Time	Temp.	Name (Print)
10-02-24	0300	70	J. Sanchez
	0600	70	L Ramirez
	0900	71	L Ramirez
	1200	72	L Ramirez
	1500	73	J.Lopes
	1800	74	J.Lopes
	2100	74	J.Lopes
	2400	72	J. Sanchez

Thursday

Date	Time	Temp.	Name (Print)
10-03-24	0300	71	J. Sanchez
	0600	71	L. Ramirez
	0900	72	L. Ramirez
	1200	73	L. Ramirez
	1500	75	J.Lopes
	1800	74	J.Lopes
	2100	75	J.Lopes
	2400	73	J. Sanchez

Friday

Date	Time	Temp.	Name (Print)
10-04-24	0300	71	J. Sanchez
	0600	73	L. Ramirez
	0900	73	L Ramirez
	1200	73	L Ramirez
	1500	74	J.Lopes
	1800	75	J.Lopes
	2100	76	J.Lopes
	2400	75	T.Mahs

Saturday

Date	Time	Temp.	Name (Print)
10-05-24	0300	74	T.Mahs
	0600	74	T.Mahs
	0900	76	Sorzil
	1200	77	Sorzil
	1500	77	J.Lopes
	1800	78	J.Lopes
	2100	79	J.Lopes
	2400	78	T.Mahs

Sunday

Date	Time	Temp.	Name (Print)
10-06-24	0300	76	T.Mahs
	0600	75	T.Mahs
	0900	74	J.Bay
	1200	74	J.Bay
	1500	75	J.Lopes
	1800	76	J.Lopes
	2100	77	J.Lopes
	2400	78	T.Mahs

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-07-24	0300	75	T.Mawr
	0600	74	T.Mawr
	0900	74	L. Ramirez
	1200	75	L. Ramirez
	1500	75	J.OROZCO
	1800	75	J.OROZCO
	2100	74	J.OROZCO
	2400	74	T.Mawr

Tuesday

Date	Time	Temp.	Name (Print)
10-08-24	0300	74	T.Mawr
	0600	73	T.Mawr
	0900	74	L. Ramirez
	1200	75	L. Ramirez
	1500	75	J.OROZCO
	1800	76	J.OROZCO
	2100	76	J.OROZCO
	2400	76	T.Mawr

Wednesday

Date	Time	Temp.	Name (Print)
10-09-24	0300	74	T.Mawr
	0600	74	T.Mawr
	0900	75	L.Ramirez
	1200	76	L.Ramirez
	1500	77	J.Lopez
	1800	78	J.Lopez
	2100	75	J.Lopez
	2400	73	J. Santiz

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	73	J. Santiz
	0600	73	L.Ramirez
	0900	74	L.Ramirez
	1200	75	L.Ramirez
	1500	76	J.Lopez
	1800	77	J.Lopez
	2100	77	J.Lopez
	2400	74	J. [illegible]

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	73	J. Santiz
	0600	73	E.Gorter
	0900	74	E.Gorter
	1200	74	E.Gorter
	1500	75	J.Lopez
	1800	75	J.Lopez
	2100	76	J.Lopez
	2400	75	T.Mawr

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	73	T.Mawr
	0600	72	T.Mawr
	0900	73	S.ORTIZ
	1200	74	S.ORTIZ
	1500	75	J.Lopez
	1800	76	J.Lopez
	2100	77	J.Lopez
	2400	74	J.RICO

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	74	J.RICO
	0600	74	S.ORTIZ
	0900	75	S.ORTIZ
	1200	75	S.ORTIZ
	1500	76	J.Lopez
	1800	77	J.Lopez
	2100	78	J.Lopez
	2400	72	T.Mawr

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	72	T. Mann
	0600	72	T. Mann
	0900	72	L. Ramirez
	1200	73	L. Ramirez
	1500	74	J. OROZCO
	1800	74	J. OROZCO
	2100	73	J. OROZCO
	2400	73	T. Mann

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	72	T. Mann
	0600	72	T. Mann
	0900	72	L. Ramirez
	1200	72	L. Ramirez
	1500	72	R. Martin
	1800	72	R. Montez
	2100	73	R. Montez
	2400	73	T. Mann

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	72	T. Mann
	0600	72	T. Mann
	0900	72	L. Ramirez
	1200	73	L. Ramirez
	1500	74	J. Lopes
	1800	75	J. Lopes
	2100	76	J. Lopes
	2400	73	J. Sanchez

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	72	J. Sanchez
	0600	72	L. Ramirez
	0900	73	L. Ramirez
	1200	73	L. Ramirez
	1500	74	J. Lopes
	1800	75	J. Lopes
	2100	76	J. Lopes
	2400	75	J. Sanchez

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	74	J. Sanchez
	0600	74	J. Black
	0900	74	J. Black
	1200	74	J. Black
	1500	74	J. Lopes
	1800	75	J. Lopes
	2100	76	J. Lopes
	2400	75	T. Mann

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	72	T. Mann
	0600	72	T. Mann
	0900	74	Sanchez
	1200	75	Sanchez
	1500	76	J. Lopes
	1800	77	J. Lopes
	2100	78	J. Lopes
	2400	76	T. Mann

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	75	T. Mann
	0600	72	T. Mann
	0900	74	J. OROZCO
	1200	74	J. OROZCO
	1500	75	J. OROZCO
	1800	76	J. LOPES
	2100	75	J. LOPES
	2400	75	T. Mann

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	73	T. Mawr
	0600	72	T. Mawr
	0900	72	L. Ramirez
	1200	72	L. Ramirez
	1500	73	J. OROZCO
	1800	73	J. OROZCO
	2100	72	J. OROZCO
	2400	72	T. Mawr

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	72	T. Mawr
	0600	72	T. Mawr
	0900	72	L. Ramirez
	1200	72	L. Ramirez
	1500	73	J. OROZCO
	1800	73	J. OROZCO
	2100	72	J. OROZCO
	2400	72	T. Mawr

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	72	T. Mawr
	0600	72	T. Mawr
	0900	72	L. Ramirez
	1200	71	L. Ramirez
	1500	70	J. ESQUEDA
	1800	70	J. ESQUEDA
	2100	69	J. ESQUEDA
	2400	70	J. Avila

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70	J. Avila
	0600	70	L. Ramirez
	0900	71	L. Ramirez
	1200	71	L. Ramirez
	1500	72	J. Lopes
	1800	72	J. Lopes
	2100	73	J. Lopes
	2400	72	J. Avila

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70	J. Avila
	0600	70	L. Ramirez
	0900	71	L. Ramirez
	1200	72	L. Ramirez
	1500	72	J. Lopes
	1800	73	J. Lopes
	2100	74	J. Lopes
	2400	74	T. Mawr

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	72	T. Mawr
	0600	72	T. Mawr
	0900	73	S. Ortiz
	1200	74	S. Ortiz
	1500	74	J. Lopes
	1800	75	J. Lopes
	2100	76	J. Lopes
	2400	74	M. Cloud

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	72	M. Cloud
	0600	73	S. Ortiz
	0900	74	S. Ortiz
	1200	74	S. Ortiz
	1500	75	J. Lopes
	1800	75	J. Lopes
	2100	75	J. Lopes
	2400	75	T. Mawr

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	73	T. Mans
	0600	72	T. Mans
	0900	72	L Ramirez
	1200	72	L Ramirez
	1500	73	M. JEFF
	1800	73	M. JEFF
	2100	73	M. JEFF
	2400	75	T. Mans

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	72	T. Mans
	0600	72	T. Mans
	0900	72	L Ramirez
	1200	72	L Ramirez
	1500	73	J. OROZCO
	1800	73	J. OROZCO
	2100	72	J. OROZCO
	2400	72	T. Mans

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	72	T. Mans
	0600	72	T. Mans
	0900	72	L Ramirez
	1200	72	L Ramirez
	1500	73	J. Lopez
	1800	73	J. Lopez
	2100	74	J. Lopez
	2400	72	J. Suarez

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	72	J. Suarez
	0600	72	L Ramirez
	0900	72	L Ramirez
	1200	73	L Ramirez
	1500	73	J. Lopez
	1800	74	J. Lopez
	2100	74	J. Lopez
	2400	72	A. Ochoa

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-01-24	0300	73	B. GRIMES
	0600	74	S. ORTIZ
	0900	75	S. ORTIZ
	1200	76	S. ORTIZ
	1500	76	Hernandez
	1800	76	Hernandez
	2100	75	Hernandez
	2400	73	J. Santa

Wednesday

Date	Time	Temp.	Name (Print)
10-02-24	0300	73	J. Santa
	0600	74	A. HERMOSILLO
	0900	76	A. HERMOSILLO
	1200	78	A. HERMOSILLO
	1500	78	J. OROZCO
	1800	78	J. OROZCO
	2100	76	J. OROZCO
	2400	76	E. Martinez

Thursday

Date	Time	Temp.	Name (Print)
10-03-24	0300	75	E. Martinez
	0600	74	A. HERMOSILLO
	0900	76	A. HERMOSILLO
	1200	78	A. HERMOSILLO
	1500	79	S. MORENO
	1800	79	S. MORENO
	2100	79	S. MORENO
	2400	76	E. Martinez

Friday

Date	Time	Temp.	Name (Print)
10-04-24	0300	76	E. Martinez
	0600	74	A. HERMOSILLO
	0900	76	A. HERMOSILLO
	1200	78	A. HERMOSILLO
	1500	78	J. Martinez
	1800	78	J. Martinez
	2100	77	J. Martinez
	2400	76	E. Martinez

Saturday

Date	Time	Temp.	Name (Print)
10-05-24	0300	76	E. Martinez
	0600	76	A. LOPEZ
	0900	78	A. LOPEZ
	1200	78	A. LOPEZ
	1500	79	M. Valenzuela
	1800	76	M. Valenzuela
	2100	75	M. Valenzuela
	2400	74	E. Martinez

Sunday

Date	Time	Temp.	Name (Print)
10-06-24	0300	74	E. Martinez
	0600	74	Z. Rentio
	0900	76	Z. Rentio
	1200	78	Z. Rentio
	1500	79	Z. Rentio
	1800	78	Z. Rentio
	2100	76	Z. Rentio
	2400	74	J. OROZCO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-07-24	0300	74	J. OROZCO
	0600	70	T. PITTS
	0900	70	T. PITTS
	1200	70	T. PITTS
	1500	77	J. Martinez
	1800	77	J. Martinez
	2100	75	J. Martinez
	2400	74	B. GRIMES

Tuesday

Date	Time	Temp.	Name (Print)
10-08-24	0300	71	B. GRIMES
	0600	72	SORIA
	0900	73	S. ORTIZ
	1200	75	S. ORTIZ
	1500	75	J. Martinez
	1800	77	J. Martinez
	2100	75	J. Martinez
	2400	74	J. SANCHEZ

Wednesday

Date	Time	Temp.	Name (Print)
10-09-24	0300	74	J. SANCHEZ
	0600	74	A. HERMOSILLO
	0900	76	A. HERMOSILLO
	1200	78	A. HERMOSILLO
	1500	78	J. OROZCO
	1800	79	J. OROZCO
	2100	78	J. OROZCO
	2400	76	E. Martinez

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	75	E. Martinez
	0600	74	A. HERMOSILLO
	0900	76	A. HERMOSILLO
	1200	78	A. HERMOSILLO
	1500	78	J. OROZCO
	1800	80	J. OROZCO
	2100	80	J. OROZCO
	2400	77	E. Martinez

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	76	E. Martinez
	0600	74	A. HERMOSILLO
	0900	75	A. HERMOSILLO
	1200	77	A. HERMOSILLO
	1500	77	J. Martinez
	1800	75	J. Martinez
	2100	75	J. Martinez
	2400	74	E. Martinez

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	74	E. Martinez
	0600	74	B. MATA
	0900	75	B. MATA
	1200	76	B. MATA
	1500	77	J. Martinez
	1800	77	J. Martinez
	2100	75	J. Martinez
	2400	72	E. Martinez

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	71	E. Martinez
	0600	70	M. Valencia
	0900	70	M. Valencia
	1200	72	M. Valencia
	1500	73	M. Valencia
	1800	70	M. Valencia
	2100	70	M. Valencia
	2400	70	E. Martinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	71	E. Martinez
	0600	72	Sortiz
	0900	73	S. ortiz
	1200	74	Sortiz
	1500	75	J. Martinez
	1800	75	J. Martinez
	2100	74	J. Martinez
	2400	70	C. Lopez

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	70	C. Lopez
	0600	72	Sortiz
	0900	74	Sortiz
	1200	75	Sortiz
	1500	77	J. Martinez
	1800	75	J. Martinez
	2100	75	J. Martinez
	2400	73	J. Santa

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	72	J. Santa
	0600	70	A. Hermosillo
	0900	72	A. Hermosillo
	1200	74	A. Hermosillo
	1500	74	B. MATA
	1800	74	B. MATA
	2100	74	B. MATA
	2400	73	E. Martinez

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	73	E. Martinez
	0600	70	A. Hermosillo
	0900	72	A. Hermosillo
	1200	74	A. Hermosillo
	1500	76	H. Ahmed
	1800	76	H. Ahmed
	2100	74	H. Ahmed
	2400	73	E. Martinez

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	73	E. Martinez
	0600	70	A. Hermosillo
	0900	72	A. Hermosillo
	1200	74	A. Hermosillo
	1500	74	B. Brown
	1800	74	B. Brown
	2100	72	B. Brown
	2400	70	E. Martinez

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	69	E. Martinez
	0600	70	J. Flores
	0900	70	J. Flores
	1200	70	J. Flores
	1500	72	J. Martinez
	1800	72	J. Martinez
	2100	72	J. Martinez
	2400	69	E. Martinez

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	69	E. Martinez
	0600	68	A. Hermosillo
	0900	69	A. Hermosillo
	1200	70	A. Hermosillo
	1500	71	Refro
	1800	71	Refro
	2100	70	Refro
	2400	70	J. Orozco

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	70	B Grimes
	0600	70	Sortz
	0900	71	Sortz
	1200	73	Sortz
	1500	74	J. Martinez
	1800	73	J. Martinez
	2100	73	J. Martinez
	2400	71	B Grimes

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	69	B. Grimes
	0600	70	Sortz
	0900	72	Sortz
	1200	73	Sortz
	1500	73	J. Martinez
	1800	73	J Martinez
	2100	72	J Martinez
	2400	72	J. Sanchez

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	70	J. Sanchez
	0600	68	A. Hermosillo
	0900	67	A. Hermosillo
	1200	70	A. Hermosillo
	1500	71	J. OROZCO
	1800	71	J. OROZCO
	2100	70	J. OROZCO
	2400	70	E. Martinez

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	69	E. Martinez
	0600	68	A. Hermosillo
	0900	69	A. Hermosillo
	1200	70	A. Hermosillo
	1500	72	ZELAYA
	1800	73	ZELAYA
	2100	72	ZELAYA
	2400	70	E. Martinez

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	69	E. Martinez
	0600	68	A. Hermosillo
	0900	69	A. Hermosillo
	1200	70	A. Hermosillo
	1500	70	D. Rodriguez
	1800	70	D. Rodriguez
	2100	69	D. Rodriguez
	2400	68	E. Martinez

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	67	E. Martinez
	0600	68	M. Oehlert
	0900	70	M. Oehlert
	1200	71	M. Oehlert
	1500	72	N Daguer
	1800	71	N Daguer
	2100	70	N Daguer
	2400	69	J. OROZCO

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	68	J. OROZCO
	0600	67	A. Hermosillo
	0900	68	A. Hermosillo
	1200	69	A. Hermosillo
	1500	70	Z. Rink
	1800	71	Z. Rink
	2100	68	Z. Rink
	2400	68	J. OROZCO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	67	J. OROZCO
	0600	67	S. ORDIZ
	0900	68	S. ORDIZ
	1200	68	S. ORDIZ
	1500	68	LANDEROS
	1800	67	LANDEROS
	2100	67	LANDEROS
	2400	65	B. GRIMES

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	64	B. GRIMES
	0600	65	S. ORDIZ
	0900	68	S. ORDIZ
	1200	65	S. ORDIZ
	1500	64	LANDEROS
	1800	64	LANDEROS
	2100	68	LANDEROS
	2400	70	J. SANCHEZ

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	69	J. SANCHEZ
	0600	67	A. HERMOSILLO
	0900	68	A. HERMOSILLO
	1200	69	A. HERMOSILLO
	1500	70	J. OROZCO
	1800	71	J. OROZCO
	2100	70	J. OROZCO
	2400	70	A. CRUZ

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	69	J. SANCHEZ
	0600	70	ROMERO
	0900	70	[illegible]
	1200	70	[illegible]
	1500	69	H. Ahmed
	1800	68	H. Ahmed
	2100	68	H. Ahmed
	2400	68	H. CERA

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	76	LUNEY

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	74	LUNEY
	0600	76	M. DelaTorre
	0900	78	M. DelaTorre
	1200	80	M. DelaTorre
	1500	82	M. ESQUIVEL
	1800	78	M. ESQUIVEL
	2100	79	M. ESQUIVEL
	2400	77	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	75	M. CLOUD
	0600	75	S. Ortiz
	0900	75	S. Ortiz
	1200	76	S. Ortiz
	1500	78	M. ESQUIVEL
	1800	78	M. ESQUIVEL
	2100	79	M. ESQUIVEL
	2400	77	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	75	M. CLOUD
	0600	75	[illegible]
	0900	75	[illegible]
	1200	76	[illegible]
	1500	78	M. ESQUIVEL
	1800	79	M. ESQUIVEL
	2100	79	M. ESQUIVEL
	2400	77	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	75	M. CLOUD
	0600	77	M. DeLaTorre
	0900	79	M. De La Torre
	1200	81	M. DeLa Torre
	1500	81	J. OROZCO
	1800	81	J. OROZCO
	2100	81	J. OROZCO
	2400	78	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	76	M. CLOUD
	0600	77	M. DelaTorre
	0900	79	M. DelaTorre
	1200	81	M. DelaTorre
	1500	81	B. MATA
	1800	80	B. MATA
	2100	80	B. MATA
	2400	78	B. GRIMES

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	75	B. GRIMES
	0600	77	M. De La Torre
	0900	78	M. De La Torre
	1200	80	M. De La Torre
	1500	77	M. ESQUIVEL
	1800	79	M. ESQUIVEL
	2100	80	M. ESQUIVEL
	2400	78	B. GRIMES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	75	B. GRIMES
	0600	78	A. Rodriguez
	0900	80	A. Rodriguez
	1200	79	A. Rodriguez
	1500	79	M. ESQUIVEL
	1800	80	M. ESQUIVEL
	2100	80	M. ESQUIVEL
	2400	78°	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	76°	M. CLOUD
	0600	78	M. DeLaTorre
	0900	79	M. DeLaTorre
	1200	79	M. DeLaTorre
	1500	79	M. ESQUIVEL
	1800	79	M. ESQUIVEL
	2100	77	M. ESQUIVEL
	2400	75°	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	73°	M. CLOUD
	0600	73	S. ORTIZ
	0900	74	S. ORTIZ
	1200	75	S. ORTIZ
	1500	76	M. ESQUIVEL
	1800	77	M. ESQUIVEL
	2100	76	M. ESQUIVEL
	2400	76	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	74	M. CLOUD
	0600	74	[illegible]
	0900	75	[illegible]
	1200	76	[illegible]
	1500	76	S. Falk
	1800	77	M. ESQUIVEL
	2100	77	M. ESQUIVEL
	2400	75	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	73	M. CLOUD
	0600	74	M. DeLaTorre
	0900	76	M. DeLaTorre
	1200	77	M. DeLaTorre
	1500	77	M. MEDINA
	1800	76	M. MEDINA
	2100	77	M. MEDINA
	2400	77	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	75	M. CLOUD
	0600	75	M. DeLaTorre
	0900	76	M. DeLaTorre
	1200	75	M. DeLaTorre
	1500	75	B. MATA
	1800	75	B. MATA
	2100	75	B. MATA
	2400	73	B. GRIMES

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	73	B. GRIMES
	0600	72	B. MATA
	0900	72	B. MATA
	1200	73	B. MATA
	1500	72	M. ESQUIVEL
	1800	73	M. ESQUIVEL
	2100	73	M. ESQUIVEL
	2400	73	B. GRIMES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

141 SAN

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	71	B. Grimes
	0600	74	M. De La Torre
	0900	73	M. De La Torre
	1200	77	M. De La Torre
	1500	77	J Moon
	1800	76	J Moon
	2100	75	J Moon
	2400	75	M. Cloud

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	74	M. Cloud
	0600	76	M. De La Torre
	0900	76	M. De La Torre
	1200	78	M. De La Torre
	1500	77	J Moon
	1800	76	J Moon
	2100	76	J Moon
	2400	76	M. Cloud

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	74	M. Cloud
	0600	74	S. Ortiz
	0900	74	M Solorio
	1200	75	M Solorio
	1500	75	J Moon
	1800	75	J Moon
	2100	75	J Moon
	2400	75	M. Cloud

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	73	M. Cloud
	0600	73	Andrade
	0900	74	Andrade
	1200	74	Andrade
	1500	74	J Moon
	1800	74	J Moon
	2100	74	J Moon
	2400	74	M. Cloud

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	72	M. Cloud
	0600	74	M. De La Torre
	0900	75	M. De La Torre
	1200	76	M. De La Torre
	1500	76	J Orozco
	1800	77	J Orozco
	2100	73	J Orozco
	2400	73	M. Cloud

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	71	M. Cloud
	0600	71	M. Oehlert
	0900	72	M Oehlert
	1200	72	M Oehlert
	1500	75	J. Orozco
	1800	76	J. Orozco
	2100	76	J. Orozco
	2400	75	B. Grimes

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	72	B Grimes
	0600	72	J Orozco
	0900	72	J Orozco
	1200	70	J Orozco
	1500	76	R. Montey
	1800	76	R. Montey
	2100	76	R. Montey
	2400	75	B. Grimes

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	73	B. Grimes
	0600	73	M. DeLa Torre
	0900	75	M. DeLa Torre
	1200	77	M. DeLa Torre
	1500	77	J. Moon
	1800	76	J. Moon
	2100	76	J. Moon
	2400	75	M. Cloud

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	73	M. Cloud
	0600	75	M. DeLa Torre
	0900	76	M. DeLa Torre
	1200	77	M. DeLa Torre
	1500	77	J. Moon
	1800	76	J. Moon
	2100	75	J. Moon
	2400	74	M. Cloud

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	72	M. Cloud
	0600	73	S. Ortiz
	0900	74	S. Ortiz
	1200	75	S. Ortiz
	1500	74	Zelaya
	1800	73	Zelaya
	2100	73	Zelaya
	2400	72	M. Cloud

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70	M. Cloud
	0600	70	[illegible]
	0900	71	[illegible]
	1200	72	[illegible]
	1500	72	J. Moon
	1800	72	J. Moon
	2100	72	J. Moon
	2400	72	M. Cloud

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70	M. Cloud
	0600	74	M. DeLa Torre
	0900	75	M. DeLa Torre
	1200	75	M. DeLa Torre
	1500	75	J. Orozco
	1800	76	J. Orozco
	2100	76	J. Orozco
	2400	74	M. Cloud

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	72	M. Cloud
	0600	73	M. DeLa Torre
	0900	75	M. DeLa Torre
	1200	76	M. DeLa Torre
	1500	77	J. Orozco
	1800	77	J. Orozco
	2100	76	J. Orozco
	2400	71	B. Grimes

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	70	B. Grimes
	0600	74	M. DeLa Torre
	0900	75	M. DeLa Torre
	1200	77	M. DeLa Torre
	1500	78	J. Orozco
	1800	78	J. Orozco
	2100	78	J. Orozco
	2400	75	B. Grimes

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	72	B. GRIMES
	0600	71	M. Oehlert
	0900	71	M. Oehlert
	1200	73	M. Oehlert
	1500	73	J. MOON
	1800	72	J. MOON
	2100	72	J. MOON
	2400	70	C. LUMEY

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	68	C. LUMEY
	0600	70	M. DeLaTorre
	0900	71	M. DeLaTorre
	1200	72	M. DeLaTorre
	1500	72	J. MOON
	1800	71	J. MOON
	2100	71	J. MOON
	2400	70	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	68	M. CLOUD
	0600	68	S. ORTIZ
	0900	69	S. ORTIZ
	1200	70	S. ORTIZ
	1500	71	J. MOON
	1800	70	J. MOON
	2100	69	J. MOON
	2400	68	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	68	M. CLOUD
	0600	68	M. Cruz
	0900	68	M. Cruz
	1200	68	M. Cruz
	1500	69	J. MOON
	1800	69	J. MOON
	2100	68	J. MOON
	2400	68	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	76	LUNEU

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	74	LUNEU
	0600	77	M. DelaTorre
	0900	79	M. DelaTorre
	1200	81	M. DelaTorre
	1500	77	M. ESQUIVEL
	1800	78	M. ESQUIVEL
	2100	79	M. ESQUIVEL
	2400	76	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	73	M. CLOUD
	0600	75	S. ORTIZ
	0900	75	S. ORTIZ
	1200	76	S. ORTIZ
	1500	77	M. ESQUIVEL
	1800	78	M. ESQUIVEL
	2100	79	M. ESQUIVEL
	2400	77	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	75	M. CLOUD
	0600	75	[illegible]
	0900	75	[illegible]
	1200	76	[illegible]
	1500	78	M. ESQUIVEL
	1800	79	M. ESQUIVEL
	2100	79	M. ESQUIVEL
	2400	77	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	75	M. CLOUD
	0600	78	M. DelaTorre
	0900	80	M. DelaTorre
	1200	81	M. DelaTorre
	1500	81	J. OROZCO
	1800	81	J. OROZCO
	2100	81	J. OROZCO
	2400	78	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	76	M. CLOUD
	0600	78	M. DelaTorre
	0900	80	M. DelaTorre
	1200	81	M. DelaTorre
	1500	81	B. MATA
	1800	80	B. MATA
	2100	79	B. MATA
	2400	78	B. Grimes

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	78	B Grimes
	0600	77	M. DelaTorre
	0900	79	M. DelaTorre
	1200	81	M. DelaTorre
	1500	77	M. ESQUIVEL
	1800	79	M. ESQUIVEL
	2100	80	M. ESQUIVEL
	2400	78	B. GRIMES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	75	B. GRIMES
	0600	79	A. Rodgruiez
	0900	80	A Rodgruiez
	1200	79	A Rodgruiez
	1500	79	M. ESQUIVEL
	1800	79	M. ESQUIVEL
	2100	78	M. ESQUIVEL
	2400	77°	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	750	M. CLOUD
	0600	76	M. DelaTorre
	0900	77	M. DelaTorre
	1200	78	M. DelaTorre
	1500	78	M. ESQUIVEL
	1800	78	M. ESQUIVEL
	2100	77	M. ESQUIVEL
	2400	750	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	730	M. CLOUD
	0600	75	S. Ordal
	0900	74	S. Ordal
	1200	75	S. Ordal
	1500	77	M. ESQUIVEL
	1800	77	M. ESQUIVEL
	2100	78	M. ESQUIVEL
	2400	76	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	74	M. CLOUD
	0600	74	[illegible]
	0900	75	[illegible]
	1200	76	[illegible]
	1500	76	S Fallon
	1800	77	M. ESQUIVEL
	2100	77	M. ESQUIVEL
	2400	75	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	73	M. CLOUD
	0600	74	M. DelaTorre
	0900	75	M. DelaTorre
	1200	77	M. DelaTorre
	1500	77	~~M. MEDINA~~
	1800	77	~~M. MEDINA~~
	2100	76	~~M. MEDINA~~
	2400	76	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	74	M. CLOUD
	0600	74	M. DelaTorre
	0900	75	M. DelaTorre
	1200	75	M. DelaTorre
	1500	75	B. MATA
	1800	74	B. MATA
	2100	74	B. MATA
	2400	73	B. GRIMES

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	73	B. GRIMES
	0600	72	B. MATA
	0900	72	B. MATA
	1200	73	B. MATA
	1500	73	M. ESQUIVEL
	1800	73	M. ESQUIVEL
	2100	74	M. ESQUIVEL
	2400	73	B. GRIMES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	71	B-GRIMES
	0600	74	M-DeLaTorre
	0900	76	M-DeLaTorre
	1200	77	M-DeLaTorre
	1500	77	JMoon
	1800	76	JMoon
	2100	75	JMoon
	2400	75	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	73	M. CLOUD
	0600	75	M-DeLaTorre
	0900	76	M-DeLaTorre
	1200	77	M-DeLaTorre
	1500	77	JMoon
	1800	76	JMoon
	2100	76	JMoon
	2400	76	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	74	M. CLOUD
	0600	74	S.Ortiz
	0900	74	M Solorio
	1200	75	M Solorio
	1500	75	JMoon
	1800	75	JMoon
	2100	75	JMoon
	2400	75	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	73	M. CLOUD
	0600	73	[illegible]
	0900	74	[illegible]
	1200	74	[illegible]
	1500	74	JMoon
	1800	74	JMoon
	2100	74	JMoon
	2400	74	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	72	M. CLOUD
	0600	73	M-DeLaTorre
	0900	75	M-DeLaTorre
	1200	77	M-DeLaTorre
	1500	77	J. OROZCO
	1800	78	J. OROZCO
	2100	78	J. OROZCO
	2400	75	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	73	M. CLOUD
	0600	73	M Oehlert
	0900	74	M Oehlert
	1200	75	M Oehlert
	1500	76	J. OROZCO
	1800	76	J OROZCO
	2100	77	J. OROZCO
	2400	75	B-GRIMES

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	72	B-GRIMES
	0600	72	J OROZCO
	0900	72	J OROZCO
	1200	70	J OROZCO
	1500	70	R. Mayor
	1800	75	R. [illegible]
	2100	75	R. Mayor
	2400	75	B-GRIMES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	73	B GRIMES
	0600	74	M DeLaTorre
	0900	76	M. DeLaTorre
	1200	77	M-DeLaTorre
	1500	77	J. MOON
	1800	76	J. MOON
	2100	76	J. MOON
	2400	75	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	73	M. CLOUD
	0600	74	M. DeLaTorre
	0900	75	M-DeLaTorre
	1200	76	M. DeLaTorre
	1500	76	J. MOON
	1800	76	J. MOON
	2100	75	J. MOON
	2400	74	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	72	M. CLOUD
	0600	73	S.ORZE
	0900	74	S.ORZE
	1200	75	S.ORZE
	1500	75	ZELAYA
	1800	74	ZELAYA
	2100	74	ZELAYA
	2400	72	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70	M. CLOUD
	0600	70	Andersen
	0900	71	Andersen
	1200	71	Andersen
	1500	72	J. MOON
	1800	72	J. MOON
	2100	72	J. MOON
	2400	72	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70	M. CLOUD
	0600	74	M. DeLaTorre
	0900	76	M-DeLaTorre
	1200	76	M. DeLaTorre
	1500	75	S OROZCO
	1800	76	S OROZCO
	2100	76	S OROZCO
	2400	74	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	72	M. CLOUD
	0600	74	M. DeLaTorre
	0900	75	M. DeLaTorre
	1200	76	M. DeLaTorre
	1500	77	J. OROZCO
	1800	77	J. OROZCO
	2100	76	J. OROZCO
	2400	71	B GRIMES

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	70	B. GRIMES
	0600	74	M-DeLaTorre
	0900	75	M. DeLaTorre
	1200	77	M. DeLaTorre
	1500	78	J. Orzle
	1800	78	J. Orzle
	2100	78	J. Orzle
	2400	75	B GRIMES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB4 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	72	B. Grimes
	0600	71	M. Oehlert
	0900	71	M. Oehlert
	1200	73	M. Oehlert
	1500	72	J. Moon
	1800	71	J. Moon
	2100	71	J. Moon
	2400	~~6~~ 70	C. Lunen

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	68	C. Lunen
	0600	71	M. Dela Torre
	0900	72	M. Dela Torre
	1200	72	M. Dela Torre
	1500	72	J. Moon
	1800	71	J. Moon
	2100	71	J. Moon
	2400	70	M. Cloud

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	68	M. Cloud
	0600	68	S. Ortiz
	0900	69	S. Ortiz
	1200	69	S. Ortiz
	1500	70	J. Moon
	1800	70	J. Moon
	2100	69	J. Moon
	2400	68	M. Cloud

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	68	M. Cloud
	0600	68	M. Cruz
	0900	68	M. Cruz
	1200	69	M. Cruz
	1500	69	J. Moon
	1800	69	J. Moon
	2100	68	J. Moon
	2400	67	M. Cloud

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-01-24	0300	79	J. MING
	0600	79	K. Cottrell
	0900	79	K. Cottrell
	1200	80	K. Cottrell
	1500	80	R SANCHEZ
	1800	80	R SANCHEZ
	2100	79	R SANCHEZ
	2400	79	J. MING

Wednesday

Date	Time	Temp.	Name (Print)
10-02-24	0300	79	J. MING
	0600	79	S. VERDUGO
	0900	79	S. VERDUGO
	1200	79	S. VERDUGO
	1500	79	R SANCHEZ
	1800	79	R SANCHEZ
	2100	79	R SANCHEZ
	2400	79	T GARCIA

Thursday

Date	Time	Temp.	Name (Print)
10-03-24	0300	78	T GARCIA
	0600	78	T GARCIA
	0900	78	T GARCIA
	1200	78	S. VERDUGO
	1500	79	B. MATA
	1800	80	B. MATA
	2100	80	B. MATA
	2400	79	R TAFOLLA

Friday

Date	Time	Temp.	Name (Print)
10-04-24	0300	79	R TAFOLLA
	0600	79	Andrade
	0900	79	Andrade
	1200	80	Andrade
	1500	81	ZELAYA
	1800	80	ZELAYA
	2100	80	ZELAYA
	2400	79	B. GRIMES

Saturday

Date	Time	Temp.	Name (Print)
10-05-24	0300	78	B. GRIMES
	0600	78	Andrade
	0900	78	Andrade
	1200	79	Andrade
	1500	80	A. Alcaraz
	1800	80	A. Alcaraz
	2100	79	A. Alcaraz
	2400	77	M. CLOUD

Sunday

Date	Time	Temp.	Name (Print)
10-06-24	0300	75	M. CLOUD
	0600	78	J.L. GARCIA
	0900	79	J.L. GARCIA
	1200	80	J.L. GARCIA
	1500	80	C. Hernandez
	1800	80	C. Hernandez
	2100	78	C. Hernandez
	2400	77	H. CERA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-07-24	0300	77	H. CERA
	0600	78	S. VERDUGO
	0900	78	S. VERDUGO
	1200	79	S. VERDUGO
	1500	80	J. ORozco
	1800	80	J. ORozco
	2100	80	J. ORozco
	2400	79	H. CERA

Tuesday

Date	Time	Temp.	Name (Print)
10-08-24	0300	77	H. CERA
	0600	77	S. VERDUGO
	0900	78	S. VERDUGO
	1200	78	S. VERDUGO
	1500	80	B. MATA
	1800	80	B. MATA
	2100	80	B. MATA
	2400	79	J. MING

Wednesday

Date	Time	Temp.	Name (Print)
10-09-24	0300	78	J. MING
	0600	78	S. VERDUGO
	0900	78	S. VERDUGO
	1200	78	S. VERDUGO
	1500	79	B. MATA
	1800	80	B. MATA
	2100	80	B. MATA
	2400	79	J. MING

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	78	J. MING
	0600	78	S. VERDUGO
	0900	78	S. VERDUGO
	1200	78	S. VERDUGO
	1500	79	R. SANCHEZ
	1800	79	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	79	R. TAFOLLA

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	77	R. TAFOLLA
	0600	77	Andrade
	0900	77	Andrade
	1200	77	Andrade
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	76	B. GRIMES

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	75	B. GRIMES
	0600	75	Andrade
	0900	75	Andrade
	1200	77	Andrade
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	77	J. MING

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	76	J. MING
	0600	78	J. L. GARCIA
	0900	79	J. L. GARCIA
	1200	79	J. L. GARCIA
	1500	79	H. Ahmed
	1800	79	H. Ahmed
	2100	77	H. Ahmed
	2400	77	J. MING

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	76	J. MING
	0600	77	S. VERDUGO
	0900	78	S. VERDUGO
	1200	78	S. VERDUGO
	1500	78	J. OROZCO
	1800	78	J. OROZCO
	2100	78	J. OROZCO
	2400	77	J. MING

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	76	J. MING
	0600	77	S. VERDUGO
	0900	78	S. VERDUGO
	1200	78	S. VERDUGO
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	77	J. MING

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	77	J. MING
	0600	77	S. VERDUGO
	0900	77	S. VERDUGO
	1200	78	S. VERDUGO
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	77	J. MING

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	77	J. MING
	0600	77	S. VERDUGO
	0900	77	S. VERDUGO
	1200	77	S. VERDUGO
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	78	R. TAFOLLA

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	78	R. TAFOLLA
	0600	77	[illegible]
	0900	[illegible]	[illegible]
	1200	78	R. SANCHEZ
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	75	B. GRIMES

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	75	B. GRIMES
	0600	75	T. PINE
	0900	75	T. PINE
	1200	75	T. PINE
	1500	77	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	77	J. MING

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	77	J. MING
	0600	77	S. VERDUGO
	0900	77	S. VERDUGO
	1200	78	S. VERDUGO
	1500	78	J. OROZCO
	1800	78	J. OROZCO
	2100	78	J. OROZCO
	2400	77	J. MING

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	76	J. MING
	0600	76	S. VERDUGO
	0900	77	S. VERDUGO
	1200	77	S. VERDUGO
	1500	78	J. OROZCO
	1800	78	J. OROZCO
	2100	77	J. OROZCO
	2400	76	J. MING

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	76	J. MING
	0600	76	S. VERDUGO
	0900	77	S. VERDUGO
	1200	77	S. VERDUGO
	1500	78	R SANCHEZ
	1800	78	R SANCHEZ
	2100	78	R SANCHEZ
	2400	77	J. MING

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	76	J. MING
	0600	76	S. VERDUGO
	0900	77	S. VERDUGO
	1200	77	S. VERDUGO
	1500	78	R SANCHEZ
	1800	78	R SANCHEZ
	2100	78	R SANCHEZ
	2400	76	J. MING

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	76	J. MING
	0600	76	S. VERDUGO
	0900	76	S. VERDUGO
	1200	76	S. VERDUGO
	1500	77	R SANCHEZ
	1800	77	R SANCHEZ
	2100	77	R. SANCHEZ
	2400	77	R TAFOYA

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	76	R TAFOYA
	0600	76	Arellano
	0900	76	Arellano
	1200	77	Arellano
	1500	77	R SANCHEZ
	1800	77	R SANCHEZ
	2100	79	R SANCHEZ
	2400	78	M. Valenzuela

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	68	M. Valenzuela
	0600	68	Arellano
	0900	69	Arellano
	1200	69	Arellano
	1500	73	R SANCHEZ
	1800	73	R SANCHEZ
	2100	73	R SANCHEZ
	2400	72	J. Ming

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	70	J. Ming
	0600	75	J.L. GARCIA
	0900	76	J.L. GARCIA
	1200	76	J.L. GARCIA
	1500	76	J. OROZCO
	1800	76	J. OROZCO
	2100	75	J. OROZCO
	2400	73	J. Ming

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	71	J. MING
	0600	73	S. VERDUGO
	0900	72	S. VERDUGO
	1200	72	S. VERDUGO
	1500	72	[illegible]
	1800	72	[illegible]
	2100	71	[illegible]
	2400	70	A. ortiz

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	70	A. ortiz
	0600	70	A. ortiz
	0900	72	S. VERDUGO
	1200	72	S. VERDUGO
	1500	73	S. VERDUGO
	1800	73	R SANCHEZ
	2100	73	R SANCHEZ
	2400	70	A. M. OCHOA

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	70	A. M. OCHOA
	0600	70	M SOLANO
	0900	71	M SOLANO
	1200	72	M SOLANO
	1500	73	R SANCHEZ
	1800	73	R SANCHEZ
	2100	72	R SANCHEZ
	2400	71	J. MING

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	70	J. MING
	0600	70	Ruiz
	0900	70	Ruiz
	1200	70	Ruiz
	1500	70	B. MATA
	1800	70	B. MATA
	2100	70	B. MATA
	2400	70	R. TAFOYA

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment D
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CWSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10-1-24	0300	75	M. DIAZ
	0600	75	L Clendenen
	0900	75	L Clendenen
	1200	76	L. Clendenen
	1500	76	CROWELL
	1800	76	CROWELL
	2100	76	CROWELL
	2400	79	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	79	M. DIAZ
	0600	79	L Clendenen
	0900	79	L Clendenen
	1200	79	L Clendenen
	1500	79	Ruiz
	1800	79	Ruiz
	2100	79	Ruiz
	2400	79	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	79	M. DIAZ
	0600	79	L Clendenen
	0900	79	L Clendenen
	1200	78	L Clendenen
	1500	79	M. Franco
	1800	79	M. Franco
	2100	79	M. Franco
	2400	79	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	79	M. DIAZ
	0600	79	L Clendenen
	0900	79	L Clendenen
	1200	79	L Clendenen
	1500	80	J Espinoza
	1800	78	J Espinoza
	2100	78	J Espinoza
	2400	79	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	78	MARTINEZ
	0600	76	J Espinoza
	0900	76	J Espinoza
	1200	78	J Espinoza
	1500	78	J Espinoza
	1800	78	J Espinoza
	2100	76	J Espinoza
	2400	78	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	79	MARTINEZ
	0600	74	CROWELL
	0900	74	CROWELL
	1200	74	CROWELL
	1500	70	NUGUEZ
	1800	74	NUGUEZ
	2100	72	NUGUEZ
	2400	78	M. DIAZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	79	M. DIAZ
	0600	79	L Clendenen
	0900	79	L Clendenen
	1200	79	L Clendenen
	1500	79	I. SALAZAR
	1800	78	I. SALAZAR
	2100	78	I. SALAZAR
	2400	78	M. Diaz

Tuesday

Dat	Time	Temp.	Name (Print)
10-8-24	0300	78	M. DIAZ
	0600	78	L Clendenen
	0900	78	L. Clendenen
	1200	78	L Clendenen
	1500	79	I. SALAZAR
	1800	78	I. SALAZAR
	2100	78	I. SALAZAR
	2400	78	M. Diaz

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	78	M. DIAZ
	0600	78	L Clendenen
	0900	78	I. Clendenen
	1200	78	L Clendenen
	1500	78°	M. Franco
	1800	78°	M. Franco
	2100	78°	M. Franco
	2400	76	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	75	M. DIAZ
	0600	72	L. Navarro
	0900	70	L Navarro
	1200	72°	L. Navarro
	1500	72°	M. Franco
	1800	72°	M. Franco
	2100	72°	M. Franco
	2400	75	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	75	M. DIAZ
	0600	75	L Clendenen
	0900	75	L Clendenen
	1200	76	L. Clendenen
	1500	77	S. ENRIQUEZ
	1800	77	S. ENRIQUEZ
	2100	77	S. ENRIQUEZ
	2400	77	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	71	MARTINEZ
	0600	71	E. Gonzalez
	0900	70	E. Gonzalez
	1200	72	E. Gonzalez
	1500	75	I. SALAZAR
	1800	74	I. SALAZAR
	2100	74	I. SALAZAR
	2400	72	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	71	MARTINEZ
	0600	71	S. ENRIQUEZ
	0900	71	S. ENRIQUEZ
	1200	71	S. ENRIQUEZ
	1500	73	I. SALAZAR
	1800	73	I. SALAZAR
	2100	72	I. SALAZAR
	2400	74	M. DIAZ

Notes

DISTRIBUTION: Original: Institution AD Copy: [illegible]

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	72	M. Diaz
	0600	72	G. Macias
	0900	72	G. Macias
	1200	72	G. Macias
	1500	72	A Varela
	1800	70	A Varela
	2100	70	A Varela
	2400	75	M. Diaz

Tuesday

Dat	Time	Temp.	Name (Print)
10-15-24	0300	74	M. Diaz
	0600	74	L Henderson
	0900	74	L Henderson
	1200	75	L Henderson
	1500	75	Crowell
	1800	71	Crowell
	2100	71	Crowell
	2400	74	M. Diaz

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	72	M. Diaz
	0600	72	L Henderson
	0900	72	L Henderson
	1200	72	L Henderson
	1500	72	E. Ule
	1800	74	E. Ule
	2100	72	E. Ule
	2400	72	M. Diaz

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	72	M. Diaz
	0600	72	L. Henderson
	0900	72	L Henderson
	1200	72	L Henderson
	1500	74	E. Ule
	1800	74	E. Ule
	2100	74	E. Ule
	2400	72	M. Diaz

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	71	M. Diaz
	0600	71	L Henderson
	0900	70	L Henderson
	1200	70	L Henderson
	1500	70	J Espinoza
	1800	68	J Espinoza
	2100	68	J Espinoza
	2400	70	Martinez

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	70	Martinez
	0600	68	J Espinoza
	0900	68	J Espinoza
	1200	68	J Espinoza
	1500	70	J Espinoza
	1800	70	J Espinoza
	2100	70	J Espinoza
	2400	70	D. Munoz

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	68	D. Munoz
	0600	70	Crowell
	0900	70	Crowell
	1200	70	Crowell
	1500	70	Young
	1800	70	Young
	2100	70	Young
	2400	70	M. Diaz

Notes

DISTRIBUTION: Original: Institution [illegible]

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	70	M. Diaz
	0600	70	L. Clendenen
	0900	70	L. Clendenen
	1200	70	L. Clendenen
	1500	70	A. Varela
	1800	70	A. Varela
	2100	70	A. Varela
	2400	71	M. Diaz

Tuesday

Dat	Time	Temp.	Name (Print)
10-22-24	0300	71	M. Diaz
	0600	71	L. Clendenen
	0900	71	L. Clendenen
	1200	71	L. Clendenen
	1500	71	Crowell
	1800	70	Crowell
	2100	70	Crowell
	2400	70	M. Diaz

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	70	M. Diaz
	0600	70	L. [illegible]
	0900	70	L. [illegible]
	1200	70	L. [illegible]
	1500	71	Franco
	1800	71	Franco
	2100	71	Franco
	2400	71	M. Diaz

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	71	M. Diaz
	0600	71	L. Clendenen
	0900	71	L. Clendenen
	1200	71	L. Clendenen
	1500	71	Franco
	1800	71	Franco
	2100	71	Franco
	2400	71	M. Diaz

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	71	M. Diaz
	0600	71	L. Clendenen
	0900	71	L. Clendenen
	1200	71	L. Clendenen
	1500	70	M. Miguel
	1800	70	M. Miguel
	2100	71	M. Miguel
	2400	70	M. Pantoja

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	70	M. Pantoja
	0600	70	J. Espinoza
	0900	70	J. Espinoza
	1200	73	J. Espinoza
	1500	73	J. Espinoza
	1800	73	J. Espinoza
	2100	71	J. Espinoza
	2400	71	M. Pantoja

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	70	M. Pantoja
	0600	70	Crowell
	0900	70	Crowell
	1200	70	Crowell
	1500	70	J. Espinoza
	1800	70	J. Espinoza
	2100	70	J. Espinoza
	2400	70	M. Diaz

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	71	M. Diaz
	0600	71	L. Clendenen
	0900	71	L. Clendenen
	1200	70	L. Clendenen
	1500	70	Avarela
	1800	70	Avarela
	2100	70	Avarela
	2400	70	M. Diaz

Tuesday

Dat	Time	Temp.	Name (Print)
10-29-24	0300	70	M. Diaz
	0600	70	L. Clendenen
	0900	70	L. Clendenen
	1200	71	L. Clendenen
	1500	71	Crowell
	1800	71	Crowell
	2100	71	Crowell
	2400	70	M. Diaz

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	71	M. Diaz
	0600	71	L. Clendenen
	0900	71	L. Clendenen
	1200	71	L. Clendenen
	1500	71	Franco
	1800	71	Franco
	2100	70	Franco
	2400	70	M. Diaz

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	70	M. Diaz
	0600	68	~~B. Ortega~~ AM A. Figueroa
	0900	69	A. Figueroa
	1200	69	A. Figueroa
	1500	70	Franco
	1800	70	Franco
	2100	70	Franco
	2400	68	M. Diaz

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment D
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10-1-24	0300	69	M. Diaz
	0600	69	L. Clendenen
	0900	69	L. Clendenen
	1200	70	L. Clendenen
	1500	70	Crowell
	1800	70	Crowell
	2100	70	Crowell
	2400	70	M. Diaz

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	70	M. Diaz
	0600	70	L. Clendenen
	0900	70	L. Clendenen
	1200	71	L. Clendenen
	1500	71	Ruiz
	1800	71	Ruiz
	2100	71	Ruiz
	2400	70	M. Diaz

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	70	M. Diaz
	0600	70	L. Clendenen
	0900	71	L. Clendenen
	1200	71	L. Clendenen
	1500	72	M. Franco
	1800	72	M. Franco
	2100	72	M. Franco
	2400	70	M. Diaz

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	70	M. Diaz
	0600	70	L. Clendenen
	0900	71	L. Clendenen
	1200	71	L. Clendenen
	1500	77	J. Espinoza
	1800	75	J. Espinoza
	2100	75	J. Espinoza
	2400	74	Martinez

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	73	Martinez
	0600	74	J. Espinoza
	0900	76	J. Espinoza
	1200	76	J. Espinoza
	1500	76	J. Espinoza
	1800	76	J. Espinoza
	2100	74	J. Espinoza
	2400	74	Martinez

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	73	Martinez
	0600	71	Crowell
	0900	71	Crowell
	1200	72	Crowell
	1500	76	Noguez
	1800	74	Noguez
	2100	73	Noguez
	2400	76	M. Diaz

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	70	M. DIAZ
	0600	70	L Clendenen
	0900	71	L Clendenen
	1200	72	L Clendenen
	1500	78	I Salazar
	1800	78	I Salazar
	2100	78	I Salazar
	2400	70	M. DIAZ

Tuesday

Dat	Time	Temp.	Name (Print)
10-8-24	0300	70	M. DIAZ
	0600	70	L Clendenen
	0900	71	L Clendenen
	1200	71	L Clendenen
	1500	71	I. SALAZAR
	1800	71	I. SALAZAR
	2100	70	I. SALAZAR
	2400	70	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	70	M. DIAZ
	0600	70	L. Clendenen
	0900	71	L Clendenen
	1200	71	L Clendenen
	1500	72	M. Franco
	1800	72	M. Franco
	2100	72	M. Franco
	2400	70	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	68	M. DIAZ
	0600	70	L. Navarro
	0900	70	L. Navarro
	1200	70	L. Navarro
	1500	71	M. Franco
	1800	71	M. Franco
	2100	71	M. Franco
	2400	70	M. Diaz

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	68	M. DIAZ
	0600	68	L Clendenen
	0900	69	L Clendenen
	1200	70	L Clendenen
	1500	70	S. ENRIQUEZ
	1800	70	S. ENRIQUEZ
	2100	70	S. ENRIQUEZ
	2400	71	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	70	MARTINEZ
	0600	71	E. Gonzalez
	0900	71	E Gonzalez
	1200	71	E. Gonzalez
	1500	78	I. SALAZAR
	1800	72	I. SALAZAR
	2100	71	I. SALAZAR
	2400	71	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	70	MARTINEZ
	0600	70	S. ENRIQUEZ
	0900	70	S. ENRIQUEZ
	1200	70	S. ENRIQUEZ
	1500	70	I. SALAZAR
	1800	70	I. SALAZAR
	2100	70	I. SALAZAR
	2400	69	M. DIAZ

Notes

DISTRIBUTION: Original: [illegible]

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier, B-side (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	68	M. DIAZ
	0600	70	G Macias
	0900	70	G Macias
	1200	70	G Macias
	1500	70	A Varela
	1800	69	A Varela
	2100	69	A Varela
	2400	68	M. DIAZ

Tuesday

Dat	Time	Temp.	Name (Print)
10-15-24	0300	67	M. DIAZ
	0600	67	L Clendenen
	0900	68	L Clendenen
	1200	68	L Clendenen
	1500	68	CROWELL
	1800	70	CROWELL
	2100	70	CROWELL
	2400	69	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	68	M. DIAZ
	0600	68	L Clendenen
	0900	68	L Clendenen
	1200	69	L Clendenen
	1500	72	C. Cole
	1800	74	C. Cole
	2100	72	C. Cole
	2400	69	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	68	M. DIAZ
	0600	68	L Clendenen
	0900	68	L Clendenen
	1200	69	L Clendenen
	1500	74	C. Cole
	1800	74	C. Cole
	2100	74	C. Cole
	2400	68	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	66	M. DIAZ
	0600	66	L Clendenen
	0900	66	L Clendenen
	1200	67	L Clendenen
	1500	67	J Espinoza
	1800	65	J Espinoza
	2100	65	J Espinoza
	2400	69	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	70	MARTINEZ
	0600	68	J Espinoza
	0900	68	J Espinoza
	1200	68	J Espinoza
	1500	70	J Espinoza
	1800	70	J Espinoza
	2100	70	J Espinoza
	2400	70	D. MUNOZ

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	68	D. MUNOZ
	0600	68	CROWELL
	0900	68	CROWELL
	1200	70	CROWELL
	1500	68	Young
	1800	68	Young
	2100	68	Young
	2400	67	M. DIAZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: B-side, 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	66	M. DIAZ
	0600	66	L Clendenen
	0900	67	L Clendenen
	1200	67	L Clendenen
	1500	67	A Varela
	1800	67	A Varela
	2100	67	A Varela
	2400	66	M. DIAZ

Tuesday

Dat	Time	Temp.	Name (Print)
10-22-24	0300	65	M. DIAZ
	0600	65	L Clendenen
	0900	65	L Clendenen
	1200	66	L Clendenen
	1500	66	CROWELL
	1800	68	CROWELL
	2100	68	CROWELL
	2400	67	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	67	M. DIAZ
	0600	67	L. PARRA
	0900	67	L. PARRA
	1200	67	L. PARRA
	1500	67	FRANCO
	1800	67	FRANCO
	2100	66	FRANCO
	2400	66	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	65	M. DIAZ
	0600	65	L Clendenen
	0900	65	L Clendenen
	1200	66	L. Clendenen
	1500	66	FRANCO
	1800	66	FRANCO
	2100	71	M. DIAZ
	2400	66	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	66	M. DIAZ
	0600	66	L Clendenen
	0900	67	L Clendenen
	1200	67	L Clendenen
	1500	70	M. NORIEGA
	1800	70	M. NORIEGA
	2100	70	M. NORIEGA
	2400	68	M. PANTOJA

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	67	M. PANTOJA
	0600	67	J Espinoza
	0900	67	J Espinoza
	1200	69	J Espinoza
	1500	69	J Espinoza
	1800	69	J Espinoza
	2100	67	J Espinoza
	2400	67	M. PANTOJA

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	66	M. PANTOJA
	0600	66	CROWELL
	0900	68	CROWELL
	1200	68	CROWELL
	1500	68	J Espinoza
	1800	68	J Espinoza
	2100	68	J Espinoza
	2400	67	M. DIAZ

Notes

DISTRIBUTION: Original-Institution; 1 to 2

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	67	M. Diaz
	0600	67	L. Clendenen
	0900	67	L. Clendenen
	1200	68	L. Clendenen
	1500	68	Avarela
	1800	69	Avarela
	2100	69	Avarela
	2400	66	M. Diaz

Tuesday

Dat	Time	Temp.	Name (Print)
10-29-24	0300	64	M. Diaz
	0600	64	L. Clendenen
	0900	65	L. Clendenen
	1200	65	L. Clendenen
	1500	65	Crowell
	1800	65	Crowell
	2100	65	Crowell
	2400	64	M. Diaz

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	64	M. Diaz
	0600	64	L. Clendenen
	0900	65	L. Clendenen
	1200	65	L. Clendenen
	1500	65	Franco
	1800	65	Franco
	2100	65	Franco
	2400	65	M. Diaz

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	65	M. Diaz
	0600	65	B. Ortega
	0900	68	B. Ortega
	1200	69	B. Ortega
	1500	65	Franco
	1800	65	Franco
	2100	66	Franco
	2400	63	M. Diaz

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original-Institution [illegible]

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2081 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B-2 Temp. Reading Location: A-SIDE 2ND TIER
(e.g., 1st tier 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	72	R. GONZALEZ
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	CROWELL
	1500	74	R. PINON
	1800	75	R. PINON
	2100	75	R. PINON
	2400	77	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	76	MARTINEZ
	0600	76	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	RUBIO
	1800	78	RUBIO
	2100	78	RUBIO
	2400	77	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	77	MARTINEZ
	0600	78	MORA
	0900	79	MORA
	1200	79	MORA
	1500	78	M. CLOUD
	1800	78	M. CLOUD
	2100	78	M. CLOUD
	2400	76	SHAMP

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	76	SHAMP
	0600	78	MORA
	0900	79	MORA
	1200	79	MORA
	1500	79°	M. FRANCO
	1800	79°	M. FRANCO
	2100	79	M. FRANCO
	2400	78	R. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	77	R. GONZALEZ
	0600	77	MANERS
	0900	78	MANERS
	1200	78	MANERS
	1500	78°	PENA
	1800	77°	PENA
	2100	76°	PENA
	2400	74	R. GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	72	R. GONZALEZ
	0600	75	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	S. MORENO
	1800	78	S. MORENO
	2100	78	J. SUAREZ
	2400	77	K. ORLANDO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 3091 (04/13)

DEPARTMENT OF CORRECTIONS & REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B-2 Temp. Reading Location: A-SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	76	K GRIMES
	0600	72	CROWELL
	0900	72	CROWELL
	1200	75	CROWELL
	1500	75	R. PINON
	1800	75	R. PINON
	2100	75	R. PINON
	2400	72	R. GONZALEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	72	R. GONZALEZ
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	CROWELL
	1500	74	HAGUAO
	1800	74	HAGUAO
	2100	72	HAGUAO
	2400	78	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	77	MARTINEZ
	0600	77	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	R. PINON
	1800	77	R. PINON
	2100	77	R. PINON
	2400	77	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	76	MARTINEZ
	0600	77	MORA
	0900	79	MORA
	1200	79	MORA
	1500	78	R. PINON
	1800	78	R. PINON
	2100	77	R. PINON
	2400	74	Shamp

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	74	Shamp
	0600	76	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	M. Franco
	1800	78	M. FranCO
	2100	77	M. FranCO
	2400	75	R. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	73	R. GONZALEZ
	0600	73	S. Delgadillo
	0900	76	S. Delgadillo
	1200	78	S. Delgadillo
	1500	78	K GRIMES
	1800	76	K GRIMES
	2100	77	K GRIMES
	2400	71	R. GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	R. GONZALEZ
	0600	70	S. Delgadillo
	0900	74	S. Delgadillo
	1200	76	S. Delgadillo
	1500	72	K. Fahy
	1800	72	K. Fahy
	2100	72	K. Fahy
	2400	71	R. GONZALEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B-2 Temp. Reading Location: A-S-105 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/23	0300	70	R. Gonzalez
	0600	70	Crowell
	0900	70	Crowell
	1200	72	Crowell
	1500	73	R. Pinon
	1800	72	R. Pinon
	2100	72	R. Pinon
	2400	71	R. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70	R. Gonzalez
	0600	70	Crowell
	0900	70	Crowell
	1200	71	Crowell
	1500	71	R. Pinon
	1800	72	R. Pinon
	2100	72	R. Pinon
	2400	73	Martinez

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	73	Martinez
	0600	75	Mora
	0900	75	Mora
	1200	76	Mora
	1500	76	R. Pinon
	1800	75	R. Pinon
	2100	74	R. Pinon
	2400	73	Martinez

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	73	Martinez
	0600	75	Mora
	0900	76	Mora
	1200	77	Mora
	1500	76	R. Pinon
	1800	75	R. Pinon
	2100	74	R. Pinon
	2400	70	Shamp

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	Shamp
	0600	76	Mora
	0900	76	Mora
	1200	76	Mora
	1500	74	Elue
	1800	74	Elue
	2100	73	Elue
	2400	72	Elue

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	72	Paul
	0600	72	Mora
	0900	75	Mora
	1200	75	Mora
	1500	75	J. Jeper
	1800	75	J. Jeper
	2100	72	J. Jeper
	2400	70	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	R. Gonzalez
	0600	70	V. Reyna
	0900	71	V. Reyna
	1200	71	V. Reyna
	1500	70	M. Anderson
	1800	70	M. Anderson
	2100	70	M. Anderson
	2400	70	R. Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP.RC Housing Unit: B-2 Temp. Reading Location: A.S.O.E 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	R. Gonzalez
	0600	70	Crowell
	0900	70	Crowell
	1200	70	Crowell
	1500	70	R. Pinon
	1800	70	R. Pinon
	2100	70	R. Pinon
	2400	70	R. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	70	R. Gonzalez
	0600	70	Crowell
	0900	70	Crowell
	1200	70	Crowell
	1500	71	R. Pinon
	1800	71	R. Pinon
	2100	70	R. Pinon
	2400	70	M. Pantoja

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	70	M. Pantoja
	0600	71	Mora
	0900	71	Mora
	1200	71	Mora
	1500	72	R. Pinon
	1800	72	R. Pinon
	2100	71	R. Pinon
	2400	70	M. Pantoja

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	M. Pantoja
	0600	70	Mora
	0900	72	Mora
	1200	72	Mora
	1500	72	R. Pinon
	1800	72	R. Pinon
	2100	71	R. Pinon
	2400	70	R. Gonzalez

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	R. Gonzalez
	0600	70	Mora
	0900	71	Mora
	1200	71	Mora
	1500	72	M. Magana
	1800	70	M. Magana
	2100	69	M. Magana
	2400	70	R. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	R. Gonzalez
	0600	70	Mora
	0900	70	Mora
	1200	70	Mora
	1500	71	Ochoa
	1800	70	Ochoa
	2100	69	Ochoa
	2400	70	Smith

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	Smith
	0600	70	Mora
	0900	70	Mora
	1200	70	Mora
	1500	71	Zelaya
	1800	72	Zelaya
	2100	71	Zelaya
	2400	70	R. Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B-2 Temp. Reading Location: A-SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70	R. GONZALEZ
	0600	70	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	71	R. PINON
	1800	71	R. PINON
	2100	70	R. PINON
	2400	70	R. GONZALEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	70	R. GONZALEZ
	0600	70	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	71	J. SUAREZ
	1800	71	R. PINON
	2100	70	R. PINON
	2400	69	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70	MARTINEZ
	0600	70	MORA
	0900	70	MORA
	1200	70	MORA
	1500	71	R. PINON
	1800	70	R. PINON
	2100	70	R. PINON
	2400	70	C. HILL

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	70	C. HILL
	0600	70	MORA
	0900	70	MORA
	1200	70	MORA
	1500	71	J. TORRES
	1800	71	J. TORRES
	2100	70	J. TORRES
	2400	70	Shand

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2331 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B-2 Temp. Reading Location: B-SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	72	R. GONZALEZ
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	CROWELL
	1500	74	R. PINON
	1800	74	R. PINON
	2100	74	R. PINON
	2400	75	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	75	MARTINEZ
	0600	76	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	RUBIO
	1800	78	RUBIO
	2100	77	RUBIO
	2400	76	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	76	MARTINEZ
	0600	77	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	M. CLOUD
	1800	78	M. CLOUD
	2100	78	M. CLOUD
	2400	74	SHAW

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	74	SHAW
	0600	77	MORA
	0900	79	MORA
	1200	78	MORA
	1500	78°	M. FRANCO
	1800	78°	M. FRANCO
	2100	78°	M. FRANCO
	2400	78	R. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	77	R. GONZALEZ
	0600	77	Manes
	0900	78	Manes
	1200	78	Manes
	1500	78°	PENA
	1800	77°	PENA
	2100	76°	PENA
	2400	74	R. GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	72	R. Gonzalez
	0600	75	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	S. Moreno
	1800	78	S. Moreno
	2100	78	J. Suarez
	2400	77	R. Gamez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B-2 Temp. Reading Location: B-SIDE 2nd TIER
(e.g., 1st tier 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	74	K GUMAS
	0600	70	CROWELL
	0900	70	CROWELL
	1200	72	CROWELL
	1500	75	R. PINON
	1800	74	R. PINON
	2100	74	R. PINON
	2400	72	R. GONZALEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	72	R. GONZALEZ
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	CROWELL
	1500	74	H. AGUANO
	1800	74	H. AGUANO
	2100	72	H. AGUANO
	2400	76	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	75	MARTINEZ
	0600	76	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78	R. PINON
	1800	78	R. PINON
	2100	77	R. PINON
	2400	76	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	75	MARTINEZ
	0600	78	MORA
	0900	79	MORA
	1200	79	MORA
	1500	79	R. PINON
	1800	78	R. PINON
	2100	78	R. PINON
	2400	74	Shamp

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	74	Shamp
	0600	76	MORA
	0900	78	MORA
	1200	78	MORA
	1500	78°	M. Franco
	1800	78°	M. Franco
	2100	77°	M. Franco
	2400	75	R. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	74	R. GONZALEZ
	0600	74	S. Delgadillo
	0900	76	S. Delgadillo
	1200	76	S. Delgadillo
	1500	76	K GUMAS
	1800	74	K GUMAS
	2100	70	K GUMAS
	2400	70	R. GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	R. GONZALEZ
	0600	70	S. Delgadillo
	0900	74	S. Delgadillo
	1200	76	S. Delgadillo
	1500	74	K. Fahy
	1800	74	K. Fahy
	2100	72	K. Fahy
	2400	71	R. GONZALEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP. RC Housing Unit: B-2 Temp. Reading Location: B-SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6--1 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/14/23	0300	70	R. Gonzalez
	0600	70	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	71	R. Pinon
	1800	71	R. Pinon
	2100	70	R. Pinon
	2400	70	R. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70	R. Gonzalez
	0600	70	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	71	R. Pinon
	1800	72	R. Pinon
	2100	72	R. Pinon
	2400	73	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	74	MARTINEZ
	0600	75	MORA
	0900	75	MORA
	1200	76	MORA
	1500	75	R. Pinon
	1800	74	R. Pinon
	2100	74	R. Pinon
	2400	73	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	71	MARTINEZ
	0600	72	MORA
	0900	76	MORA
	1200	76	MORA
	1500	75	R. Pinon
	1800	74	R. Pinon
	2100	74	R. Pinon
	2400	70	Shamp

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	Shamp
	0600	71	MORA
	0900	72	MORA
	1200	72	MORA
	1500	72	[illegible]
	1800	73	[illegible]
	2100	72	[illegible]
	2400	72	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	72	[illegible]
	0600	71	MORA
	0900	75	MORA
	1200	75	MORA
	1500	75	J. [illegible]
	1800	73	J. [illegible]
	2100	72	J. Jackson
	2400	70	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	R. Gonzalez
	0600	70	V. Reyna
	0900	70	V. Reyna
	1200	70	V. Reyna
	1500	70	M. Anderson
	1800	70	M. Anderson
	2100	70	M. Anderson
	2400	70	R. Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B-2 Temp. Reading Location: B-5.05 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	R. Gonzalez
	0600	70	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	70	R. Pinon
	1800	70	R. Pinon
	2100	70	R. Pinon
	2400	70	R. Gonzalez

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	70	R. Gonzalez
	0600	70	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	71	R. Pinon
	1800	70	R. Pinon
	2100	70	R. Pinon
	2400	70	M. PANTOJA

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	70	M. PANTOJA
	0600	70	MORA
	0900	71	MORA
	1200	71	MORA
	1500	72	R. Pinon
	1800	71	R. Pinon
	2100	71	R. Pinon
	2400	70	M. PANTOJA

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	M. PANTOJA
	0600	70	MORA
	0900	71	MORA
	1200	72	MORA
	1500	72	R. Pinon
	1800	71	R. Pinon
	2100	71	R. Pinon
	2400	70	R. Gonzalez

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	R. Gonzalez
	0600	71	MORA
	0900	71	MORA
	1200	70	MORA
	1500	72	M. Mayana
	1800	70	M. Mayana
	2100	70	M. Mayana
	2400	70	R. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	R. Gonzalez
	0600	70	MORA
	0900	70	MORA
	1200	70	MORA
	1500	71°	C. PENA
	1800	71°	C. PENA
	2100	70°	C. PENA
	2400	70	S. [illegible]

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	S. [illegible]
	0600	70	MORA
	0900	70	MORA
	1200	70	MORA
	1500	71	ZUNIGA
	1800	71	ZUNIGA
	2100	71	ZUNIGA
	2400	70	R. Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B-2 Temp. Reading Location: B-SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70	R. GONZALEZ
	0600	70	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	71	R. PINON
	1800	70	R. PINON
	2100	70	R. PINON
	2400	70	R. GONZALEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	70	R. GONZALEZ
	0600	70	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	71	J. SUAREZ
	1800	71	R. PINON
	2100	70	R. PINON
	2400	66	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	67	MARTINEZ
	0600	69	MORA
	0900	68	MORA
	1200	68	MORA
	1500	70	R. PINON
	1800	70	R. PINON
	2100	69	R. PINON
	2400	69	C. HILL

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	69	C. HILL
	0600	69	MORA
	0900	69	MORA
	1200	69	MORA
	1500	69	Esquibel
	1800	70	Esquibel
	2100	70	Esquibel
	2400	70	Shamp

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/13)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 A Side Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

~~Monday~~ TUESDAY

Date	Time	Temp.	Name (Print)
10/1/24	0300	74	S Dela Rosa
	0600	76	A Varela
	0900	77	A Varela
	1200	77	A Varela
	1500	75	D. Knight
	1800	75	D. Knight
	2100	75	D. Knight
	2400	75	S Dela Rosa

~~Tuesday~~

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1300		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	75	S Dela Rosa
	0600	75	Crowell
	0900	78	Crowell
	1200	80	Crowell
	1500	76	J. Meza
	1800	76	J. Meza
	2100	76	J. Meza
	2400	76	S Dela Ro

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	76	S Dela Ros
	0600	75	Samarripas
	0900	76	Samarripas
	1200	77	Samarripas
	1500	79	Young
	1800	79	Young
	2100	79	Young
	2400	77	Martinez

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	77	Martinez
	0600	75	A Varela
	0900	77	A Varela
	1200	77	A Varela
	1500	78	Serrano
	1800	78	Serrano
	2100	78	Serrano
	2400	78	A. Ayala

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	A. Ayala
	0600	78	L. Gonzalez
	0900	78	N. Gonzales
	1200	78	N. Gonzales
	1500	78	D. Knight
	1800	78	D. Knight
	2100	78	D. Knight
	2400	76	S Dela Ro

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	76	S Dela Rosa
	0600	74	J Espinoza
	0900	76	J Espinoza
	1200	76	J Espinoza
	1500	76	Orena
	1800	77	Orena
	2100	76	Orena
	2400	76	S Dela R

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DOOR 2101 (04/13)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 Temp. Reading Location: A SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	74	S DeLaRosa
	0600	76	M. Magana
	0900	76	M. Magana
	1200	77	M. Magana
	1500	78	F. Rojas
	1800	78	F. Rojas
	2100	78	F. Rojas
	2400	78	B Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	78	B Garcia
	0600	76	M. Magana
	0900	76	M. Magana
	1200	77	M. Magana
	1500	77	D. Knight
	1800	77	D. Knight
	2100	77	D. Knight
	2400	76	S DeLaRosa

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	76	S DeLaRosa
	0600	70	Crowell
	0900	70	Crowell
	1200	72	Crowell
	1500	77	D. Knight
	1800	77	D. Knight
	2100	77	D. Knight
	2400	77	S DeLaRosa

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	77	S DeLaRosa
	0600	76	Gannon
	0900	77	Gannon
	1200	77	Gannon
	1500	77	D. Knight
	1800	77	D. Knight
	2100	77	D. Knight
	2400	75	Martinez

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	74	Martinez
	0600	74	M. Magana
	0900	76	M. Magana
	1200	77	M. Magana
	1500	77	D. Knight
	1800	76	D. Knight
	2100	76	D. Knight
	2400	76	A. Ayala

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	74	A. Ayala
	0600	72	M. Magana
	0900	77	M. Magana
	1200	77	M. Magana
	1500	77	M. Cloud
	1800	77	M. Cloud
	2100	76	M. Cloud
	2400	76	S DeLaRosa

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	76	S DeLaRosa
	0600	70	M. Magana
	0900	70	M. Magana
	1200	70	M. Magana
	1500	70	J. Esqueda
	1800	75	J. Esqueda
	2100	78	J. Esqueda
	2400	76	S DeLaRosa

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DOOR 203 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 Temp. Reading Location: A side 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	76	S DelaRosa
	0600	72	Avarela
	0900	73	Avarela
	1200	73	Avarela
	1500	79	ANDERSON
	1800	79	ANDERSON
	2100	79	ANDERSON
	2400	78	S DelaRosa

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	77	S DelaRosa
	0600	70	A Varela
	0900	71	Avarela
	1200	77	Avarela
	1500	78	M. Magana
	1800	78	M. Magana
	2100	72	M. Magana
	2400	74	S DelaRosa

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	74	S DelaRosa
	0600	70	CROWELL
	0900	70	CROWELL
	1200	74	RAMIREZ
	1500	74	D. Knight
	1800	74	D. Knight
	2100	74	D. Knight
	2400	74	S DelaR

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	74	S DelaRosa
	0600	73	SAMARRIPAS
	0900	74	SAMARRIPAS.
	1200	75	SAMARRIPAS.
	1500	74	D. Knight
	1800	74	D. Knight
	2100	74	D. Knight
	2400	71	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	71	MARTINEZ
	0600	70	Fernandez
	0900	70	FERNANDEZ
	1200	70	FERNANDEZ
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	A AYALA

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	A AYALA
	0600	70	M. Luzzelli
	0900	72	M. Luzzelli
	1200	71	M. Luzzelli
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S DelaRosa

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	S. DelaRosa
	0600	70	J Espinoza
	0900	70	J Espinoza
	1200	70	J Espinoza
	1500	70	J. Jackson
	1800	70	J. Jackson
	2100	70	J. Jackson
	2400	70	S DelaRosa

Notes

INTERNAL FORM
INSIDE TEMPERATURE RECORD
DOOR 2031 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 Temp. Reading Location: A 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	S Dela Rosa
	0600	69	A Varela
	0900	69	A Varela
	1200	70	A Varela
	1500	70	J. Jackson
	1800	70	J. Jackson
	2100	70	J. Jackson
	2400	70	S Dela Rosa

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	70	S Dela Rosa
	0600	70	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	68	S Dela Rosa

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	68	S Dela Rosa
	0600	68	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S Dela Rosa

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	68	S Dela Rosa
	0600	69	SAMARITAS
	0900	69	SAMARITAS
	1200	69	SAMARITAS
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	M. PANTOJA

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	68	M. PANTOJA
	0600	69	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	A. ATARA

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	A. ATARA
	0600	70	N. GONZALES
	0900	70	N. GONZALES
	1200	71	N. GONZALES
	1500	71	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S Dela Rosa

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	S Dela Rosa
	0600	70	J Espinoza
	0900	70	J Espinoza
	1200	70	J Espinoza
	1500	70	C. PENA
	1800	68°	C. PENA
	2100	68°	C. PENA
	2400	68	S Dela Rosa

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2081 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 Temp. Reading Location: A 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	68	S Dela Rosa
	0600	69	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	70	J. Jackson
	1800	70	J. Jackson
	2100	70	J. Jackson
	2400	68	S Dela Rosa

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	68	S Dela Rosa
	0600	69	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	68	S Dela R

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	68	S Dela Rosa
	0600	68	Crowell
	0900	68	Crowell
	1200	68	Crowell
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	68	S Dela Rosa

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	68	S Dela R
	0600	66	G Dickey
	0900	66	G Dickey
	1200	70	G Dickey
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S Dela Rosa

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 B Side Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

~~Monday~~ TUESDAY

Date	Time	Temp.	Name (Print)
10/1/24	0300	74	S Dela Rosa
	0600	75	Avarela
	0900	76	Avarela
	1200	76	Avarela
	1500	75	D. Knight
	1800	75	D. Knight
	2100	75	D. Knight
	2400	75	S DelaRosa

~~Tuesday~~

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	75	S DelaRosa
	0600	75	Crowell
	0900	75	Crowell
	1200	75	Crowell
	1500	76	J. Meza
	1800	76	J. Meza
	2100	76	J. Meza
	2400	74	S DelaR

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	76	S DelaR
	0600	74	SAMARRIPAS
	0900	75	SAMARRIPAS
	1200	76	SAMARRIPAS.
	1500	79	Young
	1800	79	Young
	2100	79	Young
	2400	76	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	77	MARTINEZ
	0600	76	Avarela
	0900	75	Avarela
	1200	78	Avarela
	1500	78	Serrano
	1800	78	Serrano
	2100	78	Serrano
	2400	79	A-AYALA

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	78	A-AYALA
	0600	78	N. GONZALES
	0900	78	N. GONZALES
	1200	78	N. GONZALES
	1500	78	D. Knight
	1800	78	D. Knight
	2100	78	D. Knight
	2400	76	S DelaRosa

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	76	S DelaRosa
	0600	74	J Espinoza
	0900	76	J Espinoza
	1200	76.	J Espinoza
	1500	76.	CPENA
	1800	77.	CPENA
	2100	76.	CPENA
	2400	76	S DelaR

Notes

CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2001 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 Temp. Reading Location: B SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	74	S DeLa Rosa
	0600	77	M. Magana
	0900	76	M. Magana
	1200	78	M. Magana
	1500	78	F. Rojas
	1800	78	F. Rojas
	2100	78	F. Rojas
	2400	78	B Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	78	B Garcia
	0600	78	M. Magana
	0900	78	M. Magana
	1200	79	M. Magana
	1500	77	D. Knight
	1800	77	D. Knight
	2100	77	D. Knight
	2400	76	S DeLa Rosa

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	76	S DeLa Rosa
	0600	78	Crowell
	0900	78	Crowell
	1200	78	Crowell
	1500	77	D. Knight
	1800	77	D. Knight
	2100	77	D. Knight
	2400	77	S DeLa Rosa

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	77	S DeLa Rosa
	0600	76	Gannon
	0900	77	Gannon
	1200	77	Gannon
	1500	77	D. Knight
	1800	77	D. Knight
	2100	77	D. Knight
	2400	78	Martinez

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	77	Martinez
	0600	77	M. Magana
	0900	78	M. Magana
	1200	78	M. Magana
	1500	77	D. Knight
	1800	77	D. Knight
	2100	77	D. Knight
	2400	77	A. Ayala

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	75	A. Ayala
	0600	76	M. Magana
	0900	75	M. Magana
	1200	77	M. Magana
	1500	78	M. Cloud
	1800	78	M. Cloud
	2100	76	M. Cloud
	2400	76	S DeLa Rosa

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	76	S DeLa Rosa
	0600	73	M. Magana
	0900	76	M. Magana
	1200	76	M. Magana
	1500	77	J. Esqueda
	1800	78	J. Esqueda
	2100	78	J. Esqueda
	2400	76	S DeLaR

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DOOR 2001 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 Temp. Reading Location: B SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	76	S DelaRosa
	0600	73	Avarela
	0900	75	Avarela
	1200	75	Avarela
	1500	79	ANDERSON
	1800	79	ANDERSON
	2100	79	ANDERSON
	2400	78	S DelaRosa

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	78	S DelaRosa
	0600	75	Avarela
	0900	75	Avarela
	1200	76	Avarela
	1500	77	M. Magana
	1800	77	M. Magana
	2100	74	M. Magana
	2400	74	S DelaRosa

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	74	S DelaRosa
	0600	74	CROWELL
	0900	74	CROWELL
	1200	74	RAMIREZ
	1500	74	D Knight
	1800	74	D Knight
	2100	74	D Knight
	2400	74	S DelaRosa

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	74	S DelaRosa
	0600	73	SAMARRIPAS
	0900	74	SAMARRIPAS
	1200	74	SAMARRIPAS.
	1500	74	D. Knight
	1800	74	D. Knight
	2100	74	D. Knight
	2400	75	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	75	MARTINEZ
	0600	70	FERNANDEZ
	0900	70	FERNANDEZ
	1200	70	FERNANDEZ
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	A. Ayala

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	A. Ayala
	0600	70	N. Gonzales
	0900	71	N. Gonzales
	1200	71	N. Gonzales
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S DelaRosa

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	68	S DelaRosa
	0600	68	J Espinoza
	0900	68	J Espinoza
	1200	68	J Espinoza
	1500	70	J. Jackson
	1800	70	J. Jackson
	2100	70	J. Jackson
	2400	70	S DelaRosa

Notes

CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

DDOR 2031 (04/13)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 Temp. Reading Location: B 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	S Dela Rosa
	0600	70	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	70	J. [illegible]
	1800	70	J. Jackson
	2100	70	J. Jackson
	2400	70	S Dela Rosa

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	70	S Dela Rosa
	0600	70	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S Dela Rosa

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	68	S Dela Rosa
	0600	70	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S Dela Ro

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	S Dela Rosa
	0600	69	SAMARRIPAS
	0900	69	SAMARRIPAS
	1200	70	SAMARRIPAS
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	M. PANTOJA

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	68	M. PANTOJA
	0600	70	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	A. AYALA

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	68	A. AYALA
	0600	70	N GONZALES
	0900	70	N GONZALES
	1200	71	N GONZALES
	1500	71	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S Dela Rosa

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	68	S Dela Rosa
	0600	68	J Espinoza
	0900	68	J Espinoza
	1200	68	J Espinoza
	1500	68°	CRUNA
	1800	68°	CRUNA
	2100	68°	CRUNA
	2400	68	S Dela Rosa

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DOOR 2001 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 Temp. Reading Location: B 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	68	S Dela Rosa
	0600	70	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	70	J. Sanders
	1800	70	J. Jackson
	2100	70	J. Jackson
	2400	68	S Dela Rosa

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	68	S Dela Rosa
	0600	68	A Varela
	0900	68	A Varela
	1200	68	A Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	68	S Dela R

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	68	S Dela Rosa
	0600	62	Crowell
	0900	62	Crowell
	1200	62	Crowell
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	68	S Dela Ros

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	68	S Dela R
	0600	66	G Dickey
	0900	66	G Dickey
	1200	70	G Dickey
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S Dela R

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4A Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/2A	0300	70	C. VASQUEZ
	0600	70	P Guzman
	0900	70	P Guzman
	1200	70	P Guzman
	1500	73	S. Sevilla
	1800	75	S. Sevilla
	2100	75	S. Sevilla
	2400	73	C. VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/2/2A	0300	70	C. VASQUEZ
	0600	70	P Guzman
	0900	70	P Guzman
	1200	70	P Guzman
	1500	70	P Guzman
	1800	80	MINOGUEZ
	2100	80	MINOGUEZ
	2400	70	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
10/3/2A	0300	70	C. VASQUEZ
	0600	70	P Guzman
	0900	70	P Guzman
	1200	70	P Guzman
	1500	70	E. HUITRON
	1800	70	E. HUITRON
	2100	70	E. HUITRON
	2400	70	E. HUITRON

Friday

Date	Time	Temp.	Name (Print)
10/4/2A	0300	70	E. HUITRON
	0600	69	SAMARITAN
	0900	70	SAMARITAN
	1200	71	SAMARITAN
	1500	71	E. HUITRON
	1800	71	E. HUITRON
	2100	71	E. HUITRON
	2400	71	E. HUITRON

Saturday

Date	Time	Temp.	Name (Print)
10/5/2A	0300	70	E. HUITRON
	0600	69	SAMARITAN
	0900	70	SAMARITAN
	1200	71	SAMARITAN
	1500	71	E. HUITRON
	1800	71	E. HUITRON
	2100	71	E. HUITRON
	2400	71	A. AYALA

Sunday

Date	Time	Temp.	Name (Print)
10/6/2A	0300	71	A. AYALA
	0600	71	P Guzman
	0900	71	P Guzman
	1200	71	P Guzman
	1500	71	E. HUITRON
	1800	71	E. HUITRON
	2100	71	E. HUITRON
	2400	71	A. AYALA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4A Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	71	A. AYALA
	0600	70	P Guzman
	0900	71	P Guzman
	1200	71	P Guzman
	1500	71	E. HUITRON
	1800	71	E. HUITRON
	2100	71	E. HUITRON
	2400	70	C. VASQUEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	70	C. VASQUEZ
	0600	70	M. Escobar
	0900	71	M. Escobar
	1200	71	M. Escobar
	1500	73	J Garcia
	1800	73	J Garcia
	2100	73	J Garcia
	2400	71	C. VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	70	C. VASQUEZ
	0600	70	P Guzman
	0900	70	P Guzman
	1200	70	P Guzman
	1500	70	C. VASQUEZ
	1800	70	C. VASQUEZ
	2100	70	C. VASQUEZ
	2400	70	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70	C. VASQUEZ
	0600	70	P Guzman
	0900	70	P Guzman
	1200	70	P Guzman
	1500	70	C. VASQUEZ
	1800	70	C. VASQUEZ
	2100	70	C. VASQUEZ
	2400	70	C. VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70	C. VASQUEZ
	0600	69	SAMARRIPA
	0900	70	SAMARRIPA
	1200	71	SAMARRIPA
	1500	71	E. HUITRON
	1800	71	E. HUITRON
	2100	71	E. HUITRON
	2400	70	C. VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	C. VASQUEZ
	0600	71	SAMARRIPA
	0900	72	SAMARRIPA
	1200	73	SAMARRIPA
	1500	73	E. HUITRON
	1800	73	E. HUITRON
	2100	73	E. HUITRON
	2400	73	A. AYALA

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	A. AYALA
	0600	70	P Guzman
	0900	70	P Guzman
	1200	70	P Guzman
	1500	70	Castaneda
	1800	70	Castaneda
	2100	71	Castaneda
	2400	70	Hernandez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4A Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70	Hernandez
	0600	71	Bailey
	0900	71	Bailey
	1200	73	Bailey
	1500	74	CLARK
	1800	74	CLARK
	2100	71	CLARK
	2400	70	C. VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	70	C. VASQUEZ
	0600	70	P Guzman
	0900	70	P Guzman
	1200	70	B Vasquez
	1500	70	R. RUBIO
	1800	70	R. RUBIO
	2100	70	R. RUBIO
	2400	70	C. VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
10.16.24	0300	70	C. VASQUEZ
	0600	70	P Guzman
	0900	70	P Guzman
	1200	70	P Guzman
	1500	70	C. VASQUEZ
	1800	70	C. VASQUEZ
	2100	70	C. VASQUEZ
	2400	70	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
10.17.24	0300	70	C. VASQUEZ
	0600	70	P Guzman
	0900	70	P Guzman
	1200	70	P Guzman
	1500	70	E. HUITRON
	1800	70	E HUITRON
	2100	70	E. HUITRON
	2400	70	C. VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
10.18.24	0300	69	C. VASQUEZ
	0600	68	SAMARRIPAS
	0900	69	SAMARRIPAS
	1200	70	SAMARRIPAS
	1500	70	E HUITRON
	1800	70	E. HUITRON
	2100	70	E. HUITRON
	2400	69	C. VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
10.19.24	0300	65	C. VASQUEZ
	0600	69	SAMARRIPAS
	0900	65	SAMARRIPAS
	1200	66	SAMARRIPAS
	1500	66	E. HUITRON
	1800	67	E. HUITRON
	2100	67	E HUITRON
	2400	67	A. AYALA

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	67	A. AYALA
	0600	63	P Guzman
	0900	63	P Guzman
	1200	63	P Guzman
	1500	63	E. HUITRON
	1800	63	E. HUITRON
	2100	68	E. HUITRON
	2400	67	Hernandez

Notes

DISTRIBUTION: [illegible]

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 A Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	67	Hernandez
	0600	67	P. Guzman
	0900	67	P. Guzman
	1200	67	P. Guzman
	1500	68	M. Arezaga
	1800	68	M. Arezaga
	2100	68	M. Arezaga
	2400	68	C. Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	68	C. Vasquez
	0600	65	P. Guzman
	0900	65	P. Guzman
	1200	68	P. Guzman
	1500	70	J. Sachs
	1800	70	J. Sachs
	2100	70	J. Sachs
	2400	69	C. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
10/23	0300	67	C. Vasquez
	0600	67	P. Guzman
	0900	67	P. Guzman
	1200	67	P. Guzman
	1500	68	Mendez
	1800	70	J. Sachs
	2100	70	J. Sachs
	2400	69	C. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	65	C. Vasquez
	0600	65	P. Guzman
	0900	65	P. Guzman
	1200	65	P. Guzman
	1500	66	C. Vasquez
	1800	68	C. Vasquez
	2100	69	C. Vasquez
	2400	67	C. Vasquez

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	65	C. Vasquez
	0600	64	Samarripas
	0900	66	Samarripas
	1200	66	Samarripas
	1500	68	Zelaya
	1800	70	Zelaya
	2100	70	Zelaya
	2400	69	C. Vasquez

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	65	C. Vasquez
	0600	66	Samarripas
	0900	67	Samarripas
	1200	66	Samarripas
	1500	68	E. Huitron
	1800	68	E. Huitron
	2100	68	E. Huitron
	2400	70	A. Ayala

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	A. Ayala
	0600	68	P. Guzman
	0900	68	P. Guzman
	1200	68	P. Guzman
	1500	68	E. Huitron
	1800	68	E. Huitron
	2100	68	E. Huitron
	2400	70	A. Ayala

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 A Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	70	A. AYAU
	0600	66	P Guzman
	0900	66	P Guzman
	1200	66	P Guzman
	1500	79	M. ANDERSON
	1800	79	M. ANDERSON
	2100	79	M. ANDERSON
	2400	68	C. VASQUEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	65	C. VASQUEZ
	0600	65	P Guzman
	0900	65	P Guzman
	1200	66	P Guzman
	1500	68	J. Jaqua
	1800	68	J. Jaqua
	2100	68	J. Jaqua
	2400	67	C. VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	65	C. VASQUEZ
	0600	65	P Guzman
	0900	65	P Guzman
	1200	67	P Guzman
	1500	66	J. Jaqua
	1800	68	J. Jaqua
	2100	68	J. Jaqua
	2400	67	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	66	C. VASQUEZ
	0600	66	P Guzman
	0900	66	P Guzman
	1200	66	P Guzman
	1500	66	E. HUTTRON
	1800	67	E. HUTTRON
	2100	69	E. HUTTRON
	2400	67	C. VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4B Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4601 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/2A	0300	79	C. VASQUEZ
	0600	79	P Guzman
	0900	79	P Guzman
	1200	79	P Guzman
	1500	73	S. Seville
	1800	75	S. Seville
	2100	75	S. Seville
	2400	79	C. VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/2/2A	0300	79	C. VASQUEZ
	0600	79	P Guzman
	0900	79	P Guzman
	1200	79	P Guzman
	1500	79	P Guzman
	1800	79	P Guzman
	2100	79	P Guzman
	2400	79	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
10/3/2A	0300	79	C. VASQUEZ
	0600	79	P Guzman
	0900	79	P Guzman
	1200	79	P Guzman
	1500	79	E. HUITRON
	1800	79	E. HUITRON
	2100	79	E. HUITRON
	2400	79	E. HUITRON

Friday

Date	Time	Temp.	Name (Print)
10/4/2A	0300	79	E. HUITRON
	0600	78	SAMARRIPAS
	0900	79	SAMARRIPAS
	1200	81	SAMARRIPAS
	1500	80	E. HUITRON
	1800	80	E. HUITRON
	2100	79	E. HUITRON
	2400	79	E HUITRON

Saturday

Date	Time	Temp.	Name (Print)
10/5/2A	0300	79	E. HUITRON
	0600	78	SAMARRIPAS
	0900	79	SAMARRIPAS
	1200	81	SAMARRIPAS
	1500	78	E. HUITRON
	1800	78	E. HUITRON
	2100	78	E. HUITRON
	2400	78	A. AYALA

Sunday

Date	Time	Temp.	Name (Print)
10/6/2A	0300	78	A. AYALA
	0600	79	P Guzman
	0900	79	P Guzman
	1200	80	P Guzman
	1500	80	E. HUITRON
	1800	80	E. HUITRON
	2100	80	E. HUITRON
	2400	80	A. AYALA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: BYB Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/ 2A	0300	78	A. AYALA
	0600	79	P Guzmans
	0900	80	P Guzman
	1200	80	P Guzmans
	1500	80	E. HUETRON
	1800	80	E. HUETRON
	2100	80	E. HUETRON
	2400	80	C. VASQUEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/8/ 2A	0300	80	C. VASQUEZ
	0600	80	M. Escobar
	0900	80	M. Escobar
	1200	80	M. Escobar
	1500	80	T GARCIA
	1800	80	T GARCIA
	2100	80	T GARCIA
	2400	80	C. VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/9/ 2A	0300	79	C. VASQUEZ
	0600	79	P Guzman
	0900	79	P Guzmans
	1200	79	P Guzman
	1500	79	C. VASQUEZ
	1800	79	C. VASQUEZ
	2100	79	C. VASQUEZ
	2400	79	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
10/10/ 2A	0300	79	C. VASQUEZ
	0600	79	P Guzman
	0900	79	P Guzman
	1200	79	P Guzman
	1500	80	C. VASQUEZ
	1800	80	C. VASQUEZ
	2100	80	C. VASQUEZ
	2400	79	C. VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
10/11/ 2A	0300	79	C. VASQUEZ
	0600	77	SAMMARDANS
	0900	78	SAMMARDANS
	1200	78	SAMMARDANS
	1500	78	E. HUETRON
	1800	78	E. HUETRON
	2100	78	E. HUETRON
	2400	78	C. VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
10/12/ 2A	0300	78	C. VASQUEZ
	0600	76	SAMMARDANS
	0900	77	SAMMARDANS
	1200	78	SAMMARDANS
	1500	78	E. HUETRON
	1800	78	E HUETRON
	2100	78	E. HUETRON
	2400	78	A AYALA

Sunday

Date	Time	Temp.	Name (Print)
10/13/ 2A	0300	78	A. AYALA
	0600	78	P Guzman
	0900	78	P Guzman
	1200	79	P Guzman
	1500	78	Castaneda
	1800	78	Castaneda
	2100	77	Castaneda
	2400	77	Hernandez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4B Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	76	Hernandez
	0600	76	Bailey
	0900	76	Bailey
	1200	78	Bailey
	1500	78	CLARK
	1800	78	CLARK
	2100	79	CLARK
	2400	79	C. VASQUEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	79	C. VASQUEZ
	0600	79	P Guzman
	0900	79	P Guzman
	1200	79	B VASQUEZ
	1500	80	R. RUBIO
	1800	80	R. RUBIO
	2100	80	R. RUBIO
	2400	79	C. VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
10.16.24	0300	79	C. VASQUEZ
	0600	79	P Guzman
	0900	79	P Guzman
	1200	79	P Guzman
	1500	79	C. VASQUEZ
	1800	79	C. VASQUEZ
	2100	79	C. VASQUEZ
	2400	79	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
10.17.24	0300	79	C. VASQUEZ
	0600	79	P Guzman
	0900	79	P Guzman
	1200	79	P Guzman
	1500	79	E. HUITRON
	1800	79	E. HUITRON
	2100	79	E. HUITRON
	2400	79	C. VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
10.18.24	0300	79	C. VASQUEZ
	0600	68	SAMMARIPAS
	0900	69	SAMMARIPAS
	1200	70	SAMMARIPAS
	1500	70	E. HUITRON
	1800	71	E. HUITRON
	2100	71	E. HUITRON
	2400	74	C. VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
10.19.24	0300	74	C. VASQUEZ
	0600	73	SAMMARIPAS
	0900	74	SAMMARIPAS
	1200	74	SAMMARIPAS
	1500	74	E. HUITRON
	1800	73	E. HUITRON
	2100	73	E. HUITRON
	2400	67	A. AYALA

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	67	A. AYALA
	0600	77	P Guzman
	0900	77	P Guzman
	1200	77	P Guzman
	1500	77	E. HUITRON
	1800	75	E. HUITRON
	2100	75	E. HUITRON
	2400	73	Hernandez

Notes

DISTRIBUTION: Original Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/12)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 B Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	68	Hernandez
	0600	78	P Guzman
	0900	78	P Guzman
	1200	78	P Guzman
	1500	78	M. Mezquita
	1800	78	M. Mezquita
	2100	78	M. Mezquita
	2400	77	C. Vasquez

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	76	C. Vasquez
	0600	76	P Guzman
	0900	76	P Guzman
	1200	77	P Guzman
	1500	77	J. Jackson
	1800	78	J. Jackson
	2100	78	J. Jackson
	2400	78	C. Vasquez

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	78	C. Vasquez
	0600	78	P Guzman
	0900	78	P Guzman
	1200	78	P Guzman
	1500	78	Smendez
	1800	78	[illegible]
	2100	78	J. Jackson
	2400	78	C. Vasquez

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	78	C. Vasquez
	0600	78	P Guzman
	0900	78	P Guzman
	1200	78	P Guzman
	1500	78	C. Vasquez
	1800	78	C. Vasquez
	2100	78	C. Vasquez
	2400	78	C. Vasquez

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	77	C. Vasquez
	0600	75	Samaraipas
	0900	76	Samaraipas
	1200	77	Samaraipas.
	1500	77	Zelaya
	1800	77	Zelaya
	2100	76	Zelaya
	2400	76	C. Vasquez

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	76	C. Vasquez
	0600	77	Samaraipas
	0900	77	Samaraipas.
	1200	78	Samaraipas.
	1500	78	E. Huitron
	1800	77	E. Huitron
	2100	77	E. Huitron
	2400	70	A. Ayala

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70	A. Ayala
	0600	77	P Guzman
	0900	77	P Guzman
	1200	77	P Guzman
	1500	77	E. Huitron
	1800	77	E. Huitron
	2100	77	E. Huitron
	2400	75	A. Ayala

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4B Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	70	A AYALA
	0600	77	P Guzman
	0900	77	P Guzman
	1200	77	P Guzman
	1500	77	M. Amesquita
	1800	77	M. Amesquita
	2100	77	M. Amesquita
	2400	77	C. VASQUEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	77	C. VASQUEZ
	0600	77	P Guzman
	0900	77	P Guzman
	1200	78	P Guzman
	1500	78	J Sada
	1800	78	J. Sada
	2100	78	J. Sada
	2400	77	C. VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	77	C. VASQUEZ
	0600	77	P Guzman
	0900	77	P. Guzman
	1200	77	P Guzman
	1500	78	J. Sada
	1800	78	J. Sada
	2100	78	J. Sada
	2400	78	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	78	C. VASQUEZ
	0600	78	P Guzman
	0900	78	P Guzman
	1200	78	P Guzman
	1500	77	E. HUITRON
	1800	75	E. HUITRON
	2100	75	E. HUITRON
	2400	75	C. VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE LOG

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: BSA Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	74	A. AYALA

Tuesday

Dat	Time	Temp.	Name (Print)
10/11 24	0300	70	A. AYALA
	0600	71	C. BLACKWOOD
	0900	72	C. BLACKWOOD
	1200	72	C. BLACKWOOD
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	72	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
10/21 2A	0300	70	A. AYALA
	0600	72	C. BLACKWOOD
	0900	73	C. BLACKWOOD
	1200	74	C. BLACKWOOD
	1500	79	Maness
	1800	79	Maness
	2100	79	Maness
	2400	75	H. CERA

Thursday

Date	Time	Temp.	Name (Print)
10/31 2A	0300	72	H. CERA
	0600	72	C. BLACKWOOD
	0900	74	C. BLACKWOOD
	1200	75	C. BLACKWOOD
	1500	78	S. GORREGO
	1800	78	RAMIREZ
	2100	78	RAMIREZ
	2400	78	B. GARCIA

Friday

Date	Time	Temp.	Name (Print)
10/41 2A	0300	78	B. GARCIA
	0600	75	C. BLACKWOOD
	0900	76	C. BLACKWOOD
	1200	77	C. BLACKWOOD
	1500	78	RAMIREZ
	1800	78	RAMIREZ
	2100	78	RAMIREZ
	2400	76	J. Flores

Saturday

Date	Time	Temp.	Name (Print)
10/51 2A	0300	74	J. Flores
	0600	74	C. BLACKWOOD
	0900	74	C. BLACKWOOD
	1200	75	C. BLACKWOOD
	1500	77	RAMIREZ
	1800	77	RAMIREZ
	2100	77	RAMIREZ
	2400	74	GLAUDE

Sunday

Date	Time	Temp.	Name (Print)
10/61 2A	0300	74	GLAUDE
	0600	74	ENRIQUEZ
	0900	75	ENRIQUEZ
	1200	75	ENRIQUEZ
	1500	76	RAMIREZ
	1800	78	RAMIREZ
	2100	78	RAMIREZ
	2400	76	GLAUDE

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB5 Temp. Reading Location: A-SIDE 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	74	GLAUDE
	0600	73	SAMARRIPAS
	0900	74	SAMARRIPAS
	1200	75	SAMARRIPAS.
	1500	75	GONZALEZ
	1800	74	GONZALEZ
	2100	74	GONZALEZ
	2400	74	A. AYALA

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	74	A. AYALA
	0600	74	C. BLACKWOOD
	0900	74	C. BLACKWOOD
	1200	75	C. BLACKWOOD
	1500	75	E. GONZALEZ
	1800	75	E. GONZALEZ
	2100	74	E. GONZALEZ
	2400	74	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	74	A. AYALA
	0600	73	C. BLACKWOOD
	0900	73	C. BLACKWOOD
	1200	73	C. BLACKWOOD
	1500	73	E. GONZALEZ
	1800	73	E. GONZALEZ
	2100	73	E. GONZALEZ
	2400	73	A. ORTIZ

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	L. JONES
	0600	73	L. JONES
	0900	72	C. BLACKWOOD
	1200	73	C. BLACKWOOD
	1500	74	[illegible]
	1800	73	[illegible]
	2100	73	[illegible]
	2400	73	A. Ortiz

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	73	A. Ortiz
	0600	73	A. Ortiz
	0900	72	C. BLACKWOOD
	1200	72	C. BLACKWOOD
	1500	73	F. Galicia
	1800	7.	F. Galicia
	2100	72	FGALICIA
	2400	72	FGALICIA

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	72	FGALICIA
	0600	71	C. BLACKWOOD
	0900	71	C. BLACKWOOD
	1200	72	C. BLACKWOOD
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	70	M. CLOUD

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	M. CLOUD
	0600	69	SAMARRIPAS
	0900	70	SAMARRIPAS
	1200	71	SAMARRIPAS.
	1500	71	E. GONZALEZ
	1800	71	E. GONZALEZ
	2100	71	E. GONZALEZ
	2400	71	A. Ortiz

Notes

INSIDE AMBIENT TEMPERATURE REPORT

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB5 A Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70°	ORTA
	0600	72°	SAMARRIPAS
	0900	73°	SAMARRIPAS
	1200	74°	SAMARRIPAS
	1500	75°	Y. RAMIREZ
	1800	75°	Y. RAMIREZ
	2100	74°	Y. RAMIREZ
	2400	73	A. AYALA

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	73	A. AYALA
	0600	71	C. BLACKWOOD
	0900	71	C. BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	71	E. GONZALEZ
	1800	71	E. GONZALEZ
	2100	71	E. GONZALEZ
	2400	73	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	73	A. AYALA
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	71	Maness
	1800	71	Maness
	2100	71	Maness
	2400	71	D. MUNOZ

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	D. MUNOZ
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72	A. ORTA

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	72	A. ORTA
	0600	72	A. ORTA
	0900	69	C. BLACKWOOD
	1200	69	C. BLACKWOOD
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	D. MUNOZ

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	D. MUNOZ
	0600	68	C. BLACKWOOD
	0900	68	C. BLACKWOOD
	1200	68	C. BLACKWOOD
	1500	70	RAMIREZ
	1800	70	RAMIREZ
	2100	68	RAMIREZ
	2400	68	Faly

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	68	Faly
	0600	67	SAMARRIPAS
	0900	68	SAMARRIPAS
	1200	69	SAMARRIPAS
	1500	68	E. GONZALEZ
	1800	68	E. GONZALEZ
	2100	68	E. GONZALEZ
	2400	68	K. GUMES

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP NC Housing Unit: EBBS-ASIDE Temp. Reading Location: 2ND tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	68	F. Grimes
	0600	69	SAMARRIPAS
	0900	70	SAMARRIPAS
	1200	71	SAMARRIPAS
	1500	71	B-GRIMES
	1800	71	B-GRIMES
	2100	70	B-GRIMES
	2400	70	A. AYALA

Tuesday

Dat	Time	Temp.	Name (Print)
10-22-24	0300	70	A-AYALA
	0600	69	C. BLACKWOOD
	0900	69	C BLACKWOOD
	1200	69	C BLACKWOOD
	1500	69	E. GONZALEZ
	1800	69	E. GONZALEZ
	2100	69	E. GONZALEZ
	2400	70	A-AYALA

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	70	A. AYALA
	0600	69	C. BLACKWOOD
	0900	69	C. BLACKWOOD
	1200	69	C. BLACKWOOD
	1500	69	E. GONZALEZ
	1800	69	E. GONZALEZ
	2100	69	E. GONZALEZ
	2400	70	E Jones

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70	L. JONES
	0600	70	L. JONES
	0900	69	C. BLACKWOOD
	1200	69	C BLACKWOOD
	1500	71	Bitkon
	1800	70	Bitkon
	2100	70	Bitkon
	2400	71	A. Ortiz

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	71	A. Ortiz
	0600	71	A. Ortiz
	0900	68	C. BLACKWOOD
	1200	68	C. BLACKWOOD
	1500	70	Bitkon
	1800	70	Bitkon
	2100	70	Bitkon
	2400	70	PAREDEZ

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	70	PAREDEZ
	0600	70	PAREDEZ
	0900	69	C. BLACKWOOD
	1200	69	C BLACKWOOD
	1500	70	RAMIREZ
	1800	70	RAMIREZ
	2100	70	RAMIREZ
	2400	70	C. Hill

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	70	C. Hill
	0600	69	SAMARRIPAS
	0900	70	SAMARRIPAS
	1200	71	SAMARRIPAS
	1500	72	B. Grimes
	1800	72	B. GRIMES
	2100	72	B-GRIMES
	2400	72	D GARCIA

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-5 Temp. Reading Location: A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	65	Garcia
	0600	64	Blackwood
	0900	65	Blackwood
	1200	66	Blackwood
	1500	67	Gonzales
	1800	66	Gonzales
	2100	65	Gonzales
	2400	65	Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	65	Jones
	0600	66	Blackwood
	0900	66	Blackwood
	1200	67	Blackwood
	1500	68	Gonzales
	1800	66	Gonzales
	2100	66	Gonzales
	2400	65	Jones

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	64	Rodriguez
	0600	64	Blackwood
	0900	65	Blackwood
	1200	65	Blackwood
	1500	66	Gonzales
	1800	66	Gonzales
	2100	65	Gonzales
	2400	65	Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	66	Rodriguez
	0600	67	Blackwood
	0900	67	Blackwood
	1200	68	Blackwood
	1500	67	Holgin
	1800	66	Holgin
	2100	65	Holgin
	2400	65	Rodriguez

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE LOG

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5B Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	74	A. AYALA

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	70	A. AYALA
	0600	71	C. BLACKWOOD
10/1/24	0900	72	C. BLACKWOOD
	1200	72	C. BLACKWOOD
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	72	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
	0300	70	A. AYALA
	0600	72	C. BLACKWOOD
10/2/	0900	73	C. BLACKWOOD
	1200	74	C. BLACKWOOD
	1500	79	Moness
24	1800	79	Moness
	2100	79	Moness
	2400	75	H. CERA

Thursday

Date	Time	Temp.	Name (Print)
	0300	72	H. CERA
	0600	72	C. BLACKWOOD
10/3/	0900	74	C. BLACKWOOD
	1200	75	C. BLACKWOOD
	1500	78	S. GURRERO
24	1800	78	RAMIREZ
	2100	78	RAMIREZ
	2400	78	B. GARCIA

Friday

Date	Time	Temp.	Name (Print)
	0300	78	B. GARCIA
	0600	75	C. BLACKWOOD
10/4/	0900	76	C. BLACKWOOD
	1200	77	C. BLACKWOOD
24	1500	78	RAMIREZ
	1800	78	RAMIREZ
	2100	78	RAMIREZ
	2400	76	J. FLORES

Saturday

Date	Time	Temp.	Name (Print)
	0300	74	J. FLORES
	0600	74	C. BLACKWOOD
10/5/	0900	74	C. BLACKWOOD
	1200	75	C. BLACKWOOD
24	1500	77	RAMIREZ
	1800	77	RAMIREZ
	2100	77	RAMIREZ
	2400	74	CLAUDE

Sunday

Date	Time	Temp.	Name (Print)
	0300	74	CLAUDE
	0600	74	ENRIQUEZ
10/6/	0900	75	ENRIQUEZ
	1200	75	ENRIQUEZ
24	1500	76	RAMIREZ
	1800	78	RAMIREZ
	2100	78	RAMIREZ
	2400	76	CLAUDE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
DOR 2701(1/03)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: EBB5 Temp. Reading Location: B-SIDE 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	74	G. LAUDE
	0600	73	SAMARRIPAS
	0900	74	SAMARRIPAS
	1200	70	SAMARRIPAS
	1500	70	GONZALEZ
	1800	74	GONZALEZ
	2100	74	GONZALEZ
	2400	74	A. AYALA

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	74	A. AYALA
	0600	74	C. BLACKWOOD
	0900	74	C. BLACKWOOD
	1200	75	C. BLACKWOOD
	1500	75	E. GONZALEZ
	1800	75	E. GONZALEZ
	2100	74	E. GONZALEZ
	2400	74	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	74	A. AYALA
	0600	73	C. BLACKWOOD
	0900	73	C. BLACKWOOD
	1200	73	C. BLACKWOOD
	1500	73	E. GONZALEZ
	1800	73	E. GONZALEZ
	2100	73	E. GONZALEZ
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	73	L. JONES
	0600	73	L. JONES
	0900	72	C. BLACKWOOD
	1200	73	C. BLACKWOOD
	1500	[illegible]	[illegible]
	1800	74	[illegible]
	2100	74	[illegible]
	2400	73	A. Ortiz

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	73	A. Ortiz
	0600	73	A. Ortiz
	0900	72	C. BLACKWOOD
	1200	72	C. BLACKWOOD
	1500	72	F. GALICIA
	1800	72	F. GALICIA
	2100	72	F. GALICIA
	2400	72	F. GALICIA

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	72	F. GALICIA
	0600	71	C. BLACKWOOD
	0900	71	C. BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	70	E. GONZALEZ
	1800	70	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	70	M. CLOUD

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	M. CLOUD
	0600	68	SAMARRIPAS
	0900	69	SAMARRIPAS
	1200	70	SAMARRIPAS
	1500	70	E. GONZALEZ
	1800	70	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	71	A. Ortiz

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBBS B Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	72°	ORTIZ
	0600	72°	SAMARIPPAS
	0900	73°	SAMARIPPAS
	1200	74°	SAMARIPPAS
	1500	75	RAMIREZ
	1800	75	Y. RAMIREZ
	2100	74	Y. RAMIREZ
	2400	73	A. AYALA

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	73	A. AYALA
	0600	71	C. BLACKWOOD
	0900	71	C. BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	71	E. GONZALEZ
	1800	71	E. GONZALEZ
	2100	71	E. GONZALEZ
	2400	73	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	73	A. AYALA
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	71	A. Maness
	1800	71	A. Maness
	2100	71	A. Maness
	2400	71	D. MUNOZ

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	D. MUNOZ
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	72	A. Ortiz

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	72	A. Ortiz
	0600	72	A. Ortiz
	0900	69	C. BLACKWOOD
	1200	69	C. BLACKWOOD
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	D. Munoz

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	68	D. Munoz
	0600	68	C. BLACKWOOD
	0900	68	C. BLACKWOOD
	1200	68	C. BLACKWOOD
	1500	70	RAMIREZ
	1800	70	RAMIREZ
	2100	68	RAMIREZ
	2400	68	Fahy

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	68	Fahy
	0600	68	SAMARIPPAS
	0900	69	SAMARIPPAS
	1200	70	SAMARIPPAS.
	1500	70	E. GONZALEZ
	1800	70	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	68	V. Gomez

Notes

INSIDE TEMPERATURE LOG

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: USP PC Housing Unit: FBB5 - BSIDE Temp. Reading Location: 2ND tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	68	K Grimes
	0600	67	JAMARRIPAS
	0900	68	JAMARRIPAS
	1200	69	JAMARRIPAS.
	1500	70	B-GRIMES
	1800	70	B-GRIMES
	2100	69	B-GRIMES
	2400	70	A-AYALA

Tuesday

Dat	Time	Temp.	Name (Print)
10-22-24	0300	70	A-AYALA
	0600	69	C BLACKWOOD
	0900	69	C BLACKWOOD
	1200	69	C BLACKWOOD
	1500	69	E-GONZALEZ
	1800	69	E-GONZALEZ
	2100	69	E-GONZALEZ
	2400	70	A-AYALA

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	70	A-AYALA
	0600	69	C. BLACKWOOD
	0900	69	C BLACKWOOD
	1200	69	C BLACKWOOD
	1500	69	E-GONZALEZ
	1800	69	E. GONZALEZ
	2100	69	E GONZALEZ
	2400	70	L. JONES

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70	C JONES
	0600	69	C. BLACKWOOD
	0900	69	C BLACKWOOD
	1200	69	C BLACKWOOD
	1500	70	RHelgun
	1800	70	RHelgun
	2100	71	RHelgun
	2400	71	A. ortiz

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	71	A. ortiz
	0600	71	A. ortiz
	0900	69	C. BLACKWOOD
	1200	69	C. BLACKWOOD
	1500	70	RHelgun
	1800	70	RHelgun
	2100	71	RHelgun
	2400	70	PAREDEZ

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	70	PAREDEZ
	0600	70	PAREDEZ
	0900	68	C. BLACKWOOD
	1200	68	C-BLACKWOOD
	1500	70	RAMIREZ
	1800	70	RAMIREZ
	2100	70	RAMIREZ
	2400	70	C-Hill

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	70	C-Hill
	0600	71	JAMARRIPAS
	0900	72	JAMARRIPAS
	1200	73	JAMARRIPAS.
	1500	72	B-GRIMES
	1800	72	B GRIMES
	2100	72	B-GRIMES
	2400	72	B GARCIA

Notes

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 Temp. Reading Location: B side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	64	Garcia
	0600	64	Blackwood
	0900	65	Blackwood
	1200	65	Blackwood
	1500	66	Gonzales
	1800	64	Gonzales
	2100	64	Gonzales
	2400	64	Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	65	Jones
	0600	66	Blackwood
	0900	66	Blackwood
	1200	67	Blackwood
	1500	67	Gonzales
	1800	65	Gonzales
	2100	65	Gonzales
	2400	64	Jones

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	64	Rodriguez
	0600	65	Blackwood
	0900	66	Blackwood
	1200	66	Blackwood
	1500	64	Gonzales
	1800	64	Gonzales
	2100	63	Gonzales
	2400	63	Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	66	Rodriguez
	0600	65	Blackwood
	0900	66	Blackwood
	1200	67	Blackwood
	1500	67	Holgun
	1800	65	Holgun
	2100	65	Holgun
	2400	64	Rodriguez

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/13)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B6 Temp. Reading Location: A - SIDE - 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	70	M. ORTEGA
	0600	70	Bailey
	0900	70	Bailey
	1200	72	Bailey
	1500	70	rippee
	1800	70	rippee
	2100	70	rippe
	2400	70	Flores

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	70	Flores
	0600	70	M. PANTOJA
	0900	70	M. PANTOJA
	1200	70	M. PANTOJA
	1500	71	rippee
	1800	71	rippee
	2100	71	rippee
	2400	71	I. SAIZ

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	71	I. SAIZ
	0600	71	F. RIVAS
	0900	72	F. RIVAS
	1200	72	F. RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	71	I. SAIZ

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	70	I. SAIZ
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	74	DeLao

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	74	DeLao
	0600	74	Valdez
	0900	75	Valdez
	1200	75	Valdez
	1500	75	K Grimes
	1800	74	K Grimes
	2100	73	K Grimes
	2400	74	DeLao

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	74	DeLao
	0600	70	Villanueva
	0900	70	Villanueva
	1200	70	Villanueva
	1500	73	K Grimes
	1800	73	K Grimes
	2100	73	K Grimes
	2400	74	DeLao

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2051 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B6 - "A" Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	72	Delao
	0600	73	BLACK
	0900	73	BLACK
	1200	73	BLACK
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	72	Delao

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	72	Delao
	0600	74	J. FLORES
	0900	75	J. FLORES
	1200	82	J. FLORES
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	72	Delao

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	72	Delao
	0600	68	J. FLORES
	0900	68	J. FLORES
	1200	72	J. FLORES
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	I. SAIZ

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	70	I. SAIZ
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	I. SAIZ

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	70	I. SAIZ
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	72	Delao

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	72	Delao
	0600	70	BLACK
	0900	70	BLACK
	1200	70	BLACK
	1500	80	Sthlan
	1800	81	Sthlan
	2100	80	Sthlan
	2400		Delao

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	72	DELAO
	0600	72	Reyna
	0900	72	Reyna
	1200	73	Reyna
	1500	80	Sthlan
	1800	79	Sthlan
	2100	79	Sthlan
	2400	79	M. PANTOJA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/13)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: BLC Temp. Reading Location: BLC A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	70	M. PANTOJA
	0600	70	WACIEL J.
	0900	70	WACIEL J.
	1200	70	WACIEL, J.
	1500	70	D.RIPPEE
	1800	70	D.RIPPEE
	2100	70	D.RIPPEE
	2400	70	M.PANTOJA

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	70	M.PANTOJA
	0600	70	J. QUINTANA
	0900	70	J. QUINTANA
	1200	70	J. QUINTANA
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	71	M. PANTOJA

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	70	M. PANTOJA
	0600	70	J. QUINTANA
	0900	70	J. QUINTANA
	1200	70	J. QUINTANA
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	I. SAIZ

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	70	I. SAIZ
	0600	70	I. SALAZAR
	0900	70	I. SALAZAR
	1200	70	I. SALAZAR
	1500	70	J. LANDEROS
	1800	67	J. Landeros
	2100	67	J. Landeros
	2400	67	I. SAIZ

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	67	I. SAIZ
	0600	68	I. SALAZAR
	0900	68	I. SALAZAR
	1200	68	I. SALAZAR
	1500	70	Clark
	1800	70	Clark
	2100	70	Clark
	2400	70	M. PANTOJA

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	69	M. PANTOJA
	0600	67	I. SALAZAR
	0900	67	I. SALAZAR
	1200	67	I. SALAZAR
	1500	70	Bhan
	1800	70	Bhan
	2100	70	Bhan
	2400	70	M. PANTOJA

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	70	M. PANTOJA
	0600	70	DELGADILLO
	0900	70	I. SALAZAR
	1200	70	I. SALAZAR
	1500	70	Bhan
	1800	72	Bhan
	2100	72	Bhan
	2400	72	Delgado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LWSP Housing Unit: FB36-"A" Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	70	DELAO
	0600	70	Rogers
	0900	70	Rogers
	1200	71	Rogers
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	Delao

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	70	Delao
	0600	70	QUINTANA
	0900	70	QUINTANA
	1200	70	QUINTANA
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	Delao

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	70	Delao
	0600	70	J. QUINTANA
	0900	70	J. QUINTANA
	1200	70	J. QUINTANA
	1500	70	D.RIPPEE
	1800	70	D.RIPPEE
	2100	70	D.RIPPEE
	2400	70	I-SAIZ

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70	I. SAIZ
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	I. SAIZ

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70	I. SAIZ
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	Delao

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	70	Delao
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	H. Ahmed
	1800	71	H. Ahmed
	2100	71	H. Ahmed
	2400	70	Delao

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	70	Delao
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	70	U. Medina
	1800	70	U. Medina
	2100	70	U. Medina
	2400	70	Delao

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/13)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B6 Temp. Reading Location: B-SIDE - 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	70	M. ORTEGA
	0600	70	Bailey
	0900	70	Bailey
	1200	72	Bailey
	1500	71	Rippee
	1800	71	Rippee
	2100	71	Rippee
	2400	71	Flores

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	70	Flores
	0600	69	M. PANTOJA
	0900	70	M. PANTOJA
	1200	70	M. PANTOJA
	1500	71	Rippee
	1800	71	Rippee
	2100	71	Rippee
	2400	70	I. SAIZ

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	70	I. SAIZ
	0600	71	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	71	I. SAIZ

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	71	I. SAIZ
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	Delao

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	70	Delao
	0600	70	VALVEZ
	0900	71	VALVEZ
	1200	72	VALVEZ
	1500	72	K GRIMES
	1800	70	K GRIMES
	2100	70	K GRIMES
	2400	70	Delao

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	70	Delao
	0600	70	[illegible]
	0900	70	[illegible]
	1200	71	[illegible]
	1500	71	K GRIMES
	1800	72	K GRIMES
	2100	71	K GRIMES
	2400	72	Delao

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B6-"B" Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	70	Delao
	0600	70	BLACK
	0900	70	BLACK
	1200	70	BLACK
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	Delao

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	70	Delao
	0600	74	J. FLORES
	0900	75	J. FLORES
	1200	82	J. FLORES
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	72	Delao

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	72	Delao
	0600	68	J. FLORES
	0900	68	J. FLORES
	1200	72	J. FLORES
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	I. SAIZ

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	70	I. SAIZ
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	D.RIPPEE I. SAIZ

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	70	I. SAIZ
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	Delao

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	70	Delao
	0600	70	BLACK
	0900	70	BLACK
	1200	70	BLACK
	1500	70	Ethan
	1800	70	Ethan
	2100	80	Ethan
	2400		Delao

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	70	Delao
	0600	70	Reyna
	0900	70	Reyna
	1200	71	Reyna
	1500	78	Ethan
	1800	78	Ethan
	2100	78	Ethan
	2400	70	M. PANTOJA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: BLU Temp. Reading Location: BLU B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	68	M. PANTOJA
	0600	68	MACIEL J.
	0900	68	MACIEL J.
	1200	68	MACIEL J.
	1500	70	D.RIPPEE
	1800	70	D.RIPPEE
	2100	70	D.RIPPEE
	2400	70	M. PANTOJA

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	69	M. PANTOJA
	0600	68	J. QUINTANA
	0900	68	J. QUINTANA
	1200	68	J. QUINTANA
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	M. PANTOJA

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	68	M. PANTOJA
	0600	68	J. QUINTANA
	0900	68	J. QUINTANA
	1200	69	J. QUINTANA
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	I. SAIZ

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	70	I. SAIZ
	0600	70	I. SALAZAR
	0900	70	I. SALAZAR
	1200	70	I. SALAZAR
	1500	70	J. Landeros
	1800	67	J. Landeros
	2100	67	J. LANDEROS
	2400	67	I. SAIZ

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	67	I. SAIZ
	0600	68	I. SALAZAR
	0900	68	I. SALAZAR
	1200	68	I. SALAZAR
	1500	68	clark
	1800	68	clark
	2100	67	Clark
	2400	65	M. PANTOJA

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	67	M. PANTOJA
	0600	65	I. SALAZAR
	0900	65	I. SALAZAR
	1200	66	I. SALAZAR
	1500	70	Ritchin
	1800	70	Ritchin
	2100	70	Ritchin
	2400	65	M. PANTOJA

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	70	M. PANTOJA
	0600	70	DELGADILLO
	0900	70	I. SALAZAR
	1200	70	I. SALAZAR
	1500	70	Ritchin.
	1800	72	Ritchin
	2100	72	Ritchin
	2400	72	Davis

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FB136 "B" Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	62	Delao
	0600	65	Reyna
	0900	65	Reyna
	1200	67	Reyna
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	64	Delao

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	64	Delao
	0600	65	QUINTANA
	0900	65	QUINTANA
	1200	65	QUINTANA
	1500	65	D.RIPPEE
	1800	65	D.RIPPEE
	2100	67	D.RIPPEE
	2400	60	Delao

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	60	Delao
	0600	65	J. QUINTANA
	0900	65	J. QUINTANA
	1200	65	J. QUINTANA
	1500	65	D.RIPPEE
	1800	65	D.RIPPEE
	2100	65	D.RIPPEE
	2400	65	I. SPIR

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	65	I. SPIR
	0600	65	F. RIVAS
	0900	64	F. RIVAS
	1200	64	F. RIVAS
	1500	64	D.RIPPEE
	1800	64	D.RIPPEE
	2100	64	D.RIPPEE
	2400	64	I. SPIR

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	64	I. SPIR
	0600	64	F. RIVAS
	0900	64	F. RIVAS
	1200	65	F. RIVAS
	1500	65	D.RIPPEE
	1800	65	D.RIPPEE
	2100	66	D.RIPPEE
	2400	62	Delao

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	61	Delao
	0600	61	F. RIVAS
	0900	61	F. RIVAS
	1200	61	F. RIVAS
	1500	63	H. Ahmed
	1800	63	H. Ahmed
	2100	63	H. Ahmed
	2400	62	Delao

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	62	Delao
	0600	62	F. RIVAS
	0900	62	F. RIVAS
	1200	62	F. RIVAS
	1500	70	U. Medina
	1800	70	U. Medina
	2100	70	U. Medina
	2400	60	Delao

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/13)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB6 - "A" Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	70	DeLAO
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	DeLAO

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	70	DeLAO
	0600	70	J. QUINTANA
	0900	70	J. QUINTANA
	1200	70	J. QUINTANA
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	70	DeLAO

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	70	DeLAO
	0600	70	J. QUINTANA
	0900	70	J. QUINTANA
	1200	70	J. QUINTANA
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	71	F. RIVAS

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	71	F RIVAS
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	D.RIPPEE
	1800	71	D.RIPPEE
	2100	71	D.RIPPEE
	2400	61°	J. [illegible]

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB6-B" Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	60	DeLAO
	0600	60	F.RIVAS
	0900	60	F.RIVAS
	1200	60	F.RIVAS
	1500	61	D.RIPPEE
	1800	61	D.RIPPEE
	2100	61	D.RIPPEE
	2400	60	DELAO

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	60	DeLAO
	0600	60	J. QUINTANA
	0900	60	J. QUINTANA
	1200	60	J. QUINTANA
	1500	61	D.RIPPEE
	1800	61	D.RIPPEE
	2100	61	D.RIPPEE
	2400	60	DeLAO

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	60	DeLAO
	0600	60	J. QUINTANA
	0900	61	J. QUINTANA
	1200	61	J. QUINTANA
	1500	61	D.RIPPEE
	1800	61	D.RIPPEE
	2100	61	D.RIPPEE
	2400	61	F.RIVAS

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	60	F.RIVAS
	0600	60	F.RIVAS
	0900	61	F.RIVAS
	1200	61	F.RIVAS
	1500	61	D.RIPPEE
	1800	61	D.RIPPEE
	2100	61	D.RIPPEE
	2400	61	J. Trujillo

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	76	
	0600	76	
	0900	[illegible]	
	1200	[illegible]	
	1500	77	
	1800	77	
	2100	76	
	2400	76	

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	76	
	0600	76	
	0900	76	
	1200	76	
	1500	77	
	1800	77	
	2100	77	
	2400	77	

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	77	
	0600	78	M. ZAMORA
	0900	78	M. ZAMORA
	1200	79	M. ZAMORA
	1500	80	ZELAYA
	1800	80	ZELAYA
	2100	77	ZELAYA
	2400	77	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	77	Hernandez
	0600	78	M. ZAMORA
	0900	78	M. ZAMORA
	1200	79	M. ZAMORA
	1500	78	A. Smith
	1800	78	A. Smith
	2100	77	A. Smith
	2400	76	Hernandez

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	74	Hernandez
	0600	74	Bustos
	0900	75	Bustos
	1200	79	Bustos
	1500	79	M. Dunne
	1800	80	M. Dunne
	2100	79	M. Dunne
	2400	77	M. Dunne

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	76	M. Dunne
	0600	76	M. PANTOJA
	0900	78	M. PANTOJA
	1200	79	M. PANTOJA
	1500	79	M. Dunne
	1800	79	M. Dunne
	2100	78	M. Dunne
	2400	77	M. Dunne

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	76	M. Dunne
	0600	78	J. Black
	0900	78	J. Black
	1200	78	J. Black
	1500	78	R. Rice
	1800	78	R. Rice
	2100	78	R. Rice
	2400	76	STAFFORD

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-A Temp. Reading Location: TIER 2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	76	S Stafford
	0600	78	BETAN COURT
	0900	78	BETAN COURT
	1200	79	BETAN COURT
	1500	79	R. Rice
	1800	79	R. Rice
	2100	79	R. Rice
	2400	78	R. Rice

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	78	R. Rice
	0600	78	BETAN COURT
	0900	78	BETAN COURT
	1200	79	BETAN COURT
	1500	79	R. Rice
	1800	79	R. Rice
	2100	79	R. Rice
	2400	79	R. Rice

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	78	R. Rice
	0600	77	M. Zamora
	0900	78	M. Zamora
	1200	79	M. Zamora
	1500	78	S. Moreno
	1800	78	S. Moreno
	2100	78	S. Moreno
	2400	77	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	77	Hernandez
	0600	78	M. Zamora
	0900	77	M. Zamora
	1200	77	M. Zamora
	1500	79	J. Flores
	1800	79	J. Flores
	2100	79	J. Flores
	2400	77	Hernandez

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	77	Hernandez
	0600	77	BETAN COURT
	0900	77	BETAN COURT
	1200	78	BETAN COURT
	1500	79	M. Dunne
	1800	80	M. Dunne
	2100	79	M. Dunne
	2400	78	M. Dunne

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	76	M. Dunne
	0600	79	BETAN COURT
	0900	77	BETAN COURT
	1200	78	BETAN COURT
	1500	79	Dunne
	1800	80	Dunne
	2100	79	Dunne
	2400	78	Dunne

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	77	Dunne
	0600	77	BETAN COURT
	0900	77	BETAN COURT
	1200	77	BETAN COURT
	1500	80	Rice
	1800	80	Rice
	2100	76	Rice
	2400	76	Dunne

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-A Temp. Reading Location: TIER 2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	76	Dunne
	0600	76	BETANCOURT
	0900	76	BETANCOURT
	1200	76	BETANCOURT
	1500	76	R. Rice
	1800	76	R. Rice
	2100	76	R. Rice
	2400	74	M. DUNNE

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	73	M. DUNNE
	0600	72	BETANCOURT
	0900	72	BETANCOURT
	1200	74	BETANCOURT
	1500	76	R. Rice
	1800	76	R. Rice
	2100	76	R. Rice
	2400	76	M. DUNNE

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	73	M. DUNNE
	0600	74	M. ZAMORA
	0900	74	M. ZAMORA
	1200	75	M. ZAMORA
	1500	75	VELAYA
	1800	75	VELAYA
	2100	74	VELAYA
	2400	74	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	74	Hernandez
	0600	74	M. ZAMORA
	0900	74	M. ZAMORA
	1200	74	M. ZAMORA
	1500	75	J. Rodriguez
	1800	74	J. Rodriguez
	2100	75	J. Rodriguez
	2400	70	Hernandez

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	76	Hernandez
	0600	70	BETANCOURT
	0900	71	BETANCOURT
	1200	72	BETANCOURT
	1500	76	Dunne
	1800	75	Dunne
	2100	74	Dunne
	2400	73	Dunne

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	72	Dunne
	0600	70	BETANCOURT
	0900	73	BETANCOURT
	1200	73	BETANCOURT
	1500	70	E. RODRIGUEZ
	1800	70	E. RODRIGUEZ
	2100	70	E. RODRIGUEZ
	2400	70	L. PONCE

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	68	L PONCE
	0600	68	BETANCOURT
	0900	70	BETANCOURT
	1200	72	BETANCOURT
	1500	75	M. Dunne
	1800	76	M. Dunne
	2100	74	M. Dunne
	2400	72	M. Dunne

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	74	M. Dunne
	0600	70	BETANCOURT
	0900	72	BETANCOURT
	1200	72	BETANCOURT
	1500	70	R. Rice
	1800	70	R. Rice
	2100	70	R. Rice
	2400	70	R. Rice

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	70	Rice
	0600	70	Betancourt
	0900	71	Betancourt
	1200	72	Betancourt
	1500	71	R. Rice
	1800	70	R. Rice
	2100	70	R. Rice
	2400	70	R. Rice

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	70	R. Rice
	0600	69	M. Zamora
	0900	70	M. Zamora
	1200	70	M. Zamora
	1500	70	K. Cottren
	1800	70	K. Cottren
	2100	70	K. Cottren
	2400	70	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	69	Hernandez
	0600	70	M. Zamora
	0900	70	M. Zamora
	1200	70	M. Zamora
	1500	70	K. Cottren
	1800	71	K. Cottren
	2100	70	K. Cottren
	2400	69	Hernandez

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	69	Hernandez
	0600	69	Betancourt
	0900	70	Betancourt
	1200	70	Betancourt
	1500	72	Dunne
	1800	72	Dunne
	2100	70	Dunne
	2400	70	Dunne

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	69	Dunne
	0600	69	Server
	0900	70	Server
	1200	71	Server
	1500	72	Dunne
	1800	72	Dunne
	2100	71	Dunne
	2400	70	Dunne

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	69	Dunne
	0600	69	Betancourt
	0900	70	Betancourt
	1200	70	Betancourt
	1500	72	Sevilla
	1800	72	Sevilla
	2100	70	Sevilla
	2400	69	Duane

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	69	M. Dunn
	0600	69	Betancourt
	0900	69	Betancourt
	1200	70	Betancourt
	1500	70	R. Rice
	1800	70	R. Rice
	2100	70	R. Rice
	2400	70	R. Rice

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	69	R. Rice
	0600	69	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	R. Rice
	1800	70	R. Rice
	2100	70	R. Rice
	2400	70	R. Rice

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	68	R. Rice
	0600	69	M. Zamora
	0900	69	M. Zamora
	1200	69	M. Zamora
	1500	70	K. Cottrell
	1800	70	K. Cottrell
	2100	70	K. Cottrell
	2400	69	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	69	Hernandez
	0600	69	M. Zamora
	0900	70	M. Zamora
	1200	69	S. Gannon
	1500	70	K. Cottrell
	1800	70	K. Cottrell
	2100	70	K. Cottrell
	2400	67	Hernandez

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	76	K Smith
	0600	78	A. ATILANO
	0900	77	A. ATILANO
	1200	78	A. ATILANO
	1500	78	J. AMADOR
	1800	79	J. AMADOR
	2100	79	J. AMADOR
	2400	78	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	76	K Smith
	0600	75°	Cota
	0900	75°	Cota
	1200	76°	Cota
	1500	78	J. AMADOR
	1800	79	J. AMADOR
	2100	79	J. AMADOR
	2400	78	K Smith

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	76	K Smith
	0600	75°	Cota
	0900	75°	Cota
	1200	76°	Cota
	1500	78	J. AMADOR
	1800	78	J. AMADOR
	2100	79	J. AMADOR
	2400	78	K Smith

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	76	K Smith
	0600	76°	F. Cota
	0900	76°	F. Cota
	1200	76°	F. Cota
	1500	78	A. Gonzales
	1800	78	A. Gonzales
	2100	78	A. Gonzales
	2400	77	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	77	Hernandez
	0600	77°	Cota
	0900	78°	Cota
	1200	78°	Cota
	1500	76	A. Gonzales
	1800	76	A. Gonzales
	2100	76	A. Gonzales
	2400	76	Fonseca

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	75	F. Ortiz
	0600	75	F. Cota
	0900	74	F. Cota
	1200	76	F. Cota
	1500	77	A. Gonzalez
	1800	77	A. Gonzalez
	2100	77	A. Gonzalez
	2400	76	K Smith

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	76	K Smith
	0600	77	ZELAYA
	0900	78	ZELAYA
	1200	78	ZELAYA
	1500	79	J. AMADOR
	1800	79	J. AMADOR
	2100	79	J. AMADOR
	2400	77	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	76	K Smith
	0600	76	ATILANO
	0900	77	ATILANO
	1200	76	ATILANO
	1500	79	J. AMADOR
	1800	79	J. AMADOR
	2100	79	J. AMADOR
	2400	76	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	76	K Smith
	0600	72	W. Sevre
	0900	72	W. Sevre
	1200	72	W. Sevre
	1500	78	K Smith
	1800	78	K Smith
	2100	76	K Smith
	2400	76	K Smith

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	76	K Smith
	0600	72	W. Sevre
	0900	72	W. Sevre
	1200	72	W. Sevre
	1500	72	J. AMADOR
	1800	72	J. AMADOR
	2100	72	J. AMADOR
	2400	74	K Smith

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	72	K Smith
	0600	72	W. Sevre
	0900	72	W. Sevre
	1200	72	W. Sevre
	1500	72	F. ROJAS
	1800	72	F. ROJAS
	2100	73	F. ROJAS
	2400	75	K Smith

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	76	K Smith
	0600	75	ZELAYA
	0900	75	ZELAYA
	1200	75	ZELAYA
	1500	72	F. ROJAS
	1800	72	F. ROJAS
	2100	72	F. ROJAS
	2400	72	F. ORTIZ

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	72	F. ORTIZ
	0600	72	J PEREZ
	0900	72	J PEREZ
	1200	72	J PEREZ
	1500	76	J. AMADOR
	1800	76	J. AMADOR
	2100	76	J. AMADOR
	2400	76	K Smith

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	74	K Smith
	0600	75	ATILANO
	0900	76	ATILANO
	1200	76	ATILANO
	1500	77	J. AMADOR
	1800	76	J. AMADOR
	2100	76	J. AMADOR
	2400	76	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	76	K Smith
	0600	76	A. ATILANO
	0900	76	ATILANO
	1200	77	ATILANO
	1500	77	J. AMADOR
	1800	77	J. AMADOR
	2100	77	J. AMADOR
	2400	76	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	76	K Smith
	0600	76°	Cota
	0900	76°	Cota
	1200	76°	Cota
	1500	75	J. AMADOR
	1800	75	J. AMADOR
	2100	75	J. AMADOR
	2400	74	K Smith

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	72	K Smith
	0600	73°	Cota
	0900	73°	Cota
	1200	73°	Cota
	1500	73	V. Medina
	1800	73	V. Medina
	2100	73	V. Medina
	2400	74	KS

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	72	K Smith
	0600	72	J PEREZ
	0900	74	JPEREZ
	1200	74	JPEREZ
	1500	72	A. Gonzales
	1800	72	A. Gonzales
	2100	72	A. Gonzales
	2400	72	K. SMITH

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	72	K. SMITH
	0600	73	F. Cota
	0900	73	F. Cota
	1200	74	F. Cota
	1500	73	J. AMADOR
	1800	74	J. AMADOR
	2100	71	J. AMADOR
	2400	70	F. ORTIZ

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	68	F. ORTIZ
	0600	69	F. Cota
	0900	71	F. Cota
	1200	72	F. Cota
	1500	73	ZELAYA
	1800	74	ZELAYA
	2100	72	ZELAYA
	2400	72	K Smith

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	70	K Smith
	0600	70	A.ATILANO
	0900	72	A.ATILANO
	1200	73	A.ATILANO
	1500	70	J. AMADOR
	1800	70	J. AMADOR
	2100	70	J. AMADOR
	2400	70°	SMITH

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	70°	SMITH
	0600	70	A.ATILANO
	0900	71	A.ATILANO
	1200	72	A.ATILANO
	1500	70	J. AMADOR
	1800	70	J. AMADOR
	2100	70	J. AMADOR
	2400	70	MORILLON

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	70	MORILLON
	0600	70	Cota
	0900	70	Cota
	1200	70	Cota
	1500	71	J. AMADOR
	1800	71	J. AMADOR
	2100	71	J. AMADOR
	2400	70°	MORILON

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70	MORILLON
	0600	70	N. MORALES
	0900	70	N. MORALES
	1200	72	N. MORALES
	1500	72	AMADOR
	1800	72	AMADOR
	2100	72	AMADOR
	2400	70	MORILLON

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70	MORILLON
	0600	70	N. MORALES
	0900	70	N. MORALES
	1200	72	N. MORALES
	1500	72	A. GONZALES
	1800	72	A. GONZALES
	2100	72	A. GONZALES
	2400	71	A. GONZALES

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	70	A. GONZALES
	0600	70	N. MORALES
	0900	70	N. MORALES
	1200	72	N. MORALES
	1500	72	A. Gonzales
	1800	72	A. Gonzales
	2100	72	A. Gonzales
	2400	71	AMADOR

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	70	AMADOR
	0600	70	J. Flores
	0900	70	J. Flores
	1200	70	J. Flores
	1500	70	W. Young
	1800	70	W Young
	2100	70	W. Young
	2400	70	K Smith

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	66	K Smith
	0600	67	ATILANO
	0900	68	ATILANO
	1200	69	ATILANO
	1500	70	GONZALEZ
	1800	70	GONZALEZ
	2100	70	GONZALEZ
	2400	68	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	66	K Smith
	0600	67	A. ATILANO
	0900	68	A. ATILANO
	1200	69	A. ATILANO
	1500	70	J. AMADOR
	1800	70	J. AMADOR
	2100	70	J. AMADOR
	2400	70	GONZALEZ

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	75	GONZALEZ
	0600	75	GONZALEZ
	0900	75	GONZALEZ
	1200	75	GONZALEZ
	1500	70	J. AMADOR
	1800	70	GONZALEZ
	2100	70	GONZALEZ
	2400	72	K Smith

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	70	K Smith
	0600	70	GONZALEZ
	0900	70	GONZALEZ
	1200	70	GONZALEZ
	1500	70	V. Medina
	1800	70	V. Medina
	2100	70	V. Medina
	2400	70	K Smith

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	70	E. LOZANO
	0600	70	R. LEE
	0900	71	R. LEE
	1200	79	R. LEE
	1500	76	Alcaraz
	1800	76	Alcaraz
	2100	76	Alcaraz
	2400	75	THenwood

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	74	THenwood
	0600	74	R. LEE
	0900	73	R. LEE
	1200	75	R. LEE
	1500	76	Alcaraz
	1800	76	Alcaraz
	2100	76	Alcaraz
	2400	75	THenwood

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	75	THenwood
	0600	75	R. LEE
	0900	75	R. LEE
	1200	75	R. LEE
	1500	76	Alcaraz
	1800	76	Alcaraz
	2100	76	Alcaraz
	2400	76	THenwood

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	76	THenwood
	0600	73	K. Cottrell
	0900	77	K. Cottrell
	1200	77	K. Cottrell
	1500	77	Alcaraz
	1800	77	Alcaraz
	2100	77	Alcaraz
	2400	75	THenwood

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	74	THenwood
	0600	74	[illegible]
	0900	76	[illegible]
	1200	78	[illegible]
	1500	79	Alcaraz
	1800	79	Alcaraz
	2100	79	Alcaraz
	2400	77	THenwood

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	76	THenwood
	0600	74	J. FELIX
	0900	77	J. FELIX
	1200	77	J. FELIX
	1500	78	C. LIMEU
	1800	79	C. LIMEU
	2100	79	C. LIMEU
	2400	79°	E. LOZANO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	75°	E. LOZANO
	0600	75	SERVER
	0900	75	SERVER
	1200	75	SERVER
	1500	75	A GONZALEZ
	1800	76	A GONZALEZ
	2100	77	A GONZALEZ
	2400	77°	E. LOZANO

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	75°	E. LOZANO
	0600	72°	E. RODRIGUEZ
	0900	75	R. CEE
	1200	77	R. CEE
	1500	77	Alcaraz
	1800	78	Alcaraz
	2100	78	Alcaraz
	2400	77	Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	74	Gonzalez
	0600	75	R. CEE
	0900	75	R. CEE
	1200	78	R. CEE
	1500	80	Alcaraz
	1800	80	Alcaraz
	2100	80	Alcaraz
	2400	76	THenwood

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	75	THenwood
	0600	76	R. CEE
	0900	77	R. CEE
	1200	76	R. CEE
	1500	76	Alcaraz
	1800	76	Alcaraz
	2100	76	Alcaraz
	2400	75	THenwood

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	75	THenwood
	0600	76	R. CEE
	0900	77	R. CEE
	1200	78	R. CEE
	1500	76	Alcaraz
	1800	76	Alcaraz
	2100	76	Alcaraz
	2400	74	THenwood

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	73	THenwood
	0600	74	J DAY
	0900	74	J DAY
	1200	75	J DAY
	1500	76	Alcaraz
	1800	76	Alcaraz
	2100	75	Alcaraz
	2400	74	THenwood

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	74	THenwood
	0600	74	MRIOS
	0900	74	RIOS
	1200	74	RIOS
	1500	74	LUNELI
	1800	74	LUNELI
	2100	74	LUNELI
	2400	74°	E. LOZANO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C2-A Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	74°	E. LOZANO
	0600	75	R. LEE
	0900	76	R. LEE
	1200	77	R. LEE
	1500	78	GONZALEZ
	1800	77	GONZALEZ
	2100	76	GONZALEZ
	2400	74°	E. LOZANO

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	74°	E. LOZANO
	0600	75	R. LEE
	0900	76	R. LEE
	1200	76	R. LEE
	1500	76	Alcaraz
	1800	76	Alcaraz
	2100	76	Alcaraz
	2400	72	THenwood

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	71	THenwood
	0600	72	R. LEE
	0900	73	R. LEE
	1200	74	R. LEE
	1500	75	Alcaraz
	1800	75	Alcaraz
	2100	75	Alcaraz
	2400	73	THenwood

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	72	THenwood
	0600	72	R. LEE
	0900	73	R. LEE
	1200	73	R. LEE
	1500	73	Serrano
	1800	73	Serrano
	2100	73	Serrano
	2400	72	THenwood

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	THenwood
	0600	70	W. Sevier
	0900	72	W. Sevier
	1200	72	W. Sevier
	1500	73	Alcaraz
	1800	73	Alcaraz
	2100	73	Alcaraz
	2400	73	THenwood

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	72	THenwood
	0600	71	M. Mos
	0900	71	M. Mos
	1200	71	M. Mos
	1500	70	Serrano
	1800	70	Serrano
	2100	70	Serrano
	2400	70	E. Lozano

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	71	JONES
	0600	70	JONES
	0900	70	MRIOS
	1200	72	MRIOS
	1500	73	LUNELI
	1800	73	LUNELI
	2100	72	LUNELI
	2400	70	E. LOZANO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	68°	E. LOZANO
	0600	69	MARTINEZ
	0900	70	MARTINEZ
	1200	70	MARTINEZ
	1500	70°	J. Serrano
	1800	70°	J. Serrano
	2100	70°	J. Serrano
	2400	69°	E. LOZANO

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	69	E. LOZANO
	0600	70	R-LEE
	0900	70	R-LEE
	1200	70	R-LEE
	1500	71	JRICO
	1800	70	JRICO
	2100	70	JRICO
	2400	70	T Henwood

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	69	T Henwood
	0600	69	R-LEE
	0900	70	R-LEE
	1200	71	R-LEE
	1500	73	JRICO
	1800	73	JRICO
	2100	71	JRICO
	2400	71	T Henwood

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70	T Henwood
	0600	70	R-LEE
	0900	70	R-LEE
	1200	71	R-LEE
	1500	71	JRICO
	1800	70	JRICO
	2100	70	JRICO
	2400	70	T Henwood

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70	T Henwood
	0600	67	R-LEE
	0900	68	R-LEE
	1200	69	R-LEE
	1500	71	JRICO
	1800	71	JRICO
	2100	70	JRICO
	2400	70	T Henwood

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	69	T Henwood
	0600	68	Rodriguez
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	70	JRICO
	1800	68	JRICO
	2100	68	JRICO
	2400	68	T Henwood

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	67	T Henwood
	0600	70	MRIOS
	0900	70	MRIOS
	1200	72	MR
	1500	72	C. LUNEU
	1800	72	C. LUNEU
	2100	70	C. LUNEU
	2400	70°	E. LOZANO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	69°	E. LOZANO
	0600	69	R. LEE
	0900	70	R. LEE
	1200	70	R. LEE
	1500	71	A. Gonzales
	1800	71	A. Gonzales
	2100	71	A. Gonzales
	2400	70°	E. LOZANO

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	70°	E. LOZANO
	0600	71	R. Lee
	0900	72	R. Lee
	1200	72	R. Lee
	1500	72	J. Rico
	1800	71	J. Rico
	2100	70	J. Rico
	2400	69	T. Henwood

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	68	T. Henwood
	0600	69	R. Lee
	0900	69	R. Lee
	1200	70	R. Lee
	1500	70	J. Rico
	1800	70	J. Rico
	2100	69	J. Rico
	2400	69	T. Henwood

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	69	T. Henwood
	0600	69	R. LEE
	0900	70	R. LEE
	1200	70	R. LEE
	1500	70	J. Rico
	1800	70	J. Rico
	2100	69	J. Rico
	2400	69	T. Henwood

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-B Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	72	CAMPOS
	0600	70	H.AGUAYO
	0900	72	H.AGUAYO
	1200	76	H.AGUAYO
	1500	74	A GONZALES
	1800	76	A. GONZALES
	2100	74	A. GONZALES
	2400	73°	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	73°	E. LOZANO
	0600	73	M. HERNANDEZ
	0900	73	M. HERNANDEZ
	1200	75	M. HERNANDEZ
	1500	75	M. HERNANDEZ
	1800	75	M. HERNANDEZ
	2100	75	M. HERNANDEZ
	2400	75°	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	75°	E. LOZANO
	0600	75°	M. Hernandez
	0900	80°	M. Hernandez
	1200	79	M. Hernandez
	1500	80°	J. Perez
	1800	82°	J. Perez
	2100	83°	J. Perez
	2400	80	J. VIGIL

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	77	J. VIGIL
	0600	77	M. Hernandez
	0900	77	M. Hernandez
	1200	77	Hernandez
	1500	78	LANDEROS
	1800	77	LANDEROS
	2100	77	LANDEROS
	2400	77	J. VIGIL

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	76	J. VIGIL
	0600	75°	S GARZA
	0900	74°	S GARZA
	1200	73°	S GARZA
	1500	74°	U. Meburn
	1800	74°	U. Meburn
	2100	74°	U. Meburn
	2400	75	J. VIGIL

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	74	J. VIGIL
	0600	73°	S. GARZA
	0900	74°	S. GARZA
	1200	74°	S. GARZA
	1500	78°	MINOS
	1800	80	MINOS
	2100	80	MINOS
	2400	74	CAMPOS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-B Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	75	CAMPOS
	0600	76	H. AGUAYO
	0900	76	H. AGUAYO
	1200	78	H. AGUAYO
	1500	82	M RIOS
	1800	82	M RIOS
	2100	82	M RIOS
	2400	76	CAMPOS

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	75	CAMPOS
	0600	76	H. AGUAYO
	0900	78	H. AGUAYO
	1200	78	H. AGUAYO
	1500	78	A GONZALEZ
	1800	78	A GONZALEZ
	2100	76	A GONZALEZ
	2400	78°	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	78°	E. LOZANO
	0600	78	HERNANDEZ
	0900	78	HERNANDEZ
	1200	78	HERNANDEZ
	1500	79	HERNANDEZ
	1800	78	HERNANDEZ
	2100	78	HERNANDEZ
	2400	77°	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	77°	E. LOZANO
	0600	77	HERNANDEZ
	0900	77	HERNANDEZ
	1200	77	HERNANDEZ
	1500	80	M RIOS
	1800	80	M RIOS
	2100	80	M RIOS
	2400	78	J. VIGIL

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	77	J. VIGIL
	0600	77	HERNANDEZ
	0900	77	HERNANDEZ
	1200	76	HERNANDEZ
	1500	78	M RIOS
	1800	80	M RIOS
	2100	80	M RIOS
	2400	78	J. VIGIL

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	76	J. VIGIL
	0600	75	S. GARZA
	0900	74	S. GARZA
	1200	73	S. GARZA
	1500	74	M RIOS
	1800	76	M RIOS
	2100	76	M RIOS
	2400	72	Faly

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	72	Faly
	0600	73	S. GARZA
	0900	73	S. GARZA
	1200	72	S. GARZA
	1500	74	M RIOS
	1800	74	M RIOS
	2100	74	M. RIOS
	2400	72	CAMPOS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C2B Temp. Reading Location: 1ST (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	73°	R. CAMPOS
	0600	75	AGUAYO
	0900	77	AGUAYO
	1200	77	AGUAYO
	1500	77	AGUAYO
	1800	75	AGUAYO
	2100	75	AGUAYO
	2400	73°	VIGIL

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	73 ~~VIGIL~~	VIGIL
	0600	73	AGUAYO
	0900	75	AGUAYO
	1200	77	AGUAYO
	1500	78	GONZALEZ
	1800	80	GONZALEZ
	2100	75	GONZALEZ
	2400	74°	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	73°	E. LOZANO
	0600	74	HERNANDEZ
	0900	74	HERNANDEZ
	1200	77	HERNANDEZ
	1500	78	HERNANDEZ
	1800	80	HERNANDEZ
	2100	75°	HERNANDEZ
	2400	73°	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	72°	E. LOZANO
	0600	72	HERNANDEZ
	0900	72	HERNANDEZ
	1200	72	HERNANDEZ
	1500	72	MRIOS
	1800	70	MRIOS
	2100	70	MRIOS
	2400	70	J. VIGIL

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	J. VIGIL
	0600	70	W. SERVEL
	0900	70	W. SERVEL
	1200	70	W. SERVEL
	1500	70	J. Serrano
	1800	70	J. Serrano
	2100	69	J. Serrano
	2400	70	J. VIGIL

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	68	J. VIGIL
	0600	67°	S. GARZA
	0900	67°	S. GARZA
	1200	68°	S. GARZA
	1500	70	MRIOS
	1800	70	MRIOS
	2100	70	MRIOS
	2400	70	J. VIGIL

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	J. VIGIL
	0600	69°	S. GARZA
	0900	70°	S. GARZA
	1200	71°	S. GARZA
	1500	72	MRIOS
	1800	70	MRIOS
	2100	70	MRIOS
	2400	68	CAMPOS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	70	CAMPOS
	0600	70	AGUAYO
	0900	70	AGUAYO
	1200	72	AGUAYO
	1500	72	AGUAYO
	1800	72	AGUAYO
	2100	70	AGUAYO
	2400	70	CAMPOS

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	70	CAMPOS
	0600	70	AGUAYO
	0900	70	AGUAYO
	1200	72	AGUAYO
	1500	72	Jeff
	1800	72	Jeff
	2100	70	Jeff
	2400	70°	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	70°	E. LOZANO
	0600	70	M. HERNANDEZ
	0900	70	M. HERNANDEZ
	1200	72	M. HERNANDEZ
	1500	72	M. HERNANDEZ
	1800	72	M. HERNANDEZ
	2100	70	M. HERNANDEZ
	2400	70°	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70°	E. LOZANO
	0600	70	M. HERNANDEZ
	0900	70	M. HERNANDEZ
	1200	70	M. HERNANDEZ
	1500	72	M RIOS
	1800	70	M RIOS
	2100	70	M RIOS
	2400	70	J. VIGIL

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70	J. VIGIL
	0600	70	HERNANDEZ
	0900	70	HERNANDEZ
	1200	72	HERNANDEZ
	1500	72	M RIOS
	1800	72	M RIOS
	2100	72	M RIOS
	2400	71	J. VIGIL

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	70	J. VIGIL
	0600	69°	S. GARZA
	0900	69°	S. GARZA
	1200	70°	S. GARZA
	1500	72	M RIOS
	1800	72	M RIOS
	2100	70	M RIOS
	2400	70	A MORELLON

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	70	A. MORELLON
	0600	71°	S. GARZA
	0900	70	S. GARZA
	1200	70°	S. GARZA
	1500	72	M RIOS
	1800	72	M RIOS
	2100	72	M RIOS
	2400	72	A M. OCHOA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2-B Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	70	A. M. OLLOA
	0600	70	R. RIOS
	0900	70	R. RIOS
	1200	70	R. RIOS
	1500	70	H. AGUANO
	1800	70	H. AGUANO
	2100	69	H. AGUANO
	2400	66	CAMPOS

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	66	CAMPOS
	0600	68	H. AGUANO
	0900	68	H. AGUANO
	1200	70	H. AGUANO
	1500	70	GONZALES
	1800	70	GONZALES
	2100	70	GONZALES
	2400	68°	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	68°	E. LOZANO
	0600	68	M. HERNANDEZ
	0900	68	M. HERNANDEZ
	1200	70	M. HERNANDEZ
	1500	70	M. HERNANDEZ
	1800	69	M. HERNANDEZ
	2100	69	M. HERNANDEZ
	2400	69°	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	68°	E. LOZANO
	0600	68	J. TORRES
	0900	70	J. TORRES
	1200	70	J. TORRES
	1500	72	M. RIOS
	1800	72	M. RIOS
	2100	72	M. RIOS
	2400	71	J. VEGA

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAC C3 A/SIDE Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/01/24	0300	70	RAMIREZ
	0600	70	Smith
	0900	70	Brown
	1200	70	Brown
	1500	70	RAMIREZ
	1800	70	RAMIREZ
	2100	70	RAMIREZ
	2400	69	RAMIREZ

Wednesday

Date	Time	Temp.	Name (Print)
10/02/24	0300	69	RAMIREZ
	0600	70	AGUAYO
	0900	70	AGUAYO
	1200	70	AGUAYO
	1500	70	RAMIREZ
	1800	69	RAMIREZ
	2100	69	RAMIREZ
	2400	69	RAMIREZ

Thursday

Date	Time	Temp.	Name (Print)
10/03/24	0300	69	RAMIREZ
	0600	70	[illegible]
	0900	70	[illegible]
	1200	72	[illegible]
	1500	72	[illegible]
	1800	72	Rodriguez
	2100	72	Rodriguez
	2400	70	Pascual

Friday

Date	Time	Temp.	Name (Print)
10/04/24	0300	69	Pascual
	0600	71	M. PANTOJA
	0900	71	M. PANTOJA
	1200	71	M. PANTOJA
	1500	75	G. TORRES
	1800	72	G. TORRES
	2100	70	G. TORRES
	2400	69	Pascual

Saturday

Date	Time	Temp.	Name (Print)
10/05/24	0300	71	Pascual
	0600	71	Smith
	0900	71	Smith
	1200	75	Smith
	1500	72	Bainbill
	1800	72	Bainbill
	2100	72	Bainbill
	2400	72	Bainbill

Sunday

Date	Time	Temp.	Name (Print)
10/06/24	0300	70	Bainbill
	0600	70	Brown
	0900	70	Smith
	1200	72	Smith
	1500	72	Bainbill
	1800	72	Bainbill
	2100	72	Bainbill
	2400	70	Bainbill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAC C3 A/SIDE Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	70	Barnhill
	0600	70	S. Brown
	0900	74	S. Brown
	1200	74	S. Brown
	1500	74	E. Ule
	1800	75	E. Ule
	2100	74	E. Ule
	2400	74	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
10/08/24	0300	74	RAMIREZ
	0600	74	S. Brown
	0900	74	S. Brown
	1200	75	S. Brown
	1500	74	RAMIREZ
	1800	74	RAMIREZ
	2100	74	RAMIREZ
	2400	73	RAMIREZ

Wednesday

Date	Time	Temp.	Name (Print)
10/09/24	0300	72	RAMIREZ
	0600	74	H. AGUAYO
	0900	74	H. AGUAYO
	1200	74	H. AGUAYO
	1500	74	RAMIREZ
	1800	73	RAMIREZ
	2100	73	RAMIREZ
	2400	73	RAMIREZ

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	73	RAMIREZ
	0600	72	Rios
	0900	72	Rios
	1200	72	Rios
	1500	72	HERNANDEZ
	1800	72	HERNANDEZ
	2100	72	HERNANDEZ
	2400	72	Pascual

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	71	Pascual
	0600	71	S. Brown
	0900	72	S. Brown
	1200	72	S. Brown
	1500	73	S. GARZA
	1800	74	S. GARZA
	2100	73	S. GARZA
	2400	71	Pascual

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	Pascual
	0600	70	S. Brown
	0900	70	S. Brown
	1200	70	S. Brown
	1500	70	Barnhill
	1800	70	Barnhill
	2100	70	Barnhill
	2400	70	Barnhill

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	68	Barnhill
	0600	68	S. Brown
	0900	68	S. Brown
	1200	70	S. Brown
	1500	70	Barnhill
	1800	70	Barnhill
	2100	70	Barnhill
	2400	70	Barnhill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAC C3 A/SIDE Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	68	Bawbi
	0600	69	Sommer
	0900	69	Sommer
	1200	68	Sommer
	1500	70	Bawbi
	1800	70	Bawbi
	2100	70	Bawbi
	2400	70	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70	RAMIREZ
	0600	70	Sommer
	0900	70	Sommer
	1200	70	Sommer
	1500	70	RAMIREZ
	1800	70	RAMIREZ
	2100	70	RAMIREZ
	2400	69	RAMIREZ

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	69	RAMIREZ
	0600	70	H. AGUANO
	0900	70	H. AGUANO
	1200	70	H. AGUANO
	1500	70	RAMIREZ
	1800	70	RAMIREZ
	2100	69	RAMIREZ
	2400	69	RAMIREZ

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	69	RAMIREZ
	0600	69	DRESS
	0900	69	DRESS
	1200	70	DRESS
	1500	70	HERNANDEZ
	1800	72	HERNANDEZ
	2100	70	HERNANDEZ
	2400	70	Pascual

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	69	Pascual
	0600	69	E. Olivares
	0900	69	E. Olivares
	1200	69	E. Olivares
	1500	70	S. GARZA
	1800	70	S. GARZA
	2100	69	S. GARZA
	2400	70	Pascual

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	68	Pascual
	0600	68	Sommer
	0900	68	Sommer
	1200	68	Sommer
	1500	68	Bawbi
	1800	66	Bawbi
	2100	66	Bawbi
	2400	66	Bawbi

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	66	Bawbi
	0600	67	Sommer
	0900	70	Sommer
	1200	70	Sommer
	1500	70	Bawbi
	1800	68	Bawbi
	2100	68	Bawbi
	2400	68	Bawbi

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAC C3 A/SIDE Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	68	Barkill
	0600	68	Sroman
	0900	69	Sroman
	1200	70	Sroman
	1500	68	Barkill
	1800	68	Barkill
	2100	69	Barkill
	2400	67	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	67	RAMIREZ
	0600	67	Sroman
	0900	68	Sroman
	1200	70	Sroman
	1500	70	RAMIREZ
	1800	70	RAMIREZ
	2100	70	RAMIREZ
	2400	69	RAMIREZ

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	67	RAMIREZ
	0600	68	H. AGUAYO
	0900	68	H. AGUAYO
	1200	70	H. AGUAYO
	1500	70	RAMIREZ
	1800	70	RAMIREZ
	2100	69	RAMIREZ
	2400	69	RAMIREZ

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	68	RAMIREZ
	0600	68	D. RIOS
	0900	68	D. RIOS
	1200	68	D. RIOS
	1500	68	HERNANDEZ
	1800	68	HERNANDEZ
	2100	68	HERNANDEZ
	2400	67	Pascual

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	67	Pascual
	0600	67	Sroman
	0900	68	Sroman
	1200	70	Sroman
	1500	70	S. GARCIA
	1800	71	S. GARCIA
	2100	70	S. GARCIA
	2400	69	Pascual

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	68	Pascual
	0600	68	Sroman
	0900	68	Sroman
	1200	68	Sroman
	1500	68	Kaur
	1800	66	Kaur
	2100	66	Kaur
	2400	62	RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	62	RAMIREZ
	0600	68	Sroman
	0900	68	Sroman
	1200	68	Sroman
	1500	68	Barkill
	1800	68	Barkill
	2100	66	Barkill
	2400	62	RAMIREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAC C3 A/SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	62	RAMIREZ
	0600	62	Spoman
	0900	64	Spoman
	1200	64	Spoman
	1500	68	Barnhill
	1800	68	Barnhill
	2100	68	Barnhill
	2400	62	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	62	RAMIREZ
	0600	62	Spoman
	0900	64	Spoman
	1200	64	Spoman
	1500	66	Barnhill
	1800	66	Barnhill
	2100	66	Barnhill
	2400	63	RAMIREZ

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	62	RAMIREZ
	0600	64	H. Aguano
	0900	64	H. Aguano
	1200	64	H. Aguano
	1500	68	MORILLON
	1800	68	MORILLON
	2100	68	MORILLON
	2400	64	RAMIREZ

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	64	RAMIREZ
	0600	65	D. Ros
	0900	65	D. Ros
	1200	65	D. Ros
	1500	65	PONCE
	1800	65	PONCE
	2100	65	PONCE
	2400	64	Hernandez

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAC C3 B/SIDE Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/01/24	0300	75	F. MARTINEZ
	0600	76	C Gomez
	0900	77	C Gomez
	1200	77	C Gomez
	1500	78	F. MARTINEZ
	1800	78	F. MARTINEZ
	2100	77	F. MARTINEZ
	2400	75	F. MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/02/24	0300	74	F. MARTINEZ
	0600	72	F. MARTINEZ
	0900	72	C Gomez
	1200	73	C Gomez
	1500	75	Gadelle
	1800	75	Gadelle
	2100	75	Gadelle
	2400	76	Gadelle

Thursday

Date	Time	Temp.	Name (Print)
10/03/24	0300	73	GODELLA
	0600	70	C Gomez
	0900	72	C Gomez
	1200	74	C Gomez
	1500	76	Gadelle
	1800	78	Gadelle
	2100	78	Gadelle
	2400	76	Gadelle

Friday

Date	Time	Temp.	Name (Print)
10/04/24	0300	74	Gadelle
	0600	70	Gadelle
	0900	72	S. OBA
	1200	74	S. OBA
	1500	76	Gadelle
	1800	78	Gadelle
	2100	78	Gadelle
	2400	76	Gadelle

Saturday

Date	Time	Temp.	Name (Print)
10/05/24	0300	73	Gadelle
	0600	70	Gadelle
	0900	71	GODELLA
	1200	72	Gadelle
	1500	74	S. GARZA
	1800	73	S. GARZA
	2100	73	S. GARZA
	2400	71	Pascual

Sunday

Date	Time	Temp.	Name (Print)
10/06/24	0300	70	Pascual
	0600	70	F. MARTINEZ
	0900	71	F. MARTINEZ
	1200	72	F. MARTINEZ
	1500	73	S. GARZA
	1800	73	S. GARZA
	2100	73	S. GARZA
	2400	72	Pascual

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAC C3 B/SIDE Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/07/24	0300	70	PASCUAL
	0600	71	C Gomez
	0900	72	C Gomez
	1200	73	C Gomez
	1500	73	Gudelia
	1800	73	Gudelia
	2100	73	Gudelia
	2400	72	F. MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/08/24	0300	70	F. MARTINEZ
	0600	69	F. MARTINEZ
	0900	70	C Gomez
	1200	72	C Gomez
	1500	72	F. MARTINEZ
	1800	74	F. MARTINEZ
	2100	75	F. MARTINEZ
	2400	72	F. MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/09/24	0300	70	F. MARTINEZ
	0600	69	F. MARTINEZ
	0900	70	C Gomez
	1200	71	C Gomez
	1500	73	Gudelia
	1800	73	Gudelia
	2100	73	Gudelia
	2400	72	F. MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	70	F. MARTINEZ
	0600	70	F. MARTINEZ
	0900	70	C Gomez
	1200	72	C Gomez
	1500	73	Gudelia
	1800	73	Gudelia
	2100	73	Gudelia
	2400	72	Gudelia

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70	Gudelia
	0600	70	Gudelia
	0900	71	DRES
	1200	71	DRES
	1500	72	LUE
	1800	73	LUE
	2100	73	LUE
	2400	72	COBB

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	COBB
	0600	70	DRES
	0900	70	DRES
	1200	70	DRES
	1500	71	S. GARZA
	1800	71	S. GARZA
	2100	70	S. GARZA
	2400	70	GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	E. CONTRERAS
	0600	71	E. CONTRERAS
	0900	72	C. CONTRERAS
	1200	73	C. CONTRERAS
	1500	73	S. GARZA
	1800	72	S. GARZA
	2100	71	S. GARZA
	2400	70	PASCUAL

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAC C3 B/SIDE Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70	Pascual
	0600	71	Cloman
	0900	72	Clu
	1200	70	Cu
	1500	71	F. MARTINEZ
	1800	72	F. MARTINEZ
	2100	72	F. MARTINEZ
	2400	70	F. MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	69	F. MARTINEZ
	0600	68	F. MARTINEZ
	0900	70	C Cloman
	1200	71	C Cu
	1500	72	F. MARTINEZ
	1800	72	F. MARTINEZ
	2100	71	F. MARTINEZ
	2400	70	F. MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	68	F. MARTINEZ
	0600	68	F. MARTINEZ
	0900	70	C Cu
	1200	71	C Cu
	1500	75	K. cottren
	1800	77	K. cottren
	2100	77	K. cottren
	2400	76	F. MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	75	F. MARTINEZ
	0600	74	F. MARTINEZ
	0900	74	Castaneda
	1200	74	Castaneda
	1500	74	Gradulia
	1800	74	Gradulia
	2100	73	Gradulia
	2400	70	Gradulia

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	68	F. MARTINEZ
	0600	69	D. Rios
	0900	70	D. Rios
	1200	70	D. Rios
	1500	70	Gradulia
	1800	70	Gradulia
	2100	70	Gradulia
	2400	70	Gradulia

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	Gradulia
	0600	70	Gradulia
	0900	70	D. Rios
	1200	70	D. Rios
	1500	71	S. GARZA
	1800	70	S. GARZA
	2100	69	S. GARZA
	2400	69	Pascual

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	68	Pascual
	0600	69	D. Rios
	0900	70	D. Rios
	1200	70	D. Rios
	1500	70	S. GARZA
	1800	70	S. GARZA
	2100	69	S. GARZA
	2400	69	Pascual

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-B Temp. Reading Location: TIER 2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	68	Pascual
	0600	66	I. SALAZAR
	0900	68	I. SALAZAR
	1200	68	I. SALAZAR
	1500	68	F. MARTINEZ
	1800	69	F. MARTINEZ
	2100	68	F. MARTINEZ
	2400	66	F. MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	64	F. MARTINEZ
	0600	64	F. MARTIN
	0900	69	J. AMADOR
	1200	70	J. AMADOR
	1500	70	F. MARTINEZ
	1800	72	F. MARTINEZ
	2100	71	F. MARTINEZ
	2400	70	F. MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	68	F. MARTINEZ
	0600	66	F. MARTINEZ
	0900	70	J. Flores
	1200	70	J. Flores
	1500	70	Gradella
	1800	70	Gradella
	2100	70	Gradella
	2400	68	F. MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	66	F. MARTINEZ
	0600	65	F. MARTINEZ
	0900	67	F. MELGOZA
	1200	70	F. MELGOZA
	1500	70	Gradella
	1800	70	Gradella
	2100	70	Gradella
	2400	69	Gradella

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	67	Gradella
	0600	66	Gradella
	0900	68	D. REYES
	1200	70	D. REYES
	1500	70	Gradella
	1800	70	Gradella
	2100	70	Gradella
	2400	70	Gradella

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	68	Gradella
	0600	68	D. REYES
	0900	70	D. REYES
	1200	70	D. REYES
	1500	71	S. GARZA
	1800	70	S. GARZA
	2100	70	S. GARZA
	2400	69	Pascual

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	68	Pascual
	0600	70	C. Gonzalez
	0900	71	C. Gonzalez
	1200	72	C. Gonzalez
	1500	71	S. GARZA
	1800	70	S. GARZA
	2100	70	S. GARZA
	2400	70	Pascual

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	70	Pascual
	0600	70	C Gomez
	0900	71	C Gomez
	1200	71	C Gomez
	1500	72	F. MARTINEZ
	1800	72	F MARTINEZ
	2100	70	F. MARTINEZ
	2400	69	F. MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	69	F. MARTINEZ
	0600	70	C Gomez
	0900	71	C Gomez
	1200	73	C Gomez
	1500	74	F. MARTINEZ
	1800	73	F. MARTINEZ
	2100	73	F. MARTINEZ
	2400	71	F. MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	70	F. MARTINEZ
	0600	70	C Gomez
	0900	70	C Gomez
	1200	71	C Gomez
	1500	70	Gradella
	1800	70	Gradella
	2100	70	Gradella
	2400	70	F. MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	68	F. MARTINEZ
	0600	70	C Gomez
	0900	71	C Gomez
	1200	70	C Gomez
	1500	70	Gradella
	1800	69	Gradella
	2100	69	Gradella
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	70	M.Garcia
	0600	70	O.NUNEZ
	0900	70	O.NUNEZ
	1200	70	O.NUNEZ
	1500	70	J.Gonzalez
	1800	70	W-Server
	2100	70	W.Server
	2400	70	M.Garcia

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	70	M.Garcia
	0600	70	ZENDEJA
	0900	71	ZENDEJA
	1200	72	ZENDEJA
	1500	70	P.Ramos
	1800	70	P.Ramos
	2100	70	P.Ramos
	2400	70	M CARLENA

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	70	M CARLENA
	0600	70	ZENDEJA
	0900	71	ZENDEJA
	1200	71	ZENDEJAS
	1500	74	Hernandez
	1800	74	Hernandez
	2100	75	Hernandez
	2400	75	WILLIAMS

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	75	WILLIAMS
	0600	75	ZENDEJA
	0900	76	ZENDEJA
	1200	77	ZENDEJAS
	1500	77	Hernandez
	1800	77	Hernandez
	2100	72	Hernandez
	2400	72	WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	72	WILLIAMS
	0600	72	ZENDEJA
	0900	72	ZENDEJA
	1200	73	ZENDEJA
	1500	75	WILLIAMS
	1800	75	WILLIAMS
	2100	72	WILLIAMS
	2400	72	WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	72	WILLIAMS
	0600	72	M PANTOJA
	0900	72	M.PANTOJA
	1200	73	M.PANTOJA
	1500	70	W.Server
	1800	70	W Server
	2100	70	W. Server
	2400	70	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: TIER 2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	70	WILLIAMS
	0600	70	DRIOS
	0900	70	DRIOS
	1200	70	DRIOS
	1500	70	R. MILLER
	1800	70	R. MILLER
	2100	70	R. MILLER
	2400	70	Stafford

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	69	Stafford
	0600	69	M PANTOJA
	0900	70	M. PANTOJA
	1200	70	M. PANTOJA
	1500	70	R. MILLER
	1800	70	R. MILLER
	2100	70	R. MILLER
	2400	68	J. Quinonez

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	68	J. Quinonez
	0600	69	M. PANTOJA
	0900	69	M. PANTOJA
	1200	69	M. PANTOJA
	1500	70	R. MILLER
	1800	70	R. MILLER
	2100	70	R. MILLER
	2400	69	J. Quinonez

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	68	J. Quinonez
	0600	69	M. PANTOJA
	0900	70	M. PANTOJA
	1200	70	M. PANTOJA
	1500	73	Hernandez
	1800	73	Hernandez
	2100	73	Hernandez
	2400	70	WILLIAMS

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	70	WILLIAMS
	0600	70	M. PANTOJA
	0900	70	M. PANTOJA
	1200	70	M. PANTOJA
	1500	74	Hernandez
	1800	74	Hernandez
	2100	74	Hernandez
	2400	70	WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	70	WILLIAMS
	0600	68	M. PANTOJA
	0900	70	M. PANTOJA
	1200	70	M. PANTOJA
	1500	70	E. Lee
	1800	70	E. Lee
	2100	70	E. Lee
	2400	68	WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	68	WILLIAMS
	0600	65	DRIOS
	0900	65	DRIOS
	1200	65	DRIOS
	1500	66	MILLER
	1800	66	MILLER
	2100	66	MILLER
	2400	66	WILLIAMS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	66	WILLIAMS
	0600	65	D. RIOS
	0900	65	D. RIOS
	1200	66	D. RIOS
	1500	68	R. MILLER
	1800	68	R. MILLER
	2100	68	R. MILLER
	2400	66	J. QUINONEZ

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	64	J. QUINONEZ
	0600	65	ZENDEJAS
	0900	67	ZENDEJAS
	1200	68	ZENDEJAS
	1500	68	MILLER
	1800	68	MILLER
	2100	68	MILLER
	2400	66	J. QUINONEZ

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	64	J. QUINONEZ
	0600	65	ZENDEJAS
	0900	65	ZENDEJAS
	1200	65	ZENDEJAS
	1500	65	MILLER
	1800	65	MILLER
	2100	65	MILLER
	2400	65	J. QUINONEZ

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	64	J. QUINONEZ
	0600	65	ZENDEJAS
	0900	66	ZENDEJAS
	1200	67	ZENDEJAS
	1500	70	HERNANDEZ
	1800	70	HERNANDEZ
	2100	70	HERNANDEZ
	2400	65	WILLIAMS

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	65	WILLIAMS
	0600	65	ZENDEJAS
	0900	65	ZENDEJAS
	1200	65	ZENDEJAS
	1500	70	HERNANDEZ
	1800	70	HERNANDEZ
	2100	70	HERNANDEZ
	2400	65	WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	65	WILLIAMS
	0600	66	ZENDEJAS
	0900	66	ZENDEJAS
	1200	67	ZENDEJAS
	1500	69	MILLER
	1800	69	MILLER
	2100	69	MILLER
	2400	60	W. SCHUCK

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	60	W. SCHUCK
	0600	60	~~W. SCHUCK~~ ZENDEJAS
	0900	62	ZENDEJAS
	1200	62	ZENDEJAS
	1500	62	MILLER
	1800	62	MILLER
	2100	62	MILLER
	2400	60	WILLIAMS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	60	WILLIAMS
	0600	61	DRIOS
	0900	61	DRIOS
	1200	61	DRIOS
	1500	61	MILLER
	1800	61	MILLER
	2100	61	MILLER
	2400	61	Stafford

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	60	Stafford
	0600	60	J.Flores
	0900	62	J.Flores
	1200	62	J.Flores
	1500	62	MILLER
	1800	62	MILLER
	2100	62	MILLER
	2400	61	J. Quinonez

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	61	J. Quinonez
	0600	63	ZENDEJAS
	0900	64	ZENDEJAS
	1200	65	ZENDEJAS
	1500	62	MILLER
	1800	62	MILLER
	2100	62	MILLER
	2400	62	J. Quinonez

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	62	J. Quinonez
	0600	62	ZENDEJAS
	0900	63	ZENDEJAS
	1200	65	ZENDEJAS
	1500	64	Hernandez
	1800	64	Hernandez
	2100	64	Hernandez
	2400	60	WILLIAMS

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	60	WILLIAMS
	0600	72°	FELIX
	0900	72°	FELIX
	1200	70	FELIX
	1500	69	Hernandez
	1800	69	Hernandez
	2100	69	Hernandez
	2400	65	WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	65	WILLIAMS
	0600	62	JOPEREZ
	0900	63	JOPEREZ
	1200	63	JOPEREZ
	1500	63	J. Serrano
	1800	63	J. Serrano
	2100	62	J. Serrano
	2400	62	WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	62	WILLIAMS
	0600	62	DRIOS
	0900	62	DRIOS
	1200	62	DRIOS
	1500	63	Miller
	1800	63	Miller
	2100	62	Miller
	2400	60	D. WILLIAMS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	60	D WILLIAMS
	0600	60	D RIOS
	0900	60	D RIOS
	1200	60	D. RIOS
	1500	60	MILLER
	1800	60	MILLER
	2100	60	MILLER
	2400	60	Stafford

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	60	Stafford
	0600	60	BLACK
	0900	60	BLACK
	1200	60	BLACK
	1500	60	MILLER
	1800	60	MILLER
	2100	60	MILLER
	2400	60	J. Quinonez

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	60	J. Quinonez
	0600	60	ZENDEJAS
	0900	60	ZENDEJAS
	1200	60	ZENDEJAS
	1500	60	MILLER
	1800	60	MILLER
	2100	60	MILLER
	2400	60	WILLIAMS

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	60	WILLIAMS
	0600	60	ZENDEJAS
	0900	61	ZENDEJAS
	1200	61	ZENDEJAS
	1500	65	Hernandez
	1800	65	Hernandez
	2100	65	Hernandez
	2400	60	WILLIAMS

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-24	0300	71	Romero
	0600	70	Tannan
	0900	71	Tannan
	1200	71	Tannan
	1500	72	Tannan
	1800	72	Tannan
	2100	72	Tannan
	2400	70	Romero

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	70	Romero
	0600	70	Salinas
	0900	71	Salinas
	1200	72	Salinas
	1500	73	Tannan
	1800	71	Tannan
	2100	71	Tannan
	2400	70	Romero

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	70	Romero
	0600	70	Salinas
	0900	70	Salinas
	1200	71	Salinas
	1500	72	Tannan
	1800	73	Tannan
	2100	71	Tannan
	2400	71	Tannan

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	70	Tannan
	0600	70°	Gamez
	0900	74°	Gamez
	1200	75°	Gamez
	1500	76	Williams
	1800	76	Williams
	2100	74	Williams
	2400	74	Williams

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	70	M. Garcia
	0600	70°	Gamez
	0900	74°	Gamez
	1200	K	Gamez
	1500	78°	Gamez
	1800	78°	Gamez
	2100	78°	Gamez
	2400	77	Alcaraz

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	77	Alcaraz
	0600	77°	Gamez
	0900	77°	Gamez
	1200	78°	Gamez
	1500	80	Moreno
	1800	80	Moreno
	2100	80	Moreno
	2400	79	Alcaraz

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	78	Alcaraz
	0600	77	Gamez
	0900	77	Gamez
	1200	77	Gamez
	1500	77°	A. Smith
	1800	80°	A. Smith
	2100	79°	A. Smith
	2400	70°	Romero

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-B Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	70°	Romero
	0600	71	Tannan
	0900	74	Tannan
	1200	75	Tannan
	1500	75	Tannan
	1800	74	Tannan
	2100	74	Tannan
	2400	73	Romero

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	71	Romero
	0600	71	Salinas
	0900	72	Salinas
	1200	73	Salinas
	1500	73	Tannan
	1800	72	Tannan
	2100	72	Tannan
	2400	70	Romero

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	70	Romero
	0600	71	Salinas
	0900	72	Salinas
	1200	73	Salinas
	1500	75	Tannan
	1800	73	Tannan
	2100	73	Tannan
	2400	72	Tannan

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	70	Tannan
	0600	70°	Gamez
	0900	70°	Gamez
	1200	70°	Gamez
	1500	70	Williams
	1800	70	Williams
	2100	68	Williams
	2400	72	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	72	J. Quinonez
	0600	72°	Gamez
	0900	72°	Gamez
	1200	70°	Gamez
	1500	70°	Gamez
	1800	72°	Gamez
	2100	72°	Gamez
	2400	70	Arcenaux

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	70	Arcenaux
	0600	70°	Gamez
	0900	72°	Gamez
	1200	72°	Gamez
	1500	72	M Anderson
	1800	72	M Anderson
	2100	71	M Anderson
	2400	71	Arcenaux

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	71	Arcenaux
	0600	71°	Gamez
	0900	71°	Gamez
	1200	73°	Gamez
	1500	74°	Smith
	1800	74°	Smith
	2100	71°	Smith
	2400	70°	Romero

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	71	Romero
	0600	71	Tannan
	0900	71	Tannan
	1200	73	Tannan
	1500	73	Tannan
	1800	72	Tannan
	2100	72	Tannan
	2400	70	Romero

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	70	Romero
	0600	70	J. Flores
	0900	70	J. Flores
	1200	70	J. Flores
	1500	70	P. Ramos
	1800	70	P. Ramos
	2100	70	P. Ramos
	2400	70	Romero

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	70	Romero
	0600	70	Salinas
	0900	70	Salinas
	1200	71	Salinas
	1500	71	Tannan
	1800	71	Tannan
	2100	70	Tannan
	2400	70	Tannan

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	70	Tannan
	0600	70°	Gamez
	0900	71°	Gamez
	1200	71°	Gamez
	1500	71	Williams
	1800	71	Williams
	2100	71	Williams
	2400	70	Gonzalez

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	69	Gonzalez
	0600	69°	Gamez
	0900	70°	Gamez
	1200	70°	Gamez
	1500	71°	Gamez
	1800	71°	Gamez
	2100	71°	Gamez
	2400	71	Romero

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	69	Romero
	0600	69°	Gamez
	0900	68°	Gamez
	1200	68°	Gamez
	1500	69	Meza
	1800	69	Meza
	2100	69	Meza
	2400	69	Romero

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	63	Romero
	0600	63°	Gamez
	0900	65°	Gamez
	1200	70°	Gamez
	1500	68°	M Valencia
	1800	66	M Valencia
	2100	66	M. Valencia
	2400	66°	Romero

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	67	Romero
	0600	68	Tannan
	0900	71	Tannan
	1200	71	Tannan
	1500	71	Tannan
	1800	72	Tannan
	2100	70	Tannan
	2400	70	Romero

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	68	Romero
	0600	69	Salinas
	0900	69	Salinas
	1200	70	Salinas
	1500	70	Tannan
	1800	71	Tannan
	2100	70	Tannan
	2400	70	Romero

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	70	Romero
	0600	70	Salinas
	0900	70	Salinas
	1200	70	Salinas
	1500	71	Tannan
	1800	71	Tannan
	2100	70	Tannan
	2400	69	Tannan

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	69	Tannan
	0600	69°	Gamez
	0900	69°	Gamez
	1200	66°	Gamez
	1500	69	Williams
	1800	69	Williams
	2100	66	Williams
	2400	66	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	66	J. Quinonez
	0600	66°	Gamez
	0900	66°	Gamez
	1200	68°	Gamez
	1500	69°	Gamez
	1800	69°	Gamez
	2100	69°	Gamez
	2400	67	Quinonez

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	67	Quinonez
	0600	66°	Castañeda
	0900	66°	Castañeda
	1200	68°	Castañeda
	1500	70	M. Garcia
	1800	70	M. Garcia
	2100	68	M. Garcia
	2400	68	Alcaraz

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	68	Alcaraz
	0600	68	W. Sevilla
	0900	68	W. Sevilla
	1200	68	W. Sevilla
	1500	69°	E. Bustos
	1800	68°	E. Bustos
	2100	69	E. Bustos
	2400	69	Romero

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-B Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	70	Romero
	0600	70	TANNAN
	0900	71	TANNAN
	1200	71	TANNAN
	1500	72	J. Rodriguez
	1800	71	J. Rodriguez
	2100	70	J. Rodriguez
	2400	70	Romero

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	71	Romero
	0600	70	Salinas
	0900	70	Salinas
	1200	70	Salinas
	1500	71	TANNAN
	1800	71	TANNAN
	2100	70	TANNAN
	2400	70	Romero

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	70	Romero
	0600	70	Salinas
	0900	70	Salinas
	1200	70	Salinas
	1500	70	TANNAN
	1800	70	TANNAN
	2100	68	TANNAN
	2400	66	J. Quinonez

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	64	J. Quinonez
	0600	62	M. PANTOJA
	0900	62	M. PANTOJA
	1200	64	M. PANTOJA
	1500	66	C. Hernandez
	1800	66	C. Hernandez
	2100	66	C. Hernandez
	2400	65	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	73	G CHAW
	0600	73	G. HENSON
	0900	73	G. HENSON
	1200	74	G. HENSON
	1500	75	Montoya
	1800	75	Montoya
	2100	75	Montoya
	2400	74	G CHAW

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	74	G CHAW
	0600	74	G. HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	75	Montoya
	1800	76	Montoya
	2100	76	Montoya
	2400	75	Chavez

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	75	Chavez
	0600	75	G. HENSON
	0900	75	G. HENSON
	1200	75	G. HENSON
	1500	76	Montoya
	1800	76	Montoya
	2100	76	Montoya
	2400	75	Chavez

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	75	Chavez
	0600	75	G. HENSON
	0900	76	G. HENSON
	1200	76	G. HENSON
	1500	78	J. MACIEL
	1800	78	J. MACIEL
	2100	76	M. Magana
	2400	75	Chavez

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	76	Chavez
	0600	74°	MANNING.T
	0900	75°	MANNING.T
	1200	76°	MANNING.T
	1500	78	Boston
	1800	77	Boston
	2100	76	Boston
	2400	75	RIVAS, L.

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	75	RIVAS, L.
	0600	76	Boston
	0900	77	Boston
	1200	76	Boston
	1500	78	Boston
	1800	77	Boston
	2100	76	Boston
	2400	75	RIVAS, L

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	74	RIVAS, L.
	0600	74	G. HENSON
	0900	74	G. HENSON
	1200	75	G. HENSON
	1500	79°	E. BUSTOS
	1800	78°	E. BUSTOS
	2100	77°	E. BUSTOS
	2400	72	G CHACON

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	72	G CHACON
	0600	72	G. HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	74	G CHACON
	1800	74	G. CHACON
	2100	74	G. CHACON
	2400	72	G. CHACON

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	72	G CHACON
	0600	72	G. HENSON
	0900	72	G. HENSON
	1200	74	G. HENSON
	1500	74	K GUMAS
	1800	76	K GUMAS
	2100	76	K GUMAS
	2400	74	C MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	74	C Martinez
	0600	74	G. HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	76°	A. Smith
	1800	75	A. Smith
	2100	75	A. Smith
	2400	74	C Martinez

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	74	C Martinez
	0600	74	G. HENSON
	0900	75	G. HENSON
	1200	75	G. HENSON
	1500	75	K GUMAS
	1800	75	K GUMAS
	2100	74	K GUMAS
	2400	74	C MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	74	C Martinez
	0600	75	A. Rodriguez
	0900	74	A. Rodriguez
	1200	72	A. Rodriguez
	1500	75	Bostick
	1800	72	Bostick
	2100	71	Bostick
	2400	7	C Martinez

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	7	C Martinez
	0600	71	Bostick
	0900	72	Bostick
	1200	73	Bostick
	1500	74	Bostick
	1800	73	Bostick
	2100	72	Bostick
	2400	72	C Martinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	71	C. Martinez
	0600	72	G. HENSON
	0900	72	G. HENSON
	1200	73	G. HENSON
	1500	74	D. Rodriguez
	1800	74	D. Rodriguez
	2100	74	D. Rodriguez
	2400	74	G. Chacon

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	74	G. CHACON
	0600	72	G. HENSON
	0900	72	G. HENSON
	1200	72	G. HENSON
	1500	72	G. CHACON
	1800	73	G. CHACON
	2100	73	G. CHACON
	2400	73	G. CHACON

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	71	G. CHACON
	0600	71	G. HENSON
	0900	71	G. HENSON
	1200	72	G. HENSON
	1500	72	Montoya
	1800	72	Montoya
	2100	72	Montoya
	2400	72	C. Martinez

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	72	C. Martinez
	0600	72	G. HENSON
	0900	72	G. HENSON
	1200	72	G. HENSON
	1500	72	Montoya
	1800	72	Montoya
	2100	71	Montoya
	2400	71	C. Martinez

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	71	C. Martinez
	0600	70	G. HENSON
	0900	71	G. HENSON
	1200	71	G. HENSON
	1500	72	Montoya
	1800	71	Montoya
	2100	70	Montoya
	2400	70	C. Martinez

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	C. Martinez
	0600	68°	MANNING.T
	0900	69°	MANNING.T
	1200	70°	MANNING.T
	1500	71	Boston
	1800	70	Boston
	2100	68	Boston
	2400	68	C. Martinez

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	68	C. Martinez
	0600	70	Boston
	0900	71	Boston
	1200	72	Boston
	1500	72	Boston
	1800	71	Boston
	2100	70	Boston
	2400	70	C. Martinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	C Martinez
	0600	70	G. HENSON
	0900	70	G. HENSON
	1200	70	G. HENSON
	1500	70	W. Young
	1800	70	W. Young
	2100	70	W. Young
	2400	70	G. CHACON

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	70	G CHACON
	0600	70	G. HENSON
	0900	70	G. HENSON
	1200	70	G. HENSON
	1500	70	G CHACON
	1800	70	G. CHACON
	2100	70	G. CHACON
	2400	70	G. CHACON

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	70	G. CHACON
	0600	70	G. HENSON
	0900	70	G. HENSON
	1200	71	G. HENSON
	1500	72	E. Lee
	1800	72	E. Lee
	2100	72	E. Lee
	2400	72	C Martinez

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	72	C Martinez
	0600	70	G. HENSON
	0900	71	G. HENSON
	1200	71	G. HENSON
	1500	71	Montoya
	1800	71	Montoya
	2100	71	Montoya
	2400	71	C Martinez

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	C Martinez
	0600	70	G. HENSON
	0900	70	G. HENSON
	1200	70	G. HENSON
	1500	71	Montoya
	1800	71	Montoya
	2100	71	Montoya
	2400	70°	RF GARZA

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70°	RF GARZA
	0600	70°	MANNING T
	0900	71°	MANNING T
	1200	72°	MANNING T
	1500	72	A. ALAMAZ
	1800	71	A. ALAMAZ
	2100	70	A. ALAMAZ
	2400	70°	J. BARGAS

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70°	J. BARGAS
	0600	70	J. Deluk
	0900	70	J. Deluk
	1200	71	J. Deluk
	1500	71	T Livingston
	1800	70	T Livingston
	2100	70	T Livingston
	2400	70	C Martinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70	CMartinez
	0600	70	G.HENSON
	0900	70	G.HENSON
	1200	70	G.HENSON
	1500	70	S.HIRAMETA
	1800	70	S.HIRAMETA
	2100	70	S.HIRAMETA
	2400	70	G.CHAN

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	68	G.CHACON
	0600	68	G.HENSON
	0900	68	G.HENSON
	1200	70	G.HENSON
	1500	70	G.CHACON
	1800	70	G.CHACON
	2100	70	G.CHACON
	2400	68	G.CHACON

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	68	G.CHAN
	0600	68	G.HENSON
	0900	68	G.HENSON
	1200	68	G.HENSON
	1500	69	Montoya
	1800	69	Montoya
	2100	68	Montoya
	2400	68	H.CERDA

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	68	H.CERDA
	0600	68	G.HENSON
	0900	68	G.HENSON
	1200	68	G.HENSON
	1500	68	Montoya
	1800	68	Montoya
	2100	68	Montoya
	2400	68	B.GARCIA

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	72	G. CHAW
	0600	73	G. HENSON
	0900	73	G. HENSON
	1200	74	G. HENSON
	1500	74	MONTOYA
	1800	75	MONTOYA
	2100	75	MONTOYA
	2400	74	G. CHAW

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	74	G. CHAW
	0600	74	G. HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	76	MONTOYA
	1800	76	MONTOYA
	2100	76	MONTOYA
	2400	75	CHERTIVER

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	75	CHERTIVER
	0600	75	G. HENSON
	0900	75	G. HENSON
	1200	75	G. HENSON
	1500	76	MONTOYA
	1800	76	MONTOYA
	2100	76	MONTOYA
	2400	75	CHERTIVER

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	75	CHERTIVER
	0600	75	G. HENSON
	0900	76	G. HENSON
	1200	76	G. HENSON
	1500	78	J. WACHEL
	1800	78	J. WACHEL
	2100	76	M. MAGANA
	2400	75	CHERTIVER

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	75	CHERTIVER
	0600	74°	MANNING.T
	0900	75°	MANNING.T
	1200	76°	MANNING.T
	1500	78	BOSTICK
	1800	77	BOSTICK
	2100	76	BOSTICK
	2400	75	RIVAS, L.

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	75	RIVAS, L.
	0600	76	BOSTICK
	0900	77	BOSTICK
	1200	78	BOSTICK
	1500	78	BOSTICK
	1800	77	BOSTICK
	2100	76	BOSTICK
	2400	75	RIVAS, L.

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 10/7/24

Date	Time	Temp.	Name (Print)
10/7/24	0300	74	RIVAS, L.
	0600	74	G. HENSON
	0900	74	G. HENSON
	1200	75	G. HENSON
	1500	79°	E. BUSTOS
	1800	78°	E. BUSTOS
	2100	77°	E. BUSTOS
	2400	72	G. CHAN

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	72	G. CHAN
	0600	72	G. HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	74	G. CHAN
	1800	75	G. CHAN
	2100	75	G. CHAN
	2400	72	G. CHAN

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	72	G. CHAN
	0600	72	G. HENSON
	0900	72	G. HENSON
	1200	74	G. HENSON
	1500	74	K. GUMES
	1800	75	K. GUMES
	2100	75	K. GUMES
	2400	74	C. MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	74	C. MARTINEZ
	0600	74	G. HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	76°	A. SMITH
	1800	75	A. SMITH
	2100	75	A. SMITH
	2400	74	C. MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	74	C. MARTINEZ
	0600	74	G. HENSON
	0900	75	G. HENSON
	1200	75	G. HENSON
	1500	75	K. GUMES
	1800	75	K. GUMES
	2100	74	K. GUMES
	2400	74	C. MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	74	C. MARTINEZ
	0600	74	A. RODRIGUEZ
	0900	74	A. RODRIGUEZ
	1200	78	A. RODRIGUEZ
	1500	75	BOSTICK
	1800	73	BOSTICK
	2100	71	BOSTICK
	2400	71	C. MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	71	C. MARTINEZ
	0600	73	BOSTICK
	0900	73	BOSTICK
	1200	74	BOSTICK
	1500	74	BOSTICK
	1800	73	BOSTICK
	2100	71	BOSTICK
	2400	71	C. MARTINEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	71	C. MARTINEZ
	0600	72	G. HENSON
	0900	72	G. HENSON
	1200	73	G. HENSON
	1500	74	D. Rodriguez
	1800	74	D. Rodriguez
	2100	74	D. Rodriguez
	2400	74	G. CHAON

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	74	G. CHAON
	0600	74	G. HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	74	G. CHAON
	1800	73	G. CHACON
	2100	73	G. CHACON
	2400	71	G. CHAON

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	71	G. CHACON
	0600	71	G. HENSON
	0900	71	G. HENSON
	1200	72	G. HENSON
	1500	72	Montoya
	1800	72	Montoya
	2100	72	Montoya
	2400	72	C Martinez

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	72	C Martinez
	0600	72	G. HENSON
	0900	72	G. HENSON
	1200	72	G. HENSON
	1500	72	Montoya
	1800	72	Montoya
	2100	71	Montoya
	2400	71	C Martinez

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	71	C Martinez
	0600	70	G. HENSON
	0900	71	G. HENSON
	1200	71	G. HENSON
	1500	72	Montoya
	1800	71	Montoya
	2100	70	Montoya
	2400	70	C Martinez

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	C Martinez
	0600	68°	MANNING.T
	0900	69°	MANNING.T
	1200	71°	MANNING.T
	1500	71	Bostick
	1800	70	Bostick
	2100	68	Bostick
	2400	68	C Martinez

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	68	C Martinez
	0600	70	Bostick
	0900	71	Bostick
	1200	72	Bostick
	1500	71	Bostick
	1800	70	Bostick
	2100	68	Bostick
	2400	73	C Martinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	C Martinez
	0600	70	G. HENSON
	0900	70	G. HENSON
	1200	70	G. HENSON
	1500	70	W. Young
	1800	70	W. Young
	2100	70	W. Young
	2400	70	G. CHACON

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	70	G. CHACON
	0600	70	G. HENSON
	0900	70	G. HENSON
	1200	70	G. HENSON
	1500	70	G CHACON
	1800	70	G. CHACON
	2100	70	G. CHACON
	2400	70	G. CHACON

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	70	G. CHACON
	0600	70	G. HENSON
	0900	70	G. HENSON
	1200	71	G. HENSON
	1500	71	E. Lyle
	1800	72	E. Lyle
	2100	72	E. Lyle
	2400	72	C Martinez

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	72	C Martinez
	0600	70	G. HENSON
	0900	71	G. HENSON
	1200	71	G. HENSON
	1500	71	Montoya
	1800	70	Montoya
	2100	70	Montoya
	2400	70	C Martinez

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	C. Martinez
	0600	70	G. HENSON
	0900	70	G. HENSON
	1200	70	G. HENSON
	1500	71	Montoya
	1800	71	Montoya
	2100	70	Montoya
	2400	70°	RF GARZA

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	69°	RF GARZA
	0600	69°	MANNINGT
	0900	70°	MANNINGT
	1200	71°	MANNINGT
	1500	72	A. Alcaraz
	1800	71	A. Alcaraz
	2100	70	A. Alcaraz
	2400	70°	J. Barajas

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	70°	J. Barajas
	0600	70	J. Velez
	0900	71	J. Velez
	1200	71	J. Velez
	1500	71	T Lumpkin
	1800	70	T Lumpkin
	2100	70	T Lumpkin
	2400	70	C Martinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	70	C Martinez
	0600	70	G. HENSON
	0900	70	G. HENSON
	1200	70	G. HENSON
	1500	76	J. HIRAMENA
	1800	70	J. HIRAMENA
	2100	70	J. HIRAMENA
	2400	70	G. CHACON

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	68	G. CHACON
	0600	68	G. HENSON
	0900	68	G. HENSON
	1200	70	G. HENSON
	1500	70	G. CHACON
	1800	70	G. CHACON
	2100	70	G. CHACON
	2400	68	G. CHACON

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	68	G. CHACON
	0600	68	G. HENSON
	0900	68	G. HENSON
	1200	68	G. HENSON
	1500	69	MONTOYA
	1800	69	MONTOYA
	2100	69	MONTOYA
	2400	68	H. CERA

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	68	H. CERA
	0600	68	G. HENSON
	0900	68	G. HENSON
	1200	68	G. HENSON
	1500	68	MONTOYA
	1800	68	MONTOYA
	2100	68	MONTOYA
	2400	68	B. GARCIA

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: A SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

OCT. 1, 2024

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	72	G-LAUDE
	0600	72°	MANNINGT
	0900	73°	MANNINGT
1	1200	74°	MANNINGT
	1500	75°	MANNINGT
	1800	75°	MANNINGT
24	2100	74°	MANNINGT
	2400	72	G-LAUDE

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	72	G-LAUDE
	0600	72°	R. Dhaliwal
	0900	75°	R Dhaliwal
2	1200	75°	R. Dhaliwal
	1500	74°	P. MULLIGAN
	1800	74°	P. MULLIGAN
24	2100	73°	P. MULLIGAN
	2400	72	G-LAUDE

Thursday

Date	Time	Temp.	Name (Print)
10	0300	72	G-LAUDE
	0600	72	SWENSON
	0900	73	SWENSON
3	1200	73	SWENSON
	1500	73°	P. MULLIGAN
	1800	73°	P. MULLIGAN
24	2100	73°	P. MULLIGAN
	2400	72	G-LAUDE

Friday

Date	Time	Temp.	Name (Print)
10	0300	72	G-LAUDE
	0600	72	SWENSON
	0900	73	SWENSON
4	1200	73	SWENSON
	1500	72°	P. MULLIGAN
	1800	72°	P. MULLIGAN
24	2100	72°	P. MULLIGAN
	2400	72	G-LAUDE

Saturday

Date	Time	Temp.	Name (Print)
10	0300	72	G-LAUDE
	0600	72	G. CHACON
	0900	72	G. CHACON
5	1200	72	G. CHACON
	1500	76°	H. VASQUEZ
	1800	78°	H. VASQUEZ
24	2100	77°	H. VASQUEZ
	2400	72	G. CHACON

Sunday

Date	Time	Temp.	Name (Print)
10	0300	72	G. CHACON
	0600	73	G. CHACON
	0900	74	G. CHACON
6	1200	75	G. CHACON
	1500	76°	P. MULLIGAN
	1800	74°	P. MULLIGAN
24	2100	72°	P. MULLIGAN
	2400	74	G. CHACON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	72	G CHACON
	0600	76°	MANNING-T
	0900	77°	MANNING-T
	1200	78°	MANNING-T
	1500	78	BOSTICK
	1800	74	BOSTICK
	2100	74	BOSTICK
	2400	74	GLAUDE

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	74	GLAUDE
	0600	76°	MANNING-T
	0900	77°	MANNING-T
	1200	78°	MANNING-T
	1500	78°	MANNING-T
	1800	76°	MANNING-T
	2100	75°	MANNING-T
	2400	74	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	74	GLAUDE
	0600	74	SWENSON
	0900	74	SWENSON
	1200	74	SWENSON
	1500	74°	P. MULLIGAN
	1800	73°	P. MULLIGAN
	2100	72°	P. MULLIGAN
	2400	72	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	GLAUDE
	0600	73	SWENSON
	0900	74	SWENSON
	1200	74	SWENSON
	1500	74	ESQUEDA
	1800	73	ESQUEDA
	2100	70	ESQUEDA
	2400	70	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70	GLAUDE
	0600	71	SWENSON
	0900	72	SWENSON
	1200	73	SWENSON
	1500	73°	P. MULLIGAN
	1800	72°	P. MULLIGAN
	2100	72°	P. MULLIGAN
	2400	72	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	72	GLAUDE
	0600	73	SWENSON
	0900	74	SWENSON
	1200	74	SWENSON
	1500	73	SWENSON
	1800	73	SWENSON
	2100	72	SWENSON
	2400	74	G CHACON

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	74	G-CHACON
	0600	72°	P. MULLIGAN
	0900	72°	P. MULLIGAN
	1200	72°	P. MULLIGAN
	1500	72°	P. MULLIGAN
	1800	72°	P. MULLIGAN
	2100	72°	P. MULLIGAN
	2400	74	G CHACON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: A SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	72	G CHACON
	0600	73°	MANNINGT
	0900	74°	MANNINGT
	1200	75°	MANNINGT
	1500	74	BoStick
	1800	72	BoStick
	2100	71	BoStick
	2400	70	GLAUDE

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70	GLAUDE
	0600	72°	MANNINGT
	0900	73°	MANNINGT
	1200	74°	MANNINGT
	1500	75°	MANNING.T
	1800	74°	MANNINGT
	2100	72°	MANNINGT
	2400	70	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	GLAUDE
	0600	72	[illegible]
	0900	73	[illegible]
	1200	74	[illegible]
	1500	73°	P.MULLIGAN
	1800	73°	P.MULLIGAN
	2100	72°	P.MULLIGAN
	2400	70	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	GLAUDE
	0600	70	SWENSON
	0900	71	SWENSON
	1200	72	SWENSON
	1500	71°	P.MULLIGAN
	1800	71°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	70	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	GLAUDE
	0600	70	SWENSON
	0900	71	SWENSON
	1200	71	SWENSON
	1500	71°	P.MULLIGAN
	1800	70°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	70	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	GLAUDE
	0600	71	SWENSON
	0900	71	SWENSON
	1200	71	SWENSON
	1500	71	SWENSON
	1800	70	SWENSON
	2100	70	SWENSON
	2400	70	G CHACON

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	G CHACON
	0600	70°	P. MULLIGAN
	0900	70°	P. MULLIGAN
	1200	70°	P. MULLIGAN
	1500	70°	P.MULLIGAN
	1800	70°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	70	G.CHACON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	72	G CHACON
	0600	71°	MANNINGET
	0900	72°	MANNINGET
	1200	74°	MANNINGET
	1500	72	SOALA
	1800	70	SOALA
	2100	69	SOALA
	2400	68	GLAUDE

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	68	GLAUDE
	0600	70°	MANNINGET
	0900	71°	MANNINGET
	1200	72°	MANNINGET
	1500	72	D.SILVA
	1800	71	CM. GONZALEZ
	2100	71	CM. GONZALEZ
	2400	70	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	70	GLAUDE
	0600	70	SWENSON
	0900	71	SWENSON
	1200	72	SWENSON
	1500	72°	P.MULLIGAN
	1800	70°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	70	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	GLAUDE
	0600	70	SWENSON
	0900	71	SWENSON
	1200	71	SWENSON
	1500	71°	P.MULLIGAN
	1800	70°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	70	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	GLAUDE
	0600	70	MUIR
	0900	70	MUIR
	1200	70	MUIR
	1500	70	P.MULLIGAN
	1800	70	P.MULLIGAN
	2100	70	P.MULLIGAN
	2400	70	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	GLAUDE
	0600	70	SWENSON
	0900	71	SWENSON
	1200	71	SWENSON
	1500	71	SWENSON
	1800	70	SWENSON
	2100	70	SWENSON
	2400	68°	RF GARZA

Sunday Oct. 27, 24

Date	Time	Temp.	Name (Print)
10/27/24	0300	68°	RF GARZA
	0600	68°	P.MULLIGAN
	0900	68°	P.MULLIGAN
	1200	68°	P.MULLIGAN
	1500	68°	P.MULLIGAN
	1800	68°	P.MULLIGAN
	2100	68°	P.MULLIGAN
	2400	[illegible]	G CHACON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: A SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/	0300	70	G CHAW
	0600	71°	MANNINGET
	0900	72°	MANNINGET
28	1200	73°	MANNINGET
	1500	72	BUSDELL
	1800	72	BUSDELL
24	2100	72	BUSDELL
	2400	70	G-LAUDE

Tuesday

Date	Time	Temp.	Name (Print)
10/	0300	70	G-LAUDE
	0600	71°	MANNINGET
	0900	72°	MANNINGET
29	1200	73°	MANNINGET
	1500	73°	MANNINGET
	1800	71°	MANNINGET
24	2100	70°	MANNINGET
	2400	70	G-LAUDE

Wednesday

Date	Time	Temp.	Name (Print)
10/	0300	70	G-LAUDE
	0600	70	SWENSON
	0900	70	SWENSON
30	1200	70	SWENSON
	1500	70°	P.MULLIGAN
	1800	70°	P.MULLIGAN
24	2100	70°	P.MULLIGAN
	2400	70	G-LAUDE

Thursday

Date	Time	Temp.	Name (Print)
10/	0300	70	G-LAUDE
	0600	70	SWENSON
	0900	70	SWENSON
31	1200	70	SWENSON
	1500	70	J. COOPER
	1800	70	J. COOPER
24	2100	70	J. COOPER
	2400	70	G-LAUDE

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: B SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday OCT. 1, 2024

Date	Time	Temp.	Name (Print)
10	0300	70	GLAUDE
	0600	70°	MANNINGET
	0900	71°	MANNINGET
1	1200	72°	MANNINGET
	1500	73°	MANNINGET
	1800	73°	MANNINGET
24	2100	72°	MANNINGET
	2400	70	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	70	GLAUDE
	0600	70°	Dhaliwal
	0900	70°	Dhaliwal
3	1200	71°	Dhaliwal
	1500	72°	P. MULLIGAN
	1800	72°	P. MULLIGAN
24	2100	71°	P. MULLIGAN
	2400	70	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
10	0300	70	GLAUDE
	0600	70	Swenson
	0900	71	Swenson
3	1200	72	Swenson
	1500	72°	P. MULLIGAN
	1800	72°	P. MULLIGAN
24	2100	72°	P. MULLIGAN
	2400	70	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
10	0300	70	GLAUDE
	0600	71	Swenson
	0900	71	Swenson
4	1200	72	SWENSON
	1500	71°	P. MULLIGAN
	1800	71°	P. MULLIGAN
24	2100	71°	P. MULLIGAN
	2400	70	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
10	0300	70	GLAUDE
	0600	70	G. CHAW
	0900	74	G CHAW
5	1200	74	G CHAW
	1500	74	G CHAW
	1800	74	G CHAW
24	2100	74	G CHAW
	2400	72	G CHAW

Sunday

Date	Time	Temp.	Name (Print)
10	0300	72	G. CHAW
	0600	74	G. CHAW
	0900	75	G. CHAW
6	1200	76	G. CHAW
	1500	77°	P. MULLIGAN
	1800	75°	P. MULLIGAN
24	2100	73°	P. MULLIGAN
	2400	74	G. CHAW

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: B SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	74	G. CHACON
	0600	74°	MANNING-T
	0900	75°	MANNING-T
	1200	76°	MANNING-T
	1500	76	Bostick
	1800	75	Bostick
	2100	74	Bostick
	2400	72	OLAUDE

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	72	OLAUDE
	0600	74°	MANNING-T
	0900	75°	MANNING-T
	1200	76°	MANNING-T
	1500	76°	MANNING-T
	1800	74°	MANNING-T
	2100	74°	MANNING-T
	2400	72	OLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	72	OLAUDE
	0600	73	Swenson
	0900	74	Swenson
	1200	74	Swenson
	1500	74°	P. MULLIGAN
	1800	74°	P. MULLIGAN
	2100	73°	P. MULLIGAN
	2400	72	OLAUDE

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	OLAUDE
	0600	73	Swenson
	0900	74	Swenson
	1200	74	Swenson
	1500	74	ESQUEDA
	1800	73	ESQUEDA
	2100	70	ESQUEDA
	2400	70	OLAUDE

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70	OLAUDE
	0600	71	Swenson
	0900	72	Swenson
	1200	72	Swenson
	1500	72°	P. MULLIGAN
	1800	72	P. MULLIGAN
	2100	72	P. MULLIGAN
	2400	70	OLAUDE

Saturday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	OLAUDE
	0600	71	Swenson
	0900	72	Swenson
	1200	72	Swenson
	1500	72	Swenson
	1800	71	Swenson
	2100	71	Swenson
	2400	74	G. CHACON

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	74	G. CHACON
	0600	72°	P. MULLIGAN
	0900	72°	P. MULLIGAN
	1200	72°	P. MULLIGAN
	1500	72°	P. MULLIGAN
	1800	70°	P. MULLIGAN
	2100	70°	P. MULLIGAN
	2400	74	G. CHACON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: B SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	72	G CHAW
	0600	73°	MANNING-T
	0900	74°	MANNING-T.
	1200	75°	MANNING-T
	1500	74	Bostick
	1800	72	Bostick
	2100	71	Bostick
	2400	70	GLAUDE

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70	GLAUDE
	0600	72°	MANNING-T
	0900	73°	MANNING-T
	1200	74°	MANNING-T.
	1500	75°	MANNING-T.
	1800	74°	MANNING-T
	2100	72°	MANNING-T
	2400	70	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	GLAUDE
	0600	71	[illegible]
	0900	72	[illegible]
	1200	74	[illegible]
	1500	72°	P. MULLIGAN
	1800	72°	P. MULLIGAN
	2100	72°	P. MULLIGAN
	2400	70	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	GLAUDE
	0600	71	Swenson
	0900	72	Swenson
	1200	72	Swenson
	1500	70°	P. MULLIGAN
	1800	70°	P. MULLIGAN
	2100	70°	P. MULLIGAN
	2400	70	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	GLAUDE
	0600	70	Swenson
	0900	71	Swenson
	1200	71	Swenson
	1500	71°	P. MULLIGAN
	1800	70°	P. MULLIGAN
	2100	70°	P. MULLIGAN
	2400	70	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	GLAUDE
	0600	70	Swenson
	0900	71	Swenson
	1200	71	Swenson
	1500	70	Swenson
	1800	70	Swenson
	2100	70	Swenson
	2400	70	G CHAW

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	70	G CHAW
	0600	70°	P. MULLIGAN
	0900	70°	P. MULLIGAN
	1200	70°	P. MULLIGAN
	1500	70°	P. MULLIGAN
	1800	70°	P. MULLIGAN
	2100	70°	P. MULLIGAN
	2400	70	G CHAW

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: B SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	72	GLUTAW
	0600	71°	MANNINGHT
	0900	72°	MANNINGHT
	1200	74°	MANNINGHT
	1500	72	Boatm
	1800	70	Boatm
	2100	69	Boatm
	2400	68	GLAUDE

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	68	GLAUDE
	0600	70°	MANNINGHT
	0900	71°	MANNINGHT
	1200	72°	MANNINGHT
	1500	72	[illegible]
	1800	72	[illegible]
	2100	71	[illegible]
	2400	70	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	70	GLAUDE
	0600	70	SWENSON
	0900	71	SWENSON
	1200	71	SWENSON
	1500	71°	P.MULLIGAN
	1800	70°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	70	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	70	GLAUDE
	0600	70	SWENSON
	0900	71	SWENSON
	1200	71	SWENSON
	1500	71°	P.MULLIGAN
	1800	70°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	70	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	GLAUDE
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70°	P.MULLIGAN
	1800	70°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	70	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	70	GLAUDE
	0600	70	SWENSON
	0900	71	SWENSON
	1200	71	SWENSON
	1500	71	SWENSON
	1800	70	SWENSON
	2100	70	SWENSON
	2400	69°	RF GARZA

Sunday OCT. 27, 24

Date	Time	Temp.	Name (Print)
10/27/24	0300	68°	RF GARZA
	0600	68°	P.MULLIGAN
	0900	68°	P.MULLIGAN
	1200	68°	P.MULLIGAN
	1500	68°	P.MULLIGAN
	1800	68°	P.MULLIGAN
	2100	68°	P.MULLIGAN
	2400	68	G.LUTAW

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D2 Temp. Reading Location: B SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10	0300	70	G. CHAUN
	0600	71°	MANNINGT
	0900	72°	MANNINGT
28	1200	73°	MANNINGT
	1500	72	BVASDELL
	1800	70	BVASDELL
24	2100	70	BVASDELL
	2400	70	GLAUDE

Tuesday

Date	Time	Temp.	Name (Print)
10	0300	70	GLAUDE
	0600	71°	MANNINGT
	0900	72°	MANNINGT
29	1200	73°	MANNINGT
	1500	73°	MANNINGT
	1800	72°	MANNINGT
24	2100	71°	MANNINGT
	2400	70	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
10	0300	70	GLAUDE
	0600	70	SWENSON
	0900	70	SWENSON
	1200	70	SWENSON
30	1500	70°	P.MULLIGAN
	1800	70°	P.MULLIGAN
24	2100	70°	P.MULLIGAN
	2400	70	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
10	0300	70	GLAUDE
	0600	70	SWENSON
	0900	70	SWENSON
31	1200	70	SWENSON
	1500	70	J. LOPEZ
	1800	70	J. LOPEZ
24	2100	70	J. LOPEZ
	2400	70	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB3 Temp. Reading Location: tier 2 Aside
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	73	A.Ortiz

Tuesday

Date	Time	Temp.	Name (Print)
	0300	74	A.Ortiz
	0600	74	A.Ortiz
10	0900	74	Gonzalez
01	1200	74	Gonzalez
24	1500	74	Gonzalez
	1800	75	F.GONZALEZ
	2100	74	F.GONZALEZ
	2400	73	F.GONZALEZ

Wednesday

Date	Time	Temp.	Name (Print)
	0300	74	C.HILL
	0600	68°	MANNING-T
10	0900	69°	MANNING-T
02	1200	70°	MANNING-T
24	1500	70	B.GARCIA
	1800	70	B.GARCIA
	2100	70	B.GARCIA
	2400	70	C.HILL

Thursday

Date	Time	Temp.	Name (Print)
	0300	70	C.HILL
	0600	70	Velasquez
10	0900	70	Velasquez
03	1200	70	Velasquez
24	1500	70	L.MASTRO
	1800	70	L.MASTRO
	2100	70	L.MASTRO
	2400	70	H.CERA

Friday

Date	Time	Temp.	Name (Print)
	0300	70	H.CERA
	0600	70	Gonzalez
10	0900	70	Gonzalez
04	1200	70	Gonzalez
24	1500	70	F.GONZALEZ
	1800	70	F.GONZALEZ
	2100	70	F.GONZALEZ
	2400	73	G.CHACON

Saturday

Date	Time	Temp.	Name (Print)
	0300	73	G.CHACON
	0600	73	Gonzalez
10	0900	73	Gonzalez
05	1200	73	Gonzalez
24	1500	73	F.GONZALEZ
	1800	72	F.GONZALEZ
	2100	72	F.GONZALEZ
	2400	72°	D.Hosey

Sunday

Date	Time	Temp.	Name (Print)
	0300	72°	D.Hosey
	0600	72	Gonzalez
10	0900	72	Gonzalez
06	1200	72	Gonzalez
24	1500	72	F.GONZALEZ
	1800	72	F.GONZALEZ
	2100	72	F.GONZALEZ
	2400	68°	Scates

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB3 Temp. Reading Location: 2nd tier (A Side)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10 07 24	0300	70°	SCALES
	0600	71	Gonzalez
	0900	71	Gonzalez
	1200	71	Gonzalez
	1500	71	F. GONZALEZ
	1800	71	F. GONZALEZ
	2100	71	F. GONZALEZ
	2400	71°	SCALES

Tuesday

Date	Time	Temp.	Name (Print)
10 08 24	0300	700	SCALES
	0600	70	Gonzalez
	0900	71	Gonzalez
	1200	71	Gonzalez
	1500	71	F. GONZALEZ
	1800	71	F. GONZALEZ
	2100	71	F. GONZALEZ
	2400	70°	SCALES

Wednesday

Date	Time	Temp.	Name (Print)
10 09 24	0300	70°	SCALES
	0600	68°	MANNINGET
	0900	68°	MANNINGET
	1200	69°	MANNINGET
	1500	69	B Garcia
	1800	69	B Garcia
	2100	69	B Garcia
	2400	69	C Hill

Thursday

Date	Time	Temp.	Name (Print)
10 10 24	0300	69	C. Hill
	0600	68	J. Gomez
	0900	68	Velasquez
	1200	68	Velasquez
	1500	68	L. Mastro
	1800	68	L. Mastro
	2100	68	L. Mastro
	2400	68	B Garnanes

Friday

Date	Time	Temp.	Name (Print)
10 11 24	0300	69	B Garnanes
	0600	69	Gonzalez
	0900	69	Gonzalez
	1200	69	Gonzalez
	1500	69	F. GONZALEZ
	1800	69	F. GONZALEZ
	2100	69	F. GONZALEZ
	2400	69	Montoya

Saturday

Date	Time	Temp.	Name (Print)
10 12 24	0300	69	Montoya
	0600	69	F. Fuentes
	0900	70	F. Fuentes
	1200	70	F. Fuentes
	1500	70	F. GONZALEZ
	1800	70	F. GONZALEZ
	2100	70	F. GONZALEZ
	2400	70	C. Hill

Sunday

Date	Time	Temp.	Name (Print)
10 13 24	0300	70	C. Hill
	0600	70	S. Nelson
	0900	70	S. Nelson
	1200	71	S. Nelson
	1500	71	F. GONZALEZ
	1800	70	F. GONZALEZ
	2100	70	F. GONZALEZ
	2400	70	J. Meeah

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FD B3 (A) Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70°	J. McCain
	0600	70°	Gonzalez
	0900	70°	Gonzalez
	1200	70°	Gonzalez
	1500	70	F. GONZALEZ
	1800	70	F. GONZALEZ
	2100	70	F. GONZALEZ
	2400	68°	SCALES

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	65°	SCALES
	0600	66°	Gonzalez
	0900	66°	Gonzalez
	1200	66°	Gonzalez
	1500	66	F. GONZALEZ
	1800	66	F. GONZALEZ
	2100	66	F. GONZALEZ
	2400	66°	SCALES

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	65°	SCALES
	0600	63°	MANNINGAT
	0900	64°	MANNINGAT
	1200	67°	MANNINGAT
	1500	67	B. GARCIA
	1800	67	B. GARCIA
	2100	67	B. GARCIA
	2400	65°	G. Guerra

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	66	G. Guerra
	0600	68	[illegible]
	0900	68	[illegible]
	1200	69	[illegible]
	1500	70	J. Gonzalez
	1800	70	J. Gonzalez
	2100	70	J. Gonzalez
	2400	70	Montoya

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	68	~~G. Guerra~~ Montoya
	0600	65	G. Guerra
	0900	66°	Gonzalez
	1200	67°	Gonzalez
	1500	67	F. GONZALEZ
	1800	67	F. GONZALEZ
	2100	67	F. GONZALEZ
	2400	67	MONTOYA

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	64	Montoya
	0600	65°	Gonzalez
	0900	65°	Gonzalez
	1200	65°	Gonzalez
	1500	60	Raly
	1800	60	Raly
	2100	60	Raly
	2400	60	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	60	C. Hill
	0600	60°	Gonzalez
	0900	60°	Gonzalez
	1200	60°	Gonzalez
	1500	60	F. GONZALEZ
	1800	60	F. GONZALEZ
	2100	60	F. GONZALEZ
	2400	60	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: 2nd A-Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	60	L. HILL
	0600	60	Gonzalez
	0900	60	Gonzalez
	1200	60	Gonzalez
	1500	60	F. GONZALEZ
	1800	60	F. GONZALEZ
	2100	60	F. GONZALEZ
	2400	60	L. HILL

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	60	L. HILL
	0600	60	Gonzalez
	0900	60	Gonzalez
	1200	60	Gonzalez
	1500	60	F. GONZALEZ
	1800	60	F. GONZALEZ
	2100	60	F. GONZALEZ
	2400	60	L. HILL

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	60	L. HILL
	0600	59°	MANNINGET
	0900	60°	MANNINGET
	1200	62°	MANNINGET
	1500	65	Boston
	1800	64	Boston
	2100	63	Boston
	2400	60	L. HILL

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	60	L. HILL
	0600	60	IZAMIREZ
	0900	60	IZAMIREZ
	1200	61	IZAMIREZ
	1500	80	HIRACHETA
	1800	86	HIRACHETA
	2100	80	HIRACHETA
	2400	80	HIRACHETA

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	80	HIRACHETA
	0600	60	Gonzalez
	0900	60	Gonzalez
	1200	60	Gonzalez
	1500	62°	K. KAUR
	1800	60°	K. KAUR
	2100	60°	K. KAUR
	2400	60	Montoya

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	60	Montoya
	0600	62	ABarajas
	0900	63	ABarajas
	1200	65	ABarajas
	1500	65	F. GONZALEZ
	1800	65	F. GONZALEZ
	2100	65	F. GONZALEZ
	2400	64	L. HILL

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	63	L. HILL
	0600	61	Gonzalez
	0900	61	Gonzalez
	1200	61	Gonzalez
	1500	61	F. GONZALEZ
	1800	61	F. GONZALEZ
	2100	61	F. GONZALEZ
	2400	60	L. HILL

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2931 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP/RC Housing Unit: D3 Temp. Reading Location: 2nd Tier A Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	60	LHill
	0600	60	Gonzalez
	0900	60	Gonzalez
	1200	60	Gonzalez
	1500	60	F.GONZALEZ
	1800	60	F.GONZALEZ
	2100	60	F.GONZALEZ
	2400	60	LHill

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	60	LHill
	0600	60	Gonzalez
	0900	60	Gonzalez
	1200	60	Gonzalez
	1500	60	F.GONZALEZ
	1800	60	F.GONZALEZ
	2100	60	F.GONZALEZ
	2400	60	LHill

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	60	LHill
	0600	60	MANNINGT
	0900	60	MANNINGT
	1200	60	MANNINGT
	1500	60	MANNINGT
	1800	60	B.GARCIA
	2100	60	B.GARCIA
	2400	59	LHill

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	59	LHill
	0600	59	Velasquez
	0900	59	Velasquez
	1200	59	Velasquez
	1500	60	M. CLOUD
	1800	60	M. CLOUD
	2100	60	M. CLOUD
	2400	60	Montoya

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB3 Temp. Reading Location: tier 2 B side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	74	A.Ortiz

Tuesday

Date	Time	Temp.	Name (Print)
	0300	74	A.Ortiz
	0600	74	A.Ortiz
10	0900	74	Gonzalez
01	1200	74	Gonzalez
24	1500	74	F. GONZALEZ
	1800	75	F. GONZALEZ
	2100	74	F. GONZALEZ
	2400	74	C. Hill

Wednesday

Date	Time	Temp.	Name (Print)
	0300	74	C. Hill
	0600	77°	MANNING-T
10	0900	78°	MANNING-T
02	1200	79°	MANNING-T
24	1500	79	B GARCIA
	1800	79	B GARCIA
	2100	79	B. GARCIA
	2400	78	C. Hill

Thursday

Date	Time	Temp.	Name (Print)
	0300	78	C. Hill
	0600	78	Velasquez
10	0900	78	Velasquez
03	1200	78	Velasquez
24	1500	78	L. MASTRO
	1800	78	L MASTRO
	2100	78	L. MASTRO
	2400	75	H. CERA

Friday

Date	Time	Temp.	Name (Print)
	0300	74	H. CERA
	0600	74	Gonzalez
10	0900	74	Gonzalez
05	1200	74	Gonzalez
24	1500	70	F. GONZALEZ
	1800	70	F. GONZALEZ
	2100	70	F. GONZALEZ
	2400	73	G CHACON

Saturday

Date	Time	Temp.	Name (Print)
	0300	73	G CHACON
	0600	73	Gonzalez
10	0900	73	Gonzalez
06	1200	73	Gonzalez
24	1500	73	F. GONZALEZ
	1800	72	F. GONZALEZ
	2100	72	F. GONZALEZ
	2400	72	D. Hosy

Sunday

Date	Time	Temp.	Name (Print)
	0300	72°	D. Hosy
	0600	72	Gonzalez
10	0900	72	Gonzalez
07	1200	72	Gonzalez
24	1500	72	F. GONZALEZ
	1800	72	F. GONZALEZ
	2100	72	F. GONZALEZ
	2400	78	Scales

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB3 Temp. Reading Location: 2nd tier (B side)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10 07 24	0300	71°	SCALES
	0600	73	Gonzalez
	0900	73	Gonzalez
	1200	73	Gonzalez
	1500	73	F. GONZALEZ
	1800	73	F. GONZALEZ
	2100	73	F. GONZALEZ
	2400	76°	SCALES

Tuesday

Date	Time	Temp.	Name (Print)
10 08 24	0300	76°	SCALES
	0600	76	Gonzalez
	0900	76	Gonzalez
	1200	76	Gonzalez
	1500	74	F. GONZALEZ
	1800	74	F. GONZALEZ
	2100	74	F. GONZALEZ
	2400	78°	SCALES

Wednesday

Date	Time	Temp.	Name (Print)
10 09 24	0300	78°	SCALES
	0600	77°	MANNINGT
	0900	77°	MANNINGT
	1200	78°	MANNINGT
	1500	78	B Garcia
	1800	78	B Garcia
	2100	78	B Garcia
	2400	78	C Hill

Thursday

Date	Time	Temp.	Name (Print)
10 10 24	0300	77	C. Hill
	0600	79	J. Gonzalez
	0900	78	Velasquez
	1200	78	Velasquez
	1500	78	L. MASTRO
	1800	78	L. MASTRO
	2100	78	L. MASTRO
	2400	77	B. RAMOS

Friday

Date	Time	Temp.	Name (Print)
10 11 24	0300	78	B. GRANADOS
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	77	F. GONZALEZ
	1800	77	F. GONZALEZ
	2100	77	F. GONZALEZ
	2400	75	Montoya

Saturday

Date	Time	Temp.	Name (Print)
10 12 24	0300	75	Montoya
	0600	77	F. FUENTES
	0900	78	F. FUENTES
	1200	78	F. FUENTES
	1500	78	F. GONZALEZ
	1800	78	F. GONZALEZ
	2100	78	F. GONZALEZ
	2400	77	C. Hill

Sunday

Date	Time	Temp.	Name (Print)
10 13 24	0300	77	C. Hill
	0600	76	S. Neile
	0900	76	S. Neile
	1200	77	S. Neile
	1500	77	F. GONZALEZ
	1800	76	F. GONZALEZ
	2100	76	F. GONZALEZ
	2400	78	S. Mecain

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FD B3 (B) Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70	J. McCain
	0600	70	Gonzalez
	0900	70	Gonzalez
	1200	70	Gonzalez
	1500	70	F. GONZALEZ
	1800	70	F. GONZALEZ
	2100	70	F. GONZALEZ
	2400	75°	SCALES

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	75°	SCALES
	0600	77	Gonzalez
	0900	77	Gonzalez
	1200	77	Gonzalez
	1500	77	F. GONZALEZ
	1800	77	F. GONZALEZ
	2100	77	F. GONZALEZ
	2400	76°	SCALES

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	75°	SCALES
	0600	74°	MANNING-T
	0900	75°	MANNING-T
	1200	76°	MANNING-T
	1500	76	B Garcia
	1800	76	B Garcia
	2100	76	B Garcia
	2400	75	G Guerrero

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	75	G. Guerrero
	0600	75	S. Ramirez
	0900	76	S. Ramirez
	1200	77	S. Ramirez
	1500	78	J. Gonzalez
	1800	78	J. Gonzalez
	2100	78	J. Gonzalez
	2400	75	Montoya

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	76	Montoya
	0600	76	Gonzalez
	0900	76	Gonzalez
	1200	76	Gonzalez
	1500	76	F. GONZALEZ
	1800	76	F. GONZALEZ
	2100	76	F. GONZALEZ
	2400	75	Montoya

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	75	Montoya
	0600	75	Gonzalez
	0900	75	Gonzalez
	1200	75	Gonzalez
	1500	60	Ealy
	1800	60	Ealy
	2100	60	Ealy
	2400	60	C. Hill

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	60	C. Hill
	0600	60	Gonzalez
	0900	60	Gonzalez
	1200	60	Gonzalez
	1500	60	F. GONZALEZ
	1800	60	F. GONZALEZ
	2100	60	F. GONZALEZ
	2400	60	C. Hill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: 2nd B-Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	60	L HILL
	0600	60	GONZALEZ
	0900	60	GONZALEZ
	1200	60	GONZALEZ
	1500	60	F.GONZALEZ
	1800	60	F. GONZALEZ
	2100	60	F. GONZALEZ
	2400	60	L HILL

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	60	L HILL
	0600	70	GONZALEZ
	0900	70	GONZALEZ
	1200	70	GONZALEZ
	1500	70	F.GONZALEZ
	1800	70	F.GONZALEZ
	2100	70	F. GONZALEZ
	2400	68	L HILL

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	68	L HILL
	0600	70°	MANNINGIT
	0900	71	MANNINGIT
	1200	71°	MANNINGIT
	1500	71	BOTTUM
	1800	71	BOTTUM
	2100	70	BOTTUM
	2400	67	L HILL

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	67	L HILL
	0600	67	RAMIREZ
	0900	67	RAMIREZ
	1200	67	RAMIREZ
	1500	68	HIRAHETA
	1800	68	HIRAHETA
	2100	68	HIRAHETA
	2400	68	HIRAHETA

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	68	HIRAHETA
	0600	69	GONZALEZ
	0900	70	GONZALEZ
	1200	70	GONZALEZ
	1500	72°	K. KAUR
	1800	70°	K. KAUR
	2100	70°	K. KAUR
	2400	70	Montoya

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	69	Montoya
	0600	70	Barajas A
	0900	70	Barajas A.
	1200	70	Barajas A.
	1500	70	F.GONZALEZ
	1800	70	F.GONZALEZ
	2100	70	F.GONZALEZ
	2400	69	L. HILL

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	68	L HILL
	0600	68	GONZALEZ
	0900	68	GONZALEZ
	1200	68	GONZALEZ
	1500	68	F.GONZALEZ
	1800	68	F.GONZALEZ
	2100	68	F.GONZALEZ
	2400	68	L HILL

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP/RC Housing Unit: D3 Temp. Reading Location: 2nd Tier B Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/	0300	66	LHILL
	0600	67	Gonzalez
	0900	67	Gonzalez
	1200	67	Gonzalez
20/	1500	67	F.GONZALEZ
	1800	67	F.GONZALEZ
	2100	67	F.GONZALEZ
24	2400	65	LHILL

Tuesday

Date	Time	Temp.	Name (Print)
10/	0300	65	LHILL
	0600	67	Gonzalez
	0900	67	Gonzalez
	1200	67	Gonzalez
29/	1500	67	F.GONZALEZ
	1800	67	F.GONZALEZ
	2100	67	F.GONZALEZ
24	2400	65	LHILL

Wednesday

Date	Time	Temp.	Name (Print)
10/	0300	65	LHILL
	0600	71°	MANNINGH
	0900	71°	MANNINGH
	1200	72°	MANNINGH
30/	1500	72°	MANNINGH
	1800	72	B.GARCIA
	2100	72	B.GARCIA
21	2400	70	LHILL

Thursday

Date	Time	Temp.	Name (Print)
10/	0300	70	LHILL
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
31/	1500	70	M. CLOUD
	1800	70	M. CLOUD
	2100	68	M. CLOUD
24	2400	68	Montoya

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB4-A Temp. Reading Location: Tier 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	71	J. Mkala
	0600	73	SHERWOOD
	0900	74	SHERWOOD
	1200	74	SHERWOOD
	1500	75	CRAMMER
	1800	75	CRAMMER
	2100	73	CRAMMER
	2400	73	D. MUNOZ

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	73	D. MUNOZ
	0600	72	SHERWOOD
	0900	73	SHERWOOD
	1200	73	SHERWOOD
	1500	75	CRAMMER
	1800	75	CRAMMER
	2100	71	CRAMMER
	2400	71	J. STEINER

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	70	J. STEINER
	0600	72	SHERWOOD
	0900	74	SHERWOOD
	1200	74	SHERWOOD
	1500	75	CRAMMER
	1800	75	CRAMMER
	2100	73	CRAMMER
	2400	70	E. GARCIA

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	68	E. GARCIA
	0600	68	E. GARCIA
	0900	70	Velasquez
	1200	70	Velasquez
	1500	70	Velasquez
	1800	70	L. MASTRO
	2100	71	L. MASTRO
	2400	71	L. MASTRO

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	70	L. MASTRO
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	71	L. MASTRO
	1800	71	L. MASTRO
	2100	70	L. MASTRO
	2400	70	H. CERA

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	70	H. CERA
	0600	78	C. Pascual
	0900	78	C. Pascual
	1200	78	C. Pascual
	1500	78	G. MONTOYA
	1800	75	G. MONTOYA
	2100	75	G. MONTOYA
	2400	74°	RF GALZA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB4-A SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6081 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	74	RF GARZA
	0600	72	SHERWOOD
	0900	74	SHERWOOD
	1200	75	SHERWOOD
	1500	76	[illegible]
	1800	77	[illegible]
	2100	74	[illegible]
	2400	74°	RF GARZA

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	73°	RF GARZA
	0600	74	SHERWOOD
	0900	75	SHERWOOD
	1200	75	SHERWOOD
	1500	76	[illegible]
	1800	75	[illegible]
	2100	74	[illegible]
	2400	74°	RF. GARZA

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	73°	RF GARZA
	0600	74	SHERWOOD
	0900	74	SHERWOOD
	1200	75	SHERWOOD
	1500	76	[illegible]
	1800	75	[illegible]
	2100	73	[illegible]
	2400	73°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72°	RF GARZA
	0600	73	SHERWOOD
	0900	74	SHERWOOD
	1200	74	H. GARZA
	1500	74	B VASDELL
	1800	74	B VASDELL
	2100	74	B VASDELL
	2400	73°	R.F. GARZA

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	72°	RF GARZA
	0600	71	VELASQUEZ
	0900	71	VELASQUEZ
	1200	71	VELASQUEZ
	1500	72	L. MASTRO
	1800	72	L MASTRO
	2100	71	L MASTRO
	2400	71	L MASTRO

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	71	L. MASTRO
	0600	71	VELASQUEZ
	0900	71	VELASQUEZ
	1200	71	VELASQUEZ
	1500	71	L. MASTRO
	1800	70	L. MASTRO
	2100	70	L. MASTRO
	2400	70	G LAUDE

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	G LAUDE
	0600	71	SHERWOOD
	0900	72	SHERWOOD
	1200	73	SHERWOOD
	1500	72	[illegible]
	1800	71	[illegible]
	2100	70	[illegible]
	2400	72	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4 Temp. Reading Location: A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	71	J. [illegible]
	0600	70	SHERWOOD
	0900	71	SHERWOOD
	1200	73	SHERWOOD
	1500	73	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	71	E. GONZALEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	71	E. GONZALEZ
	0600	71	SHERWOOD
	0900	74	SHERWOOD
	1200	75	SHERWOOD
	1500	75	[illegible]
	1800	74	[illegible]
	2100	72	[illegible]
	2400	72	E. GONZALEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	72	E. GONZALEZ
	0600	71	SHERWOOD
	0900	72	SHERWOOD
	1200	74	SHERWOOD
	1500	74	[illegible]
	1800	73	[illegible]
	2100	71	[illegible]
	2400	70°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	69°	RF GARZA
	0600	70	SHERWOOD
	0900	72	SHERWOOD
	1200	74	Sherwood
	1500	76	M. Leon
	1800	75	[illegible]
	2100	73	[illegible]
	2400	72°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	71°	RF GARZA
	0600	69	STRAMIER
	0900	69	STRAMIER
	1200	70	STRAMIER
	1500	70	J. Gonzalez
	1800	70	J. Gonzalez
	2100	70	J. Gonzalez
	2400	71	A. Ortiz

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	~~A. Ortiz~~	A. Ortiz
	0600	71	A. Ortiz
	0900	~~68~~ 68	Castaneda
	1200	68	Castaneda
	1500	68	J. Gonzalez
	1800	70	J. Gonzalez
	2100	70	J. Gonzalez
	2400	69°	RF GARZA

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	68°	RF GARZA
	0600	68	SHERWOOD
	0900	70	SHERWOOD
	1200	72	SHERWOOD
	1500	67	S. MORRO
	1800	68	S. MORRO
	2100	66	S. MORRO
	2400	64°	RF GARZA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB4-A SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	65°	RF GARZA
	0600	65	SHERWOOD
	0900	67	SHERWOOD
	1200	68	SHERWOOD
	1500	69	[illegible]
	1800	68	[illegible]
	2100	66	[illegible]
	2400	65°	RF GARZA

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	64°	RF. GARZA
	0600	65	SHERWOOD
	0900	65	SHERWOOD
	1200	66	SHERWOOD
	1500	67	[illegible]
	1800	66	[illegible]
	2100	66	[illegible]
	2400	65°	RF GARZA

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	64°	RF GARZA
	0600	64	SHERWOOD
	0900	64	SHERWOOD
	1200	66	SHERWOOD
	1500	67	[illegible]
	1800	67	[illegible]
	2100	65	[illegible]
	2400	64°	RF. GARZA

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	63°	RF GARZA
	0600	64	SHERWOOD
	0900	65	SHERWOOD
	1200	65	SHERWOOD
	1500	66	[illegible]
	1800	67	[illegible]
	2100	65	[illegible]
	2400	64°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	63°	RF GARZA
	0600	67	[illegible]
	0900	67	[illegible]
	1200		[illegible]
	1500	69	L. MASTRO
	1800	69	L. MASTRO
	2100	69	L. MASTRO
	2400	68	L. MASTRO

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	68	L. MASTRO
	0600	69	Velasquez
	0900	69	Velasquez
	1200	68	Velasquez
	1500	68	L. MASTRO
	1800	68	L. MASTRO
	2100	68	L. MASTRO
	2400	68	L. MASTRO

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	68	L. MASTRO
	0600	65	SHERWOOD
	0900	66	SHERWOOD
	1200	66	SHERWOOD
	1500	67	[illegible]
	1800	66	[illegible]
	2100	65	[illegible]
	2400	64°	RF GARZA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB4-A SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	63°	RF GARZA
	0600	63	SHERWOOD
	0900	65	SHERWOOD
	1200	65	SHERWOOD
	1500	65	[illegible]
	1800	64	[illegible]
	2100	64	[illegible]
	2400	63°	RF GARZA

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	62°	RF GARZA
	0600	61	SHERWOOD
	0900	61	SHERWOOD
	1200	63	SHERWOOD
	1500	63	[illegible]
	1800	64	[illegible]
	2100	63	[illegible]
	2400	60	J. [illegible]

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300		
	0600	61	SHERWOOD
	0900	62	SHERWOOD
	1200	62	SHERWOOD
	1500	63	[illegible]
	1800	62	[illegible]
	2100	61	[illegible]
	2400	60	J. [illegible]

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	60	J. [illegible]
	0600	61	SHERWOOD
	0900	63	SHERWOOD
	1200	63	SHERWOOD
	1500	63	[illegible]
	1800	63	[illegible]
	2100	62	[illegible]
	2400	61°	R.F. GARZA

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB4 - B Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	71	J. Mucia
	0600	72	SHERWOOD
	0900	72	SHERWOOD
	1200	72	SHERWOOD
	1500	74	[illegible]
	1800	73	[illegible]
	2100	70	[illegible]
	2400	70	D. MUNOZ

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	70°	D. MUNOZ
	0600	71	SHERWOOD
	0900	72	SHERWOOD
	1200	72	SHERWOOD
	1500	73	[illegible]
	1800	72	[illegible]
	2100	70	[illegible]
	2400	71	J. SARAVIA

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	70	D. MUNOZ
	0600	71	SHERWOOD
	0900	72	SHERWOOD
	1200	73	SHERWOOD
	1500	73	[illegible]
	1800	74	[illegible]
	2100	72	[illegible]
	2400	72	GARCIA

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	68	GARCIA
	0600	68	GARCIA
	0900	70	Velasquez
	1200	70	Velasquez
	1500	70	Velasquez
	1800	70	L. MASTRO
	2100	70	L. MASTRO
	2400	70	L. MASTRO

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	69	L. MASTRO
	0600	69	Velasquez
	0900	69	Velasquez
	1200	69	Velasquez
	1500	70	L. MASTRO
	1800	70	L. MASTRO
	2100	70	L. MASTRO
	2400	70	H. CERA

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	70	H. CERA
	0600	78	C. Pascual
	0900	78	C. Pascual
	1200	78	C. Pascual
	1500	78	G. Montrel
	1800	75	G. Montrel
	2100	75	G. Montrel
	2400	74°	R F GARZA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB4-B SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	74°	RF GARZA
	0600	72	SHERWOOD
	0900	73	SHERWOOD
	1200	74	SHERWOOD
	1500	75	[illegible]
	1800	77	[illegible]
	2100	76	[illegible]
	2400	75°	RF GARZA

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	74°	RF GARZA
	0600	74	SHERWOOD
	0900	74	SHERWOOD
	1200	75	SHERWOOD
	1500	76	[illegible]
	1800	77	[illegible]
	2100	74	[illegible]
	2400	73°	RF GARZA

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	72°	RF GARZA
	0600	72	SHERWOOD
	0900	72	SHERWOOD
	1200	73	SHERWOOD
	1500	73	[illegible]
	1800	74	[illegible]
	2100	77	[illegible]
	2400	72°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	71°	RF GARZA
	0600	73	SHERWOOD
	0900	73	SHERWOOD
	1200	73	SHERWOOD
	1500	74	B VISDELL
	1800	74	B VISDELL
	2100	74	B VISDELL
	2400	73°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	72°	RF GARZA
	0600	71	Velasquez
	0900	71	Velasquez
	1200	71	Velasquez
	1500	72	L. MASTRO
	1800	72	L. MASTRO
	2100	71	L. MASTRO
	2400	71	L. MASTRO

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	71	L. MASTRO
	0600	71	Velasquez
	0900	71	Velasquez
	1200	71	Velasquez
	1500	71	L. MASTRO
	1800	70	L. MASTRO
	2100	70	L. MASTRO
	2400	70	GLAUDE

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	GLAUDE
	0600	70	SHERWOOD
	0900	69	SHERWOOD
	1200	71	SHERWOOD
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	72	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4 Temp. Reading Location: 8 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	71	J. [illegible]
	0600	70	SHERWOOD
	0900	70	SHERWOOD
	1200	72	SHERWOOD
	1500	72	[illegible]
	1800	71	[illegible]
	2100	70	[illegible]
	2400	70	E. GONZALEZ

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	70	E. GONZALEZ
	0600	69	SHERWOOD
	0900	72	SHERWOOD
	1200	73	SHERWOOD
	1500	74	[illegible]
	1800	74	[illegible]
	2100	72	[illegible]
	2400	72	E. GONZALEZ

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	72	E. GONZALEZ
	0600	72	SHERWOOD
	0900	72	SHERWOOD
	1200	73	SHERWOOD
	1500	74	[illegible]
	1800	74	[illegible]
	2100	72	[illegible]
	2400	71°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70°	RF GARZA
	0600	70	SHERWOOD
	0900	71	SHERWOOD
	1200	73	SHERWOOD
	1500	74	[illegible]
	1800	74	[illegible]
	2100	72	[illegible]
	2400	71°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70°	RF GARZA
	0600	65	S. ZAMIRA
	0900	65	S. ZAMIRA
	1200	65	S. ZAMIRA
	1500	65	J. GONZALEZ
	1800	65	J. GONZALEZ
	2100	62	J. GONZALEZ
	2400	71	A. ORM

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	71	A. ORM
	0600	71	A. ORM
	0900	67	Castaneda
	1200	67	Castaneda
	1500	62	J. GONZALEZ
	1800	62	J. GONZALEZ
	2100	62	J. GONZALEZ
	2400	61°	RF GARZA

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	61°	RF GARZA
	0600	60	SHERWOOD
	0900	61	SHERWOOD
	1200	71	SHERWOOD
	1500	64	S. MORENO
	1800	65	S. MORENO
	2100	64	S. MORENO
	2400	63°	RF GARZA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB4-B SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	62°	RF GARZA
	0600	61	SHERWOOD
	0900	63	SHERWOOD
	1200	64	SHERWOOD
	1500	65	CAMMISA
	1800	66	CAMMISA
	2100	65	CAMMISA
	2400	64°	RF GARZA

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	63°	RF GARZA
	0600	63	SHERWOOD
	0900	63	SHERWOOD
	1200	64	SHERWOOD
	1500	65	CAMMISA
	1800	66	CAMMISA
	2100	65	CAMMISA
	2400	64°	RF GARZA

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	63°	RF GARZA
	0600	64	SHERWOOD
	0900	65	SHERWOOD
	1200	67	SHERWOOD
	1500	68	CAMMISA
	1800	67	CAMMISA
	2100	66	CAMMISA
	2400	65°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	64°	RF GARZA
	0600	63	SHERWOOD
	0900	65	SHERWOOD
	1200	65	SHERWOOD
	1500	66	CAMMISA
	1800	67	CAMMISA
	2100	65	CAMMISA
	2400	64°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	63°	RF GARZA
	0600	63	FLORA
	0900	63	FLORA
	1200	62	FLORA
	1500	62	L MASTRO
	1800	62	L MASTRO
	2100	62	L MASTRO
	2400	61	L MASTRO

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	61	GUILLERMO
	0600	61	VELASQUEZ
	0900	61	VELASQUEZ
	1200	61	VELASQUEZ
	1500	61	L MASTRO
	1800	61	L MASTRO
	2100	61	L MASTRO
	2400	61	L MASTRO

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	61	L MASTRO
	0600	62	SHERWOOD
	0900	63	SHERWOOD
	1200	64	SHERWOOD
	1500	65	CAMMISA
	1800	65	CAMMISA
	2100	63	CAMMISA
	2400	62°	RF GARZA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB4-B SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension Cool **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	61°	RF GARZA
	0600	60	SHERWOOD
	0900	62	SHERWOOD
	1200	64	SHERWOOD
	1500	64	[illegible]
	1800	64	[illegible]
	2100	63	[illegible]
	2400	62	RF GARZA

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	61°	RF GARZA
	0600	60	SHERWOOD
	0900	61	SHERWOOD
	1200	63	SHERWOOD
	1500	63	[illegible]
	1800	62	[illegible]
	2100	62	[illegible]
	2400	60	J. SALZENAS

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300		
	0600	60	SHERWOOD
	0900	62	SHERWOOD
	1200	63	SHERWOOD
	1500	63	[illegible]
	1800	62	[illegible]
	2100	62	[illegible]
	2400	60	J. SALZENAS

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	60	J. SALZENAS
	0600	60	SHERWOOD
	0900	62	SHERWOOD
	1200	62	SHERWOOD
	1500	63	[illegible]
	1800	62	[illegible]
	2100	62	[illegible]
	2400	61°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: A-SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	71	J. TIRACHETA
	0600	71	Abney
	0900	71	Abney
	1200	71	Abney
	1500	72	H. AGUAYO
	1800	72	H. AGUAYO
	2100	70	H. AGUAYO
	2400	70	K GOMES

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	70	K GOMES
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	72	K GOMES

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	72	K GOMES
	0600	72	Abney
	0900	72	Abney
	1200	72	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	72	K GOMES

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	72	K GOMES
	0600	72	Abney
	0900	72	Abney
	1200	72	Abney
	1500	72	A. NAJERA
	1800	75	A. NAJERA
	2100	75	A. NAJERA
	2400	73	K GOMES

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	73	K GOMES
	0600	72	Abney
	0900	72	Abney
	1200	72	Abney
	1500	72	R. GONZALEZ
	1800	72	R. GONZALEZ
	2100	72	R. GONZALEZ
	2400	~~72~~ 72	K GOMES

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	72	K GOMES
	0600	72	Velasquez
	0900	72	Velasquez
	1200	72	Velasquez
	1500	73	L. MASTRO
	1800	74	L. MASTRO
	2100	73	L. MASTRO
	2400	73	J. TIRACHETA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	73	HIRACHETA
	0600	73	Velasquez
	0900	73	Velasquez
	1200	73	Velasquez
	1500	73	HIRACHETA
	1800	73	HIRACHETA
	2100	73	HIRACHETA
	2400	73	HIRACHETA

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	73	HIRACHETA
	0600	72	Abney
	0900	72	Abney
	1200	72	Abney
	1500	76	Shamp
	1800	74	Shamp
	2100	72	Shamp
	2400	72	K Grimes

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	72	K Grimes
	0600	72	Abney
	0900	72	Abney
	1200	72	Abney
	1500	72	Shamp
	1800	72	Shamp
	2100	72	Shamp
	2400	72	K Grimes

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	72	K Grimes
	0600	72	Abney
	0900	72	Abney
	1200	72	Abney
	1500	72	Shamp
	1800	72	Shamp
	2100	70	Shamp
	2400	70	K Grimes

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	70	K Grimes
	0600	70	R. Calderon
	0900	70	R. Calderon
	1200	70	R. Calderon
	1500	72	Shamp
	1800	72	Shamp
	2100	72	Shamp
	2400	70	K Grimes

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	70	K Grimes
	0600	70	R. Calderon
	0900	70	R. Calderon
	1200	70	R. Calderon
	1500	71	R. Gonzalez
	1800	71	R. Gonzalez
	2100	70	R. Gonzalez
	2400	70	K Grimes

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	70	K Grimes
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	72	L. Mastro
	1800	72	L. Mastro
	2100	72	L. Mastro
	2400	72	J. Hiracheta

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: VSP Housing Unit: DS corridor Temp. Reading Location: A SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6000 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	72	J. HIRACHETA
	0600	71	Velasquez
	0900	71	Velasquez
	1200	71	Velasquez
	1500	72	J. Gonzalez
	1800	69	J. Gonzalez
	2100	69	J. Gonzalez
	2400	69	J. HIRACHETA

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	69	J. HIRACHETA
	0600	68	SRAMIREZ
	0900	68	SRAMIREZ
	1200	69	SRAMIREZ
	1500	72	Shamp
	1800	72	Shamp
	2100	72	Shamp
	2400	70	K Gomes

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	68	K Gomes
	0600	68	J Landeros
	0900	68	J. Landeros
	1200	70	J. Landeros
	1500	70	Rodriguez
	1800	70	Shamp
	2100	70	Shamp
	2400	69	K Gomes

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	69	K Gomes
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	72	ZELAYA
	1800	72	ZELAYA
	2100	72	ZELAYA
	2400	70	K Gomes

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	70	K Gomes
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	70	A. MASENA
	1800	70	A. MASENA
	2100	70	A. MASENA
	2400	70	K Gomes

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	70	K Gomes
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	70	[illegible] GONZALEZ
	1800	70	[illegible] GONZALEZ
	2100	70	[illegible] GONZALEZ
	2400	69	K Gomes

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	69	K Gomes
	0600	69	C. UBSOLEZ
	0900	69	C. UBSOLEZ
	1200	70	C. UBSOLEZ
	1500	70	J. Gonzalez
	1800	70	J. Gonzalez
	2100	70	J. Gonzalez
	2400	70	J. HIRACHETA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB5 A-SIDE Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	J. Hiraoheta
	0600	70	C. VASQUEZ
	0900	70	C. VASQUEZ
	1200	70	C. VASQUEZ
	1500	70	J. Hiraoheta
	1800	70	J. Hiraoheta
	2100	70	J. Hiraoheta
	2400	70	J. Hiraoheta

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	70	J. Hiraoheta
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	70	Romero
	1800	70	Romero
	2100	70	Romero
	2400	70	K Grimes

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	69	K Grimes
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	70	H. Aguayo
	1800	70	H. Aguayo
	2100	70	H. Aguayo
	2400	69	K Grimes

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	68	K Grimes
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	70	Hernandez
	1800	70	Hernandez
	2100	70	Hernandez
	2400	69	K Grimes

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	69	K Grimes
	0600	68	Abney
	0900	68	Abney
	1200	68	Abney
	1500	70	C. VASQUEZ
	1800	70	C. VASQUEZ
	2100	70	C. VASQUEZ
	2400	69	K Grimes

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	69	K Grimes
	0600	68	Abney
	0900	68	Abney
	1200	68	Abney
	1500	68	ANDERSON
	1800	68	ANDERSON
	2100	68	ANDERSON
	2400	68	K Grimes

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	68	K Grimes
	0600	68	C. VASQUEZ
	0900	68	C. VASQUEZ
	1200	69	C. VASQUEZ
	1500	69	L. MASTRO
	1800	69	L. MASTRO
	2100	68	L. MASTRO
	2400	68	J. HIRACHETA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB5 A-SIDE Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	68	J. HIRAHETA
	0600	68	G. MACIAS
	0900	69	G. MACIAS
	1200	69	G. MACIAS
	1500	70	L. MASTRO
	1800	70	L. MASTRO
	2100	70	L. MASTRO
	2400	70	J. HIRAHETA

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	70	J. HIRAHETA
	0600	70	Abrey
	0900	70	Abrey
	1200	70	Abrey
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	68	K Collmas

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	68	K Collmas
	0600	68	Abrey
	0900	68	Abrey
	1200	68	Abrey
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	68	K Collmas

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	68	K Collmas
	0600	68	Abrey
	0900	68	Abrey
	1200	68	Abrey
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	68	K Collmas

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: B SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/11/24	0300	71	HIRAGERTA
	0600	71	Abey
	0900	71	Abey
	1200	71	Abey
	1500	70	H. AGUANO
	1800	70	H. AGUANO
	2100	70	H. AGUANO
	2400	70	K Gomes

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	70	K Gomes
	0600	70	Abey
	0900	70	Abey
	1200	70	Abey
	1500	72	Shamp
	1800	72	Shamp
	2100	72	Shamp
	2400	70	K Gomes

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	70	K Gomes
	0600	72	Abey
	0900	72	Abey
	1200	72	Abey
	1500	72	Shamp
	1800	72	Shamp
	2100	72	Shamp
	2400	70	K Gomes

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	70	K Gomes
	0600	70	Abey
	0900	70	Abey
	1200	70	Abey
	1500	71	A. NAJERA
	1800	73	A. NAJERA
	2100	73	A. NAJERA
	2400	70	K Gomes

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	72	K Gomes
	0600	72	Abey
	0900	72	Abey
	1200	72	Abey
	1500	72	L. Gonzalez
	1800	72	L. Gonzalez
	2100	72	L. Gonzalez
	2400	70	K Gomes

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	70	K Gomes
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	71	L. MASTRO
	1800	72	L. MASTRO
	2100	73	L. MASTRO
	2400	70	HIRAGERTA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 Temp. Reading Location: B-SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	73	HIRACHETA
	0600	73	Velasquez
	0900	73	Velasquez
	1200	73	Velasquez
	1500	73	HIRACHETA
	1800	73	HIRACHETA
	2100	73	HIRACHETA
	2400	73	HIRACHETA

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	73	HIRACHETA
	0600	72	Abrej
	0900	72	Abrej
	1200	72	Abrej
	1500	74	Shamp
	1800	74	Shamp
	2100	72	Shamp
	2400	70	K Gomez

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	70	K Gomez
	0600	70	Abrej
	0900	70	Abrej
	1200	70	Abrej
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	70	K Gomez

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	70	K Gomez
	0600	70	Abrej
	0900	70	Abrej
	1200	70	Abrej
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	70	K Gomez

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	69	K Gomez
	0600	69	R Calderon
	0900	70	R Calderon
	1200	70	R Calderon
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	69	K Gomez

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	69	K Gomez
	0600	69	R. Calderon
	0900	70	R. Calderon
	1200	70	R. Calderon
	1500	70	R. Gonzalez
	1800	70	R. Gonzalez
	2100	70	R. Gonzalez
	2400	70	K Gomez

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	70	K Gomez
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	70	L. Mastro
	1800	70	L Mastro
	2100	70	L Mastro
	2400	70	J. HIRACHETA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 control Temp. Reading Location: B-SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70	J. Hiraeheta
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	70	J. Gonzalez
	1800	70	J. Gonzalez
	2100	70	J. Gonzalez
	2400	70	J. Hiraeheta

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70	J. Hiraeheta
	0600	70	S. Chavez
	0900	70	S. Chavez
	1200	70	S. Chavez
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	69	K. Gulmes

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	68	K Gulmes
	0600	68	J Landeros
	0900	70	J. Landeros
	1200	70	J Landeros
	1500	70	Rodriguez
	1800	70	Shamp
	2100	70	Shamp
	2400	68	K Gulmes

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	68	K Gulmes
	0600	70	Abrey
	0900	70	Abrey
	1200	70	Abrey
	1500	70	ZELAYA
	1800	70	ZELAYA
	2100	69	ZELAYA
	2400	68	K Gulmes

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	68	K Gulmes
	0600	70	Abrey
	0900	70	Abrey
	1200	70	Abrey
	1500	70	R. Najera
	1800	70	R. Najera
	2100	70	R. Najera
	2400	68	K Gulmes

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	68	K Gulmes
	0600	70	Abrey
	0900	70	Abrey
	1200	70	Abrey
	1500	70	R. Gonzalez
	1800	70	R. Gonzalez
	2100	70	R. Gonzalez
	2400	68	K Gulmes

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	68	K Gulmes
	0600	68	C. Vasquez
	0900	68	C. Vasquez
	1200	68	C. Vasquez
	1500	68	J. Gonzalez
	1800	68	J. Gonzalez
	2100	68	J. Gonzalez
	2400	68	J. Hiraeheta

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB5 B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	S. Hiraoka
	0600	70	C. VASQUEZ
	0900	70	C. VASQUEZ
	1200	70	C. VASQUEZ
	1500	70	S. Hiraoka
	1800	70	S. Hiraoka
	2100	70	S. Hiraoka
	2400	70	S. Hiraoka

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	70	S. Hiraoka
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	70	Romero
	1800	70	Romero
	2100	70	Romero
	2400	65	K Gomes

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	65	K Gomes
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	70	H. Aguirre
	1800	70	H. Aguirre
	2100	70	H. Aguirre
	2400	65	K Gomes

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	65	K Gomes
	0600	68	Abney
	0900	68	Abney
	1200	68	Abney
	1500	68	Hernandez
	1800	68	Hernandez
	2100	68	Hernandez
	2400	65	K Gomes

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	65	K Gomes
	0600	68	Abney
	0900	68	Abney
	1200	68	Abney
	1500	68	C. VASQUEZ
	1800	68	C. VASQUEZ
	2100	67	C. VASQUEZ
	2400	65	K Gomes

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	65	K Gomes
	0600	68	Abney
	0900	68	Abney
	1200	68	Abney
	1500	68	ANDERSON
	1800	68	ANDERSON
	2100	68	ANDERSON
	2400	65	~~ANDERSON~~ K Gomes

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	65	K Gomes
	0600	65	C. VASQUEZ
	0900	65	C. VASQUEZ
	1200	66	C. VASQUEZ
	1500	66	L. MASTRO
	1800	66	L. MASTRO
	2100	65	L. MASTRO
	2400	65	S. HIRAOKA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB5 B-SIDE Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	65	J Hirachita
	0600	65	G Macias
	0900	66	G Macias
	1200	68	G Macias
	1500	68	L. Mastro
	1800	68	L. Mastro
	2100	68	L. Mastro
	2400	66	J. Hirachita

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	68	J. Hirachita
	0600	70	Abney
	0900	70	Abney
	1200	70	Abney
	1500	68	Shamp
	1800	68	Shamp
	2100	68	Shamp
	2400	66	K Collins

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	65	K Collins
	0600	68	Abney
	0900	68	Abney
	1200	68	Abney
	1500	68	Shamp
	1800	68	Shamp
	2100	68	Shamp
	2400	65	K Collins

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	65	K Collins
	0600	68	Abney
	0900	68	Abney
	1200	68	Abney
	1500	68	Shamp
	1800	68	Shamp
	2100	68	Shamp
	2400	65	K Collins

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(R) Institution: WSP Housing Unit: D6 Temp. Reading Location: 2nd Tier (A)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
	0300	70	V. Reyna
	0600	70	[illegible]
	0900	70	[illegible]
	1200	71	[illegible]
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-01-24	0300	69	V. Reyna
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	72	E. McLeod
	1800	72	E. McLeod
	2100	71	E. McLeod
	2400	71	V. Reyna

Wednesday

Date	Time	Temp.	Name (Print)
10-02-24	0300	70	V. Reyna
	0600	70	L. Richer
	0900	70	L. Richer
	1200	71	L. Richer
	1500	72	M. McLeod
	1800	72	M. McLeod
	2100	72	M. McLeod
	2400	72	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
10-03-24	0300	72	[illegible]
	0600	70	E. Calvo
	0900	72	E. Calvo
	1200	75	E. Calvo
	1500	75	E. McLeod
	1800	75	E. McLeod
	2100	75	E. McLeod
	2400	75	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10-04-24	0300	72	[illegible]
	0600	70	E. Calvo
	0900	72	E. Calvo
	1200	74	E. Calvo
	1500	75	E. McLeod
	1800	75	E. McLeod
	2100	74	E. McLeod
	2400	72	V. Reyna

Saturday

Date	Time	Temp.	Name (Print)
10-05-24	0300	71	V. Reyna
	0600	70	V. Reyna
	0900	70	V. Reyna
	1200	72	V. Reyna
	1500	74	Declined
	1800	75	Declined
	2100	75	Declined
	2400	73	V. Reyna

Sunday

Date	Time	Temp.	Name (Print)
10-06-24	0300	70	V. Reyna
	0600	70	V. Reyna
	0900	72	V. Reyna
	1200	74	V. Reyna
	1500	75	[illegible]
	1800	75	[illegible]
	2100	74	[illegible]
	2400	72	V. Reyna

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NSP Housing Unit: D6 Temp. Reading Location: 2nd TIER (A)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6021 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	70	V. Reyna
	0600	76	Mauss
	0900	78	Mauss
	1200	78	Mauss
	1500	78	M'LEON
	1800	78	M'LEON
	2100	78	M'LEON
	2400	78	V. Reyna

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	77	V. Reyna
	0600	77	S. Gonzalez
	0900	79	S. Gonzalez
	1200	78	S. Gonzalez
	1500	78	M'LEON
	1800	78	M'LEON
	2100	78	M'LEON
	2400	77	V. Reyna

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	75	V. Reyna
	0600	75.	S. Gonzalez
	0900	77	S. Gonzalez
	1200	79	S. Gonzalez
	1500	78	M'LEON
	1800	78	M'LEON
	2100	75	M'LEON
	2400	75	unattended

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	75	unattended
	0600	75	DelAtorre
	0900	75	DeLatorre
	1200	75	DelAtorre
	1500	75	E. M'LEON
	1800	74	E. M'LEON
	2100	72	E. M'LEON
	2400	73	unattended

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	75	unattended
	0600	75	unattended
	0900	75	unattended
	1200	75	unattended
	1500	75	M'LEON
	1800	75	M'LEON
	2100	75	M'LEON
	2400	74	V. Reyna

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	72	V. Reyna
	0600	73	B. Baez
	0900	74	B. Baez
	1200	76	B. Baez
	1500	76	A. Breckard
	1800	76	A. Breckard
	2100	75	A. Breckard
	2400	72	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	72	V. Reyna
	0600	72	V. Reyna
	0900	72	V. Reyna
	1200	72	V. Reyna
	1500	72	A. Breckard
	1800	72	A. Breckard
	2100	72	A. Breckard
	2400	71	V. Reyna

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4 Temp. Reading Location: 2nd Tier (A)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6681 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	70	V. Reyna
	0600	70	J. CASTELLANOS
	0900	71	J. CASTELLANOS
	1200	71	J. CASTELLANOS
	1500	72	E. M. LEON
	1800	72	E. M. LEON
	2100	70	E. M. LEON
	2400	70	E. M. LEON

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	70	V. Reyna
	0600	70	L. Barra
	0900	70	L. Barra
	1200	70	L. Barra
	1500	72	E. M. LEON
	1800	72	E. M. LEON
	2100	70	E. M. LEON
	2400	70	V. Reyna

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	70	V. Reyna
	0600	68	L. Rivas
	0900	69	L. Rivas
	1200	69	L. Rivas
	1500	70	M. LEON
	1800	70	M. LEON
	2100	70	M. LEON
	2400	70	Vaffad

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	70	Vaffad
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	70	M. LEON
	1800	70	M. LEON
	2100	70	M. LEON
	2400	70	Vaffad

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	70	Vaffad
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	70	E. M. LEON
	1800	70	E. M. LEON
	2100	70	E. M. LEON
	2400	70	V. Reyna

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	68	V. Reyna
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	70	A. Recinos
	1800	70	A. Recinos
	2100	70	A. Recinos
	2400	70	H. Ahmad

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	69	H. Ahmad
	0600	68	E. CALVO
	0900	69	E. CALVO
	1200	69	E. CALVO
	1500	70	A. Recinos
	1800	70	A. Recinos
	2100	70	A. Recinos
	2400	70	V. Reyna

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate ~~on the heat~~ risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

A

Institution: WSP Housing Unit: D6 Temp. Reading Location: 2nd TIER A

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	68	V. Reyna
	0600	66	E. Calvo
	0900	69	E. Calvo
	1200	69	E. Calvo
	1500	70	E. M'Leon
	1800	70	E. M'Leon
	2100	70	E. M'Leon
	2400	68	V. Reyna

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	65	V. Reyna
	0600	68	Ulmer
	0900	69	Ulmer
	1200	7[illegible]	Ulmer
	1500	70	E. M'Leon
	1800	70	E. M'Leon
	2100	70	E. M'Leon
	2400	70	V. Reyna

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	68	V. Reyna
	0600	68	Ulmer
	0900	69	Ulmer
	1200	69	Ulmer
	1500	70	E. M'Leon
	1800	70	E. M'Leon
	2100	70	E. M'Leon
	2400	70	Wofford

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70	Wofford
	0600	68	E. Calvo
	0900	68	E. Calvo
	1200		
	1500	70	E. M'Leon
	1800	70	E. M'Leon
	2100	70	E. M'Leon
	2400	70	Wofford

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70	Wofford
	0600	60	E. Calvo
	0900	63	E. Calvo
	1200	65	E. Calvo
	1500	70	E. M'Leon
	1800	70	E. M'Leon
	2100	70	E. M'Leon
	2400	[illegible]	V. Reyna

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	68	V. Reyna
	0600	68	E. Calvo
	0900	68	E. Calvo
	1200	68	E. Calvo
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	V. Reyna

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	68	V. Reyna
	0600	68	J. Moreno
	0900	70	J. Moreno
	1200	70	J. Moreno
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D6 Temp. Reading Location: 2nd tier (A)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6607 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	67	V. Reyne
	0600	67	E. Calvo
	0900	67	E. Calvo
	1200	67	E. Calvo
	1500	70	Em'Leon
	1800	70	Em'Leon
	2100	70	Em'Leon
	2400	70	V. Reyne

Tuesday

Dat	Time	Temp.	Name (Print)
10-29-24	0300	67	V. Reyne
	0600	68	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	69	[illegible]
	1800	70	Em'Leon
	2100	70	Em'Leon
	2400	69	C. Lumeu

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	67	C. Lumeu
	0600	67	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	68	Em'Leon
	1800	68	Em'Leon
	2100	68	Em'Leon
	2400	70	Watford

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	70	Watford
	0600	65	E. Calvo
	0900	65	E. Calvo
	1200	67	E. Calvo
	1500	68	J. Mora
	1800	69	J. Mora
	2100	69	J. Mora
	2400	69	J. Watford

Friday

Date	Time	Temp.	Name (Print)
	0300	69	Watford
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(B) Institution: WSP Housing Unit: D6 Temp. Reading Location: 2nd TIER (B)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
	0300	70	V. REYNA
	0600	70	[illegible]
	0900	70	[illegible]
	1200	71	[illegible]
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-01-24	0300	69	V. REYNA
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	72	E. MILLER
	1800	72	E. MILLER
	2100	72	E. MILLER
	2400	71	V. REYNA

Wednesday

Date	Time	Temp.	Name (Print)
10-02-24	0300	70	V. REYNA
	0600	70	L. Richer
	0900	70	L. Richer
	1200	71	L. Richer
	1500	72	M. LEON
	1800	72	M. LEON
	2100	72	M. LEON
	2400	72	

Thursday

Date	Time	Temp.	Name (Print)
10-03-24	0300	72	[illegible]
	0600	70	E. CALVO
	0900	72	E. CALVO
	1200	75	E. CALVO
	1500	78	E. MILLER
	1800	75	E. MILLER
	2100	75	E. MILLER
	2400	75	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10-04-24	0300	72	[illegible]
	0600	70	E. CALVO
	0900	72	E. CALVO
	1200	74	E. CALVO
	1500	75	E. MILLER
	1800	75	E. MILLER
	2100	74	E. MILLER
	2400	72	V. REYNA

Saturday

Date	Time	Temp.	Name (Print)
10-05-24	0300	71	V. REYNA
	0600	70	V. REYNA
	0900	70	V. REYNA
	1200	72	V. REYNA
	1500	74	[illegible]
	1800	75	[illegible]
	2100	73	[illegible]
	2400	73	V. REYNA

Sunday

Date	Time	Temp.	Name (Print)
10-06-24	0300	70	V. REYNA
	0600	70	V. REYNA
	0900	72	V. REYNA
	1200	74	V. REYNA
	1500	75	B. [illegible]
	1800	75	B. [illegible]
	2100	74	B. [illegible]
	2400	72	V. REYNA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

(B) Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D6 Temp. Reading Location: ANOTHER B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6021 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	70	V. Reyna
	0600	76	Morson
	0900	78	Morson
	1200	78	Morson
	1500	78	M'Leon
	1800	78	M'Leon
	2100	78	M'Leon
	2400	78	V. Reyna

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	77	V. Reyna
	0600	78	S. Gonzalez
	0900	78	S. Gonzalez
	1200	79	S. Gonzalez
	1500	78	M'Leon
	1800	78	M'Leon
	2100	78	M'Leon
	2400	77	V. Reyna

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	75	V. Reyna
	0600	75	S. Gonzalez
	0900	77	S. Gonzalez
	1200	79	S. Gonzalez
	1500	78	M'Leon
	1800	78	M'Leon
	2100	78	M'Leon
	2400	75	Moffat

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	75	Moffat
	0600	75	Delatorre
	0900	75	Delatorre
	1200	75	Delatorre
	1500	75	E. M'Leon
	1800	74	E. M'Leon
	2100	72	E. M'Leon
	2400	75	Moffat

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	75	Moffat
	0600	75	Moffat
	0900	78	Moffat
	1200	78	Moffat
	1500	75	M'Leon
	1800	78	M'Leon
	2100	75	M'Leon
	2400	74	V. Reyna

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	72	V. Reyna
	0600	72	B. Rivas
	0900	73	B. Rivas
	1200	78	B. Rivas
	1500	76	A. Recinos
	1800	76	A. Recinos
	2100	75	A. Recinos
	2400	72	V. Reyna

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	72	[illegible]
	0600	72	V. Reyna
	0900	72	V. Reyna
	1200	72	V. Reyna
	1500	72	A. Recinos
	1800	72	A. Recinos
	2100	72	A. Recinos
	2400	71	V. Reyna

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

B

Institution: WSP Housing Unit: D6 Temp. Reading Location: 2nd TIER B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	70	V. Reyna
	0600	70	J. CASTELLANOS
	0900	71	J. CASTELLANOS
	1200	71	J. CASTELLANOS
	1500	72	CMLEON
	1800	72	CMLEON
	2100	70	CMLEON
	2400	70	CMLEON

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	70	V. Reyna
	0600	70	L. PARRA
	0900	70	L. PARRA
	1200	70	L. PARRA
	1500	72	CMLEON
	1800	72	CMLEON
	2100	70	CMLEON
	2400	70	V. Reyna

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	70	V. Reyna
	0600	68	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	70	M. LEON
	1800	70	M. LEON
	2100	70	M. LEON
	2400	70	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	70	[illegible]
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	70	M. LEON
	1800	70	M. LEON
	2100	70	M. LEON
	2400	70	[illegible]

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	70	[illegible]
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	70	CMLEON
	1800	70	CMLEON
	2100	70	CMLEON
	2400	70	V. Reyna

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	68	V. Reyna
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	70	A. BRECHADO
	1800	70	A. BRECHADO
	2100	70	A. BRECHADO
	2400	69	H. Ahmed

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	69	H. AHMED
	0600	68	E. CALVO
	0900	69	E. CALVO
	1200	69	E. CALVO
	1500	70	A. BRECHADO
	1800	70	A. BRECHADO
	2100	70	A. BRECHADO
	2400	70	V. Reyna

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(B) Institution: WSP Housing Unit: D6 Temp. Reading Location: 2nd TIER (B)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	68	V. Reyna
	0600	66	E. CALVO
	0900	69	E. CALVO
	1200	69	E. CALVO
	1500	70	EM LEON
	1800	70	EM LEON
	2100	70	EM LEON
	2400	68	V. Reyna

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	65	V. Reyna
	0600	68	CALLHER
	0900	69	[illegible]
	1200	70	[illegible]
	1500	70	EM LEON
	1800	70	EM LEON
	2100	70	EM LEON
	2400	70	V. Reyna

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	68	V. Reyna
	0600	68	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	70	EM LEON
	1800	70	EM LEON
	2100	70	EM LEON
	2400	70	notified

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70	notified
	0600	68	E. CALVO
	0900	68	E. CALVO
	1200		
	1500	70	EM LEON
	1800	70	EM LEON
	2100	70	EM LEON
	2400	70	notified

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70	notified
	0600	60	E. CALVO
	0900	63	E. CALVO
	1200	65	E. CALVO
	1500	70	EM LEON
	1800	70	EM LEON
	2100	70	EM LEON
	2400	68	V. Reyna

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	68	V. Reyna
	0600	68	E. CALVO
	0900	68	E. CALVO
	1200	68	E. CALVO
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	V. Reyna

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	68	V. Reyna
	0600	68	J. MORENO
	0900	70	J. MORENO
	1200	70	[illegible]
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D6 Temp. Reading Location: 2nd TIER B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

B

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	67	V. REYNA
	0600	67	E. CALVO
	0900	67	E. CALVO
	1200	67	E. CALVO
	1500	70	EMILIO
	1800	70	EMILIO
	2100	70	EMILIO
	2400	70	V. REYNA

Tuesday

Dat	Time	Temp.	Name (Print)
10-29-24	0300	67	V. REYNA
	0600	68	CHUCKER
	0900	69	CHUCKER
	1200	69	CHUCKER
	1500	69	CHUCKER
	1800	70	EMILIO
	2100	70	EMILIO
	2400	69	C. WINELL

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	67	C. WINELL
	0600	67	CHUCKER
	0900	69	[illegible]
	1200	69	[illegible]
	1500	68	EMILIO
	1800	68	EMILIO
	2100	68	EMILIO
	2400	70	Stafford

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	70	Stafford
	0600	65	E. CALVO
	0900	65	E. CALVO
	1200	69	E. CALVO
	1500	69	J. MORA
	1800	68	J. MORA
	2100	68	J. MORA
	2400	68	Stafford

Friday

Date	Time	Temp.	Name (Print)
	0300	68	Stafford
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/01/24	0300	72	J. Dominguez
	0600	70	J. Perez
	0900	74	G. Perez
	1200	76	G. Perez
	1500	78	M. Ortega
	1800	79	M. Ortega
	2100	79	M. Ortega
	2400	79	J. Dominguez

Wednesday

Date	Time	Temp.	Name (Print)
10/02/24	0300	78	J. Dominguez
	0600	74	J. ELIAS
	0900	74	J. ELIAS
	1200	74	J. ELIAS
	1500	83	Bitlan
	1800	81	Bitlan
	2100	83	Bitlan
	2400	82	J. Dominguez

Thursday

Date	Time	Temp.	Name (Print)
10/03/24	0300	80	J. Dominguez
	0600	74	J. ELIAS
	0900	74	J. ELIAS
	1200	78	J. ELIAS
	1500	80	Bitlan
	1800	83	Bitlan
	2100	82	Bitlan
	2400	80	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
10/04/24	0300	74	J. Dominguez
	0600	72	J. Perez
	0900	75	J. Perez
	1200	79	J. Perez
	1500	79	Ramos
	1800	80	Ramos
	2100	80	Ramos.
	2400	79	Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
10/05/24	0300	79	Rodriguez
	0600	72	Pascual
	0900	79	Pascual
	1200	78	Pascual
	1500	80	Ramos
	1800	80	A. LOPEZ
	2100	80	A. LOPEZ
	2400	79	S. Delgadillo

Sunday

Date	Time	Temp.	Name (Print)
10/06/24	0300	78	S. Delgadillo
	0600	72°	G. Perez
	0900	73	G. Perez
	1200	78	G. Perez
	1500	79	A. LOPEZ
	1800	79	Ramos
	2100	79	Ramos
	2400	79	S. Delgadillo

Notes

BUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	78	S. Delgadillo
	0600	74	J. Perez
	0900	76	G. Perez
	1200	78	G. Perez
	1500	80	M. Ortega
	1800	80	M. Ortega
	2100	80	M. Ortega
	2400	78	J. Dominguez

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	76	J. Dominguez
	0600	72	J. Perez
	0900	74	J. Perez
	1200	76	J. Perez
	1500	79	M. Ortega
	1800	80	M. Ortega
	2100	79	M. Ortega
	2400	78	J. Dominguez

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	76	J. Dominguez
	0600	72	J. Elias
	0900	72	J. Elias
	1200	74	J. Elias
	1500	79	J. Cardenas
	1800	80	J. Cardenas
	2100	80	J. Cardenas
	2400	78	A. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	77	A. Gonzalez
	0600	72	J. Elias
	0900	73	J. Elias
	1200	74	J. Elias
	1500	76	J. Cardenas
	1800	79	J. Cardenas
	2100	79	J. Cardenas
	2400	78	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	72	J. Dominguez
	0600	70	J. Perez
	0900	71	J. Perez
	1200	72	J. Perez
	1500	75	A. Lopez
	1800	75	A. Lopez
	2100	75	A. Lopez
	2400	75	A. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	79	A. Gonzalez
	0600	71	J. Perez
	0900	71	J. Perez
	1200	71	J. Perez
	1500	72	Ramos
	1800	72	Ramos
	2100	72	Ramos
	2400	72	A. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	70	A. Gonzalez
	0600	72	A. Perez
	0900	73	G. Perez
	1200	73	G. Perez
	1500	72	Ramos
	1800	72	Ramos
	2100	72	Ramos
	2400	72	A. Gonzalez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70	A. Gonzalez
	0600	70	J. Perez
	0900	70	J. Perez
	1200	70	J. Perez
	1500	73	M. Ortega
	1800	72	M. Ortega
	2100	71	M. Ortega
	2400	70	J. Dominguez

Tuesday

Dat	Time	Temp.	Name (Print)
10/15/24	0300	70	J. Dominguez
	0600	69	J. Perez
	0900	70	J. Perez
	1200	71	J. Perez
	1500	72	M. Ortega
	1800	72	M. Ortega
	2100	71	M. Ortega
	2400	70	J. Dominguez

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	J. Dominguez
	0600	70	J. ELIAS
	0900	70	J. ELIAS
	1200	71	J. ELIAS
	1500	72	J. CARDENAS
	1800	72	J. CARDENAS
	2100	71	J. CARDENAS
	2400	70	J. Dominguez

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	70	J. Dominguez
	0600	70	J. ELIAS
	0900	70	J. ELIAS
	1200	71	J. ELIAS
	1500	71	J. CARDENAS
	1800	72	J. CARDENAS
	2100	71	J. CARDENAS
	2400	71	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	70	J. Dominguez
	0600	68	J. Perez
	0900	69	J. Perez
	1200	70	J. Perez
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	68	A. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	67	A. Gonzalez
	0600	63	J. Perez
	0900	65	J. Perez
	1200	68	J. Perez
	1500	70	Ramos
	1800	68	Ramos
	2100	68	Ramos
	2400	68	MORA

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	68	MORA
	0600	66	MEDINA
	0900	68	MEDINA
	1200	68	MEDINA
	1500	70	Ramos
	1800	70	Ramos
	2100	70	Ramos
	2400	70	MORA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D-7 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	MORA
	0600	70	A. LOPEZ
	0900	72	A. LOPEZ
	1200	72	A. LOPEZ
	1500	70	M. Ortega
	1800	70	M. Ortega
	2100	70	M. Ortega
	2400	70	J. Dominguez

Tuesday

Dat	Time	Temp.	Name (Print)
10/22/24	0300	68	J. Dominguez
	0600	69	A. LOPEZ
	0900	70	A. LOPEZ
	1200	70	A. LOPEZ
	1500	71	M. Ortega
	1800	70	M. Ortega
	2100	70	M. Ortega
	2400	70	J. Dominguez

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	68	J. Dominguez
	0600	68	J. ELIAS
	0900	68	J. ELIAS
	1200	69	J. ELIAS
	1500	70	J. CARDENAS
	1800	71	J. CARDENAS
	2100	70	J. CARDENAS
	2400	70	J. Dominguez

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	68	J. Dominguez
	0600	66	J. ELIAS
	0900	66	J. ELIAS
	1200	69	J. ELIAS
	1500	70	J. CARDENAS
	1800	70	J. CARDENAS
	2100	70	J. CARDENAS
	2400	68	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	66	J. Dominguez
	0600	67	L. BROWN
	0900	67	J. ELIAS
	1200	69	J. ELIAS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	68	RAMOS
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	68	J. DOMINGUEZ
	0600	66	J. CARDENAS
	0900	66	J. CARDENAS
	1200	69	J. CARDENAS
	1500	70	RAMOS
	1800	70	RAMOS
	2100	70	RAMOS
	2400	68	P. Villa

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	68	P. Villa
	0600	68	J. Perez
	0900	69	J. Perez
	1200	70	J. Perez
	1500	70	J. Perez
	1800	70	J. Perez
	2100	70	J. Perez
	2400	70	P. Villa

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D-7 Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	68	D. Villa
	0600	68	J. Perez
	0900	68	J. Perez
	1200	69	J. Perez
	1500	70	M. Ortega
	1800		
	2100		
	2400	68	J. Dominguez

Tuesday

Dat	Time	Temp.	Name (Print)
10/29/24	0300	66	J. Dominguez
	0600	65	J. Perez
	0900	67	J. Perez
	1200	68	J. Perez
	1500	69	M. Ortega
	1800	68	M. Ortega
	2100	68	M. Ortega
	2400	66	J. Dominguez

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	64	J. Dominguez
	0600	64	J. ELIAS
	0900	64	J. ELIAS
	1200	66	J. ELIAS
	1500	69	J. CARDENAS
	1800	69	J. CARDENAS
	2100	68	J. CARDENAS
	2400	64	J. Dominguez

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	62	J. Dominguez
	0600	62	J. ELIAS
	0900	64	J. ELIAS
	1200	66	J. ELIAS
	1500	68°	R. Dhaliwal
	1800	69°	R. Dhaliwal
	2100	68°	R. Dhaliwal
	2400	64°	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

_____

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-1 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	76	FUENTES
	0600	76	HARL
	0900	76	Valencia
	1200	76	Valencia
	1500	75	Martinez
	1800	75	Martinez
	2100	75	Martinez
	2400	76	FUENTES

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	76	FUENTES
	0600	78	HARL
	0900	78	MORALES
	1200	78	MORALES
	1500	78	G. Reyes
	1800	78	G. Reyes
	2100	78	G. Reyes
	2400	78	SANCHEZ

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	76	W SANCHEZ
	0600	76	HARL
	0900	76	HARL
	1200	76	HARL
	1500	79	GUERRA
	1800	80	GUERRA
	2100	80	GUERRA
	2400	80	AGUSTO

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	80	AGUSTO
	0600	78	Salinas
	0900	78	Salinas
	1200	78	Salinas
	1500	78	MEDINA
	1800	78	MEDINA
	2100	78	MEDINA
	2400	76	~~AGUSTO~~ AGUSTO

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	78	AGUSTO
	0600	78	MEDINA
	0900	78	MEDINA
	1200	79	MEDINA
	1500	80	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	78	FUENTES

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	78	FUENTES
	0600	75	Valencia
	0900	78	Valencia
	1200	78	Valencia
	1500	80	[illegible]
	1800	80	[illegible]
	2100	80	[illegible]
	2400	78	FUENTES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-1 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	79	Mejia
	0600	78	HARL
	0900	78	HARL
	1200	78	HARL
	1500	78°	G. Reyes
	1800	78°	G. Reyes
	2100	78°	G. Reyes
	2400	78	W SANCHEZ

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	78	W SANCHEZ
	0600	78	Harl
	0900	78	Harl
	1200	78	Harl
	1500	78°	G. Reyes
	1800	78°	G. Reyes
	2100	78	G. Reyes
	2400	78	W SANCHEZ

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	78	W SANCHEZ
	0600	78	Earnest
	0900	78	Earnest
	1200	78	Earnest
	1500	79	[illegible]
	1800	79	[illegible]
	2100	79	[illegible]
	2400	78	W SANCHEZ

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	78	W SANCHEZ
	0600	78	E. Salinas
	0900	78	E. Salinas
	1200	78	E. Salinas
	1500	79	[illegible]
	1800	79	[illegible]
	2100	79	[illegible]
	2400	78	W SANCHEZ

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	78	W SANCHEZ
	0600	78	E. Salinas
	0900	78	E. Salinas
	1200	78	E. Salinas
	1500	79	[illegible]
	1800	79	[illegible]
	2100	79	[illegible]
	2400	78	W SANCHEZ

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	78	W SANCHEZ
	0600	75	[illegible]
	0900	75	[illegible]
	1200	75	[illegible]
	1500	78	R. Montoya
	1800	78	R. Montoya
	2100	78	R. Montoya
	2400	78	AGUSTO

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	78	AGUSTO
	0600	78	[illegible]
	0900	78	[illegible]
	1200	78	[illegible]
	1500	79	[illegible]
	1800	79	[illegible]
	2100	79	[illegible]
	2400	78	FUENTES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-1 Temp. Reading Location: Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	72	FUENTES
	0600	72	Horl
	0900	72	Horl
	1200	74	Horl
	1500	74	LM
	1800	75	LM
	2100	75	LM
	2400	75	FUENTES

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	75	FUENTES
	0600	72	Horl
	0900	72	Horl
	1200	74	Horl
	1500	75	Martinez
	1800	75	Martinez
	2100	75	Nguyen
	2400	73	FUENTES

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	72	FUENTES
	0600	74	Horl
	0900	74	Horl
	1200	74	Horl
	1500	75	[illegible]
	1800	75	[illegible]
	2100	75	[illegible]
	2400	75	Mejia

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	72	Mejia
	0600	74	Horl
	0900	74	Horl
	1200	74	Horl
	1500	75	Arch
	1800	75	Arch
	2100	75	Arch
	2400	73	Agusto

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	73	AGUSTO
	0600	73	Salinas
	0900	73	Salinas
	1200	74	Salinas
	1500	75	MEDINA
	1800	75	MEDINA
	2100	75	MEDINA
	2400	75	AGUSTO

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	75	AGUSTO
	0600	70	Salinas
	0900	70	Salinas
	1200	70	Salinas
	1500	70	MEDINA
	1800	70	Arch
	2100	70	Arch
	2400	70	FUENTES

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	70	AGUSTO
	0600	70	AGUSTO
	0900	72	SALINAS
	1200	73	SALINAS
	1500	75	Martinez
	1800	75	Martinez
	2100	75	[illegible]
	2400	75	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-1 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	73	Mejia
	0600	70	CALZADA
	0900	70	CALZADA
	1200	72	CALZADA
	1500	75	Mejia
	1800	75	Mejia
	2100	75	Mejia
	2400	70°	L. PONCE

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	70°	L. PONCE
	0600	70	CALZADA
	0900	70	CALZADA
	1200	72	CALZADA
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	70	L. PONCE

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	70	L. PONCE
	0600	70	Hall
	0900	70	CALZADA
	1200	70	CALZADA
	1500	70°	G. Reyes
	1800	70°	G. Reyes
	2100	70°	G. Reyes
	2400	70°	L. PONCE

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70°	L PONCE
	0600	70	Hall
	0900	70	Hall
	1200	70	Hall
	1500	73	A. CERMENO
	1800	73	A. CERMENO
	2100	72	A. CERMENO
	2400	70	AGUSTO

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	70	AGUSTO
	0600	70	E. Salinas
	0900	70	E. Salinas
	1200	71	E. Salinas
	1500	72	FAR
	1800	72	FAR
	2100	72	FAR
	2400	70°	L PONCE

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	70°	L PONCE
	0600	70	CALZADA
	0900	70	CALZADA
	1200	70	CALZADA
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	AGUSTO

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	70	AGUSTO
	0600	70	CALZADA
	0900	70	CALZADA
	1200	70	CALZADA
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-1 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	70	Mejia
	0600	70	Calzada
	0900	70	Calzada
	1200	70	Calzada
	1500	70	Lu
	1800	70°	G. Reyes
	2100	70°	G. Reyes
	2400	68	Fuentes

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	68	Fuentes
	0600	68	Calzada
	0900	68	Calzada
	1200	70	Calzada
	1500	70°	G. Reyes
	1800	70°	G. Reyes
	2100	70	G. Reyes
	2400	68	Fuentes

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	68	Fuentes
	0600	68	Calzada
	0900	69	Calzada
	1200	70	Calzada
	1500	70°	G. Reyes
	1800	70°	G. Reyes
	2100	70°	G. Reyes
	2400	70	Mejia

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	70	Mejia
	0600	70	Hall
	0900	70	Hall
	1200	70	Hall
	1500	70	Young
	1800	70	Rodriguez
	2100	70	Young
	2400	70	Valundi

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-2 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	73	M. Graham
	0600	73	BLASDELL
	0900	73	BLASDELL
	1200	77	BLASDELL
	1500	79	J. Vauncia
	1800	79.	J. Vauncia
	2100	79.	J. Vauncia
	2400	77	M. Graham

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	75	M. Graham
	0600	75	BLASDELL
	0900	77	BLASDELL
	1200	79	~~Maness~~ Fry
	1500	79	FRY
	1800	79	FRY
	2100	79	FRY
	2400	77	Maness

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	75	Maness
	0600	75	BLASDELL
	0900	75	BLASDELL
	1200	79	BLASDELL
	1500	79	ZELAYA
	1800	81	ZELAYA
	2100	81	ZELAYA
	2400	75	M. Graham

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	75	M. Graham
	0600	75	M. Garner
	0900	77	M. Garner
	1200	77	M. Garner
	1500	78	G. Guerin
	1800	79	G. Guerin
	2100	79	G. Guerin
	2400	78	Maness

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	77	Maness
	0600	77	Earnest
	0900	77	Earnest
	1200	77	Earnest
	1500	76	GONZALEZ
	1800	77	GONZALEZ
	2100	77	GONZALEZ
	2400	78	M. Maness

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	78	Maness
	0600	78	RAMIREZ
	0900	78	RAMIREZ
	1200	78	RAMIREZ
	1500	81	Vauncia
	1800	81.	Vauncia
	2100	81	Vauncia
	2400	80	RAMIREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-2 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	75	RAMIREZ
	0600	75	BLASDELL
	0900	75	BLASDELL
	1200	79	BLASDELL
	1500	79.	Valencia
	1800	81.	Valuncia
	2100	79.	Vauncia
	2400	77	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	75	RAMIREZ
	0600	77	BLASDELL
	0900	77	M. Yanez
	1200	77	BLASDELL
	1500	77.	Vauncia
	1800	79.	Vauncia
	2100	79.	Vauncia
	2400	75	LUMELI

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	75	LUMELI
	0600	75	BLASDELL
	0900	75	L. Lopez
	1200	75	L. Lopez
	1500	77.	Valencia
	1800	79.	Vauncia
	2100	79.	Vauncia
	2400	77	Maness

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	75	Maness
	0600	73	BLASDELL
	0900	75	BLASDELL
	1200	75	M. Yanez
	1500	77.	Valencia
	1800	77.	Vauncia
	2100	77	Vauncia
	2400	77	Maness

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	75	Maness
	0600	73	BLASDELL
	0900	73	BLASDELL
	1200	75	M. Yanez
	1500	78	ZELAYA
	1800	78	ZELAYA
	2100	79	ZELAYA
	2400	76	G. Reyes

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	75	G. Reyes
	0600	75	G. Reyes
	0900	75.	Valencia
	1200	75.	Vauncia
	1500	77°	H. VASQUEZ
	1800	75°	H. VASQUEZ
	2100	73°	H. VASQUEZ
	2400	75	Maness

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	73	Maness
	0600	73	Maness
	0900	73	Martinez
	1200	75	Martinez
	1500	75	Martinez
	1800	75	Valuncia
	2100	75.	Vauncia
	2400	75	Maness

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-2 Temp. Reading Location: Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	73	R. Montoya
	0600	73	BUSDELL
	0900	73	BUSDELL
	1200	75	M. Yanez
	1500	75	Valuncia
	1800	77	Valuncia
	2100	77	Valuncia
	2400	75	ALROBIAI

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	73	ALROBIAI
	0600	73	BUSDELL
	0900	73	BUSDELL
	1200	75	BUSDELL
	1500	75	[illegible]
	1800	73	[illegible]
	2100	73	[illegible]
	2400	71	ALROBIAI

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	71	ALROBIAI
	0600	72	W. Server
	0900	73	W. Server
	1200	75	BUSDELL
	1500	75	J. Valuncia
	1800	77	J. Valuncia
	2100	75	J. Valuncia
	2400	75	Maness

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	73	Maness
	0600	72	[illegible]
	0900	74	[illegible]
	1200	74	[illegible]
	1500	75	Valuncia
	1800	75	Valuncia
	2100	75	Valuncia
	2400	75	Maness

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	75	Maness
	0600	75	M. Yanez
	0900	73	M. Yanez
	1200	72	[illegible]
	1500	72	CERMENO A
	1800	72	CERMENO A
	2100	73	CERMENO A
	2400	70	K. Raly

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	68	K. Raly
	0600	70	M. Yanez
	0900	72	M. Yanez
	1200	72	M. Yanez
	1500	73	CERMENO A
	1800	73	CERMENO A
	2100	72	CERMENO A
	2400	72	Maness

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	72	Maness
	0600	70	M. Yanez
	0900	70	M. Yanez
	1200	73	M. Yanez
	1500	73	Valuncia
	1800	73	Valuncia
	2100	73	Valuncia
	2400	73	Maness

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-2 Temp. Reading Location: Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	72	R. Montoya
	0600	70	BLASDELL
	0900	72	M. Yanez
	1200	73	BLASDELL
	1500	73	Valencia
	1800	73	Valencia
	2100	73	Valencia
	2400	72	ALROBIAI

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	72	ALROBIAI
	0600	72	BLASDELL
	0900	70	BLASDELL
	1200	72	M. Yanez
	1500	72	M. Valencia
	1800	72	M. Valencia
	2100	72	M. Valencia
	2400	72	ALROBIAI

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	70	ALROBIAI
	0600	72	BLASDELL
	0900	72	BLASDELL
	1200	73	BLASDELL
	1500	73	FRYE
	1800	72	FRYE
	2100	72	FRYE
	2400	72	ALROBIAI

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	70	ALROBIAI
	0600	70	BLASDELL
	0900	70	BLASDELL
	1200	72	BLASDELL
	1500	70	K. KAUR
	1800	70	K. KAUR
	2100	70	K. KAUR
	2400	70	ALROBIAI

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	69	ALROBIAI
	0600	70	M. Yanez
	0900	72	M. Yanez
	1200	73	M. Yanez
	1500	73	A. CERMENO
	1800	73	A. CERMENO
	2100	72	A. CERMENO
	2400	72	RAMIREZ

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	72	RAMIREZ
	0600	72	M. Yanez
	0900	72	M. Yanez
	1200	73	M. Yanez
	1500	73	A. CERMENO
	1800	73	A. CERMENO
	2100	73	A. CERMENO
	2400	72	RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	72	RAMIREZ
	0600	70	Martinez
	0900	70	Martinez
	1200	70	Martinez
	1500	70°	K. KAUR
	1800	72	RAMIREZ
	2100	72	RAMIREZ
	2400	72	RAMIREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-2 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	72	RAMIREZ
	0600	72	BLASDELL
	0900	72	BLASDELL
	1200	72	McYance
	1500	72	A. CERMENO
	1800	72	A. CERMENO
	2100	72	A. CERMENO
	2400	72	RAMIREZ

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	72	RAMIREZ
	0600	70	McYance
	0900	70	McYance
	1200	72	McYance
	1500	72	Betancourt
	1800	72	Betancourt
	2100	72	Betancourt
	2400	72	E. GONZALEZ

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	72	E. GONZALEZ
	0600	68	BLASDELL
	0900	70	BLASDELL
	1200	72	BLASDELL
	1500	70	Valuncia
	1800	72	Valuncia
	2100	72	Valuncia
	2400	64	ALROBEAF

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	66	ALROBEAF
	0600	68	BLASDELL
	0900	68	BLASDELL
	1200	70	BLASDELL
	1500	70	Valuncia
	1800	72	Valuncia
	2100	72	Valuncia
	2400	70	Maness

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	76	S. BORRERO
	0600	76	I. SAMAZAR
	0900	76	I. SAMAZAR
	1200	76	I. SAMAZAR
	1500	76	ENRIQUEZ
	1800	77	ENRIQUEZ
	2100	77	ENRIQUEZ
	2400	77	Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	76	GONSALEZ
	0600	76	E. HURD
	0900	76	E. HURD
	1200	76	E. HURD
	1500	77	M ENRIQUEZ
	1800	79	M ENRIQUEZ
	2100	79	M ENRIQUEZ
	2400	79	J. GALAVIZ

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	79	GALAVIZ
	0600	79	E. HURD
	0900	79	E. HURD
	1200	79	E. HURD
	1500	81	R. MICHELSON
	1800	82	R. MICHELSON
	2100	82	R. MICHELSON
	2400	82	D. VALADEZ

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	81	D. VALADEZ
	0600	80	E. HURD
	0900	81	E. HURD
	1200	81	E. HURD
	1500	83	R. MICHELSON
	1800	83	R. MICHELSON
	2100	82	R. MICHELSON
	2400	82	R. MICHELSON

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	82	R. MICHELSON
	0600	81	E. HURD
	0900	81	E. HURD
	1200	81	E. HURD
	1500	81	S. RIVERA
	1800	82	S. RIVERA
	2100	81	S. RIVERA
	2400	81	S. RIVERA

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	81	S. RIVERA
	0600	80	G. MARTINEZ
	0900	84	[illegible]
	1200	84	[illegible]
	1500	84	S. RIVERA
	1800	84	S. RIVERA
	2100	83	S. RIVERA
	2400	84	D. VALADEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-24	0300	80	M. Garcia
	0600	79	Baslaco
	0900	80	Baslaco
	1200	82	Baslaco
	1500	82	ENRIQUEZ
	1800	80	ENRIQUEZ
	2100	80	ENRIQUEZ
	2400	80	M Garcia

Tuesday

Date	Time	Temp.	Name (Print)
10-8-24	0300	80	M. Garcia
	0600	80	E. HURD
	0900	81	E. HURD
	1200	81	E. HURD
	1500	82	R-Michelsen
	1800	82	R-Michelsen
	2100	83	R-Michelsen
	2400	82	J. Galaviz

Wednesday

Date	Time	Temp.	Name (Print)
10-9-24	0300	82	J. Galaviz
	0600	81	E. HURD
	0900	81	E. HURD
	1200	81	E. HURD
	1500	81	R-Michelsen
	1800	82	R-Michelsen
	2100	82	R-Michelsen
	2400	81	E. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
10-10-24	0300	81	E. GONZALEZ
	0600	81	E. HURD
	0900	81	E. HURD
	1200	81	E. HURD
	1500	81	R. Michelsen
	1800	80	R Michelsen
	2100	80	R-Michelsen
	2400	80	Valencia

Friday

Date	Time	Temp.	Name (Print)
10-11-24	0300	80	Valencia
	0600	79	E. HURD
	0900	79	E. HURD
	1200	79	E. HURD
	1500	80	R-Michelsen
	1800	79	R-Michelsen
	2100	79	R-Michelsen
	2400	80	M. Garcia

Saturday

Date	Time	Temp.	Name (Print)
10-12-24	0300	80	M. Garcia
	0600	78	E. HURD
	0900	78	E. HURD
	1200	78	E. HURD
	1500	78	ENRIQUEZ
	1800	78	ENRIQUEZ
	2100	78	ENRIQUEZ
	2400	78	S. Rivera

Sunday

Date	Time	Temp.	Name (Print)
10-13-24	0300	78	S. Rivera
	0600	78	Baslaco
	0900	79	Baslaco
	1200	79	Baslaco
	1500	79	S. Rivera
	1800	79	S. Rivera
	2100	79	S. Rivera
	2400	80	E. Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	78	E. Gonzalez
	0600	78	Basiaco
	0900	78	Basiaco
	1200	79	Basiaco
	1500	79	S. Borrego
	1800	79	S. Borrego
	2100	79	S. Borrego
	2400	79	S. Borrego

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	78	S. Borrego
	0600	78	E. Hurd
	0900	78	E. Hurd
	1200	78	E. Hurd
	1500	78	Galaviz
	1800	78	Galaviz
	2100	78	Galaviz
	2400	78	Galaviz

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	78	J. Galaviz
	0600	75	E. Hurd
	0900	76	E. Hurd
	1200	76	E. Hurd
	1500	76	R. Michelson
	1800	76	R. Michelson
	2100	75	R. Michelson
	2400	77	S. Borrego

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	77	S. Borrego
	0600	78	A. Zepeda
	0900	78	A. Zepeda
	1200	78	A. Zepeda
	1500	76	R. Michelson
	1800	75	R. Michelson
	2100	75	R. Michelson
	2400	75	R. Michelson

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	73	J. Galaviz
	0600	73	E. Hurd
	0900	73	E. Hurd
	1200	73	E. Hurd
	1500	73	R. Michelson
	1800	72	R. Michelson
	2100	72	R. Michelson
	2400	72	S. Rivera

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	71	S. River
	0600	71	Basiaco
	0900	73	E. Hurd
	1200	73	E. Hurd
	1500	71	S. River
	1800	71	S. River
	2100	70	S. River
	2400	70	S. River

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	70	S. River
	0600	70	G. Martinez
	0900	70	Martinez
	1200	70	Martinez
	1500	71	S. Rivera
	1800	71	S. River
	2100	71	S. River
	2400	70	D. Valadez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	70	O. VALADEZ
	0600	70	BASILACO
	0900	71	BASILACO
	1200	72	S. BORREGO
	1500	73	S. BORREGO
	1800	72	S. BORREGO
	2100	71	S. BORREGO
	2400	71	S. BORREGO

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	70	S. BORREGO
	0600	72	E. HURD
	0900	72	E. HURD
	1200	72	E. HURD
	1500	72	R-MICHELSON
	1800	72	R-MICHELSON
	2100	71	R-MICHELSON
	2400	72	J. GALAVIZ

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	72	J. GALAVIZ
	0600	72	E. HURD
	0900	72	E. HURD
	1200	72	E. HURD
	1500	73	R- MICHELSON
	1800	73	R-MICHELSON
	2100	73	R-MICHELSON
	2400	72	J. GALAVIZ

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	72	J. GALAVIZ
	0600	72	E. HURD
	0900	72	E. HURD
	1200	72	E. HURD
	1500	73	R. MICHELSON
	1800	73	R-MICHELSON
	2100	72	R-MICHELSON
	2400	71	S. BORREGO

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	71	S. BORREGO
	0600	71	E. HURD
	0900	72	E. HURD
	1200	72	E. HURD
	1500	73	R. MICHELSON
	1800	72	R-MICHELSON
	2100	72	R-MICHELSON
	2400	71	S. RIVERA

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	71	S. RIVERA
	0600	71	BASILACO
	0900	71	BASILACO
	1200	71	BASILACO
	1500	71	S. RIVERA
	1800	71	S. RIVERA
	2100	71	S. RIVERA
	2400	70	S. RIVERA

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	70	S. RIVERA
	0600	71	BASILACO
	0900	72	BASILACO
	1200	72	BASILACO
	1500	71	S. RIVERA
	1800	71	S. RIVERA
	2100	71	S. RIVERA
	2400	71	O. VALADEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	69	C. VILLARUBIA
	0600	70	Barraco
	0900	71	Barraco
	1200	71	Barraco
	1500	71	BORREGO
	1800	71	BORREGO
	2100	71	BORREGO
	2400	70	BORREGO

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	70	BORREGO
	0600	70	E. HURD
	0900	70	E. HURD
	1200	70	E. HURD
	1500	72	R-MICHELSON
	1800	71	R-MICHELSON
	2100	71	R-MICHELSON
	2400	71	J. GALAVIZ

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	71	J. GALAVIZ
	0600	70	E. HURD
	0900	71	E. HURD
	1200	71	E. HURD
	1500	72	R. MICHELSON
	1800	71	R-MICHELSON
	2100	71	R-MICHELSON
	2400	71	J. GALAVIZ

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	71	J. GALAVIZ
	0600	70	E. HURD
	0900	70	E. HURD
	1200	70	E. HURD
	1500	71	R-MICHELSON
	1800	70	R-MICHELSON
	2100	70	R-MICHELSON
	2400	70	J. GALAVIZ

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-4 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300	70°	N. MOSARRO
	0600	69°	C. Bell
	0900	70°	C. Bell
	1200	72°	C. Bell
	1500	72	A M OCHOA
	1800	72	AM OCHOA
	2100	72	AM OCHOA
	2400	71	N. MOSARRO

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	70	N. MOSARRO
	0600	71	C. Bellard
	0900	72	C. Bellard
	1200	72	C. Bellard
	1500	70	A.M. OCHOA
	1800	70	AM OCHOA
	2100	70	AM OCHOA
	2400	70	N. MOSARRO

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	71	N. MOSARRO
	0600	71	I. HERNANDEZ
	0900	72	J. RAMIREZ
	1200	73	J. RAMIREZ
	1500	72	A.M. OCHOA
	1800	72	AM OCHOA
	2100	72	AM OCHOA
	2400	72	N. MOSARRO

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	71	N. MOSARRO
	0600	72	J. RAMIREZ
	0900	72	J. RAMIREZ
	1200	73	J. RAMIREZ
	1500	74	B. Ortega
	1800	74	B. Ortega
	2100	73	B. Ortega
	2400	70	N. JONES

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	70°	N. JONES
	0600	72°	L. JONES
	0900	75°	L. JONES
	1200	77°	L. JONES
	1500	75	R. MICHELS
	1800	76	R. MICHELS
	2100	76	R. MICHELS
	2400	76	O. VALADEZ

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	74	O. VALADEZ
	0600	74	F. GALICIA
	0900	75	F. GALICIA
	1200	76	F. GALICIA
	1500	78	C. Pascual
	1800	78	C. Pascual
	2100	78	C. Pascual
	2400	70	N. JONES

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP/RC Housing Unit: H4 Temp. Reading Location: Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6008 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	75	N. MOSARRO
	0600	75	J. Ramirez
	0900	75	J. Ramirez
	1200	77	J. Ramirez
	1500	78	Zelaya
	1800	78	Zelaya
	2100	78	Zelaya
	2400	78	N. MOSARRO

Tuesday

Date	Time	Temp.	Name (Print)
10/8/24	0300	76	N. MOSARRO
	0600	74	E. DIAZ
	0900	74	E. DIAZ
	1200	76	E. DIAZ
	1500	74	A. Castaneda
	1800	74	A. Castaneda
	2100	74	A. Castaneda
	2400	72	N. MOSARRO

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	71	N. MOSARRO
	0600	71	G. Dickey
	0900	71	G. Dickey
	1200	72	G. Dickey
	1500	74	Zelaya
	1800	75	Zelaya
	2100	76	Zelaya
	2400	72	N. MOSARRO

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	72	N. MOSARRO
	0600	71	J. Ramirez
	0900	71	J. Ramirez
	1200	71	J. Ramirez
	1500	72	H. Ahmed
	1800	72	H. Ahmed
	2100	72	H. Ahmed
	2400	71	N. MOSARRO

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	70	N. MOSARRO
	0600	71	J. Hernandez
	0900	70	J. Hernandez
	1200	70	J. Hernandez
	1500	70	A. Smith
	1800	70	A. Smith
	2100	70	A. Smith
	2400	70	N. JONES

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	70	N. JONES
	0600	71	F. GALICIA
	0900	71	F. GALICIA
	1200	72	F. GALICIA
	1500	72	A. Smith
	1800	72	A. Smith
	2100	71	A. Smith
	2400	70	N. JONES

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	68	N. JONES
	0600	68	G. MACIAS
	0900	68	G. MACIAS
	1200	70	G. MACIAS
	1500	70	M. ARREGUZIA
	1800	70	M. ARREGUZIA
	2100	70	M. ARREGUZIA
	2400	70	N. JONES

Notes

DISTRIBUTION: Original; Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-4 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-24	0300	67	N. Jones
	0600	68	J. Ramirez
	0900	68	J. Ramirez
	1200	69	J. Ramirez
	1500	69	A.M. Ochoa
	1800	70	A M Ochoa
	2100	70	A M Ochoa
	2400	69	J. Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
10-15-24	0300	69	J. Ramirez
	0600	69	J. Hernandez
	0900	70	J. Hernandez
	1200	70	E. Olivares
	1500	70	A. Najera
	1800	70	A. Najera
	2100	69	A. Najera
	2400	69	N. Mosarro

Wednesday

Date	Time	Temp.	Name (Print)
10-16-24	0300	69	N. Mosarro
	0600	69	J. Hernandez
	0900	70	J. Hernandez
	1200	70	J. Hernandez
	1500	71	B. Ortega
	1800	70	B. Ortega
	2100	70	B. Ortega
	2400	69	N. Mosarro

Thursday

Date	Time	Temp.	Name (Print)
10-17-24	0300	69	N. Mosarro
	0600	68	J. Ramirez
	0900	68	J. Ramirez
	1200	68	J. Ramirez
	1500	69	B. Ortega
	1800	70	B. Ortega
	2100	69	B. Ortega
	2400	69	N. Mosarro

Friday

Date	Time	Temp.	Name (Print)
10-18-24	0300	69	N. Mosarro
	0600	66	J. Ramirez
	0900	66	J. Ramirez
	1200	66	J. Ramirez
	1500	69	B. Ortega
	1800	68	B. Ortega
	2100	67	B. Ortega
	2400	63	N. Jones

Saturday

Date	Time	Temp.	Name (Print)
10-19-24	0300	63	A. Gonzales
	0600	63	F. Galicia
	0900	65	F. Galicia
	1200	66	F. Galicia
	1500	75	M. Valencia
	1800	75	M. Valencia
	2100	75	M. Valencia
	2400	63	N. Jones

Sunday

Date	Time	Temp.	Name (Print)
10-20-24	0300	69°	B. Mendez
	0600	69°	Zelaya
	0900	70°	Zelaya
	1200	70°	Zelaya
	1500	70°	Valencia
	1800	70°	Valencia
	2100	70°	Valencia
	2400	63	N. Jones

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-4 Temp. Reading Location: Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	61	FGALICIA
	0600	62	C.Bellard
	0900	64	C.Bellard
	1200	61	C.Bellard
	1500	68	K. Cottrell
	1800	68	K. Cottrell
	2100	69	K. Cottrell
	2400	69	N.MOJARRO

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	69	N.MOJARRO
	0600	62	C.Bellard
	0900	64	C.Bellard
	1200	68	C.Bellard
	1500	68	K.COTTRELL
	1800	68	K.COTTRELL
	2100	68	K.COTTRELL
	2400	67	N.MOJARRO

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	64	N.MOJARRO
	0600	65	C.Bellard
	0900	66	C.Bellard
	1200	68	C.Bellard
	1500	68	AM Ochoa
	1800	67	AM Ochoa
	2100	65	AM Ochoa
	2400	62	N.MOJARRO

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	62	N.MOJARRO
	0600	64	J. Ramirez
	0900	68	A.M OCHOA / Hernandez
	1200	67	AM OCHOA / Hernandez
	1500	67	AM OCHOA / "
	1800	67	AM OCHOA
	2100	65	S ORTEGA
	2400	62	N.MOJARRO

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	62	N.MOJARRO
	0600	62	MELGOZA
	0900	64	RAMIREZ
	1200	67	RAMIREZ
	1500	67	A.M. OCHOA
	1800	65	AM OCHOA
	2100	65	AM OCHOA
	2400	63	N JONES

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	62	N. JONES
	0600	62	J.Flores
	0900	64	J.Flores
	1200	64	J Flores
	1500	66	R-MICHELSON
	1800	66	R-MICHELSON
	2100	65	R-MICHELSON
	2400	65	H. Ahmed

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	65	N.JONES
	0600	65	FGALICIA
	0900	65	FGALICIA
	1200	67	FGALICIA
	1500	68	ALCALA
	1800	68	ALCACA
	2100	65	ALCACA
	2400	65	FGALICIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-4 Temp. Reading Location: Dayroom
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-28-24	0300	63	F. GALICIA
	0600	70	GONZALEZ
	0900	70	GONZALEZ
	1200	70	GONZALEZ
	1500	70	K. Cottrell
	1800	65	K. Cottrell
	2100	64	K. Cottrell
	2400	63	N. MOSARRO

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	62	N. MOSARRO
	0600	61	C. Bellard
	0900	65	C. Bellard
	1200	65	C. Bellard
	1500	66	K. Cottrell
	1800	62	K. Cottrell
	2100	67	K. Cottrell
	2400	61	N. MOSARRO

Wednesday

Date	Time	Temp.	Name (Print)
10-30-24	0300	60	N. MOSARRO
	0600	61	I. HERNANDEZ
	0900	64	I. HERNANDEZ
	1200	65	I. HERNANDEZ
	1500	70	VELASCO
	1800	71	VELASCO
	2100	70	VELASCO
	2400	63	N. MOSARRO

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	62	N. MOSARRO
	0600	62	I. HERNANDEZ
	0900	62	I. HERNANDEZ
	1200	64	I. HERNANDEZ
	1500	70	GONZALEZ
	1800	70	GONZALEZ
	2100	70	GONZALEZ
	2400	70	GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: Dayroom (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
10/1/24	0300	85	AMARAL
	0600	82	DOMINGUEZ
	0900	82	DOMINGUEZ
	1200	82	DOMINGUEZ
	1500	82	DOMINGUEZ
	1800	82	DOMINGUEZ
	2100	82	DOMINGUEZ
	2400	86	AMARAL

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	87	AMARAL
	0600	82	S. MEJIA
	0900	82	ZEPEDA
	1200	82	ZEPEDA
	1500	82	DOMINGUEZ
	1800	82	DOMINGUEZ
	2100	82	DOMINGUEZ
	2400	88	AMARAL

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	81	AMARAL
	0600	82	S. MEJIA
	0900	81	S. MEJIA
	1200	80	S. MEJIA
	1500	85	DOMINGUEZ
	1800	85	DOMINGUEZ
	2100	85	DOMINGUEZ
	2400	89	AMARAL

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	88	AMARAL
	0600	87	R. BARRON
	0900	87	R. BARRON
	1200	86	R. BARRON
	1500	87	D COBB
	1800	87	D COBB
	2100	88	D COBB
	2400	88	AMARAL

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	88	AMARAL
	0600	87	AMARAL
	0900	85	AMARAL
	1200	85	AMARAL
	1500	85	DOMINGUEZ
	1800	85	DOMINGUEZ
	2100	85	DOMINGUEZ
	2400	85	DOMINGUEZ

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	85	DOMINGUEZ
	0600	85	SOLORIO
	0900	85	SOLORIO
	1200	86	SOLORIO
	1500	86	VALENCIA
	1800	90	VALENCIA
	2100	90	VALENCIA
	2400	89	J. DUNN

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: DAYROOM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	86	J. DUNN
	0600	84	BARRON
	0900	85	BARRON
	1200	87	BARRON
	1500	87	M. Irvin
	1800	88	M. Irvin
	2100	89	M. Irvin
	2400	89	AMARAL

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	88	AMARAL
	0600	88	BARRON
	0900	87	BARRON
	1200	88	BARRON
	1500	85	DOMINGUEZ
	1800	85	DOMINGUEZ
	2100	85	DOMINGUEZ
	2400	89	AMARAL

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	86	AMARAL
	0600	80	S. MEJIA
	0900	80	S. MEJIA
	1200	80	S. MEJIA
	1500	80	DOMINGUEZ
	1800	80	DOMINGUEZ
	2100	82	DOMINGUEZ
	2400	89	AMARAL

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	86	AMARAL
	0600	79	S. MEJIA
	0900	80	S. MEJIA
	1200	80	S. MEJIA
	1500	79	DOMINGUEZ
	1800	79	DOMINGUEZ
	2100	80	DOMINGUEZ
	2400	82	AMARAL

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	82	AMARAL
	0600	75	A. Rodriguez
	0900	75	A. Rodriguez
	1200	80	A. Rodriguez
	1500	80	AMARAL
	1800	84	AMARAL
	2100	84	AMARAL
	2400	84	AMARAL

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	81	AMARAL
	0600	81	BARRON
	0900	82	BARRON
	1200	84	BARRON
	1500	86	NOGUEZ
	1800	85	NOGUEZ
	2100	78	NOGUEZ
	2400	66	J. DUNN

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	64	J. DUNN
	0600	65	BARRON
	0900	67	BARRON
	1200	71	BARRON
	1500	79	Irvin
	1800	79	Irvin
	2100	79	Irvin
	2400	79	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H.2 Temp. Reading Location: Day Room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	84	Ortiz
	1800	86	Ortiz
	2100	84	Ortiz
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	78	ATIACIAS
	0600	76	MAILARD
	0900	78	MAILARD
	1200	79	MAILARD
	1500	82	VALENCIA
	1800	82	VALENCIA
	2100	80	VALENCIA
	2400	78	ATIACIAS

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	78	ATIACIAS
	0600	77	MAILARD
	0900	79	MAILARD
	1200	80	MAILARD
	1500	82	VALENCIA
	1800	82	VALENCIA
	2100	80	VALENCIA
	2400	78	ATIACIAS

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	78	ATIACIAS
	0600	76	MAILARD
	0900	77	MAILARD
	1200	78	MAILARD
	1500	80	Ortiz
	1800	86	Ortiz
	2100	84	Ortiz
	2400	80	DUNN

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	80	DUNN
	0600	78	MAILARD
	0900	79	MAILARD
	1200	81	MAILARD
	1500	88	Ortiz
	1800	86	Ortiz
	2100	80	Ortiz
	2400	85	GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	85	GONZALEZ
	0600	83	GANNON
	0900	84	GANNON
	1200	84	GANNON
	1500	84	[illegible]
	1800	83	[illegible]
	2100	83	[illegible]
	2400	83	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	85	[illegible]
	0600	84	GANNON
	0900	84	GANNON
	1200	85	GANNON
	1500	88	Ortiz
	1800	80	Ortiz
	2100	86	Ortiz
	2400	83	ATIACIAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: USP Housing Unit: M2 Temp. Reading Location: Day Room (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
10/7/24	0300	78	A. TLACIAS
	0600	78	Mallard
	0900	79	Mallard
	1200	80	Mallard
	1500	81	Ortiz
	1800	82	Ortiz
	2100	80	Ortiz
	2400	78	A. TLACIAS

Tuesday

Dat	Time	Temp.	Name (Print)
10/8/24	0300	78	A. TLACIAS
	0600	78	Mallard
	0900	78	Mallard
	1200	78	Mallard
	1500	78	Irvin
	1800	78	Irvin
	2100	78	Irvin
	2400	78	A. TLACIAS

Wednesday

Date	Time	Temp.	Name (Print)
10/9/24	0300	78	A. TLACIAS
	0600	77	Mallard
	0900	78	Mallard
	1200	79	Mallard
	1500	80	Irvin
	1800	80	Irvin
	2100	79	Irvin
	2400	78	A. TLACIAS

Thursday

Date	Time	Temp.	Name (Print)
10/10/24	0300	77	A. TLACIAS
	0600	76	Mallard
	0900	77	Mallard
	1200	78	Mallard
	1500	84	Ortiz
	1800	84	Ortiz
	2100	80	Ortiz
	2400	80	J. DUNN

Friday

Date	Time	Temp.	Name (Print)
10/11/24	0300	80	J. DUNN
	0600	70	Mallard
	0900	72	Mallard
	1200	72	Mallard
	1500	74	Ortiz
	1800	74	Ortiz
	2100	74	Ortiz
	2400	74	J. DUNN

Saturday

Date	Time	Temp.	Name (Print)
10/12/24	0300	72	J. DUNN
	0600	72	Ortiz
	0900	73	Ortiz
	1200	76	Ortiz
	1500	76	Ortiz
	1800	76	Ortiz
	2100	76	Ortiz
	2400	76	MCCAIN

Sunday

Date	Time	Temp.	Name (Print)
10/13/24	0300	77	MCCAIN
	0600	78	Christensen
	0900	77	Christensen
	1200	77	Christensen
	1500	76	Ortiz
	1800	78	Ortiz
	2100	78	Ortiz
	2400	77	A. TLACIAS

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M-1 Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	70	G. LINUS
	0600	69	BARRON
	0900	70	BARRON
	1200	72	BARRON
	1500	76	K. COFFREY
	1800	78	K. COFFREY
	2100	79	K. COFFREY
	2400	82	AMARAL

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	80	AMARAL
	0600	80	R. BARRON
	0900	80	R. BARRON
	1200	80	R. BARRON
	1500	80	DOMINGUEZ
	1800	80	DOMINGUEZ
	2100	80	DOMINGUEZ
	2400	82	AMARAL

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	80	AMARAL
	0600	78	S. MEJIA
	0900	78	S. MEJIA
	1200	78	S. MEJIA
	1500	79	DOMINGUEZ
	1800	79	DOMINGUEZ
	2100	79	DOMINGUEZ
	2400	82	AMARAL

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	80	AMARAL
	0600	77	S. MEJIA
	0900	78	S. MEJIA
	1200	78	S. MEJIA
	1500	78	DOMINGUEZ
	1800	78	DOMINGUEZ
	2100	78	DOMINGUEZ
	2400	80	AMARAL

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	80	AMARAL
	0600	77	BARRON
	0900	78	BARRON
	1200	79	BARRON
	1500	79	DOMINGUEZ
	1800	79	DOMINGUEZ
	2100	77	DOMINGUEZ
	2400	77	DOMINGUEZ

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	77	DOMINGUEZ
	0600	75	BARRON
	0900	76	BARRON
	1200	77	BARRON
	1500	77	DOMINGUEZ
	1800	77	DOMINGUEZ
	2100	77	DOMINGUEZ
	2400	79	G. LINUS

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	77	LUNDAY
	0600	74	BARRON
	0900	76	BARRON
	1200	77	BARRON
	1500	75	Rodriguez
	1800	76	Rodriguez
	2100	76	Rodriguez
	2400	74	LUNEU

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M 1 Temp. Reading Location: 1st TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	70	C. LUMEU
	0600	69	BARRON
	0900	72	BARRON
	1200	76	BARRON
	1500	76	Irvin
	1800	76	Irvin
	2100	76	Irvin
	2400	78	AMARAL

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	75	AMARAL
	0600	71	BARRON
	0900	71	BARRON
	1200	75	BARRON
	1500	75	DOMINGUEZ
	1800	75	DOMINGUEZ
	2100	75	DOMINGUEZ
	2400	78	AMARAL

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	76	AMARAL
	0600	77	S. MEJIA
	0900	78	S. MEJIA
	1200	78	~~BARRON~~ S. MEJIA al
	1500	78	DOMINGUEZ
	1800	78	DOMINGUEZ
	2100	78	DOMINGUEZ
	2400	76	DOMINGUEZ

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	75	DOMINGUEZ
	0600	68	S. MEJIA
	0900	68	S. MEJIA
	1200	70	BARRON
	1500	70	DOMINGUEZ
	1800	70	DOMINGUEZ
	2100	70	DOMINGUEZ
	2400	72	AMARAL

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	70	AMARAL
	0600	69	BARRON
	0900	71	BARRON
	1200	73	BARRON
	1500	75	DOMINGUEZ
	1800	75	DOMINGUEZ
	2100	75	DOMINGUEZ
	2400	70	Sevilla

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	69	Sevilla
	0600	68	BARRON
	0900	69	BARRON
	1200	73	BARRON
	1500	74	ZELAYA
	1800	74	ZELAYA
	2100	72	ZELAYA
	2400	70	J DEPRIMA

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	65	J. Deprima
	0600	68	BARRON
	0900	68	BARRON
	1200	69	BARRON
	1500	70	Irvin
	1800	70	Irvin
	2100	70	Irvin
	2400	68	J. Deprima

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M7 Temp. Reading Location: 2ND TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension ~~6002~~ 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	68	DEPRIMA
	0600	70	BATTON
	0900	72	BATTON
	1200	75	BATTON
	1500	75	M. IVIR
	1800	76	M. IVIR
	2100	76	M. IVIR
	2400	68	J. Deprima

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	70	AMARAL
	0600	71	BATTON
	0900	72	BATTON
	1200	74	BATTON
	1500	72	J. DUNN
	1800	71	J. DUNN
	2100	70	J. DUNN
	2400	72	AMARAL

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	70	AMARAL
	0600	64	S. MEJIA
	0900	65	S. Mejia
	1200	67	S. MEJIA
	1500	68	Mejia
	1800	68	DOMINGUEZ
	2100	68	DOMINGUEZ
	2400	70	AMARAL

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	68	AMARAL
	0600	65	S. MEJIA
	0900	65	S. MEJIA
	1200	68	DOMINGUEZ
	1500	68	DOMINGUEZ
	1800	68	DOMINGUEZ
	2100	65	DOMINGUEZ
	2400	70	AMARAL

Friday

Date	Time	Temp.	Name (Print)
11/1/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
11/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
11/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M2 Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/24	0300	71	A. MACIAS
	0600	70	MALLARD
	0900	72	MALLARD
	1200	72	MALLARD
	1500	71	MEZA
	1800	71	MEZA
	2100	71	MEZA
	2400	71	A. MACIAS

Tuesday

Date	Time	Temp.	Name (Print)
10/15/24	0300	70	A. MACIAS
	0600	70	MALLARD
	0900	71	MALLARD
	1200	72	MALLARD
	1500	72	M. IRVIN
	1800	71	M. IRVIN
	2100	70	M. IRVIN
	2400	70	A. MACIAS

Wednesday

Date	Time	Temp.	Name (Print)
10/16/24	0300	70	A. MACIAS
	0600	70	MALLARD
	0900	70	MALLARD
	1200	70	MALLARD
	1500	70	ALROBIAI
	1800	71	ALROBIAI
	2100	69	ALROBIAI
	2400	69	A. MACIAS

Thursday

Date	Time	Temp.	Name (Print)
10/17/24	0300	69	A. MACIAS
	0600	69	MALLARD
	0900	70	MALLARD
	1200	70	MALLARD
	1500	74	ORTIZ
	1800	74	ORTIZ
	2100	72	ORTIZ
	2400	70	LEMOS

Friday

Date	Time	Temp.	Name (Print)
10/18/24	0300	68	LEMOS
	0600	68	MALLARD
	0900	68	MALLARD
	1200	68	MALLARD
	1500	74	ORTIZ
	1800	72	ORTIZ
	2100	70	ORTIZ
	2400	70	RUIZ

Saturday

Date	Time	Temp.	Name (Print)
10/19/24	0300	70	RUIZ
	0600	68	RUIZ
	0900	68	RUIZ
	1200	68	RUIZ
	1500	68	ORTIZ
	1800	68	ORTIZ
	2100	68	ORTIZ
	2400	68	MCCOW

Sunday

Date	Time	Temp.	Name (Print)
10/20/24	0300	69	MCCOW
	0600	70	T. PITTS
	0900	70	T. PITTS
	1200	70	T. PITTS
	1500	72	ORTIZ
	1800	70	ORTIZ
	2100	68	ORTIZ
	2400	68	A. MACIAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M-2 Temp. Reading Location: Day Room
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/24	0300	68	A. Macias
	0600	66	Mallard
	0900	66	Mallard
	1200	66	Mallard
	1500	68	G. Ortiz
	1800	69	G. Ortiz
	2100	67	G. Ortiz
	2400	66	A. Macias

Tuesday

Date	Time	Temp.	Name (Print)
10/22/24	0300	66	A. Macias
	0600	66	Mallard
	0900	66	Mallard
	1200	66	Mallard
	1500	66	Irvin
	1800	67	Irvin
	2100	67	Irvin
	2400	67	A. Macias

Wednesday

Date	Time	Temp.	Name (Print)
10/23/24	0300	66	A. Macias
	0600	66	Mallard
	0900	66	Mallard
	1200	66	Mallard
	1500	66	Irvin
	1800	67	Irvin
	2100	66	Irvin
	2400	66	A. Macias

Thursday

Date	Time	Temp.	Name (Print)
10/24/24	0300	66	A. Macias
	0600	66	Mallard
	0900	66	Mallard
	1200	66	Mallard
	1500	72	Ortiz
	1800	72	Ortiz
	2100	68	Ortiz
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/25/24	0300	69	Deprima
	0600	66	Mallard
	0900	66	Mallard
	1200	66	Mallard
	1500	76	Ortiz
	1800	76	Ortiz
	2100	72	Ortiz
	2400	67	Deprima

Saturday

Date	Time	Temp.	Name (Print)
10/26/24	0300	66	J. Deprima
	0600	66	M. Ruiz
	0900	67	M. Ruiz
	1200	68	M. Ruiz
	1500	74	J. Rodriguez
	1800	75	J. Rodriguez
	2100	72	J. Rodriguez
	2400	68	J. Deprima

Sunday

Date	Time	Temp.	Name (Print)
10/27/24	0300	67	J. Deprima
	0600	66	J. Castellanos
	0900	67	J. Castellanos
	1200	68	J. Castellanos
	1500	74	Ortiz
	1800	74	Ortiz
	2100	72	Ortiz
	2400	71	M. Hernandez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M2 Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6002 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	68	M.Valencia
	0600	66	Mallard
	0900	68	Mallard
	1200	68	Mallard
	1500	72	Ortiz
	1800	72	Ortiz
	2100	72	Ortiz
	2400	68	A-TLACIAS

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	68	A.TLACIAS
	0600	68	Mallard
	0900	68	Mallard
	1200	68	Mallard
	1500	68	Irvin
	1800	69	Irvin
	2100	69	Irvin
	2400	68	ATLACIAS

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	68	A-TLACIAS
	0600	66	Mallard
	0900	66	Mallard
	1200	66	Mallard
	1500	68	Irvin
	1800	68	Irvin
	2100	66	Irvin
	2400	66	A.TLACIAS

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	66	A.TLACIAS
	0600	62	Mallard
	0900	60	Mallard
	1200	60	Mallard
	1500	68	Ortiz
	1800	68	Ortiz
	2100	68	Ortiz
	2400	67	LJUMO

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator