Monthly Summary Report

Institution: WSP

Memorandum

Date: June 5, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Wasco State Prison- RC

The following is a summary of the heat related activity for the month of MAY,

at WSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

   Number of days Stage I Alert initiated: 12

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

   Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

   Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 2 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

CHRISTIAN PFEIFFER
Warden Name

Warden Signature

PENNY SHANK
Chief Executive Officer Name

Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

DocuSign Envelope ID: 220A70C1-2178-493E-BE03-047C4CE8935C

CALIFORNIA CORRECTIONAL
HEALTH CARE SERVICES

MEMORANDUM

Date	:	June 5, 2024
To	:	**Nicarlo Ibarra** **Litigation Coordinator** **Wasco State Prison - Reception Center**
From	:	**KATHY P. SALAZAR** Chief Nurse Executive (A)
Subject	:	**HEAT RELATED ILLNESS**

This memorandum is to inform you that there were (2) heat related illnesses reported from May 1, 2024 through May 31, 2024. Please see attached CDCR MH-7711, Heat Incident Log.

If you have any questions or need further information please contact support staff R. Stein, AGPA at extension [redacted]

DocuSigned by:
Kathy Salazar
AC64E79B6EE4499...

KATHY P. SALAZAR, RN, BSN
Chief Nurse Executive (A)
Wasco State Prison -Reception Center

Heat Incident Log

Institution: WSP-RC Date: May 31, 2024 Number of Heat Incidents: 2

1. Patient Name: [redacted] CDCR#: [redacted] Housing: [redacted]
MHSDS Designation: Level of Care: EOP Date of Heat Incident: 5/9/24
Location of Incident: [redacted] Change in Level of Care:
List of Heat Risk Medications: Quetiapine
Chief Medical Complaint: dehydration
Diagnosis of Heat Related Illness (specify):
Treatment Rendered: IV normal saline
Medication Changes Made: none
Ultimate Disposition of Patient: return to housing
Clinician's Name and Title: Eskander, Happy MD

2. Patient Name: [redacted] CDCR#: [redacted] Housing [redacted]
MHSDS Designation: Level of Care: CCCMS Date of Heat Incident: 5/9/24
Location of Incident: [redacted] Change in Level of Care:
List of Heat Risk Medications: trazadone
Chief Medical Complaint: dehydration
Diagnosis of Heat Related Illness (specify): dehydration
Treatment Rendered: oral hydration
Medication Changes Made: none
Ultimate Disposition of Patient: return to housing
Clinician's Name and Title: Dr. Montegrande

3. Patient Name: CDCR#: Housing:
MHSDS Designation: Level of Care: Date of Heat Incident: 5/9/24
Location of Incident: Change in Level of Care:
List of Heat Risk Medications:
Chief Medical Complaint:
Diagnosis of Heat Related Illness (specify):
Treatment Rendered:
Medication Changes Made:
Ultimate Disposition of Patient:
Clinician's Name and Title:

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

4. Patient Name: _____ CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 5/9/24
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

5. Patient Name: _____ CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 5/9/24
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

6. Patient Name: _____ CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 5/9/24
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

7. Patient Name: _____ CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 5/9/24
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

8. Patient Name: _____ CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 5/9/24
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

9. Patient Name: _____ CDCR#: _____ Housing: _____
MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 5/9/24
Location of Incident: _____ Change in Level of Care: _____
List of Heat Risk Medications: _____
Chief Medical Complaint: _____
Diagnosis of Heat Related Illness (specify): _____
Treatment Rendered: _____
Medication Changes Made: _____
Ultimate Disposition of Patient: _____
Clinician's Name and Title: _____

Heat Incident Log
CDCR MH-7711-2 (02/17)

Confidential Patient Information

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

Heat Incident Log (continued)

10. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 5/9/24

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

11. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 5/9/24

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

12.. Patient Name: _____ CDCR#: _____ Housing: _____

MHSDS Designation: _____ Level of Care: _____ Date of Heat Incident: 5/9/24

Location of Incident: _____ Change in Level of Care: _____

List of Heat Risk Medications: _____

Chief Medical Complaint: _____

Diagnosis of Heat Related Illness (specify): _____

Treatment Rendered: _____

Medication Changes Made: _____

Ultimate Disposition of Patient: _____

Clinician's Name and Title: _____

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/1/24	0100		E. Ramirez
	0200		E. Ramirez
	0300		E. Ramirez
	0400	52	E. Ramirez
	0500		E. Ramirez
	0600	50	M. Stokes
	0700	52	M. Stokes
	0800	53	M. Stokes
	0900	58	B Dahl
	1000	64	B Dahl
	1100	69	B Dahl
	1200	71	M. Stokes
	1300	73	M. Stokes
	1400	75	M. Stokes
	1500	75	C Bugarin
	1600	79	C Bugarin
	1700	80	C Bugarin
	1800	78	C Bugarin
	1900	75	C Bugarin
	2000	69	C Bugarin
	2100	63	C. Bugarin
	2200	63	E. Snow
	2300	57	E. Snow
	2400	56	E. Snow

Date	Time	Temp.	Printed Name
5/2/24	0100	55	E. Snow
	0200	54	E. Snow
	0300	52	E. Snow
	0400	50	E. Snow
	0500	50	E. Snow
	0600	50	M. Stokes
	0700	51	M. Stokes
	0800	53	M. Stokes
	0900	55	M. Stokes
	1000	58	M. Stokes
	1100	60	M. Stokes
	1200	68	M. Stokes
	1300	73	M. Stokes
	1400	76	M. Stokes
	1500	79	Sabala
	1600	84	Sabala
	1700	85	Sabala
	1800	82	Sabala
	1900	81	Sabala
	2000	75	Sabala
	2100	72	Sabala
	2200	68	J. Dahl
	2300	61	J. Dahl
	2400	59	E. Snow

ACTIVATED _____ ACTIVATED _____

DEACTIVATED _____ DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/3/24	0100	58	Elnor
	0200	57	Elnor
	0300	56	Elnor
	0400	55	Elnor
	0500	54	Sebek
	0600	54	Sebek
	0700	54	Sebek
	0800	63	Sebek
	0900	65	Sebek
	1000	69	Sebek
	1100	73	Sebek
	1200	77	Sebek
	1300	80	Sebek
	1400	82	[illegible]
	1500	82	[illegible]
	1600	81	[illegible]
	1700	82	[illegible]
	1800	81	[illegible]
	1900	80	[illegible]
	2000	85	[illegible]
	2100	70	[illegible]
	2200	70	Elnor
	2300	60	Elnor
	2400	66	Elnor

Date	Time	Temp.	Printed Name
5/4/24	0100	62	Elnor
	0200	60	Elnor
	0300	58	Elnor
	0400	57	Elnor
	0500	56	Elnor
	0600	57	Sebek
	0700	59	Sebek
	0800	60	Sebek
	0900	67	Sebek
	1000	68	Sebek
	1100	71	Sebek
	1200	72	Sebek
	1300	72	Sebek
	1400	67	Mejia
	1500	69	Mejia
	1600	64	Mejia
	1700	64	Mejia
	1800	57	Mejia
	1900	57	Mejia
	2000	56	Mejia
	2100	54	Mejia
	2200	54	Mejia
	2300	52	Elnor
	2400	51	Elnor

ACTIVATED _____ ACTIVATED _____

DEACTIVATED _____ DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
5/5/2021	0100	50	ESNOV
	0200	49	ESNOV
	0300	47	ESNOV
	0400	45	ESNOV
	0500	44	ESNOV
	0600	44	C BOGARIN
	0700	45	C.BOGARIN
	0800	49	C.BOGARIN
	0900	50	C BOGARIN
	1000	56	C.BOGARIN
	1100	60	C.BOGARIN
	1200	60	C.BOGARIN
	1300	61	C.BOGARIN
	1400	63	C.BOGARIN
	1500	65	C.BOGARIN
	1600	64	C.BOGARIN
	1700	65	C.BOGARIN
	1800	65	C.BOGARIN
	1900	62	C.BOGARIN
	2000	58	C BOGARIN
	2100	55	C BOGARIN
	2200	52	J Garcia
	2300	51	E. Ramirez
	2400	50	E. Ramirez

Date	Time	Temp.	Printed Name
5/6/24	0100	50	E. Ramirez
	0200	49	E. Ramirez
	0300	48	E. Ramirez
	0400	46	E. Ramirez
	0500	44	E. Ramirez
	0600	44	M Stokes
	0700	45	M Stokes
	0800	50	M Stokes
	0900	56	M Stokes
	1000	57	M Stokes
	1100	62	B Dawn
	1200	67	B Dawn
	1300	69	B Dawn
	1400	71	J Garcia
	1500	74	J Garcia
	1600	74	J Garcia
	1700	74	J Garcia
	1800	72	J Garcia
	1900	69	J Garcia
	2000	68	J Garcia
	2100	61	J Garcia
	2200	60	J Garcia
	2300	58	E. Ramirez
	2400	56	E. Ramirez

ACTIVATED _____ ACTIVATED _____

DEACTIVATED _____ DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/7/24	0100	54	J Garc
	0200	53	J Garc
	0300	50	J Garc
	0400	49	J Garc
	0500	48	J Garc
	0600	47	M Stiles
	0700	48	M Stiles
	0800	49	M Stiles
	0900	56	M Stiles
	1000	59	Mejia
	1100	64	Mejia
	1200	69	Mejia
	1300	73	Mejia
	1400	75	[illegible]
	1500	76	[illegible]
	1600	78	[illegible]
	1700	77	[illegible]
	1800	77	[illegible]
	1900	74	[illegible]
	2000	69	[illegible]
	2100	64	[illegible]
	2200	61	J Garc
	2300	57	J Garc
	2400	56	J Garc

Date	Time	Temp.	Printed Name
5/8/24	0100	54	J Garc
	0200	53	J Garc
	0300	51	J Garc
	0400	50	J Garc
	0500	49	J Garc
	0600	59	Mejia
	0700	60	Mejia
	0800	61	Mejia
	0900	64	Mejia
	1000	68	Mejia
	1100	69	Mejia
	1200	72	Mejia
	1300	73	Mejia
	1400	76	C Bogard
	1500	78	C Bogard
	1600	80	C Bogard
	1700	80	C Bogard
	1800	79	C Bogard
	1900	77	C Bogard
	2000	73	C Bogard
	2100	66	C Bogard
	2200	62	E Sma
	2300	60	E Sma
	2400	57	E Sma

ACTIVATED _____ ACTIVATED _____

DEACTIVATED _____ DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/9/24	0100	57	ESnow
	0200	56	ESnow
	0300	55	ESnow
	0400	54	ESnow
	0500	53	ESnow
	0600	50	M.Sturgis
	0700	53	M.Sturgis
	0800	54	M.Sturgis
	0900	55	M.Sturgis
	1000	75	Mejia
	1100	79	Mejia
	1200	81	Mejia
	1300	83	Mejia
	1400	84	G Pr
	1500	88	G Pr
	1600	87	G Pr
	1700	89	G Pr
	1800	86	G Pr
	1900	83	G Pr
	2000	76	G Pr
	2100	71	G Pr
	2200	68	ESnow
	2300	66	ESnow
	2400	64	ESnow

Date	Time	Temp.	Printed Name
5/10/24	0100	62	ESnow
	0200	60	ESnow
	0300	58	ESnow
	0400	56	ESnow
	0500	56	ESnow
	0600	55	M.Sturgis
	0700	57	M.Sturgis
	0800	58	M.Sturgis
	0900	63	M.Sturgis
	1000	73	M.Sturgis
	1100	81	M.Sturgis
	1200	85	M.Sturgis
	1300	87	M.Sturgis
	1400	87	G Pr
	1500	89	G Pr
	1600	92	G Pr
	1700	92	G Pr
	1800	90	G Pr
	1900	86	G Pr
	2000	80	G Pr
	2100	75	G Pr
	2200	72	ESnow
	2300	70	ESnow
	2400	69	ES

ACTIVATED _____

DEACTIVATED _____

ACTIVATED 1530

DEACTIVATED 1900

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/12/24	0100	65	ES
	0200	62	ES
	0300	59	ES
	0400	58	ES
	0500	59	Mejia
	0600	59	Mejia
	0700	68	Mejia
	0800	66	Mejia
	0900	74	Mejia
	1000	78	Mejia
	1100	83	Mejia
	1200	87	Solano
	1300	85	Solano
	1400	91	O. Arellano
	1500	93	O. Arellano
	1600	93	O. Arellano
	1700	91	O. Arellano
	1800	90	O. Arellano
	1900	84	O. Arellano
	2000	80	O. Arellano
	2100	77	O. Arellano
	2200	76	B Dahl
	2300	73	F. Ramirez
	2400	70	Esquer

1310

1930

ACTIVATED 1310 (1)

DEACTIVATED 1930

Date	Time	Temp.	Printed Name
9/12/24	0100	68	Esquer
	0200	67	Esquer
	0300	65	Esquer
	0400	63	Esquer
	0500	60	Esquer
	0600	65	B Dahl
	0700	71	B Dahl
	0800	76	B Dahl
	0900	80	B Dahl
	1000	83	B Dahl
	1100	87	B Dahl
	1200	89	B Dahl
	1300	91	B Dahl
	1400	93	O. Arellano
	1500	94	O. Arellano
	1600	95	O. Arellano
	1700	95	J Garcia
	1800	93	O. Arellano
	1900	90	O. Arellano
	2000	83	O. Arellano
	2100	80	J Garcia
	2200	78	O. Arellano
	2300	77	J Garcia
	2400	70	J Garcia

Stage I Activated 1245

Stage I Deactivated 2000

ACTIVATED 1245 (2)

DEACTIVATED 2000

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/13/24	0100	68	J Garcia
	0200	65	J Garcia
	0300	63	J Garcia
	0400	60	J Garcia
	0500	60	J Garcia
	0600	59	M Stokes
	0700	62	M Stokes
	0800	64	M Stokes
	0900	76	B Dahl
	1000	79	B Dahl
	1100	83	B Dahl
	1200	85	B Dahl
	1300	86	M Stokes
	1400	91	C Bogans
	1500	93	C Bogans
	1600	93	C Bogans
	1700	93	C Bogans
	1800	91	C Bogans
	1900	89	C Bogans
	2000	86	C Bogans
	2100	78	C Bogans
	2200	74	J Garcia
	2300	72	E. Ramirez
	2400	70	E. Ramirez

Activated 1345

(3)

ACTIVATED 1345

DEACTIVATED 1927

Date	Time	Temp.	Printed Name
5/14/24	0100	68	E. Ramirez
	0200	66	E. Ramirez
	0300	64	E. Ramirez
	0400	62	E. Ramirez
	0500	57	E. Ramirez
	0600	58	M Stokes
	0700	60	M Stokes
	0800	63	B Dahl
	0900	65	B Dahl
	1000	76	B Dahl
	1100	82	B Dahl
	1200	84	B. Dahl
	1300	88	Myers
	1400	89	[illegible]
	1500	92	[illegible]
	1600	93	[illegible]
	1700	92	[illegible]
	1800	90	[illegible]
	1900	88	[illegible]
	2000	83	[illegible]
	2100	78	[illegible]
	2200	76	J Garcia
	2300	73	J Garcia
	2400	71	J Garcia

(4)

ACTIVATED 1415

DEACTIVATED 1925

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/15/24	0100	70	J Gaw
	0200	68	J Gaw
	0300	65	J Gaw
	0400	63	J Gaw
	0500		J Gaw
	0600	64	M Stunges
	0700	71	M. Stunges
	0800	74	M. Stunges
	0900	75	Mejia
1320 Activated	1000	80	M. Stunges
	1100	83	M. Stunges
	1200	87	M Stunges
	1300	88	M Stunges
	1400	91	[illegible]
	1500	92	[illegible]
	1600	95	[illegible]
	1700	92	[illegible]
	1800	94	[illegible]
	1900	91	[illegible]
	2000	86	[illegible]
	2100	81	[illegible]
	2200	79	J Gaw
	2300	75	E Sroc
	2400	72	E Sroc

(5)

ACTIVATED 1320

DEACTIVATED 2025

Date	Time	Temp.	Printed Name
5/16/24	0100	70	E Sroc
	0200	68	E Sroc
	0300	68	E Sroc
	0400	65	E Sroc
	0500	65	E Sroc
	0600	64	Stunges
	0700	67	Stunges
	0800	74	Stunges
	0900	78	Stunges
	1000	79	Mej
	1100	84	B Dahl
	1200	88	B Dahl
	1300	90	B Dahl
	1400	92	[illegible]
	1500	94	[illegible]
	1600	95	[illegible]
	1700	93	[illegible]
	1800	93	[illegible]
	1900	91	[illegible]
	2000	88	[illegible]
	2100	83	[illegible]
	2200	80	E Sroc
	2300	75	E Sroc
	2400	71	E Sroc

(6)

ACTIVATED 1300

DEACTIVATED 2040

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/17/24	0100	68	EJNOV
	0200	67	EJNOV
	0300	65	EJNOV
	0400	62	EJNOV
	0500	60	EJNOV
	0600	60	Mejia
	0700	62	Mejia
	0800	63	Mejia
	0900	68	Mejia
	1000	79	Mejia
	1100	81	Mejia
	1200	82	Mejia
	1300	83	Mejia
	1400	89	[illegible]
	1500	89	[illegible]
	1600	91	[illegible]
	1700	92	[illegible]
	1800	90	[illegible]
	1900	89	[illegible]
	2000	80	[illegible]
	2100	76	[illegible]
	2200	73	E. Ramirez
	2300	70	E. Ramirez
	2400	68	EJNOV

ACTIVATED 1525 (7)

DEACTIVATED 2000

Date	Time	Temp.	Printed Name
5/18/24	0100	65	EJNOV
	0200	62	EJNOV
	0300	60	EJNOV
	0400	58	EJNOV
	0500	58	EJNOV
	0600	54	Schult
	0700	64	Schult
	0800	70	Schult
	0900	75	Schult
	1000	77	Schult
	1100	79	Schult
	1200	80	Schult
	1300	82	Schult
	1400	85	[illegible]
	1500	88	[illegible]
	1600	89	[illegible]
	1700	89	[illegible]
	1800	87	[illegible]
	1900	83	[illegible]
	2000	77	[illegible]
	2100	70	[illegible]
	2200	68	E. Ramirez
	2300	67	EJNOV
	2400	65	EJNOV

ACTIVATED ACTIVATED

DEACTIVATED

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/19/24	0100	64	E Sanchez
	0200	63	E Sanchez
	0300	62	E Sanchez
	0400	61	E Sanchez
	0500	59	E Sanchez
	0600	58	Sobek
	0700	62	Sobek
	0800	64	Sobek
	0900	68	Sobek
	1000	72	Sobek
	1100	75	Sobek
	1200	79	Sobek
	1300	81	Sobek
	1400	84	C B Garcia
	1500	87	C B Garcia
	1600	89	C B Garcia
	1700	89	C B Garcia
	1800	88	C B Garcia
	1900	86	C B Garcia
	2000	80	C B Garcia
	2100	76	C B Garcia
	2200	73	E. Ramirez
	2300	69	J Garcia
	2400	67	E. Ramirez

Date	Time	Temp.	Printed Name
5/20/24	0100	65	E. Ramirez
	0200	64	E. Ramirez
	0300	61	E. Ramirez
	0400	59	E. Ramirez
	0500	57	E. Ramirez
	0600	58	J Parker
	0700	59	J Parker
	0800	63	B Dahl
	0900	68	B Dahl
	1000	72	B Dahl
	1100	74	B Dahl
	1200	77	B Dahl
	1300	80	C B Garcia
	1400	83	C B Garcia
	1500	84	C B Garcia
	1600	85	C B Garcia
	1700	84	C B Garcia
	1800	84	C B Garcia
	1900	81	C B Garcia
	2000	78	C B Garcia
	2100	72	C B Garcia
	2200	69	E. Ramirez
	2300	66	E. Ramirez
	2400	64	E. Ramirez

ACTIVATED _____ ACTIVATED _____

DEACTIVATED _____ DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/21/24	0100	62	J Garcia
	0200	62	J Garcia
	0300	58	J Garcia
	0400	58	J Garcia
	0500	53	J Garcia
	0600	53	B Dahl
	0700	66	Gaudynski
	0800	68	Gaudynski
	0900	72	Gaudynski
	1000	74	Gaudynski
	1100	77	B Dahl
	1200	79	B Dahl
	1300	82	B Dahl
	1400	86	C Bogarin
	1500	86	C Bogarin
	1600	87	C Bogarin
	1700	89	C Bogarin
	1800	87	C Bogarin
	1900	85	C Bogarin
	2000	81	C Bogarin
	2100	79	C Bogarin
	2200	71	J Garcia
	2300	66	J Garcia
	2400	65	J Garcia

Date	Time	Temp.	Printed Name
5/22/24	0100	63	J Garcia
	0200	62	J Garcia
	0300	60	J Garcia
	0400	58	J Garcia
	0500	56	
	0600	56	Mejia
	0700	60	Mejia
	0800	64	Mejia
	0900	76	Mejia
	1000	80	Mejia
	1100	82	Mejia
	1200	84	Mejia
	1300	88	Mejia
	1400	90	C Pa
	1500	91	C Pa
	1600	91	C Pa
	1700	94	C Pa
	1800	92	C Pa
	1900	88	C Pa
	2000	83	C Pa
	2100	79	C Pa
	2200	74	E Sosa
	2300	72	E Sosa
	2400	70	E Sosa

8

ACTIVATED _____

DEACTIVATED _____

ACTIVATED 1600

DEACTIVATED 1945

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/23/24	0100	69	E Snow
	0200	65	E Snow
	0300	62	E Snow
	0400	60	E Snow
	0500	59	E Snow
	0600	58	Grandynski
	0700	60	Grandynski
	0800	65	Grandynski
	0900	70	Grandynski
	1000	73	Grandynski
	1100	76	Grandynski
	1200	79	Grandynski
	1300	82	C Bugarin
	1400	83	C Bugarin
	1500	85	C Bugarin
	1600	86	C Bugarin
	1700	87	C Bugarin
	1800	85	C Bugarin
	1900	83	C Bugarin
	2000	78	C Bugarin
	2100	74	C Bugarin
	2200	72	E Snow
	2300	70	E Snow
	2400	67	E Snow

Date	Time	Temp.	Printed Name
5/24/24	0100	65	E Snow
	0200	62	E Snow
	0300	61	E Snow
	0400	60	E Snow
	0500	59	E Snow
	0600	57	Grandynski
	0700	60	Grandynski
	0800	64	Grandynski
	0900	68	Grandynski
	1000	71	Grandynski
	1100	76	Grandynski
	1200	78	Grandynski
	1300	80	Grandynski
	1400	82	[illegible]
	1500	83	[illegible]
	1600	83	[illegible]
	1700	81	[illegible]
	1800	80	[illegible]
	1900	76	[illegible]
	2000	73	[illegible]
	2100	67	[illegible]
	2200	65	E Snow
	2300	62	E Snow
	2400	60	E Snow

ACTIVATED _____ ACTIVATED _____

DEACTIVATED _____ DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/25/24	0100	58	E. Ramirez
	0200	56	E. Ramirez
	0300	55	E. Ramirez
	0400	54	RAMIREZ
	0500	53	RAMIREZ
	0600	53	Mejia
	0700	57	Mejia
	0800	54	Mejia
	0900	65	Mejia
	1000	67	Mejia
	1100	70	Mejia
	1200	71	Mejia
	1300	73	Mejia
	1400	75	Lopez
	1500	78	Lopez
	1600	80	LOPEZ
	1700	77	LOPEZ
	1800	73	LOPEZ
	1900	70	LOPEZ
	2000	69	LOPEZ
	2100	68	LOPEZ
	2200	67	E. Ramirez
	2300	65	E. Ramirez
	2400	63	E. Ramirez

Date	Time	Temp.	Printed Name
5/26/24	0100	61	E. Ramirez
	0200	59	E. Ramirez
	0300	57	E. Ramirez
	0400	56	E. Ramirez
	0500	55	E. Ramirez
	0600	57	B Dahl
	0700	60	B Dahl
	0800	64	B Dahl
	0900	66	B Dahl
	1000	69	B Dahl
	1100	73	B Dahl
	1200	75	B Dahl
	1300	79	B Dahl
	1400	81	C. B. Garza
	1500	83	C. B. Garza
	1600	84	C. B. Garza
	1700	86	C. B. Garza
	1800	85	C. B. Garza
	1900	84	C. B. Garza
	2000	80	C. B. Garza
	2100	74	C. B. Garza
	2200	72	J Garza
	2300	70	J Garza
	2400	66	J Garza

ACTIVATED _____ ACTIVATED _____

DEACTIVATED _____ DEACTIVATED _____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/27/24	0100	65	J Garcia
	0200	63	J Garcia
	0300	63	J. Garcia
	0400	61	J Garcia
	0500	61	J Garcia
	0600	58	Grandynski
	0700	62	Grandynski
	0800	69	Grandynski
	0900	71	Grandynski
	1000	77	Grandynski
	1100	80	Grandynski
	1200	82	Grandynski
	1300	85	B Dah
	1400	88	C.B.Garcia
	1500	89	C.B.Garcia
	1600	89	C.B.Garcia
	1700	89	C.B.Garcia
	1800	88	C.B.Garcia
	1900	87	C.B.Garcia
	2000	85	C.B.Garcia
	2100	86	C.B.Garcia
	2200	76	J Garcia
	2300	74	E. Ramirez
	2400	72	E. Ramirez

Date	Time	Temp.	Printed Name
5/28/24	0100	67	E. Ramirez
	0200	65	E. Ramirez
	0300	63	E Ramirez
	0400	61	E. Ramirez
	0500	60	E. Ramirez
	0600	64	Mejia
	0700	67	Mejia
	0800	72	Mejia
	0900	75	Mejia
	1000	78	Mejia
	1100	81	C.B.Garcia
	1200	85	C.B.Garcia
	1300	88	C.B.Garcia
	1400	88	C.B.Garcia
	1500	89	C.B.Garcia
	1600	93	C.B.Garcia
	1700	93	C.B.Garcia
	1800	92	C.B.Garcia
	1900	90	C.B.Garcia
	2000	85	C.B.Garcia
	2100	79	C.B.Garcia
	2200	75	E. Ramirez
	2300	73	J Garcia
	2400	72	J Garcia

ACTIVATED _____ ACTIVATED 1525 (9)

DEACTIVATED _____ DEACTIVATED 2015

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
5/29/24	0100	71	J Garcia
	0200	68	J Garcia
	0300	65	J Garcia
	0400	63	J Garcia
	0500	61	E. Ramirez
	0600	63	Mejia
	0700	67	Mejia
	0800	70	Mejia
	0900	75	Mejia
	1000	77	Mejia
	1100	80	Mejia
	1200	83	Mejia
	1300	86	Mejia
	1400	88	[illegible]
	1500	89	[illegible]
	1600	89	[illegible]
	1700	89	[illegible]
	1800	89	[illegible]
	1900	87	[illegible]
	2000	85	[illegible]
	2100	84	[illegible]
	2200	76	Esnar
	2300	70	Esnar
	2400	68	Esnar

Date	Time	Temp.	Printed Name
5/30/24	0100	65	Esnar
	0200	63	Es
	0300	62	Es
	0400	60	Es
	0500	59	Es
	0600	63	Mejia
	0700	68	Mejia
	0800	69	Mejia
	0900	74	Mejia
	1000	78	Mejia
	1100	81	Mejia
	1200	86	Mejia
	1300	88	Mejia
	1400	90	Mejia
	1500	92	CB-Garcia
	1600	93	CB-Garcia
	1700	95	CB-Garcia
	1800	94	CB-Garcia
	1900	93	CB-Garcia
	2000	89	CB-Garcia
	2100	85	CB-Garcia
	2200	80	Esnar
	2300	85	Esnar
	2400	7	Esnar

(10)

ACTIVATED _____

ACTIVATED 1350

DEACTIVATED _____

DEACTIVATED 2057

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: WSP

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: WATCH OFFICE

Immediately notify the Watch Commander at extension 6001 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/31/24	0100	69	Esnor
	0200	68	Esnor
	0300	66	Esnor
	0400	65	Esnor
	0500	62	Esnor
	0600	68	Stungos
	0700	70	Stungos
	0800	76	Stungos
	0900	83	Stungos
	1000	83	Stungos
	1100	85	Stungos
	1200	88	Stungos
	1300	92	Stungos
	1400	96	Capr
	1500	96	Capr
	1600	97	Capr
	1700	97	Capr
	1800	97	Capr
	1900	93	Capr
	2000	89	Capr
	2100	85	Capr
	2200	80	Esnor
	2300	78	Esnor
	2400	76	Esnor

(11)

ACTIVATED 1210

DEACTIVATED 2100

Date	Time	Temp.	Printed Name
4/1/24	0100	73	Esnor
	0200	71	Esnor
	0300	69	Esnor
	0400	65	Esnor
	0500	63	Esnor
	0600	69	Mejia
	0700	72	Mejia
	0800	81	Mejia
	0900	82	Mejia
	1000	86	Mejia
	1100	88	Mejia
	1200	89	Mejia
	1300	93	Mejia
	1400	95	Capr
	1500	96	Capr
	1600	96	Capr
	1700	96	Capr
	1800	96	Capr
	1900	95	Capr
	2000	88	Capr
	2100	84	Capr
	2200	80	Clapper
	2300	80	Clapper
	2400	78	Clapper

(12)

ACTIVATED 1205

DEACTIVATED 2020

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05-01-24	0300	64	B. MATA
	0600	70	[illegible]
	0900	75	U. Medina
	1200	75	[illegible]
	1500	75	C. Nieto
	1800	75	C. Nieto
	2100	75	C. Nieto
	2400	72	B. MATA

Thursday

Date	Time	Temp.	Name (Print)
05-02-24	0300	71	B. MATA
	0600	71	[illegible]
	0900	71	[illegible]
	1200	71	[illegible]
	1500	71	C. Nieto
	1800	71	C. Nieto
	2100	71	C. Nieto
	2400	70	B. MATA

Friday

Date	Time	Temp.	Name (Print)
05-03-24	0300	68	B. MATA
	0600	68	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	C. Nieto
	1800	70	C. Nieto
	2100	70	C. Nieto
	2400	70	J. Sutter

Saturday

Date	Time	Temp.	Name (Print)
05-04-24	0300	70	J. Sutter
	0600	70	[illegible]
	0900	70	[illegible]
	1200	72	[illegible]
	1500	72	B. MATA
	1800	70	B. MATA
	2100	70	B. MATA
	2400	70	J. Sutter

Sunday

Date	Time	Temp.	Name (Print)
05-05-24	0300	70	J. Sutter
	0600	70	J. OROZCO
	0900	68	J. OROZCO
	1200	68	J. OROZCO
	1500	69	J. OROZCO
	1800	69	J. OROZCO
	2100	68	J. OROZCO
	2400	68	B. MATA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-06-24	0300	65	B. MATA
	0600	65	L. Delatorre
	0900	65	L. Delatorre
	1200	65	L. Delatorre
	1500	68	C Nieto
	1800	68	C Nieto
	2100	68	C Nieto
	2400	68	B MATA

Tuesday

Date	Time	Temp.	Name (Print)
05-07-24	0300	62	B MATA
	0600	63	O. Sheron
	0900	63	O. Sheron
	1200	63	O. Sheron
	1500	63	C Nieto
	1800	63	C Nieto
	2100	63	C Nieto
	2400	62	B MATA

Wednesday

Date	Time	Temp.	Name (Print)
05-08-24	0300	62	B MATA
	0600	64	M Garcia
	0900	64	M Garcia
	1200	64	M Garcia
	1500	65	C Nieto
	1800	65	C Nieto
	2100	65	C Nieto
	2400	64	B MATA

Thursday

Date	Time	Temp.	Name (Print)
05-09-24	0300	64	B. MATA
	0600	65	M Garcia
	0900	65	M Garcia
	1200	65	M Garcia
	1500	65	C Nieto
	1800	65	C Nieto
	2100	65	C Nieto
	2400	62	V. Reyni

Friday

Date	Time	Temp.	Name (Print)
05-10-24	0300	64	V. Reyni
	0600	64	M Garcia
	0900	64	M Garcia
	1200	65	M Garcia
	1500	65	C Nieto
	1800	65	C Nieto
	2100	65	C Nieto
	2400	65	J Sanchez

Saturday

Date	Time	Temp.	Name (Print)
05-11-24	0300	65	J. Sanchez
	0600	67	M Garcia
	0900	70	M Garcia
	1200	70	M Garcia
	1500	71	J. OROZCO
	1800	71	J. OROZCO
	2100	70	J. OROZCO
	2400	70	J. Sanchez

Sunday

Date	Time	Temp.	Name (Print)
05-12-24	0300	68	J. Sanchez
	0600	68	M Garcia
	0900	70	M Garcia
	1200	72	M Garcia
	1500	72	J. OROZCO
	1800	72	J. OROZCO
	2100	72	J. OROZCO
	2400	71	M Garcia

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-13-24	0300	71	B MATA
	0600	71	Delatorre
	0900	71	Delatorre
	1200	72	Delatorre
	1500	73	Chieto
	1800	73	Chieto
	2100	73	Chieto
	2400	73	B MATA

Tuesday

Date	Time	Temp.	Name (Print)
05-14-24	0300	72	B. MATA
	0600	72	MACIEL, J.
	0900	71	MACIEL, J.
	1200	71	MACIEL J.
	1500	71°	M. CLOUD
	1800	73°	M. CLOUD
	2100	72°	M. CLOUD
	2400	71	B MATA

Wednesday

Date	Time	Temp.	Name (Print)
05-15-24	0300	70	B. MATA
	0600	70	[illegible]
	0900	70	[illegible]
	1200	72	[illegible]
	1500	74	M. Leon
	1800	72	M. Leon
	2100	70	M. Leon
	2400	70	B MATA

Thursday

Date	Time	Temp.	Name (Print)
05-16-24	0300	70	B. MATA
	0600	70°	L Navarro
	0900	70	L Navarro
	1200	70	L Navarro
	1500	70	J. Rivera
	1800	70	Chieto
	2100	70	Chieto
	2400	68	B MATA

Friday

Date	Time	Temp.	Name (Print)
05-17-24	0300	68	B MATA
	0600	69	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	J. AGUILAR
	1800	71	J. AGUILAR
	2100	73	J. AGUILAR
	2400	71	J. [illegible]

Saturday

Date	Time	Temp.	Name (Print)
05-18-24	0300	70	J. Gonzalez
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	73	J. OROZCO
	1800	73	J. OROZCO
	2100	72	J. OROZCO
	2400	72	C. Hill

Sunday

Date	Time	Temp.	Name (Print)
05-19-24	0300	72	C. Hill
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	73	J. OROZCO
	1800	73	J. OROZCO
	2100	72	J. OROZCO
	2400	72	B MATA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-20-24	0300	71	B.MATA
	0600	70	L Delatorre
	0900	72	L Delatorre
	1200	72	L Delatorre
	1500	72	C Nieto
	1800	72	C Nieto
	2100	72	C Nieto
	2400	71	B MATA

Tuesday

Date	Time	Temp.	Name (Print)
05-21-24	0300	71	B.MATA
	0600	71	O. Silveron
	0900	72	O Silveron
	1200	72	O Silveron
	1500	72	C Nieto
	1800	72	C Nieto
	2100	72	C Nieto
	2400	71	B MATA

Wednesday

Date	Time	Temp.	Name (Print)
05-22-24	0300	71	B.MATA
	0600	71	[illegible]
	0900	71	[illegible]
	1200	72	[illegible]
	1500	72	C Nieto
	1800	72	C Nieto
	2100	72	C Nieto
	2400	71	B. MATA

Thursday

Date	Time	Temp.	Name (Print)
05-23-24	0300	71	B MATA
	0600	71	[illegible]
	0900	72	[illegible]
	1200	72	[illegible]
	1500	72	C Nieto
	1800	72	C Nieto
	2100	72	C Nieto
	2400	71	B.MATA

Friday

Date	Time	Temp.	Name (Print)
05-24-24	0300	71	B.MATA
	0600	72	[illegible]
	0900	72	[illegible]
	1200	72	[illegible]
	1500	72	C Nieto
	1800	72	C Nieto
	2100	72	C Nieto
	2400	72	J. Sanchez

Saturday

Date	Time	Temp.	Name (Print)
05-25-24	0300	71	J. Sanchez
	0600	71	[illegible]
	0900	71	[illegible]
	1200	71	[illegible]
	1500	71	J. OROZCO
	1800	71	J. OROZCO
	2100	70	J. OROZCO
	2400	70	J. Sanchez

Sunday

Date	Time	Temp.	Name (Print)
05-26-24	0300	70	J. Sanchez
	0600	68	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	71	J. OROZCO
	1800	71	J. OROZCO
	2100	70	J. OROZCO
	2400	70	B. MATA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB1 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-27-24	0300	70	B.MATA
	0600	70	L.Delaforre
	0900	72	L.Delaforre
	1200	72	L.Delaforre
	1500	72	C.Nieto
	1800	72	C.Nieto
	2100	72	C.Nieto
	2400	70	B.MATA

Tuesday

Date	Time	Temp.	Name (Print)
05-28-24	0300	70	B.MATA
	0600	70	M.Oehlert
	0900	71	M.Oehlert
	1200	72	M.Oehlert
	1500	72	C.Nieto
	1800	72	C.Nieto
	2100	72	C.Nieto
	2400	71	B.MATA

Wednesday

Date	Time	Temp.	Name (Print)
05-29-24	0300	70	B.MATA
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	72	C.Nieto
	1800	72	C.Nieto
	2100	72	C.Nieto
	2400	71	B.MATA

Thursday

Date	Time	Temp.	Name (Print)
05-30-24	0300	70	B.MATA
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	72	C.Nieto
	1800	72	C.Nieto
	2100	72	C.Nieto
	2400	71	B.MATA

Friday

Date	Time	Temp.	Name (Print)
05-31-24	0300	70	B.MATA
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	G.Gomez
	1800	71	G.Gomez
	2100	71	G.Gomez
	2400	68	A.RAMIREZ

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05-01-24	0300	70	T. Mawson
	0600	70	T. Mawson
	0900	70	L. Ramirez
	1200	75	L. Ramirez
	1500	75	B. MATA
	1800	75	B. MATA
	2100	74	B. MATA
	2400	73	J. Sparkle

Thursday

Date	Time	Temp.	Name (Print)
05-02-24	0300	71	J. Sparkle
	0600	71	L. Ramirez
	0900	75	L. Ramirez
	1200	75	L. Ramirez
	1500	75	J. Lopes
	1800	75	J. Lopes
	2100	75	J. Lopes
	2400	73	J. Sparkle

Friday

Date	Time	Temp.	Name (Print)
05-03-24	0300	71	J. Sparkle
	0600	71	L. Ramirez
	0900	71	L. Ramirez
	1200	75	L. Ramirez
	1500	75	J. Lopes
	1800	76	J. Lopes
	2100	76	J. Lopes
	2400	75	T. Mawson

Saturday

Date	Time	Temp.	Name (Print)
05-04-24	0300	70	T. Mawson
	0600	70	T. Mawson
	0900	71	S. Ortiz
	1200	71	S. Ortiz
	1500	71	V. Medina
	1800	70	V. Medina
	2100	70	V. Medina
	2400	70	B. MATA

Sunday

Date	Time	Temp.	Name (Print)
05-05-24	0300	70	B. MATA
	0600	71	S. Black
	0900	71	S. Black
	1200	71	S. Black
	1500	71	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	T. Mawson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-06-24	0300	70	T. Mawson
	0600	70	T. Mawson
	0900	71	L. Ramirez
	1200	73	L. Ramirez
	1500	73	J. OROZCO
	1800	73	J. OROZCO
	2100	72	J. OROZCO
	2400	72	T. Mawson

Tuesday

Date	Time	Temp.	Name (Print)
05-07-24	0300	70	T. Mawson
	0600	70	T. Mawson
	0900	71	L. Ramirez
	1200	73	L. Ramirez
	1500	73	J. OROZCO
	1800	72	J. OROZCO
	2100	72	J. OROZCO
	2400	71	T. Mawson

Wednesday

Date	Time	Temp.	Name (Print)
05-08-24	0300	70	T. Mawson
	0600	70	T. Mawson
	0900	71	L. Ramirez
	1200	73	L. Ramirez
	1500	73	J. Lopez
	1800	74	J. Lopez
	2100	75	J. Lopez
	2400	72	J. Santa

Thursday

Date	Time	Temp.	Name (Print)
05-09-24	0300	70	J. Santa
	0600	71	L. Ramirez
	0900	71	L. Ramirez
	1200	73	L. Ramirez
	1500	75	J. Lopez
	1800	75	J. Lopez
	2100	75	J. Lopez
	2400	72	J. Santa

Friday

Date	Time	Temp.	Name (Print)
05-10-24	0300	70	J. Santa
	0600	71	M. Solano
	0900	72	M. Solano
	1200	72	M. Solano
	1500	73	J. Lopez
	1800	74	J. Lopez
	2100	75	J. Lopez
	2400	74	T. Mawson

Saturday

Date	Time	Temp.	Name (Print)
05-11-24	0300	72	T. Mawson
	0600	72	T. Mawson
	0900	72	S. Ortiz
	1200	73	S. Ortiz
	1500	74	J. Lopez
	1800	75	J. Lopez
	2100	72	J. Lopez
	2400	72	T. Mawson

Sunday

Date	Time	Temp.	Name (Print)
05-12-24	0300	70	T. Mawson
	0600	70	T. Mawson
	0900	70	K. Rivera
	1200	72	K. Rivera
	1500	74	J. Lopez
	1800	75	J. Lopez
	2100	75	J. Lopez
	2400	74	T. Mawson

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-13-24	0300	70	T. Mans
	0600	70	T. Mans
	0900	71	[illegible]
	1200	72	[illegible]
	1500	72	J. OROZCO
	1800	72	J. OROZCO
	2100	22	J. OROZCO
	2400	72	T. Mans

Tuesday

Date	Time	Temp.	Name (Print)
05-14-24	0300	70	T. Mans
	0600	70	T. Mans
	0900	70	J. ISLAS
	1200	70	J. ISLAS
	1500	71	J. OROZCO
	1800	71	J. OROZCO
	2100	70	J. OROZCO
	2400	70	J. SANCHEZ

Wednesday

Date	Time	Temp.	Name (Print)
05-15-24	0300	72	[illegible]
	0600	70	L. Ramirez
	0900	72	L. Ramirez
	1200	72	L. Ramirez
	1500	73	J. Lopes
	1800	75	J. Lopes
	2100	75	J. Lopes
	2400	74	J. Sanchez

Thursday

Date	Time	Temp.	Name (Print)
05-16-24	0300	72	J. Sanchez
	0600	72	L. Ramirez
	0900	72	L. Ramirez
	1200	75	L. Ramirez
	1500	75	J. NICKEL
	1800	75	J. NICKEL
	2100	76	J. NICKEL
	2400	74	J. Sanchez

Friday

Date	Time	Temp.	Name (Print)
05-17-24	0300	72	J. Sanchez
	0600	72	L. Ramirez
	0900	75	L. Ramirez
	1200	75	L. Ramirez
	1500	75	J. Lopes
	1800	75	J. Lopes
	2100	76	J. Lopes
	2400	72	T. Mans

Saturday

Date	Time	Temp.	Name (Print)
05-18-24	0300	72	T. Mans
	0600	70	T. Mans
	0900	72	[illegible]
	1200	72	[illegible]
	1500	73	J. Lopes
	1800	74	J. Lopes
	2100	75	J. Lopes
	2400	74	T. Mans

Sunday

Date	Time	Temp.	Name (Print)
05-19-24	0300	72	T. Mans
	0600	72	T. Mans
	0900	72	S. Ortiz
	1200	73	S. Ortiz
	1500	74	J. Lopes
	1800	75	J. Lopes
	2100	76	J. Lopes
	2400	74	T. Mansor

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: A-2 Temp. Reading Location: Tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	72	T. Mauser
	0600	72	T. Mauser
	0900	72	L. Ramirez
	1200	75	L. Ramirez
	1500	75	J. Orozco
	1800	74	J. Orozco
	2100	74	J. Orozco
	2400	72	T. Mauser

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	T. Mauser
	0600	70	T. Mauser
	0900	71	L. Ramirez
	1200	71	L. Ramirez
	1500	72	J. Orozco
	1800	72	J. Orozco
	2100	71	J. Orozco
	2400	70	T. Mauser

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	T. Mauser
	0600	70	T. Mauser
	0900	73	L. Ramirez
	1200	75	L. Ramirez
	1500	74	G. Zaragoza
	1800	74	G. Zaragoza
	2100	72	G. Zaragoza
	2400	72	J. Sowder

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	J. Sowder
	0600	71	L. Ramirez
	0900	71	L. Ramirez
	1200	72	L. Ramirez
	1500	72	J. Lopez
	1800	73	J. Lopez
	2100	74	J. Lopez
	2400	72	J. Sowder

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	J. Sowder
	0600	70	L. Ramirez
	0900	71	L. Ramirez
	1200	71	L. Ramirez
	1500	72	J. Lopez
	1800	73	J. Lopez
	2100	74	J. Lopez
	2400	70	M. Diaz

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	M. Diaz
	0600	71	S. Ortiz
	0900	72	S. Ortiz
	1200	73	S. Ortiz
	1500	73	J. Lopez
	1800	74	J. Lopez
	2100	74	J. Lopez
	2400	70	M. Diaz

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	M. Diaz
	0600	70	S. Ortiz
	0900	72	S. Ortiz
	1200	73	S. Ortiz
	1500	73	J. Lopez
	1800	74	J. Lopez
	2100	75	J. Lopez
	2400	72	A. Gonzalez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB2 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-27-24	0300	72	A. GONZALEZ
	0600	72	L. Ramirez
	0900	72	L. Ramirez
	1200	73	L. Ramirez
	1500	73	J. OROZCO
	1800	73	J. OROZCO
	2100	72	J. OROZCO
	2400	72	T. Mans

Tuesday

Date	Time	Temp.	Name (Print)
05-28-24	0300	70	T. Mans
	0600	70	T. Mans
	0900	71	L. Ramirez
	1200	72	L. Ramirez
	1500	72	J. OROZCO
	1800	72	J. OROZCO
	2100	71	J. OROZCO
	2400	70	T. Mans

Wednesday

Date	Time	Temp.	Name (Print)
05-29-24	0300	70	T. Mans
	0600	70	T. Mans
	0900	71	L. Ramirez
	1200	71	L. Ramirez
	1500	72	J. Lopes
	1800	73	J. Lopes
	2100	74	J. Lopes
	2400	73	J. Sanchez

Thursday

Date	Time	Temp.	Name (Print)
05-30-24	0300	71	J. SANCHEZ
	0600	71	L. Ramirez
	0900	71	L. Ramirez
	1200	73	L. Ramirez
	1500	73	J. Lopes
	1800	74	J. Lopes
	2100	75	J. Lopes
	2400	74	J. Sanchez

Friday

Date	Time	Temp.	Name (Print)
05-31-24	0300	72	J. SANCHEZ
	0600	72	L. Ramirez
	0900	72	L. Ramirez
	1200	73	L. Ramirez
	1500	73	J. Lopes
	1800	74	J. Lopes
	2100	75	J. Lopes
	2400	73	T. Mans

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05-01-24	0300	69	MAMAUAG
	0600	70	A. HERMOSILLO
	0900	72	A. HERMOSILLO
	1200	74	A. HERMOSILLO
	1500	74	J. OROZCO
	1800	73	J. OROZCO
	2100	73	J. OROZCO
	2400	70	CLOPER

Thursday

Date	Time	Temp.	Name (Print)
05-02-24	0300	70	CLOPER
	0600	70	A. HERMOSILLO
	0900	72	A. HERMOSILLO
	1200	74	A. HERMOSILLO
	1500	74	BUSTOS
	1800	72	BUSTOS
	2100	72	BUSTOS
	2400	70	MAMAUAG

Friday

Date	Time	Temp.	Name (Print)
05-03-24	0300	70	MAMAUAG
	0600	70	A. HERMOSILLO
	0900	72	A. HERMOSILLO
	1200	74	A. HERMOSILLO
	1500	75	L. Lopez
	1800	75	L. Lopez
	2100	75	L. Lopez
	2400	70	C. Lopez

Saturday

Date	Time	Temp.	Name (Print)
05-04-24	0300	70	[illegible]
	0600	70	A. HERMOSILLO
	0900	72	A. HERMOSILLO
	1200	74	A. HERMOSILLO
	1500	70	RICO
	1800	68	RICO
	2100	68	RICO
	2400	68	C. Hill

Sunday

Date	Time	Temp.	Name (Print)
05-05-24	0300	68	C. Hill
	0600	70	A. HERMOSILLO
	0900	72	A. HERMOSILLO
	1200	72	A. HERMOSILLO
	1500	73	M. Leon
	1800	70	M. Leon
	2100	70	M Leon
	2400	70	J. Tryll

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-06-24	0300	70	J. Trujillo
	0600	70	S. Ortiz
	0900	71	S. Ortiz
	1200	72	S. Ortiz
	1500	72	J. Martinez
	1800	71	J. Martinez
	2100	71	J. Martinez
	2400	70	A. Nevarez

Tuesday

Date	Time	Temp.	Name (Print)
05-07-24	0300	70	J. Sanchez
	0600	70	A. Hermosillo
	0900	72	A. Hermosillo
	1200	72	A. Hermosillo
	1500	72	J. Orozco
	1800	72	J. Orozco
	2100	72	J. Orozco
	2400	72	B. Camera

Wednesday

Date	Time	Temp.	Name (Print)
05-08-24	0300	70	A. Nevarez
	0600	70	S. Ortiz
	0900	70	S. Ortiz
	1200	71	S. Ortiz
	1500	71	J. Martinez
	1800	70	J. Martinez
	2100	70	J. Martinez
	2400	70	J. Sanchez

Thursday

Date	Time	Temp.	Name (Print)
05-09-24	0300	70	B. Garcia
	0600	70	A. Hermosillo
	0900	71	A. Hermosillo
	1200	72	A. Hermosillo
	1500	71	J. Aguilar
	1800	71	J. Aguilar
	2100	71	J. Aguilar
	2400	72	J. Sanchez

Friday

Date	Time	Temp.	Name (Print)
05-10-24	0300	70	A. Sanchez
	0600	70	A. Hermosillo
	0900	72	A. Hermosillo
	1200	74	A. Hermosillo
	1500	75	C. Gillett
	1800	72	C. Gillett
	2100	70	C. Gillett
	2400	71	H. Cera

Saturday

Date	Time	Temp.	Name (Print)
05-11-24	0300	71	H. Cera
	0600	70	A. Hermosillo
	0900	71	A. Hermosillo
	1200	73	A. Hermosillo
	1500	74	J. Martinez
	1800	75	J. Martinez
	2100	75	J. Martinez
	2400	76°	M. Diaz

Sunday

Date	Time	Temp.	Name (Print)
05-12-24	0300	76°	M. Diaz
	0600	76	M. Oehlert
	0900	78	M. Oehlert
	1200	80	M. Oehlert
	1500	78	J. Martinez
	1800	77	J. Martinez
	2100	77	J. Martinez
	2400	76	H. Cera

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-13-24	0300	71	H. CERA
	0600	72	S. ORTIZ
	0900	72	S. ORTIZ
	1200	73	S. ORTIZ
	1500	75	J. Martinez
	1800	77	J. Martinez
	2100	77	J. Martinez
	2400	74	H. CERA

Tuesday

Date	Time	Temp.	Name (Print)
05-14-24	0300	71	H. CERA
	0600	71	S. ORTIZ
	0900	72	S. ORTIZ
	1200	72	S. ORTIZ
	1500	74	J. Martinez
	1800	75	J. Martinez
	2100	75	J. Martinez
	2400	75	J. SANCHEZ

Wednesday

Date	Time	Temp.	Name (Print)
05-15-24	0300	75	J. SANCHEZ
	0600	74	A. HERMOSILLO
	0900	76	A. HERMOSILLO
	1200	77	A. HERMOSILLO
	1500	77	J. NICKEL
	1800	77	J. NICKEL
	2100	76	J. NICKEL
	2400	74	H. CERA

Thursday

Date	Time	Temp.	Name (Print)
05-16-24	0300	71	H. CERA
	0600	73	A. HERMOSILLO
	0900	75	A. HERMOSILLO
	1200	76	A. HERMOSILLO
	1500	72	J. AGUIAR
	1800	78	G. CHAN
	2100	78	G. CHAN
	2400	77	G. CHAN

Friday

Date	Time	Temp.	Name (Print)
05-17-24	0300	75	G. CHAN
	0600	74	A. HERMOSILLO
	0900	76	A. HERMOSILLO
	1200	77	A. HERMOSILLO
	1500	77	J. Martinez
	1800	78	J. Martinez
	2100	77	J. Martinez
	2400	74	M. DIAZ

Saturday

Date	Time	Temp.	Name (Print)
05-18-24	0300	73	M. DIAZ
	0600	74	A. HERMOSILLO
	0900	76	A. HERMOSILLO
	1200	76	A. HERMOSILLO
	1500	77	J. Martinez
	1800	77	J. Martinez
	2100	75	J. Martinez
	2400	75	V. Munzarat

Sunday

Date	Time	Temp.	Name (Print)
05-19-24	0300	75	V. Munzarat
	0600	74	A. HERMOSILLO
	0900	75	A. HERMOSILLO
	1200	75	A. HERMOSILLO
	1500	75	J. Martinez
	1800	75	J. Martinez
	2100	75	J. Martinez
	2400	74	L. PONCE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-20-24	0300	70	L. PONCE
	0600	70	S. Ortiz
	0900	71	S. Ortiz
	1200	72	S. Ortiz
	1500	72	J. Martinez
	1800	71	J. Martinez
	2100	70	J. Martinez
	2400	70	B. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
05-21-24	0300	70	B. Garcia
	0600	71	S. Ortiz
	0900	71	S. Ortiz
	1200	71	S. Ortiz
	1500	70	J. Martinez
	1800	70	J. Martinez
	2100	70	J. Martinez
	2400	70	C. Hill

Wednesday

Date	Time	Temp.	Name (Print)
05-22-24	0300	70	C. Hill
	0600	70	A. Hermosillo
	0900	72	A. Hermosillo
	1200	72	A. Hermosillo
	1500	72	J. Orozco
	1800	72	J. Orozco
	2100	72	J. Orozco
	2400	70	L. PONCE

Thursday

Date	Time	Temp.	Name (Print)
05-23-24	0300	70	L. PONCE
	0600	70	A. Hermosillo
	0900	72	A. Hermosillo
	1200	74	A. Hermosillo
	1500	70	A. RIVERA
	1800	70	A. RIVERA
	2100	70	A. RIVERA
	2400	70	L. PONCE

Friday

Date	Time	Temp.	Name (Print)
05-24-24	0300	70	L. PONCE
	0600	70	A. Hermosillo
	0900	72	A. Hermosillo
	1200	74	A. Hermosillo
	1500	74	J. Martinez
	1800	72	J. Martinez
	2100	72	J. Martinez
	2400	70	L. PONCE

Saturday

Date	Time	Temp.	Name (Print)
05-25-24	0300	70	L. PONCE
	0600	72	A. Hermosillo
	0900	74	A. Hermosillo
	1200	75	A. Hermosillo
	1500	76	Z. Renfro
	1800	75	Z. Renfro
	2100	73	Z. Renfro
	2400	70	L. PONCE

Sunday

Date	Time	Temp.	Name (Print)
05-26-24	0300	70	L. PONCE
	0600	72	A. Hermosillo
	0900	74	A. Hermosillo
	1200	75	A. Hermosillo
	1500	75	J. Martinez
	1800	75	J. Martinez
	2100	74	J. Martinez
	2400	70	L. PONCE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB3 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-27-24	0300	70	L. PONCE
	0600	70	S. Ordiz
	0900	71	S. Ordiz
	1200	72	S. Ordiz
	1500	75	J. Martinez
	1800	74	J. Martinez
	2100	74	J. Martinez
	2400	74°	J. McCain

Tuesday

Date	Time	Temp.	Name (Print)
05-28-24	0300	72°	J. McCain
	0600	71	S. Ordiz
	0900	72	S. Ordiz
	1200	71	S. Ordiz
	1500	75	J. Martinez
	1800	74	J. Martinez
	2100	74	J. Martinez
	2400	74	J. Sanchez

Wednesday

Date	Time	Temp.	Name (Print)
05-29-24	0300	72	J. Sanchez
	0600	72	A. Hermosillo
	0900	74	A. Hermosillo
	1200	76	A. Hermosillo
	1500	76	J. Orozco
	1800	76	J. Orozco
	2100	75	J. Orozco
	2400	70	L. PONCE

Thursday

Date	Time	Temp.	Name (Print)
05-30-24	0300	70	L. PONCE
	0600	72	A. Hermosillo
	0900	74	A. Hermosillo
	1200	76	A. Hermosillo
	1500	76	Y. Ruvalcaba
	1800	75	Y. Ruvalcaba
	2100	75	Y. Ruvalcaba
	2400	70	L. PONCE

Friday

Date	Time	Temp.	Name (Print)
05-31-24	0300	70	L. PONCE
	0600	72	A. Hermosillo
	0900	74	A. Hermosillo
	1200	76	A. Hermosillo
	1500	77	J. Martinez
	1800	77	J. Martinez
	2100	75	J. Martinez
	2400	73	L. PONCE

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: A4 Temp. Reading Location: TIER 2 / Aside
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
05/01	2400	71	S. AGUILAR

Wednesday

Date	Time	Temp.	Name (Print)
~~05/01~~	0300	70	J. AGUILAR
5/1/24	0600	70	S. ortiz
	0900	71	S. ortiz
	1200	71	S. ortiz
	1500	72	M CEballos
	1800	72	M CEballos
	2100	72	M CEballos
~~05/02~~	2400	70	J. AGUILAR

Thursday

Date	Time	Temp.	Name (Print)
05/02/24	0300	65	J. AGUILAR
	0600	68	[illegible]
	0900	68	[illegible]
	1200	70	[illegible]
	1500	70	B MATA
	1800	70	B MATA
	2100	70	B MATA
	2400	70	J. AGUILAR

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	J. AGUILAR
	0600	70	M. De La Torre
	0900	71	M. De La Torre
	1200	71	M. De La Torre
	1500	72	J. OROZCO
	1800	75	J. OROZCO
	2100	72	J. OROZCO
	2400	72	J. Ramirez

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	71	J. Ramirez
	0600	71	M. De La Torre
	0900	71	M. De La Torre
	1200	71	M. De La Torre
	1500	71	M Aburqui
	1800	71	M Aburqui
	2100	70	M Aburqui
	2400	70°	RF GARZA

Sunday

Date	Time	Temp.	Name (Print)
5/05/24	0300	69°	RF GARZA
	0600	70°	M. De La Torre
	0900	70°	M. De La Torre
	1200	70°	M. De La Torre
	1500	70	B. MATA
	1800	70	B. MATA
	2100	70	B MATA
	2400	70	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: A4 - A-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-6-24	0300	69	A. GONZALEZ
	0600	70	A. GONZALEZ
	0900	71	DeLaTorre
	1200	71	DeLaTorre
	1500	71	DeLaTorre
	1800	71	G. ZARAGOSA
	2100	72	G. ZARAGOSA
	2400	70	G. ZARAGOSA

Tuesday

Date	Time	Temp.	Name (Print)
5-7-24	0300	70	M. CLOUD
	0600	69	M. CLOUD
	0900	70	G. CHACON
	1200	71	G. CHACON
	1500	71	G. CHACON
	1800	72	G. CHACON
	2100	72	G. CHACON
	2400	70	J. MAMARAC

Wednesday

Date	Time	Temp.	Name (Print)
5-8-24	0300	70	J. MAMARAC
	0600	70	S. ORDIZ
	0900	71	S. ORDIZ
	1200	70	S. ORDIZ
	1500	72	G. CHACON
	1800	72	G. CHACON
	2100	72	G. CHACON
	2400	72	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0300	70	C. VASQUEZ
	0600	70	Andrade
	0900	71	Rafael
	1200	72	Anibal
	1500	71	V. Moreno
	1800	70	V. Moreno
	2100	70	V. Moreno
	2400	70	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	70	M. CLOUD
	0600	71	M. DeLaTorre
	0900	72	M. DeLaTorre
	1200	72	M. DeLaTorre
	1500	72	J. OROZCO
	1800	74	J. OROZCO
	2100	73	J. OROZCO
	2400	72	R. Gomez

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	71	R. Gomez
	0600	71	M. DeLaTorre
	0900	72	M. DeLaTorre
	1200	72	M. DeLaTorre
	1500	72	T. Livingston
	1800	72	T. Livingston
	2100	70	T. Livingston
	2400	70	H. CERA

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300	70	H. CERA
	0600	71	M. DeLaTorre
	0900	71	M. DeLaTorre
	1200	72	M. DeLaTorre
	1500	80	G. CHACON
	1800	82	G. CHACON
	2100	82	G. CHACON
	2400	82	PORTIDER

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP/RC Housing Unit: A4 GP Temp. Reading Location: 2ND A-Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	72	PAREDEZ
	0600	72	PAREDEZ
	0900	73	M. DeLaTorre
	1200	73	M. DeLaTorre
	1500	75	B. MATA
	1800	77	B. MATA
	2100	77	B. MATA
	2400	75	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
5-14-24	0300	73	M. CLOUD
	0600	73	M. DeLaTorre
	0900	74	M. DeLaTorre
	1200	74	M. DeLaTorre
	1500	77	B. MATA
	1800	78	B. MATA
	2100	78	B. MATA
	2400	75	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0300	73	M. CLOUD
	0600	73	S. ORZIZ
	0900	73	S. ORZIZ
	1200	72	S. ORZIZ
	1500	73	S Falcon
	1800	73	S Falcon
	2100	73	S Falcon
	2400	72	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
5-16-24	0300	70	M. CLOUD
	0600	70	Andrade
	0900	71	Andrade
	1200	72	Andrade
	1500	75	B. MATA
	1800	75	B. MATA
	2100	74	B. MATA
	2400	72	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
5-17-24	0300	70	M. CLOUD
	0600	71	M. DeLaTorre
	0900	72	M. DeLaTorre
	1200	72	M. DeLaTorre
	1500	74	J. OROZCO
	1800	76	J. OROZCO
	2100	77	J. OROZCO
	2400	74	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0300	72	M. CLOUD
	0600	72	M. DeLaTorre
	0900	72	M. DeLaTorre
	1200	73	M. DeLaTorre
	1500	74	J. OROZCO
	1800	75	J. OROZCO
	2100	74	J. OROZCO
	2400	74	M. DIAZ

Sunday

Date	Time	Temp.	Name (Print)
5-19-24	0300	72	M. DIAZ
	0600	72	M. DeLaTorre
	0900	72	M. DeLaTorre
	1200	73	M. DeLaTorre
	1500	73	M. CLOUD
	1800	74	M. CLOUD
	2100	74	M. CLOUD
	2400	73	M. CLOUD

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP/RC Housing Unit: FAB4 GP Temp. Reading Location: 2nd/A-Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-20-24	0300	70	M. CLOUD
	0600	71	M. DeLaTorre
	0900	71	M. DeLaTorre
	1200	72	M. DeLaTorre
	1500	74	B. MATA
	1800	74	B. MATA
	2100	72	B. MATA
	2400	70	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
5-21-24	0300	70	M. CLOUD
	0600	70	M. DeLaTorre
	0900	71	M. DeLaTorre
	1200	72	M. DeLaTorre
	1500	74	M. CLOUD
	1800	74	M. CLOUD
	2100	74	M. CLOUD
	2400	72	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0300	70	M. CLOUD
	0600	71	S. Ordiz
	0900	72	S. Ordiz
	1200	72	S. Ordiz
	1500	80	O. Arellano
	1800	84	O. Arellano
	2100	82	O. Arellano
	2400	73	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0300	70	M. CLOUD
	0600	70	Andrade
	0900	72	Andrade
	1200	74	Andrade
	1500	74	B. Garcia
	1800	74	B. Garcia
	2100	74	B. Garcia
	2400	72	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0300	73	M. CLOUD
	0600	73	M. DeLaTorre
	0900	73	M. DeLaTorre
	1200	73	M. DeLaTorre
	1500	76	J. Orozco
	1800	77	J. Orozco
	2100	76	J. Orozco
	2400	74	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0300	72	M. CLOUD
	0600	72	M. DeLaTorre
	0900	72	M. DeLaTorre
	1200	72	M. DeLaTorre
	1500	74	G. Chacon
	1800	75	G. Chacon
	2100	75	G. Chacon
	2400	75	Paredez

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300	75	Paredez
	0600	75	Paredez
	0900	75	M. DeLaTorre
	1200	76	M. DeLaTorre
	1500	75	M. Rivera
	1800	75	M. Rivera
	2100	75	M. Rivera
	2400	72	J. McCain

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: A4-A-Side Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	72	OFFICE
	0600	72	M. DeLaTorre
	0900	73	M. DeLaTorre
	1200	73	M. DeLaTorre
	1500	71	J. AGUILAR
	1800	73	J. AGUILAR
	2100	72	J. AGUILAR
	2400	73	J. MAMAUAC

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	72	J. MAMAUAC
	0600	72	M. DeLaTorre
	0900	75	M. DeLaTorre
	1200	75	M. DeLaTorre
	1500	73	J. AGUILAR
	1800	71	J. AGUILAR
	2100	73	J. AGUILAR
	2400	73	A. NASON

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	72	A. NASON
	0600	72	S. Ortiz
	0900	73	S. Ortiz
	1200	73	S. Ortiz
	1500	72	J. AGUILAR
	1800	73	J. AGUILAR
	2100	71	J. AGUILAR
	2400	70	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	M. CLOUD
	0600	71	Andrade
	0900	72	Andrade
	1200	72	Andrade
	1500	71	J. AGUILAR
	1800	72	J. AGUILAR
	2100	72	J. AGUILAR
	2400	72	R. Rivas

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	R. Rivas
	0600	71	M. DeLaTorre
	0900	73	M. DeLaTorre
	1200	73	M. DeLaTorre
	1500	73	J. OROZCO
	1800	72	J. OROZCO
	2100	73	J. OROZCO
	2400	76	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	73	M. CLOUD
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: A4 Temp. Reading Location: TIER 2/B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
05/01	2400	71	J. AGUILAR

Wednesday

Date	Time	Temp.	Name (Print)
~~05/01~~	0300	70	J. AGUILAR
	0600	70	S. ortiz
	0900	71	S. ortiz
5/1/24	1200	71	S. ortiz
	1500	73	M. CEBALLOS
	1800	73	M CEBALLOS
	2100	73	M. CEBALLOS
~~05/02~~	2400	70	J. AGUILAR

Thursday

Date	Time	Temp.	Name (Print)
~~05/02~~	0300	65	J. AGUILAR
	0600	65	[illegible]
	0900	68	[illegible]
	1200	70	[illegible]
5/2/24	1500	70	B MATA
	1800	70	B MATA
	2100	70	B MATA
	2400	70	J. AGUILAR

Friday

Date	Time	Temp.	Name (Print)
05.03.24	0300	70	J AGUILAR
	0600	70	M. De La Torre
	0900	71	M. De La Torre
	1200	71	M. De La Torre
	1500	73	OROZCO
	1800	73	OROZCO
	2100	72	OROZCO
	2400	72	J. [illegible]

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	71	J. [illegible]
	0600	71	M. De La Torre
	0900	71	M. De La Torre
	1200	71	M. De La Torre
	1500	71	M Aborgui
	1800	71	M Aborgui
	2100	70	M Aborgui
	2400	70°	RF GARZA

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	69°	RF GARZA
	0600	70°	M. De La Torre
	0900	70°	M. De La Torre
	1200	70°	M. De La Torre
	1500	70	B MATA
	1800	70	B MATA
	2100	70	B MATA
	2400	70	A. [illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: A4 - B-SIDE Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-6-24	0300	69	A. GONZALEZ
	0600	70	A. GONZALEZ
	0900	71	De La Torre
	1200	71	De La Torre
	1500	71	De La Torre
	1800	71	G. ZARAGOSA
	2100	72	G. ZARAGOSA
	2400	70	G. ZARAGOSA

Tuesday

Date	Time	Temp.	Name (Print)
5-7-24	0300	70	M. CLOUD
	0600	69	M. CLOUD
	0900	70	G. CHAGAN
	1200	71	G. CHAGAN
	1500	71	G. CHAGAN
	1800	72	G. CHAGAN
	2100	72	G. CHAGAN
	2400	70	J. MAMAUAG

Wednesday

Date	Time	Temp.	Name (Print)
5-8-24	0300	70	J. MAMAUAG
	0600	70	S. ORDIZ
	0900	71	S. ORDIZ
	1200	70	S. ORDIZ
	1500	72	G. CHAGAN
	1800	72	G. CHAGAN
	2100	72	G. CHAGAN
	2400	71	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0300	69	C. VASQUEZ
	0600	69	Andrade
	0900	70	Andrade
	1200	71	Andrade
	1500	70	V. MORENO
	1800	72	V. MORENO
	2100	71	V. MORENO
	2400	70	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	70	M. CLOUD
	0600	71	M. De La Torre
	0900	72	M. De La Torre
	1200	72	M. De La Torre
	1500	74	J. OROZCO
	1800	74	J. OROZCO
	2100	73	J. OROZCO
	2400	73	R. Gomez

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	71	R. Gomez
	0600	71	M. De La Torre
	0900	72	M. De La Torre
	1200	72	M. De La Torre
	1500	72	J. Mamauag
	1800	72	J. Mamauag
	2100	70	J. Mamauag
	2400	70	H. CERA

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300	70	H. CERA
	0600	71	M. De La Torre
	0900	71	M. De La Torre
	1200	72	M. De La Torre
	1500	80	G. CHAGAN
	1800	82	G. CHAGAN
	2100	82	G. CHAGAN
	2400	82	P. BARRERA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP/RC Housing Unit: A4 OR Temp. Reading Location: 2ND B Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	0300	72	PAREDEZ
	0600	72	PAREDEZ
	0900	73	M. DeLaTorre
	1200	73	M. DeLaTorre
	1500	75	B. MATA
	1800	77	B. MATA
	2100	77	B. MATA
	2400	75	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
5-14-24	0300	73	M. CLOUD
	0600	73	M. DeLaTorre
	0900	73	M. DeLaTorre
	1200	76	M. DeLaTorre
	1500	77	B. MATA
	1800	78	B. MATA
	2100	78	B. MATA
	2400	75	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0300	73	M. CLOUD
	0600	73	S. ORTIZ
	0900	73	S. ORTIZ
	1200	72	S. ORTIZ
	1500	72	S Falum
	1800	73	S Falum
	2100	73	S Falum
	2400	72	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
5-16-24	0300	70	M. CLOUD
	0600	70	Andrade
	0900	71	Andrade
	1200	72	Andrade
	1500	75	B. MATA
	1800	75	B. MATA
	2100	74	B. MATA
	2400	72	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
5-17-24	0300	70	M. CLOUD
	0600	71	M. DeLaTorre
	0900	72	M. DeLaTorre
	1200	72	M. DeLaTorre
	1500	73	J. OROZCO
	1800	75	J. OROZCO
	2100	77	J. OROZCO
	2400	74	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0300	72	M. CLOUD
	0600	72	M. DeLaTorre
	0900	72	M. DeLaTorre
	1200	73	M. DeLaTorre
	1500	74	J. OROZCO
	1800	75	J. OROZCO
	2100	76	J. OROZCO
	2400	70	M. DIAZ

Sunday

Date	Time	Temp.	Name (Print)
5-19-24	0300	70	M. DIAZ
	0600	72	M. DeLaTorre
	0900	72	M. DeLaTorre
	1200	73	M. DeLaTorre
	1500	73	M. CLOUD
	1800	74	M. CLOUD
	2100	74	M. CLOUD
	2400	73	M. CLOUD

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP/RC Housing Unit: FAB4 O.R. Temp. Reading Location: 2nd B Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-20-24	0300	70	M. CLOUD
	0600	71	M. DeLaTorre
	0900	72	M. DeLaTorre
	1200	72	M. DeLaTorre
	1500	74	B. MATA
	1800	74	B. MATA
	2100	72	B. MATA
	2400	70	M. CLOUD

Tuesday

Date	Time	Temp.	Name (Print)
5-21-24	0300	70	M. CLOUD
	0600	70	M. DeLaTorre
	0900	71	M. DeLaTorre
	1200	72	M. DeLaTorre
	1500	74	M. CLOUD
	1800	74	M. CLOUD
	2100	74	M. CLOUD
	2400	72	M. CLOUD

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0300	71	M. CLOUD
	0600	71	S. Ortiz
	0900	72	S. Ortiz
	1200	72	S. Ortiz
	1500	80	O. Arellano
	1800	84	O. Arellano
	2100	80	O. Arellano
	2400	73	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0300	70	M. CLOUD
	0600	70	[illegible]
	0900	72	[illegible]
	1200	72	[illegible]
	1500	72	S. GARCIA
	1800	72	S. GARCIA
	2100	72	S. GARCIA
	2400	70	M. CLOUD

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0300	70	M. CLOUD
	0600	71	M. DeLaTorre
	0900	73	M. DeLaTorre
	1200	73	M. DeLaTorre
	1500	76	J. OROZCO
	1800	77	J. OROZCO
	2100	75	J. OROZCO
	2400	73	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0300	71	M. CLOUD
	0600	71	M. DeLaTorre
	0900	72	M. DeLaTorre
	1200	72	M. DeLaTorre
	1500	74	G. CHACON
	1800	75	G. CHACON
	2100	75	G. CHACON
	2400	75	PAREDEZ

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300	75	PAREDEZ
	0600	75	PAREDEZ
	0900	75	M. DeLaTorre
	1200	76	M. DeLaTorre
	1500	77	[illegible]
	1800	75	[illegible]
	2100	75	[illegible]
	2400	74	J. McCain

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: A4 - B-Side Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	72	ORTIZ
	0600	72	M. De La Torre
	0900	73	M. De La Torre
	1200	73	M. De La Torre
	1500	72	J. AGUILAR
	1800	71	J. AGUILAR
	2100	73	J. AGUILAR
	2400	73	J. MAMALAC

Tuesday

Date	Time	Temp.	Name (Print)
5/28/29	0300	72	J. MAMALAC
	0600	72	M. De La Torre
	0900	73	M. De La Torre
	1200	73	M. De La Torre
	1500	71	J. AGUILAR
	1800	73	J. AGUILAR
	2100	72	J. AGUILAR
	2400	73	A. NASERA

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	72	A. NASERA
	0600	72	S. ORTIZ
	0900	73	S. ORTIZ
	1200	73	S. ORTIZ
	1500	73	J. AGUILAR
	1800	71	J. AGUILAR
	2100	71	J. AGUILAR
	2400	70	M. CLOUD

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	M. CLOUD
	0600	71	Andrade
	0900	72	Andrade
	1200	72	Andrade
	1500	71	J. AGUILAR
	1800	72	J. AGUILAR
	2100	72	J. AGUILAR
	2400	72	R. RIVAS

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	70	R. RIVAS
	0600	71	M. DELATORRE
	0900	73	M. DELATORRE
	1200	73	M. DELATORRE
	1500	75	I. OROZCO
	1800	77	I. OROZCO
	2100	78	I. OROZCO
	2400	74	M. CLOUD

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	72	M. CLOUD
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05-01-24	0300	72	N. Maness
	0600	72	L. Zepeda
	0900	74	L. Zepeda
	1200	78	L. Zepeda
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	75	N. Maness

Thursday

Date	Time	Temp.	Name (Print)
05-02-24	0300	72	N. Maness
	0600	72	L. Zepeda
	0900	72	L. Zepeda
	1200	76	L. Zepeda
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	J. SANCHEZ
	2400	78	C. Hill

Friday

Date	Time	Temp.	Name (Print)
05-03-24	0300	77	C. Hill
	0600	77	Andrade
	0900	78	Andrade
	1200	79	Andrade
	1500	79	R. SANCHEZ
	1800	79	R. SANCHEZ
	2100	79	R. SANCHEZ
	2400	78	B. MATA

Saturday

Date	Time	Temp.	Name (Print)
05-04-24	0300	77	B. MATA
	0600	77	Andrade
	0900	78	Andrade
	1200	78	Andrade
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	76	R. SANCHEZ
	2400	77	N. Maness

Sunday

Date	Time	Temp.	Name (Print)
05-05-24	0300	78	Maness
	0600	78	S. ENRIQUEZ
	0900	78	S. ENRIQUEZ
	1200	79	S. ENRIQUEZ
	1500	77	S. ENRIQUEZ
	1800	76	J. OROZCO
	2100	75	J. OROZCO
	2400	75	N. Maness

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-06-24	0300	75	A. Maness
	0600	76	L. Zepeda
	0900	76	L. Zepeda
	1200	76	L. Zepeda
	1500	77	J. OROZCO
	1800	77	J. OROZCO
	2100	76	J. OROZCO
	2400	75	A. Maness

Tuesday

Date	Time	Temp.	Name (Print)
05-07-24	0300	74	A. Maness
	0600	76	L. Zepeda
	0900	76	L. Zepeda
	1200	78	L. Zepeda
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	76	R. SANCHEZ
	2400	75	A. Maness

Wednesday

Date	Time	Temp.	Name (Print)
05-08-24	0300	74	A. Maness
	0600	74	Bailey
	0900	76	Bailey
	1200	78	Bailey
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	76	R. SANCHEZ
	2400	74	A. Maness

Thursday

Date	Time	Temp.	Name (Print)
05-09-24	0300	71	A. Maness
	0600	74	L. Zepeda
	0900	76	L. Zepeda
	1200	78	L. Zepeda
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	78	S. Deh R

Friday

Date	Time	Temp.	Name (Print)
05-10-24	0300	76	S. Deh R
	0600	76	Andrade
	0900	77	Andrade
	1200	78	Andrade
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	74	A. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
05-11-24	0300	74	A. GONZALEZ
	0600	76 76	[illegible] RAMIREZ
	0900	78 78	[illegible] RAMIREZ
	1200	78 78	[illegible] RAMIREZ
	1500	78	R. SANCHEZ
	1800	78	R. SANCHEZ
	2100	78	R. SANCHEZ
	2400	74	A. Maness

Sunday

Date	Time	Temp.	Name (Print)
05-12-24	0300	74	A. Maness
	0600	78	L. Zepeda
	0900	78	L. Zepeda
	1200	78	L. Zepeda
	1500	78	J. OROZCO
	1800	77	J. OROZCO
	2100	77	J. OROZCO
	2400	75	A. Maness

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-13-24	0300	76	A. Maness
	0600	78	L. Zepeda
	0900	78	L. Zepeda
	1200	78	L. Zepeda
	1500	78	A. Rivera
	1800	78	A. Rivera
	2100	76	A. Rivera
	2400	78	Maness

Tuesday

Date	Time	Temp.	Name (Print)
05-14-24	0300	78	Maness
	0600	78	Zepeda
	0900	78	Zepeda
	1200	78	Zepeda
	1500	78	R. Sanchez
	1800	78	R Sanchez
	2100	78	R Sanchez
	2400	78	Maness

Wednesday

Date	Time	Temp.	Name (Print)
05-15-24	0300	78	Maness
	0600	78	Zepeda
	0900	78	Zepeda
	1200	78	Zepeda
	1500	78	R. Sanchez
	1800	78	R Sanchez
	2100	78	R Sanchez
	2400	78	A. Maness

Thursday

Date	Time	Temp.	Name (Print)
05-16-24	0300	78	A. Maness
	0600	78	Zepeda
	0900	78	Zepeda
	1200	78	Zepeda
	1500	79	O. Arellano
	1800	79	O. Arellano
	2100	75	O. Arellano
	2400	74	L. Hill

Friday

Date	Time	Temp.	Name (Print)
05-17-24	0300	74	L. Hill
	0600	74	Andrade
	0900	74	Andrade
	1200	75	Andrade
	1500	78	J. AMADOR
	1800	78	J. AMADOR
	2100	75	J. AMADOR
	2400	75	C. Hill

Saturday

Date	Time	Temp.	Name (Print)
05-18-24	0300	75	C. Hill
	0600	75	Andrade
	0900	76	Andrade
	1200	77	Andrade
	1500	78	Cnieto
	1800	78	Cnieto
	2100	78	Cnieto
	2400	75	Maness

Sunday

Date	Time	Temp.	Name (Print)
05-19-24	0300	74	Maness
	0600	76	Zepeda
	0900	76	Zepeda
	1200	78	Zepeda
	1500	78	J. OROZCO
	1800	77	J. OROZCO
	2100	77	J. OROZCO
	2400	75	A. Maness

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-20-24	0300	75	A. Maness
	0600	75	Zepeda
	0900	76	Zepeda
	1200	76	Zepeda
	1500	76	J. Orozco
	1800	78	J. OROZCO
	2100	77	J-OROZCO
	2400	75	A. Maness

Tuesday

Date	Time	Temp.	Name (Print)
05-21-24	0300	75	A. Maness
	0600	74	Zepeda
	0900	76	Zepeda
	1200	78	Zepeda
	1500	78	[illegible]
	1800	78	[illegible]
	2100	76	[illegible]
	2400	75	A. Maness

Wednesday

Date	Time	Temp.	Name (Print)
05-22-24	0300	75	A. Maness
	0600	75	L. Zepeda
	0900	75	L. Zepeda
	1200	78	L. Zepeda
	1500	78	M. Leon
	1800	75	M. Leon
	2100	75	M. Leon
	2400	75	A. Maness

Thursday

Date	Time	Temp.	Name (Print)
05-23-24	0300	75	A. Maness
	0600	76	L. Zepeda
	0900	76	L. Zepeda
	1200	76	L. Zepeda
	1500	76	M. Leon
	1800	75	M. Leon
	2100	75	M. Leon
	2400	72	A. MASERA

Friday

Date	Time	Temp.	Name (Print)
05-24-24	0300	72	A. MASERA
	0600	72	Andrade
	0900	74	Andrade
	1200	76	Andrade
	1500	76	A. LOPEZ
	1800	75	A. LOPEZ
	2100	75	A. LOPEZ
	2400	75	PAREDEZ

Saturday

Date	Time	Temp.	Name (Print)
05-25-24	0300	75	PAREDEZ
	0600	75	PAREDEZ
	0900	75	Andrade
	1200	77	Andrade
	1500	77	Rodriguez
	1800	77	Rodriguez
	2100	77	Rodriguez
	2400	75	Maness

Sunday

Date	Time	Temp.	Name (Print)
05-26-24	0300	75	Maness
	0600	75	L. Zepeda
	0900	76	L. Zepeda
	1200	76	L. Zepeda
	1500	76	G. Torres
	1800	76	G. Torres
	2100	76	G. Torres
	2400	75	A. Maness

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FAB5 Temp. Reading Location: TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-27-24	0300	75	N. Maness
	0600	75	L. Zepeda
	0900	76	L. Zepeda
	1200	78	L. Zepeda
	1500	77	J. Orozco
	1800	80	J. Orozco
	2100	78	J. Orozco
	2400	78	Maness

Tuesday

Date	Time	Temp.	Name (Print)
05-28-24	0300	77	Maness
	0600	77	L. Zepeda
	0900	78	L. Zepeda
	1200	78	L. Zepeda
	1500	78	G. Zaragoza
	1800	78	G. Zaragoza
	2100	77	G. Zaragoza
	2400	77	Maness

Wednesday

Date	Time	Temp.	Name (Print)
05-29-24	0300	77	Maness
	0600	77	L. Zepeda
	0900	77	L. Zepeda
	1200	77	L. Zepeda
	1500	78	R. Sanchez
	1800	78	R. Sanchez
	2100	78	R. Sanchez
	2400	77	Maness

Thursday

Date	Time	Temp.	Name (Print)
05-30-24	0300	77	Maness
	0600	77	Zepeda
	0900	77	Zepeda
	1200	77	Zepeda
	1500	78	R. Sanchez
	1800	78	R. Sanchez
	2100	78	R. Sanchez
	2400	75°	J. McCain

Friday

Date	Time	Temp.	Name (Print)
05-31-24	0300	75°	J. McCain
	0600	75	[illegible]
	0900	76	[illegible]
	1200	77	[illegible]
	1500	78	R. Sanchez
	1800	78	R. Sanchez
	2100	78	R. Sanchez
	2400	76°	J. McCain

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5-1-24	0300	74°	M. DIAZ
	0600	74°	L Clendener
	0900	74°	L. Clendener
	1200	75°	L Clendener
	1500	74	M. Franco
	1800	74	M. Franco
	2100	74	M. Franco
	2400	74°	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0300	74°	M. DIAZ
	0600	74	L Clendener
	0900	74	L Clendener
	1200	74	L Clendener
	1500	75	J DeLA
	1800	75	J DeLA
	2100	74	J DeLA
	2400	74°	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0300	74°	M. DIAZ
	0600	74°	Clendener
	0900	74°	Clendener
	1200	74°	Clendener
	1500	74	J. Mora
	1800	74	J. Mora
	2100	74	J. Mora
	2400	74	C. Hill

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300	74	C. Hill
	0600	74	J Espinoza
	0900	74	J Espinoza
	1200	74	J Espinoza
	1500	74	J Espinoza
	1800	72	J Espinoza
	2100	72	J Espinoza
	2400	72	GLAUDE

Sunday

Date	Time	Temp.	Name (Print)
5-5-24	0300	72	GLAUDE
	0600	68	CROWELL
	0900	68	CROWELL
	1200	69	CROWELL
	1500	70	J Espinoza
	1800	70	J Espinoza
	2100	70	J Espinoza
	2400	70	M. DIAZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	69°	M. DIAZ
	0600	69°	L. Clendenen
	0900	69°	L. Clendenen
	1200	70°	L. Clendenen
	1500	70	J Espinoza
	1800	70	J Espinoza
	2100	70	J Espinoza
	2400	70°	M. DIAZ

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300	70°	M. DIAZ
	0600	70°	L Clendenen
	0900	70°	L Clendenen
	1200	71°	L Clendenen
	1500	70	CROWELL
	1800	70	CROWELL
	2100	70	CROWELL
	2400	70	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	70°	M. DIAZ
	0600	70°	L Clendenen
	0900	70°	L Clendenen
	1200	71°	L Clendenen
	1500	71	BUSDELL
	1800	71	BUSDELL
	2100	70	BUSDELL
	2400	70	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	72	M. DIAZ
	0600	72°	L Clendenen
	0900	72°	L. Clendenen
	1200	73°	L. Clendenen
	1500	73	C. Yocum
	1800	70	C. Yocum
	2100	70	C. Yocum
	2400	71°	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	71	M. DIAZ
	0600	70	M. DIAZ
	0900	72	M. Amaya
	1200	72	M. Amaya
	1500	72	M. Amaya
	1800	74	J. Mora
	2100	70	J. Mora
	2400	77	M. MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	72	M. MARTINEZ
	0600	70	J Espinoza
	0900	70	J. Espinoza
	1200	70	J Espinoza
	1500	76	J Espinoza
	1800	76	J Espinoza
	2100	76	J Espinoza
	2400	76	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	75	MARTINEZ
	0600	72	BATTRON
	0900	73	BATTRON
	1200	75	BATTRON
	1500	76	J Espinoza
	1800	76	J Espinoza
	2100	76	J Espinoza
	2400	75	M. DIAZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	75°	M. DIAZ
	0600	75	L Clendenen
	0900	75	L. Clendenen
	1200	76	L Clendenen
	1500	76	J Espinoza
	1800	76	J Espinoza
	2100	76	J Espinoza
	2400	75	M. DIAZ

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	70	M. DIAZ
	0600	70	L Clendenen
	0900	70	L Clendenen
	1200	71	L Clendenen
	1500	71	CROWELL
	1800	71	CROWELL
	2100	71	CROWELL
	2400	71	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	M. DIAZ
	0600	70	S. Rodriguez
	0900	70	S. Rodriguez
	1200	70	S. Rodriguez
	1500	70	M. Franco
	1800	70	M. Franco
	2100	70	M. Franco
	2400	70	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	M DIAZ
	0600	70	O. NUNEZ
	0900	72	O. NUNEZ
	1200	72	O. NUNEZ
	1500	74	M. CLOUD
	1800	72	M. CLOUD
	2100	70	M. CLOUD
	2400	70	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	M. DIAZ
	0600	72	R. Rodriguez
	0900	72	R. Rodriguez
	1200	73	R. Rodriguez
	1500	74	J Espinoza
	1800	74	J Espinoza
	2100	74	J Espinoza
	2400	77	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	73	MARTINEZ
	0600	73	J Espinoza
	0900	73	J Espinoza
	1200	73	J Espinoza
	1500	77	J Espinoza
	1800	77	J Espinoza
	2100	77	J Espinoza
	2400	71	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	71	MARTINEZ
	0600	71	CROWELL
	0900	71	CROWELL
	1200	71	CROWELL
	1500	74	J Espinoza
	1800	74	J Espinoza
	2100	74	J Espinoza
	2400	74	M. DIAZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	72	M. Diaz
	0600	72	L. Clendenen
	0900	72	L. Clendenen
	1200	73	L. Clendenen
	1500	75	J Espinoza
	1800	75	J Espinoza
	2100	75	J Espinoza
	2400	73	M. Diaz

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/24	0300	73	M. Diaz
	0600	73	Rodriguez
	0900	73	Rodriguez
	1200	73	Rodriguez
	1500	72	Crowell
	1800	72	Crowell
	2100	72	Crowell
	2400	72	M. Diaz

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	72	M. Diaz
	0600	72	L. Clendenen
	0900	72	L. Clendenen
	1200	73	L. Clendenen
	1500	73	M. Franco
	1800	73	M. Franco
	2100	73	M. Franco
	2400	73	M. Diaz

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	72	M. Diaz
	0600	72	L. Clendenen
	0900	72	L. Clendenen
	1200	73	L. Clendenen
	1500	73	M. Franco
	1800	73	M. Franco
	2100	73	M. Franco
	2400	72	M. Diaz

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	72	M. Diaz
	0600	72	L. Clendenen
	0900	72	L. Clendenen
	1200	73	L. Clendenen
	1500	75	J Espinoza
	1800	75	J Espinoza
	2100	75	J Espinoza
	2400	70	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	MARTINEZ
	0600	70	J Espinoza
	0900	70	J Espinoza
	1200	73	J Espinoza
	1500	73	J Espinoza
	1800	73	J Espinoza
	2100	73	J Espinoza
	2400	70	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	MARTINEZ
	0600	70	K. Bailey
	0900	71	K. Bailey
	1200	73	K. Bailey
	1500	75	J Espinoza
	1800	75	J Espinoza
	2100	75	J Espinoza
	2400	72	M. Diaz

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	72	M. Diaz
	0600	72	L Clendenen
	0900	73	L Clendenen
	1200	73	L Clendenen
	1500	75	J Espinoza
	1800	75	J Espinoza
	2100	73	J Espinoza
	2400	73	M. Diaz

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	73	M. Diaz
	0600	73	L. Clendenen
	0900	74	L Clendenen
	1200	74	L Clendenen
	1500	74	Crowell
	1800	71	Crowell
	2100	71	Crowell
	2400	73	M. Diaz

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	73	M. Diaz
	0600	73	L Clendenen
	0900	73	L Clendenen
	1200	73	L Clendenen
	1500	73	M. Franco
	1800	73	M. Franco
	2100	73	M. Franco
	2400	73	M. Diaz

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	73	M. Diaz
	0600	73	L Clendenen
	0900	73	L Clendenen
	1200	73	L Clendenen
	1500	73	M. Franco
	1800	73	M. Franco
	2100	73	M. Franco
	2400	73	M. Diaz

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	73	M. Diaz
	0600	73	L. Clendenen
	0900	73	L Clendenen
	1200	74	L Clendenen
	1500	73	R. HAYES
	1800	75	R. HAYES
	2100	73	R. HAYES
	2400	73	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5-1-24	0300	70°	M. DIAZ
	0600	70°	L. Clendenen
	0900	71°	L Clendenen
	1200	72°	L. Clendenen
	1500	73	M. Franco
	1800	73	M. Franco
	2100	72	M. Franco
	2400	70°	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0300	70°	M. DIAZ
	0600	70	L Clendenen
	0900	71	L Clendenen
	1200	71	L. Clendenen
	1500	72	J Deluke
	1800	72	J Deluke
	2100	72	J Deluke
	2400	70°	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0300	70°	M. DIAZ
	0600	70	Clendenen
	0900	71	Clendenen
	1200	71	Clendenen
	1500	72	J. Mora
	1800	72	J. Mora
	2100	72	J. Mora
	2400	70°	C. HILL

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300	70	C. HILL
	0600	72	J. Espinoza
	0900	72	J Espinoza
	1200	72	J Espinoza
	1500	72	J Espinoza
	1800	68	J Espinoza
	2100	68	J Espinoza
	2400	68	G-LAUDE

Sunday

Date	Time	Temp.	Name (Print)
5-5-24	0300	68	GLAUDE
	0600	68	CROWELL
	0900	68	CROWELL
	1200	68	CROWELL
	1500	70	J Espinoza
	1800	70	J Espinoza
	2100	70	J Espinoza
	2400	70	M. DIAZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	65°	M. DIAZ
	0600	66°	L Clendenen
	0900	66°	L Clendenen
	1200	67°	L Clendenen
	1500	70	J Espinoza
	1800	70	J Espinoza
	2100	70	J Espinoza
	2400	66°	M. DIAZ

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300	66°	M. DIAZ
	0600	66°	L. Clendenen
	0900	67°	L Clendenen
	1200	67°	L Clendenen
	1500	70	CROWELL
	1800	70	CROWELL
	2100	70	CROWELL
	2400	68°	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	68°	M. DIAZ
	0600	68°	L Clendenen
	0900	68°	L. Clendenen
	1200	68°	L. Clendenen
	1500	71	BUSDELL
	1800	71	BUSDELL
	2100	70	BUSDELL
	2400	68	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	68	M DIAZ
	0600	68°	L Clendenen
	0900	68°	L Clendenen
	1200	68°	L. Clendenen
	1500	68	C. Yocum
	1800	68	C. Yocum
	2100	68	C. Yocum
	2400	69°	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	69	M. DIAZ
	0600	69	M. Amaya
	0900	70	M. Amaya
	1200	72	M. Amaya
	1500	73	J. Mora
	1800	73	J. Mora
	2100	70	J. Mora
	2400	71	M. MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	~~71~~ 69	M. MARTINEZ
	0600	70	J Espinoza
	0900	70	J Espinoza
	1200	70	J Espinoza
	1500	76	J Espinoza
	1800	76	J Espinoza
	2100	76	J Espinoza.
	2400	76	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	71	MARTINEZ
	0600	72	R. Barron
	0900	72	R. Barron
	1200	73	R. Barron
	1500	76	J Espinoza
	1800	76	J Espinoza
	2100	76	J Espinoza
	2400	75	M. DIAZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70°	M. DIAZ
	0600	70.	L Clendenen
	0900	71.	L. Clendenen
	1200	71.	L Clendenen
	1500	74	J Espinoza
	1800	74	J Espinoza
	2100	74	J Espinoza
	2400	75	M. Diaz

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	75	M. Diaz
	0600	75.	L Clendenen
	0900	75.	L. Clendenen
	1200	76	L Clendenen
	1500	76	CROWELL
	1800	71	CROWELL
	2100	71	CROWELL
	2400	71	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	75	M. DIAZ
	0600	74	S. Rodriguez
	0900	75	S. Rodriguez
	1200	75	S. Rodriguez
	1500	75	M. Franco
	1800	75	M. Franco
	2100	75	M. Franco
	2400	75	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	75	M DIAZ
	0600	72	O. NUNEZ
	0900	72	O. NUNEZ
	1200	72	O. NUNEZ
	1500	72	M. CLOUD
	1800	75	M. CLOUD
	2100	75	M. CLOUD
	2400	75	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	75	M. DIAZ
	0600	75	R. Rodriguez
	0900	75	R. Rodriguez
	1200	75	R. Rodriguez
	1500	76	J Espinoza
	1800	76	J Espinoza
	2100	76	J Espinoza
	2400	71	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	MARTINEZ
	0600	72	J. Espinoza
	0900	72	J Espinoza
	1200	72	J Espinoza
	1500	75	J Espinoza
	1800	75	J Espinoza
	2100	75	J Espinoza
	2400	71	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	MARTINEZ
	0600	70	CROWELL
	0900	71	CROWELL
	1200	71	CROWELL
	1500	74	J Espinoza
	1800	74	J Espinoza
	2100	74	J Espinoza
	2400	70	M. DIAZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier B side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	M. DIAZ
	0600	70	L Clendenen
	0900	71	L. Clendenen
	1200	71	L. Clendenen
	1500	73	J Espinoza
	1800	73	J Espinoza
	2100	73	J Espinoza
	2400	68	M. DIAZ

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/24	0300	68	M. DIAZ
	0600	68	Rodriguez
	0900	69	Rodriguez
	1200	69	Rodriguez
	1500	70	Crowell
	1800	70	Crowell
	2100	70	Crowell
	2400	70	M. DIAZ

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	68	M. DIAZ
	0600	68	L Clendenen
	0900	69	L Clendenen
	1200	69	L Clendenen
	1500	70	M. Franco
	1800	70	M. Franco
	2100	70	M. Franco
	2400	68	M. DIAZ

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	68	M. DIAZ
	0600	68	L Clendenen
	0900	68	L Clendenen
	1200	69	L Clendenen
	1500	70	M. Franco
	1800	70	M Franco
	2100	70	M Franco
	2400	68	M. DIAZ

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	68	M. DIAZ
	0600	68	L Clendenen
	0900	68	L Clendenen
	1200	69	L Clendenen
	1500	73	J Espinoza
	1800	73	J Espinoza
	2100	73	J Espinoza
	2400	70	MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	MARTINEZ
	0600	70	J Espinoza
	0900	70	J Espinoza
	1200	70	J Espinoza
	1500	72	J Espinoza
	1800	72	J Espinoza
	2100	72	J Espinoza
	2400	70	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	MARTINEZ
	0600	70	K. Bailey
	0900	71	K. Bailey
	1200	73	K. Bailey
	1500	73	J Espinoza
	1800	73	J Espinoza
	2100	70	J Espinoza
	2400	70	M. DIAZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-1 Temp. Reading Location: 2nd tier B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	M. Diaz
	0600	70	L. Clendenen
	0900	71	L. Clendenen
	1200	71	L. Clendenen
	1500	73	J. Espinoza
	1800	73	J. Espinoza
	2100	71	J. Espinoza
	2400	70	M. Diaz

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70	M. Diaz
	0600	70	L. Clendenen
	0900	70	L. Clendenen
	1200	71	L. Clendenen
	1500	71	Crowell
	1800	71	Crowell
	2100	71	Crowell
	2400	70	M. Diaz

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	M. Diaz
	0600	70	L. Clendenen
	0900	71	L. Clendenen
	1200	72	L. Clendenen
	1500	72	M. Franco
	1800	72	M. Franco
	2100	72	M. Franco
	2400	70	M. Diaz

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	M. Diaz
	0600	70	L. Clendenen
	0900	71	L. Clendenen
	1200	71	L. Clendenen
	1500	71	M. Franco
	1800	71	M. Franco
	2100	71	M. Franco
	2400	70	M. Diaz

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	M. Diaz
	0600	70	L. Clendenen
	0900	71	L. Clendenen
	1200	71	L. Clendenen
	1500	73	R. Hayes
	1800	75	R. Hayes
	2100	73	R. Hayes
	2400	73	Martinez

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B2 Temp. Reading Location: A-TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
4/30/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	70	C. LOMELI

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	C. LOMELI
	0600	70	J. Mora
	0900	71	J. Mora
	1200	71	J. Mora
	1500	71	R. Pinon
	1800	71	R. Pinon
	2100	70	R. Pinon
	2400	70	MAMAUAG

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	MAMAUAG
	0600	70	J. Mora
	0900	70	J. Mora
	1200	70	J. Mora
	1500	70	R. Pinon
	1800	71	R. Pinon
	2100	71	R. Pinon
	2400	70	Shamp

Friday

Date	Time	Temp.	Name (Print)
5/2/24 5-3-24	0300	~~70~~ 70	~~MAMAUAG~~ Shamp
	0600	70	J. Mora
	0900	70	J. Mora
	1200	71	J. Mora
	1500	70	S. Dela Rosa
	1800	72	S. Dela Rosa
	2100	72	S. Dela R
	2400	70	R. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	R. Gonzalez
	0600	70	S. Delgadillo
	0900	70	S. Delgadillo
	1200	70	S. Delgadillo
	1500	70	S. Dela Rosa
	1800	72	S. Dela R
	2100	72	S. Dela R
	2400	70	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
5/5/2024	0300	70	R. Gonzalez
	0600	70	J. Espinoza
	0900	70	J. Espinoza
	1200	70	J. Espinoza
	1500	70	S. Dela Rosa
	1800	70	S. Dela R
	2100	68	S. Dela R
	2400	68	R. Gonzalez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B 2 Temp. Reading Location: A-SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	68	R. GONZALEZ
	0600	68	CROWELL
	0900	68	CROWELL
	1200	69	CROWELL
	1500	68	R. PINON
	1800	68	R. PINON
	2100	68	R. PINON
	2400	66	R. GONZALEZ

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300	66	R. GONZALEZ
	0600	68	CROWELL
	0900	68	CROWELL
	1200	70	CROWELL
	1500	70	R. PINON
	1800	71	R. PINON
	2100	70	R. PINON
	2400	70	D. CARRANZA

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	70	B. CARRANZA
	0600	70	R. GONZALEZ
	0900	71	R. GONZALEZ
	1200	71	R. GONZALEZ
	1500	71	R. PINON
	1800	72	R. PINON
	2100	71	R. PINON
	2400	70	L. GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	70	L. GONZALEZ
	0600	70	MORA
	0900	70	MORA
	1200	70	MORA
	1500	71	R. PINON
	1800	71	R. PINON
	2100	71	R. PINON
	2400	70	SHAMP

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	SHAMP
	0600	70	MORA
	0900	70	MORA
	1200	70	MORA
	1500	70	M. FRANCO
	1800	70	M. FRANCO
	2100	70	M. FRANCO
	2400	68	R. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	68	R. GONZALEZ
	0600	68	V. REYNA
	0900	68	V. REYNA
	1200	70	V. REYNA
	1500	76	J. AMADOR
	1800	78	J. AMADOR
	2100	70	J. AMADOR
	2400	70	K. ELY

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	K. ELY
	0600	70	J. ESPINOZA
	0900	70	J. ESPINOZA
	1200	73	J. ESPINOZA
	1500	73	K. GUMES
	1800	73	K. GUMES
	2100	73	K. GUMES
	2400	71	R. GONZALEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B 2 Temp. Reading Location: A-SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	71	R. GONZALEZ
	0600	70	CROWELL
	0900	71	CROWELL
	1200	71	CROWELL
	1500	73	R. PINON
	1800	73	R. PINON
	2100	72	R. PINON
	2400	71	R. GONZALEZ

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	71	R. GONZALEZ
	0600	70	CROWELL
	0900	70	CROWELL
	1200	71	CROWELL
	1500	72	R. PINON
	1800	72	R. PINON
	2100	71	R. PINON
	2400	73 76	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	72 74	MARTINEZ
	0600	72	MORA
	0900	74	MORA
	1200	75	MORA
	1500	75	R. PINON
	1800	75	R. PINON
	2100	74	R. PINON
	2400	76	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	73	MARTINEZ
	0600	74	MORA
	0900	75	MORA
	1200	75	MORA
	1500	75	R. PINON
	1800	75	R. PINON
	2100	75	R. PINON
	2400	74	SHAMP

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	74	SHAMP
	0600	74	MORA
	0900	75	MORA
	1200	75	MORA
	1500	75	FRANCO
	1800	75	FRANCO
	2100	75	FRANCO
	2400	72	R. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	72	R. GONZALEZ
	0600	72	MORA
	0900	75	MORA
	1200	75	MORA
	1500	75	CHENA
	1800	75	CHENA
	2100	73	CHENA
	2400	72	R. GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	72	R. GONZALEZ
	0600	73	MORA
	0900	75	MORA
	1200	76	MORA
	1500	76	R. PINON
	1800	76	R. PINON
	2100	75	R. PINON
	2400	72	R. GONZALEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: 32 Temp. Reading Location: A-SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	72	R. GONZALEZ
	0600	71	CROWELL
	0900	71	CROWELL
	1200	71	CROWELL
	1500	73	R. PINON
	1800	73	R. PINON
	2100	73	R. PINON
	2400	72	R. GONZALEZ

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/24	0300	72	R. GONZALEZ
	0600	70	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	71	R. PINON
	1800	71	R. PINON
	2100	70	R. PINON
	2400	70	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	74	MARTINEZ
	0600	74	MORA
	0900	76	MORA
	1200	78	MORA
	1500	76	R. PINON
	1800	75	R. PINON
	2100	73	R. PINON
	2400	71	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	71	MARTINEZ
	0600	67	ZARAGOZA JR
	0900	68	ZARAGOZA JR
	1200	68	ZARAGOZA JR
	1500	72	R. PINON
	1800	72	R. PINON
	2100	71	R. PINON
	2400	70	R. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	R. GONZALEZ
	0600	71	MORA
	0900	73	MORA
	1200	73	MORA
	1500	71	M. FRANCO
	1800	71	M. FRANCO
	2100	71	M. FRANCO
	2400	71	C. HILL

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	C. HILL
	0600	70	MORA
	0900	71	MORA
	1200	71	MORA
	1500	72	J. Jackson
	1800	72	J. JACKSON
	2100	70	J. Jackson
	2400	70	M. PANTOJA

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	M. PANTOJA
	0600	70	MORA
	0900	72	MORA
	1200	75	MORA
	1500	76	Valencia
	1800	76	valencia
	2100	76	valencia
	2400	71	R. GONZALEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B2 Temp. Reading Location: A SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	R. Gonzalez
	0600	70	R. Pinon
	0900	71	R. Pinon
	1200	72	R. Pinon
	1500	73	R. Pinon
	1800	73	R. Pinon
	2100	72	R. Pinon
	2400	70	R. Gonzalez

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70	R. Gonzalez
	0600	70	Crowell
	0900	70	Crowell
	1200	71	Crowell
	1500	71	R. Pinon
	1800	72	R. Pinon
	2100	72	R. Pinon
	2400	72	Martinez

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	71	Martinez
	0600	70	Iniguez
	0900	71	Iniguez
	1200	71	Iniguez
	1500	72	R. Pinon
	1800	73	R. Pinon
	2100	72	R. Pinon
	2400	72	Martinez

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	72	Martinez
	0600	74	Mora
	0900	75	Mora
	1200	75	Mora
	1500	75	R. Pinon
	1800	74	R. Pinon
	2100	74	R. Pinon
	2400	72	Shamp

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	72	Shamp
	0600	72	Mora
	0900	75	Mora
	1200	75	Mora
	1500	75°	M. Franco
	1800	75°	M. Franco
	2100	75°	M. Franco
	2400	72	R. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300		R. Gonzalez
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B2 Temp. Reading Location: B-Side 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	C. LOMELI
	0600	70	J. Mora
	0900	71	J. Mora
	1200	71	J. Mora
	1500	71	R. Pinon
	1800	71	R. Pinon
	2100	70	R. Pinon
	2400	70	MAMAUAG

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	MAMAUAG
	0600	70	J. Mora
	0900	70	J. Mora
	1200	71	J. Mora
	1500	71	R. Pinon
	1800	71	R. Pinon
	2100	71	R. Pinon
	2400	70	Shamp

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	~~70~~ 70	~~MAMAUAG~~ Shamp
	0600	70	J. Mora
	0900	70	J. Mora
	1200	70	J. Mora
	1500	70	S. DelaRosa
	1800	70	S. DelaRosa
	2100	72	S. DelaRosa
	2400	70	R. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	R. Gonzalez
	0600	70	S. Delgadillo
	0900	70	S. Delgadillo
	1200	70	S. Delgadillo
	1500	70	S. DelaRosa
	1800	71	S. DelaRosa
	2100	70	S. DelaR
	2400	70	R. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	70	R. Gonzalez
	0600	70	J. Espinoza
	0900	70	J. Espinoza
	1200	70	J. Espinoza
	1500	70	S. DelaR
	1800	70	S. DelaR
	2100	68	S. DelaR
	2400	68	R. Gonzalez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B2 Temp. Reading Location: B-SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	68	R. GONZALEZ
	0600	68	CROWELL
	0900	68	CROWELL
	1200	68	CROWELL
	1500	68	R. PINON
	1800	68	R. PINON
	2100	68	R. PINON
	2400	66	R. GONZALEZ

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300	66	R. GONZALEZ
	0600	68	CROWELL
	0900	68	CROWELL
	1200	70	CROWELL
	1500	70	R. PINON
	1800	71	R. PINON
	2100	70	R. PINON
	2400	70	S. GARCIA

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	70	S. GARCIA
	0600	68	S. Rodriguez
	0900	69	S. Rodriguez
	1200	71	S. Rodriguez
	1500	71	R. PINON
	1800	72	R. PINON
	2100	71	R. PINON
	2400	70	K GONZALEZ

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	70	K GONZALEZ
	0600	70	MOLA
	0900	70	MOLA
	1200	70	MOLA
	1500	71	R. PINON
	1800	71	R. PINON
	2100	71	R. PINON
	2400	70	SHAMP

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	SHAMP
	0600	70	MOLA
	0900	70	MOLA
	1200	70	MOLA
	1500	70	M FRANCO
	1800	70	M FRANCO
	2100	70	M FRANCO
	2400	68	R GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	68	R. GONZALEZ
	0600	68	V. REYNE
	0900	68	V. REYNE
	1200	70	V. REYNE
	1500	70	J AMADOR
	1800	70	J AMADOR
	2100	70	J AMADOR
	2400	70	K EGLY

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	K EGLY
	0600	70	J Espinoza
	0900	70	J. Espinoza
	1200	73	J Espinoza
	1500	73	K GAINES
	1800	73	K GAINES
	2100	73	K GAINES
	2400	71	R. GONZALEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B2 Temp. Reading Location: B-SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	71	R. GONZALEZ
	0600	70	CROWELL
	0900	71	CROWELL
	1200	71	CROWELL
	1500	73	R. PINON
	1800	73	R. PINON
	2100	72	R. PINON
	2400	71	R. GONZALEZ

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	71	R. GONZALEZ
	0600	70	CROWELL
	0900	70	CROWELL
	1200	71	CROWELL
	1500	72	R. PINON
	1800	72	R. PINON
	2100	71	R. PINON
	2400	73	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	74	MARTINEZ
	0600	75	MORA
	0900	75	MORA
	1200	75	MORA
	1500	75	R. PINON
	1800	74	R. PINON
	2100	74	R. PINON
	2400	74	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	75	MARTINEZ
	0600	74	MORA
	0900	75	MORA
	1200	75	MORA
	1500	75	R. PINON
	1800	75	R. PINON
	2100	75	R. PINON
	2400	74	SHAMP

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	74	SHAMP
	0600	74	MORA
	0900	75	MORA
	1200	75	MORA
	1500	75	FRANCO
	1800	75	FRANCO
	2100	75	FRANCO
	2400	72	R. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	72	R. GONZALEZ
	0600	72	MORA
	0900	75	MORA
	1200	75	MORA
	1500	75	CPENA
	1800	75	CPENA
	2100	75	CPENA
	2400	72	R. GONZALEZ

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	72	R. GONZALEZ
	0600	73	MORA
	0900	75	MORA
	1200	75	MORA
	1500	76	R. PINON
	1800	76	R. PINON
	2100	75	R. PINON
	2400	72	R. GONZALEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B2 Temp. Reading Location: B-SIDE 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	72	R. GONZALEZ
	0600	72	CROWELL
	0900	72	CROWELL
	1200	72	CROWELL
	1500	73	R. PINON
	1800	73	R. PINON
	2100	73	R. PINON
	2400	72	R. GONZALEZ

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/24	0300	72	R. GONZALEZ
	0600	70	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	71	R. PINON
	1800	71	R. PINON
	2100	71	R. PINON
	2400	71	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	73	MARTINEZ
	0600	73	MORA
	0900	75	MORA
	1200	75	MORA
	1500	76	R. PINON
	1800	75	R. PINON
	2100	74	R. PINON
	2400	71	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	71	MARTINEZ
	0600	67	Zaragoza Jr.
	0900	68	Zaragoza Jr
	1200	68	Zaragoza Jr.
	1500	72	R. PINON
	1800	72	R. PINON
	2100	72	R. PINON
	2400	70	R. GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	R. GONZALEZ
	0600	70	MORA
	0900	72	MORA
	1200	72	MORA
	1500	70	M. Franco
	1800	70	M. Franco
	2100	70	M. Franco
	2400	70	C. HILL

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	C. HILL
	0600	71	MORA
	0900	71	MORA
	1200	72	MORA
	1500	72	J. Jackson
	1800	72	J. Jackson
	2100	70	J. Jackson
	2400	70	M. PANTOJA

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	M. PANTOJA
	0600	70	MORA
	0900	72	MORA
	1200	75	MORA
	1500	76	Valencia
	1800	76	Valencia
	2100	76	Valencia
	2400	71	R. GONZALEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: B2 Temp. Reading Location: B-5-05 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 600-1 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	R. GONZALEZ
	0600	70	R. PINON
	0900	71	R. PINON
	1200	72	R. PINON
	1500	73	R. PINON
	1800	73	R. PINON
	2100	72	R. PINON
	2400	70	R. GONZALEZ

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70	R. GONZALEZ
	0600	70	CROWELL
	0900	70	CROWELL
	1200	71	CROWELL
	1500	71	R. PINON
	1800	72	R. PINON
	2100	72	R. PINON
	2400	71	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	71	MARTINEZ
	0600	71	Enriquez
	0900	71	Enriquez
	1200	72	Enriquez
	1500	72	R. PINON
	1800	73	R. PINON
	2100	72	R. PINON
	2400	71	MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	71	MARTINEZ
	0600	73	MORA
	0900	75	MORA
	1200	75	MORA
	1500	75	R. PINON
	1800	74	R. PINON
	2100	74	R. PINON
	2400	72	Shamp

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	72	Shamp
	0600	72	MORA
	0900	75	MORA
	1200	75	MORA
	1500	75	M. FRANCO
	1800	75°	M. FRANCO
	2100	75°	M. FRANCO
	2400	72	R. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300		R. GONZALEZ
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 Aside Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	S DelaRosa
	0600	70	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	70	PONCE
	1800	70	PONCE
	2100	70	PONCE
	2400	70	S DelaRosa

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	S DelaRosa
	0600	69	SAMARRIPAS
	0900	70	SAMARRIPAS
	1200	71	SAMARRIPAS.
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	R. Montoya

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	R. Montoya
	0600	70	N. GONZALES
	0900	71	N. GONZALES
	1200	70	N. GONZALES
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	68	C. Hill

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	68	C. Hill
	0600	68	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	68	S DelaRosa

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	68	S DelaRosa
	0600	68	A Varela
	0900	65	A Varela
	1200	65	A Varela
	1500	68	A. Rodriguez
	1800	70	A. Rodriguez
	2100	67	A. Rodriguez
	2400	68	S DelaRosa

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 A side Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	68	S DelaRosa
	0600	68	A Varela
	0900	68	A Varela
	1200	68	A Varela
	1500	68	J. AMADOR
	1800	68	J. AMADOR
	2100	68	S Dela Ro
	2400	67	S Dela R

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	67	S DelaR
	0600	~~70~~	F. Gonzalez
	0900	~~70~~	F. Gonzalez
	1200	~~70~~	F. Gonzalez
	1500	~~72~~	F. Gonzalez
	1800	68	F. Gonzalez
	2100	68	S Dela Rosa
	2400	68	S Dela R

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	68	S Dela Rosa
	0600	68	A Varela
	0900	65	L CARRAWAY
	1200	70	L. CARRAWAY
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	72	S Dela Rosa

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	72	S Dela Rosa
	0600	70	SAMARRIPAS
	0900	71	SAMARRIPAS
	1200	71	SAMARRIPAS.
	1500	69	D. Knight
	1800	69	D. Knight
	2100	69	D. Knight
	2400	69	C. UNDERER

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	69	C. UNDERER
	0600	70	V. Reyna
	0900	70	V. Reyna
	1200	71	V. REYNA
	1500	71	D. Knight
	1800	71	D. Knight
	2100	71	D. Knight
	2400	70	M. FranCO

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	69	M. Franco
	0600	69	M. Franco
	0900	70	A Varela
	1200	73	A Varela
	1500	71	D. Knight
	1800	71	D. Knight
	2100	71	D. Knight
	2400	72	S DelaR

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	72	S DelaR
	0600	72	A Varela
	0900	72	A Varela
	1200	75	A Varela
	1500	78	AMADOR
	1800	74	AMADOR
	2100	74	AMADOR
	2400	72	S Dela Rosa

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 Aside Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	72	S DelaRosa
	0600	72	A Varela
	0900	72	A Varela
	1200	74	A Varela
	1500	74	A Varela
	1800	72	A Varela
	2100	72	A Varela
	2400	72	S DelaRosa

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	72	S DelaRosa
	0600	73	C. Bellard
	0900	73	C. Bellard
	1200	72	C. Bellard
	1500	72	D. Knight
	1800	73	D. Knight
	2100	72	D. Knight
	2400	72	C. Lomeli

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	C. Lomeli
	0600	70	Crowell
	0900	71	Crowell
	1200	71	Crowell
	1500	78	A. Rodriguez
	1800	78	A. Rodriguez
	2100	79	A. Rodriguez
	2400	72	V. Rayne

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	V. Rayne
	0600	70	L. Amaral
	0900	75	L. Amaral
	1200	75	L. Lopez
	1500	78	G. Chacon
	1800	78	G. Chacon
	2100	79	G. Chacon
	2400	74	Martinez

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	73	Martinez
	0600	73	Gonzalez
	0900	74	Gonzalez
	1200	76	Gonzalez
	1500	73	Rico
	1800	73	Rico
	2100	73	Rico
	2400	72	M. Franco

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	M. Franco
	0600	70	M. Franco
	0900	70	A Varela
	1200	72	A Varela
	1500	74	H. Ahmed
	1800	75	H. Ahmed
	2100	73	H. Ahmed
	2400	72	E. Huizar

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	74	E. Huizar
	0600	73	A Varela
	0900	74	A Varela
	1200	74	A Varela
	1500	74	C Pena
	1800	74	C Pena
	2100	72	C Pena
	2400	72	S DelaRosa

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3-Aside Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	72	S Dela Rosa
	0600	72	A Varela
	0900	72	A Varela
	1200	72	A Varela
	1500	74	J. Jackson
	1800	74	J. Jackson
	2100	72	J. Jackson
	2400	72	S Dela Rosa

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	S Dela Rosa
	0600	72	K Rivera
	0900	74	K Rivera
	1200	74	K Rivera
	1500	72	U. Medina
	1800	72	U. Medina
	2100	71	U Medina
	2400	70	S Dela R

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	S Dela Rosa
	0600	71	D. Knight
	0900	71	D. Knight
	1200	71	D. Knight
	1500	71	D. Knight
	1800	71	D. Knight
	2100	71	D. Knight
	2400	70	S Dela Rosa

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	S Dela Rosa
	0600	68	R Heraldez
	0900	69	R Heraldez
	1200	70	R Heraldez
	1500	71	D. Knight
	1800	71	D. Knight
	2100	71	D. Knight
	2400	70	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	MARTINEZ
	0600	70	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	71	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	M Fraser

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	70°	M. Franco
	0600	70°	M. Franco
	0900	70	A Varela
	1200	70	A Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S DelaR

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	S DelaR
	0600	70	C. Gillett
	0900	70	C. Gillett
	1200	70	C. Gillett
	1500	70	J. Jackson
	1800	70	J. Jackson
	2100	70	J. Jackson
	2400	70	S Dela Rosa

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3-A side Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	S DelaRosa
	0600	70	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	70	J. Jackson
	1800	70	J. Jackson
	2100	70	J. Jackson
	2400	70	S DelaRosa

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	68	S DelaR
	0600	70	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S DelaR

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	68	S DelaRosa
	0600	70	Crowell
	0900	70	Crowell
	1200	70	Crowell
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	72	S DelaRosa

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	72	S DelaR
	0600	70	R. Rivera
	0900	70	Rivera
	1200	70	Rivera
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	71	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	71	MARTINEZ
	0600	71	[illegible]
	0900	71	[illegible]
	1200	71	[illegible]
	1500	71	D. Knight
	1800	71	D. Knight
	2100	71	D. Knight
	2400	71	M. Franco

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 - Bside Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	S DelaRosa
	0600	70	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	65	PONCE
	1800	70	PONCE
	2100	70	PONCE
	2400	70	S DelaRosa

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	68	S DelaRosa
	0600	69	SAMARRIPAS
	0900	70	SAMARRIPAS
	1200	70	SAMARRIPAS
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	R. Montoya

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	R. Montoya
	0600	70	R. Montoya
	0900	71	N. GONZALES
	1200	72	N. GONZALES
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	C. Hill

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	C. Hill
	0600	70	A Varela
	0900	70	A Varela
	1200	71	A Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	68	S DelaR

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	68	S DelaRosa
	0600	70	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	68	A. Rodriguez
	1800	70	A. Rodriguez
	2100	68	A. Rodriguez
	2400	68	S DelaRosa

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3-BSide Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	68	S Dela Rosa
	0600	68	A Varela
	0900	68	A Varela
	1200	68	A Varela
	1500	68	S. AMADOR
	1800	68	J. AMADOR
	2100	70	S Dela Rosa
	2400	68	S Dela Rosa

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	68	S Dela Rosa
	0600	70	F. Gonzalez
	0900	70	F. Gonzalez
	1200	70	F. Gonzalez
	1500	72	F. Gonzalez
	1800	68	F. Gonzalez
	2100	70	S Dela R
	2400	68	S Dela R

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	68	S Dela Rosa
	0600	68	A Varela
	0900	65	L Carraway
	1200	70	L. CARRAWAY
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S Dela Rosa

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	72	S Dela Rosa
	0600	70	SAMARRIPAS
	0900	71	SAMARRIPAS.
	1200	72.	SAMARRIPAS.
	1500	69	D. Knight
	1800	70	D. Knight
	2100	69	D. Knight
	2400	69	C. VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	69	C. VASQUEZ
	0600	70	V. Reyna
	0900	70	V. Reyna
	1200	71	V. Reyna
	1500	71	D. Knight
	1800	71	D. Knight
	2100	71	D. Knight
	2400	71	M. Franco

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	69	M. Franco
	0600	69	M. Franco
	0900	70	A Varela
	1200	72	A Varela
	1500	71	D. Knight
	1800	71	D. Knight
	2100	71	D. Knight
	2400	72	S Dela R

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	72	S Dela Rosa
	0600	70	A Varela
	0900	72	A Varela
	1200	74	A Varela
	1500	78	AMADOR
	1800	73	AMADOR
	2100	73	AMADOR
	2400	72	S Dela Rosa

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3-Bside Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	72	S DelaRosa
	0600	72	A Varela
	0900	72	A Varela
	1200	72	A Varela
	1500	72	A Varela
	1800	72	A Varela
	2100	72	A Varela
	2400	72	S DelaRosa

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	72	S DelaRosa
	0600	72	C. Bellard
	0900	72	C. Bellard
	1200	72	C. Bellard
	1500	72	D. Knight
	1800	73	D. Knight
	2100	72	D. Knight
	2400	72	C LOMELI

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	72	C. LOMELI
	0600	72	CROWELL
	0900	72	CROWELL
	1200	73	CROWELL
	1500	78	LaRodis
	1800	78	LaRodis
	2100	78	LaRodis
	2400	72	V. Reyna

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	V. Reyna
	0600	73	E. AMARAL
	0900	75	E. AMARAL
	1200	75	[illegible]
	1500	78	G. LUNA
	1800	78	G. LUNA
	2100	79	G. LUNA
	2400	75	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	75	MARTINEZ
	0600	73	GOMEZ
	0900	74	GOMEZ
	1200	76	GONZALES
	1500	73	RICO
	1800	73	RICO
	2100	73	RICO
	2400	72	M Franco

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	M. Franco
	0600	70	M. Franco
	0900	70	A Varela
	1200	72	A Varela
	1500	74	H. Ahmed
	1800	75	H. Ahmed
	2100	73	H. Ahmed
	2400	73	E. HUTTKON

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	73	E. HUTTKON
	0600	73	A Varela
	0900	74	A Varela
	1200	74	A Varela
	1500	74	C PENA
	1800	74	C PENA
	2100	72	C PENA
	2400	72	S DelaR

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3 · Bside Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	72	S DelaRosa
	0600	72	A Varela
	0900	72	A Varela
	1200	72	A Varela
	1500	74	[illegible]
	1800	74	[illegible]
	2100	72	J. [illegible]
	2400	72	S DelaRosa

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	72	S DelaRosa
	0600	72	K Rivera
	0900	72	K Rivera
	1200	72	K Rivera
	1500	72	U Medina
	1800	72	U Medina
	2100	72	U Medina
	2400	72	S DelaR

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	S DelaRosa
	0600	71	D. Knight
	0900	71	D. Knight
	1200	71	D. Knight
	1500	71	D. Knight
	1800	71	D. Knight
	2100	71	D. Knight
	2400	70	S DelaR

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	S DelaR
	0600	70	B Heraldez
	0900	76	B Heraldez
	1200	71	B Heraldez
	1500	71	D. Knight
	1800	71	D. Knight
	2100	71	D. Knight
	2400	73	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	72	MARTINEZ
	0600	70	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	71	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	M Frame

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	70°	M. Franco
	0600	70°	M. Franco
	0900	70	A Varela
	1200	70	A Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S DelaRosa

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	S DelaR
	0600	70	C. Gillett
	0900	70	C. Gillett
	1200	70	C. Gillett
	1500	70	J. Jackson
	1800	70	J Jackson
	2100	70	J. Jackson
	2400	70	S DelaR

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B3-B side Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	S DelaRosa
	0600	70	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	70	J. Jackson
	1800	70	J. Jackson
	2100	70	J. Jackson
	2400	70	S DelaR

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	70	S DelaR
	0600	70	A Varela
	0900	70	A Varela
	1200	70	A Varela
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	S DelaR

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	S DelaRosa
	0600	70	CROWELL
	0900	70	CROWELL
	1200	70	CROWELL
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	72	S DelaR

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	72	S DelaR
	0600	70	R. Rivera
	0900	70	Rivera
	1200	70	Rivera
	1500	70	D. Knight
	1800	70	D. Knight
	2100	70	D. Knight
	2400	70	MARTINEZ

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	MARTINEZ
	0600	71	VILLANUEVA
	0900	71	VILLANUEVA
	1200	71	VILLANUEVA
	1500	71	D. Knight
	1800	71	D. Knight
	2100	71	D. Knight
	2400	71	M. Franco

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B-4-A SIDE Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	74	C. VASQUEZ
	0600	74	P Guzman
	0900	74	P Guzman
	1200	74	P Guzman
	1500	76	J. Jackson
	1800	76	J. Jackson
	2100	74	J. Jackson
	2400	74	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	73	C. VASQUEZ
	0600	73	P Guzman
	0900	73	P Guzman
	1200	74	P Guzman
	1500	73	E. HUITRON
	1800	73	E. HUITRON
	2100	73	E. HUITRON
	2400	73	C. VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	73	C. VASQUEZ
	0600	71	SAMARRIPAS.
	0900	72	SAMARRIPAS.
	1200	73	SAMARRIPAS.
	1500	73	E. HUITRON
	1800	73	E. HUITRON
	2100	73	E. HUITRON
	2400	73	C. VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	73	C. VASQUEZ
	0600	74	R. SAMARRIPAS
	0900	74	R. SAMARRIPAS
	1200	75	R. SAMARRIPAS.
	1500	75	E. HUITRON
	1800	75	E. HUITRON
	2100	75	E. HUITRON
	2400	74	HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	73	HERNANDEZ
	0600	73	P Guzman
	0900	73	P Guzman
	1200	74	P Guzman
	1500	78	E. HUITRON
	1800	74	E. HUITRON
	2100	78	E. HUITRON
	2400	78	HERNANDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 Temp. Reading Location: A side 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	73	HERNANDEZ
	0600	73	P Guzman
	0900	73	P Guzman
	1200	73	P Guzman
	1500	74	A. NAJERA
	1800	76	A NAJERA
	2100	75	A NAJERA
	2400	76	L. BROWN

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	76	L. BROWN
	0600	76	P Guzman
	0900	76	P Guzman
	1200	76	P Guzman
	1500	76	J AMADOR
	1800	76	J. AMADOR
	2100	72	M. Leon
	2400	74	L BROWN

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	73	L. BROWN
	0600	73	P Guzman
	0900	73	P Guzman
	1200	73	P Guzman
	1500	76	J. AMADOR
	1800	75 ~~75~~	J. AMADOR
	2100	75	J. AMADOR
	2400	77	L. BROWN

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	74	L BROWN
	0600	74	P Guzman
	0900	74	P Guzman
	1200	74	P Guzman
	1500	78	R. Montoya
	1800	78	R. Montoya
	2100	78	R. Montoya
	2400	78	L. BROWN

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	~~76 BROWN~~	L. BROWN
	0600	73	SAMARRIPA
	0900	74	SAMARRIPA
	1200	74	SAMARRIPA
	1500	78	R. Montoya
	1800	78	R. Montoya
	2100	78	R. Montoya
	2400	76	L. Brown

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	76	L. BROWN
	0600	76	Flores
	0900	76	Cleaver
	1200	77	Rojas
	1500	78	ALROBIAI
	1800	78	R. Montoya
	2100	78	R. Montoya
	2400	76	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	76	L. BROWN
	0600	76	P Guzman
	0900	76	P Guzman
	1200	76	P Guzman
	1500	78	R. Montoya
	1800	80	R. Montoya
	2100	78	R. Montoya
	2400	76	Hernandez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4- Aside Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	76	Hernandez
	0600	76	P Guzman
	0900	76	P Guzman
	1200	76	P Guzman
	1500	76	E. HUITRON
	1800	76	E. HUITRON
	2100	76	E. HUITRON
	2400	76	K Gaines

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	76	K Gaines
	0600	76	P Guzman
	0900	76	P Guzman
	1200	76	P Guzman
	1500	76	J. Jackson
	1800	76	J. Jackson
	2100	76	J Jackson
	2400	75	C. VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	74	C. VASQUEZ
	0600	74	P Guzman
	0900	74	P Guzman
	1200	74	P Guzman
	1500	74	J. Jackson
	1800	76	J. Jackson
	2100	76	J. Jackson
	2400	74	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	72	C. VASQUEZ
	0600	72	P Guzman
	0900	72	P Guzman
	1200	74	P Guzman
	1500	75	E. HUITRON
	1800	75	E. HUITRON
	2100	75	E. HUITRON
	2400	75	C. VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	74	C. VASQUEZ
	0600	72	SAMARRIPA
	0900	73	SAMARRIPAS
	1200	73	SAMARRIPAS
	1500	73	E. HUITRON
	1800	73	E. HUITRON
	2100	73	E. HUITRON
	2400	73	E. HUITRON

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	73	E. HUITRON
	0600	74	SAMARRIPAS
	0900	75	SAMARRIPAS
	1200	76	SAMARRIPAS
	1500	76	E. HUITRON
	1800	76	E. HUITRON
	2100	75	HERNANDEZ
	2400	74	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	74	HERNANDEZ
	0600	74	P Guzman
	0900	74	P Guzman
	1200	74	P Guzman
	1500	74	E. HUITRON
	1800	74	E. HUITRON
	2100	74	E. HUITRON
	2400	74	Hernandez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FB4 Temp. Reading Location: A-side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/20

Date	Time	Temp.	Name (Print)
5/20/24	0300	~~74~~	Hernandez
	0600	~~74~~	P Guzman
	0900	74	P Guzman
	1200	74	P Guzman
	1500	76	[illegible]
	1800	76	[illegible]
	2100	76	[illegible]
	2400	76	E Cotiem

Tuesday 5/21

Dat	Time	Temp.	Name (Print)
5/21/24	0300	76	E Cotiem
	0600	76	P Guzman
	0900	76	P Guzman
	1200	76	P Guzman
	1500	78	J Jackson
	1800	80	J. Jackson
	2100	78	J. Jackson
	2400	78	E Cotiem

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	78°	E Cotiem
	0600	73	P Guzman
	0900	73	P Guzman
	1200	73	P Guzman
	1500	76	J. Jackson
	1800	76	J. Jackson
	2100	76	J. Jackson
	2400	76	E Cotiem

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	78°	E Cotiem
	0600	78	P Guzman
	0900	74	P Guzman
	1200	74	P Guzman
	1500	74	E. HUITRON
	1800	74	E. HUITRON
	2100	74	E. HUITRON
	2400	75	L. Pelechica

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	74	L. Pelechica
	0600	72°	SAMARRIPAS
	0900	73°	SAMARRIPAS
	1200	73°	SAMARRIPAS
	1500	73	E. HUITRON
	1800	73	E. HUITRON
	2100	73	E. HUITRON
	2400	73	M. PANTOJA

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	73	M. PANTOJA
	0600	71°	SAMARRIPAS
	0900	71°	SAMARRIPAS
	1200	73°	SAMARRIPAS
	1500	73	E. HUITRON
	1800	73	E. HUITRON
	2100	73	E. HUITRON
	2400	73	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	73	Hernandez
	0600	73	P Guzman
	0900	73	P Guzman
	1200	73	[illegible]
	1500	73	E. HUITRON
	1800	73	E. HUITRON
	2100	73	E. HUITRON
	2400	73	HERNANDEZ

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FB4 Temp. Reading Location: At Side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	74	E. Hernandez
	0600	74	P Guzman
	0900	74	P Guzman
	1200	74	P Guzman
	1500	74	E-HUITRON
	1800	74	E-HUITRON
	2100	74	E-HUITRON
	2400	74	E Gutierrez

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	74	E Gutierrez
	0600	74	P Guzman
	0900	74	P Guzman
	1200	74	P Guzman
	1500	76	J. Jackson
	1800	76	J. Jackson
	2100	76	J. Jackson
	2400	76	E. Gutierrez

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	76	E Gutierrez
	0600	76	P Guzman
	0900	76	P Guzman
	1200	76	P Guzman
	1500	76	B UASDELL
	1800	76	BUASDELL
	2100	76	BUASDELL
	2400	76	E Gutierrez

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	76	E Gutierrez
	0600	76	P Guzman
	0900	76	P Guzman
	1200	76	P Guzman
	1500	76	E-HUITRON
	1800	76	E-HUITRON
	2100	76	E-HUITRON
	2400	76	E Gutierrez

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	76°	E Gutierrez
	0600	76°	W. ESCOBAR
	0900	78°	W. ESCOBAR
	1200	78°	W. ESCOBAR
	1500	78	E-HUITRON
	1800	78	E-HUITRON
	2100	78	E-HUITRON
	2400	78	E Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	78	E Gutierrez
	0600	76°	SAMARRIPAS
	0900	77°	SAMARRIPAS
	1200	78°	SAMARRIPAS
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B - 4 - B SIDE Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	78	C. VASQUEZ
	0600	78	P Guzman
	0900	78	P Guzman
	1200	78	P Guzman
	1500	80	J. Jackson
	1800	84	J. Jackson
	2100	80	J. Jackson
	2400	79	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	77	C. VASQUEZ
	0600	78	P Guzman
	0900	79	P Guzman
	1200	80	P Guzman
	1500	79	E. HUITRON
	1800	79	E. HUITRON
	2100	79	E. HUITRON
	2400	78	C. VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	77	C. VASQUEZ
	0600	75	SAMARRIPAS
	0900	76	SAMARRIPAS
	1200	77	SAMARRIPAS.
	1500	76	E. HUITRON
	1800	76	E. HUITRON
	2100	75	E. HUITRON
	2400	74	C. VASQUEZ

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	76	C. VASQUEZ
	0600	75	R. SAMARRIPAS
	0900	74	R. SAMARRIPAS
	1200	74	R. SAMARRIPAS.
	1500	74	E. HUITRON
	1800	74	E. HUITRON
	2100	74	E. HUITRON
	2400	74	HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	73	HERNANDEZ
	0600	78	P Guzman
	0900	78	P Guzman
	1200	78	P Guzman
	1500	79	E. HUITRON
	1800	78	E. HUITRON
	2100	78	E. HUITRON
	2400	79	HERNANDEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 Temp. Reading Location: B side 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	73	HERNANDEZ
	0600	77	P Guzman
	0900	77	P Guzman
	1200	77	P Guzman
	1500	77	A. NAJERA
	1800	80	A. NAJERA
	2100	77	A. NAJERA
	2400	77	L. BROWN

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	76	L. BROWN
	0600	76	P Guzman
	0900	76	P Guzman
	1200	76	P Guzman
	1500	76	J. AMADOR
	1800	76	J. AMADOR
	2100	78	M. Leon
	2400	74	L. BROWN

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	75	L. BROWN
	0600	75	P Guzman
	0900	75	P Guzman
	1200	75	P Guzman
	1500	76	J. AMADOR
	1800	85	J. AMADOR
	2100	80	J. AMADOR
	2400	74	L. BROWN

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	78	L. BROWN
	0600	78	P Guzman
	0900	78	P Guzman
	1200	78	P Guzman
	1500	78	R Montoya
	1800	78	R. Montoya
	2100	78	R. Montoya
	2400	77	L. BROWN

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	77	L. BROWN
	0600	74	SAMARA LPAS
	0900	74	SAMARA LPAS
	1200	75	SAMARA LPAS
	1500	78	R. Montoya
	1800	78	R. Montoya
	2100	78	R. Montoya
	2400	74	L. BROWN

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	76	L. BROWN
	0600	76	F. Casas
	0900	76	F. Casas
	1200	77	F. Casas
	1500	78	R. Montoya
	1800	78	R. Montoya
	2100	77	R. Montoya
	2400	78	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	78	Hernandez
	0600	78	P Guzman
	0900	78	P Guzman
	1200	78	P Guzman
	1500	79	R Montoya
	1800	80	R Montoya
	2100	79	R. Montoya
	2400	76	Hernandez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B4 B side Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	76	Hernandez
	0600	76	P Guzman
	0900	76	P Guzman
	1200	76	P Guzman
	1500	76	E-HUITRON
	1800	76	E-HUITRON
	2100	76	E-HUITRON
	2400	76	L GOMES

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	76	L GOMES
	0600	76	P Guzman
	0900	76	P Guzman
	1200	76	P Guzman
	1500	82	J. Jackson
	1800	82	J. Jackson
	2100	82	J Jackson
	2400	80	C. VASQUEZ

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	79	C. VASQUEZ
	0600	79	P Guzman
	0900	79	P Guzman
	1200	79	P Guzman
	1500	82	J. Jackson
	1800	82	J Jackson
	2100	82	J. Jackson
	2400	80	C. VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	78	C. VASQUEZ
	0600	78	P Guzman
	0900	78	P Guzman
	1200	78	P Guzman
	1500	78	E. HUITRON
	1800	78	E. HUITRON
	2100	78	E. HUITRON
	2400	78	C. VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	78	C. VASQUEZ
	0600	74	SAMARADPAS
	0900	73	SAMARADPAS
	1200	74	SAMARADPAS
	1500	74	E. HUITRON
	1800	74	E. HUITRON
	2100	74	E. HUITRON
	2400	74	E. HUITRON

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	74	E. HUITRON
	0600	73	SAMARADPAS
	0900	74	SAMARADPAS
	1200	74	SAMARADPAS
	1500	75	E-HUITRON
	1800	73	E. HUITRON
	2100	75	E. HUITRON
	2400	74	HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	74	HERNANDEZ
	0600	74	P Guzman
	0900	74	P Guzman
	1200	74	P Guzman
	1500	74	E-HUITRON
	1800	74	E-HUITRON
	2100	74	E-HUITRON
	2400	74	HERNANDEZ

Notes

STAGE 1 HEAT ACTIVATED @ 1345

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FB4 Temp. Reading Location: B-Side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/20

Date	Time	Temp.	Name (Print)
5/20/24	0300	76	Hernandez
	0600	76	P Guzman
	0900	76	P Guzman
	1200	76	P Guzman
	1500	76	J Jackson
	1800	77	J Jackson
	2100	77	J Jackson
	2400	77	G Cortez

Tuesday 5/21

Dat	Time	Temp.	Name (Print)
5/21/24	0300	76	G Cortez
	0600	76	P Guzman
	0900	76	P Guzman
	1200	76	P Guzman
	1500	78	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	78°	G Cortez

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	78	E Gutierrez
	0600	78	P Guzman
	0900	78	P Guzman
	1200	78	P Guzman
	1500	78	J. Jackson
	1800	80	J. Jackson
	2100	78	J. Jackson
	2400	78°	G Cortez

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	78°	G Cortez
	0600	78	P Guzman
	0900	78	P Guzman
	1200	78	P Guzman
	1500	78	E. HUITRON
	1800	78	E. HUITRON
	2100	78	E. HUITRON
	2400	79	L. PERELCHICA

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	74	L. PERELCHICA
	0600	72°	SAMARRIPAS
	0900	73°	SAMARRIPAS
	1200	74°	SAMARRIPAS
	1500	74	E. HUITRON
	1800	74	E. HUITRON
	2100	74	E. HUITRON
	2400	74	M. PANTOJA

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	74	M. PANTOJA
	0600	72°	SAMARRIPAS
	0900	72°	SAMARRIPAS
	1200	72°	SAMARRIPAS
	1500	73	E. HUITRON
	1800	73	E. HUITRON
	2100	73	E. HUITRON
	2400	73	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	73	Hernandez
	0600	73	P Guzman
	0900	73	P Guzman
	1200	73	P Guzman
	1500	73	E. HUITRON
	1800	73	E. HUITRON
	2100	73	E. HUITRON
	2400	73	Hernandez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FB 4 Temp. Reading Location: B-side 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	76	E Hernandez
	0600	76	P Guzman
	0900	76	P Guzman
	1200	76	P Guzman
	1500	76	E. HUITRON
	1800	76	E. HUITRON
	2100	76	E. HUITRON
	2400	76	G Gutierrez

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	76	G Gutierrez
	0600	76	P Guzman
	0900	76	P Guzman
	1200	76	P Guzman
	1500	78	J. Jackson
	1800	80	J. Jackson
	2100	80	J. Jackson
	2400	80	G Gutierrez

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	80	G Gutierrez
	0600	78	P Guzman
	0900	78	P Guzman
	1200	78	P Guzman
	1500	78	B VASDELL
	1800	78	B VASDELL
	2100	78	B VASDELL
	2400	78	G Gutierrez

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	78°	G Gutierrez
	0600	78	P Guzman
	0900	78	P Guzman
	1200	78	P Guzman
	1500	78	E. HUITRON
	1800	78	E. HUITRON
	2100	78	E. HUITRON
	2400	78	G Gutierrez

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	78°	G Gutierrez
	0600	78°	K. ESCOBAR
	0900	78°	K. ESCOBAR
	1200	78°	K. ESCOBAR
	1500	78	E. HUITRON
	1800	78	E. HUITRON
	2100	78	E. HUITRON
	2400	78	G Gutierrez

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	78	G Gutierrez
	0600	77°	SAMARRIPAS
	0900	77°	SAMARRIPAS
	1200	78	SAMARRIPAS
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 - Aside Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70°	R. Rubio
	0600	70°	R. Rubio
	0900	70°	L. Brown
	1200	70°	L. BROWN
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	70	C. Yocum

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	C. Yocum
	0600	68	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	71	B. RAMIREZ
	1800	70	B. Ramirez
	2100	70	B. Ramirez
	2400	70	C. Yocum

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	C. Yocum
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	70	B. Ramirez
	1800	71	B. Ramirez
	2100	71	B. Ramirez
	2400	68	C. Yocum

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	68	C. Yocum
	0600	70	C. BLACKWOOD
	0900	72	C. BLACKWOOD
	1200	72	C. BLACKWOOD
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	68	C. Yocum

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	68	C. Yocum
	0600	68	SAMARRIPAS
	0900	69	SAMARRIPAS
	1200	69	SAMARRIPAS.
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	68	C. Yocum

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

ARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 Aside Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	68	C. Yocum
	0600	69	R. SAMARRIPAS
	0900	70	R. SAMARRIPAS
	1200	71	R. SAMARRIPAS
	1500	70	A. Rivera
	1800	70	A. Rivera
	2100	70	A. Rivera
	2400	68	A. AYALA

5-6-24

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	68	A. AYALA
	0600	68	C. BLACKWOOD
	0900	69	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	72	S. BORREGO
	1800	70	S. BORREGO
	2100	70	S. BORREGO
	2400	68	A. AYALA

5-7-24

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	68	A. AYALA
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	71	S. BORREGO
	1800	71	S. BORREGO
	2100	71	S. BORREGO
	2400	70	C. Yocum

5-8-24

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	C. Yocum
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	70	B. RAMIREZ
	1800	70	B. RAMIREZ
	2100	70	B. RAMIREZ
	2400	70	C. Yocum

5-9-24

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	C. Yocum
	0600	70	C. BLACKWOOD
	0900	71	C. BLACKWOOD
	1200	72	C. BLACKWOOD
	1500	73	B. Ramirez
	1800	74	B. Ramirez
	2100	71	B. Ramirez
	2400	70	C. Yocum

5-10-24

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	C. Yocum
	0600	71	C. BLACKWOOD
	0900	71	C. BLACKWOOD
	1200	72	C. BLACKWOOD
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	70	C. Yocum

5-11-24

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	C. Yocum
	0600	70	Mercum
	0900	71	Mercum
	1200	71	Mercum
	1500	73	S. BORREGO
	1800	74	S. BORREGO
	2100	72	S. BORREGO
	2400	72	C. Yocum

5-12-24

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 A side Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
~~5/20/24~~ 5-13-24	0300	70	C. Yocum
	0600	70°	B Mendez
	0900	72°	B Mendez
	1200	72°	B Mendez
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	70	A. AYALA

Tuesday

Date	Time	Temp.	Name (Print)
~~5/21/24~~ 5-14-24	0300	70	A. AYALA
	0600	72	C. BLACKWOOD
	0900	72	C. BLACKWOOD
	1200	72	C. BLACKWOOD
	1500	75	S. BORREGO
	1800	74	S. BORREGO
	2100	75	S. BORREGO
	2400	70	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
~~5/22/24~~ 5-15-24	0300	70	AJ AYALA
	0600	70	C. BLACKWOOD
	0900	71	C. BLACKWOOD
	1200	72	C. BLACKWOOD
	1500	72	S. Moreno
	1800	72	S. Moreno
	2100	71	S. Moreno
	2400	71	C. Yocum

Thursday

Date	Time	Temp.	Name (Print)
~~5/23/24~~ 5-16-24	0300	71	C. Yocum
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	72	M. ANDERSON
	1800	73	M. ANDERSON
	2100	72	M. ANDERSON
	2400	72	C. Yocum

Friday

Date	Time	Temp.	Name (Print)
~~5/24/24~~ 5-17-24	0300	72	C. Yocum
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	72	J. DUNN
	1800	74	J. DUNN
	2100	72	J. DUNN
	2400	72	C. Yocum

Saturday

Date	Time	Temp.	Name (Print)
~~5/25/24~~ 5-18-24	0300	72	C. Yocum
	0600	70	K. Bailey
	0900	71	K. Bailey
	1200	71	K. Bailey
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	71	E. GONZALEZ
	2400	71	C. Yocum

Sunday

Date	Time	Temp.	Name (Print)
~~5/26/24~~ 5-19-24	0300	71	C. Yocum
	0600	70	SAMARATPAS
	0900	71	SAMARATPAS
	1200	72	SAMARATPAS
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	70	C. LONELY

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 A side Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
~~5/27/24~~ 5-27-24	0300	70	C. LUMELI
	0600	71	SAMARRIPAS
	0900	72	SAMARRIPAS
	1200	72.	SAMARRIPAS
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	72	E GONZALEZ
	2400	70	E. GONZALEZ

Tuesday

Date	Time	Temp.	Name (Print)
~~5/28/24~~ 5-28-24	0300	70.	A. AYALA
	0600	70.	J Vasquez
	0900	72	J Vasquez
	1200	72.	J Vasquez
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	70	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
~~5/29/24~~ 5-29-24	0300	70	A. AYALA
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	70	E. GONZALEZ
	1800	70	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	70	C. YOCUM

Thursday

Date	Time	Temp.	Name (Print)
~~5/30/24~~ 5-30-24	0300	70	C. YOCUM
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	70	A. Rodriguez
	1800	75	A. Rodriguez
	2100	70	A. Rodriguez
	2400	70	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
~~5/31/24~~ 5-31-24	0300	70	C. YOCUM
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	70	Y. Ruvalcaba
	1800	70	Y. Ruvalcaba
	2100	70	Y. Ruvalcaba
	2400	70	J. SANDIAS

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	J. SANDIAS
	0600	70	V. KOYNI
	0900	70	V. KOYNI
	1200	70	V. KOYNI
	1500	70	E. GONZALEZ
	1800	70	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	70	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	70	C. YOCUM
	0600	70°	SAMARRIPAS
	0900	71°	SAMARRIPAS
	1200	72.	SAMARRIPAS
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	72	C. YOCUM

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: BS-A side Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	70	C. Yocum
	0600	70	SAMARAIPAJ.
	0900	71	SAMARAIPAJ.
	1200	72	SAMARAIPAJ.
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	70	A-AYACA

Tuesday

Date	Time	Temp.	Name (Print)
5-28-24	0300	70	A-AYACA
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	70	A-AYACA

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	A-AYACA
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	70	E. GONZALEZ
	1800	70	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	70	C. Yocum

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	70	C. Yocum
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	71	B. RAMIREZ
	1800	71	B. RAMIREZ
	2100	71	B. RAMIREZ
	2400	71	C. Yocum

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	71	C. Yocum
	0600	72	J. Castellanos
	0900	72	J. Castellanos
	1200	72	J. Castellanos
	1500	72	B. RAMIREZ
	1800	72	B. RAMIREZ
	2100	72	B. RAMIREZ
	2400	72	C. Yocum

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA ARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 Bside Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
~~5/6/24~~	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
~~5/7/24~~	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
~~5/8/24~~ 5-1-24	0300	70	R. RUBIO
	0600	70	~~R. LANDEROS~~
	0900	70	J. LANDEROS
	1200	70	J. LANDEROS
	1500	70	E. GONZALEZ
	1800	70	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	68	C. Yocum

Thursday

Date	Time	Temp.	Name (Print)
~~5/9/24~~ 5-2-24	0300	68	C. Yocum
	0600	68	C. BLACKWOOD
	0900	68	C. BLACKWOOD
	1200	68	C. BLACKWOOD
	1500	70	B. RAMIREZ
	1800	70	B. RAMIREZ
	2100	70	B. RAMIREZ
	2400	68	C. Yocum

Friday

Date	Time	Temp.	Name (Print)
~~5/10/24~~ 5-3-24	0300	68	C. Yocum
	0600	69	C. BLACKWOOD
	0900	69	C. BLACKWOOD
	1200	69	C. BLACKWOOD
	1500	69	B. Ramirez
	1800	69	B. Ramirez
	2100	69	B. RAMIREZ
	2400	68	C. Yocum

Saturday

Date	Time	Temp.	Name (Print)
~~5/11/24~~ 5-4-24	0300	68	C. Yocum
	0600	68	C. BLACKWOOD
	0900	68	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	70	E. GONZALEZ
	1800	70	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	68	C. Yocum

Sunday

Date	Time	Temp.	Name (Print)
~~5/12/24~~ 5-5-24	0300	68	C. Yocum
	0600	68	SAMARRIPAS
	0900	69	SAMARRIPAS
	1200	70	SAMARRIPAS.
	1500	70	E. GONZALEZ
	1800	70	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	68	C. Yocum

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

.RTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 - B side Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	68	C. Yocum
	0600	68	R. SAMARRIPAS.
	0900	69	R. SAMARRIPAS.
	1200	70	R. SAMARRIPAS.
	1500	70	A. RIOJA
	1800	70	A. RIOJA
	2100	70	A. RIOJA
	2400	68	A. AYALA

5-6-24

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	68	A. AYALA
	0600	66	C. BLACKWOOD
	0900	67	C. BLACKWOOD
	1200	68	C. BLACKWOOD
	1500	72	S. BORREGO
	1800	70	S. BORREGO
	2100	70	S. BORREGO
	2400	68	A. AYALA

5-7-24

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	68	A. AYALA
	0600	67	C. BLACKWOOD
	0900	68	C. BLACKWOOD
	1200	68	C. BLACKWOOD
	1500	71	S. BORREGO
	1800	71	S. BORREGO
	2100	71	S. BORREGO
	2400	70	C. Yocum

5-8-24

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	C. Yocum
	0600	68	C. BLACKWOOD
	0900	68	C. BLACKWOOD
	1200	69	C. BLACKWOOD
	1500	70	C. Yocum
	1800	70	C. Yocum
	2100	70	C. Yocum
	2400	70	C. Yocum

5-9-24

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	C. Yocum
	0600	68	C. BLACKWOOD
	0900	68	C. BLACKWOOD
	1200	69	C. BLACKWOOD
	1500	69	B. Ramirez
	1800	70	B. Ramirez
	2100	70	B. Ramirez
	2400	68	C. Yocum

5-10-24

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	68	C. Yocum
	0600	69	C. BLACKWOOD
	0900	69	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	71	E. GONZALEZ
	1800	71	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	70	C. Yocum

5-11-24

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	C. Yocum
	0600	71	M. Montoya
	0900	72	M. Montoya
	1200	72	M. Montoya
	1500	73	S. BORREGO
	1800	74	S. BORREGO
	2100	72	S. BORREGO
	2400	72	C. Yocum

5-12-24

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5 B side Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	C. Yocum
	0600	70°	B Mendez
	0900	72°	B Mendez
	1200	72°	B Mendez
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	70	A. AYALA

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	70	A. AYALA
	0600	71	C. BLACKWOOD
	0900	71	C. BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	75	S. BORREGO
	1800	76	S. BORREGO
	2100	75	S. BORREGO
	2400	70	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	A.J AYALA
	0600	70	C. BLACKWOOD
	0900	70	C BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	72	S. Moreno
	1800	72	S. Moreno
	2100	71	S. Moreno
	2400	71	C. Yocum

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	71	C. Yocum
	0600	70	C BLACKWOOD
	0900	70	C BLACKWOOD
	1200	71	C BLACKWOOD
	1500	72	M. ANDERSON
	1800	73	M. ANDERSON
	2100	72	M. ANDERSON.
	2400	72	C. Yocum

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	72	C. Yocum
	0600	71	C. BLACKWOOD
	0900	71	C. BLACKWOOD
	1200	71	C BLACKWOOD
	1500	70	J. DUNN
	1800	71	J. DUNN
	2100	72	J. DUNN
	2400	72	C. Yocum

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	72	C. Yocum
	0600	70	K. Bailey
	0900	71	K. Bailey
	1200	71	K. Bailey
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	71	E. GONZALEZ
	2400	71	C. Yocum

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	71	C. Yocum
	0600	70	SAMARRIPAS
	0900	71	SAMARRIPAS
	1200	73	SAMARRIPAS
	1500	73	E. GONZALEZ
	1800	73	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	72	C. LOMELI

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA RTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5- B side Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
~~5/27/24~~ 5-27-24	0300	70	C. LUMEN
	0600	71°	SAMARAIPAS
	0900	72°	SAMARAIPAS
	1200	73°	SAMARAIPAS.
	1500	73	E. GONZALEZ
	1800	73	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	70	A. AYALA

Tuesday

Date	Time	Temp.	Name (Print)
~~5/28/24~~ 5-28-24	0300	70	A. AYALA
	0600	70	Jvasquez
	0900	72	Jvasquez
	1200	72	Jvasquez
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	71	E. GONZALEZ
	2400	70	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
~~5/29/24~~ 5-29-24	0300	70	A. AYALA
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	72	C. YOCUM

Thursday

Date	Time	Temp.	Name (Print)
~~5/30/24~~ 5-30-24	0300	72	C. YOCUM
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	75	A. Rodriguez
	1800	70	A. Rodriguez
	2100	70	A. Rodriguez
	2400	70	C. YOCUM

Friday

Date	Time	Temp.	Name (Print)
~~5/31/24~~ 5-31-24	0300	70	C. YOCUM
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	70	Y. Zuvalcaba
	1800	70	Y. Zuvalcaba
	2100	70	Y. Zuvalcaba
	2400	70	J. SALINAS

Saturday

Date	Time	Temp.	Name (Print)
5-32-24	0300	70	J. SALINAS
	0600	70	V. Reynoso
	0900	70	V. Reynoso
	1200	70	V. Reynoso
	1500	70	E. GONZALEZ
	1800	70	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	70	C. YOCUM

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300	70	C. YOCUM
	0600	70°	SAMARAIPAS
	0900	71°	SAMARAIPAS
	1200	72°	SAMARAIPAS
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	72	C. YOCUM

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B5-B side Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	70	C. Yocum
	0600	70°	SAMARITAN
	0900	71°	SAMARITAN
	1200	73°	SAMARITAN
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	71°	E. GONZALEZ
	2400	70	A. AYALA

Tuesday

Date	Time	Temp.	Name (Print)
5-28-24	0300	70	A. AYALA
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	72°	E. GONZALEZ
	1800	72°	E. GONZALEZ
	2100	72°	E. GONZALEZ
	2400	70	A. AYALA

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	A. AYALA
	0600	70	C. BLACKWOOD
	0900	70	C. BLACKWOOD
	1200	70	C. BLACKWOOD
	1500	72	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	72	E. GONZALEZ
	2400	72	C. Yocum

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	72	C. Yocum
	0600	71	C. BLACKWOOD
	0900	71	C. BLACKWOOD
	1200	71	C. BLACKWOOD
	1500	71	B. RAMIREZ
	1800	71	B. RAMIREZ
	2100	71	B. RAMIREZ
	2400	71	C. Yocum

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	71	C. Yocum
	0600	71	J. Castellanos
	0900	72	J. Castellanos
	1200	72	J. Castellanos
	1500	72	B. RAMIREZ
	1800	72	B. RAMIREZ
	2100	72	B. RAMIREZ
	2400	72	C. Yocum

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B6 · A side Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	R. Rubio
	0600	70	R. Rubio
	0900	68	Rivas
	1200	68	Rivas
	1500	70	Rivas
	1800	70	Rivas
	2100	70	Rivas
	2400	70	SAIZ

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	SAIZ
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	70	RP
	1800	70	RP
	2100	70	RP
	2400	70	SAIZ

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	SAIZ
	0600	70	S. DeLaR
	0900	68	S. DeLaR
	1200	70	S. DeLaR
	1500	70	RP
	1800	70	RP
	2100	70	RP
	2400	68	DeLAO

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	68	DeLao
	0600	70	J. Valdez
	0900	70	J. Valdez
	1200	70	J. Valdez
	1500	70	RAMIREZ
	1800	70	Ramirez
	2100	70	Ramirez
	2400	70	C. DeLao

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	68	C. DeLao
	0600	68	F. RIVAS
	0900	69	F. RIVAS
	1200	69	F. RIVAS
	1500	70	RAMIREZ
	1800	70	Ramirez
	2100	70	RAMIREZ
	2400	70	C. DeLao

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B6 - A side Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	70	C. DeLao
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	71	F. RIVAS
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	60	C. DeLao

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	68	C. DeLao
	0600	68	C. TUCKER
	0900	68	C. TUCKER
	1200	68	[illegible]
	1500	68	[illegible]
	1800	68	[illegible]
	2100	68	[illegible]
	2400	70	C. DeLao

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	70	C. DeLao
	0600	69	C. TUCKER
	0900	69	C. TUCKER
	1200	69	C. TUCKER
	1500	69	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	SAIZ

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	69	SAIZ
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	I. SAIZ

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	I. SAIZ
	0600	71	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	71	R. Montoya

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	72	R. Montoya
	0600	69	J. Quiroz
	0900	71	J. Quiroz
	1200	72	J. Quiroz
	1500	70	B. RAMIREZ
	1800	70	B. RAMIREZ
	2100	70	B. RAMIREZ
	2400	70	C. VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	C. VASQUEZ
	0600	70	S. Nelson
	0900	72	S. Nelson
	1200	72	S. Nelson
	1500	73	B. Ramirez
	1800	73	B. Ramirez
	2100	72	B. Ramirez
	2400	72	C. Hull

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B6 A side Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	C. Hill
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	74	C. Delao

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	74	C. Delao
	0600	72	M. Iniguez
	0900	72	M. Iniguez
	1200	72	M. Iniguez
	1500	72	[illegible]
	1800	72	[illegible]
	2100	72	[illegible]
	2400	70	C. Delao

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	C. Delao
	0600	70	Bailey
	0900	71	Bailey
	1200	71	BAILEY
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	I. SAIZ

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	I. SAIZ
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	SAIZ

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	I. SAIZ
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	C. Delao

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	C. Delao
	0600	70	Valdez
	0900	71	Valdez
	1200	71	Valdez
	1500	74	ALROBIAI
	1800	74	ALROBIAI
	2100	71	ALROBIAI
	2400	70	C. Delao

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	C. Delao
	0600	71	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	J. Castellanos
	1800	71	J. Castellanos
	2100	71	J. Castellanos
	2400	70	C. Delao

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B6 - Aside Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	68	C DeLao
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	DAO
	1800	71	RC
	2100	71	RP
	2400	70	C DeLao

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	68	C DeLao
	0600	69	S RAMIREZ
	0900	70	S RAMIREZ
	1200	73	S RAMIREZ
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	DeLAO

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	DeLAO
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	RP
	2400	70	SAZ

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	69	SAZ
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	SAZ

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	SAZ
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	72	J. Castillanos
	1800	72	J. Castillanos
	2100	71	J. Castillanos
	2400	70	C DeLao

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	62	C DeLAO
	0600	62	Irigoyen
	0900	65	Irigoyen
	1200	65	Irigoyen
	1500	[illegible]	Pguzman
	1800	65	Pguzman
	2100	65	Pguzman
	2400	64	C DeLao

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	64	C DeLao
	0600	64	V. Reyes
	0900	65	V. Reyes
	1200	66	V. Reyes
	1500	65	GONZALEZ
	1800	68	E. GONZALEZ
	2100	69	E. GONZALEZ
	2400	68	C DeLao

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB6 Temp. Reading Location: TIER 2 A-SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	70	C DELAO
	0600	70	F RIVAS
	0900	70	F RIVAS
	1200	70	F RIVAS
	1500	71	RP
	1800	71	RP
	2100	71	RP
	2400	70	C DELAO

Tuesday

Dat	Time	Temp.	Name (Print)
5-28-24	0300	70	C DELAO
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	RP
	1800	71	RP
	2100	71	RP
	2400	70	C DELAO

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	C DELAO
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	RP
	1800	71	RP
	2100	71	RP
	2400	70	SHR

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	70	SHR
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	RP
	1800	71	RP
	2100	71	RP
	2400	70	DP SHR

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	70	SHR
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	RP
	1800	71	RP
	2100	71	RP
	2400	70	C DELAO

Saturday

Date	Time	Temp.	Name (Print)
	0300		C. DeLao
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original, Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B6 · B side Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	R. Rubio
	0600	70	R. Rubio
	0900	69	RIVAS
	1200	69	RIVAS
	1500	70	RIP
	1800	71	RIP
	2100	70	RIP
	2400	69	SHIZ

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	69	SHIZ
	0600	65	F. RIVAS
	0900	65	F. RIVAS
	1200	65	F. RIVAS
	1500	66	RIP
	1800	66	RIP
	2100	66	RIP
	2400	68	SHIZ

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	68	SAIZ
	0600	70	J. DeLa R
	0900	70	J. DeLa R
	1200	70	J. DeLa R
	1500	70	RIP
	1800	70	RIP
	2100	70	RIP
	2400	68	DeLaR

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	68	DeLa
	0600	68	J. Valdez
	0900	70	J. Valdez
	1200	70	J. Valdez
	1500	70	Ramirez
	1800	70	Ramirez
	2100	70	Ramirez
	2400	70	C. DeLa

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	68	C. DeLa
	0600	68	F. RIVAS
	0900	69	F. RIVAS
	1200	69	Ramirez
	1500	70	Ramirez
	1800	70	Ramirez
	2100	70	Ramirez
	2400	70	C DeLa

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B/C B side Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	60	C DeLao
	0600	62	F. RIVAS
	0900	62	F. RIVAS
	1200	62	F. RIVAS
	1500	[illegible]	DLP
	1800	[illegible]	RLD
	2100	[illegible]	RLD
	2400	60	C DeLao

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	60	C DeLao
	0600	68	C. TUCKER
	0900	68	C. TUCKER
	1200	68	C. TUCKER
	1500	60	RLD
	1800	60	RLD
	2100	60	RLD
	2400	60	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	60	C DeLao
	0600	68	C. TUCKER
	0900	69	C. TUCKER
	1200	69	C. TUCKER
	1500	60	RLD
	1800	60	RLD
	2100	60	RLD
	2400	60	SAIZ

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	60	SAIZ
	0600	60	F. RIVAS
	0900	61	F. RIVAS
	1200	62	F. RIVAS
	1500	60	RLD
	1800	60	RLD
	2100	60	RLD
	2400	60	L. SAIZ

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	60	L. SAIZ
	0600	61	F. RIVAS
	0900	62	F. RIVAS
	1200	62	F. RIVAS
	1500	62	RLD
	1800	62	RLD
	2100	62	RLD
	2400	62	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	62°	[illegible]
	0600	62	J. Olivas
	0900	62	J. Olivas
	1200	64	J. Olivas
	1500	70	B. RAMIREZ
	1800	70	B. RAMIREZ
	2100	70	B. RAMIREZ
	2400	69	C. VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	68	C. VASQUEZ
	0600	68	J. Nelson
	0900	70	J. Nelson
	1200	70	J. Nelson
	1500	70	B. Ramirez
	1800	70	B. Ramirez
	2100	70	B. Ramirez
	2400	70	C. Hill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B16 Bside Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	C. Cudill
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	64	[illegible]
	1800	64	[illegible]
	2100	64	[illegible]
	2400	66	C. DeLao

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	66	C. DeLao
	0600	70	M. Iniguez
	0900	72	M. Iniguez
	1200	72	M. Iniguez
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	68	C. DeLao

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	68	C. DeLao
	0600	70	Bailey
	0900	71	Bailey
	1200	71	Bailey
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	I. SAIR

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	I. SAIR
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	I. SAIR
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	68	C. DeLao

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	68	C. DeLao
	0600	68	Valdez
	0900	70	Valdez
	1200	70	Valdez
	1500	70	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	68	C. DeLao

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	C. DeLao
	0600	71	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	J. Castellanos
	1800	71	J. Castellanos
	2100	71	J. Castellanos
	2400	70	C. DeLao

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B6 Bside Temp. Reading Location: 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	68	C Delao
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	C Delao

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	68	C Delao
	0600	68	S. Ramirez
	0900	69	S. Ramirez
	1200	70	S. Ramirez
	1500	68	[illegible]
	1800	70	[illegible]
	2100	70	[illegible]
	2400	70	Delao

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	Delao
	0600	70	RIVAS
	0900	70	RIVAS
	1200	70	RIVAS
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	SAIZ

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	69	SAIZ
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	SAIZ

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	SAIZ
	0600	70	F. RIVAS
	0900	71	F. RIVAS
	1200	71	F. RIVAS
	1500	72	J. Castillo-W
	1800	72	J. Castillo-W
	2100	71	J. Castillo-W
	2400	62	C Delao

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	62	C Delao
	0600	62	Irigoyen
	0900	64	Irigoyen
	1200	64	Irigoyen
	1500	66	Plummer
	1800	67	Plummer
	2100	67	Plummer
	2400	67	C Delao

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	67	C Delao
	0600	67	V. Reyes
	0900	67	V. Reyes
	1200	68	V. Reyes
	1500	65	E. GONZALEZ
	1800	68	E. GONZALEZ
	2100	69	E. GONZALEZ
	2400	68	C Delao

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FBB6 Temp. Reading Location: TIER 2 B-SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	64	C DELAO
	0600	64	F. RIVAS
	0900	68	F RIVAS
	1200	70	F RIVAS
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	68	C Delao

Tuesday

Dat	Time	Temp.	Name (Print)
5-28-24	0300	68	C DELAO
	0600	69	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	C Delao

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	C Delao
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	SAR

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	69	SAR
	0600	70	F. RIVAS
	0900	71	F RIVAS
	1200	71	F. RIVAS
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	SAR

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	70	SAR
	0600	70	F. RIVAS
	0900	70	F. RIVAS
	1200	70	F. RIVAS
	1500	71	[illegible]
	1800	71	[illegible]
	2100	71	[illegible]
	2400	70	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original, Institution, ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1 Temp. Reading Location: A side 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	68	Ruiz
	0600	68	Ruiz
	0900	68	Ruiz
	1200	70	Ruiz
	1500	66	Rivera
	1800	65	Rivera
	2100	65	Rivera
	2400	65	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0300	64	F. Hernandez
	0600	64	F. Cortez
	0900	67	F. Cortez
	1200	69	F. Cortez
	1500	70	R. Gatner
	1800	71	R. Gatner
	2100	70	R. Gatner
	2400	66	F. Hernandez

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0300	65	F. Hernandez
	0600	65	Reyes
	0900	65	J. Perez
	1200	70	J. Perez
	1500	71	M. Dunne
	1800	71	M. Dunne
	2100	69	M. Dunne
	2400	65	M. Dunne

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300	64	M. Dunne
	0600	64	[illegible]
	0900	64	[illegible]
	1200	67	[illegible]
	1500	69	M. Dunne
	1800	70	M. Dunne
	2100	70	M. Dunne
	2400	68	M. Dunne

Sunday

Date	Time	Temp.	Name (Print)
5-5-24	0300	64	M. Dunne
	0600	66	DAV
	0900	66	DAV
	1200	69	DAV
	1500	70	R. Rice
	1800	70	R. Rice
	2100	68	R. Rice
	2400	65	M. Dunne

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1 "A" Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5.6.24	0300	65	Pascual
	0600	65	Betancourt
	0900	65	Betancourt
	1200	67	Betancourt
	1500	69	[illegible]
	1800	69	[illegible]
	2100	67	[illegible]
	2400	66	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	66	[illegible]
	0600	66	[illegible]
	0900	69	[illegible]
	1200	69	[illegible]
	1500	71	[illegible]
	1800	71	[illegible]
	2100	70	[illegible]
	2400	70	[illegible]

Wednesday

Date	Time	Temp.	Name (Print)
5-8-24	0300	68	[illegible]
	0600	66	O. NUNEZ
	0900	65	O. NUNEZ
	1200	64	O. NUNEZ
	1500	67	Hernandez
	1800	67	Hernandez
	2100	68	[illegible]
	2400	68	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0300	68	R. Jones
	0600	68	Cortez
	0900	66	Cortez
	1200	69	Cortez
	1500	69	~~BETANCOURT~~
	1800	69	R. Jones
	2100	69	R. Jones
	2400	69	R. Jones

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	69	[illegible]
	0600	69	BETANCOURT
	0900	70	BETANCOURT
	1200	72	BETANCOURT
	1500	71	J. AGUILAR
	1800	70	J. AGUILAR
	2100	70	[illegible]
	2400	69	[illegible]

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	68	[illegible]
	0600	69	BETANCOURT
	0900	70	BETANCOURT
	1200	72	BETANCOURT
	1500	72	HERNANDEZ
	1800	72	HERNANDEZ
	2100	70	HERNANDEZ
	2400	70	HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	68	ALROBIAI
	0600	69	BETANCOURT
	0900	69	BETANCOURT
	1200	70	BETANCOURT
	1500	74	ALROBIAI
	1800	74	ALROBIAI
	2100	74	ALROBIAI
	2400	70	ALROBIAI

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C1 "A" Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-13-24	0300	70	R. Rice
	0600	69	D. BETANCOURT
	0900	70	D. BETANCOURT
	1200	73	D. BETANCOURT
	1500	75	M. Dunne
	1800	76	M. Dunne
	2100	74	M. Dunne
	2400	71	M. Dunne

Tuesday

Date	Time	Temp.	Name (Print)
5-14-24	0300	69	M. Dunne
	0600	69	BETANCOURT
	0900	72	BETANCOURT
	1200	73	BETANCOURT
	1500	75	M. Dunne
	1800	77	Dunne
	2100	75	Dunne
	2400	71	Dunne

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0300	69	Dunne
	0600	70	Iniguez
	0900	71	Iniguez
	1200	73	Iniguez
	1500	73	R. Montoya
	1800	73	R. Montoya
	2100	72	R. Montoya
	2400	70	M. DUNN

Thursday 5-16-24

Date	Time	Temp.	Name (Print)
5-16-24	0300	70	M. DUNN
	0600	71	J. Cox
	0900	72	J. Cox
	1200	72	J. Cox
	1500	72	J. DUNN
	1800	74	J. DUNN
	2100	72	J. DUNN
	2400	70	Hernandez

Friday

Date	Time	Temp.	Name (Print)
5-17-24	0300	69	Hernandez
	0600	69	D. BETANCOURT
	0900	72	D. BETANCOURT
	1200	73	D. BETANCOURT
	1500	74	Dunne
	1800	75	Dunne
	2100	73	Dunne
	2400	71	Dunne

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0300	70	M. Dunne
	0600	71	BETANCOURT
	0900	71	BETANCOURT
	1200	73	BETANCOURT
	1500	74	M. Dunne
	1800	75	M. Dunne
	2100	72	M. Dunne
	2400	70	M. Dunne

Sunday

Date	Time	Temp.	Name (Print)
5-19-24	0300	69	M. Dunne
	0600	69	BETANCOURT
	0900	70	BETANCOURT
	1200	72	BETANCOURT
	1500	72	R. Rice
	1800	72	R. Rice
	2100	72	R. Rice
	2400	71	K. Garcia

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: NSP Housing Unit: C1 A Temp. Reading Location: 2ND (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	69	K. Garcia
	0600	69	BETANCOURT
	0900	70	BETANCOURT
	1200	71	BETANCOURT
	1500	73	R. Rice
	1800	73	R. Rice
	2100	72	R. Rice
	2400	72	R. Rice

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	71	R. Rice
	0600	71	R. Rice
	0900	72	RRice
	1200	72	RRice
	1500	73	R. Rice
	1800	73	R. Rice
	2100	73	R. Rice
	2400	72	R. Rice

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	72	R. Rice
	0600	72	BETANCOURT
	0900	72	BETANCOURT
	1200	72	BETANCOURT
	1500	72	F. CADENA
	1800	72	F. CADENA
	2100	71	F. CADENA
	2400	70	R. Rice

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	68	RRice
	0600	69	BETANCOURT
	0900	69	BETANCOURT
	1200	70	BETANCOURT
	1500	70	E. ZELAYA
	1800	70	E. ZELAYA
	2100	72	E. ZELAYA
	2400	71	Dunne

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	68	R Rice
	0600	69	BETANCOURT
	0900	71	BETANCOURT
	1200	71	BETANCOURT
	1500	71	Dunne
	1800	73	Dunne
	2100	72	Dunne
	2400	71	Dunne

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	Dunne
	0600	71	BETANCOURT
	0900	70	BETANCOURT
	1200	72	BETANCOURT
	1500	72	Dunne
	1800	74	Dunne
	2100	72	Dunne
	2400	70	Dunne

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	Dunne
	0600	71	BETANCOURT
	0900	72	BETANCOURT
	1200	73	BETANCOURT
	1500	73	Rice
	1800	72	Rice
	2100	71	Rice
	2400	70	Dunne

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C1-A Temp. Reading Location: 2nd
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6601 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	70	Dunne
	0600	70	Betancourt
	0900	71	Betancourt
	1200	71	Betancourt
	1500	72	Rice
	1800	72	Rice
	2100	71	Rice
	2400	71	Rice

Tuesday

Date	Time	Temp.	Name (Print)
5-28-24	0300	70	Rice
	0600	70	Betancourt
	0900	70	Betancourt
	1200	71	Betancourt
	1500	72	Rice
	1800	72	Rice
	2100	72	Rice
	2400	71	Rice

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	Rice
	0600	70	Sere
	0900	71	Sere
	1200	72	Sere
	1500	72	Valencia
	1800	72	Valencia
	2100	72	Valencia
	2400	70	Hernandez

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	70	Hernandez
	0600	70	Perez
	0900	71	Perez
	1200	72	Perez
	1500	72	B. Holguin
	1800	72	B. Holguin
	2100	72	B. Holguin
	2400	70	Hernandez

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	70	Hernandez
	0600	70	Sanz
	0900	71	Sanz
	1200	71	Sanz
	1500	73	Dunne
	1800	74	Dunne
	2100	73	Dunne
	2400	71	Dunne

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C/ B side Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension (600) when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1	0300	75	K Smith
	0600	75	W Server
	0900	72	W Server
	1200	70	W Server
	1500	70	J Ramirez
	1800	71	J Ramirez
	2100	71	J Ramirez
	2400	76	K Smith

Tuesday

Dat	Time	Temp.	Name (Print)
5/2	0300	72	K Smith
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	72	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
5/3	0300	74	K Smith
	0600	75	W Server
	0900	72	W Server
	1200	70	W Server
	1500	70	J Ramirez
	1800	71	J Ramirez
	2100	71	J Ramirez
	2400	74	K Smith

Thursday

Date	Time	Temp.	Name (Print)
5/4	0300	72	K Smith
	0600	61	R. Hernandez
	0900	70	R. Hernandez
	1200	70	R. Hernandez
	1500	71	Ramirez
	1800	71	Ramirez
	2100	71	Ramirez
	2400	72	K Smith

Friday

Date	Time	Temp.	Name (Print)
5/3	0300	70	E. Cooper
	0600	70	E. Cooper
	0900	70	E. Cooper
	1200	70	E. Cooper
	1500	71	Gonzales
	1800	70	Gonzales
	2100	70	Gonzales
	2400	69	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
5/4	0300	65	Hernandez
	0600	66	R. TAFOLLA
	0900	66	R. TAFOLLA
	1200	68	R. TAFOLLA
	1500	70	A. Gonzales
	1800	70	A. Gonzales
	2100	70	A. Gonzales
	2400	68	Hernandez

Sunday

Date	Time	Temp.	Name (Print)
5/5	0300	70	T. Pitts
	0600	70	T. Pitts
	0900	70	T. Pitts
	1200	70	T. Pitts
	1500	69	J Dunn
	1800	68	J Dunn
	2100	68	J Dunn
	2400	70	K Smith

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C1 B side Temp. Reading Location: 1st Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	70	K Smith
	0600	70	J. McCain
	0900	71	J. McCain
	1200	71	J. McCain
	1500	72	A. Gonzales
	1800	72	A. Gonzales
	2100	70	A. Gonzales
	2400	70	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	68	K Smith
	0600	68°	E. Olivares
	0900	68°	E. Olivares
	1200	68°	E. Olivares
	1500	70°	J. McCain
	1800	70	A. ATILANO
	2100	70	A. ATILANO
	2400	70	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	70	K Smith
	0600	70°	F. Cota
	0900	70°	F. Cota
	1200	70°	F. Cota
	1500	70	J. McCain
	1800	70°	J. McCain
	2100	70°	J. McCain
	2400	70	K Smith

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	70	K Smith
	0600	70°	F. Cota
	0900	70°	F. Cota
	1200	70°	F. Cota
	1500	70°	J. McCain
	1800	70°	J. McCain
	2100	70°	J. McCain
	2400	70	K Smith

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	K Smith
	0600	70°	F. Cota
	0900	70°	F. Cota
	1200	71°	F. Cota
	1500	70	A. Gonzales
	1800	70	A. Gonzales
	2100	70	A. Gonzales
	2400	70	Hernandez

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	67	Hernandez
	0600	70	Ruiz
	0900	70	Ruiz
	1200	70	Ruiz
	1500	70	F. Rojas
	1800	70	F. Rojas
	2100	71	F. Rojas
	2400	71	F. Ortiz

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	71	F. Ortiz
	0600	70°	F. Cota
	0900	70°	F. Cota
	1200	70°	F. Cota
	1500	71	Ruiz
	1800	72	Ruiz
	2100	72	Ruiz
	2400	70	K Smith

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C1 B side Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	68	K Smith
	0600	69	A.ATILANO
	0900	70	A.ATILANO
	1200	71	A.ATILANO
	1500	72°	J.McCain
	1800	72°	J.McCain
	2100	72°	J.McCain
	2400	70	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	70	K Smith
	0600	70	A.ATILANO
	0900	71	A.ATILANO
	1200	72	A.ATILANO
	1500	72	J.RAMIREZ
	1800	72	J RAMIREZ
	2100	72	J.RAMIREZ
	2400	72	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	K Smith
	0600	70°	F. Cota
	0900	70°	F. Cota
	1200	71°	F. Cota
	1500	72	J.RAMIREZ
	1800	72	J. RAMIREZ
	2100	72	J. RAMIREZ
	2400	72	K Smith

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	K Smith
	0600	70	S.Sevilla
	0900	70	S.Sevilla
	1200	70°	S. Sevilla
	1500	72	J RAMIREZ
	1800	72	J. RAMIREZ
	2100	72	J. RAMIREZ
	2400	72	A.M OCHOA

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70°	A.M. OCHOA
	0600	70°	F. Cota
	0900	70°	F. Cota
	1200	71°	F Cota
	1500	72	A.Gonzales
	1800	72	A.Gonzales
	2100	72	A.Gonzales
	2400	70	Hernand T

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	A.M. OCHOA
	0600	70°	F. Cota
	0900	70°	F. Cota
	1200	72°	F. Cota
	1500	72	A.Gonzales
	1800	71	A.Gonzales
	2100	71	A.Gonzales
	2400	70	FORTER

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	Hernand T
	0600	70°	F. Cota
	0900	70°	F. Cota
	1200	70°	F. Cota
	1500	75	J RIVO
	1800	75	J RIVO
	2100	75	J RIVO
	2400	73	K Smith

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C1 B side Temp. Reading Location: 1st Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	K Smith
	0600	71	A.ATILANO
	0900	71	A.ATILANO
	1200	72	A. ATILANO
	1500	70°	J. McCain
	1800	70°	J. McCain
	2100	70°	J. McCain
	2400	70	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	K Smith
	0600	70	A.ATILANO
	0900	71	A.ATILANO
	1200	72	A.ATILANO
	1500	72	J. RAMIREZ
	1800	72	J. RAMIREZ
	2100	72	J. RAMIREZ
	2400	72	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	K Smith
	0600	70°	F. Cota
	0900	70°	F. Cota
	1200	71°	F. Cota
	1500	72	J. RAMIREZ
	1800	72	J. RAMIREZ
	2100	72	J. RAMIREZ
	2400	72	K Smith

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	K Smith
	0600	70°	F. Cota
	0900	70°	F. Cota
	1200	71°	F. Cota
	1500	71°	J. RAMIREZ
	1800	71°	J. RAMIREZ
	2100	71°	J. RAMIREZ
	2400	70	K Smith

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	K Smith
	0600	70°	F. Cota
	0900	70°	L.Navarro
	1200	70°	F. Cota
	1500	70	A.GONZALES
	1800	70	A.GONZALES
	2100	70	A.GONZALES
	2400	70	F.Hernandez

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	69	F.Hernandez
	0600	69	F. Cota
	0900	70°	F. Cota
	1200	70°	F. Cota
	1500	70	A.Gonzales
	1800	70	A.Gonzales
	2100	70	A.Gonzales
	2400	70	F.ORTIZ

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	69	~~[illegible]~~ / F.ORTIZ
	0600	69°	F. Cota
	0900	70°	F. Cota
	1200	70°	F. Cota
	1500	70°	J. McCain
	1800	70°	J. McCain
	2100	70°	J. McCain
	2400	70	K Smith

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C1 F12 Temp. Reading Location: 1st Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	K Smith
	0600	71	A. ATILANO
	0900	72	A. ATILANO
	1200	72	A. ATILANO
	1500	72°	J. RAMIREZ
	1800	72°	J. RAMIREZ
	2100	72°	J. RAMIREZ
	2400	72	K Smith

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	70	K Smith
	0600	71	A. ATILANO
	0900	72	A. ATILANO
	1200	72	A. ATILANO
	1500	72	J. RAMIREZ
	1800	72	J. RAMIREZ
	2100	72	J. RAMIREZ
	2400	70	K Smith

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	K Smith
	0600	70	y Ruvalcaba
	0900	72	y Ruvalcaba
	1200	75	y Ruvalcaba
	1500	72	J. RAMIREZ
	1800	72	J. RAMIREZ
	2100	72	J. RAMIREZ
	2400	72	K Smith

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	K Smith
	0600	70°	WACHEL J.
	0900	71°	WACHEL J.
	1200	72	WACHEL J.
	1500	72	D. RODRIGUEZ
	1800	72	D. RODRIGUEZ
	2100	72	D. RODRIGUEZ
	2400	70	K Smith

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	K Smith
	0600	71°	F. Cota
	0900	71°	F. Cota
	1200	71°	F. Cota
	1500	71	Gonzales, A
	1800	71	A. Gonzales
	2100	71	A. Gonzales
	2400	71	R. Montoya

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

MAY 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: L-2 PI-1 Temp. Reading Location: 2 A side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	65	THerwood
	0600	70	HOLBUN
	0900	72	HOLBUN
	1200	72	R.LEE
	1500	73	Dominguez
	1800	73	Dominguez
	2100	73	Dominguez
	2400	72	THerwood

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	72	THerwood
	0600	72	R.LEE
	0900	73	R.LEE
	1200	74	R.LEE
	1500	75	R.LEE
	1800	77	R.LEE
	2100	75	R.LEE
	2400	72	K.CESTA

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	71	K.CESTA
	0600	72	R.LEE
	0900	73	R.LEE
	1200	73	R.LEE
	1500	75	UREPO
	1800	75	UREPO
	2100	73	UREPO
	2400	74	Galicia

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	73	EGALICIA
	0600	71	J.S
	0900	71	J.S
	1200	73	J.S
	1500	73	J.S
	1800	72	J.S
	2100	71	J.S
	2400	71	M. PASCUAL

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	69	M.Pascual
	0600	70	H.AGUAYO
	0900	70	H.AGUAYO
	1200	70	H.AGUAYO
	1500	70	GONZALEZ
	1800	70	GONZALEZ
	2100	70	GONZALEZ
	2400	70	E.LOZANO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2A Temp. Reading Location: tier 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6021 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5	0300	68°	E. LOZANO
	0600	68	R. LEE
	0900	70	R. LEE
6	1200	70	R. LEE
	1500	70	LOMELI
24	1800	70°	LOMELI
	2100	70°	LOMELI
	2400	70°	E. LOZANO

Tuesday

Dat	Time	Temp.	Name (Print)
5	0300	70°	E. LOZANO
	0600	70	R. LEE
	0900	72	R. LEE
7	1200	72	R. LEE
	1500	72	DOMINGUEZ
24	1800	72	DOMINGUEZ
	2100	72	DOMINGUEZ
	2400	72	THERWOOD

Wednesday

Date	Time	Temp.	Name (Print)
5	0300	69	THERWOOD
	0600	68	R. LEE
	0900	69	R. LEE
8	1200	70	R. LEE
	1500	72	DOMINGUEZ
24	1800	72	DOMINGUEZ
	2100	72	DOMINGUEZ
	2400	71	THERWOOD

Thursday

Date	Time	Temp.	Name (Print)
5	0300	70	THERWOOD
	0600	69	R. LEE
	0900	70	R. LEE
9	1200	71	R. LEE
	1500	72	DOMINGUEZ
24	1800	72	DOMINGUEZ
	2100	72	DOMINGUEZ
	2400	72	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	71	[illegible]
	0600	70	LEE
	0900	70	LEE
	1200	70	LEE
	1500	73	DOMINGUEZ
	1800	73	DOMINGUEZ
	2100	70	DOMINGUEZ
	2400	70	THERWOOD

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	70	THERWOOD
	0600	72	J. BLACK
	0900	72	J. BLACK
	1200	72	J. BLACK
	1500	72	DOMINGUEZ
	1800	72	DOMINGUEZ
	2100	70	DOMINGUEZ
	2400	70	THERWOOD

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	THERWOOD
	0600	70	H. AGUANO
	0900	70	H. AGUANO
	1200	75	H. AGUANO
	1500	75	C. LOMELI
	1800	75	C. LOMELI
	2100	75	C. LOMELI
	2400	75°	E. LOZANO

Notes

5-10-24 STAGE 1 ACTIVATED @ 1530, DEACTIVATED 2000.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2 A Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	65	Orozco
	0600	68	R. Lee
	0900	69	R. Lee
	1200	70	R. Lee
	1500	72	J. Maciel
	1800	73	J. Maciel
	2100	73	J. Maciel
	2400	70	Orozco

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	69	Orozco
	0600	70	R. Lee
	0900	71	R. Lee
	1200	72	R. Lee
	1500	73	Dominguez
	1800	73	Dominguez
	2100	74	Dominguez
	2400	70	Henwood

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	68	Henwood
	0600	69	R. Lee
	0900	70	R. Lee
	1200	72	R. Lee
	1500	72	Dominguez
	1800	72	Dominguez
	2100	73	Dominguez
	2400	70	Henwood

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	65	R. Lee
	0600	66	R. Lee
	0900	67	R. Lee
	1200	70	R. Lee
	1500	71	Dominguez
	1800	72	Dominguez
	2100	73	Dominguez
	2400	70	Montoya

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	Montoya
	0600	70	R. Lee
	0900	71	R. Lee
	1200	72	R. Lee
	1500	72	Dominguez
	1800	72	Dominguez
	2100	72	Dominguez
	2400	70	Montoya

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	Montoya
	0600	71	Day
	0900	72	Day
	1200	72	Day
	1500	73	Day
	1800	72	Day
	2100	71	Day
	2400	68	Montoya

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	Montoya
	0600	73	Rios
	0900	73	Rios
	1200	73	Rios
	1500	73	Gonzales
	1800	74	Gonzales
	2100	75	Gonzales
	2400	70	Orozco

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C-2-A Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	70°	E. LOZANO
	0600	71	R. LEE
	0900	72	R. LEE
	1200	73	R. LEE
	1500	72	Gonzales
	1800	71	Gonzales
	2100	71	Gonzales
	2400	70°	E. LOZANO

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/24	0300	70	E. LOZANO
	0600	70	O. NUNEZ
	0900	72	O. NUNEZ
	1200	74	O. NUNEZ
	1500	74	DOMINGUEZ II
	1800	74	DOMINGUEZ
	2100	72	DOMINGUEZ
	2400	72	T. HERWOOD

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300	70	T. HERWOOD
	0600	71	INIGUEZ
	0900	72	INIGUEZ
	1200	73	INIGUEZ
	1500	73	DOMINGUEZ
	1800	73	DOMINGUEZ
	2100	72	DOMINGUEZ
	2400	70	THerwood

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300	69	T Herwood
	0600	69	R. LEE
	0900	69	R. LEE
	1200	70	R. LEE
	1500	73	DOMINGUEZ
	1800	73	DOMINGUEZ
	2100	71	DOMINGUEZ
	2400	70	THerwood

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	69	T Herwood
	0600	71	JEREZ
	0900	71	JEREZ
	1200	73	JEREZ
	1500	73	DOMINGUEZ
	1800	72	DOMINGUEZ
	2100	70	DOMINGUEZ
	2400	70	THerwood

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	69	THerwood
	0600	69	J. [illegible]
	0900	70	J. [illegible]
	1200	71	J. [illegible]
	1500	71	DOMINGUEZ
	1800	70	DOMINGUEZ
	2100	70	DOMINGUEZ
	2400	70	THerwood

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	THerwood
	0600	70	AGUAYO
	0900	70	AGUAYO
	1200	72	AGUAYO
	1500	72	C. LAMELI
	1800	73	C. LAMELI
	2100	72	C. LAMELI
	2400	72°	E. LOZANO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: HSPC Housing Unit: C2-A Temp. Reading Location: 1st TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70°	E. LOZANO
	0600	70	R. LEE
	0900	70	R. LEE
	1200	70	R. LEE
	1500	70°	M. Garcia
	1800	70°	M. Garcia
	2100	70°	M. Garcia
	2400	70°	E. LOZANO

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70°	E. LOZANO
	0600	70	R. LEE
	0900	70	R. LEE
	1200	71	R. LEE
	1500	71	DOMINGUEZ
	1800	70	DOMINGUEZ
	2100	70	DOMINGUEZ
	2400	69	Henwood

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	69	Henwood
	0600	69	R. LEE
	0900	70	R. LEE
	1200	71	R. LEE
	1500	71	DOMINGUEZ
	1800	71	DOMINGUEZ
	2100	71	DOMINGUEZ
	2400	70	Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	69	Gonzalez
	0600	68	R. LEE
	0900	69	R. LEE
	1200	70	R. LEE
	1500	70	DOMINGUEZ
	1800	70	DOMINGUEZ
	2100	70	DOMINGUEZ
	2400	70	Henwood

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	69	Henwood
	0600	70	R. LEE
	0900	70	R. LEE
	1200	71	R. LEE
	1500	71	DOMINGUEZ
	1800	71	DOMINGUEZ
	2100	71	DOMINGUEZ
	2400	70	Henwood

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: C2-B Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6374 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70°	E. LOZANO
	0600	71	M. HERNANDEZ
	0900	71	M. HERNANDEZ
	1200	72	M. HERNANDEZ
	1500	71	M. HERNANDEZ
	1800	71	M. HERNANDEZ
	2100	70	M. HERNANDEZ
	2400	70	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
5.2.24	0300	70	Vigil
	0600	70	M. HERNANDEZ
	0900	70	M. HERNANDEZ
	1200	70	M. HERNANDEZ
	1500	70	S. Garza
	1800	70	S. Garza
	2100	70	S. Garza
	2400	70	Vigil

Friday

Date	Time	Temp.	Name (Print)
5.3.24	0300	71	Vigil
	0600	71	Vigil
	0900	70	S. Garza
	1200	70	S. Garza
	1500	69	S. Garza
	1800	68	R. Campos
	2100	68	R. Campos
	2400	68	Vigil

Saturday

Date	Time	Temp.	Name (Print)
5.4.24	0300	71	Vigil
	0600	70°	S. GARZA
	0900	72°	S. GARZA
	1200	72°	S. GARZA
	1500	71	M. Hernandez
	1800	71	M. Hernandez
	2100	69	M. Hernandez
	2400	69	Vigil

Sunday

Date	Time	Temp.	Name (Print)
5.5.24	0300	68	Vigil
	0600	69°	S. GARZA
	0900	71°	S. GARZA
	1200	71°	S. GARZA
	1500	70	R. Campos
	1800	70	R. Campos
	2100	69	R. Campos
	2400	68	R. Campos

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2B Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	67	R. Campos
	0600	68	ZELAYA
	0900	70	ZELAYA
	1200	70	H. AGUAYO
	1500	70	H. AGUAYO
	1800	70	H. AGUAYO
	2100	70	H. AGUAYO
	2400	70	CAMPOS

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	70	CAMPOS
	0600	70	H. AGUYO
	0900	70	H. AGUYO
	1200	70	H. AGUYO
	1500	70	A. GONZALES
	1800	70	A. GONZALES
	2100	70	A. GONZALES
	2400	70	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	70	E. LOZANO
	0600	70	H. AGUAYO
	0900	70	H. AGUAYO
	1200	72	H. AGUAYO
	1500	73	E. ZELAYA
	1800	73	E. ZELAYA
	2100	72	E. ZELAYA
	2400	70	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	70	E. LOZANO
	0600	70	M. HERNANDEZ
	0900	70	M. HERNANDEZ
	1200	70	M. HERNANDEZ
	1500	72	J. QUINN
	1800	72	J. QUINN
	2100	71	J. QUINN
	2400	70	GONZALEZ

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	Gonzalez
	0600	70	M. Hernandez
	0900	70	M. Hernandez
	1200	70	M. Hernandez
	1500	72	M. RIOS
	1800	72	M. RIOS
	2100	72	M. RIOS
	2400	71	J. Vigil

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	70	J. Vigil
	0600	70	S. GARZA
	0900	71	S. GARZA
	1200	71	S. GARZA
	1500	72	M. RIOS
	1800	72	M. RIOS
	2100	72	M. RIOS
	2400	70	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	R. Campos
	0600	70	S. GARZA
	0900	71	S. GARZA
	1200	71	S. GARZA
	1500	79	RIOS
	1800	79	RIOS
	2100	79	RIOS
	2400	77	R. CAMPOS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2 B Temp. Reading Location: 2nd tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	77	CAMPOS
	0600	75	PITTS
	0900	75	PITTS
	1200	75	PITTS
	1500	74	MRIOS
	1800	74	MRIOS
	2100	74	MRIOS
	2400	74	E-LOZANO

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	74	E-LOZANO
	0600	70	GLOMUS
	0900	72	GLOMUS
	1200	74	GLOMUS
	1500	76	Gonzales
	1800	76	Gonzales
	2100	76	Gonzales
	2400	76°	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	76°	E. LOZANO
	0600	76	LEE
	0900	76	LEE
	1200	76	LEE
	1500	76	Gonzales
	1800	76	Gonzales
	2100	76	Gonzales
	2400	75	E LOZANO

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	75	E LOZANO
	0600	77	Lavon Gardner
	0900	77	Canoa
	1200	77	Canoa
	1500	77	MRIOS
	1800	77	MRIOS
	2100	76	MRIOS
	2400	75	VIGIL

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	74	VIGIL
	0600	73	VIGIL
	0900	74	VIGIL
	1200	74	VIGIL
	1500	76	MRIOS
	1800	76	MRIOS
	2100	76	MRIOS
	2400	75	VIGIL

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	75	VIGIL
	0600	74	VIGIL
	0900	72°	S. GARZA
	1200	73°	S GARZA
	1500	74	MRIOS
	1800	74	MRIOS
	2100	74	MRIOS
	2400	74	VIGIL

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	74	VIGIL
	0600	73	VIGIL
	0900	73	GARZA
	1200	73	GARZA
	1500	74	MRIOS
	1800	74	MRIOS
	2100	73	MRIOS
	2400	71	CAMPOS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2 B Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	CAMPOS
	0600	70	H. AGUAYO
	0900	70	H. AGUAYO
	1200	70	H. AGUAYO
	1500	74	MRIOS
	1800	74	MRIOS
	2100	72	MRIOS
	2400	71	CAMPOS

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	CAMPOS
	0600	70	O. NUNEZ
	0900	70	O. NUNEZ
	1200	72	O. NUNEZ
	1500	73	A. Gonzales
	1800	72	A. Gonzales
	2100	72	A. Gonzales
	2400	70°	E. LOZANO

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	E. LOZANO
	0600	70	M. HERNANDEZ
	0900	70	M. HERNANDEZ
	1200	71	M. HERNANDEZ
	1500	71	M. HERNANDEZ
	1800	70	M. HERNANDEZ
	2100	70	M. HERNANDEZ
	2400	70°	E. LOZANO

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70°	E. LOZANO
	0600	70	M. HERNANDEZ
	0900	70	M. HERNANDEZ
	1200	71	M. HERNANDEZ
	1500	73	MRIOS
	1800	73	MRIOS
	2100	71	MRIOS
	2400	71	CAMPOS

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	E. LOZANO
	0600	70	M. Hernandez
	0900	70	M. Hernandez
	1200	71	M. Hernandez
	1500	73	MRIOS
	1800	73	MRIOS
	2100	71	MRIOS
	2400	71	CAMPOS

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	71	K SMITH
	0600	71°	S. GARZA
	0900	72°	S. GARZA
	1200	73°	S. GARZA
	1500	73	MRIOS
	1800	72	MRIOS
	2100	72	MRIOS
	2400	72	K. SMITH

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	K. Smith
	0600	70°	S. GARZA
	0900	72	S. GARZA
	1200	72	S. GARZA
	1500	74	AGUAYO
	1800	74	AGUAYO
	2100	72	AGUAYO
	2400	70	CAMPOS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C2B Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	70	Campos
	0600	70	S. Senik
	0900	70	S. Senik
	1200	72	S. Senik
	1500	75	S. Senik
	1800	74	A. Fraust
	2100	73	A. Fraustro
	2400	70	Campos

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	[illegible]	Campos
	0600	69	M Hernandez
	0900	70	M Hernandez
	1200	70	M Hernandez
	1500	70	Rios
	1800	70	Rios
	2100	70	Rios
	2400	71°	Gonzalez

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	71	Gonzalez
	0600	71	M Hernandez
	0900	71	M Hernandez
	1200	72	M Hernandez
	1500	72	M Hernandez
	1800	71	M Hernandez
	2100	71	M Hernandez
	2400	71°	E. Lozano

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	71°	E. Lozano
	0600	71	M Hernandez
	0900	71	M Hernandez
	1200	72	M Hernandez
	1500	74	M Rios
	1800	74	M Rios
	2100	74	M Rios
	2400	74	J. Vigil

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	74	J. Vigil
	0600	72	J. Vigil
	0900	72	M. Hernandez
	1200	72	M Hernandez
	1500	72	M Hernandez
	1800	74	M Rios
	2100	74	M Rios
	2400	74	Vigil

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-4 Temp. Reading Location: Tier 2 A Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	71	H. Ahmed
	0600	72	H. AGUANO
	0900	72	H. AGUANO
	1200	74	H. AGUANO
	1500	69	A. Barnhill
	1800	69	A. Barnhill
	2100	70	A. Barnhill
	2400	70	S. MORENO

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	S. MORENO
	0600	70	D. RIOS
	0900	71	D. RIOS
	1200	71	D. RIOS
	1500	71	M. HERNANDEZ
	1800	71	M. HERNANDEZ
	2100	71	M. HERNANDEZ
	2400	70	S. Hne

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	69	S. Hne
	0600	69	S. Hne
	0900	71	S. RODRIGUEZ
	1200	76	S. RODRIGUEZ
	1500	70	S. GARCIA
	1800	70	S. GARCIA
	2100	70	S. GARCIA
	2400	70	S. Hne

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	S. Hne
	0600	69	S. Hne
	0900	70	O. NUNEZ
	1200	70	O. NUNEZ
	1500	70	O. ~~NUNEZ~~ Barnhill
	1800	70	Barnhill
	2100	69	Barnhill
	2400	69	Ahmed

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	70	Ahmed
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	Barnhill
	1800	70	Barnhill
	2100	69	Barnhill
	2400	69	Barnhill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3-A Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	68	Bamhill
	0600	68	Rodriguez
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	69	Bamhill
	1800	69	Bamhill
	2100	68	Bamhill
	2400	68	Bamhill

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	66	S.Hume
	0600	66	Sroman
	0900	71	Sroman
	1200	71	Sroman
	1500	72	Hernandez
	1800	72	Hernandez
	2100	71	Hernandez
	2400	71	S.Hume

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	69	S.Hume
	0600	70	H. Aguano
	0900	70	H. Aguano
	1200	70	H. Aguano
	1500	70	S. Moreno
	1800	70	S. Moreno
	2100	70	S. Moreno
	2400	69	S.Hume

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	68	S.Hume
	0600	68	Dreos
	0900	69	Dreos
	1200	70	Dreos
	1500	70	M. Hernandez
	1800	70	M. Hernandez
	2100	70	M. Hernandez
	2400	70	S.Hume

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	69	S.Hume
	0600	69	Sroman
	0900	66	Sroman
	1200	68	Sroman
	1500	78	S. Rodriguez
	1800	74	S. Rodriguez
	2100	72	S. Rodriguez
	2400	70	S.Hume

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	65	S.Hume
	0600	69	S.Hume
	0900	62	Sroman
	1200	70	Sroman
	1500	70	~~Sroman~~ J. Aguilar
	1800	70	J. Aguilar
	2100	70	J. Aguilar
	2400	68	Amoman

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	S.Hume
	0600	70	Sroman
	0900	72	Sroman
	1200	78	Sroman
	1500	80	Sroman
	1800	78	Sroman
	2100	76	Sroman
	2400	76	S.Hume

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C-3 A . Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-13-24	0300	74	A-M OCHOA
	0600	74	AM OCHOA
	0900	75	S RODRIGUEZ
	1200	73	S RODRIGUEZ
	1500	70	Barnhill
	1800	70	Barnhill
	2100	69	Barnhill
	2400	68	K. Garcia

Tuesday

Date	Time	Temp.	Name (Print)
5-14-24	0300	68	K. Garcia
	0600	68	S RODRIGUEZ
	0900	70	S RODRIGUEZ
	1200	70	S RODRIGUEZ
	1500	70	Barnhill
	1800	70	Barnhill
	2100	70	Barnhill
	2400	70	K. Garcia

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0300	70	K. Garcia
	0600	70°	NAVARRO
	0900	70°	Navarro
	1200	71°	Navarro
	1500	71	Barnhill
	1800	71	Barnhill
	2100	70	Barnhill
	2400	72	S. Moreno

Thursday

Date	Time	Temp.	Name (Print)
5-16-24	0300	72	S. Moreno
	0600	72	DIRIOS
	0900	72	DIRIOS
	1200	72	DIRIOS
	1500	72	M. Henry
	1800	72	M. Henry
	2100	72	M. Henry
	2400	71	S. Hue

Friday

Date	Time	Temp.	Name (Print)
5-17-24	0300	70	S. Hue
	0600	70	S. Hue
	0900	74	S RODRIGUEZ
	1200	77	S RODRIGUEZ
	1500	75°	S GARZA
	1800	74°	S GARZA
	2100	72°	S. GARZA
	2400	70	S. Hue

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0300	70	S. Hue
	0600	69	S. Hue
	0900	74	S RODRIGUEZ
	1200	74	S RODRIGUEZ
	1500	70	Barnhill
	1800	70	Barnhill
	2100	70	Barnhill
	2400	70	H. Ahmed

Sunday

Date	Time	Temp.	Name (Print)
5-19-24	0300	70	H. Ahmed
	0600	71	S RODRIGUEZ
	0900	71	S RODRIGUEZ
	1200	74	S RODRIGUEZ
	1500	74	ALROBIAT
	1800	72	ALROBIAT
	2100	71	ALROBIAT
	2400	70	K. NASARZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3F1 A Temp. Reading Location: CM
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 601 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	H. VASQUEZ
	0600	70	H. VASQUEZ
	0900	70	SROMMER
	1200	70	SROMMER
	1500	76	SROMMER
	1800	77	VALENCIA
	2100	72	VALENCIA
	2400	70	A. GONZALEZ

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	A. GONZALEZ
	0600	70	SROMMER
	0900	72	SROMMER
	1200	74	SROMMER
	1500	70	E. GONZALEZ
	1800	70	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	70	A. GONZALEZ

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	A. GONZALEZ
	0600	70	H. AGUANO
	0900	70	H. AGUANO
	1200	70	H. AGUANO
	1500	70	G. TORRES
	1800	70	G. TORRES
	2100	70	G. TORRES
	2400	70	S. MORENO

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	S. MORENO
	0600	70	S. RODRIGUEZ
	0900	70	S. RODRIGUEZ
	1200	70	S. RODRIGUEZ
	1500	70	E. GONZALEZ
	1800	70	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	70	S. HIVE

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	69	S. HIVE
	0600	69	S. HIVE
	0900	70	SROMMER
	1200	74	SROMMER
	1500	73	S. GARZA
	1800	71	S. GARZA
	2100	71	S. GARZA
	2400	70	S. HIVE

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	69	S. HIVE
	0600	69	S. HIVE
	0900	71	SROMMER
	1200	74	SROMMER
	1500	70	E. GONZALEZ
	1800	70	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	70	J. DUMMER

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	J. RODRIGUEZ
	0600	70	SROMMER
	0900	70	SROMMER
	1200	72	SROMMER
	1500	70	A. FRAUSTO
	1800	71	A. FRAUSTO
	2100	69	A. FRAUSTO
	2400	69	S. HIVE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3 "A" Temp. Reading Location: 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	69	M. Pascual
	0600	70	M. Pascual
	0900	70	S. Rodriguez
	1200	74	S. Rodriguez
	1500	70	Barnhill
	1800	70	Barnhill
	2100	69	Barnhill
	2400	70	H. Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	70	H. Vasquez
	0600	69	H. Vasquez
	0900	72	W. Scott
	1200	73	W. Scott
	1500	72	Barnhill
	1800	72	Barnhill
	2100	71	Barnhill
	2400	70	A. Ramirez

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	A. Ramirez
	0600	70	H. Aguano
	0900	70	H. Aguano
	1200	70	H. Aguano
	1500	70	Barnhill
	1800	70	Barnhill
	2100	69	Barnhill
	2400	70	Amaral

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	Amaral
	0600	70	Amaral
	0900	70	Dorios
	1200	71	Dorios
	1500	72	M. Hernandez
	1800	73	M. Hernandez
	2100	72	M. Hernandez
	2400	70	Dominguez

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	~~Amaral~~ Dominguez
	0600	70	~~Amaral~~ Dominguez
	0900	72	S. Rodriguez
	1200	75	S. Rodriguez
	1500	74	S. Garza
	1800	74	S. Garza
	2100	73	S. Garza
	2400	73	S. Garza

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3B Temp. Reading Location: 1st Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6904 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday 5-1-24

Date	Time	Temp.	Name (Print)
5-1-24	0300	69°	F. MARTINEZ
	0600	71°	C. Gonzalez
	0900	71	C. Gonzalez
	1200	72	C. Gonzalez
	1500	73	S. Moreno
	1800	71	S. Moreno
	2100	71	S. Moreno
	2400	70	F. MARTINEZ

Thursday 5-2-24

Date	Time	Temp.	Name (Print)
5-2-24	0300	70	F. MARTINEZ
	0600	71	F. MARTINEZ
	0900	71	C. Gonzalez
	1200	72	C. Gonzalez
	1500	72	C. Gonzalez
	1800	72	V. Medina
	2100	71	V. Medina
	2400	71	V. Medina

Friday 5-3-24

Date	Time	Temp.	Name (Print)
5-3-24	0300	69	Silva
	0600	70	Rios
	0900	70	Rios
	1200	70	Rios
	1500	70	PONCE
	1800	70	PONCE
	2100	70	PONCE
	2400	69	Silva

Saturday 5-4-24

Date	Time	Temp.	Name (Print)
5-4-24	0300	69	Silva
	0600	70	Rios
	0900	70	Rios
	1200	70	RIOS
	1500	70°	S. GARZA
	1800	71°	S. GARZA
	2100	70°	S. GARZA
	2400	69	Silva

Sunday 5-5-24

Date	Time	Temp.	Name (Print)
5-5-24	0300	67	Silva
	0600	67	Silva
	0900	68	F. Gomez
	1200	68	F. Gomez
	1500	70°	S. GARZA
	1800	70°	S. GARZA
	2100	70°	S. GARZA
	2400	70	Silva

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C3 B Temp. Reading Location: 2nd (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5-6

Date	Time	Temp.	Name (Print)
5-6-24	0300	69	S. Silva
	0600	69	S. Silva
	0900	70	C. Garcia
	1200	71	C. Garcia
	1500	71	Cardella
	1800	72	Cardella
	2100	71	Cardella
	2400	70	F. Martinez

Tuesday 5-7

Date	Time	Temp.	Name (Print)
5-7-24	0300	69	F. Martinez
	0600	69	F. Martinez
	0900	69	S. Sevilla
	1200	70	S. Sevilla
	1500	71	Cardella
	1800	72	Cardella
	2100	71	Cardella
	2400	71	F. Martinez

Wednesday

Date	Time	Temp.	Name (Print)
5-8-24	0300	70	F. Martinez
	0600	70	C. Garcia
	0900	71	C. Garcia
	1200	72	C. Garcia
	1500	71	Cardella
	1800	72	Cardella
	2100	71	Cardella
	2400	71	F. Martinez

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0300	70	F. Martinez
	0600	70	F. Martinez
	0900	71	C. Garcia
	1200	72	C. Garcia
	1500	72	D. Rios
	1800	72	D. Rios
	2100	72	D. Rios
	2400	72	F. Martinez

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	69	F. Martinez
	0600	68	D. Rios
	0900	70	D. Rios
	1200	70	D. Rios
	1500	70	S. Garcia
	1800	71	S. Garcia
	2100	71	S. Garcia
	2400	72	F. Martinez

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	72°	F. Martinez
	0600	71°	F. Martinez
	0900	71	D. Rios
	1200	72	D. Rios
	1500	72°	S. Garza
	1800	72°	S. Garza
	2100	71°	S. Garza
	2400	71	F. Martinez

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300	70	F. Martinez
	0600	72	C. Garcia
	0900	75	C. Garcia
	1200	76	C. Garcia
	1500	74°	S. Garza
	1800	73°	S. Garza
	2100	71°	S. Garza
	2400	70	F. Martinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C 3 B Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6002 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	71	F. MARTINEZ
	0600	71	C Gonzalez
	0900	72	C Gonzalez
	1200	75	C Gonzalez
	1500	73	Gadella
	1800	73	Gadella
	2100	74	Gadella
	2400	75	F. MARTINEZ

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	74	F. MARTINEZ
	0600	72	F. MARTINEZ
	0900	73	C Gonzalez
	1200	73	C Gonzalez
	1500	72	C Gonzalez
	1800	74	C Gonzalez
	2100	75	E. ZELAYA
	2400	75	F. MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	74	F. MARTINEZ
	0600	73	F. MARTINEZ
	0900	73	C Gonzalez
	1200	73	C Gonzalez
	1500	74	Gadella
	1800	73	Gadella
	2100	73	Gadella
	2400	74	F. MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	74	F. MARTINEZ
	0600	74	F. MARTINEZ
	0900	74	C Gonzalez
	1200	75	C Gonzalez
	1500	76	Gadella
	1800	76	Gadella
	2100	75	Gadella
	2400	75	C Gonzalez

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	74	C Gonzalez
	0600	74	D RIOS
	0900	74	D RIOS
	1200	75	D RIOS
	1500	75	Gadella
	1800	75	Gadella
	2100	75	Gadella
	2400	76	F. MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	75	F. MARTINEZ
	0600	74	F. MARTINEZ
	0900	73	D. RIOS
	1200	73	D RIOS
	1500	72	S GARZA
	1800	71	S GARZA
	2100	71	S GARZA
	2400	71	S GARZA

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	71	S. GARZA
	0600	71	S GARZA
	0900	71	S. GARZA
	1200	73	S GARZA
	1500	73	S. GARZA
	1800	72	S GARZA
	2100	71	S GARZA
	2400	71	S GARZA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP RC Housing Unit: C3 B Temp. Reading Location: ~~Dayroom~~ 1st (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-20-24	0300	70	S. Hice
	0600	70	S. Hice
	0900	70	[illegible]
	1200	71	[illegible]
	1500	71	Gadelha
	1800	71	Gadelha
	2100	71	Gadelha
	2400	72	F. MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
5-21-24	0300	71	F. MARTINEZ
	0600	70	F. MARTINEZ
	0900	71	[illegible]
	1200	71	[illegible]
	1500	71	Gadelha
	1800	71	Gadelha
	2100	71	Gadelha
	2400	72	F. MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0300	71	F. MARTINEZ
	0600	70	F. MARTINEZ
	0900	71	[illegible]
	1200	71	[illegible]
	1500	72	Gadelha
	1800	72	Gadelha
	2100	71	Gadelha
	2400	71	F. MARTINEZ

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0300	70°	F. MARTINEZ
	0600	70°	F. MARTINEZ
	0900	71	[illegible]
	1200	72	[illegible]
	1500	72	Gadelha
	1800	71	Gadelha
	2100	71	Gadelha
	2400	71	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0300	70	[illegible]
	0600	70	D. RIOS
	0900	71	D. RIOS
	1200	71	D. RIOS
	1500	71	Gadelha
	1800	71	Gadelha
	2100	71	Gadelha
	2400	70	F. MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0300	70	F. MARTINEZ
	0600	69	F. MARTINEZ
	0900	71	D. RIOS
	1200	71	D. RIOS
	1500	72	S. GARZA
	1800	72	S. GARZA
	2100	72	S. GARZA
	2400	70	C. LOMELI

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300	70	C. LOMELI
	0600	71	W. SCHER
	0900	70	W. SCHER
	1200	70	W. SCHER
	1500	73	S. GARZA
	1800	72	S. GARZA
	2100	71	S. GARZA
	2400	71	C. Lomeli

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C-3 B Temp. Reading Location: 2nd TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	70	L. AMARAL
	0600	70	L. AMARAL
	0900	71	C. Cam
	1200	72	C. Cam
	1500	72	Valencia
	1800	72	Valencia
	2100	72	Valencia
	2400	74	F. MARTINEZ

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	72	F. MARTINEZ
	0600	71	F. MARTINEZ
	0900	71	C. Cam
	1200	72	C. Cam
	1500	72	C. Cam
	1800	72	C. Cam
	2100	72	C. Cam
	2400	73	F. MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	72	F. MARTINEZ
	0600	71	F. MARTINEZ
	0900	71	C. Cam
	1200	72	C. Cam
	1500	72	Gradella
	1800	72	Gradella
	2100	72	Gradella
	2400	71	Gradella

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	Gradella
	0600	70	Gradella
	0900	72	O. NUNEZ
	1200	72	O. NUNEZ
	1500	72	Gradella
	1800	72	Gradella
	2100	72	Gradella
	2400	72	J. DUNN

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	71	J. DUNN
	0600	71	D. RIOS
	0900	72	D. RIOS
	1200	72	D. RIOS
	1500	72	Gradella
	1800	72	Gradella
	2100	72	Gradella
	2400	71	Gradella

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	71	Gradella
	0600	71	Gradella
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: C4 A-Side Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	J. Quinonez
	0600	78	J. ZENDEJAS
	0900	78	J ZENDEJAS
	1200	78	J. ZENDEJAS
	1500	70	J RICO
	1800	70	J RICO
	2100	68	J RICO
	2400	68	J. Quinonez

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	68	J. Quinonez
	0600	68	J. ZENDEJAS
	0900	70	J ZENDEJAS
	1200	70	J. ZENDEJAS
	1500	70	H. VASQUEZ
	1800	70	H. VASQUEZ
	2100	70	H. VASQUEZ
	2400	68	D. WILLIAMS

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	68	D. WILLIAMS
	0600	68	J ZENDEJAS
	0900	70	J. ZENDEJAS
	1200	70	J ZENDEJAS
	1500	70	C. GILLETT
	1800	70	C. GILLETT
	2100	68	C. GILLETT
	2400	70	D. WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	67	WILLIAMS
	0600	68	J. ZENDEJAS
	0900	70	J. ZENDEJAS
	1200	70	J. ZENDEJAS
	1500	70	WILLIAMS
	1800	70	WILLIAMS
	2100	68	WILLIAMS
	2400	68	WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	68	WILLIAMS
	0600	69	RIOS
	0900	70	RIOS
	1200	70	RIOS
	1500	70	WILLIAMS
	1800	70	WILLIAMS
	2100	70	WILLIAMS
	2400	68	WILLIAMS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-A Temp. Reading Location: T2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 10001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	68	WILLIAMS
	0600	68	D. RIOS
	0900	69	D. RIOS
	1200	69	D. RIOS
	1500	70	S. AGUILAR
	1800	70	S. AGUILAR
	2100	69	S. AGUILAR
	2400	69	J. Quinonez

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	68	J. Quinonez
	0600	68	SOLORIO
	0900	70	SOLORIO
	1200	70	SOLORIO
	1500	70	A. LOPEZ
	1800	69	A. LOPEZ
	2100	69	A. LOPEZ
	2400	69	J. Quinonez

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	68	J. Quinonez
	0600	68	J. VASQUEZ
	0900	70	J. VASQUEZ
	1200	70	J. VASQUEZ
	1500	70	F. ROJAS
	1800	70	F. ROJAS
	2100	70	F. ROJAS
	2400	69	J. Quinonez

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	68	J. Quinonez
	0600	68	J. ZENDEJAS
	0900	70	J. ZENDEJAS
	1200	70	J. ZENDEJAS
	1500	70	A. LOPEZ
	1800	70	A. LOPEZ
	2100	70	A. LOPEZ
	2400	68	WILLIAMS

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	68	WILLIAMS
	0600	70	J. ZENDEJAS
	0900	70	J. ZENDEJAS
	1200	70	J. ZENDEJAS
	1500	70	A. LOPEZ
	1800	70	A. LOPEZ
	2100	70	A. LOPEZ
	2400	68	Williams

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	68	WILLIAMS
	0600	68	D. Nunez
	0900	72	D. NUNEZ
	1200	76	D. NUNEZ
	1500	78	J. JEFFORD
	1800	79	J. JEFFORD
	2100	78	J. JEFFORD
	2400	74	WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	68	WILLIAMS
	0600	69	D. RIOS
	0900	71	D. RIOS
	1200	71	D. RIOS
	1500	78	J. JEFFORD
	1800	79	JEFFORD
	2100	78	JEFFORD
	2400	78	WILLIAMS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4A Temp. Reading Location: Dayroom T2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	73	WILLIAMS
	0600	73	RIOS
	0900	74	RIOS
	1200	79	RIOS
	1500	79	JEFFORD
	1800	80	JEFFORD
	2100	79	JEFFORD
	2400	78	S. STAFFORD

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	78	S. STAFFORD
	0600	78	J. ZENDEJAS
	0900	79	J. ZENDEJAS
	1200	80	J. ZENDEJAS
	1500	80	JEFFORD
	1800	79	JEFFORD
	2100	75	JEFFORD
	2400	69	J. Quinonez

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	68	J. Quinonez
	0600	68	J. ZENDEJAS
	0900	79	J. ZENDEJAS
	1200	80	J. ZENDEJAS
	1500	78	J. JEFFORD
	1800	79	J. JEFFORD
	2100	78	J. JEFFORD
	2400	70	J. Quinonez

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	68	J. Quinonez
	0600	68	J. ZENDEJAS
	0900	69	J. ZENDEJAS
	1200	75	J. ZENDEJAS
	1500	75	F. Hernandez
	1800	74	F. Hernandez
	2100	73	F. Hernandez
	2400	72	WILLIAMS

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	72	WILLIAMS
	0600	72	LOPEZ
	0900	73	LOPEZ
	1200	73	LOPEZ
	1500	78	F. Hernandez
	1800	77	F. Hernandez
	2100	77	F. Hernandez
	2400	74	Williams

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	72	Williams
	0600	74	J. ZENDEJAS
	0900	74	J. ZENDEJAS
	1200	74	J. ZENDEJAS
	1500	73	JEFFORD
	1800	72	JEFFORD
	2100	72	JEFFORD
	2400	72	WILLIAMS

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	72	WILLIAMS
	0600	64	D. RIOS
	0900	64	D. RIOS
	1200	65	D. RIOS
	1500	71	JEFFORD
	1800	70	JEFFORD
	2100	70	JEFFORD
	2400	68	Williams

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4- A Temp. Reading Location: T2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	66	D. WILLIAMS
	0600	66	O. NUNEZ
	0900	64	O. NUNEZ
	1200	64	O. NUNEZ
	1500	68	JEFFORD
	1800	66	JEFFORD
	2100	66	JEFFORD
	2400	66	~~D. WILLIAMS~~ VASQUEZ

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	63	H. VASQUEZ
	0600	60	H. VASQUEZ
	0900	68	J. ZENDEJAS
	1200	68	J. ZENDEJAS
	1500	72	J. JEFFORD
	1800	70	J. JEFFORD
	2100	70	J. JEFFORD
	2400	70	Ramirez

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	Ramirez
	0600	68	J. ZENDEJAS
	0900	70	J. ZENDEJAS
	1200	71	J. ZENDEJAS
	1500	70	J. JEFFORD
	1800	68	J. JEFFORD
	2100	68	J. JEFFORD
	2400	66	J. Quinonez

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	64	J. Quinonez
	0600	66	J. ZENDEJAS
	0900	68	J. ZENDEJAS
	1200	70	J. ZENDEJAS
	1500	70	F. Hernandez
	1800	70	F. Hernandez
	2100	68	F. Hernandez
	2400	70	D. Williams

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	66	D. Williams
	0600	70	J. ZENDEJAS
	0900	71	J. ZENDEJAS
	1200	71	J. ZENDEJAS
	1500	70	F. Hernandez
	1800	70	F. Hernandez
	2100	64	F. Hernandez
	2400	66	D. WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	64	D. Williams
	0600	65	J. ZENDEJAS
	0900	68	J. ZENDEJAS
	1200	70	J. ZENDEJAS
	1500	68	J. JEFFORD
	1800	67	J. JEFFORD
	2100	68	L. CARRAWAY
	2400	65	L. CARRAWAY

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	63	L. CARRAWAY
	0600	69	DARTOS
	0900	69	DARTOS
	1200	69	DARTOS
	1500	70	JEFFORD
	1800	70	JEFFORD
	2100	70	JEFFORD
	2400	68	WILLIAMS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: CH-A Temp. Reading Location: T2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	61	D. WILLIAMS
	0600	69	RIOS
	0900	69	RIOS
	1200	69	RIOS
	1500	75	J. JEFFORD
	1800	75	
	2100	75	
	2400	69	J. STAFFORD

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	68	S. STAFFORD
	0600	69	J VASQUEZ
	0900	69	J VASQUEZ
	1200	69	J VASQUEZ
	1500	69	J. JEFFORD
	1800	68	J. JEFFORD
	2100	68	J. JEFFORD
	2400	67	J. Quinonez

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	66	J. Quinonez
	0600	67	J. ZENDEJAS
	0900	68	J. ZENDEJAS
	1200	70	J. ZENDEJAS
	1500	72	J. JEFFORD
	1800	70	J. JEFFORD
	2100	70	J. JEFFORD
	2400	68	J. Quinonez

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	66	J. Quinonez
	0600	68	J. ZENDEJAS
	0900	70	J. ZENDEJAS
	1200	71	J. ZENDEJAS
	1500	70	F. Hernandez
	1800	70	F. Hernandez
	2100	70	F. Hernandez
	2400	68	WILLIAMS

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	68	WILLIAMS
	0600	68	ZENDEJAS
	0900	69	ZENDEJAS
	1200	70	ZENDEJAS
	1500	70	Hernandez
	1800	70	Hernandez
	2100	70	Hernandez
	2400	68	D. WILLIAMS

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	66	D. WILLIAMS
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4-B Temp. Reading Location: 2 TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5-1-24	0300	70°	DOMINGUEZ
	0600	51°	R. Heraldez
	0900	59°	R. Heraldez
	1200	70°	R. Heraldez
	1500	73	HANNAN
	1800	72	HANNAN
	2100	70	HANNAN
	2400	69	HANNAN

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0300	69	HANNAN
	0600	69°	Gamez
	0900	70	Gamez
	1200	70	Gamez
	1500	72	WILLIAMS
	1800	72	WILLIAMS
	2100	70	WILLIAMS
	2400	70	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0300	69	J. Quinonez
	0600	69°	Gamez
	0900	70°	Gamez
	1200	72°	Gamez
	1500	73°	Gamez
	1800	72°	Gamez
	2100	70°	Gamez
	2400	70	BARTRON

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300	69	BARTRON
	0600	69°	Gamez
	0900	70°	Gamez
	1200	71°	Gamez
	1500	71°	AMADOR
	1800	70	AMADOR
	2100	70°	ESPINOSA
	2400	70	Gonzales

Sunday

Date	Time	Temp.	Name (Print)
5-5-24	0300	69	Gonzales
	0600	69°	Gamez
	0900	70	Gamez
	1200	70	Gamez
	1500	71°	ALROBIAI
	1800	70°	ALROBIAI
	2100	70°	ALROBIAI
	2400	70	BARTRON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C-4-B Temp. Reading Location: 2-TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	69	BATTRON
	0600	69	THANNAN
	0900	71	THANNAN
	1200	73	THANNAN
	1500	72	THANNAN
	1800	70	THANNAN
	2100	70	THANNAN
	2400	71	BATTRON

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	70	BATTRON
	0600	70	Montoya
	0900	72	Montoya
	1200	73	Montoya
	1500	71	ZELAYA
	1800	71	THANNAN
	2100	69	THANNAN
	2400	80	BATTRON

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	69	BATTRON
	0600	69	Salinas
	0900	70	Salinas
	1200	72	Salinas
	1500	72	THANNAN
	1800	71	THANNAN
	2100	70	THANNAN
	2400	69	THANNAN

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	69	THANNAN
	0600	69°	Gomez
	0900	70°	Gomez
	1200	70°	Gomez
	1500	70	WILLIAMS
	1800	70	WILLIAMS
	2100	70	WILLIAMS
	2400	70	Pascual

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	69	Pascual
	0600	69°	Gomez
	0900	70°	Gomez
	1200	70°	Gomez
	1500	72°	Gomez
	1800	72°	Gomez
	2100	73°	Gomez
	2400	75	BATTRON

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	71	BATTRON
	0600	71°	Gomez
	0900	72°	Gomez
	1200	73°	Gomez
	1500	73	A. Aguirre
	1800	72	A. Aguirre
	2100	72	A. Aguirre
	2400	74	BATTRON

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	71	BATTRON
	0600	71°	Gomez
	0900	71	Gomez
	1200	74	Gomez
	1500	74	WILLIAMS
	1800	74	WILLIAMS
	2100	74	WILLIAMS
	2400	70	BATTRON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C-4 B Temp. Reading Location: 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	71	BARRON
	0600	71	TANNAN
	0900	74	TANNAN
	1200	75	TANNAN
	1500	74	TANNAN
	1800	75	TANNAN
	2100	76	TANNAN
	2400	76	BARRON

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	71	BARRON
	0600	71	Salinas
	0900	73	Salinas
	1200	74	Salinas
	1500	72	TANNAN
	1800	73	TANNAN
	2100	72	TANNAN
	2400	72	BARRON

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	BARRON
	0600	70	T. PITTS
	0900	72	T PITTS
	1200	72	T PITTS
	1500	74	TANNAN
	1800	74	TANNAN
	2100	73	TANNAN
	2400	71	TANNAN

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	TANNAN
	0600	70°	Gamez
	0900	74	Gamez
	1200	74	Gamez
	1500	74	WILLIAMS
	1800	74	WILLIAMS
	2100	70	WILLIAMS
	2400	70	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	J. Quinonez
	0600	70°	Gamez
	0900	70	Gamez
	1200	72°	Gamez
	1500	72°	Gamez
	1800	70	Gamez
	2100	70	Gamez
	2400	70	BARRON

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	69	BARRON
	0600	69	Gamez
	0900	69	Gamez
	1200	69	Gamez
	1500	68	RAMIREZ
	1800	69	RAMIREZ
	2100	67	RAMIREZ
	2400	67	BARRON

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	66	BARRON
	0600	65	T. PITTS
	0900	68	T PITTS
	1200	68	T PITTS
	1500	68	D Williams
	1800	68	D. Williams
	2100	66	D Williams
	2400	66	Barron

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: C4 B-SIDE Temp. Reading Location: 2nd Tier (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	68	BARRON
	0600	68	TANNAN
	0900	71	TANNAN
	1200	72	TANNAN
	1500	72	FRAUSTO
	1800	71	FRAUSTO
	2100	71	FRAUSTO
	2400	71	BATTLON

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	BATTLON
	0600	70	Mccain
	0900	70	Mccain
	1200	70	Mccain
	1500	70°	J. McCain
	1800	70°	J. McCain
	2100	70°	J. McCain
	2400	70	BATTLON

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	69	BATTLON
	0600	70	T. PITTS
	0900	70	T. PITTS
	1200	70	T. PITTS
	1500	72	TANNAN
	1800	71	TANNAN
	2100	71	TANNAN
	2400	70	TANNAN

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	69	TANNAN
	0600	70	O. NUNEZ
	0900	71	O. NUNEZ
	1200	72	O. NUNEZ
	1500	73	WILLIAMS
	1800	73	WILLIAMS
	2100	70	WILLIAMS
	2400	70	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	69	J. Quinonez
	0600	69°	Gamez
	0900	70°	Gamez
	1200	71°	Gamez
	1500	72°	Gamez
	1800	72°	Gamez
	2100	71°	Gamez
	2400	70	BATTLON

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	69	BATTLON
	0600	69°	Gamez
	0900	70°	Gamez
	1200	71°	Gamez
	1500	72	T Williams
	1800	72	T Williams
	2100	70	T Williams
	.2400	70	BATTLON

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	69	BATTLON
	0600	69°	Gamez
	0900	70	Gamez
	1200	70	Gamez
	1500	72	WILLIAMS
	1800	72	WILLIAMS
	2100	70	WILLIAMS
	2400	68	BARRON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: CY B Side Temp. Reading Location: 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	69	BATTON
	0600	69	TANNAN
	0900	71	TANNAN
	1200	71	TANNAN
	1500	70	TANNAN
	1800	71	TANNAN
	2100	71	TANNAN
	2400	71	BATTON

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	69	BATTON
	0600	69	SALINAS
	0900	71	SALINAS
	1200	72	SALINAS
	1500	71	TANNAN
	1800	70	TANNAN
	2100	70	TANNAN
	2400	71	J. DUNN

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	J. DUNN
	0600	70°	L. Navarro
	0900	70°	L. Navarro
	1200	71°	L. Navarro
	1500	71°	E. ZELAYA
	1800	72°	E. ZELAYA
	2100	72°	E. ZELAYA
	2400	70	TANNAN

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	69	TANNAN
	0600	69°	Gamez
	0900	70°	Gamez
	1200	70°	Gamez
	1500	70	WILLIAMS
	1800	70	WILLIAMS
	2100	70	WILLIAMS
	2400	71	J. Quinonez

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	J. Quinonez
	0600	70	M. Morton
	0900	71	M. Morton
	1200	71	M. Morton
	1500	70	Gamez
	1800	71	Gamez
	2100	71	Gamez
	2400	71	K. Garcia

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	G. CHACON
	0600	70	J. JUAREZ
	0900	70	J. JUAREZ
	1200	70	JUAREZ
	1500	70	MONTOYA
	1800	70	MONTOYA
	2100	69	MONTOYA
	2400	68	A. NAJERA

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	68	A. NAJERA
	0600	68	G. HENSON
	0900	68	G. HENSON
	1200	70	G. HENSON
	1500	70	MONTOYA
	1800	70	MONTOYA
	2100	70	MONTOYA
	2400	69	L. HILL

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	69	L. HILL
	0600	69	G. HENSON
	0900	70	G. HENSON
	1200	70	G. HENSON
	1500	71	MONTOYA
	1800	70	MONTOYA
	2100	70	MONTOYA
	2400	70	C MARTINEZ

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	C Martinez
	0600	68°	MANNINGIT
	0900	68°	MANNINGIT
	1200	70°	MANNINGIT
	1500	71	L Bostick
	1800	70	L Bostick
	2100	70	L Bostick
	2400	70	C Martinez

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	70	C Martinez
	0600	70	L Bostick
	0900	70	L Bostick
	1200	71	L Bostick
	1500	71	L Bostick
	1800	70	L Bostick
	2100	70	L Bostick
	2400	70	C Martinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	70	CMartinez
	0600	70	G. HENSON
	0900	70	G. HENSON
	1200	70	G. HENSON
	1500	70	G. LAUDE
	1800	70	G. LAUDE
	2100	70	G. LAUDE
	2400	70	G. CHACON

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	70	G. CHACON
	0600	70	G. HENSON
	0900	70	G. HENSON
	1200	71	G. HENSON
	1500	71	Montoya
	1800	71	JUAREZ
	2100	71	JUAREZ
	2400	70	G CHACON

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	70	G. CHACON
	0600	70	G. HENSON
	0900	70	G. HENSON
	1200	70	G. HENSON
	1500	70	S. DeLaRosa
	1800	72	S. DeLaRosa
	2100	72	S. DeLaRosa
	2400	70	CMartinez

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	70	CMartinez
	0600	70	G. HENSON
	0900	70	G. HENSON
	1200	71	G. HENSON
	1500	71	G. HENSON
	1800	71	G. HENSON
	2100	70	G. HENSON
	2400	70	CMartinez

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	CMartinez
	0600	70	G. HENSON
	0900	71	G. HENSON
	1200	71	G. HENSON
	1500	72	J. Castellanos
	1800	72	J. Castellanos
	2100	71	J. Castellanos
	2400	71	CMartinez

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	70	CMartinez
	0600	70	F. FUENTES
	0900	70	F. FUENTES
	1200	71	F. FUENTES
	1500	76	A. Rodriguez
	1800	76	A. Rodriguez
	2100	76	A. Rodriguez
	2400	70	CMartinez

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	CMartinez
	0600	70	CMartinez
	0900	70	L. Bostick
	1200	71	L. Bostick
	1500	72	L. Bostick
	1800	71	L. Bostick
	2100	70	L. Bostick
	2400	70	CMartinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	Cmartinez
	0600	70	G. HENSON
	0900	72	G. HENSON
	1200	72	G. HENSON
	1500	74	G CHACON
	1800	76	G CHACON
	2100	76	G CHACON
	2400	76	G CHACON

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	76	G CHACON
	0600	72	G. HENSON
	0900	72	G - HENSON
	1200	72	G. HENSON
	1500	76	G CHACON
	1800	78	G CHACON
	2100	78	G CHACON
	2400	78	G CHACON

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	78	G CHACON
	0600	74	G - HENSON
	0900	74	G - HENSON
	1200	74	G. HENSON
	1500	74	G. HENSIN
	1800	74	G - HENSON
	2100	74	G - HENSON
	2400	74	C. Martinez

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	74	Cmartinez
	0600	74	G. HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	75	G - HENSON
	1800	75	G. HENSON
	2100	74	G. HENSON
	2400	74	Cmartinez

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	74	Cmartinez
	0600	74	G. HENSON
	0900	74	G - HENSON
	1200	74	G. HENSON
	1500	74	R. MACK
	1800	74	R. MACK
	2100	74	R MACK
	2400	74	Cmartinez

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	74	Cmartinez
	0600	74°	MANNING-T
	0900	74°	MANNING-T
	1200	74°	MANNING-T
	1500	74°	I. SOLS
	1800	74°	I. SOLS
	2100	74°	I. SOLS
	2400	71	Cmartinez

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	71	Cmartinez
	0600	72	Bostick
	0900	73	Bostick
	1200	74	Bostick
	1500	74°	I. Sols
	1800	74°	I. Sols
	2100	74°	I. Sols
	2400	70	Cmartinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	CMartinez
	0600	70	G.HENSON
	0900	71	G.HENSON
	1200	72	G.HENSON
	1500	72	Montoya
	1800	72	Montoya
	2100	70	Montoya
	2400	70	G.CHAN

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	G.CHAN
	0600	70	G.HENSON
	0900	70	G.HENSON
	1200	72	G.HENSON
	1500	71	Montoya
	1800	71	Montoya
	2100	70	Montoya
	2400	70	G.CHAN

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	G.CHAN
	0600	70	G.HENSON
	0900	71	G.HENSON
	1200	72	G.HENSON
	1500	72	Montoya
	1800	71	Montoya
	2100	71	Montoya
	2400	70	CMartinez

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	CMartinez
	0600	70	G.HENSON
	0900	70	G.HENSON
	1200	71	G.HENSON
	1500	71	Montoya
	1800	71	Montoya
	2100	71	Montoya
	2400	71	CMartinez

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	71	CMartinez
	0600	70	G.HENSON
	0900	71	G.HENSON
	1200	71	G.HENSON
	1500	71	Montoya
	1800	71	Montoya
	2100	71	Montoya
	2400	71	CMartinez

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	71	CMartinez
	0600	70°	MANNINGIT
	0900	70°	MANNINGIT
	1200	71°	MANNINGIT
	1500	72	L Bostick
	1800	71	L Bostick
	2100	70	L Bostick
	2400	71	CMartinez

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	71	CMartinez
	0600	71	Bostick
	0900	71	Bostick
	1200	72	Bostick
	1500	72	Bostick
	1800	71	Bostick
	2100	70	Bostick
	2400	71	CMartinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	71	Martinez
	0600	71	G. HENSON
	0900	71	G. HENSON
	1200	71	G. HENSON
	1500	71	Montoya
	1800	71	Montoya
	2100	71	Montoya
	2400	71	G. CHAN

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	71	G. Chan
	0600	71	G. HENSON
	0900	71	G. HENSON
	1200	71	G. HENSON
	1500	71	Montoya
	1800	71	Montoya
	2100	71	Montoya
	2400	72	G. CHAN

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	72	G. CHAN
	0600	71	G. HENSON
	0900	71	G. HENSON
	1200	72	G. HENSON
	1500	72	Montoya
	1800	72	Montoya
	2100	71	Montoya
	2400	72	Lopez

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	72	Lopez
	0600	72	G. HENSON
	0900	72	G. HENSON
	1200	72	G. HENSON
	1500	72	G. HENSON
	1800	72	G. HENSON
	2100	72	G. HENSON
	2400	72	H. CERA

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	71	H. CERA
	0600	71	G. HENSON
	0900	71	G. HENSON
	1200	71	G. HENSON
	1500	72	D. RODRIGUEZ
	1800	70	D. RODRIGUEZ
	2100	72	D. RODRIGUEZ
	2400	72	Martinez

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	G.CHACON
	0600	70	J JUAREZ
	0900	70	JUAREZ
	1200	70	JUAREZ
	1500	70	Montoya
	1800	71	Montoya
	2100	71	Montoya
	2400	70	A. NASENA

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	A. NASENA
	0600	70	G.HENSON
	0900	70	G.HENSON
	1200	71	G.HENSON
	1500	72	Montoya
	1800	71	Montoya
	2100	70	Montoya
	2400	69	L HILL

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	68	L HILL
	0600	68	G.HENSON
	0900	71	G.HENSON
	1200	71	G.HENSON
	1500	71	Montoya
	1800	71	Montoya
	2100	71	Montoya
	2400	70	CMartinez

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	CMartinez
	0600	68°	MANNING.T
	0900	68°	MANNING.T.
	1200	70°	MANNING.T
	1500	71	LBoston
	1800	70	LBoston
	2100	70	LBoston
	2400	70	CMartinez

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	70	CMartinez
	0600	70	Boston
	0900	70	Boston
	1200	71	Boston
	1500	71	Boston
	1800	70	Boston
	2100	70	Boston
	2400	70	CMartinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	70	CMartinez
	0600	70	G.HENSON
	0900	70	G.HENSON
	1200	70	G.HENSON
	1500	70	GLAUDE
	1800	70	GLAUDE
	2100	70	GLAUDE
	2400	70	G.CHACON

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	70	G.CHACON
	0600	70	G.HENSON
	0900	70	G.HENSON
	1200	71	G.HENSON
	1500	70	MONTAÑO
	1800	70	G.CHACON
	2100	70	G.CHACON
	2400	70	G.CHACON

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	70	G.CHACON
	0600	70	G.HENSON
	0900	70	G.HENSON
	1200	70	G.HENSON
	1500	70	S DelaRosa
	1800	70	S DelaRosa
	2100	70	S DelaRosa
	2400	70	CMartinez

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	70	CMartinez
	0600	70	G.HENSON
	0900	70	G.HENSON
	1200	71	G.HENSON
	1500	71	G.HENSON
	1800	71	G.HENSON
	2100	70	G.HENSON
	2400	70	CMartinez

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	CMartinez
	0600	70	G.HENSON
	0900	71	G.HENSON
	1200	71	G.HENSON
	1500	71	J. Castellanos
	1800	71	J. Castellanos
	2100	70	J. Castellanos
	2400	70	CMartinez

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	70	CMartinez
	0600	70	F. FUENTES
	0900	70	F. FUENTES
	1200	71	F. FUENTES
	1500	78	A. Rodriguez
	1800	76	A. Rodriguez
	2100	76	A. Rodriguez
	2400	70	CMartinez

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	CMartinez
	0600	70	L Bostick
	0900	70	L Bostick
	1200	71	L Bostick
	1500	71	L Bostick
	1800	70	L Bostick
	2100	70	L Bostick
	2400	70	CMartinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	CMartinez
	0600	70	G. HENSON
	0900	72	G. HENSON
	1200	72	G. HENSON
	1500	74	G. CHACON
	1800	76	G. CHACON
	2100	76	G. CHACON
	2400	76	G. CHACON

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	76	G. CHACON
	0600	76	G. CHACON
	0900	72	G. HENSON
	1200	72	G. HENSON
	1500	72	G. CHACON
	1800	74	G. CHACON
	2100	76	G. CHACON
	2400	78	G. CHACON

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	78	G. CHACON
	0600	74	G. HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	74	G. HENSON
	1800	74	G. HENSON
	2100	74	G. HENSON
	2400	74	C Martinez

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	74	CMartinez
	0600	74	G. HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	74	G. HENSON
	1800	74	G. HENSON
	2100	74	G. HENSON
	2400	74	CMartinez

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	74	CMartinez
	0600	74	G HENSON
	0900	74	G. HENSON
	1200	74	G. HENSON
	1500	74	R. MACK
	1800	74	R. MACK
	2100	74	R. MACK
	2400	74	C Martinez

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	74	CMartinez
	0600	74	MANNING. T
	0900	74°	MANNING. T
	1200	74°	MANNING. T
	1500	74°	I. Solis
	1800	74°	I. Solis
	2100	74°	I. Solis
	2400	71	CMartinez

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	71	C. Martinez
	0600	72	L. Bostick
	0900	73	L. Bostick
	1200	74	L. Bostick
	1500	74°	I. Solis
	1800	74°	I. Solis
	2100	74°	I. Solis
	2400	70	C Martinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	CMartinez
	0600	70	G. HENSON
	0900	71	G. HENSON
	1200	72	G. HENSON
	1500	72	Montoya
	1800	71	Montoya
	2100	70	Montoya
	2400	72	G CHAW

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	G CHAW
	0600	70	G. HENSON
	0900	70	G. HENSON
	1200	72	G. HENSON
	1500	72	Montoya
	1800	72	Montoya
	2100	71	Montoya
	2400	70	G. CHAW

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	G. CHAW
	0600	70	G. HENSON
	0900	71	G. HENSON
	1200	72	G. HENSON
	1500	72	Montoya
	1800	71	Montoya
	2100	70	Montoya
	2400	70	CMartinez

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	CMartinez
	0600	70	G. HENSON
	0900	72	G. HENSON
	1200	72	G. HENSON
	1500	72	Montoya
	1800	71	Montoya
	2100	71	Montoya
	2400	71	CMartinez

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	71	CMartinez
	0600	71	G. HENSON
	0900	72	G. HENSON
	1200	72	G. HENSON
	1500	72	Montoya
	1800	72	Montoya
	2100	71	Montoya
	2400	71	CMartinez

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	71	CMartinez
	0600	70°	MANNING IT
	0900	71°	MANNING IT
	1200	72°	MANNING IT
	1500	72	L Bostick
	1800	71	L Bostick
	2100	71	L Bostick
	2400	71	CMartinez

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	71	CMartinez
	0600	71	Bostick
	0900	71	Bostick
	1200	72	Bostick
	1500	71	Bostick
	1800	70	Bostick
	2100	70	Bostick
	2400	71	CMartinez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D1 Temp. Reading Location: TIER 2 / B SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	71	CMartinez
	0600	71	G.HENSON
	0900	72	G.HENSON
	1200	72	G.HENSON
	1500	72	MONTOYA
	1800	71	MONTOYA
	2100	71	MONTOYA
	2400	71	G.CHAVEZ

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	71	G.CHAVEZ
	0600	71	G.HENSON
	0900	72	G.HENSON
	1200	72	G.HENSON
	1500	72	MONTOYA
	1800	72	MONTOYA
	2100	72	MONTOYA
	2400	72	G.CHAVEZ

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	72	G.CHAVEZ
	0600	72	G.HENSON
	0900	72	G.HENSON
	1200	72	G.HENSON
	1500	72	MONTOYA
	1800	72	MONTOYA
	2100	71	MONTOYA
	2400	72	CLopez

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	72	CLopez
	0600	72	G.HENSON
	0900	72	G.HENSON
	1200	72	G.HENSON
	1500	72	G.HENSON
	1800	72	G.HENSON
	2100	72	G.HENSON
	2400	72	H.CERA

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	71	H.CERA
	0600	72	G.HENSON
	0900	72	G.HENSON
	1200	72	G.HENSON
	1500	72	D.RODRIGUEZ
	1800	72	D.RODRIGUEZ
	2100	72	D.RODRIGUEZ
	2400	72	CMartinez

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB2 Temp. Reading Location: A-SIDE 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5	0300	72	GLAUDE
	0600	70	CPARRISH
	0900	71	CPARRISH
1	1200	72	CPARRISH
	1500	72°	P.MULLIGAN
	1800	72°	P.MULLIGAN
24	2100	72°	P.MULLIGAN
	2400	72	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
5	0300	72	GLAUDE
	0600	72°	P.MULLIGAN
	0900	72°	P.MULLIGAN
2	1200	72°	P.MULLIGAN
	1500	72°	R.RIOS
	1800	72°	R.RIOS
24	2100	72°	R.RIOS
	2400	72	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
5	0300	72	GLAUDE
	0600	72	Swenson
	0900	72	Swenson
3	1200	72	Swenson
	1500	72	Swenson
	1800	72	Swenson
24	2100	72	Swenson
	2400	72	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
5	0300	72	GLAUDE
	0600	72°	P.MULLIGAN
	0900	72°	P.MULLIGAN
4	1200	72°	P.MULLIGAN
	1500	72°	P.MULLIGAN
	1800	71°	P.MULLIGAN
24	2100	71°	P.MULLIGAN
	2400	70	G.CHACON

Sunday

Date	Time	Temp.	Name (Print)
5	0300	70	G.CHACON
	0600	71	S. Swenson
	0900	71	S. Swenson
5	1200	71	S. Swenson
	1500	72	S. Swenson
	1800	72	S. Swenson
24	2100	72	S. Swenson
	2400	72	G.CHACON

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FB-D2 Temp. Reading Location: A SIDE 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	72	G CHAW
	0600	70°	MANNING.T
	0900	71°	MANNING.T
	1200	72°	MANNING.T
	1500	72	Bostick
	1800	72	Bostick
	2100	71	Bostick
	2400	70	GLAUDE

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300	70	GLAUDE
	0600	70°	MANNING
	0900	71°	MANNING
	1200	72°	MANNING
	1500	72°	MANNING
	1800	71°	MANNING
	2100	71°	MANNING
	2400	70	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	70	GLAUDE
	0600	70	Swenson
	0900	70	Swenson
	1200	70	Swenson
	1500	70	Swenson
	1800	70	Swenson
	2100	70	Swenson
	2400	70	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	70	GLAUDE
	0600	70°	P.MULLIGAN
	0900	70°	P.MULLIGAN
	1200	70°	P.MULLIGAN
	1500	70°	P.MULLIGAN
	1800	70°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	70	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	GLAUDE
	0600	70	Swenson
	0900	70	Swenson
	1200	70	Swenson
	1500	70°	P.MULLIGAN
	1800	70°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	70	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	70	GLAUDE
	0600	70	Swenson
	0900	70	Swenson
	1200	70	Swenson
	1500	70	Swenson
	1800	70	Swenson
	2100	70	Swenson
	2400	70	GLAUDE

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	GLAUDE
	0600	70°	P.MULLIGAN
	0900	70°	P.MULLIGAN
	1200	70°	P.MULLIGAN
	1500	70°	P.MULLIGAN
	1800	70°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	78	G CHAW

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week. 2nd TIER

Institution: WSP-RC Housing Unit: FB-D2 Temp. Reading Location: A SIDE
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5	0300	76	G. CHACON
	0600	74° MANNING	G. CHACON
	0900	74°	MANNINGIT
13	1200	75°	MANNINGIT.
	1500	76	Bostick
	1800	75	Bostick
24	2100	74	Bostick
	2400	72	GLAUDE

Tuesday

Dat	Time	Temp.	Name (Print)
5	0300	72	GLAUDE
	0600	72°	MANNING
	0900	73°	MANNING
14	1200	74°	MANNING
	1500	75°	MANNING
	1800	75°	MANNING
24	2100	74°	MANNING
	2400	72	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
5	0300	72	GLAUDE
	0600	72	SWENSON
	0900	73	SWENSON
15	1200	74	SWENSON
	1500	74	SWENSON
	1800	73	SWENSON
24	2100	73	SWENSON
	2400	72	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
5	0300	72	GLAUDE
	0600	72°	P. MULLIGAN
	0900	72°	P. MULLIGAN
16	1200	73°	P. MULLIGAN
	1500	73°	P. MULLIGAN
	1800	72°	P. MULLIGAN
24	2100	72°	P. MULLIGAN
	2400	70	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	70	SWENSON
	0900	71	SWENSON
17	1200	71	SWENSON
	1500	71°	P. MULLIGAN
	1800	71°	P. MULLIGAN
24	2100	70°	P. MULLIGAN
	2400	70	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	70	SWENSON
	0900	71	SWENSON
18	1200	71	SWENSON
	1500	70	SWENSON
	1800	70	SWENSON
24	2100	70	SWENSON
	2400	70	G. CHACON

Sunday

Date	Time	Temp.	Name (Print)
5	0300	70	G. CHACON
	0600	70°	P. MULLIGAN
	0900	70°	P. MULLIGAN
19	1200	70°	P. MULLIGAN
	1500	70°	P. MULLIGAN
	1800	70°	P. MULLIGAN
24	2100	70°	P. MULLIGAN
	2400	70	G. CHACON

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LSP-RC Housing Unit: EB-D2 Temp. Reading Location: A SIDE 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5	0300	74	GILHAM
	0600	72°	MANNINGIT
	0900	72°	MANNINGIT.
20	1200	73°	MANNINGIT.
	1500	73	BOATR
	1800	73	BOATRK
24	2100	71	BOATRK
	2400	70	GLAUDE

Tuesday

Dat	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	70°	MANNINGIT
	0900	71°	MANNINGIT
21	1200	72°	MANNINGIT
	1500	73°	MANNINGIT
	1800	73°	MANNINGIT
24	2100	71°	MANNINGIT
	2400	70	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	70	J. Castellanos.
	0900	70	J. Castellanos
22	1200	72	J. Castellanos
	1500	72°	P. MULLIGAN
	1800	70°	P. MULLIGAN
24	2100	70°	P. MULLIGAN
	2400	70	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	70	SWENSON
	0900	71	SWENSON
23	1200	71	SWENSON
	1500	70	SWENSON
	1800	70	SWENSON
24	2100	70	SWENSON
	2400	70	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	70°	P. MULLIGAN
	0900	70°	P. MULLIGAN
24	1200	70°	P. MULLIGAN
	1500	70°	P. MULLIGAN
	1800	70°	P. MULLIGAN
24	2100	70°	P. MULLIGAN
	2400	70	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	70	SWENSON
	0900	70	SWENSON
25	1200	70	SWENSON
	1500	70	SWENSON
	1800	70	SWENSON
24	2100	70	SWENSON
	2400	72	GILHAM

Sunday

Date	Time	Temp.	Name (Print)
5	0300	70	GILHAM
	0600	70°	P. MULLIGAN
	0900	70°	P. MULLIGAN
26	1200	70°	P. MULLIGAN
	1500	70°	P. MULLIGAN
	1800	70°	P. MULLIGAN
24	2100	70°	P. MULLIGAN
	2400	75	GILHAM

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FB-D-2 Temp. Reading Location: A side 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	75	G CHAU
	0600	71°	MANNING.T
	0900	71°	MANNING.T
	1200	72°	MANNING.T
	1500	73	Bottom
	1800	72	Bottom
	2100	72	Bottom
	2400	70	G LAUDE

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70	G LAUDE
	0600	71°	MANNING.T
	0900	71°	MANNING.T
	1200	72°	MANNING.T
	1500	73°	MANNING.T
	1800	73°	MANNING.T
	2100	71°	MANNING.T
	2400	70	G LAUDE

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	G LAUDE
	0600	70	Swenson
	0900	71	Swenson
	1200	71	Swenson
	1500	71	Swenson
	1800	70	Swenson
	2100	70	Swenson
	2400	70	G LAUDE

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	G LAUDE
	0600	70°	P.MULLIGAN
	0900	70°	P.MULLIGAN
	1200	70°	P.MULLIGAN
	1500	70°	P.MULLIGAN
	1800	70°	P. MULLIGAN
	2100	70°	P. MULLIGAN
	2400	70	G LAUDE

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	G LAUDE
	0600	70	RIVAS, L.
	0900	70	RIVAS, L.
	1200	72	RIVAS, L.
	1500	72°	P.MULLIGAN
	1800	70°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	70	G LAUDE

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FDB2 Temp. Reading Location: B-SIDE 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5	0300	72	GLAUDE
	0600	70	PARRISH
	0900	71	PARRISH
1	1200	72	PARRISH
	1500	72°	P.MULLIGAN
	1800	72°	P.MULLIGAN
24	2100	70°	P.MULLIGAN
	2400	72	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
5	0300	72	GLAUDE
	0600	72°	P.MULLIGAN
	0900	72°	P.MULLIGAN
2	1200	72°	P.MULLIGAN
	1500	70°	R.Rios
	1800	70°	R.Rios
24	2100	70°	R.Rios
	2400	70	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	72	S.Swenson
	0900	72	S.Swenson
3	1200	72	S.Swenson
	1500	71	S.Swenson
	1800	71	S.Swenson
24	2100	70	S.Swenson
	2400	70	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	70°	P.MULLIGAN
	0900	70°	P.MULLIGAN
4	1200	71°	P.MULLIGAN
	1500	71°	P.MULLIGAN
	1800	70°	P.MULLIGAN
24	2100	70°	P.MULLIGAN
	2400	70	G.CHAION

Sunday

Date	Time	Temp.	Name (Print)
5	0300	70	G.CHAION
	0600	71	S.Swenson
	0900	71	S.Swenson
5	1200	71	S.Swenson
	1500	71	S.Swenson
	1800	70	S.Swenson
24	2100	70	S.Swenson
	2400	7	[illegible]

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-R Housing Unit: FB-D2 Temp. Reading Location: B side 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5	0300	72	G CHAW
	0600	64°	MANNING.T
	0900	65°	MANNING.T
	1200	68°	MANNING.T
6	1500	69	Bostick
	1800	70	Bo
	2100	69	Bostick
24	2400	70	GLAUDE

Tuesday

Dat	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	63°	MANNING
	0900	64°	MANNING
	1200	66°	MANNING
7	1500	69°	MANNING
	1800	71°	MANNING
	2100	69°	MANNING
24	2400	68	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
5	0300	68	GLAUDE
	0600	69	Swenson
	0900	69	Swenson
	1200	69	Swenson
8	1500	69	Swenson
	1800	69	Swenson
	2100	69	Swenson
24	2400	68	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
5	0300	68	GLAUDE
	0600	68°	P.MULLIGAN
	0900	68°	P.MULLIGAN
	1200	69°	P.MULLIGAN
9	1500	69°	P.MULLIGAN
	1800	69°	P.MULLIGAN
	2100	68°	P.MULLIGAN
24	2400	68	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
5	0300	68	GLAUDE
	0600	69	Swenson
	0900	69	Swenson
	1200	69	Swenson
10	1500	69°	P.MULLIGAN
	1800	69°	P.MULLIGAN
	2100	69°	P.MULLIGAN
24	2400	68	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
5	0300	68	GLAUDE
	0600	69	Swenson
	0900	69	Swenson
	1200	69	Swenson
11	1500	68	Swenson
	1800	68	Swenson
	2100	68	Swenson
24	2400	68	GLAUDE

Sunday

Date	Time	Temp.	Name (Print)
5	0300	68	GLAUDE
	0600	68°	P.MULLIGAN
	0900	68°	P.MULLIGAN
	1200	68°	P.MULLIGAN
12	1500	68°	P.MULLIGAN
	1800	68°	P.MULLIGAN
	2100	68°	P.MULLIGAN
24	2400	[illegible]	G CHAW

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FB-D2 Temp. Reading Location: B SIDE 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5	0300	78	G. Gettan
	0600	68°	MANNINGIT
	0900	68°	MANNINGIT
13	1200	70°	MANNINGIT
	1500	71	Boston
	1800	70	Boston
24	2100	70	Boston
	2400	70	GLAUDE

Tuesday

Dat	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	68°	MANNING
	0900	68°	MANNING
14	1200	69°	MANNING
	1500	70°	MANNING
	1800	71°	MANNING
24	2100	70°	MANNING
	2400	70	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	71	Swenson
	0900	71	Swenson
15	1200	72	Swenson
	1500	71	Swenson
	1800	71	Swenson
24	2100	71	Swenson
	2400	70	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	70°	P. MULLIGAN
	0900	70°	P. MULLIGAN
16	1200	71°	P. MULLIGAN
	1500	72°	P. MULLIGAN
	1800	71°	P. MULLIGAN
24	2100	71°	P. MULLIGAN
	2400	68	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
5	0300	68	GLAUDE
	0600	69	Swenson
	0900	70	Swenson
	1200	70	Swenson
17	1500	70°	P. MULLIGAN
	1800	70°	P. MULLIGAN
	2100	69°	P. MULLIGAN
24	2400	68	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
5	0300	68	GLAUDE
	0600	69	Swenson
	0900	69	Swenson
18	1200	70	Swenson
	1500	70	Swenson
	1800	69	Swenson
24	2100	69	Swenson
	2400	70	G. CHACW.

Sunday

Date	Time	Temp.	Name (Print)
5	0300	70	G. CHACW
	0600	70°	P. MULLIGAN
	0900	70°	P. MULLIGAN
19	1200	70°	P. MULLIGAN
	1500	70°	P. MULLIGAN
	1800	70°	P. MULLIGAN
24	2100	70°	P. MULLIGAN
	2400	70	G. Gettan

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-R4 Housing Unit: F-B-D2 Temp. Reading Location: B-Side 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6801 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5	0300	74	GLAUDE
	0600	68°	MANNINGIT
	0900	69°	MANNINGIT.
20	1200	70°	MANNINGIT.
	1500	71	Boston
	1800	71	Boston
24	2100	70	Boston
	2400	70	GLAUDE

Tuesday

Dat	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	69°	MANNINGIT
	0900	69°	MANNINGIT
21	1200	70°	MANNINGIT
	1500	71°	MANNINGIT
	1800	71°	MANNINGIT
24	2100	70°	MANNINGIT
	2400	70	GLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	70	J. Castellanos
	0900	70	J. Castellanos
22	1200	70	J. Castellanos
	1500	70°	P. MULLIGAN
	1800	70°	P. MULLIGAN
24	2100	70°	P. MULLIGAN
	2400	70	GLAUDE

Thursday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	70	Swenson
	0900	70	Swenson
23	1200	70	Swenson
	1500	70	Swenson
	1800	70	Swenson
24	2100	70	Swenson
	2400	70	GLAUDE

Friday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	70°	P. MULLIGAN
	0900	70°	P. MULLIGAN
24	1200	70°	P. MULLIGAN
	1500	70°	P. MULLIGAN
	1800	70°	P. MULLIGAN
	2100	70°	P. MULLIGAN
24	2400	70	GLAUDE

Saturday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	70	Swenson
	0900	70	Swenson
25	1200	70	Swenson
	1500	70	Swenson
	1800	70	Swenson
24	2100	70	Swenson
	2400	74	GLAUDE

Sunday

Date	Time	Temp.	Name (Print)
5	0300	70	GLAUDE
	0600	70°	P. MULLIGAN
	0900	70°	P. MULLIGAN
26	1200	70°	P. MULLIGAN
	1500	70°	P. MULLIGAN
	1800	70°	P. MULLIGAN
24	2100	70°	P. MULLIGAN
	2400	75	GLAUDE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: FB-D2 Temp. Reading Location: B-SIDE 2nd TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	75	G CHACON
	0600	68°	MANNINGIT
	0900	69°	MANNINGIT
	1200	70°	MANNINGIT
	1500	71	Bostick
	1800	71	Bostick
	2100	70	Bostick
	2400	70	OLAUDE

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70	OLAUDE
	0600	67°	MANNINGIT
	0900	68°	MANNINGIT
	1200	69°	MANNINGIT
	1500	70°	MANNINGIT
	1800	71°	MANNINGIT
	2100	70°	MANNINGIT
	2400	70	OLAUDE

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	OLAUDE
	0600	70	Swenson
	0900	70	Swenson
	1200	70	Swenson
	1500	71	Swenson
	1800	71	Swenson
	2100	70	Swenson
	2400	70	OLAUDE

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	OLAUDE
	0600	70°	P.MULLIGAN
	0900	70°	P.MULLIGAN
	1200	70°	P.MULLIGAN
	1500	70°	P.MULLIGAN
	1800	70°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	70	OLAUDE

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	OLAUDE
	0600	70	RIVAS, L.
	0900	70	RIVAS, L.
	1200	72	RIVAS, L.
	1500	70°	P.MULLIGAN
	1800	70°	P.MULLIGAN
	2100	70°	P.MULLIGAN
	2400	70	OLAUDE

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: Tier 2 A Side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	L Hill
	0600	70°	MANNINGIT
	0900	70°	MANNINGIT
	1200	71°	MANNINGIT.
	1500	72	L Bostick
	1800	73	L Bostick
	2100	71	L. Bostick
	2400	70	L Hill

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	L Hill
	0600	70	V. Velasquez
	0900	70	V. Velasquez
	1200	70	V. Velasquez
	1500	70	Hiraheta
	1800	76	Hiraheta
	2100	71	Hiraheta
	2400	71	Hiraheta

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	71	Hiraheta
	0600	70	Gonzalez
	0900	70	Gonzalez
	1200	70	Gonzalez
	1500	72	Solis
	1800	72	Solis
	2100	72	Solis
	2400	72	G CHACON

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	72	G. CHACON
	0600	72	Gonzalez
	0900	72	Gonzalez
	1200	72	Gonzalez
	1500	72	Solis
	1800	72	Solis
	2100	71	Solis
	2400	70	Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	69	Gonzalez
	0600	69	Gonzalez
	0900	70	Gonzalez
	1200	70	Gonzalez
	1500	70°	R. Alcala
	1800	70°	R. Alcala
	2100	70°	R. Alcala
	2400	69	C Hill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: Tier 2 A-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	69	L Hill
	0600	69	Gonzalez
	0900	69	Gonzalez
	1200	69	Gonzalez
	1500	71	Solis
	1800	71	Solis
	2100	70	Solis
	2400	68°	SCALES

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300	64°	SCALES
	0600	69	SCALES
	0900	69	Gonzalez
	1200	69	Gonzalez
	1500	70	Solis
	1800	69	Solis
	2100	69	Solis
	2400	69	Hill

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	68	Hill
	0600	640	MANNINGIT
	0900	640	MANNINGIT
	1200	66°	MANNINGIT.
	1500	66°	I.Solis
	1800	64	I.Solis
	2100	64	I.Solis
	2400	64	L Hill

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	64	L Hill
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	71	Hiraheta
	1800	71	Hiraheta
	2100	71	Hiraheta
	2400	70	Hiraheta

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	Hiraheta
	0600	70	Gonzalez
	0900	70	Gonzalez
	1200	70	Gonzalez
	1500	70	Alcala
	1800	70	Alcala
	2100	70	Alcala
	2400	69°	RFGARZA

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	68°	RF GARZA
	0600	68	Gonzalez
	0900	69	Gonzalez
	1200	69	Gonzalez
	1500	70	C. Gillett
	1800	71	C. Gillett
	2100	70	C. Gillett
	2400	70	C. Hill

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	C. Hill
	0600	70	Gonzalez
	0900	70	Gonzalez
	1200	70	Gonzalez
	1500	72	Solis
	1800	80	Solis
	2100	75	Solis
	2400	72	Hill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: 2 tier Aside
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	72	Hill
	0600	72	Gonzalez
	0900	72	Gonzalez
	1200	72	Gonzalez
	1500	72	Solis
	1800	73	Solis
	2100	72	Solis
	2400	71	Hill

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	71	Hill
	0600	71	Gonzalez
	0900	72	Gonzalez
	1200	72	Gonzalez
	1500	73	Solis
	1800	73	Solis
	2100	72	Solis
	2400	71	Hill

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	71	Hill
	0600	71°	MANNINGIT
	0900	72°	MANNINGIT
	1200	72°	MANNINGIT
	1500	72	CARDENAS
	1800	72	CARDENAS
	2100	72	CARDENAS
	2400	70	Hill

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	Hill
	0600	70	Velasquez
	0900	70	Velasquez
	1200	71	Velasquez
	1500	71	HIRACHETA
	1800	71	HIRACHETA
	2100	71	HIRACHETA
	2400	71	HIRACHETA

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	71	HIRACHETA
	0600	71	Gonzalez
	0900	71	Gonzalez
	1200	71	Gonzalez
	1500	73	Alcala
	1800	73	Alcala
	2100	71	Alcala
	2400	74	GCHAGU

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	72	G.CHAGU
	0600	72	DJones
	0900	72	DJones
	1200	73	DJones
	1500	73	Solis
	1800	73	Solis
	2100	71	Solis
	2400	70	Hill

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	Hill
	0600	71	Gonzalez
	0900	71	Gonzalez
	1200	71	Gonzalez
	1500	72	Solis
	1800	72	Solis
	2100	70	Solis
	2400	70	Hill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LCSP Housing Unit: D3 Temp. Reading Location: 2nd tier R-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	Hill
	0600	70	Gonzalez
	0900	70	Gonzalez
	1200	70	Gonzalez
	1500	71	Solis
	1800	71	Solis
	2100	70	Solis
	2400	70	D. Segura

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/24	0300	70	D. Segura
	0600	70	D. Segura
	0900	71	Gonzalez
	1200	71	Gonzalez
	1500	71	Sherwood
	1800	71	Solis
	2100	70	Solis
	2400	70	Hill

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	L Hill
	0600	70°	Manningit
	0900	70°	Manningit
	1200	70°	Manningit
	1500	71	Bostick
	1800	72	Bostick
	2100	71	Bostick
	2400	70	Hill

Thursday 5/23

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	Hill
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	72	Hirachita
	1800	72	Hirachita
	2100	72	Hirachita
	2400	72	Hirachita

Friday 5/24

Date	Time	Temp.	Name (Print)
5/24/24	0300	72	Hirachita
	0600	71	Gonzalez
	0900	71	Gonzalez
	1200	71	Gonzalez
	1500	71	Solis
	1800	71	Solis
	2100	70	Solis
	2400	70	Montoya

Saturday 5/26

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	Montoya
	0600	70	Solis
	0900	71	Gonzalez
	1200	71	Gonzalez
	1500	71	Solis
	1800	71	Solis
	2100	70	Solis
	2400	69	Hill

Sunday 5/27

Date	Time	Temp.	Name (Print)
5/26/24	0300	69	Hill
	0600	70	Gonzalez
	0900	70	Gonzalez
	1200	70	Gonzalez
	1500	70	R. Alan
	1800	70	R. Alan
	2100	70	R. Alan
	2400	70	Hill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LOSP Housing Unit: D3 Temp. Reading Location: 2nd Tier AS idg
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	Hill
	0600	70	Gonzalez
	0900	70	Gonzalez
	1200	70	Gonzalez
	1500	71	Solis
	1800	71	Solis
	2100	70	Solis
	2400	70	Segura

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70	Segura
	0600	70	Gonzalez
	0900	70	Gonzalez
	1200	70	Gonzalez
	1500	75	U. Medina
	1800	75	U. Medina
	2100	70	U. Medina
	2400	70	Hill

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	Hill
	0600	70°	MANNINGIT
	0900	70°	MANNINGIT
	1200	70°	MANNINGIT
	1500	70	Thur
	1800	70	Thur
	2100	70	Thur
	2400	70	Hill

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	L Hill
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	71	L. Mastro
	1800	71	L. Mastro
	2100	70	L. Mastro
	2400	70	L. Mastro

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	L. Mastro
	0600	71	Gonzalez
	0900	71	Gonzalez
	1200	71	Gonzalez
	1500	72	R. Alcala
	1800	72	R. Alcala
	2100	72	R. Alcala
	2400	72	Montoya

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: Tier 2 B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	71	L. Hill
	0600	71°	MANNINGIT
	0900	71°	MANNINGIT
	1200	72°	MANNINGIT
	1500	75	L Bostick
	1800	72	L Bostick
	2100	71	L. Bostick
	2400	71	L Hill

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	71	L Hill
	0600	71	V. Velasquez
	0900	71	V. Velasquez
	1200	71	V. Velasquez
	1500	71	HIRACHETA
	1800	71	HIRACHETA
	2100	71	HIRACHETA
	2400	71	HIRACHETA

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	71	HIRACHETA
	0600	76	Gonzalez
	0900	76	Gonzalez
	1200	76	Gonzalez
	1500	76	Solis
	1800	75	Solis
	2100	74	Solis
	2400	72	G CHACON

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	72	G. CHACON
	0600	74	Gonzalez
	0900	74	Gonzalez
	1200	74	Gonzalez
	1500	73	Solis
	1800	73	Solis
	2100	72	Solis
	2400	70	Gedric

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	70	Gedric
	0600	72	Gonzalez
	0900	72	Gonzalez
	1200	72	Gonzalez
	1500	74°	R Alank
	1800	72°	R Alank
	2100	72°	R. Alank
	2400	71	L Hill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D3 Temp. Reading Location: Tier 2 B side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	70	L. Hill
	0600	70	Gonzalez
	0900	70	Gonzalez
	1200	70	Gonzalez
	1500	72	Solis
	1800	72	Solis
	2100	71	Solis
	2400	72°	SCALES

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300	74°	SCALES
	0600	75	SCALES
	0900	75	Gonzalez
	1200	76	Gonzalez
	1500	75	Gonzalez
	1800	72	Solis
	2100	72	Solis
	2400	71	Hill

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	70	L. Hill
	0600	72°	MANNINGIT
	0900	72°	MANNINGIT
	1200	73°	MANNINGIT
	1500	73	I. Solis
	1800	73	I. Solis
	2100	70	I. Solis
	2400	69	Hill

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	69	L. Hill
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	70	Heracheta
	1800	70	Heracheta
	2100	70	Heracheta
	2400	70	Heracheta

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	Heracheta
	0600	74	Gonzalez
	0900	74	Gonzalez
	1200	74	Gonzalez
	1500	75	R. Alcala
	1800	75	Alcala
	2100	75	Alcala
	2400	73°	RFGARZA

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	71°	RFGARZA
	0600	72	Gonzalez
	0900	72	Gonzalez
	1200	72	Gonzalez
	1500	73	C. Gillett
	1800	73	C. Gillett
	2100	72	C. Gillett
	2400	72	C. Hill

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	72	C. Hill
	0600	73	Gonzalez
	0900	73	Gonzalez
	1200	73	Gonzalez
	1500	74	Solis
	1800	74	Solis
	2100	74	Solis
	2400	72	Hill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: USP Housing Unit: D3 Temp. Reading Location: 2 tier B side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	72	Hill
	0600	72	Gonzalez
	0900	72	Gonzalez
	1200	72	Gonzalez
	1500	72	Solis
	1800	73	Solis
	2100	72	Solis
	2400	71	Hill

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	70	Hill
	0600	70	Gonzalez
	0900	73	Gonzalez
	1200	73	Gonzalez
	1500	73	Solis
	1800	73	Solis
	2100	71	Solis
	2400	70	Hill

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	Hill
	0600	70°	MANNINGIT
	0900	71°	MANNINGIT
	1200	73°	MANNINGIT
	1500	72	CHAUDEMAT
	1800	72	CHAUDEMAT
	2100	72	CHAUDEMAT
	2400	71	Hill

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	71	Hill
	0600	71	Velasquez
	0900	71	Velasquez
	1200	72	Velasquez
	1500	72	Hirachita
	1800	72	Hirachita
	2100	72	Hirachita
	2400	72	Hirachita

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	72	Hirachita
	0600	73	Gonzalez
	0900	73	Gonzalez
	1200	73	Gonzalez
	1500	75	Alcala
	1800	75	Alcala
	2100	75	Alcala
	2400	74	Achacon

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	74	G. Chacon
	0600	72	D. Jones
	0900	72	D. Jones
	1200	73	D. Jones
	1500	73	Solis
	1800	73	Solis
	2100	71	Solis
	2400	70	Hill

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	Hill
	0600	73	Gonzalez
	0900	73	Gonzalez
	1200	73	Gonzalez
	1500	73	Solis
	1800	73	Solis
	2100	70	Solis
	2400	70	Hill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LVSP Housing Unit: D3 Temp. Reading Location: 2nd tier B-side
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	Hill
	0600	73	Gonzalez
	0900	73	Gonzalez
	1200	73	Gonzalez
	1500	72	Solis
	1800	72	Solis
	2100	70	Solis
	2400	70	A-Syung

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/24	0300	70	D-Syung
	0600	70	D-Syung
	0900	73	Gonzalez
	1200	73	Gonzalez
	1500	73	SHERWOOD
	1800	72	Solis
	2100	70	Solis
	2400	70	Hill

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	L. Hill
	0600	70°	MANNINGIT
	0900	71°	MANNINGIT
	1200	72°	MANNINGIT
	1500	72	Bostwick
	1800	72	Bostwick
	2100	71	Bostwick
	2400	70	Hill

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	Hill
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	72	HIRAICHETA
	1800	73	HIRACHETA
	2100	73	HIRACHETA
	2400	22	HIRACHETA

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	22	HIRACHETA
	0600	72	Gonzalez
	0900	72	Gonzalez
	1200	73	Gonzalez
	1500	72	Solis
	1800	72	Solis
	2100	70	Solis
	2400	70	Montoya

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	Montoya
	0600	70	Solis
	0900	72	Gonzalez
	1200	72	Gonzalez
	1500	72	Solis
	1800	72	Solis
	2100	70	Solis
	2400	69	Hill

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	69	Hill
	0600	70	Gonzalez
	0900	70	Gonzalez
	1200	70	Gonzalez
	1500	78	R. Alcala
	1800	78	R. Alcala
	2100	78	R. Alcala
	2400	76	Hill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LCSP Housing Unit: D3 Temp. Reading Location: 2nd tier BSide
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	76	Hill
	0600	74	Gonzalez
	0900	74	Gonzalez
	1200	74	Gonzalez
	1500	71	Solis
	1800	71	Solis
	2100	70	Solis
	2400	70	Segura

Tuesday

Dat	Time	Temp.	Name (Print)
5/28/24	0300	70	Segura
	0600	71	Gonzalez
	0900	71	Gonzalez
	1200	71	Gonzalez
	1500	75	Medina
	1800	75	Medina
	2100	72	Medina
	2400	71	Hill

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	71	Hill
	0600	710	MANNINGT
	0900	72	MANNINGT
	1200	73	MANNINGT
	1500	74	Ruiz
	1800	74	Ruiz
	2100	74	Ruiz
	2400	72	Hill

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	72	Hill
	0600	72	Velasquez
	0900	72	Velasquez
	1200	72	Velasquez
	1500	73	L. Mastro
	1800	73	L. Mastro
	2100	73	L. Mastro
	2400	72	L. Mastro

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	72	L Mastro
	0600	73	Gonzalez
	0900	73	Gonzalez
	1200	73	Gonzalez
	1500	75	R. Alark
	1800	75	R. Alark
	2100	75	R Alark
	2400	74	Montoya

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB4 Temp. Reading Location: TOP TIER A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6000 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29	0300	70°	RF GARZA
	0600	70	M Solorio
	0900	70	M Solorio
	1200	70	M Solorio
	1500	71	C. Ramirez
	1800	71	C. Ramirez
	2100	70	C. Ramirez
	2400	70°	RF GARZA

Tuesday

Dat	Time	Temp.	Name (Print)
4/30	0300	69°	RF GARZA
	0600	69	M. Solorio
	0900	70	M Solorio
	1200	70	M Solorio
	1500		
	1800		
	2100		
	2400	69°	RF GARZA

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	69°	RF GARZA
	0600	69°	RF GARZA
	0900	70°	~~RF GARZA~~ SHERWOOD
	1200	71	H. SHERWOOD
	1500	71	D. COOPER
	1800	71	D. COOPER
	2100	71	D. COOPER
	2400	69°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0300	69	RF GARZA
	0600	70	H. SHERWOOD
	0900	70	H. SHERWOOD
	1200	70	H. SHERWOOD
	1500	70	C. Yocum
	1800	70	C. Yocum
	2100	70	C. Yocum
	2400	70	RF Garza

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0300	69	RF GARZA
	0600	70	V. Velasquez
	0900	70	V. Velasquez
	1200	70	V. Velasquez
	1500	71	L. MASTRO
	1800	71	L. MASTRO
	2100	71	L. MASTRO
	2400	71	L. MASTRO

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300	71	L. MASTRO
	0600	70	V. Velasquez
	0900	70	V. Velasquez
	1200	70	V. Velasquez
	1500	74	L. MASTRO
	1800	71	L. MASTRO
	2100	69	L. MASTRO
	2400	69	C. VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
5-5-24	0300	69	C. VASQUEZ
	0600	69	M Solorio
	0900	70	M Solorio
	1200	70	M Solorio
	1500	70	RIVAS
	1800	70	RIVAS
	2100	70	RIVAS
	2400	70	J. SALAZAR

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4A Temp. Reading Location: A-side TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	67	J. SALAZAR
	0600	60	H SHERWOOD
	0900	61	H SHERWOOD
	1200	61	H SHERWOOD
	1500	63	H SHERWOOD
	1800	63	H SHERWOOD
	2100	62	H SHERWOOD
	2400	64°	RF GARZA

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	66°	RF GARZA
	0600	65°	H. SHERWOOD
	0900	63°	H. SHERWOOD
	1200	64°	H. SHERWOOD
	1500	64	C. PARRISH
	1800	64	C. PARRISH
	2100	61	C. PARRISH
	2400	61°	RF GARZA

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	60°	RF GARZA
	0600	61°	H. SHERWOOD
	0900	61°	H. SHERWOOD
	1200	61°	H. SHERWOOD
	1500	62	C. PARRISH
	1800	64	C. PARRISH
	2100	63	C. PARRISH
	2400	63	C. Hill

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	63	C. Hill
	0600	60	RAMIREZ
	0900	62	RAMIREZ
	1200	63	RAMIREZ
	1500	64	C. PARRISH
	1800	62	C. PARRISH
	2100	61	C. PARRISH
	2400	60°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	60°	RF GARZA
	0600	62	VELASQUEZ
	0900	62	VELASQUEZ
	1200	62	VELASQUEZ
	1500	64	L. MASTRO
	1800	70	L. MASTRO
	2100	70	L. MASTRO
	2400	70	L. MASTRO

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	70	L. MASTRO
	0600	70	C. VASQUEZ
	0900	71	C. VASQUEZ
	1200	72	C. VASQUEZ
	1500	72	L. MASTRO
	1800	72	L. MASTRO
	2100	72	L. MASTRO
	2400	72	HIRACHETA

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	72	HIRACHETA
	0600	63°	H. SHERWOOD
	0900	65°	H. SHERWOOD
	1200	65°	H. SHERWOOD
	1500	66	C. PARRISH
	1800	67	C. PARRISH
	2100	66	C. PARRISH
	2400	65°	RF GARZA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB4 Temp. Reading Location: TOP TIER A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	65°	RF.GARZA
	0600	65°	H.SHERWOOD
	0900	65°	H.SHERWOOD
	1200	66°	H.SHERWOOD
	1500	67	C.PARRISH
	1800	68	C.PARRISH
	2100	66	C.PARRISH
	2400	65°	RF GARZA

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	65°	RF GARZA
	0600	66°	H.SHERWOOD
	0900	64°	H.SHERWOOD
	1200	64°	H.SHERWOOD
	1500	65	C.PARRISH
	1800	67	C.PARRISH
	2100	66	C.PARRISH
	2400	65°	RF.GARZA

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	65°	RF GARZA
	0600	65°	H.SHERWOOD
	0900	66°	H.SHERWOOD
	1200	66°	H.SHERWOOD
	1500	68	C.PARRISH
	1800	67	C.PARRISH
	2100	67	C.PARRISH
	2400	66°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	66°	RF GARZA
	0600	65°	H.SHERWOOD
	0900	65°	H.SHERWOOD
	1200	65°	H.SHERWOOD
	1500	67°	C.PARRISH
	1800	70°	C.PARRISH
	2100	69°	C.PARRISH
	2400	69°	L Huerta

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	68°	L Huerta
	0600	68	Velasquez
	0900	68	Velasquez
	1200	68	Velasquez
	1500	69	L.MASTRO
	1800	72	L MASTRO
	2100	70	L MASTRO
	2400	70	L MASTRO

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	69	L.MASTRO
	0600	69	Velasquez
	0900	69	Velasquez
	1200	69	Velasquez
	1500	70	MASTRO
	1800	70	MASTRO
	2100	69	S.Perez
	2400	69	H.CERA

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	68	H.CERA
	0600	67°	H.SHERWOOD
	0900	67°	H SHERWOOD
	1200	67°	H SHERWOOD
	1500	68	C.PARRISH
	1800	68	C.PARRISH
	2100	67	C.PARRISH
	2400	67	C.Hill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB4 Temp. Reading Location: Top Tier A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	67	C. Hill
	0600	66°	H. SHERWOOD
	0900	67°	H. SHERWOOD
	1200	67°	H. SHERWOOD
	1500	68	C. Parrish
	1800	68	C. Parrish
	2100	66	C. Parrish
	2400	65	RF GARZA

Tuesday

Date	Time	Temp.	Name (Print)
5/20/24	0300	64°	R.F. GARZA
	0600	62	Sherwood
	0900	63	Sherwood
	1200	65	Sherwood
	1500	67	C. Parrish
	1800	68	C. Parrish
	2100	68	C. Parrish
	2400	64	A. NAJERA

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	64	A. NAJERA
	0600	63	Sherwood
	0900	64	Sherwood
	1200	64	Sherwood
	1500	66	C. Parrish
	1800	67	C. Parrish
	2100	66	C. Parrish
	2400	65°	RF. GARZA

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	64°	RF. GARZA
	0600	65°	H. SHERWOOD
	0900	66	H. SHERWOOD
	1200	66	H. SHERWOOD
	1500	69°	M. CLOUD
	1800	69°	M. CLOUD
	2100	69°	M. CLOUD
	2400	68°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	67°	RF GARZA
	0600	67	Velasquez
	0900	67	Velasquez
	1200	67	Velasquez
	1500	70	L. MASTRO
	1800	70	L. MASTRO
	2100	70	L. MASTRO
	2400	70	L. MASTRO

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	L. MASTRO
	0600	69	Velasquez
	0900	69	Velasquez
	1200	69	Velasquez
	1500	71	L. MASTRO
	1800	72	L. MASTRO
	2100	72	L. MASTRO
	2400	72	J. HIRACHETA

Sunday

Date	Time	Temp.	Name (Print)
5/26/21	0300	72	J. HIRACHETA
	0600	71	SHERWOOD
	0900	72°	SHERWOOD
	1200	73°	SHERWOOD
	1500	75	C. Parrish
	1800	77	C. Parrish
	2100	76	C. Parrish
	2400	74°	RF. GARZA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB 4 Temp. Reading Location: TOP TIER A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	72°	RFGARZA
	0600	72°	H-SHERWOOD
	0900	73°	H-SHERWOOD
	1200	74°	H-SHERWOOD
	1500	74	C.PARRISH
	1800	73	C.PARRISH
	2100	72	C.PARRISH
	2400	72	C. LUNEU

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	70	C. LUNEU
	0600	72°	H-SHERWOOD
	0900	72°	H-SHERWOOD
	1200	74°	H-SHERWOOD
	1500	75	C.PARRISH
	1800	74	C.PARRISH
	2100	73	C.PARRISH
	2400	70	H. FLORES

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	H. Flores
	0600	68°	H-SHERWOOD
	0900	67°	H-SHERWOOD
	1200	68°	H-SHERWOOD
	1500	69	C.PARRISH
	1800	71	C.PARRISH
	2100	68	C.PARRISH
	2400	68°	RFGARZA

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	67°	RFGARZA
	0600	67°	H-SHERWOOD
	0900	72°	H-SHERWOOD
	1200	74°	H-SHERWOOD
	1500	76	C.PARRISH
	1800	77	C.PARRISH
	2100	75	C.PARRISH
	2400	76	J. SALGADO

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	76	J. SALGADO
	0600	74	V.VELASQUEZ
	0900	74	V.VELASQUEZ
	1200	74	V.VELASQUEZ
	1500	79	L. MASTRO
	1800	79	L MASTRO
	2100	79	L MASTRO
	2400	79	L MASTRO

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	79	L MASTRO
	0600	77	VELASQUEZ
	0900	77	VELASQUEZ
	1200	77	VELASQUEZ
	1500	79	L.MASTRO
	1800	80	L.MASTRO
	2100	80	L.MASTRO
	2400	80	J.HIRAKHOTA

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	80	J.HIRAKHOTA
	0600	78	SHERWOOD
	0900	80°	SHERWOOD
	1200	80°	SHERWOOD
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FD24 Temp. Reading Location: TOP TIER B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension (600) **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
4/29	0300	69°	RF GARZA
	0600	69	M Solorio
	0900	70	M. Solorio
	1200	70	M Solorio
	1500	71	C. Pimentel
	1800	71	C. Pimentel
	2100	70	C. Pimentel
	2400	69°	RF GARZA

Tuesday

Dat	Time	Temp.	Name (Print)
4/30	0300	69°	RF GARZA
	0600	69	M Solorio
	0900	70	M Solorio
	1200	70	M Solorio
	1500		
	1800		
	2100		
	2400	69°	RF GARZA

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	69°	RF GARZA
	0600	69	RF GARZA
	0900	70	H. SHERWOOD
	1200	70	H. SHERWOOD
	1500	71	P. COOPER
	1800	71	P. COOPER
	2100	70	P. COOPER
	2400	69	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0300	69°	RF GARZA
	0600	70	H. SHERWOOD
	0900	70	H. SHERWOOD
	1200	70	H. SHERWOOD
	1500	70	C. Yocum
	1800	70	C. Yocum
	2100	70	C. Yocum
	2400	70	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0300	70	RF GARZA
	0600	70	V. Velasquez
	0900	70	V. Velasquez
	1200	70	V. Velasquez
	1500	68	L. MASTRO
	1800	68	L. MASTRO
	2100	67	L. MASTRO
	2400	67	L. MASTRO

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300	67	L. MASTRO
	0600	69	V. Velasquez
	0900	69	V. Velasquez
	1200	69	V. Velasquez
	1500	67	L. MASTRO
	1800	64	L. MASTRO
	2100	63	L. MASTRO
	2400	63	C. VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
5-5-24	0300	63	C. VASQUEZ
	0600	67	M Solorio
	0900	70	M Solorio
	1200	70	M Solorio
	1500	70	Rivas
	1800	70	Rivas
	2100	70	Rivas
	2400	70	J. SARENAT

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4B Temp. Reading Location: B-side Tier 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	61	J. Sheras
	0600	60°	H. Sherwood
	0900	61°	H. Sherwood
	1200	61°	H. Sherwood
	1500	63	C. Parrish
	1800	63	C. Parrish
	2100	62	C. Parrish
	2400	64°	RF Garza

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	66°	RF Garza
	0600	64°	H. Sherwood
	0900	63°	H. Sherwood
	1200	64°	H. Sherwood
	1500	65	C. Parrish
	1800	64	C. Parrish
	2100	62	C. Parrish
	2400	62°	RF Garza

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	61°	RF Garza
	0600	61°	H. Sherwood
	0900	61°	H. Sherwood
	1200	62°	H. Sherwood
	1500	64	C. Parrish
	1800	65	C. Parrish
	2100	64	C. Parrish
	2400	65	C. Hill

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	65	C. Hill
	0600	60	Ramirez
	0900	62	Ramirez
	1200	63	Ramirez
	1500	64	C. Parrish
	1800	62	C. Parrish
	2100	61	C. Parrish
	2400	60°	RF Garza

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	60°	RF Garza
	0600	62	Velasquez
	0900	62	Velasquez
	1200	62	Velasquez
	1500	64	L. Mastro
	1800	69	L. Mastro
	2100	67	L. Mastro
	2400	65	L. Mastro

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	65	L. Mastro
	0600	65	C. Vasquez
	0900	65	C. Vasquez
	1200	65	C. Vasquez
	1500	65	L. Mastro
	1800	65	L. Mastro
	2100	65	L. Mastro
	2400	65	Hiracheta

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	66	Hiracheta
	0600	63°	H. Sherwood
	0900	65°	H. Sherwood
	1200	66°	H. Sherwood
	1500	67	C. Parrish
	1800	66	C. Parrish
	2100	66	C. Parrish
	2400	65°	RF Garza

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: INSP Housing Unit: FDB4 Temp. Reading Location: TOP TIER B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	65°	RF GARZA
	0600	65°	H. SHERWOOD
	0900	66°	H. SHERWOOD
	1200	66°	H. SHERWOOD
	1500	68	C. PARRISH
	1800	69	C. PARRISH
	2100	67	C. PARRISH
	2400	65°	RF GARZA

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	65°	RF GARZA
	0600	65°	H. SHERWOOD
	0900	64°	H. SHERWOOD
	1200	64°	H. SHERWOOD
	1500	66	C. PARRISH
	1800	68	C. PARRISH
	2100	66	C. PARRISH
	2400	65°	RF GARZA

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	65°	RF GARZA
	0600	65°	H. SHERWOOD
	0900	65°	H. SHERWOOD
	1200	65°	H. SHERWOOD
	1500	66	C. PARRISH
	1800	68	C. PARRISH
	2100	67	C. PARRISH
	2400	66°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	66°	RF GARZA
	0600	66°	H. SHERWOOD
	0900	65°	H. SHERWOOD
	1200	65°	H. SHERWOOD
	1500	67°	C. PARRISH
	1800	69°	C. PARRISH
	2100	67°	C. PARRISH
	2400	67°	L. Huerta

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	66°	L. Huerta
	0600	66	Velasquez
	0900	66	Velasquez
	1200	66	Velasquez
	1500	67	L. MASTRO
	1800	66	L. MASTRO
	2100	65	L. MASTRO
	2400	64	L. MASTRO

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	64	L. MASTRO
	0600	65	Velasquez
	0900	65	Velasquez
	1200	65	Velasquez
	1500	67	MASTRO
	1800	67	MASTRO
	2100	67	S. Perez
	2400	67	H. CERA

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	66	H. CERA
	0600	66°	H. SHERWOOD
	0900	66°	H. SHERWOOD
	1200	67°	H. SHERWOOD
	1500	69	C. PARRISH
	1800	68	C. PARRISH
	2100	66	C. PARRISH
	2400	66	C. Hill

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB4 Temp. Reading Location: Top Tier B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	66	C. Hill
	0600	66°	H. SHERWOOD
	0900	67°	H. SHERWOOD
	1200	67°	H. SHERWOOD
	1500	68	C. PARRISH
	1800	68	C. PARRISH
	2100	66	C. PARRISH
	2400	65	RF GARZA

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	64°	R.F. GARZA
	0600	62	Sherwood
	0900	63	Sherwood
	1200	65	Sherwood
	1500	67	C. Parrish
	1800	68	C. Parrish
	2100	66	C. Parrish
	2400	67	A. NAJERA

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	63	A. NAJERA
	0600	63	Sherwood
	0900	64°	Sherwood
	1200	65°	Sherwood
	1500	66	C. Parrish
	1800	68	C. Parrish
	2100	67	C. Parrish
	2400	66°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	65°	R.F. GARZA
	0600	65	H. SHERWOOD
	0900	65°	H. SHERWOOD
	1200	66°	H. SHERWOOD
	1500	66°	M. CLOUD
	1800	68	M. CLOUD
	2100	66	M. CLOUD
	2400	66°	RF GARZA

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	65°	RF GARZA
	0600	65	Velasquez
	0900	65	Velasquez
	1200	65	Velasquez
	1500	63	L. MASTRO
	1800	63	L. MASTRO
	2100	63	L. MASTRO
	2400	62	L. MASTRO

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	62	L. MASTRO
	0600	63	Velasquez
	0900	63	Velasquez
	1200	63	Velasquez
	1500	64	L. MASTRO
	1800	64	L. MASTRO
	2100	64	L. MASTRO
	2400	64	J. Hernandez

Sunday

Date	Time	Temp.	Name (Print)
5/24/24	0300	64	J. Hernandez
	0600	64°	SHERWOOD
	0900	65°	SHERWOOD
	1200	65°	SHERWOOD
	1500	67	C. Parrish
	1800	69	C. Parrish
	2100	68	C. Parrish
	2400	67°	RF GARZA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB4 Temp. Reading Location: TOP TIER B
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	67°	RF GARZA
	0600	66	H. SHERWOOD
	0900	66°	H. SHERWOOD
	1200	66°	H. SHERWOOD
	1500	68	C. Parrish
	1800	66	C. Parrish
	2100	66	C. Parrish
	2400	66	C. Lumeu

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	65	C. Lumeu
	0600	64	H. SHERWOOD
	0900	64	H. SHERWOOD
	1200	67	H. SHERWOOD
	1500	69	C. Parrish
	1800	68	C. Parrish
	2100	66	C. Parrish
	2400	66	H. Flores

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	63	H. Flores
	0600	620	H. SHERWOOD
	0900	64°	H. SHERWOOD
	1200	64°	H. SHERWOOD
	1500	65	C. Parrish
	1800	67	C. Parrish
	2100	65	C. Parrish
	2400	65°	RF GARZA

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	65°	RF GARZA
	0600	640	H. SHERWOOD
	0900	650	H. SHERWOOD
	1200	66°	H. SHERWOOD
	1500	67	C. Parrish
	1800	68	C. Parrish
	2100	66	C. Parrish
	2400	76	J. SALINAS

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	76	J. SALINAS
	0600	72	Velasquez
	0900	72	V. Velasquez
	1200	72	V. Velasquez
	1500	70	L. MASTRO
	1800	68	L. MASTRO
	2100	68	L. MASTRO
	2400	68	L. MASTRO

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	68	L. MASTRO
	0600	68	Velasquez
	0900	68	Velasquez
	1200	68	Velasquez
	1500	68	L. MASTRO
	1800	68	L. MASTRO
	2100	68	L. MASTRO
	2400	80	J. HIRAGHOTA

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	80	J. HIRAGHOTA
	0600	65	SHERWOOD
	0900	66	SHERWOOD
	1200	66	SHERWOOD
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5-A Temp. Reading Location: 2 Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	74	Shamp
	0600	74	Abrey
	0900	74	Abrey
	1200	74	Abrey
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	K Gulmas

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	74	K Gulmas
	0600	74	Abrey
	0900	74	Abrey
	1200	74	Abrey
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	K Gulmas

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	74	K Gulmas
	0600	74	Abrey
	0900	74	Abrey
	1200	74	Abrey
	1500	74	K Gulmas
	1800	74	K Gulmas
	2100	74	K Gulmas
	2400	74	K. Gulmas

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	74	Gulmas
	0600	74	Abrey
	0900	74	Abrey
	1200	74	Abrey
	1500	74	R. Gonzalez
	1800	74	R. Gonzalez
	2100	74	R. Gonzalez
	2400	74	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	74	[illegible]
	0600	74	Velasquez
	0900	74	Velasquez
	1200	74	Velasquez
	1500	73	Mastro
	1800	73	Mastro
	2100	72	Mastro
	2400	72	Glaudez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB5 Temp. Reading Location: A-SIDE 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	74	HAVOE
	0600	73	Velasquez
	0900	73	Velasquez
	1200	73	Velasquez
	1500	72	L MASTRO
	1800	72	L MASTRO
	2100	72	L MASTRO
	2400	72	HIRACHETA

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300	72	HIRACHETA
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	72	Shamp
	2400	72	Shamp

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	72	Shamp
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	K Gumas

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0300	74	K Gumas
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	K Gumas

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	74	K Gumas
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K Gumas
	1800	74	K Gumas
	2100	74	K Gumas
	2400	74	K Gumas

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	74	K Gumas
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K Gumas
	1800	74	K Gumas
	2100	74	K Gumas
	2400	74	K Gumas

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300	74	K Gumas
	0600	74	C Martinez
	0900	74	C Martinez
	1200	74	C Martinez
	1500	75	L MASTRO
	1800	75	L MASTRO
	2100	75	L MASTRO
	2400	75	HIRACHETA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 A SIDE Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	73	HIRACHETA
	0600	73	Velasquez
	0900	73	Velasquez
	1200	73	Velasquez
	1500	73	HIRACHETA
	1800	73	HIRACHETA
	2100	73	HIRACHETA
	2400	74	HIRACHETA

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	73	HIRACHETA
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	K Gomez

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0300	74	K Gomez
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	75	Shamp
	1800	75	Shamp
	2100	74	Shamp
	2400	74	K Gomez

Thursday

Date	Time	Temp.	Name (Print)
5-16-24	0300	74	K Gomez
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	76	Shamp
	1800	76	Shamp
	2100	74	Shamp
	2400	74	K Gomez

Friday

Date	Time	Temp.	Name (Print)
5-17-24	0300	74	K Gomez
	0600	75	Abney
	0900	75	Abney
	1200	75	Abney
	1500	76	Gonzalez
	1800	77	Gonzalez
	2100	76	Gonzalez
	2400	74	K Gomez

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0300	74	K Gomez
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	R. Gonzalez
	1800	74	R. Gonzalez
	2100	74	R. Gonzalez
	2400	74	C. Franco

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	73	Franco
	0600	73	Velasquez
	0900	73	Velasquez
	1200	73	Velasquez
	1500	72	L. Mastro
	1800	72	L. Mastro
	2100	71	L. Mastro
	2400	71	HIRACHETA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

10a 1/9/20

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5 A SIDE Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	71	HIRACHETA
	0600	71	Velasquez
	0900	71	Velasquez
	1200	71	Velasquez
	1500	70	MASTRO
	1800	70	MASTRO
	2100	70	MASTRO
	2400	70	HIRACHETA

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	HIRACHETA
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	K Gumes

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0300	70	K Gumes
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	70	K Gumes

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0300	70	K Gumes
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	72	Shamp
	1800	72	Shamp
	2100	70	Shamp
	2400	70	K Gumes

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0300	70	K Gumes
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	71	R. Gonzalez
	1800	70	R. Gonzalez
	2100	70	R. Gonzalez
	2400	70	K Gumes

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0300	70	K. Gumes
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	72	M. Cloud
	1800	70	M. Cloud
	2100	70	M. Cloud
	2400	70	K Gumes

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300	70	K Gumes
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	70	L. Mastro
	1800	70	L. Mastro
	2100	70	L. Mastro
	2400	70	J. Hiracheta

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: DS A-SIDE Temp. Reading Location: 2ND FLOOR
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	J. HIRACHETA
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	70	L. MASTRO
	1800	71	L. MASTRO
	2100	72	L. MASTRO
	2400	72	J. HIRACHETA

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	72	J. Hiracheta
	0600	72	Kitchen
	0900	72	Kitchen
	1200	72	Kitchen
	1500	72	Shamp
	1800	72	Shamp
	2100	72	Shamp
	2400	72	Shamp

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	72	Shamp
	0600	70°	T. Kitchen
	0900	71°	T. Kitchen
	1200	71°	T. Kitchen
	1500	72	~~Abney~~ Shamp
	1800	72	Shamp
	2100	72	Shamp
	2400	70	K. Gumas

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	K. Gumas
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	72	Shamp
	1800	72	Shamp
	2100	72	Shamp
	2400	70	K. Gumas

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	K. Gumas
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K. Gumas
	1800	72	K. Gumas
	2100	72	K. Gumas
	2400	70	K. Gumas

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70	K. Gumas
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D5-B Temp. Reading Location: 2 Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	74	Shamp
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	Holmes

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	74	Holmes
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	Holmes

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	74	Holmes
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K Gwin
	1800	74	K Gwin
	2100	74	K Gwin
	2400	74	K Holmes

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	74	K Gwin
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	[illegible]
	1800	74	[illegible]
	2100	74	[illegible]
	2400	74	T Holmes

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	74	Holmes
	0600	74	Velasquez
	0900	74	Velasquez
	1200	74	Velasquez
	1500	74	Mastro
	1800	74	Mastro
	2100	74	Mastro
	2400	74	Glauder

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB5 Temp. Reading Location: B-SIDE 2ND Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	74	GLAUDE
	0600	73	Velasquez
	0900	73	Velasquez
	1200	73	Velasquez
	1500	73	L. MASTRO
	1800	73	L. MASTRO
	2100	73	L. MASTRO
	2400	72	HIRAGETA

Tuesday

Dat	Time	Temp.	Name (Print)
5/7/24	0300	72	HIRAGETA
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	72	Shamp
	2400	72	Shamp

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	72	Shamp
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	72	Shamp
	2400	72	K Gumas

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0300	72	K Gumas
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	K Gumas

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	74	K Gumas
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K Gumas
	1800	74	K Gumas
	2100	74	K Gumas
	2400	74	K Gumas

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	74	K Gumas
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K Gumas
	1800	74	K Gumas
	2100	74	K Gumas
	2400	74	K Gumas

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300	74	K Gumas
	0600	74	C Martinez
	0900	74	C Martinez
	1200	74	C Martinez
	1500	78	L. MASTRO
	1800	78	L. MASTRO
	2100	78	L. MASTRO
	2400	78	HIRAGETA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: DS B-SIDE Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	74	HIRAHETA
	0600	74	Velasquez
	0900	74	Velasquez
	1200	74	Velasquez
	1500	74	HIRAHETA
	1800	74	HIRAHETA
	2100	74	HIRAHETA
	2400	74	HIRAHETA

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	74	HIRAHETA
	0600	75	Abrey
	0900	75	Abrey
	1200	75	Abrey
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	K GUMAS

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	74	K GUMAS
	0600	75	Abrey
	0900	75	Abrey
	1200	75	Abrey
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	K GUMAS

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	74	K GUMAS
	0600	75	Abrey
	0900	75	Abrey
	1200	75	Abrey
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	74	K GUMAS

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	74	K GUMAS
	0600	75	Abrey
	0900	75	Abrey
	1200	75	Abrey
	1500	75	Gonzalez
	1800	76	Gonzalez
	2100	75	Gonzalez
	2400	74	K GUMAS

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	74	K GUMAS
	0600	74	Abrey
	0900	74	Abrey
	1200	74	Abrey
	1500	74	R. Gonzalez
	1800	74	R. Gonzalez
	2100	74	R. Gonzalez
	2400	75	C. Parrish

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	74	C. Parrish
	0600	74	Velasquez
	0900	74	Velasquez
	1200	74	Velasquez
	1500	72	L. Mastro
	1800	72	L. Mastro
	2100	71	L. Mastro
	2400	71	HIRAHETA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: DS B-SIDE Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	71	HIRACHETA
	0600	71	Velasquez
	0900	71	Velasquez
	1200	71	Velasquez
	1500	70	MASTRO
	1800	70	MASTRO
	2100	70	MASTRO
	2400	70	HIRACHETA

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	HIRACHETA
	0600	74	Abrey
	0900	74	Abrey
	1200	74	Abrey
	1500	74	Shamp
	1800	74	Shamp
	2100	74	Shamp
	2400	70	K GOLMAS

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0300	70	K GOLMAS
	0600	74	Abrey
	0900	74	Abrey
	1200	74	Abrey
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	70	K GOLMAS

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0300	70	K GOLMAS
	0600	74	Abrey
	0900	74	Abrey
	1200	74	Abrey
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	70	K GOLMAS

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0300	70	K GOLMAS
	0600	74	Abrey
	0900	74	Abrey
	1200	74	Abrey
	1500	71	R. Gamboa
	1800	71	R. Gamboa
	2100	70	R. Gamboa
	2400	70	K GOLMAS

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0300	70	K GOLMAS
	0600	74	Abrey
	0900	74	Abrey
	1200	74	Abrey
	1500	73	M. CLOUD
	1800	71	M. CLOUD
	2100	70	M. CLOUD
	2400	70	K GOLMAS

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300	70	K GOLMAS
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	70	L MASTRO
	1800	70	L MASTRO
	2100	70	L MASTRO
	2400	70	J. HIRACHETA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: LSP Housing Unit: D5 - B SIDE Temp. Reading Location: 2ND TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	J HIRACHETA
	0600	70	Velasquez
	0900	70	Velasquez
	1200	70	Velasquez
	1500	71	L MASTRO
	1800	71	L MASTRO
	2100	71	L MASTRO
	2400	71	J HIRACHETA

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	71	J HIRACHETA
	0600	72	Kitchen
	0900	72	M Kitchen
	1200	70	M Kitchen
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	70	Shamp

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	Shamp
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	70	K Gulmas

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	K Gulmas
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	70	Shamp
	1800	70	Shamp
	2100	70	Shamp
	2400	70	K Gulmas

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	K Gulmas
	0600	74	Abney
	0900	74	Abney
	1200	74	Abney
	1500	74	K Gulmas
	1800	72	K Gulmas
	2100	72	K Gulmas
	2400	70	K Gulmas

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70	K Gulmas
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

A

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D6 Temp. Reading Location: A LOWER TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05-01-24	0300	67	V. REYNA
	0600	67	V. REYNA
	0900	67	Mmmyin
	1200	67	Mmmyin
	1500	69	E. McLeod
	1800	69	E. McLeod
	2100	69	E. McLeod
	2400	67	noted

Thursday

Date	Time	Temp.	Name (Print)
05-02-24	0300	67	noted
	0600	67	E. CALVO
	0900	67	E. CALVO
	1200	69	E. CALVO
	1500	70	E. McLEOD
	1800	70	E. McLEOD
	2100	70	E. McLEOD
	2400	70	noted

Friday

Date	Time	Temp.	Name (Print)
05-03-24	0300	70	noted
	0600	65	E. CALVO
	0900	68	E. CALVO
	1200	68	E. CALVO
	1500	70	E. McLEOD
	1800	70	E. McLEOD
	2100	70	E. McLEOD
	2400	65	I Wofford

Saturday

Date	Time	Temp.	Name (Print)
05-04-24	0300	65	I Wofford
	0600	65	E. CALVO
	0900	67	E. CALVO
	1200	65	E. CALVO
	1500	68	G. CHACON
	1800	70	G. CHACON
	2100	70	G. CHACON
	2400	70	E. CALVO

Sunday

Date	Time	Temp.	Name (Print)
05-05-24	0300	65	E. CALVO
	0600	65	E. CALVO
	0900	65	E. CALVO
	1200	65	E. CALVO
	1500	68	G. CHACON
	1800	70	G. CHACON
	2100	70	G. CHACON
	2400	70	V. REYNA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D6 Temp. Reading Location: A TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension ken1 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

(A)

Monday

Date	Time	Temp.	Name (Print)
5-6-24	0300	65	V. Reynn
	0600	65	E. Calvo
	0900	65	E. Calvo
	1200	68	E. Calvo
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	V. Reynn

Tuesday

Date	Time	Temp.	Name (Print)
5-7-24	0300	65	V. Reynn
	0600	65	L. Richer
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	V. Reynn

Wednesday

Date	Time	Temp.	Name (Print)
5-8-24	0300	65	V. Reynn
	0600	65	L. Richer
	0900	65	L. Richer
	1200	68	L. Richer
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0300	70	[illegible]
	0600	70	S. [illegible]
	0900	70	S. [illegible]
	1200	70	S. [illegible]
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	70	[illegible]
	0600	65	E. Calvo
	0900	67	E. Calvo
	1200	69	E. Calvo
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	V. Reynn

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	65	V. Reynn
	0600	67	E. Calvo
	0900	69	E. Calvo
	1200	71	E. Calvo
	1500	71	A. [illegible]
	1800	72	A. [illegible]
	2100	71	A. [illegible]
	2400	70	V. Reynn

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300	65	V. Reynn
	0600	70	E. Calvo
	0900	70	E. Calvo
	1200	71	E. Calvo
	1500	71	V. Reynn
	1800	71	V. Reynn
	2100	71	V. Reynn
	2400	70	V. Reynn

Notes

DISTRIBUTION: Original; Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: 7DB6 Temp. Reading Location: A-TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

A

Monday

Date	Time	Temp.	Name (Print)
5-13-24	0300	65	V. Reyna
	0600	70	E. Calvo
	0900	71	E. Calvo
	1200	70	E. Calvo
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	V. Reyna

Tuesday

Dat	Time	Temp.	Name (Print)
5-14-24	0300	70	V. Reyna
	0600	69	Chester
	0900	70	Chester
	1200	70	Chester
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	V. Reyna

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0300	65	V. Reyna
	0600	65	Chester
	0900	70	Chester
	1200	70	Chester
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	Mother

Thursday

Date	Time	Temp.	Name (Print)
5-16-24	0300	70	mother
	0600	70	Bernabe
	0900	70	Bernabe
	1200	70	Bernabe
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	mother

Friday

Date	Time	Temp.	Name (Print)
5-17-24	0300	70	mother
	0600	70	E. Calvo
	0900	70	E. Calvo
	1200	70	E. Calvo
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	V. Reyna

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0300	70	V. Reyna
	0600	70	E. Calvo
	0900	70	E. Calvo
	1200	69	E. Calvo
	1500	70	A. Porciano
	1800	70	A. Porciano
	2100	70	A. Porciano
	2400	70	V. Reyna

Sunday

Date	Time	Temp.	Name (Print)
5-19-24	0300	65	V. Reyna
	0600	68	E. Calvo
	0900	68	E. Calvo
	1200	69	E. Calvo
	1500	69	A. Porciano
	1800	70	A. Porciano
	2100	70	A. Porciano
	2400	70	V. Reyna

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

(A)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FD B6 Temp. Reading Location: A-TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5.20.24	0300	65	V. Reyna
	0600	70	E. Calvo
	0900	70	E. Calvo
	1200	70	E. Calvo
	1500	70	E. McLeon
	1800	70	E. McLeon
	2100	70	E. McLeon
	2400	70	K. Garcia

Tuesday

Dat	Time	Temp.	Name (Print)
5.21.24	0300	70	K. Garcia
	0600	70	T. Kitchen
	0900	70	T. Kitchen
	1200	70	T. Kitchen
	1500	70	E. McLeon
	1800	70	E. McLeon
	2100	70	E. McLeon
	2400	70	V. Reyna

Wednesday

Date	Time	Temp.	Name (Print)
5.22.24	0300	70	V. Reyna
	0600	70	L. Parra
	0900	70	L. Parra
	1200	70	L. Parra
	1500	70	E. McLeon
	1800	70	E. McLeon
	2100	70	E. McLeon
	2400	70	not taken

Thursday

Date	Time	Temp.	Name (Print)
5.23.24	0300	70	not taken
	0600	70	E. Calvo
	0900	70	E. Calvo
	1200	71	E. Calvo
	1500	70	E. McLeon
	1800	70	E. McLeon
	2100	70	E. McLeon
	2400	70	not taken

Friday

Date	Time	Temp.	Name (Print)
5.24.24	0300	70	not taken
	0600	68	E. Calvo
	0900	70	E. Calvo
	1200	70	E. Calvo
	1500	70	E. McLeon
	1800	70	E. McLeon
	2100	70	E. McLeon
	2400	70	V. Reyna

Saturday

Date	Time	Temp.	Name (Print)
5.25.24	0300	70	V. Reyna
	0600	70	E. Calvo
	0900	70	E. Calvo
	1200	70	E. Calvo
	1500	70	A. Orozco
	1800	70	A. Orozco
	2100	70	A. Orozco
	2400	70	V. Reyna

Sunday

Date	Time	Temp.	Name (Print)
5.26.24	0300	70	V. Reyna
	0600	70	E. Calvo
	0900	70	E. Calvo
	1200	70	E. Calvo
	1500	70	A. Orozco
	1800	70	A. Orozco
	2100	70	A. Orozco
	2400	70	V. Reyna

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB6 Temp. Reading Location: A - 2nd Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

K

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	70	V. Reyna
	0600	69	E. Calvo
	0900	70	E. Calvo
	1200	71	E. Calvo
	1500	70	E. McLean
	1800	70	E. McLean
	2100	70	E. McLean
	2400	70	V. Reyna

Tuesday

Dat	Time	Temp.	Name (Print)
5-28-24	0300	70	V. Reyna
	0600	70	Munoz
	0900	70	Munoz
	1200	70	Munoz
	1500	70	E. McLean
	1800	70	E. McLean
	2100	70	E. McLean
	2400	70	V. Reyna

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	V. Reyna
	0600	69	Munoz
	0900	70	Munoz
	1200	70	Munoz
	1500	70	E. McLean
	1800	70	E. McLean
	2100	70	E. McLean
	2400	70	notified

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	70	notified
	0600	70	E. Calvo
	0900	70	E. Calvo
	1200	70	E. Calvo
	1500	70	E. McLean
	1800	70	E. McLean
	2100	70	E. McLean
	2400	70	notified

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	70	notified
	0600	70	E. Calvo
	0900	70	E. Calvo
	1200	71	E. Calvo
	1500	70	E. McLean
	1800	70	E. McLean
	2100	70	E. McLean
	2400	70	V. Reyna

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

(B)

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

(D)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: B6 Temp. Reading Location: B Tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05-01-24	0300	60	V. Reynt
	0600	60	V. Reynt
	0900	64	Mannquin
	1200	64	Mannquin
	1500	65	E. McLeod
	1800	66	E. McLeod
	2100	66	E. McLeod
	2400	67	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
05-02-24	0300	67	[illegible]
	0600	67	E. CALVO
	0900	67	E. CALVO
	1200	69	E. CALVO
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	[illegible]

Friday

Date	Time	Temp.	Name (Print)
05-03-24	0300	70	[illegible]
	0600	65	E. CALVO
	0900	69	CALVO
	1200	69	CALVO
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	I. Wofford

Saturday

Date	Time	Temp.	Name (Print)
05-04-24	0300	70	Wofford
	0600	65	E. CALVO
	0900	67	E. CALVO
	1200	65	E. CALVO
	1500	68	G. CHACON
	1800	70	G. CHACON
	2100	70	G. CHACON
	2400	70	E. CALVO

Sunday

Date	Time	Temp.	Name (Print)
05-05-24	0300	65	E. CALVO
	0600	65	E. CALVO
	0900	65	E. CALVO
	1200	65	E. CALVO
	1500	68	G. CHACON
	1800	70	G. CHACON
	2100	70	G. CHACON
	2400	70	V. Reynt

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D4 Temp. Reading Location: B-TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

B

Immediately notify the Watch Commander at extension 6011 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-6-24	0300	65	V. Reynn
	0600	65	E. Calvo
	0900	66	E. Calvo
	1200	68	E. Calvo
	1500	70	E. McLean
	1800	70	E. McLean
	2100	70	E. McLean
	2400	70	V. Reynn

Tuesday

Date	Time	Temp.	Name (Print)
5-7-24	0300	65	V. Reynn
	0600	65	L. Richer
	0900	70	L. Richer
	1200	70	L. Richer
	1500	70	E. McLean
	1800	70	E. McLean
	2100	70	E. McLean
	2400	70	V. Reynn

Wednesday

Date	Time	Temp.	Name (Print)
5-8-24	0300	65	V. Reynn
	0600	65	L. Richer
	0900	65	L. Richer
	1200	68	L. Richer
	1500	70	E. McLean
	1800	70	E. McLean
	2100	70	E. McLean
	2400	70	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0300	70	[illegible]
	0600	70	S. Rodriguez
	0900	71	S. Rodriguez
	1200	71	S. Rodriguez
	1500	70	E. McLean
	1800	70	E. McLean
	2100	70	E. McLean
	2400	70	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	70	[illegible]
	0600	65	E. Calvo
	0900	67	E. Calvo
	1200	69	E. Calvo
	1500	70	E. McLean
	1800	70	E. McLean
	2100	70	E. McLean
	2400	70	V. Reynn

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	65	V. Reynn
	0600	67	E. Calvo
	0900	69	E. Calvo
	1200	70	E. Calvo
	1500	71	A. Tuzan
	1800	72	A. Tuzan
	2100	71	A. Tuzan
	2400	70	V. Reynn

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300	65	V. Reynn
	0600	62	E. Calvo
	0900	65	E. Calvo
	1200	68	E. Calvo
	1500	70	V. Reynn
	1800	71	V. Reynn
	2100	70	V. Reynn
	2400	70	V. Reynn

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

(B)

Institution: WSP Housing Unit: FDB6 Temp. Reading Location: B - TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-13-24	0300	65	V. Reynt
	0600	70	E. CALVO
	0900	68	E. CALVO
	1200	68	E. CALVO
	1500	70	E McLEON
	1800	70	E McLEON
	2100	70	E McLEON
	2400	70	V. Reynt

Tuesday

Dat	Time	Temp.	Name (Print)
5-14-24	0300	70	V. Reynt
	0600	69	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	E McLEON
	1800	70	E McLEON
	2100	70	E McLEON
	2400	70	V. Reynt

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0300	65	V. Reynt
	0600	68	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	E McLEON
	1800	70	E McLEON
	2100	70	E McLEON
	2400	70	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
5-16-24	0300	70	[illegible]
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	Bonchi
	1500	70	E McLEON
	1800	70	E McLEON
	2100	70	E McLEON
	2400	70	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5-17-24	0300	70	[illegible]
	0600	70	E. CALVO
	0900	70	E. CALVO
	1200	70	E. CALVO
	1500	70	E McLEON
	1800	70	E McLEON
	2100	70	E McLEON
	2400	70	V. Reynt

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0300	70	V. Reynt
	0600	70	E. CALVO
	0900	68	E. CALVO
	1200	68	E. CALVO
	1500	69	A. [illegible]
	1800	70	A. [illegible]
	2100	70	A. [illegible]
	2400	70	V. Reynt

Sunday

Date	Time	Temp.	Name (Print)
5-19-24	0300	65	[illegible]
	0600	65	E. CALVO
	0900	65	E. CALVO
	1200	66	E. CALVO
	1500	68	A. [illegible]
	1800	70	A. [illegible]
	2100	70	A. [illegible]
	2400	70	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

B

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: FDB6 Temp. Reading Location: B - TIER 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5.20.24	0300	65	V REYNA
	0600	70	E.CALVO
	0900	70	E.CALVO
	1200	70	E.CALVO
	1500	70	E.MYLEON
	1800	70	E.MYLEON
	2100	70	E.MYLEON
	2400	70	K.GARCIA

Tuesday

Dat	Time	Temp.	Name (Print)
5.21.24	0300	70	K GARCIA
	0600	70	T. KITCHEN
	0900	70	T KITCHEN
	1200	70	T. KITCHEN
	1500	70	E.MYLEON
	1800	70	E.MYLEON
	2100	70	E.MYLEON
	2400	70	V. Reyna

Wednesday

Date	Time	Temp.	Name (Print)
5.22.24	0300	70	V. Reyna
	0600	70	L. Barra
	0900	70	L BARRA
	1200	70	L BARRA
	1500	70	E.MYLEON
	1800	70	E.MYLEON
	2100	70	E.MYLEON
	2400	70	not taken

Thursday

Date	Time	Temp.	Name (Print)
5.23.24	0300	70	not taken
	0600	68	E. CALVO
	0900	68	E. CALVO
	1200	68	E. CALVO
	1500	70	E.MYLEON
	1800	70	E.MYLEON
	2100	70	E.MYLEON
	2400	70	not taken

Friday

Date	Time	Temp.	Name (Print)
5.24.24	0300	70	not taken
	0600	65	E. CALVO
	0900	68	E. CALVO
	1200	68	E. CALVO
	1500	70	E.MYLEON
	1800	70	E.MYLEON
	2100	70	E.MYLEON
	2400	70	V. REYNA

Saturday

Date	Time	Temp.	Name (Print)
5.25.24	0300	70	V. REYNA
	0600	68	E. CALVO
	0900	68	E. CALVO
	1200	68	E. CALVO
	1500	68	A. BRECKO
	1800	69	A. BRECKO
	2100	69	A. BRECKO
	2400	70	V. Reyna

Sunday

Date	Time	Temp.	Name (Print)
5.26.24	0300	68	V. REYNA
	0600	68	E. CALVO
	0900	68	E. CALVO
	1200	68	E. CALVO
	1500	69	A. BRECKO
	1800	69	A. BRECKO
	2100	69	A. BRECKO
	2400	70	V. REYNA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: INSP Housing Unit: FDB6 Temp. Reading Location: B 2nd tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

(B)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	70	V. Reynn
	0600	66	E. Calvo
	0900	68	E. Calvo
	1200	69	E. Calvo
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	V. Reynn

Tuesday

Dat	Time	Temp.	Name (Print)
5-28-24	0300	70	V. Reynn
	0600	70	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	V. Reynn

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	V. Reynn
	0600	69	[illegible]
	0900	70	[illegible]
	1200	70	[illegible]
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	[illegible]

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	70	[illegible]
	0600	68	E. Calvo
	0900	68	E. Calvo
	1200	70	E. Calvo
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	[illegible]

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	70	[illegible]
	0600	68	E. Calvo
	0900	67	E. Calvo
	1200	69	E. Calvo
	1500	70	E. McLeod
	1800	70	E. McLeod
	2100	70	E. McLeod
	2400	70	V. Reynn

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Dat	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	S. Delgadillo
	0600	68°	J. ELIAS
	0900	68°	J. ELIAS
	1200	71°	J. ELIAS
	1500	71°	I. SALAZAR
	1800	72°	I. SALAZAR
	2100	70	I. SALAZAR
	2400	70°	J. TOVIMONA

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	68°	J. TOVIMONA
	0600	68°	J. ELIAS
	0900	68°	J. ELIAS
	1200	70°	J. ELIAS
	1500	70	PONCE
	1800	70	PONCE
	2100	70	PONCE
	2400	70°	J. TOVIMONA

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	68°	J. TOVIMONA
	0600	68°	R. DHALIWAL
	0900	68°	R. Dhaliwal
	1200	70	R. Dhaliwal
	1500	72	J. MORENO
	1800	72	J. MORENO
	2100	72	J. MORENO
	2400	70°	J. TOVIMONA

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	68°	J. TOVIMONA
	0600	70°	R. Dhaliwal
	0900	70°	R. Dhaliwal
	1200	70°	R. Dhaliwal
	1500	70°	J. Gutierrez
	1800	69°	J. Gutierrez
	2100	70°	J. Gutierrez
	2400	69	E. Ramirez

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	68	E Ramirez
	0600	68°	R. Dhaliwal
	0900	68°	R. Dhaliwal
	1200	68°	R. Dhaliwal
	1500	68°	J. Gutierrez
	1800	68°	J. Gutierrez
	2100	69°	J. Gutierrez
	2400	68°	S. Delgadillo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	68	S. Delgadillo
	0600	69°	G. Perez
	0900	70°	G. Perez
	1200	70°	G. Perez
	1500	69°	R. Dhaliwal
	1800	70°	R. Dhaliwal
	2100	71°	R. Dhaliwal
	2400	68	S. Delgadillo

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	66	S. Delgadillo
	0600	66	J. Perez
	0900	68	J. Perez
	1200	70	J. Perez
	1500	70	J. Moreno
	1800	70	J. Moreno
	2100	65	J. Moreno
	2400	66	S. Delgadillo

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	66	S. Delgadillo
	0600	66	G. Perez
	0900	67	G. Perez
	1200	70	G. Perez
	1500	68°	A. Martinez
	1800	70	A. Martinez
	2100	70	A. Martinez
	2400	70	J. Dominguez

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	68	J. Dominguez
	0600	68	J. Elias
	0900	70	J. Elias
	1200	70	J. Elias
	1500	70°	A. Martinez
	1800	71°	A. Martinez
	2100	71°	A. Martinez
	2400	70	J. Dominguez

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	J. Dominguez
	0600	68	J. Elias
	0900	70	J. Elias
	1200	72	J. Elias
	1500	72	J. Moreno
	1800	75	J. Moreno
	2100	72	J. Moreno
	2400	70	S. Delgadillo

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	70	S. Delgadillo
	0600	70	J. Perez
	0900	70	J. Perez
	1200	73	J. Perez
	1500	72	J. Moreno
	1800	75°	J. Gutierrez
	2100	78	J. Gutierrez
	2400	72	S. Delgadillo

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	S. Delgadillo
	0600	71	J. Perez
	0900	71	J. Perez
	1200	72°	G. Perez
	1500	72	J. Moreno
	1800	74	J. Moreno
	2100	75°	J. Gutierrez
	2400	74	J. Mamalias

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: A + B SIDE 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	M. PANTOJA
	0600	70	J. Perez
	0900	72	J. Perez
	1200	73	G. Ruiz
	1500	75	F. ORTIZ
	1800	80	F. ORTIZ
	2100	80	F. ORTIZ
	2400	78	S. Delgadillo

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	76	S. Delgadillo
	0600	70	G. Ruiz
	0900	71°	G. Ruiz
	1200	72	G. Ruiz
	1500	72	R LEE
	1800	73	R LEE
	2100	73	R LEE
	2400	74	S. Delgadillo

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	72	S. Delgadillo
	0600	70°	G. Ruiz
	0900	73°	G. Ruiz
	1200	76	G. Ruiz
	1500	75°	A MARTINEZ
	1800	76°	A MARTINEZ
	2100	75°	A MARTINEZ
	2400	76	K. CEJA

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	76	K. CEJA
	0600	70	J. ELIAS
	0900	72	J. ELIAS
	1200	74	J. ELIAS
	1500	75°	A MARTINEZ
	1800	76	A MARTINEZ
	2100	76	A MARTINEZ
	2400	75°	K. CEJA

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	76°	K. CEJA
	0600	70	J. Perez
	0900	72	J. Perez
	1200	73	J. Perez
	1500	75	J. MORENO
	1800	75	J. MORENO
	2100	70	J. MORENO
	2400	70	K. CEJA

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70°	K. CEJA
	0600	71	J. Perez
	0900	73	J. Perez
	1200	73	J. Perez
	1500	72	J. Gutierrez
	1800	72	J Gutierrez
	2100	71	J Gutierrez
	2400	70	C. LOMELI

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	C. LOMELI
	0600	70	J. Perez
	0900	72	J. Perez
	1200	73	J. Perez
	1500	73	J. Gutierrez
	1800	74	J. Gutierrez
	2100	74	J. Gutierrez
	2400	70	L. Carlawny

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	M. ANDERSON
	0600	70	M. ANDERSON
	0900	70	J. Perez
	1200	70	J. Perez
	1500	70	F. ORTEZ
	1800	70	F. ORTIZ
	2100	70	F. ORTEZ
	2400	70	J. DOMINGUEZ

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	J. Dominguez
	0600	70	G. Perez
	0900	70	G. Perez
	1200	70	G. Perez
	1500	70	J. MORENO
	1800	70	J. MORENO
	2100	70	J. MORENO
	2400	70	J. DOMINGUEZ

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	J. DOMINGUEZ
	0600	70	G. Perez
	0900	70	G. Perez
	1200	71	G. Perez
	1500	70	A MARTINEZ
	1800	71°	A MARTINEZ
	2100	70	A MARTINEZ
	2400	70	J. DOMINGUEZ

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	68	J. DOMINGUEZ
	0600	68	J. ELIAS
	0900	69	J. ELIAS
	1200	70	J. ELIAS
	1500	70°	A MARTINEZ
	1800	70	A MARTINEZ
	2100	70	A MARTINEZ
	2400	69	K. Garcia

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	69	M. ANDERSON
	0600	69	J. ELIAS
	0900	70	J. ELIAS
	1200	70	J. ELIAS
	1500	70	F. HARVEY
	1800	70	F. HARVEY
	2100	70	F. HARVEY
	2400	70	S. Delgadillo

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	68	S. Delgadillo
	0600	68	R. REYES
	0900	69	R. REYES
	1200	70	A. LOPEZ
	1500	70	A. LOPEZ
	1800	70	A. LOPEZ
	2100	68	A. LOPEZ
	2400	68	M. ANDERSON

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	68	M. ANDERSON
	0600	69	G. Perez
	0900	69°	G. Perez
	1200	70°	G. Perez
	1500	70°	J. Gutierrez
	1800	70	J. Gutierrez
	2100	71°	J. Gutierrez
	2400	70°	S. Delgadillo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: D7 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	68	S.Delgadillo
	0600	70	J. Perez
	0900	70	J. Perez
	1200	70	J. Perez
	1500	70	G. Torres
	1800	72	G. Torres
	2100	72	G. Torres
	2400	76	J. Dominguez

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	70	J. Dominguez
	0600	70	J. Perez
	0900	70	J. Perez
	1200	71	J. Perez
	1500	72	Valencia
	1800	72	Valencia
	2100	70	Valencia
	2400	74	RIVAS, L.

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	RIVAS, L.
	0600	70	G. Perez
	0900	70	G. Perez
	1200	71	G. Perez
	1500	72°	A MARTINEZ
	1800	72°	A MARTINEZ
	2100	73°	A MARTINEZ
	2400	71	J. DOMINGUEZ

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	J. DOMINGUEZ
	0600	70	J. ELIAS
	0900	70	J. ELIAS
	1200	72	J. ELIAS
	1500	72	E. TOLAYA
	1800	78	E. TOLAYA
	2100	78	E. TOLAYA
	2400	74	M ANDERSON

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	M. ANDERSON
	0600	70	J. Perez
	0900	71	J. Perez
	1200	73	J. Perez
	1500	74	M. PANTOJA
	1800	75	M. PANTOJA
	2100	78	M. PANTOJA
	2400	77	DELGADILLO

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70	DELGADILLO
	0600	70	RIVAS, L.
	0900	70	RIVAS, L.
	1200	70	RIVAS, L.
	1500	75	U. Medina
	1800	75	U. Medina
	2100	75	U. Medina
	2400	72	S. Delgadillo

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	70	M. ANDERSON
	0600	70	REYNA
	0900	70	REYNA
	1200	72	REYNA
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-1 Temp. Reading Location: 1 TIER/ Dorm 1
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05/01/24	0300	72°	Fuentes
	0600	71	Iniguez
	0900	71	Harl
	1200	73	Harl
	1500	74	Harl
	1800	75°	G. Rojas
	2100	75°	G. Rojas
	2400	75	L. Mejia

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	Mejia
	0600	70	R. Salinas
	0900	70	R. Salinas
	1200	71	R. Salinas
	1500	71	R. Montoya
	1800	71	R. Montoya
	2100	71	R. Montoya
	2400	71	[illegible]

Friday

Date	Time	Temp.	Name (Print)
05/3/24	0300	71	L. Mejia
	0600	71	Harl
	0900	72	Harl
	1200	74	Harl
	1500	74	R. Montoya
	1800	72	R. Montoya
	2100	70	R. Montoya
	2400	75	L. Mejia

Saturday

Date	Time	Temp.	Name (Print)
05/04/24	0300	71	AGUSTO
	0600	70	Blaudell
	0900	70	Blaudell
	1200	70	Blaudell
	1500	70	Harl
	1800	70	Harl
	2100	71	Harl
	2400	71	Mejia

Sunday

Date	Time	Temp.	Name (Print)
05/05/24	0300	71	L. Mejia
	0600	71	S. Cox
	0900	70	BLASDELL
	1200	70	BLASDELL
	1500	71	Harl
	1800	71	Harl
	2100	71	Harl
	2400	71	G. Mij

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/15)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H 1 Temp. Reading Location: TIER 1 (DORM)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06/24	0300	71	FUENTES
	0600	71	Hari
	0900	72	Hari
	1200	72	Hari
	1500	70	G. Reyes
	1800	70	G. Reyes
	2100	70	G. Reyes
	2400	70	Fuentes

Tuesday

Dat	Time	Temp.	Name (Print)
05/07/24	0300	70	FUENTES
	0600	70	Hari
	0900	71	Iniguez
	1200	71	Hari
	1500	70	G. Reyes
	1800	70	G. Reyes
	2100	70	G. Reyes
	2400		FUENTES

Wednesday

Date	Time	Temp.	Name (Print)
05/08/24	0300	70	FUENTES
	0600	70	R. Hari
	0900	71	R. Hari
	1200	71	E Arden
	1500	72	E Arden
	1800	72	E Arden
	2100	72	E Arden
	2400	72	L. Mejia

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0300	70	G Mejia
	0600	70	R Hari
	0900	70	R Hari
	1200	70	R Hari
	1500	71	E Arden
	1800	71	E Arden
	2100	71	E Arden
	2400	70	E Mejia

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	70	L. Mejia
	0600	70	R. Hari
	0900	71	R. Hari
	1200	72	R. Hari
	1500	72	R. Hari
	1800	72	R Hari
	2100	72	R Hari
	2400	72	L Mejia

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	71	L Mejia
	0600	71	Hari
	0900	71	Hari
	1200	72	Hari
	1500	72	E Rojas
	1800	72	E Rojas
	2100	72	E Rojas
	2400	72	AGUSTO

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	72	AGUSTO
	0600	72	AGUSTO
	0900	72	EBUSTOS
	1200	75	EBUSTOS
	1500	73	E Arden
	1800	73	E Arden
	2100	73	E. Arden
	2400	74	AGUSTO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H1 Temp. Reading Location: TIER 1 (DORM)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	74	L. Mejia
	0600	78	C. TUCKER
	0900	78	C. TUCKER
	1200	78	C. TUCKER
	1500	78	L. Martinez
	1800	78	L. Martinez
	2100	77	L. Martinez
	2400	76	FUENTES

Tuesday

Dat	Time	Temp.	Name (Print)
05/14/24	0300	78	FUENTES
	0600	78	C. TUCKER
	0900	78	C. TUCKER
	1200	78	C. TUCKER
	1500	78	M. ANDERSON
	1800	78	M. ANDERSON
	2100	77	M. ANDERSON
	2400	76	FUENTES

Wednesday

Date	Time	Temp.	Name (Print)
05/15/24	0300	76	FUENTES
	0600	78	C. TUCKER
	0900	78	C. TUCKER
	1200	78	C. TUCKER
	1500	76	EArden
	1800	75	EArden
	2100	75	EArden
	2400	78	L. Mejia

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	76	L. Mejia
	0600	77	C. TUCKER
	0900	79	C. TUCKER
	1200	79	C. TUCKER
	1500	78	EArden
	1800	78	EArden
	2100	76	EArden
	2400	76	AGUSTO

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	76	AGUSTO
	0600	78	C. TUCKER
	0900	78	C. TUCKER
	1200	78	C. TUCKER
	1500	78	EArden
	1800	77	EArden
	2100	77	EArden
	2400	77	AGUSTO

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	77	AGUSTO
	0600	78	SOLIS
	0900	78	SOLIS
	1200	78	SOLIS
	1500	78	EArden
	1800	77	EArden
	2100	77	EArden
	2400	77	AGUSTO

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	77	AGUSTO
	0600	75	BUSDELL
	0900	78	BUSDELL
	1200	78	BUSDELL
	1500	78	EArden
	1800	77	EArden
	2100	77	EArden
	2400	77	L. Mejia

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H1 Temp. Reading Location: Tier 1 (Dorm)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	76	L. Mejia
	0600	76	R. Hart
	0900	76	R. Hart
	1200	76	R. Hart
	1500	76	G. Reyes
	1800	76	G. Reyes
	2100	76	G. Reyes
	2400	70	W SANCHEZ

Tuesday

Dat	Time	Temp.	Name (Print)
5/21/2024	0300	70	W SANCHEZ
	0600	70	R. Hart
	0900	71	R. Hart
	1200	72	R. Hart
	1500	70	G. Reyes
	1800	70	G. Reyes
	2100	70	G. Reyes
	2400	70	W Sanchez

Wednesday

Date	Time	Temp.	Name (Print)
05/22/24	0300	70	W SANCHEZ
	0600	71	E. SOLIS
	0900	72	E. SOLIS
	1200	72	E. SOLIS
	1500	75	E. DELARA
	1800	75	E. DELARA
	2100	75	E. DELARA
	2400	75	L. Mejia

Thursday

Date	Time	Temp.	Name (Print)
05/23/24	0300	70	L. Mejia
	0600	70	R. Hart
	0900	70	R. Hart
	1200	73	R. Hart
	1500	75	ALROBLAT
	1800	74	ALROBLAT
	2100	74	ALROBLAT
	2400	74	ABUSTO

Friday

Date	Time	Temp.	Name (Print)
05/24/24	0300	74	ABUSTO
	0600	71	Salinas
	0900	71	Salinas
	1200	72	Salinas
	1500	72	Valencia
	1800	72	Valencia
	2100	72	Valencia
	2400	74	ABUSTO

Saturday

Date	Time	Temp.	Name (Print)
05/25/24	0300	74	ABUSTO
	0600	71	Salinas
	0900	71	Salinas
	1200	72	Salinas
	1500	72	Valencia
	1800	72	Valencia
	2100	72	Valencia
	2400	74	ABUSTO

Sunday

Date	Time	Temp.	Name (Print)
05/26/24	0300	74	ABUSTO
	0600	75	Valencia
	0900	74	Valencia
	1200	74	Valencia
	1500	76	Nunez
	1800	76	Nunez
	2100	76	Nunez
	2400	75	Fuentes

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP RC Housing Unit: H-1 Temp. Reading Location: TIER 1 (DORM)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/27/24	0300	72°	FUENTES
	0600	72	Harl
	0900	73	Harl
	1200	74	Harl
	1500	76	Martinez
	1800	76	Martinez
	2100	76	Martinez
	2400	74	FUENTES

Tuesday

Dat	Time	Temp.	Name (Print)
05/28/24	0300	74	Fuentes
	0600	74	Harl
	0900	74	Harl
	1200	75	Harl
	1500	80	Garcia
	1800	80	Garcia
	2100	80	Garcia
	2400	78	FUENTES

Wednesday

Date	Time	Temp.	Name (Print)
05/29/24	0300	76°	FUENTES
	0600	75°	Harl
	0900	75°	Harl
	1200	76°	Harl
	1500	76	G. Reyes
	1800	75	G. Reyes
	2100	75	G. Reyes
	2400	75	Mejia

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	75	Martinez
	0600	75	R. Harl
	0900	76	R. Harl
	1200	76	R. Harl
	1500	76	Harl
	1800	76	Harl
	2100	75	Harl
	2400	77	AGUSTO

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	77	AGUSTO
	0600	75	Salinas
	0900	75	Salinas
	1200	76	Salinas
	1500	78	ZELAYA
	1800	78	ZELAYA
	2100	79	ZELAYA
	2400	77	ZELAYA

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: H-2 Temp. Reading Location: 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5-1-24	0300	72	M. GRAHAM
	0600	72	BLASDELL
	0900	72	BLASDELL
	1200	73	BLASDELL
	1500	75·	Valencia
	1800	75·	Valencia
	2100	73·	Valencia
	2400	73·	MORALES

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0300	72·	MORALES
	0600	72°	MORALES
	0900	72	RAMIREZ
	1200	72	RAMIREZ
	1500	75·	Valencia
	1800	75·	Valencia
	2100	75·	Valencia
	2400	73	M. GRAHAM

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0300	73	M. GRAHAM
	0600	70	BLASDELL
	0900	70	BLASDELL
	1200	72	BLASDELL
	1500	77	CERMENO A
	1800	77	CERMENO A
	2100	76	CERMENO A
	2400	70°	K. CEJA

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300	70°	K. CEJA
	0600	70	K. CEJA
	0900	71°	K. CEJA
	1200	71°	K. CEJA
	1500	73·	CERMENO A
	1800	73	CERMENO A
	2100	72	CERMENO A
	2400	70	R. Morales

Sunday

Date	Time	Temp.	Name (Print)
5-5-24	0300	70.	R. Morales
	0600	68	A. CERMENO
	0900	68	A. CERMENO
	1200	70	A. CERMENO
	1500	72	A. CERMENO
	1800	72	A. CERMENO
	2100	72	A. CERMENO
	2400	72	M. GRAHAM

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate . . to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: H-2 Temp. Reading Location: 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-6-24	0300	68	M. Graham
	0600	68	M. Oehlert
	0900	70	M. Oehlert
	1200	72	M. Oehlert
	1500	71	CERMENO. A
	1800	73	J. Valencia
	2100	72	J. Valencia
	2400	68	M. Graham

Tuesday

Dat	Time	Temp.	Name (Print)
5-7-24	0300	67	~~J. Valencia~~ L. Mejia
	0600	67	J. Valencia
	0900	70	J. Valencia
	1200	73	J. Valencia
	1500	73	J. Valencia
	1800	73	J. Valencia
	2100	72	J. Valencia
	2400	70	M. Graham

Wednesday

Date	Time	Temp.	Name (Print)
5-8-24	0300	67	L. Mejia
	0600	67	J. Valencia
	0900	70	J. Valencia
	1200	73	J. Valencia
	1500	73	J. Frye
	1800	73	Frye
	2100	73	Frye
	2400	70	M. Graham

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0300	70	M. Graham
	0600	70	BUSDIEU
	0900	72	BUSDIEU
	1200	73	BUSDIEU
	1500	77	J. Valencia
	1800	75	J. Valencia
	2100	75	J. Valencia
	2400	70	M. Graham

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	70	M. Graham
	0600	70	M. Yanez
	0900	70	M. Yanez
	1200	72	M. Yanez
	1500	77	A. CERMENO
	1800	79	A. CERMENO
	2100	79	A. CERMENO
	2400	77°	R. Morales

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	72	C. VILLALOBOS
	0600	70	M. Yanez
	0900	70	M. Yanez
	1200	72	M. Yanez
	1500	77	CERMENO. A.
	1800	79	CERMENO A.
	2100	79	CERMENO A.
	2400	77	R MORALES

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300	73°	R. MORALES
	0600	73	M. Yanez
	0900	73	M. Yanez
	1200	74	M. Yanez
	1500	79	A. CERMENO
	1800	80	A. CERMENO
	2100	79	A. CERMENO
	2400	78	M. Graham

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: H-2 Temp. Reading Location: 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	72	M. Graham
	0600	73	BUSDELL
	0900	73	BUSDELL
	1200	73	BUSDELL
	1500	79	J RICO
	1800	81	J RICO
	2100	79	J RICO
	2400	71	M. Graham

Tuesday

Dat	Time	Temp.	Name (Print)
5/14/24	0300	71	M. Graham
	0600	71	M. Yanez
	0900	72	M. Yanez
	1200	73	M. Yanez
	1500	78	M. Yanez
	1800	78	M. Yanez
	2100	74	M. Yanez
	2400	78	M. Graham

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	72	M. Graham
	0600	73	BUSDELL
	0900	73	BUSDELL
	1200	75	BUSDELL
	1500	81	J. Valencia
	1800	84	J. Valencia
	2100	82	J. Valencia
	2400	72	M. Graham

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	72	M. Graham
	0600	73	BUSDELL
	0900	73	BUSDELL
	1200	75	BUSDELL
	1500	81	J. Valencia
	1800	82	J. Valencia
	2100	81	J. Valencia
	2400	72	M. Graham

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	72	M. Graham
	0600	72	M. Yanez
	0900	73	M. Yanez
	1200	75	M. Yanez
	1500	79	A CERMENO
	1800	81	A CERMENO
	2100	79	A CERMENO
	2400	77	R. MORALES

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	72	S. mendoza
	0600	72	M. Yanez
	0900	72	M. Yanez
	1200	76	M. Yanez
	1500	79	A. CERMENO
	1800	79	A. CERMENO
	2100	79	A. CERMENO
	2400	77	R. MORALES

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	73°	R. MORALES
	0600	73	M. Yanez
	0900	73	A. CERMENO
	1200	77	A. CERMENO
	1500	77	J. Valencia
	1800	79	J. Valencia
	2100	79	J. Valencia
	2400	75	M. Graham

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Attachment B
OP #37

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-RC Housing Unit: H-2 Temp. Reading Location: 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-20-24	0300	71	M. Graham
	0600	73	BUSDELL
	0900	73	BUSDELL
	1200	75	BUSDELL
	1500	77	J. Valencia
	1800	76	J. Valencia
	2100	75	J. Valencia
	2400	71	M. Graham

Tuesday

Dat	Time	Temp.	Name (Print)
5-21-24	0300	71	M. Graham
	0600	71	M Yanez
	0900	71	M Yanez
	1200	75	BUSDELL
	1500	77	BUSDELL
	1800	79	BUSDELL
	2100	79	BUSDELL
	2400	71	M. Graham

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0300	71	M. Graham
	0600	73	BUSDELL
	0900	73	BUSDELL
	1200	77	BUSDELL
	1500	79	J. Valencia
	1800	79	J. Valencia
	2100	79	J. Valencia
	2400	77	M. Graham

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0300	75°	M. Graham
	0600	73	BUSDELL
	0900	75	BUSDELL
	1200	75	BUSDELL
	1500	77	J. Valencia
	1800	77	J. Valencia
	2100	77	J. Valencia
	2400	71	M. Graham

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0300	71	M. Graham
	0600	71	M Yanez
	0900	71	M Yanez
	1200	72	M YANEZ
	1500	75	A. CERMENO
	1800	77	A CERMENO
	2100	75	A CERMENO
	2400	73°	R. MORALES

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0300	73°	R. MORALES
	0600	71	M. Yanez
	0900	71	M Yanez
	1200	72	M Yanez
	1500	75	A. CERMENO
	1800	77	A. CERMENO
	2100	75	A. CERMENO
	2400	73	R. MORALES

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300	73°	R. MORALES
	0600	72	M Yanez
	0900	73	M Yanez
	1200	73	M Yanez
	1500	77	A. CERMENO
	1800	77	A. CERMENO
	2100	77	A. CERMENO
	2400	73	M. Graham

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H2 Temp. Reading Location: 1st TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05-27-2024	0300	71	M. GRAHAM
	0600	71	M. Graham
	0900	72	M. Graham
	1200	74	M. Graham
	1500	77°	J. Valencia
	1800	81°	J. Valencia
	2100	81°	J. Valencia
	2400	75	M. GRAHAM

Tuesday

Dat	Time	Temp.	Name (Print)
05-28-2024	0300	75	M. Graham
	0600	73	BLASDELL
	0900	75	BLASDELL
	1200	78°	BLASDELL
	1500	82°	J. Valencia
	1800	81°	J. Valencia
	2100	81°	J. Valencia
	2400	75	M. Graham

Wednesday

Date	Time	Temp.	Name (Print)
05-29-2024	0300	75	M. Graham
	0600	75	BLASDELL
	0900	73	BLASDELL
	1200	77	BLASDELL
	1500	77°	J. Valencia
	1800	79°	J. Valencia
	2100	79°	J. Valencia
	2400	72	M. GRAHAM

Thursday

Date	Time	Temp.	Name (Print)
05-30-2024	0300	72	M. GRAHAM
	0600	73	BLASDELL
	0900	75	BLASDELL
	1200	77	BLASDELL
	1500	79	PANTOJA
	1800	80	PANTOJA
	2100	81	PANTOJA
	2400	79°	R. MORALES

Friday

Date	Time	Temp.	Name (Print)
05-31-2024	0300	75°	R. MORALES
	0600	73°	K. CEJA
	0900	72°	K. CEJA
	1200	73°	K. CEJA
	1500	81	CERMENO
	1800	82	CERMENO
	2100	81	CERMENO
	2400	81	CERMENO

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: 1ST TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	0300	73	J. GALAVIZ
	0600	73	E. HURD
	0900	73	E. HURD
	1200	73	E. HURD
	1500	73	R. MICHELSON
	1800	73	R. MICHELSON
	2100	73	R. MICHELSON
	2400	73	J. GALAVIZ

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	0300	73	J. GALAVIZ
	0600	73	E. HURD
	0900	73	E. HURD
	1200	73	E. HURD
	1500	73	J. GALAVIZ
	1800	73	J. GALAVIZ
	2100	73	J. GALAVIZ
	2400	73	J. GALAVIZ

Friday

Date	Time	Temp.	Name (Print)
05/03/2024	0300	73	J. GALAVIZ
	0600	73	E. HURD
	0900	73	E. HURD
	1200	73	E. HURD
	1500	74	S. Rivera
	1800	75	S. Rivera
	2100	74	S. Rivera
	2400	74	O. VALADEZ

Saturday

Date	Time	Temp.	Name (Print)
05/04/2024	0300	73	O. VALADEZ
	0600	73	Basiaco
	0900	73	E. HURD
	1200	73	E. HURD
	1500	74	S. Rivera
	1800	74	S. Rivera
	2100	72	S. Rivera
	2400	72	S. Rivera

Sunday

Date	Time	Temp.	Name (Print)
05/05/2024	0300	72	S. Rivera
	0600	73	Basiaco
	0900	73	Basiaco
	1200	73	Basiaco
	1500	73	S. Rivera
	1800	72	S. Rivera
	2100	72	S. Rivera
	2400	72	C. VALADEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: DAYROOM 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	70	C. VILLALOBOS
	0600	71	Bassiacu
	0900	71	R. BAKER
	1200	74	R. BAKER
	1500	71	N. MOSARRO
	1800	71	N. MOSARRO
	2100	70	N. MOSARRO
	2400	68	C. MCKEE

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	65	C. MCKEE
	0600	70	E. HURD
	0900	70	E. HURD
	1200	72	E. HURD
	1500	72	E. HURD
	1800	73	E. HURD
	2100	73	E. HURD
	2400	70	S. BORREGO

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	70	S. BORREGO
	0600	70	S. BORREGO
	0900	72	E. HURD
	1200	73	E. HURD
	1500	73	A. ALROBIAT
	1800	73	A. ALROBIAT
	2100	71	S. BORREGO
	2400	71	S. BORREGO

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	70	S. BORREGO
	0600	70	S. BORREGO
	0900	70	E. HURD
	1200	70	E. HURD
	1500	72	M. PANTOJA
	1800	73	M. PANTOJA
	2100	73	M. PANTOJA
	2400	73	J. GALAVIZ

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	73	J. GALAVIZ
	0600	70	E. HURD
	0900	72	E. HURD
	1200	72	E. HURD
	1500	73	S. RIVERA
	1800	73	S. RIVERA
	2100	73	S. RIVERA
	2400	73	M. PANTOJA

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	72	S. MONERO
	0600	72	Bassiacu
	0900	72	Bassiacu
	1200	72	Bassiacu
	1500	75	S. RIVERA
	1800	75	S. RIVERA
	2100	75	S. RIVERA
	2400	75	S. RIVERA

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	72	M. PANTOJA
	0600	72	Bassiacu
	0900	72	Bassiacu
	1200	72	Bassiacu
	1500	75	S. RIVERA
	1800	75	S. RIVERA
	2100	75	S. RIVERA
	2400	75	S. BORREGO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H3 Temp. Reading Location: DAYROOM 1st (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	75	S. BORREGO
	0600	75	Bustaco
	0900	75	Bustaco
	1200	75	Bustaco
	1500	75	N. MOSARRO
	1800	77	N. MOSARRO
	2100	77	N. MOSARRO
	2400	74	S. BORREGO

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	74	S. BORREGO
	0600	74	E. HURD
	0900	74	E. HURD
	1200	75	E. HURD
	1500	75	M. PANTOJA
	1800	75	M. PANTOJA
	2100	74	M. PANTOJA
	2400	74	S. BORREGO

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	73	S. BORREGO
	0600	73	E. HURD
	0900	75	E. HURD
	1200	75	E. HURD
	1500	76	H. Ahmed
	1800	78	H. Ahmed
	2100	77	H. Ahmed
	2400	77	S. BORREGO

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	76	S. BORREGO
	0600	75	E. HURD
	0900	75	E. HURD
	1200	76	E. HURD
	1500	76	R. MICHELSON
	1800	76	R. MICHELSON
	2100	75	R. MICHELSON
	2400	75	E. VILLALOBOS

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	75	E. VILLALOBOS
	0600	75	E. HURD
	0900	75	E. HURD
	1200	77	E. HURD
	1500	75	R. MICHELSON
	1800	76	R. MICHELSON
	2100	76	R. MICHELSON
	2400	75	E. VILLALOBOS

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	75	E. VILLALOBOS
	0600	75	Bustaco
	0900	75	E. HURD
	1200	75	E. HURD
	1500	75°	J. McCain
	1800	75°	J. McCain
	2100	75°	J. McCain
	2400	78	J. GALAVIZ

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	78	J. GALAVIZ
	0600	77	K. BAKER
	0900	77	K. Bailey
	1200	77	K. Bailey
	1500	75	J. AMADOR
	1800	76	J. AMADOR
	2100	76	J. AMADOR
	2400	76	C. VICCARRO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: Day room 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	73	C. [illegible]
	0600	74	Basiaco
	0900	75	Basiaco
	1200	75	Basiaco
	1500	75	Enriquez
	1800	75	Enriquez
	2100	75	Enriquez
	2400	73	S. Borrego

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	73	S. Borrego
	0600	73	S. Borrego
	0900	72	R Baker
	1200	73	R Baker
	1500	73	R. Michelson
	1800	73	R. Michelson
	2100	73	R. Michelson
	2400	73	S. Borrego

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	73	S. Borrego
	0600	73	E. Hurd
	0900	74	E. Hurd
	1200	74	E. Hurd
	1500	73	R. Michelson
	1800	73	R. Michelson
	2100	73	R. Michelson
	2400	75	S. Borrego

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	74	S. Borrego
	0600	74	E. Hurd
	0900	74	E Hurd
	1200	74	E. Hurd
	1500	74	R. Michelson
	1800	74	R. Michelson
	2100	74	R. Michelson
	2400	74	J. Galaviz

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	74	J. Galaviz
	0600	74	E. Hurd
	0900	74	E. Hurd
	1200	74	E. Hurd
	1500	74	R. Michelson
	1800	73	R. Michelson
	2100	73	R. Michelson
	2400	73	S. Rivera

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	73	S Rivera
	0600	73	Basiaco
	0900	73	Basiaco
	1200	74	Basiaco
	1500	73	E. Zelaya
	1800	72	E. Zelaya
	2100	73	E. Zelaya
	2400	72	Fabricio

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	73	J. Galaviz
	0600	73	Basiaco
	0900	74	Basiaco
	1200	74	Basiaco
	1500	75	Alrobiai
	1800	74	Alrobiai
	2100	73	Alrobiai
	2400	72	C. McKee

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-3 Temp. Reading Location: DAYLOOM 1st
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	71	C. McLEE
	0600	72	Barraza
	0900	72	Barraza
	1200	74	Barraza
	1500	74	N. MOJARRO
	1800	74	N. MOJARRO
	2100	73	N. MOJARRO
	2400	72	C. McLEE

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	71	S. BORREGO
	0600	74	E. HURO
	0900	74	E. HURO
	1200	75	E. HURO
	1500	75	R. MICHELSON
	1800	75	R. MICHELSON
	2100	75	R. MICHELSON
	2400	76	S. BORREGO

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	75	S. BORREGO
	0600	75	E. HURO
	0900	76	E. HURO
	1200	76	E. HURO
	1500	76	R. MICHELSON
	1800	76	R. MICHELSON
	2100	75	R. MICHELSON
	2400	75	J. MAMAUAL

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	75	J. MAMAUAL
	0600	75	E. HURO
	0900	76	E. HURO
	1200	76	E. HURO
	1500	75	R. MICHELSON
	1800	75	R. MICHELSON
	2100	75	R. MICHELSON
	2400	78	S. GALAVIZ

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	78	S. GALAVIZ
	0600	76	E. HURO
	0900	77	E. HURO
	1200	77	E. HURO
	1500	78	S. RIVER
	1800	78	S. RIVER
	2100	78	S. RIVER
	2400	78	R. MICHELSON

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	77	R. MICHELSON
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H4 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
05-01-24	0300	70	I. Hernandez
	0600	70	F. Melagoza
	0900	70	F. MELGOZA
	1200	70	F. MELGOZA
	1500	74	B. ORTEGA
	1800	77	B. ORTEGA
	2100	70	A. Rivera
	2400	70	A. Rivera

Thursday

Date	Time	Temp.	Name (Print)
05-02-24	0300	70	A. Rivera
	0600	70	A. Rivera
	0900	70	J. AGUILAR
	1200	70	J. AGUILAR
	1500	73	B. ORTEGA
	1800	75	B. ORTEGA
	2100	74	B. ORTEGA
	2400	70	B. Gatner

Friday

Date	Time	Temp.	Name (Print)
05-03-24	0300	70	B. Gatner
	0600	70	J. AGUILAR
	0900	70	J. AGUILAR
	1200	70	J. AGUILAR
	1500	70	ORTEGA
	1800	70	ORTEGA
	2100	70	ORTEGA
	2400	70	B. Gatner

Saturday

Date	Time	Temp.	Name (Print)
05-04-24	0300	70	B. Gatner
	0600	70	J. [illegible]
	0900	70	J. [illegible]
	1200	71	F. GALICIA
	1500	71	ALCALA
	1800	72	ALCALA
	2100	71	ALCALA
	2400	71	C. VILLALOBOS

Sunday

Date	Time	Temp.	Name (Print)
05-05-24	0300	70	C. VILLALOBOS
	0600	70	F. GALICIA
	0900	70	F. GALICIA
	1200	71	F. GALICIA
	1500	70	A. Rivera
	1800	70	A. Rivera
	2100	70	A. RIVERA
	2400	70	F. GALICIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H4 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/6

Date	Time	Temp.	Name (Print)
5/6/24	0300	67	GALICIA
	0600	67	J. RAMIRAN
	0900	68	J. RAMIRAN
	1200	68	J. RAMIRAN
	1500	70	L. PONCE
	1800	70	L. PONCE
	2100	70	L. PONCE
	2400	70	N. MOJARRO

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	68	N. MOJARRO
	0600	70	BASICA
	0900	70	BASICA
	1200	69	BASICA
	1500	70	L. PONCE
	1800	70	ZELAYA
	2100	70	JUAREZ
	2400	70	N. MOJARRO

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	69	N. MOJARRO
	0600	69°	J. LUQUE
	0900	69°	J. LUQUE
	1200	69°	J. LUQUE
	1500	70	L. PONCE
	1800	70	L. PONCE
	2100	70	L. PONCE
	2400	70	N. MOJARRO

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	69	N. MOJARRO
	0600	69°	J. LUQUE
	0900	69°	J. LUQUE
	1200	70°	J. LUQUE
	1500	71	L. PONCE
	1800	71	L. PONCE
	2100	71	L. PONCE
	2400	70	N. MOJARRO

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	69	N. MOJARRO
	0600	70°	J. LUQUE
	0900	71°	J. LUQUE
	1200	71°	J. LUQUE
	1500	72	L. PONCE
	1800	73	L. PONCE
	2100	73	L. PONCE
	2400	72	S. RIVER

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	72	S. RIVER
	0600	72	N. JONES
	0900	72	N. JONES
	1200	72	N. JONES
	1500	77	ALCALA
	1800	78	ALCALA
	2100	78	ALCALA
	2400	78	N. JONES

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	75	S. VILLALOBOS
	0600	74	MACIEL J.
	0900	74	MACIEL J.
	1200	75	GANNON, S
	1500	80	F. ORTEZ
	1800	80	F. ORTEZ
	2100	80	F. ORTEZ
	2400	81	F. GALICIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H-4 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	80	FGALICIA
	0600	79	I. HERNANDEZ
	0900	77	J. RAMIREZ
	1200	78	J. RAMIREZ
	1500	78	R. HAYES
	1800	78	R. HAYES
	2100	78	R. HAYES
	2400	78	N. MOSARRO

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	77	N. MOSARRO
	0600	78	Basiaco
	0900	77	Basiaco
	1200	78	Basiaco
	1500	80	ALROBIAI
	1800	80	ALROBIAI
	2100	79	ALROBIAI
	2400	80	N. MOSARRO

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	79	N. MOSARRO
	0600	79	N. SAMPAYAN
	0900	79	N. SAMPAYAN
	1200	80	N. SAMPAYAN
	1500	80	Ruiz
	1800	80	Ruiz
	2100	80	Ruiz
	2400	80	N. MOSARRO

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	79	N. MOSARRO
	0600	77°	F. MELGOZA
	0900	77°	F. MELGOZA
	1200	79°	F. MELGOZA
	1500	81°	B. Ortega
	1800	84°	B. Ortega
	2100	80°	B. Ortega
	2400	80	N. MOSARRO

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	80	N. MOSARRO
	0600	78	N. JONES
	0900	78	N. JONES
	1200	79	N. JONES
	1500	80	B. Ortega
	1800	83	B. Ortega
	2100	80	B. Ortega
	2400	74	N. JONES

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	74	N. JONES
	0600	74	J. RAMIREZ
	0900	74	J. RAMIREZ
	1200	74	J. RAMIREZ
	1500	76	R. MICHEZS
	1800	76	R. MICHEZS
	2100	76	R. MICHEZS
	2400	76	J. RAMIREZ

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	74	J. RAMIREZ
	0600	74	J. RAMIREZ
	0900	72	J. RAMIREZ
	1200	73	J. RAMIREZ
	1500	76	J. Day
	1800	78	J. [illegible]
	2100	79	J. [illegible]
	2400	76	J. RAMIREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H4 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	73	J. RAMIREZ
	0600	73	J. RAMIREZ
	0900	73	J. RAMIREZ
	1200	74	J. RAMIREZ
	1500	74	F. CADENA
	1800	76	F. CADENA
	2100	74	F. CADENA
	2400	74	N. MOJARRO

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	73	N. MOJARRO
	0600	73	Basiaco
	0900	74	Basiaco
	1200	74	Basiaco
	1500	75	F. CADENA
	1800	76	F. CADENA
	2100	75	F. CADENA
	2400	75	N. MOJARRO

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	74	N. MOJARRO
	0600	74°	F. MELGOZA
	0900	74°	F. MELGOZA
	1200	74°	F. MELGOZA
	1500	80°	B. Ortega
	1800	81°	B. Ortega
	2100	80	B. Ortega
	2400	80	N. MOJARRO

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	80	N. MOJARRO
	0600	78	J. RAMIREZ
	0900	76	J. RAMIREZ
	1200	74	J. RAMIREZ
	1500	80°	B. Ortega
	1800	81°	B. Ortega
	2100	81	B. Ortega
	2400	80	N. MOJARRO

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	80	N. MOJARRO
	0600	72	F. GONZALEZ
	0900	75	F. GONZALEZ
	1200	80	F. GONZALEZ
	1500	75	B. Ortega
	1800	74	B. Ortega
	2100	74	B. Ortega
	2400	74	C. VILLALOBOS

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	73	C. VILLALOBOS
	0600	71	FGALICIA
	0900	72	FGALICIA
	1200	73	FGALICIA
	1500	74°	I. Alcala
	1800	75°	I. Alcala
	2100	75°	I. Alcala
	2400	74	Jones

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	73	Jones
	0600	71	FGALICIA
	0900	73	FGALICIA
	1200	75	FGALICIA
	1500	75°	I. Alcala
	1800	77°	I. Alcala
	2100	78	I. Alcala
	2400	76	FGALICIA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: H4 Temp. Reading Location: 1st tier
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	77	N. JONES
	0600	77	N. JONES
	0900	78	N. JONES
	1200	78	N. JONES
	1500	78	F. CADENA
	1800	78	F. CADENA
	2100	76	F. CADENA
	2400	75	N. MOSARRO

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	74	N. MOSARRO
	0600	78	C. TUCKER
	0900	79	F. GALICIA
	1200	80	F. GALICIA
	1500	80	F. CADENA
	1800	80	F. CADENA
	2100	86	F. CADENA
	2400	80	N. MOSARRO

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	80	N. MOSARRO
	0600	80	F. GALICIA
	0900	80	F. GALICIA
	1200	81	F. GALICIA
	1500	80	B. ortega
	1800	81	B. ortega
	2100	80	B. ortega
	2400	80	N. MOSARRO

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	79	N. MOSARRO
	0600	79	N. JONES
	0900	80	N. JONES
	1200	81	N. JONES
	1500	80	B. ortega
	1800	80	B. ortega
	2100	85	B. ortega
	2400	80	K. CEJA

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	80°	K. CEJA
	0600	79°	N. JONES
	0900	79°	N. JONES
	1200	80°	N. Jones
	1500	82	B. Ortega
	1800	82	B. ortega
	2100	80	B. ortega
	2400	80	B. ortega

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP-W Housing Unit: M1 Temp. Reading Location: 1st FLOOR (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	69	L. Clayd
	0600	69	S. MEJIA
	0900	71	S. MEJIA
	1200	71	S. MEJIA
	1500	72	M. Leon
	1800	71	M. Leon
	2100	69	M. Leon
	2400	68	L. Clayd

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0300	69	L. Clayd
	0600	68	S. MEJIA
	0900	70	S. MEJIA
	1200	70	S. MEJIA
	1500	72	Ramirez
	1800	73	Ramirez
	2100	73	Ramirez
	2400	69	L. Clayd

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0300	69	L. Clayd
	0600	69	D. MUNOZ
	0900	69	D. MUNOZ
	1200	69	D. MUNOZ
	1500	69	D. LEAL
	1800	69	D. LEAL
	2100	69	D. LEAL
	2400	69	C. LOMELI

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	69	C. LOMELI
	0600	69	MUNOZ
	0900	69	MUNOZ
	1200	69	MUNOZ
	1500	69	MUNOZ
	1800	69	S. MEJIA
	2100	69	S. MEJIA
	2400	62	A. RODRIGUEZ

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	60	A. Rodriguez
	0600	60	[illegible]
	0900	64	[illegible]
	1200	68	[illegible]
	1500	70	F. Martinez
	1800	69	F. Martinez
	2100	62	F. Martinez
	2400	60	A. RODRIGUEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: DAYROOM 1st Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	59°	A. RODRIGUEZ
	0600	59	MUNOZ
	0900	65	MUNOZ
	1200	69	MUNOZ
	1500	71	T. LIVINGSTON
	1800	68	T. LIVINGSTON
	2100	67	T. LIVINGSTON
	2400	69	R. Lloyd

Tuesday

Date	Time	Temp.	Name (Print)
5-7-24	0300	69	R. Lloyd
	0600	69	D. MUNOZ
	0900	69	MUNOZ
	1200	69	MUNOZ
	1500	69	H. SHERWOOD
	1800	69	H. SHERWOOD
	2100	69	H. SHERWOOD
	2400	69	R. Lloyd

Wednesday

Date	Time	Temp.	Name (Print)
5-8-24	0300	68	R. Lloyd
	0600	69	S. MEJIA
	0900	69	S. MEJIA
	1200	70	S. MEJIA
	1500	70	G. ZARAGOSA
	1800	70	G. ZARAGOSA
	2100	69	G. ZARAGOSA
	2400	69	R. Lloyd

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0300	69	R. Lloyd
	0600	69	S. Mejia
	0900	70	S. Mejia
	1200	70	S. Mejia
	1500	69	F. ROJAS
	1800	71	F. ROJAS
	2100	71	F. ROJAS
	2400	70	R. Lloyd

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	69	R. Lloyd
	0600	69	MUNOZ
	0900	70	MUNOZ
	1200	70	MUNOZ
	1500	70	A. RIVERA
	1800	73	A. RIVERA
	2100	79	A. RIVERA
	2400	70	R. Lloyd

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	69	R. Lloyd
	0600	69	MUNOZ
	0900	70	MUNOZ
	1200	70	MUNOZ
	1500	70	ZARAGOSA
	1800	70	ZARAGOSA
	2100	69	ZARAGOSA
	2400	68	A. RODRIGUEZ

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	66°	A. RODRIGUEZ
	0600	69°	D. MUNOZ
	0900	69°	D. MUNOZ
	1200	70°	D. MUNOZ
	1500	74°	F. MARTINEZ
	1800	79°	F. MARTINEZ
	2100	70°	F. MARTINEZ
	2400	70	C. LOMELI

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: DAY ROOM (1st Floor)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	C. LOMELI
	0600	70	D. MUNOZ
	0900	70	D. MUNOZ
	1200	70	D. MUNOZ
	1500	70°	Segura
	1800	70°	Segura
	2100	70°	Segura
	2400	71	L. Cloyd

Tuesday

Date	Time	Temp.	Name (Print)
5-14-24	0300	70	L. Cloyd
	0600	70	S. MEJIA
	0900	70	S. MEJIA
	1200	71	S. MEJIA
	1500	70°	D. Hosey
	1800	70°	D. Hosey
	2100	70°	D. Hosey
	2400	71	L. Cloyd

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0300	69	Cloyd
	0600	70	Munoz
	0900	70	Munoz
	1200	70	Munoz
	1500	70°	D. Hosey
	1800	70°	D. Hosey
	2100	70°	D. Hosey
	2400	70	L. Cloyd

Thursday

Date	Time	Temp.	Name (Print)
5-16-24	0300	70	L. Cloyd
	0600	70	S. MEJIA
	0900	70	S. MEJIA
	1200	70	S. MEJIA
	1500	95	J. AMADOR
	1800	90	J. AMADOR
	2100	90	J. AMADOR
	2400	70	M. PANTOJA

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	M. PANTOJA
	0600	70	D Munoz
	0900	70	D Munoz
	1200	70	D. Munoz
	1500	70°	J. McCain
	1800	70°	J. McCain
	2100	70°	J. McCain
	2400	71	L. Cloyd

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0300	70	L. Cloyd
	0600	70	Munoz
	0900	70	Munoz
	1200	70	Munoz
	1500	70	Morales
	1800	70	Morales
	2100	70	Morales
	2400	70	A. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
5-19-24	0300	70	A. RODRIGUEZ
	0600	70	J. CARDENAS
	0900	70	J. CARDENAS
	1200	70	J. CARDENAS
	1500	70	A. Rodriguez
	1800	70	A. Rodriguez
	2100	70	A. Rodriguez
	2400	72	A. RODRIGUEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: DAY ROOM (1st Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	72	A. Rodriguez
	0600	70	D. Munoz
	0900	70	D. Munoz
	1200	70	D. Munoz
	1500	70°	G. Ortiz
	1800	70°	G. Ortiz
	2100	70°	G. Ortiz
	2400	70°	G. Ortiz

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	G. Ortiz
	0600	70	G. Ortiz Munoz
	0900	70	D. Munoz
	1200	70	Munoz
	1500	72	M. Leon
	1800	70	M. Leon
	2100	70	M. Leon
	2400	70	R. Clayd

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0300	70	R. Clayd
	0600	70	S. Mejia
	0900	70	S. Mejia
	1200	71	S. Mejia
	1500	70	R. Clayd
	1800	70	R. Clayd
	2100	70	R. Clayd
	2400	70	R. Clayd

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0300	70	R. Clayd
	0600	70	S. Mejia
	0900	70	S. Mejia
	1200	70	S. Mejia
	1500	70	M. Valencia
	1800	70	M. Valencia
	2100	70	M. Valencia
	2400	70	R. Clayd

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0300	70	R. Clayd
	0600	70	Munoz
	0900	70	Munoz
	1200	70	Munoz
	1500	70	Valencia
	1800	70	Valencia
	2100	70	Valencia
	2400	70	R. Clayd

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0300	70	R. Clayd
	0600	70	Bernabe
	0900	70	Bernabe
	1200	70	Bernabe
	1500	70	WACUEL J.
	1800	71	WACUEL J.
	2100	71	WACUEL J.
	2400	69	A. Rodriguez

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	Rodriguez
	0600	70	Linares
	0900	70	Linares
	1200	71	Linares
	1500	70°	Ortiz
	1800	70°	Ortiz
	2100	70	Ortiz
	2400	70°	A. Rodriguez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M1 Temp. Reading Location: DAYROOM (1st Floor)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday MAY 27

Date	Time	Temp.	Name (Print)
5-27-24	0300	66°	A. RODRIGUEZ
	0600	70	D. MUNOZ
	0900	70	D. MUNOZ
	1200	70	D. MUNOZ
	1500	70	Ortiz
	1800	70	Ortiz
	2100	70°	Ortiz
	2400	70°	Ortiz

Tuesday

Date	Time	Temp.	Name (Print)
5-28-24	0300	70°	Ortiz
	0600	70°	Ortiz
	0900	70	D. MUNOZ
	1200	70	D. MUNOZ
	1500	70°	D. Hosey
	1800	70°	D. Hosey
	2100	70°	D. Hosey
	2400	70	L. Cloyd

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	L. Cloyd
	0600	69	S. MEJIA
	0900	70	S. MEJIA
	1200	70	S. MEJIA
	1500	70	Zamposa
	1800	70	Zamposa
	2100	70	Zamposa
	2400	70	L. Cloyd

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	70	L. Cloyd
	0600	69	S. MEJIA
	0900	71	S. MEJIA
	1200	71	S. MEJIA
	1500	74	ALROBIAI
	1800	75	ALROBIAI
	2100	74	ALROBIAI
	2400	70	M. Pascual

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	69	M. Pascual
	0600	70	D. MUNOZ
	0900	70	D. MUNOZ
	1200	70	D. MUNOZ
	1500	71	Holgun
	1800	71	Holgun
	2100	70	Holgun
	2400	70	A. GONZALEZ

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	69	A. GONZALEZ
	0600	70	MUNOZ
	0900	70	MUNOZ
	1200	70	MUNOZ
	1500	70	D. RODRIGUEZ
	1800	71	D. RODRIGUEZ
	2100	71	D. RODRIGUEZ
	2400	71	A. RODRIGUEZ

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	69	A. RODRIGUEZ
	0600	70	D. MUNOZ
	0900	70	D. MUNOZ
	1200	71	D. MUNOZ
	1500	70	Ortiz
	1800	70	Ortiz
	2100	80	Ortiz
	2400	79	B Holland

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: MB2 Temp. Reading Location: Dayroom (1st Floor)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
5/1	0300	65	A. MACIAS
	0600	65	MALLARD
	0900	65	Mallard
	1200	67	MALLARD
	1500	68	A RODRIGUEZ
	1800	68	A. RODRIGUEZ
	2100	67	A RODRIGUEZ
	2400	65	A MACIAS

Thursday

Date	Time	Temp.	Name (Print)
5/2	0300	65	A. MACIAS
	0600	65	MALLARD
	0900	65	MALLARD
	1200	68	MALLARD
	1500	70	M. Cordova
	1800	70	M Cordova
	2100	70	M. Cordova
	2400	65	A MACIAS

Friday

Date	Time	Temp.	Name (Print)
5/3	0300	65	A. MACIAS
	0600	65	MALLARD
	0900	68	MALLARD
	1200	70	MALLARD
	1500	70	M Cordova
	1800	70	M Cordova
	2100	70	M Cordova
	2400	65	A LEON

Saturday

Date	Time	Temp.	Name (Print)
5/4	0300	64	A LEON
	0600	64	A. LEON
	0900	65	A. LEON
	1200	66	A. LEON
	1500	70	M Cordova
	1800	70	M Cordova
	2100	70	M Cordova
	2400	65	A MACIAS

Sunday

Date	Time	Temp.	Name (Print)
5/5	0300	65	A MACIAS
	0600	65	A LEON
	0900	66	A LEON
	1200	67	A LEON
	1500	70	M Cordova
	1800	70	M Cordova
	2100	70	M Cordova
	2400	65	A MACIAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP. RC Housing Unit: H-2 Temp. Reading Location: DAY ROOM (1st Floor)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	65	A. MACIAS
	0600	65	Mallard
	0900	65	Mallard
	1200	66	Mallard
	1500	68	M. Cordova
	1800	67	M Cordova
	2100	66	M Cordova
	2400	65	A. MACIAS

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	65	A. MACIAS
	0600	65	Mallard
	0900	66	Mallard
	1200	66	Mallard
	1500	66	Mallard
	1800	66	Mallard
	2100	66	Mallard
	2400	65	A. MACIAS

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	65	A. MACIAS
	0600	65	Mallard
	0900	66	Mallard
	1200	66	Mallard
	1500	68	Mallard
	1800	68	Mallard
	2100	66	Mallard
	2400	65	A. MACIAS

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	65	A. MACIAS
	0600	65	Mallard
	0900	66	Mallard
	1200	68	Mallard
	1500	70	M. Cordova
	1800	70	M. Cordova
	2100	70	M. Cordova
	2400	70	A. RODRIGUEZ

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	68	A. RODRIGUEZ
	0600	66	MALLARD
	0900	67	MALLARD
	1200	68	MALLARD
	1500	69	M. Cordova
	1800	67	M. Cordova
	2100	67	M. Cordova
	2400	67	A. RODRIGUEZ

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	67	A. RODRIGUEZ
	0600	68	A. LEON
	0900	68	A. LEON
	1200	70	A. LEON
	1500	70	M. Cordova
	1800	70	M. Cordova
	2100	68	M. Cordova
	2400	67	A. MACIAS

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	67	A. MACIAS
	0600	68	A. LEON
	0900	70	A. LEON
	1200	70	A. LEON
	1500	70	M. Cordova
	1800	70	M. Cordova
	2100	70	M. Cordova
	2400	67	A. MACIAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M-2 Temp. Reading Location: Day room (1st)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 1001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	68	A MACIAS
	0600	69	Mallory
	0900	69	Mallory
	1200	70	Mallory
	1500	71	M. Cordova
	1800	72	M. Cordova
	2100	70	M. Cordova
	2400	68	A MACIAS

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	68	A MACIAS
	0600	69	Mallory
	0900	70	Mallory
	1200	70	Mallory
	1500	72	Mallory
	1800	72	Mallory
	2100	70	Mallory
	2400	68	A MACIAS

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	68	A. MACIAS
	0600	69	Mallory
	0900	70	Mallory
	1200	71	Mallory
	1500	72	Sanchez
	1800	72	Sanchez
	2100	71	Sanchez
	2400	68	A MACIAS

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	67	A MACIAS
	0600	68	Mallory
	0900	69	Mallory
	1200	70	Mallory
	1500	70	M. Cordova
	1800	70	M. Cordova
	2100	70	M. Cordova
	2400	68	Pascual

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	68	Pascual
	0600	70	Mallory
	0900	71	Mallory
	1200	72	Mallory
	1500	72	M. Cordova
	1800	72	M. Cordova
	2100	70	M. Cordova
	2400	67	A. Rodriguez

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	68	A. Rodriguez
	0600	69	BARRON
	0900	71	BARRON
	1200	72	BARRON
	1500	70	M. Cordova
	1800	70	M. Cordova
	2100	70	M. Cordova
	2400	72	F. MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	72	F. MARTIN
	0600	71	F. MARTIN
	0900	71	G Dickey
	1200	72	G Dickey
	1500	70	M. Cordova
	1800	70	M. Cordova
	2100	70	M. Cordova
	2400	70	A. Rodriguez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSP Housing Unit: M-2 Temp. Reading Location: DAYROOM (1st)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	69	H. GONZALEZ
	0600	69	Mallard
	0900	69	Mallard
	1200	70	Mallard
	1500	70	M. Cordova
	1800	70	M. Cordova
	2100	70	M. Cordova
	2400	68	A MACIAS

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	68	A. MACIAS
	0600	68	MALLARD
	0900	69	MALLARD
	1200	70	MALLARD
	1500	70°	G Ortiz
	1800	70°	G Ortiz
	2100	70°	G Ortiz
	2400	68	A MACIAS

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	68	A MACIAS
	0600	68	Mallard
	0900	69	MALLARD
	1200	70	MALLARD
	1500	72	MALLARD
	1800	72	MALLARD
	2100	72	MALLARD
	2400	68	A MACIAS

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	68	A. MACIAS
	0600	68	MALLARD
	0900	70	Mallard
	1200	70	Mallard
	1500	70	M. Cordova
	1800	70	M. Cordova
	2100	70	M. Cordova
	2400	68	CLAPER

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	68	CLAPER
	0600	68	Mallard
	0900	68	Mallard
	1200	70	Mallard
	1500	70	M. Cordova
	1800	70	M. Cordova
	2100	70	M. Cordova
	2400	70	A. RODRIGUEZ

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	68	A. RODRIGUEZ
	0600	69	J PEREZ
	0900	69	J PEREZ
	1200	70	J PEREZ
	1500	70	M. Cordova
	1800	70	M. Cordova
	2100	70	M. Cordova
	2400	68	A MACIAS

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	68	A MACIAS
	0600	68	L. Lopez
	0900	70	L. Lopez
	1200	70	L. Lopez
	1500	70	G. LEMOS
	1800	70	G. LEMOS
	2100	70	G LEMOS
	2400	68	A. MACIAS

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: WSPRC Housing Unit: M-2 Temp. Reading Location: Day Room (1st)
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6001 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	68	A MACIAS
	0600	68	Mallard
	0900	70	Mallard
	1200	71	Mallard
	1500	72	M. Cordova
	1800	72	M. Cordova
	2100	70	M. Cordova
	2400	68	A. MACIAS

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	68	A. MACIAS
	0600	68	Mallard
	0900	69	Mallard
	1200	70	Mallard
	1500	72	ORTIZ
	1800	72	ORTIZ
	2100	70	ORTIZ
	2400	68	A. MACIAS

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	68	A. MACIAS
	0600	68	Mallard
	0900	69	Mallard
	1200	70	Mallard
	1500	70	CLOYD
	1800	70	CLOYD
	2100	70	CLOYD
	2400	68	S. Moreno

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	68	S. Moreno
	0600	68	Mallard
	0900	70	Mallard
	1200	72	Mallard
	1500	70	M. Cordova
	1800	70	M. Cordova
	2100	70	M. Cordova
	2400	70	Gonzalez

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	72	Gonzalez
	0600	72	E. Chavira
	0900	72	E. Chavira
	1200	72	E. Chavira
	1500	75	M. Cordova
	1800	75	M. Cordova
	2100	75	M. Cordova
	2400	73	K. Foley

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	72	K. Foley
	0600	71	A. Leon
	0900	70	A. Leon
	1200	71	A. Leon
	1500	75	M. Cordova
	1800	75	M. Cordova
	2100	75	M. Cordova
	2400	72	J. Dunn

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	71	J. Dunn
	0600	70°	A. Leon
	0900	71°	A. Leon
	1200	71°	A. Leon
	1500	75	M. Cordova
	1800	75	M. Cordova
	2100	75	M. Cordova
	2400	74	M. PANTOJA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator