STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Mon 07/15/2024	0100	77	LUTZ
	0200	76	LUTZ
	0300	76	LUTZ
	0400	75	LUTZ
	0500	77	LUTZ
	0600	71	D. ARREZOLA
	0700	68	D. ARREZOLA
	0800	69	D. ARREZOLA
	0900	71	D. ARREZOLA
	1000	72	D. ARREZOLA
	1100	75	D. ARREZOLA
	1200	79	D. ARREZOLA
	1300	81	D. ARREZOLA
	1400	85	Hemingsen
	1500	88	Hemingsen
	1600	89	Hemingsen
	1700	87	Hemingsen
	1800	81	Hemingsen
	1900	76	Hemingsen
	2000	73	Hemingsen
	2100	73	Hemingsen
	2200	73	SYPRASEUTH
	2300	72	SYPRASEUTH
	2400	70	SYPRASEUTH

DATE	TIME	TEMP.	PRINTED NAME
Tue 07/16/2024	0100	69	SYPRASEUTH
	0200	67	SYPRASEUTH
	0300	67	SYPRASEUTH
	0400	65	SYPRASEUTH
	0500	65	SYPRASEUTH
	0600	62	BROWN
	0700	65	BROWN
	0800	64	BROWN
	0900	67	BROWN
	1000	71	BROWN
	1100	72	BROWN
	1200	77	BROWN
	1300	78	Hemingsen
	1400	82	Hemingsen
	1500	84	Hemingsen
	1600	83	Hemingsen
	1700	79	Hemingsen
	1800	75	Hemingsen
	1900	73	Hemingsen
	2000	69	Hemingsen
	2100	67	Hemingsen
	2200	60	Murillo
	2300	60	Murillo
	2400	60	Murillo

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 07/17/2024	0100	59	Murillo
	0200	59	Murillo
	0300	59	Murillo
	0400	57	Murillo
	0500	59	Murillo
	0600	57	Hemingsen
	0700	58	Hemingsen
	0800	60	Hemingsen
	0900	62	Hemingsen
	1000	65	Hemingsen
	1100	69	Hemingsen
	1200	74	Hemingsen
	1300	79	Hemingsen
	1400	84	Hemingsen
	1500	89	Hemingsen
	1600	92	Hemingsen
	1700	90	Hemingsen
	1800	89	Hemingsen
	1900	84	Hemingsen
	2000	85	Hemingsen
	2100	78	Hemingsen
	2200	76	Murillo
	2300	71	Murillo
	2400	71	Murillo

DATE	TIME	TEMP.	PRINTED NAME
Thu 07/18/2024	0100	70	Murillo
	0200	70	Murillo
	0300	64	Murillo
	0400	65	Murillo
	0500	65	Murillo
	0600	63	Gonzales
	0700	64	Gonzales
	0800	69	Gonzales
	0900	72	Gonzales
	1000	78	Gonzales
	1100	82	Gonzales
	1200	84	Gonzales
	1300	87	Gonzales
	1400	90	Gonzales
	1500	98	Manning
	1600	100	Manning
	1700	99	Manning
	1800	95	Manning
	1900	91	Manning
	2000	89	Manning
	2100	83	Manning
	2200	78	Gonzales
	2300	78	Gonzales
	2400	76	Gonzales

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Fri 07/19/2024	0100	74	Gomez
	0200	74	Gomez
	0300	72	Gomez
	0400	72	Gomez
	0500	70	Gomez
	0600	66	QUIJAS
	0700	69	QUIJAS
	0800	74	QUIJAS
	0900	81	QUIJAS
	1000	85	QUIJAS
	1100	86	QUIJAS
	1200	90	QUIJAS
	1300	92	QUIJAS
	1400	101	QUIJAS
	1500	103	QUIJAS
	1600	104	QUIJAS
	1700	102	QUIJAS
	1800	98	QUIJAS
	1900	96	QUIJAS
	2000	95	QUIJAS
	2100	92	QUIJAS
	2200	86	Gomez
	2300	63	Gomez
	2400	60	Gomez

DATE	TIME	TEMP.	PRINTED NAME
Sat 07/20/2024	0100	78	Gomez
	0200	75	Gomez
	0300	72	Gomez
	0400	70	Gomez
	0500	68	Gomez
	0600	69	QUIJAS
	0700	72	QUIJAS
	0800	74	QUIJAS
	0900	80	QUIJAS
	1000	83	QUIJAS
	1100	87	QUIJAS
	1200	91	QUIJAS
	1300	93	QUIJAS
	1400	100	SAELEE
	1500	101	Saelee
	1600	99	Saelee
	1700	98	Saelee
	1800	95	Saelee
	1900	90	Saelee
	2000	84	Saelee
	2100	82	Gomez
	2200	81	Gomez
	2300	79	Gomez
	2400	76	Gomez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Sun 07/21/2024	0100	74	Gonzalez
	0200	74	Gonzalez
	0300	73	Gonzalez
	0400	71	Gonzalez
	0500	70	Gonzalez
	0600	63	QUIJAS
	0700	66	QUIJAS
	0800	69	QUIJAS
	0900	72	QUIJAS
	1000	74	QUIJAS
	1100	76	QUIJAS
	1200	80	QUIJAS
	1300	82	QUIJAS
	1400	86	Young
	1500	90	Young
	1600	92	Young
	1700	90	Young
	1800	90	Young
	1900	86	Young
	2000	85	Young
	2100	81	Young
	2200	75	Mendoza
	2300	71	Mendoza
	2400	70	Mendoza

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	80	LUTZ
	0600	78	D. ARREOLA
	0900	76	D. ARREOLA
	1200	78	D. ARREOLA
	1500	79	Hemingsen
	1800	79	Hemingsen
	2100	78	Hemingsen
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	76	SYPRASEUTH
	0600	79	BROWN
	0900	79	BROWN
	1200	80	BROWN
	1500	84	Hemingsen
	1800	80	Hemingsen
	2100	78	Hemingsen
	2400	78	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	78	Murillo
	0600	78	Hemingsen
	0900	79	Hemingsen
	1200	83	Hemingsen
	1500	81	Hemingsen
	1800	83	Hemingsen
	2100	80	Hemingsen
	2400	82	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	73	Murillo
	0600	72	Gonzales
	0900	72	Gonzales
	1200	74	Gonzales
	1500	82	Manning
	1800	82	Manning
	2100	81	Manning
	2400	80	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	98	[illegible]
	0600	75	QUIJAS
	0900	77	QUIJAS
	1200	79	QUIJAS
	1500	81	QUIJAS
	1800	81	QUIJAS
	2100	80	QUIJAS
	2400	78	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	74	[illegible]
	0600	79	QUIJAS
	0900	79	QUIJAS
	1200	79	QUIJAS
	1500	81	Saelee
	1800	81	Saelee
	2100	80	Saelee
	2400	81	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	78	[illegible]
	0600	76	QUIJAS
	0900	78	QUIJAS
	1200	78	QUIJAL
	1500	79	Young
	1800	82	Young
	2100	80	Young
	2400	78	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-1** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	81	Lutz
	0600	86	D. ARREZOLA
	0900	80	D. ARREZOLA
	1200	82	D. ARREZOLA
	1500	84	Hemingsen
	1800	85	Hemingsen
	2100	84	Hemingsen
	2400	82	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	79	SYPRASEUTH
	0600	79	BROWN
	0900	78	BROWN
	1200	79	BROWN
	1500	81	Hemingsen
	1800	82	Hemingsen
	2100	79	Hemingsen
	2400	79	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	76	Murillo
	0600	74	Hemingsen
	0900	74	Hemingsen
	1200	82	Hemingsen
	1500	82	Hemingsen
	1800	81	Hemingsen
	2100	78	Hemingsen
	2400	78	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	77	Murillo
	0600	80	Gonzales
	0900	80	Gonzales
	1200	80	Gonzales
	1500	84	Manning
	1800	85	Manning
	2100	85	Manning
	2400	78	Boer

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	75	Boer
	0600	77	QUIJAS
	0900	78	QUIJAS
	1200	83	QUIJAS
	1500	81	QUIJAS
	1800	81	QUIJAS
	2100	83	QUIJAS
	2400	84	Boer

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	80	Boer
	0600	80	QUIJAS
	0900	80	QUIJAS
	1200	80	QUIJAS
	1500	87	Saelee
	1800	87	Saelee
	2100	86	Saelee
	2400	85	Boer

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	82	Boer
	0600	78	QUIJAS
	0900	79	QUIJAS
	1200	80	QUIJAS
	1500	84	Young
	1800	86	Young
	2100	82	Young
	2400	80	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	85	Lutz
	0600	85	D. ALREZOLA
	0900	85	D. ALREZOLA
	1200	85	D. ALREZOLA
	1500	84	Heminger
	1800	84	Heminger
	2100	83	Heminger
	2400	85	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	80	SYPRASEUTH
	0600	83	BROWN
	0900	83	BROWN
	1200	83	BROWN
	1500	84	Heminger
	1800	81	Heminger
	2100	78	Heminger
	2400	77	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	76	Murillo
	0600	75	Heminger
	0900	79	Heminger
	1200	83	Heminger
	1500	79	Heminger
	1800	80	Heminger
	2100	79	Heminger
	2400	79	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	79	Murillo
	0600	79	Gonzalez
	0900	79	Gonzalez
	1200	80	Gonzalez
	1500	81	Manning
	1800	82	Manning
	2100	82	Manning
	2400	79	Grow

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	76	Grow
	0600	80	QUIJAS
	0900	81	QUIJAS
	1200	82	QUIJAS
	1500	84	QUIJAS
	1800	86	QUIJAS
	2100	86	QUIJAS
	2400	84	Grow

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	79	Grow
	0600	81	QUIJAS
	0900	82	QUIJAS
	1200	82	QUIJAS
	1500	85	Saebee
	1800	86	Saebee
	2100	85	Saebee
	2400	83	Grow

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	80	Grow
	0600	80	QUIJAS
	0900	82	QUIJAS
	1200	83	QUIJAS
	1500	85	YOUNG
	1800	86	YOUNG
	2100	84	YOUNG
	2400	81	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-1** Temp. Reading Location: **137**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	75	Lutz
	0600	75	D. ARREOLA
	0900	77	D. ARREOLA
	1200	79	D. ARREOLA
	1500	78	Hemingsen
	1800	80	Hemingsen
	2100	79	Hemingsen
	2400	77	SYPHASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	75	SYPHASEUTH
	0600	80	BROWN
	0900	79	BROWN
	1200	80	BROWN
	1500	79	Hemingsen
	1800	80	Hemingsen
	2100	78	Hemingsen
	2400	78	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	76	Murillo
	0600	75	Hemingsen
	0900	77	Hemingsen
	1200	84	Hemingsen
	1500	76	Hemingsen
	1800	77	Hemingsen
	2100	77	Hemingsen
	2400	77	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	75	Murillo
	0600	77	Gonzales
	0900	75	Gonzales
	1200	83	Gonzales
	1500	81	Mannis
	1800	82	Mannis
	2100	82	Mannis
	2400	79	Grier

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	79	Grier
	0600	75	QUIJAS
	0900	75	QUIJAS
	1200	80	QUIJAS
	1500	78	QUIJAS
	1800	77	QUIJAS
	2100	76	QUIJAS
	2400	76	Fisher

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	79	Grier
	0600	75	QUIJAS
	0900	78	QUIJAS
	1200	78	QUIJAS
	1500	82	Saelee
	1800	83	Saelee
	2100	81	Saelee
	2400	80	Grier

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	78	Grier
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	79	QUIJAS
	1500	77	YOUNG
	1800	78	YOUNG
	2100	77	YOUNG
	2400	76	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	84	LUTZ
	0600	79	D. ARREOLA
	0900	79	D. ARREOLA
	1200	79	D. ARREOLA
	1500	81	Hemingsen
	1800	81	Hemingsen
	2100	79	Hemingsen
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	75	SYPRASEUTH
	0600	79	BROWN
	0900	79	BROWN
	1200	77	BROWN
	1500	79	Hemingsen
	1800	82	Hemingsen
	2100	80	Hemingsen
	2400	78	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	75	Murillo
	0600	75	Hemingsen
	0900	77	Hemingsen
	1200	83	Hemingsen
	1500	77	Hemingsen
	1800	79	Hemingsen
	2100	78	Hemingsen
	2400	78	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	79	Murillo
	0600	78	Gonzales
	0900	78	Gonzales
	1200	78	Gonzalo
	1500	79	Mannin
	1800	81	Mannin
	2100	81	Mannin
	2400	81	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	78	[illegible]
	0600	78	QUIJAS
	0900	79	QUIJAS
	1200	79	QUIJAS
	1500	81	QUIJAS
	1800	80	QUIJAS
	2100	79	QUIJAS
	2400	84	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	80	[illegible]
	0600	82	QUIJAS
	0900	82	QUIJAS
	1200	82	QUIJAS
	1500	82	Saelee
	1800	83	Saelee
	2100	82	Saelee
	2400	82	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	80	[illegible]
	0600	80	QUIJAS
	0900	81	QUIJAS
	1200	82	QUIJAS
	1500	82	Young
	1800	82	Young
	2100	81	Young
	2400	79	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	77	LUTZ
	0600	74	D. ARREOLA
	0900	76	D. ARREOLA
	1200	79	D. ARREOLA
	1500	81	Hemingsen
	1800	82	Hemingsen
	2100	80	Hemingsen
	2400	76	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	75	SYPRASEUTH
	0600	74	BROWN
	0900	74	BROWN
	1200	75	Brown
	1500	79	Hemingsen
	1800	78	Hemingsen
	2100	76	Hemingsen
	2400	74	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	72	Murillo
	0600	71	Hemingsen
	0900	71	Hemingsen
	1200	74	Hemingsen
	1500	77	Hemingsen
	1800	77	Hemingsen
	2100	76	Hemingsen
	2400	76	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	78	Murillo
	0600	73	Gonzales
	0900	74.1	Gonzales
	1200	77	Gonzales
	1500	82	Manning
	1800	83	Manning
	2100	83	Manning
	2400	79	Grider

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	75	Grider
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	77	QUIJAS
	1500	82	QUIJAS
	1800	84	QUIJAS
	2100	83	QUIJAS
	2400	81	Grider

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	78	Grider
	0600	78	QUIJAS
	0900	79	QUIJAS
	1200	80	QUIJAS
	1500	83	Saebel
	1800	81	Saebel
	2100	80	Saebel
	2400	78	Grider

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	76	Grider
	0600	77	QUIJAS
	0900	77	QUIJAS
	1200	79	QUIJAS
	1500	80	Young
	1800	83	Young
	2100	83	Young
	2400	80	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	76	LUTZ
	0600	75	D. ARREOLA
	0900	75	D. ARREOLA
	1200	75	D. ARREOLA
	1500	75	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	70	SYPRASEUTH
	0600	71	BROWN
	0900	71	BROWN
	1200	74	BROWN
	1500	73	Hemingsen
	1800	72	Hemingsen
	2100	71	Hemingsen
	2400	70	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	69	Murillo
	0600	69	Hemingsen
	0900	70	Hemingsen
	1200	70	Hemingsen
	1500	76	Hemingsen
	1800	76	Hemingsen
	2100	75	Hemingsen
	2400	75	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	71	Murillo
	0600	73	Gonzales
	0900	74	Gonzales
	1200	76	Gonzales
	1500	80	Munoz
	1800	81	Grier
	2100	80	Munoz
	2400	77	Grier

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	74	Grier
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	80	QUIJAS
	1500	80	QUIJAS
	1800	82	QUIJAS
	2100	80	QUIJAS
	2400	78	Grier

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	75	Grier
	0600	75	QUIJAS
	0900	77	QUIJAS
	1200	77	QUIJAS
	1500	81	Saebee
	1800	81	Saebee
	2100	81	Saebee
	2400	80	Grier

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	78	Grier
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	77	QUIJAS
	1500	77	Young
	1800	78	Young
	2100	77	Young
	2400	75	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	78	LUTZ
	0600	77	D. ARREZOLA
	0900	83	D. ARREZOLA
	1200	87	D. ARREZOLA
	1500	82	Hemingsen
	1800	79	Hemingsen
	2100	77	Hemingsen
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	74	SYPRASEUTH
	0600	80	BROWN
	0900	83	BROWN
	1200	83	BROWN
	1500	78	Hemingsen
	1800	77	Hemingsen
	2100	76	Hemingsen
	2400	75	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	77	Murillo
	0600	76	Hemingsen
	0900	82	Hemingsen
	1200	83	Hemingsen
	1500	73	Hemingsen
	1800	73	Hemingsen
	2100	72	Hemingsen
	2400	72	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	72	Murillo
	0600	73	Gonzales
	0900	72	Gonzales
	1200	72	Gonzales
	1500	85	Manning
	1800	84	Henry
	2100	82	Manning
	2400	76	Gonzales

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	73	Gonzales
	0600	71	QUIJAS
	0900	72	QUIJAS
	1200	74	QUIJAS
	1500	83	QUIJAS
	1800	83	QUIJAS
	2100	80	QUIJAS
	2400	75	Gonzales

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	73	Gonzales
	0600	75	QUIJAS
	0900	77	QUIJAS
	1200	86	QUIJAS
	1500	81	Saelee
	1800	81	Saelee
	2100	80	Saelee
	2400	78	Gonzales

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	74	Gonzales
	0600	83	QUIJAS
	0900	83	QUIJAS
	1200	84	QUIJAS
	1500	85	Young
	1800	86	Young
	2100	85	Young
	2400	82	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	78	LUTZ
	0600	78	D. ARREOLA
	0900	76	D. ARREOLA
	1200	75	D. ARREOLA
	1500	76	Hemingsen
	1800	76	Hemingsen
	2100	75	Hemingsen
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	72	SYPRASEUTH
	0600	70	BROWN
	0900	70	BROWN
	1200	73	BROWN
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	72	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	78	Murillo
	0600	66	Hemingsen
	0900	68	Hemingsen
	1200	70	Hemingsen
	1500	74	Hemingsen
	1800	74	Hemingsen
	2100	72	Hemingsen
	2400	72	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	68	Murillo
	0600	68	Gonzales
	0900	70	Gonzales
	1200	77	Gonzales
	1500	75	Manning
	1800	77	Manning
	2100	77	Manning
	2400	77	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	75	[illegible]
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	75	QUIJAS
	1500	78	QUIJAS
	1800	79	QUIJAS
	2100	79	QUIJAS
	2400	78	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	75	[illegible]
	0600	73	QUIJAS
	0900	75	QUIJAS
	1200	77	QUIJAS
	1500	80	Saelee
	1800	80	Saelee
	2100	80	Saelee
	2400	77	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	76	[illegible]
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	75	QUIJAS
	1500	76	YOUNG
	1800	80	YOUNG
	2100	79	YOUNG
	2400	77	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	83	Lutz
	0600	80	D. ARREOLA
	0900	82	D. ARREOLA
	1200	83	D. ARREOLA
	1500	86	Hemingsen
	1800	85	Hemingsen
	2100	84	Hemingsen
	2400	80	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	79	SYPRASEUTH
	0600	81	BROWN
	0900	79	BROWN
	1200	80	Brown
	1500	82	Hemingsen
	1800	82	Hemingsen
	2100	81	Hemingsen
	2400	79	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	78	Murillo
	0600	77	Hemingsen
	0900	78	Hemingsen
	1200	79	Hemingsen
	1500	80	Hemingsen
	1800	82	Hemingsen
	2100	82	Hemingsen
	2400	82	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	80	Murillo
	0600	79	Gonzales
	0900	80	Gonzales
	1200	81	Gonzales
	1500	83	Mangins
	1800	85	Gaeler
	2100	84	Mangins
	2400	83	Gaeler

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	80	Gaeler
	0600	80	QUIJAS
	0900	80	QUIJAS
	1200	86	QUIJAS
	1500	85	QUIJAS
	1800	86	QUIJAS
	2100	88	QUIJAS
	2400	87	Gaeler

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	82	Gaeler
	0600	85	QUIJAS
	0900	86	QUIJAS
	1200	88	QUIJAS
	1500	89	Saelee
	1800	88	Saelee
	2100	88	Saelee
	2400	88	Gaeler

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	84	Gaeler
	0600	81	QUIJAS
	0900	82	QUIJAS
	1200	84	QUIJAS
	1500	86	Young
	1800	86	Young
	2100	85	Young
	2400	82	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300		C
	0600		
	0900		L
	1200		
	1500		O
	1800		
	2100		S
	2400		E

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300		
	0600		C
	0900		L
	1200		O
	1500		S
	1800		
	2100		E
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300		C
	0600		
	0900		L
	1200		
	1500		O
	1800		S
	2100		E
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300		
	0600		C
	0900		L
	1200		
	1500		O
	1800		S
	2100		E
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300		
	0600		
	0900		C
	1200		L
	1500		O
	1800		S
	2100		E
	2400		D

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300		
	0600		
	0900		
	1200		
	1500		closed
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300		
	0600		C
	0900		L
	1200		O
	1500		S
	1800		E
	2100		D
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	78	LUTZ
	0600	76	D. ARREOLA
	0900	75	D. ARREOLA
	1200	78	D. ARREOLA
	1500	78	Hemingsen
	1800	78	Hemingsen
	2100	76	Hemingsen
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	70	SYPRASEUTH
	0600	75	BROWN
	0900	75	BROWN
	1200	77	BROWN
	1500	75	Hemingsen
	1800	74	Hemingsen
	2100	73	Hemingsen
	2400	71	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	75	Murillo
	0600	71	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	76	Hemingsen
	1800	74	Hemingsen
	2100	74	Hemingsen
	2400	74	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	78	Murillo
	0600	75	Gonzales
	0900	75	Gonzales
	1200	73	Gonzales
	1500	75	Manning
	1800	77	Manning
	2100	74	Manning
	2400	74	Grier

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	70	Grier
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	74	QUIJAS
	1500	78	QUIJAS
	1800	77	QUIJAS
	2100	76	QUIJAS
	2400	78	Grier

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	74	Grier
	0600	71	QUIJAS
	0900	71	QUIJAS
	1200	74	QUIJAS
	1500	77	Saefed
	1800	78	Saefed
	2100	78	Saefed
	2400	75	Grier

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	73	Grier
	0600	75	QUIJAS
	0900	76	QUIJAS
	1200	76	QUIJAS
	1500	76	YOUNG
	1800	77	YOUNG
	2100	77	YOUNG
	2400	76	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-3** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	~~85~~ 78	LUTZ
	0600	79	D. ARREOLA
	0900	78	D. ARREOLA
	1200	78	D. ARREOLA
	1500	79	Hemingsen
	1800	79	Hemingsen
	2100	78	Hemingsen
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	72	SYPRASEUTH
	0600	75	BROWN
	0900	76	BROWN
	1200	77	BROWN
	1500	80	Hemingsen
	1800	85	Hemingsen
	2100	81	Hemingsen
	2400	78	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	74	Murillo
	0600	71	Hemingsen
	0900	72	Hemingsen
	1200	74	Hemingsen
	1500	77	Hemingsen
	1800	77	Hemingsen
	2100	74	Hemingsen
	2400	74	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	75	Murillo
	0600	72	Gonzales
	0900	73	Gonzales
	1200	75	Gonzales
	1500	76	Manning
	1800	78	Manning
	2100	75	Manning
	2400	75	Cole

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	73	Cole
	0600	74	QUIJAS
	0900	71	QUIJAS
	1200	76	QUIJAS
	1500	77	QUIJAS
	1800	80	QUIJAS
	2100	79	QUIJAS
	2400	77	Cole

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	74	Cor
	0600	75	QUIJAS
	0900	76	QUIJAS
	1200	77	QUIJAS
	1500	88	Saelee
	1800	89	Saelee
	2100	89	Saelee
	2400	80	Cole

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	78	Cole
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	76	QUIJAS
	1500	76	Young
	1800	82	Young
	2100	80	Young
	2400	78	Mendoza

NOTES

7/15 0300 wrong temp (78)

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	65	LUTZ
	0600	71	D. ARREOLA
	0900	73	D. ARREOLA
	1200	72	D. ARREOLA
	1500	74	Hemingsen
	1800	75	Hemingsen
	2100	75	Hemingsen
	2400	71	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	70	SYPRASEUTH
	0600	70	BROWN
	0900	70	BROWN
	1200	74	BROWN
	1500	70	Hemingsen
	1800	70	Hemingsen
	2100	68	Hemingsen
	2400	67	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	65	Murillo
	0600	68	Hemingsen
	0900	70	Hemingsen
	1200	71	Hemingsen
	1500	71	Hemingsen
	1800	73	Hemingsen
	2100	72	Hemingsen
	2400	72	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	70	
	0600	70	Gonzales
	0900	71	Gonzales
	1200	74	Gonzales
	1500	76	Manning
	1800	78	Manning
	2100	75	Manning
	2400	75	Over

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	74	Over
	0600	76	QUIJAS
	0900	72	QUIJAS
	1200	75	QUIJAS
	1500	77	QUIJAS
	1800	76	QUIJAS
	2100	76	QUIJAS
	2400	73	Over

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	72	Over
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	74	QUIJAS
	1500	77	Saebel
	1800	76	Saebel
	2100	75	Saebel
	2400	73	Over

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	71	Over
	0600	72	QUIJAS
	0900	75	QUIJAS
	1200	76	QUIJAS
	1500	75	YOUNG
	1800	76	YOUNG
	2100	76	YOUNG
	2400	75	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	75	LUTZ
	0600	73	D. ARREZOLA
	0900	74	D. ARREZOLA
	1200	75	D. ARREZOLA
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	73	Hemingsen
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	69	SYPRASEUTH
	0600	73	BROWN
	0900	75	BROWN
	1200	74	BROWN
	1500	79	Hemingsen
	1800	79	Hemingsen
	2100	77	Hemingsen
	2400	74	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	71	Murillo
	0600	68	Hemingsen
	0900	69	Hemingsen
	1200	71	Hemingsen
	1500	75	Hemingsen
	1800	76	Hemingsen
	2100	75	Hemingsen
	2400	75	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	74	Murillo
	0600	75	Gonzales
	0900	76	Gonzales
	1200	75	Gonzales
	1500	80	Manning
	1800	87	Manning
	2100	84	Manning
	2400	82	Brown

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	60	Brown
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	86	QUIJAS
	1800	81	QUIJAS
	2100	80	QUIJAS
	2400	77	Brown

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	74	Brown
	0600	73	QUIJAS
	0900	77	QUIJAS
	1200	79	QUIJAS
	1500	86	Saebel
	1800	85	Saebel
	2100	84	Saebel
	2400	76	Brown

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	74	Brown
	0600	71	QUIJAS
	0900	73	QUIJAS
	1200	80	QUIJAS
	1500	80	Young
	1800	84	Young
	2100	81	Young
	2400	78	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	75	LUTZ
	0600	75	D. ARREOLA
	0900	74	D. ARREOLA
	1200	75	D. ARREOLA
	1500	76	Hemingsen
	1800	79	Hemingsen
	2100	77	Hemingsen
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	70	SYPRASEUTH
	0600	72	BROWN
	0900	72	BROWN
	1200	74	BROWN
	1500	74	Hemingsen
	1800	76	Hemingsen
	2100	74	Hemingsen
	2400	71	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	70	Murillo
	0600	69	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	76	Hemingsen
	1800	78	Hemingsen
	2100	76	Hemingsen
	2400	76	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	73	Murillo
	0600	71	Gonzalez
	0900	74	Gonzalez
	1200	76	Gonzalez
	1500	78	Manning
	1800	78	Manning
	2100	79	Manning
	2400	79	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	76	Cor
	0600	75	QUIJAS
	0900	77	QUIJAS
	1200	82	QUIJAS
	1500	83	QUIJAS
	1800	84	QUIJAS
	2100	84	QUIJAS
	2400	81	Cor

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	78	Cor
	0600	76	QUIJAS
	0900	76	QUIJAS
	1200	79	QUIJAS
	1500	80	Saelee
	1800	81	Saelee
	2100	81	Saelee
	2400	78	Cor

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	75	Cor
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	80	QUIJAS
	1500	80	Young
	1800	82	Young
	2100	80	Young
	2400	78	Mendoza

NOTES

2400 - 79 (7/18)

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	73	LUTZ
	0600	75	D. ARREZOLA
	0900	74	D. ARREZOLA
	1200	74	D. ARREZOLA
	1500	76	Hemingsen
	1800	79	Hemingsen
	2100	77	Hemingsen
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	70	SYPRASEUTH
	0600	72	BROWN
	0900	72	BROWN
	1200	74	BROWN
	1500	74	Hemingsen
	1800	76	Hemingsen
	2100	74	Hemingsen
	2400	71	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	70	Murillo
	0600	69	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	76	Hemingsen
	1800	78	Hemingsen
	2100	76	Hemingsen
	2400	76	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	74	Murillo
	0600	73	Gonzales
	0900	74	Gonzales
	1200	78	Gonzales
	1500	81	Manning
	1800	81	Manning
	2100	80	Manning
	2400	76	Gow

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	72	Gow
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	79	QUIJAS
	1500	81	QUIJAS
	1800	82	QUIJAS
	2100	81	QUIJAS
	2400	79	Gow

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	77	Gow
	0600	75	QUIJAS
	0900	76	QUIJAS
	1200	80	QUIJAS
	1500	82	Saebel
	1800	83	Saebel
	2100	82	Saebel
	2400	80	Gow

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	75	Gow
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	81	QUIJAS
	1500	78	Young
	1800	78	Young
	2100	78	Young
	2400	77	Mendoza

NOTES

Wednesday 7-17 1800 & 2100 wrote down wrong number made correction

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	80	Lutz
	0600	78	D. ARRETOLA
	0900	78	D. ARRETOLA
	1200	77	D. ARRETOLA
	1500	79	Hemingsen
	1800	81	Hemingsen
	2100	80	Hemingsen
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	77	SYPRASEUTH
	0600	78	BROWN
	0900	78	BROWN
	1200	78	BROWN
	1500	79	Hemingsen
	1800	77	Hemingsen
	2100	76	Hemingsen
	2400	75	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	74	Murillo
	0600	73	Hemingsen
	0900	76	Hemingsen
	1200	75	Hemingsen
	1500	76	Hemingsen
	1800	79	Hemingsen
	2100	78	Hemingsen
	2400	78	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	77	Murillo
	0600	76	Gonzales
	0900	76	Gonzales
	1200	76	Gonzales
	1500	80	Manning
	1800	81	Manning
	2100	82	Manning
	2400	81	Gor

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	75	Gor
	0600	76	QUIJAS
	0900	78	QUIJAS
	1200	81	QUIJAS
	1500	83	QUIJAS
	1800	84	QUIJAS
	2100	83	QUIJAS
	2400	82	Gor

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	78	Gor
	0600	79	QUIJAS
	0900	79	QUIJAS
	1200	80	QUIJAS
	1500	82	Saelee
	1800	86	Saelee
	2100	78	Saelee
	2400	80	Gor

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	78	Gor
	0600	77	QUIJAS
	0900	78	QUIJAS
	1200	81	QUIJAS
	1500	78	YOUNG
	1800	78	Young
	2100	78	Young
	2400	77	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	80	SUTZ
	0600	77	D. ARREOLA
	0900	78	D. ARREOLA
	1200	80	D. ARREOLA
	1500	85	Hemingsen
	1800	85	Hemingsen
	2100	83	Hemingsen
	2400	81	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	80	SYPRASEUTH
	0600	78	BROWN
	0900	80	BROWN
	1200	82	BROWN
	1500	83	Hemingsen
	1800	82	Hemingsen
	2100	81	Hemingsen
	2400	81	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	77	Murillo
	0600	77	Hemingsen
	0900	80	Hemingsen
	1200	84	Hemingsen
	1500	81	Hemingsen
	1800	82	Hemingsen
	2100	81	Hemingsen
	2400	81	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	78	Murillo
	0600	78	Gonzales
	0900	80	Gonzales
	1200	83	Gonzales
	1500	87	Manning
	1800	87	Perry
	2100	87	Manning
	2400	85	Gutr

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	80	Gutr
	0600	80	QUIJAS
	0900	81	QUIJAS
	1200	84	QUIJAS
	1500	83	QUIJAS
	1800	84	QUIJAS
	2100	86	QUIJAS
	2400	85	Gutr

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	80	Gutr
	0600	83	QUIJAS
	0900	83	QUIJAS
	1200	84	QUIJAS
	1500	88	Saelee
	1800	88	Saelee
	2100	88	Saelee
	2400	84	Gutr

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	81	Gutr
	0600	82	QUIJAS
	0900	84	QUIJAS
	1200	85	QUIJAS
	1500	85	Young
	1800	85	Young
	2100	84	Young
	2400	82	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	81	Lutz
	0600	80	D. ARREOLA
	0900	80	D. ARREOLA
	1200	82	D. ARREOLA
	1500	85	Hemingsen
	1800	85	Hemingsen
	2100	84	Hemingsen
	2400	82	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	79	SYPRASEUTH
	0600	80	BROWN
	0900	78	BROWN
	1200	81	BROWN
	1500	83	Hemingsen
	1800	83	Hemingsen
	2100	82	Hemingsen
	2400	82	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	75	Murillo
	0600	75	Hemingsen
	0900	81	Hemingsen
	1200	83	Hemingsen
	1500	80	Hemingsen
	1800	81	Hemingsen
	2100	80	Hemingsen
	2400	80	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	79	Murillo
	0600	79	Gonzales
	0900	79	Gonzales
	1200	83	Gonzales
	1500	86	Munnings
	1800	87	Munnings
	2100	86	Munnings
	2400	81	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	79	[illegible]
	0600	79	QUIJAS
	0900	80	QUIJAS
	1200	83	QUIJAS
	1500	83	QUIJAS
	1800	84	QUIJAS
	2100	84	QUIJAS
	2400	83	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	80	[illegible]
	0600	83	QUIJAS
	0900	83	QUIJAS
	1200	84	QUIJAS
	1500	85	Saelee
	1800	83	Saelee
	2100	82	Saelee
	2400	81	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	78	[illegible]
	0600	80	QUIJAS
	0900	82	QUIJAS
	1200	85	QUIJAS
	1500	83	YOUNG
	1800	84	YOUNG
	2100	84	YOUNG
	2400	82	MENDOZA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	84	LUTZ
	0600	83	D. ARREZOLA
	0900	84	D. ARREZOLA
	1200	85	D. ARREZOLA
	1500	85	Hemingsen
	1800	85	Hemingsen
	2100	84	Hemingsen
	2400	82	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	80	SYPRASEUTH
	0600	80	BROWN
	0900	81	BROWN
	1200	83	BROWN
	1500	85	Hemingsen
	1800	84	Hemingsen
	2100	83	Hemingsen
	2400	82	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	78	Murillo
	0600	78	Hemingsen
	0900	80	Hemingsen
	1200	83	Hemingsen
	1500	81	Hemingsen
	1800	82	Hemingsen
	2100	81	Hemingsen
	2400	81	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	80	Murillo
	0600	79	Gonzales
	0900	80	Gonzales
	1200	83	Gonzales
	1500	87	Morgan
	1800	87	Kemp
	2100	86	Manning
	2400	83	Boyer

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	80	Low
	0600	80	QUIJAS
	0900	80	QUIJAS
	1200	84	QUIJAS
	1500	86	QUIJAS
	1800	86	QUIJAS
	2100	86	QUIJAS
	2400	87	Low

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	85	Low
	0600	84	QUIJAS
	0900	84	QUIJAS
	1200	85	QUIJAS
	1500	88	Sadler
	1800	88	Sadler
	2100	88	Sadler
	2400	88	Boyer

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	83	Boyer
	0600	84	QUIJAS
	0900	85	QUIJAS
	1200	86	QUIJAS
	1500	86	Young
	1800	86	Young
	2100	86	Young
	2400	85	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/15/2024	0300	82	Lutz
	0600	81	D. ARREOLA
	0900	81	D. ARREOLA
	1200	82	D. ARREOLA
	1500	83	Hemingsen
	1800	83	Hemingsen
	2100	82	Hemingsen
	2400	79	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/16/2024	0300	78	SYPRASEUTH
	0600	78	BROWN
	0900	79	BROWN
	1200	83	BROWN
	1500	84	Hemingsen
	1800	83	Hemingsen
	2100	83	Hemingsen
	2400	82	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/17/2024	0300	81	Murillo
	0600	81	Hemingsen
	0900	79	Hemingsen
	1200	81	Hemingsen
	1500	78	Hemingsen
	1800	83	Hemingsen
	2100	80	Hemingsen
	2400	80	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/18/2024	0300	80	Murillo
	0600	77	Gonzales
	0900	81	Gonzales
	1200	82	Gonzales
	1500	85	Manning
	1800	85	Manning
	2100	85	Manning
	2400	85	Gonzales

FRIDAY

Date	Time	Temp.	Name (Print)
7/19/2024	0300	80	Cox
	0600	77	QUIJAS
	0900	78	QUIJAS
	1200	82	QUIJAS
	1500	82	QUIJAS
	1800	85	QUIJAS
	2100	84	QUIJAS
	2400	80	Cox

SATURDAY

Date	Time	Temp.	Name (Print)
7/20/2024	0300	79	Cox
	0600	83	QUIJAS
	0900	83	QUIJAS
	1200	83	QUIJAS
	1500	80	Saelee
	1800	80	Saelee
	2100	80	Saelee
	2400	80	Cox

SUNDAY

Date	Time	Temp.	Name (Print)
7/21/2024	0300	80	Cox
	0600	78	QUIJAS
	0900	80	QUIJAS
	1200	84	QUIJAS
	1500	82	Young
	1800	82	Young
	2100	82	Young
	2400	80	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date: 7/15/24

A/C Down Time: 7/14/24 0600 hrs

A/C Up Time: 7/18/24 0100 hrs

A/C DOWN LOG

WHEN AN A/C GOES DOWN, TEMPERATURES IN THE AFFECTED UNIT(S) NEED TO BE RECORDED **HOURLY**

	G1	G2	G3									
0001	84	88	85									
0100	86	88	85									
0200	85	87	86									
0300	85	88	87									
0400	89	87	87									
0500	85	88	87									
0600	85	87	87									
0700	84	87	86									
0800	84	85	86									
0900	82	85	86									
1000	81	84	85									
1100	81	84	85									
1200	81	84	85									
1300	81	84	85									
1400	81	83	85									
1500	81	83	85									
1600	81	83	86									
1700	81	83	86									
1800	81	83	86									
1900	81	82	85									
2000	81	81	85									
2100	80	81	84									
2200	81	81	85									
2300	81	81	84									

NOTES:

Date: 7/16/24

A/C Down Time: 7/14/24 0600 hrs

A/C Up Time: 7/18/24 0100

A/C DOWN LOG

WHEN AN A/C GOES DOWN, TEMPERATURES IN THE AFFECTED UNIT(S) NEED TO BE RECORDED **HOURLY**

	G1	G2	G3									
0001	80	80	84									
0100	82	81	84									
0200	82	81	83									
0300	82	81	83									
0400	81	82	84									
0500	81	82	85									
0600	81	82	84									
0700	80	82	84									
0800	80	81	85									
0900	80	80	86									
1000	81	80	86									
1100	80	79	86									
1200	80	79	86									
1300	80	79	86									
1400	80	80	83									
1500	80	80	82									
1600	80	80	84									
1700	80	80	84									
1800	80	80	84									
1900	80	80	83									
2000	79	80	82									
2100	79	80	82									
2200	79	80	82									
2300	79	80	82									

NOTES:

ATT MENT C-2

Date: 7/17/24

A/C Down Time: 7/14/24 0600 hrs

A/C Up Time: 7/18/24 0100 hrs

A/C DOWN LOG

WHEN AN A/C GOES DOWN, TEMPERATURES IN THE AFFECTED UNIT(S) NEED TO BE RECORDED **HOURLY**

	G-1	G-2	G-3								
0001	79	80	82								
0100	79	80	82								
0200	79	80	82								
0300	79	79	81								
0400	78	79	81								
0500	78	79	81								
0600	78	78	81								
0700	78	78	81								
0800	78	78	82								
0900	79	79	83								
1000	79	78	82								
1100	77	75	80								
1200	77	76	84								
1300	77	76	84								
1400	78	77	85								
1500	78	77	86								
1600	78	77	86								
1700	78	77	86								
1800	77	77	85								
1900	77	77	85								
2000	77	77	85								
2100	77	77	84								
2200	77	77	84								
2300	77	77	84								

NOTES:

ATT MENT C-2

Date: 7-18-24

A/C Down Time: 7/14/24 0600 hrs

A/C Up Time: 0100

A/C DOWN LOG

WHEN AN A/C GOES DOWN, TEMPERATURES IN THE AFFECTED UNIT(S) NEED TO BE RECORDED **HOURLY**

	G-1	G-2	G-3									
0001	80	80	83									
0100	77											
0200												
0300												
0400												
0500												
0600												
0700												
0800												
0900												
1000												
1100												
1200												
1300												
1400												
1500												
1600												
1700												
1800												
1900												
2000												
2100												
2200												
2300												

NOTES:

G-1 AC IS WORKING 74.6
G-2 AC IS WORKING 75
G-3 AC IS WORKING 78

STAGE I, II, or III HOURLY INSIDE TEMP LOG **ATTACHMENT C**

(circle one)

Date: 7-17-24 **STAGE:** (I) II III **Stage Activation Time:** 1503 **Stage Deactivation Time:** 1904

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100																						
1200																						
1300																						
1400																						
1500																						
1600	82	83	80	77	79	78	77	73	74	82	C	76	77	72	75	77	77	77	81	80	81	78
1700	82	83	80	77	79	78	78	74	74	82	R	76	77	72	75	77	77	78	81	80	81	78
1800	82	81	80	78	79	77	76	73	74	82	O	74	77	73	76	77	77	78	82	81	82	83
1900	82	79	80	78	79	77	76	73	73	82	N	74	74	73	76	76	76	78	82	81	82	82
2000											M	78										
2100											D											
2200																						
2300																						

70-4

STAGE I, II, or III HOURLY INSIDE TEMP LOG 63 71 77 78

ATTACHMENT C

(circle one)

Date: 7/18/24 **STAGE:** (I) II III **Stage Activation Time:** 1341 **Stage Deactivation Time:** 2100

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	RANCH	T-WING	U-WING	V-WING	Y-DORM
0001																							
0100																							
0200																							
0300																							
0400																							
0500																							
0600																							
0700																							
0800																							
0900																							
1000																							
1100																							
1200																							
1300																							
1400	74	80	80	83	78	77	76	72	77	81		73	75	74	75	76	78	76		83	83	83	82
1500	82	84	81	78	79	82	80	85	78	83		75	76	76	80	78	81	80		87	86	87	85
1600	82	84	82	79	81	82	81	85	77	83		76	77	77	84	79	81	80		87	86	87	85
1700	88	84	81	79	81	83	81	84	77	83		76	77	77	87	78	81	81		87	86	87	85
1800	87	85	82	79	81	83	81	84	77	83		77	78	78	87	78	81	81		87	86	87	85
1900	87	85	82	78	81	83	80	83	77	85		76	78	78	87	79	80	82		88	87	87	86
2000	81	85	82	78	81	83	80	82	77	85		75	76	76	85	79	80	82		87	86	86	86
2100	81	85	82	78	81	83	80	82	77	85		74	75	75	84	79	80	82		87	86	86	85
2200																							
2300																							

STAGE I, II, or III HOURLY INSIDE TEMP LOG

ATTACHMENT C

Date: 7/19/24 STAGE: (I) II III (circle one) Stage Activation Time: 1203 Stage Deactivation Time: 2325

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001											X											
0100											X											
0200											X											
0300											X											
0400											X											
0500											X											
0600											X											
0700											X											
0800											X											
0900											X											
1000											X											
1100											X											
1200											X											
1300	80	83	85	78	81	78	80	82	76	85	X	74	76	76	84	80	80	82	84	82	85	83
1400	81	83	86	78	81	81	80	82	77	85	X	74	77	76	85	82	81	83	84	82	85	84
1500	81	83	86	78	81	82	80	83	78	85	X	78	77	77	86	83	81	83	83	83	86	82
1600	81	84	86	78	80	83	81	83	79	86	X	76	80	77	86	84	82	84	82	83	86	82
1700	81	85	86	77	80	84	82	83	79	86	X	73	83	77	85	84	82	84	83	83	86	85
1800	81	85	86	77	80	84	82	83	79	86	X	77	80	76	81	84	82	84	84	84	86	85
1900	82	84	85	77	82	84	82	81	79	86	X	77	79	76	80	84	82	83	84	83	85	85
2000	80	83	86	76	79	83	80	80	79	88	X	78	79	76	80	84	81	83	86	84	86	84
2100	80	83	86	76	79	83	80	80	79	88	X	78	79	76	80	84	81	83	86	84	86	84
2200	76	84	84	74	84	84	78	75	78	87	X	78	77	73	79	81	79	82	85	83	87	84
2300											X											

STAGE I, II, or III HOURLY INSIDE TEMP LOG **ATTACHMENT C**

Date: 7/20/24 **STAGE:** (circle one) (I) II III **Stage Activation Time:** 1115 **Stage Deactivation Time:** 2020

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001											X											
0100											X											
0200											X											
0300											X											
0400											X											
0500											X											
0600											X											
0700											X											
0800											X											
0900											X											
1000											X											
1100											X											
1200	79	80	82	78	82	80	77	86	77	88	X	74	77	74	79	79	80	80	84	84	85	83
1300	80	83	83	78	83	81	78	87	78	88	X	76	78	76	80	80	81	81	85	85	86	84
1400	80	86	85	79	82	83	80	80	79	89	X	77	83	76	84	80	82	81	87	85	88	80
1500	81	87	85	79	82	83	81	81	80	89	X	77	88	77	86	80	82	82	88	84	88	80
1600	81	87	85	79	82	82	80	82	81	89	X	78	87	77	85	81	82	82	88	85	88	80
1700	81	87	86	79	82	82	80	81	81	88	X	78	87	77	85	81	83	82	88	85	88	80
1800	80	86	86	79	83	81	81	81	80	88	X	78	89	76	85	81	83	86	88	83	88	80
1900	80	86	86	80	84	81	80	80	80	87	X	77	87	76	86	81	83	84	88	85	89	80
2000	80	85	84	80	83	81	78	80	80	87	X	75	87	76	78	80	82	81	88	84	88	80
2100											X								88	83	88	79
2200											X											
2300											X											

STAGE I, II, or III HOURLY INSIDE TEMP LOG

ATTACHMENT C

Date: 7/21/24 **STAGE:** I (circle one) II III **Stage Activation Time:** 1515 **Stage Deactivation Time:** 1930

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100																						
1200																						
1300																						
1400																						
1500	79	84	85	77	82	80	77	65	76	86		76	76	75	80	80	78	78	85	83	86	82
1600	80	85	85	78	83	82	78	86	79	86		77	76	76	83	80	78	78	86	83	86	82
1700	82	85	86	78	83	84	78	86	80	87		77	80	76	83	80	78	79	86	84	87	82
1800	82	86	86	78	82	83	78	86	80	86		77	82	76	84	82	78	78	85	84	86	82
1900	82	85	85	78	82	82	78	85	80	86		77	80	76	84	82	77	77	84	84	85	80
2000																						
2100																						
2200																						
2300																						

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Mon 07/22/2024	0100	69	Mendoza
	0200	67	Mendoza
	0300	66	Mendoza
	0400	65	Mendoza
	0500	64	Mendoza
	0600	65	BRITTENUM
	0700	67	BRITTENUM
	0800	72	BRITTENUM
	0900	78	BRITTENUM
	1000	81	BRITTENUM
	1100	88	BRITTENUM
	1200	96	BRITTENUM
	1300	93	BRITTENUM
	1400	95	DUONG
	1500	101	DUONG
	1600	102	DUONG
	1700	105	DUONG
	1800	97	DUONG
	1900	95	DUONG
	2000	93	DUONG
	2100	90	DUONG
	2200	89	SYPRASEUTH
	2300	86	SYPRASEUTH
	2400	82	SYPRASEUTH

DATE	TIME	TEMP.	PRINTED NAME
Tue 07/23/2024	0100	79	SYPRASEUTH
	0200	78	SYPRASEUTH
	0300	74	SYPRASEUTH
	0400	74	SYPRASEUTH
	0500	70	SYPRASEUTH
	0600	73	Trujillo
	0700	77	Trujillo
	0800	80	Trujillo
	0900	83	Trujillo
	1000	87	Trujillo
	1100	91	REYES
	1200	94	REYES
	1300	96	REYES
	1400	102	DUONG
	1500	103	DUONG
	1600	96	DUONG
	1700	104	DUONG
	1800	104	DUONG
	1900	96	DUONG
	2000	92	DUONG
	2100	90	DUONG
	2200	90	Murillo
	2300	89	Murillo
	2400	89	Murillo

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 07/24/2024	0100	80	Murillo
	0200	80	Murillo
	0300	79	Murillo
	0400	81	Murillo
	0500	83	Murillo
	0600	81	DUONG
	0700	82	DUONG
	0800	85	DUONG
	0900	87	DUONG
	1000	82	DUONG
	1100	90	DUONG
	1200	92	DUONG
	1300	94	DUONG
	1400	98	DUONG
	1500	101	DUONG
	1600	98	DUONG
	1700	99	DUONG
	1800	98	DUONG
	1900	89	DUONG
	2000	82	DUONG
	2100	82	DUONG
	2200	78	Murillo
	2300	78	Murillo
	2400	78	Murillo

DATE	TIME	TEMP.	PRINTED NAME
Thu 07/25/2024	0100	80	Murillo
	0200	80	Murillo
	0300	79	Murillo
	0400	81	Murillo
	0500	83	Murillo
	0600	65	QUIJAS
	0700	67	QUIJAS
	0800	70	QUIJAS
	0900	73	QUIJAS
	1000	78	QUIJAS
	1100	81	QUIJAS
	1200	84	QUIJAS
	1300	86	QUIJAS
	1400	91	DUONG
	1500	97	DUONG
	1600	97	DUONG
	1700	95	DUONG
	1800	92	DUONG
	1900	88	DUONG
	2000	86	DUONG
	2100	86	DUONG
	2200	83	Gray
	2300	83	Gray
	2400	80	Gray

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Fri 07/26/2024	0100	76	Gray
	0200	74	Gray
	0300	73	Gray
	0400	72	Gray
	0500	72	Gray
	0600	69	QUIJAS
	0700	71	QUIJAS
	0800	74	QUIJAS
	0900	76	QUIJAS
	1000	79	QUIJAS
	1100	84	QUIJAS
	1200	85	QUIJAS
	1300	89	QUIJAS
	1400	93	QUIJAS
	1500	95	QUIJAS
	1600	94	QUIJAS
	1700	89	QUIJAS
	1800	79	QUIJAS
	1900	76	QUIJAS
	2000	67	QUIJAS
	2100	63	QUIJAS
	2200	63	Gray
	2300	60	Gray
	2400	60	Gray

DATE	TIME	TEMP.	PRINTED NAME
Sat 07/27/2024	0100	55	Gray
	0200	54	Gray
	0300	52	Gray
	0400	50	Gray
	0500	50	Gray
	0600	52	QUIJAS
	0700	56	QUIJAS
	0800	57	QUIJAS
	0900	58	QUIJAS
	1000	59	QUIJAS
	1100	60	QUIJAS
	1200	61	QUIJAS
	1300	62	QUIJAS
	1400	73	SAELEE
	1500	75	SAELEE
	1600	73	SAELEE
	1700	72	SAELEE
	1800	70	SAELEE
	1900	67	SAELEE
	2000	62	SAELEE
	2100	61	SAELEE
	2200	60	Gray
	2300	60	Gray
	2400	58	Gray

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Sun 07/28/2024	0100	56	Gonzalez
	0200	54	Gonzalez
	0300	52	Gonzalez
	0400	50	Gonzalez
	0500	50	Gonzalez
	0600	57	QUIJAS
	0700	57	QUIJAS
	0800	60	QUIJAS
	0900	64	QUIJAS
	1000	66	QUIJAS
	1100	70	QUIJAS
	1200	73	QUIJAS
	1300	75	QUIJAS
	1400	79	YOUNG
	1500	82	YOUNG
	1600	85	YOUNG
	1700	83	YOUNG
	1800	80	YOUNG
	1900	77	YOUNG
	2000	74	YOUNG
	2100	69	YOUNG
	2200	69	Mendoza
	2300	67	Mendoza
	2400	64	Mendoza

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	75	MENDOZA
	0600	77	BRITTENUM
	0900	76	BRITTENUM
	1200	77	BRITTENUM
	1500	79	DUONG
	1800	81	DUONG
	2100	80	DUONG
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	76	SYPRASEUTH
	0600	74	Trujillo
	0900	78	Trujillo
	1200	77	Trujillo
	1500	83	DUONG
	1800	81	DUONG
	2100	81	DUONG
	2400	77	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	78	Murillo
	0600	75	DUONG
	0900	75	DUONG
	1200	77	DUONG
	1500	81	DUONG
	1800	90	DUONG
	2100	81	DUONG
	2400	80	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	79	Murillo
	0600	79	QUIJAS
	0900	78	QUIJAS
	1200	80	QUIJAS
	1500	80	DUONG
	1800	88	DUONG
	2100	88	DUONG
	2400	76	Gray

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	73	Gray
	0600	79	QUIJAS
	0900	81	QUIJAS
	1200	84	QUIJAS
	1500	81	QUIJAS
	1800	85	QUIJAS
	2100	83	QUIJAS
	2400	78	Gray

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	76	Gray
	0600	75	QUIJAS
	0900	75	QUIJAS
	1200	75	QUIJAS
	1500	75	Saelee
	1800	74	Saelee
	2100	73	Saelee
	2400	71	Gray

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	70	Gray
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	75	QUIJAS
	1500	75	YOUNG
	1800	75	YOUNG
	2100	75	YOUNG
	2400	73	MENDOZA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-1** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	76	Mendoza
	0600	78	BRITTENUM
	0900	82	BRITTENUM
	1200	84	BRITTENUM
	1500	86	DUONG
	1800	87	DUONG
	2100	86	DUONG
	2400	82	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	78	SYPRASEUTH
	0600	79	Trujillo
	0900	84	Trujillo
	1200	88	Trujillo
	1500	90	DUONG
	1800	90	DUONG
	2100	90	DUONG
	2400	87	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	84	Murillo
	0600	85	DUONG
	0900	85	DUONG
	1200	87	DUONG
	1500	90	DUONG
	1800	90	DUONG
	2100	87	DUONG
	2400	77	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	83	Murillo
	0600	83	QUIJAS
	0900	81	QUIJAS
	1200	81	QUIJAS
	1500	89	DUONG
	1800	87	DUONG
	2100	87	DUONG
	2400	84	Gaber

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	79	Gaber
	0600	80	QUIJAS
	0900	82	QUIJAS
	1200	84	QUIJAS
	1500	87	QUIJAS
	1800	85	QUIJAS
	2100	84	QUIJAS
	2400	80	Gaber

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	75	Gaber
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	75	QUIJAS
	1500	75	Saelee
	1800	75	Saelee
	2100	74	Saelee
	2400	72	Gaber

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	70	Gaber
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	75	Young
	1800	75	Young
	2100	73	Young
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	74	Mendoza
	0600	79	BRITTENUM
	0900	80	BRITTENUM
	1200	83	BRITTENUM
	1500	85	DUONG
	1800	86	DUONG
	2100	86	DUONG
	2400	82	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	78	SYPRASEUTH
	0600	84	Trujillo
	0900	84	Trujillo
	1200	84	Trujillo
	1500	85	DUONG
	1800	88	DUONG
	2100	88	DUONG
	2400	86	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	86	Murillo
	0600	87	DUONG
	0900	86	DUONG
	1200	88	DUONG
	1500	89	DUONG
	1800	89	DUONG
	2100	88	DUONG
	2400	85	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	83	Murillo
	0600	85	QUIJAS
	0900	84	QUIJAS
	1200	84	QUIJAS
	1500	86	DUONG
	1800	88	DUONG
	2100	87	DUONG
	2400	81	Gomez

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	74	Gomez
	0600	82	QUIJAS
	0900	85	QUIJAS
	1200	85	QUIJAS
	1500	87	QUIJAS
	1800	87	QUIJAS
	2100	85	QUIJAS
	2400	80	Gomez

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	79	Gomez
	0600	83	QUIJAS
	0900	83	QUIJAS
	1200	77	QUIJAS
	1500	76	Saelee
	1800	75	Saelee
	2100	73	Saelee
	2400	70	Gomez

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	68	Gomez
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	76	QUIJAS
	1500	80	YOUNG
	1800	80	YOUNG
	2100	78	YOUNG
	2400	77	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-1** Temp. Reading Location: **137**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	74	Mendoza
	0600	75	BRITTENUM
	0900	78	BRITTENUM
	1200	79	BRITTENUM
	1500	87	DUONG
	1800	80	DUONG
	2100	80	DUONG
	2400	77	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	75	SYPRASEUTH
	0600	78	Trujillo
	0900	80	Trujillo
	1200	81	Trujillo
	1500	80	DUONG
	1800	84	DUONG
	2100	80	DUONG
	2400	77	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	72	Murillo
	0600	74	DUONG
	0900	78	DUONG
	1200	81	DUONG
	1500	79	DUONG
	1800	79	DUONG
	2100	79	DUONG
	2400	81	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	74	Murillo
	0600	75	QUIJAS
	0900	76	QUIJAS
	1200	78	QUIJAS
	1500	79	DUONG
	1800	80	DUONG
	2100	80	DUONG
	2400	79	Foster

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	76	Foster
	0600	77	QUIJAS
	0900	77	QUIJAS
	1200	78	QUIJAS
	1500	77	QUIJAS
	1800	78	QUIJAS
	2100	78	QUIJAS
	2400	75	Cooper

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	73	Cooper
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	75	QUIJAS
	1500	75	Saelee
	1800	75	Saelee
	2100	75	Saelee
	2400	73	Cooper

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	72	Cooper
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	74	QUIJAS
	1500	79	YOUNG
	1800	79	YOUNG
	2100	76	YOUNG
	2400	74	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	79	Mendoza
	0600	78	BRITTENUM
	0900	79	BRITTENUM
	1200	81	BRITTENUM
	1500	79	DUONG
	1800	83	DUONG
	2100	82	DUONG
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	75	SYPRASEUTH
	0600	81	Trujillo
	0900	82	Trujillo
	1200	82	Trujillo
	1500	85	DUONG
	1800	84	DUONG
	2100	84	DUONG
	2400	84	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	84	Murillo
	0600	84	DUONG
	0900	84	DUONG
	1200	86	DUONG
	1500	80	DUONG
	1800	88	DUONG
	2100	86	DUONG
	2400	82	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	84	Murillo
	0600	84	QUIJAS
	0900	81	QUIJAS
	1200	82	QUIJAS
	1500	84	DUONG
	1800	84	DUONG
	2100	83	DUONG
	2400	81	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	76	[illegible]
	0600	79	QUIJAS
	0900	81	QUIJAS
	1200	84	QUIJAS
	1500	85	QUIJAS
	1800	85	QUIJAS
	2100	80	QUIJAS
	2400	78	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	76	[illegible]
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	72	QUIJAS
	1500	73	Saelee
	1800	73	Saelee
	2100	73	Saelee
	2400	72	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	70	[illegible]
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	79	Young
	1800	79	Young
	2100	76	Young
	2400	74	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	78	Mendoza
	0600	75	BRITTENUM
	0900	75	BRITTENUM
	1200	81	BRITTENUM
	1500	82	DUONG
	1800	81	DUONG
	2100	80	DUONG
	2400	79	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	76	SYPRASEUTH
	0600	79	Trujillo
	0900	78	Trujillo
	1200	80	Trujillo
	1500	81	DUONG
	1800	84	DUONG
	2100	84	DUONG
	2400	85	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	85	Murillo
	0600	85	DUONG
	0900	85	DUONG
	1200	85	DUONG
	1500	90	DUONG
	1800	89	DUONG
	2100	87	DUONG
	2400	80	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	84	Murillo
	0600	78	QUIJAS
	0900	80	QUIJAS
	1200	83	QUIJAS
	1500	87	DUONG
	1800	87	DUONG
	2100	86	DUONG
	2400	83	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	79	[illegible]
	0600	78	QUIJAS
	0900	82	QUIJAS
	1200	85	QUIJAS
	1500	86	QUIJAS
	1800	86	QUIJAS
	2100	82	QUIJAS
	2400	80	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	78	[illegible]
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	79	QUIJAS
	1500	76	Saelee
	1800	75	Saelee
	2100	74	Saelee
	2400	73	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	71	[illegible]
	0600	71	QUIJAS
	0900	71	QUIJAS
	1200	72	QUIJAS
	1500	80	Young
	1800	81	Young
	2100	79	Young
	2400	76	Mendoza

NOTES

TRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	73	Mendoza
	0600	75	BRITTENUM
	0900	75	BRITTENUM
	1200	77	BRITTENUM
	1500	77	DUONG
	1800	78	DUONG
	2100	78	DUONG
	2400	76	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	74	SYPRASEUTH
	0600	70	Truujillo
	0900	77	Truujillo
	1200	80	Truujillo
	1500	83	DUONG
	1800	82	DUONG
	2100	80	DUONG
	2400	79	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	80	Murillo
	0600	79	DUONG
	0900	79	DUONG
	1200	81	DUONG
	1500	85	DUONG
	1800	84	DUONG
	2100	82	DUONG
	2400	80	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	78	Murillo
	0600	76	QUIJAS
	0900	77	QUIJAS
	1200	77	QUIJAS
	1500	84	DUONG
	1800	84	DUONG
	2100	83	DUONG
	2400	77	~~DUONG~~ Gutw

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	76	Gutw
	0600	79	QUIJAS
	0900	80	QUIJAS
	1200	81	QUIJAS
	1500	81	QUIJAS
	1800	83	QUIJAS
	2100	80	QUIJAS
	2400	78	Gutw

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	76	Gutw
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	74	QUIJAS
	1500	75	Saelee
	1800	75	Saelee
	2100	73	Saelee
	2400	73	Gutw

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	70	Gutw
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	75	QUIJAS
	1500	74	Young
	1800	74	Young
	2100	74	Young
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	75	Mendoza
	0600	85	BRITTENUM
	0900	84	BRITTENUM
	1200	85	BRITTENUM
	1500	86	~~BRITTENUM~~ DUONG
	1800	82	DUONG
	2100	79	DUONG
	2400	77	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	75	SYPRASEUTH
	0600	77	Trujillo
	0900	78	Trujillo
	1200	80	Trujillo
	1500	77	DUONG
	1800	85	DUONG
	2100	84	DUONG
	2400	83	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	82	Murillo
	0600	82	DUONG
	0900	82	DUONG
	1200	85	DUONG
	1500	85	DUONG
	1800	84	DUONG
	2100	83	DUONG
	2400	80	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	74	Murillo
	0600	71	QUIJAS
	0900	72	QUIJAS
	1200	75	QUIJAS
	1500	81	DUONG
	1800	83	DUONG
	2100	83	DUONG
	2400	79	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	74	[illegible]
	0600	72	QUIJAS
	0900	74	QUIJAS
	1200	75	QUIJAS
	1500	78	QUIJAS
	1800	80	QUIJAS
	2100	77	QUIJAS
	2400	76	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	75	[illegible]
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	70	QUIJAS
	1500	73	Saelee
	1800	73	Saelee
	2100	73	Saelee
	2400	70	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	78	[illegible]
	0600	80	QUIJAS
	0900	80	QUIJAS
	1200	82	QUIJAS
	1500	84	Young
	1800	82	Young
	2100	80	Young
	2400	78	Mendoza

NOTES

2/w wrote name down on wrong time - 7-22-24

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	74	Mendoza
	0600	76	BRITTENUM
	0900	72	BRITTENUM
	1200	75	BRITTENUM
	1500	77	~~BRITTENUM~~ DUONG
	1800	81	DUONG
	2100	79	DUONG
	2400	77	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	74	SYPRASEUTH
	0600	73	Treville
	0900	75	Treville
	1200	79	Treville
	1500	79	DUONG
	1800	80	DUONG
	2100	80	DUONG
	2400	78	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	73	Murillo
	0600	75	DUONG
	0900	76	DUONG
	1200	80	DUONG
	1500	77	DUONG
	1800	78	DUONG
	2100	76	DUONG
	2400	79	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	74	Murillo
	0600	70	QUIJAS
	0900	73	QUIJAS
	1200	78	QUIJAS
	1500	79	DUONG
	1800	80	DUONG
	2100	80	DUONG
	2400	71	Cover

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	73	Cover
	0600	70	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	77	QUIJAS
	1800	78	QUIJAS
	2100	77	QUIJAS
	2400	76	Cover

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	74	Cover
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	72	Saelee
	1800	73	Saelee
	2100	71	Saelee
	2400	70	Cover

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	70	Cover
	0600	71	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	72	Yauch
	1800	72	Yauch
	2100	71	Yauch
	2400	70	Mendoza

NOTES

2/W wrote name on wrong time - 7-22-24

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	79	Mendoza
	0600	81	BRITTENUM
	0900	82	BRITTENUM
	1200	85	BRITTENUM
	1500	87	~~BRITTENUM~~ DUONG
	1800	90	DUONG
	2100	89	DUONG
	2400	86	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	82	SYPRASEUTH
	0600	88	Trujillo
	0900	88	Trujillo
	1200	89	Trujillo
	1500	91	DUONG
	1800	89	DUONG
	2100	89	DUONG
	2400	88	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	88	Murillo
	0600	88	DUONG
	0900	89	DUONG
	1200	89	DUONG
	1500	92	DUONG
	1800	90	DUONG
	2100	88	DUONG
	2400	89	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	84	Murillo
	0600	82	QUIJAS
	0900	84	QUIJAS
	1200	85	QUIJAS
	1500	88	DUONG
	1800	88	DUONG
	2100	87	DUONG
	2400	86	Cover

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	81	Cover
	0600	84	QUIJAS
	0900	86	QUIJAS
	1200	86	QUIJAS
	1500	88	QUIJAS
	1800	89	QUIJAS
	2100	88	QUIJAS
	2400	85	Cover

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	81	Cover
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	75	Saelee
	1800	75	Saelee
	2100	74	Saelee
	2400	73	Cover

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	72	Cover
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	75	QUIJAS
	1500	75	Young
	1800	75	Young
	2100	74	Young
	2400	72	Mendoza

NOTES

2/w wrote name on wrong time - 7-22-24

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	CLOSED	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300		
	0600		
	0900		
	1200		CLOSED
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300		
	0600		
	0900		
	1200	closed	
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300		
	0600		
	0900		
	1200		
	1500	CLOSED	
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300		
	0600		
	0900		
	1200	CLOSED	
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300		
	0600		
	0900		
	1200	CLOSED	
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300		
	0600		
	0900		
	1200	CLOSED	
	1500		
	1800		
	2100		
	2400		

NOTES

"RIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	70	Mendoza
	0600	74	BRITTENUM
	0900	75	BRITTENUM
	1200	75	BRITTENUM
	1500	80	~~BRITTENUM~~ DUONG
	1800	76	DUONG
	2100	74	DUONG
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	70	SYPRASEUTH
	0600	74	Trujillo
	0900	74	Trujillo
	1200	78	Trujillo
	1500	77	DUONG
	1800	74	DUONG
	2100	73	DUONG
	2400	75	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	73	Murillo
	0600	73	DUONG
	0900	74	DUONG
	1200	75	DUONG
	1500	78	DUONG
	1800	78	DUONG
	2100	76	DUONG
	2400	75	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	74	Murillo
	0600	71	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	83	DUONG
	1800	76	DUONG
	2100	75	DUONG
	2400	74.5	Cole

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	73	Cole
	0600	75	QUIJAS
	0900	72	QUIJAS
	1200	74	QUIJAS
	1500	77	QUIJAS
	1800	78	QUIJAS
	2100	77	QUIJAS
	2400	75	Cole

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	73	Cole
	0600	75	QUIJAS
	0900	75	QUIJAS
	1200	78	QUIJAS
	1500	77	Saelee
	1800	77	Saelee
	2100	75	Saelee
	2400	74	Cole

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	72	Cole
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	72	QUIJAS
	1500	77	Young
	1800	76	Young
	2100	77	Young
	2400	75	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-3** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	72	Mendoza
	0600	75	BRITTENUM
	0900	75	BRITTENUM
	1200	75	BRITTENUM
	1500	82	~~BRITTENUM~~ DUONG
	1800	83	DUONG
	2100	79	DUONG
	2400	77	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	74	SYPRASEUTH
	0600	77	Trujillo
	0900	80	Trujillo
	1200	83	Trujillo
	1500	83	DUONG
	1800	80	DUONG
	2100	78	DUONG
	2400	79	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	79	Murillo
	0600	72	DUONG
	0900	74	DUONG
	1200	76	DUONG
	1500	86	DUONG
	1800	90	DUONG
	2100	87	DUONG
	2400	79	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	82	Murillo
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	79	DUONG
	1800	79	DUONG
	2100	79	DUONG
	2400	77	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	74	[illegible]
	0600	69	QUIJAS
	0900	72	QUIJAS
	1200	80	QUIJAS
	1500	82	QUIJAS
	1800	84	QUIJAS
	2100	76	QUIJAS
	2400	74	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	72	[illegible]
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	72	QUIJAS
	1500	73	Saelee
	1800	74	Saelee
	2100	73	Saelee
	2400	71	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	70	[illegible]
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	77	Young
	1800	76	Young
	2100	74	Young
	2400	72	Mendoza

NOTES

TRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	70	Mendoza
	0600	72	BRITTENUM
	0900	72	BRITTENUM
	1200	73	BRITTENUM
	1500	76	~~BRITTENUM~~ DUONG
	1800	81	DUONG
	2100	78	DUONG
	2400	75	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	72	SYPRASEUTH
	0600	72	Trujillo
	0900	73	Trujillo
	1200	74	Trujillo
	1500	77	DUONG
	1800	75	DUONG
	2100	72	DUONG
	2400	74	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	70	Murillo
	0600	70	DUONG
	0900	72	DUONG
	1200	74	DUONG
	1500	79	DUONG
	1800	76	DUONG
	2100	75	DUONG
	2400	74	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	70	Murillo
	0600	70	QUIJAS
	0900	72	QUIJAS
	1200	72	QUIJAS
	1500	82	DUONG
	1800	78	DUONG
	2100	79	DUONG
	2400	74	Cox

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	72	Cox
	0600	68	QUIJAS
	0900	73	QUIJAS
	1200	73	QUIJAS
	1500	74	QUIJAS
	1800	75	QUIJAS
	2100	75	QUIJAS
	2400	73	Cox

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	70	Cox
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	74	QUIJAS
	1500	74	Saelee
	1800	74	Saelee
	2100	74	Saelee
	2400	73	Cox

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	90	Cox
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	71	QUIJAS
	1500	75	YOUNG
	1800	76	YOUNG
	2100	75	YOUNG
	2400	73	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	72	Mendoza
	0600	72	BRITTENUM
	0900	72	BRITTENUM
	1200	76	BRITTENUM
	1500	76	BRITTENUM DUONG
	1800	86	DUONG
	2100	85	DUONG
	2400	81	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	77	SYPRASEUTH
	0600	75	Trujillo
	0900	75	Trujillo
	1200	80	Trujillo
	1500	85	DUONG
	1800	86	DUONG
	2100	81	DUONG
	2400	78	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	78	Murillo
	0600	74	DUONG
	0900	75	DUONG
	1200	76	DUONG
	1500	84	DUONG
	1800	87	DUONG
	2100	82	DUONG
	2400	78	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	78	Murillo
	0600	70	QUIJAS
	0900	71	QUIJAS
	1200	72	QUIJAS
	1500	88	DUONG
	1800	81	DUONG
	2100	80	DUONG
	2400	77	Cav

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	74	Cav
	0600	71	QUIJAS
	0900	73	QUIJAS
	1200	76	QUIJAS
	1500	78	QUIJAS
	1800	79	QUIJAS
	2100	75	QUIJAS
	2400	74	Cav

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	72	Cav
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	72	QUIJAS
	1500	73	Saelee
	1800	73	Saelee
	2100	75	Saelee
	2400	70	Cav

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	68	Cav
	0600	68	QUIJAS
	0900	69	QUIJAS
	1200	74	QUIJAS
	1500	74	Young
	1800	74	Young
	2100	74	Young
	2400	72	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	72	Mendoza
	0600	72	BRITTENUM
	0900	76	BRITTENUM
	1200	77	BRITTENUM
	1500	80	DUONG
	1800	81	DUONG
	2100	82	DUONG
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	75	SYPRASEUTH
	0600	79	Trujillo
	0900	81	Trujillo
	1200	81	Trujillo
	1500	79	DUONG
	1800	78	DUONG
	2100	78	DUONG
	2400	82	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	76	Murillo
	0600	78	DUONG
	0900	78	DUONG
	1200	78	DUONG
	1500	82	DUONG
	1800	83	DUONG
	2100	82	DUONG
	2400	82	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	76	Murillo
	0600	75	QUIJAS
	0900	75	QUIJAS
	1200	76	QUIJAS
	1500	79	DUONG
	1800	77	DUONG
	2100	76	DUONG
	2400	76	Cox

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	73	Cox
	0600	73	QUIJAS
	0900	75	QUIJAS
	1200	76	QUIJAS
	1500	77	QUIJAS
	1800	77	QUIJAS
	2100	75	QUIJAS
	2400	73	Cox

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	71	Cox
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	70	QUIJAS
	1500	72	Saelee
	1800	72	Saelee
	2100	71	Saelee
	2400	70	Cox

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	68	Cox
	0600	69	QUIJAS
	0900	70	QUIJAS
	1200	72	QUIJAS
	1500	72	Young
	1800	72	Young
	2100	72	Young
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	77	Mendoza
	0600	75	BRITTENUM
	0900	76	BRITTENUM
	1200	78	BRITTENUM
	1500	82	DUONG
	1800	81	DUONG
	2100	81	DUONG
	2400	77	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	74	SYPRASEUTH
	0600	78	Trujillo
	0900	79	Trujillo
	1200	82	Trujillo
	1500	78	DUONG
	1800	78	DUONG
	2100	77	DUONG
	2400	79	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	78	Murillo
	0600	78	DUONG
	0900	78	DUONG
	1200	78	DUONG
	1500	82	DUONG
	1800	82	DUONG
	2100	82	DUONG
	2400	79	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	77	Murillo
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	75	QUIJAS
	1500	79	DUONG
	1800	79	DUONG
	2100	78	DUONG
	2400	78	Cory

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	74	Cory
	0600	75	QUIJAS
	0900	75	QUIJAS
	1200	76	QUIJAS
	1500	77	QUIJAS
	1800	77	QUIJAS
	2100	74	QUIJAS
	2400	73	Cory

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	77	Cory
	0600	69	QUIJAS
	0900	69	QUIJAS
	1200	70	QUIJAS
	1500	72	Saelee
	1800	73	Saelee
	2100	72	Saelee
	2400	71	Cory

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	70	Cory
	0600	69	QUIJAS
	0900	71	QUIJAS
	1200	72	QUIJAS
	1500	72	Young
	1800	72	Young
	2100	71	Young
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	74	Mendoza
	0600	74	BRITTENUM
	0900	74	BRITTENUM
	1200	74	BRITTENUM
	1500	83	DUONG
	1800	81	DUONG
	2100	81	DUONG
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	74	SYPRASEUTH
	0600	81	Trujillo
	0900	81	Trujillo
	1200	89	Trujillo
	1500	80	DUONG
	1800	79	DUONG
	2100	78	DUONG
	2400	85	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	84	Murillo
	0600	84	DUONG
	0900	84	DUONG
	1200	84	DUONG
	1500	84	DUONG
	1800	84	DUONG
	2100	83	DUONG
	2400	85	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	81	Murillo
	0600	79	QUIJAS
	0900	79	QUIJAS
	1200	80	QUIJAS
	1500	80	DUONG
	1800	80	DUONG
	2100	78	DUONG
	2400	79	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	77	[illegible]
	0600	80	QUIJAS
	0900	82	QUIJAS
	1200	82	QUIJAS
	1500	82	QUIJAS
	1800	83	QUIJAS
	2100	78	QUIJAS
	2400	77	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	74	[illegible]
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	74	QUIJAS
	1500	75	Saelee
	1800	75	Saelee
	2100	74	Saelee
	2400	77	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	70	[illegible]
	0600	73	QUIJAS
	0900	73	QUIJAS
	1200	74	QUIJAS
	1500	74	Young
	1800	73	Young
	2100	72	Young
	2400	70	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	75	Mendoza
	0600	81	BRITTENUM
	0900	81	BRITTENUM
	1200	82	BRITTENUM
	1500	84	~~BRITTENUM~~ DUONG
	1800	88	DUONG
	2100	87	DUONG
	2400	84	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	77	SYPRASEUTH
	0600	82	Truville
	0900	85	Truville
	1200	86	Truville
	1500	85	DUONG
	1800	86	DUONG
	2100	86	DUONG
	2400	85	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	79	Murillo
	0600	81	DUONG
	0900	83	DUONG
	1200	84	DUONG
	1500	86	DUONG
	1800	89	DUONG
	2100	86	DUONG
	2400	85	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	79	Murillo
	0600	83	QUIJAS
	0900	84	QUIJAS
	1200	85	QUIJAS
	1500	84	DUONG
	1800	86	DUONG
	2100	85	DUONG
	2400	86	Gray

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	83	Gray
	0600	80	QUIJAS
	0900	82	QUIJAS
	1200	83	QUIJAS
	1500	84	QUIJAS
	1800	83	QUIJAS
	2100	82	QUIJAS
	2400	80	Gray

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	78	Gray
	0600	80	QUIJAS
	0900	80	QUIJAS
	1200	81	QUIJAS
	1500	78	Saelee
	1800	79	Saelee
	2100	78	Saelee
	2400	76	Gray

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	79	Gray
	0600	79	QUIJAS
	0900	80	QUIJAS
	1200	80	QUIJAS
	1500	81	YOUNG
	1800	81	Young
	2100	80	Young
	2400	77	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	76	Mendoza
	0600	82	BRITTENUM
	0900	82	BRITTENUM
	1200	84	BRITTENUM
	1500	86	~~BRITTENUM~~ DUONG
	1800	87	DUONG
	2100	85	DUONG
	2400	82	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	78	SYPRASEUTH
	0600	85	Trujillo
	0900	85	Trujillo
	1200	85	Trujillo
	1500	86	DUONG
	1800	87	DUONG
	2100	87	DUONG
	2400	86	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	84	Murillo
	0600	80	DUONG
	0900	82	DUONG
	1200	83	DUONG
	1500	85	DUONG
	1800	88	DUONG
	2100	89	DUONG
	2400	86	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	84	Murillo
	0600	83	QUIJAS
	0900	83	QUIJAS
	1200	84	QUIJAS
	1500	85	DUONG
	1800	86	DUONG
	2100	85	DUONG
	2400	85	Corr

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	81	Corr
	0600	80	QUIJAS
	0900	82	QUIJAS
	1200	83	QUIJAS
	1500	84	QUIJAS
	1800	84	QUIJAS
	2100	82	QUIJAS
	2400	80	Corr

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	79	Corr
	0600	78	QUIJAS
	0900	79	QUIJAS
	1200	80	QUIJAS
	1500	79	Saelee
	1800	79	Saelee
	2100	78	Saelee
	2400	76	Corr

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	79	Corr
	0600	79	QUIJAS
	0900	79	QUIJAS
	1200	80	QUIJAS
	1500	81	Young
	1800	81	Young
	2100	80	Young
	2400	77	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	76	Mendoza
	0600	83	BRITTENUM
	0900	85	BRITTENUM
	1200	87	BRITTENUM
	1500	89	~~BRITTENUM~~ DUONG
	1800	87	DUONG
	2100	85	DUONG
	2400	81	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	78	SYPRASEUTH
	0600	86	Trujillo
	0900	85	Trujillo
	1200	87	Trujillo
	1500	90	DUONG
	1800	90	DUONG
	2100	88	DUONG
	2400	89	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	88	Murillo
	0600	80	DUONG
	0900	82	DUONG
	1200	83	DUONG
	1500	89	DUONG
	1800	92	DUONG
	2100	90	DUONG
	2400	89	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	88	Murillo
	0600	82	QUIJAS
	0900	83	QUIJAS
	1200	84	QUIJAS
	1500	89	DUONG
	1800	88	DUONG
	2100	86	DUONG
	2400	84	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	81	[illegible]
	0600	80	QUIJAS
	0900	82	QUIJAS
	1200	83	QUIJAS
	1500	85	QUIJAS
	1800	86	QUIJAS
	2100	85	QUIJAS
	2400	82	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	79	[illegible]
	0600	78	QUIJAS
	0900	79	QUIJAS
	1200	80	QUIJAS
	1500	78	Saelee
	1800	77	Saelee
	2100	76	Saelee
	2400	74	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	79	[illegible]
	0600	78	QUIJAS
	0900	79	QUIJAS
	1200	80	QUIJAS
	1500	82	Young
	1800	81	Young
	2100	80	Young
	2400	77	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/22/2024	0300	74	Mendoza
	0600	79	BRITTENUM
	0900	78	BRITTENUM
	1200	80	BRITTENUM
	1500	83	~~BRITTENUM~~ DUONG
	1800	83	DUONG
	2100	84	DUONG
	2400	80	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/23/2024	0300	77	SYPRASEUTH
	0600	79	Trujillo
	0900	80	Trujillo
	1200	80	Trujillo
	1500	87	DUONG
	1800	87	DUONG
	2100	87	DUONG
	2400	85	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/24/2024	0300	84	Murillo
	0600	78	DUONG
	0900	80	DUONG
	1200	81	DUONG
	1500	87	DUONG
	1800	87	DUONG
	2100	87	DUONG
	2400	85	Murillo

THURSDAY

Date	Time	Temp.	Name (Print)
7/25/2024	0300	83	Murillo
	0600	80	QUIJAS
	0900	81	QUIJAS
	1200	82	QUIJAS
	1500	85	DUONG
	1800	84	DUONG
	2100	86	DUONG
	2400	85	Gov

FRIDAY

Date	Time	Temp.	Name (Print)
7/26/2024	0300	81	Gov
	0600	77	QUIJAS
	0900	79	QUIJAS
	1200	81	QUIJAS
	1500	87	QUIJAS
	1800	85	QUIJAS
	2100	84	QUIJAS
	2400	81	Gov

SATURDAY

Date	Time	Temp.	Name (Print)
7/27/2024	0300	80	Gov
	0600	77	QUIJAS
	0900	77	QUIJAS
	1200	78	QUIJAS
	1500	74	Saelee
	1800	74	Saelee
	2100	73	Saelee
	2400	73	Gov

SUNDAY

Date	Time	Temp.	Name (Print)
7/28/2024	0300	71	Gov
	0600	78	QUIJAS
	0900	79	QUIJAS
	1200	83	QUIJAS
	1500	83	YOUNG
	1800	82	Young
	2100	80	Young
	2400	77	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATTACHMENT C

STAGE I, II, or III HOURLY INSIDE TEMP LOG

Date: 7-22-24 STAGE: I (circle one) II III Stage Activation Time: 1200 Stage Deactivation Time: 2230

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100																						
1200																						
1300																						
1400	78	87	85	78	82	83	76	78	78	87	X	78	81	77	76	80	81	83	84	86	88	82
1500	79	85	85	78	79	82	77	86	77	87	X	80	82	77	76	80	82	83	84	86	89	83
1600	80	86	85	80	83	80	77	81	78	87	X	78	81	77	78	80	81	82	80	87	83	83
1700	81	86	86	80	83	81	78	82	81	90	X	78	81	77	82	80	81	81	80	86	83	83
1800	81	87	86	80	83	81	77	82	81	90	X	76	83	81	86	81	81	81	88	86	83	83
1900	81	87	87	81	83	82	78	83	81	90	X	75	80	78	85	81	81	81	88	87	89	83
2000	81	87	87	81	83	82	78	83	81	90	X	74	78	78	85	82	83	82	88	86	87	85
2100	80	86	86	80	82	80	78	79	81	89	X	74	79	78	85	82	81	81	87	85	85	84
2200	80	86	86	80	82	80	78	79	79	89	X	74	79	78	85	82	81	81	87	85	85	84
2300																						

STAGE I, II, or III HOURLY INSIDE TEMP LOG

ATTACHMENT C

Date: 7-23-24 STAGE: (circle one) (I) II III Stage Activation Time: 11:00 Stage Deactivation Time: 0102 (7/24)

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100	78	87	85	80	82	80	80	80	77	89	X	78	83	76	80	81	82	80	86	86	87	80
1200	77	88	85	81	82	80	80	80	79	89	X	78	83	76	80	81	82	81	86	85	87	80
1300	77	88	85	81	82	80	80	81	78	91	X	79	85	76	83	81	82	81	87	86	87	83
1400	83	89	85	79	85	80	83	78	79	91	X	80	86	78	84	81	82	81	87	86	87	82
1500	83	90	85	80	85	81	83	77	79	91	X	77	83	77	85	79	78	80	86	86	88	85
1600	81	90	88	78	84	81	83	78	80	90	X	76	84	78	86	79	78	80	85	86	90	87
1700	81	90	88	84	84	84	83	79	81	91	X	74	83	77	86	78	78	80	86	87	90	87
1800	81	90	88	84	84	84	82	85	80	90	X	75	82	77	87	78	78	79	86	87	90	87
1900	81	90	88	80	84	84	83	84	80	93	X	74	80	75	86	78	78	79	86	87	90	87
2000	81	90	88	80	84	84	82	84	80	89	X	73	79	74	84	78	78	79	86	87	90	87
2100	81	90	88	80	84	84	80	84	80	89	X	73	78	72	81	78	77	78	86	87	88	87
2200	78	84	86	79	85	79	79	84	79	89	X	76	78	73	78	83	81	85	87	87	90	85
2300	77	87	86	77	84	85	79	84	78	89	X	75	79	74	78	82	79	85	85	86	90	85

STAGE I, II, or III HOURLY INSIDE TEMP LOG

ATTACHMENT C

Date: 7-24-24 **STAGE:** I (circle one) II III **Stage Activation Time:** 1100 **Stage Deactivation Time:** 0102

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001	77	87	86	77	84	85	79	84	78	89	P	75	79	74	78	82	79	85	85	86	89	85
0100	77	87	86	77	84	85	79	83	78	88	P	75	78	74	78	81	79	85	85	85	89	85
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100																						
1200																						
1300																						
1400																						
1500																						
1600																						
1700																						
1800																						
1900																						
2000																						
2100																						
2200																						
2300																						

STAGE I, II, or III HOURLY INSIDE TEMP LOG

ATTACHMENT C

Date: 7-24-24 STAGE: ~~I~~ (circle one) II III Stage Activation Time: 1100 Stage Deactivation Time: 2300

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100	78	87	87	81	86	85	80	82	82	86	x	74	74	72	75	78	78	84	83	82	82	80
1200	77	87	88	81	86	84	81	85	80	89	x	75	76	74	76	78	78	84	84	83	83	81
1300	78	87	88	81	85	84	81	85	80	91	x	75	77	75	76	79	78	83	86	84	85	83
1400	81	90	89	79	86	89	83	85	88	91	x	75	77	75	80	80	80	83	86	85	85	85
1500	81	90	89	79	80	90	85	85	77	92	x	78	86	79	84	82	82	84	86	85	89	87
1600	81	90	89	80	80	90	85	85	79	92	x	77	86	77	86	82	82	84	86	87	90	87
1700	90	90	89	79	86	89	85	84	79	92	x	79	89	77	87	83	84	84	86	87	91	87
1800	90	90	89	79	88	89	84	84	78	92	x	78	90	76	87	83	82	84	89	88	91	87
1900	84	90	88	73	88	88	83	83	76	92	x	78	90	75	86	82	82	83	89	89	90	87
2000	81	90	89	80	88	88	82	83	76	91	x	77	89	75	84	82	82	83	89	89	89	87
2100	81	87	88	79	86	87	82	83	76	88	x	76	87	75	82	82	82	83	86	89	90	87
2200	81	87	88	79	86	87	82	83	76	88	x	76	87	75	82	82	82	83	86	89	88	87
2300	80	86	87	79	85	86	80	82	76	87	x	76	87	75	80	80	81	83	85	87	88	87

STAGE I, II, or III HOURLY INSIDE TEMP LOG

ATTACHMENT C

Date: 7-25-24 STAGE: I (circle one) II III Stage Activation Time: 1400 Stage Deactivation Time: ~~[illegible]~~ 2000

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100																						
1200																						
1300																						
1400	83	87	87	79	84	86	84	83	79	88		75	80	75	88	78	79	80	84	85	89	86
1500	80	89	86	79	84	87	84	81	79	88		83	79	82	88	79	79	80	84	85	89	85
1600	84	87	85	79	84	87	84	81	79	89		82	79	79	85	79	80	81	85	85	90	85
1700	88	87	88	80	84	87	84	83	80	89		83	80	80	82	77	79	80	86	86	90	84
1800	88	87	88	80	84	87	84	83	80	88		78	81	80	83	77	79	80	86	86	88	84
1900	88	87	88	80	84	86	82	79	80	88		77	80	80	81	77	79	80	86	86	88	84
2000	88	87	88	80	83	85	82	79	79	88		76	79	78	81	78	78	79	86	86	88	84
2100																						
2200																						
2300																						

STAGE I, II, or III HOURLY INSIDE TEMP LOG

ATTACHMENT C

Date: 7/26/24 STAGE: (circle one) (I) II III Stage Activation Time: 1332 Stage Deactivation Time: 1940

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001											X											
0100											X											
0200											X											
0300											X											
0400											X											
0500											X											
0600											X											
0700											X											
0800											X											
0900											X											
1000											X											
1100											X											
1200											X											
1300											X											
1400	81	87	87	78	84	86	81	77	77	86	X	76	81	73	77	76	77	83	83	84	85	86
1500	81	87	87	77	85	86	81	78	77	88	X	77	82	74	78	77	77	82	84	84	85	87
1600	81	87	87	77	85	86	82	79	77	90	X	78	83	75	79	77	78	82	84	84	86	87
1700	85	85	87	78	84	86	83	80	78	90	X	79	84	76	80	78	78	83	84	84	87	86
1800	85	85	87	78	85	86	83	80	78	89	X	78	84	75	79	77	77	83	83	84	86	85
1900	85	85	87	77	85	83	81	78	77	89	X	78	84	75	79	77	77	83	83	83	86	85
2000											X											
2100											X											
2200											X											
2300											X											

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Mon 07/29/2024	0100	62	Mendoza
	0200	62	Mendoza
	0300	60	Mendoza
	0400	60	Mendoza
	0500	59	Mendoza
	0600	65	Yamamoto
	0700	68	Yamamoto
	0800	70	Yamamoto
	0900	70	Yamamoto
	1000	70	Yamamoto
	1100	69	Yamamoto
	1200	73	Yamamoto
	1300	76	Yamamoto
	1400	80	DUONG
	1500	85	DUONG
	1600	88	DUONG
	1700	85	DUONG
	1800	78	DUONG
	1900	73	DUONG
	2000	70	DUONG
	2100	68	DUONG
	2200	68	SYPRASEUTH
	2300	67	SYPRASEUTH
	2400	65	SYPRASEUTH

DATE	TIME	TEMP.	PRINTED NAME
Tue 07/30/2024	0100	65	SYPRASEUTH
	0200	64	SYPRASEUTH
	0300	62	SYPRASEUTH
	0400	60	SYPRASEUTH
	0500	60	SYPRASEUTH
	0600	60	BROWN
	0700	62	BROWN
	0800	64	BROWN
	0900	69	BROWN
	1000	72	BROWN
	1100	75	BROWN
	1200	78	BROWN
	1300	80	BROWN
	1400	83	DUONG
	1500	88	DUONG
	1600	88	DUONG
	1700	86	DUONG
	1800	81	DUONG
	1900	79	DUONG
	2000	78	DUONG
	2100	77	DUONG
	2200	77	Murillo
	2300	77	Murillo
	2400	77	Murillo

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 07/31/2024	0100	78	Murillo
	0200	78	Murillo
	0300	78	Murillo
	0400	78	Murillo
	0500	79	Murillo
	0600	68	DUONG
	0700	67	DUONG
	0800	67	DUONG
	0900	72	DUONG
	1000	73	DUONG
	1100	76	DUONG
	1200	81	DUONG
	1300	84	DUONG
	1400	89	DUONG
	1500	92	DUONG
	1600	94	DUONG
	1700	92	DUONG
	1800	90	DUONG
	1900	86	DUONG
	2000	84	DUONG
	2100	82	DUONG
	2200	82	Murillo
	2300	81	Murillo
	2400	78	Murillo

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	70	Mendoza
	0600	70	Yamamoto
	0900	71	Yamamoto
	1200	73	Yamamoto
	1500	74	DUONG
	1800	73	DUONG
	2100	72	DUONG
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	65	SYPRASEUTH
	0600	70	BROWN
	0900	74	BROWN
	1200	75	BROWN
	1500	76	Duong
	1800	76	Duong
	2100	76	Duong
	2400	76	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	75	Murillo
	0600	76	DUONG
	0900	76	DUONG
	1200	78	Duong
	1500	81	DUONG
	1800	82	DUONG
	2100	81	DUONG
	2400	86	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-1** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	71	Mendoza
	0600	71	Yamamoto
	0900	72	Yamamoto
	1200	75	Yamamoto
	1500	78	DUONG
	1800	77	DUONG
	2100	76	DUONG
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	68	SYPRASEUTH
	0600	70	BROWN
	0900	76	BROWN
	1200	75	BROWN
	1500	79	Duong
	1800	79	Duong
	2100	79	Duong
	2400	78	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	78	Murillo
	0600	78	Duong
	0900	78	Duong
	1200	78	Duong
	1500	82	Duong
	1800	83	Duong
	2100	82	Duong
	2400	80	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	70	Mendoza
	0600	69	Yymant
	0900	70	Yymamr
	1200	75	Yymamr
	1500	74	DUONG
	1800	73	DUONG
	2100	72	DUONG
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	68	SYPRASEUTH
	0600	71	BROWN
	0900	75	BROWN
	1200	74	BROWN
	1500	79	Duong
	1800	79	Duong
	2100	79	Duong
	2400	78	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	78	Murillo
	0600	78	Duong
	0900	78	Duong
	1200	78	Duong
	1500	79	Duong
	1800	80	Duong
	2100	80	DUONG
	2400	80	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-1** Temp. Reading Location: **137**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	72	Mendoza
	0600	71	Yamamoto
	0900	71	Yamamoto
	1200	77	Yamamoto
	1500	78	DUONG
	1800	77	DUONG
	2100	76	DUONG
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	72	SYPRASEUTH
	0600	71	BROWN
	0900	75	BROWN
	1200	76	BROWN
	1500	79	Duong
	1800	79	Duong
	2100	75	Duong
	2400	75	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	75	Murillo
	0600	74	DUONG
	0900	74	Duong
	1200	75	Duong
	1500	75	Duong
	1800	75	Duong
	2100	74	DUONG
	2400	74	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	71	Mendoza
	0600	70	Yamamoto
	0900	72	Yamamoto
	1200	73	Yamamoto
	1500	75	DUONG
	1800	74	DUONG
	2100	73	DUONG
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	69	SYPRASEUTH
	0600	71	Brown
	0900	75	BROWN
	1200	76	Brown
	1500	77	DUONG
	1800	77	DUONG
	2100	77	DUONG
	2400	76	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	76	Murillo
	0600	77	DUONG
	0900	77	DUONG
	1200	77	DUONG
	1500	77	DUONG
	1800	79	DUONG
	2100	77	DUONG
	2400	77	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	75	Mendoza
	0600	69	Yamanak
	0900	71	Yamanak
	1200	73	Yamanak
	1500	75	DUONG
	1800	75	DUONG
	2100	75	DUONG
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	70	SYPRASEUTH
	0600	71	BROWN
	0900	72	Brown
	1200	75	Brown
	1500	78	DUONG
	1800	78	DUONG
	2100	77	DUONG
	2400	76	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	76	Murillo
	0600	74	DUONG
	0900	74	DUONG
	1200	78	DUONG
	1500	79	DUONG
	1800	80	DUONG
	2100	79	DUONG
	2400	78	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	73	Mendoza
	0600	70	Yamamoto
	0900	72	Yamamoto
	1200	72	Yamamoto
	1500	73	DUONG
	1800	73	DUONG
	2100	71	DUONG
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	69	SYPRASEUTH
	0600	72	BROWN
	0900	72	BROWN
	1200	72	BROWN
	1500	79	DUONG
	1800	77	DUONG
	2100	76	DUONG
	2400	76	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	75	Murillo
	0600	71	DUONG
	0900	72	Duong
	1200	73	Duong
	1500	78	Duong
	1800	80	Duong
	2100	80	DUONG
	2400	80	Murillo

NOTES

UTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	74	Mendoza
	0600	78	Yamamoto
	0900	79	Yamamoto
	1200	79	Yamamoto
	1500	73	DUONG
	1800	73	DUONG
	2100	73	DUONG
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	70	SYPRASEUTH
	0600	74	BROWN
	0900	78	BROWN
	1200	80	BROWN
	1500	80	DUONG
	1800	79	DUONG
	2100	78	DUONG
	2400	77	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	77	Murillo
	0600	73	DUONG
	0900	74	Duong
	1200	73	Duong
	1500	80	Duong
	1800	80	Duong
	2100	80	DUONG
	2400	80	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	70	Mendoza
	0600	72	Yamagnd
	0900	73	Yamagnd
	1200	70	Yamagnd
	1500	75	DUONG
	1800	74	DUONG
	2100	74	DUONG
	2400	71	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	70	SYPRASEUTH
	0600	72	BROWN
	0900	72	BROWN
	1200	70	BROWN
	1500	70	DUONG
	1800	71	DUONG
	2100	70	DUONG
	2400	70	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	70	Murillo
	0600	74	DUONG
	0900	76	Duong
	1200	77	Duong
	1500	75	Duong
	1800	76	Duong
	2100	76	DUONG
	2400	75	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	70	Mendoza
	0600	72	Yamamoto
	0900	74	Yamamoto
	1200	75	Yamamoto
	1500	78	DUONG
	1800	79	DUONG
	2100	78	DUONG
	2400	75	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	72	SYPRASEUTH
	0600	72	BROWN
	0900	75	Brown
	1200	78	BROWN
	1500	77	DUONG
	1800	79	DUONG
	2100	79	DUONG
	2400	78	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	77	Murillo
	0600	74	DUONG
	0900	74	Duong
	1200	80	Duong
	1500	81	Duong
	1800	83	Duong
	2100	81	DUONG
	2400	80	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

CLOSED

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Closed

NOTES

STRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	70	Mendoza
	0600	71	Yamamoto
	0900	72	Yamamoto
	1200	72	Yamamoto
	1500	72	DUONG
	1800	73	DUONG
	2100	71	DUONG
	2400	69	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	68	SYPRASEUTH
	0600	74	BROWN
	0900	75	BROWN
	1200	76	BROWN
	1500	78	DUONG
	1800	79	DUONG
	2100	76	DUONG
	2400	76	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	75	Murillo
	0600	72	DUONG
	0900	72	Duong
	1200	74	Duong
	1500	74	Duong
	1800	72	Duong
	2100	72	Duong
	2400	71	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-3** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	70	Mendoza
	0600	69	Yamamoto
	0900	71	Yamamoto
	1200	72	Yamamoto
	1500	75	DUONG
	1800	75	DUONG
	2100	73	DUONG
	2400	71	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	70	SYPRASEUTH
	0600	~~72~~ 69	BROWN
	0900	69	BROWN
	1200	74	BROWN
	1500	76	DUONG
	1800	76	DUONG
	2100	76	DUONG
	2400	75	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	75	Murillo
	0600	70	Duong
	0900	71	Duong
	1200	72	Duong
	1500	78	Duong
	1800	81	Duong
	2100	80	Duong
	2400	79	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	69	Mendoza
	0600	64	Yamamoto
	0900	67	Yamamoto
	1200	69	Yamamoto
	1500	72	DUONG
	1800	71	DUONG
	2100	70	DUONG
	2400	68	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	67	SYPRASEUTH
	0600	64	BROWN
	0900	68	BROWN
	1200	72	BROWN
	1500	73	DUONG
	1800	77	DUONG
	2100	76	DUONG
	2400	76	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	75	Murillo
	0600	68	DUONG
	0900	69	Duong
	1200	71	Duong
	1500	73	Duong
	1800	76	Duong
	2100	75	DUONG
	2400	75	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	72	Mendoza
	0600	70	Yamamoto
	0900	71	Yamamoto
	1200	71	Yamamoto
	1500	76	DUONG
	1800	75	DUONG
	2100	75	DUONG
	2400	73	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	70	SYPRASEUTH
	0600	72	BROWN
	0900	74	BROWN
	1200	74	BROWN
	1500	75	DUONG
	1800	78	DUONG
	2100	76	DUONG
	2400	76	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	75	Murillo
	0600	69	DUONG
	0900	71	Duong
	1200	73	Duong
	1500	81	Duong
	1800	83	Duong
	2100	80	DUONG
	2400	79	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	69	Mendoza
	0600	70	Yamamoto
	0900	70	Yamamoto
	1200	72	Yamamoto
	1500	74	DUONG
	1800	75	Duong
	2100	74	DUONG
	2400	70	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	68	SYPRASEUTH
	0600	71	BROWN
	0900	72	BROWN
	1200	75	BROWN
	1500	74	DUONG
	1800	74	DUONG
	2100	75	DUONG
	2400	75	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	75	Murillo
	0600	72	DUONG
	0900	73	Duong
	1200	77	Duong
	1500	78	Duong
	1800	78	Duong
	2100	76	DUONG
	2400	75	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	70	Mendoza
	0600	69	Yamamoto
	0900	69	Yamamoto
	1200	72	Yamamoto
	1500	75	DUONG
	1800	75	DUONG
	2100	75	DUONG
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	70	SYPRASEUTH
	0600	72	BROWN
	0900	70	BROWN
	1200	73	BROWN
	1500	73	DUONG
	1800	72	DUONG
	2100	73	DUONG
	2400	73	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	73	Murillo
	0600	72	DUONG
	0900	72	Duong
	1200	76	Duong
	1500	79	Duong
	1800	78	Duong
	2100	77	DUONG
	2400	76	Murillo

NOTES

BUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	71	Mendoza
	0600	71	Yamamoto
	0900	70	Yamamoto
	1200	73	Yamamoto
	1500	75	DUONG
	1800	76	DUONG
	2100	76	DUONG
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	70	SYPRASEUTH
	0600	70	BROWN
	0900	75	BROWN
	1200	76	BROWN
	1500	75	DUONG
	1800	75	DUONG
	2100	74	DUONG
	2400	73	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	72	Murillo
	0600	75	DUONG
	0900	76	Duong
	1200	77	Duong
	1500	79	Duong
	1800	80	Duong
	2100	78	DUONG
	2400	77	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	74	Mendoza
	0600	82	Yymgmk
	0900	82	Yymgmk
	1200	85	Yymgmk
	1500	77	DUONG
	1800	79	DUONG
	2100	79	DUONG
	2400	75	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	72	SYPRASEUTH
	0600	75	BROWN
	0900	80	BROWN
	1200	80	BROWN
	1500	84	DUONG
	1800	85	DUONG
	2100	85	DUONG
	2400	84	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	84	Murillo
	0600	77	DUONG
	0900	79	Duong
	1200	85	Duong
	1500	85	Duong
	1800	83	Duong
	2100	83	DUONG
	2400	82	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	76	Mendoza
	0600	80	Yamamoto
	0900	84	Yamamoto
	1200	84	Yamamoto
	1500	77	DUONG
	1800	77	DUONG
	2100	77	DUONG
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	74	SYPRASEUTH
	0600	74	BROWN
	0900	76	BROWN
	1200	80	BROWN
	1500	84	DUONG
	1800	85	DUONG
	2100	84	DUONG
	2400	84	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	83	Murillo
	0600	78	DUONG
	0900	79	Duong
	1200	84	Duong
	1500	85	Duong
	1800	81	Duong
	2100	81	DUONG
	2400	80	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	75	Mendoza
	0600	81	Yamamoto
	0900	85	Yamamoto
	1200	86	Yamamoto
	1500	80	DUONG
	1800	79	DUONG
	2100	79	DUONG
	2400	76	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	75	SYPRASEUTH
	0600	75	BROWN
	0900	79	BROWN
	1200	80	BROWN
	1500	85	DUONG
	1800	85	DUONG
	2100	85	DUONG
	2400	84	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	82	Murillo
	0600	79	DUONG
	0900	79	Duong
	1200	84	Duong
	1500	85	Duong
	1800	84	Duong
	2100	83	DUONG
	2400	80	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/29/2024	0300	75	Mendoza
	0600	77	Yamamoto
	0900	79	Yamamoto
	1200	80	Yamamoto
	1500	81	DUONG
	1800	80	DUONG
	2100	80	DUONG
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/30/2024	0300	75	SYPRASEUTH
	0600	75	BROWN
	0900	78	BROWN
	1200	79	BROWN
	1500	83	DUONG
	1800	84	DUONG
	2100	84	DUONG
	2400	81	Murillo

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/31/2024	0300	80	Murillo
	0600	80	Duong
	0900	81	Duong
	1200	83	Duong
	1500	84	Duong
	1800	83	Duong
	2100	82	DUONG
	2400	80	Murillo

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STAGE I, II, or III HOURLY INSIDE TEMP LOG **ATTACHMENT C**

Date: 7-31-24 **STAGE:** (circle one) I II III **Stage Activation Time:** 1430 **Stage Deactivation Time:** 1930

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100																						
1200																						
1300																						
1400																						
1500	81	82	79	75	77	79	78	80	75	81		74	78	73	81	78	79	79	85	85	85	84
1600	81	82	79	75	77	80	79	81	77	82		76	80	75	82	78	79	79	85	85	85	84
1700	82	83	80	75	79	81	79	81	77	82		75	81	77	82	78	79	80	84	83	85	83
1800	82	83	80	75	79	80	80	80	76	83		72	81	76	83	78	78	80	83	81	84	83
1900	82	83	80	75	79	80	80	79	76	83		72	81	76	83	78	78	79	83	81	84	83
2000																						
2100																						
2200																						
2300																						

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Mon 07/08/2024	0100	68	Mendoza
	0200	66	Mendoza
	0300	65	Mendoza
	0400	65	Mendoza
	0500	63	Mendoza
	0600	65	D. ARREZOLA
	0700	67	D. ARREZOLA
	0800	70	D. ARREZOLA
	0900	75	D. ARREZOLA
	1000	79	D. ARREZOLA
	1100	82	D. ARREZOLA
	1200	85	D. ARREZOLA
	1300	88	D. ARREZOLA
	1400	94	Hemingson
	1500	97	Hemingson
	1600	100	Hemingson
	1700	97	Hemingson
	1800	93	Hemingson
	1900	89	Hemingson
	2000	85	Hemingson
	2100	81	Hemingson
	2200	78	SYPRASEUTH
	2300	75	SYPRASEUTH
	2400	71	SYPRASEUTH

DATE	TIME	TEMP.	PRINTED NAME
Tue 07/09/2024	0100	69	SYPRASEUTH
	0200	68	SYPRASEUTH
	0300	66	SYPRASEUTH
	0400	66	SYPRASEUTH
	0500	65	SYPRASEUTH
	0600	66	D. ARREZOLA
	0700	67	D. ARREZOLA
	0800	68	D. ARREZOLA
	0900	70	D. ARREZOLA
	1000	73	D. ARREZOLA
	1100	75	D. ARREZOLA
	1200	78	D. ARREZOLA
	1300	80	D. ARREZOLA
	1400	88	Hemingson
	1500	92	Hemingson
	1600	94	Hemingson
	1700	92	Hemingson
	1800	88	Hemingson
	1900	85	Hemingson
	2000	81	Hemingson
	2100	78	Hemingson
	2200	75	Hemingson
	2300	74	J. FLORES
	2400	70	J. FLORES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 07/10/2024	0100	69	J. FLORES
	0200	68	J. FLORES
	0300	66	J. FLORES
	0400	65	J. FLORES
	0500	64	J. FLORES
	0600	63	Hemingsen
	0700	64	Hemingsen
	0800	69	Hemingsen
	0900	71	Hemingsen
	1000	78	Hemingsen
	1100	82	Hemingsen
	1200	86	Hemingsen
	1300	89	Hemingsen
	1400	96	Hemingsen
	1500	102	Hemingsen
	1600	105	Hemingsen
	1700	103	Hemingsen
	1800	100	Hemingsen
	1900	96	Hemingsen
	2000	93	Hemingsen
	2100	92	Hemingsen
	2200	90	SYPRASEUTH
	2300	88	SYPRASEUTH
	2400	85	SYPRASEUTH

DATE	TIME	TEMP.	PRINTED NAME
Thu 07/11/2024	0100	82	SYPRASEUTH
	0200	80	SYPRASEUTH
	0300	77	SYPRASEUTH
	0400	75	SYPRASEUTH
	0500	74	SYPRASEUTH
	0600	69	QUIJAS
	0700	72	QUIJAS
	0800	78	QUIJAS
	0900	81	QUIJAS
	1000	85	QUIJAS
	1100	91	QUIJAS
	1200	95	QUIJAS
	1300	99	QUIJAS
	1400	103	Hemingsen
	1500	108	Hemingsen
	1600	111	Hemingsen
	1700	110	Hemingsen
	1800	107	Hemingsen
	1900	103	Hemingsen
	2000	98	Hemingsen
	2100	95	Hemingsen
	2200	90	Gruber
	2300	85	Gruber
	2400	83	Gruber

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Fri 07/12/2024	0100	80	Gonzalez
	0200	78	Gonzalez
	0300	75	Gonzalez
	0400	74	Gonzalez
	0500	70	Gonzalez
	0600	71	QUIJAS
	0700	76	QUIJAS
	0800	79	QUIJAS
	0900	82	QUIJAS
	1000	87	QUIJAS
	1100	92	QUIJAS
	1200	95	QUIJAS
	1300	100	QUIJAS
	1400	102	QUIJAS
	1500	108	QUIJAS
	1600	108	QUIJAS
	1700	107	QUIJAS
	1800	102	QUIJAS
	1900	98	QUIJAS
	2000	92	QUIJAS
	2100	87	QUIJAS
	2200	83	Gonzalez
	2300	78	Gonzalez
	2400	76	Gonzalez

DATE	TIME	TEMP.	PRINTED NAME
Sat 07/13/2024	0100	76	Gonzalez
	0200	75	Gonzalez
	0300	72	Gonzalez
	0400	70	Gonzalez
	0500	70	Gonzalez
	0600	71	QUIJAS
	0700	72	QUIJAS
	0800	75	QUIJAS
	0900	79	QUIJAS
	1000	80	QUIJAS
	1100	80	QUIJAS
	1200	88	QUIJAS
	1300	92	QUIJAS
	1400	93	Saelee
	1500	93	Saelee
	1600	92	Saelee
	1700	90	Saelee
	1800	89	Saelee
	1900	81	Saelee
	2000	77	Saelee
	2100	73	Saelee
	2200	70	Gutierrez
	2300	69	Gutierrez
	2400	69	Gutierrez

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Sun 07/14/2024	0100	68	Gutierrez
	0200	68	Gutierrez
	0300	68	Gutierrez
	0400	68	Gutierrez
	0500	68	Gutierrez
	0600	65	Quijas
	0700	66	Quijas
	0800	67	Quijas
	0900	72	Quijas
	1000	76	Quijas
	1100	79	Quijas
	1200	85	Quijas
	1300	90	Quijas
	1400	96	Young
	1500	98	Young
	1600	100	Young
	1700	99	Young
	1800	97	Young
	1900	86	Young
	2000	86	Young
	2100	84	Young
	2200	80	Luiz
	2300	79	Luiz
	2400	78	Luiz

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	77	Mendoza
	0600	83	D. ARREOLA
	0900	85	D. ARREOLA
	1200	87	D. ARREOLA
	1500	86	Hemingen
	1800	87	Hemingen
	2100	86	Hemingen
	2400	82	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	79	SYPRASEUTH
	0600	77	D. ARREOLA
	0900	75	D. ARREOLA
	1200	76	D. ARREOLA
	1500	86	Hemingen
	1800	86	Hemingen
	2100	85	Hemingen
	2400	83	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	83	J. FLORES
	0600	75	Hemingen
	0900	76	Hemingen
	1200	86	Hemingen
	1500	87	Hemingen
	1800	87	Hemingen
	2100	85	Hemingen
	2400	82	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	78	SYPRASEUTH
	0600	84	QUIJAS
	0900	85	QUIJAS
	1200	86	QUIJAS
	1500	88	Hemingen
	1800	86	Hemingen
	2100	85	Hemingen
	2400	85	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	82	[illegible]
	0600	81	QUIJAS
	0900	84	QUIJAS
	1200	87	QUIJAS
	1500	87	QUIJAS
	1800	87	QUIJAS
	2100	87	QUIJAS
	2400	85	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	80	[illegible]
	0600	81	QUIJAS
	0900	81	QUIJAS
	1200	83	QUIJAS
	1500	83	Saelee
	1800	80	Saelee
	2100	80	Saelee
	2400	80	GUTIERREZ

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	80	GUTIERREZ
	0600	81	QUIJAS
	0900	82	QUIJAS
	1200	84	QUIJAS
	1500	83	Yourb
	1800	83	Yourb
	2100	83	Yourb
	2400	84	LUTZ

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	81	Mandoza
	0600	83	D. ARREZOLA
	0900	86	D. ARREZOLA
	1200	88	D. ARREZOLA
	1500	88	Hemingen
	1800	89	Hemingen
	2100	88	Hemingen
	2400	85	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	80	SYPRASEUTH
	0600	83	D. ARREZOLA
	0900	85	D. ARREZOLA
	1200	86	D. ARREZOLA
	1500	88	Hemingen
	1800	88	Hemingen
	2100	88	Hemingen
	2400	84	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	82	J. FLORES
	0600	77	Hemingen
	0900	78	Hemingen
	1200	86	Hemingen
	1500	89	Hemingen
	1800	82	Hemingen
	2100	86	Hemingen
	2400	82	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	78	SYPRASEUTH
	0600	84	QUIJAS
	0900	86	QUIJAS
	1200	87	QUIJAS
	1500	91	Hemingen
	1800	91	Hemingen
	2100	90	Hemingen
	2400	90	Green

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	87	Green
	0600	83	QUIJAS
	0900	83	QUIJAS
	1200	89	QUIJAS
	1500	90	QUIJAS
	1800	90	QUIJAS
	2100	91	QUIJAS
	2400	88	Green

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	86	Green
	0600	85	QUIJAS
	0900	85	QUIJAS
	1200	88	QUIJAS
	1500	89	Saelee
	1800	89	Saelee
	2100	87	Saelee
	2400	87	Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	85	Gutierrez
	0600	83	QUIJAS
	0900	84	QUIJAS
	1200	86	QUIJAS
	1500	88	Yawn
	1800	88	Yawn
	2100	87	Yawn
	2400	85	Lutz

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	78	Mendoza
	0600	82	D. ARREZOLA
	0900	85	D. ARREZOLA
	1200	87	D. ARREZOLA
	1500	88	Hemingsen
	1800	87	Hemingsen
	2100	86	Hemingsen
	2400	85	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	79	SYPRASEUTH
	0600	79	D. ARREZOLA
	0900	82	D. ARREZOLA
	1200	85	D. ARREZOLA
	1500	87	Hemingsen
	1800	87	Hemingsen
	2100	86	Hemingsen
	2400	84	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	84	J. FLORES
	0600	80	Hemingsen
	0900	80	Hemingsen
	1200	86	Hemingsen
	1500	88	Hemingsen
	1800	86	Hemingsen
	2100	85	Hemingsen
	2400	81	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	76	SYPRASEUTH
	0600	84	QUIJAS
	0900	86	QUIJAS
	1200	87	QUIJAS
	1500	87	Hemingsen
	1800	88	Hemingsen
	2100	87	Hemingsen
	2400	88	Gates

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	80	Gates
	0600	83	QUIJAS
	0900	85	QUIJAS
	1200	88	QUIJAS
	1500	88	QUIJAS
	1800	89	QUIJAS
	2100	89	QUIJAS
	2400	88	Gates

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	85	Gates
	0600	83	QUIJAS
	0900	83	QUIJAS
	1200	88	QUIJAS
	1500	85	Saeler
	1800	85	Saeler
	2100	83	Saeler
	2400	83	VASQUEZ

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	81	VASQUEZ
	0600	83	QUIJAS
	0900	83	QUIJAS
	1200	86	QUIJAS
	1500	86	Yowa
	1800	87	Yowa
	2100	87	Yowa
	2400	81	

NOTES

24h - 87 °F

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	80	MENDOZA
	0600	82	D. ARREZOLA
	0900	84	D. ARREZOLA
	1200	86	D. ARREZOLA
	1500	87	Hemingsen
	1800	87	Hemingsen
	2100	86	Hemingsen
	2400	84	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	79	SYPRASEUTH
	0600	80	D. ARREZOLA
	0900	81	D. ARREZOLA
	1200	83	D. ARREZOLA
	1500	88	Hemingsen
	1800	88	Hemingsen
	2100	87	Hemingsen
	2400	86	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	79	J. FLORES
	0600	76	Hemingsen
	0900	87	Hemingsen
	1200	88	Hemingsen
	1500	88	Hemingsen
	1800	84	Hemingsen
	2100	84	Hemingsen
	2400	80	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	77	SYPRASEUTH
	0600	83	QUIJAS
	0900	87	QUIJAS
	1200	88	QUIJAS
	1500	84	Hemingsen
	1800	86	Hemingsen
	2100	85	Hemingsen
	2400	86	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	84	[illegible]
	0600	83	QUIJAS
	0900	85	QUIJAS
	1200	88	QUIJAS
	1500	86	QUIJAS
	1800	88	QUIJAS
	2100	88	QUIJAS
	2400	85	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	83	[illegible]
	0600	84	QUIJAS
	0900	84	QUIJAS
	1200	88	QUIJAS
	1500	86	Saelee
	1800	87	Saelee
	2100	85	Saelee
	2400	85	GUTIERREZ

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	84	GUTIERREZ
	0600	82	QUIJAS
	0900	82	QUIJAS
	1200	85	QUIJAS
	1500	86	Young
	1800	86	Young
	2100	84	Young
	2400	84	CUTZ

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	74	Mendoza
	0600	78	D. ARREZOLA
	0900	78	D. ARREZOLA
	1200	79	D. ARREZOLA
	1500	80	Hemingsen
	1800	82	Hemingsen
	2100	81	Hemingsen
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	76	SYPRASEUTH
	0600	79	D. ARREZOLA
	0900	79	D. ARREZOLA
	1200	76	D. ARREZOLA
	1500	77	Hemingsen
	1800	78	Hemingsen
	2100	77	Hemingsen
	2400	79	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	79	J. FLORES
	0600	78	Hemingsen
	0900	79	Hemingsen
	1200	80	Hemingsen
	1500	80	Hemingsen
	1800	81	Hemingsen
	2100	80	Hemingsen
	2400	77	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	75	SYPRASEUTH
	0600	77	QUIJAS
	0900	79	QUIJAS
	1200	79	QUIJAS
	1500	81	Hemingsen
	1800	84	Hemingsen
	2100	81	Hemingsen
	2400	80	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	78	[illegible]
	0600	78	QUIJAS
	0900	78	QUIJAS
	1200	79	QUIJAS
	1500	81	QUIJAS
	1800	82	QUIJAS
	2100	81	QUIJAS
	2400	80	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	78	[illegible]
	0600	80	QUIJAS
	0900	80	QUIJAS
	1200	80	QUIJAS
	1500	81	Saelee
	1800	80	Saelee
	2100	80	Saelee
	2400	81	[illegible] Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	77	Gutierrez
	0600	77	QUIJAS
	0900	78	QUIJAS
	1200	79	QUIJAS
	1500	79	Young
	1800	79	Young
	2100	78	YOUNG
	2400	79	Luna

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	76	Mendoza
	0600	76	D. ARREOLA
	0900	77	D. ARREOLA
	1200	78	D. ARREOLA
	1500	79	Hemingsen
	1800	83	Hemingsen
	2100	79	Hemingsen
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	75	SYPRASEUTH
	0600	75	D. ARREOLA
	0900	75	D. ARREOLA
	1200	77	D. ARREOLA
	1500	80	Hemingsen
	1800	80	Hemingsen
	2100	79	Hemingsen
	2400	79	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	76	J. FLORES
	0600	76	Hemingsen
	0900	80	Hemingsen
	1200	83	Hemingsen
	1500	83	Hemingsen
	1800	84	Hemingsen
	2100	82	Hemingsen
	2400	77	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	75	SYPRASEUTH
	0600	74	QUIJAS
	0900	78	QUIJAS
	1200	82	QUIJAS
	1500	84	Hemingsen
	1800	83	Hemingsen
	2100	83	Hemingsen
	2400	82	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	80	[illegible]
	0600	77	QUIJAS
	0900	80	QUIJAS
	1200	82	QUIJAS
	1500	83	QUIJAS
	1800	84	QUIJAS
	2100	83	QUIJAS
	2400	80	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	78	[illegible]
	0600	78	QUIJAS
	0900	78	QUIJAS
	1200	79	QUIJAS
	1500	80	Saelee
	1800	81	Saelee
	2100	78	Saelee
	2400	78	Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	75	Gutierrez
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	77	QUIJAS
	1500	80	Young
	1800	80	Young
	2100	79	Young
	2400	77	Lutz

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	75	Mendoza
	0600	75	D. ARREZOLA
	0900	77	D. ARREZOLA
	1200	78	D. ARREZOLA
	1500	79	Hemingsen
	1800	83	Hemingsen
	2100	79	Hemingsen
	2400	77	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	75	SYPRASEUTH
	0600	75	D. ARREZOLA
	0900	75	D. ARREZOLA
	1200	77	D. ARREZOLA
	1500	80	Hemingsen
	1800	80	Hemingsen
	2100	79	Hemingsen
	2400	76	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	75	J. FLORES
	0600	76	Hemingsen
	0900	80	Hemingsen
	1200	83	Hemingsen
	1500	83	Hemingsen
	1800	84	Hemingsen
	2100	83	Hemingsen
	2400	79	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	77	SYPRASEUTH
	0600	75	QUIJAS
	0900	77	QUIJAS
	1200	80	QUIJAS
	1500	84	Hemingsen
	1800	83	Hemingsen
	2100	83	Hemingsen
	2400	83	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	79	[illegible]
	0600	77	QUIJAS
	0900	79	QUIJAS
	1200	81	QUIJAS
	1500	81	QUIJAS
	1800	82	QUIJAS
	2100	81	QUIJAS
	2400	79	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	78	[illegible]
	0600	76	QUIJAS
	0900	77	QUIJAS
	1200	79	QUIJAS
	1500	80	Saelee
	1800	81	Saelee
	2100	79	Saelee
	2400	79	Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	77	Gutierrez
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	76	QUIJAS
	1500	82	Yanda
	1800	79	Yanda
	2100	77	Yanda
	2400	74	Lee

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	76	Mendoza
	0600	74	D. ARREOLA
	0900	75	D. ARREOLA
	1200	78	D. ARREOLA
	1500	83	Hemingsen
	1800	85	Hemingsen
	2100	82	Hemingsen
	2400	80	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	80	SYPRASEUTH
	0600	74	D. ARREOLA
	0900	76	D. ARREOLA
	1200	75	D. ARREOLA
	1500	83	Hemingsen
	1800	79	Hemingsen
	2100	79	Hemingsen
	2400	77	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	77	J. FLORES
	0600	71	Hemingsen
	0900	73	Hemingsen
	1200	76	Hemingsen
	1500	89	Hemingsen
	1800	87	Hemingsen
	2100	86	Hemingsen
	2400	83	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	79	SYPRASEUTH
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	80	QUIJAS
	1500	89	Hemingsen
	1800	90	Hemingsen
	2100	88	Hemingsen
	2400	87	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	80	[illegible]
	0600	75	QUIJAS
	0900	76	QUIJAS
	1200	78	QUIJAS
	1500	92	QUIJAS
	1800	90	QUIJAS
	2100	88	QUIJAS
	2400	77	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	76	[illegible]
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	76	QUIJAS
	1500	79	Saelee
	1800	77	Saelee
	2100	76	Saelee
	2400	77	Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	73	Gutierrez
	0600	71	QUIJAS
	0900	73	QUIJAS
	1200	77	QUIJAS
	1500	77	Yonda
	1800	76	Yonda
	2100	76	Yonda
	2400	75	Lutz

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	70	Mendoza
	0600	73	D. ARREZOLA
	0900	74	D. ARREZOLA
	1200	75	D. ARREZOLA
	1500	76	Hemingsen
	1800	86	Hemingsen
	2100	78	Hemingsen
	2400	77	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	75	SYPRASEUTH
	0600	73	D. ARREZOLA
	0900	74	D. ARREZOLA
	1200	74	D. ARREZOLA
	1500	74	Hemingsen
	1800	75	Hemingsen
	2100	74	Hemingsen
	2400	74	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	67	J. FLORES
	0600	67	Hemingsen
	0900	70	Hemingsen
	1200	74	Hemingsen
	1500	76	Hemingsen
	1800	73	Hemingsen
	2100	72	Hemingsen
	2400	72	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	70	SYPRASEUTH
	0600	72	QUIJAS
	0900	74	QUIJAS
	1200	79	QUIJAS
	1500	82	Hemingsen
	1800	81	Hemingsen
	2100	78	Hemingsen
	2400	78	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	76	[illegible]
	0600	72	QUIJAS
	0900	74	QUIJAS
	1200	77	QUIJAS
	1500	79	QUIJAS
	1800	79	QUIJAS
	2100	78	QUIJAS
	2400	76	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	74	[illegible]
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	76	QUIJAS
	1500	76	Saeler
	1800	74	Saeler
	2100	73	Saeler
	2400	72	Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	70	Gutierrez
	0600	70	QUIJAS
	0900	70	QUIJAS
	1200	74	QUIJAS
	1500	74	Young
	1800	74	Young
	2100	74	Young
	2400	68	Lutz

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-3** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	76	Mendoza
	0600	75	D. ARREOLA
	0900	80	D. ARREOLA
	1200	81	D. ARREOLA
	1500	79	Hemingsen
	1800	81	Hemingsen
	2100	80	Hemingsen
	2400	77	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	75	SYPRASEUTH
	0600	75	D. ARREOLA
	0900	75	D. ARREOLA
	1200	74	D. ARREOLA
	1500	81	Hemingsen
	1800	80	Hemingsen
	2100	79	Hemingsen
	2400	76	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	75	J. FLORES
	0600	78	Hemingsen
	0900	81	Hemingsen
	1200	83	Hemingsen
	1500	81	Hemingsen
	1800	83	Hemingsen
	2100	82	Hemingsen
	2400	80	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	77	SYPRASEUTH
	0600	78	QUIJAS
	0900	81	QUIJAS
	1200	84	QUIJAS
	1500	84	Hemingsen
	1800	90	Hemingsen
	2100	89	Hemingsen
	2400	85	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	80	[illegible]
	0600	80	QUIJAS
	0900	82	QUIJAS
	1200	84	QUIJAS
	1500	80	QUIJAS
	1800	83	QUIJAS
	2100	81	QUIJAS
	2400	83	

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	80	[illegible]
	0600	78	QUIJAS
	0900	78	QUIJAS
	1200	79	QUIJAS
	1500	84	Saelee
	1800	86	Saelee
	2100	84	Saelee
	2400	82	Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	82	Gutierrez
	0600	74	QUIJAS
	0900	75	QUIJAS
	1200	77	QUIJAS
	1500	86	Young
	1800	83	Young
	2100	82	Young
	2400	79	Lutz

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	72	Mendoza
	0600	82	D. ARREZOLA
	0900	81	D. ARREZOLA
	1200	82	D. ARREZOLA
	1500	80	Hemingsen
	1800	88	Hemingsen
	2100	84	Hemingsen
	2400	80	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	78	SYPRASEUTH
	0600	79	D. ARREZOLA
	0900	81	D. ARREZOLA
	1200	80	D. ARREZOLA
	1500	81	Hemingsen
	1800	83	Hemingsen
	2100	82	Hemingsen
	2400	80	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	82	J. FLORES
	0600	83	Hemingsen
	0900	85	Hemingsen
	1200	84	Hemingsen
	1500	84	Hemingsen
	1800	85	Hemingsen
	2100	83	Hemingsen
	2400	80	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	77	SYPRASEUTH
	0600	81	QUIJAS
	0900	83	QUIJAS
	1200	84	QUIJAS
	1500	85	Hemingsen
	1800	85	Hemingsen
	2100	83	Hemingsen
	2400	75	Both

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	73	Both
	0600	74	QUIJAS
	0900	78	QUIJAS
	1200	78	QUIJAS
	1500	78	QUIJAS
	1800	77	QUIJAS
	2100	76	QUIJAS
	2400	76	Both

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	74	Both
	0600	78	QUIJAS
	0900	79	QUIJAS
	1200	80	QUIJAS
	1500	83	Saebel
	1800	82	Saebel
	2100	82	Saebel
	2400	81	Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	79	Gutierrez
	0600	75	QUIJAS
	0900	76	QUIJAS
	1200	79	QUIJAS
	1500	80	Young
	1800	80	Young
	2100	79	Young
	2400	78	Young

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300		
	0600		Closed
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300		
	0600		CLOSED
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300		
	0600		CLOSED
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300		
	0600		CLOSED
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300		
	0600		
	0900		
	1200		CLOSED
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300		
	0600		
	0900		
	1200		Closed
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300		
	0600		
	0900		
	1200		CLOSED
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	82	Mendoza
	0600	82	D. ARREZOLA
	0900	84	D. ARREZOLA
	1200	86	D. ARREZOLA
	1500	91	Hemingsen
	1800	91	Hemingsen
	2100	90	Hemingsen
	2400	87	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	84	SYPRASEUTH
	0600	82	D. ARREZOLA
	0900	83	D. ARREZOLA
	1200	85	D. ARREZOLA
	1500	87	Hemingsen
	1800	88	Hemingsen
	2100	88	Hemingsen
	2400	81	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	79	J. FLORES
	0600	80	Hemingsen
	0900	85	Hemingsen
	1200	86	Hemingsen
	1500	86	Hemingsen
	1800	87	Hemingsen
	2100	88	Hemingsen
	2400	86	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	83	SYPRASEUTH
	0600	83	QUIJAS
	0900	85	QUIJAS
	1200	87	QUIJAS
	1500	90	Hemingsen
	1800	91	Hemingsen
	2100	91	Hemingsen
	2400	89	Brady

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	86	Brady
	0600	85	QUIJAS
	0900	87	QUIJAS
	1200	87	QUIJAS
	1500	87	QUIJAS
	1800	93	QUIJAS
	2100	92	QUIJAS
	2400	90	Brady

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	84	Brady
	0600	85	QUIJAS
	0900	86	QUIJAS
	1200	88	QUIJAS
	1500	90	Saelee
	1800	89	Saelee
	2100	86	Saelee
	2400	84	Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	80	Gutierrez
	0600	78	QUIJAS
	0900	79	QUIJAS
	1200	84	QUIJAS
	1500	88	Young
	1800	88	Young
	2100	86	Young
	2400	85	Lutz

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	78	Mendoza
	0600	78	D. ARREZOLA
	0900	75	D. ARREZOLA
	1200	77	D. ARREZOLA
	1500	79	Hemingsen
	1800	80	Hemingsen
	2100	78	Hemingsen
	2400	75	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	75	SYPRASEUTH
	0600	75	D. ARREZOLA
	0900	75	D. ARREZOLA
	1200	75	D. ARREZOLA
	1500	78	Hemingsen
	1800	78	Hemingsen
	2100	77	Hemingsen
	2400	73	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	72	J. FLORES
	0600	70	Hemingsen
	0900	71	Hemingsen
	1200	73	Hemingsen
	1500	77	Hemingsen
	1800	78	Hemingsen
	2100	77	Hemingsen
	2400	75	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	74	SYPRASEUTH
	0600	75	QUIJAS
	0900	75	QUIJAS
	1200	79	QUIJAS
	1500	81	Hemingsen
	1800	82	Hemingsen
	2100	81	Hemingsen
	2400	80	Brady

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	78	Brady
	0600	78	QUIJAS
	0900	79	QUIJAS
	1200	79	QUIJAS
	1500	81	QUIJAS
	1800	82	QUIJAS
	2100	81	QUIJAS
	2400	80	Brady

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	78	Brady
	0600	77	QUIJAS
	0900	77	QUIJAS
	1200	77	QUIJAS
	1500	91	Saelee
	1800	89	Saelee
	2100	87	Saelee
	2400	86	Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	82	Gutierrez
	0600	72	QUIJAS
	0900	72	QUIJAS
	1200	75	QUIJAS
	1500	78	YOUNG
	1800	80	YOUNG
	2100	80	YOUNG
	2400	84	Lutz

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	75	Mendoza
	0600	74	D. ARREOLA
	0900	79	D. ARREOLA
	1200	86	D. ARREOLA
	1500	83	Hemingsen
	1800	90	Hemingsen
	2100	87	Hemingsen
	2400	84	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	79	SYPRASEUTH
	0600	77	D. ARREOLA
	0900	82	D. ARREOLA
	1200	88	D. ARREOLA
	1500	80	Hemingsen
	1800	81	Hemingsen
	2100	81	Hemingsen
	2400	79	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	78	J. FLORES
	0600	77	Hemingsen
	0900	84	Hemingsen
	1200	89	Hemingsen
	1500	85	Hemingsen
	1800	82	Hemingsen
	2100	81	Hemingsen
	2400	78	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	77	SYPRASEUTH
	0600	77	QUIJAS
	0900	74	QUIJAS
	1200	80	QUIJAS
	1500	90	Hemingsen
	1800	91	Hemingsen
	2100	90	Hemingsen
	2400	89	Barber

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	60	Barber
	0600	75	QUIJAS
	0900	77	QUIJAS
	1200	80	QUIJAS
	1500	90	QUIJAS
	1800	91	QUIJAS
	2100	89	QUIJAS
	2400	85	Barber

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	80	Barber
	0600	85	QUIJAS
	0900	86	QUIJAS
	1200	91	QUIJAS
	1500	91	Saeler
	1800	89	Saeler
	2100	86	Saeler
	2400	86	Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	83	Gutierrez
	0600	84	QUIJAS
	0900	85	QUIJAS
	1200	80	QUIJAS
	1500	84	Young
	1800	85	Young
	2100	85	Young
	2400	78	Lutz

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	77	Mendoza
	0600	77	D. ARREOLA
	0900	77	D. ARREOLA
	1200	77	D. ARREOLA
	1500	78	Hemingsen
	1800	82	Hemingsen
	2100	86	Hemingsen
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	76	SYPRASEUTH
	0600	76	D. ARREOLA
	0900	76	D. ARREOLA
	1200	77	D. ARREOLA
	1500	85	Hemingsen
	1800	81	Hemingsen
	2100	80	Hemingsen
	2400	79	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	76	J. FLORES
	0600	75	Hemingsen
	0900	76	Hemingsen
	1200	77	Hemingsen
	1500	82	Hemingsen
	1800	84	Hemingsen
	2100	82	Hemingsen
	2400	80	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	78	SYPRASEUTH
	0600	77	QUIJAS
	0900	78	QUIJAS
	1200	79	QUIJAS
	1500	82	Hemingsen
	1800	81	Hemingsen
	2100	83	Hemingsen
	2400	80	Gmbr

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	76	Gmbr
	0600	79	QUIJAS
	0900	80	QUIJAS
	1200	80	QUIJAS
	1500	85	QUIJAS
	1800	85	QUIJAS
	2100	80	QUIJAS
	2400	83	Gmbr

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	80	Gmbr
	0600	77	QUIJAS
	0900	77	QUIJAS
	1200	77	QUIJAS
	1500	82	Saebel
	1800	83	Saebel
	2100	82	Saebel
	2400	82	Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	79	Gutierrez
	0600	75	QUIJAS
	0900	75	QUIJAS
	1200	76	QUIJAS
	1500	82	Young
	1800	83	Young
	2100	79	Young
	2400	78	Lutz

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	79	Mendoza
	0600	77	D. ARREDOLA
	0900	79	D. ARREDOLA
	1200	80	D. ARREDOLA
	1500	84	Hemingsen
	1800	85	Hemingsen
	2100	83	Hemingsen
	2400	81	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	78	SYPRASEUTH
	0600	75	D. ARREDOLA
	0900	77	D. ARREDOLA
	1200	80	D. ARREDOLA
	1500	85	Hemingsen
	1800	84	Hemingsen
	2100	83	Hemingsen
	2400	80	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	78	J. FLORES
	0600	76	Hemingsen
	0900	77	Hemingsen
	1200	80	Hemingsen
	1500	84	Hemingsen
	1800	88	Hemingsen
	2100	84	Hemingsen
	2400	82	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	79	SYPRASEUTH
	0600	80	QUIJAS
	0900	82	QUIJAS
	1200	83	QUIJAS
	1500	89	Hemingsen
	1800	91	Hemingsen
	2100	89	Hemingsen
	2400	86	Brar

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	82	Brar
	0600	79	QUIJAS
	0900	81	QUIJAS
	1200	87	QUIJAS
	1500	87	QUIJAS
	1800	89	QUIJAS
	2100	86	QUIJAS
	2400	83	Brar

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	81	Brar
	0600	80	QUIJAS
	0900	80	QUIJAS
	1200	84	QUIJAS
	1500	86	Saebel
	1800	86	Saebel
	2100	84	Saebel
	2400	83	Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	80	Gutierrez
	0600	77	QUIJAS
	0900	79	QUIJAS
	1200	82	QUIJAS
	1500	82	Young
	1800	83	Young
	2100	83	Young
	2400	76	Lutz

NOTES

Sunday 1500 82

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	76	Mendoza
	0600	82	P. ARREOLA
	0900	82	D. ARREOLA
	1200	82	P. ARREOLA
	1500	84	Hemingsen
	1800	86	Hemingsen
	2100	85	Hemingsen
	2400	82	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	78	SYPRASEUTH
	0600	81	P. ARREOLA
	0900	81	D. ARREOLA
	1200	81	D. ARREOLA
	1500	82	Hemingsen
	1800	86	Hemingsen
	2100	84	Hemingsen
	2400	82	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	81	J. FLORES
	0600	81	Hemingsen
	0900	82	Hemingsen
	1200	83	Hemingsen
	1500	82	Hemingsen
	1800	83	Hemingsen
	2100	82	Hemingsen
	2400	80	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	78	SYPRASEUTH
	0600	79	QUIJAS
	0900	81	QUIJAS
	1200	81	QUIJAS
	1500	82	Hemingsen
	1800	80	Hemingsen
	2100	86	Hemingsen
	2400	85	Snelr

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	81	Snelr
	0600	82	QUIJAS
	0900	82	QUIJAS
	1200	84	QUIJAS
	1500	84	QUIJAS
	1800	86	QUIJAS
	2100	86	QUIJAS
	2400	83	Snelr

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	80	Snelr
	0600	82	QUIJAS
	0900	82	QUIJAS
	1200	82	QUIJAS
	1500	83	Saehe
	1800	84	Saehe
	2100	83	Saehe
	2400	83	~~[illegible]~~ GUTIERREZ

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	80	Gutierrez
	0600	81	QUIJAS
	0900	81	QUIJAS
	1200	81	QUIJAS
	1500	82	Young
	1800	83	Young
	2100	82	Young
	2400	77	LUTZ

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-1** Temp. Reading Location: **137**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	75	Mendoza
	0600	78	D. ARREOLA
	0900	79	D. ARREOLA
	1200	82	D. ARREOLA
	1500	81	Hemingsen
	1800	82	Hemingsen
	2100	80	Hemingsen
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	76	SYPRASEUTH
	0600	81	D. ARREOLA
	0900	82	D. ARREOLA
	1200	83	D. ARREOLA
	1500	78	Hemingsen
	1800	80	Hemingsen
	2100	78	Hemingsen
	2400	77	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	77	J. FLORES
	0600	76	Hemingsen
	0900	76	Hemingsen
	1200	78	Hemingsen
	1500	79	Hemingsen
	1800	90	Hemingsen
	2100	88	Hemingsen
	2400	85	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	82	SYPRASEUTH
	0600	74	QUIJAS
	0900	76	QUIJAS
	1200	79	QUIJAS
	1500	81	Hemingsen
	1800	81	Hemingsen
	2100	82	Hemingsen
	2400	80	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	79	[illegible]
	0600	82	QUIJAS
	0900	86	QUIJAS
	1200	90	QUIJAS
	1500	94.5	QUIJAS
	1800	90	QUIJAS
	2100	81	QUIJAS
	2400	80	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	79	[illegible]
	0600	79	QUIJAS
	0900	79	QUIJAS
	1200	80	QUIJAS
	1500	81	Saelee
	1800	80	Saelee
	2100	80	Saelee
	2400	80	Young

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	79	Gutierrez
	0600	78	QUIJAS
	0900	78	QUIJAS
	1200	78	QUIJAS
	1500	80	Young
	1800	82	Young
	2100	81	Young
	2400	82	Lutz

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	78	Mendoza
	0600	83	D. ARREZOLA
	0900	83	D. ARREZOLA
	1200	84	D. ARREZOLA
	1500	85	Hemingsen
	1800	85	Hemingsen
	2100	84	Hemingsen
	2400	82	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	79	SYPRASEUTH
	0600	85	D. ARREZOLA
	0900	84	D. ARREZOLA
	1200	85	D. ARREZOLA
	1500	86	Hemingsen
	1800	87	Hemingsen
	2100	86	Hemingsen
	2400	83	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	83	J. FLORES
	0600	85	Hemingsen
	0900	86	Hemingsen
	1200	86	Hemingsen
	1500	85	Hemingsen
	1800	85	Hemingsen
	2100	84	Hemingsen
	2400	83	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	80	SYPRASEUTH
	0600	81	QUIJAS
	0900	84	QUIJAS
	1200	89	QUIJAS
	1500	86	Hemingsen
	1800	87	Hemingsen
	2100	87	Hemingsen
	2400	84	Brooks

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	81	Brooks
	0600	86	QUIJAS
	0900	87	QUIJAS
	1200	89	QUIJAS
	1500	91	QUIJAS
	1800	91	QUIJAS
	2100	89	QUIJAS
	2400	84	Brooks

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	80	Brooks
	0600	87	QUIJAS
	0900	88	QUIJAS
	1200	88	QUIJAS
	1500	87	Saelee
	1800	87	Saelee
	2100	84	Saelee
	2400	84	Khandroyka

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	80	Gutierrez
	0600	84	QUIJAS
	0900	84	QUIJAS
	1200	84	QUIJAS
	1500	85	Young
	1800	85	Young
	2100	84	Young
	2400	77	LUTZ

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-1** Temp. Reading Location: **VARIES** (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	78	Mendoza
	0600	80	D. ARREOLA
	0900	83	D. ARREOLA
	1200	86	D. ARREOLA
	1500	88	Hemingsen
	1800	89	Hemingsen
	2100	86	Hemingsen
	2400	84	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	79	SYPRASEUTH
	0600	82	D. ARREOLA
	0900	83	D. ARREOLA
	1200	83	D. ARREOLA
	1500	86	Hemingsen
	1800	84	Hemingsen
	2100	83	Hemingsen
	2400	84	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	84	J. FLORES
	0600	84	Hemingsen
	0900	84	Hemingsen
	1200	85	Hemingsen
	1500	89	Hemingsen
	1800	88	Hemingsen
	2100	87	Hemingsen
	2400	85	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	81	SYPRASEUTH
	0600	79	QUIJAS
	0900	81	QUIJAS
	1200	84	QUIJAS
	1500	85	Hemingsen
	1800	91	Hemingsen
	2100	90	Hemingsen
	2400	88	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	81	[illegible]
	0600	83	QUIJAS
	0900	86	QUIJAS
	1200	87	QUIJAS
	1500	89	QUIJAS
	1800	89	QUIJAS
	2100	88	QUIJAS
	2400	87	[illegible]

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	83	[illegible]
	0600	83	QUIJAS
	0900	83	QUIJAS
	1200	83	QUIJAS
	1500	87	SAELEE
	1800	87	SAELEE
	2100	85	Saelee
	2400	79	Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	77	Gutierrez
	0600	79	QUIJAS
	0900	79	QUIJAS
	1200	83	QUIJAS
	1500	85	Young
	1800	86	Young
	2100	85	Young
	2400	86	Lutz

NOTES

2400 → 86°F

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/● OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/8/2024	0300	76	Mendoza
	0600	83	D. ARREZOLA
	0900	81	D. ARREZOLA
	1200	81	D. ARREZOLA
	1500	84	Hemingsen
	1800	87	Hemingsen
	2100	86	Hemingsen
	2400	84	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/9/2024	0300	78	SYPRASEUTH
	0600	80	D. ARREZOLA
	0900	82	D. ARREZOLA
	1200	82	D. ARREZOLA
	1500	85	Hemingsen
	1800	83	Hemingsen
	2100	82	Hemingsen
	2400	81	J. FLORES

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/10/2024	0300	80	J. FLORES
	0600	80	Hemingsen
	0900	81	Hemingsen
	1200	86	Hemingsen
	1500	84	Hemingsen
	1800	83	Hemingsen
	2100	80	Hemingsen
	2400	78	SYPRASEUTH

THURSDAY

Date	Time	Temp.	Name (Print)
7/11/2024	0300	78	SYPRASEUTH
	0600	80	QUIJAS
	0900	83	QUIJAS
	1200	83	QUIJAS
	1500	88	Hemingsen
	1800	89	Hemingsen
	2100	82	Hemingsen
	2400	65	Smith

FRIDAY

Date	Time	Temp.	Name (Print)
7/12/2024	0300	80	Smith
	0600	84	QUIJAS
	0900	84	QUIJAS
	1200	82	QUIJAS
	1500	88	QUIJAS
	1800	89	QUIJAS
	2100	88	QUIJAS
	2400	80	Smith

SATURDAY

Date	Time	Temp.	Name (Print)
7/13/2024	0300	79	Smith
	0600	82	QUIJAS
	0900	82	QUIJAS
	1200	82	QUIJAS
	1500	81	SAELEE
	1800	81	SAELEE
	2100	80	SAELEE
	2400	79	Gutierrez

SUNDAY

Date	Time	Temp.	Name (Print)
7/14/2024	0300	77	Gutierrez
	0600	79	QUIJAS
	0900	79	QUIJAS
	1200	79	QUIJAS
	1500	80	Young
	1800	79	Young
	2100	79	Young
	2400	81	LUTZ

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

ATT MENT C-1

Date: 7/8/24

A/C Down Time: 1800

A/C Up Time: _____

A/C DOWN LOG

WHEN AN A/C GOES DOWN, TEMPERATURES IN THE AFFECTED UNIT(S) NEED TO BE RECORDED **HOURLY**

	G3											
0001	86											
0100	86											
0200	86											
0300	86											
0400	86											
0500	87											
0600	87											
0700	87											
0800	87											
0900	87											
1000	87											
1100	87											
1200	86											
1300	86											
1400	86											
1500	85											
1600	91											
1700	85											
1800	87											
1900	87											
2000	87											
2100	86											
2200	85											
2300	85											

NOTES: A/C NOT WORKING IN G3 SINCE 7/5/24 AT 1800 HOURS. AC BACK ON AND WORKING IN UNITS G1 & G2 ON 7/7/24 AT 1600 HOURS

Date: 7/9/24

A/C Down Time: _____

A/C Up Time: _____

A/C DOWN LOG

WHEN AN A/C GOES DOWN, TEMPERATURES IN THE AFFECTED UNIT(S) NEED TO BE RECORDED **HOURLY**

	G3											
0001	85											
0100	85											
0200	85											
0300	85											
0400	85											
0500	85											
0600	86											
0700	86											
0800	87											
0900	88											
1000	88											
1100	87											
1200	86											
1300	86											
1400	83											
1500	83											
1600	83											
1700	84											
1800	84											
1900	85											
2000	84											
2100	83											
2200	84											
2300	84											

NOTES: A/C not working in G3 since 7/5/24 @ 1800 hours.

ATTA ENT C-2

Date: 7/10/24 A/C Down Time: _____ A/C Up Time: _____

A/C DOWN LOG

WHEN AN A/C GOES DOWN, TEMPERATURES IN THE AFFECTED UNIT(S) NEED TO BE RECORDED **HOURLY**

	G3											
0001	84											
0100	83											
0200	83											
0300	83											
0400	83											
0500	83											
0600	83											
0700	83											
0800	83											
0900	85											
1000	84											
1100	84											
1200	85											
1300	85											
1400	87											
1500	84											
1600	84											
1700	82											
1800	82											
1900	82											
2000	82											
2100	82											
2200	83											
2300	83											

NOTES: A/C NOT WORKING IN G3 SINCE 7/5/24 @ 1800 HOURS.

Date: 7/11/24 A/C Down Time: _____ A/C Up Time: _____

A/C DOWN LOG

WHEN AN A/C GOES DOWN, TEMPERATURES IN THE AFFECTED UNIT(S) NEED TO BE RECORDED **HOURLY**

	1398											
0001	82											
0100	82											
0200	82											
0300	82											
0400	83											
0500	83											
0600	83											
0700	83											
0800	83											
0900	85											
1000	85											
1100	85											
1200	86											
1300	86											
1400	87											
1500	88											
1600	88											
1700	88											
1800	86											
1900	86											
2000	86											
2100	87											
2200	84											
2300	86											

NOTES: A/C Not working in G3 Since 7/5/24 @ 1800 hours.

ATTA)ENT C-2

Date: 7/12/24 A/C Down Time: _____ A/C Up Time: _____

A/C DOWN LOG

WHEN AN A/C GOES DOWN, TEMPERATURES IN THE AFFECTED UNIT(S) NEED TO BE RECORDED **HOURLY**

	234d											
0001	88.1											
0100	88											
0200	84.6											
0300	84											
0400	83											
0500	81											
0600	80											
0700	80											
0800	82											
0900	82											
1000	82											
1100	82											
1200	82											
1300	83											
1400	84											
1500	84											
1600	84											
1700	84											
1800	84											
1900	84											
2000	83											
2100	83											
2200	85											
2300	85											

NOTES: A/C is not working in G3 since 7/5/24 @ 1800

STAGE I, II, or III HOURLY INSIDE TEMP LOG

ATTACHMENT C

Date: 7-8-24 STAGE: (circle one) (I) II III Stage Activation Time: 1534 Stage Deactivation Time: 2300

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600											CLOSED											
0700																						
0800																						
0900																						
1000																						
1100																						
1200																						
1300																						
1400	84	87	84	81	84	84	77	83	78	89		80	79	76	83	78	79	80	87	87	88	86
1500	84	88	85	81	84	84	78	83	79	91		80	79	76	83	79	79	80	87	88	88	86
1600	85	89	85	82	84	84	78	88	79	91		82	80	80	85	82	82	81	86	88	89	86
1700	87	89	85	82	86	85	81	89	80	90		88	80	80	85	83	83	82	87	87	89	87
1800	87	89	85	82	86	85	81	90	80	91		88	81	86	85	83	83	82	87	87	89	87
1900	87	89	85	81	86	84	82	90	80	90		86	80	78	84	83	83	82	87	87	89	87
2000	87	87	84	81	85	84	81	88	79	90		85	80	78	82	80	80	81	86	87	88	86
2100	86	86	84	80	85	83	80	87	78	90		84	80	78	82	79	79	81	86	86	88	86
2200	85	86	84	80	83	82	78	84	75	89		81	78	77	80	78	77	79	85	85	86	85
2300	85	86	84	80	83	82	78	84	75	89		81	78	77	80	78	77	79	84	85	86	85

STAGE I, II, or III HOURLY INSIDE TEMP LOG **ATTACHMENT C**

Date: 7-8-24 STAGE: I (circle one) II III Stage Activation Time: 1450 Stage Deactivation Time: 1840

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500											CLOSED											
0600																						
0700																						
0800																						
0900																						
1000																						
1100																						
1200																						
1300																						
1400																						
1500	85	86	86	78	82	85	85	80	78	87		81	81	74	83	80	80	77	88	87	88	86
1600	85	87	86	79	82	85	85	82	79	88		82	81	75	84	81	81	78	88	87	88	86
1700	84	86	87	80	83	85	85	82	79	88		83	81	75	83	81	81	78	88	87	88	86
1800	83	84	87	80	84	84	81	81	78	88		83	80	75	79	80	80	78	88	87	88	86
1900																						
2000																						
2100																						
2200																						
2300																						

STAGE I, II, or III HOURLY INSIDE TEMP LOG

ATTACHMENT C

(circle one)

Date: 7·10·24 **STAGE:** I II III **Stage Activation Time:** 1315 **Stage Deactivation Time:** 2000

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100																						
1200																						
1300																						
1400	83	88	84	78	81	82	82	84	77	86		83	80	76	88	81	81	79	88	87	87	86
1500	84	89	85	79	82	84	82	85	77	86		84	81	76	89	83	83	80	88	88	89	87
1600	84	90	85	79	82	85	84	86	79	87		84	83	73	88	84	84	81	88	88	89	87
1700	83	88	86	81	83	87	84	85	79	87		83	83	73	87	84	84	81	87	88	89	87
1800	83	88	85	90	83	88	84	82	78	87		85	83	73	87	84	84	81	84	86	87	87
1900	83	88	86	89	83	87	83	82	78	87		84	82	72	87	83	83	81	84	86	87	85
2000	82	87	85	88	83	86	83	82	78	88		84	82	72	86	83	83	80	84	86	87	85
2100	80	87	84	88	82	84	82	81	77	88		83	82	72	86	82	82	80	84	85	86	85
2200																						
2300																						

STAGE I, II, or III HOURLY INSIDE TEMP LOG

ATTACHMENT C

Date: 7/11/2024 **STAGE:** (circle one) I II III **Stage Activation Time:** 1102 **Stage Deactivation Time:** 0000

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100																						
1200	83	84	89	79	81	83	79	80	79	87	CLOSED	84	84	79	80	80	82	79	88	87	87	86
1300	83	84	90	82	81	86	79	84	80	87		82	85	79	81	80	83	79	89	88	88	85
1400	88	85	86	84	82	88	81	87	81	89		85	84	82	89	81	83	81	84	87	91	85
1500	88	85	86	84	82	89	82	90	81	90		85	84	82	89	82	84	82	84	87	91	85
1600	88	92	86	81	82	91	82	91	83	90		85	86	82	88	83	85	81	86	88	91	86
1700	89	91	86	82	84	91	82	91	83	90		85	86	81	89	83	84	81	86	88	91	86
1800	89	91	87	81	80	91	83	91	82	90		85	90	81	90	83	84	81	86	88	90	85
1900	86	90	87	81	80	90	86	91	82	90		88	90	81	90	83	84	81	86	88	90	85
2000	85	90	87	82	86	90	84	90	81	91		84	90	81	88	83	84	81	86	88	90	85
2100	82	90	87	82	86	89	83	90	81	91		83	89	78	88	83	83	81	85	87	90	85
2200	82	90	89	80	85	86	80	89	80	89		78	88	78	85	80	83	81	85	88	90	85
2300	85	90	84	80	85	86	80	89	80	89		75	85	78	82	83	82	80	86	88	90	85

STAGE I, II, or III HOURLY INSIDE TEMP LOG

ATTACHMENT C

Date: 7/12/24 **STAGE:** (circle one) (I) II III **Stage Activation Time:** 1050 **Stage Deactivation Time:** 1600

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100	81	86	87	88	83	85	80	80	79	89		78	80	75	76	79	79	79	87	87	88	87
1200	82	87	89	90	84	87	80	80	79	91		78	84	77	78	81	82	79	88	88	89	87
1300	82	88	90	92	84	87	83	90	80	91		79	84	78	88	81	82	80	88	88	89	87
1400	82	89	91	94	84	86	85	90	81	91		79	80	78	89	81	83	81	86	88	90	86
1500	88	89	91	94	84	87	85	90	81	92		78	80	79	92	81	83	81	86	88	90	87
1600	89	89	91	94	86	87	85	90	81	92		78	80	79	92	81	84	81	86	88	90	87
1700	91	89	91	92	86	89	85	90	81	93		77	81	79	90	82	84	82	88	89	90	87
1800	89	89	91	90	86	89	85	91	82	93		77	83	79	90	82	84	82	88	89	90	87
1900	84	88	89	85	86	88	84	91	82	93		77	85	79	90	82	85	81	88	90	89	87
2000	88	88	89	81	86	88	84	91	82	93		76	81	78	88	82	85	82	88	89	91	87
2100	88	88	89	81	86	86	80	89	81	92		76	81	78	88	81	83	81	88	89	91	87
2200	87	87	84	80	86	85	83	85	81	92		74	85	76	78	80	81	81	86	90	90	83
2300	80	87	82	80	83	83	83	83	80	91		76	83	76	77	79	80	80	85	87	88	83

STAGE I, II, or III HOURLY INSIDE TEMP LOG **ATTACHMENT C**

(circle one)

Date: 7/13/24 **STAGE:** (I) II III **Stage Activation Time:** 1234 **Stage Deactivation Time:** 1911

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700																						
0800																						
0900																						
1000																						
1100																						
1200																						
1300	82	83	90	81	82	84	77	91	77	88		80	80	76	77	79	79	80	88	88	88	85
1400	81	87	86	80	84	86	81	91	79	89		83	80	76	78	79	80	81	86	85	88	80
1500	81	87	87	81	83	86	82	91	80	90		85	84	76	79	80	80	81	86	85	89	83
1600	81	87	87	81	81	87	83	90	82	90		85	85	76	80	81	81	81	87	86	89	83
1700	81	87	87	81	84	87	84	91	83	91		83	87	75	80	82	82	81	87	86	89	83
1800	82	85	87	80	84	86	83	89	83	89		82	86	74	77	81	81	80	87	85	89	80
1900	81	85	87	81	86	85	83	89	83	89		82	86	73	76	80	81	80	86	85	87	86
2000																						
2100																						
2200																						
2300																						

STAGE I, II, or III HOURLY INSIDE TEMP LOG

ATTACHMENT C

Date: 7/14/24 **STAGE:** I (circle one) II III **Stage Activation Time:** 1307 **Stage Deactivation Time:** 1925

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	T-WING	U-WING	V-WING	Y-DORM
0001																						
0100																						
0200																						
0300																						
0400																						
0500																						
0600																						
0700											CLOSED											
0800																						
0900																						
1000																						
1100																						
1200																						
1300																						
1400	80	85	85	80	82	82	82	83	77	88		80	85	74	75	80	80	79	84	84	86	82
1500	80	85	85	80	82	83	82	84	78	88		80	86	74	77	82	80	79	86	86	88	83
1600	80	86	85	81	83	83	82	84	79	87		80	86	75	77	82	80	82	87	86	88	84
1700	79	86	85	82	83	83	82	86	79	88		81	83	75	76	81	80	81	87	87	88	84
1800	79	86	85	82	83	82	83	85	80	88		80	83	74	76	79	80	79	86	87	89	83
1900	79	85	85	81	83	81	82	85	79	87		79	82	74	75	79	79	79	86	86	88	83
2000																						
2100																						
2200																						
2300																						

Monthly Summary Report

Institution: CMF

Memorandum

Date: August 6, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - July 2024

The following is a summary of the heat related activity for the month of July 2024,

at CMF (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

   Number of days Stage I Alert initiated: 25

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes

   Number of days Stage II Alert initiated: 16

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? Yes

   Number of days Stage III Alert initiated: 1

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 1 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

DANIEL E. CUEVA
Warden Name

Warden Signature

TRACI PATTERSON
Chief Executive Officer Name

Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Mon 07/01/2024	0100	69	Mendoza
	0200	68	Mendoza
	0300	66	Mendoza
	0400	65	Mendoza
	0500	65	Mendoza
	0600	68	D. ARREZOLA
	0700	70	D. ARREZOLA
	0800	72	D. ARREZOLA
	0900	76	D. ARREZOLA
	1000	79	D. ARREZOLA
	1100	85	D. ARREZOLA
	1200	88	D. ARREZOLA
	1300	90	D. ARREZOLA
	1400	95	Hemingsen
	1500	100	Hemingsen
	1600	102	Hemingsen
	1700	102	Hemingsen
	1800	99	Hemingsen
	1900	96	Hemingsen
	2000	92	Hemingsen
	2100	89	Hemingsen
	2200	82	SYPRASEUTH
	2300	79	SYPRASEUTH
	2400	78	SYPRASEUTH

DATE	TIME	TEMP.	PRINTED NAME
Tue 07/02/2024	0100	75	SYPRASEUTH
	0200	72	SYPRASEUTH
	0300	69	SYPRASEUTH
	0400	67	SYPRASEUTH
	0500	65	SYPRASEUTH
	0600	71	D. ARREZOLA
	0700	78	D. ARREZOLA
	0800	86	D. ARREZOLA
	0900	90	D. ARREZOLA
	1000	92	D. ARREZOLA
	1100	95	D. ARREZOLA
	1200	97	D. ARREZOLA
	1300	99	D. ARREZOLA
	1400	101	Hemingsen
	1500	104	Hemingsen
	1600	107	Hemingsen
	1700	109	Hemingsen
	1800	105	Hemingsen
	1900	104	Hemingsen
	2000	96	Hemingsen
	2100	91	Hemingsen
	2200	86	QUIJAS
	2300	86	QUIJAS
	2400	85	QUIJAS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Wed 07/03/2024	0100	86	QUIJAS
	0200	82	QUIJAS
	0300	77	QUIJAS
	0400	77	QUIJAS
	0500	76	QUIJAS
	0600	74	Hemingsen
	0700	78	Hemingsen
	0800	83	Hemingsen
	0900	87	Hemingsen
	1000	93	Hemingsen
	1100	95	Hemingsen
	1200	98	Hemingsen
	1300	99	Hemingsen
	1400	101	Hemingsen
	1500	105	Hemingsen
	1600	107	Hemingsen
	1700	110	Hemingsen
	1800	107	Hemingsen
	1900	103	Hemingsen
	2000	98	Hemingsen
	2100	95	Hemingsen
	2200	91	Grider
	2300	92	Grider
	2400	87	Grider

DATE	TIME	TEMP.	PRINTED NAME
Thu 07/04/2024	0100	80	Grider
	0200	78	Grider
	0300	76	Grider
	0400	75	Grider
	0500	73	Grider
	0600	70	QUIJAS
	0700	74	QUIJAS
	0800	78	QUIJAS
	0900	84	QUIJAS
	1000	87	QUIJAS
	1100	92	QUIJAS
	1200	97	QUIJAS
	1300	97	QUIJAS
	1400	101	Hemingsen
	1500	106	Hemingsen
	1600	104	Hemingsen
	1700	104	Hemingsen
	1800	101	Hemingsen
	1900	95	Hemingsen
	2000	90	Hemingsen
	2100	90	Hemingsen
	2200	89	Grider
	2300	86	Grider
	2400	81	Grider

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Fri 07/05/2024	0100	78	[illegible]
	0200	76	[illegible]
	0300	75	[illegible]
	0400	75	[illegible]
	0500	73	[illegible]
	0600	68	QUIJAS
	0700	70	QUIJAS
	0800	76	QUIJAS
	0900	82	QUIJAS
	1000	85	QUIJAS
	1100	89	QUIJAS
	1200	91	QUIJAS
	1300	95	QUIJAS
	1400	104	QUIJAS
	1500	108	QUIJAS
	1600	108	QUIJAS
	1700	106	QUIJAS
	1800	104	QUIJAS
	1900	100	QUIJAS
	2000	97	QUIJAS
	2100	90	QUIJAS
	2200	81	VERGARA
	2300	79	VERGARA
	2400	77	VERGARA

DATE	TIME	TEMP.	PRINTED NAME
Sat 07/06/2024	0100	74	VERGARA
	0200	72	VERGARA
	0300	71	VERGARA
	0400	69	VERGARA
	0500	67	VERGARA
	0600	69	QUIJAS
	0700	73	QUIJAS
	0800	80	QUIJAS
	0900	82	QUIJAS
	1000	88	QUIJAS
	1100	89	QUIJAS
	1200	96	QUIJAS
	1300	99	QUIJAS
	1400	103	YOUNG
	1500	107	YOUNG
	1600	110	YOUNG
	1700	109	YOUNG
	1800	106	YOUNG
	1900	104	YOUNG
	2000	100	YOUNG
	2100	97	YOUNG
	2200	94	ALMODOVAR
	2300	88	ALMODOVAR
	2400	83	ALMODOVAR

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: **CALIFORNIA MEDICAL FACILITY**

From **May 1st through October 31st**, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer/Temperature Reading Location: **WATCH/CUSTODY OFFICE**

Immediately notify the Watch Commander at extension 6515 when the air temperature reaches 90°F.

DATE	TIME	TEMP.	PRINTED NAME
Sun 07/07/2024	0100	77	Almodovar
	0200	77	Almodovar
	0300	74	Almodovar
	0400	74	Almodovar
	0500	72	Almodovar
	0600	69	Foster
	0700	74	Foster
	0800	74	Foster
	0900	82	Foster
	1000	84	Foster
	1100	88	Foster
	1200	90	Foster
	1300	92	Foster
	1400	100	Saelee
	1500	102	Saelee
	1600	103	Saelee
	1700	100	Saelee
	1800	97	Saelee
	1900	91	Saelee
	2000	87	Saelee
	2100	79	Saelee
	2200	77	Mendoza
	2300	74	Mendoza
	2400	71	Mendoza

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	74	Mendoza
	0600	79	D. ARREZOLA
	0900	79	D. ARREZOLA
	1200	80	D. ARREZOLA
	1500	81	Hemingsen
	1800	80	Hemingsen
	2100	77	Hemingsen
	2400	75	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	73	SYPRASEUTH
	0600	80	D. ARREZOLA
	0900	83	D. ARREZOLA
	1200	83	D. ARREZOLA
	1500	84	Hemingsen
	1800	83	Hemingsen
	2100	84	Hemingsen
	2400	84	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	84	QUIJAS
	0600	83	Hemingsen
	0900	84	Hemingsen
	1200	85	Hemingsen
	1500	79	Hemingsen
	1800	79	Hemingsen
	2100	79	Hemingsen
	2400	80	Brady

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	78	Brady
	0600	80	QUIJAS
	0900	81	QUIJAS
	1200	80	QUIJAS
	1500	81	Hemingsen
	1800	82	Hemingsen
	2100	87	Hemingsen
	2400	80	Brady

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	78	Brady
	0600	85	QUIJAS
	0900	85	QUIJAS
	1200	85	QUIJAS
	1500	79	QUIJAS
	1800	79	QUIJAS
	2100	80	QUIJAS
	2400	81	VERCARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	79	VERCARA
	0600	79	QUIJAS
	0900	80	QUIJAS
	1200	80	QUIJAS
	1500	85	Young
	1800	85	Young
	2100	85	Young
	2400	83	ALMODOVAR

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	84	ALMODOVAR
	0600	77	Brady
	0900	79	Brady
	1200	79	Brady
	1500	85	Sachee
	1800	87	Sachee
	2100	85	Sachee
	2400	83	MENDOZA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CMF Housing Unit: I-1 Temp. Reading Location: VARIES (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	72	Mendoza
	0600	74	D. ARREZOLA
	0900	80	D. ARREZOLA
	1200	81	D. ARREZOLA
	1500	82	Hemingsen
	1800	80	Hemingsen
	2100	77	Hemingsen
	2400	75	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	72	SYPRASEUTH
	0600	82	D. ARREZOLA
	0900	83	D. ARREZOLA
	1200	84	D. ARREZOLA
	1500	89	Hemingsen
	1800	82	Hemingsen
	2100	85	Hemingsen
	2400	86	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	85	QUIJAS
	0600	83	Hemingsen
	0900	84	Hemingsen
	1200	90	Hemingsen
	1500	94	Hemingsen
	1800	82	Hemingsen
	2100	84	Hemingsen
	2400	87	Fisher

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	87	Fisher
	0600	84	QUIJAS
	0900	85	QUIJAS
	1200	89	QUIJAS
	1500	90	Hemingsen
	1800	91	Hemingsen
	2100	89	Hemingsen
	2400	86	Fisher

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	81	Fisher
	0600	85	QUIJAS
	0900	85	QUIJAS
	1200	85	QUIJAS
	1500	90	QUIJAS
	1800	91	QUIJAS
	2100	91	QUIJAS
	2400	89	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	89	VERGARA
	0600	85	QUIJAS
	0900	85	QUIJAS
	1200	88	QUIJAS
	1500	90	YOUNG
	1800	90	YOUNG
	2100	90	YOUNG
	2400	87	ALMEDAM

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	85	ALMEDAM
	0600	89	Fisher
	0900	86	Fisher
	1200	87	Fisher
	1500	90	Saeler
	1800	90	Saeler
	2100	89	Saeler
	2400	84	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-1** Temp. Reading Location: **DORM 8**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	75	Mendoza
	0600	78	D. ARREZOLA
	0900	79	D. ARREZOLA
	1200	80	D. ARREZOLA
	1500	81	Hemingsen
	1800	79	Hemingsen
	2100	77	Hemingsen
	2400	75	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	74	SYPRASEUTH
	0600	81	D. ARREZOLA
	0900	82	D. ARREZOLA
	1200	83	D. ARREZOLA
	1500	84	Hemingsen
	1800	83	Hemingsen
	2100	83	Hemingsen
	2400	84	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	84	QUIJAS
	0600	82	Hemingsen
	0900	87	Hemingsen
	1200	86	Hemingsen
	1500	86	Hemingsen
	1800	96	Hemingsen
	2100	85	Hemingsen
	2400	82	Broder

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	78	Broder
	0600	87	QUIJAS
	0900	87	QUIJAS
	1200	89	QUIJAS
	1500	87	Hemingsen
	1800	88	Hemingsen
	2100	87	Hemingsen
	2400	88	Broder

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	80	Broder
	0600	87	QUIJAS
	0900	87	QUIJAS
	1200	89	QUIJAS
	1500	89	QUIJAS
	1800	86	QUIJAS
	2100	88	QUIJAS
	2400	86	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	85	VERGARA
	0600	85	QUIJAS
	0900	85	QUIJAS
	1200	86	QUIJAS
	1500	86	Young
	1800	89	Young
	2100	85	Young
	2400	87	ALMODOVAR

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	86	ALMODOVAR
	0600	86	Broder
	0900	86	Broder
	1200	87	Broder
	1500	91	Sadler
	1800	91	Sadler
	2100	87	Sadler
	2400	85	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-1** Temp. Reading Location: **137**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	73	Mendoza
	0600	70	D. ARREOLA
	0900	74	D. ARREOLA
	1200	75	D. ARREOLA
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	74	Hemingsen
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	71	SYPRASEUTH
	0600	82	D. ARREOLA
	0900	83	D. ARREOLA
	1200	83	D. ARREOLA
	1500	84	Hemingsen
	1800	83	Hemingsen
	2100	83	Hemingsen
	2400	77	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	77	QUIJAS
	0600	81	Hemingsen
	0900	84	Hemingsen
	1200	80	Hemingsen
	1500	82	Hemingsen
	1800	83	Hemingsen
	2100	81	Hemingsen
	2400	81	Brior

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	78	Brior
	0600	77	QUIJAS
	0900	78	QUIJAS
	1200	80	QUIJAS
	1500	85	Hemingsen
	1800	83	Hemingsen
	2100	83	Hemingsen
	2400	80	Brior

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	78	Brior
	0600	77	QUIJAS
	0900	79	QUIJAS
	1200	80	QUIJAS
	1500	82	QUIJAS
	1800	82	QUIJAS
	2100	82	QUIJAS
	2400	81	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	80	VERGARA
	0600	77	QUIJAS
	0900	79	QUIJAS
	1200	81	QUIJAS
	1500	83	Young
	1800	84	Young
	2100	84	Young
	2400	82	Almodovar

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	81	Almodovar
	0600	80	Brior
	0900	77	Brior
	1200	80	Brior
	1500	82	Saebel
	1800	84	Saebel
	2100	81	Saebel
	2400	80	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-1** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	73	Mendoza
	0600	76	D. ARREOLA
	0900	79	D. ARREOLA
	1200	79	D. ARREOLA
	1500	81	Hemingsen
	1800	80	Hemingsen
	2100	78	Hemingsen
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	73	SYPRASEUTH
	0600	81	D. ARREOLA
	0900	82	D. ARREOLA
	1200	82	D. ARREOLA
	1500	84	Hemingsen
	1800	82	Hemingsen
	2100	80	Hemingsen
	2400	82	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	82	QUIJAS
	0600	76	Hemingsen
	0900	78	Hemingsen
	1200	85	Hemingsen
	1500	86	Hemingsen
	1800	86	Hemingsen
	2100	87	Hemingsen
	2400	86	Grier

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	80	Grier
	0600	84	QUIJAS
	0900	85	QUIJAS
	1200	85	QUIJAS
	1500	86	Hemingsen
	1800	86	Hemingsen
	2100	85	Hemingsen
	2400	83	Grier

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	80	Grier
	0600	84	QUIJAS
	0900	84	QUIJAS
	1200	84	QUIJAS
	1500	86	QUIJAS
	1800	86	QUIJAS
	2100	86	QUIJAS
	2400	86	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	85	VERGARA
	0600	82	QUIJAS
	0900	82	QUIJAS
	1200	84	QUIJAS
	1500	87	Young
	1800	91	Young
	2100	87	Young
	2400	88	ALHODAIAN

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	86	ALHODAIAN
	0600	81	Grier
	0900	84	Grier
	1200	84	Grier
	1500	86	Saebel
	1800	88	Saebel
	2100	86	Saebel
	2400	85	Mendoza

NOTES

7-3-24 0600, 0900 wrote wrong number corrected

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-2** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	75	Mendoza
	0600	72	D. ARREOLA
	0900	72	D. ARREOLA
	1200	72	D. ARREOLA
	1500	74	Hemingsen
	1800	77	Hemingsen
	2100	75	Hemingsen
	2400	73	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	73	SYPRASEUTH
	0600	72	D. ARREOLA
	0900	74	D. ARREOLA
	1200	77	D. ARREOLA
	1500	84	Hemingsen
	1800	84	Hemingsen
	2100	81	Hemingsen
	2400	82	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	81	QUIJAS
	0600	81	Hemingsen
	0900	83	Hemingsen
	1200	84	Hemingsen
	1500	84	Hemingsen
	1800	88	Hemingsen
	2100	87	Hemingsen
	2400	86	Fisher

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	80	Fisher
	0600	81	QUIJAS
	0900	82	QUIJAS
	1200	82	QUIJAS
	1500	86	Hemingsen
	1800	86	Hemingsen
	2100	85	Hemingsen
	2400	79	Fisher

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	76	Fisher
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	81.1	QUIJAS
	1500	87	QUIJAS
	1800	86	QUIJAS
	2100	86	QUIJAS
	2400	85	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	75	VERGARA
	0600	81	QUIJAS
	0900	82	QUIJAS
	1200	83	QUIJAS
	1500	87	Young
	1800	91	Young
	2100	87	Young
	2400	83	ALVARADO

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	83	ALVARADO
	0600	83.1	Fisher
	0900	81	Fisher
	1200	85	Fisher
	1500	88	Saebel
	1800	88	Saebel
	2100	86	Saebel
	2400	85	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-2** Temp. Reading Location: **206**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	74	Mendoza
	0600	73	D. ARREZOLA
	0900	74	D. ARREZOLA
	1200	75	D. ARREZOLA
	1500	76	Hemingsen
	1800	76	Hemingsen
	2100	76	Hemingsen
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	73	SYPRASEUTH
	0600	73	D. ARREZOLA
	0900	77	D. ARREZOLA
	1200	80	D. ARREZOLA
	1500	80	Hemingsen
	1800	79	Hemingsen
	2100	78	Hemingsen
	2400	79	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	79	QUIJAS
	0600	77	Hemingsen
	0900	78	Hemingsen
	1200	79	Hemingsen
	1500	82	Hemingsen
	1800	84	Hemingsen
	2100	85	Hemingsen
	2400	80	Fonter

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	78	Fonter
	0600	76	QUIJAS
	0900	79	QUIJAS
	1200	80	QUIJAS
	1500	86	Hemingsen
	1800	85	Hemingsen
	2100	85	Hemingsen
	2400	77	Fonter

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	76	Fonter
	0600	76	QUIJAS
	0900	76	QUIJAS
	1200	78	QUIJAS
	1500	84	QUIJAS
	1800	80	QUIJAS
	2100	81	QUIJAS
	2400	81	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	79	VERGARA
	0600	77	QUIJAS
	0900	80	QUIJAS
	1200	82	QUIJAS
	1500	92	Young
	1800	91	Young
	2100	89	Young
	2400	80	Mendoza

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	80	Mendoza
	0600	80	Fonter
	0900	80	Fonter
	1200	80	Fonter
	1500	88	Saebel
	1800	90	Saebel
	2100	88	Saebel
	2400	86	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-2** Temp. Reading Location: **DORM 2**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	72	Mendoza
	0600	72	D. ARREZOLA
	0900	73	D. ARREZOLA
	1200	74	D. ARREZOLA
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	74	Hemingsen
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	70	SYPRASEUTH
	0600	72	D. ARREZOLA
	0900	86	D. ARREZOLA
	1200	86	D. ARREZOLA
	1500	85	Hemingsen
	1800	83	Hemingsen
	2100	80	Hemingsen
	2400	81	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	79	QUIJAS
	0600	86	Hemingsen
	0900	87	Hemingsen
	1200	93	Hemingsen
	1500	90	Hemingsen
	1800	88	Hemingsen
	2100	87	Hemingsen
	2400	84	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	80	[illegible]
	0600	77	QUIJAS
	0900	78	QUIJAS
	1200	79	QUIJAS
	1500	81	Hemingsen
	1800	82	Hemingsen
	2100	89	Hemingsen
	2400	78	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	77	[illegible]
	0600	76	QUIJAS
	0900	76	QUIJAS
	1200	79	QUIJAS
	1500	79	QUIJAS
	1800	79	QUIJAS
	2100	77	QUIJAS
	2400	77	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	77	VERGARA
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	89	QUIJAS
	1500	91	YOUNG
	1800	92	YOUNG
	2100	89	YOUNG
	2400	88	ALMADDAM

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	88	ALMADDAM
	0600	87	[illegible]
	0900	87	[illegible]
	1200	87	[illegible]
	1500	88	Sacher
	1800	91	Sacher
	2100	89	Sacher
	2400	87	Munoz

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-2** Temp. Reading Location: **201**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	74	Mendoza
	0600	72	D. ARREZOLA
	0900	72	D. ARREZOLA
	1200	73	D. ARREZOLA
	1500	75	Hemingsen
	1800	75	Hemingsen
	2100	74	Hemingsen
	2400	72	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	70	SYPRASEUTH
	0600	70	D. ARREZOLA
	0900	77	D. ARREZOLA
	1200	77	D. ARREZOLA
	1500	80	Hemingsen
	1800	79	Hemingsen
	2100	78	Hemingsen
	2400	79	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	78	QUIJAS
	0600	75	Hemingsen
	0900	77	Hemingsen
	1200	80	Hemingsen
	1500	93	Hemingsen
	1800	85	Hemingsen
	2100	83	Hemingsen
	2400	79	Brown

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	76	[illegible]
	0600	76	QUIJAS
	0900	77	QUIJAS
	1200	79	QUIJAS
	1500	80	Hemingsen
	1800	82	Hemingsen
	2100	81	Hemingsen
	2400	80	Brown

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	78	Brown
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	79	QUIJAS
	1500	81	QUIJAS
	1800	82	QUIJAS
	2100	81	QUIJAS
	2400	81	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	80	VERGARA
	0600	75	QUIJAS
	0900	77	QUIJAS
	1200	79	QUIJAS
	1500	82	Young
	1800	83	Young
	2100	84	Young
	2400	78	ALMODOVAR

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	77	ALMODOVAR
	0600	77	Brown
	0900	77	Brown
	1200	79	Brown
	1500	82	Sackel
	1800	82	Sackel
	2100	81	Sackel
	2400	80	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-2** Temp. Reading Location: **231**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	73	Mendoza
	0600	73	D. ARREZOLA
	0900	76	D. ARREZOLA
	1200	82	D. ARREZOLA
	1500	86	Hemingsen
	1800	84	Hemingsen
	2100	80	Hemingsen
	2400	77	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	74	SYPRASEUTH
	0600	75	D. ARREZOLA
	0900	86	D. ARREZOLA
	1200	86	D. ARREZOLA
	1500	88	Hemingsen
	1800	88	Hemingsen
	2100	86	Hemingsen
	2400	87	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	86	QUIJAS
	0600	86	Hemingsen
	0900	87	Hemingsen
	1200	91	Hemingsen
	1500	91	Hemingsen
	1800	92	Hemingsen
	2100	88	Hemingsen
	2400	88	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	87	[illegible]
	0600	85	QUIJAS
	0900	86	QUIJAS
	1200	89	QUIJAS
	1500	91	Hemingsen
	1800	91	Hemingsen
	2100	89	Hemingsen
	2400	89	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	85	[illegible]
	0600	84	QUIJAS
	0900	84	QUIJAS
	1200	87	QUIJAS
	1500	89	QUIJAS
	1800	93	QUIJAS
	2100	92	QUIJAS
	2400	91	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	90	VERGARA
	0600	85	QUIJAS
	0900	87	QUIJAS
	1200	89	QUIJAS
	1500	91	Young
	1800	91	Young
	2100	94	Young
	2400	87	[illegible]

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	84	[illegible]
	0600	83	[illegible]
	0900	89	[illegible]
	1200	89.7	[illegible]
	1500	91	Saeler
	1800	92	Saeler
	2100	91	Saeler
	2400	88	MENDOLA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **H-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300		
	0600		
	0900		Closed
	1200		
	1500		
	1800		
	2100		
	2400		

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300		
	0600		
	0900		Closed
	1200		
	1500		
	1800		
	2100		
	2400		

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300		
	0600		
	0900	CLOSED	
	1200		
	1500		
	1800		
	2100		
	2400		

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300		
	0600		
	0900	CLOSED	
	1200		
	1500		
	1800		
	2100		
	2400		

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300		
	0600		
	0900	CLOSED	
	1200		
	1500		
	1800		
	2100		
	2400		

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300		
	0600		
	0900	CLOSED	
	1200		
	1500		
	1800		
	2100		
	2400		

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300		
	0600		
	0900	Closed	
	1200		
	1500		
	1800		
	2100		
	2400		

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **I-3** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	74	Mendoza
	0600	73	D. ARREZOLA
	0900	78	D. ARREZOLA
	1200	75	D. ARREZOLA
	1500	76	Hemingsen
	1800	75	Hemingsen
	2100	74	Hemingsen
	2400	71	SYPHASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	70	SYPHASEUTH
	0600	81	D. ARREZOLA
	0900	88	D. ARREZOLA
	1200	88	D. ARREZOLA
	1500	88	Hemingsen
	1800	88	Hemingsen
	2100	85	Hemingsen
	2400	85	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	84	QUIJAS
	0600	84	Hemingsen
	0900	86	Hemingsen
	1200	86	Hemingsen
	1500	90	Hemingsen
	1800	92	Hemingsen
	2100	85	Hemingsen
	2400	88	Fowler

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	84	Fowler
	0600	82	QUIJAS
	0900	85	QUIJAS
	1200	86	QUIJAS
	1500	86	Hemingsen
	1800	88	Hemingsen
	2100	87	Hemingsen
	2400	78	Fowler

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	74	Fowler
	0600	86	QUIJAS
	0900	86	QUIJAS
	1200	86	QUIJAS
	1500	88	QUIJAS
	1800	88	QUIJAS
	2100	87	QUIJAS
	2400	83	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	80	VERGARA
	0600	80	QUIJAS
	0900	80	QUIJAS
	1200	82	QUIJAS
	1500	88	Young
	1800	89	Young
	2100	89	Young
	2400	86	Alexander

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	86	Alexander
	0600	87	Fowler
	0900	86	Fowler
	1200	87	Fowler
	1500	91	Sacher
	1800	87	Sacher
	2100	88	Sacher
	2400	86	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **J-3** Temp. Reading Location: **C/O OFFICE**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	75	Mendoza
	0600	76	D. ARREOLA
	0900	77	D. ARREOLA
	1200	78	D. ARREOLA
	1500	79	Hemingsen
	1800	78	Hemingsen
	2100	77	Hemingsen
	2400	75	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	74	SYPRASEUTH
	0600	77	D. ARREOLA
	0900	82	D. ARREOLA
	1200	88	D. ARREOLA
	1500	83	Hemingsen
	1800	82	Hemingsen
	2100	79	Hemingsen
	2400	80	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	80	QUIJAS
	0600	83	Hemingsen
	0900	85	Hemingsen
	1200	86	Hemingsen
	1500	84	Hemingsen
	1800	87	Hemingsen
	2100	87	Hemingsen
	2400	86	Brown

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	81	Brown
	0600	83	QUIJAS
	0900	84	QUIJAS
	1200	91	QUIJAS
	1500	92	Hemingsen
	1800	89	Hemingsen
	2100	85	Hemingsen
	2400	80	Brown

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	79	Brown
	0600	83	QUIJAS
	0900	84	QUIJAS
	1200	85	QUIJAS
	1500	85	QUIJAS
	1800	92	QUIJAS
	2100	88	QUIJAS
	2400	87	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	86	VERGARA
	0600	76	QUIJAS
	0900	77	QUIJAS
	1200	80	QUIJAS
	1500	85	Youth
	1800	90	Youth
	2100	88	Youth
	2400	81	HEMINGSEN

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	78	HEMINGSEN
	0600	76	Brown
	0900	77	Brown
	1200	80	Brown
	1500	87	Saebel
	1800	91	Saebel
	2100	88	Saebel
	2400	85	MENDOZA

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **M-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	74	Mendoza
	0600	75	D. ARREZOLA
	0900	74	D. ARREZOLA
	1200	76	D. ARREZOLA
	1500	79	Hemingsen
	1800	78	Hemingsen
	2100	76	Hemingsen
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	73	SYPRASEUTH
	0600	74	D. ARREZOLA
	0900	74	D. ARREZOLA
	1200	76	D. ARREZOLA
	1500	77	Hemingsen
	1800	82	Hemingsen
	2100	78	Hemingsen
	2400	79	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	77	QUIJAS
	0600	72	Hemingsen
	0900	74	Hemingsen
	1200	78	Hemingsen
	1500	79	Hemingsen
	1800	79	Hemingsen
	2100	81	Hemingsen
	2400	77	Gray

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	74	Gray
	0600	73	QUIJAS
	0900	74	QUIJAS
	1200	76	QUIJAS
	1500	90	Hemingsen
	1800	80	Hemingsen
	2100	82	Hemingsen
	2400	79	Gray

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	77	Gray
	0600	74	QUIJAS
	0900	74	QUIJAS
	1200	76	QUIJAS
	1500	78	QUIJAS
	1800	80	QUIJAS
	2100	79	QUIJAS
	2400	75	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	74	VERGARA
	0600	72	QUIJAS
	0900	74	QUIJAS
	1200	77	QUIJAS
	1500	82	Young
	1800	85	Young
	2100	84	Young
	2400	75	ALMODOVAR

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	73	ALMODOVAR
	0600	73	Gray
	0900	73	Gray
	1200	74	Gray
	1500	79	Saeler
	1800	79	Saeler
	2100	77	Saeler
	2400	76	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **N-3** Temp. Reading Location: **302**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	72	Mendoza
	0600	72	D. ARREZOLA
	0900	75	D. ARREZOLA
	1200	75	D. ARREZOLA
	1500	78	Hemingsen
	1800	78	Hemingsen
	2100	77	Hemingsen
	2400	75	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	73	SYPRASEUTH
	0600	73	D. ARREZOLA
	0900	74	D. ARREZOLA
	1200	78	D. ARREZOLA
	1500	83	Hemingsen
	1800	85	Hemingsen
	2100	81	Hemingsen
	2400	78	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	78	QUIJAS
	0600	74	Hemingsen
	0900	76	Hemingsen
	1200	81	Hemingsen
	1500	84	Hemingsen
	1800	90	Hemingsen
	2100	87	Hemingsen
	2400	85	Foster

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	80	Foster
	0600	75	QUIJAS
	0900	76	QUIJAS
	1200	80	QUIJAS
	1500	90	Hemingsen
	1800	90	Hemingsen
	2100	89	Hemingsen
	2400	80	Foster

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	79	Foster
	0600	75	QUIJAS
	0900	75	QUIJAS
	1200	78	QUIJAS
	1500	88	QUIJAS
	1800	90	QUIJAS
	2100	88	QUIJAS
	2400	87	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	87	VERGARA
	0600	72	QUIJAS
	0900	75	QUIJAS
	1200	77	QUIJAS
	1500	89	Yasuda
	1800	90	Yasuda
	2100	87	Yasuda
	2400	72	HUNDANR

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	72	Sundaish
	0600	70	Foster
	0900	72	Foster
	1200	78	Foster
	1500	88	Saelee
	1800	90	Saelee
	2100	86	Saelee
	2400	84	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **C DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	72	Mendoza
	0600	73	D. ARREOLA
	0900	76	D. ARREOLA
	1200	77	D. ARREOLA
	1500	80	Hemingsen
	1800	79	Hemingsen
	2100	76	Hemingsen
	2400	74	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	72	SYPRASEUTH
	0600	74	D. ARREOLA
	0900	78	D. ARREOLA
	1200	81	D. ARREOLA
	1500	81	Hemingsen
	1800	78	Hemingsen
	2100	74	Hemingsen
	2400	75	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	75	QUIJAS
	0600	75	Hemingsen
	0900	78	Hemingsen
	1200	79	Hemingsen
	1500	80	Hemingsen
	1800	80	Hemingsen
	2100	81	Hemingsen
	2400	79	Bowers

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	78	Bowers
	0600	77	QUIJAS
	0900	79	QUIJAS
	1200	79	QUIJAS
	1500	81	Hemingsen
	1800	82	Hemingsen
	2100	81	Hemingsen
	2400	80	Bowers

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	79	Bowers
	0600	74	QUIJAS
	0900	76	QUIJAS
	1200	79	QUIJAS
	1500	82	QUIJAS
	1800	84	QUIJAS
	2100	83	QUIJAS
	2400	82	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	81	VERGARA
	0600	76	QUIJAS
	0900	77	QUIJAS
	1200	80	QUIJAS
	1500	82	Young
	1800	84	Young
	2100	83	Young
	2400	78	Alcocer

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	77	Alcocer
	0600	77	Bowers
	0900	76	Bowers
	1200	79	Bowers
	1500	81	Sachel
	1800	84	Sachel
	2100	82	Sachel
	2400	80	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **D DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	72	Mendoza
	0600	73	D. ARREZOLA
	0900	77	D. ARREZOLA
	1200	77	D. ARREZOLA
	1500	80	Hemingsen
	1800	79	Hemingsen
	2100	77	Hemingsen
	2400	75	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	72	SYPRASEUTH
	0600	74	D. ARREZOLA
	0900	78	D. ARREZOLA
	1200	81	D. ARREZOLA
	1500	82	Hemingsen
	1800	78	Hemingsen
	2100	75	Hemingsen
	2400	75	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	77	QUIJAS
	0600	75	Hemingsen
	0900	78	Hemingsen
	1200	79	Hemingsen
	1500	80	Hemingsen
	1800	80	Hemingsen
	2100	80	Hemingsen
	2400	80	Boer

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	80	Boer
	0600	77	QUIJAS
	0900	79	QUIJAS
	1200	81	QUIJAS
	1500	83	Hemingsen
	1800	84	Hemingsen
	2100	83	Hemingsen
	2400	80	Boer

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	76	Boer
	0600	76	QUIJAS
	0900	78	QUIJAS
	1200	81	QUIJAS
	1500	83	QUIJAS
	1800	85	QUIJAS
	2100	84	QUIJAS
	2400	82	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	82	VERGARA
	0600	77	QUIJAS
	0900	79	QUIJAS
	1200	82	QUIJAS
	1500	84	Young
	1800	86	Young
	2100	85	Young
	2400	81	Alexander

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	80	Alexander
	0600	79	Boer
	0900	78	Boer
	1200	81	Boer
	1500	84	Saebel
	1800	84	Saebel
	2100	83	Saebel
	2400	81	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **R-1 DORM** Temp. Reading Location: **C/O PODIUM**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	77	Mendoza
	0600	78	D. ARREOLA
	0900	79	D. ARREOLA
	1200	81	D. ARREOLA
	1500	82	Hemingsen
	1800	82	Hemingsen
	2100	80	Hemingsen
	2400	77	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	75	SYPRASEUTH
	0600	84	D. ARREOLA
	0900	84	D. ARREOLA
	1200	85	D. ARREOLA
	1500	87	Hemingsen
	1800	85	Hemingsen
	2100	82	Hemingsen
	2400	83	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	83	QUIJAS
	0600	84	Hemingsen
	0900	85	Hemingsen
	1200	87	Hemingsen
	1500	87	Hemingsen
	1800	88	Hemingsen
	2100	88	Hemingsen
	2400	84	Fuller

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	80	Fuller
	0600	80	QUIJAS
	0900	82	QUIJAS
	1200	83	QUIJAS
	1500	85	Hemingsen
	1800	85	Hemingsen
	2100	85	Hemingsen
	2400	82	Fuller

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	80	Fuller
	0600	81	QUIJAS
	0900	80	QUIJAS
	1200	83	QUIJAS
	1500	86	QUIJAS
	1800	85	QUIJAS
	2100	85	QUIJAS
	2400	83	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	81	VERGARA
	0600	80	QUIJAS
	0900	80	QUIJAS
	1200	80	QUIJAS
	1500	81	Young
	1800	84	Young
	2100	83	Young
	2400	82	ALMODAR

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	83	ALMODAR
	0600	80	Fuller
	0900	80	Fuller
	1200	80	Fuller
	1500	82	Saebel
	1800	81	Saebel
	2100	81	Saebel
	2400	80	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **T-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	77	Mendoza
	0600	80	D. ARREZOLA
	0900	82	D. ARREZOLA
	1200	84	D. ARREZOLA
	1500	86	Hemingsen
	1800	85	Hemingsen
	2100	83	Hemingsen
	2400	80	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	76	SYPRASEUTH
	0600	81	D. ARREZOLA
	0900	81	D. ARREZOLA
	1200	87	D. ARREZOLA
	1500	87	Hemingsen
	1800	87	Hemingsen
	2100	86	Hemingsen
	2400	86	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	84	QUIJAS
	0600	81	Hemingsen
	0900	87	Hemingsen
	1200	86	Hemingsen
	1500	88	Hemingsen
	1800	88	Hemingsen
	2100	88	Hemingsen
	2400	81	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	81	[illegible]
	0600	86	QUIJAS
	0900	87	QUIJAS
	1200	88	QUIJAS
	1500	86	Hemingsen
	1800	86	Hemingsen
	2100	85	Hemingsen
	2400	85	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	61	[illegible]
	0600	84	QUIJAS
	0900	85	QUIJAS
	1200	87	QUIJAS
	1500	88	QUIJAS
	1800	88	QUIJAS
	2100	88	QUIJAS
	2400	86	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	85	VERGARA
	0600	85	QUIJAS
	0900	86	QUIJAS
	1200	87	QUIJAS
	1500	88	Young
	1800	87	Young
	2100	87	Young
	2400	88	Hernandez

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	86	Hernandez
	0600	84	[illegible]
	0900	86	[illegible]
	1200	87	[illegible]
	1500	88	Saeler
	1800	88	Saeler
	2100	88	Saeler
	2400	86	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **U-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	78	Mendoza
	0600	77	D. ARREZOLA
	0900	79	D. ARREZOLA
	1200	82	D. ARREZOLA
	1500	84	Hemingsen
	1800	84	Hemingsen
	2100	81	Hemingsen
	2400	79	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	77	SYPRASEUTH
	0600	82	D. ARREZOLA
	0900	82	D. ARREZOLA
	1200	85	D. ARREZOLA
	1500	88	Hemingsen
	1800	87	Hemingsen
	2100	86	Hemingsen
	2400	86	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	85	QUIJAS
	0600	82	Hemingsen
	0900	83	Hemingsen
	1200	84	Hemingsen
	1500	86	Hemingsen
	1800	86	Hemingsen
	2100	87	Hemingsen
	2400	81	Brown

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	87	Brown
	0600	84	QUIJAS
	0900	85	QUIJAS
	1200	86	QUIJAS
	1500	87	Hemingsen
	1800	87	Hemingsen
	2100	86	Hemingsen
	2400	88	Brown

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	87	Brown
	0600	83	QUIJAS
	0900	84	QUIJAS
	1200	87	QUIJAS
	1500	88	QUIJAS
	1800	88	QUIJAS
	2100	88	QUIJAS
	2400	87	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	84	VERGARA
	0600	85	QUIJAS
	0900	85	QUIJAS
	1200	87	QUIJAS
	1500	89	Young
	1800	91	Young
	2100	90	Young
	2400	87	Hundovan

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	86	Hundovan
	0600	84	Brown
	0900	85	Brown
	1200	86	Brown
	1500	90	Saebel
	1800	89	Saebel
	2100	89	Saebel
	2400	87	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **V-WING** Temp. Reading Location: **3rd TIER (328)**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	78	Mendoza
	0600	82	D. ARREOLA
	0900	84	D. ARREOLA
	1200	86	D. ARREOLA
	1500	87	Hemingsen
	1800	86	Hemingsen
	2100	84	Hemingsen
	2400	80	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	77	SYPRASEUTH
	0600	82	D. ARREOLA
	0900	82	D. ARREOLA
	1200	89	D. ARREOLA
	1500	90	Hemingsen
	1800	90	Hemingsen
	2100	90	Hemingsen
	2400	90	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	88	QUIJAS
	0600	82	Hemingsen
	0900	84	Hemingsen
	1200	87	Hemingsen
	1500	88	Hemingsen
	1800	89	Hemingsen
	2100	92	Hemingsen
	2400	90	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	89	[illegible]
	0600	89	QUIJAS
	0900	85	QUIJAS
	1200	86	QUIJAS
	1500	91	Hemingsen
	1800	92	Hemingsen
	2100	92	Hemingsen
	2400	91	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	88	[illegible]
	0600	83	QUIJAS
	0900	84	QUIJAS
	1200	85	QUIJAS
	1500	91	QUIJAS
	1800	91	QUIJAS
	2100	90	QUIJAS
	2400	89	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	87	VERGARA
	0600	86	QUIJAS
	0900	87	QUIJAS
	1200	87	QUIJAS
	1500	90	Young
	1800	90	Young
	2100	90	Young
	2400	88	ALMODOVA

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	87	ALMODOVA
	0600	85	[illegible]
	0900	88	[illegible]
	1200	88	[illegible]
	1500	91	Saelee
	1800	91	Saelee
	2100	90	Saelee
	2400	83	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CMF** Housing Unit: **Y-DORM** Temp. Reading Location: **VARIES**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 6515 when the inside air temperature reaches 90 degrees and again at 95 degrees.

MONDAY

Date	Time	Temp.	Name (Print)
7/1/2024	0300	76	Mendoza
	0600	73	D. ARREZOLA
	0900	75	D. ARREZOLA
	1200	83	D. ARREZOLA
	1500	83	Hemingsen
	1800	82	Hemingsen
	2100	81	Hemingsen
	2400	78	SYPRASEUTH

TUESDAY

Date	Time	Temp.	Name (Print)
7/2/2024	0300	76	SYPRASEUTH
	0600	82	D. ARREZOLA
	0900	82	D. ARREZOLA
	1200	84	D. ARREZOLA
	1500	87	Hemingsen
	1800	88	Hemingsen
	2100	85	Hemingsen
	2400	85	QUIJAS

WEDNESDAY

Date	Time	Temp.	Name (Print)
7/3/2024	0300	84	QUIJAS
	0600	82	Hemingsen
	0900	83	Hemingsen
	1200	86	Hemingsen
	1500	86	Hemingsen
	1800	85	Hemingsen
	2100	87	Hemingsen
	2400	86	[illegible]

THURSDAY

Date	Time	Temp.	Name (Print)
7/4/2024	0300	84	[illegible]
	0600	83	QUIJAS
	0900	84	QUIJAS
	1200	87	QUIJAS
	1500	86	Hemingsen
	1800	87	Hemingsen
	2100	86	Hemingsen
	2400	83	[illegible]

FRIDAY

Date	Time	Temp.	Name (Print)
7/5/2024	0300	80	[illegible]
	0600	82	QUIJAS
	0900	83	QUIJAS
	1200	85	QUIJAS
	1500	84	QUIJAS
	1800	85	QUIJAS
	2100	85	QUIJAS
	2400	85	VERGARA

SATURDAY

Date	Time	Temp.	Name (Print)
7/6/2024	0300	83	VERGARA
	0600	80	QUIJAS
	0900	82	QUIJAS
	1200	85	QUIJAS
	1500	86	Young
	1800	86	Young
	2100	86	Young
	2400	80	VERGARA

SUNDAY

Date	Time	Temp.	Name (Print)
7/7/2024	0300	80	VERGARA
	0600	81	[illegible]
	0900	81	[illegible]
	1200	83	[illegible]
	1500	88	Saelee
	1800	86	Saelee
	2100	86	Saelee
	2400	82	Mendoza

NOTES

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date: 7/5/24 A/C Down Time: 1800 A/C Up Time: _____

A/C DOWN LOG

WHEN AN A/C GOES DOWN, TEMPERATURES IN THE AFFECTED UNIT(S) NEED TO BE RECORDED **HOURLY**

	G3											
0001												
0100												
0200												
0300												
0400												
0500												
0600												
0700												
0800												
0900												
1000												
1100												
1200												
1300												
1400												
1500												
1600												
1700												
1800	90											
1900	85											
2000	84											
2100	83											
2200	83											
2300	83											

NOTES:

ATT MENT C-1

Date: 7/6/24 A/C Down Time: 1800 A/C Up Time: _____

A/C DOWN LOG

WHEN AN A/C GOES DOWN, TEMPERATURES IN THE AFFECTED UNIT(S) NEED TO BE RECORDED **HOURLY**

	G3	G2	G1									
0001	83											
0100	83											
0200	83											
0300	83											
0400	83											
0500	84											
0600	83											
0700	83											
0800	83											
0900	83											
1000	83	85	83									
1100	85	86	83									
1200	85	86	84									
1300	86	86	84									
1400	87	86	87									
1500	88	86	87									
1600	88	87	87									
1700	88	89	88									
1800	89	88	85									
1900	89	88	85									
2000	88	87	85									
2100	88	87	85									
2200	88	88	88									
2300	88	88	87									

NOTES:

ATT. MENT C-1

Date: 7/7/24 A/C Down Time: 1800 A/C Up Time: _____

A/C DOWN LOG

WHEN AN A/C GOES DOWN, TEMPERATURES IN THE AFFECTED UNIT(S) NEED TO BE RECORDED **HOURLY**

	G3	G2	G1									
0001	88	88	87									
0100	88	88	87									
0200	89	88	86									
0300	89	88	86									
0400	89	88	86									
0500	89	88	87									
0600	88	88	86									
0700	89	89	85									
0800	89	89	85									
0900	89	89	85									
1000	88	88	87									
1100	88	88	87									
1200	88	89	87									
1300	89	90	89									
1400	89	89	88.7									
1500	88	89	89.7									
1600	87	87	88.7									
1700	86	89	89									
1800	86	86	90									
1900	86	86	90									
2000	86	86	89									
2100	85	85	88									
2200	84											
2300	84											

NOTES: G-1 & G-2
AC BACK ON & COOLING
@ 1600 hrs

STAGE I, II, III HOURLY INSIDE TEMP LOG **ATTACHMENT C**

Date: 7/1/24 **STAGE:** (circle one) (I) II III **Stage Activation Time:** 1248 **Stage Deactivation Time:** 2050

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	RANCH	T-WING	U-WING	V-WING	Y-DORM
0001																							
0100																							
0200																							
0300																							
0400																							
0500																							
0600																							
0700																							
0800																							
0900																							
1000																							
1100																							
1200																							
1300	80	81	80	75	79	72	75	74	73	82		75	78	76	75	77	77	81		84	82	86	83
1400	80	81	81	75	80	72	75	75	75	84		76	79	78	76	78	78	81		84	83	86	83
1500	81	82	81	76	81	74	76	76	75	86		76	79	79	78	80	80	82		86	84	87	83
1600	81	82	82	76	82	74	76	76	75	87		76	79	80	79	80	80	83		83	85	85	84
1700	81	82	82	76	82	74	76	76	75	86		76	79	80	79	79	78	83		83	85	85	84
1800	80	80	79	75	80	77	76	75	75	84		75	78	78	78	79	79	82		85	84	86	82
1900	79	80	78	75	79	77	75	75	75	83		75	78	78	78	78	79	82		84	84	85	82
2000	78	79	78	74	78	76	75	75	74	82		75	77	77	78	77	77	81		84	83	84	82
2100	77	77	77	74	78	75	74	74	74	80		74	77	76	77	76	77	80		83	81	84	81
2200																							
2300																							

STAGE I, . . . III HOURLY INSIDE TEMP LOG **. . . ACHMENT C**

Date: 7-2-24 **STAGE:** (circle one) I II III **Stage Activation Time:** 0837 **Stage Deactivation Time:** 2305

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	RANCH	T-WING	U-WING	V-WING	Y-DORM
0001																							
0100																							
0200																							
0300																							
0400																							
0500																							
0600																							
0700																							
0800																							
0900	82	83	82	83	82	74	77	86	77	86		88	82	74	74	78	78	84		81	82	82	82
1000	83	84	83	83	83	75	79	86	77	86		89	82	75	76	79	79	85		86	84	88	83
1100	83	85	83	84	83	76	80	86	78	86		90	87	77	78	80	80	85		86	84	89	83
1200	84	86	84	84	84	77	80	87	79	87		88	88	76	78	81	81	85		87	85	89	84
1300	85	87	85	85	84	82	81	87	80	87		90	86	78	75	80	81	86		88	87	89	86
1400	86	87	86	85	84	83	82	87	81	87		87	90	76	79	80	81	86		87	87	90	87
1500	87	88	87	86	85	84	83	88	82	88		88	83	77	83	81	82	87		87	88	90	87
1600	88	90	88	86	86	85	83	88	84	88		88	82	80	84	81	82	87		88	88	90	87
1700	88	90	88	87	86	85	82	87	83	89		89	83	81	85	79	79	86		87	88	90	88
1800	87	89	87	86	85	84	80	86	81	88		88	82	82	85	78	78	85		87	87	90	88
1900	86	88	86	85	84	83	80	84	80	87		87	81	81	85	77	78	84		87	87	90	87
2000	85	86	84	84	82	83	79	81	79	87		86	80	80	83	75	77	83		86	86	90	86
2100	84	85	83	83	80	81	78	80	78	86		85	79	79	81	74	75	82		86	86	90	85
2200	84	86	84	77	82	82	79	80	79	87		85	80	79	78	75	76	82		86	86	91	85
2300	84	86	84	77	82	82	79	80	79	87		85	80	79	78	75	76	83		86	86	91	85

STAGE I, or III HOURLY INSIDE TEMP LOG ATTACHMENT C

(circle one)

Date: 7-3-24 **STAGE:** I II III **Stage Activation Time:** 0923 **Stage Deactivation Time:** _____

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	RANCH	T-WING	U-WING	V-WING	Y-DORM
0001																							
0100																							
0200																							
0300																							
0400																							
0500																							
0600																							
0700																							
0800																							
0900																							
1000	84	88	84	79	83	83	78	90	78	88		88	85	75	77	78	78	86		85	84	88	84
1100	84	88	85	80	85	84	79	90	79	90		86	86	77	80	79	79	86		85	85	89	84
1200	83	90	86	80	85	84	79	93	80	91		89	88	79	80	79	79	87		86	86	87	86
1300	85	91	86	81	86	85	81	94	82	91		90	89	80	83	79	79	87		87	86	88	84
1400	83	91	86	81	85	83	81	91	82	91		90	83	78	83	80	80	86		88	86	88	84
1500	79	94	86	82	86	84	82	90	83	91		90	84	79	84	80	80	87		88	86	88	86
1600	79	94	86	82	86	84	84	90	84	91		91	87	78	86	81	81	88		89	87	89	86
1700	80	82	97	83	86	84	84	88	84	91		90	88	80	86	81	81	88		88	86	89	85
1800	79	82	96	83	86	88	84	88	85	92		93	87	79	90	80	80	88		88	86	89	85
1900	80	85	85	82	88	87	86	88	84	92		92	87	81	92	81	81	88		88	86	89	85
2000	80	85	85	82	88	87	86	88	84	92		89	87	82	88	82	81	88		88	86	91	85
2100	79	84	85	81	87	87	85	87	83	88		89	87	81	87	81	80	88		88	87	92	87
2200	80	90	85	87	88	87	87	87	81	89		89	87	79	87	81	87	88		89	88	91	87
2300	80	88	84	81	88	86	81	86	80	88		88	86	78	86	80	81	86		88	88	91	86

STAGE I, or III HOURLY INSIDE TEMP LOG ATTACHMENT C

Date: 7/9/24 STAGE: I (circle one) II III Stage Activation Time: 0923 Stage Deactivation Time: 2330

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	RANCH	T-WING	U-WING	V-WING	Y-DORM
0001	80	87	82	81	88	86	80	84	79	85	/	88	86	77	85	79	80	84		86	86	90	86
0100	79	86	80	80	86	84	78	80	78	82	/	84	89	76	83	79	78	83		84	84	90	84
0200																							
0300																							
0400																							
0500																							
0600																							
0700																							
0800																							
0900																							
1000																							
1100																							
1200																							
1300																							
1400																							
1500																							
1600																							
1700																							
1800																							
1900																							
2000																							
2100																							
2200																							
2300																							

STAGE I, or III HOURLY INSIDE TEMP LOG

ATTACHMENT C

Date: 7/4/2024 STAGE: (circle one) I II III Stage Activation Time: 1030 Stage Deactivation Time: ~~2020~~ 2315

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	RANCH	T-WING	U-WING	V-WING	Y-DORM
0001											X								X				
0100											X								X				
0200											X								X				
0300											X								X				
0400											X								X				
0500											X								X				
0600											X								X				
0700											X								X				
0800											X								X				
0900											X								X				
1000											X								X				
1100	80	84	87	80	84	83	80	80	79	89	X	86	86	78	79	80	81	82	X	88	86	86	86
1200	80	89	88	80	84	83	80	79	79	89	X	86	91	76	80	79	81	83	X	88	86	86	87
1300	81	89	89	80	85	82	79	80	79	89	X	87	91	77	81	80	81	84	X	89	88	88	88
1400	81	94	90	85	86	86	86	80	80	90	X	87	91	79	90	81	83	85	X	86	87	91	86
1500	81	90	87	85	86	86	86	81	80	91	X	86	92	90	90	81	83	85	X	86	87	91	86
1600	82	90	87	85	86	86	86	82	80	91	X	87	92	90	90	82	84	85	X	86	88	93	86
1700	82	90	88	85	86	86	85	82	80	91	X	88	92	90	90	82	83	85	X	86	88	93	86
1800	82	91	88	83	86	86	85	82	82	91	X	88	89	80	90	82	84	85	X	86	87	92	87
1900	85	91	88	83	86	85	85	91	82	91	X	88	88	80	90	81	83	85	X	86	87	92	86
2000	87	90	88	83	86	85	85	89	81	90	X	87	86	82	89	81	84	85	X	86	87	92	86
2100	87	89	87	83	85	85	85	89	81	89	X	87	85	82	89	81	83	85	X	85	86	92	86
2200	87	89	85	81	85	82.5	78	78.9	83	90	X	86	81	77	81	80	81	84	X	86	88	91	85
2300	80	88	84	80	85	81	77	78	87	90	X	86	80	77	80	80	80	83	X	85	88	91	84

STAGI) ɹr III HOURLY INSIDE TEMP LOG)) ACHMENT C

Date: 7/5/24 STAGE: (I) II III (circle one) Stage Activation Time: 1129 Stage Deactivation Time: _____

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	RANCH	T-WING	U-WING	V-WING	Y-DORM
0001											X								X				
0100											X								X				
0200											X								X				
0300											X								X				
0400											X								X				
0500											X								X				
0600											X								X				
0700											X								X				
0800											X								X				
0900											X								X				
1000											X								X				
1100											X								X				
1200	85	85	89	80	84	81	78	79	79	84	X	86	85	76	78	79	81	83	X	85	84	84	83
1300	85	85	89	80	84	82	78	79	79	87	X	86	85	78	80	80	82	84	X	87	87	86	86
1400	79	90	87	81	86	86	83	78	81	88	X	87	85	77	87	81	83	85	X	86	86	91	85
1500	79	90	89	82	86	87	84	79	81	89	X	88	85	78	88	82	83	86	X	88	88	91	85
1600	79	90	88	90	86	86	85	78	81	90	X	88	87	80	88	82	84	85	X	88	88	91	85
1700	79	90	88	90	86	86	86	79	82	90	X	88	88	80	88	84	85	85	X	88	88	91	84
1800	79	91	88	82	86	86	80	79	82	93	X	88	92	80	90	84	85	85	X	88	88	91	85
1900	79	91	88	82	86	83	83	77	82	93	X	88	90	80	93	84	85	85	X	88	88	91	85
2000	79	91	88	82	86	83	83	77	82	93	X	88	89	79	90	84	84	85	X	88	88	91	85
2100	80	91	88	82	86	86	81	77	81	92	X	87	88	79	88	83	84	85	X	88	88	90	85
2200											X								X				
2300											X								X				

STAGE I) or III HOURLY INSIDE TEMP LOG)) ACHMENT C

Date: 7/6/24 STAGE: (circle one) (I) II III Stage Activation Time: 1107 Stage Deactivation Time: 2343

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	RE DORM	RANCH	T-WING	U-WING	V-WING	Y-DORM
0001																							
0100																							
0200																							
0300																							
0400																							
0500																							
0600																							
0700																							
0800																							
0900																							
1000																							
1100																							
1200	80	88	86	81	84	83	82	84	79	84		82	80	77	77	80	82	80		87	87	87	85
1300	80	88	86	81	84	85	85	91	79	92		83	82	79	85	80	82	80		88	88	88	87
1400	81	90	84	82	84	86	92	91	81	91		88	83	79	87	82	84	81		88	89	90	85
1500	82	90	86	83	85	87	92	91	82	91		88	85	82	89	82	84	81		88	89	90	86
1600	85	90	89	83	86	90	92	92	83	92		88	85	83	93	82	86	83		88	94	91	86
1700	85	90	89	84	86	91	92	92	82	92		88	90	85	91	84	87	85		88	94	91	86
1800	85	90	89	84	86	91	91	92	83	91		89	90	85	90	84	86	84		87	91	90	86
1900	85	90	86	84	86	90	90	90	84	93		88	90	85	90	83	86	83		88	92	91	86
2000	85	90	86	84	86	90	90	90	84	93		86	89	84	90	83	85	83		87	90	90	86
2100	85	90	85	84	86	87	89	89	84	94		84	88	84	87	83	85	83		87	90	90	86
2200	85	90	87	83	88	85	82	89	88	90		85	82	78	72	81	84	83		88	89	88	78
2300	81	90	87	83	88	84	81	89	81	88		86	82	77	72	78	82	83		88	88	88	77

...r III HOURLY INSIDE TEMP LOG

...ACHMENT C

...ce: 7/7/24 STAGE: (circle one) (I) II III Stage Activation Time: 1156 Stage Deactivation Time: 2300

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1	I-1	J-1	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	RANCH	T-WING	U-WING	V-WING	Y-DORM
0001																							
0100																							
0200																							
0300																							
0400																							
0500																							
0600																							
0700																							
0800																							
0900																							
1000																							
1100																							
1200	79	89	87	80	84	85	80	82	79	88.7		87	80	74	78	79	81	80		87	86	88	83
1300	82	88	87	83	84	86	85	83	79	89.7						80	82	81		87	86	86	84
1400	83	89	91	82	86	87	86	86	81	90.6		90	85	79	88	81	83	80		87	88	87	88
1500	85	90	91	82	86	88.5	88	88	82	91		91	[illegible]	79	88	81	82	82		88	90	88	88
1600	86	90	91	83	86	87	88	90	82	91		92	90	79	89	81	84	82		88	90	91	87
1700	86	90	91	83	86	87	90	91	82	92		92	91	80	91	83	84	81		88	90	91	86
1800	87	90	91	84	88	88.9	90	91	82	92		87	91	79	90	84	85	81		88	89	91	86
1900	88	91	91	84	88	87	90	90	82	92		93	90	79	90	83	84	81		88	89	91	86
2000	85	89	88	82	88	87	90	90	82	92		89	89	78	88	83	84	81		88	89	91	86
2100	84	89	87	81	86	86	88	89	81	91		88	88	77	86	82	83	81		88	89	90	86
2200							86	87		91												90	
2300										89												83	

STAGI) or III HOURLY INSIDE TEMP LOG **ACHMENT C**

Date: 7/7/24 **STAGE:** (circle one) (I) II III **Stage Activation Time:** 1154 **Stage Deactivation Time:** 2200

Once the digital display in the Custody Office reaches 90 degrees (outside temperature), the Watch Commander will activate the HRP Plan. Program Lieutenants will be responsible for monitoring inside temperature in designated areas and reporting their findings on an hourly basis.

	H-1 (C1)	I-1 (C2)	J-1 (C3)	M-1	N-1	H-2	I-2	J-2	M-2	N-2	H-3	I-3	J-3	M-3	N-3	C DORM	D DORM	R1 DORM	RANCH	T-WING	U-WING	V-WING	Y-DORM
0001																							
0100																							
0200																							
0300																							
0400																							
0500																							
0600																							
0700																							
0800																							
0900																							
1000																							
1100																							
1200	88	89	87																				
1300	89	90	92																				
1400	89	89	88.8																				
1500	88	89	89.7																				
1600	87	87	88.7																				
1700	86	87	89.2																				
1800	86	86	90																				
1900	86	86	90																				
2000	86	86	89.2																				
2100	85	85	88																				
2200	84	84	88.7																				
2300	84	83	88																				