

Monthly Summary Report

Institution: CRC

Memorandum

Date: October 3, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CRC

The following is a summary of the heat related activity for the month of September,
at CRC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 11

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes

Number of days Stage II Alert initiated: 10

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? Yes

Number of days Stage III Alert initiated: 9

4. Weekly list of heat risk patients archived?:Yes

5. Number of patients with heat related illness.3 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

GLEN E. PRATT

Warden Name

DocuSigned by:

 Brian Alla

D55BF8BADAD5483...

Warden Signature

Dr. MUHAMMAD NASIR, MD, MPH, MBA

Chief Executive Officer Name

Signed by:

 Dr. Muhammad Nasir

8DF6CD47114B1461...

Chief Executive Officer Signature

PLANT OPERATIONS HEAT STRESS LOG
CALIFORNIA REHABILITATION CENTER

SEPTEMBER 2024

HOUSING UNIT: FACILITY B	ZONE 1	ZONE 1	ZONE 2	ZONE 2
	DIGITAL/WALL THERMOMETER	HAND HELD	WALL	HAND HELD
DORM 201	68	67	69	67
DORM 202	65	65	67	67
DORM 203	66	66	64	66
DORM 204	65	65	65	65
DORM 205	VACANT	VACANT	VACANT	VACANT
DORM 206	65	67	65	67
DORM 207	65	65	66	66
DORM 208	67	66	66	66
DORM 209	67	66	64	66
DORM 210	67	66	66	66
DORM 211	68	70	66	69
DORM 212	67	66	64	66
DORM 214	73	71	74	72

HOUSING UNIT: FACILITY C	ZONE 1	ZONE 1	ZONE 2	ZONE 2
	WALL	HAND HELD	WALL	HAND HELD
DORM 302	66	66	68	67
DORM 303	67	65	70	67
DORM 304	67	66	67	70
DORM 305	66	66	66	66
DORM 306	67	66	68	67
DORM 307	65	66	70	67
DORM 308	67	66	72	68
DORM 309	66	66	72	67
DORM 310	68	66	70	67
DORM 311	68	67	70	67
DORM 312	69	67	70	67
DORM 313	70	68	70	68

HOUSING UNIT: FACILITY D	ZONE 1	ZONE 1	ZONE 2	ZONE 2
	WALL	HAND HELD	WALL	HAND HELD
DORM 401	71	71	73	70
DORM 402	71	71	73	70
DORM 403	69	67	74	69
DORM 404	70	70	70	70
DORM 405	71	70	71	70
DORM 406	71	71	71	73
DORM 407	65	68	70	68
DORM 408	67	66	71	69
DORM 409	68	66	68	69
*OPHU	70	70	70	70
*TOWER 5	66	65		

*Additional Locations

Signature: _____ Date: 09.12.2024

PLANT OPERATIONS HEAT STRESS LOG
CALIFORNIA REHABILITATION CENTER

SEPTEMBER 2024

HOUSING UNIT: FACILITY B	ZONE 1	ZONE 1	ZONE 2	ZONE 2
	DIGITAL/WALL THERMOMETER	HAND HELD	WALL	HAND HELD
DORM 201	68	67	69	67
DORM 202	65	65	67	67
DORM 203	66	66	64	66
DORM 204	65	65	65	65
DORM 205	VACANT	VACANT	VACANT	VACANT
DORM 206	65	67	65	67
DORM 207	65	65	66	66
DORM 208	67	66	66	66
DORM 209	67	66	64	66
DORM 210	67	66	66	66
DORM 211	68	70	66	69
DORM 212	67	66	64	66
DORM 214	73	71	74	72

HOUSING UNIT: FACILITY C	ZONE 1	ZONE 1	ZONE 2	ZONE 2
	WALL	HAND HELD	WALL	HAND HELD
DORM 302	66	66	68	67
DORM 303	67	65	70	67
DORM 304	67	66	67	70
DORM 305	66	66	66	66
DORM 306	67	66	68	67
DORM 307	65	66	70	67
DORM 308	67	66	72	68
DORM 309	66	66	72	67
DORM 310	68	66	70	67
DORM 311	68	67	70	67
DORM 312	69	67	70	67
DORM 313	70	68	70	68

HOUSING UNIT: FACILITY D	ZONE 1	ZONE 1	ZONE 2	ZONE 2
	WALL	HAND HELD	WALL	HAND HELD
DORM 401	71	71	73	70
DORM 402	71	71	73	70
DORM 403	69	67	74	69
DORM 404	70	70	70	70
DORM 405	71	70	71	70
DORM 406	71	71	71	73
DORM 407	65	68	70	68
DORM 408	67	66	71	69
DORM 409	68	66	68	69
*OPHU	70	70	70	70
*TOWER 5	66	65		

*Additional Locations

Signature: _____ Date: 09.12.2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

CR

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER #5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
1 Sept - 2024	0100	66	JOHNSTON
Sun Day	0200	66	JOHNSTON
	0300	66	JOHNSTON
	0400	66	JOHNSTON
	0500	64	JOHNSTON
	0600	64	A. Kennedy
	0700	68	A. Kennedy
	0800	72	A. Kennedy
	0900	75	A. Kennedy
	1000	80	A. Kennedy
	1100	86	A. Kennedy
	1200	89	A. Kennedy
	1300	89	A. Kennedy
	1400	91	C. BRAYSHAW
	1500	93	C. BRAYSHAW
	1600	93	C. BRAYSHAW
	1700	92	C. BRAYSHAW
	1800	91	C. BRAYSHAW
	1900	84	C. BRAYSHAW
	2000	81	C. BRAYSHAW
	2100	75	C. BRAYSHAW
	2200	73	ROARILLO
	2300	71	ROARILLO
	2400	68	ROARILLO

Date	Time	Temp.	Printed Name
2 Sept - 2024	0100	68	ROARILLO
Mon Day	0200	67	ROARILLO
	0300	67	ROARILLO
	0400	66	ROARILLO
	0500	66	ROARILLO
	0600	66	A. Kennedy
	0700	69	A. Kennedy
	0800	77	A. Kennedy
	0900	80	A. Kennedy
	1000	82	A. Kennedy
	1100	88	A. Kennedy
	1200	92	A. Kennedy
	1300	94	A. Kennedy
	1400	94	C. BRAYSHAW
	1500	95	C. BRAYSHAW
	1600	94	C. BRAYSHAW
	1700	93	C. BRAYSHAW
	1800	89	C. BRAYSHAW
	1900	85	C. BRAYSHAW
	2000	79	C. BRAYSHAW
	2100	76	C. BRAYSHAW
	2200	75	ROARILLO
	2300	75	ROARILLO
	2400	74	ROARILLO

UHT STAGE 1 ACTIVATED @
1317 HR's.
UHT STAGE 1 DEACTIVATED @
1915 HR's.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

UHT STAGE 1 ACTIVATED
@ 1157 HR's.
UHT STAGE 1 DEACTIVATED
@ 1900 HR's.

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
September 23, 2024 TUES	0100	71	RCAZARILLO
	0200	70	RCAZARILLO
	0300	68	RCAZARILLO
	0400	68	RCAZARILLO
	0500	67	RCAZARILLO
	0600	67	RCAZARILLO
	0700	70	RCAZARILLO
	0800	73	RCAZARILLO
	0900	79	RCAZARILLO
	1000	83	RCAZARILLO
	1100	87	RCAZARILLO
	1200	94	RCAZARILLO
	1300	97	RCAZARILLO
	1400	98	D. Rodriguez
	1500	96	D. Rodriguez
	1600	96	D. Rodriguez
	1700	95	D. Rodriguez
	1800	94	D. Rodriguez
	1900	89	D. Rodriguez
	2000	83	D. Rodriguez
	2100	80	D. Rodriguez
	2200	79	Johnston
	2300	75	Johnston
	2400	74	Johnston

UHT STAGE 1 ACTIVATED @ 1131 HRS

UHT STAGE 1 DE-ACTIVATED @ 1900 HRS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
September 24, 2024 WED	0100	73	Johnston
	0200	72	Johnston
	0300	70	Johnston
	0400	69	Johnston
	0500	68	Johnston
	0600	68	Johnston
	0700	70	Johnston
	0800	75	Johnston
	0900	78	Johnston
	1000	85	Johnston
	1100	92	Johnston
	1200	95	Johnston
	1300	100	Johnston
	1400	102	D. VELASQUEZ
	1500	102	D. VELASQUEZ
	1600	102	D. VELASQUEZ
	1700	99	D. VELASQUEZ
	1800	99	D. VELASQUEZ
	1900	91	D. VELASQUEZ
	2000	85	D. VELASQUEZ
	2100	83	D. VELASQUEZ
	2200	84	Walterscheid
	2300	80	Walterscheid
	2400	79	Walterscheid

UHT STAGE 1 ACTIVATED
@ 1111 HRS

UHT STAGE 1 DEACTIVATED
@ 1925 HRS

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Tower 5

Immediately notify the Watch Commander at extension 4311744 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-5-2024	0100	76	W.BELCHER
THURSDAY	0200	75	W.BELCHER
Sept. 5	0300	74	W.BELCHER
2024	0400	74	W.BELCHER
Sept. 5	0500	76	W.BELCHER
2024	0600	74	JOHNSTON
Sept. 5	0700	72	JOHNSTON
2024	0800	75	JOHNSTON
Sept. 5	0900	80	JOHNSTON
2024	1000	98	JOHNSTON
Sept. 5	1100	93	JOHNSTON
2024	1200	101	JOHNSTON
Sept. 5	1300	105	L.JOHNSTON
2024	1400	108	JOHNSTON
Sept. 5	1500	108	JOHNSTON
2024	1600	108	JOHNSTON
Sept. 5	1700	106	JOHNSTON
2024	1800	105	JOHNSTON
Sept. 5	1900	97	JOHNSTON
2024	2000	95	JOHNSTON
Sept. 5	2100	91	L.JOHNSTON
2024	2200	89	L.BELCHER
Sept. 5	2300	88	L.BELCHER
2024	2400	87	L.BELCHER

UHT STAGE 1 ACTIVATED @

15 HR's

UHT STAGE 1 DEACTIVATED @

2230 HR's.

Date	Time	Temp.	Printed Name
9-5-2024	0100	86	L.BELCHER
THURSDAY	0200	85	L.BELCHER
Sept. 5	0300	83	L.BELCHER
2024	0400	82	L.BELCHER
Sept. 5	0500	80	L.BELCHER
2024	0600	78	L.JOHNSTON
Sept. 5	0700	78	JOHNSTON
2024	0800	85	JOHNSTON
Sept. 5	0900	89	JOHNSTON
2024	1000	91	JOHNSTON
Sept. 5	1100	98	JOHNSTON
2024	1200	105	JOHNSTON
Sept. 5	1300	108	L.JOHNSTON
2024	1400	111	CERVANTES
Sept. 5	1500	113	CERVANTES
2024	1600	112	CERVANTES
Sept. 5	1700	106	CERVANTES
2024	1800	101	CERVANTES
Sept. 5	1900	94	CERVANTES
2024	2000	89	CERVANTES
Sept. 5	2100	89	CERVANTES
2024	2200	89	CARRILLO
Sept. 5	2300	88	CARRILLO
2024	2400	88	CARRILLO

UHT STAGE 1 ACTIVATED

@ 1000 HR's

UHT STAGE 1 DEACTIVATED

@ 2032 HR's.

INSTITUTION:

CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPTEMBER 07, 2024	0100	78	RCARRILLO
	0200	75	RCARRILLO
	0300	74	RCARRILLO
	0400	74	RCARRILLO
	0500	74	RCARRILLO
	0600	74	L. JOHNSTON
	0700	76	JOHNSTON
	0800	80	JOHNSTON
	0900	87	JOHNSTON
	1000	91	JOHNSTON
	1100	97	JOHNSTON
	1200	102	JOHNSTON
	1300	103	JOHNSTON
	1400	103	JOHNSTON
	1500	103	Arredondo
	1600	102	Arredondo
	1700	102	Arredondo
	1800	101	Arredondo
	1900	97	Arredondo
	2000	89	Arredondo
	2100	89	RCARRILLO
	2200	89	RCARRILLO
	2300	88	RCARRILLO
	2400	88	RCARRILLO

UHT STAGE 1 ACTIVATED @
0957 HRS

UHT STAGE 1 DEACTIVATED @
2110 Hrs

Date	Time	Temp.	Printed Name
SEPTEMBER 08, 2024	0100	84	RCARRILLO
	0200	84	RCARRILLO
	0300	84	RCARRILLO
	0400	84	RCARRILLO
	0500	84	RCARRILLO
	0600	80	A. Kennedy
	0700	80	A. Kennedy
	0800	86	A. Kennedy
	0900	89	A. Kennedy
	1000	95	A. Kennedy
	1100	100	A. Kennedy
	1200	104	A. Kennedy
	1300	106	A. Kennedy
	1400	107	Bernal
	1500	100	Bernal
	1600	100	Bernal
	1700	100	Bernal
	1800	97	Bernal
	1900	94	Bernal
	2000	92	Bernal
	2100	88	Bernal
	2200	86	RCARRILLO
	2300	86	RCARRILLO
	2400	85	RCARRILLO

UHT STAGE 1 ACTIVATED @
0932 HRS

UHT STAGE 1 DEACTIVATED
@ 2100 Hrs.

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPTEMBER 09, 2024 MON	0100	81	RCARRILLO
	0200	78	RCARRILLO
	0300	78	RCARRILLO
	0400	77	RCARRILLO
	0500	76	RCARRILLO
	0600	77	A. Kennedy
	0700	80	A. Kennedy
	0800	82	A. Kennedy
	0900	85	A. Kennedy
	1000	89	A. Kennedy
	1100	94	A. Kennedy
	1200	101	A. Kennedy
	1300	106	A. Kennedy
	1400	105	C. BRAYSHAW
	1500	104	C. BRAYSHAW
	1600	104	C. BRAYSHAW
	1700	101	C. BRAYSHAW
	1800	98	C. BRAYSHAW
	1900	93	C. BRAYSHAW
	2000	89	C. BRAYSHAW
	2100	88	C. BRAYSHAW
	2200	86	RCARRILLO
	2300	86	RCARRILLO
	2400	83	RCARRILLO

Date	Time	Temp.	Printed Name
SEPTEMBER 10, 2024 TUES	0100	80	RCARRILLO
	0200	77	RCARRILLO
	0300	75	RCARRILLO
	0400	73	RCARRILLO
	0500	70	RCARRILLO
	0600	70	RCARRILLO
	0700	71	RCARRILLO
	0800	77	RCARRILLO
	0900	82	RCARRILLO
	1000	88	RCARRILLO
	1100	91	RCARRILLO
	1200	95	RCARRILLO
	1300	97	RCARRILLO
	1400	99	CERVANTES
	1500	97	CERVANTES
	1600	94	CERVANTES
	1700	93	CERVANTES
	1800	90	CERVANTES
	1900	87	CERVANTES
	2000	79	CERVANTES
	2100	76	CERVANTES
	2200	71	JOHNSTON
	2300	69	JOHNSTON
	2400	67	JOHNSTON

Stage 1 UHT activated @ 1010 HRS

Stage 1 UHT deactivated @ 2030 HRS

Stage 1 UHT activated @ 1035 HRS

Stage 1 UHT deactivated @ 1900 HRS

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

WEDNESDAY,

1/Sept/2024

Date	Time	Temp.	Printed Name
	0100	65	JOHNSTON
	0200	65	JOHNSTON
	0300	63	JOHNSTON
	0400	63	JOHNSTON
	0500	62	JOHNSTON
	0600	60	JOHNSTON
	0700	60	JOHNSTON
	0800	63	JOHNSTON
	0900	67	JOHNSTON
	1000	72	JOHNSTON
	1100	75	JOHNSTON
	1200	80	JOHNSTON
	1300	84	JOHNSTON
	1400	85	CERVANTES
	1500	83	CERVANTES
	1600	81	CERVANTES
	1700	77	CERVANTES
	1800	77	CERVANTES
	1900	71	CERVANTES
	2000	66	CERVANTES
	2100	65	CERVANTES
	2200	63	JOHNSTON
	2300	62	JOHNSTON
	2400	62	JOHNSTON

STAGE 1 UHT ACTIVATED @

HR'S

STAGE 1 UHT DEACTIVATED @

HR'S

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Date	Time	Temp.	Printed Name
	0100	60	JOHNSTON
	0200	60	JOHNSTON
	0300	60	JOHNSTON
	0400	58	JOHNSTON
	0500	59	JOHNSTON
	0600	60	JOHNSTON
	0700	60	JOHNSTON
	0800	62	JOHNSTON
	0900	65	JOHNSTON
	1000	66	JOHNSTON
	1100	69	JOHNSTON
	1200	76	JOHNSTON
	1300	79	JOHNSTON
	1400	81	CERVANTES
	1500	84	CERVANTES
	1600	81	CERVANTES
	1700	79	CERVANTES
	1800	77	CERVANTES
	1900	73	CERVANTES
	2000	68	CERVANTES
	2100	67	CERVANTES
	2200	66	L BELCHER
	2300	66	L BELCHER
	2400	66	L BELCHER

STAGE 1 UHT ACTIVATED @
HQ'S.STAGE 1 UHT DEACTIVATED @
HR'S.

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPT. 13, 2024	0100	67	L BELCHER
	0200	68	L BELCHER
	0300	67	L BELCHER
	0400	66	L BELCHER
	0500	66	L BELCHER
	0600	66	L. JOHNSTON
	0700	66	L. JOHNSTON
	0800	67	JOHNSTON
	0900	68	JOHNSTON
	1000	71	JOHNSTON
	1100	74	JOHNSTON
	1200	76	JOHNSTON
	1300	80	JOHNSTON
	1400	81	CERVANTES
	1500	83	CERVANTES
	1600	82	CERVANTES
	1700	81	CERVANTES
	1800	76	CERVANTES
	1900	72	CERVANTES
	2000	69	CERVANTES
	2100	67	CERVANTES
	2200	66	ROARRILLO
	2300	64	ROARRILLO
	2400	64	ROARRILLO

Date	Time	Temp.	Printed Name
SEPT. 14, 2024	0100	64	ROARRILLO
	0200	64	ROARRILLO
	0300	64	ROARRILLO
	0400	65	ROARRILLO
	0500	66	ROARRILLO
	0600	67	L BELCHER
	0700	66	L BELCHER
	0800	68	L BELCHER
	0900	71	L BELCHER
	1000	74	L BELCHER
	1100	77	L BELCHER
	1200	78	L BELCHER
	1300	79	L BELCHER
	1400	83	CERVANTES
	1500	82	CERVANTES
	1600	81	CERVANTES
	1700	79	CERVANTES
	1800	76	CERVANTES
	1900	72	CERVANTES
	2000	69	CERVANTES
	2100	67	CERVANTES
	2200	65	ROARRILLO
	2300	65	ROARRILLO
	2400	64	ROARRILLO

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPTEMBER 15, 2021 Sunday	0100	65	RCARRILLO
	0200	65	RCARRILLO
	0300	65	RCARRILLO
	0400	65	RCARRILLO
	0500	66	RCARRILLO
	0600	66	A. Kennedy
	0700	66	A. Kennedy
	0800	68	A. Kennedy
	0900	70	A. Kennedy
	1000	71	A. Kennedy
	1100	75	A. Kennedy
	1200	77	A. Kennedy
	1300	81	A. Kennedy
	1400	76	C. BRAYSHAW
	1500	80	C. BRAYSHAW
	1600	80	C. BRAYSHAW
	1700	81	C. BRAYSHAW
	1800	76	C. BRAYSHAW
	1900	70	C. BRAYSHAW
	2000	66	C. BRAYSHAW
	2100	64	C. BRAYSHAW
	2200	64	RCARRILLO
	2300	63	RCARRILLO
	2400	63	RCARRILLO

Date	Time	Temp.	Printed Name
SEPTEMBER 16, 2021 Monday	0100	63	RCARRILLO
	0200	63	RCARRILLO
	0300	63	RCARRILLO
	0400	63	RCARRILLO
	0500	63	RCARRILLO
	0600	63	A. Kennedy
	0700	65	A. Kennedy
	0800	69	A. Kennedy
	0900	72	A. Kennedy
	1000	73	A. Kennedy
	1100	74	A. Kennedy
	1200	75	A. Kennedy
	1300	77	A. Kennedy
	1400	78	C. BRAYSHAW
	1500	77	C. BRAYSHAW
	1600	77	C. BRAYSHAW
	1700	75	C. BRAYSHAW
	1800	71	C. BRAYSHAW
	1900	67	C. BRAYSHAW
	2000	64	C. BRAYSHAW
	2100	62	C. BRAYSHAW
	2200	61	RCARRILLO
	2300	61	RCARRILLO
	2400	61	RCARRILLO

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPTEMBER 17, 2017	0100	61	RCARRILLO
	0200	61	RCARRILLO
	0300	61	RCARRILLO
	0400	60	RCARRILLO
	0500	60	RCARRILLO
	0600	61	RCARRILLO
	0700	62	RCARRILLO
	0800	64	RCARRILLO
	0900	69	RCARRILLO
	1000	70	RCARRILLO
	1100	75	RCARRILLO
	1200	74	RCARRILLO
	1300	74	RCARRILLO
	1400	77	CERVANTES
	1500	75	CERVANTES
	1600	75	CERVANTES
	1700	75	CERVANTES
	1800	72	CERVANTES
	1900	69	CERVANTES
	2000	65	CERVANTES
	2100	63	CERVANTES
	2200	62	L.JOHNSTON
	2300	61	JOHNSTON
	2400	62	JOHNSTON

Date	Time	Temp.	Printed Name
SEPTEMBER 18, 2017	0100	62	JOHNSTON
	0200	62	JOHNSTON
	0300	60	JOHNSTON
	0400	60	JOHNSTON
	0500	58	JOHNSTON
	0600	58	JOHNSTON
	0700	60	JOHNSTON
	0800	65	JOHNSTON
	0900	68	JOHNSTON
	1000	70	JOHNSTON
	1100	70	JOHNSTON
	1200	73	JOHNSTON
	1300	76	L.JOHNSTON
	1400	77	CERVANTES
	1500	77	CERVANTES
	1600	78	CERVANTES
	1700	78	CERVANTES
	1800	74	CERVANTES
	1900	68	CERVANTES
	2000	64	CERVANTES
	2100	64	W.HENSCHEL
	2200	63	W.HENSCHEL
	2300	63	W.HENSCHEL
	2400	62	W.HENSCHEL

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension _____ when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-19-2024	0100	62	Walterscheid
	0200	63	Walterscheid
	0300	63	Walterscheid
	0400	64	Walterscheid
	0500	66	Walterscheid
	0600	64	JOHNSTON
	0700	64	JOHNSTON
	0800	64	JOHNSTON
	0900	66	JOHNSTON
	1000	70	JOHNSTON
	1100	74	JOHNSTON
	1200	72	JOHNSTON
	1300	73	JOHNSTON
	1400	74	CERVANTES
	1500	77	CERVANTES
	1600	77	CERVANTES
	1700	75	CERVANTES
	1800	74	CERVANTES
	1900	69	CERVANTES
	2000	64	CERVANTES
	2100	64	CERVANTES
	2200	64	BELCHER
	2300	64	BELCHER
	2400	63	BELCHER

Date	Time	Temp.	Printed Name
9-19-2024	0100	63	BELCHER
	0200	62	BELCHER
	0300	63	BELCHER
	0400	63	BELCHER
	0500	63	BELCHER
	0600	62	L.JOHNSTON
	0700	61	JOHNSTON
	0800	64	JOHNSTON
	0900	68	JOHNSTON
	1000	70	JOHNSTON
	1100	74	JOHNSTON
	1200	78	JOHNSTON
	1300	80	L.JOHNSTON
	1400	78	
	1500	76	CERVANTES
	1600	76	CERVANTES
	1700	74	CERVANTES
	1800	72	CERVANTES
	1900	70	CERVANTES
	2000	67	CERVANTES
	2100	66	CERVANTES
	2200	65	RSARRILLO
	2300	65	RSARRILLO
	2400	64	RSARRILLO

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
September 21, 2024 SAT.	0100	62	RCARRILLO
	0200	62	RCARRILLO
	0300	62	RCARRILLO
	0400	62	RCARRILLO
	0500	62	RCARRILLO
	0600	60	L. JOHNSTON
	0700	62	JOHNSTON
	0800	64	JOHNSTON
	0900	67	JOHNSTON
	1000	70	JOHNSTON
	1100	73	JOHNSTON
	1200	74	JOHNSTON
	1300	76	L. JOHNSTON
	1400	76	CERVANTES
	1500	81	CERVANTES
	1600	81	CERVANTES
	1700	79	CERVANTES
	1800	78	CERVANTES
	1900	72	CERVANTES
	2000	69	CERVANTES
	2100	68	CERVANTES
	2200	68	RCARRILLO
	2300	65	RCARRILLO
	2400	65	RCARRILLO

Date	Time	Temp.	Printed Name
September 22, 2024 Sun.	0100	64	RCARRILLO
	0200	64	RCARRILLO
	0300	64	RCARRILLO
	0400	63	RCARRILLO
	0500	63	RCARRILLO
	0600	63	A. Kennedy
	0700	64	A. Kennedy
	0800	64	A. Kennedy
	0900	70	A. Kennedy
	1000	74	A. Kennedy
	1100	79	A. Kennedy
	1200	83	A. Kennedy
	1300	84	A. Kennedy
	1400	87	C. BRAYSNOW
	1500	87	C. BRAYSNOW
	1600	85	C. BRAYSNOW
	1700	85	C. BRAYSNOW
	1800	81	C. BRAYSNOW
	1900	76	C. BRAYSNOW
	2000	72	C. BRAYSNOW
	2100	70	C. BRAYSNOW
	2200	68	RCARRILLO
	2300	67	RCARRILLO
	2400	67	RCARRILLO

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	65	RCARRILLO
	0200	65	RCARRILLO
	0300	65	RCARRILLO
	0400	64	RCARRILLO
	0500	64	RCARRILLO
	0600	64	A. Kennedy
	0700	62	A. Kennedy
	0800	66	A. Kennedy
	0900	70	A. Kennedy
	1000	76	A. Kennedy
	1100	80	A. Kennedy
	1200	84	A. Kennedy
	1300	87	A. Kennedy
	1400	89	HEZZER
	1500	89	HEZZER
	1600	89	HEZZER
	1700	85	HEZZER
	1800	81	HEZZER
	1900	77	HEZZER
	2000	74	HEZZER
	2100	71	HEZZER
	2200	69	RCARRILLO
	2300	69	RCARRILLO
	2400	68	RCARRILLO

September 23, 2021

Date	Time	Temp.	Printed Name
	0100	66	RCARRILLO
	0200	66	RCARRILLO
	0300	65	RCARRILLO
	0400	64	RCARRILLO
	0500	64	RCARRILLO
	0600	65	RCARRILLO
	0700	65	RCARRILLO
	0800	66	RCARRILLO
	0900	70	RCARRILLO
	1000	71	RCARRILLO
	1100	76	RCARRILLO
	1200	80	RCARRILLO
	1300	80	RCARRILLO
	1400	85	CERVANTES
	1500	86	CERVANTES
	1600	83	CERVANTES
	1700	83	CERVANTES
	1800	78	CERVANTES
	1900	73	CERVANTES
	2000	70	CERVANTES
	2100	68	CERVANTES
	2200	66	JOHNSTON
	2300	65	JOHNSTON
	2400	64	JOHNSTON

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY	0100	65	JOHNSTON
25 Sept 08	0200	69	JOHNSTON
	0300	61	JOHNSTON
	0400	60	JOHNSTON
	0500	60	JOHNSTON
	0600	62	JOHNSTON
	0700	63	JOHNSTON
	0800	65	JOHNSTON
	0900	65	JOHNSTON
	1000	72	JOHNSTON
	1100	78	JOHNSTON
	1200	80	JOHNSTON
	1300	82	JOHNSTON
	1400	82	JOHNSTON
	1500	82	CERVANTES
	1600	82	CERVANTES
	1700	78	CERVANTES
	1800	75	CERVANTES
	1900	70	CERVANTES
	2000	68	CERVANTES
	2100	66	CERVANTES
	2200	66	JOHNSTON
	2300	63	JOHNSTON
	2400	60	JOHNSTON

Date	Time	Temp.	Printed Name
THURSDAY	0100	62	JOHNSTON
26 Sept 08	0200	61	JOHNSTON
	0300	60	JOHNSTON
	0400	59	JOHNSTON
	0500	58	JOHNSTON
	0600	58	JOHNSTON
	0700	57	JOHNSTON
	0800	62	JOHNSTON
	0900	63	JOHNSTON
	1000	64	JOHNSTON
	1100	73	JOHNSTON
	1200	76	JOHNSTON
	1300	70	JOHNSTON
	1400	83	CERVANTES
	1500	83	CERVANTES
	1600	82	CERVANTES
	1700	82	CERVANTES
	1800	78	CERVANTES
	1900	74	CERVANTES
	2000	71	CERVANTES
	2100	70	CERVANTES
	2200	66	L BELCHER
	2300	66	L BELCHER
	2400	65	L BELCHER

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CDC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

✓ TUESDAY

27 Sept. 2014

Date	Time	Temp.	Printed Name
	0100	63	L BELCHER
	0200	62	L BELCHER
	0300	61	L BELCHER
	0400	61	L BELCHER
	0500	60	L BELCHER
	0600	60	JOHNSTON
	0700	58	JOHNSTON
	0800	61	JOHNSTON
	0900	65	JOHNSTON
	1000	69	JOHNSTON
	1100	74	JOHNSTON
	1200	78	JOHNSTON
	1300	82	JOHNSTON
	1400	83	L JOHNSON
	1500	83	CERVANTES
	1600	81	CERVANTES
	1700	81	CERVANTES
	1800	77	CERVANTES
	1900	74	CERVANTES
	2000	71	CERVANTES
	2100	68	CERVANTES
	2200	67	JOHNSTON
	2300	64	JOHNSTON
	2400	62	JOHNSTON

✓ Wednesday

28 Sept. 2014

Date	Time	Temp.	Printed Name
	0100	60	JOHNSTON
	0200	60	JOHNSTON
	0300	60	JOHNSTON
	0400	60	JOHNSTON
	0500	59	JOHNSTON
	0600	59	JOHNSTON
	0700	59	JOHNSTON
	0800	64	JOHNSTON
	0900	68	JOHNSTON
	1000	70	JOHNSTON
	1100	75	JOHNSTON
	1200	80	JOHNSTON
	1300	84	L JOHNSON
	1400	84	CERVANTES
	1500	85	CERVANTES
	1600	83	CERVANTES
	1700	82	CERVANTES
	1800	79	CERVANTES
	1900	73	CERVANTES
	2000	70	CERVANTES
	2100	68	CERVANTES
	2200	66	A. DIAZ
	2300	63	A. DIAZ
	2400	63	R DIAZ

INSTITUTION: C XC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER #5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
Sunday September 29, 2024	0100	60	A. DIAL
	0200	60	A. DIAL
	0300	59	A. DIAL
	0400	59	A. DIAL
	0500	59	A. DIAL
	0600	59	A. Kennedy
	0700	59	A. Kennedy
	0800	66	A. Kennedy
	0900	70	A. Kennedy
	1000	73	A. Kennedy
	1100	77	A. Kennedy
	1200	82	A. Kennedy
	1300	86	A. Kennedy
	1400	86	C. BRAYSHAW
	1500	87	C. BRAYSHAW
	1600	86	C. BRAYSHAW
	1700	85	C. BRAYSHAW
	1800	80	C. BRAYSHAW
	1900	75	C. BRAYSHAW
	2000	72	C. BRAYSHAW
	2100	70	C. BRAYSHAW
	2200	68	RGARRILLO
	2300	68	RGARRILLO
	2400	67	RGARRILLO

Date	Time	Temp.	Printed Name
September 29, 2024	0100	64	RGARRILLO
	0200	61	RGARRILLO
	0300	61	RGARRILLO
	0400	59	RGARRILLO
	0500	58	RGARRILLO
	0600	58	A. Kennedy
	0700	60	A. Kennedy
	0800	60	A. Kennedy
	0900	68	A. Kennedy
	1000	76	A. Kennedy
	1100	84	A. Kennedy
	1200	86	A. Kennedy
	1300	90	A. Kennedy
	1400	90	R. Gomez
	1500	87	R. Gomez
	1600	87	R. Gomez
	1700	86	R. Gomez
	1800	85	R. Gomez
	1900	82	R. Gomez
	2000	78	R. Gomez
	2100	71	R. Gomez
	2200	70	R. Gomez
	2300	69	RGARRILLO
	2400	69	RGARRILLO

Stage 1 UNIT activated @ 1304 hrs
DEACTIVATED @ 1435

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 2 20

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
1	0300	74	DIRE
2	0600	74	TANRI
3	0900	77	TANRI
4	1200	80	TANRI
5	1500	84	YONS
6	1800	84	YONS
7	2100	82	YOND
8	2400	80	A. STORIES

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 201

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
9/2/24	0300	80	J-Torre
	0600	79	J.Tanore
	0900	74	J.Tanore
	1200	80	J.Tanore
	1500	88	J.LYONS
	1800	89	J.LYONS
	2100	88	J.LYONS
	2400	81	I.FERNANDEZ

Wednesday

Date	Time	Temp.	Name(Print)
9/4/24	0300	83	J.HILL
	0600	80	Rodriguez
	0900	80	Rodriguez
	1200	82	Rodriguez
	1500	90	J.LYONS JK
	1800	98	J.LYONS JK
	2100	94	J.LYONS
	2400	89	J.HILL

Friday

Date	Time	Temp.	Name(Print)
9/6/24	0300	87	J.HILL
	0600	85	J.Tanner
	0900	83	J.Tanner
	1200	84	J.Tanner
	1500	104°	D.Bourne JK
	1800	105°	D.Bourne JK
	2100	96°	D.Bourne
	2400	92	D.Bourne

Sunday

Date	Time	Temp.	Name(Print)
9/4/24	0300	89	D.Ige
	0600	85	K.Amezola
	0900	81	K.Amezola
	1200	93	K.Amezola
	1500	100	J.LYONS
	1800	100	J.LYONS
	2100	96	J.LYONS
	2400	94	J.HILL

Tuesday

Date	Time	Temp.	Name(Print)
9/3/24	0300	74	I.FERNANDEZ
	0600	73	J.Tanner
	0900	77	J.Tanner
	1200	84	J.Tanner
	1500	90	J.LYONS JK
	1800	40	J.LYONS JK
	2100	89	J.LYONS
	2400	87	J.HILL

Thursday

Date	Time	Temp.	Name(Print)
9/5/24	0300	86	J.HILL
	0600	80	Sirel
	0900	80	Sirel
	1200	92	Sirel
	1500	95°	D.Bourne JK
	1800	100°	D.Bourne JK
	2100	95°	D.Bourne
	2400	93	J.HILL

Saturday

Date	Time	Temp.	Name(Print)
9/7/24	0300	88	D.Ige
	0600	88	J.Woods
	0900	88	J.Woods
	1200	88	J.Woods
	1500	100°	R.Becerra JK
	1800	101°	R.Becerra JK
	2100	97°	R.Becerra
	2400	95	D.Ige

Notes

9/6/24 1136 hrs 90° watch notified
 9/6/24 1301 hrs 95° watch notified
 - 9/8/24 : Stage II Activated @ 1107
 Stage II Deactivated @ 1240
 Stage III Activated @ 1240
 Stage III Deactivated @ 2345
 Stage III Deactivated @ 2345

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 201
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 9, 2024	0300	87	Hill
	0600	85	Tanori
	0900	85	Tanori
	1200	90	Tanori
	1500	98	J. Lyons
	1800	98	J. Lyons
	2100	94	J. Lyons
	2400	91	J. Hill

Wednesday			
Date	Time	Temp.	Name(Print)
September 11, 2024	0300	79	J.Hill
	0600	79	S. Hill
	0900	79	S. Hill
	1200	79	S. Hill
	1500	80	J. Lyons
	1800	80	J. Lyons
	2100	80	J. Lyons
	2400	77	J. Hill

Friday			
Date	Time	Temp.	Name(Print)
September 13, 2024	0300	71	J. Hill
	0600	71	J. Tanori
	0900	73	J. Tanori
	1200	73	J. Tanori
	1500	75	D. Rovene
	1800	82	D. Rovene
	2100	77	D. Rovene
	2400	74	Diaz

Sunday			
Date	Time	Temp.	Name(Print)
September 15, 2024	0300	70	A. Lopez
	0600	71	C. Cedeno
	0900	74	C. Cedeno
	1200	74	C. Cedeno
	1500	80	J. Lyons
	1800	80	J. Lyons
	2100	74	J. Lyons
	2400	72	Hill

Tuesday			
Date	Time	Temp.	Name(Print)
September 10, 2024	0300	85	Hill
	0600	79	Amareez
	0900	82	Amareez
	1200	80	Amareez
	1500	94	J. Lyons
	1800	95	J. Lyons
	2100	90	J. Lyons
	2400	84	J. Hill

Thursday			
Date	Time	Temp.	Name(Print)
September 12, 2024	0300	73	J. Hill
	0600	72	Si
	0900	72	Si
	1200	74	Si
	1500	74	D. Rovene
	1800	74	D. Rovene
	2100	72	D. Rovene
	2400	71	J. Hill

Saturday			
Date	Time	Temp.	Name(Print)
September 14, 2024	0300	72	Diaz
	0600	72	Amerola
	0900	74	Amerola
	1200	74	Amerola
	1500	79	R. Davis
	1800	78	R. Davis
	2100	78	R. Davis
	2400	78	R. Davis

Notes

9-10-24 - STAGE II DEACTIVATED 0115

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 201
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 16, 2024	0300	70	HILL
	0600	70	J-Tanner
	0900	70	J-Tanner
	1200	70	J-Tanner
	1500	76	J-LYONS ✓
	1800	72	J-LYONS
	2100	71	J-LYONS
	2400	71	HILL

Wednesday

Date	Time	Temp.	Name(Print)
September 18, 2024	0300	71	HILL
	0600	71	JORDAN
	0900	70	JORDAN
	1200	72	JORDAN
	1500	80	J-LYONS ✓
	1800	76	J-LYONS ✓
	2100	75	J-LYONS
	2400	74	HILL

Friday

Date	Time	Temp.	Name(Print)
September 20, 2024	0300	73	HILL
	0600	73	J-Tanner
	0900	74	J-Tanner
	1200	71	J-Tanner
	1500	77	D-Bourne
	1800	78°	D-Bourne
	2100	76°	D-Bourne
	2400	74	DIAZ

Sunday

Date	Time	Temp.	Name(Print)
September 22, 2024	0300	72	DIAZ
	0600	70	J-Tanner
	0900	70	J-Tanner
	1200	72	J-Tanner
	1500	86	J-LYONS ✓
	1800	84	J-LYONS
	2100	82	J-LYONS
	2400	79	J-HILL

Tuesday

Date	Time	Temp.	Name(Print)
September 17, 2024	0300	70	HILL
	0600	70	ARMSTRONG
	0900	75	ARMSTRONG
	1200	75	ARMSTRONG
	1500	79	J-LYONS JC
	1800	74	J-LYONS JC
	2100	75	J-LYONS
	2400	73	HILL

Thursday

Date	Time	Temp.	Name(Print)
September 19, 2024	0300	72	HILL
	0600	71	JORDAN
	0900	70	Jordan
	1200	74	JORDAN
	1500	76°	D-Bourne
	1800	79°	D-Bourne
	2100	75	D-Bourne
	2400	74	HILL

Saturday

Date	Time	Temp.	Name(Print)
September 21, 2024	0300	72	DIAZ
	0600	70	GUTIERREZ
	0900	70	GUTIERREZ
	1200	71	GUTIERREZ
	1500	79	ARMENDARIZ
	1800	78	ARMENDARIZ
	2100	77	ARMENDARIZ
	2400	75	DIAZ

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION
DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 201
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 23, 2024	0300	75	HILL
	0600	73	J. JASON
	0900	73	J. JASON
	1200	75	J. JASON
	1500	82	J. LYONS
	1800	80	J. LYONS
	2100	80	J. LYONS
	2400	76	HILL

Wednesday			
Date	Time	Temp.	Name(Print)
September 25, 2024	0300	73	HILL
	0600	70	N. JORDAN
	0900	70	N. JORDAN
	1200	73	N. JORDAN
	1500	80	J. LYONS
	1800	80	J. LYONS
	2100	80	J. LYONS
	2400	79	HILL

Friday			
Date	Time	Temp.	Name(Print)
September 27, 2024	0300	74	HILL
	0600	72	J. JASON
	0900	73	J. JASON
	1200	74	J. JASON
	1500	77	D. BONNIE
	1800	79	D. BONNIE
	2100	77	D. BONNIE
	2400	76	DIAZ

Sunday			
Date	Time	Temp.	Name(Print)
September 29, 2024	0300	75	DIAZ
	0600	70	J. JASON
	0900	70	J. JASON
	1200	75	J. JASON
	1500	80	J. LYONS
	1800	80	J. LYONS
	2100	80	J. LYONS
	2400	78	HILL

Tuesday			
Date	Time	Temp.	Name(Print)
September 24, 2024	0300	72	HILL
	0600	71	M. VILLAMAR
	0900	72	M. VILLAMAR
	1200	76	M. VILLAMAR
	1500	84	J. LYONS
	1800	81	J. LYONS
	2100	78	J. LYONS
	2400	75	HILL

Thursday			
Date	Time	Temp.	Name(Print)
September 26, 2024	0300	75	HILL
	0600	75	JORDAN
	0900	70	JORDAN
	1200	74	D. BONNIE
	1500	79	D. BONNIE
	1800	80	D. BONNIE
	2100	78	D. BONNIE
	2400	77	HILL

Saturday			
Date	Time	Temp.	Name(Print)
September 28, 2024	0300	74	DIAZ
	0600	70	BUTTERER
	0900	70	BUTTERER
	1200	74	BUTTERER
	1500	84	ARMENDARIZ
	1800	83	ARMENDARIZ
	2100	80	ARMENDARIZ
	2400	77	DIAZ

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

~~From [redacted] through [redacted], the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air~~

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 201
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches

**Immediately notify the Watch Commander
90 degrees and again at 95 degrees.**

Monday		Date	Time	Temp.	Name(Print)
September 30, 2024			0300	74	HILL
			0600	70	J. Taren
			0900	71	J. Taren
			1200	73	J. Taren
			1500	89	J. Lyons
			1800	88	J. Lyons
			2100	84	J. Lyons
			2400	80	HILL

Date	Time	Temp.	Humidity (%)
1/1/00	10:00 AM	72° F	50%
1/2/00	10:00 AM	73° F	51%
1/3/00	10:00 AM	74° F	52%
1/4/00	10:00 AM	75° F	53%
1/5/00	10:00 AM	76° F	54%
1/6/00	10:00 AM	77° F	55%
1/7/00	10:00 AM	78° F	56%
1/8/00	10:00 AM	79° F	57%
1/9/00	10:00 AM	80° F	58%
1/10/00	10:00 AM	81° F	59%
1/11/00	10:00 AM	82° F	60%
1/12/00	10:00 AM	83° F	61%
1/13/00	10:00 AM	84° F	62%
1/14/00	10:00 AM	85° F	63%
1/15/00	10:00 AM	86° F	64%
1/16/00	10:00 AM	87° F	65%
1/17/00	10:00 AM	88° F	66%
1/18/00	10:00 AM	89° F	67%
1/19/00	10:00 AM	90° F	68%
1/20/00	10:00 AM	91° F	69%
1/21/00	10:00 AM	92° F	70%
1/22/00	10:00 AM	93° F	71%
1/23/00	10:00 AM	94° F	72%
1/24/00	10:00 AM	95° F	73%
1/25/00	10:00 AM	96° F	74%
1/26/00	10:00 AM	97° F	75%
1/27/00	10:00 AM	98° F	76%
1/28/00	10:00 AM	99° F	77%
1/29/00	10:00 AM	100° F	78%
1/30/00	10:00 AM	101° F	79%
1/31/00	10:00 AM	102° F	80%
2/1/00	10:00 AM	103° F	81%
2/2/00	10:00 AM	104° F	82%
2/3/00	10:00 AM	105° F	83%
2/4/00	10:00 AM	106° F	84%
2/5/00	10:00 AM	107° F	85%
2/6/00	10:00 AM	108° F	86%
2/7/00	10:00 AM	109° F	87%
2/8/00	10:00 AM	110° F	88%
2/9/00	10:00 AM	111° F	89%
2/10/00	10:00 AM	112° F	90%
2/11/00	10:00 AM	113° F	91%
2/12/00	10:00 AM	114° F	92%
2/13/00	10:00 AM	115° F	93%
2/14/00	10:00 AM	116° F	94%
2/15/00	10:00 AM	117° F	95%
2/16/00	10:00 AM	118° F	96%
2/17/00	10:00 AM	119° F	97%
2/18/00	10:00 AM	120° F	98%
2/19/00	10:00 AM	121° F	99%
2/20/00	10:00 AM	122° F	100%
2/21/00	10:00 AM	123° F	101%
2/22/00	10:00 AM	124° F	102%
2/23/00	10:00 AM	125° F	103%
2/24/00	10:00 AM	126° F	104%
2/25/00	10:00 AM	127° F	105%
2/26/00	10:00 AM	128° F	106%
2/27/00	10:00 AM	129° F	107%
2/28/00	10:00 AM	130° F	108%
2/29/00	10:00 AM	131° F	109%
3/1/00	10:00 AM	132° F	110%
3/2/00	10:00 AM	133° F	111%
3/3/00	10:00 AM	134° F	112%
3/4/00	10:00 AM	135° F	113%
3/5/00	10:00 AM	136° F	114%
3/6/00	10:00 AM	137° F	115%
3/7/00	10:00 AM	138° F	116%
3/8/00	10:00 AM	139° F	117%
3/9/00	10:00 AM	140° F	118%
3/10/00	10:00 AM	141° F	119%
3/11/00	10:00 AM	142° F	120%
3/12/00	10:00 AM	143° F	121%
3/13/00	10:00 AM	144° F	122%
3/14/00	10:00 AM	145° F	123%
3/15/00	10:00 AM	146° F	124%
3/16/00	10:00 AM	147° F	125%
3/17/00	10:00 AM	148° F	126%
3/18/00	10:00 AM	149° F	127%
3/19/00	10:00 AM	150° F	128%
3/20/00	10:00 AM	151° F	129%
3/21/00	10:00 AM	152° F	130%
3/22/00	10:00 AM	153° F	131%
3/23/00	10:00 AM	154° F	132%
3/24/00	10:00 AM	155° F	133%
3/25/00	10:00 AM	156° F	134%
3/26/00	10:00 AM	157° F	135%
3/27/00	10:00 AM	158° F	136%
3/28/00	10:00 AM	159° F	137%
3/29/00	10:00 AM	160° F	138%
3/30/00	10:00 AM	161° F	139%
3/31/00	10:00 AM	162° F	140%
4/1/00	10:00 AM	163° F	141%
4/2/00	10:00 AM	164° F	142%
4/3/00	10:00 AM	165° F	143%
4/4/00	10:00 AM	166° F	144%
4/5/00	10:00 AM	167° F	145%
4/6/00	10:00 AM	168° F	146%
4/7/00	10:00 AM	169° F	147%
4/8/00	10:00 AM	170° F	148%
4/9/00	10:00 AM	171° F	149%
4/10/00	10:00 AM	172° F	150%
4/11/00	10:00 AM	173° F	151%
4/12/00	10:00 AM	174° F	152%
4/13/00	10:00 AM	175° F	153%
4/14/00	10:00 AM	176° F	154%
4/15/00	10:00 AM	177° F	155%
4/16/00	10:00 AM	178° F	156%
4/17/00	10:00 AM	179° F	157%
4/18/00	10:00 AM	180° F	158%
4/19/00	10:00 AM	181° F	159%
4/20/00	10:00 AM	182° F	160%
4/21/00	10:00 AM	183° F	161%
4/22/00	10:00 AM	184° F	162%
4/23/00	10:00 AM	185° F	163%
4/24/00	10:00 AM	186° F	164%
4/25/00	10:00 AM	187° F	165%
4/26/00	10:00 AM	188° F	166%
4/27/00	10:00 AM	189° F	167%
4/28/00	10:00 AM	190° F	168%
4/29/00	10:00 AM	191° F	169%
4/30/00	10:00 AM	192° F	170%
5/1/00	10:00 AM	193° F	171%
5/2/00	10:00 AM	194° F	172%
5/3/00	10:00 AM	195° F	173%
5/4/00	10:00 AM	196° F	174%
5/5/00	10:00 AM	197° F	175%
5/6/00	10:00 AM	198° F	176%
5/7/00	10:00 AM	199° F	177%
5/8/00	10:00 AM	200° F	178%
5/9/00	10:00 AM	201° F	179%
5/10/00	10:00 AM	202° F	180%
5/11/00	10:00 AM	203° F	181%
5/12/00	10:00 AM	204° F	182%
5/13/00	10:00 AM	205° F	183%
5/14/00	10:00 AM	206° F	184%
5/15/00	10:00 AM	207° F	185%
5/16/00	10:00 AM	208° F	186%
5/17/00	10:00 AM	209° F	187%
5/18/00	10:00 AM	210° F	188%
5/19/00	10:00 AM	211° F	189%
5/20/00	10:00 AM	212° F	190%
5/21/00	10:00 AM	213° F	191%
5/22/00	10:00 AM	214° F	192%
5/23/00	10:00 AM	215° F	193%
5/24/00	10:00 AM	216° F	194%
5/25/00	10:00 AM	217° F	195%
5/26/00	10:00 AM	218° F	196%
5/27/00	10:00 AM	219° F	197%
5/28/00	10:00 AM	220° F	198%
5/29/00	10:00 AM	221° F	199%
5/30/00	10:00 AM	222° F	200%
5/31/00	10:00 AM	223° F	201%
6/1/00	10:00 AM	224° F	202%
6/2/00	10:00 AM	225° F	203%
6/3/00	10:00 AM	226° F	204%
6/4/00	10:00 AM	227° F	205%
6/5/00	10:00 AM	228° F	206%
6/6/00	10:00 AM	229° F	207%
6/7/00	10:00 AM	230° F	208%
6/8/00	10:00 AM	231° F	209%
6/9/00	10:00 AM	232° F	210%
6/10/00	10:00 AM	233° F	211%
6/11/00	10:00 AM	234° F	212%
6/12/00	10:00 AM	235° F	213%
6/13/00	10:00 AM	236° F	214%
6/14/00	10:00 AM	237° F	215%
6/15/00	10:00 AM	238° F	216%
6/16/00	10:00 AM	239° F	217%
6/17/00	10:00 AM	240° F	218%
6/18/00	10:00 AM	241° F	219%
6/19/00	10:00 AM	242° F	220%
6/20/00	10:00 AM	243° F	221%
6/21/00	10:00 AM	244° F	222%
6/22/00	10:00 AM	245° F	223%
6/23/00	10:00 AM	246° F	224%
6/24/00	10:00 AM	247° F	225%
6/25/00	10:00 AM	248° F	226%
6/26/00	10:00 AM	249° F	227%
6/27/00	10:00 AM	250° F	228%
6/28/00	10:00 AM	251° F	229%
6/29/00	10:00 AM	252° F	230%
6/30/00	10:00 AM	253° F	231%
7/1/00	10:00 AM	254° F	232%
7/2/00	10:00 AM	255° F	233%
7/3/00	10:00 AM	256° F	234%
7/4/00	10:00 AM	257° F	235%
7/5/00	10:00 AM	258° F	236%
7/6/00	10:00 AM	259° F	237%
7/7/00	10:00 AM	260° F	238%
7/8/00	10:00 AM	261° F	239%
7/9/00	10:00 AM	262° F	240%
7/10/00	10:00 AM	263° F	241%
7/11/00	10:00 AM	264° F	242%
7/12/00	10:00 AM	265° F	243%
7/13/00	10:00 AM	266° F	244%
7/14/00	10:00 AM	267° F	245%
7/15/00	10:00 AM	268° F	246%
7/16/00	10:00 AM	269° F	247%
7/17/00	10:00 AM	270° F	248%
7/18/00	10:00 AM	271° F	249%
7/19/00	10:00 AM	272° F	250%
7/20/00	10:00 AM	273° F	251%
7/21/00	10:00 AM	274° F	252%
7/22/00	10:00 AM	275° F	253%
7/23/00	10:00 AM	276° F	254%
7/24/00	10:00 AM	277° F	255%
7/25/00	10:00 AM	278° F	256%
7/26/00	10:00 AM	279° F	257%
7/27/00	10:00 AM	280° F	258%
7/28/00	10:00 AM	281° F	259%
7/29/00	10:00 AM	282° F	260%
7/30/00	10:00 AM	283° F	261%
7/31/00	10:00 AM	284° F	262%
8/1/00	10:00 AM	285° F	263%
8/2/00	10:00 AM	286° F	264%
8/3/00	10:00 AM	287° F	265%
8/4/00	10:00 AM	288° F	266%
8/5/00	10:00 AM	289° F	267%
8/6/00	10:00 AM	290° F	268%
8/7/00	10:00 AM	291° F	269%
8/8/00	10:00 AM	292° F	270%
8/9/00	10:00 AM	293° F	271%
8/10/00	10:00 AM	294° F	272%
8/11/00	10:00 AM	295° F	273%
8/12/00	10:00 AM	296° F	274%
8/13/00	10:00 AM	297° F	275%
8/14/00	10:00 AM	298° F	276%
8/15/00	10:00 AM	299° F	277%
8/16/00	10:00 AM	300° F	278%
8/17/00	10:00 AM	301° F	279%
8/18/00	10:00 AM	302° F	280%
8/19/00	10:00 AM	303° F	281%
8/20/00	10:00 AM	304° F	282%
8/21/00	10:00 AM	305° F	283%
8/22/00	10:00 AM	306° F	284%
8/23/00	10:00 AM	307° F	285%
8/24/00	10:00 AM	308° F	286%
8/25/00	10:00 AM	309° F	287%
8/26/00	10:00 AM	310° F	288%
8/27/00	10:00 AM	311° F	289%
8/28/00	10:00 AM	312° F	290%
8/29/00	10:00 AM	313° F	291%
8/30/00	10:00 AM	314° F	292%
8/31/00	10:00 AM	315° F	293%
9/1/00	10:00 AM	316° F	294%
9/2/00	10:00 AM	317° F	295%
9/3/00	10:00 AM	318° F	296%
9/4/00	10:00 AM	319° F	297%
9/5/00	10:00 AM	320° F	298%
9/6/00	10:00 AM	321° F	299%
9/7/00	10:00 AM	322° F	300%
9/8/00	10:00 AM	323° F	301%
9/9/00	10:00 AM	324° F	302%
9/10/00	10:00 AM	325° F	303%
9/11/00	10:00 AM	326° F	304%
9/12/00	10:00 AM	327° F	305%
9/13/00	10:00 AM	328° F	306%
9/14/00	10:00 AM	329° F	307%
9/15/00	10:00 AM	330° F	308%
9/16/00	10:00 AM	331° F	309%
9/17/00	10:00 AM	332° F	310%
9/18/00	10:00 AM	333° F	311%
9/19/00	10:00 AM	334° F	312%
9/20/00	10:00 AM	335° F	313%
9/21/00	10:00 AM	336° F	314%
9/22/00	10:00 AM	337° F	315%
9/23/00	10:00 AM	338° F	316%
9/24/00	10:00 AM	339° F	317%
9/25/00	10:00 AM	340° F	318%
9/26/00	10:00 AM	341° F	319%
9/27/00	10:00 AM	342° F	320%
9/28/00	10:00 AM	343° F	321%
9/29/00			

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM.2 2o 2

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
9/1/24	0300	75	A. Anderson
	0600	73	Cedeno
	0900	80	Cedeno
	1200	90	Cedeno
	1500	92	J. Juarez
	1800	90	J. Juarez
	2100	88	J. Juarez
	2400	86	J. Juarez

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/19)
DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 202

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
0300	74	D. AGU	
0600	78	K. AMEZOLA	
0900	78	K. HINZOLA	
1200	82	K. AMEZOLA	
1500	91	CUSTARD	
1800	87	CUSTARD	
2100	80	CUSTARD	
2400	80	M. PENA	

Wednesday

Date	Time	Temp.	Name(Print)
0300	82	J. LYONS	
0600	80	A. KAPILA	
0900	80	A. KAPILA	
1200	88	A. KAPILA	
1500	100	CUSTARD	
1800	103	CUSTARD	
2100	91	CUSTARD	
2400	87	CUSTARD	

Friday

Date	Time	Temp.	Name(Print)
0300	86	S. PENA	
0600	84	S. PENA	
0900	84	S. PENA	
1200	95	S. PENA	
1500	108	A. MENDOZA	
1800	105	A. MENDOZA	
2100	95	A. MENDOZA	
2400	91	A. MENDOZA	

Sunday

Date	Time	Temp.	Name(Print)
0300	88	J. YPINA	
0600	80	J. YPINA	
0900	84	J. YPINA	
1200	94	J. YPINA	
1500	105	J. YPINA	
1800	105	J. YPINA	
2100	95	J. YPINA	
2400	87	M. PENA	

Tuesday

Date	Time	Temp.	Name(Print)
0300	78	M. PENA	
0600	75	A. KAPILA	
0900	77	A. KAPILA	
1200	82	A. KAPILA	
1500	93	CUSTARD	
1800	93	CUSTARD	
2100	89	CUSTARD	
2400	82	J. LYONS	

Thursday

Date	Time	Temp.	Name(Print)
0300	83	CUSTARD	
0600	83	A. KAPILA	
0900	86	A. KAPILA	
1200	98	A. KAPILA	
1500	105	CUSTARD	
1800	106	CUSTARD	
2100	97	CUSTARD	
2400	89	PENA	

Saturday

Date	Time	Temp.	Name(Print)
0300	88	A. med	
0600	90	S. PENA	
0900	87	S. PENA	
1200	95	S. PENA	
1500	100	DAVALOS	
1800	102	DAVALOS	
2100	94	DAVALOS	
2400	88	ARMENDARIZ	

Notes

- 9/2/24 01320 STAGE II, notified watch.
- 9/3/24 1605 HRS STG II 90° UNIT
- 9/3/24 1923 HRS STAGE I 90°
- 9/4/24 1350 HRS STAGE II 97°
- 9/4/24 1440 HRS STAGE III 100°
- 9/4/24 2130 HRS STAGE II 91°
- 9/5/24 1157 HRS STAGE III 98°
- 9/5/24 1440 HRS STAGE III + 105°
- 1200 9/6/24 1201 STAGE III 95°

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 202

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
9/9/24	0300	85	M. Rocha
	0600	82	A. KAPILA
	0900	82	A. KAPILA
	1200	94	A. KAPILA
	1500	103	CUSTARD
	1800	103	CUSTARD
	2100	93	CUSTARD
	2400	87	M. Rocha

Wednesday

Date	Time	Temp.	Name(Print)
9/11/24	0300	72	J. Lyons
	0600	70	A. KAPILA
	0900	70	A. KAPILA
	1200	78	A. KAPILA
	1500	78	CUSTARD
	1800	78	CUSTARD
	2100	72	CUSTARD
	2400	70	CUSTARD

Friday

Date	Time	Temp.	Name(Print)
9/13/24	0300	65°	D. Bourne
	0600	70	Sirri
	0900	72	Sirri
	1200	72	Sirri
	1500	73	Sirri
	1800	74	Sirri
	2100	74	M. KNUDSEN
	2400	68	M. KNUDSEN

Sunday

Date	Time	Temp.	Name(Print)
9/15/24	0300	69	Armendariz
	0600	70	A. KAPILA
	0900	70	A. KAPILA
	1200	72	A. KAPILA
	1500	72°	C. Elias
	1800	70°	C. Elias
	2100	70°	C. Elias
	2400	69	Diaz

Tuesday

Date	Time	Temp.	Name(Print)
9/10/24	0300	84	M. Rocha
	0600	80	A. KAPILA
	0900	80	A. KAPILA
	1200	89	A. KAPILA
	1500	97	CUSTARD
	1800	97	CUSTARD
	2100	90	CUSTARD
	2400	82	J. Lyons

Thursday

Date	Time	Temp.	Name(Print)
9/12/24	0300	66	CUSTARD
	0600	62	A. KAPILA
	0900	64	A. KAPILA
	1200	70	A. KAPILA
	1500	73	CUSTARD
	1800	75	CUSTARD
	2100	74	CUSTARD
	2400	71°	D. Bourne

Saturday

Date	Time	Temp.	Name(Print)
9/14/24	0300	64	M. KNUDSEN
	0600	70	Sirri
	0900	72	Sirri
	1200	74	Sirri
	1500	78°	D. Bourne
	1800	78°	D. Bourne
	2100	74°	D. Bourne
	2400	69	Amenda

Notes

9-24- Stage II @ 1033 Stage III @ 803
9-9-24 INSIDE TEMP 108° 1500 HRS
9-9-24 - DEACTIVATE STAGE 2 @ 245
9-10-24 STAGE II @ 1215
9-10-24 STAGE III 1400 HRS

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 202

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
9/16	0300	68	Diaz
	0600	70	A. KAPILA
	0900	70	A. KAPILA
	1200	72	A. KAPILA
	1500	74	CUSTARD
	1800	70	CUSTARD
	2100	68	CUSTARD
	2400	68	M. Roena

Wednesday

Date	Time	Temp.	Name(Print)
9/18	0300	68	J. Lyons
	0600	70	A. KAPILA
	0900	70	A. KAPILA
	1200	78	CUSTARD
	1500	78	CUSTARD
	1800	73	CUSTARD
	2100	72	CUSTARD
	2400	71	CUSTARD

Friday

Date	Time	Temp.	Name(Print)
9/20	0300	74	Armed
	0600	71	JORDAN
	0900	75	JORDAN
	1200	78	JORDAN
	1500	78	Armed
	1800	76	Armed
	2100	76	Armed
	2400	74	Armed

Sunday

Date	Time	Temp.	Name(Print)
9/22	0300	71	Armed
	0600	70	A. KAPILA
	0900	70	A. KAPILA
	1200	76	A. KAPILA
	1500	75	J. Judd
	1800	71	J. Judd
	2100	71	J. Judd
	2400	78	M. Roena

Tuesday

Date	Time	Temp.	Name(Print)
9/17	0300	67	M. Roena
	0600	70	A. KAPILA
	0900	70	A. KAPILA
	1200	70	A. KAPILA
	1500	74	CUSTARD
	1800	79	CUSTARD
	2100	71	CUSTARD
	2400	70	J. Lyons

Thursday

Date	Time	Temp.	Name(Print)
9/19	0300	71	CUSTARD
	0600	71	O. Randolph
	0900	70	O. Randolph
	1200	70	O. Randolph
	1500	78	CUSTARD
	1800	74	CUSTARD
	2100	70	CUSTARD
	2400	70	CUSTARD

Saturday

Date	Time	Temp.	Name(Print)
9/21	0300	68	A. Roemer
	0600	68	E. Chisholm
	0900	68	E. Chisholm
	1200	69	E. Chisholm
	1500	74	R. Shaw
	1800	78	R. Shaw
	2100	78	R. Shaw
	2400	72	R. Shaw

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 202

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
9/23/24	0300	74	M. RODNA
	0600	70	A. KAPILA
	0900	72	A. KAPILA
	1200	76	A. KAPILA
	1500	89	CUSTARD
	1800	87	CUSTARD
	2100	81	CUSTARD
	2400	76	M. RODNA

Wednesday

Date	Time	Temp.	Name(Print)
9/25/24	0300	75	J. LYONS
	0600	70	A. KAPILA
	0900	70	A. KAPILA
	1200	74	A. KAPILA
	1500	80	CUSTARD
	1800	76	CUSTARD
	2100	73	CUSTARD
	2400	70	CUSTARD

Friday

Date	Time	Temp.	Name(Print)
9/27/24	0300	72	Amber Rodriguez
	0600	70	Amber N. JORDAN
	0900	74	N. JORDAN
	1200	80	N. JORDAN
	1500	84	Armandariz
	1800	79	Armandariz
	2100	76	Armandariz
	2400	73	S. ALMOSOJAR

Sunday

Date	Time	Temp.	Name(Print)
9/29/24	0300	74	A. MAR
	0600	67	A. KAPILA
	0900	67	A. KAPILA
	1200	76	A. KAPILA
	1500	88	J. SUD
	1800	83	J. SUD
	2100	86	J. SUD
	2400	77	DIAZ

Tuesday

Date	Time	Temp.	Name(Print)
9/24/24	0300	72	M. RODNA
	0600	70	A. KAPILA
	0900	70	A. KAPILA
	1200	76	A. KAPILA
	1500	84	CUSTARD
	1800	86	CUSTARD
	2100	77	CUSTARD
	2400	75	J. LYOM

Thursday

Date	Time	Temp.	Name(Print)
9/26/24	0300	68	CUSTARD
	0600	70	A. KAPILA
	0900	70	A. KAPILA
	1200	74	A. KAPILA
	1500	82	CUSTARD
	1800	85	CUSTARD
	2100	77	CUSTARD
	2400	76	B. PEREZ

Saturday

Date	Time	Temp.	Name(Print)
9/28/24	0300	70	S. ALMOSOJAR
	0600	65	E. CHISHOLM
	0900	66	E. CHISHOLM
	1200	80	E. CHISHOLM
	1500	81	E. CHISHOLM
	1800	79	E. CHISHOLM
	2100	76	E. CHISHOLM
	2400	74	ARMANDA

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 2 02
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
9/30	0300	75	Diaz
	0600	68	A. KAPILA
	0900	70	A. KAPILA
	1200	70	A. KAPILA
	1500	79	Morse
	1800	81	Morse
	2100	85	Morse
	2400	79	M. KORNIA

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP. READING LOCATION: DORM 2

203

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
9/1/16	0300	77	T. G. H.
9/1/16	0600	80	S. C. C.
9/1/16	0900	80	S. C. C.
9/1/16	1200	84	S. C. C.
9/1/16	1500	88	T. G. H.
9/1/16	1800	89	T. G. H.
9/1/16	2100	81	T. G. H.
9/1/16	2400	83	T. G. H.

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/19)
DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 203
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
9/2/24	0300	79	T. GUNN
	0600	80	Sandrine
	0900	83	Sandrine
	1200	80	Sandrine
	1500	92	GAMEZ
	1800	96	GAMEZ
	2100	92	GAMEZ
	2400	88	GAMEZ

Wednesday			
Date	Time	Temp.	Name(Print)
9/4/24	0300	85	M. RODA
	0600	82	I. Amaya
	0900	86	I. Amaya
	1200	88	I. Amaya
	1500	96	Saragih ✓
	1800	99	Saragih ✓
	2100	94	Saragih
	2400	90	Saragih

Friday			
Date	Time	Temp.	Name(Print)
9/6/24	0300	86	Saragih
	0600	88	I. Amaya
	0900	88	I. Amaya
	1200	90	I. Amaya
	1500	99	Saragih ✓
	1800	105	Saragih ✓
	2100	98	Saragih
	2400	91	T. GUNN

Sunday			
Date	Time	Temp.	Name(Print)
9/8/24	0300	86	T. GUNN
	0600	86	S. GUNN
	0900	87	S. GUNN
	1200	93	S. GUNN
	1500	101	S. GUNN
	1800	103	S. GUNN
	2100	97	D. JOHNSON
	2400	95	D. JOHNSON

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday			
Date	Time	Temp.	Name(Print)
9/3/24	0300	84	Gamez
	0600	86	I. Amaya
	0900	82	I. Amaya
	1200	88	I. Amaya
	1500	95	Gamez ✓
	1800	98	Gamez ✓
	2100	94	Gamez
	2400	88	M. RODA

Thursday			
Date	Time	Temp.	Name(Print)
9/5/24	0300	86	Saragih
	0600	90	I. Amaya
	0900	88	I. Amaya
	1200	90	I. Amaya
	1500	99	Saragih ✓
	1800	102	Saragih ✓
	2100	99	Saragih
	2400	94	Saragih

Saturday			
Date	Time	Temp.	Name(Print)
9/7/24	0300	87	T. GUNN
	0600	80	I. Amaya
	0900	86	I. Amaya
	1200	90	I. Amaya
	1500	101	A. Perez ✓
	1800	104	A. Perez ✓
	2100	97	A. Perez
	2400	91	T. GUNN

Notes

105° STP & 2
 102.3 STP & Activator

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 203

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 8, 2024	0300	89	D. JOHNSON
	0600	85	SANDRA
	0900	85	SANDRA
	1200	90	SANDRA
	1500	93	GAMEZ
	1800	100	GAMEZ
	2100	93	GAMEZ
	2400	90	JOHNSON

Wednesday			
Date	Time	Temp.	Name(Print)
September 10, 2024	0300	78	M. ROCNA
	0600	74	I. ARENAL
	0900	76	I. ARENAL
	1200	80	I. ARENAL
	1500	80	T. SARAGIB
	1800	80	T. SARAGIB
	2100	78	T. SARAGIB
	2400	75	SARAGIB

Friday			
Date	Time	Temp.	Name(Print)
September 12, 2024	0300	70	D. JOHNSON
	0600	70	I. ARENAL
	0900	72	I. ARENAL
	1200	72	I. ARENAL
	1500	79	SARAGIB
	1800	77	SARAGIB
	2100	76	SARAGIB
	2400	74	JOHNSON

Sunday			
Date	Time	Temp.	Name(Print)
September 14, 2024	0300	72	D. JOHNSON
	0600	72	SILVA
	0900	74	SILVA
	1200	74	SILVA
	1500	78	T. GALLI
	1800	78	T. GALLI
	2100	77	T. GALLI
	2400	71	JOHNSON

Tuesday			
Date	Time	Temp.	Name(Print)
September 10, 2024	0300	84	JOHNSON
	0600	80	I. ARENAL
	0900	80	I. ARENAL
	1200	88	I. ARENAL
	1500	94	D. GAMEZ
	1800	94	D. GAMEZ
	2100	90	D. GAMEZ
	2400	82	M. ROCNA

Thursday			
Date	Time	Temp.	Name(Print)
September 12, 2024	0300	68	SARAGIB
	0600	70	I. ARENAL
	0900	70	I. ARENAL
	1200	74	I. ARENAL
	1500	80	T. SARAGIB
	1800	76	T. SARAGIB
	2100	74	T. SARAGIB
	2400	73	D. JOHNSON

Saturday			
Date	Time	Temp.	Name(Print)
September 14, 2024	0300	72	JOHNSON
	0600	72	I. ARENAL
	0900	72	I. ARENAL
	1200	74	I. ARENAL
	1500	77	A. PEREZ JR
	1800	76	A. PEREZ JR
	2100	75	A. PEREZ JR
	2400	74	D. JOHNSON

Notes

0108-203 89° NO LONGER STAB

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 203

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 16, 2024	0300	68	D. JOHNSON
	0600	70	SANMUR
	0900	70	SANMUR
	1200	73	SANDRA
	1500	77	M. SERNA
	1800	75	M. SERNA
	2100	73	M. SERNA
	2400	78	D. JOHNSON

Wednesday

Date	Time	Temp.	Name(Print)
September 18, 2024	0300	68	M. ROCNA
	0600	68	I. Amey
	0900	69	I. Amey
	1200	74	I. Amey
	1500	74	T. Saragih
	1800	73	T. Saragih
	2100	71	T. Saragih
	2400	70	Saragih

Friday

Date	Time	Temp.	Name(Print)
September 20, 2024	0300	69	D. JOHNSON
	0600	70	I. Amey
	0900	72	I. Amey
	1200	75	I. Amey
	1500	75	Saragih
	1800	75	Saragih
	2100	75	Saragih
	2400	73	D. JOHNSON

Sunday

Date	Time	Temp.	Name(Print)
September 22, 2024	0300	70	D. JOHNSON
	0600	70	E. chisholm
	0900	70	E. chisholm
	1200	73	E. chisholm
	1500	77	T. CHI
	1800	80	T. CHI
	2100	77	T. CHI
	2400	78	D. JOHNSON

Tuesday

Date	Time	Temp.	Name(Print)
September 17, 2024	0300	66	D. JOHNSON
	0600	66	I. Agred
	0900	68	I. Agred
	1200	70	I. Agred
	1500	74	M. SERNA
	1800	73	M. SERNA
	2100	73	M. SERNA
	2400	71	M. ROCNA

Thursday

Date	Time	Temp.	Name(Print)
September 19, 2024	0300	65	Saragih
	0600	70	I. Amey
	0900	70	I. Amey
	1200	72	I. Amey
	1500	73	Saragih
	1800	73	Saragih
	2100	73	Saragih
	2400	70	D. JOHNSON

Saturday

Date	Time	Temp.	Name(Print)
September 21, 2024	0300	70	D. JOHNSON
	0600	70	I. Amey
	0900	70	I. Amey
	1200	70	I. Amey
	1500	75	A. Perez
	1800	74	A. Perez
	2100	78	A. Perez
	2400	75	D. JOHNSON

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 203

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024	0300	75	A. JOHNSON
	0600	75	SANDUR
	0900	76	SANDUR
	1200	80	SANDUR
	1500	81	M. SERNA
	1800	83	M. SERNA
	2100	83	M. SERNA
	2400	77	D. JOHNSON

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024	0300	70	M. ROCHE
	0600	70	J. Ameli
	0900	74	J. Ameli
	1200	74	J. Ameli
	1500	76	T. Saragih
	1800	76	T. Saragih
	2100	76	T. Saragih
	2400	75	T. Saragih

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024	0300	70	D. JOHNSON
	0600	70	Amerolin
	0900	72	Amerolin
	1200	76	Amerolin
	1500	78	Saragih
	1800	78	Saragih
	2100	79	Saragih
	2400	74	D. JOHNSON

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024	0300	71	D. JOHNSON
	0600	70	E. Chisholm
	0900	78	E. Chisholm
	1200	80	E. Chisholm
	1500	84	GP - Perez
	1800	83	GP - Perez
	2100	82	GP - Perez
	2400	75	D. JOHNSON

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024	0300	71	D. JOHNSON
	0600	72	Kefalarios
	0900	72	Kefalarios
	1200	76	Kefalarios
	1500	81	M. SERNA
	1800	83	M. SERNA
	2100	75	M. SERNA
	2400	74	Morcueta

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	68	T. Saragih
	0600	70	F. Amerolin
	0900	72	F. Amerolin
	1200	76	F. Amerolin
	1500	79	T. Saragih
	1800	79	T. Saragih
	2100	79	T. Saragih
	2400	75	D. JOHNSON

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	71	D. JOHNSON
	0600	70	J. Ameli
	0900	70	J. Ameli
	1200	78	J. Ameli
	1500	82	A. Perez
	1800	85	A. Perez
	2100	81	A. Perez
	2400	73	D. JOHNSON

Notes

INSIDE TEMPERATURE RECORD

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 203
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Date	Time	Temp.	Name(Print)
			0300	73	D. JOHNSON
			0600	70	SQUAWKIN
			0900	70	JAN DAVIS
			1200	73	SQUAWKIN
			1500	78	SELNA
			1800	83	SELNA
			2100	87	SELNA
			2400	87	JOHNSON

Tuesday		Date	Time	Temp.	Name(Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday	Date	Time	Temp.	Name(Print)
		0300		
		0600		
		0900		
		1200		
		1500		
		1800		
		2100		
		2400		

Saturday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILI

DESIGNATED HEAT DORMS • 102, 103, 108, 111, 201, 202, 203, 200
304, 300, 311, 312, 313, 301, 302, 303
408, 407, 400, 406, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-204 Temp. Reading Location: DORM - 204
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
Open	0300	76	Rojas
	0600	79	Zikava
	0900	79	Zikava
	1200	81	Zikava
	1500	89	Morgan
	1800	89	Morgan
	2100	90	Morgan
	2400	78	Perez

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original; Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (01/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- Temp. Reading Location: DORM: 204
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09-02-24	0300	72	PEREZ
	0600	74	ZAVALA
	0900	76	ZAVALA
	1200	83	ZAVALA
	1500	90	MARQUEZ
	1800	89	MARQUEZ
	2100	80	MARQUEZ
	2400	78	PEREZ

Tuesday

Date	Time	Temp.	Name (Print)
09-03-24	0300	72	PEREZ
	0600	74	ZAVALA
	0900	76	ZAVALA
	1200	82	ZAVALA
	1500	90	MARQUEZ
	1800	91	MARQUEZ
	2100	81	MARQUEZ
	2400	78	PEREZ

Wednesday

Date	Time	Temp.	Name (Print)
09-04-24	0300	72	PEREZ
	0600	75	PEREZ
	0900	78	PEREZ
	1200	80	PEREZ
	1500	89°F	G. ROBLES
	1800	98°F	G. ROBLES
	2100	92°F	G. ROBLES
	2400	80	M-ROBLES

Thursday

Date	Time	Temp.	Name (Print)
09-05-24	0300	79	PEREZ
	0600	79	PEREZ
	0900	85	PEREZ
	1200	89	PEREZ
	1500	103°F	G. ROBLES
	1800	104°F	G. ROBLES
	2100	97°F	G. ROBLES
	2400	90	PEREZ

Friday

Date	Time	Temp.	Name (Print)
09-06-24	0300	83	PEREZ
	0600	88	ZAVALA
	0900	89	ZAVALA
	1200	91	ZAVALA
	1500	105	GAMEZ
	1800	106	GAMEZ
	2100	98	GAMEZ
	2400	89	PEREZ

Saturday

Date	Time	Temp.	Name (Print)
09-07-24	0300	84	PEREZ
	0600	86	ZAVALA
	0900	89	ZAVALA
	1200	91	ZAVALA
	1500	102	GAMEZ
	1800	102	GAMEZ
	2100	94	GAMEZ
	2400	88	PEREZ

Sunday

Date	Time	Temp.	Name (Print)
09-08-24	0300	80	PEREZ
	0600	81	ZAVALA
	0900	84	ZAVALA
	1200	95	ZAVALA
	1500	102	ALVAREZ
	1800	100	ALVAREZ
	2100	96	ALVAREZ
	2400	89	PEREZ

Notes

- 9-2 STAGE II @ 1325
- 9-3 STAGE II @ 1326
- 9-4 STAGE II @ 15:30
- 9-4 STAGE III @ 16:06
- 9-6 STAGE II @ 1122
- 9-6 STAGE III @ 1234
- 9-7 STAGE II @ 1145
- 9-7 STAGE III @ 1300
- 9-8 STAGE II @ 1050
- 9-8 STAGE II @ 104

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS • 102, 103, 109, 111, 201, 202, 203, 200
304, 308, 311, 312, 313, 401, 402, 403
406, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- Temp. Reading Location: DORM 204
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09-09-2024	0300	84	PEREZ
	0600	82	ZAUNZ
	0900	85	ZAUNZ
	1200	92	ZAUNZ
	1500	100	MARGUER
	1800	98	MARGUER
	2100	90	MARGUER
	2400	88	PEREZ 100

Tuesday

Date	Time	Temp.	Name (Print)
09-10-2024	0300	83	PEREZ
	0600	77	CORVANTES
	0900	79	CORVANTES
	1200	89	CORVANTES
	1500	93	MARGUER
	1800	95	MARGUER
	2100	91	MARGUER
	2400	86	PEREZ

Wednesday

Date	Time	Temp.	Name (Print)
09-11-2024	0300	73	PEREZ
	0600	71	Lyon
	0900	76	Lyon
	1200	78	Lyon
	1500	83°F	G. ROBLES
	1800	82°F	G. ROBLES
	2100	75°F	G. ROBLES
	2400	74	M. PEREZ

Thursday

Date	Time	Temp.	Name (Print)
09-12-2024	0300	70	PEREZ
	0600	69	Lyon
	0900	70	Lyon
	1200	72	Lyon
	1500	82°F	G. ROBLES
	1800	78°F	G. ROBLES
	2100	74°F	G. ROBLES
	2400	71	Lyon

Friday

Date	Time	Temp.	Name (Print)
09-13-2024	0300	70	Noyer
	0600	67	DURAN
	0900	70	DURAN
	1200	71	DURAN
	1500	82	GAMEZ
	1800	82	GAMEZ
	2100	76	GAMEZ
	2400	71	PEREZ

Saturday

Date	Time	Temp.	Name (Print)
09-14-2024	0300	68	Lyon
	0600	70	PACHECO
	0900	70	PACHECO
	1200	70	PACHECO
	1500	82	GAMEZ
	1800	80	GAMEZ
	2100	76	GAMEZ
	2400	70	PEREZ

Sunday

Date	Time	Temp.	Name (Print)
09-15-2024	0300	70	PEREZ
	0600	71	L. XIOMA
	0900	72	L. XIOMA
	1200	70	L. XIOMA
	1500	74	MARGUER
	1800	70	MARGUER
	2100	69	MARGUER
	2400	70	PEREZ

Notes

9 a STAGE II @ 1204
9 a STAGE II @ 1340
9 a STAGE II OFF - 3015
9 a STAGE II OFF - 2215

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS • 102, 103, 109, 111, 201, 202, 203, 209
304, 306, 311, 312, 313, 401, 402, 403
406, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM: 204
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09-16-24	0300	70	Perez
	0600	68	ZAVARA
	0900	71	ZAVARA
	1200	72	ZAVARA
	1500	72	MARQUEZ
	1800	72	MARQUEZ
	2100	70	MARQUEZ
	2400	70	Perez

Tuesday

Date	Time	Temp.	Name (Print)
09-17-24	0300	69	Perez
	0600	68	BRAGDON
	0900	69	BRAGDON
	1200	72	BRAGDON
	1500	77	MARQUEZ
	1800	76	MARQUEZ
	2100	70	MARQUEZ
	2400	69	Perez

Wednesday

Date	Time	Temp.	Name (Print)
09-18-24	0300	67	Perez
	0800	68	Sardaro
	0900	69	Sardaro
	1200	71	Sardaro
	1500	71	MARQUEZ
	1800	74	MARQUEZ
	2100	69	MARQUEZ
	2400	68	Perez

Thursday

Date	Time	Temp.	Name (Print)
09-19-24	0300	67	Perez
	0600	70	Rodriguez
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	74	RAMIREZ
	1800	75	RAMIREZ
	2100	72	RAMIREZ
	2400	68	LAW

Friday

Date	Time	Temp.	Name (Print)
09-20-24	0300	64	Rogel
	0600	64	ZAVARA
	0900	68	ZAVARA
	1200	71	ZAVARA
	1500	75	M. SERNA
	1800	76	M. SERNA
	2100	74	M. SERNA
	2400	70	Rogel

Saturday

Date	Time	Temp.	Name (Print)
09-21-24	0300	68	Rogel
	0600	70	Lay
	0900	70	Lay
	1200	72	Lay
	1500	76	M. SERNA
	1800	77	M. SERNA
	2100	74	M. SERNA
	2400	74	MORENO

Sunday

Date	Time	Temp.	Name (Print)
09-22-24	0300	72	MARQUEZ
	0600	71	ZAVARA
	0900	71	ZAVARA
	1200	73	ZAVARA
	1500	84	MARQUEZ
	1800	86	MARQUEZ
	2100	78	MARQUEZ
	2400	72	Perez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS : 102, 100, 100, 111, 201, 202, 203, 200,
304, 300, 311, 312, 313, 401, 402, 403
406, 407, 400, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- B Temp. Reading Location: DORM: 204
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-2-82-69	0300	71	Perez
	0600	71	ZAVAR
	0900	75	ZAVAR
	1200	78	ZAVAR
	1500	86	MARIEZ
	1800	83	MARIEZ
	2100	79	MARIEZ
	2400	74	Perez

Tuesday

Date	Time	Temp.	Name (Print)
9-2-82-69	0300	71	Perez
	0600	70	ZAVAR
	0900	71	ZAVAR
	1200	77	ZAVAR
	1500	84	MARIEZ
	1800	86	MARIEZ
	2100	77	MARIEZ
	2400	71	Perez

Wednesday

Date	Time	Temp.	Name (Print)
9-2-82-69	0300	69	Perez
	0600	69	ZAVAR
	0900	69	ZAVAR
	1200	71	ZAVAR
	1500	78	MARIEZ
	1800	77	MARIEZ
	2100	72	MARIEZ
	2400	69	Perez

Thursday

Date	Time	Temp.	Name (Print)
9-2-82-69	0300	69	Perez / Perez
	0600	68	ZAVAR
	0900	70	ZAVAR
	1200	73	ZAVAR
	1500	74	ZAVAR
	1800	76	ZAVAR
	2100	78	ZAVAR
	2400	76	ZAVAR

Friday

Date	Time	Temp.	Name (Print)
9-2-82-69	0300	72	ZAVAR
	0600	71	ZAVAR
	0900	71	ZAVAR
	1200	79	ZAVAR
	1500	73	ZAVAR
	1800	71	ZAVAR
	2100	70	ZAVAR
	2400	70	ZAVAR

Saturday

Date	Time	Temp.	Name (Print)
9-2-82-69	0300	69	ZAVAR
	0600	70	ZAVAR
	0900	71	ZAVAR
	1200	76	ZAVAR
	1500	80	Mechristian
	1800	85	Mechristian
	2100	77	Mechristian
	2400	77	MARTINEZ

Notes

Date	Time	Temp.	Name (Print)
9-2-82-69	0300	75	MARTINEZ
	0600	75	ZAVAR
	0900	73	ZAVAR
	1200	75	ZAVAR
	1500	86	Mechristian
	1800	83	Mechristian
	2100	79	Mechristian
	2400	74	Perez

DISTRIBUTION: Original; Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS : 102, 103, 108, 111, 201, 202, 203, 200
304, 308, 311, 312, 313, 401, 402, 403
406, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The Inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- B Temp. Reading Location: DORM: 204
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4811 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09-20-09	0300	68	MR PEREZ
	0600	70	ZACARAS
	0900	71	ZAHNE
	1200	76	ZAHNE
	1500	79	MIRANDA
	1800	84	MARIONE
	2100	81	MARGARET
	2400	70	PEREZ

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214,

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 2 06

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
12/21 Sunday	0300	80	Kutson
	0600	75	R. Becerra
	0900	78	R. Becerra
	1200	80	R. Becerra
	1500	88	L. McCoy
	1800	88	L. McCoy
	2100	86	L. McCoy
	2400	82	A. Farrierz

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 206

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 2, 2024	0300	80°	A. Ramirez
	0600	76	J. ELIAS
	0900	76	J. ELIAS
	1200	80	J. ELIAS
	1500	89	L. MCCAW
	1800	89	L. MCCAW
	2100	85	L. MCCAW
	2400	83	A. Ramirez

Wednesday

Date	Time	Temp.	Name(Print)
September 4, 2024	0300	79	Rogee
	0600	78	J. True
	0900	82	J. True
	1200	89	J. True
	1500	75	J. True
	1800	100	J. True
	2100	92	J. True
	2400	88	Rogee

Friday

Date	Time	Temp.	Name(Print)
September 6, 2024	0300	90	A. Ramirez
	0600	86°	R. Becerra
	0900	88°	R. Becerra
	1200	90°	R. Becerra
	1500	107°	L. MCCAW
	1800	100°	L. MCCAW
	2100	96°	L. MCCAW
	2400	93	A. Ramirez

Sunday

Date	Time	Temp.	Name(Print)
September 8, 2024	0300	86	Mccchristian
	0600	84	R. Becerra
	0900	85°	R. Becerra
	1200	94°	R. Becerra
	1500	100°	M. Moore
	1800	102°	M. Moore
	2100	100°	M. Moore
	2400	95	L. C.

Tuesday

Date	Time	Temp.	Name(Print)
September 3, 2024	0300	80	A. Ramirez
	0600	76	J. ELIAS
	0900	77	J. ELIAS
	1200	82	J. ELIAS
	1500	89	A. Ortiz
	1800	89	A. Ortiz
	2100	87	A. Ortiz
	2400	82	Rogee

Thursday

Date	Time	Temp.	Name(Print)
September 5, 2024	0300	82	Rogee
	0600	82	J. True
	0900	84	J. True
	1200	76	J. True
	1500	60	N. JORDAN
	1800	104	N. JORDAN
	2100	97	N. JORDAN
	2400	92	A. Ramirez

Saturday

Date	Time	Temp.	Name(Print)
September 7, 2024	0300	90	A. Ramirez
	0600	86°	R. Becerra
	0900	86°	R. Becerra A
	1200	90°	R. Becerra
	1500	99°	L. MCCAW
	1800	101°	L. MCCAW
	2100	98°	L. MCCAW
	2400	92	Mccchristian

Notes

9-4-24 - Stage II @ 1330
 9-4-24 Stage III @ 1532 / deactivate
 9-5-24 Stage II @ 1137 / deactivate @ 0115
 9-5-24 Stage III @ 1253 / deactivate @ 2215
 9-6-24 Stage II @ 1103 / deactivate @ 0330
 9-7-24 Stage II @ 1154
 9-7-24 Stage III @ 1309
 9-8-24 Stage II @ 1106
 9-8-24 Stage III @ 1230

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 206

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 9, 2024	0300	83	SANSON E.
	0600	83°	J. Elias
	0900	83°	J. Elias
	1200	88°	J. Elias
	1500	101°	L. McCay
	1800	98°	L. McCay
	2100	94°	L. McCay
	2400	91	A. Ramirez

Wednesday

Date	Time	Temp.	Name(Print)
September 11, 2024	0300	81	J. Royce
	0600	72	J. True
	0900	73	J. True
	1200	74	J. True
	1500	78	A. Ortiz
	1800	80	A. Ortiz
	2100	80	A. Ortiz
	2400	73	None

Friday

Date	Time	Temp.	Name(Print)
September 13, 2024	0300	72	A. Ramirez
	0600	72°	R. Becerra
	0900	72°	R. Becerra
	1200	72°	R. Becerra
	1500	76°	L. McCay
	1800	75°	L. McCay
	2100	75°	L. McCay
	2400	73°	D. Bourne

Sunday

Date	Time	Temp.	Name(Print)
September 15, 2024	0300	71	M. Christian
	0600	70°	R. Becerra
	0900	72°	R. Becerra
	1200	73°	R. Becerra
	1500	74°	L. McCay
	1800	71°	L. McCay
	2100	71°	L. McCay
	2400	71°	T. A. Fournier

Tuesday

Date	Time	Temp.	Name(Print)
September 10, 2024	0300	88	A. Ramirez
	0600	80	J. Elias
	0900	83	J. Elias
	1200	88	J. Elias
	1500	93	A. Ortiz
	1800	94	A. Ortiz
	2100	90	A. Ortiz
	2400	86	J. Royce

Thursday

Date	Time	Temp.	Name(Print)
September 12, 2024	0300	68	None
	0600	68	J. True
	0900	72	J. True
	1200	74	J. True
	1500	76	L. McCay
	1800	74	L. McCay
	2100	72	L. McCay
	2400	73	A. Ramirez

Saturday

Date	Time	Temp.	Name(Print)
September 14, 2024	0300	70°	D. Bourne
	0600	72°	R. Becerra
	0900	72	R. Becerra
	1200	74°	R. Becerra
	1500	80°	L. McCay
	1800	70°	L. McCay
	2100	74	L. McCay
	2400	72	Mechanistian

Notes

9/9/24 Stage II 90°F @ 1300 w/o
 4/9/24 Stage III @ 1500/locked @ 2100
 9/10/24 Stage IV 90°F @ 1215 w/o NOTED

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 2 06

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
5/29	0300	69°	TAFORN
	0600	70	J. ELIAS
	0900	70	J. ELIAS
	1200	72	J. ELIAS
	1500	75°	L. MCCAY
	1800	70	L. MCCAY
	2100	69	L. MCCAY
	2400	69	A. Ramirez

Wednesday

Date	Time	Temp.	Name(Print)
5/30	0300	68	R. Bocerra
	0600	68°	R. Bocerra
	0900	70°	R. Bocerra
	1200	73°	R. Bocerra
	1500	76	A. ortiz
	1800	77	A. ortiz
	2100	75	A. ortiz
	2400	72	R. Bocerra

Friday

Date	Time	Temp.	Name(Print)
5/31	0300	70	A. Ramirez
	0600	70	F. SANCHEZ
	0900	70	F. SANCHEZ
	1200	75	F. SANCHEZ
	1500	77°	L. MCCAY
	1800	75°	L. MCCAY
	2100	73°	L. MCCAY
	2400	72	A. Ramirez

Sunday

Date	Time	Temp.	Name(Print)
5/22	0300	70	A. Ramirez
	0600	70	J. TONE
	0900	70	J. TONE
	1200	72	L. MCCAY
	1500	76°	L. MCCAY
	1800	82°	L. MCCAY
	2100	80°	L. MCCAY
	2400	78	A. Ramirez

Tuesday

Date	Time	Temp.	Name(Print)
5/23	0300	68	A. Ramirez
	0600	67	J. ELIAS
	0900	67	J. ELIAS
	1200	70	J. ELIAS
	1500	72	A. ortiz
	1800	73	A. ortiz
	2100	70	A. ortiz
	2400	70	R. Bocerra

Thursday

Date	Time	Temp.	Name(Print)
5/25	0300	70	R. Bocerra
	0600	70	R. Bocerra
	0900	72°	R. Bocerra
	1200	72°	R. Bocerra
	1500	77°	L. MCCAY
	1800	74°	L. MCCAY
	2100	72°	L. MCCAY
	2400	71	A. Ramirez

Saturday

Date	Time	Temp.	Name(Print)
5/27	0300	70	A. Ramirez
	0600	70	J. TONE
	0900	70	J. TONE
	1200	70	J. TONE
	1500	74°	L. MCCAY
	1800	72°	L. MCCAY
	2100	70°	L. MCCAY
	2400	70	A. Ramirez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- Temp. Reading Location: DORM: 206
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09-23	0300	72	A. Ramirez
	0600	71	M. Vazquez
	0900	71	M. Vazquez
	1200	70	M. Vazquez
	1500	67	C. Lopez
	1800	67	C. Lopez
	2100	65	C. Lopez
	2400	80	A. Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
09-24	0300	78	A. Ramirez
	0600	74	J. Elias
	0900	70	J. Elias
	1200	75	J. Elias
	1500	78	A. Ortiz
	1800	83	A. Ortiz
	2100	80	A. Ortiz
	2400	78	Rogelio

Wednesday

Date	Time	Temp.	Name (Print)
09-25	0300	74	Rogelio
	0600	70	R. Becerra
	0900	70	R. Becerra
	1200	70	R. Becerra
	1500	76	A. Ortiz
	1800	80	A. Ortiz
	2100	78	A. Ortiz
	2400	76	Rogelio

Friday

Date	Time	Temp.	Name (Print)
09-27	0300	74	A. Ramirez
	0600	73°	R. Becerra
	0900	74°	R. Becerra
	1200	74°	R. Becerra
	1500	78°	L. McCay
	1800	78°	L. McCay
	2100	79°	L. McCay
	2400	74	A. Ramirez

Sunday

Date	Time	Temp.	Name (Print)
09-29	0300	72	A. Ramirez
	0600	68	J. True
	0900	68	J. True
	1200	70	J. True
	1500	70	L. McCay
	1800	79	L. McCay
	2100	70	L. McCay
	2400	77	A. Ramirez

Thursday

Date	Time	Temp.	Name (Print)
09-29	0300	73	Rogelio
	0600	72°	R. Becerra
	0900	72°	R. Becerra
	1200	72°	R. Becerra
	1500	80°	L. McCay
	1800	80°	L. McCay
	2100	80°	L. McCay
	2400	78	A. Ramirez

Saturday

Date	Time	Temp.	Name (Print)
09-30	0300	72	A. Ramirez
	0600	71	O. Randolph
	0900	72	O. Randolph
	1200	72	O. Randolph
	1500	74°	L. McCay
	1800	78°	L. McCay
	2100	78°	L. McCay
	2400	77	A. Ramirez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
COCR 2001 (04/10)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 108, 111, 201, 202, 203, 200, 214
504, 500, 511, 512, 510, 401, 402, 403, 404
406, 407, 408, 409, CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- Temp. Reading Location: DORM: 206
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-24	0300	74	A. Ramirez
	0600	70	J. Elias
	0900	70	J. Elias
	1200	80	J. Elias
	1500	83	L. McCay
	1800	84	L. McCay
	2100	83	L. McCay
	2400	84	A. Ramirez

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP. READING LOCATION: DORM 2 07

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
9/1/24	0300	80	
	0600	80	
	0900	76	A. Garcia
	1200	80	A. Garcia
	1500	84	J. Gamez
	1800	88	J. Gamez
	2100	86	J. Gamez
	2400	78	C. Drayton

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 207

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 2, 2024	0300	75	C. BRAYSHAW
	0600	75	A. Garcia
	0900	80	A. Garcia
	1200	84	A. Garcia
	1500	88	J. Gomez
	1800	90	J. Gomez
	2100	90	J. Gomez
	2400	79	C. BRAYSHAW

Wednesday			
Date	Time	Temp.	Name(Print)
September 4, 2024	0300	78	C. BRAYSHAW
	0600	72	A. Garcia
	0900	80	A. Garcia
	1200	84	A. Garcia
	1500	94	J. Gomez
	1800	95	J. Gomez
	2100	92	J. Gomez
	2400	86	Miranda

Friday			
Date	Time	Temp.	Name(Print)
September 6, 2024	0300	80	D. Bowers
	0600	92	Lopez
	0900	86	Lopez
	1200	89	Lopez
	1500	91	Lopez
	1800	100	Lopez
	2100	100	E. Gonzalez
	2400	93	J. Sanchez

Sunday			
Date	Time	Temp.	Name(Print)
September 8, 2024	0300	87	A. Garcia
	0600	85	A. Garcia
	0900	88	A. Garcia
	1200	90	A. Garcia
	1500	98	J. Gomez
	1800	98	J. Gomez
	2100	98	J. Gomez
	2400	89	C. BRAYSHAW

Tuesday

Date	Time	Temp.	Name(Print)
September 3, 2024	0300	77	C. BRAYSHAW
	0600	73	A. Garcia
	0900	81	A. Garcia
	1200	80	A. Garcia
	1500	80	J. Gomez
	1800	80	J. Gomez
	2100	80	J. Gomez
	2400	82	Jefferson

Thursday

Date	Time	Temp.	Name(Print)
September 5, 2024	0300	79	Miranda
	0600	80	R. Martinez
	0900	80	R. Martinez
	1200	90	R. Martinez
	1500	98	J. Gomez
	1800	98	J. Gomez
	2100	97	J. Gomez
	2400	91	D. Bowers

Saturday

Date	Time	Temp.	Name(Print)
September 7, 2024	0300	88	J. Sanchez
	0600	86	A. Garcia
	0900	90	A. Garcia
	1200	94	A. Garcia
	1500	98	B. Morse
	1800	100	B. Morse
	2100	95	B. Morse
	2400	90	Hernandez

Notes

9/4 - STAGE II 1322
 9/4 - STAGE III 1538 - DEACTIVATED 1958
 9/5 - STAGE II 1130
 9/5 - STAGE III 1240
 9/6 STAGE III DEACTIVATED 2241
 9/7 STAGE III activated @ 1321
 9/7 STAGE III deactivated 2110
 9/8 STAGE II @ 1205 1918 - DEACT STAGE III 2041

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CNC Housing Unit: FAK B

Temp. Reading Location: 207
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-9-2024	0300	85	C. BRAYSHAW
	0600	81	A. Garcia
	0900	87	A. Garcia
	1200	91	A. Garcia
	1500	92	J. Gomez
	1800	98	J. Gomez
	2100	94	J. Gomez
	2400	87	C. BRAYSHAW

Wednesday

Date	Time	Temp.	Name (Print)
9-11-2024	0300	77	J. Gomez
	0600	76	A. Garcia
	0900	77	A. Garcia
	1200	80	A. Garcia
	1500	82	J. Gomez
	1800	82	J. Gomez
	2100	78	J. Gomez
	2400	73	M. L. rank

Friday

Date	Time	Temp.	Name (Print)
9-13-2024	0300	70	S. Heil
	0600	68	Lopez
	0900	70	Z. Lopez
	1200	72	Z. Lopez
	1500	76	Smith
	1800	78	Smith
	2100	78	Smith
	2400	75	S. Heil

Sunday

Date	Time	Temp.	Name (Print)
9-15-2024	0300	78	J. Gomez
	0600	76	A. Garcia
	0900	70	A. Garcia
	1200	71	A. Garcia
	1500	75	N. Vernon
	1800	72	N. Vernon
	2100	70	N. Vernon
	2400	70	C. BRAYSHAW

Tuesday

Date	Time	Temp.	Name (Print)
9-10-2024	0300	83	C. BRAYSHAW
	0600	78	A. Garcia
	0900	80	A. Garcia
	1200	89	A. Garcia
	1500	94	J. Gomez
	1800	91	J. Gomez
	2100	82	J. Gomez
	2400	80	S. Heil

Thursday

Date	Time	Temp.	Name (Print)
9-12-2024	0300	68	M. Marshall
	0600	66	J. Ypirina
	0900	66	J. Ypirina
	1200	71	J. Ypirina
	1500	72	Bernal
	1800	71	Bernal
	2100	75	Bernal
	2400	74	S. Heil

Saturday

Date	Time	Temp.	Name (Print)
9-14-2024	0300	79	S. Heil
	0600	68	R. Dominguez
	0900	70	R. Dominguez
	1200	74	R. Dominguez
	1500	74°	R. Becerra
	1800	74°	R. Becerra
	2100	74°	R. Becerra
	2400	78	Jones

Notes

9/9 STAGE II @ 1200 HRS. 1 STAGE III 1253
9/9 DEACT STAGE III @ 2015 HRS
9/9 DEACT STAGE II @ 2330
9/10 STAGE II @ 1307 9/10 STAGE III 1515
9/10 OFF STAGE II 2200(89)

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FAC B

Temp. Reading Location: 207
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Tuesday

Date	Time	Temp.	Name (Print)
9-17-2024	0300	65	C. BRAYSAW
	0600	68	A. Garcia
	0900	68	A. Garcia
	1200	70	A. Garcia
	1500	74	J. Gomez
	1800	72	J. Gomez
	2100	72	J. Gomez
	2400	67	C. BRAYSAW

Wednesday

Date	Time	Temp.	Name (Print)
9-18-2024	0300	68	SOTROS
	0600	64	A. Garcia
	0900	67	A. Garcia
	1200	70	A. Garcia
	1500	74	J. Gomez
	1800	74	J. Gomez
	2100	74	J. Gomez
	2400	72	SOTROS

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	70	S. MEIL
	0600	70	ZAVAREZ
	0900	70	ZAVAREZ
	1200	72	ZAVAREZ
	1500	72	ZAVAREZ JK
	1800	72	ZAVAREZ
	2100	70	ZAVAREZ
	2400	68	S. MEIL

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	70	S. MEIL
	0600	68	A. Garcia
	0900	72	A. Garcia
	1200	78	A. Garcia
	1500	80	J. Gomez
	1800	74	J. Gomez
	2100	70	J. Gomez
	2400	78	C. BRAYSAW

Thursday

Date	Time	Temp.	Name (Print)
9-19-2024	0300	70	SANTOS
	0600	66	R. MARTINEZ
	0900	69	R. MARTINEZ
	1200	71	R. MARTINEZ
	1500	72	J. GOMEZ JK
	1800	74	J. GOMEZ JK
	2100	74	J. GOMEZ
	2400	70	SANTOS

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	66	S. MEIL
	0600	66	M. SERRANO
	0900	66	M. SERRANO
	1200	70	M. SERRANO
	1500	71	A. LAY
	1800	75	A. LAY
	2100	79	A. LAY
	2400	76	A. LAY

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FAC B

Temp. Reading Location: 207
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ 90 degrees and again at 95 degrees.

when the inside air temperature reaches

Monday Sept. 22 2024

Date	Time	Temp.	Name (Print)
9-23-2024	0300	75	G. BRAYSHAW
	0600	72	A. GARCIA
	0900	77	A. GARCIA
	1200	79	A. GARCIA
	1500	80	J. GOMEZ
	1800	85	J. GOMEZ
	2100	82	J. GOMEZ
	2400	76	D. BLAYSHAW

Wednesday Sept. 24 2024

Date	Time	Temp.	Name (Print)
9-25-2024	0300	72	M. Serrano
	0600	73	A. GARCIA
	0900	75	A. GARCIA
	1200	78	A. GARCIA
	1500	80	J. GOMEZ
	1800	80	J. GOMEZ
	2100	78	J. GOMEZ
	2400	75	P. Davis

Friday Sept. 26 2024

Date	Time	Temp.	Name (Print)
9-27-2024	0300	73	S. MELL
	0600	67	C. Cedeno
	0900	74	Cedeno
	1200	74	Cedeno
	1500	78	ZAIN
	1800	80	ZAIN
	2100	81	ZAIN
	2400	77	S. MELL

Sunday Sept. 29 2024

Date	Time	Temp.	Name (Print)
9-29-2024	0300	68	S. MELL
	0600	75	A. GARCIA
	0900	75	A. GARCIA
	1200	79	A. GARCIA
	1500	82	J. GOMEZ
	1800	82	J. GOMEZ
	2100	80	J. GOMEZ
	2400	76	C. BRAYSHAW

Tuesday Sept. 23 2024

Date	Time	Temp.	Name (Print)
9-24-2024	0300	73	G. BRAYSHAW
	0600	70	A. GARCIA
	0900	75	A. GARCIA
	1200	78	A. GARCIA
	1500	79	A. GARCIA
	1800	75	A. GARCIA
	2100	75	A. GARCIA
	2400	75	M. Serrano

Thursday Sept. 25 2024

Date	Time	Temp.	Name (Print)
9-25-2024	0300	72	P. Davis
	0600	69	R. MARTINEZ
	0900	69	R. MARTINEZ
	1200	70	R. MARTINEZ
	1500	84	J. GOMEZ
	1800	84	J. GOMEZ
	2100	80	J. GOMEZ
	2400	76	R. MELL

Saturday Sept. 27 2024

Date	Time	Temp.	Name (Print)
9-28-2024	0300	68	S. MELL
	0600	75	A. GARCIA
	0900	71	A. GARCIA
	1200	75	A. GARCIA
	1500	80	A. Lay
	1800	80	A. Lay
	2100	80	A. Lay
	2400	76	S. MELL

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FAC B Temp. Reading Location: 207
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-2021	0300	72	C. BRAYSHAW
	0600	70	Nava
	0900	68	Nava
	1200	72	Nava
	1500	84	J. GAMER
	1800	82	J. GAMER
	2100	82	J. GAMER
	2400	78	C. BRAYSHAW

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

208

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 2 C

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300	80	T. Roy
	0600	80	Chisholm
	0900	80	Chisholm
	1200	80	Chisholm
	1500	88	N. Miranda
	1800	90	N. Miranda
	2100	86	N. Miranda
	2400	85	T. Roy

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Stage II 9/1 ① 1430 - 90°
Deactivated ② 2100 - 91°

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 2

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

208

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
7-1-24	0300	80	T Roy
7-1-24	0600	78	G.Proyer
7-1-24	0900	81	G.Proyer
7-1-24	1200	85	G.Proyer
7-1-24	1500	88	GARIBIASO
7-1-24	1800	92	GARIBIASO
7-1-24	2100	90	GARIBIASO
7-1-24	2400	88	T Roy

Wednesday

Date	Time	Temp.	Name(Print)
7-4-24	0300	80	APOUTE
7-4-24	0600	78	G.Proyer
7-4-24	0900	81	G.Proyer
7-4-24	1200	86	G.Proyer
7-4-24	1500	95	Riestra J.
7-4-24	1800	97	Riestra J.
7-4-24	2100	93	Riestra
7-4-24	2400	89	GARIBIASO

Friday

Date	Time	Temp.	Name(Print)
7-6-24	0300	91	GARIBIASO
7-6-24	0600	88	Harkness
7-6-24	0900	88	Harkness
7-6-24	1200	88	Harkness
7-6-24	1500	104	MARLAFF J.
7-6-24	1800	103	MARLAFF J.
7-6-24	2100	96	MARLAFF
7-6-24	2400	90	T Roy

Sunday

Date	Time	Temp.	Name(Print)
7-8-24	0300	87	T Roy
7-8-24	0600	81	CRODRIGUEZ
7-8-24	0900	85	CRODRIGUEZ
7-8-24	1200	93	CRODRIGUEZ
7-8-24	1500	97	E.ChiGhosh
7-8-24	1800	97	E.ChiGhosh
7-8-24	2100	94	E.ChiGhosh
7-8-24	2400	92	T Roy

Tuesday

Date	Time	Temp.	Name(Print)
7-3-24	0300	82	T Roy
7-3-24	0600	77	G.Proyer
7-3-24	0900	82	G.Proyer
7-3-24	1200	86	G.Proyer
7-3-24	1500	92	MOORE JC
7-3-24	1800	90	PIACENCIA JR
7-3-24	2100	95°	PLACENCIA
7-3-24	2400	95°	APONTE

Thursday

Date	Time	Temp.	Name(Print)
7-5-24	0300	85	GARIBIASO
7-5-24	0600	78	G.Proyer
7-5-24	0900	85	G.Proyer
7-5-24	1200	90	G.Proyer
7-5-24	1500	103	MARTIN J.
7-5-24	1800	102	MARTIN J.
7-5-24	2100	97	MURLAFF
7-5-24	2400	95	GARIBIASO

Saturday

Date	Time	Temp.	Name(Print)
7-7-24	0300	85	T Roy
7-7-24	0600	81	BURNE
7-7-24	0900	85	BYRNE
7-7-24	1200	90	BYRNE
7-7-24	1500	98	MARLAFF J.
7-7-24	1800	100	MARLAFF J.
7-7-24	2100	96	MARLAFF
7-7-24	2400	92	T Roy

Notes

9-8-24 STAGE III 96° @ 1246

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

 TEMP READING LOCATION: DORM 2 208
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
9-24	0300	86	T. Troy
	0600	82	G. Preyerse
	0900	84	G. Preyerse
	1200	90	G. Preyerse
9-25	1500	99	GARSIAS
	1800	99	GARSIAS
9-26	2100	93	GARSIAS
	2400	91	T. Troy

Wednesday

Date	Time	Temp.	Name(Print)
9-11-24	0300	77	T. Troy
	0600	70	G. Preyerse
	0900	72	G. Preyerse
	1200	78	G. Preyerse
	1500	82	M. McCall
	1800	81	M. McCall
9-12-24	2100	77	M. McCall
	2400	75	GARSIAS

Friday

Date	Time	Temp.	Name(Print)
9-13-24	0300	77	GARSIAS
	0600	69	A. Lewis
	0900	71	Harkness
	1200	73	Harkness
	1500	80	M. McCall
	1800	82	M. McCall
9-14-24	2100	77	M. McCall
	2400	74	T. Troy

Sunday

Date	Time	Temp.	Name(Print)
9-15-24	0300	72	T. Troy
	0600	70	Hansen
	0900	70	Hansen
	1200	72	Hansen
9-16-24	1500	78	N. Miranda
	1800	78	N. Miranda
9-17-24	2100	74	N. Miranda
	2400	73	T. Troy

Tuesday

Date	Time	Temp.	Name(Print)
9-10-24	0300	67	T. Troy
	0600	82	G. Preyerse
	0900	84	G. Preyerse
	1200	89	G. Preyerse
	1500	98	D. Rodriguez
	1800	95	D. Rodriguez
	2100	88	D. Rodriguez
	2400	84	T. Troy

Thursday

Date	Time	Temp.	Name(Print)
9-12-24	0300	77	GARSIAS
	0600	66	G. Preyerse
	0900	67	G. Preyerse
	1200	74	G. Preyerse
	1500	80	N. JORDAN
	1800	79	M. McCall
	2100	77	M. McCall
	2400	75	GARSIAS

Saturday

Date	Time	Temp.	Name(Print)
9-14-24	0300	72	T. Troy
	0600	71	BURNE
	0900	70	BURNE
	1200	73	BURNE
	1500	74	M. Brown
	1800	75	M. Brown
	2100	69	M. Brown
	2400	71	T. Troy

Notes

a/10 Stage III @ 141a / Deactivated 101

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 208

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 17, 2024	0300	70	T Roy
	0600	69	G.Proyerse
	0900	72	G.Proyerse
	1200	75	G.Proyerse
	1500	73	GARCIA, JAS
	1800	73	GARCIA, JAS
	2100	70	GARCIA, JAS
	2400	65	T Roy

Wednesday

Date	Time	Temp.	Name(Print)
September 19, 2024	0300	69	T Roy
	0600	67	T Roy
	0900	68	G.Proyerse
	1200	75	G.Proyerse
	1500	79	MARLATT, JE
	1800	78	MARLATT, JE
	2100	75	MARLATT, JE
	2400	73	GARCIA, JAS

Friday

Date	Time	Temp.	Name(Print)
September 20, 2024	0300	73	G.Garcia
	0600	73	Sadaro
	0900	74	Sadaro
	1200	74	Sadaro
	1500	76	MARLATT, JE
	1800	76	MARLATT, JE
	2100	75	MARLATT, JE
	2400	74	GARCIA, JAS

Sunday

Date	Time	Temp.	Name(Print)
September 22, 2024	0300	73	T Roy
	0600	74	N.Brown
	0900	74	N.Brown
	1200	74	N.Brown
	1500	85	N.Miranda
	1800	85	N.Miranda
	2100	82	N.Miranda
	2400	80	T Roy

Tuesday

Date	Time	Temp.	Name(Print)
September 18, 2024	0300	66	T Roy
	0600	64	G.Proyerse
	0900	70	G.Proyerse
	1200	76	G.Proyerse
	1500	78	L.Platencio, JE
	1800	77	L.Platencio, JE
	2100	74	L.Platencio, JE
	2400	73	T Roy

Thursday

Date	Time	Temp.	Name(Print)
September 19, 2024	0300	72	GARCIA, JAS
	0600	68	G.Proyerse
	0900	70	G.Proyerse
	1200	76	G.Proyerse
	1500	76	MARLATT, JE
	1800	76	MARLATT, JE
	2100	73	MARLATT, JE
	2400	70	EE

Saturday

Date	Time	Temp.	Name(Print)
September 21, 2024	0300	72	G.Garcia
	0600	67	S.BYRNIE
	0900	67	S.BYRNIE
	1200	70	S.BYRNIE
	1500	70	MARLATT, JE
	1800	78	MARLATT, JE
	2100	77	MARLATT, JE
	2400	75	EE

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
 209, 210, 211, 212, 214,

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 208

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024	0300	74	T Roy
	0600	71	S. Pascua
	0900	73	S. Pascua
	1200	76	S. Pascua
	1500	77	DURAN
	1800	77	DURAN
	2100	75	DURAN
	2400	73	T Roy

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024	0300	72	T Roy
	0600	70	S. Pascua
	0900	74	S. Pascua
	1200	77	S. Pascua
	1500	78	MARLAD
	1800	79	MARLAD
	2100	78	MARLAD
	2400	76	GARCIAS

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024	0300	70	GARCIAS
	0600	70	Harkness
	0900	73	Harkness
	1200	76	Harkness
	1500	83	MARLAD
	1800	82	MARLAD
	2100	80	MARLAD
	2400	75	T Roy

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024	0300	69	T Roy
	0600	68	S. Pascua
	0900	70	S. Pascua
	1200	74	S. Pascua
	1500	82	N. Miranda
	1800	85	N. Miranda
	2100	82	N. Miranda
	2400	78	T Roy

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024	0300	71	T Roy
	0600	70	S. Pascua
	0900	71	S. Pascua
	1200	78	S. Pascua
	1500	80	L. Placencia
	1800	80	L. Placencia
	2100	80	L. Placencia
	2400	76	T Roy

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	72	GARCIAS
	0600	70	S. Pascua
	0900	72	S. Pascua
	1200	77	S. Pascua
	1500	78	MARLAD
	1800	84	MARLAD
	2100	79	MARLAD
	2400	74	GARCIAS

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	69	T Roy
	0600	67	BURNET
	0900	67	BURNET
	1200	72	BURNET
	1500	80	MARLAD
	1800	85	MARLAD
	2100	80	MARLAD
	2400	75	T Roy

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

87
13

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

TEMP READING LOCATION: DORM 208

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Date	Time	Temp.	Name(Print)
September 30, 2024			0300	70	TROY
			0600	68	Chayenne
			0900	68	Chayenne
			1200	78	Chayenne
			1500	81	CASE 1450
			1800	75	69031930
			2100	84	CASE 1450
			2400	82	TROY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABIL

DESIGNATED HEAT DORMS . 102, 100, 108, 111, 201, 202, 203, 20
004, 300, 311, 312, 313, 401, 402, 40
403, 407, 400, 400, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSID ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM: 209
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
09-01-2024	0300	78	K. Amzoja SW
	0600	74	M. Rocna
	0900	75	M. Rocna
	1200	78	M. Rocna
	1500	88	Rodriguez
	1800	88	Rodriguez
	2100	85	Rodriguez
	2400	79	R. Hernandez

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 209

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
9-2-2024	0300	71	R.Hernandez
	0600	70	M.Rocha
	0900	74	M.Rocha
	1200	78	M.Rocha
	1500	88	M.Rocha
	1800	88	M.Rocha
	2100	86	Garcia
	2400	81	R.Hernandez

Wednesday

Date	Time	Temp.	Name(Print)
9-4-2024	0300	72	R.Hernandez
	0600	75	N.Jordan
	0900	80	N.Jordan
	1200	81	N.Jordan
	1500	98	N.Jordan X
	1800	95	N.Jordan X
	2100	93	N.Jordan
	2400	89	R.Hernandez

Friday

Date	Time	Temp.	Name(Print)
9-6-2024	0300	84	R.Hernandez
	0600	80	Diaz
	0900	84	Diaz
	1200	92	Diaz
	1500	107	J.Truve X
	1800	106	J.Truve X
	2100	95	J.Truve
	2400	86	M.Trunk

Sunday

Date	Time	Temp.	Name(Print)
9-8-2024	0300	89	K.Amezola
	0600	80	Diaz
	0900	86	Diaz
	1200	93	Diaz
	1500	103	P.Becerra
	1800	99	P.Becerra
	2100	94	P.Becerra
	2400	89	G.Bonilla

Tuesday

Date	Time	Temp.	Name(Print)
9-3-2024	0300	71	R.Hernandez
	0600	72	M.Rocha
	0900	75	M.Rocha
	1200	80	M.Rocha
	1500	90	W.Peralta X
	1800	94	W.Peralta X
	2100	89	W.Peralta
	2400	82	R.Hernandez

Thursday

Date	Time	Temp.	Name(Print)
9-5-2024	0300	78	R.Hernandez
	0600	78	Navarro
	0900	84	Navarro
	1200	95	Navarro
	1500	103	Tamina JC
	1800	102	Tamina JC
	2100	100	Tamina
	2400	90	R.Hernandez

Saturday

Date	Time	Temp.	Name(Print)
9-7-2024	0300	79	M.Morales
	0600	79	Diaz
	0900	84	Diaz
	1200	91	Diaz
	1500	94	T.Gill
	1800	97	T.Gill
	2100	97	T.Gill
	2400	90	K.Amezola

Notes

9/3/24 - STAGE 2 @ 1422
 9/4/24 - STAGE 1 @ 1430
 9/24 Stage 2 @ 1118/Stage 3 @ 1200
 9/6/24 Stage 2 @ 1149/Stage 3 @ 1305
 9-6-24 Stage 3 deactivated @ 130
 9-7-24 Stage 2 deactivated
 -9/7/24 Stage 2 @ 1138/Stage 3 @ 1321
 Stage II deactivated Stage II deactivated @ 0200
 9/10/24 Stage 2 @ 1118/Stage 3 @ 1230

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 209

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
9/9/24	0300	87	G.GONZALEZ
	0600	80	M.Rocha
	0900	84	M.Rocha
	1200	88	M.Rocha
	1500	100	Amara
	1800	99	Amara
	2100	92	Amara
	2400	85	M.KNUDSEN

Wednesday

Date	Time	Temp.	Name(Print)
9-11-24	0300	76	Jon
	0600	77	Narvaez
	0900	76	Narvaez
	1200	79	Narvaez
	1500	80	Placencia JG
	1800	74	Placencia JG
	2100	73	Placencia
	2400	71	R.Hernandez

Friday

Date	Time	Temp.	Name(Print)
9-13-24	0300	72	Carroll
	0600	70	DIAZ
	0900	74	DIAZ
	1200	74	DIAZ
	1500	80	J.DAVIS JG
	1800	80	J.DAVIS JG
	2100	74	J.DAVIS
	2400	71	M.Martinez

Sunday

Date	Time	Temp.	Name(Print)
9-15-24	0300	71	TORRES A
	0600	70	M.Rocha
	0900	70	M.Rocha
	1200	74	M.Rocha
	1500	78	Amara
	1800	76	Amara
	2100	79	Amara
	2400	72	R.Hernandez

Tuesday

Date	Time	Temp.	Name(Print)
9/10/24	0300	82	M.KNUDSEN
	0600	77	M.Rocha
	0900	81	M.Rocha
	1200	88	M.Rocha
	1500	89	Flynn
	1800	86	Flynn
	2100	84	Amara
	2400	80	Amara

Thursday

Date	Time	Temp.	Name(Print)
9-12-24	0300	67	R.Hernandez
	0600	67	Narvaez
	0900	88	Narvaez
	1200	70	Narvaez
	1500	76	J.DAVIS JG
	1800	80	J.DAVIS JG
	2100	80	J.DAVIS
	2400	74	P.GMW

Saturday

Date	Time	Temp.	Name(Print)
9-14-24	0300	86	M.Wright
	0600	67	M.Brown
	0900	70	M.Brown
	1200	73	M.Brown
	1500	81	Flynn JG
	1800	80	Flynn JG
	2100	78	M.Wright
	2400	72	TORRES A

Notes

9-24 - STAGE 2 @ 125 / STAGE 3 @ 130
 2-27 ICE @ 1430 1128
 7-27 STAGE 3 deathwatch at 2005 1128
 9-9-27 STAGE 1 DEACTIVATED @ 2315

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 209
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Temp.	Name(Print)
Date	Time		
September 16, 2024	0300	69	R.Henry Jr
	0600	69	M.Rocha
	0900	71	M.Rocha
	1200	74	M.Rocha
	1500	79	Frank
	1800	72	Gretta
	2100	70	Frank
	2400	68	R.Henry Jr

Wednesday		Date	Time	Temp.	Name(Print)
September 18, 2024	0300	68	RHernandez		
	0600	68	Naranjo		
	0900	69	Naranjo		
	1200	70	Naranjo		
	1500	74	Placencia		
	1800	72	Placencia		
	2100	71	Placencia		
	2400	70	Herrera		

Date	Time	Temp.	Name(Print)
September 20, 2024	0300	69	R. Hernandez
	0600	68	D. G. 93
	0900	70	D. G. 93
	1200	74	D. G. 93
	1500	78	J. DAVIS Jr.
	1800	78	J. DAVIS Jr.
	2100	74	J. DAVIS Jr.
	2400	71°	R. Paramo

Sunday		Date	Time	Temp.	Name(Print)
September 22, 2024			0300	75	P. Hansen
			0600	68	D. G. Z.
			0900	70	D. G. Z.
			1200	76	D. G. Z.
			1500	82	Green
			1800	81	Green
			2100	80	Green
			2400	75	P. Hansen

TEMP READING LOCATION: DORM 209

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Tuesday		Date	Time	Temp.	Name(Print)
September 17, 2024			0300	66	R. Hernandez
			0600	64	M. Rocha
			0900	68	M. Rocha
			1200	71	M. Rocha
			1500	77	Greco
			1800	72	Greco
			2100	70	Greco
			2400	77	R. Hernandez

Thursday			
Date	Time	Temp.	Name(Print)
September 19, 2024	0300	70	J. DAVIS
	0600	69	Navarro
	0900	70	Navarro
	1200	72	Navarro
	1500	78	J. DAVIS <i>Ja</i>
	1800	78	J. DAVIS <i>Jc</i>
	2100	72	J. DAVIS
	2400	71	R. Hernandez

Saturday			
Date	Time	Temp.	Name(Print)
September 21, 2024	0300	70°	R. Laramo
	0600	64	DIAZ
	0900	68	DIAZ
	1200	72	DIAZ
	1500	76	Anrea
	1800	76	Graz
	2100	76	Graz
	2400	75	Antonina

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 209

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024	0300	69	R.Hernandez
	0600	68	M.Rocna
	0900	72	M.Rocna
	1200	76	M.Rocna
	1500	74	R.Davis
	1800	77	R.Davis
	2100	77	R.Davis
	2400	74	R.Hernandez

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024	0300	70	R.Hernandez
	0600	66	Navarro
	0900	72	Navarro
	1200	78	Navarro
	1500	78	R.Davis
	1800	78	R.Davis
	2100	78	R.Davis
	2400	72	Duran

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024	0300	70	R.Hernandez
	0600	68	Diaz
	0900	72	Diaz
	1200	74	Diaz
	1500	78	J.Davis
	1800	78	J.Davis
	2100	78	J.Davis
	2400	73	miranda

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024	0300	69	S.Almeda
	0600	66	M.Rocna
	0900	68	M.Rocna
	1200	74	M.Rocna
	1500	82	Davis
	1800	82	Davis
	2100	82	Davis
	2400	77	R.Hernandez

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024	0300	70	R.Hernandez
	0600	69	M.Rocna
	0900	71	M.Rocna
	1200	76	M.Rocna
	1500	78	R.Davis
	1800	78	R.Davis
	2100	78	R.Davis
	2400	75	R.Hernandez

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	70	Duran
	0600	68	Navarro
	0900	70	Navarro
	1200	73	Navarro
	1500	78	J.Davis
	1800	80	J.Davis
	2100	80	J.Davis
	2400	76	R.Hernandez

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	69	miranda
	0600	68	Diaz
	0900	68	Diaz
	1200	72	Diaz
	1500	80	Reyes, L
	1800	81	Reyes, L
	2100	75	Reyes, L
	2400	71°	S.Almeda

Notes

INSIDE TEMPERATURE RECORD

GDGR 2031 (04/19)

DESIGNATED HABITAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From [REDACTED] through [REDACTED], the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 209

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
9-26-2009	0300	70	J. Thompson
	0600	67	M. Roach
	0900	70	M. Roach
	1200	78	M. Roach
	1500	90	D. Voss
	1800	61	R. Remond
	2100	71	J. Pennington
	2400	74	R. Hemmings

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday		Date	Time	Temp.	Name(Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Saturday		Date	Time	Temp.	Name(Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Notes

Sunday	Date	Time	Temp.	Name(Print)
		0300		
		0600		
		0900		
		1200		
		1500		
		1800		
		2100		
		2400		

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 2 10
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
12/26/2014	0300	73	A. Varez
	0600	76	H.H.
	0900	79	H.H.
	1200	82	H.H.
	1500	82	E. Chisum
	1800	80	C
	2100	80	C
	2400	73	A. Varez

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHAB

DESIGNATED HEAT DORMS : 102, 103, 109, 111, 201, 202, 203, 204, 300, 311, 312, 313, 401, 402, 403, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM - 210
(e.g., 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reach 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
September 02, 2024	0300	75	ALVAREZ
	0600	79	Hop
	0900	81	HP
	1200	81	HP
	1500	88	J. ALVAREZ
	1800	88	J. ALVAREZ
	2100	88	J. ALVAREZ
	2400	80	ALVAREZ

Tuesday

Date	Time	Temp.	Name (Print)
September 03, 2024	0300	76	ALVAREZ
	0600	77	Hop
	0900	80	HP
	1200	81	HP
	1500	90	ALVAREZ
	1800	79	A. ALVAREZ
	2100	87	ALVAREZ
	2400	84	ALVAREZ

Wednesday

Date	Time	Temp.	Name (Print)
September 04, 2024	0300	78	ALVAREZ
	0600	79	Hop
	0900	78	HP
	1200	78	HP
	1500	90	Nash
	1800	88	Nash
	2100	85	Nash
	2400	87	ALVAREZ

Thursday

Date	Time	Temp.	Name (Print)
September 05, 2024	0300	83	ALVAREZ
	0600	80	DAVID
	0900	80	RAMIREZ
	1200	80	RAMIREZ
	1600	98	J. TATE
	1800	101	J. TATE
	2100	98	J. TATE
	2400	93	P. AMOROSA

Friday

Date	Time	Temp.	Name (Print)
September 06, 2024	0300	90	F. AMEZQUA
	0600	84	DAVID
	0900	90	J. SANCHEZ
	1200	97	J. SANCHEZ
	1500	98	J. SANCHEZ
	1800	98	J. SANCHEZ
	2100	97	J. SANCHEZ
	2400	92	F. AMEZQUA

Saturday

Date	Time	Temp.	Name (Print)
September 07, 2024	0300	89	F. AMEZQUA
	0600	80	Hop
	0900	84	HP
	1200	94	HP
	1500	96	MICHAEL
	1800	98	MICHAEL
	2100	93	ALVAREZ
	2400	90	ALVAREZ

Notes

Stage II @ 1407 on 9-4-24 until
9/5 Stage II deactivated @ 2107
9/5 Stage I @ 1015 STAGE II 1240
9-5 Stage III-1407
9/5 Stage II deactivated @ 2344
9/6 Stage I STAGE II 1250
9/6 STAGE III DEACTIVATED 222145
9/7 Stage II Relocated 1506
Deactivated @ 2115
9/8 Stage II 112 / Stage II 254
97

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 210

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 09, 2024	0300	88	ALVAREZ
	0600	88	102
	0900	88	102
	1200	70	102
	1500	90	J. JONES
	1800	90	J. JONES
	2100	90	J. JONES
	2400	90	ALVAREZ

Wednesday

Date	Time	Temp.	Name(Print)
September 11, 2024	0300	75	ALVAREZ
	0600	75	102
	0900	78	102
	1200	77	102
	1500	80	J. JONES
	1800	80	J. JONES
	2100	78	J. JONES
	2400	72	ALVAREZ

Friday

Date	Time	Temp.	Name(Print)
September 13, 2024	0300	72	F. AMEZOLA
	0600	72	F. AMEZOLA
	0900	70	F. AMEZOLA
	1200	74	F. AMEZOLA
	1500	80	J. JONES
	1800	78	J. JONES
	2100	78	J. JONES
	2400	74	F. AMEZOLA

Sunday

Date	Time	Temp.	Name(Print)
September 15, 2024	0300	75	L. NIX
	0600	76	102
	0900	74	102
	1200	76	102
	1500	76	R. NIX
	1800	74	R. NIX
	2100	71	R. NIX
	2400	71	A. PEREZ

Tuesday

Date	Time	Temp.	Name(Print)
September 10, 2024	0300	85	ALVAREZ
	0600	85	102
	0900	86	102
	1200	89	102
	1500	91	MARTINEZ
	1800	91	MARTINEZ
	2100	90	Martinez
	2400	79	ALVAREZ

Thursday

Date	Time	Temp.	Name(Print)
September 12, 2024	0300	70	ALVAREZ
	0600	70	RAMIREZ
	0900	70	RAMIREZ
	1200	70	—
	1500	78	P. L. JONES
	1800	78	P. L. JONES
	2100	78	P. L. JONES
	2400	74	F. AMEZOLA

Saturday

Date	Time	Temp.	Name(Print)
September 14, 2024	0300	72	F. AMEZOLA
	0600	78	102
	0900	79	102
	1200	74	102
	1500	81	L. NIX
	1800	80	L. NIX
	2100	78	L. NIX
	2400	75	L. NIX

Notes

9/9/24 Stage III 1200pm
9-9-24 Stage III deactivated at 212-102
9-10-24 Stage II deactivated at 0100 hrs.

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 210

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 16, 2024	0300	70	A. Perry
	0600	71	H. H.
	0900	71	H. H.
	1200	74	H. H.
	1500	74	J. David
	1800	74	J. David
	2100	74	J. David
	2400	65	M. Madsen

Wednesday

Date	Time	Temp.	Name(Print)
September 18, 2024	0300	67	A. Alvarez
	0600	67	H. H.
	0900	70	H. H.
	1200	78	H. H.
	1500	78	P. G.
	1800	78	P. G.
	2100	78	P. G.
	2400	71	ALVAREZ

Friday

Date	Time	Temp.	Name(Print)
September 20, 2024	0300	70	F. Amerson
	0600	72	Ramirez
	0900	72	Ramirez
	1200	78	Ramirez
	1500	78	P. G.
	1800	78	P. G.
	2100	79	P. G.
	2400	79	Amerson

Sunday

Date	Time	Temp.	Name(Print)
September 22, 2024	0300	70	ALVAREZ
	0600	70	H. H.
	0900	75	H. H.
	1200	72	H. H.
	1500	78	P. G.
	1800	78	P. G.
	2100	78	P. G.
	2400	74	ALVAREZ

Tuesday

Date	Time	Temp.	Name(Print)
September 17, 2024	0300	69	M. KNUDSEN
	0600	67	H. H.
	0900	63	H. H.
	1200	75	H. H.
	1500	76	P. G.
	1800	78	P. G.
	2100	79	P. G.
	2400	70	ALVAREZ

Thursday

Date	Time	Temp.	Name(Print)
September 19, 2024	0300	70	ALVAREZ
	0600	70	Ramirez
	0900	69	Ramirez
	1200	70	Ramirez
	1500	78	P. G.
	1800	78	P. G.
	2100	79	P. G.
	2400	74	F. Amerson

Saturday

Date	Time	Temp.	Name(Print)
September 21, 2024	0300	70	Amerson
	0600	68	H. H.
	0900	71	H. H.
	1200	71	H. H.
	1500	78	P. G.
	1800	78	P. G.
	2100	78	P. G.
	2400	72	ALVAREZ

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 210

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024	0300	71	ALVAREZ
	0600	72	
	0900	72	H.F.
	1200	70	T.A.
	1500	80	J.W.
	1800	81	C.G.
	2100	80	J.W.H.
	2400	75	ALVAREZ

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024	0300	70	ALVAREZ
	0600	71	
	0900	71	D.C.
	1200	73	T.A.
	1500	80	D.C.
	1800	78	D.C.
	2100	78	D.C.
	2400	72	ALVAREZ

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024	0300	70	L.A. Mendoza
	0600	68	RAMIREZ
	0900	68	RAMIREZ
	1200	70	RAMIREZ
	1500	80	T.L.
	1800	78	T.L.
	2100	78	D.C.
	2400	78	L.A. Mendoza

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024	0300	78	Rendier
	0600	78	Tomara
	0900	70	Tomara
	1200	74	Zamora
	1500	80	Ron
	1800	73	Ron
	2100	71	Ron
	2400	75	ALVAREZ

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024	0300	71	ALVAREZ
	0600	71	
	0900	71	H.F.
	1200	73	T.A.
	1500	80	D.C.
	1800	78	D.C.
	2100	78	D.C.
	2400	74	ALVAREZ

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	70	ALVAREZ
	0600	70	L.A. Mendoza
	0900	69	RAMIREZ
	1200	70	RAMIREZ
	1500	80	T.L.
	1800	78	D.C.
	2100	78	D.C.
	2400	74	F. Amador

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	70	Amerola
	0600	68	RAMIREZ
	0900	68	RAMIREZ
	1200	70	RAMIREZ
	1500	82	L.W.
	1800	72	L.W.
	2100	70	L.W.
	2400	78	Kircher

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC **Housing Unit:** Facility B **TEMP READING LOCATION:** DORM 210

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Date	Time	Temp.	Name(Print)
September 30, 2024			0300	70	ALVAREZ
			0600	76	WILSON
			0900	70	J. DAVIS
			1200	71	J. DAVIS
			1500	80	J. DAVIS
			1800	80	J. DAVIS
			2100	80	J. DAVIS
			2400	77	ALVAREZ

Customer		Product	Quantity	Unit Price	Total Price
Customer ID	Name	Product ID	Count	Price	Amount
C001	John Doe	P001	1	100	100
C002	Jane Smith	P002	2	150	300
C003	Bob Johnson	P003	3	200	600
C004	Sarah Lee	P004	4	250	1000
C005	David Green	P005	5	300	1500
C006	Emily Blue	P006	6	350	2100
C007	Michael White	P007	7	400	2800
C008	Amy Black	P008	8	450	3600
C009	Kevin Brown	P009	9	500	4500
C010	Laura Grey	P010	10	550	5500

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 2 //
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
9/1/21	0300	74	R.Cases EW
	0600	77	J.MARTINEZ
	0900	80°	J.MARTINEZ
	1200	84°	J.Martinez
	1500	81	C.Cedeno
	1800	94	C.Cedeno
	2100	90	C.Cedeno
	2400	79	R.Cases

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC

Housing Unit: Facility B

TEMP READING LOCATION: DORM 2

211

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
9/2/24	0300	74	R Casas
	0600	73	M. Serrano
	0900	77	M. Serrano
	1200	84	M. Serrano
	1500	91	C. Cedeno
	1800	91	C. Cedeno
	2100	90	C. Cedeno
	2400	85°	G. Fierro

Wednesday

Date	Time	Temp.	Name(Print)
9.4.2024	0300	85°	G. Fierro
	0600	78	C. Felix
	0900	82	C. Felix
	1200	88	C. Felix
	1500	96	C. Felix Jr
	1800	90	C. Felix Jr
	2100	95	C. Felix
	2400	90°	G. Fierro

Friday

Date	Time	Temp.	Name(Print)
9.6.2024	0300	84°	G. Fierro
	0600	82	F. Amecola
	0900	86	F. Amecola
	1200	94	F. Amecola
	1500	99	F. Amecola X
	1800	105	F. Amecola Jr
	2100	99	F. Amecola
	2400	86°	G. Fierro

Sunday

Date	Time	Temp.	Name(Print)
9.8.2024	0300	84	R Casas
	0600	82	F. Amecola
	0900	86	F. Amecola
	1200	95	F. Amecola
	1500	102	C. Cedeno
	1800	99	C. Cedeno
	2100	99	C. Cedeno
	2400	90	R Casas

Tuesday

Date	Time	Temp.	Name(Print)
9/3/24	0300	80°	G. Fierro
	0600	78	C. Felix
	0900	84	C. Felix
	1200	88	C. Felix
	1500	83	C. Felix Jr
	1800	93	C. Felix Jr
	2100	91	C. Felix
	2400	89	G. Fierro

Thursday

Date	Time	Temp.	Name(Print)
9.5.2024	0300	85°	G. Fierro
	0600	85°	A. Moreno
	0900	89°	A. Moreno
	1200	95°	A. Moreno
	1500	101	M. Evans X
	1800	103	M. Evans Jr
	2100	97	M. Evans
	2400	91°	G. Fierro

Saturday

Date	Time	Temp.	Name(Print)
9.7.2024	0300	83°	G. Fierro
	0600	80	T. Long Jr
	0900	86	T. Long Jr
	1200	91	T. Long Jr
	1500	99	T. Long Jr X
	1800	100	T. Long Jr Jr
	2100	94	T. Long Jr
	2400	89	R Casas

Notes

9/3/24 92° 1530 Stage II
 9/4/24 1515 96° Stage III
 9/5/24 91° at 1056 Stage II
 9/5/24 95° at 1200 Stage III
 9/6/24 93 at 1230 DEACTIVATED III
 9/6/24 90 at 1121 Stage II
 9/6/24 97 at 1250 Stage III
 9/6/24 94 at 2140 Stage III
 9/6/24

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to moniter and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC

Housing Unit: Facility B

TEMP READING LOCATION: DORM 211

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
9/9/24	0300	84	R Casas
9/9/24	0600	84	C. Felix
9/9/24	0900	84	C. Felix
9/9/24	1200	89	C. Felix
9/9/24	1500	91	Duran
9/9/24	1800	90	Duran
9/9/24	2100	94	Duran
9/9/24	2400	86°	Fierro

Wednesday

Date	Time	Temp.	Name(Print)
9/11/24	0300	76°	Fierro
9/11/24	0600	72°	Fierro
9/11/24	0900	78	C. Felix
9/11/24	1200	78	C. Felix
9/11/24	1500	82	J. Tava
9/11/24	1800	84	J. Tava
9/11/24	2100	77	J. Tava
9/11/24	2400	73°	Fierro

Friday

Date	Time	Temp.	Name(Print)
9/13/24	0300	70°	Fierro
9/13/24	0600	70	T DELAO
9/13/24	0900	75	T DELAO
9/13/24	1200	80	T DELAO
9/13/24	1500	82	T DELAO
9/13/24	1800	85	T DELAO
9/13/24	2100	80	T DELAO
9/13/24	2400	79	J. Senia

Sunday

Date	Time	Temp.	Name(Print)
9/15/24	0300	72	R Casas
9/15/24	0600	71	Brown
9/15/24	0900	72	Brown
9/15/24	1200	75	Brown
9/15/24	1500	78	C. Cedeno
9/15/24	1800	78	C. Cedeno
9/15/24	2100	78	E. Cedeno
9/15/24	2400	72	R Casas

Tuesday

Date	Time	Temp.	Name(Print)
9/10/24	0300	80°	Fierro
9/10/24	0600	82	C. Felix
9/10/24	0900	86	C. Felix
9/10/24	1200	89	C. Felix
9/10/24	1500	94	C. Felix
9/10/24	1800	93	C. Felix
9/10/24	2100	86	C. Felix
9/10/24	2400	81°	Fierro

Thursday

Date	Time	Temp.	Name(Print)
9/12/24	0300	69°	Fierro
9/12/24	0600	72	C. Felix
9/12/24	0900	72	C. Felix
9/12/24	1200	76	C. Felix
9/12/24	1500	80	T DELAO
9/12/24	1800	82	T DELAO
9/12/24	2100	80	T DELAO
9/12/24	2400	72°	Fierro

Saturday

Date	Time	Temp.	Name(Print)
9/14/24	0300	75	L. Jenila
9/14/24	0600	71	Brown
9/14/24	0900	72	Brown
9/14/24	1200	74	Brown
9/14/24	1500	81	Brown
9/14/24	1800	78	Brown
9/14/24	2100	75	Brown
9/14/24	2400	73	R Casas

Notes

9/9/24 STAGE II 92° 1230
 9/9/24 STAGE III 97 1915
 9/9/24 Stage III 100° 1530
 9/9/24 Stage II 94° 2022
 9/9/24 Stage II Demolished 2305
 9/10/24 STAGE II 1245 HRS 92°

DISTRIBUTION: Original: Institution ADA Coordinator

Date	Time	Temp.	Name(Print)
September 17, 2024			
	0300	78	LUSKES
	0600	70	ALICE
	0900	68	JONATHAN
	1200	72	JOHN
	1500	70	DELLA
	1800	82	DELLA
	2100	80	DELLA
	2400	74	DELLA
September 18, 2024			
	0300	78	ALICE
	0600	75	ALICE
	0900	75	ALICE
	1200	78	ALICE
	1500	78	ALICE
	1800	80	ALICE
	2100	80	ALICE
	2400	79	ALICE
September 19, 2024			
	0300	77	DURRITZ
	0600	75	DURRITZ
	0900	75	DURRITZ
	1200	78	DURRITZ
	1500	80	DURRITZ
	1800	80	DURRITZ
	2100	80	DURRITZ
	2400	79	DURRITZ
September 20, 2024			
	0300	78	SARAH
	0600	76	SARAH
	0900	76	SARAH
	1200	78	SARAH
	1500	81	SARAH
	1800	82	SARAH
	2100	80	SARAH
	2400	78	SARAH
September 21, 2024			
	0300	75	DURRITZ
	0600	78	DURRITZ
	0900	78	DURRITZ
	1200	72	DURRITZ
	1500	70	DURRITZ
	1800	72	DURRITZ
	2100	80	DURRITZ
	2400	74	DURRITZ
September 22, 2024			
	0300	70	E CASA
	0600	68	E CASA
	0900	70	E CASA
	1200	70	E CASA
	1500	70	E CASA
	1800	84	E CASA
	2100	82	E CASA
	2400	78	E CASA

90 degrees and again at 95 degrees.
Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 211

Note: Air-conditioned housing units will also be monitored when the air

use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the

risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE

ambient air temperature in all non-air-conditioned housing units where an inmate on the risk list may be housed.

(Note: Air-conditioned housing units will also be monitored when the air

is ambient air temperature staff to be responsible to monitor and log the INSIDE

209, 210, 211, 212, 214,
201, 202, 203, 204, 205, 206, 207, 208,

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 211

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024	0300	73	E Casas
	0600	72	BRAZON
	0900	74	BRAZON
	1200	78	BRAZON
	1500	79	Cedeno
	1800	79	Cedeno
	2100	78	Cedeno
	2400	77	J. Smith

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024	0300	76	Rodriguez
	0600	72	C. Felix
	0900	74	C. Felix
	1200	78	C. Felix
	1500	80	C. Felix
	1800	84	C. Felix
	2100	80	C. Felix
	2400	77	Santa

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024	0300	71°	S. Almendariz
	0600	72	T DELAO
	0900	67	T DELAO
	1200	73	T DELAO
	1500	82	T DELAO
	1800	84	T DELAO
	2100	78	T DELAO
	2400	75°	T. Boucne

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024	0300	70	Machekian
	0600	68	Born
	0900	70	Born
	1200	75	Born
	1500	86	Cedeno
	1800	83	Cedeno
	2100	80	Cedeno
	2400	77	L. Sams

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024	0300	76	J. Smith
	0600	76	C. Felix
	0900	76	C. Felix
	1200	80	C. Felix
	1500	86	C. Felix
	1800	85	C. Felix
	2100	80	C. Felix
	2400	80	Rodrquez

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	73	Smith
	0600	73	Smith
	0900	70	C. Felix
	1200	80	C. Felix
	1500	87	T DELAO
	1800	85	T DELAO
	2100	77	T DELAO
	2400	76	S. Almendariz

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	71°	D. Boucne
	0600	67	Born
	0900	70	Born
	1200	76	Born
	1500	84	Born
	1800	81	Born
	2100	78	Born
	2400	76	Machekian

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 211

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Date	Time	Temp.	Name(Print)
September 30, 2024			0300	70	E. Dang
			0600	72	C. Feley
			0900	78	C. Filex
			1200	78	C. Filex
			1500	88	C. Filex
			1800	88	C. Filex
			2100	88	C. Filey
			2400	81	G. Feley

Date		Other Mental Health Problems	
Year	Month	Yes	No
2010	January	0	100
2010	February	0	100
2010	March	0	100
2010	April	0	100
2010	May	0	100
2010	June	0	100
2010	July	0	100
2010	August	0	100
2010	September	0	100
2010	October	0	100
2010	November	0	100
2010	December	0	100
2011	January	0	100
2011	February	0	100
2011	March	0	100
2011	April	0	100
2011	May	0	100
2011	June	0	100
2011	July	0	100
2011	August	0	100
2011	September	0	100
2011	October	0	100
2011	November	0	100
2011	December	0	100
2012	January	0	100
2012	February	0	100
2012	March	0	100
2012	April	0	100
2012	May	0	100
2012	June	0	100
2012	July	0	100
2012	August	0	100
2012	September	0	100
2012	October	0	100
2012	November	0	100
2012	December	0	100
2013	January	0	100
2013	February	0	100
2013	March	0	100
2013	April	0	100
2013	May	0	100
2013	June	0	100
2013	July	0	100
2013	August	0	100
2013	September	0	100
2013	October	0	100
2013	November	0	100
2013	December	0	100
2014	January	0	100
2014	February	0	100
2014	March	0	100
2014	April	0	100
2014	May	0	100
2014	June	0	100
2014	July	0	100
2014	August	0	100
2014	September	0	100
2014	October	0	100
2014	November	0	100
2014	December	0	100
2015	January	0	100
2015	February	0	100
2015	March	0	100
2015	April	0	100
2015	May	0	100
2015	June	0	100
2015	July	0	100
2015	August	0	100
2015	September	0	100
2015	October	0	100
2015	November	0	100
2015	December	0	100
2016	January	0	100
2016	February	0	100
2016	March	0	100
2016	April	0	100
2016	May	0	100
2016	June	0	100
2016	July	0	100
2016	August	0	100
2016	September	0	100
2016	October	0	100
2016	November	0	100
2016	December	0	100
2017	January	0	100
2017	February	0	100
2017	March	0	100
2017	April	0	100
2017	May	0	100
2017	June	0	100
2017	July	0	100
2017	August	0	100
2017	September	0	100
2017	October	0	100
2017	November	0	100
2017	December	0	100
2018	January	0	100
2018	February	0	100
2018	March	0	100
2018	April	0	100
2018	May	0	100
2018	June	0	100
2018	July	0	100
2018	August	0	100
2018	September	0	100
2018	October	0	100
2018	November	0	100
2018	December	0	100
2019	January	0	100
2019	February	0	100
2019	March	0	100
2019	April	0	100
2019	May	0	100
2019	June	0	100
2019	July	0	100
2019	August	0	100
2019	September	0	100
2019	October	0	100
2019	November	0	100
2019	December	0	100
2020	January	0	100
2020	February	0	100
2020	March	0	100
2020	April	0	100
2020	May	0	100
2020	June	0	100
2020	July	0	100
2020	August	0	100
2020	September	0	100
2020	October	0	100
2020	November	0	100
2020	December	0	100
2021	January	0	100
2021	February	0	100
2021	March	0	100
2021	April	0	100
2021	May	0	100
2021	June	0	100
2021	July	0	100
2021	August	0	100
2021	September	0	100
2021	October	0	100
2021	November	0	100
2021	December	0	100
2022	January	0	100
2022	February	0	100
2022	March	0	100
2022	April	0	100
2022	May	0	100
2022	June	0	100
2022	July	0	100
2022	August	0	100
2022	September	0	100
2022	October	0	100
2022	November	0	100
2022	December	0	100
2023	January	0	100
2023	February	0	100
2023	March	0	100
2023	April	0	100
2023	May	0	100
2023	June	0	100
2023	July	0	100
2023	August	0	100
2023	September	0	100
2023	October	0	100
2023	November	0	100
2023	December	0	100

Week	Date	Lesson	Name	Time
1	1/15/18	1	John	10:00 AM
2	1/18/18	2	Jane	10:00 AM
3	1/22/18	3	Mike	10:00 AM
4	1/25/18	4	Sarah	10:00 AM
5	1/29/18	5	David	10:00 AM
6	1/31/18	6	Emily	10:00 AM
7	2/1/18	7	Alex	10:00 AM
8	2/5/18	8	Olivia	10:00 AM
9	2/8/18	9	Benjamin	10:00 AM
10	2/12/18	10	Isabella	10:00 AM
11	2/15/18	11	Matthew	10:00 AM
12	2/19/18	12	Charlotte	10:00 AM
13	2/22/18	13	James	10:00 AM
14	2/26/18	14	Elizabeth	10:00 AM
15	2/27/18	15	Samuel	10:00 AM
16	2/28/18	16	Abigail	10:00 AM
17	3/1/18	17	Lucas	10:00 AM
18	3/2/18	18	Madeline	10:00 AM
19	3/5/18	19	Henry	10:00 AM
20	3/6/18	20	Harper	10:00 AM
21	3/7/18	21	Julian	10:00 AM
22	3/8/18	22	Penelope	10:00 AM
23	3/12/18	23	Wyatt	10:00 AM
24	3/13/18	24	Audrey	10:00 AM
25	3/14/18	25	Quinn	10:00 AM
26	3/15/18	26	Charlotte	10:00 AM
27	3/19/18	27	James	10:00 AM
28	3/20/18	28	Elizabeth	10:00 AM
29	3/21/18	29	Samuel	10:00 AM
30	3/22/18	30	Abigail	10:00 AM
31	3/23/18	31	Lucas	10:00 AM
32	3/26/18	32	Madeline	10:00 AM
33	3/27/18	33	Henry	10:00 AM
34	3/28/18	34	Penelope	10:00 AM
35	3/29/18	35	Wyatt	10:00 AM
36	3/30/18	36	Audrey	10:00 AM
37	3/31/18	37	Quinn	10:00 AM
38	4/3/18	38	Charlotte	10:00 AM
39	4/4/18	39	James	10:00 AM
40	4/5/18	40	Elizabeth	10:00 AM
41	4/6/18	41	Samuel	10:00 AM
42	4/7/18	42	Abigail	10:00 AM
43	4/8/18	43	Lucas	10:00 AM
44	4/9/18	44	Madeline	10:00 AM
45	4/10/18	45	Henry	10:00 AM
46	4/11/18	46	Penelope	10:00 AM
47	4/12/18	47	Wyatt	10:00 AM
48	4/13/18	48	Audrey	10:00 AM
49	4/14/18	49	Quinn	10:00 AM
50	4/15/18	50	Charlotte	10:00 AM
51	4/16/18	51	James	10:00 AM
52	4/17/18	52	Elizabeth	10:00 AM
53	4/18/18	53	Samuel	10:00 AM
54	4/19/18	54	Abigail	10:00 AM
55	4/20/18	55	Lucas	10:00 AM
56	4/21/18	56	Madeline	10:00 AM
57	4/22/18	57	Henry	10:00 AM
58	4/23/18	58	Penelope	10:00 AM
59	4/24/18	59	Wyatt	10:00 AM
60	4/25/18	60	Audrey	10:00 AM
61	4/26/18	61	Quinn	10:00 AM
62	4/27/18	62	Charlotte	10:00 AM
63	4/28/18	63	James	10:00 AM
64	4/29/18	64	Elizabeth	10:00 AM
65	4/30/18	65	Samuel	10:00 AM
66	5/1/18	66	Abigail	10:00 AM
67	5/2/18	67	Lucas	10:00 AM
68	5/3/18	68	Madeline	10:00 AM
69	5/4/18	69	Henry	10:00 AM
70	5/5/18	70	Penelope	10:00 AM
71	5/6/18	71	Wyatt	10:00 AM
72	5/7/18	72	Audrey	10:00 AM
73	5/8/18	73	Quinn	10:00 AM
74	5/9/18	74	Charlotte	10:00 AM
75	5/10/18	75	James	10:00 AM
76	5/11/18	76	Elizabeth	10:00 AM
77	5/12/18	77	Samuel	10:00 AM
78	5/13/18	78	Abigail	10:00 AM
79	5/14/18	79	Lucas	10:00 AM
80	5/15/18	80	Madeline	10:00 AM
81	5/16/18	81	Henry	10:00 AM
82	5/17/18	82	Penelope	10:00 AM
83	5/18/18	83	Wyatt	10:00 AM
84	5/19/18	84	Audrey	10:00 AM
85	5/20/18	85	Quinn	10:00 AM
86	5/21/18	86	Charlotte	10:00 AM
87	5/22/18	87	James	10:00 AM
88	5/23/18	88	Elizabeth	10:00 AM
89	5/24/18	89	Samuel	10:00 AM
90	5/25/18	90	Abigail	10:00 AM
91	5/26/18	91	Lucas	10:00 AM
92	5/27/18	92	Madeline	10:00 AM
93	5/28/18	93	Henry	10:00 AM
94	5/29/18	94	Penelope	10:00 AM
95	5/30/18	95	Wyatt	10:00 AM
96	5/31/18	96	Audrey	10:00 AM
97	6/1/18	97	Quinn	10:00 AM
98	6/2/18	98	Charlotte	10:00 AM
99	6/3/18	99	James	10:00 AM
100	6/4/18	100	Elizabeth	10:00 AM

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 212
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
September 26	0300	79	A. Perez
	0600	76	Strieby
	0900	79	Strieby
	1200	80	Strieby
	1500	88	R. Becerra
	1800	86	R. Becerra
	2100	84	R. Becerra
	2400	80	M. Gonzalez

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 2 212

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 2, 2024	0300	77°	R. Gonzalez
	0600	74	Strieby
	0900	78	Strieby
	1200	84	Strieby
	1500	90	M. Serrano
	1800	91	M. Serrano
	2100	87	M. Serrano
	2400	83	R. Gonzalez

Wednesday

Date	Time	Temp.	Name(Print)
September 4, 2024	0300	80	R. Gonzalez
	0600	80	Strieby
	0900	85	J. Strieby
	1200	88	Strieby
	1500	89	Darren ^{ja}
	1800	97	M. Serrano ^{ja}
	2100	94	M. Serrano
	2400	90°	R. Gonzalez

Friday

Date	Time	Temp.	Name(Print)
September 6, 2024	0300	90	R. Casas
	0600	87	I. Young
	0900	87	I. Young
	1200	93	I. Young
	1500	102	V. Vargas ^{ja}
	1800	102	V. Vargas ^{ja}
	2100	94	V. Vargas
	2400	92	Machristian

Sunday

Date	Time	Temp.	Name(Print)
September 8, 2024	0300	88	D. Rodriguez
	0600	85	Strieby
	0900	89	Strieby
	1200	90	Strieby
	1500	103	D. Rodriguez
	1800	100	D. Rodriguez
	2100	95	D. Rodriguez
	2400	91	D. Rodriguez

Tuesday

Date	Time	Temp.	Name(Print)
September 3, 2024	0300	80	R. Gonzalez
	0600	75	Strieby
	0900	81	Strieby
	1200	89	Strieby
	1500	94	Rustica ^{ja}
	1800	92	Rustica ^{ja}
	2100	89	Rustica
	2400	84	R. Gonzalez

Thursday

Date	Time	Temp.	Name(Print)
September 5, 2024	0300	85	R. Gonzalez
	0600	85	Sander
	0900	85	Sander
	1200	95	Sander
	1500	100	V. Casas ^{ja}
	1800	100	V. Casas ^{ja}
	2100	99	V. Casas
	2400	93	R. Casas

Saturday

Date	Time	Temp.	Name(Print)
September 7, 2024	0300	88	Mechristian
	0600	88	unbound
	0900	89	unbound
	1200	94	unbound
	1500	100	C. Cedeno ^{ja}
	1800	100	C. Cedeno ^{ja}
	2100	99	C. Cedeno
	2400	92	D. Rodriguez

Notes

* STAGE III @ 1540 - 913
 * STAGE II @ 1130
 9/6 - Heat Alert Deactivated @ 2:00
 9/8 Stage III @ 1200
 9/8 Stage III deactivated @ 2105

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 212
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 9, 2024	0300	87	A. Gonzalez
	0600	85	Strieby
	0900	86	Strieby
	1200	92	Strieby
	1500	90	M. Serrano
	1800	96	M. Serrano
	2100	94	M. Serrano
	2400	91	R. Gonzalez

Wednesday			
Date	Time	Temp.	Name(Print)
September 11, 2024	0300	79	R. Gonzalez
	0600	72	Strieby
	0900	75	Strieby
	1200	91	Strieby
	1500	85	M. Serrano
	1800	84	M. Serrano
	2100	78	M. Serrano
	2400	73	R. Gonzalez

Friday			
Date	Time	Temp.	Name(Print)
September 13, 2024	0300	70	R. Casas
	0600	70	T. C.
	0900	70	T. C.
	1200	75	T. C.
	1500	77	MARTINEZ
	1800	77	MARTINEZ
	2100	77	MARTINEZ
	2400	72	T. C.

Sunday			
Date	Time	Temp.	Name(Print)
September 15, 2024	0300	73	R. Gonzalez
	0600	71	Strieby
	0900	71	Strieby
	1200	76	Strieby
	1500	76	Mercado
	1800	76	Mercado
	2100	75	Mercado
	2400	74	R. Gonzalez

Tuesday			
Date	Time	Temp.	Name(Print)
September 10, 2024	0300	87	R. Gonzalez
	0600	82	Strieby
	0900	84	Strieby
	1200	90	Strieby
	1500	96	M. Serrano
	1800	99	M. Serrano
	2100	90	M. Serrano
	2400	85	R. Gonzalez

Thursday			
Date	Time	Temp.	Name(Print)
September 12, 2024	0300	70	R. Gonzalez
	0600	70	T. Delio
	0900	75	T. Delio
	1200	76	T. Delio
	1500	80	M. Serrano
	1800	79	M. Serrano
	2100	78	M. Serrano
	2400	75	R. Casas

Saturday			
Date	Time	Temp.	Name(Print)
September 14, 2024	0300	70	T. C.
	0600	70	M. T.
	0900	75	M. T.
	1200	75	M. T.
	1500	74	C. Cedeno
	1800	74	C. Cedeno
	2100	76	C. Cedeno
	2400	74	R. Gonzalez

Notes

Stage 2 Deactivated 0115 10/10/24 R
Stage 2 Deactivated 2205 10/10/24

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 212
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 16, 2024	0300	71	R. Gonzalez
	0600	71	S. Tieby
	0900	72	S. Tieby
	1200	74	S. Tieby
	1500	77	M. Serrano
	1800	74	M. Serrano
	2100	71	M. Serrano
	2400	69	R. Gonzalez

Wednesday			
Date	Time	Temp.	Name(Print)
September 18, 2024	0300	72	L. Diaz
	0600	71	S. Tieby
	0900	72	S. Tieby
	1200	76	S. Tieby
	1500	78	V. Casas JC
	1800	71	V. Casas JC
	2100	71	V. Casas
	2400	72	A. Rodriguez

Friday			
Date	Time	Temp.	Name(Print)
September 20, 2024	0300	69	R. Casas
	0600	70	D. Cleggton
	0900	70	D. Cleggton
	1200	72	V. Casas
	1500	74	V. Casas
	1800	70	V. Casas
	2100	70	V. Casas
	2400	73	R. Casas

Sunday			
Date	Time	Temp.	Name(Print)
September 22, 2024	0300	71	R. Gonzalez
	0600	70	E. Gonzalez
	0900	70	E. Gonzalez
	1200	72	E. Gonzalez
	1500	78	D. Mercado
	1800	80	D. Mercado
	2100	80	D. Mercado
	2400	78	R. Gonzalez

Tuesday			
Date	Time	Temp.	Name(Print)
September 17, 2024	0300	67	R. Gonzalez
	0600	64	S. Tieby
	0900	70	S. Tieby
	1200	73	S. Tieby
	1500	77	M. Serrano JC
	1800	77	M. Serrano JC
	2100	75	M. Serrano
	2400	74	L. Diaz

Thursday			
Date	Time	Temp.	Name(Print)
September 19, 2024	0300	70	A. Rodriguez
	0600	69	I. Sandoval
	0900	77	I. Sandoval
	1200	77	I. Sandoval
	1500	79	M. Serrano JC
	1800	75	M. Serrano JC
	2100	73	M. Serrano
	2400	72	R. Casas

Saturday			
Date	Time	Temp.	Name(Print)
September 21, 2024	0300	69	R. Casas
	0600	69	R. Ramirez
	0900	69	R. Ramirez
	1200	73	R. Ramirez
	1500	79	Cedeno
	1800	80	Cedeno
	2100	79	Cedeno
	2400	74	R. Gonzalez

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC

Housing Unit: Facility B

TEMP READING LOCATION: DORM 212

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024	0300	75	R. Gonzalez
	0600	69	ST. Rieby
	0900	72	ST. Rieby
	1200	76	ST. Rieby
	1500	84	M. Serrano
	1800	85	M. Serrano
	2100	83	M. Serrano
	2400	77	R. Gonzalez

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024	0300	71	R. Gonzalez
	0600	67	ST. Rieby
	0900	74	ST. Rieby
	1200	70	ST. Rieby
	1500	81	JORDAN
	1800	81	JORDAN
	2100	79	JORDAN
	2400	74	R. Gonzalez

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024	0300	79	R. Casas
	0600	68	T. Young
	0900	68	T. Young
	1200	79	T. Young
	1500	79	Cedeno
	1800	82	Cedeno
	2100	84	Cedeno
	2400	75	R. Casas

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024	0300	70	NIX
	0600	67	ST. Rieby
	0900	74	ST. Rieby
	1200	81	ST. Rieby
	1500	81	J. Tice
	1800	85	J. Tice
	2100	81	J. Tice
	2400	78	J. Tice

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024	0300	73	R. Gonzalez
	0600	70	ST. Rieby
	0900	71	ST. Rieby
	1200	78	ST. Rieby
	1500	85	M. Serrano
	1800	83	M. Serrano
	2100	79	M. Serrano
	2400	76	R. Gonzalez

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	70	R. Gonzalez
	0600	70	T. DELAO
	0900	70	T. DELAO
	1200	72	T. DELAO
	1500	78	R. Morales
	1800	80	R. Morales
	2100	80	R. Morales
	2400	76	R. Casas

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	69	R. Casas
	0600	67	M. Serrano
	0900	69	M. Serrano
	1200	73	M. Serrano
	1500	84	LYNN
	1800	82	LYNN
	2100	79	LYNN
	2400	74	LYNN

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 212

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Date	Time	Temp.	Name(Print)
September 30, 2024	0300	75	Jones		
	0600	67	Stirby		
	0900	70	Stirby		
	1200	62	Stirby		
	1500	66	cedaro		
	1800	69	cedaro		
	2100	74	cedaro		
	2400	81	R. Gonzalez		

Assessment				
Date	Name	Version	Planned Review	Comments
2023-01-01	Initial Assessment	1.0	2023-06-01	Initial assessment completed.
2023-06-01	Review 1	1.1	2023-11-01	Review 1 completed.
2023-11-01	Review 2	1.2	2024-04-01	Review 2 completed.
2024-04-01	Review 3	1.3	2024-09-01	Review 3 completed.
2024-09-01	Review 4	1.4	2025-02-01	Review 4 completed.
2025-02-01	Review 5	1.5	2025-07-01	Review 5 completed.
2025-07-01	Review 6	1.6	2026-01-01	Review 6 completed.
2026-01-01	Review 7	1.7	2026-06-01	Review 7 completed.
2026-06-01	Review 8	1.8	2027-01-01	Review 8 completed.
2027-01-01	Review 9	1.9	2027-06-01	Review 9 completed.
2027-06-01	Review 10	2.0	2028-01-01	Review 10 completed.
2028-01-01	Review 11	2.1	2028-06-01	Review 11 completed.
2028-06-01	Review 12	2.2	2029-01-01	Review 12 completed.
2029-01-01	Review 13	2.3	2029-06-01	Review 13 completed.
2029-06-01	Review 14	2.4	2030-01-01	Review 14 completed.
2030-01-01	Review 15	2.5	2030-06-01	Review 15 completed.
2030-06-01	Review 16	2.6	2031-01-01	Review 16 completed.
2031-01-01	Review 17	2.7	2031-06-01	Review 17 completed.
2031-06-01	Review 18	2.8	2032-01-01	Review 18 completed.
2032-01-01	Review 19	2.9	2032-06-01	Review 19 completed.
2032-06-01	Review 20	3.0	2033-01-01	Review 20 completed.
2033-01-01	Review 21	3.1	2033-06-01	Review 21 completed.
2033-06-01	Review 22	3.2	2034-01-01	Review 22 completed.
2034-01-01	Review 23	3.3	2034-06-01	Review 23 completed.
2034-06-01	Review 24	3.4	2035-01-01	Review 24 completed.
2035-01-01	Review 25	3.5	2035-06-01	Review 25 completed.
2035-06-01	Review 26	3.6	2036-01-01	Review 26 completed.
2036-01-01	Review 27	3.7	2036-06-01	Review 27 completed.
2036-06-01	Review 28	3.8	2037-01-01	Review 28 completed.
2037-01-01	Review 29	3.9	2037-06-01	Review 29 completed.
2037-06-01	Review 30	4.0	2038-01-01	Review 30 completed.
2038-01-01	Review 31	4.1	2038-06-01	Review 31 completed.
2038-06-01	Review 32	4.2	2039-01-01	Review 32 completed.
2039-01-01	Review 33	4.3	2039-06-01	Review 33 completed.
2039-06-01	Review 34	4.4	2040-01-01	Review 34 completed.
2040-01-01	Review 35	4.5	2040-06-01	Review 35 completed.
2040-06-01	Review 36	4.6	2041-01-01	Review 36 completed.
2041-01-01	Review 37	4.7	2041-06-01	Review 37 completed.
2041-06-01	Review 38	4.8	2042-01-01	Review 38 completed.
2042-01-01	Review 39	4.9	2042-06-01	Review 39 completed.
2042-06-01	Review 40	5.0	2043-01-01	Review 40 completed.
2043-01-01	Review 41	5.1	2043-06-01	Review 41 completed.
2043-06-01	Review 42	5.2	2044-01-01	Review 42 completed.
2044-01-01	Review 43	5.3	2044-06-01	Review 43 completed.
2044-06-01	Review 44	5.4	2045-01-01	Review 44 completed.
2045-01-01	Review 45	5.5	2045-06-01	Review 45 completed.
2045-06-01	Review 46	5.6	2046-01-01	Review 46 completed.
2046-01-01	Review 47	5.7	2046-06-01	Review 47 completed.
2046-06-01	Review 48	5.8	2047-01-01	Review 48 completed.
2047-01-01	Review 49	5.9	2047-06-01	Review 49 completed.
2047-06-01	Review 50	6.0	2048-01-01	Review 50 completed.
2048-01-01	Review 51	6.1	2048-06-01	Review 51 completed.
2048-06-01	Review 52	6.2	2049-01-01	Review 52 completed.
2049-01-01	Review 53	6.3	2049-06-01	Review 53 completed.
2049-06-01	Review 54	6.4	2050-01-01	Review 54 completed.
2050-01-01	Review 55	6.5	2050-06-01	Review 55 completed.
2050-06-01	Review 56	6.6	2051-01-01	Review 56 completed.
2051-01-01	Review 57	6.7	2051-06-01	Review 57 completed.
2051-06-01	Review 58	6.8	2052-01-01	Review 58 completed.
2052-01-01	Review 59	6.9	2052-06-01	Review 59 completed.
2052-06-01	Review 60	7.0	2053-01-01	Review 60 completed.
2053-01-01	Review 61	7.1	2053-06-01	Review 61 completed.
2053-06-01	Review 62	7.2	2054-01-01	Review 62 completed.
2054-01-01	Review 63	7.3	2054-06-01	Review 63 completed.
2054-06-01	Review 64	7.4	2055-01-01	Review 64 completed.
2055-01-01	Review 65	7.5	2055-06-01	Review 65 completed.
2055-06-01	Review 66	7.6	2056-01-01	Review 66 completed.
2056-01-01	Review 67	7.7	2056-06-01	Review 67 completed.
2056-06-01	Review 68	7.8	2057-01-01	Review 68 completed.
2057-01-01	Review 69	7.9	2057-06-01	Review 69 completed.
2057-06-01	Review 70	8.0	2058-01-01	Review 70 completed.
2058-01-01	Review 71	8.1	2058-06-01	Review 71 completed.
2058-06-01	Review 72	8.2	2059-01-01	Review 72 completed.
2059-01-01	Review 73	8.3	2059-06-01	Review 73 completed.
2059-06-01	Review 74	8.4	2060-01-01	Review 74 completed.
2060-01-01	Review 75	8.5	2060-06-01	Review 75 completed.
2060-06-01	Review 76	8.6	2061-01-01	Review 76 completed.
2061-01-01	Review 77	8.7	2061-06-01	Review 77 completed.
2061-06-01	Review 78	8.8	2062-01-01	Review 78 completed.
2062-01-01	Review 79	8.9	2062-06-01	Review 79 completed.
2062-06-01	Review 80	9.0	2063-01-01	Review 80 completed.
2063-01-01	Review 81	9.1	2063-06-01	Review 81 completed.
2063-06-01	Review 82	9.2	2064-01-01	Review 82 completed.
2064-01-01	Review 83	9.3	2064-06-01	Review 83 completed.
2064-06-01	Review 84	9.4	2065-01-01	Review 84 completed.
2065-01-01	Review 85	9.5	2065-06-01	Review 85 completed.
2065-06-01	Review 86	9.6	2066-01-01	Review 86 completed.
2066-01-01	Review 87	9.7	2066-06-01	Review 87 completed.
2066-06-01	Review 88	9.8	2067-01-01	Review 88 completed.
2067-01-01	Review 89	9.9	2067-06-01	Review 89 completed.
2067-06-01	Review 90	10.0	2068-01-01	Review 90 completed.
2068-01-01	Review 91	10.1	2068-06-01	Review 91 completed.
2068-06-01	Review 92	10.2	2069-01-01	Review 92 completed.
2069-01-01	Review 93	10.3	2069-06-01	Review 93 completed.
2069-06-01	Review 94	10.4	2070-01-01	Review 94 completed.
2070-01-01	Review 95	10.5	2070-06-01	Review 95 completed.
2070-06-01	Review 96	10.6	2071-01-01	Review 96 completed.
2071-01-01	Review 97	10.7	2071-06-01	Review 97 completed.
2071-06-01	Review 98	10.8	2072-01-01	Review 98 completed.
2072-01-01	Review 99	10.9	2072-06-01	Review 99 completed.
2072-06-01	Review 100	11.0	2073-01-01	Review 100 completed.

Date	Time	Room	Number of Patients
10/10/2023	08:00 AM	101	10
10/10/2023	09:00 AM	102	12
10/10/2023	10:00 AM	103	15
10/10/2023	11:00 AM	104	18
10/10/2023	12:00 PM	105	20
10/10/2023	01:00 PM	106	22
10/10/2023	02:00 PM	107	25
10/10/2023	03:00 PM	108	28
10/10/2023	04:00 PM	109	30
10/10/2023	05:00 PM	110	32
10/10/2023	06:00 PM	111	35
10/10/2023	07:00 PM	112	38
10/10/2023	08:00 PM	113	40
10/10/2023	09:00 PM	114	42
10/10/2023	10:00 PM	115	45
10/10/2023	11:00 PM	116	48
10/10/2023	12:00 AM	117	50
10/10/2023	01:00 AM	118	52
10/10/2023	02:00 AM	119	55
10/10/2023	03:00 AM	120	58
10/10/2023	04:00 AM	121	60
10/10/2023	05:00 AM	122	62
10/10/2023	06:00 AM	123	65
10/10/2023	07:00 AM	124	68
10/10/2023	08:00 AM	125	70
10/10/2023	09:00 AM	126	72
10/10/2023	10:00 AM	127	75
10/10/2023	11:00 AM	128	78
10/10/2023	12:00 PM	129	80
10/10/2023	01:00 PM	130	82
10/10/2023	02:00 PM	131	85
10/10/2023	03:00 PM	132	88
10/10/2023	04:00 PM	133	90
10/10/2023	05:00 PM	134	92
10/10/2023	06:00 PM	135	95
10/10/2023	07:00 PM	136	98
10/10/2023	08:00 PM	137	100
10/10/2023	09:00 PM	138	102
10/10/2023	10:00 PM	139	105
10/10/2023	11:00 PM	140	108
10/10/2023	12:00 AM	141	110
10/10/2023	01:00 AM	142	112
10/10/2023	02:00 AM	143	115
10/10/2023	03:00 AM	144	118
10/10/2023	04:00 AM	145	120
10/10/2023	05:00 AM	146	122
10/10/2023	06:00 AM	147	125
10/10/2023	07:00 AM	148	128
10/10/2023	08:00 AM	149	130
10/10/2023	09:00 AM	150	132
10/10/2023	10:00 AM	151	135
10/10/2023	11:00 AM	152	138
10/10/2023	12:00 PM	153	140
10/10/2023	01:00 PM	154	142
10/10/2023	02:00 PM	155	145
10/10/2023	03:00 PM	156	148
10/10/2023	04:00 PM	157	150
10/10/2023	05:00 PM	158	152
10/10/2023	06:00 PM	159	155
10/10/2023	07:00 PM	160	158
10/10/2023	08:00 PM	161	160
10/10/2023	09:00 PM	162	162
10/10/2023	10:00 PM	163	165
10/10/2023	11:00 PM	164	168
10/10/2023	12:00 AM	165	170
10/10/2023	01:00 AM	166	172
10/10/2023	02:00 AM	167	175
10/10/2023	03:00 AM	168	178
10/10/2023	04:00 AM	169	180
10/10/2023	05:00 AM	170	182
10/10/2023	06:00 AM	171	185
10/10/2023	07:00 AM	172	188
10/10/2023	08:00 AM	173	190
10/10/2023	09:00 AM	174	192
10/10/2023	10:00 AM	175	195
10/10/2023	11:00 AM	176	198
10/10/2023	12:00 PM	177	200
10/10/2023	01:00 PM	178	202
10/10/2023	02:00 PM	179	205
10/10/2023	03:00 PM	180	208
10/10/2023	04:00 PM	181	210
10/10/2023	05:00 PM	182	212
10/10/2023	06:00 PM	183	215
10/10/2023	07:00 PM	184	218
10/10/2023	08:00 PM	185	220
10/10/2023	09:00 PM	186	222
10/10/2023	10:00 PM	187	225
10/10/2023	11:00 PM	188	228
10/10/2023	12:00 AM	189	230
10/10/2023	01:00 AM	190	232
10/10/2023	02:00 AM	191	235
10/10/2023	03:00 AM	192	238
10/10/2023	04:00 AM	193	240
10/10/2023	05:00 AM	194	242
10/10/2023	06:00 AM	195	245
10/10/2023	07:00 AM	196	248
10/10/2023	08:00 AM	197	250
10/10/2023	09:00 AM	198	252
10/10/2023	10:00 AM	199	255
10/10/2023	11:00 AM	200	258
10/10/2023	12:00 PM	201	260
10/10/2023	01:00 PM	202	262
10/10/2023	02:00 PM	203	265
10/10/2023	03:00 PM	204	268
10/10/2023	04:00 PM	205	270
10/10/2023	05:00 PM	206	272
10/10/2023	06:00 PM	207	275
10/10/2023	07:00 PM	208	278
10/10/2023	08:00 PM	209	280
10/10/2023	09:00 PM	210	282
10/10/2023	10:00 PM	211	285
10/10/2023	11:00 PM	212	288
10/10/2023	12:00 AM	213	290
10/10/2023	01:00 AM	214	292
10/10/2023	02:00 AM	215	295
10/10/2023	03:00 AM	216	298
10/10/2023	04:00 AM	217	300
10/10/2023	05:00 AM	218	302
10/10/2023	06:00 AM	219	305
10/10/2023	07:00 AM	220	308
10/10/2023	08:00 AM	221	310
10/10/2023	09:00 AM	222	312
10/10/2023	10:00 AM	223	315
10/10/2023	11:00 AM	224	318
10/10/2023	12:00 PM	225	320
10/10/2023	01:00 PM	226	322
10/10/2023	02:00 PM	227	325
10/10/2023	03:00 PM	228	328
10/10/2023	04:00 PM	229	330
10/10/2023	05:00 PM	230	332
10/10/2023	06:00 PM	231	335
10/10/2023	07:00 PM	232	338
10/10/2023	08:00 PM	233	340
10/10/2023	09:00 PM	234	342
10/10/2023	10:00 PM	235	345
10/10/2023	11:00 PM	236	348
10/10/2023	12:00 AM	237	350
10/10/2023	01:00 AM	238	352
10/10/2023	02:00 AM	239	355
10/10/2023	03:00 AM	240	358
10/10/2023	04:00 AM	241	360
10/10/2023	05:00 AM	242	362
10/10/2023	06:00 AM	243	365
10/10/2023	07:00 AM	244	368
10/10/2023	08:00 AM	245	370
10/10/2023	09:00 AM	246	372
10/10/2023	10:00 AM	247	375
10/10/2023	11:00 AM	248	378
10/10/2023	12:00 PM	249	380
10/10/2023	01:00 PM	250	382
10/10/2023	02:00 PM	251	385
10/10/2023	03:00 PM	252	388
10/10/2023	04:00 PM	253	390
10/10/2023	05:00 PM	254	392
10/10/2023	06:00 PM	255	395
10/10/2023	07:00 PM	256	398
10/10/2023	08:00 PM	257	400
10/10/2023	09:00 PM	258	402
10/10/2023	10:00 PM	259	405
10/10/2023	11:00 PM	260	408
10/10/2023	12:00 AM	261	410
10/10/2023	01:00 AM	262	412
10/10/2023	02:00 AM	263	415
10/10/2023	03:00 AM	264	418
10/10/2023	04:00 AM	265	420
10/10/2023	05:00 AM	266	422
10/10/2023	06:00 AM	267	425
10/10/2023	07:00 AM	268	428
10/10/2023	08:00 AM	269	430
10/10/2023	09:00 AM	270	432
10/10/2023	10:00 AM	271	435
10/10/2023	11:00 AM	272	438
10/10/2023	12:00 PM	273	440
10/10/2023	01:00 PM	274	442
10/10/2023	02:00 PM	275	445
10/10/2023	03:00 PM	276	448
10/10/2023	04:00 PM	277	450
10/10/2023	05:00 PM	278	452
10/10/2023	06:00 PM	279	455
10/10/2023	07:00 PM	280	458
10/10/2023	08:00 PM	281	460
10/10/2023	09:00 PM	282	462
10/10/2023	10:00 PM	283	465
10/10/2023	11:00 PM	284	468
10/10/2023	12:00 AM	285	470
10/10/2023	01:00 AM	286	472
10/10/2023	02:00 AM	287	475
10/10/2023	03:00 AM	288	478
10/10/2023	04:00 AM	289	480
10/10/2023	05:00 AM	290	482
10/10/2023	06:00 AM	291	485
10/10/2023	07:00 AM	292	488
10/10/2023	08:00 AM	293	490
10/10/2023	09:00 AM	294	492
10/10/2023	10:00 AM	295	495
10/10/2023	11:00 AM	296	498
10/10/2023	12:00 PM	297	500
10/10/2023	01:00 PM	298	502
10/10/2023	02:00 PM	299	505
10/10/2023	03:00 PM	300	508
10/10/2023	04:00 PM	301	510
10/10/2023	05:00 PM	302	512
10/10/2023	06:00 PM	303	515
10/10/2023	07:00 PM	304	518
10/10/2023	08:00 PM	305	520
10/10/2023	09:00 PM	306	522
10/10/2023	10:00 PM	307	525
10/10/2023	11:00 PM	308	528
10/10/2023	12:00 AM	309	530
10/10/2023	01:00 AM	310	532
10/10/2023	02:00 AM	311	535
10/10/2023	03:00 AM	312	538
10/10/2023	04:00 AM	313	540
10/10/2023	05:00 AM	314	542
10/10/2023	06:00 AM	315	545
10/10/2023	07:00 AM	316	548
10/10/2023	08:00 AM	317	550
10/10/2023	09:00 AM	318	552
10/10/2023	10:00 AM	319	555
10/10/2023	11:00 AM	320	558
10/10/2023	12:00 PM	321	560
10/10/2023	01:00 PM	322	562
10/10/2023	02:00 PM	323	565
10/10/2023	03:00 PM	324	568
10/10/2023	04:00 PM	325	570
10/10/2023	05:00 PM	326	572
10/10/2023	06:00 PM	327	575
10/10/2023	07:00 PM	328	578
10/10/2023	08:00 PM	329	580
10/10/2023	09:00 PM	330	582
10/10/2023	10:00 PM	331	585
10/10/2023	11:00 PM	332	588
10/10/2023	12:00 AM	333	590
10/10/2023	01:00 AM	334	592
10/10/2023	02:00 AM	335	595
10/10/2023	03:00 AM	336	598
10/10/2023	04:00 AM	337	600
10/10/2023	05:00 AM	338	602
10/10/2023	06:00 AM	339	605
10/10/2023	07:00 AM	340	608
10/10/2023	08:00 AM	341	610
10/10/2023	09:00 AM	342	612
10/10/2023	10:00 AM	343	615
10/10/2023	11:00 AM	344	618
10/10/2023	12:00 PM	345	620
10/10/2023	01:00 PM	346	622
10/10/2023	02:00 PM	347	625
10/10/2023	03:00 PM	348	628
10/10/2023	04:00 PM	349	630
10/10/2023	05:00 PM	350	632
10/10/2023	06:00 PM	351	635
10/10/2023	07:00 PM	352	638
10/10/2023	08:00 PM	353	640
10/10/2023	09:00 PM	354	642
10/10/2023	10:00 PM	355	645
10/10/2023	11:00 PM	356	648
10/10/2023	12:00 AM	357	650
10/10/2023	01:00 AM	358	652
10/10/2023	02:00 AM	359	655
10/10/2023	03:00 AM	360	658
10/10/2023	04:00 AM	361	660
10/10/2023	05:00 AM	362	662
10/10/2023	06:00 AM	363	665
10/10/2023	07:00 AM	364	668

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 2 214

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
9/1/24	0300	78	DURAN
	0600	79	S. WEAVER
	0900	80	S. WEAVER
	1200	81	S. COLE
	1500	80	J. DAVES
	1800	80	J. DAVES
	2100	80	J. DAVES
	2400	79	A. Mrozak

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC

Housing Unit: Facility B

TEMP READING LOCATION: DORM 2 14

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
9/2/24	0300	79	DURAN C.W.
	0600	78	Zamora
	0900	78	Zamora
	1200	80	Zamora
	1500	81	T. MEL
	1800	80	J. MEL
	2100	80	J. MEL
	2400	80	DURAN

Wednesday

Date	Time	Temp.	Name(Print)
9/4/24	0300	76	Clo Burner
	0600	78	T. CLIFTON
	0900	80	Cabarrus
	1200	84	Cabarrus
	1500	83	Cabarrus 20
	1800	80	Cabarrus 20
	2100	80	Cabarrus
	2400	76	Clo Burner

Friday

Date	Time	Temp.	Name(Print)
9/6/24	0300	84	Clo Burner
	0600	82	NARVINO
	0900	82	GIGERAT
	1200	85	GIGERAT
	1500	85	LEO
	1800	84	LEO
	2100	84	LEO
	2400	84	D. BOURNE

Sunday

Date	Time	Temp.	Name(Print)
9/8/24	0300	84	Clo Burner
	0600	82	DURAN
	0900	82	Durand
	1200	83	Durand
	1500	82	J. DAVIS
	1800	84	J. DAVIS
	2100	84	J. DAVIS
	2400	80	DURAN

Tuesday

Date	Time	Temp.	Name(Print)
9/5/24	0300	77	DURAN
	0600	78	BRAEDON
	0900	80	BRAEDON
	1200	82	BRAEDON
	1500	82	Cobarrubias 20
	1800	80	Cobarrubias 20
	2100	80	Cobarrubias
	2400	79	Clo Burner

Thursday

Date	Time	Temp.	Name(Print)
9/5/24	0300	77	Clo Burner
	0600	86	Renhar
	0900	80	Renhar
	1200	84	Renhar
	1500	84	Cobarrubias 20
	1800	80	Cobarrubias 20
	2100	80	Cobarrubias 20
	2400	84	Clo Burner

Saturday

Date	Time	Temp.	Name(Print)
9/7/24	0300	85	D. BOURNE
	0600	81	MARLAFF
	0900	82	MARLAFF
	1200	85	MARLAFF
	1500	85	LEO
	1800	84	LEO
	2100	87	LEO
	2400	86	Clo Burner

Notes

9-2-24 : Stage 1 until

9/7/24 off Stage 2 @ 233P

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 214

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
9.9.24	0300	80	DURAN
	0600	82	K. Amozola
	0900	84	K. Amozola
	1200	86	K. Amozola
	1500	86	Cobarrubias
	1800	84	Cobarrubias
	2100	85	Cobarrubias
	2400	83	DURAN

Wednesday

Date	Time	Temp.	Name(Print)
9.11.24	0300	81	do Burue
	0600	80	J. Sanchez
	0900	82	J. Sanchez
	1200	81	J. Sanchez
	1500	81	Cobarrubias Jr
	1800	82	Cobarrubias Jr
	2100	82	Cobarrubias
	2400	82	

Friday

Date	Time	Temp.	Name(Print)
9.13.24	0300	73	DURAN
	0600	74	Murillo
	0900	74	W. Welch
	1200	75	W. Welch
	1500	79	Gutierrez
	1800	79	Gutierrez
	2100	77	Gutierrez
	2400	76	do Burue

Sunday

Date	Time	Temp.	Name(Print)
9.15.24	0300	73	do Burue
	0600	76	J. Negrete
	0900	77	J. Negrete
	1200	73	J. Negrete
	1500	79	Mechristian
	1800	74	Mechristian
	2100	62	Mechristian
	2400	71	DURAN

Tuesday

Date	Time	Temp.	Name(Print)
9.10.24	0300	82	DURAN
	0600	82	DIAZ
	0900	82	DIAZ
	1200	84	DIAZ
	1500	84	Cobarrubias
	1800	84	Cobarrubias
	2100	83	Cobarrubias
	2400	83	DURAN

Thursday

Date	Time	Temp.	Name(Print)
9.12.24	0300	70	DURAN
	0600	72	W. Welch
	0900	73	W. Welch
	1200	74	W. Welch
	1500	77	Cobarrubias Jr
	1800	75	Cobarrubias Jr
	2100	75	Cobarrubias Jr
	2400	75	DURAN

Saturday

Date	Time	Temp.	Name(Print)
9.14.24	0300	75	do Burue
	0600	74	DIAZ
	0900	74	DIAZ
	1200	75	DIAZ
	1500	74	J. DANZ Jr
	1800	76	J. DANZ Jr
	2100	76	J. DANZ Jr
	2400	76	do Burue

Notes

9/9 - Stage I activated @ 1010

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS , 102, 103, 106, 111, 201, 202, 203, 204, 300, 311, 312, 313, 401, 402, 403, 407, 408, 409, CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- Temp. Reading Location: DORM 214
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/14/24	0300	69	Duran
	0600	70	Duran
	0900	71	Duran
	1200	72	Duran
	1500	74	M. Adson
	1800	74	M. Adson
	2100	74	M. Adson
	2400	73	DURAN

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	72	clo Burn
	0600	73°	J. Negrete
	0900	73°	J. Negrete
	1200	73°	J. Negrete
	1500	73	Cebanb. Jr
	1800	73	Cebanb. Jr
	2100	72	Cebanb. Jr
	2400	72	clo Burn

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	72	Afers
	0600	72	Narvaez
	0900	72	Narvaez
	1200	73	Narvaez
	1500	73	Cebanb. Jr
	1800	72	Cebanb. Jr
	2100	72	Cebanb. Jr
	2400	72	clo Burn

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	72	clo Burn
	0600	76	Anthony
	0900	75	Anthony
	1200	75	Anthony
	1500	78	J. Davis
	1800	78	J. Davis
	2100	78	J. Davis
	2400	77	CAZ

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	70	Duran
	0600	70	Gutierrez
	0900	73	Gutierrez
	1200	73	Gutierrez
	1500	74	Gutierrez
	1800	72	Gutierrez
	2100	72	Gutierrez
	2400	72	clo Burn

Thursday

Date	Time	Temp.	Name (Print)
9/24/24	0300	72	J. Lyons
	0600	72	L. Xiong
	0900	72	L. Xiong
	1200	72	L. Xiong
	1500	72	Cebanb. Jr
	1800	72	Cebanb. Jr
	2100	72	Cebanb. Jr
	2400	72	clo Burn

Saturday

Date	Time	Temp.	Name (Print)
9/24/24	0300	70	clo Burn
	0600	73	M. Melado
	0900	72	M. Melado
	1200	72	M. Melado
	1500	72	Gutierrez
	1800	77	Gutierrez
	2100	76	Gutierrez
	2400	74	clo Burn

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP. READING LOCATION: DORM 214

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
Sept. 23	0300	72	Amezola
	0600	72	W. Welch
	0900	73	W. Welch
	1200	75	W. Welch
	1500	76	Cobanubias
	1800	77	Cobanubias
	2100	76	Cobanubias
	2400	72	Amezola

Wednesday

Date	Time	Temp.	Name(Print)
Sept. 26	0300	76	S. Martinez
	0600	72	S. Martinez
	0900	74	S. Martinez
	1200	76	S. Martinez
	1500	77	Cobanubias
	1800	76	Cobanubias
	2100	76	Cobanubias
	2400	74	cro Thur

Friday

Date	Time	Temp.	Name(Print)
Sept. 27	0300	70	D. Baines
	0600	73	Narvaez
	0900	73	Narvaez
	1200	74	Narvaez
	1500	78	P. Ayala
	1800	77	B. Ayala
	2100	77	B. Ayala
	2400	77	DMAN

Sunday

Date	Time	Temp.	Name(Print)
Sept. 29	0300	74	Duorce
	0600	73	DAZ
	0900	72	DAZ
	1200	75	DAZ
	1500	80	J.DAVIS
	1800	80	J.DAVIS
	2100	80	J.DAVIS
	2400	77	Mechester

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name(Print)
Sept. 24	0300	72	Amezola
	0600	74	Alvarado
	0900	75	Armenia
	1200	78	Armenia
	1500	79	Cobanubias
	1800	79	Cobanubias
	2100	77	Cobanubias
	2400	77	W.

Thursday

Date	Time	Temp.	Name(Print)
Sept. 26	0300	74	clown
	0600	74	D.P.
	0900	72	D.P.
	1200	76	D.P.
	1500	78	Cobanubias
	1800	73	Cobanubias
	2100	71	Cobanubias
	2400	72	D. Baines

Saturday

Date	Time	Temp.	Name(Print)
Sept. 28	0300	75	DURAN
	0600	73	Morano
	0900	73	Morano
	1200	76	Morano
	1500	80	J.DAVIS
	1800	80	J.DAVIS
	2100	81	J.DAVIS
	2400	77	Durante

Notes

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 214
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches

90 degrees and again at 95 degrees.

Monday

Monday		Date	Time	Temp.	Name(Print)
September 30, 2024	0300	75	Machristian		
	0600	77	Dawn		
	0900	77	Tiger		
	1200	77	Cigar		
	1500	78	J. Lub		
	1800	79	Cobain		
	2100	78	Cobain plus		
	2400	77	K. Omnicide		

Time	Phase	Period	Number of Patients
00:00-01:00	Phase A	00:00-01:00	100
01:00-02:00	Phase B	01:00-02:00	100
02:00-03:00	Phase C	02:00-03:00	100
03:00-04:00	Phase D	03:00-04:00	100
04:00-05:00	Phase E	04:00-05:00	100
05:00-06:00	Phase F	05:00-06:00	100
06:00-07:00	Phase G	06:00-07:00	100
07:00-08:00	Phase H	07:00-08:00	100
08:00-09:00	Phase I	08:00-09:00	100
09:00-10:00	Phase J	09:00-10:00	100
10:00-11:00	Phase K	10:00-11:00	100
11:00-12:00	Phase L	11:00-12:00	100
12:00-13:00	Phase M	12:00-13:00	100
13:00-14:00	Phase N	13:00-14:00	100
14:00-15:00	Phase O	14:00-15:00	100
15:00-16:00	Phase P	15:00-16:00	100
16:00-17:00	Phase Q	16:00-17:00	100
17:00-18:00	Phase R	17:00-18:00	100
18:00-19:00	Phase S	18:00-19:00	100
19:00-20:00	Phase T	19:00-20:00	100
20:00-21:00	Phase U	20:00-21:00	100
21:00-22:00	Phase V	21:00-22:00	100
22:00-23:00	Phase W	22:00-23:00	100
23:00-00:00	Phase X	23:00-00:00	100

Category	Item	Description	Quantity	Unit Price
Food	Bacon	1 lb	1	\$5.00
Food	Butter	1 lb	1	\$4.00
Food	Cheese	1 lb	1	\$6.00
Food	Eggs	1 dozen	1	\$3.00
Food	Milk	1 gallon	1	\$4.00
Food	Potatoes	5 lbs	1	\$2.00
Food	Steak	1 lb	1	\$7.00
Food	Tomatoes	1 lb	1	\$2.00
Food	Yogurt	1 lb	1	\$3.00
Non-Food	Blanket	1	1	\$10.00
Non-Food	Books	10	1	\$1.00
Non-Food	First Aid Kit	1	1	\$5.00
Non-Food	Gum	100	1	\$0.10
Non-Food	Hand Sanitizer	1	1	\$2.00
Non-Food	Hats	10	1	\$5.00
Non-Food	Hand Towels	100	1	\$0.50
Non-Food	Hand Wash	1	1	\$2.00
Non-Food	Ice Pack	1	1	\$1.00
Non-Food	Latex Gloves	100	1	\$0.50
Non-Food	Leather Gloves	10	1	\$5.00
Non-Food	Mask	100	1	\$0.50
Non-Food	Plastic Bag	100	1	\$0.10
Non-Food	Plastic Bottles	100	1	\$0.10
Non-Food	Plastic Gloves	100	1	\$0.50
Non-Food	Plastic Wrap	100	1	\$0.10
Non-Food	Plastic Ziploc	100	1	\$0.10
Non-Food	Shirt	1	1	\$10.00
Non-Food	Socks	100	1	\$0.50
Non-Food	Towel	100	1	\$0.50
Non-Food	Toilet Paper	100	1	\$0.50
Non-Food	Water Filter	1	1	\$10.00

Summary				
Disc	Time	Author	Message/Promo	Notes
1	10:00 AM			
2	10:00 AM			

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 208, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, CHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
September 1, 2024	0300	69	L. Sansm
	0600	70	A. Elliott
	0900	75	A. Elliott
	1200	80	A. Elliott
	1500	91	J. Silva Ponce
	1800	90	J. Silva Ponce
	2100	80	72
	2400	80	72

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

stage II @ docm @ 1560 9-1-24

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 2, 2024	0300	80	PETAWAY
	0600	70	A. Elliott
	0900	75	A. Elliott
	1200	82	A. Elliott
	1500	92	J. SILVA PONCE
	1800	84	J. SILVA PONCE
	2100	84	J. SILVA PONCE
	2400	85	PETAWAY

Tuesday			
Date	Time	Temp.	Name(Print)
September 3, 2024	0300	78	PETAWAY
	0600	71	A. Elliott
	0900	75	A. Elliott
	1200	80	A. Elliott
	1500	94	J. SILVA PONCE
	1800	82	J. SILVA PONCE
	2100	85	J. SILVA PONCE
	2400	84	PETAWAY

Wednesday			
Date	Time	Temp.	Name(Print)
September 4, 2024	0300	79	PETAWAY
	0600	79	Bernal
	0900	79	Bernal
	1200	86	Bernal
	1500	97	J. SILVA PONCE
	1800	95	J. SILVA PONCE
	2100	91	J. SILVA PONCE
	2400	87	PETAWAY

Thursday			
Date	Time	Temp.	Name(Print)
September 5, 2024	0300	80	PETAWAY
	0600	80	D. COSS
	0900	84	D. COSS
	1200	89	D. COSS
	1500	97	R. MARTINEZ
	1800	98	R. MARTINEZ
	2100	95	R. MARTINEZ
	2400	90	PETAWAY

Friday			
Date	Time	Temp.	Name(Print)
September 6, 2024	0300	85	PETAWAY
	0600	87	D. COSS
	0900	82	D. COSS
	1200	83	D. COSS
	1500	100	1415 STAGE 3 Alarm
	1800	100	Alarm
	2100	95	Alarm
	2400	90	Bill

Saturday			
Date	Time	Temp.	Name(Print)
September 7, 2024	0300	89	Bill
	0600	81	R. DELGADO
	0900	86	R. DELGADO
	1200	90	R. DELGADO
	1500	98	CROZIER
	1800	98	CROZIER
	2100	96	CROZIER
	2400	89	Rape

Sunday			
Date	Time	Temp.	Name(Print)
September 8, 2024	0300	84	Rogier
	0600	80	Rogier
	0900	80	Rogier
	1200	92	Rogier
	1500	101	J. SILVA PONCE
	1800	98	J. SILVA PONCE
	2100	95	J. SILVA PONCE
	2400	91	22

DISTRIBUTION: Original: Institution ADA Coordinator

Notes
 9/2/24 1335 STAGE II ACTIVATED watch notified
 9/2/24 1512 92° STAGE II
 9/3/24 1335 STAGE II ACTIVATED watch notified
 9/3/24 OUT OF STAGE II 89°
 9/4/24 STAGE III 95° AT 1347
 9/4/24 OUT OF STAGE III 98° @ 945
 9/5/24 W/H Client C 0030 HAD
 9/5/24 STAGE III AT 110°
 9/5/24 0100 OFF Stage II
 9-7-24 STAGE III AT 1416
 9-8-24 Stage III off @ 2300
 1/7/24

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 9, 2024	0300	85	122
	0600	80	A-Elliott
	0900	83	A-Elliott ✓
	1200	88	A-Elliott
	1500	94	J. Silva Ponce
	1800	97	J. Silva Ponce
	2100	91	J. Silva Ponce
	2400	80	PETROVSKY

Wednesday

Date	Time	Temp.	Name(Print)
September 11, 2024	0300	77	PETROVSKY
	0600	77	AREFO
	0900	77	AREFO ✓
	1200	80	AREFO
	1500	82	J. Silva Ponce
	1800	79	J. Silva Ponce
	2100	74	J. Silva Ponce
	2400	72	PETROVSKY

Friday

Date	Time	Temp.	Name(Print)
September 13, 2024	0300	67	PETROVSKY
	0600	68	PETROVSKY
	0900	69	Cox ✓
	1200	70	Cox ✓
	1500	79	M-Brown
	1800	80	M-Brown
	2100	73	M-Brown
	2400	71	PETROVSKY

Sunday

Date	Time	Temp.	Name(Print)
September 15, 2024	0300	69	PETROVSKY
	0600	61	A-Elliott
	0900	71	A-Elliott
	1200	74	A-Elliott
	1500	79	J. Silva Ponce
	1800	75	J. Silva Ponce
	2100	69	J. Silva Ponce ✓
	2400	68	122

Tuesday

Date	Time	Temp.	Name(Print)
September 10, 2024	0300	75	PETROVSKY
	0600	73	A-Elliott
	0900	70	A-Elliott
	1200	81	A-Elliott ✓
	1500	95	J. Silva Ponce
	1800	91	J. Silva Ponce
	2100	84	J. Silva Ponce
	2400	80	PETROVSKY

Thursday

Date	Time	Temp.	Name(Print)
September 12, 2024	0300	70	PETROVSKY
	0600	70	CLIFFTON
	0900	72	Clifton
	1200	76	Clifton
	1500	76	J. Silva Ponce
	1800	77	J. Silva Ponce
	2100	72	J. Silva Ponce
	2400	70	PETROVSKY

Saturday

Date	Time	Temp.	Name(Print)
September 14, 2024	0300	67	PETROVSKY
	0600	76	Renier
	0900	76	Renier
	1200	76	Renier
	1500	76	A-Hussein
	1800	78	A-Hussein
	2100	78	A-Hussein
	2400	73	Dore

Notes

9-9-24 @ 0206 hrs stage II de-activated
 9-9-24 @ 1237 STAGE II Activated
 9/10/24 OFF UNIT Stay III @ 1100 + Stage III @ 1230
 9/10/24 @ 1320 STAGE II Activated
 9/10/24 @ STAGE III 95 1410
 9/10/24 out of Stage III 95.
 9/10/24 out of Stage II 89 @ 1920

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 16, 2024	0300	68	<u>ED</u>
	0600	68	<u>A. Elliott</u>
	0900	69	<u>A. Elliott</u> <u>W</u>
	1200	71	<u>A. Elliott</u>
	1500	74	<u>J. Silva Ponce</u>
	1800	74	<u>J. Silva Ponce</u>
	2100	67	<u>J. Silva Ponce</u>
	2400	67	<u>PETERS</u>

Wednesday

Date	Time	Temp.	Name(Print)
September 18, 2024	0300	68	<u>PETERS</u>
	0600	68	<u>A. Elliott</u>
	0900	68	<u>A. Elliott</u> <u>W</u>
	1200	70	<u>A. Elliott</u>
	1500	70	<u>J. Silva Ponce</u>
	1800	72	<u>J. Silva Ponce</u>
	2100	71	<u>J. Silva Ponce</u>
	2400	68	<u>Nurman</u>

Friday

Date	Time	Temp.	Name(Print)
September 20, 2024	0300	67	<u>Bernardino</u>
	0600	67	<u>Coss</u>
	0900	69	<u>Coss</u>
	1200	70	<u>Coss</u> <u>W</u>
	1500	76	<u>Rodriguez</u>
	1800	75	<u>Rodriguez</u>
	2100	75	<u>Rodriguez</u>
	2400	72	<u>C. Sansan</u>

Sunday

Date	Time	Temp.	Name(Print)
September 22, 2024	0300	68	<u>Ryle</u>
	0600	68	<u>A. Elliott</u>
	0900	70	<u>A. Elliott</u>
	1200	74	<u>A. Elliott</u> <u>W</u>
	1500	70	<u>E. Chisholm</u>
	1800	72	<u>E. Chisholm</u>
	2100	70	<u>E. Chisholm</u>
	2400	74	<u>E. Chisholm</u>

Tuesday

Date	Time	Temp.	Name(Print)
September 17, 2024	0300	65	<u>PETERS</u>
	0600	66	<u>A. Elliott</u>
	0900	66	<u>A. Elliott</u>
	1200	69	<u>A. Elliott</u> <u>W</u>
	1500	69	<u>J. Silva Ponce</u>
	1800	73	<u>J. Silva Ponce</u>
	2100	70	<u>J. Silva Ponce</u>
	2400	68	<u>PETERS</u>

Thursday

Date	Time	Temp.	Name(Print)
September 19, 2024	0300	67	<u>Nicola</u>
	0600	68	<u>A. Ponte</u>
	0900	68	<u>A. Ponte</u>
	1200	69	<u>A. Ponte</u>
	1500	69	<u>R. Martinez</u> <u>W</u>
	1800	71	<u>R. Martinez</u>
	2100	70	<u>R. Martinez</u>
	2400	67	<u>Bernardino</u>

Saturday

Date	Time	Temp.	Name(Print)
September 21, 2024	0300	70	<u>C. Sansan</u>
	0600	70	<u>Woods</u>
	0900	70	<u>Woods</u>
	1200	74	<u>Woods</u>
	1500	70	<u>Babin</u>
	1800	78	<u>Robin</u>
	2100	73	<u>Babin</u>
	2400	71	<u>Robin</u>

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024 ✓	0300	70	✓
	0600	69	A. Elliott
	0900	74	A. Elliott
	1200	77	A. Elliott
	1500	82	J. SILVA PONCE
	1800	80	J. SILVA PONCE
	2100	78	J. SILVA PONCE
	2400	76	A. Bradford

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024 ✓	0300	70	A. Bradford
	0600	68	A. Elliott
	0900	68	A. Elliott
	1200	73	A. Elliott
	1500	81	J. SILVA PONCE
	1800	77	J. SILVA PONCE
	2100	74	J. SILVA PONCE
	2400	72	A. Bradford

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024 ✓	0300	69	A. Bradford
	0600	68	D. COSS
	0900	70	D. COSS
	1200	74	D. COSS
	1500	79	A. Munoz
	1800	76	A. Munoz
	2100	75	A. Munoz
	2400	72	A. Bradford

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024 ✓	0300	70	✓
	0600	68	A. Elliott
	0900	66	A. Elliott
	1200	74	A. Elliott
	1500	86	J. SILVA PONCE
	1800	81	J. SILVA PONCE
	2100	77	J. SILVA PONCE
	2400	74	B. Gonzalez

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024 ✓	0300	72	A. Bradford
	0600	72	A. Elliott
	0900	69	A. Elliott
	1200	78	A. Elliott
	1500	84	J. SILVA PONCE
	1800	82	J. SILVA PONCE
	2100	77	J. SILVA PONCE
	2400	74	A. Bradford

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	70	A. Bradford
	0600	66	F. Nagco
	0900	69	F. Nagco
	1200	74	F. Nagco
	1500	81	R. Martinez
	1800	76	R. Martinez
	2100	74	R. Martinez
	2400	72	A. Bradford

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	69	A. Bradford
	0600	70	Ward
	0900	72	Ward
	1200	73	Ward
	1500	78°	A. Arredondo
	1800	78	A. Arredondo
	2100	78	N. Soto
	2400	73	D. Rife

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC

Housing Unit: B02

Temp. Reading Location:

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 30, 2024	0300	74	A. Bonzare
	0600	69	A. Elliott
	0900	72	A. Elliott
	1200	77	A. Elliott
	1500	80	Anita
	1800	86	Eric
	2100	87	Fryer
	2400	80	P. Hernandez

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**DESIGNATED HEAT DORMS-102, 103 109, 111, 201, 202, 203, 208 214, 303
304, 308, 311, 312 313, 401, 402, 403, 404, 405
406, 407, 408 409 CHU**

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
	0300	50°	John S.
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday		Date	Time	Temp.	Name(Print)
September 1, 2024			0300	80	Morales
			0600	79	Morales
			0900	74	Carrasco
			1200	80	Morales
			1500	84	Morales
			1800	84	Morales
			2100	82	Morales
			2400	81	Carrasco

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 2, 2024	0300	77	CECS
	0600	78	C. DELATOLLE
	0900	78	C. DELATOLLE
	1200	80	C. DELATOLLE
	1500	80	E. SANCHEZ
	1800	80	E. SANCHEZ
	2100	80	E. SANCHEZ
	2400	78	CECS

Wednesday

Date	Time	Temp.	Name(Print)
September 4, 2024	0300	78	CECS
	0600	77	NAGAO
	0900	83	NAGAO
	1200	88	NAGAO
	1500	92	GARCIASO
	1800	93	GARCIASO
	2100	89	GARCIASO
	2400	88	MORENO

Friday

Date	Time	Temp.	Name(Print)
September 6, 2024	0300	90	MORENO
	0600	88	R. GARCIA
	0900	86	R. GARCIA
	1200	89	R. GARCIA
	1500	90	E. SANCHEZ
	1800	90	E. SANCHEZ
	2100	92	E. SANCHEZ
	2400	92	A. SANTOS

Sunday

Date	Time	Temp.	Name(Print)
September 8, 2024	0300	82	CECS
	0600	78	R. GARCIA
	0900	82	R. GARCIA
	1200	87	R. GARCIA
	1500	90	Mechastran
	1800	96	Mechastran
	2100	95	Mechastran
	2400	93	Jas

Tuesday

Date	Time	Temp.	Name(Print)
September 3, 2024	0300	76	CECS
	0600	78	GIGENA
	0900	80	GIGENA
	1200	80	GIGENA
	1500	84	GARCIASO
	1800	88	GARCIASO
	2100	86	CECS
	2400	80	CECS

Thursday

Date	Time	Temp.	Name(Print)
September 5, 2024	0300	80	MORENO
	0600	78	R. GARCIA
	0900	82	R. GARCIA
	1200	89	R. GARCIA
	1500	90	E. SANCHEZ
	1800	92	E. SANCHEZ
	2100	92	E. SANCHEZ
	2400	92	MORENO

Saturday

Date	Time	Temp.	Name(Print)
September 7, 2024	0300	87	A. SANTOS
	0600	84	R. GARCIA
	0900	86	R. GARCIA
	1200	89	R. GARCIA
	1500	90	E. SANCHEZ
	1800	99	E. SANCHEZ
	2100	92	E. SANCHEZ
	2400	88	22

Notes

9/3/24 - STAGE 1 @ 1131

9/5/24 - STAGE 2 @ 1257

9/7/24 - STAGE 2 @ 1400

9/7/24 - STAGE 3 @ 1415

9/8/24 - Stage 3 @ 1405

9/9/24 - STAGE 3 @ 0030 HWD

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 9, 2024	0300	79	JONES
	0600	80	C. DELATORRE
	0900	81	C. DELATORRE
	1200	86	C. DELATORRE
	1500	90	C. DELATORRE
	1800	96	M. Y.
	2100	94	M. Y.
	2400	87	CECI

Tuesday			
Date	Time	Temp.	Name(Print)
September 10, 2024	0300	83	CECI
	0600	89	C. DELATORRE
	0900	81	C. DELATORRE
	1200	88	C. DELATORRE
	1500	95	N. KERAMIS
	1800	92	N. KERAMIS
	2100	86	N. KERAMIS
	2400	83	CECI

Wednesday			
Date	Time	Temp.	Name(Print)
September 11, 2024	0300	80	CECI
	0600	76	M. BROWN
	0900	76	M. BROWN
	1200	80	M. BROWN
	1500	81	GARCIAS
	1800	88	GARCIAS
	2100	79	GARCIAS
	2400	76	M. BROWN

Thursday			
Date	Time	Temp.	Name(Print)
September 12, 2024	0300	72	M. BROWN
	0600	72	R. GARCIA
	0900	72	R. GARCIA
	1200	74	R. GARCIA
	1500	75	SANCHEZ
	1800	75	SANCHEZ
	2100	75	SANCHEZ
	2400	74	M. BROWN

Friday			
Date	Time	Temp.	Name(Print)
September 13, 2024	0300	72	M. BROWN
	0600	74	M. BROWN
	0900	75	M. BROWN
	1200	79	M. BROWN
	1500	79	SANCHEZ
	1800	75	SANCHEZ
	2100	73	SANCHEZ
	2400	70	72

Saturday			
Date	Time	Temp.	Name(Print)
September 14, 2024	0300	70	R. GARCIA
	0600	71	R. GARCIA
	0900	73	R. GARCIA
	1200	75	R. GARCIA
	1500	81	M. CHRISTIAN
	1800	75	M. CHRISTIAN
	2100	72	M. CHRISTIAN
	2400	70	R. LOPEZ

Sunday			
Date	Time	Temp.	Name(Print)
September 15, 2024	0300	67	R. LOPEZ
	0600	68	R. GARCIA
	0900	71	R. GARCIA
	1200	75	R. GARCIA
	1500	77	C. DIAZ
	1800	76	C. DIAZ
	2100	72	C. DIAZ
	2400	70	J. LYONS

Notes
09/10/24 1500 STAGE III called minor TTA.
STAGE 3 occurring @ 1630 ~~NO~~

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 16, 2024	0300	70	J. KJELSEN
	0600	70	C. DELA TORRE
	0900	70	C. DELA TORRE
	1200	72	C. DELA TORRE
	1500	74	DAB
	1800	74	DAB
	2100	72	DAB
	2400	72	CECS

Wednesday

Date	Time	Temp.	Name(Print)
September 18, 2024	0300	68	CECS
	0600	68	Nagao
	0900	68	Nagao
	1200	70	Nagao
	1500	70	GARBIASO
	1800	70	GARBIASO
	2100	70	GARBIASO
	2400	70	Morgan

Friday

Date	Time	Temp.	Name(Print)
September 20, 2024	0300	70	Morgan
	0600	68	R. GARCIA
	0900	70	R. GARCIA
	1200	71	R. GARCIA
	1500	73	F. SANCHEZ
	1800	73	F. SANCHEZ
	2100	73	F. SANCHEZ
	2400	70	22

Sunday

Date	Time	Temp.	Name(Print)
September 22, 2024	0300	68	22
	0600	68	R. GARCIA
	0900	72	R. GARCIA
	1200	75	R. GARCIA
	1500	80	F. SANCHEZ
	1800	80	F. SANCHEZ
	2100	80	F. SANCHEZ
	2400	70	CECS

Tuesday

Date	Time	Temp.	Name(Print)
September 17, 2024	0300	72	CECS
	0600	72	C. DELA TORRE
	0900	72	C. DELA TORRE
	1200	72	C. DELA TORRE
	1500	70	GARBIASO
	1800	70	GARBIASO
	2100	70	GARBIASO
	2400	69	CECS

Thursday

Date	Time	Temp.	Name(Print)
September 19, 2024	0300	70	Morgan
	0600	67	R. GARCIA
	0900	69	R. GARCIA
	1200	70	R. GARCIA
	1500	70	F. SANCHEZ
	1800	70	F. SANCHEZ
	2100	70	F. SANCHEZ
	2400	70	Morgan

Saturday

Date	Time	Temp.	Name(Print)
September 21, 2024	0300	68	22
	0600	66	R. GARCIA
	0900	69	R. GARCIA
	1200	71	R. GARCIA
	1500	75	F. SANCHEZ
	1800	75	F. SANCHEZ
	2100	73	F. SANCHEZ
	2400	70	22

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024	0300	77	CFC
	0600	70	C.DELATORE
	0900	77	C.DELATORE
	1200	77	C.DELATORE
	1500	84	F.SANCHEZ
	1800	83	F.SANCHEZ
	2100	81	F.SANCHEZ
	2400	78	M.Adkin

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024	0300	67	CFC
	0600	69	Nugro
	0900	71	Nugro
	1200	75	Nugro
	1500	78	R.GARCIA
	1800	80	R.GARCIA
	2100	78	R.GARCIA
	2400	71	CFC

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024	0300	70	MORRAN
	0600	69	R.GARCIA
	0900	72	R.GARCIA
	1200	78	R.GARCIA
	1500	79	F.SANCHEZ
	1800	77	F.SANCHEZ
	2100	78	F.SANCHEZ
	2400	74	R.GARCIA

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024	0300	70	R.GARCIA
	0600	68	R.GARCIA
	0900	70	R.GARCIA
	1200	80	R.GARCIA
	1500	80	E.GONZALEZ
	1800	80	E.GONZALEZ
	2100	79	E.GONZALEZ
	2400	76	CFC

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024	0300	76	M.ADKIN
	0600	73	C.DELATORE
	0900	72	C.DELATORE
	1200	72	C.DELATORE
	1500	71	CARDENAS
	1800	70	CARDENAS
	2100	70	CARDENAS
	2400	69	CFC

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	71	CFC
	0600	68	R.GARCIA
	0900	72	R.GARCIA
	1200	76	R.GARCIA
	1500	80	F.SANCHEZ
	1800	79	F.SANCHEZ
	2100	77	F.SANCHEZ
	2400	76	W.MORRAN

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	72	R.GARCIA
	0600	68	R.GARCIA
	0900	75	R.GARCIA
	1200	78	R.GARCIA
	1500	81	F.SANCHEZ
	1800	78	F.SANCHEZ
	2100	75	F.SANCHEZ
	2400	74	R.GARCIA

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

**DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU**

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _____

Housing Unit:

303

Temp. Reading Location:

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Date	Time	Temp.	Name(Print)
September 30, 2024			0300	71	CES
			0600	70	C DEPARTMENT
			0900	70	C DEPARTMENT
			1200	70	C Dantun
			1500	88	JL MASTERS
			1800	88	JL MASTERS
			2100	82	JL MASTERS
			2400	98	CES

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0800		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
9/10/12	0300	74	R. CAMELL
	0600	74	M. Ramirez
	0900	76	M. Ramirez
	1200	80	M. Ramirez
	1500	82	R. LINTER
	1800	82	R. LOPEZ
	2100	78	R. LOPEZ
	2400	78	BRIAN PEREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 2, 2024	0300	78	Bradford
	0600	78	M. J.
	0900	80	M. J.
	1200	80	M. J.
	1500	86°	G. OUMOA
	1800	80°	G. OUMOA
	2100	76°	G. OUMOA
	2400	72	J. J.

Wednesday

Date	Time	Temp.	Name(Print)
September 4, 2024	0300	78°	S. CLEMENTS
	0600	78°	A. Hernandez
	0900	81°	A. Hernandez
	1200	81°	A. Hernandez
	1500	80°	C. OUMOA
	1800	80°	C. OUMOA
	2100	89°	G. OUMOA
	2400	85°	S. CLEMENTS

Friday

Date	Time	Temp.	Name(Print)
September 6, 2024	0300	79°	S. CLEMENTS
	0600	79°	A. Hernandez
	0900	80°	A. Hernandez
	1200	90°	M. J.
	1500	90°	G. OUMOA
	1800	90°	G. OUMOA
	2100	90°	C. OUMOA
	2400	85°	S. CLEMENTS

Sunday

Date	Time	Temp.	Name(Print)
September 8, 2024	0300	90	J. P. M.
	0600	90	S. Bustos
	0900	80	S. Bustos
	1200	90	S. Bustos
	1500	100°	R. Lopez
	1800	99°	R. Lopez
	2100	94°	R. Lopez
	2400	91	J. T. M.

Tuesday

Date	Time	Temp.	Name(Print)
September 3, 2024	0300	72	Jed
	0600	72	Jed
	0900	78	J. TORRES
	1200	8	J. TORRES
	1500	88	G. OUMOA
	1800	88	G. OUMOA
	2100	84	C. OUMOA
	2400	79°	S. CLEMENTS

Thursday

Date	Time	Temp.	Name(Print)
September 5, 2024	0300	73°	S. CLEMENTS
	0600	83	S. Serrato
	0900	83	S. Serrato
	1200	87	S. Serrato
	1500	90°	G. OUMOA
	1800	89°	G. OUMOA
	2100	89°	G. OUMOA
	2400	85°	S. CLEMENTS

Saturday

Date	Time	Temp.	Name(Print)
September 7, 2024	0300	80°	S. CLEMENTS
	0600	78°	A. Arredondo
	0900	79°	A. Arredondo
	1200	90°	A. Arredondo
	1500	100°	122
	1800	100°	122
	2100	98°	122
	2400	90	L. P. M.

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 9, 2024	0300	87	J. Indu
	0600	84	M. Serrano
	0900	84	M. Serrano
	1200	86	M. Serrano
	1500	90°	Gordon
	1800	89°	Gordon
	2100	87°	Gordon
	2400	90	M. Serrano

Wednesday			
Date	Time	Temp.	Name(Print)
September 11, 2024	0300	78°	S. Clement
	0600	74	Serrano
	0900	73	Serrano
	1200	78	Serrano
	1500	86°	Gordon
	1800	79°	Gordon
	2100	78°	Gordon
	2400	79°	S. Clement

Friday			
Date	Time	Temp.	Name(Print)
September 13, 2024	0300	65°	S. Clement
	0600	65	A. Arredondo
	0900	70°	A. Arredondo
	1200	70°	A. Arredondo
	1500	77°	Gordon
	1800	73°	Gordon
	2100	70°	Gordon
	2400	70°	S. Clement

Sunday			
Date	Time	Temp.	Name(Print)
September 15, 2024	0300	70	L. Sansm
	0600	70	M. Serrano
	0900	72	M. Serrano
	1200	74	M. Serrano
	1500	74	22
	1800	74	22
	2100	72	22
	2400	70	D. Merado

Tuesday			
Date	Time	Temp.	Name(Print)
September 10, 2024	0300	84	M. Serrano
	0600	82	M. Serrano
	0900	83	M. Serrano
	1200	85	M. Serrano
	1500	89°	Gordon
	1800	88°	Gordon
	2100	81°	Gordon
	2400	80°	S. Clement

Thursday			
Date	Time	Temp.	Name(Print)
September 12, 2024	0300	95°	S. Clement
	0600	68	Serrano
	0900	68	Serrano
	1200	70	Serrano
	1500	71°	Gordon
	1800	70°	Gordon
	2100	69°	Gordon
	2400	67°	S. Clement

Saturday			
Date	Time	Temp.	Name(Print)
September 14, 2024	0300	68°	S. Clement
	0600	68°	A. Arredondo
	0900	70	A. Arredondo
	1200	74	A. Arredondo
	1500	76	22
	1800	74	22
	2100	72	22
	2400	70	E. Sansm

Notes
6/9/24 Deactivate Stage 2 Heat at 0155

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
 304, 308, 311, 312, 313, 401, 402, 403, 404, 405
 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 16, 2024	0300	68	D.MERCADO
	0600	70	M. Serrano
	0900	71	M. Serrano
	1200	71	M. Serrano W
	1500	76°	C. GONZALEZ
	1800	73°	C. GONZALEZ
	2100	69°	C. GONZALEZ
	2400	67	M. Serrano

Wednesday

Date	Time	Temp.	Name(Print)
September 18, 2024	0300	64°	S. CLEMENTE
	0600	68	S. CLEMENTE
	0900	70	S. CLEMENTE
	1200	71	S. CLEMENTE W
	1500	76°	C. GONZALEZ
	1800	71°	C. GONZALEZ
	2100	66°	C. GONZALEZ
	2400	65	G. Gonzalez

Friday

Date	Time	Temp.	Name(Print)
September 20, 2024	0300	63°	S. CLEMENTE
	0600	65	R. DELGADO
	0900	68	R. DELGADO
	1200	72	R. DELGADO W
	1500	70	C. GONZALEZ
	1800	70	C. GONZALEZ
	2100	69	C. GONZALEZ
	2400	68°	S. CLEMENTE

Sunday

Date	Time	Temp.	Name(Print)
September 22, 2024	0300	66	L. Pino
	0600	69	R. Gonzalez
	0900	69	R. Gonzalez
	1200	76	R. Gonzalez
	1500	76	R. Gonzalez
	1800	76	R. Gonzalez
	2100	74	R. Gonzalez
	2400	74	D. MERCADO

Tuesday

Date	Time	Temp.	Name(Print)
September 17, 2024	0300	66	M. Serrano
	0600	67°	A. Arredondo
	0900	67°	A. Arredondo
	1200	69°	A. Arredondo
	1500	74°	G. Gonzalez
	1800	71°	G. Gonzalez
	2100	67°	G. Gonzalez
	2400	65°	S. Clemente

Thursday

Date	Time	Temp.	Name(Print)
September 19, 2024	0300	65	G. Gonzalez
	0600	70	S. Clemente
	0900	69	S. Clemente
	1200	76°	S. Clemente
	1500	76°	C. GONZALEZ
	1800	70°	C. GONZALEZ
	2100	65°	C. GONZALEZ
	2400	64°	S. Clemente

Saturday

Date	Time	Temp.	Name(Print)
September 21, 2024	0300	63°	S. Clemente
	0600	65	R. Delgado
	0900	68	R. Delgado
	1200	70	R. Delgado
	1500	74	R. Lopez
	1800	74	R. Lopez
	2100	72	R. Lopez
	2400	72	L. Pino

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 308, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024	0300	73°	D. MERCADO
	0600	73°	J. MARTINEZ
	0900	73°	J. MARTINEZ
	1200	75°	J. MARTINEZ ✓
	1500	80°	G. GONZALEZ
	1800	78°	G. GONZALEZ
	2100	76°	G. GONZALEZ
	2400	76°	M. SERRANO

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024	0300	73°	S. CLEMENT
	0600	70°	Serrano
	0900	71°	Serrano
	1200	72°	Serrano ✓
	1500	70°	G. GONZALEZ
	1800	78°	G. GONZALEZ
	2100	69°	A. ARREDONDO
	2400	68°	S. CLEMENT

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024	0300	68°	S. CLEMENT
	0600	65°	A. ARREDONDO
	0900	68°	A. ARREDONDO
	1200	72°	A. ARREDONDO ✓
	1500	78°	P. MEZA
	1800	87°	A. ARREDONDO
	2100	75°	A. ARREDONDO
	2400	71°	S. CLEMENT

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024	0300	65°	C. SANCHEZ
	0600	67°	A. MEZA
	0900	69°	A. MEZA ✓
	1200	72°	A. MEZA
	1500	83°	R. RIVERA
	1800	80°	A. ELLIOTT
	2100	77°	A. ELLIOTT
	2400	78°	Z. JONES

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024	0300	75°	M. SERRANO
	0600	71°	R. GONZALEZ
	0900	70°	R. GONZALEZ
	1200	76°	R. GONZALEZ ✓
	1500	86°	G. GONZALEZ
	1800	73°	G. GONZALEZ
	2100	79°	G. GONZALEZ
	2400	76°	S. CLEMENT

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	64°	S. CLEMENT
	0600	68°	SERRANO
	0900	70°	SERRANO
	1200	75°	SERRANO ✓
	1500	72°	CASTRO
	1800	78°	CASTRO
	2100	76°	CASTRO
	2400	74°	S. CLEMENT

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	68°	S. CLEMENT
	0600	66°	A. ARREDONDO
	0900	68°	A. ARREDONDO
	1200	70°	A. ARREDONDO ✓
	1500	76°	Z. JONES
	1800	78°	Z. JONES
	2100	78°	Z. JONES
	2400	70°	R. SANCHEZ

Notes

**DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409 OHU**

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PLC Housing Unit: Residential Temp. Reading Location: Down 30 ft
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Date	Time	Temp.	Name(Print)
September 30, 2024			0300	75	<i>R. Hill</i>
			0600	71	<i>M. M. Hill</i>
			0900	72	<i>M. M. Hill</i>
			1200	74	<i>M. M. Hill</i>
			1500	85	<i>R. Gonzalez</i>
			1800	87	<i>R. Gonzalez</i>
			2100	84	<i>R. Gonzalez</i>
			2400	78	<i>M. Andersen</i>

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday		Temp.	Name(Print)
Date	Time		
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409 (OH))

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
September 1, 2024	0300	74	Arun
	0600	74	Rodriguez
	0900	76	Rodriguez
	1200	78	Rodriguez
	1500	81	T. Edwards
	1800	80	T. Edwards
	2100	80	T. Edwards
	2400	79	H-Avina

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 2, 2024	0300	73	AVILA
	0600	73	D.Garcia
	0900	75	D.Garcia
	1200	85	D.Garcia
	1500	89	E.Cabral
	1800	89	E.Cabral
	2100	83	E.Cabral
	2400	80	H.AVILA

Wednesday			
Date	Time	Temp.	Name(Print)
September 4, 2024	0300	80	AVILA
	0600	77	M.Nunez
	0900	78	M.Nunez
	1200	85	M.Nunez
	1500	94	T.Edwards
	1800	93	T.Edwards
	2100	88	T.Edwards
	2400	86	AVILA

Friday			
Date	Time	Temp.	Name(Print)
September 6, 2024	0300	82	A.VILLA
	0600	82	M.Nunez
	0900	84	M.Nunez
	1200	87	M.Nunez
	1500	99	T.Edwards
	1800	100	T.Edwards
	2100	99	T.Edwards
	2400	90	D.MERCADO

Sunday			
Date	Time	Temp.	Name(Print)
September 8, 2024	0300	85	AVILA
	0600	80	Rodriguez
	0900	80	Rodriguez
	1200	90	Rodriguez
	1500	100	Rodriguez
	1800	101	Rodriguez
	2100	96	Rodriguez
	2400	90	AVILA

Tuesday			
Date	Time	Temp.	Name(Print)
September 3, 2024	0300	75	AVILA
	0600	75	D.Garcia
	0900	76	D.Garcia
	1200	82	D.Garcia
	1500	85	N.Ramirez
	1800	88	N.Ramirez
	2100	81	N.Ramirez
	2400	80	AVILA

Thursday			
Date	Time	Temp.	Name(Print)
September 5, 2024	0300	75	AVILA
	0600	74	M.Nunez
	0900	78	M.Nunez
	1200	84	M.Nunez
	1500	102	T.Edwards
	1800	100	T.Edwards
	2100	97	T.Edwards
	2400	93	T.Edwards

Saturday			
Date	Time	Temp.	Name(Print)
September 7, 2024	0300	89	D.MERCADO
	0600	85	M.Nunez
	0900	86	M.Nunez
	1200	88	M.Nunez
	1500	99	T.Edwards
	1800	98	T.Edwards
	2100	93	T.Edwards
	2400	81	AVILA

Notes

Stage I UMA Activated 1157
 Stage I UMA Activated 1130
 Stage II @ 1239 9/5/24
 Stage II @ 1246 9/6/24
 Stage II @ 1302 9/7/24
 Stage III @ 1142 9/7/24 / 0020 9/8/24 SHOWERED
 Stage III @ 1320 9/8/24
 Stage III 0035 9/9/24

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU**

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Date	Time	Temp.	Name(Print)
September 9, 2024			0300	85	Auria
			0600	85	Bustos
			0900	85	Bustos
			1200	90	Bustos
			1500	91	Cabreria
			1800	98	Cabreria
			2100	99	Cabreria
			2400	89	Auria

Tuesday			
Date	Time	Temp.	Name(Print)
September 10, 2024	0300	85	Auriel
	0600	80	E Hernandez
	0900	79	E Hernandez
	1200	88°	E Hernandez
	1500	94	E Giron
	1800	88	E Giron
	2100	85	E Giron
	2400	81	Auriel

Wednesday			
Date	Time	Temp.	Name(Print)
September 11, 2024	0300	75	Avinash
	0600	75	M. Dinesh
	0900	74	M. Dinesh
	1200	78	M. Dinesh
	1500	83	C. Rajesh
	1800	81	C. Rajesh
	2100	79	C. Rajesh
	2400	73	Avinash

Thursday			
Date	Time	Temp.	Name(Print)
September 12, 2024	0300	70	A. Wm
	0600	70	M. Neer
	0900	72	M. Neer
	1200	73	M. Neer
	1500	80	Chill
	1800	75	Chill
	2100	75	Chill
	2400	70	A. Wm

Friday			
Date	Time	Temp.	Name(Print)
September 13, 2024	0300	70	A. Diaz
	0600	70	M. Zee
	0900	72	M. Miller
	1200	74	M. Miller
	1500	79	T. Edwards
	1800	75	T. Edwards
	2100	72	T. Edwards
	2400	72	T. Johnson

Saturday		Date	Time	Temp.	Name(Print)
September 14, 2024			0300	70	R. Johnson
			0600	70	M. Nunez
			0900	71	M. Nunez
			1200	76	T. Edwards
			1500	76	T. Edwards
			1800	76	T. Edwards
			2100	73	T. Edwards
			2400	71	T. Edwards

Sunday

Date	Time	Temp.	Name(Print)
September 15, 2024	0300	70	John
	0600	67	Rodriguez
	0900	69	Rodriguez
	1200	72	Rodriguez
	1500	71	T. Edwards
	1800	71	T. Edwards
	2100	71	T. Edwards
	2400	70	John

Notes

1495 stage III (99°)
OFF Stage III @ 2030 - 94
OFF STAGE II 2325 - 81
stage II @ 1500
OFF stage II @ 1930

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 16, 2024	0300	70	ms
	0600	70	D. Garcia
	0900	70	D. Garcia
	1200	72	D. Garcia
	1500	70	Gabriel
	1800	70	Gabriel
	2100	68	Gabriel
	2400	67	JW

Wednesday

Date	Time	Temp.	Name(Print)
September 18, 2024	0300	68	JWS
	0600	68	M. Diaz
	0900	70	M. Diaz
	1200	72	M. Diaz
	1500	71	C. Hall
	1800	73	C. Hall
	2100	72	C. Hall
	2400	70	JWS

Friday

Date	Time	Temp.	Name(Print)
September 20, 2024	0300	68	A. Diaz
	0600	70	CEDA
	0900	71	CEDA
	1200	72	T. Edwards
	1500	71	T. Edwards
	1800	71	T. Edwards
	2100	75	T. Edwards
	2400	71	J. Ind

Sunday

Date	Time	Temp.	Name(Print)
September 22, 2024	0300	69	JWS
	0600	68	Zamora
	0900	68	Zamora
	1200	74	Zamora
	1500	74	T. Edwards
	1800	70	T. Edwards
	2100	71	T. Edwards
	2400	73	AVILA

Tuesday

Date	Time	Temp.	Name(Print)
September 17, 2024	0300	65	JWS
	0600	68	P. Garcia
	0900	68	P. Garcia
	1200	69	D. Garcia
	1500	70	Cabral
	1800	71	Cabral
	2100	71	Cabral
	2400	70	JWS

Thursday

Date	Time	Temp.	Name(Print)
September 19, 2024	0300	68	JWS
	0600	68	M. Diaz
	0900	69	M. Diaz
	1200	71	M. Diaz
	1500	70	C. Hall
	1800	73	C. Hall
	2100	70	M. Diaz
	2400	70	A. Diaz

Saturday

Date	Time	Temp.	Name(Print)
September 21, 2024	0300	70	J. Ind
	0600	70	A. Arredondo
	0900	70	T. Edwards
	1200	73	T. Edwards
	1500	77	T. Edwards
	1800	75	T. Edwards
	2100	75	T. Edwards
	2400	71	JWS

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
 304, 308, 311, 312, 313, 401, 402, 403, 404, 405
 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024	0300	70	AVILA
	0600	70	DAZ
	0900	70	DAZ
	1200	76	DAZ
	1500	79	Cabron
	1800	77	Cabron
	2100	77	Cabron
	2400	75	AVILA

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024	0300	72	AVILA
	0600	70	M. Nunez
	0900	70	M. Nunez
	1200	72	M. Nunez
	1500	75	T. Edwards
	1800	71	T. Edwards
	2100	72	T. Edwards
	2400	71	R. Parra

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024	0300	70	A. Diaz
	0600	70	M. Nunez
	0900	71	M. Nunez
	1200	73	M. Nunez
	1500	74	T. Edwards
	1800	76	T. Edwards
	2100	78	T. Edwards
	2400	77	JW

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024	0300	72	AVILA
	0600	67	Rodriguez
	0900	67	Rodriguez
	1200	70	Rodriguez
	1500	74	T. Edwards
	1800	80	T. Edwards
	2100	78	T. Edwards
	2400	76	AVILA

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024	0300	72	AVILA
	0600	70	DAZ
	0900	70	DAZ
	1200	75	DAZ
	1500	76	Cabron
	1800	77	Cabron
	2100	77	Cabron
	2400	75	AVILA

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	70°	Plazma
	0600	70	M. Nunez
	0900	71	M. Nunez
	1200	73	M. Nunez
	1500	76	Cabron
	1800	77	Cabron
	2100	77	Cabron
	2400	74	A. Vidal

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	68	JW
	0600	69°	S. Sanchez
	0900	68°	S. Sanchez
	1200	70°	S. Sanchez
	1500	82	T. Edwards
	1800	81	T. Edwards
	2100	83	T. Edwards
	2400	75	H. Avila

Notes

**INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)**

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409 OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _____

Housing Unit:

305

Temp. Reading Location:

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees. _____ when the inside air temperature reaches

Monday			
Date	Time	Temp.	Name(Print)
September 30, 2024	0300	71	Aurilia
	0600	71	DIAZ
	0900	77	DIAZ
	1200	78	DIAZ
	1500	84	T. Edwards
	1800	89	T. Edwards
	2100	80	T. Edwards
	2400	78	Aurilia

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, DHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday		Date	Time	Temp.	Name(Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name(Print)
September 1, 2024	0300	80	Anthony
	0600	78°	TADIA
	0900	78°	TAPIA
	1200	80°	TAPIA
	1500	89	M. Moore
	1800	88	M. Moore
	2100	82	m. moore
	2400	79	Villa

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 2, 2024	0300	70	Villa
	0600	70	Villa
	0900	74	Cabriera
	1200	83	Cabriera
	1500	85	Villa
	1800	87	Villa
	2100	89	Villa
	2400	81	BEAUCHAMP

Wednesday

Date	Time	Temp.	Name(Print)
September 4, 2024	0300	77	BEAUCHAMP
	0600	80°	TAPIA
	0900	80°	TAPIA
	1200	82°	TAPIA
	1500	100	J. VILLA
	1800	95	J. VILLA
	2100	93	J. VILLA
	2400	89	BEAUCHAMP

Friday

Date	Time	Temp.	Name(Print)
September 6, 2024	0300	89	BEAUCHAMP
	0600	87°	TAPIA
	0900	86°	TAPIA
	1200	92°	TAPIA
	1500	100	C. GILL
	1800	100	C. GILL
	2100	97	C. GILL
	2400	94	BEAUCHAMP

Sunday

Date	Time	Temp.	Name(Print)
September 8, 2024	0300	89°	D. MERCADO
	0600	85°	TAPIA
	0900	85°	TAPIA
	1200	92°	TAPIA
	1500	100°	J. VILLA
	1800	98°	J. VILLA
	2100	95	J. VILLA
	2400	94	L. NIX

Tuesday

Date	Time	Temp.	Name(Print)
September 3, 2024	0300	78	BEAUCHAMP
	0600	72	Cabriera
	0900	75	Cabriera
	1200	84	M. SORIANO
	1500	89	J. VILLA
	1800	85	J. VILLA
	2100	84	J. VILLA
	2400	80	BEAUCHAMP

Thursday

Date	Time	Temp.	Name(Print)
September 5, 2024	0300	86	BEAUCHAMP
	0600	87	N. JORDAN
	0900	82	N. JORDAN
	1200	89	N. JORDAN
	1500	100	J. VILLA
	1800	101	J. VILLA
	2100	97	J. VILLA
	2400	93	BEAUCHAMP

Saturday

Date	Time	Temp.	Name(Print)
September 7, 2024	0300	89	BEAUCHAMP
	0600	85°	TAPIA
	0900	84°	TAPIA
	1200	90°	TAPIA
	1500	97	C. GILL
	1800	98	C. GILL
	2100	94	C. GILL
	2400	93	D. MERCADO

Notes

9-4-24 STAGE II DEACTIVATED @ 2555 HRS
9-5-24 STAGE III DEACTIVATED @ 2250 HRS
9/6/24 STAGE II ACTIVATED @ 1200 HRS
9/6/24 STAGE III ACTIVATED @ 1300 HRS
9-6-24 STAGE III DEACTIVATED @ 2230 HRS
9/7/24 STAGE II ACTIVATED @ 1200
9/7/24 STAGE III ACTIVATED @ 1330
9/8/24 STAGE II ACTIVATED @ 1200
9/8/24 STAGE III ACTIVATED @ 1250

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
 304, 308, 311, 312, 313, 401, 402, 403, 404, 405
 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 9, 2024	0300	88	L. NIX
	0600	89	E. CABRERA
	0900	84	E. CABRERA
	1200	87	E. CABRERA
	1500	98	J. VILLA
	1800	98	J. VILLA
	2100	94	J. VILLA
	2400	90	BEAUMARIE

Wednesday

Date	Time	Temp.	Name(Print)
September 11, 2024	0300	79	BEAUMARIE
	0600	76°	TAPIA
	0900	76°	TAPIA
	1200	78°	TAPIA
	1500	82	J. VILLA
	1800	80	J. VILLA
	2100	78	J. VILLA
	2400	76	BEAUMARIE

Friday

Date	Time	Temp.	Name(Print)
September 13, 2024	0300	71	BEAUMARIE
	0600	71°	TAPIA
	0900	71°	TAPIA
	1200	75°	TAPIA
	1500	80	J. VILLA
	1800	80	J. VILLA
	2100	77	J. VILLA
	2400	75	QUINONES

Sunday

Date	Time	Temp.	Name(Print)
September 15, 2024	0300	70	D. MERCADO
	0600	71°	TAPIA
	0900	71°	TAPIA
	1200	73°	TAPIA
	1500	75	J. VILLA
	1800	74	J. VILLA
	2100	70	J. VILLA
	2400	64	Mechanician

Tuesday

Date	Time	Temp.	Name(Print)
September 10, 2024	0300	80	BEAUMARIE
	0600	80	CABRERA
	0900	82	CABRERA
	1200	88	CABRERA
	1500	95	J. VILLA
	1800	93	J. VILLA
	2100	89	J. VILLA
	2400	83	BEAUMARIE

Thursday

Date	Time	Temp.	Name(Print)
September 12, 2024	0300	79	BEAUMARIE
	0600	78°	TAPIA
	0900	78°	TAPIA
	1200	70°	TAPIA
	1500	77	D. GOMEZ
	1800	75	D. GOMEZ
	2100	75°	D. GOMEZ
	2400	73	BEAUMARIE

Saturday

Date	Time	Temp.	Name(Print)
September 14, 2024	0300	72	QUINONES
	0600	71°	TAPIA
	0900	71°	TAPIA
	1200	73°	TAPIA
	1500	76	ZAHID
	1800	76	ZAHID
	2100	73	ZAHID
	2400	71	D. MERCADO

Notes

Deactivated from stage II @ 0217 hrs
 9-9-24 Stage III DEACTIVATED @ 2010
 9/10-STAGE 2 UHT 1230
 9/10 STAGE III 95° @ 1503

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 16, 2024	0300	68	Macristian
	0600	68	Cabreia
	0900	68	Cabreia
	1200	72	Cabreia
	1500	74	J. Villa <i>WT</i>
	1800	73	Beauchamp
	2100	73	Villa
	2400	71	Beauchamp

Wednesday

Date	Time	Temp.	Name(Print)
September 18, 2024	0300	68	Beauchamp
	0600	67°	TAPIA
	0900	67°	TAPIA
	1200	70°	TAPIA <i>WT</i>
	1500	77	J. Villa
	1800	74	J. Villa
	2100	70	J. Villa
	2400	70	Beauchamp

Friday

Date	Time	Temp.	Name(Print)
September 20, 2024	0300	69	Beauchamp
	0600	68°	TAPIA
	0900	68°	TAPIA
	1200	74°	TAPIA <i>WT</i>
	1500	76	Cabri
	1800	74	Cabri
	2100	73	Cabri
	2400	70	Beauchamp

Sunday

Date	Time	Temp.	Name(Print)
September 22, 2024	0300	67	D. MERCADO
	0600	70°	TAPIA
	0900	69°	TAPIA
	1200	73°	TAPIA <i>WT</i>
	1500	75	J. Villa
	1800	72	J. Villa
	2100	71	J. Villa
	2400	67°	VILLA

Tuesday

Date	Time	Temp.	Name(Print)
September 17, 2024	0300	67	BEAUCHAMP
	0600	64	Cabreia
	0900	69	Cabreia
	1200	71	Cabreia
	1500	75	J. Villa <i>WT</i>
	1800	74	J. Villa
	2100	71	J. Villa
	2400	69	BEAUCHAMP

Thursday

Date	Time	Temp.	Name(Print)
September 19, 2024	0300	70	BEAUCHAMP
	0600	70°	TAPIA
	0900	68°	TAPIA
	1200	71°	TAPIA <i>WT</i>
	1500	73	M. Vazquez
	1800	75	M. Vazquez
	2100	74	M. Vazquez
	2400	71	BEAUCHAMP

Saturday

Date	Time	Temp.	Name(Print)
September 21, 2024	0300	70	BEAUCHAMP
	0600	69°	TAPIA
	0900	69°	TAPIA
	1200	72°	TAPIA
	1500	74	Cabri
	1800	73	Cabri
	2100	71	Cabri
	2400	70°	D. MERCADO

Notes

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 23, 2024	0300	65	Villa
	0600	62	E. Cabra
	0900	68	E. Cabra
	1200	76	E. Cabra
	1500	84°	J. Villa <i>NO</i>
	1800	77°	J. Villa
	2100	73°	J. Villa
	2400	77	BEAUCHAMP

Wednesday			
Date	Time	Temp.	Name(Print)
September 25, 2024	0300	70	BEAUCHAMP
	0600	69°	TAPIA
	0900	68°	TAPIA
	1200	72°	TAPIA <i>NO</i>
	1500	80	J. Villa
	1800	73°	J. Villa
	2100	68	J. Villa
	2400	71	BEAUCHAMP

Friday			
Date	Time	Temp.	Name(Print)
September 27, 2024	0300	70	BEAUCHAMP
	0600	67°	TAPIA
	0900	67°	TAPIA
	1200	71°	TAPIA <i>NO</i>
	1500	75	J. Villa
	1800	73	J. Villa
	2100	71	J. Villa
	2400	71	BEAUCHAMP

Sunday			
Date	Time	Temp.	Name(Print)
September 29, 2024	0300	70	D. MARCADO
	0600	70	Rojas
	0900	72	Rojas
	1200	75	Rojas <i>NO</i>
	1500	73	M. Addison
	1800	72	M. Addison
	2100	70	M. Addison
	2400	67°	Villa

Tuesday			
Date	Time	Temp.	Name(Print)
September 24, 2024	0300	73	BEAUCHAMP
	0600	70	E. Cabra
	0900	69	E. Cabra
	1200	69	E. Cabra <i>NO</i>
	1500	81°	J. Villa
	1800	74	J. Villa
	2100	69	J. Villa
	2400	71	BEAUCHAMP

Thursday			
Date	Time	Temp.	Name(Print)
September 26, 2024	0300	79	BEAUCHAMP
	0600	68°	TAPIA
	0900	66°	TAPIA
	1200	77°	TAPIA
	1500	80	C. Elias
	1800	70	C. Elias
	2100	74	C. Elias
	2400	72	BEAUCHAMP

Saturday			
Date	Time	Temp.	Name(Print)
September 28, 2024	0300	70	BEAUCHAMP
	0600	68	BEAUCHAMP
	0900	68	BEAUCHAMP
	1200	68	BEAUCHAMP <i>NO</i>
	1500	78	M. Addison
	1800	78	M. Addison
	2100	77	M. Addison
	2400	73	D. MARCADO

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 305, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRCHousing Unit: 306

Temp. Reading Location:

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 30, 2024	0300	70	VILLA
	0600	69	T.EDWARDS
	0900	72	T.EDWARDS
	1200	80	T.EDWARDS
	1500	87	J. SILVA PONCE
	1800	86	J. SILVA PONCE
	2100	83	J. SILVA PONCE
	2400	80	DEAUCHAMP

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409 OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 307
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Date	Time	Temp.	Name(Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday				
Date	Time	Temp.	Name(Print)	
	0300			
	0600			
	0900			
	1200			
	1500			
	1800			
	2100			
	2400			

Saturday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name(Print)
September 1, 2024	0300	74	Santos
	0600	72	Agrakumui
	0900	72	Agrakumui
	1200	80	Agrakumui
	1500	84	Agrakumui
	1800	86	Chill
	2100	84	Chill
	2400	80	Jthuman

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 307
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 2, 2024	0300	72	S. Grady
	0600	72	Ashaknumi
	0900	73	Ashaknumi
	1200	85	Ashaknumi
	1500	89	S. Grady
	1800	91	S. Grady
	2100	90	S. Grady
	2400	80	Villa

Wednesday

Date	Time	Temp.	Name(Print)
September 4, 2024	0300	70	Villa
	0600	74	Ashaknumi
	0900	78	Ashaknumi
	1200	88	Ashaknumi
	1500	100	APONTE
	1800	100	APONTE
	2100	95	Bradford
	2400	90	Bradford

Friday

Date	Time	Temp.	Name(Print)
September 6, 2024	0300	90	A. Bradford
	0600	90	T. Edwards
	0900	89	T. Edwards
	1200	95	T. Edwards
	1500	103	APONTE
	1800	106	APONTE
	2100	95	APONTE
	2400	89	T. Howard

Sunday

Date	Time	Temp.	Name(Print)
September 8, 2024	0300	83	J. Judd
	0600	82	Ashaknumi
	0900	84	Ashaknumi
	1200	91	Ashaknumi
	1500	103	J. Judd
	1800	92	J. Judd
	2100	91	J. Judd
	2400	81	Marc

Tuesday

Date	Time	Temp.	Name(Print)
September 3, 2024	0300	74	Villa
	0600	73	Ashaknumi
	0900	76	Ashaknumi
	1200	81	APONTE
	1500	95	APONTE
	1800	95	APONTE
	2100	85	APONTE
	2400	82	Villa

Thursday

Date	Time	Temp.	Name(Print)
September 5, 2024	0300	79	Bradford
	0600	79	Ashaknumi
	0900	82	Ashaknumi
	1200	88	Ashaknumi
	1500	102	APONTE
	1800	104	APONTE
	2100	95	APONTE
	2400	92	Bradford

Saturday

Date	Time	Temp.	Name(Print)
September 7, 2024	0300	88	J. Howard
	0600	82	T. Edwards
	0900	85	T. Edwards
	1200	88	T. Edwards
	1500	99	J. Edwards
	1800	99	J. Edwards
	2100	93	J. Edwards
	2400	89	Jr. Turk

Notes

9/2/24 STAGE 2 AT 1530
 9/7/24 Stage 2 at 2:00 Stage 2
 Deactivated at 0030
 9/7/24 STAGE III @ 1500 DORM TEMP @ 99°F
 9/8/24 STAGE II @ 1140 : 1235 @ Stage III
 9/8/24 Deactivate stage III @ 2302
 9/8/24 Deactivate stage II @ 2358

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 307

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 9, 2024	0300	82	Morse
	0600	81	Aebaknumi
	0900	82	Aebaknumi
	1200	89	Aebaknumi
	1500	100	Morse
	1800	97	Morse
	2100	93	Morse
	2400	87	Judd

Wednesday

Date	Time	Temp.	Name(Print)
September 11, 2024	0300	80	DUARTE
	0600	68°	GOMES
	0900	71°	GOMES
	1200	80°	GOMES
	1500	82	B. APONTE
	1800	86	B. APONTE
	2100	78	B. APONTE
	2400	75	M. WOOD

Friday

Date	Time	Temp.	Name(Print)
September 13, 2024	0300	72	DUARTE
	0600	72	Darrow
	0900	73	Darrow
	1200	75	Darrow
	1500	78	APONTE
	1800	77	APONTE
	2100	72	APONTE
	2400	75	Bradford

Sunday

Date	Time	Temp.	Name(Print)
September 15, 2024	0300	70	J. Edwards
	0600	69	Aebaknumi
	0900	69	Aebaknumi
	1200	72	Aebaknumi
	1500	74	CBH
	1800	73	CBH
	2100	70	CBH
	2400	70	CBH

Tuesday

Date	Time	Temp.	Name(Print)
September 10, 2024	0300	82	J. Judd
	0600	78	Aebaknumi
	0900	78	Aebaknumi
	1200	90	Aebaknumi
	1500	96	R. APONTE
	1800	95	APONTE
	2100	95	APONTE
	2400	86	DUARTE

Thursday

Date	Time	Temp.	Name(Print)
September 12, 2024	0300	75	M. WOOD
	0600	66'	R. Gomez
	0900	67'	R. Gomez
	1200	72'	R. Gomez
	1500	79	B. APONTE
	1800	75	B. APONTE
	2100	72	B. APONTE
	2400	76	DUARTE

Saturday

Date	Time	Temp.	Name(Print)
September 14, 2024	0300	73	Bradford
	0600	69	J. Edwards
	0900	70	J. Edwards
	1200	75	J. Edwards
	1500	77	Rodriguez
	1800	76	Rodriguez
	2100	74	Rodriguez
	2400	70	J. Edwards

Notes

9/9/24 307 @ stage II Heat Plan e12/20
9/9/25 Stage III @ 1315
9/9/24 Stage III deactivated @ 2004
9/9/24 Stage 2 Deactivate at 2310
9/10/24 Stage II activate @ 1200 NO

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 307
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Date	Time	Temp.	Name(Print)
September 16, 2024			0300	70	CRES
			0600	67	Ashakumar
			0900	68	Rajakumar
			1200	74	Ashakumar
			1500	78	PEREZ
			1800	76	PEREZ
			2100	76	PEREZ
			2400	73	VILLA

Tuesday		Date	Time	Temp.	Name(Print)
September 17, 2024			0300	70°	VILLA
			0600	64	Aghakwuru
			0900	66	Aghakwuru
			1200	71	Aghakwuru
			1500	74	Aponse
			1800	76	Aponse
			2100	72	Aponse
			2400	68°	VILLA

Wednesday			
Date	Time	Temp.	Name(Print)
September 18, 2024	0300	65	VILLA
	0600	66	AEROKWUNU
	0900	69	AEROKWUNU
	1200	72	AEROKWUNU
	1500	75	AFONTE
	1800	75	AFONTE
	2100	72	AFONTE
	2400	72	Lachman

Thursday			
Date	Time	Temp.	Name(Print)
September 19, 2024	0300	70	Lakota
	0600	68	Aqksakwuni
	0900	63	Aqksakwuni
	1200	71	Aqksakwuni
	1500	75	APONTE
	1800	74	APONTE
	2100	72	APONTE
	2400	68	M. KNUDSEN

Friday			
Date	Time	Temp.	Name(Print)
September 20, 2024	0300	68	M. KNUDSEN
	0600	68	Reiger
	0900	69	Zoja
	1200	70	(Co)w
	1500	72	APONTE
	1800	72	APONTE
	2100	70	APONTE
	2400	10	Jillummar

Saturday			
Date	Time	Temp.	Name(Print)
September 21, 2024	0300	68	J. Hether
	0600	70	T. Edwards
	0900	70	T. Edwards
	1200	73	T. Edwards
	1500	78	M. Brown
	1800	78	M. Brown
	2100	71	M. Brown
	2400	70	J. Hether

Notes

Sunday		Date	Time	Temp.	Name(Print)
September 22, 2024		0300	70	J. H. S.	
		0600	68	A. B. A. K. M.	
		0900	70	A. B. A. K. M.	
		1200	74	A. B. A. K. M.	
		1500	76	C. H. T.	
		1800	76	C. H. T.	
		2100	78	C. H. T.	
		2400	74	J. H. S.	

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
 304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 307
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024	0300	72	J. Turner
	0600	69	A. Bakun
	0900	69	A. Bakun
	1200	73	A. Bakun
	1500	80	J. Perez
	1800	80	J. Perez
	2100	84	J. Perez
	2400	78	Villa

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024	0300	74	Villa
	0600	67	A. Bakun
	0900	68	A. Bakun
	1200	72	A. Bakun
	1500	75	A. Pante
	1800	81	A. Pante
	2100	72	A. Pante
	2400	70	J. Turner

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024	0300	70	J. Turner
	0600	66	T. Edwards
	0900	66	T. Edwards
	1200	70	T. Edwards
	1500	82	B. Aponte
	1800	81	B. Aponte
	2100	75	B. Aponte
	2400	72	J. Turner

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024	0300	70	J. Scott
	0600	68	A. Bakun
	0900	68	A. Bakun
	1200	68	A. Bakun
	1500	86	C. Hill
	1800	84	C. Hill
	2100	83	C. Hill
	2400	79	M. Adduci

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024	0300	71	Villa
	0600	68	A. Bakun
	0900	67	A. Bakun
	1200	75	A. Bakun
	1500	75	A. Pante
	1800	78	A. Pante
	2100	71	A. Pante
	2400	70	Villa

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	68	J. Turner
	0600	66	A. Bakun
	0900	70	A. Bakun
	1200	73	A. Bakun
	1500	75	A. Pante
	1800	75	A. Pante
	2100	72	A. Pante
	2400	70	J. Turner

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	70	J. Turner
	0600	63	T. Edwards
	0900	60	T. Edwards
	1200	70	T. Edwards
	1500	82	B. Aponte
	1800	80	B. Aponte
	2100	72	B. Aponte
	2400	71	J. Scott

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, DHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: crccHousing Unit: 307

Temp. Reading Location:

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 30, 2024	0300	72	A. Addison
	0600	67	Aebakunnu
	0900	67	Aebakunnu
	1200	75	Aebakunnu
	1500	74	M.W.
	1800	74	M.W.
	2100	70	M.W.
	2400	78	VILLI

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
September 1, 2024	0300	72	J. Davis
	0600	73	T. Edwards
	0900	71	T. Edwards
	1200	83	T. Edwards
	1500	91	F. Garcia
	1800	88	F. Garcia
	2100	88	F. Garcia
	2400	85	E. Remy

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

9-1-29 activating Stage 2 @ 1615
9-1-29 deactivated Stage 2 @ 1925

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 2, 2024	0300	80	OPEN
	0600	80	MARTINEZ
	0900	80	MARTINEZ
	1200	80	MARTINEZ
	1500	92	F.Garcia
	1800	90	F.Garcia
	2100	87	F.Garcia
	2400	85	OPEN

Wednesday			
Date	Time	Temp.	Name(Print)
September 4, 2024	0300	82	T.Hawel
	0600	78	E.CLAUDIO
	0900	82	E.CLAUDIO
	1200	88	E.CLAUDIO
	1500	92°	A.Aguilar
	1800	91°	A.Aguilar
	2100	89°	A.Aguilar
	2400	91°	Durante

Friday			
Date	Time	Temp.	Name(Print)
September 6, 2024	0300	93°	C.Elias
	0600	90°	C.Elias
	0900	90	E.CLAUDIO
	1200	94	E.CLAUDIO
	1500	105	D.Coss
	1800	105	Cox
	2100	105	Coss
	2400	93	Concepcion

Sunday			
Date	Time	Temp.	Name(Print)
September 8, 2024	0300	80	W
	0600	86	W
	0900	88	W
	1200	92	W
	1500	102	F.Garcia
	1800	100	F.Garcia
	2100	96	F.Garcia
	2400	93	C.Santiago

DISTRIBUTION: Original: Institution ADA Coordinator

9-8-24 0422 Stage I UHT
1213 Stage II UHT
1400 Stage III UHT

Tuesday			
Date	Time	Temp.	Name(Print)
September 3, 2024	0300	85	L.Garcia
	0600	76	E.CLAUDIO
	0900	78	E.CLAUDIO
	1200	86	E.CLAUDIO
	1500	93	F.Garcia
	1800	91	F.Garcia
	2100	86	F.Garcia
	2400	85	J.Hawel

Thursday			
Date	Time	Temp.	Name(Print)
September 5, 2024	0300	90°	DARIS
	0600	80°	E.CLAUDIO
	0900	84	E.CLAUDIO
	1200	88	E.CLAUDIO
	1500	98°	A.Aguilar
	1800	96°	A.Aguilar
	2100	96°	A.Aguilar
	2400	92	C.Elias

Saturday			
Date	Time	Temp.	Name(Print)
September 7, 2024	0300	88	C
	0600	88	Godinez
	0900	88	Godinez
	1200	91	Godinez
	1500	96	MARTINEZ
	1800	98	MARTINEZ
	2100	98	MARTINEZ
	2400	98	MARTINEZ

Notes

115 - STAGE I
1600 activated stage 2
1920 deactivated stage 2
1425 activated stage 2
948 deactivated stage 2
STAGE 2 @ 1415 HRS 9/4/24
2200 HRS WATCH WAS NOTIFIED ABOUT DORM @ 99°
9/5/24 1430 STAGE 3 WATCH/NURSE NOTIFIED
9/6/24 @ 1240 HRS. STAGE 3 (95°) NURSE NOTIFIED,

9/7/24 @ 1040 : Stage IV - Stage III @ 1249

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 9, 2024	0300	89	C Sandoval
	0600	85	MARTINEZ
	0900	87	MARTINEZ
	1200	89	MARTINEZ
	1500	99	F. GOLCEA
	1800	98	F. GOLCEA
	2100	94	F. GOLCEA
	2400	90	C Sandoval

Wednesday			
Date	Time	Temp.	Name(Print)
September 11, 2024	0300	79	C Sandoval
	0600	76	A. Bettencourt
	0900	78	A. Bettencourt
	1200	80	A. Bettencourt
	1500	82	F. GOLCEA
	1800	81	F. GOLCEA
	2100	77	F. GOLCEA
	2400	73	C Sandoval

Friday			
Date	Time	Temp.	Name(Print)
September 13, 2024	0300	71	C Sandoval
	0600	68	A. Bettencourt
	0900	74	A. Bettencourt
	1200	79	A. Bettencourt
	1500	80	B. Morse
	1800	78	B. Morse
	2100	74	B. Morse
	2400	70	L. CERVANTES

Sunday			
Date	Time	Temp.	Name(Print)
September 15, 2024	0300	71	L. CERVANTES
	0600	70	T. EDWARDS
	0900	70	T. EDWARDS
	1200	71	T. EDWARDS
	1500	78	F. GOLCEA
	1800	78	F. GOLCEA
	2100	71	F. GOLCEA
	2400	70	C Sandoval

Tuesday

Date	Time	Temp.	Name(Print)
September 10, 2024	0300	89	C Sandoval
	0600	85	A. Bettencourt
	0900	82	A. Bettencourt
	1200	89	A. Bettencourt
	1500	95	F. GOLCEA
	1800	93	F. GOLCEA
	2100	89	F. GOLCEA
	2400	82	C Sandoval

Thursday

Date	Time	Temp.	Name(Print)
September 12, 2024	0300	71	C Sandoval
	0600	68	A. Bettencourt
	0900	72	A. Bettencourt
	1200	78	A. Bettencourt
	1500	79	B. Morse
	1800	75	B. Morse
	2100	74	B. Morse
	2400	73	C Sandoval

Saturday

Date	Time	Temp.	Name(Print)
September 14, 2024	0300	71	L. CERVANTES
	0600	69	A. Bettencourt
	0900	72	A. Bettencourt
	1200	73	A. Bettencourt
	1500	79	A. Acuña
	1800	78	A. Acuña
	2100	77	A. Acuña
	2400	76	L. CERVANTES

Notes

STAGE II DEACTIVATION 0300
9-9-24 activated Stage 2 1337
9-9-24 activated Stage 3 1426
9-9-24 deactivated Stage 3 1953
9-10-24 DEACTIVATE STAGE II 0226
9-10-24 Deactivated Stage 2 2045

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 16, 2024	0300	68	C Sandoval
	0600	70	Aguilar
	0900	73	Aguilar
	1200	71	Aguilar
	1500	75	F. Garcia
	1800	74	F. Garcia
	2100	70	F. Garcia
	2400	68	C Sandoval

Wednesday			
Date	Time	Temp.	Name(Print)
September 18, 2024	0300	70	C Sandoval
	0600	68	D. Sanchez
	0900	66	D. Sanchez
	1200	72	D. Sanchez
	1500	77	F. Garcia
	1800	75	F. Garcia
	2100	71	F. Garcia
	2400	71	F. Garcia

Friday			
Date	Time	Temp.	Name(Print)
September 20, 2024	0300	69	F. Garcia
	0600	70	D. Sanchez
	0900	70	D. Sanchez
	1200	71	D. Sanchez
	1500	79	S. Grady
	1800	79	S. Grady
	2100	78	S. Grady
	2400	78	Camara

Sunday			
Date	Time	Temp.	Name(Print)
September 22, 2024	0300	70	T. Edwards
	0600	71	T. Edwards
	0900	73	T. Edwards
	1200	75	T. Edwards
	1500	80	F. Garcia
	1800	83	F. Garcia
	2100	79	F. Garcia
	2400	79	C Sandoval

Tuesday			
Date	Time	Temp.	Name(Print)
September 17, 2024	0300	67	C Sandoval
	0600	64	D. Sanchez
	0900	68	D. Sanchez
	1200	70	D. Sanchez
	1500	75	F. Garcia
	1800	74	F. Garcia
	2100	71	F. Garcia
	2400	71	C Sandoval

Thursday			
Date	Time	Temp.	Name(Print)
September 19, 2024	0300	70	C Sandoval
	0600	69	C Sandoval
	0900	69	C Sandoval
	1200	72	C Sandoval
	1500	76	D. Perez
	1800	76	D. Perez
	2100	76	D. Perez
	2400	70	C Sandoval

Saturday			
Date	Time	Temp.	Name(Print)
September 21, 2024	0300	72	Am
	0600	70	D. Sanchez
	0900	71	D. Sanchez
	1200	72	D. Sanchez
	1500	76	F. Garcia
	1800	78	F. Garcia
	2100	75	F. Garcia
	2400	72	Camara

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409 OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 23, 2024	0300	70	C SANDOVAL
	0600	70	J. YPINÁ
	0900	74	J. YPINÁ
	1200	77	J. YPINÁ
	1500	86	F. GARCIA
	1800	83	F. GARCIA
	2100	71	F. GARCIA
	2400	75	C SANDOVAL

Wednesday			
Date	Time	Temp.	Name(Print)
September 25, 2024	0300	70	C SANDOVAL
	0600	70	F. MEJIA
	0900	72	F. MEJIA
	1200	76	F. MEJIA
	1500	80	F. GARCIA
	1800	77	F. GARCIA
	2100	75	F. GARCIA
	2400	72	C SANDOVAL

Friday			
Date	Time	Temp.	Name(Print)
September 27, 2024	0300	70	C SANDOVAL
	0600	70	F. MEJIA
	0900	72	F. MEJIA
	1200	76	R. MEJIA
	1500	80	G. GRADY
	1800	80	G. GRADY
	2100	79	G. GRADY
	2400	75	C. SANCHEZ

Sunday			
Date	Time	Temp.	Name(Print)
September 29, 2024	0300	70	W. WILSON
	0600	70	X. LONG
	0900	74	X. LONG
	1200	76	X. LONG
	1500	81	F. GARCIA
	1800	85	F. GARCIA
	2100	80	F. GARCIA
	2400	77	C SANDOVAL

Tuesday			
Date	Time	Temp.	Name(Print)
September 24, 2024	0300	70	C SANDOVAL
	0600	72	F. MEJIA
	0900	72	F. MEJIA
	1200	78	F. MEJIA
	1500	81	F. GARCIA
	1800	80	F. GARCIA
	2100	79	F. GARCIA
	2400	72	C SANDOVAL

Thursday			
Date	Time	Temp.	Name(Print)
September 26, 2024	0300	70	C SANDOVAL
	0600	70	F. MEJIA
	0900	72	F. MEJIA
	1200	76	F. MEJIA
	1500	82	P. PEREZ
	1800	80	P. PEREZ
	2100	80	P. PEREZ
	2400	72	C SANDOVAL

Saturday			
Date	Time	Temp.	Name(Print)
September 28, 2024	0300	70	O. ORTIZ
	0600	70	G. GARCIA
	0900	72	G. GARCIA
	1200	74	G. GARCIA
	1500	82	R. ROBLES
	1800	82	R. ROBLES
	2100	80	R. ROBLES
	2400	72	C. MARTINEZ

Notes

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FAS. C Temp. Reading Location: 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 30, 2024	0300	77	C SANDOVAL
	0600	72	H DTH
	0900	72	H DTH
	1200	72	H DTH
	1500	80	E Goo or 84
	1800	86	F GOLCIA
	2100	81	E Goo or
	2400	76	C SANDOVAL

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name(Print)
September 1, 2024	0300	70	LEN
	0600	60	RIVERA
	0900	80	RIVERA
	1200	80	RIVERA
	1500	82	PEREZ
	1800	88	PEREZ
	2100	86	PEREZ
	2400	94	ALL

Notes
9-1-24 STATE #2 134

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 2, 2024	0300	75	Arie
	0600	77	S. CEJA
	0900	77	S. CEJA
	1200	80	S. CEJA
	1500	88	Cecy
	1800	92	Cecy
	2100	88	Cecy
	2400	84	Grenado

Wednesday			
Date	Time	Temp.	Name(Print)
September 4, 2024	0300	80	
	0600	80	
	0900	80	
	1200	85	
	1500	90	Morgan
	1800	92	Morgan
	2100	90	Morgan
	2400	84	

Friday			
Date	Time	Temp.	Name(Print)
September 6, 2024	0300	84	Bernard
	0600	83	RIVERA
	0900	82	RIVERA
	1200	83	RIVERA
	1500	92	Morgan
	1800	96	Morgan
	2100	95	Morgan
	2400	89	M.KNUDSEN

Sunday			
Date	Time	Temp.	Name(Print)
September 8, 2024	0300	88	Arie
	0600	91	M OLIVERA
	0900	91	MOLVAR
	1200	91	M OLIVERA
	1500	95	PEREZ
	1800	100	PEREZ
	2100	100	"
	2400	96	Arie

DISTRIBUTION: Original: Institution ADA Coordinator

9/7/24 STAGE I @ 0800

9/8/24 STAGE III @ 1800

Tuesday			
Date	Time	Temp.	Name(Print)
September 3, 2024	0300	80	Gueno
	0600	80	MARTINEZ
	0900	80	MARTINEZ
	1200	82	MARTINEZ
	1500	89	CECY
	1800	92	CECY
	2100	90	CECY
	2400	85	CECY

Thursday			
Date	Time	Temp.	Name(Print)
September 5, 2024	0300	80	
	0600	80	
	0900	82	RIVERA
	1200	95	RIVERA
	1500	98	Morgan
	1800	100	Morgan
	2100	90	Whalen
	2400	92	Romano

Saturday			
Date	Time	Temp.	Name(Print)
September 7, 2024	0300	83	M.KNUDSEN
	0600	83	RIVERA
	0900	83	RIVERA
	1200	92	RIVERA
	1500	100	GRADY
	1800	100	GRADY
	2100	95	GRADY
	2400	92	GRADY

Notes

① STAGE II
ACTIVATED 9/2 @ 1645
9/3 STAGE I 1131 HOURS
STAGE II
ACTIVATED 9/3 @ 1640
9/4/24 STAGE I @ 1111
9/5/24 STAGE I @ 1015
9/5/24 STAGE III @ 1500 HRS
9/6/24 STAGE I @ 1000 ICE PASSIVED

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 9, 2024	0300	88	Alex
	0600	82	R.Gomes
	0900	82	R.Gomes
	1200	89	R.Gomes
	1500	99	CEC11
	1800	102	CEC11
	2100	99	CEC11
	2400	92	Guzman

Wednesday

Date	Time	Temp.	Name(Print)
September 11, 2024	0300	68	
	0600	68	
	0900	70	C.Elias
	1200	79	C.Elias
	1500	83	Morales
	1800	80	Morales
	2100	80	Morales
	2400	78	ZL

Friday

Date	Time	Temp.	Name(Print)
September 13, 2024	0300	74	Guzman
	0600	67	RIVERA
	0900	70	RIVERA
	1200	75	RIVERA
	1500	78	EVERT
	1800	82	EVERT
	2100	80	EVERT
	2400	78	Alex

Sunday

Date	Time	Temp.	Name(Print)
September 15, 2024	0300	70	Alex
	0600	71	RIVERA
	0900	72	RIVERA
	1200	73	RIVERA
	1500	80	B.Morse
	1800	79	Morse
	2100	73	Morse
	2400	70	Alex

Tuesday

Date	Time	Temp.	Name(Print)
September 10, 2024	0300	88	Guzman
	0600	85	MARTINEZ
	0900	85	MARTINEZ
	1200	85	MARTINEZ
	1500	89	CEC11
	1800	93	CEC11
	2100	87	CEC11
	2400	87	E

Thursday

Date	Time	Temp.	Name(Print)
September 12, 2024	0300	68	A
	0600	68	RIVERA
	0900	68	RIVERA
	1200	68	RIVERA
	1500	78	Martinez
	1800	75	Martinez
	2100	75	Martinez
	2400	75	Guzman

Saturday

Date	Time	Temp.	Name(Print)
September 14, 2024	0300	72	Alex
	0600	69	RIVERA
	0900	70	RIVERA
	1200	72	RIVERA
	1500	72	Brown
	1800	72	Brown
	2100	72	Brown
	2400	72	Alex

Notes

Stage II Deactivated @ 0300

Stage II Activated
@ 0455 on 5/9/24
TUE @ 1450

Stage III 1350
Stage III 1415 on 9/10/24

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 16, 2024	0300	70	Alin
	0600	70	CETA
	0900	70	CETA
	1200	71	CETA
	1500	73	CELIS
	1800	72	CELIS
	2100	65	CELIS
	2400	65	GURMAN

Wednesday			
Date	Time	Temp.	Name(Print)
September 18, 2024	0300	72	b
	0600	72	c
	0900	70	JJR
	1200	73	JJR
	1500	78	Morgan
	1800	72	Morgan
	2100	72	Morgan
	2400	72	m

Friday			
Date	Time	Temp.	Name(Print)
September 20, 2024	0300	70	Guerrero
	0600	67	RIVERIA
	0900	68	RIVERIA
	1200	72	RIVERIA
	1500	74	Morgan
	1800	72	Morgan
	2100	72	Morgan
	2400	70	Alba

Sunday			
Date	Time	Temp.	Name(Print)
September 22, 2024	0300	69	Alba
	0600	70	RIVERIA
	0900	70	RIVERIA
	1200	70	RIVERIA
	1500	78	PEREZ
	1800	80	PEREZ
	2100	80	PEREZ
	2400	72	M.KNUDSEN

Tuesday			
Date	Time	Temp.	Name(Print)
September 17, 2024	0300	65	GURMAN
	0600	65	R.BURGE
	0900	68	R.BURGE
	1200	71	R.BURGE
	1500	75	CECIS
	1800	74	CECIS
	2100	74	CECIS
	2400	73	b

Thursday			
Date	Time	Temp.	Name(Print)
September 19, 2024	0300	72	b
	0600	78	RIVERIA
	0900	69	RIVERIA
	1200	72	RIVERIA
	1500	74	Morgan
	1800	73	Morgan
	2100	72	Morgan
	2400	70	Guerrero

Saturday			
Date	Time	Temp.	Name(Print)
September 21, 2024	0300	67	m
	0600	66	RIVERIA
	0900	65	RIVERIA
	1200	68	RIVERIA
	1500	74	S.GRAY
	1800	74	S.GRAY
	2100	74	S.GRAY
	2400	72	Alba

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
September 23, 2024	0300	70	M. KNUDSEN
	0600	70	S. CEJA
	0900	74	S. CEJA
	1200	76	S. CEJA
	1500	78	Darrow
	1800	77	Darrow
	2100	75	Darrow
	2400	70	Guzman

Wednesday			
Date	Time	Temp.	Name(Print)
September 25, 2024	0300	75	G. VELA
	0600	72	G. VELA
	0900	71	G. VELA
	1200	75	G. VELA
	1500	80	WILSON
	1800	80	WILSON
	2100	78	WILSON
	2400	74	Guzman

Friday			
Date	Time	Temp.	Name(Print)
September 27, 2024	0300	77	Guzman
	0600	69	RIVIERA
	0900	70	RIVERIA
	1200	72	RIVERIA
	1500	76	M. NUNEZ
	1800	78	M. NUNEZ
	2100	78	M. NUNEZ
	2400	74	M. NUNEZ

Sunday			
Date	Time	Temp.	Name(Print)
September 29, 2024	0300	79	An
	0600	72	GONZALEZ
	0900	72	GONZALEZ
	1200	73	GONZALEZ
	1500	78	DEREZ
	1800	80	PEREZ
	2100	78	PEREZ
	2400	76	An

Tuesday			
Date	Time	Temp.	Name(Print)
September 24, 2024	0300	70	Guzman
	0600	70	TORRES A
	0900	71	TORRES A
	1200	73	TORRES A
	1500	76	ECS
	1800	75	ECS
	2100	75	ECS
	2400	70	ECS

Thursday			
Date	Time	Temp.	Name(Print)
September 26, 2024	0300	70	G
	0600	70	RIVERIA
	0900	70	RIVERIA
	1200	72	RIVERIA
	1500	80	Moscoso
	1800	80	Moscoso
	2100	79	Moscoso
	2400	74	Guzman

Saturday			
Date	Time	Temp.	Name(Print)
September 28, 2024	0300	69	An
	0600	72	RIVERIA
	0900	72	RIVERIA
	1200	72	RIVERIA
	1500	80	GRADY
	1800	80	GRADY
	2100	79	GRADY
	2400	77	An

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRCHousing Unit: 309

Temp. Reading Location:

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 30, 2024	0300	69	ALIM
	0600	70	RIVERA
	0900	70	RIVERA
	1200	71	RIVERA
	1500	75	CETIS
	1800	76	CETIS
	2100	74	CETIS
	2400	72	Espinoza

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STAFF#4 1304

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 206, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU**

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees. _____

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name(Print)
September 1, 2024	0300	75	PETUNIAS
	0600	76°	Bulbin
	0900	76°	Bulbin
	1200	80°	Bulbin
	1500	85	KIES
	1800	88	KIES
	2100	85	KIES
	2400	80	B. COX

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 2, 2024	0300	76	B.Cox
	0600	74°	R.Paramo
	0900	78°	R.Paramo
	1200	87°	R.Paramo
	1500	89°	Villa
	1800	92°	Villa
	2100	86°	Villa
	2400	80°	B.Cox

Wednesday

Date	Time	Temp.	Name(Print)
September 4, 2024	0300	77	B.Cox
	0600	76°	R.Paramo
	0900	80°	R.Paramo
	1200	90°	R.Paramo
	1500	90	KIES
	1800	90	KIES
	2100	92	KIES
	2400	86	B.Cox

Friday

Date	Time	Temp.	Name(Print)
September 6, 2024	0300	90	Esquibel
	0600	90°	R.Paramo
	0900	89°	R.Paramo
	1200	95°	R.Paramo
	1500	98	M.Brown
	1800	102	M.Brown
	2100	99	M.Brown
	2400	93	Esquibel

Sunday

Date	Time	Temp.	Name(Print)
September 8, 2024	0300	86	B.Cox
	0600	86	M.Brown
	0900	94°	M.Brown
	1200	90°	M.Brown
	1500	100°	A.Moreno
	1800	100°	A.Moreno
	2100	87	A.Moreno
	2400	92	B.Cox

Tuesday

Date	Time	Temp.	Name(Print)
September 3, 2024	0300	76	B.Cox
	0600	75°	R.Paramo
	0900	80°	R.Paramo
	1200	85°	R.Paramo
	1500	83°	Villa
	1800	92°	Villa
	2100	90°	Villa
	2400	81°	B.Cox

Thursday

Date	Time	Temp.	Name(Print)
September 5, 2024	0300	83	B.Cox
	0600	79	Alvarez
	0900	82°	R.Paramo
	1200	90°	R.Paramo
	1500	97	Gutierrez
	1800	94	Gutierrez
	2100	94	Gutierrez
	2400	92	Esquibel

Saturday

Date	Time	Temp.	Name(Print)
September 7, 2024	0300	85	Esquibel
	0600	86°	Babin
	0900	86	Babin
	1200	91°	Babin
	1500	99	Rodriguez
	1800	101	Rodriguez
	2100	94	Rodriguez
	2400	89	B.Cox

Notes

9/2 Stage II @ 1630 Activated
 9/3 Stage II @ 1415 hrs -
 1300 90° inside stage II UNIT
 9/4 Stage II 2245 DEACTIVATED
 9/5 Stage II 1200 hrs
 9/7 Stage II @ 1120
 9/7 Stage III @ 1444
 9/8 Stage II @ 1203
 9/8 Stage III @ 1404

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 9, 2024	0300	86°	B. COX
	0600	85°	R. Paramo
	0900	87°	R. Paramo
	1200	90°	R. Paramo
	1500	100	LEO
	1800	100	LEO
	2100	95	LEO
	2400	89	B. COX

Wednesday

Date	Time	Temp.	Name(Print)
September 11, 2024	0300	79	B. COX
	0600	72°	R. Paramo
	0900	71°	R. Paramo
	1200	77°	R. Paramo
	1500	80	Reacher
	1800	80	Reacher
	2100	80	Reacher
	2400	76	B. COX

Friday

Date	Time	Temp.	Name(Print)
September 13, 2024	0300	70	Esquibel
	0600	68°	R. Paramo
	0900	69°	R. Paramo
	1200	71°	R. Paramo
	1500	78	Rusher
	1800	77	Rusher
	2100	77	Rusher
	2400	74	ESQUIBEL

Sunday

Date	Time	Temp.	Name(Print)
September 15, 2024	0300	70	B. COX
	0600	76	M. Serrano
	0900	70	M. Serrano
	1200	74	M. Serrano
	1500	74	A. Elliot
	1800	74	A. Elliot
	2100	74	A. Elliot
	2400	72	B. COX

Tuesday

Date	Time	Temp.	Name(Print)
September 10, 2024	0300	84	B. COX
	0600	78°	R. Paramo
	0900	81°	R. Paramo
	1200	88°	R. Paramo
	1500	99	LEO
	1800	99	LEO
	2100	42	LEO
	2400	86°	B. COX

Thursday

Date	Time	Temp.	Name(Print)
September 12, 2024	0300	70	B. COX
	0600	70°	R. Paramo
	0900	64°	R. Paramo
	1200	70°	R. Paramo
	1500	78	Reacher
	1800	78	Reacher
	2100	80	Reacher
	2400	76	Esquibel

Saturday

Date	Time	Temp.	Name(Print)
September 14, 2024	0300	72	Esquibel
	0600	71	J. Ypina
	0900	71	J. YPINA
	1200	76	J. YPINA
	1500	74	Rusher
	1800	74	Rusher
	2100	73	Rusher
	2400	73	B. COX

Notes

0049 - STAGE II HEAT PLAN DEACTIVATED
1142 ~ STAGE II UAT
1427 9/9/24 STAGE II WATCH & NURSES
NOTIFIED - FCE PROVIDED - NURSE
DEACTIVATED 2040
2345 STAGE II DEACTIVATED
9/10/24 1422 ~ STAGE II
9/10/24 1513 - STAGE II NURSE
NOTIFIED DEACTIVATED 1841

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, DHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 16, 2024	0300	70	B. Cox
	0600	68°	R. Parham
	0900	71°	R. Parham
	1200	74°	R. Parham
	1500	77°	VILLA NO
	1800	75°	VILLA
	2100	74°	VILLA
	2400	69	B. Cox

Wednesday

Date	Time	Temp.	Name(Print)
September 18, 2024	0300	67	B. Cox
	0600	64°	R. Parham
	0900	67°	R. Parham
	1200	72°	R. Parham NO
	1500	75°	Rancher
	1800	77°	Rancher
	2100	76	Rancher
	2400	73	B. Cox

Friday

Date	Time	Temp.	Name(Print)
September 20, 2024	0300	70	Esquivel
	0600	68°	R. Parham
	0900	70°	R. Parham
	1200	74°	R. Parham NO
	1500	77°	Rancher
	1800	77°	Rancher
	2100	76°	Rancher
	2400	73	Esquivel

Sunday

Date	Time	Temp.	Name(Print)
September 22, 2024	0300	70	ALVAREZ
	0600	68	ALVAREZ
	0900	70	ALVAREZ
	1200	75	ALVAREZ
	1500	80	KIES
	1800	80	KIES
	2100	80	KIES
	2400	76	B. Cox

Tuesday

Date	Time	Temp.	Name(Print)
September 17, 2024	0300	66	B. Cox
	0600	64°	R. Parham
	0900	64°	R. Parham
	1200	72°	R. Parham
	1500	78°	VILLA NO
	1800	70°	VILLA
	2100	75	VILLA
	2400	71	B. Cox

Thursday

Date	Time	Temp.	Name(Print)
September 19, 2024	0300	71	B. Cox
	0600	68°	R. Parham
	0900	70°	R. Parham
	1200	71°	R. Parham
	1500	75	Rancher NO
	1800	76	Rancher
	2100	76	Rancher
	2400	74	Esquivel

Saturday

Date	Time	Temp.	Name(Print)
September 21, 2024	0300	70	Esquivel
	0600	70°	Babbin
	0900	70°	Babbin
	1200	72°	Babbin
	1500	75	Rancher
	1800	77	Rancher
	2100	78	Rancher NO
	2400	75	Nicola

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

 DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
 304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024	0300	72	B.Cox
	0600	70°	R.Paramo
	0900	70°	R.Paramo
	1200	75°	R.Paramo <i>90</i>
	1500	84	Villa
	1800	84	Villa
	2100	82	Villa
	2400	76	B.Cox

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024	0300	73	B.Cox
	0600	70°	R.Paramo
	0900	68°	R.Paramo
	1200	74°	R.Paramo
	1500	76	Rendher <i>90</i>
	1800	76	Rendher
	2100	76	Rendher
	2400	74	B.Cox

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024	0300	70	Esquibel
	0600	67°	R.Paramo
	0900	70°	R.Paramo
	1200	72°	R.Paramo <i>90</i>
	1500	80	Rendher
	1800	80	Rendher
	2100	80	Rendher
	2400	75	Esquibel

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024	0300	72	B.Cox
	0600	72°	Babin <i>90</i>
	0900	72°	Babin <i>90</i>
	1200	79°	Babin
	1500	78	DIAZ
	1800	77	WHITON
	2100	74	WHITON
	2400	74	B.Cox

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024	0300	71	B.Cox
	0600	70°	R.Paramo
	0900	70°	R.Paramo
	1200	76°	R.Paramo <i>90</i>
	1500	85	Villa
	1800	83	Villa
	2100	80	Villa
	2400	78	B.Cox

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	70	B.Cox
	0600	68°	R.Paramo
	0900	70°	R.Paramo
	1200	72°	R.Paramo <i>90</i>
	1500	76°	Rendher
	1800	75	Rendher
	2100	78	Rendher
	2400	75	Esquibel

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	68	Esquibel
	0600	70°	Babin
	0900	70	Babin
	1200	75	Babin <i>90</i>
	1500	76	Rendher
	1800	80	Rendher
	2100	80	Rendher
	2400	75	B.Cox

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 30, 2024	0300	72	B.Cox
	0600	69°	R.Perez
	0900	71°	R.Perez
	1200	75°	R.Perez
	1500	84	VILLA
	1800	87	VILLA
	2100	83	VILLA
	2400	78	B.Cox

Wednesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

9-30-24 Stage 1 UHT @ 1304

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 311 Temp. Reading Location: 3rd floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Wednesday		Date	Time	Temp.	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
7/1/16	0300	78	J. SCOTT
	0600	80	KIES
	0900	80	KIES
	1200	84	KIES
	1500	85°	CELIAS
	1800	86	C. ELIAS
	2100	82°	C. ELIAS
	2400	80	KIM ORGAN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 311 Temp. Reading Location: 311
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/7/24	0300	78	K. MORGAN
	0600	74	G. Carda
	0900	77	G. Carda
	1200	80	G. Carda
	1500	82	R. Shaw
	1800	88	R. Shaw
	2100	86	R. Shaw
	2400	85	D. Davalos

Tuesday

Date	Time	Temp.	Name (Print)
9/8/24	0300	80	Davalos
	0600	82	Diaz
	0900	82	Diaz
	1200	86	Diaz
	1500	90	Shaw
	1800	94	Shaw
	2100	90	Shaw
	2400	80	S. Brooks

Wednesday

Date	Time	Temp.	Name (Print)
9/9/24	0300	79°	Davalos
	0600	80°	Davalos IR
	0900	81°	Dav IR
	1200	82°	Dav IR
	1500	88	Shaw Kenna
	1800	88	Shaw Kenna
	2100	88	Shaw Kenna
	2400	88	S. Brooks

Thursday

Date	Time	Temp.	Name (Print)
9/10/24	0300	84	S. Brooks
	0600	84	IR
	0900	84	IR
	1200	88	IR
	1500	88	IR
	1800	86	Shaw
	2100	86	Shaw
	2400	92	S. Brooks

Friday

Date	Time	Temp.	Name (Print)
9/11/24	0300	90	S. Brooks
	0600	85	Lebanon
	0900	85	Lebanon
	1200	93	Lebanon
	1500	93	Carroll
	1800	102	Carroll
	2100	102	Carroll
	2400	94	S. Brooks

Saturday

Date	Time	Temp.	Name (Print)
9/12/24	0300	87	S. Brooks
	0600	84	F. Amerson
	0900	88	F. Amerson
	1200	90	F. Amerson
	1500	100	E. Chisholm
	1800	97	E. Chisholm
	2100	97	E. Chisholm
	2400	97	E. Chisholm

Sunday

Date	Time	Temp.	Name (Print)
	0300	87	K. Morgan
	0600	80°	K. Morgan
	0900	90°	K. Morgan
	1200	95°	K. Morgan
	1500	88°	K. Morgan
	1800	99	M. Adcock
	2100	92	M. Adcock
	2400	91	K. Morgan

Notes

Stage II activated @ 1211 9/7/24
Stage III @ 1415 9/7/24

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 9, 2024	0300	86	K. MORGAN
	0600	80	G. Corra
	0900	89	G. Corra
	1200	84	G. Corra
	1500	89	J. Gomez
	1800	88	J. Gomez
	2100	88	J. Gomez
	2400	89	S. Brooks

Wednesday

Date	Time	Temp.	Name(Print)
September 11, 2024	0300	78	S. Brooks
	0600	78	L. Ramirez
	0900	79	L. Ramirez
	1200	80	L. Ramirez
	1500	88	E. Luis
	1800	80	E. Luis
	2100	80	E. Luis
	2400	73	S. Brooks

Friday

Date	Time	Temp.	Name(Print)
September 13, 2024	0300	71	S. Brooks
	0600	71	L. Ramirez
	0900	71	L. Ramirez
	1200	72	L. Ramirez
	1500	83	L. Ramirez
	1800	81	L. Ramirez
	2100	78	L. Ramirez
	2400	74	S. Brooks

Sunday

Date	Time	Temp.	Name(Print)
September 15, 2024	0300	74	L. Ramirez
	0600	73	D. Duran
	0900	73	D. Duran
	1200	73	D. Duran
	1500	78	Rodriguez
	1800	76	Rodriguez
	2100	74	Rodriguez
	2400	73	K. Morgan

Tuesday

Date	Time	Temp.	Name(Print)
September 10, 2024	0300	83	S. Brooks
	0600	80	G. Corra
	0900	80	G. Corra
	1200	86	G. Corra
	1500	84	DAVIS
	1800	84	DAVIS
	2100	82	DAVIS
	2400	82	S. Brooks

Thursday

Date	Time	Temp.	Name(Print)
September 12, 2024	0300	70	S. Brooks
	0600	70	L. Ramirez
	0900	72	L. Ramirez
	1200	78	L. Ramirez
	1500	82	DUARTE
	1800	79	DUARTE
	2100	78	DUARTE
	2400	75	S. Brooks

Saturday

Date	Time	Temp.	Name(Print)
September 14, 2024	0300	72	S. Brooks
	0600	72	L. Ramirez
	0900	72	L. Ramirez
	1200	76	L. Ramirez
	1500	84	L. Ramirez
	1800	79	L. Ramirez
	2100	79	L. Ramirez
	2400	77	L. Ramirez

Notes

0050 STAGE II DEACTIVATED 89°

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Temp.	Name(Print)
Date	Time		
September 16, 2024	0300	70	K. MORGAN
	0600	71	K. AMEZOLA
	0900	73	K. AMEZOLA
	1200	71	K. AMEZOLA
	1500	70	RAMIREZ
	1800	70	RAMIREZ
	2100	70	RAMIREZ
	2400	70	AOLSON

Tuesday		Date	Time	Temp.	Name(Print)
September 17, 2024			0300	70°	Aolson
			0600	68	G.Corda
			0900	69	G.Corda
			1200	70	G.Corda
			1500	70	A.Hawkins
			1800	70	M.Allison
			2100	68	M.Allison
			2400	70	Parker

Wednesday			
Date	Time	Temp.	Name(Print)
September 18, 2024	0300	70	Pachet
	0600	70	Leanne
	0900	71	Leanne
	1200	72	Wes
	1500	65	Rey
	1800	69°	Rene
	2100	70°	Rey
	2400	72	S Brooks

Thursday			
Date	Time	Temp.	Name(Print)
September 19, 2024	0300	70	S Brooks
	0600	70	Wetumpka
	0900	70	Wetum
	1200	71	Wetum
	1500	72	Loren
	1800	70	Loren
	2100	70	Loren
	2400	70	S Brooks

Friday			
Date	Time	Temp.	Name(Print)
September 20, 2024	0300	70	S Brooks
	0600	70	Westmyer
	0900	71	W.W.
	1200	72	W.W.
	1500	74	Cynthia
	1800	78	Eric
	2100	76	Oliver
	2400	73	Machastian

Saturday		Date	Time	Temp.	Name(Print)
September 21, 2024		0300	70	Mechanistian	
		0600	70	Lettinire	
		0900	71	W	
		1200	71		
		1500	76	Canyonza	
		1800	78	OTM	
		2100	78	OTM	
		2400	76	Loco	

Notes

Sunday		Temp.	Name(Print)
Date	Time		
September 22, 2024	0300	74°	Loren
	0600	72°	Loren
	0900	71°	DURAN
	1200	73°	DURAN Q
	1500	78°	Zamora
	1800	82°	Zamora
	2100	80°	Zamora
	2400	79°	Alejor

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102 103 109, 111, 201, 202, 203, 206, 214, 303,
304, 308 311, 312, 313, 401, 402, 403, 404, 405,
406, 407 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024	0300	72	A. Perez
	0600	71	G. Clark
	0900	72	G. Clark
	1200	74	G. Clark
	1500	75	M. Addison
	1800	75	M. Addison
	2100	74	M. Addison
	2400	78	S. Brooks

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024	0300	73	S. Brooks
	0600	73	L. Ramirez
	0900	73	L. Ramirez
	1200	73	L. Ramirez
	1500	72	L. Ramirez
	1800	71	L. Ramirez
	2100	70	L. Ramirez
	2400	70	S. Brooks

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024	0300	72	S. Brooks
	0600	71	L. Ramirez
	0900	67	L. Ramirez
	1200	74	L. Ramirez
	1500	74	C. Hernandez
	1800	77	C. Hernandez
	2100	80	C. Hernandez
	2400	74	S. Brooks

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024	0300	72	L. Ramirez
	0600	71	D. Duran
	0900	71	D. Duran
	1200	73	D. Duran
	1500	79	M. Martinez
	1800	77	M. Martinez
	2100	74	M. Martinez
	2400	75	D. Duran

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024	0300	74	S. Brooks
	0600	72	G. Grady
	0900	75	G. Grady
	1200	78	G. Grady
	1500	80	G. Grady
	1800	80	G. Grady
	2100	80	G. Grady
	2400	75	S. Brooks

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	70	S. Brooks
	0600	70	L. Ramirez
	0900	73	L. Ramirez
	1200	77	L. Ramirez
	1500	80	S. Smith
	1800	84	S. Smith
	2100	79	S. Smith
	2400	76	S. Brooks

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	71	S. Brooks
	0600	71	L. Ramirez
	0900	70	L. Ramirez
	1200	72	L. Ramirez
	1500	85	C. Hernandez
	1800	85	C. Hernandez
	2100	79	C. Hernandez
	2400	72	L. Ramirez

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	73	Judd
	0600	73	G. Corde
	0900	72	G. Corde
	1200	79	G. G-11
	1500	78	M. Addison
	1800	79	M. Addison
	2100	78	M. Addison
	2400	76	S. Brant

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

**STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

**DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU**

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name(Print)
September 1, 2024	0300	80	J. C. M. C. A. U. E. R.
	0600	73	J. C. M. C. A. U. E. R.
	0900	75	J. C. M. C. A. U. E. R.
	1200	83	J. C. M. C. A. U. E. R.
	1500	85	J. C. M. C. A. U. E. R.
	1800	85	J. C. M. C. A. U. E. R.
	2100	80	J. C. M. C. A. U. E. R.
	2400	80	J. C. M. C. A. U. E. R.

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 2, 2024	0300	80	J.CERROS
	0600	72	J.CHAVEZ
	0900	80	J.CHAVEZ
	1200	89	J.CHAVEZ
	1500	87	P.DURAN
	1800	85	P.DURAN
	2100	85	P.DURAN
	2400	83	J.CERROS

Wednesday 2359

Date	Time	Temp.	Name(Print)
September 4, 2024	0300	84	J.CERROS
	0600	75	J.CHAVEZ
	0900	78	J.CHAVEZ
	1200	89	J.CHAVEZ
	1500	100	Bernardo
	1800	91	Bernardo
	2100	92	BERNARDO
	2400	86	Bernardo

Friday

Date	Time	Temp.	Name(Print)
September 6, 2024	0300	85	K.MORGAN
	0600	80	G.Cord
	0900	72	G.Cord
	1200	72	G.Cord
	1500	96	G.Jones
	1800	94	G.Jones
	2100	90	G.Jones
	2400	89	Bradford

Sunday

Date	Time	Temp.	Name(Print)
September 8, 2024	0300	83	A.SANTOS
	0600	80	J.CHAVEZ
	0900	84	J.CHAVEZ
	1200	90	J.CHAVEZ
	1500	93	M.M.
	1800	95	M.M.
	2100	94	M.M.
	2400	89	J.CERROS

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday

Date	Time	Temp.	Name(Print)
September 3, 2024	0300	80	J.CERROS
	0600	73	J.CHAVEZ
	0900	80	J.CHAVEZ
	1200	89	J.CHAVEZ
	1500	89	Bernardo
	1800	90	Bernardo
	2100	87	Bernardo
	2400	84	J.CERROS

Thursday 2359

Date	Time	Temp.	Name(Print)
September 5, 2024	0300	80	Bernardo
	0600	80	Nigro
	0900	85	Nigro
	1200	88	Nigro
	1500	100	Bernardo
	1800	100	BERNARDO
	2100	94	BERNARDO
	2400	90	K.MORGAN

Saturday

Date	Time	Temp.	Name(Print)
September 7, 2024	0300	87	Bradford
	0600	87	G.Cord
	0900	83	G.Cord
	1200	92	G.Cord
	1500	94	SANSON
	1800	92	SANSON
	2100	90	SANSON
	2400	88	A.SANTOS

Notes

Stage II @ 90° 1222 9/3/24
 STAGE II @ 90° 1243 9-4-24
 Stage III @ 100° 1500 9/4/24
 STAGE III DEACTIVATED @ 2021 9/4/24 93°
 Stage II 90° 1231 9-4-24
 STAGE III @ 1500 9/5/24
 Stage II @ 126 65° 9/4
 Stage II @ 126 65° 9/7
 STAGE III @ 1140 1155 9-8-24
 STAGE 3 @ 1211 1125 9-8-24
 STAGE II DEACTIVATED @ 23:59 9/8/24

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 9, 2024	0300	82	J. CENICEROS
	0600	80	J. CHAVEZ
	0900	82	J. CHAVEZ
	1200	89	J. CHAVEZ
	1500	98	P. DELUNDO
	1800	98	P. DELUNDO
	2100	95	P. VELLUNDO
	2400	89	J. CENICEROS

Wednesday

Date	Time	Temp.	Name(Print)
September 11, 2024	0300	83	J. CENICEROS
	0600	61	J. CHAVEZ
	0900	72	J. CHAVEZ
	1200	82	J. CHAVEZ
	1500	86	BERNALDINO
	1800	84	BERNALDINO
	2100	76	BERNALDINO
	2400	74	K. MORGAN

Friday

Date	Time	Temp.	Name(Print)
September 13, 2024	0300	71	K. MORGAN
	0600	71	CERVANTES
	0900	70	CERVANTES
	1200	70	R. SANCHEZ
	1500	70	R. SANCHEZ
	1800	73	R. SANCHEZ
	2100	75	R. SANCHEZ
	2400	78	J. CENICEROS

Sunday

Date	Time	Temp.	Name(Print)
September 15, 2024	0300	75	J. CENICEROS
	0600	72	CHAVEZ
	0900	73	CHAVEZ
	1200	75	CHAVEZ
	1500	79	LEO
	1800	79	LEO
	2100	78	LEO
	2400	72	J. JAD

Tuesday

Date	Time	Temp.	Name(Print)
September 10, 2024	0300	88	J. CENICEROS
	0600	80	J. CHAVEZ
	0900	81	J. CHAVEZ
	1200	88	J. CHAVEZ
	1500	98	BERNALDINO
	1800	96	BERNALDINO
	2100	86	BERNALDINO
	2400	84	J. CENICEROS

Thursday

Date	Time	Temp.	Name(Print)
September 12, 2024	0300	70	K. MORGAN
	0600	70	F. MAGAO
	0900	72	F. MAGAO
	1200	72	F. MAGAO
	1500	84	BERNALDINO
	1800	81	BERNALDINO
	2100	78	BERNALDINO
	2400	76	K. MORGAN

Saturday

Date	Time	Temp.	Name(Print)
September 14, 2024	0300		
	0600	71	Rodriguez
	0900	72	Rodriguez
	1200	75	Rodriguez P
	1500	75	K. Jones
	1800	75	K. Jones
	2100	75	K. Jones
	2400	77	J. CENICEROS

Notes

STAGE 2 UHT @ 1235 9.9.24
STAGE 3 UHT @ 1344 9.9.24
STAGE 3 UHT @ 1426 9/10/24 97°
STAGE 3 UHT DEACTIVATED @ 1845 93° 9/10/24

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 16, 2024	0300	75	Judd
	0600	70	J. CHAVEZ
	0900	73	J. CHAVEZ
	1200	80	J. CHAVEZ
	1500	87	R. DELGADO <i>W</i>
	1800	88	R. DELGADO
	2100	88	R. DELGADO
	2400	79	I. FERNANDEZ

Wednesday

Date	Time	Temp.	Name(Print)
September 18, 2024	0300	78	Rodriguez
	0600	70	J. CHAVEZ
	0900	79	J. CHAVEZ
	1200	84	J. CHAVEZ <i>W</i>
	1500	86	BERNARDINO
	1800	80	BERNARDINO
	2100	79	BERNARDINO
	2400	74	BERNARDINO

Friday

Date	Time	Temp.	Name(Print)
September 20, 2024	0300	71	R. Gonzalez
	0600	70	R. Delgado
	0900	80	R. Delgado
	1200	85	R. Delgado
	1500	85	R. Delgado <i>W</i>
	1800	80	R. Delgado
	2100	77	R. Delgado
	2400	75	CRESPI

Sunday

Date	Time	Temp.	Name(Print)
September 22, 2024	0300	75	CRESPI
	0600	72	J. CHAVEZ
	0900	80	J. CHAVEZ
	1200	85	J. CHAVEZ
	1500	87	Carranza <i>W</i>
	1800	85	Carranza
	2100	83	Carranza
	2400	81	CCARRANZA

Tuesday

Date	Time	Temp.	Name(Print)
September 17, 2024	0300	75	I. FERNANDEZ
	0600	70	J. CHAVEZ
	0900	77	J. CHAVEZ
	1200	82	J. CHAVEZ
	1500	84	BERNARDINO
	1800	87	BERNARDINO
	2100	85	BERNARDINO
	2400	77	Rodriguez

Thursday

Date	Time	Temp.	Name(Print)
September 19, 2024	0300	74	BERNARDINO
	0600	70	F. Nagao
	0900	73	F. Nagao
	1200	75	F. Nagao
	1500	80	BERNARDINO
	1800	84	BERNARDINO
	2100	82	BERNARDINO
	2400	70	R. Gonzalez

Saturday

Date	Time	Temp.	Name(Print)
September 21, 2024	0300	78	CRESPI
	0600	78	
	0900	77	
	1200	75	
	1500	71	DIAZ
	1800	73	DIAZ
	2100	76	SIN-
	2400	74	DIAZ

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024	0300	75	J.CENICEROS
	0600	70	J.CHAUZER
	0900	71	J.CHAUZER
	1200	80	J.CHAUZER
	1500	85	R.DELGADO
	1800	85	R.DELGADO
	2100	88	R.DELGADO
	2400	79	J.CENICEROS

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024	0300	75	J.CENICEROS
	0600	70	J.CHAUZER
	0900	68	J.CHAUZER
	1200	74	J.CHAUZER
	1500	83	BERNARDINO
	1800	82	BERNARDINO
	2100	78	BERNARDINO
	2400	74	K.MORGAN

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024	0300	73	K.MORGAN
	0600	73	G.VELA
	0900	73	G.VELA
	1200	73	G.VELA
	1500	73	G.VELA
	1800	80	G.SANSON
	2100	80	G.SANSON
	2400	78	G.SANSON

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024	0300	72	K.MORGAN
	0600	74	G.VELA
	0900	74	G.VELA
	1200	79	G.VELA
	1500	81	G.SANSON
	1800	83	G.SANSON
	2100	83	G.SANSON
	2400	83	J.CENICEROS

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024	0300	78	J.CENICEROS
	0600	70	J.CHAUZER
	0900	70	J.CHAUZER
	1200	78	J.CHAUZER
	1500	86	BERNARDINO
	1800	84	BERNARDINO
	2100	79	BERNARDINO
	2400	77	J.CENICEROS

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	71	K.MORGAN
	0600	71	Sanchez
	0900	72	Sanchez
	1200	71	Sanchez
	1500	74	BERNARDINO
	1800	82	BERNARDINO
	2100	80	BERNARDINO
	2400	76	K.MORGAN

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	78	R.SANSON
	0600	67	MOLVEDA
	0900	70	MOLVEDA
	1200	74	MOLVEDA
	1500	74	R.SANSON
	1800	74	R.SANSON
	2100	72	R.SANSON
	2400	70	R.SANSON

Notes

**DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU**

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC

Housing Unit:

Fdec

Temp. Reading Location:

312

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees. — when the inside air temperature reaches

Monday		Date	Time	Temp.	Name(Print)
September 30, 2024	0300	80	J. CRUZ	CEROS	
	0600	69	J. CRUZ	CEROS	
	0900	71	J. CRUZ	CEROS	
	1200	70	J. CRUZ	CEROS	
	1500	91	J. CRUZ	CEROS	
	1800	91	J. CRUZ	CEROS	
	2100	82	J. CRUZ	CEROS	
	2400	83	J. CRUZ	CEROS	

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday 2359

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday				
Date	Time	Temp.	Name(Print)	
	0300			
	0600			
	0900			
	1200			
	1500			
	1800			
	2100			
	2400			

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name(Print)
September 1, 2024	0300	76	K. MORGAN
	0600	76	PEREZ
	0900	76	PEREZ
	1200	80	PEREZ
	1500	84	WHITEN
	1800	70	MAICH
	2100	85	WATSON
	2400	810	S. L. Caley

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 2, 2024	0300	77°	S. Lahey
	0600	78°	Perez
	0900	80°	Perez
	1200	82°	Perez
	1500	92	CABRERA
	1800	92	CABRERA J
	2100	88	CABRERA
	2400	82°	S. Lahey

Wednesday

Date	Time	Temp.	Name(Print)
September 4, 2024	0300	78	Rodriguez
	0600	80	WHITE
	0900	85	WHITE
	1200	88	WHITE
	1500	90	J CABRERA
	1800	94	J CABRERA
	2100	92	J CABRERA
	2400	88°	S. Lahey

Friday

Date	Time	Temp.	Name(Print)
September 6, 2024	0300	88°	S. Lahey
	0600	84	WHITE
	0900	85	WHITE
	1200	89	WHITE
	1500	103	WHITE
	1800	106	WHITE
	2100	94	WHITE
	2400	88	K. MORGAN

Sunday

Date	Time	Temp.	Name(Print)
September 8, 2024	0300	84	K. MORGAN
	0600	84°	Perez
	0900	88°	Perez
	1200	90	Perez
	1500	102	P. DELGADO
	1800	98	P. DELGADO
	2100	94	P. DELGADO
	2400	89°	P. DELGADO

DISTRIBUTION: Original: Institution ADA Coordinator

9/16/24 STAGE II @ 1202
9/17/24 STAGE III @ 1500
9/18/24 STAGE III DEACTIVATED 2030

Tuesday

Date	Time	Temp.	Name(Print)
September 3, 2024	0300	78	S. Lahey
	0600	79	CABRERA
	0900	76	J CABRERA
	1200	86	J CABRERA
	1500	92	J CABRERA
	1800	92	J CABRERA
	2100	88	J CABRERA
	2400	82	Rodríguez

Thursday

Date	Time	Temp.	Name(Print)
September 5, 2024	0300	85°	S. Lahey
	0600	85	WHITE
	0900	85	WHITE
	1200	87	WHITE
	1500	96	WHITE
	1800	99	WHITE
	2100	94	WHITE
	2400	91°	S. Lahey

Saturday

Date	Time	Temp.	Name(Print)
September 7, 2024	0300	84	K. MORGAN
	0600	81	WHITE
	0900	81	WHITE
	1200	88	WHITE
	1500	97	P. DELGADO
	1800	99	P. DELGADO
	2100	93	P. DELGADO
	2400	89	K. MORGAN

Notes

9/2/24 STAGE II 1500 1550 (10°)
OFF 2037
9/3/24 STAGE II 1400 OFF 2000
9/4/24 STAGE II 1333
*STAGE III 1505 OFF 1958
9/4/24 OFF SGT II @ 2330
9/5/24 STAGE II 1215
9/5/24 STAGE III 1402
9/5/24 STAGE III DEACTIVATED 2050
STAGE II DEACTIVATED 2100

9/6/24 STG II DEACTIVATED AT 0130 hrs.
9/7/24 STG II + III ACTIVATED 1405
9/7/24 STG III DEACTIVATED 2010

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 9, 2024	0300	76°	S. Lockey
	0600	80	Zamora
	0900	82	Zamora
	1200	88	Zamora
	1500	97	J.C. ARELLANA
	1800	100	J.C. ARELLANA
	2100	93	J.C. ARELLANA
	2400	90°	S. Lockey

Wednesday

Date	Time	Temp.	Name(Print)
September 11, 2024	0300	70°	S. Lockey
	0600	72	WHICH
	0900	73	WHICH
	1200	82	WHICH
	1500	82	WHICH
	1800	81	WHICH
	2100	79	WHICH
	2400	75°	S. Lockey

Friday

Date	Time	Temp.	Name(Print)
September 13, 2024	0300	73°	S. Lockey
	0600	73	WHICH
	0900	73	WHICH
	1200	74	WHICH
	1500	79	J.C. ARELLANA
	1800	78	J.C. ARELLANA
	2100	70	J.C. ARELLANA
	2400	70	K. MORGAN

Sunday

Date	Time	Temp.	Name(Print)
September 15, 2024	0300	73	K. MORGAN
	0600	72	Zamora
	0900	72	Zamora
	1200	72	Zamora
	1500	75	KISS
	1800	75	KISS
	2100	75	KISS
	2400	74	WHICH

Tuesday

Date	Time	Temp.	Name(Print)
September 10, 2024	0300	86°	S. Lockey
	0600	80	J.C. ARELLANA
	0900	82	J.C. ARELLANA
	1200	87	J.C. ARELLANA
	1500	94	J.C. ARELLANA
	1800	90	J.C. ARELLANA
	2100	89	J.C. ARELLANA
	2400	85°	S. Lockey

Thursday

Date	Time	Temp.	Name(Print)
September 12, 2024	0300	72°	S. Lockey
	0600	70	WHICH
	0900	72	WHICH
	1200	73	WHICH
	1500	80	WHICH
	1800	78	WHICH
	2100	77	WHICH
	2400	75°	S. Lockey

Saturday

Date	Time	Temp.	Name(Print)
September 14, 2024	0300	74	K. MORGAN
	0600	72	GIGENA
	0900	72	GIGENA
	1200	74	GIGENA
	1500	80	KISS
	1800	80	KISS
	2100	80	KISS
	2400	75	K. MORGAN

Notes

9-9-24 - Stage I VAT @ 1010
9-9-7 STAGE II 1440 OFF 2015
9-10-24 STG II OFF @ 0130 hrs
9-10-24 STG II 1300 hrs OFF 1847
9-10-24 STG III 1530 97° OFF 1847

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 16, 2024	0300	73	WHITCH
	0600	72	PEREZ
	0900	72	PEREZ
	1200	76	PEREZ
	1500	74	J.CABRERA
	1800	74	J.CABRERA
	2100	72	J.CABRERA
	2400	70	DARALOS

Wednesday

Date	Time	Temp.	Name(Print)
September 18, 2024	0300	69	WHITCH
	0600	68	WHITCH
	0900	71	WHITCH
	1200	74	WHITCH
	1500	74	J.CABRERA
	1800	74	J.CABRERA
	2100	72	J.CABRERA
	2400	74	DARALOS

Friday

Date	Time	Temp.	Name(Print)
September 20, 2024	0300	69	DARALOS
	0600	71	WHITCH
	0900	73	WHITCH
	1200	74	WHITCH
	1500	76	J.CABRERA
	1800	76	J.CABRERA
	2100	74	J.CABRERA
	2400	75	R. Gonzales

Sunday

Date	Time	Temp.	Name(Print)
September 22, 2024	0300	70	WHITCH
	0600	70	PEREZ
	0900	70	PEREZ
	1200	78	PEREZ
	1500	85	R.DELCANTO
	1800	83	R.DELCANTO
	2100	81	R.DELCANTO
	2400	78	S.Lochey

Tuesday

Date	Time	Temp.	Name(Print)
September 17, 2024	0300	70	DARALOS
	0600	68	
	0900	74	J.CABRERA
	1200	77	J.CABRERA
	1500	74	J.CABRERA
	1800	74	J.CABRERA
	2100	74	J.CABRERA
	2400	70	WHITCH

Thursday

Date	Time	Temp.	Name(Print)
September 19, 2024	0300	69	DARALOS
	0600	67	WHITCH
	0900	68	WHITCH
	1200	73	WHITCH
	1500	78	WHITCH
	1800	71	WHITCH
	2100	76	WHITCH
	2400	74	DARALOS

Saturday

Date	Time	Temp.	Name(Print)
September 21, 2024	0300	73	R. Gonzales
	0600	70	WHITCH
	0900	73	WHITCH
	1200	74	WHITCH
	1500	74	R. DELCANTO
	1800	77	R. DELCANTO
	2100	77	R. DELCANTO
	2400	73	WHITCH

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 23, 2024	0300	76°	S. Lahey
	0600	76°	PEREZ
	0900	74°	PEREZ
	1200	80°	PEREZ NO
	1500	82°	J.CARBONETTA
	1800	82°	J.CARBONETTA
	2100	82°	J.CARBONETTA
	2400	80°	S. Lahey

Wednesday

Date	Time	Temp.	Name(Print)
September 25, 2024	0300	74°	S. Lahey
	0600	71°	WHICH
	0900	70°	WHICH
	1200	73°	WHICH NO
	1500	80°	WHICH
	1800	77°	WHICH
	2100	76°	WHICH
	2400	74°	S. Lahey

Friday

Date	Time	Temp.	Name(Print)
September 27, 2024	0300	73°	S. Lahey
	0600	70°	WHICH
	0900	71°	WHICH
	1200	71°	WHICH
	1500	80°	E. Chisholm NO
	1800	80°	E. Chisholm
	2100	80°	E. Chisholm
	2400	75°	K. MORGAN

Sunday

Date	Time	Temp.	Name(Print)
September 29, 2024	0300	73°	K. MORGAN
	0600	70°	PEREZ
	0900	70°	PEREZ
	1200	76°	PEREZ
	1500	80°	E. Chisholm NO
	1800	80°	E. Chisholm
	2100	80°	E. Chisholm
	2400	80°	S. Lahey

Tuesday

Date	Time	Temp.	Name(Print)
September 24, 2024	0300	75°	S. Lahey
	0600	70°	J.CARBONETTA
	0900	72°	J.CARBONETTA
	1200	80°	J.CARBONETTA NO
	1500	80°	J.CARBONETTA
	1800	80°	J.CARBONETTA
	2100	76°	J.CARBONETTA
	2400	76°	S. Lahey

Thursday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300	70°	S. Lahey
	0600	70°	WHITE
	0900	70°	WHITE
	1200	73°	WHITE
	1500	80°	WHITE NO
	1800	77°	WHITE
	2100	76°	WHITE
	2400	74°	S. Lahey

Saturday

Date	Time	Temp.	Name(Print)
September 28, 2024	0300	73°	K. MORGAN
	0600	70°	WHITE
	0900	71°	WHITE
	1200	73°	WHITE
	1500	80°	L. RON
	1800	75°	L. RON
	2100	75°	L. RON
	2400	75°	K. MORGAN

Notes

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: _____ Housing Unit: _____

Temp. Reading Location:

313

(e.g. 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Date	Time	Temp.	Name(Print)
September 30, 2024			0300	75°	S. Lachey
			0600	74°	PEREZ
			0900	72°	PEREZ
			1200	76°	PEREZ
			1500	80	DIAZ
			1800	84	DIAZ
			2100	82	DIAZ
			2400	82°	S. Lachey

Tuesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Sunday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 401Temp. Reading Location: Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
9/1/2024	0300	79	Chagolla ✓
	0600	79	Ordonez ✓
	0900	79	EVERCUT
	1200	79	EVANS ✓
	1500	84	E Hernandez
	1800	84	E Hernandez
	2100	83	E Hernandez
	2400	80	R. Serrano ✓

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, QHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 401

Temp. Reading Location:

Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/2/2024	0300	79	Addison
	0600	79	Darrow
	0900	80	Darrow
	1200	80	Darrow
	1500	84	Fay
	1800	83	Fay
	2100	83	Fay
	2400	80	Fay

Tuesday

Date	Time	Temp	Name (Print)
9/3/2024	0300	79	Fay
	0600	79	Darrow
	0900	80	Darrow
	1200		Darrow
	1500	84	Fay
	1800	80	Fay
	2100	86	Fay
	2400	80	J. Gonzalez SW

Wednesday

Date	Time	Temp	Name (Print)
9/4/2024	0300	80	J. Gonzalez SW
	0600	80	Darrow
	0900	81	Darrow
	1200	83	Darrow
	1500	83	J. SANCHEZ
	1800	83	J. SANCHEZ
	2100	83	J. SANCHEZ
	2400	85	J. Gonzalez

Thursday

Date	Time	Temp	Name (Print)
9/5/2024	0300	85	J. Gonzalez
	0600	84	Darrow
	0900	84	Darrow
	1200	86	Darrow
	1500	89	J. Gonzalez
	1800	89	J. Gonzalez
	2100	89	J. Gonzalez
	2400	89	J. Gonzalez

Friday

Date	Time	Temp	Name (Print)
9/6/2024	0300	88	J. Gonzalez
	0600	88	CBailey
	0900	87	CBailey
	1200	91	CBailey
	1500	95	S. RIZVJ
	1800	96	S. RIZVJ
	2100	96	S. RIZVJ
	2400	91	J. Gonzalez

Saturday

Date	Time	Temp	Name (Print)
9/7/2024	0300	89	J. Gonzalez
	0600	84	CBailey
	0900	85	CBailey
	1200	88	CBailey
	1500	94	RIZVJ
	1800	94	RIZVJ
	2100	92	RIZVJ
	2400	91	REAVONSHIP

Sunday

Date	Time	Temp	Name (Print)
9/8/2024	0300	96	REAVONSHIP
	0600	86	Darrow
	0900	86	Darrow
	1200	86	Darrow
	1500	90	J. Turner
	1800	91	J. Turner
	2100	92	J. Turner
	2400	92	ENCL:SO

Notes

9/3/24 700 hrs. 90° inside dorm. FIRE water point/lock
 9-4-24 1238 Stage II activated 91° called watch.
 9/1/24-1335 10 Stage II activated called watch.
 9/8/24 1428 Stage II 90° watch not f.c.d.

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 202, 203, 208, 214, 303, 304, 308, 311, 312, 314, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 401

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/9/2024	0300	90	ENCISO
	0600	90	Darrow
	0900	90	Darrow
	1200	91	Darrow
	1500	92	Fay
	1800	93	Fay
	2100	92	Fay
	2400	90	Fay

Tuesday

Date	Time	Temp	Name (Print)
9/10/2024	0300	90	Fay
	0600	88	Darrow
	0900	88	Darrow
	1200	89	Darrow
	1500	90	Fay
	1800	90	Fay
	2100	88	Fay
	2400	85	J. Gonzalez

Wednesday

Date	Time	Temp	Name (Print)
9/11/2024	0300	81	J. Gonzalez
	0600	81	Darrow
	0900	81	Darrow
	1200	81	Darrow
	1500	79	Fay
	1800	78	Fay
	2100	76	Fay
	2400	75	J. Gonzalez

Thursday

Date	Time	Temp	Name (Print)
9/12/2024	0300	75	J. Gonzalez
	0600	75	Darrow
	0900	77	Darrow
	1200	79	Darrow
	1500	76	J. Gonzalez
	1800	76	J. Gonzalez
	2100	75	J. Gonzalez
	2400	75	J. Gonzalez

Friday

Date	Time	Temp	Name (Print)
9/13/2024	0300	78	J. Gonzalez
	0600	75	CBaily
	0900	74	CBaily
	1200	74	CBaily
	1500	78	R22J
	1800	75	R22J
	2100	74	R22J
	2400	74	J. Gonzalez

Saturday

Date	Time	Temp	Name (Print)
9/14/2024	0300	74	J. Gonzalez
	0600	74	Darrow
	0900	74	Darrow
	1200	76	Darrow
	1500	76	R22J
	1800	77	R22J
	2100	73	R22J
	2400	71	N. Miranda

Sunday

Date	Time	Temp	Name (Print)
9/15/2024	0300	71	N. Miranda
	0600	71	Darrow
	0900	73	Darrow
	1200	74	Darrow
	1500	74	M. Brown
	1800	75	M. Brown
	2100	73	M. Brown
	2400	71	ENCISO

Notes

9/9/2024 - 91° @ 400cc T/C/WATER provided to dorm
 9/10/2024 - 89° in dorm
 9/10/2024 - 90° @ 1500cc ICE/WATER provided to dorm

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 401

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/16/2024	0300	66	ENC150
	0600	66	Darrow
	0900	68	Darrow
	1200	71	Darrow
	1500	73	Fay
	1800	72	Fay
	2100	72	Fay
	2400	71	Fay SN

Tuesday

Date	Time	Temp	Name (Print)
9/17/2024	0300	70	Fay SN
	0600	70	Darrow
	0900	72	Darrow
	1200	75	Darrow
	1500	72	Fay
	1800	72	Fay
	2100	70	Fay
	2400	70	J. Gonzalez

Wednesday

Date	Time	Temp	Name (Print)
9/18/2024	0300	70	J. Gonzalez
	0600	70	Darrow
	0900	71	Darrow
	1200	73	Darrow
	1500	72	Fay
	1800	72	Fay
	2100	71	Fay
	2400	72	J. Gonzalez

Thursday

Date	Time	Temp	Name (Print)
9/19/2024	0300	72	J. Gonzalez
	0600	72	Darrow
	0900	73	Darrow
	1200	75	Darrow
	1500	72	J. Gonzalez
	1800	72	J. Gonzalez
	2100	72	J. Gonzalez
	2400	71	J. Gonzalez

Friday

Date	Time	Temp	Name (Print)
9/20/2024	0300	71	J. Gonzalez
	0600	70	F. Amerson
	0900	70	F. Amerson
	1200	72	F. Amerson
	1500	74	R. Morales
	1800	78	R. Morales
	2100	76	R. Morales
	2400	72	M. Diaz

Saturday

Date	Time	Temp	Name (Print)
9/21/2024	0300	72	Diaz, L
	0600	72	Coltrai
	0900	71	Coltrai
	1200	72	Coltrai
	1500	73	Rivoli
	1800	73	Rivoli
	2100	74	Rivoli
	2400	75	Machastian

Sunday

Date	Time	Temp	Name (Print)
9/22/2024	0300	73	M. Diaz
	0600	72	Coltrai
	0900	71	Coltrai
	1200	72	Coltrai
	1500	73-80	Rivoli Fay
	1800	73-80	Rivoli Fay
	2100	74-80	Rivoli Fay
	2400	76	ENC150

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 401

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/23/2024	0300	76	ENCISO
	0600	76	Darrow
	0900	77	Darrow
	1200	78	Darrow
	1500	70	Fay
	1800	70	Fay
	2100	70	Fay
	2400	77	Fay

Tuesday

Date	Time	Temp	Name (Print)
9/24/2024	0300	76	Fay
	0600	75	Darrow
	0900	75	Darrow
	1200	77	Darrow
	1500	78	Fay
	1800	78	Fay
	2100	78	Fay
	2400	74	J. Gonzalez

Wednesday

Date	Time	Temp	Name (Print)
9/25/2024	0300	72	J. Gonzalez
	0600	72	Darrow
	0900	73	Darrow
	1200	75	Darrow
	1500	76	Fay
	1800	76	Fay
	2100	76	Fay
	2400	79	J. Gonzalez

Thursday

Date	Time	Temp	Name (Print)
9/26/2024	0300	72	J. Gonzalez
	0600	72	Darrow
	0900	74	Darrow
	1200	76	Darrow
	1500	79	J. Gonzalez
	1800	79	J. Gonzalez
	2100	79	J. Gonzalez
	2400	75	J. Gonzalez

Friday

Date	Time	Temp	Name (Print)
9/27/2024	0300	73	J. Gonzalez
	0600	72	CERVANTES
	0900	72	CERVANTES
	1200	72	CERVANTES
	1500	78	Rovit
	1800	78	Rovit
	2100	76	Rovit
	2400	74	J. Gonzalez

Saturday

Date	Time	Temp	Name (Print)
9/28/2024	0300	72	J. Gonzalez
	0600	72	J. Sanchez
	0900	73	J. Sanchez
	1200	74	J. Sanchez
	1500	73	S. Rovit
	1800	73	S. Rovit
	2100	72	S. Rovit
	2400	74	ENCISO

Sunday

Date	Time	Temp	Name (Print)
9/29/2024	0300	73	ENCISO
	0600	73	Darrow
	0900	73	Darrow
	1200	75	Darrow
	1500	70	Fay
	1800	70	Fay
	2100	70	Fay
	2400	77	ENCISO

Notes

9/23/24 at 1200 was entered in error

Designated Heat Doms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 401

Temp. Reading Location:

on: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp	Name (Print)
9/30/2024	0300	73	ENUSO
	0600	73	Darrow
	0900	75	Darrow
	1200	78	Darrow
	1500	83	Fay
	1800	82	Fay
	2100	80	Fay
	2400	80	Fay

Tuesday			
Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday			
Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday			
Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Designated Heat Dorms: 102,103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 402Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
9/1/2024	0300	79	1 - C
	0600	79	2
	0900	79	50
	1200	79	7
	1500	84	12
	1800	84	12
	2100	82	12
	2400	80	12

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 402

Temp. Reading Location:

Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/2/2024	0300	86	<i>[Signature]</i>
	0600	86	<i>[Signature]</i>
	0900	82	<i>[Signature]</i>
	1200	82	<i>[Signature]</i>
	1500	84	COLTRAS ✓
	1800	83	COLTRAS
	2100	83	COLTRAS
	2400	80	B.PFISTER

Tuesday

Date	Time	Temp	Name (Print)
9/3/2024	0300	79	<i>[Signature]</i>
	0600	79	<i>[Signature]</i>
	0900	80	<i>[Signature]</i>
	1200	82	<i>[Signature]</i>
	1500	84	<i>[Signature]</i>
	1800	84	S. SAWYER
	2100	83	S. SAWYER
	2400	80	L. NIX

Wednesday

Date	Time	Temp	Name (Print)
9/4/2024	0300	80	<i>[Signature]</i>
	0600	80	<i>[Signature]</i>
	0900	81	<i>[Signature]</i>
	1200	81	<i>[Signature]</i>
	1500	88	R. SHAW
	1800	88	R. SHAW
	2100	86	R. SHAW
	2400	85	<i>[Signature]</i>

Thursday

Date	Time	Temp	Name (Print)
9/5/2024	0300	85	<i>[Signature]</i>
	0600	85	BOTELLO
	0900	85	BOTELLO
	1200	86	BOTELLO
	1500	89	D. MIZZ
	1800	89	D. MIZZ
	2100	89	D. MIZZ
	2400	88	<i>[Signature]</i>

Friday

Date	Time	Temp	Name (Print)
9/6/2024	0300	88	<i>[Signature]</i>
	0600	88	<i>[Signature]</i>
	0900	88	<i>[Signature]</i>
	1200	91	<i>[Signature]</i>
	1500	95	COLTRAS
	1800	94	COLTRAS
	2100	94	COLTRAS
	2400	91	B. PFISTER, B.

Saturday

Date	Time	Temp	Name (Print)
9/7/2024	0300	89	<i>[Signature]</i>
	0600	88	<i>[Signature]</i>
	0900	88	<i>[Signature]</i>
	1200	88	<i>[Signature]</i>
	1500	94	COLTRAS
	1800	95	COLTRAS
	2100	92	COLTRAS
	2400	91	ESQUILBAY

Sunday

Date	Time	Temp	Name (Print)
9/8/2024	0300	86	ESQUILBAY
	0600	88	<i>[Signature]</i>
	0900	85	<i>[Signature]</i>
	1200	89	<i>[Signature]</i>
	1500	90	COLTRAS NO
	1800	91	COLTRAS
	2100	92	COLTRAS
	2400	92	B. PFISTER

Notes

9-6-24-1505 Stage III @ 95 degrees
 9-6-24-1957 Stage II deactivated
 9/7/24 1335 Stage II ACTIVATED
 9-7-24-1700 Stage III ACTIVATED
 9-7-24-1820 Stage III deactivated
 9-8-24-1428 Stage II ACTIVATED

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 402

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/9/2024	0300	90	B.PFISHER
	0600	90	
	0900	90	
	1200	91	
	1500	92	COLIRAS
	1800	93	COLIRAS
	2100	92	COLIRAS
	2400	90	B.PFISHER

Tuesday

Date	Time	Temp	Name (Print)
9/10/2024	0300	89	B.PFISHER
	0600	89	
	0900	89	
	1200	89	
	1500	90	S.OMAR
	1800	89	S.OMAR
	2100	88	S.OMAR
	2400	85	B.PFISHER

Wednesday

Date	Time	Temp	Name (Print)
9/11/2024	0300	81	B.PFISHER
	0600	81	
	0900	82	Reyes
	1200	81	Reyes
	1500	79	SILVAS
	1800	78	SILVAS
	2100	76	SILVAS
	2400	75	SILVAS

Thursday

Date	Time	Temp	Name (Print)
9/12/2024	0300	75	SILVAS
	0600	75	ROTELLA
	0900	79	ROTELLA
	1200	76	ROTELLA
	1500	78	DIAZ
	1800	75	DIAZ
	2100	75	DIAZ
	2400	75	SILVAS

Friday

Date	Time	Temp	Name (Print)
9/13/2024	0300	75	SILVAS
	0600	75	ROTELLA
	0900	74	ROTELLA
	1200	74	ROTELLA
	1500	78	COLIRAS
	1800	76	COLIRAS
	2100	74	COLIRAS
	2400	72	COLIRAS

Saturday

Date	Time	Temp	Name (Print)
9/14/2024	0300	76	Colirai
	0600	70	
	0900	72	
	1200	74	
	1500	76	A.GOMEZ
	1800	77	A.GOMEZ
	2100	73	A.GOMEZ
	2400	71	A.GOMEZ

Sunday

Date	Time	Temp	Name (Print)
9/15/2024	0300	71	Adams
	0600	71	Reyes
	0900	73	Reyes
	1200	74	Reyes
	1500	74	COLIRAS
	1800	75	COLIRAS
	2100	73	COLIRAS
	2400	71	B.PFISHER

Notes

9.9.24 - @ 1400 Stage II / ice water provided.

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
ATTACHMENT D
 Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 402

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/16/2024	0300	70	B.PFISTER
	0600	76	
	0900	68	
	1200	78	
	1500	73	(COURT)
	1800	71	COLLARS
	2100	72	COLLARS
	2400	71	B.PFISTER

Tuesday

Date	Time	Temp	Name (Print)
9/17/2024	0300	70	B.PFISTER
	0600	76	
	0900	70	
	1200	71	
	1500	70	S. STORMS
	1800	73	S. STORMS
	2100	70	S. STORMS
	2400	70	B.PFISTER

Wednesday

Date	Time	Temp	Name (Print)
9/18/2024	0300	70	B.PFISTER
	0600	79	
	0900	79	
	1200	71	
	1500	70	S. STORMS
	1800	70	S. STORMS
	2100	71	S. STORMS
	2400	72	SILVAS

Thursday

Date	Time	Temp	Name (Print)
9/19/2024	0300	72	SILVAS
	0600	72	BOTELLO
	0900	72	BOTELLO
	1200	72	BOTELLO
	1500	72	NIAZ
	1800	72	NIAZ
	2100	72	DIAZ
	2400	71	SILVAS

Friday

Date	Time	Temp	Name (Print)
9/20/2024	0300	71	SILVAS
	0600	72	BOTELLO
	0900	71	BOTELLO
	1200	71	BOTELLO
	1500	74	COLLARS
	1800	78	(COLLARS)
	2100	76	(COLLARS)
	2400	72	B.PFISTER

Saturday

Date	Time	Temp	Name (Print)
9/21/2024	0300	73	P.FISTER
	0600	79	
	0900	71	
	1200	72	
	1500	75	A. DIAZ
	1800	77	A. DIAZ
	2100	75	A. DIAZ
	2400	75	A. DIAZ

Sunday

Date	Time	Temp	Name (Print)
9/22/2024	0300	75	
	0600	75	COLLARS
	0900	76	COLLARS
	1200	76	COLLARS
	1500	80	COLLARS
	1800	80	COLLARS
	2100	80	COLLARS
	2400	76	B.PFISTER

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,

OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 402

Temp. Reading Location:

Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/23/2024	0300	76	B.PFISTER
	0600	75	S. M.
	0900	73	S. M.
	1200	74	S. M.
	1500	80	COURTAS
	1800	80	COURTAS
	2100	80	COURTAS
	2400	77	B.PFISTER

Tuesday

Date	Time	Temp	Name (Print)
9/24/2024	0300	76	B.PFISTER
	0600	75	S. M.
	0900	78	S. M.
	1200	77	S. M.
	1500	77	R. ZWIE
	1800	76	R. ZWIE
	2100	75	R. ZWIE
	2400	74	B.PFISTER

Wednesday

Date	Time	Temp	Name (Print)
9/25/2024	0300	72	P.FISTER
	0600	72	P.FISTER
	0900	73	P.FISTER
	1200	75	P.FISTER
	1500	76	QUINONES
	1800	76	QUINONES
	2100	76	QUINONES
	2400	74	SILVAS

Thursday

Date	Time	Temp	Name (Print)
9/26/2024	0300	72	SILVAS
	0600	72	BOTELLO
	0900	72	BOTELLO
	1200	75	BOTELLO
	1500	79	DIAZ
	1800	79	DIAZ
	2100	79	DIAZ
	2400	75	J. SPOTT

Friday

Date	Time	Temp	Name (Print)
9/27/2024	0300	73	J. SPOTT
	0600	73	BOTELLO
	0900	72	BOTELLO
	1200	74	BOTELLO
	1500	76	COURTAS
	1800	76	COURTAS
	2100	74	COURTAS
	2400	74	B.PFISTER

Saturday

Date	Time	Temp	Name (Print)
9/28/2024	0300	72	B.PFISTER
	0600	77	REYES
	0900	73	REYES
	1200	74	REYES
	1500	79	COURTAS
	1800	76	COURTAS
	2100	75	COURTAS
	2400	74	J. SPOTT

Sunday

Date	Time	Temp	Name (Print)
9/29/2024	0300	73	J. SPOTT
	0600	72	S. M.
	0900	72	S. M.
	1200	75	REYES
	1500	80	COURTAS
	1800	78	COURTAS
	2100	78	COURTAS
	2400	74	B.PFISTER

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 402

Temp. Reading Location:

Building 3rd Floor
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/30/2024	0300	73	B. PRISER
	0600	73	P.
	0900	75	P.
	1200	78	P.
	1500	83	COLLARS ✓
	1800	82	COLLARS
	2100	80	COLLARS
	2400	80	PRISER

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403Temp. Reading Location: Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
9/1/2024	0300	74	Rangel X
	0600	72	Lochan
	0900	75	Fochow
	1200	75	Fochow or
	1500	79	Kefalianos
	1800	70	Kefalianos
	2100	78	Kefalianos
	2400	76	Rangel

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Designated Heat Dorms: 102,103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/2/2024	0300	72	Spaniel
	0600	74	Spaniel
	0900	81	Bailey
	1200	81	Bailey
	1500	82	Spaniel
	1800	82	Spaniel
	2100	82	Spaniel
	2400	82	S. oronzo

Tuesday

Date	Time	Temp	Name (Print)
9/3/2024	0300	80	S. oronzo
	0600	78	ARROYO
	0900	79	ARROYO
	1200	82	ARROYO
	1500	82	S. RAZV
	1800	81	S. RAZV
	2100	81	S. RAZV
	2400	80	S. oronzo

Wednesday

Date	Time	Temp	Name (Print)
9/4/2024	0300	79	S. oronzo
	0600	81	ARROYO
	0900	82	ARROYO
	1200	85	ARROYO
	1500	85	NIESEN
	1800	85	NIESEN
	2100	88	NIESEN
	2400	88	KRAGLE

Thursday

Date	Time	Temp	Name (Print)
9/5/2024	0300	86	KRAGLE
	0600	85	ARROYO
	0900	85	ARROYO
	1200	88	ARROYO
	1500	88	NIESEN
	1800	88	NIESEN
	2100	91	NIESEN
	2400	92	KRAGLE

Friday

Date	Time	Temp	Name (Print)
9/6/2024	0300	91	KRAGLE
	0600	90	ARROYO
	0900	90	ARROYO
	1200	90	ARROYO
	1500	92	NIESEN
	1800	94	NIESEN
	2100	99	NIESEN
	2400	93	Ramsey

Saturday

Date	Time	Temp	Name (Print)
9/7/2024	0300	90	Ramsey
	0600	87	ARROYO
	0900	87	ARROYO
	1200	89	ARROYO
	1500	90	Weller
	1800	92	Weller
	2100	92	Weller
	2400	90	Ramsey

Sunday

Date	Time	Temp	Name (Print)
9/8/2024	0300	90	Spaniel
	0600	93	Bailey
	0900	88	Bailey
	1200	91	Bailey
	1500	94	Kefalianos
	1800	94	Kefalianos
	2100	93	Kefalianos
	2400	93	Ramsey

Notes

9-6-24 1606 STAGE II Activation
 9-8-24 1154 Stage II activated

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/9/2024	0300	90	Rangel
	0600	88	F.achan
	0900	89	F.achan
	1200	89	F.achan
	1500	89	Juan
	1800	88	Juan
	2100	88	Juan
	2400	88	S.romar

Tuesday

Date	Time	Temp	Name (Print)
9/10/2024	0300	90	S.romar
	0600	85	ANNUYO
	0900	85	ARROYO
	1200	88	ARROYO
	1500	89	Juan
	1800	88	Juan
	2100	88	Juan
	2400	88	S.romar

Wednesday

Date	Time	Temp	Name (Print)
9/11/2024	0300	88	S.romar
	0600	75	ARROYO
	0900	75	ARROYO
	1200	79	ARROYO
	1500	79	NIELSEN
	1800	78	NIELSEN
	2100	77	NIELSEN
	2400	76	KRAGLE

Thursday

Date	Time	Temp	Name (Print)
9/12/2024	0300	72	KRAGLE
	0600	70	ARROYO
	0900	69	ARROYO
	1200	72	ARROYO
	1500	75	NIELSEN
	1800	76	NIELSEN
	2100	76	NIELSEN
	2400	74	KRAGLE

Friday

Date	Time	Temp	Name (Print)
9/13/2024	0300	74	KRAGLE
	0600	72	ARROYO
	0900	72	ARROYO
	1200	73	ARROYO
	1500	73	NIELSEN
	1800	71	NIELSEN
	2100	71	NIELSEN
	2400	70	Rangel

Saturday

Date	Time	Temp	Name (Print)
9/14/2024	0300	68	Spano
	0600	72	ARROYO
	0900	72	ARROYO
	1200	75	ARROYO
	1500	75	NIELSEN
	1800	74	NIELSEN
	2100	73	NIELSEN
	2400	70	Esquibel

Sunday

Date	Time	Temp	Name (Print)
9/15/2024	0300	70	Esquibel
	0600	72	C.Bailey
	0900	72	C.Bailey
	1200	72	C.Bailey
	1500	72	Kefalians
	1800	72	Kefalians
	2100	71	Kefalians
	2400	71	Rangel

Notes

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403

Temp. Reading Location:

Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/16/2024	0300	69	Rangel
	0600	69	Ochoa
	0900	70	Ochoa
	1200	70	Ochoa
	1500	70	Ochoa
	1800	70	Ochoa
	2100	70	Ochoa
	2400	70	S. Ochoa

Tuesday

Date	Time	Temp	Name (Print)
9/17/2024	0300	68	S. Ochoa
	0600	67	ARRCYO
	0900	68	ARRCYO
	1200	70	ARRCYO
	1500	70	ARRCYO
	1800	70	ARRCYO
	2100	70	ARRCYO
	2400	70	S. Ochoa

Wednesday

Date	Time	Temp	Name (Print)
9/18/2024	0300	69	S. Ochoa
	0600	69	ARRCYO
	0900	69	ARRCYO
	1200	70	M. Nielsen
	1500	70	M. Nielsen
	1800	70	M. Nielsen
	2100	70	M. Nielsen
	2400	70	KRAGLE

Thursday

Date	Time	Temp	Name (Print)
9/19/2024	0300	70	KRAGLE
	0600	68	ARRCYO
	0900	70	ARRCYO
	1200	70	ARRCYO
	1500	72°	Babon
	1800	72°	Babon
	2100	72°	Babon
	2400	72	KRAGLE

Friday

Date	Time	Temp	Name (Print)
9/20/2024	0300	71	KRAGLE
	0600	69	ARRCYO
	0900	71	ARRCYO
	1200	71	ARRCYO
	1500	72	J. Triv
	1800	72	J. Triv
	2100	72	S. Triv
	2400	72	Rangel

Saturday

Date	Time	Temp	Name (Print)
9/21/2024	0300	72	Rangel
	0600	69	Annoro
	0900	69	ARRCYO
	1200	71	ARRCYO
	1500	71	E. GONZALEZ
	1800	72	E. GONZALEZ
	2100	70	E. GONZALEZ
	2400	75	Rangel

Sunday

Date	Time	Temp	Name (Print)
9/22/2024	0300	74	Rangel
	0600	72	CBailey
	0900	72	CBailey
	1200	74	CBailey
	1500	78	Kefaliosos
	1800	80	Kefaliosos
	2100	80	Kefaliosos
	2400	75	CBailey

Notes

403

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/23/2024	0300	75	Karrel
	0600	75	F.Ochoa
	0900	75	F.Ochoa
	1200	80	F.Ochoa ✓
	1500	83	Deyer
	1800	83	Deyer
	2100	80	Deyer
	2400	73	S.ortiz

Tuesday

Date	Time	Temp	Name (Print)
9/24/2024	0300	73	S.ortiz
	0600	73	ARROYO
	0900	73	ARROYO
	1200	77	ARROYO
	1500	74	Deyer
	1800	77	Deyer
	2100	70	Deyer
	2400	77	M.ortiz

Wednesday

Date	Time	Temp	Name (Print)
9/25/2024	0300	73	M.Wes
	0600	72	ARROYO
	0900	71	ARROYO
	1200	75	ARROYO
	1500	75	NIELSEN
	1800	74	NIELSEN
	2100	73	NIELSEN
	2400	72	KRAGLE

Thursday

Date	Time	Temp	Name (Print)
9/26/2024	0300	72	KRAGLE
	0600	70	ARROYO
	0900	70	ARROYO
	1200	75	ARROYO
	1500	75	NIELSEN
	1800	74	NIELSEN
	2100	74	NIELSEN
	2400	75	KRAGLE

Friday

Date	Time	Temp	Name (Print)
9/27/2024	0300	74	KRAGLE
	0600	72	ARROYO
	0900	72	ARROYO
	1200	75	ARROYO
	1500	75	NIELSEN
	1800	74	NIELSEN
	2100	74	M.ortiz
	2400	73	Rangel

Saturday

Date	Time	Temp	Name (Print)
9/28/2024	0300	72	Rangel
	0600	70	ARROYO
	0900	72	ARROYO
	1200	75	ARROYO
	1500	78	J. SANCHEZ
	1800	79	J. SANCHEZ
	2100	77	Rangel
	2400	77	Rangel

Sunday

Date	Time	Temp	Name (Print)
9/29/2024	0300	75	Rangel
	0600	70	R.Boothe
	0900	74	R.Boothe
	1200	78	R.Perez
	1500	81	Reyes
	1800	78	Reyes
	2100	78	Reyes
	2400	77	Rangel

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Attachment D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: 403 Temp. Reading Location: Building 2nd Floor
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/2024	0300	74°	Rosa
	0600	78°	Rosa
	0900	78	F. Ochoa
	1200	78	F. Ochoa
	1500	81	Rosa
	1800	82	Rosa
	2100	80	Chay
	2400	77	Rosa

Tuesday

Date	Time	Temp.	Name (Print)
10/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10/3/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10/4/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10/5/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/6/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
9/1/2024	0300	79	K RAGLE ✓
	0600	79	Gordon
	0900	79	Gordon
	1200	80	Gordon ✓
	1500	79	Chong
	1800	78	Chong
	2100	78	Chong ✓
	2400	76	Alm

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404

Temp. Reading Location:

Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/2/2024	0300	72	C.Niko
	0600	71	C.Niko
	0900	75	Ademore
	1200	75	Ademore
	1500	82	CVVONG ✓
	1800	82	CVVONG
	2100	80	CVVONG
	2400	80	CUSTARD

Tuesday

Date	Time	Temp	Name (Print)
9/3/2024	0300	79	CUSTARD
	0600	78	Ruesta
	0900	79	Ruesta
	1200	81	Ruesta
	1500	82	
	1800	81	
	2100	81	
	2400	80	Tolson ✓

Wednesday

Date	Time	Temp	Name (Print)
9/4/2024	0300	78	Tolson ✓
	0600	81	Ruesta
	0900	82	Ruesta
	1200	85	Ruesta
	1500	88	
	1800	89	
	2100	89	
	2400	89	R.Velasco

Thursday

Date	Time	Temp	Name (Print)
9/5/2024	0300	87	P.Lake
	0600	89	M.Serrano
	0900	89	M.Serrano
	1200	88	M.Serrano
	1500	92	P.Esquibel
	1800	92	P.Esquibel
	2100	92	P.Esquibel
	2400	92	D.Smith ✓

Friday

Date	Time	Temp	Name (Print)
9/6/2024	0300	92	Santos
	0600	90	Babin
	0900	90	Babin
	1200	90	Babin
	1500	92	M.Nunez
	1800	94	M.Nunez
	2100	94	M.Nunez
	2400	92	K.Ragle

Saturday

Date	Time	Temp	Name (Print)
9/7/2024	0300	90	K.Ragle
	0600	89	C.Elias
	0900	87°	C.Elias
	1200	89°	C.Elias
	1500	92	P.Esquibel
	1800	94	P.Esquibel
	2100	92	P.Esquibel
	2400	92	C.Elias

Sunday

Date	Time	Temp	Name (Print)
9/8/2024	0300	90	Z.Lee
	0600	88	Gordon
	0900	85	Gordon
	1200	91	Gordon
	1500	94	CVVONG ✓
	1800	94	CVVONG
	2100	93	CVVONG
	2400	95	Fleijo

Notes

1154 stage 2 Activated 9/8/24

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/9/2024	0300	92°	G. FUENTES
	0600	88	Adeanye
	0900	88	Adeanye
	1200	88	Adeanye
	1500	94	C. MONTE
	1800	93	C. MONTE
	2100	93	CHONG
	2400	90	R. Valencia

Tuesday

Date	Time	Temp	Name (Print)
9/10/2024	0300	89	R. Valencia
	0600	85	Ruestra
	0900	85	Ruestra
	1200	88	Ruestra
	1500	87	
	1800	88	
	2100	88	
	2400	84	R. Valencia

Wednesday

Date	Time	Temp	Name (Print)
9/11/2024	0300	79	R. Valencia
	0600	75	Ruestra
	0900	76	Ruestra
	1200	78	Ruestra
	1500	78	Ean
	1800	77	
	2100	75	
	2400	75	R. Valencia

Thursday

Date	Time	Temp	Name (Print)
9/12/2024	0300	72	R. Valencia
	0600	70	OLIVAS
	0900	69	OLIVAS
	1200	72	OLIVAS
	1500	80	Esquivel
	1800	80	Esquivel
	2100	80	Esquivel
	2400	74	R. Valencia

Friday

Date	Time	Temp	Name (Print)
9/13/2024	0300	74	R. Valencia
	0600	72	Ruestra
	0900	72	Ruestra
	1200	73	Ruestra
	1500	73	
	1800	71	
	2100	71	
	2400	71	K. Ragle

Saturday

Date	Time	Temp	Name (Print)
9/14/2024	0300	70	K. Ragle
	0600	72	E. Chisholm
	0900	72	E. Chisholm
	1200	75	E. Chisholm
	1500	80	Esquivel
	1800	80	Esquivel
	2100	80	Esquivel
	2400	74	K. Ragle

Sunday

Date	Time	Temp	Name (Print)
9/15/2024	0300	72	K. Ragle
	0600	72	Gordon
	0900	72	Gordon
	1200	72	Gordon
	1500	72	C. MONTE
	1800	72	C. MONTE
	2100	71	C. MONTE
	2400	71	AWOL

Notes

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Doms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CBC/NORCO

Housing Unit: DORM 404

Temp. Reading Location:

Building 2nd Floor

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp	Name (Print)
9/16/2024	0300	71	SAWOR
	0600	69	Adenope
	0900	70	Adenope
	1200	70	Adenope
	1500	70	CHIWA
	1800	70	CHIWA
	2100	70	CHIWA
	2400	69	R. Valencia 80

Tuesday			
Date	Time	Temp	Name (Print)
9/17/2024	0300	68	R. Glencua SW
	0600	67	Prestera
	0900	68	Prestera
	1200	70	Prestera
	1500	70	LG
	1800	70	LG
	2100		LG
	2400	70	R. Glencua

Wednesday			
Date	Time	Temp	Name (Print)
9/18/2024	0300	71	A. Valencia
	0600	69	P. Watson
	0900	69	P. Watson
	1200	70	DeAnna
	1500	70	DeAnna
	1800	70	DeAnna
	2100	70	DeAnna
	2400	70	A. Valencia

Thursday			
Date	Time	Temp	Name (Print)
9/19/2024	0300	70	R. Valencia
	0600	68	Preston
	0900	70	Preston
	1200	70	Preston
	1500	72	Esguibel
	1800	72	Esguibel
	2100	71	Esguibel
	2400	70	Esguibel

Friday				
Date	Time	Temp	Name (Print)	
9/20/2024	0300	70	R. Glencua	
	0600	69	D. Esquivel	
	0900	71	M. A. S.	
	1200	71	R. Glencua	
	1500	72	E. Esquivel	
	1800	72	E. Esquivel	
	2100	72	E. Esquivel	
	2400	72	K. R. Glencua	

Saturday			
Date	Time	Temp	Name (Print)
9/21/2024	0300	72	KRAGLE
	0600	69	TRUSTEE
	0900	69	BREATH
	1200	71	RUSTY
	1500	73	MACHARISTIAN
	1800	75	MACHARISTIAN
	2100	75	MACHARISTIAN
	2400	75	KRAGLE

Sunday			
Date	Time	Temp	Name (Print)
9/22/2024	0300	74	R RAGLE
	0600	72°	J. MARTINEZ
	0900	72°	J. MARTINEZ
	1200	74°	J. MARTINEZ
	1500	78	Carly
	1800	80	Carly
	2100	80	Carly
	2400	-75	Sanson

Notes

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
411, 412, 413, 414, 415, 416, 417, 418, 419, 420.

OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404

Temp. Reading Location:

Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/23/2024	0300	72	<u>Jet</u>
	0600	75	<u>Aderigne</u>
	0900	75	<u>Ruesta</u>
	1200	80	<u>Ruesta</u>
	1500	83	<u>CVUONG</u>
	1800	83	<u>CVUONG</u>
	2100	80	<u>CVUONG</u>
	2400	76	<u>R.Valencia</u>

Tuesday

Date	Time	Temp	Name (Print)
9/24/2024	0300	73	<u>R.Valencia</u>
	0600	73	<u>Ruesta</u>
	0900	73	<u>Ruesta</u>
	1200	75	<u>Ruesta</u>
	1500	74	<u>Ruesta</u>
	1800	74	<u>Ruesta</u>
	2100	76	<u>Ruesta</u>
	2400	76	<u>R.Valencia</u>

Wednesday

Date	Time	Temp	Name (Print)
9/25/2024	0300	73	<u>R.Valencia</u>
	0600	72	<u>Ruesta</u>
	0900	71	<u>Ruesta</u>
	1200	75	<u>Ruesta</u>
	1500	75	<u>Ruesta</u>
	1800	79	<u>EN</u>
	2100	73	<u>EN</u>
	2400	73	<u>EN</u>

Thursday

Date	Time	Temp	Name (Print)
9/26/2024	0300	70	<u>R.Valencia</u>
	0600	70	<u>OLIVEZ</u>
	0900	70	<u>OLIVEZ</u>
	1200	75	<u>OLIVEZ</u>
	1500	80	<u>Esquivel</u>
	1800	80	<u>Esquivel</u>
	2100	80	<u>Esquivel</u>
	2400	75	<u>R.Valencia</u>

Friday

Date	Time	Temp	Name (Print)
9/27/2024	0300	73	<u>R.Valencia</u>
	0600	72	<u>Ruesta</u>
	0900	72	<u>Ruesta</u>
	1200	75	<u>Ruesta</u>
	1500	80	<u>Esquivel</u>
	1800	80	<u>Esquivel</u>
	2100	80	<u>Esquivel</u>
	2400	76	<u>K.RAGLE</u>

Saturday

Date	Time	Temp	Name (Print)
9/28/2024	0300	74	<u>K.RAGLE</u>
	0600	70	<u>Preciado</u>
	0900	72	<u>Ruesta</u>
	1200	75	<u>Ruesta</u>
	1500	76	<u>GAMEZ</u>
	1800	79	<u>GAMEZ</u>
	2100	78	<u>GAMEZ</u>
	2400	75	<u>K.RAGLE</u>

Sunday

Date	Time	Temp	Name (Print)
9/29/2024	0300	73	<u>K.RAGLE</u>
	0600	70	<u>GORDON</u>
	0900	76	<u>GORDON</u>
	1200	78	<u>GORDON</u>
	1500	81	<u>CVUONG</u>
	1800	78	<u>CVUONG</u>
	2100	78	<u>CVUONG</u>
	2400	77	<u>R.Valencia</u>

Notes

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
<u>9/30/2024</u>	0300	79	R. Alencio
	0600	78	Adams
	0900	78	Adams
	1200	80	Adams
	1500	82	Chong
	1800	82	Chong
	2100	80	Chong
	2400	80	R. Alencio

Tuesday

Date	Time	Temp	Name (Print)
	0300		R. Alencio
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102,103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 405Temp. Reading Location: **Building 3rd Floor**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200	81	Chagolla
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
9/1/2024	0300	82	Kefaliosos ✓
	0600	80	Chagolla -
	0900	80	Chagolla
	1200	81	Chagolla ✓
	1500	81	DAVIS
	1800	83	R Davis
	2100	83	R Davis
	2400	79	Kefaliosos ✓

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 405Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/2/2024	0300	79	Kefaliansos
	0600	79	Kefaliansos
	0900	79	Chagolla
	1200	81	Chagolla
	1500	89	Fochua <i>X</i>
	1800	89	Fochua
	2100	89	Fochua
	2400	89	T. Absten

Tuesday

Date	Time	Temp	Name (Print)
9/3/2024	0300	80	T. Absten
	0600	80	Chagolla
	0900	80	Chagolla
	1200	82	Chagolla
	1500	89	F. Ochoa
	1800	89	F. Ochoa
	2100	87	F. Ochoa
	2400	87	T. Absten <i>XW</i>

Wednesday

Date	Time	Temp	Name (Print)
9/4/2024	0300	82	T. Absten <i>XW</i>
	0600	80	Chagolla
	0900	81	Chagolla
	1200	84	Chagolla
	1500	89	F. Ochoa
	1800	89	F. Ochoa
	2100	89	F. Ochoa
	2400	86	NIEISFW

Thursday

Date	Time	Temp	Name (Print)
9/5/2024	0300	86	NIEISFW
	0600	84	Bailey
	0900	86	Bailey
	1200	89	Bailey
	1500	93	Bailey
	1800	95	Bailey
	2100	95	Bailey
	2400	93	Bailey <i>XW</i>

Friday

Date	Time	Temp	Name (Print)
9/6/2024	0300	93	GORDON
	0600	90	Placencia
	0900	88	Placencia <i>X</i>
	1200	88	Placencia
	1500	99	Armas
	1800	98	Armas
	2100	95	Armas
	2400	92	C. Sison

Saturday

Date	Time	Temp	Name (Print)
9/7/2024	0300	88	R. Davis
	0600	88	E. Flores
	0900	89	E. Flores
	1200	90	E. Flores
	1500	93	C. Vela
	1800	95	C. Vela
	2100	94	Oliver
	2400	94	Kefaliansos

Sunday

Date	Time	Temp	Name (Print)
9/8/2024	0300	89	Kefaliansos
	0600	88	A. Moreno
	0900	89	A. Moreno
	1200	92	A. Moreno
	1500	91	F. Ochoa <i>X</i>
	1800	94	F. Ochoa
	2100	94	F. Ochoa
	2400	93	Kefaliansos

9/5/24 Notes

1533 - 94° inside dorm called watch to notify.
 1053 - 95° inside dorm called the watch to the nurse
 * 9/6/24 98° inside Dorm watch/RM called for Stage III UHT
 11/24 - Stage II returns at 100 hrs.
 9/7/24 - Stage III inside 95° at 165 Thms SRN notified.
 9/8/24 Stage II inside dorm 91°.

405

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 405

Temp. Reading Location:

Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/9/2024	0300	94	Kefalianos
	0600	90	P. MEJIA
	0900	90	R. MEJIA
	1200	92	P. MEJIA
	1500	94	F. Ochoa
	1800	94	F. Ochoa
	2100	94	F. Ochoa
	2400	93	T. Adams

Tuesday

Date	Time	Temp	Name (Print)
9/10/2024	0300	90	T. Adams
	0600	90	C. Garcia
	0900	89	C. Garcia
	1200	89	C. Garcia
	1500	91	F. Ochoa
	1800	91	F. Ochoa
	2100	91	F. Ochoa
	2400	88	TABARET

Wednesday

Date	Time	Temp	Name (Print)
9/11/2024	0300	80	T. Adams
	0600	80	C. Chagolla
	0900	80	C. Chagolla
	1200	82	C. Chagolla
	1500	81	Neph
	1800	81	Neph
	2100	81	Neph
	2400	79	M. Person

Thursday

Date	Time	Temp	Name (Print)
9/12/2024	0300	78	M. Person
	0600	70	Garcia
	0900	71	Garcia
	1200	70	Garcia
	1500	73	Garcia
	1800	77	C. Bailey
	2100	77	C. Bailey
	2400	75	Garcia

Friday

Date	Time	Temp	Name (Print)
9/13/2024	0300	74	Garcia
	0600	75	Hernandez AM
	0900	79	Hernandez AM
	1200	79	Hernandez AM
	1500	80	MORALES
	1800	80	MORALES
	2100	79	MORALES
	2400	79	A. SANTOS

Saturday

Date	Time	Temp	Name (Print)
9/14/2024	0300	79	A. SANTOS
	0600	79	S. Garcia
	0900	79	S. Garcia
	1200	80	S. Garcia
	1500	80	Chavez
	1800	78	Chavez
	2100	76	Chavez
	2400	75	Kefalianos

Sunday

Date	Time	Temp	Name (Print)
9/15/2024	0300	75	Kefalianos
	0600	75	C. Chagolla
	0900	76	C. Chagolla
	1200	78	C. Chagolla
	1500	74	C. Bailey
	1800	73	C. Bailey
	2100	73	C. Bailey
	2400	71	Kefalianos

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 405

Temp. Reading Location:

Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/16/2024	0300	71	Kefalianos
	0600	73	Chagolla
	0900	73	Chagolla
	1200	74	Chagolla
	1500	74	Ochoa
	1800	78	Ochoa
	2100	73	Ochoa
	2400	73	L.Senilla ea

Tuesday

Date	Time	Temp	Name (Print)
9/17/2024	0300	72	L.Senilla ea
	0600	72	C.Chagolla
	0900	74	C.Chagolla
	1200	74	C.Chagolla
	1500	75	F.Ochoa
	1800	78	F.Ochoa
	2100	74	F.Ochoa
	2400	74	L.Senilla

Wednesday

Date	Time	Temp	Name (Print)
9/18/2024	0300	72	L.Senilla
	0600	72	C.Chagolla
	0900	72	C.Chagolla
	1200	75	C.Chagolla
	1500	76	R.Morales
	1800	78	R.Morales
	2100	78	R.Morales
	2400	75	N.Eisler

Thursday

Date	Time	Temp	Name (Print)
9/19/2024	0300	74	N.Eisler
	0600	73	CBailey
	0900	72	CBailey
	1200	72	CBailey
	1500	74	CBailey
	1800	73	CBailey
	2100	73	CBailey
	2400	72	CBailey

Friday

Date	Time	Temp	Name (Print)
9/20/2024	0300	71	Gordon
	0600	70	M.Serrano
	0900	70	M.Serrano
	1200	73	M.Serrano
	1500	75	Armale
	1800	75	Armale
	2100	73	Armale
	2400	74	Kefalianos

Saturday

Date	Time	Temp	Name (Print)
9/21/2024	0300	73	Kefalianos
	0600	73	Chagolla
	0900	73	Chagolla
	1200	74	Chagolla
	1500	74	Everett
	1800	74	Everett
	2100	74	Everett
	2400	75	N.Miranda

Sunday

Date	Time	Temp	Name (Print)
9/22/2024	0300	74	N.Miranda
	0600	74	Chagolla
	0900	74	Chagolla
	1200	74	Chagolla
	1500	80	Mechristian
	1800	80	Mechristian
	2100	80	Mechristian
	2400	77	Mechristian

Notes

405

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 405

Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/23/2024	0300	77	MCPHERSON
	0600	76	Chapolla
	0900	76	Chapolla
	1200	78	Chapolla
	1500	82	F.Ochua
	1800	82	F.Ochua
	2100	82	F.Ochua
	2400	81	T.ABARCA

Tuesday

Date	Time	Temp	Name (Print)
9/24/2024	0300	80	T.Abarca
	0600	78	Chapolla
	0900	78	Chapolla
	1200	78	Chapolla
	1500	81	F.Ochua
	1800	81	F.Ochua
	2100	81	F.Ochua
	2400	80	T.Abarca

Wednesday

Date	Time	Temp	Name (Print)
9/25/2024	0300	75	T.Abarca
	0600	76	Chapolla
	0900	76	Chapolla
	1200	78	Chapolla
	1500	78	F.Ochua
	1800	78	F.Ochua
	2100	74	F.Ochua
	2400	73	M.West

Thursday

Date	Time	Temp	Name (Print)
9/26/2024	0300	74	M.West
	0600	71	C.Bailey
	0900	71	C.Bailey
	1200	78	C.Bailey
	1500	79	C.Bailey
	1800	79	C.Bailey
	2100	78	C.Bailey
	2400	77	M.West

Friday

Date	Time	Temp	Name (Print)
9/27/2024	0300	71	M.West
	0600	77	Nava
	0900	77	Nava
	1200	77	Nava
	1500	80	A.Irizaray
	1800	80	A.Irizaray
	2100	80	A.Irizaray
	2400	80	Nava

Saturday

Date	Time	Temp	Name (Print)
9/28/2024	0300	76	Napa
	0600	74	Chapolla
	0900	74	Chapolla
	1200	76	Chapolla
	1500	78	Chapolla
	1800	81	CHONG
	2100	77	CHONG
	2400	80	R.SANCHEZ

Sunday

Date	Time	Temp	Name (Print)
9/29/2024	0300	76	R.SANCHEZ
	0600	74	C.Chapolla
	0900	74	C.Chapolla
	1200	76	C.Chapolla
	1500	76	Darrow
	1800	75	Darrow
	2100	74	Darrow
	2400	73	Kefaligianos

Notes

9/28/24 at 0300 was entered in error
9/24/24 at 0600 & 0900 was entered in error

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 405

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/30/2024	0300	73	R. Alagno
	0600	73	J. Agallo
	0900	74	J. Agallo
	1200	76	J. Agallo
	1500	83	J. Agallo
	1800	81	F. Almora
	2100	80	F. Almora
	2400	82	T. Adams

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Designated Heat Doms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 406

Temp. Reading Location: **Building 2nd Floor**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Monday			
Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
9/1/2024	0300	78	N. Miranda
	0600	73	C. Pineda
	0900	80	J. Pineda
	1200	84	J. Pineda
	1500	87	Ramire
	1800	86	Ramir
	2100	84	Ramire
	2400	82	Maria

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406

Temp. Reading Location:

Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/2/2024	0300	78	Vava
	0600	78	Pineda
	0900	82	Pineda
	1200	84	Pineda
	1500	85	S. Orme
	1800	89	S. Orme
	2100	84	S. Orme
	2400	80	A. Rusas

Tuesday

Date	Time	Temp	Name (Print)
9/3/2024	0300	79	A. Rusas
	0600	80	I. Pineda
	0900	80	I. Pineda
	1200	81	I. Pineda
	1500	85	R. Chacon
	1800	87	R. Chacon
	2100	85	R. Chacon
	2400	72	A. Rusas SW

Wednesday

Date	Time	Temp	Name (Print)
9/4/2024	0300	82	A. Rusas SW
	0600	79	R. Chacon
	0900	80	R. Chacon
	1200	85	R. Chacon
	1500	89	R. Chacon
	1800	91	R. Chacon
	2100	90	R. Chacon
	2400	88	A. Rusas

Thursday

Date	Time	Temp	Name (Print)
9/5/2024	0300	88	A. Rusas
	0600	81	I. Pineda
	0900	82	I. Pineda
	1200	85	I. Pineda
	1500	93	R. Chacon
	1800	95	R. Chacon
	2100	95	R. Chacon
	2400	92	A. Rusas CW

Friday

Date	Time	Temp	Name (Print)
9/6/2024	0300	90	A. Rusas
	0600	90	B. Montoya
	0900	90	B. Montoya
	1200	90	B. Montoya
	1500	96	R. Chacon
	1800	95	R. Chacon
	2100	94	R. Chacon
	2400	91	A. Rusas

Saturday

Date	Time	Temp	Name (Print)
9/7/2024	0300	89	A. Rusas
	0600	88	B. Montoya
	0900	88	B. Montoya
	1200	88	B. Montoya
	1500	94	Armel
	1800	94	Armel
	2100	92	Armel
	2400	92	C. Bailey

Sunday

Date	Time	Temp	Name (Print)
9/8/2024	0300	90	C. Bailey
	0600	87	C. Bailey
	0900	88	Pineda
	1200	88	Pineda
	1500	93	Pineda
	1800	98	Pineda
	2100	98	Pineda
	2400	92	NAVA

Notes

9-4-24 Stage II at 1515hrs 2100 90'
 9-4-24 Stage II ended @ 2230 88-
 9-5-24 Stage II Stage III @ 1653
 9-5-24 Stage III ended @ 2130
 9-6-24 Stage III at 1436 Stage II 2107hrs
 9-7-24 Stage II @ 1430
 9-8-24 0221 Stage II deactivated but Stage I activated - called watch
 9-8-24 0539 Stage I deactivated called watch
 9-8-24 1215 Stage II in dorm - called watch
 9-8-24 1635 98° in dorm stage II

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406

Temp. Reading Location:

Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/9/2024	0300	88	Wawa
	0600	86	Pineda R
	0900	86	Jin - Q
	1200	88	Pineda
	1500	91	S. DUNN
	1800	93	S. DUNN
	2100	94	S. DUNN
	2400	91	A. RUSK

Tuesday

Date	Time	Temp	Name (Print)
9/10/2024	0300	88	A. RUSK
	0600	86	F. MEJIA
	0900	86	R. MEJIA
	1200	88	F. MEJIA
	1500	90	R. Chacon
	1800	89	R. Chacon
	2100	88	R. Chacon
	2400	88	A. RUSK

Wednesday

Date	Time	Temp	Name (Print)
9/11/2024	0300	83	A. RUSK
	0600	78	J.A. Martinez
	0900	78	J.A. Martinez
	1200	77	J.A. Martinez
	1500	80	R. Chacon
	1800	79	R. Chacon
	2100	78	R. Chacon
	2400	78	A. RUSK

Thursday

Date	Time	Temp	Name (Print)
9/12/2024	0300	74	A. RUSK
	0600	74	J.A. Martinez
	0900	73	J.A. Martinez
	1200	73	J.A. Martinez
	1500	77	R. Chacon
	1800	76	R. Chacon
	2100	79	R. Chacon
	2400	74	A. RUSK

Friday

Date	Time	Temp	Name (Print)
9/13/2024	0300	72	A. RUSK
	0600	73	MONTOYA
	0900	74	MONTOYA
	1200	75	MONTOYA
	1500	75	R. Chacon
	1800	76	R. Chacon
	2100	76	R. Chacon
	2400	74	A. RUSK

Saturday

Date	Time	Temp	Name (Print)
9/14/2024	0300	74	A. RUSK
	0600	74	MONTOYA
	0900	74	MONTOYA
	1200	74	MONTOYA
	1500	74	ELIZONDO
	1800	74	ELIZONDO
	2100	74	ELIZONDO
	2400	74	Hernandez

Sunday

Date	Time	Temp	Name (Print)
9/15/2024	0300	75	Hernandez
	0600	76	Hernandez
	0900	76	Ortega
	1200	77	Ortega
	1500	79	Ortega
	1800	76	Deangel
	2100	74	Deangel
	2400	74	A. SANTOS

Notes

1318 Stage 100 in dorm / watch office called
 0215 Stage 2 deactivated
 9-10-27 1500 Stage II Deactivated

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/16/2024	0300	73	A. SANTOS
	0600	73	I. Pineda
	0900	73	I. Pineda
	1200	74	I. Pineda
	1500	76	S. Orman
	1800	75	S. Orman
	2100	74	S. Orman
	2400	72	LOALNGI SW

Tuesday

Date	Time	Temp	Name (Print)
9/17/2024	0300	72	GAWN 10
	0600	71	Pineda
	0900	71	Pineda
	1200	72	Pineda
	1500	74	R. CHACON
	1800	73	R. CHACON
	2100	73	R. CHACON
	2400	70	M. Castleberry

Wednesday

Date	Time	Temp	Name (Print)
9/18/2024	0300	70	M. Castleberry
	0600	70	J.A. Martinez
	0900	70	J.A. Martinez
	1200	71	J.A. Martinez
	1500	76	J.A. Martinez
	1800	75	R. CHACON
	2100	74	R. CHACON
	2400	72	J. Huey

Thursday

Date	Time	Temp	Name (Print)
9/19/2024	0300	72	J. Huey
	0600	72	J.A. Martinez
	0900	72	J.A. Martinez
	1200	73	J.A. Martinez
	1500	73	R. Chacon
	1800	73	R. Chacon
	2100	74	R. Chacon
	2400	74	A. Rivas

Friday

Date	Time	Temp	Name (Print)
9/20/2024	0300	74	A. Rivas
	0600	74	CONTRARY
	0900	75	CONTRARY
	1200	79	CONTRARY
	1500	74	R. CHACON
	1800	76	R. CHACON
	2100	75	R. CHACON
	2400	74	A. Rivas

Saturday

Date	Time	Temp	Name (Print)
9/21/2024	0300	74	A. Rivas
	0600	72	I. Pineda
	0900	72	I. Pineda
	1200	72	I. Pineda
	1500	74	A. Rivas
	1800	74	A. Rivas
	2100	73	A. Rivas
	2400	72	LEYLA

Sunday

Date	Time	Temp	Name (Print)
9/22/2024	0300	72	LEYLA
	0600	73	Pineda
	0900	73	Pineda
	1200	75	Pineda
	1500	75	REMY
	1800	75	REMY
	2100	74	REMY
	2400	80	GIGENA

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406

Temp. Reading Location:

Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
<u>9/23/2024</u>	0300	76	GIGENA
	0600	76	GIGENA
	0900	70	Onaachy
	1200	76	OMAGGS
	1500	80	S. ORNA
	1800	83	S. ORNA
	2100	73	S. ORNA Z
	2400	70	A. RUSAS

Tuesday

Date	Time	Temp	Name (Print)
<u>9/24/2024</u>	0300	78	A. RUSAS
	0600	73	R. CHACON
	0900	72	R. CHACON
	1200	72	R. CHACON
	1500	74	R. CHACON
	1800	74	R. CHACON
	2100	74	R. CHACON
	2400	72	A. RUSAS

Wednesday

Date	Time	Temp	Name (Print)
<u>9/25/2024</u>	0300	73	A. RUSAS
	0600	73	J.A. Martinez
	0900	72	J.A. Martinez
	1200	74	J.A. Martinez
	1500	77	R. CHACON
	1800	75	R. CHACON
	2100	74	R. CHACON
	2400	72	A. RUSAS

Thursday

Date	Time	Temp	Name (Print)
<u>9/26/2024</u>	0300	73	A. RUSAS
	0600	73	J.A. Martinez
	0900	71	J.A. Martinez
	1200	72	J.A. Martinez
	1500	77	R. CHACON
	1800	78	R. CHACON
	2100	78	R. CHACON
	2400	74	A. RUSAS

Friday

Date	Time	Temp	Name (Print)
<u>9/27/2024</u>	0300	73	A. RUSAS
	0600	73	MONTUYA
	0900	73	MONTUYA
	1200	75	MONTUYA
	1500	75	R. Chacon
	1800	75	R. Chacon
	2100	73	R. Chacon
	2400	73	L. Sevilla

Saturday

Date	Time	Temp	Name (Print)
<u>9/28/2024</u>	0300	70	L. Sevilla
	0600	70	MONTUYA
	0900	71	MONTUYA
	1200	72	MONTUYA
	1500	73	A. RUSAS
	1800	73	A. RUSAS
	2100	75	A. RUSAS
	2400	72	Placencia

Sunday

Date	Time	Temp	Name (Print)
<u>9/29/2024</u>	0300	70	Placencia
	0600	72	Placencia
	0900	71	J. DUMIT
	1200	71	J. DUMIT
	1500	75	Dangel
	1800	75	Marie
	2100	75	Marie
	2400	78	Nava

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
ATTACHMENT D

Designated Heat-Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406

Temp. Reading Location:

Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/30/2024	0300	76	N. AUN
	0600	71	R. CHACON
	0900	72	R. CHACON
	1200	74	R. CHACON
	1500	75	S. ORNAZ
	1800	79	S. ORNAZ
	2100	80	S. ORNAZ
	2400	78	A. RUST

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Designated Heat Dorms: 102,103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC/NORCO**Housing Unit: **DORM 407**Temp. Reading Location: **Building Single Floor**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Vacant

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 407Temp. Reading Location: Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
DO NOT PRINT	0300		
	0600		
	0900		
	1200		
	1500	72	RJ2VZ
	1800	72	RJ2VZ
	2100	72	RJ2VZ
	2400	70	L BELCHER

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500	72	RJ2VZ
	1800	72	RJ2VZ
	2100	72	RJ2VZ
	2400	70	L BELCHER

Wednesday

Date	Time	Temp	Name (Print)
	0300	70	L BELCHER
	0600	70	CASTRO
	0900	70	CASTRO
	1200	70	CASTRO
	1500	70	Woods
	1800	70	Woods
	2100	70	Woods
	2400	70	Gutierrez

Thursday

Date	Time	Temp	Name (Print)
	0300	70	Atkinson
	0600	70	Babin
	0900	70	Babin
	1200	70	Babin
	1500	70	Woods
	1800	70	Woods
	2100	70	Woods
	2400	70	J SCOTT

Friday

Date	Time	Temp	Name (Print)
	0300	70	J SCOTT
	0600	70	Babin
	0900	70	Babin
	1200	70	Babin
	1500	70	Woods
	1800	70	Woods
	2100	70	Woods
	2400	70	Atkinson

Saturday

Date	Time	Temp	Name (Print)
	0300	70	Atkinson
	0600	70	Atkinson
	0900	70	Atkinson
	1200	70	Atkinson
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INMATE ARRIVED INTO DORM TUESDAY 1400.

INMATE RELEASED SATURDAY 1200 hrs.

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
9/1/2024	0300	71	NAVARRO ✓
	0600	71	WITHERS
	0900	72	WITHERS
	1200	71	WITHERS ✓
	1500	71	EVERETT
	1800	71	EVERETT
	2100	71	EVERETT ✓
	2400	71	NAVARRO ✓

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/2/2024	0300	71	NAVARRO
	0600	71	J. SILVA PONCE
	0900	71	J. SILVA PONCE
	1200	71	J. SILVA PONCE
	1500	75	Anthony
	1800	75	Anthony
	2100	75	Anthony
	2400	72	NAVARRO

Tuesday

Date	Time	Temp	Name (Print)
9/3/2024	0300	72	NAVARRO
	0600	70	OLVERA
	0900	71	OLVERA
	1200	72	OLVERA
	1500	73	Anthony
	1800	72	Anthony
	2100	73	Anthony
	2400	71	K RAGLE

Wednesday

Date	Time	Temp	Name (Print)
9/4/2024	0300	71	K RAGLE
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	78	K RAGLE
	1800	77	K RAGLE
	2100	75	K RAGLE
	2400	71	Nava

Thursday

Date	Time	Temp	Name (Print)
9/5/2024	0300	70	Nava
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	78	D. JUNIOR
	1800	80	D. JUNIOR
	2100	78	D. JUNIOR
	2400	75	NAVARRO

Friday

Date	Time	Temp	Name (Print)
9/6/2024	0300	72	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	76	D. JUNIOR
	1800	78	D. JUNIOR
	2100	77	D. JUNIOR
	2400	74	NAVARRO

Saturday

Date	Time	Temp	Name (Print)
9/7/2024	0300	72	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	Anthony
	1800	72	Anthony
	2100	72	Anthony
	2400	72	NAVARRO

Sunday

Date	Time	Temp	Name (Print)
9/8/2024	0300	72	NAVARRO
	0600	73	WITHELS
	0900	73	WITHELS
	1200	74	WITHELS
	1500	76	Anthony
	1800	74	Anthony
	2100	76	Anthony
	2400	74	NAVARRO

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408

Temp. Reading Location:

Building Single Floor
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/9/2024	0300	72	NAVARRO
	0600	72	R. MARTINEZ
	0900	76	Nava
	1200	78	R. MARTINEZ
	1500	75	Anthony
	1800	75	Anthony
	2100	72	Anthony
	2400	72	NAVARRO

Tuesday

Date	Time	Temp	Name (Print)
9/10/2024	0300	72	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	Anthony
	1800	72	Anthony
	2100	72	Anthony
	2400	72	K RAGLE

Wednesday

Date	Time	Temp	Name (Print)
9/11/2024	0300	72	K RAGLE
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	Snow
	1800	72	Snow
	2100	70	Anthony
	2400	70	Nava

Thursday

Date	Time	Temp	Name (Print)
9/12/2024	0300	70	Nava
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	74	D. JUNIOR
	1800	74	D. JUNIOR
	2100	72	D. JUNIOR
	2400	72	NAVARRO

Friday

Date	Time	Temp	Name (Print)
9/13/2024	0300	72	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	76	D. JUNIOR
	1800	74	D. JUNIOR
	2100	72	D. JUNIOR
	2400	72	NAVARRO

Saturday

Date	Time	Temp	Name (Print)
9/14/2024	0300	72	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	Anthony
	1800	72	Anthony
	2100	72	Anthony
	2400	72	NAVARRO

Sunday

Date	Time	Temp	Name (Print)
9/15/2024	0300	72	NAVARRO
	0600	71	WITHELS
	0900	71	WITHELS
	1200	71	WITHELS
	1500	71	Anthony
	1800	71	Anthony
	2100	71	Anthony
	2400	71	NAVARRO

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410.
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/16/2024	0300	71	NAVARRO
	0600	71	J. SILVA PONCE
	0900	71	J. SILVA PONCE
	1200	71	J. SILVA PONCE
	1500	71	Anthony
	1800	71	Anthony
	2100	71	Anthony
	2400	71	NAVARRO

Tuesday

Date	Time	Temp	Name (Print)
9/17/2024	0300	71	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	Anthony
	1800	72	Anthony
	2100	72	Anthony
	2400	72	K RAGLE

Wednesday

Date	Time	Temp	Name (Print)
9/18/2024	0300	71	K RAGLE
	0600	71	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD *
	1500	72	Snedowal
	1800	72	Snedowal
	2100	71	Snedowal
	2400	71	SANTOS

Thursday

Date	Time	Temp	Name (Print)
9/19/2024	0300	71	SANTOS
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	74	D. JUAN
	1800	74	D. JUAN
	2100	72	D. JUAN
	2400	72	NAVARRO

Friday

Date	Time	Temp	Name (Print)
9/20/2024	0300	71	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	74	D. JUAN
	1800	72	D. JUAN
	2100	72	D. JUAN
	2400	72	NAVARRO

Saturday

Date	Time	Temp	Name (Print)
9/21/2024	0300	72	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	Anthony
	1800	72	Anthony
	2100	72	Anthony
	2400	72	NAVARRO

Sunday

Date	Time	Temp	Name (Print)
9/22/2024	0300	71	NAVARRO
	0600	70	WITHERS
	0900	71	WITHERS
	1200	72	WITHERS
	1500	72	Anthony
	1800	72	Anthony
	2100	72	Anthony
	2400	72	NAVARRO

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408

Temp. Reading Location:

Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/23/2024	0300	71	NAVARRO
	0600	71	S. SILVA PONCE
	0900	71	S. SILVA PONCE
	1200	71	S. SILVA PONCE
	1500	71	Anthony
	1800	71	Anthony
	2100	71	Anthony
	2400	71	NAVARRO

Tuesday

Date	Time	Temp	Name (Print)
9/24/2024	0300	70	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	Anthony
	1800	72	Anthony
	2100	72	Anthony
	2400	72	KRAGLE

Wednesday

Date	Time	Temp	Name (Print)
9/25/2024	0300	71	KRAGLE
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	J. LEONARD
	1800	72	J. LEONARD
	2100	72	J. LEONARD
	2400	70	Nava

Thursday

Date	Time	Temp	Name (Print)
9/26/2024	0300	70	Nava
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	74	D. JUNIOR
	1800	74	D. JUNIOR
	2100	72	D. JUNIOR
	2400	71	NAVARRO

Friday

Date	Time	Temp	Name (Print)
9/27/2024	0300	71	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	74	D. JUNIOR
	1800	74	D. JUNIOR
	2100	72	D. JUNIOR
	2400	72	NAVARRO

Saturday

Date	Time	Temp	Name (Print)
9/28/2024	0300	71	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	Anthony
	1800	72	Anthony
	2100	72	Anthony
	2400	72	M. ALLEN

Sunday

Date	Time	Temp	Name (Print)
9/29/2024	0300	72	M. ALLEN
	0600	71	WITHERS
	0900	72	WITHERS
	1200	72	WITHERS
	1500	72	Zamora
	1800	74	Zamora
	2100	74	Zamora
	2400	72	J. S. COTT

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)
ATTACHMENT D
 Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408Temp. Reading Location: Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/30/2024	0300	71	J. Scott
	0600	71	J. SILVA PONCE
	0900	71	J. SILVA PONCE
	1200	71	J. SILVA PONCE
	1500	73	G. VELA
	1800	74	G. VELA
	2100	74	G. VELA
	2400	72	NAVARRO

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 409Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
9/1/2024	0300	73	S. Donor ✓
	0600	73	Arnold
	0900	72	Arnold
	1200	72	Arnold ✓
	1500	73	Sawyer
	1800	75	Sawyer
	2100	72	Sawyer
	2400	72	On cratley ✓

Notes

409

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CBC/NORCO

Housing Unit: DORM 409

Temp. Reading Location:

Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp	Name (Print)
9/2/2024	0300	72	Ottawa
	0600	72	Syona
	0900	72	Olivia
	1200	72	Claire
	1500	73	Elmery
	1800	72	Lily
	2100	71	Lily
	2400	72	Ottawa

Tuesday			
Date	Time	Temp	Name (Print)
9/3/2024	0300	72	O'Mearas
	0600	72	R. CHACON
	0900	73	R. CHACON
	1200	73	R. CHACON
	1500	73	C. Vuong
	1800	71	C. Vuong
	2100	71	C. Vuong
	2400	72	O'Mearas

Wednesday			
Date	Time	Temp	Name (Print)
9/4/2024	0300	72	Alexander M.
	0600	72	WITHERS
	0900	73	WITHERS
	1200	73	WITHERS
	1500	73	Fernandez
	1800	73	Fernandez
	2100	73	Hernandez
	2400	72	Charles

Thursday			
Date	Time	Temp	Name (Print)
9/5/2024	0300	72	Calverales
	0600	70	Walters
	0900	73	Walters
	1200	73	Hernandez
	1500	73	Hernandez
	1800	75	Hernandez
	2100	73	Hernandez
	2400	72	Nava

Friday			
Date	Time	Temp	Name (Print)
9/6/2024	0300	70	Nava
	0600	71	Jimenez
	0900	72	Araiza
	1200	72	Arriate
	1500	73	Hernandez
	1800	73	Hernandez
	2100	75	Hernandez
	2400	72	Nava

Saturday			
Date	Time	Temp	Name (Print)
9/7/2024	0300	70	Nava
	0600	72	Annele
	0900	72	Annele
	1200	73	Annele
	1500	73	Ward
	1800	72	Ward
	2100	72	Ward
	2400	70	S. Brooks

Sunday

Sunday		Date	Time	Temp	Name (Print)
9/8/2024			0300	70	S Brooks
			0600	71	Armale
			0900	72	Armale
			1200	74	Armale
			1500	74	Hernandez AM
			1800	75	Hernandez AM
			2100	75	Hernandez AM
			2400	73	C. Williams

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
DHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 409

Temp. Reading Location:

Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/9/2024	0300	73	Oñateales
	0600	76	M OLVERA
	0900	73	M OLVERA
	1200	75	M OLVERA
	1500	73	RIZVZI
	1800	74	RIZVZI
	2100	73	RIZVZI
	2400	73	Oñateales

Tuesday

Date	Time	Temp	Name (Print)
9/10/2024	0300	72	Oñateales
	0600	70	M OLVERA
	0900	73	M OLVERA
	1200	75	M OLVERA
	1500	73	Collins
	1800	72	Collins
	2100	72	Collins
	2400	72	Oñateales

Wednesday

Date	Time	Temp	Name (Print)
9/11/2024	0300	71	Oñateales
	0600	71	WITHERS
	0900	73	WITHERS
	1200	73	WITHERS
	1500	72	Hernandez AM
	1800	72	Hernandez AM
	2100	72	Hernandez AM
	2400	72	Oñateales

Thursday

Date	Time	Temp	Name (Print)
9/12/2024	0300	71	Oñateales
	0600	73	NUTHERS
	0900	73	WITHERS
	1200	73	WITHERS
	1500	73	Hernandez AM
	1800	72	Hernandez AM
	2100	71	Hernandez AM
	2400	70	Nuthey

Friday

Date	Time	Temp	Name (Print)
9/13/2024	0300	68	Nava
	0600	69	M OLVERA
	0900	68	M OLVERA
	1200	69	M OLVERA
	1500	73	Hernandez AM
	1800	72	Hernandez AM
	2100	70	Hernandez AM
	2400	70	Nava

Saturday

Date	Time	Temp	Name (Print)
9/14/2024	0300	68	Nava
	0600	69	M OLVERA
	0900	69	M OLVERA
	1200	69	M OLVERA
	1500	70	Hernandez AM
	1800	70	Hernandez AM
	2100	70	Hernandez AM
	2400	70	Pacheco

Sunday

Date	Time	Temp	Name (Print)
9/15/2024	0300	70	Pacheco
	0600	67	M OLVERA
	0900	68	M OLVERA
	1200	69	M OLVERA
	1500	69	Hernandez AM
	1800	70	Hernandez AM
	2100	70	Hernandez AM
	2400	72	Maga

Notes

409

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 409

Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/16/2024	0300	72	Oñateales
	0600	72	C. VERA
	0900	72	CHACON
	1200	72	CHACON
	1500	71	R. CHACON
	1800	72	R. CHACON
	2100	72	R. CHACON
	2400	72	Oñateales

Tuesday

Date	Time	Temp	Name (Print)
9/17/2024	0300	71	Oñateales
	0600	72	R. CHACON
	0900	72	R. CHACON
	1200	73	R. CHACON
	1500	73	CHACON
	1800	73	CHACON
	2100	71	CHACON
	2400	71	Oñateales

Wednesday

Date	Time	Temp	Name (Print)
9/18/2024	0300	71	Oñateales
	0600	72	WITHERS
	0900	73	WITHERS
	1200	73	WITHERS
	1500	73	R. VERA
	1800	72	G. VERA
	2100	72	G. VERA
	2400	72	Oñateales

Thursday

Date	Time	Temp	Name (Print)
9/19/2024	0300	71	Oñateales
	0600	72	WITHERS
	0900	73	WITHERS
	1200	73	WITHERS
	1500	73	Hernandez
	1800	77	Hernandez
	2100	70	Hernandez
	2400	65	A. SANTOS

Friday

Date	Time	Temp	Name (Print)
9/20/2024	0300	69	A. SANTOS
	0600	70	E. AM
	0900	70	E. AM
	1200	70	S. AM
	1500	70	Hernandez AM
	1800	70	Hernandez AM
	2100	70	Hernandez AM
	2400	63	A. SANTOS

Saturday

Date	Time	Temp	Name (Print)
9/21/2024	0300	69	A. SANTOS
	0600	70	A. SANTOS
	0900	71	A. SANTOS
	1200	72	A. SANTOS
	1500	70	Hernandez AM
	1800	70	Hernandez AM
	2100	70	Hernandez AM
	2400	72	Oñateales

Sunday

Date	Time	Temp	Name (Print)
9/22/2024	0300	71	Oñateales
	0600	71	A. SANTOS
	0900	71	A. SANTOS
	1200	71	A. SANTOS
	1500	72	A. SANTOS
	1800	72	A. SANTOS
	2100	72	A. SANTOS
	2400	72	Oñateales

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 409

Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/23/2024	0300	71	Chavez
	0600	71	Monte
	0900	71	Monte
	1200	72	Monte
	1500	72	Rivera
	1800	72	Rivera
	2100	72	Rivera
	2400	72	Chavez

Tuesday

Date	Time	Temp	Name (Print)
9/24/2024	0300	71	Chavez
	0600	71	Castro
	0900	71	Castro
	1200	71	Castro
	1500	71	Vuong
	1800	70	Vuong
	2100	70	Vuong
	2400	72	Chavez

Wednesday

Date	Time	Temp	Name (Print)
9/25/2024	0300	71	Chavez
	0600	72	Withers
	0900	72	Withers
	1200	73	Withers
	1500	75	Darrow
	1800	75	Darrow
	2100	74	Darrow
	2400	72	Chavez

Thursday

Date	Time	Temp	Name (Print)
9/26/2024	0300	71	Chavez
	0600	72	Withers
	0900	73	Withers
	1200	74	Withers
	1500	74	Hernandez AM
	1800	72	Hernandez AM
	2100	71	Hernandez AM
	2400	68	Nava

Friday

Date	Time	Temp	Name (Print)
9/27/2024	0300	68	Nava
	0600	70	Arce
	0900	70	Arce
	1200	70	Arce
	1500	79	Hernandez AM
	1800	72	Hernandez
	2100	73	Hernandez
	2400	68	Nava

Saturday

Date	Time	Temp	Name (Print)
9/28/2024	0300	66	Nava
	0600	70	Arce
	0900	70	Arce
	1200	70	Arce
	1500	70	Hernandez AM
	1800	70	Hernandez AM
	2100	72	Hernandez AM
	2400	72	Chavez

Sunday

Date	Time	Temp	Name (Print)
9/29/2024	0300	71	Chavez
	0600	71	Santana
	0900	71	Santana
	1200	72	Santana
	1500	74	Hernandez AM
	1800	75	Hernandez AM
	2100	72	Hernandez AM
	2400	72	Chavez

Notes

9-24-24 at 0900 was entered in error

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 409Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/30/2024	0300	71	Openerales
	0600	71	CHUNGS
	0900	72	CHUNGS
	1200	72	CHUNGS
	1500	74	G-BARVTC
	1800	74	R-GARVTC
	2100	73	RE-BARVTC
	2400	72	M-HADS

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 410Temp. Reading Location: Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

9/1/2024

Vacant

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: INFIRMARYTemp. Reading Location: OHU

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	YPINA
	1200	72	YPINA
	1500	71	Almada
	1800	71	Almada
	2100	71	Diaz
	2400	70	J. ANDRADE

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: INFIRMARYTemp. Reading Location: OHU
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9-2-24	0300	71	J. ANDRADE
	0600	71	J. ANDRADE
	0900	70	F. CARLES
	1200	71	F. CARLES
	1500	71	PHILIPETTE
	1800	71	PHILIPETTE 220
	2100	71	PHILIPETTE
	2400	71	J. ANDRADE

Tuesday

Date	Time	Temp	Name (Print)
9-3-24	0300	71	J. ANDRADE
	0600	71	J. ANDRADE
	0900	72	G. RANKS
	1200	75	G. RANKS
	1500	73	PHILIPETTE
	1800	72	PHILIPETTE
	2100	72	PHILIPETTE
	2400	72	J. ANDRADE

Wednesday

Date	Time	Temp	Name (Print)
9-4-24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	D. CREFLIGHTON
	1200	72	D. CREFLIGHTON
	1500	74	PHILIPETTE
	1800	74	PHILIPETTE
	2100	73	PHILIPETTE
	2400	72	J. ANDRADE

Thursday

Date	Time	Temp	Name (Print)
9-5-24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	PENNINGTON
	1200	72	PENNINGTON
	1500	79°	R. Paramo
	1800	79°	R. Paramo
	2100	79°	R. Paramo
	2400	76	INFIRMARY

Friday

Date	Time	Temp	Name (Print)
9-6-24	0300	72	I. FERNANDEZ
	0600	72	PENNINGTON
	0900	72	PENNINGTON
	1200	74	PENNINGTON
	1500	71	MONTOMA
	1800	71	MONTOMA
	2100	71	MONTOMA
	2400	73	I. FERNANDEZ

Saturday

Date	Time	Temp	Name (Print)
9-7-24	0300	72	I. FERNANDEZ
	0600	72	HANSEN
	0900	74	HANSEN
	1200	76	HANSEN
	1500	76	PHILIPETTE
	1800	74	PHILIPETTE
	2100	76	PHILIPETTE
	2400	77	O. Randolph

Sunday

Date	Time	Temp	Name (Print)
9-8-24	0300	72	O. Randolph
	0600	72	HANSEN
	0900	74	HANSEN
	1200	76	HANSEN
	1500	71	PHILIPETTE
	1800	75	PHILIPETTE
	2100	75	PHILIPETTE
	2400	72	J. ANDRADE

Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC/NORCO** Housing Unit: **INFIRMARY** Temp. Reading Location: **OHU**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp	Name (Print)
9-9-24	0300	72	J - ANDRADE
	0600	72	J - ANDRADE
	0900	72	J. CARLOS
	1200	72	F CARLOS
	1500	73	PATRICIA PEREIRA
	1800	73	PATRICIA PEREIRA
	2100	72	PATRICIA PEREIRA
	2400	72	J - ANDRADE

Tuesday			
Date	Time	Temp	Name (Print)
9-10-26	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	73	G. Rawls
	1200	73	G. Rawls
	1500	73	PATRICIA
	1800	72	PATRICIA
	2100	72	PATRICIA
	2400	72	J. ANDRADE

Date	Time	Temp	Name (Print)
9-11-21	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	Barry
	1200	72	Brown
	1500	72	PHILIPETTE
	1800	72	PHILIPETTE
	2100	72	PHILIPETTE
	2400	72	J. ANDRADE

Thursday			
Date	Time	Temp	Name (Print)
9-12-16	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	PENNINGTON
	1200	72	PENNINGTON
	1500	80°	MONTOYA
	1800	80°	MONTOYA
	2100	80°	MONTOYA
	2400	78	J. FERDINAND

Friday			
Date	Time	Temp	Name (Print)
9-13-24	0300	74	PENNINGTON
	0600	74	PENNINGTON
	0900	72	PENNINGTON
	1200	72	PENNINGTON
	1500	72	MONToya
	1800	72	MONToya
	2100	72	MONToya
	2400	70	FEENANON

Saturday			
Date	Time	Temp	Name (Print)
9-14-21	0300	77	FERMANOW
	0600	75	SOLORIO
	0900	77	SOLORIO
	1200	77	SOLORIO
	1500	76	PHLOOCTE
	1800	74	PHLOOCTE
	2100	74	PHLOOCTE
	2400	74	J. ANDRADE

Notes

ATTACHMENT E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Doms: 102,103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: INFIRMARY

Temp. Reading Location:

OHU

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	74	J. HERRERA
	1200	74	J. HERRERA
	1500	74	PHILOCTETE
	1800	74	PHILOCTETE
	2100	74	PHILOCTETE
	2400	72	J. ANDRADE

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	G. RANK
	1200	73	G. RANK
	1500	73	PHILOCTETE
	1800	73	PHILOCTETE
	2100	72	PHILOCTETE
	2400	72	J. ANDRADE

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	72	J. ANDRADE
	0600	73	J. ANDRADE
	0900	72	Tony
	1200	72	Tony
	1500	72	PHILOCTETE
	1800	72	PHILOCTETE
	2100	71	PHILOCTETE
	2400	71	J. ANDRADE

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	71	J. ANDRADE
	0600	71	J. ANDRADE
	0900	72	PENNINSON
	1200	74	PENNINSON
	1500	72	Evelis
	1800	72	Evelis
	2100	73	Evelis
	2400	72	I. FERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	71	J. FERNANDEZ
	0600	72	D. SANCHEZ
	0900	72	D. SANCHEZ
	1200	72	GOMEZ
	1500	72	E. HERNANDEZ
	1800	72	E. HERNANDEZ
	2100	72	E. HERNANDEZ
	2400	72	FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	72	FERNANDEZ
	0600	72	PENNINSON
	0900	74	PENNINSON
	1200	74	PENNINSON
	1500	73	PHILOCTETE
	1800	72	PHILOCTETE
	2100	72	PHILOCTETE
	2400	72	J. ANDRADE

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	PENNINSON
	1200	74	PENNINSON
	1500	74	PHILOCTETE
	1800	73	PHILOCTETE
	2100	72	PHILOCTETE
	2400	72	J. ANDRADE

Notes

Designated Heat Doms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410.
OHU.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: **INFIRMIER**

Temp. Reading Location:

OHU

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
9/23/2024	0300	72	ANNE
	0600	72	F. CARLOS
	0900	72	F. CARLOS
	1200	72	F. CARLOS
	1500	72	PHILOCETE
	1800	72	PHILOCETE
	2100	72	PHILOCETE
	2400	72	FERNANDEZ

Tuesday

Date	Time	Temp	Name (Print)
9/24/2024	0300	72	I. FERNANDEZ
	0600	72	G. RAVIE
	0900	72	G. RAVIE
	1200	72	G. RAVIE
	1500	72	P. LLORENTE
	1800	72	P. LLORENTE
	2100	72	P. LLORENTE
	2400	72	J. ANDRADE

Wednesday

Date	Time	Temp	Name (Print)
9/25/2024	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	J. ANDRADE
	1200	72	J. ANDRADE
	1500	72	PHILIPPE
	1800	72	PHILIPPE
	2100	72	PHILIPPE
	2400	72	J. ANDRADE

Thursday

Date	Time	Temp	Name (Print)
9/26/2024	0300	72	J. ANDRATE
	0600	72	J. ANDRATE
	0900	72	MONTYOA
	1200	72	MONTYOA
	1500	72	MONTYOA
	1800	72	MONTYOA
	2100	72	MONTYOA
	2400	72	FERNANDEZ

Friday

Date	Time	Temp	Name (Print)
9/27/2024	0300	72	FERNANDEZ
	0600	72	Zamora
	0900	72	Zamora
	1200	72	Zamora
	1500	72	MONDIA
	1800	72	MONDIA
	2100	72	MONDIA
	2400	72	FERNANDEZ

Saturday

Date	Time	Temp	Name (Print)
9/28/2024	0300	72	FERNANDEZ
	0600	72	PENNINGTON
	0900	74	PENNINGTON
	1200	74	PENNINGTON
	1500	72	PHILOCETE
	1800	72	PENNOCK
	2100	72	PENNOCK
	2400	72	M. KNUVSEN

Sunday

Date	Time	Temp	Name (Print)
9/29/2024	0300	72	M. KVIBSEN
	0600	72	PENNINGTON
	0900	72	PENNINGTON
	1200	72	PENNINGTON
	1500	72	PENNINGTON
	1800	72	PENNINGTON
	2100	72	PENNINGTON
	2400	72	J. ANDERSON

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: **INFIRMARY**

Temp. Reading Location:

OHU

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Monday			
Date	Time	Temp	Name (Print)
9/30/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	F. CARLOS
	1200	72	J. CARLOS
	1500	72	PHILIPINE
	1800	72	PHILIPINE
	2100	72	PHILIPINE
	2400	72	J. ANDRADE

Tuesday

Tuesday		Date	Time	Temp	Name (Print)
10/1/24	0300		72		ANDREW ARYANER
	0600		72		
	0900				
	1200				
	1500				
	1800				
	2100				
	2400				

Wednesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes.

DISTRIBUTION: Original: Institution Heat Plan Coordinator