

STATE OF CALIFORNIA
HEAT PLAN - MONTHLY SUMMARY REPORT
CDCR MH-7711-1 (02/17)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Page 1 of 1

Monthly Summary Report

Institution: CEN

Memorandum

Date: November 4, 2024
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - Centinela State Prison

The following is a summary of the heat related activity for the month of October 2024
at CEN (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes _____

Number of days Stage I Alert initiated: 31

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No _____

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No _____

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived? Yes _____

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

FIDENCIO GUZMAN

Warden Name

DocuSigned by:

Fidencio Guzman

913A254A21D742E...

Warden Signature

JOHN MUNGER

Chief Executive Officer Name

DocuSigned by:

John Munger

7AE06A42CC8341F...

Chief Executive Officer Signature

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY OCTOBER 01, 2024	0100	81	Barber
	0200	80	Barber
	0300	79	Barber
	0400	77	Barber
	0500	78	Barber
	0600	77	Barber
	0700	77	Barber
	0800	86	Barber
	0900	90	Barber
	1000	95	Barber
	1100	97	Barber
	1200	100	Barber
	1300	105	Barber
	1400	106	Buchanan
	1500	108	Buchanan
	1600	108	Buchanan
	1700	106	Buchanan
	1800	103	Buchanan
	1900	95	Buchanan
	2000	91	Buchanan
	2100	90	Buchanan
	2200	89	Barber
	2300	87	Barber
	2400	86	Barber

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	88	Woodnuff
	0200	82	Woodnuff
	0300	82	Woodnuff
	0400	91	Woodnuff
	0500	80	Woodnuff
	0600	82	NUNEZ
	0700	81	NUNEZ
	0800	85	NUNEZ
	0900	92	NUNEZ
	1000	98	NUNEZ
	1100	99	NUNEZ
	1200	105	NUNEZ
	1300	108	NUNEZ
	1400	112	S-Gaddis
	1500	112	S-Gaddis
	1600	112	S-Gaddis
	1700	107	S-Gaddis
	1800	104	S-Gaddis
	1900	98	S-Gaddis
	2000	97	S-Gaddis
	2100	99	S-Gaddis
	2200	94	Woodnuff
	2300	92	Woodnuff
	2400	92	Woodnuff

TUESDAY OCTOBER 1, 2024

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY OCTOBER 02, 2024	0100	82	Bulby
	0200	81	Bulby
	0300	80	Bulby
	0400	81	Bulby
	0500	81	Bulby
	0600	82	Reyes
	0700	84	Reyes
	0800	86	Reyes
	0900	88	Reyes
	1000	92	Reyes
	1100	96	Reyes
	1200	99	Reyes
	1300	102	Reyes
	1400	103	Bojorquez
	1500	105	Bojorquez
	1600	105	Bojorquez
	1700	105	Bojorquez
	1800	100	Bojorquez
	1900	97	Bojorquez
	2000	90	Bojorquez
	2100	88	Bojorquez
	2200	87	Bulby
	2300	85	Bulby
	2400	84	Darbin

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	87	Woodnuff
	0200	85	Woodnuff
	0300	83	Woodnuff
	0400	82	Woodnuff
	0500	81	Woodnuff
	0600	78	Thompson
	0700	80	Thompson
	0800	88	Thompson
	0900	97	Thompson
	1000	93	Thompson
	1100	98	Thompson
	1200	101	Thompson
	1300	105	C. Fourz
	1400	108	S. Gaddis
	1500	108	S. Gaddis
	1600	107	S. Gaddis
	1700	107	S. Gaddis
	1800	103	S. Gaddis
	1900	100	S. Gaddis
	2000	95	S. Gaddis
	2100	93	S. Gaddis
	2200	90	Cardenas
	2300	89	Cardenas
	2400	84	Cardenas

WEDNESDAY OCTOBER 2, 2024

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

THURSDAY OCTOBER 3, 2024

Date	Time	Temp.	Printed Name
	0100	87	Cardenas
	0200	85	Cardenas
	0300	83	Cardenas
	0400	82	Cardenas
	0500	81	Cardenas
	0600	80	Martin
	0700	79	Martin
	0800	81	Martin
	0900	81	Martin
	1000	98	Martin
	1100	100	Martin
	1200	103	Martin
	1300	107	Martin
	1400	109	S-Gaddis
	1500	109	S-Gaddis
	1600	109	S-Gaddis
	1700	105	S-Gaddis
	1800	106	S-Gaddis
	1900	98	S-Gaddis
	2000	95	S-Gaddis
	2100	92	S-Gaddis
	2200	91	Cardenas
	2300	89	Cardenas
	2400	88	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROL

Thermometer Location:

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	84	Borbn
	0200	84	Borbn
	0300	82	Borbn
	0400	81	Borbn
	0500	81	Borbn
	0600	79	Rufes
	0700	77	Rufes
	0800	80	Rufes
	0900	81	Rufes
	1000	93	Rufes
	1100	98	Rufes
	1200	100	Rufes
	1300	104	Rufes
	1400	105	Bojorquez
	1500	106	Bojorquez
	1600	106	Bojorquez
	1700	104	Bojorquez
	1800	100	Bojorquez
	1900	95	Bojorquez
	2000	91	Bojorquez
	2100	89	Bojorquez
	2200	87	Borbn
	2300	84	Borbn
	2400	85	Borbn

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
FRIDAY OCTOBER 04, 2024	0100	81	Barber
	0200	80	Barber
	0300	77	Barber
	0400	76	Barber
	0500	76	Barber
	0600	74	Reyes
	0700	75	Reyes
	0800	79	Thompson
	0900	81e	Reyes
	1000	94	Reyes
	1100	94	Reyes
	1200	97	Reyes
	1300	99	Reyes
	1400	103	Bojorquez
	1500	104	Bojorquez
	1600	104	Bojorquez
	1700	104	Bojorquez
	1800	98	Bojorquez
	1900	95	Bojorquez
	2000	93	Bojorquez
	2100	88	Bojorquez
	2200	86	Cardenas
	2300	85	Cardenas
	2400	83	Cardenas

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	87	Cardenas
	0200	84	Cardenas
	0300	82	Cardenas
	0400	80	Cardenas
	0500	78	Cardenas
	0600	75	Martin
	0700	74	Martin
	0800	79	Martin
	0900	89	Martin
	1000	91	Martin
	1100	85	Martin
	1200	99	Martin
	1300	104	Martin
	1400	106	Coronado
	1500	107	Coronado
	1600	108	Coronado
	1700	106	Coronado
	1800	102	Coronado
	1900	96	Coronado
	2000	95	Coronado
	2100	93	Coronado
	2200	91	Coronado
	2300	89	Sepulveda
	2400	88	Sepulveda

FRIDAY OCTOBER 4, 2024

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees:

Date	Time	Temp.	Printed Name
SATURDAY OCTOBER 05, 2024	0100	84	Cardenas
	0200	82	Cardenas
	0300	79	Cardenas
	0400	79	Cardenas
	0500	79	Cardenas
	0600	80	Lopez-fortillo
	0700	81	Lopez-fortillo
	0800	81	Lopez-fortillo
	0900	88	Lopez-fortillo
	1000	95	Lopez-fortillo
	1100	98	Lopez-fortillo
	1200	102	Lopez-fortillo
	1300	104	Lopez-fortillo
	1400	106	Bojorquez
	1500	107	Bojorquez
	1600	106	Bojorquez
	1700	101	Bojorquez
	1800	96	Bojorquez
	1900	96	Bojorquez
	2000	93	Bojorquez
	2100	89	Bojorquez
	2200	90	COTRY
	2300	86	COTRY
	2400	86	COTRY

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

SATURDAY OCTOBER 5, 2024

Date	Time	Temp.	Printed Name
	0100	87	Sequied
	0200	82	Sequied
	0300	82	Sequied
	0400	82	Sequied
	0500	83	Sequied
	0600	84	Sequied
	0700	84	Martin
	0800	87	Martin
	0900	90	Martin
	1000	99	Martin
	1100	103	Martin
	1200	105	Martin
	1300	109	Martin
	1400	110	Buchanan
	1500	110	Buchanan
	1600	110	Buchanan
	1700	109	Buchanan
	1800	101	Buchanan
	1900	99	Buchanan
	2000	91	Buchanan
	2100	92	Buchanan
	2200	93	Woodruff
	2300	92	Woodruff
	2400	92	Woodruff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
SUNDAY OCTOBER 06, 2024	0100	84	COTRY		0100		
	0200	81	COTRY		0200		
	0300	81	COTRY		0300		
	0400	80	COTRY		0400		
	0500	80	COTRY		0500		
	0600	79	Lopez Portillo		0600		
	0700	80	Lopez Portillo		0700		
	0800	84	Lopez Portillo		0800		
	0900	92	Lopez Portillo		0900		
	1000	98	Lopez Portillo		1000		
	1100	103	Lopez Portillo		1100		
	1200	104	Lopez Portillo		1200		
	1300	107	Lopez Portillo		1300		
	1400	108	Buchanan		1400		
	1500	108	Buchanan		1500		
	1600	108	Buchanan		1600		
	1700	102	Buchanan		1700		
	1800	102	Buchanan		1800		
	1900	95	Buchanan		1900		
	2000	91	Buchanan		2000		
	2100	92	Buchanan		2100		
	2200	90	Barber		2200		
	2300	89	Barber		2300		
	2400	87	Barber		2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	88	Woodruff
	0200	88	Woodruff
	0300	90	Woodruff
	0400	89	Woodruff
	0500	88	Woodruff
	0600	82	Martin
	0700	82	Martin
	0800	81	Martin
	0900	97	Martin
	1000	103	Martin
	1100	106	Martin
	1200	109	Martin
	1300	109	Martin
	1400	109	Bela
	1500	107	Martin
	1600	108	Dyson
	1700	102	Dyson
	1800	102	Dyson
	1900	93	Dyson
	2000	71	Dyson
	2100	72	Dyson
	2200	93	WOODRUFF
	2300	92	WOODRUFF
	2400	92	WOODRUFF

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

SUNDAY OCTOBER 6, 2024

OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	87	Barber
	0200	86	Barber
	0300	84	Barber
MONDAY OCTOBER 07, 2024	0400	80	Barber
	0500	80	Barber
	0600	86	Martinez
	0700	79	Martinez
	0800	84	Martinez
	0900	95	Martinez
	1000	96	Martinez
	1100	101	Martinez
	1200	101	Martinez
	1300	105	Martinez
	1400	106	Buchanan
	1500	107	Buchanan
	1600	103	Buchanan
	1700	103	Buchanan
	1800	99	Buchanan
	1900	98	Buchanan
	2000	96	Buchanan
	2100	93	Buchanan
	2200	91	Barber
	2300	88	Buchanan
	2400	89	Buchanan

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	91	Woodruff
	0200	97	Woodruff
	0300	89	Woodruff
	0400	88	Woodruff
	0500	89	Woodruff
	0600	84	NUNEZ
	0700	83	NUNEZ
	0800	84	NUNEZ
	0900	94	NUNEZ
	1000	100	NUNEZ
	1100	104	NUNEZ
	1200	108	NUNEZ
	1300	108	NUNEZ
	1400	110	S. Gaddis
	1500	111	S. Gaddis
	1600	111	S. Gaddis
	1700	100	S. Gaddis
	1800	108	S. Gaddis
	1900	104	S. Gaddis
	2000	100	S. Gaddis
	2100	99	S. Gaddis
	2200	91	Woodruff
	2300	91	Woodruff
	2400	90	Woodruff

MONDAY OCTOBER 7, 2024

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY OCTOBER 08, 2024	0100	86	Barba
	0200	83	Barba
	0300	82	Barba
	0400	84	Barba
	0500	84	Barba
	0600	79	Rutes
	0700	80	Rutes
	0800	87	Rutes
	0900	89	Rutes
	1000	93	Rutes
	1100	99	Rutes
	1200	104	Rutes
	1300	104	Rutes
	1400	106	Buchanan
	1500	105	Buchanan
	1600	102	Buchanan
	1700	100	Buchanan
	1800	98	Buchanan
	1900	94	Buchanan
	2000	91	Buchanan
	2100	89	Buchanan
	2200	86	Barba
	2300	87	Barba
	2400	86	Barba

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	89	Woodruff
	0200	88	Woodruff
	0300	86	Woodruff
	0400	86	Woodruff
	0500	87	Wawink
	0600	82	NUNEZ
	0700	82	NUNEZ
	0800	81	NUNEZ
	0900	92	NUNEZ
	1000	96	NUNEZ
	1100	102	NUNEZ
	1200	105	NUNEZ
	1300	107	NUNEZ
	1400	109	S. Gaddis
	1500	109	S. Gaddis
	1600	108	S. Gaddis
	1700	104	S. Gaddis
	1800	101	S. Gaddis
	1900	97	S. Gaddis
	2000	95	S. Gaddis
	2100	93	S. Gaddis
	2200	90	Woodruff
	2300	90	Woodruff
	2400	88	Woodruff

TUESDAY OCTOBER 8, 2024

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	88	Woodmuff
	0200	89	Woodmuff
	0300	87	Woodmuff
	0400	86	Woodmuff
	0500	86	Woodmuff
	0600	74	Martin
	0700	75	Martin
	0800	80	Martin
	0900	86	Martin
	1000	90	Martin
	1100	95	Martin
	1200	98	Martin
	1300	102	Martin
	1400	104	S. Gaddis
	1500	104	S. Gaddis
	1600	103	S. Gaddis
	1700	103	S. Gaddis
	1800	98	S. Gaddis
	1900	94	S. Gaddis
	2000	90	S. Gaddis
	2100	89	S. Gaddis
	2200	87	Cardenas
	2300	86	Cardenas
	2400	86	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

WEDNESDAY OCTOBER 9, 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY OCTOBER 09, 2024	0100	84	Barber
	0200	84	Barber
	0300	84	Barber
	0400	77	Barber
	0500	70	Barber
	0600	74	Martinez
	0700	71	Martinez
	0800	79	Martinez
	0900	84	Martinez
	1000	90	Martinez
	1100	93	Martinez
	1200	94	Martinez
	1300	99	Martinez
	1400	100	J.Castillo
	1500	100	Moore
	1600	100	J.Castillo
	1700	99	J.Castillo
	1800	94	J.Castillo
	1900	90	J.Castillo
	2000	87	J.Castillo
	2100	85	J.Castillo
	2200	83	Barber
	2300	82	Barber
	2400	81	Barber

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

THURSDAY OCTOBER 10, 2024

Date	Time	Temp.	Printed Name
	0100	81	Bowd
	0200	78	Tonya
	0300	78	Tonya
	0400	75	Barber
	0500	74	Barber
	0600	72	Reyes
	0700	73	Reyes
	0800	71	Reyes
	0900	86	Reyes
	1000	89	Reyes
	1100	93	Reyes
	1200	91	Reyes
	1300	98	Reyes
	1400	100	MORLET
	1500	101	MORLET
	1600	102	MORLET
	1700	100	MORLET
	1800	94	MORLET
	1900	93	MORLET
	2000	90	MORLET
	2100	88	MORLET
	2200	88	Barber
	2300	87	Barber
	2400	86	Barber

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	84	Cardenas
	0200	81	Cardenas
	0300	79	Cardenas
	0400	78	Cardenas
	0500	76	Cardenas
	0600	71	Thompson
	0700	73	Thompson
	0800	82	Thompson
	0900	87	Thompson
	1000	93	Thompson
	1100	96	Thompson
	1200	100	Thompson
	1300	101	Thompson
	1400	101	S. Gaddis
	1500	101	S. Gaddis
	1600	101	REED/MX
	1700	101	S. Gaddis
	1800	101	S. Gaddis
	1900	96	S. Gaddis
	2000	99	S. Gaddis
	2100	92	S. Gaddis
	2200	91	Valencia
	2300	96	Valencia
	2400	89	Valencia

THURSDAY OCTOBER 10, 2024

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat-neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

FRIDAY OCTOBER 11, 2024

Date	Time	Temp.	Printed Name
	0100	74	Barba
	0200	70	Barba
	0300	75	Barba
	0400	74	Barba
	0500	74	Barba
	0600	74	Ruiz
	0700	72	Ruiz
	0800	60	Ruiz
	0900	81	Ruiz
	1000	89	Ruiz
	1100	93	Ruiz
	1200	95	Ruiz
	1300	98	Ruiz
	1400	99	J. Castillo
	1500	100	J. Castillo
	1600	99	Morlet
	1700	90	J. Castillo
	1800	93	Morlet
	1900	89	Morlet
	2000	89	Morlet
	2100	87	Morlet
	2200	87	Cardenas
	2300	85	Cardenas
	2400	84	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

FRIDAY OCTOBER 11, 2024

Date	Time	Temp.	Printed Name
	0100	85	Valencia
	0200	82	Valencia
	0300	77	Valencia
	0400	75	Valencia
	0500	74	Valencia
	0600	72	Alba
	0700	72	Alba
	0800	80	Alba
	0900	85	Alba
	1000	89	Kiara
	1100	98	Avera
	1200	100	Avera
	1300	101	Alba
	1400	102	Buchanan
	1500	102	Buchanan
	1600	102	Buchanan
	1700	100	Buchanan
	1800	95	Buchanan
	1900	94	Buchanan
	2000	89	Buchanan
	2100	90	Buchanan
	2200	89	Trevino
	2300	89	Trevino
	2400	88	Trevino

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	86	Trevino
	0200	86	Trevino
	0300	85	Trevino
	0400	86	Trevino
	0500	86	Trevino
	0600	80	Gosay
	0700	81 D	Gosay
	0800	83	Gosay
	0900	91	Gosay
	1000	94	Gosay
	1100	96	Gosay
	1200	97	Gosay
	1300	100	Gosay
	1400	102	TREVINO
	1500	102	TREVINO
	1600	102	TREVINO
	1700	100	TREVINO
	1800	96	TREVINO
	1900	93	TREVINO
	2000	89	TREVINO
	2100	87	TREVINO
	2200	83	Hernandez
	2300	83	Hernandez
	2400	82	Hernandez

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SATURDAY OCTOBER 12, 2024	0100	83	Cardenas
	0200	82	Cardenas
	0300	81	Cardenas
	0400	82	Cardenas
	0500	82	Cardenas
	0600	82	Lopezforillo
	0700	82	Lopezforillo
	0800	84	Lopezforillo
	0900	88	Lopezforillo
	1000	91	NUNEZ
	1100	94	NUNEZ
	1200	95	NUNEZ
	1300	97	NUNEZ
	1400	100	J. Castillo
	1500	100	J. Castillo
	1600	98	J. Castillo
	1700	96	J. Castillo
	1800	91	J. Castillo
	1900	88	J. Castillo
	2000	84	J. Castillo
	2100	83	J. Castillo
	2200	81	A. Giambra
	2300	80	A. Giambra
	2400	78	A. Giambra

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY OCTOBER 13, 2024	0100	78	Gambba
	0200	76	Gambba
	0300	71	Gumbba
	0400	74	Gambba
	0500	74	Gambba
	0600	70	Martinez
	0700	67	Martinez
	0800	71	Martinez
	0900	77	Martinez
	1000	74	Martinez
	1100	89	Martinez
	1200	92	Martinez
	1300	93	Martinez
	1400	94	J. Castillo
	1500	95	J. Castillo
	1600	95	J. Castillo
	1700	93	J. Castillo
	1800	89	J. Castillo
	1900	96	J. Castillo
	2000	84	J. Castillo
	2100	82	J. Castillo
	2200	80	Burbo
	2300	79	Burbo
	2400	70	Burbo

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	76	Hernandez
	0200	76	Hernandez
	0300	78	Hernandez
	0400	78	Hernandez
	0500	76	Hernandez
	0600	68	Gauday
	0700	68	Gauday
	0800	70	Gauday
	0900	78	Gauday
	1000	96	Martinez
	1100	89	Gauday
	1200	93	Martinez
	1300	96	Martinez
	1400	97	S. Gaddis
	1500	97	S. Gaddis
	1600	97	S. Gaddis
	1700	96	S. Gaddis
	1800	94	S. Gaddis
	1900	90	S. Gaddis
	2000	88	S. Gaddis
	2100	85	S. Gaddis
	2200	70	H. Eastman
	2300	65	H. Eastman
	2400	65	H. Eastman

SUNDAY OCTOBER 13, 2024

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

MONDAY OCTOBER 14, 2024

Date	Time	Temp.	Printed Name
	0100	77	Burba
	0200	75	Burba
	0300	74	Burba
	0400	75	Burba
	0500	70	Burba
	0600	71	Ryles
	0700	71	Ryles
	0800	73	Ryles
	0900	78	Ryles
	1000	84	Ryles
	1100	85	Ryles
	1200	90	Ryles
	1300	92	Ryles
	1400	93	Buchanan
	1500	95	Buchanan
	1600	94	Buchanan
	1700	90	Buchanan
	1800	89	Buchanan
	1900	85	Buchanan
	2000	83	Buchanan
	2100	81	Buchanan
	2200	80	Burba
	2300	77	Burba
	2400	77	Burba

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

Calibrate Thermo @ 32°F 10-14-24 RL.

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	65	EQUIHUA
	0200	63	EQUIHUA
	0300	63	EQUIHUA
	0400	63	EQUIHUA
	0500	63	EQUIHUA
	0600	63	EQUIHUA
	0700	71	NUNEZ
	0800	72	NUNEZ
	0900	81	NUNEZ
	1000	86	NUNEZ
	1100	91	NUNEZ
	1200	93	NUNEZ
	1300	95	NUNEZ
	1400	96	S. GADDIS
	1500	97	S. GADDIS
	1600	97	S. GADDIS
	1700	95	S. GADDIS
	1800	91	S. GADDIS
	1900	88	S. GADDIS
	2000	83	S. GADDIS
	2100	83	S. GADDIS
	2200	80	WOODRUFF
	2300	80	WOODRUFF
	2400	79	WOODRUFF

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

Calibrare Thermo @ 32°F RL 10-14-24

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	78	WOODRUFF
	0200	74	Woodruff
	0300	77	Woodruff
	0400	73	Woodruff
	0500	74	Woodruff
	0600	67	NUNEZ
	0700	67	NUNEZ
	0800	71	NUNEZ
	0900	74	NUNEZ
	1000	82	NUNEZ
	1100	80	NUNEZ
	1200	91	NUNEZ
	1300	93	NUNEZ
	1400	95	S. Gaddis
	1500	95	S. Gaddis
	1600	96	S. Gaddis
	1700	93	S. Gaddis
	1800	88	S. Gaddis
	1900	65	S. Gaddis
	2000	82	S. Gaddis
	2100	80	S. Gaddis
	2200	75	WOODRUFF
	2300	75	WOODRUFF
	2400	71	WOODRUFF

TUESDAY OCTOBER 15, 2024

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

TUESDAY OCTOBER 15, 2024

Date	Time	Temp.	Printed Name
	0100	77	Barber
	0200	75	Barber
	0300	73	Barber
	0400	70	Barber
	0500	70	Barber
	0600	67	Rincon
	0700	67	Rincon
	0800	71	Rincon
	0900	76	Rincon
	1000	82	Rincon
	1100	80	Rincon
	1200	88	Rincon
	1300	90	Rincon
	1400	91	Buchanan
	1500	91	Buchanan
	1600	92	Buchanan
	1700	91	Buchanan
	1800	88	MORLET
	1900	82	MORLET
	2000	79	MORLET
	2100	78	MORLET
	2200	76	Barber
	2300	75	Barber
	2400	75	Barber

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY OCTOBER 16, 2024	0100	73	Barba
	0200	72	Barba
	0300	72	Barba
	0400	72	Barba
	0500	68	Barba
	0600	67	Rufes
	0700	66	Rufes
	0800	71	Rufes
	0900	75	Rufes
	1000	80	Rufes
	1100	82	Rufes
	1200	81	Rufes
	1300	82	Rufes
	1400	89	J.Costillo
	1500	90	J.COSTILLO
	1600	91	J.Costillo
	1700	89	J.CASTILLO
	1800	87	J.Castillo
	1900	84	J.CASTILLO
	2000	81	J.Castillo
	2100	79	J.M.Smith
	2200	78	J.Pascencia
	2300	76	J.Pascencia
	2400	74	J.Pascencia

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	74	Woodruff
	0200	74	Woodruff
	0300	74	Woodruff
	0400	75	Woodruff
	0500	74	Woodruff
	0600	72	Bell
	0700	68	Bell
	0800	75	Bell
	0900	79	Bell
	1000	81	Bell
	1100	82	Bell
	1200	86	Bell
	1300	92	Bell
	1400	92	S. Gaddis
	1500	92	S. Gaddis
	1600	93	S. Gaddis
	1700	92	S. Gaddis
	1800	88	S. Gaddis
	1900	86	S. Gaddis
	2000	81	S. Gaddis
	2100	81	S. Gaddis
	2200	81	Cardenas
	2300	77	Cardenas
	2400	75	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

WEDNESDAY OCTOBER 16, 2024

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

THURSDAY OCTOBER 17, 2024

Date	Time	Temp.	Printed Name
	0100	74	J. ASCENCA
	0200	73	J. ASCENCA
	0300	72	J. ASCENCA
	0400	72	J. ASCENCA
	0500	70	J. ASCENCA
	0600	70	Reyes
	0700	69	Reyes
	0800	71	Reyes
	0900	75	Reyes
	1000	78	Reyes
	1100	81	Reyes
	1200	84	Reyes
	1300	85	Reyes
	1400	85	MARVEL
	1500	83	J. CASTILLO
	1600	81	J. CASTILLO
	1700	79	J. CASTILLO
	1800	76	J. CASTILLO
	1900	74	J. CASTILLO
	2000	72	J. CASTILLO
	2100	72	J. CASTILLO
	2200	71	Cardenas
	2300	70	Cardenas
	2400	70	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	74	WUDNWP
	0200	74	WUDNWP
	0300	74	WUDNWP
	0400	75	WUDNWP
	0500	74	WUDNWP
	0600	72	BELL
	0700	68	BELL
	0800	75	BELL
	0900	79	BELL
	1000	81	BELL
	1100	82	BELL
	1200	8886	BELL
	1300	92	S. Armas
	1400	92	S. Gaddis
	1500	92	S. Gaddis
	1600	93	S. Gaddis
	1700	92	S. Gaddis
	1800	88	S. Gaddis
	1900	86	S. Gaddis
	2000	81	S. Gaddis
	2100	81	S. Gaddis
	2200	81	Cardenas
	2300		Cardenas
	2400		Cardenas

THURSDAY OCTOBER 17, 2024

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400	83	F. Camaron
	1500	83	F. Caman
	1600	82	J. Miranda
	1700	80	J. Miranda
	1800	76	J. Miranda
	1900	74	J. Miranda
	2000	73	J. Miranda
	2100	73	J. Miranda
	2200	72	H. Culebro
	2300	72	H. Culebro
	2400	70	H. Culebro

0160

INSTITUTION: CENTINELA

III 2N

From May 1st through October 31st
OUTSIDE ambient air temperature.

arden all designate staff to be responsible to monitor and log the

Using an accurate thermometer, rectal temperature taken every hour, seven (7) days a week.

In a heat neutral location, the outside air temperature is to be

Thermometer Location: COR

X CONTROL

**Immediately notify the Watch Co.
90 degrees.**

at tension 7612 when the air temperature reaches

Date	Time	Temp.	
SATURDAY OCTOBER 18, 2024	0100	65	woodruff
	0200	65	woodruff
	0300	64	woodruff
	0400	63	woodruff
	0500	63	woodruff
	0600	65	Santol
	0700	67	Santol
	0800	71	Gorday
	0900	76	Santol
	1000	78	Santol
	1100	79	Santol
	1200	80	Santol
	1300	70	Burseros
	1400	72	Hu Hu
	1500	81	Hu Hu
	1600	81	Hu Hu
	1700	82	Hu Hu
	1800	79	Hu Hu
	1900	77	Hu Hu
	2000	72	Hu Hu
	2100	69	Hu Hu
	2200	68	Woodruff
	2300	66	Woodruff
	2400	67	Woodruff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SATURDAY OCTOBER 19, 2024	0100	63	Cardenas
	0200	65	Cardenas
	0300	63	Cardenas
	0400	61	Cardenas
	0500	62	Cardenas
	0600	63	Lopez, Luis J.
	0700	66	NUNEZ
	0800	67	NUNEZ
	0900	65	NUNEZ
	1000	76	NUNEZ
	1100	77	NUNEZ
	1200	78	NUNEZ
	1300	78	NUNEZ
	1400	80	CARLOS, J.
	1500	81	CARLOS, J.
	1600	80	CARLOS, J.
	1700	78	CARLOS, J.
	1800	75	CARLOS, J.
	1900	72	CARLOS, J.
	2000	70	CARLOS, J.
	2100	70	CARLOS, J.
	2200	68	AYALA, I.
	2300	67	AYALA, I.
	2400	66	AYALA, I.

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

SUNDAY OCTOBER 20, 2024

Date	Time	Temp.	Printed Name
	0100	64	WOODUFF
	0200	64	WOODUFF
	0300	63	WOODUFF
	0400	64	WOODUFF
	0500	64	WOODUFF
	0600	65	FERRUSQUILLA
	0700	64	FERRUSAVILLA
	0800	63	FERRUSAVILLA
	0900	68	FERRUSAVILLA
	1000	74	FERRUSAVILLA
	1100	77	FERRUSAVILLA
	1200	81	FERRUSAVILLA
	1300	87	FERRUSAVILLA
	1400	84	Egreen
	1500	86	Egreen
	1600	84	Egreen
	1700	83	Egreen
	1800	78	Egreen
	1900	70	Egreen
	2000	73	Egreen
	2100	76	Egreen
	2200	69	WOODUFF
	2300	68	WOODUFF
	2400	68	WOODUFF

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

**STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY OCTOBER 20, 2024	0100	64	I. AYALA
	0200	63	I. AYALA
	0300	62	I. AYALA
	0400	60	I. AYALA
	0500	59	I. AYALA
	0600	59	Lopez Portillo
	0700	58	Lopez Portillo
	0800	60	Lopez Portillo
	0900	67	Lopez Portillo
	1000	71	Lopez Portillo
	1100	75	Lopez Portillo
	1200	79	Lopez Portillo
	1300	81	Lopez Portillo
	1400	82	Buchanan
	1500	82	Buchanan
	1600	81	Buchanan
	1700	79	Buchanan
	1800	79	Buchanan
	1900	75	Buchanan
	2000	73	Buchanan
	2100	70	Buchanan
	2200	68	Buchanan
	2300	67	Barbs
	2400	66	Barbs

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY OCTOBER 21, 2024	0100	66	Burba
	0200	65	Burba
	0300	65	Burba
	0400	62	Burba
	0500	62	Burba
	0600	61	Murphy
	0700	61	Murphy
	0800	63	Murphy
	0900	71	Murphy
	1000	74	Murphy
	1100	80	Murphy
	1200	82	Murphy
	1300	84	Murphy
	1400	84	Buchanan
	1500	85	Buchanan
	1600	85	Buchanan
	1700	83	Buchanan
	1800	80	Buchanan
	1900	75	Buchanan
	2000	73	Buchanan
	2100	72	Buchanan
	2200	69	Buchanan
	2300	69	Burba
	2400	68	Burba

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	65	WOODRUFF
	0200	65	WOODRUFF
	0300	64	WOODRUFF
	0400	63	WOODRUFF
	0500	63	WOODRUFF
	0600	62	NUNEZ
	0700	61	NUNEZ
	0800	63	NUNEZ
	0900	72	NUNEZ
	1000	78	NUNEZ
	1100	81	NUNEZ
	1200	83	NUNEZ
	1300	87	NUNEZ
	1400	68	Luna
	1500	67	Luna
	1600	67	Luna
	1700	66	Luna
	1800	66	Luna
	1900	65	Luna
	2000	64	Luna
	2100	63	Luna
	2200	71	Woodruff
	2300	70	Woodruff
	2400	69	Woodruff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY OCTOBER 22, 2024	0100	68	Bonber
	0200	66	Bonber
	0300	65	Bonber
	0400	64	Bonber
	0500	63	Bonber
	0600	63	Martinez
	0700	62	Martinez
	0800	70	Martinez
	0900	71	Martinez
	1000	70	Martinez
	1100	73	Martinez
	1200	74	Martinez
	1300	88	Martinez
	1400	89	MORLET
	1500	90	MORLET
	1600	90	MORLET
	1700	88	MORLET
	1800	83	MORLET
	1900	78	MORLET
	2000	76	MORLET
	2100	73	MORLET
	2200	71	Bonber
	2300	71	Bonber
	2400	70	Bonber

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	65	Woodnuff
	0200	64	Woodnuff
	0300	64	Woodnuff
	0400	63	Woodnuff
	0500	62	Woodnuff
	0600	64	NUNEZ
	0700	64	NUNEZ
	0800	67	NUNEZ
	0900	75	NUNEZ
	1000	82	NUNEZ
	1100	84	NUNEZ
	1200	88	NUNEZ
	1300	91	NUNEZ
	1400	92	S. Gaddis
	1500	92	S. Gaddis
	1600	92	S. Gaddis
	1700	92	S. Gaddis
	1800	85	S. Gaddis
	1900	82	S. Gaddis
	2000	77	S. Gaddis
	2100	75	S. Gaddis
	2200	74	Woodnuff
	2300	74	Woodnuff
	2400	72	Woodnuff

TUESDAY OCTOBER 22, 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90-degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY OCTOBER 23, 2024	0100	68	Barbu
	0200	67	Barbu
	0300	67	Barbu
	0400	60	Barbu
	0500	64	Barbu
	0600	64	Martinez
	0700	64	Martinez
	0800	69	Martinez
	0900	60	Martinez
	1000	81	Martinez
	1100	75	Martinez
	1200	76	Martinez
	1300	90	Martinez
	1400	92	J. Castillo
	1500	93	J. Castillo
	1600	92	J. Castillo
	1700	90	J. Castillo
	1800	88	J. Castillo
	1900	81	J. Castillo
	2000	77	J. Castillo
	2100	75	J. Castillo
	2200	75	J. Plasencia
	2300	73	J. Plasencia
	2400	73	J. Plasencia

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	69	Woodmuff
	0200	70	Woodmuff
	0300	69	Woodmuff
	0400	69	Woodmuff
	0500	68	Woodmuff
	0600	68	Luna
	0700	68	Luna
	0800	70	Luna
	0900	73	Luna
	1000	83	Luna R
	1100	89	Luna R
	1200	91.6	Luna R
	1300	93.6	Luna R
	1400	95	S. Gaddis
	1500	95	S. Gaddis
	1600	95	S. Gaddis
	1700	95	S. Gaddis
	1800	85	S. Gaddis
	1900	81	S. Gaddis
	2000	80	S. Gaddis
	2100	78	S. Gaddis
	2200	78	Gardens
	2300	73	Gardens
	2400	70	Gardens

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

WEDNESDAY OCTOBER 23, 2024

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	70	J.PASCENCIA
	0200	71	J.PASCENCIA
	0300	71	J.PASCENCIA
	0400	68	J.PASCENCIA
	0500	65	J.PASCENCIA
	0600	64	C.Martinez
	0700	62	C.martinez
	0800	63	C.martinez
	0900	73	C.martinez
	1000	80	C.martinez
	1100	83	C.martinez
	1200	87	C.martinez
	1300	89	C.martinez
	1400	90	MORLET
	1500	91	MORLET
	1600	91	MORLET
	1700	89	MORLET
	1800	85	MORLET
	1900	88	MORLET
	2000	77	MORLET
	2100	74	MORLET
	2200	74	Bardot
	2300	71	JURPS
	2400	71	JILLION

THURSDAY OCTOBER 24, 2024

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

THURSDAY OCTOBER 24, 2024

Date	Time	Temp.	Printed Name
	0100	69	Cardenas
	0200	67	Cardenas
	0300	67	Cardenas
	0400	66	Cardenas
	0500	65	Cardenas
	0600	63	Gonzalez
	0700	61	Gonzalez
	0800	67	Gonzalez
	0900	74	Gonzalez
	1000	81	Gonzalez
	1100	85	Gonzalez
	1200	98	Gonzalez
	1300	91	Gonzalez
	1400	95	S. Gaddis
	1500	95	S. Gaddis
	1600	94	S. Gaddis
	1700	88	S. Gaddis
	1800	86	S. Gaddis
	1900	82	S. Gaddis
	2000	80	S. Gaddis
	2100	77	S. Gaddis
	2200	77	Cardenas
	2300	75	Cardenas
	2400	74	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
FRIDAY OCTOBER 25, 2024	0100	68	Barby
	0200	67	Barby
	0300	67	Barby
	0400	65	Barby
	0500	65	Barby
	0600	64	Nunez
	0700	63	Nunez
	0800	66	Nunez
	0900	72	Nunez
	1000	78	Nunez
	1100	82	Nunez
	1200	86	Nunez
	1300	88	Nunez
	1400	90	J.Castillo
	1500	91	J.Castillo
	1600	90	J.Castillo
	1700	88	J.Castillo
	1800	83	S.Bojorquez
	1900	81	S.Bojorquez
	2000	79	S.Bojorquez
	2100	75	S.Bojorquez
	2200	73	Cardenas
	2300	71	Cardenas
	2400	71	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	70	Cardenas
	0200	68	Cardenas
	0300	66	Cardenas
	0400	65	Cardenas
	0500	63	Cardenas
	0600	64	Lizarraga
	0700	70	Lizarraga
	0800	71	Lizarraga
	0900	77	Lizarraga
	1000	84	Lizarraga
	1100	85	Lizarraga
	1200	91	Lizarraga
	1300	91	Lizarraga
	1400	90	Buchanan
	1500	92	Buchanan
	1600	93	Buchanan
	1700	91	Buchanan
	1800	80	Buchanan
	1900	83	Buchanan
	2000	77	Buchanan
	2100	76	Buchanan
	2200	72	Santellana
	2300	70	Santellana
	2400	65	Santellana

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

FRIDAY OCTOBER 25, 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SATURDAY OCTOBER 26, 2024	0100	71	Cardenas
	0200	70	Cardenas
	0300	69	Cardenas
	0400	68	Cardenas
	0500	67	Cardenas
	0600	65	Nunez
	0700	65	Thompson
	0800	70	Nunez
	0900	70	Nunez
	1000	82	Nunez
	1100	86	Nunez
	1200	89	Nunez
	1300	91	Nunez
	1400	93	J. Castillo
	1500	93	J. Castillo
	1600	93	J. Castillo
	1700	90	J. Castillo
	1800	85	J. Castillo
	1900	80	J. Castillo
	2000	76	J. Castillo
	2100	74	J. Castillo
	2200	73	Cardenas
	2300	72	Cardenas
	2400	70	Cardenas

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
SATURDAY OCTOBER 26, 2024	0100	60	Santellano		0100		
	0200	60	Santellano		0200		
	0300	62	Santellano		0300		
	0400	63	Santellano		0400		
	0500	63	Santellano		0500		
	0600	64	G. Vega		0600		
	0700	69	G. Vega		0700		
	0800	74	G. Vega		0800		
	0900	80	G. Vega		0900		
	1000	83	G. Vega		1000		
	1100	87	G. Vega		1100		
	1200	90	G. Vega		1200		
	1300	93	G. Vega		1300		
	1400	97	G. Vega		1400		
	1500	98	G. Vega		1500		
	1600	98	G. Vega		1600		
	1700	95	G. Vega		1700		
	1800	89	G. Vega		1800		
	1900	85	G. Vega		1900		
	2000	79	G. Vega		2000		
	2100	71	G. Vega		2100		
	2200	76	Veger		2200		
	2300	74	Woodhull		2300		
	2400	73	Woodhull		2400		

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

CENTRAL CONTROLThermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	69	Cardenas
	0200	69	Cardenas
	0300	68	Cardenas
	0400	68	Cardenas
	0500	67	Cardenas
	0600	65	Martinez
	0700	65	Martinez
	0800	71	Martinez
	0900	74	Martinez
	1000	83	Martinez
	1100	85	Martinez
	1200	89	Martinez
	1300	90	Martinez
	1400	93	Buchanan
	1500	93	Buchanan
	1600	92	Buchanan
	1700	91	Buchanan
	1800	87	Buchanan
	1900	85	Buchanan
	2000	80	Buchanan
	2100	80	Buchanan
	2200	78	Barber
	2300	78	Barber
	2400	78	Barber

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

SUNDAY OCTOBER 27, 2024

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

SUNDAY OCTOBER 27, 2024

Date	Time	Temp.	Printed Name
	0100	69	Woodmuff
	0200	69	Woodmuff
	0300	68	Woodmuff
	0400	67	Woodmuff
	0500	67	Woodmuff
	0600	66	Gosay
	0700	66	Gosay
	0800	65	Gosay
	0900	76	Gosay
	1000	80	Gosay
	1100	80	Gosay
	1200	90	Gosay
	1300	92	Gosay
	1400	95	Egreen
	1500	95	Egreen
	1600	94	Egreen
	1700	91	Egreen
	1800	89	Egreen
	1900	87	Egreen
	2000	85	Egreen
	2100	84	Egreen
	2200	82	Woodmuff
	2300	80	Woodmuff
	2400	80	Woodmuff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

MONDAY OCTOBER 28, 2024

Date	Time	Temp.	Printed Name
	0100	78	Barbo
	0200	77	Barbo
	0300	77	Barbo
	0400	76	Barbo
	0500	76	Barbo
	0600	76	martinez
	0700	76	martinez
	0800	78	martinez
	0900	86	martinez
	1000	80	martinez
	1100	81	martinez
	1200	87	martinez
	1300	85	martinez
	1400	80	Buchanan
	1500	81	Buchanan
	1600	75	Buchanan
	1700	73	Buchanan
	1800	70	Buchanan
	1900	69	Buchanan
	2000	67	Buchanan
	2100	67	Buchanan
	2200	65	Barbo
	2300	64	Barbo
	2400	64	Barbo

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution Heat Plan Coordinator

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	80	WOODRUFF
	0200	80	WOODRUFF
	0300	79	WOODRUFF
	0400	78	WOODRUFF
	0500	78	WOODRUFF
	0600	79	Nunez
	0700	79	Nunez
	0800	81	Nunez
	0900	82	Nunez
	1000	83	Nunez
	1100	83	C Fanez
	1200	88	Nunez
	1300	86	Nunez
	1400	80	Lopez M.
	1500	81	Lopez M.
	1600	75	Lopez M.
	1700	73	Lopez M.
	1800	70	Lopez M.
	1900	69	Lopez M.
	2000	67	Lopez M.
	2100	67	Lopez M.
	2200	66	WOODRUFF
	2300	65	WOODRUFF
	2400	65	WOODRUFF

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

MONDAY OCTOBER 28, 2024

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY OCTOBER 29, 2024	0100	64	Barba
	0200	64	Barba
	0300	64	Barba
	0400	63	Barba
	0500	63	Barba
	0600	61	Martinez
	0700	61	Martinez
	0800	65	Martinez
	0900	68	Martinez
	1000	71	Martinez
	1100	73	Martinez
	1200	75	Martinez
	1300	75	Martinez
	1400	73	MORLET
	1500	74	MORLET
	1600	73	MORLET
	1700	72	MORLET
	1800	70	MORLET
	1900	67	MORLET
	2000	66	MORLET
	2100	64	MORLET
	2200	63	Barba
	2300	61	Barba
	2400	61	Barba

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
TUESDAY OCTOBER 29, 2024	0100	65	WOODRUFF
	0200	66	WOODRUFF
	0300	65	WOODRUFF
	0400	64	WOODRUFF
	0500	64	WOODRUFF
	0600	74	Nunez
	0700	73	NUNEZ
	0800	74	Nunez
	0900	74	NUNEZ
	1000	71	Nunez
	1100	73	Nunez
	1200	74	NUNEZ
	1300	76	Nunez
	1400	77	S. Gaddis
	1500	77	S. Gaddis
	1600	77	S. Gaddis
	1700	72	S. Gaddis
	1800	70	S. Gaddis
	1900	68	S. Gaddis
	2000	65	S. Gaddis
	2100	67	S. Gaddis
	2200	64	WOODRUFF
	2300	63	WOODRUFF
	2400	62	WOODRUFF

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
WEDNESDAY OCTOBER 30, 2024	0100	60	Burba
	0200	60	Burba
	0300	58	Burba
	0400	58	Burba
	0500	57	Burba
	0600	56	Martinez
	0700	54	Martinez
	0800	59	Martinez
	0900	64	Martinez
	1000	64	Martinez
	1100	64	Martinez
	1200	75	Martinez
	1300	75	Martinez
	1400	77	J. Castillo
	1500	77	J. Castillo
	1600	76	J. Castillo
	1700	72	J. Castillo
	1800	71	J. Castillo
	1900	69	J. Castillo
	2000	68	J. Castillo
	2100	63	J. Castillo
	2200	61	V. Barba
	2300	57	V. Barba
	2400	57	Barba

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

WEDNESDAY OCTOBER 30, 2024

Date	Time	Temp.	Printed Name
	0100	62	WOODRUFF
	0200	58	WOODRUFF
	0300	57	WOODRUFF
	0400	56	WOODRUFF
	0500	57	WOODRUFF
	0600	57	FUNZ
	0700	57	FUNZ
	0800	61	FUNZ
	0900	64	FUNZ
	1000	69	FUNZ
	1100	73	FUNZ
	1200	75	FUNZ
	1300	77	S-Gaddis
	1400	77	S-Gaddis
	1500	77	S-Gaddis
	1600	77	S-Gaddis
	1700	75	S-Gaddis
	1800	72	S-Gaddis
	1900	68	S-Gaddis
	2000	66	S-Gaddis
	2100	64	S-Gaddis
	2200	61	Cardenas
	2300	58	Cardenas
	2400	55	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	59	Barbo
	0200	58	Barbo
	0300	57	Barbo
	0400	57	Barbo
	0500	57	Barbo
	0600	55	Martinez
	0700	55	Martinez
	0800	59	Martinez
	0900	63	Martinez
	1000	67	Martinez
	1100	71	Martinez
	1200	74	Martinez
	1300	75	Martinez
	1400	77	Morlet
	1500	77	Morlet
	1600	77	Morlet
	1700	76	Morlet
	1800	72	Morlet
	1900	69	Morlet
	2000	68	Morlet
	2100	68	Morlet
	2200	64	Barbo
	2300	64	Barbo
	2400	64	Barbo

THURSDAY OCTOBER 31, 2024

INSTITUTION: CENTINELA STATE PRISON

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: COMPLEX CONTROL

Immediately notify the Watch Commander at extension 7612 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	55	Cardenas
	0200	55	Cardenas
	0300	56	Cardenas
	0400	57	Cardenas
	0500	58	Cardenas
	0600	54	Cortez
	0700	52	Cortez
	0800	60	Cortez,C
	0900	63	Cortez,C
	1000	68	Cortez,C
	1100	72	Cortez,C
	1200	75	Cortez,C
	1300	78	Cortez,C
	1400	79	S. Gaddis
	1500	79	S. Gaddis
	1600	78	S. Gaddis
	1700	77	S. Gaddis
	1800	72	S. Gaddis
	1900	71	S. Gaddis
	2000	71	S. Gaddis
	2100	71	S. Gaddis
	2200	69	Cardenas
	2300	68	Cardenas
	2400	62	Cardenas

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

THURSDAY OCTOBER 31, 2024

Heat Plan Expectation Meeting

10/01/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
A. Esquivel CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
E. Bustamante, AW Central Services
F. Vasquez, AW Business Services
G. Hopper, Facility A Captain
J. Rico, Facility B Lieutenant
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
N. Tabarez, SRN II
E. Saucedo, IST Lieutenant
R. Beatty, CPM II
B. Espitia, CSE (A)

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 72 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Lieutenant, J. Rico, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units highest temperature was 73 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has five incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 78 degrees. Ice machines are working correctly. Water fountain for C2 has been fixed. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has nine incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 72 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 72 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 74 degrees and R&R 75 degrees and visiting 75 degrees. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Plant ops fixed Facility C C2 water fountain.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CSA (A)

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1204 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET


CDCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 10/01/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			


PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Vasquez, Felipe	AWBS	0800-1600	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5	A. Esquivel	CDW (A)	0800-1600	1200	1230			
6	Tabarez, Nadia	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Zavala, Roberto	AW	0800-1600	1200	1230			
12	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
13	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

10/02/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
A. Esquivel CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
E. Bustamante, AW Central Services
F. Vasquez, AW Business Services
G. Hopper, Facility A Captain
J. Rico, Facility B Lieutenant
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
N. Tabarez, SRN II
E. Saucedo, IST Lieutenant
R. Beatty, CPM II
B. Espitia, CHSA

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 72 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units highest temperature was 73 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has five incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 79 degrees. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has nine incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 77 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 72 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 74 degrees and R&R 75 degrees and visiting 75 degrees. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No work orders have been submitted as of now.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1206 hours.



FIDENCIO N. GUZMAN

Warden

Centinela State Prison

RAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 10/02/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
ET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Vasquez, Felipe	AWBS	0800-1600	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5	Esquivel, Andres	CDW (A)	0800-1600	1200	1230			
6	Tabarez, Nadia	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
0	Soriano, Tanya	Cpt	0800-1600	1200	1230			
1	Zavala, Roberto	AW	0800-1600	1200	1230			
2	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
3	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
4	Guzman, Fidencio	Warden	0800-1630	1200	1230			
5								
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR




Heat Plan Expectation Meeting

10/03/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
A. Esquivel CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
E. Bustamante, AW Central Services
F. Vasquez, AW Business Services
G. Hopper, Facility A Captain
J. Rico, Facility B Lieutenant
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
J. Covarrubias, SRN II
E. Saucedo, IST Lieutenant
R. Beatty, CPM II
B. Espitia, CHSA

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 72 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines in bravo kitchen is not working, workorder was submitted. Temperatures in Facility B Housing Units highest temperature was 75 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has five incarcerated persons in the heat med list.

Facility C

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 78 degrees. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has nine incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 75 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 72 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 74 degrees and R&R 75 degrees and visiting 75 degrees. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Plant ops will go to b yard ice machine kitchen to repair it.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1205 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

STATE OF CALIFORNIA

RAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)


DEPARTMENT OF CORRECTIONS AND REHABILITATION

TITLE Heat Plan Meeting		TIME 1200	DATE 10/03/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
EET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Vasquez, Felipe	AWBS	0800-1600	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5	Esquivel, Andres	CDW (A)	0800-1600	1200	1230			
6	Tabarez, Nadia	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
0	Soriano, Tanya	Cpt	0800-1600	1200	1230			
1	Zavala, Roberto	AW	0800-1600	1200	1230			
2	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
3	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
4	Guzman, Fidencio	Warden	0800-1630	1200	1230			
5								
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

10/04/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
A. Esquivel CDW (A)
H. Perez, AW Complex I (A)
R. Zavala, Complex II
E. Bustamante, AW Central Services
F. Vasquez, AW Business Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
T. Soriano, Custody Captain
V. Cortez, Facility D/MSF Captain
C. Ramirez, SRN II
R. Beatty, CPM II
B. Espitia, CHSA

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 75 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Work order was submitted for air conditioning A2 C Section. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working fine. Temperatures in Facility B Housing Units highest temperature was 75 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has five incarcerated persons in the heat med list.

Facility C

Facility D Captain, V. Cortez did the daily tour. Temperatures in Facility C Housing Units highest temperature was 78 degrees. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has nine incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 75 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 72 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 74 degrees and R&R 75 degrees and visiting 75 degrees. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Plant ops received work order for Facility A2- C Section and will have staff go and fix the air conditioning.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1204 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

RAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 10/04/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
PSET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Vasquez, Felipe	AWBS	0800-1600	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Perez, Humberto	AW (A)	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5	Esquivel, Andres	CDW (A)	0800-1600	1200	1230			
6	Tabarez, Nadia	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
0	Soriano, Tanya	Cpt	0800-1600	1200	1230			
1	Zavala, Roberto	AW	0800-1600	1200	1230			
2	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
3	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
4	Guzman, Fidencio	Warden	0800-1630	1200	1230			
5								
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR



Heat Plan Expectation Meeting

10/07/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
A. Esquivel CDW (A)
R. Zavala, Complex II
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
T. Soriano, Custody Captain
V. Cortez, Facility D/MSF Captain
J. Covarrubias, SRN II
R. Beatty, CPM II
B. Espitia, CHSA

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 78 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Work order was submitted for air conditioning A2 C Section. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines from dining is not working correctly, work order has been submitted already. Temperatures in Facility B Housing Units highest temperature was 75 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has five incarcerated persons in the heat med list.

Facility C

Facility D Captain, V. Cortez did the daily tour. Temperatures in Facility C Housing Units highest temperature was 78 degrees. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has nine incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 77 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 72 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. RHU highest temperature 74 degrees and R&R 76 degrees and visiting 76 degrees. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Plant ops received work order for Ice machines in Bravo yard, staff will be heading there today to fix it, other than that we don't have more work orders.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1205 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)


DEPARTMENT OF CORRECTIONS AND REHABILITATION

TITLE Heat Plan Meeting		TIME 1200	DATE 10/07/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1								
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5	Esquivel, Andres	CDW (A)	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Zavala, Roberto	AW	0800-1600	1200	1230			
12	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
13	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
14	Guzman, Fidencio	Warden	0800-1630	1200	1230			
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

10/08/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
A. Esquivel CDW
H. Perez, AW Complex I
R. Zavala, AW Complex II
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
T. Soriano, Custody Captain
V. Cortez, Facility D/MSF Captain
J. Covarrubias, SRN II
U. Cardenas, SRN II ISUDT, R&R
D. Loop, HCAU Captain (A)
R. Beatty, CPM II
B. Espitia, CHSA

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 74 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Air conditioning A2 C Section has been fixed. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines from dining is not working correctly, work order has been submitted already. Temperatures in Facility B Housing Units highest temperature was 76 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 78 degrees. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has eleven incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 75 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 72 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No work orders have been submitted for today's meeting.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Education

No issues for education regarding the heat plan expectations.

Meeting adjourned at 1206 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION


TITLE Heat Plan Meeting		TIME 1200	DATE 10/08/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS

BET ID (list all applicable)

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Cardenas, Ursula	SRN II	0800-1600	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5	Esquivel, Andres	CDW	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Zavala, Roberto	AW	0800-1600	1200	1230			
12	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
13	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
14	Guzman, Fidencio	Warden	0800-1630	1200	1230			
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

10/09/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
A. Esquivel CDW
H. Perez, AW Complex I (A)
R. Zavala, AW Complex II
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
T. Soriano, Custody Captain
V. Cortez, Facility D/MSF Captain
J. Covarrubias, SRN II
U. Cardenas, SRN II ISUDT, R&R
D. Loop, HCAU Captain (A)
R. Beatty, CPM II
B. Espitia, CHSA

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 72 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Air conditioning A2 C Section has been fixed. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines from dining is not working correctly, work order has been submitted already. Temperatures in Facility B Housing Units highest temperature was 76 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 76 degrees. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has eleven incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 77 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 69 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 72 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. The mailroom office temperature is at 83 degrees, work order was submitted.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1209 hours.

A handwritten signature in black ink, appearing to read "Fidencio N. Guzman".

FIDENCIO N. GUZMAN
Warden
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 10/09/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1								
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Espitia, Betty	CSE (A)	0800-1600	1200	1230			
5	Esquivel, Andres	CDW	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Zavala, Roberto	AW	0800-1600	1200	1230			
12	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
13	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
14	Guzman, Fidencio	Warden	0800-1630	1200	1230			
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

10/10/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
A. Esquivel CDW
H. Perez, AW Complex I (A)
R. Zavala, AW Complex II
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
T. Soriano, Custody Captain
V. Cortez, Facility D/MSF Captain
J. Covarrubias, SRN II
D. Loop, HCAU Captain (A)
R. Beatty, CPM II
B. Espitia, CHSA

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 72 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Air conditioning A2 C Section has been fixed. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working correctly. Temperatures in Facility B Housing Units highest temperature was 76 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 73 degrees. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has eleven incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 72 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 69 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 70 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. The mailroom office temperature is working fine and there are no other work orders as of right now.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1206 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting			TIME 1200	DATE 10/10/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel		LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)				

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Guzman, Fidencio	Warden	0800-1630	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Esquivel, Andres	CDW	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Zavala, Roberto	AW	0800-1600	1200	1230			
12	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
13	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR




Heat Plan Expectation Meeting

10/11/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
A. Esquivel CDW
H. Perez, AW Complex I (A)
R. Zavala, AW Complex II
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
T. Soriano, Custody Captain
O. Medina, CCII Facility D
J. Covarrubias, SRN II
D. Loop, HCAU Captain (A)
R. Beatty, CPM II
B. Espitia, CHSA

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 71 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Air conditioning A2 C Section has been fixed. Facility A has seven incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working correctly. Temperatures in Facility B Housing Units highest temperature was 73 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 74 degrees. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has eleven incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 78 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 70 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has two incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 70 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No work orders were submitted as of today.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1206 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

STATE OF CALIFORNIA

RAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)


DEPARTMENT OF CORRECTIONS AND REHABILITATION

TITLE Heat Plan Meeting		TIME 1200		DATE 10/11/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5		LOCATION TEAMS
ET ID (list all applicable)				

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Guzman, Fidencio	Warden	0800-1630	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Esquivel, Andres	CDW	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
0	Soriano, Tanya	Cpt	0800-1600	1200	1230			
1	Zavala, Roberto	AW	0800-1600	1200	1230			
2	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
3	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
4								
5								
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

10/14/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
A. Esquivel CDW
H. Perez, AW Complex I (A)
R. Zavala, AW Complex II
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
T. Soriano, Custody Captain
V. Cortez, Facility D Captain
J. Covarrubias, SRN II
D. Loop, HCAU Captain (A)
R. Beatty, CPM II
B. Espitia, CHSA

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 78 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Air conditioning A2 C Section has been fixed. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working correctly. Temperatures in Facility B Housing Units highest temperature was 73 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 79 degrees, the AC for Charlie clinic is not working. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 71 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 71 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. RHU has one incarcerated person on the heat med list.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Work order for Charlie Clinic air conditioning was submitted, my team will be going over there today to fix it. Records Department air condition will also be worked on, it is warm inside the office.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training. One new medical employee is missing for training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1206 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION


TITLE	Heat Plan Meeting		TIME	1200		DATE	10/14/2024
AUDIENCE	Executive Staff	INSTRUCTOR	A. Esquivel		LENGTH (IN HOURS)	.5	
DET ID (list all applicable)							

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1			0800-1630	1200	1230			
2	Perez, Jesse	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Esquivel, Andres	CDW	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
0	Soriano, Tanya	Cpt	0800-1600	1200	1230			
1	Zavala, Roberto	AW	0800-1600	1200	1230			
2	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
3	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
4								
5								
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR




Heat Plan Expectation Meeting

10/15/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
A. Esquivel CDW
H. Perez, AW Complex I (A)
R. Zavala, AW Complex II
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
T. Soriano, Custody Captain
V. Cortez, Facility D Captain
J. Covarrubias, SRN II
D. Loop, HCAU Captain (A)
R. Beatty, CPM II
B. Espitia, CHSA

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 77 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Air conditioning A2 C Section has been fixed. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working correctly. Temperatures in Facility B Housing Units highest temperature was 74 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 79 degrees, the AC in Charlie Clinic has been fixed. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 71 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 71 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. RHU has one incarcerated person on the heat med list.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No work orders have been submitted as of right now. Charlie Clinic's AC has been fixed since yesterday.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training. One new medical employee is missing for training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1208 hours.



FIDENCIO N. GUZMAN

Warden

Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 10/15/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS

BET ID (list all applicable)

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1			0800-1630	1200	1230			
2	Beatty, Bob	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Esquivel, Andres	CDW	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Zavala, Roberto	AW	0800-1600	1200	1230			
12	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

10/16/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
A. Esquivel CDW
H. Perez, AW Complex I (A)
R. Zavala, AW Complex II
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D Captain
T. Soriano, Custody Captain
J. Covarrubias, SRN II
D. Loop, HCAU Captain (A)
R. Beatty, CPM II
B. Espitia, CHSA
L. Williams, CSE

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 70 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Air conditioning A2 C Section has been fixed. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working correctly. Temperatures in Facility B Housing Units highest temperature was 72 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are working fine. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 71 degrees, the AC in Charlie Clinic has been fixed. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 69 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 69 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. RHU has one incarcerated person on the heat med list.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No work orders have been submitted as of right now.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training. One new medical employee is missing for training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1205 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

STATE OF CALIFORNIA

RAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION


ITLE Heat Plan Meeting		TIME 1200	DATE 10/16/2024
UDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
ET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Espitia, Betty	CHSA	0800-1630	1200	1230			
2	Beatty, Bob	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Esquivel, Andres	CDW	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
0	Soriano, Tanya	Cpt	0800-1600	1200	1230			
1	Zavala, Roberto	AW	0800-1600	1200	1230			
2	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
3								
4								
5								
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR




Heat Plan Expectation Meeting

10/17/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
A. Esquivel CDW
H. Perez, AW Complex I (A)
R. Zavala, AW Complex II
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D Captain
T. Soriano, Custody Captain
J. Covarrubias, SRN II
D. Loop, HCAU Captain (A)
R. Beatty, CPM II
B. Espitia, CHSA
L. Williams, CSE

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 71 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Air conditioning A2 C Section has been fixed. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working correctly. Temperatures in Facility B Housing Units highest temperature was 72 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are functioning properly. Heat Logs have been distributed to Facility B Control Booths. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 71 degrees, the AC in Charlie Clinic has been fixed. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 68 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 68 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. RHU has one incarcerated person on the heat med list.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No work orders have been submitted as of right now for AC problems.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training. One new medical employee is missing for training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1205 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 10/17/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Espitia, Betty	CHSA	0800-1630	1200	1230			
2	Beatty, Bob	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Esquivel, Andres	CDW	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Cortez, Virginia	Cpt	0800-1600	1200	1230			
10	Soriano, Tanya	Cpt	0800-1600	1200	1230			
11	Zavala, Roberto	AW	0800-1600	1200	1230			
12	Cardenaz, Tiffany	CBM	0800-1600	1200	1230			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

10/18/2024

Centinela State Prison

Centinela Staff in Attendance
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
R. Solorio, Facility C Captain
T. Soriano, Custody Captain
J. Covarrubias, SRN II
R. Beatty, CPM II
B. Espitia, CHSA
L. Williams, CSE

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 70 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Air conditioning A2 C Section has been fixed. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working correctly. Temperatures in Facility B Housing Units highest temperature was 73 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B are functioning properly except for B visiting, work order has already been submitted. Heat Logs have been distributed to Facility B Control Booths. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 71 degrees, the AC in Charlie Clinic has been fixed. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 69 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 69 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) and R&R, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. RHU has one incarcerated person on the heat med list.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Work order was submitted for B visiting drinking fountain, crew will work on it today.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training. One new medical employee is missing for training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1206 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION


TITLE Heat Plan Meeting		TIME 1200	DATE 10/18/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			

	PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
					IN	OUT			
1		Espitia, Betty	CHSA	0800-1630	1200	1230			
2		Beatty, Bob	CPM	0800-1600	1200	1230			
3		Hopper, Gary	Cpt	0800-1600	1200	1230			
4		Williams, LaShawn	CSE	0800-1600	1200	1230			
5		Esquivel, Andres	CDW	0800-1600	1200	1230			
6		Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7		Botello, Johnny	Cpt	0800-1600	1200	1230			
8		Solorio, Richard	Cpt	0800-1600	1200	1230			
9					1200	1230			
10					1200	1230			
11					1200	1230			
12					1200	1230			
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR




Heat Plan Expectation Meeting

10/21/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
A. Esquivel, CDW
R. Zavala, AW Complex II
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
D. Loop, HCAU Captain
J. Covarrubias, SRN II
R. Beatty, CPM II
B. Espitia, CHSA
L. Williams, CSE

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 70 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Air conditioning A2 C Section has been fixed. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working correctly. Temperatures in Facility B Housing Units highest temperature was 72 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B. Logs have been distributed to Facility B Control Booths. Facility B has two incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 70 degrees, the AC in Charlie Clinic has been fixed. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 68 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 73 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain D. Loop did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) 73 and R&R 70, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. RHU has one incarcerated person on the heat med list.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No Work orders have been submitted for today.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training. One new medical employee is missing for training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1205 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TITLE Heat Plan Meeting		TIME 1200	DATE 10/21/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Espitia, Betty	CHSA	0800-1630	1200	1230			
2	Beatty, Bob	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Esquivel, Andres	CDW	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
10	Cortez, Virginia	Cpt	0800-1600	1200	1230			
11	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
12	Zavala, Roberto	AW	0800-1600	1200	1230			
13	Perez, Humberto	AW	0800-1600	1200	1230			
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR

[REDACTED]

Heat Plan Expectation Meeting

10/22/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
H. Perez, AW Complex I (A)
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
D. Loop, HCAU Captain
T. Soriano, Custody Captain
J. Covarrubias, SRN II
R. Beatty, CPM II
B. Espitia, CHSA
L. Williams, CSE

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 68 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working correctly. Temperatures in Facility B Housing Units highest temperature was 70 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B. Logs have been distributed to Facility B Control Booths. Facility B has three incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 71 degrees, the AC in Charlie Clinic has been fixed. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert,

daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 68 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 72 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain D. Loop did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) 72 and R&R 70, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. RHU has one incarcerated person on the heat med list.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No Work orders have been submitted for today.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training. One new medical employee is missing for training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1204 hours.



FIDENCIO N. GUZMAN

Warden

Centinela State Prison

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION


TITLE Heat Plan Meeting		TIME 1200	DATE 10/22/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS

BET ID (list all applicable)

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Espitia, Betty	CHSA	0800-1630	1200	1230			
2	Beatty, Bob	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Guzman, Fidencio	Warden	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
10	Cortez, Virginia	Cpt	0800-1600	1200	1230			
11	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
12	Perez Humberto	AW(A)	0800-1600	1200	1230			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

10/23/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
H. Perez, AW Complex I (A)
R. Zavala, AW Complex II
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
D. Loop, HCAU Captain
T. Soriano, Custody Captain
J. Covarrubias, SRN II
R. Beatty, CPM II
B. Espitia, CHSA
L. Williams, CSE

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 68 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working correctly. Temperatures in Facility B Housing Units highest temperature was 70 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B. Logs have been distributed to Facility B Control Booths. Facility B has four incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 70 degrees, the AC in Charlie Clinic has been fixed. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 66 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 73 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) 73 and R&R 70, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. RHU has one incarcerated person on the heat med list.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No Work orders have been submitted for today.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training. One new medical employee is missing for training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1205 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)


DEPARTMENT OF CORRECTIONS AND REHABILITATION

TITLE Heat Plan Meeting		TIME 1200	DATE 10/23/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Espitia, Betty	CHSA	0800-1630	1200	1230			
2	Beatty, Bob	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Guzman, Fidencio	Warden	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
10	Cortez, Virginia	Cpt	0800-1600	1200	1230			
11	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
12	Perez Humberto	AW(A)	0800-1600	1200	1230			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

10/24/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
H. Perez, AW Complex I (A)
R. Zavala, AW Complex II
E. Bustamante, AW Central Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
D. Loop, HCAU Captain
T. Soriano, Custody Captain
J. Covarrubias, SRN II
R. Beatty, CPM II
B. Espitia, CHSA
L. Williams, CSE

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 68 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working correctly. Temperatures in Facility B Housing Units highest temperature was 70 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B. Logs have been distributed to Facility B Control Booths. Facility B has four incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 71 degrees, the AC in Charlie Clinic has been fixed. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has ten incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 67 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 73 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) 73 and R&R 70, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. RHU has one incarcerated person on the heat med list.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No Work orders have been submitted for today.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training. Three officers had their accounts reactivated and are missing the training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1204 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET


CDCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 10/24/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Espitia, Betty	CHSA	0800-1630	1200	1230			
2	Beatty, Bob	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Guzman, Fidencio	Warden	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
10	Cortez, Virginia	Cpt	0800-1600	1200	1230			
11	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
12	Perez Humberto	AW(A)	0800-1600	1200	1230			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	-							
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR

Heat Plan Expectation Meeting

10/25/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
H. Perez, AW Complex I (A)
R. Zavala, AW Complex II
E. Bustamante, AW Central Services
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
D. Loop, HCAU Captain
T. Soriano, Custody Captain
J. Covarrubias, SRN II
R. Beatty, CPM II
B. Espitia, CHSA
L. Williams, CSE

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 70 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working correctly. Temperatures in Facility B Housing Units highest temperature was 72 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B. Logs have been distributed to Facility B Control Booths. Facility B has four incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 72 degrees, the AC in Charlie Clinic has been fixed. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has nine incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 66 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 73 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) 73 and R&R 70, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. RHU has one incarcerated person on the heat med list.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No Work orders have been submitted for today.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training. One Custody Officer had his account reactivated and is missing the training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1206 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

TRAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 10/25/2024
AUDIENCE	Executive Staff	INSTRUCTOR	A. Esquivel
ET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Espitia, Betty	CHSA	0800-1630	1200	1230			
2	Beatty, Bob	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Guzman, Fidencio	Warden	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
0	Cortez, Virginia	Cpt	0800-1600	1200	1230			
1	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
2	Perez Humberto	AW(A)	0800-1600	1200	1230			
3								
4								
5								
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR

Heat Plan Expectation Meeting

10/28/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
A. Esquivel, CDW
J. Munger, CEO (A)
H. Perez, AW Complex I (A)
R. Zavala, AW Complex II
E. Bustamante, AW Central Services
F. Vasquez, AW Business Services
G. Hopper, Facility A Catain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
V. Cortez, Facility D/MSF Captain
D. Loop, HCAU Captain
T. Soriano, Custody Captain
J. Covarrubias, SRN II
R. Beatty, CPM II
B. Espitia, CHSA
L. Williams, CSE

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 70 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines are working correctly. Temperatures in Facility B Housing Units highest temperature was 72 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B. Logs have been distributed to Facility B Control Booths. Facility B has four incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 71 degrees, the AC in Charlie Clinic has been fixed. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert,

daily verification of the medical rounds log has been reviewed. Facility C has nine incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 71 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 66 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 73 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) 73 and R&R 70, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. No Work orders have been submitted for today.

IST, Lieutenant

Centinela State Prison is at 99% with the Heat Pathology LMS training. One Custody Officer had his account reactivated and is missing the training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1205 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

RAINING PARTICIPATION SIGN-IN SHEET

DCR 844 (Rev. 06/14)

ITLE Heat Plan Meeting		TIME 1200		DATE 10/28/2024
UDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5		LOCATION TEAMS
ET ID (list all applicable)				

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Espitia, Betty	CHSA	0800-1630	1200	1230			
2	Beatty, Bob	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Guzman, Fidencio	Warden	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Bustamante, Ernesto	AWCS	0800-1600	1200	1230			
0	Cortez, Virginia	Cpt	0800-1600	1200	1230			
1	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
2	Perez Humberto	AW(A)	0800-1600	1200	1230			
3	Esquivel, Andres	CDW	0800-1600	1200	1230			
4	Munger, John	CEO (A)	0800-1600	1200	1230			
5								
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR

[REDACTED]

Heat Plan Expectation Meeting

10/29/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
A. Esquivel, CDW
J. Munger, CEO (A)
H. Perez, AW Complex I (A)
R. Zavala, AW Complex II
F. Vasquez, AW Business Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
D. Loop, HCAU Captain
T. Soriano, Custody Captain
J. Covarrubias, SRN II
R. Beatty, CPM II
B. Espitia, CHSA
L. Williams, CSE

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 69 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Captain J. Botello, did the daily tour. Ice machines is not working, work order has been submitted. Temperatures in Facility B Housing Units highest temperature was 70 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B. Logs have been distributed to Facility B Control Booths. Facility B has four incarcerated persons in the heat med list.

Facility C

Facility C R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 73 degrees. Ice machines are working correctly. Water fountains are all working correctly except for C5 work order has been submitted. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has nine incarcerated persons under heat medications.

Facility D

Facility D Captain, V. Cortez did her daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility MSF Captain, V. Cortez did her daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 65 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain D. Loop did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 73 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) 73 and R&R 70, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Currently working with drinking fountain and ice machine from facilities.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1204 hours.



FIDENCIO N. GUZMAN

Warden

Centinela State Prison

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 10/29/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Espitia, Betty	CHSA	0800-1630	1200	1230			
2	Beatty, Bob	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Guzman, Fidencio	Warden	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Botello, Johnny	Cpt	0800-1600	1200	1230			
8	Solorio, Richard	Cpt	0800-1600	1200	1230			
9	Loop, Dustin	Cpt (A)	0800-1600	1200	1230			
10	Perez Humberto	AW(A)	0800-1600	1200	1230			
11	Esquivel, Andres	CDW	0800-1600	1200	1230			
12	Munger, John	CEO (A)	0800-1600	1200	1230			
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE

PERNR



Heat Plan Expectation Meeting

10/30/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
A. Esquivel, CDW
J. Munger, CEO (A)
H. Perez, AW Complex I (A)
R. Zavala, AW Complex II
F. Vasquez, AW Business Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
D. Loop, HCAU Captain
T. Soriano, Custody Captain
J. Covarrubias, SRN II
R. Beatty, CPM II
B. Espitia, CHSA
L. Williams, CSE

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 70 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility B Lieutenant J. Rico did the daily tour. Ice machines is not working, work order has been submitted. Temperatures in Facility B Housing Units highest temperature was 70 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B. Logs have been distributed to Facility B Control Booths. Facility B has four incarcerated persons in the heat med list.

Facility C

Facility C Captain R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 71 degrees. Ice machines are working correctly. Water fountains are all working correctly except for C5 work order has been submitted. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has nine incarcerated persons under heat medications.

Facility D

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility C Captain, R. Solorio did the daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 65 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain T. Soriano did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 73 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) 73 and R&R 70, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Plant Ops is working on ice machine in B yard. C-5 fountain still being worked on as well.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1204 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

STATE OF CALIFORNIA

TRAINING PARTICIPATION SIGN-IN SHEET

CDCR 844 (Rev. 06/14)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

TITLE Heat Plan Meeting		TIME 1200	DATE 10/30/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
BET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Espitia, Betty	CHSA	0800-1630	1200	1230			
2	Beatty, Bob	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Guzman, Fidencio	Warden	0800-1600	1200	1230			
6	Covarrubias, Javier	SRN II	0800-1600	1200	1230			
7	Solorio, Richard	Cpt	0800-1600	1200	1230			
8	Perez Humberto	AW(A)	0800-1600	1200	1230			
9	Esquivel, Andres	CDW	0800-1600	1200	1230			
10	Munger, John	CEO (A)	0800-1600	1200	1230			
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR



Heat Plan Expectation Meeting

10/31/2024

Centinela State Prison

<u>Centinela Staff in Attendance</u>
F. Guzman, Warden
A. Esquivel, CDW
J. Munger, CEO (A)
H. Perez, AW Complex I (A)
R. Zavala, AW Complex II
F. Vasquez, AW Business Services
G. Hopper, Facility A Captain
J. Botello, Facility B Captain
R. Solorio, Facility C Captain
D. Loop, HCAU Captain
T. Soriano, Custody Captain
J. Covarrubias, SRN II
R. Beatty, CPM II
B. Espitia, CHSA
L. Williams, CSE

Meeting started at 1200 hours.

Facility A

Facility A Captain G. Hopper did the daily tour in his facility. Temperatures in Facility A Housing Units highest temperature was 70 degrees. Drinking fountains are working correctly. Ice machines are working. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility A has six incarcerated persons who are listed on the Heat Med report, no issues were noted with any of the heat med individuals.

Facility B

Facility A Captain Hopper did the daily tour. Ice machines are working. Temperatures in Facility B Housing Units highest temperature was 70 degrees. Thermometers are working correctly and are being used to read the temperatures from each housing unit. Drinking fountains for Facility B. Logs have been distributed to Facility B Control Booths. Facility B has four incarcerated persons in the heat med list.

Facility C

Facility C Captain R. Solorio did the daily tour. Temperatures in Facility C Housing Units highest temperature was 71 degrees. Ice machines are working correctly. Water fountains are all working correctly. Heat logs are in accordance with OP. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Facility C has nine incarcerated persons under heat medications.

Facility D

Facility C Captain, R. Solorio did the daily tour. Temperatures in Facility D Housing Units highest temperature was 70 degrees. Ice machines are in good conditions. Drinking fountains are in good conditions as well. D yard has one incarcerated person in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Facility MSF

Facility C Captain, R. Solorio did the daily tour. Facility MSF temperatures for dorm 1 is 69 and dorm 2 is 65 degrees. Facility MSF ice machine and drinking fountains are in good conditions. MSF has three incarcerated persons in heat medication. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

CTC Medical

Captain T. Soriano did the daily tour. Thermometers are working correctly and are showing the correct temperatures, they are all in the 73 degrees. Ice machines and drinking fountains are working as they should. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed. Infirmary has no heat med patients on the heat med list.

RHU / R&R / Visiting

Captain T. Soriano did the daily tour and noticed that the thermometers and drinking fountains are all working correctly in C6 (Ad-Seg) 73 and R&R 71, there are no issues with drinking fountains. Daily verification of the housing unit logbook upon Stage III Heat Alert and upon stage III Heat Alert, daily verification of the medical rounds log has been reviewed.

Plant Operations

Plant Operations has been monitoring all work orders that come into the system. As they come in, we distribute depending on the situations they are requesting for. Ice machine for B yard and fountain drink in C5 has been fixed. No work orders submitted as of right now.

IST, Lieutenant

Centinela State Prison is at 100% with the Heat Pathology LMS training.

Medical Warehouse, B. Espitia, CHSA

No issues for the medical warehouse or the facility clinics.

Medical

Nothing to report for medical department, no heat related incident was reported over the weekend.

Meeting adjourned at 1206 hours.



FIDENCIO N. GUZMAN
Warden
Centinela State Prison

RAINING PARTICIPATION SIGN-IN SHEET


DCR 844 (Rev. 06/14)

TITLE Heat Plan Meeting		TIME 1200	DATE 10/31/2024
AUDIENCE Executive Staff	INSTRUCTOR A. Esquivel	LENGTH (IN HOURS) .5	LOCATION TEAMS
ET ID (list all applicable)			

PERSONNEL NUMBER (PERNR)	PRINT FULL NAME (LAST, FIRST)	WORK CLASS	TODAY'S WORK HOURS	CLASS		MEAL BREAK Y or N	OVER TIME HOURS	SIGNATURE
				IN	OUT			
1	Espitia, Betty	CHSA	0800-1630	1200	1230			
2	Beatty, Bob	CPM	0800-1600	1200	1230			
3	Hopper, Gary	Cpt	0800-1600	1200	1230			
4	Williams, LaShawn	CSE	0800-1600	1200	1230			
5	Guzman, Fidencio	Warden	0800-1600	1200	1230			
6	Solorio, Richard	Cpt	0800-1600	1200	1230			
7	Perez Humberto	Cpt	0800-1600	1200	1230			
8	Cortez, Virginia	Cpt	0800-1600	1200	1230			
9	Esquivel, Andres	CDW	0800-1600	1200	1230			
0	Tanya, Soriano	Cpt	0800-1600	1200	1230			
1								
2								
3								
4								
5								
6								
7								
8								
9								
0								
1								
2								
3								
4								

ALL COLUMNS MUST BE COMPLETED

INSTRUCTOR'S SIGNATURE



PERNR

